

BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH,

NEW DELHI  
ORIGINAL APPLICATION NO. 169/2019

SH. RAJPAL SANGWAN

.....APPLICANT

VERSUS

GOVT. OF NCT OF DELHI

.....RESPONDENT(S)

**NDOH:-31-07-2019**

**INDEX**

<b>S. NO.</b>	<b>PARTICULARS</b>	<b>Page No.</b>
1.	ACTION TAKEN REPORT FOR AND ON BEHALF OF DPCC IN COMPLIANCE OF THE ORDER DATED 15 -04-2019	1-2
2.	<b><u>Annexure-A-1</u></b> Inspection report dated 29.05.2019 by DPCC	3-6
3.	<b><u>Annexure-A-2</u></b> Letter of Sh. Raj Pal Sangwan, Complainant to DPCC.	7

Filed By:-

(Delhi Pollution Control Committee)



3. That as per the directions passed by this Hon'ble Court, inspection of the area was carried out by the officials of DPCC on 29.05.2019.
4. That during the inspection it was reported by local people of the village that scrap and polythene godown activity was running earlier at the premises of Sh. Baljeet Singh, plot at Badusarai, Kapashera, New Delhi but the same has been stopped and vacated. Copy of the Inspection Report is annexed herewith as **Annexure A-1**.
5. That Sh. Rajpal Sangwan (applicant) informed the officials of DPCC that the material of these units/godown was kept in the plot for 2 or 3 days. After complaining regarding scrap and polythene godown activity to SHO and SDM office, action has been taken already by local authority.
6. That Sh. Rajpal Sangwan (applicant) wrote a letter to DPCC informing that after the action taken by the police, no scrap and polythene godown is there in the area i.e. Badusarai, Kapasheda, New Delhi-110071. The same letter is annexed herewith as **Annexure A-2**.

New Delhi  
Dated: 25.07.2019

  
(Dr. Chandra Prakash)  
Senior Environment Engineer



**INSPECTION REPORT**

1. Name & Address of the Unit : M/s Shashi Crowden  
Badli Sarai, Delhi
2. Owner/Partner's Name : Sh. Baljeet Singh
3. Contact Details (Phone & Email) : .....
4. Date of inspection : 29/05/2019
5. Time of inspection: a) Start of Inspection: .....  
 b) End of Inspection: .....
6. Name & Designation of the Persons contacted at the industry: 8860 503770  
9871307172  
sh. Rajpal Sarjwan  
sh. Mukesh Kumar  
sh. Surej Prash
7. Kind of Industry : .....
8. Product & Capacity : .....
9. Main Raw Materials : .....
10. Water Polluting : Yes/No ETP Installed : Yes/No
11. Air Pollution : Yes/No ECS Installed : Yes/No
12. Details of Stack Height : (Above G.L).....(Above R.L).....  
 (Furnace/ Boilers/Others)
13. Type of Fuel Used : .....
14. Effluent Discharged (a) Domestic/Trade Effluent  
 (b) Unit Connected to Conveyance System: Yes/No  
 (c) Discharging in to .....
15. Status of Consent (If Any) : .....
16. D.G. Set (s) (If Any) : No.....Capacity.....KVA.....Acoustic: Yes/No  
 : Stack Height.....(Above G.L).....(Above R.L).....
17. Plot Area : .....
18. Labor : .....
19. Machinery : .....
20. Power Connection : C.A:-.....KW:-.....
21. Source of water : .....
22. Whether Unit Found in Operation : Yes/No

23. Whether Generating HW : Yes/No

24. (a) Status of Authorization (IF Any):

(b) Display Board Provided: Yes/No

(c) Whether HW is stored in Leak proof Container: Yes/No

(d) Whether container marked With specified label: Yes/No

(e) Whether Container stored Kept in an isolated area: Yes/No

(f) Whether HW is being stored on pucca floor & in covered area: Yes/No

(g) Whether date on which Storage began indicated on each Container: Yes/No

(h) Whether daily record of HW Maintained in HW-3: Yes/No

(4)


**Details about Hazardous Waste**

S.No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorized mode of disposal or recycling or utilization or co-processing etc.	Quantity (Ton/annum)

**Remarks, If Any:**


As per Hon'ble NGT order dated 15.04.2019, inspection of the area was carried out by officials of DPCC on 29.05.2019 and it was reported by local peoples of the villyage that scrap and polythene godown activity was running earlier at premises of Sh. Buljeet Singh (Well known as Doctor) plot. at Badusarai, Kapashera, New Delhi but same has been stopped and vacated.

As reported by Sh. Rajpal Sangwan, Sh. Mukesh Kumar & Sh. Suraj Prakash that the material of these units/godown was kept in the plot for 2 or 3 days. After complaining regarding scrap & polythenes godown activity to SHO and SDM office, action has been taken already by local authority and it was reported that unit/godown has been shifted to outside Delhi.


  
Mukesh Kumar - 9650119916  
Name & Sign of the Persons

  
Signature, Name & Designation of Inspecting Officials

5



Vacole Plat at  
Badu Sarani



Vacate flat at  
Badu Sarai

सेता में

(7)

श्रीमान् इंचार्ज महोदय CMC-II  
6<sup>th</sup> Floor, ISBT भवन,  
कश्मीरी गेट, नई दिल्ली-06

श्रीमान्

मैं - राजपाल सांगवान, गांव - बडुसराय, नई दिल्ली - 71 का  
निवासी हूँ। श्रीमान् जी हमारे गांव में मार्च में प्लास्टिक  
के कबाड के गोदाम बन गये थे। जिसकी शिकायत मैंने  
एस. डी. एम. कार्यालय व दिल्ली पुलिस में कर दी थी।  
जिसका निपटारा हफ्ते भर में हो गया था। अब गांव  
में कोई प्लास्टिक का गोदाम नहीं है और अब हमें कोई  
शिकायत नहीं है। धन्यवाद।

राजपाल

राजपाल सांगवान  
गांव - बडुसराय, नई दिल्ली  
Ph. no - 9871367172