

BEFORE THE NATIONAL GREEN TRIBUNAL SOUTHERN ZONE, CHENNAI

Original Application No. 111 of 2022 (SZ)

IN THE MATTER OF:

Tribunal on its own motion Suo Motu based on the news Item in
Tamil Newspaper Dinamalar Chennai Edition Dt.13.07.2020,
Frothing of Chemical Foam in the River Thenpennai”

....Applicant

Versus

The Principal Secretary to Government,
Public Works Department, Chennai & Ors.

....Respondents

INDEX TO ACTION TAKEN REPORT FILED BY 6TH RESPONDENT - KARNATAKA
POLLUTION CONTROL BOARD

| S. No. | Description of the Document/Annexure | Page No. |
|--------|---|----------|
| 1. | Action Taken Report | 1 |
| | Annexure - I | |
| 2. | Water Quality Analysis Report - Chikkaballapura | 7 |
| 3. | Water Quality Analysis Report - Yelahanka | 37 |
| 4. | Water Quality Analysis Report - Bangalore City East & West | 79 |
| 5. | Water Quality Analysis Report - Mahadevapura, Sarjapura, South | 99 |
| | Annexure - II | |
| 6. | Water Quality of the river Dakshina Pinakini near Mugalur Bridge | 115 |
| | Annexure - III | |
| 7. | List of Industries that have been issued Closure Directions | 116 |
| | Annexure - IV | |
| 8. | Details of Legal Proceedings initiated against industries operating in violation of statutory mandates | 124 |

M. R. Gokul Krishnan
Counsel for 6th Respondent

Action taken report pertaining to Frothing of Chemicals Foam in Thenpennai River in the matter of OA No. 111/2020 as on 19.03.2022.

Ref: NGT order dated: 17.02.2022 in respect of OA No. 111/2020.

In accordance with the directions issued by Hon'ble National Green Tribunal principle Bench, South Zone, Chennai on the matter of OA No. 111/2020. The action details are as under.

Preamble:

Thenpennai River also known as South Pennar or Dhakshina Pinakini is an interstate River. The River originate son South Eastern slopes of Chennakesava Hills, North West of Nandidurg of Chikkaballapur District in Karnataka State at an altitude of 1000 m above meansea level, which flows in the Southern direction through Chikkaballapura, Bengaluru Rural and Bengaluru Urban Districts in Karnataka State and descends to Tamilnadu near Hosur.

Thenpennai River basin is one of the largest Rivers of the State of Tamilnadu. The River has supported many a civilizations of peninsular India in supplying precious water for drinking, irrigation and industry to the people of the state of Karnataka, Tamilnadu and Pondicherry. The total length of the Ponnaiyar river is 432 Km, of which 112 Km lies in Karnataka State, 180 Km in Dharmapuri and Krishnagiri, 34 Km in Thiruvannamalai and 106 Km in Cuddalore, Kallakurichi and Villupuram districts of Tamilnadu before joining Bay of Bengal. En route, it tributaries are Chinnar, Markandeyanahi, Vaniar and Pamban rivers in Tamilnadu. With a total catchment of approximately 16,019 square Km, it is dry for the most part of the year but swells during the North East monsoon season.

In Karnataka, the river traverses through series of zilla panchyat tanks and also Minor irrigation tanks namely Nandi tank, Kuppalli tank, Chadalapura tank, Kothanuru tank, Kolavanahalli tank, Chikkadigenahalli tank, Bommanahalli tank, Kanithahalli tank, Muthur tank, mallur tank, Amani Bhadrana kere tank in Chikkaballapur District, Hoskote Doddakere tankin Bengaluru Rural district, and Yelemallapa Chetty tank in Bengalur Urban District. Drainage basin of River Thenpennai or South Pennar flowing in Karnataka & Tamilnadu.

Hon'ble National Green tribunal South Zone, Chennai in the matter of OA No. 111/2020 on its own motion based on the news item in Tamil Newspaper Dinamalar Chennai edition dated: 13.07.2020, "Frothing of Chemical form in the River Thenpennai".

- i. On 13th July, 2020 about 640 Cusecs water was discharged from Kelavarapalli Reservoir, Hosur and huge amount of chemical foam was found in Thenpennai River.
- ii. The flow of water into the reservoir increased gradually from 320 cusecs (09 July, 2020) to 480 cusecs (11th July, 2020) due to heavy rainfall in the catchment area.
- iii. In general, whenever the flow of water increases in Kelavarapalli reservoir the domestic sewage and industrial effluent from Karnataka mixes into the river in huge quantity.



- iv. On the day of 13 July, 2020, a huge quantity of sewage/effluent were discharged into Thenpennai and therefore, chemical froth/foam were found floating on the surface of water flowing in Kelavarapalli and near that takalapalli bridge.

Hon'ble Tribunal (SZ). Chennai vide its orders dated 20.07.2020 appointed a Joint Committee to inspect the area in question and submit status as well as action taken report, if there is any violation found. The Hon'ble Tribunal has also issued following directions to the committee:

- To ascertain the water quality and also ascertain the sources of pollution and take action against the person who are responsible in accordance with law including imposing of environmental compensation.
- To submit a long term and short term action plan with shorter time lines to protect the water body against pollution. If there is any contamination caused, the committee is also directed to suggest ways and means to remedy the same. Hon'ble Tribunal vide aforesaid orders directed the committee to submit the report within a period of two months i.e., on or before 05.10.2020.
- Constituted the joint Committee by CPCB as the Nodal Agency vide its Office memorandum No. Tech 39/Legal(NGT)/RDS/2020-21/466-474 dated: 24.08.2020 and 16.09.2020.
- KSPCB is monitoring the water quality of 79 lakes located in Dakshina Pinakini River catchment area. The annual water quality is confirming to D/E Class of Primary Water Quality Criteria. The different lake water quality carried out from 01.04.2021 to 31.01.2022 is herewith enclosed as **Annexure-1** for kind reference. As per the analysis reports, the water quality of lake falls under class D category.
- KSPCB is monitoring the water quality of Dakshina Pinakini River near Mugulur bridge. The water quality is confirming to D/E Class of Primary Water Quality Criteria as the water quality carried out near Mugulur Bridge from 01.04.2021 to 31.01.2022 is herewith enclosed as **Annexure-II**.
- Dakshina Pinakini is not a perennial river and the flow is only treated /untreated sewage of Bengaluru. The river water quality can be improved if and only when the sewage is treated in the STPs.
- Industries located at the catchment area of KC Valley, Hebbal Valley, Hosakote, Kolar and Chikkaballapur are periodical inspected by respective ROs. The industries located in the catchment areas are periodically inspected by the Regional officers and the defaulters industries are dealt in accordance with law.
- KSPCB has issued Closure Directions to 72 nos. of defaulting industries during 2018 2022. Out of which 29 No's of closure directions were revoked after compliance. The list is enclosed as **Annexure-III**.
- KSPCB has filed cases against 16 defaulting Apartments. The list of cases against the apartment is enclosed as **Annexure-IV**.
- As per the directions of the Hon'ble NGT in OA 1038/2018, KSPCB has imposed Environmental Compensation in respect of 36 No's of industries. However, the Hon'ble Supreme Court of India has stayed the process of levying of Environmental Compensation vide Civil Appeal Diary No.19271/2020 22.09.2020.



2

- KSPCB has imposed EC of Rs. 288.80 Crores on 496 No's of Apartment/Commercial establishment and Rs. 1.85 crores was collected. The list is enclosed as **Annexure-V**.
- Action taken report was forwarded to CPCB as per Directions of Hon'ble NGT on 31.03.2021, 31.08.2021, 09.12.2021.

K.S.P.C.B. has engaged 12 Marshals With Emergency response Vehicles to identify illegal discharges. 4 Nos Vehicle has been purchased by the KSPCB for this purpose.

A VC was held on 28.02.2022 on the issue of OA 111/2020 relating to the pollution of Thenpennai River from the Industrial / sewage from the state of Karnataka by CPCB, where in the Principal Secretary, Ecology and Environment also participated. In this regard a letter is also addressed to the Chief Secretary on 24.02.2022.

Further, the ROs of Sarjapura, Chikkaballapura, Kolar, Yelahanka, Mahadevapura, Bommanahalli, Hoskote, Bangalore City West & Anekal have been directed to periodically monitor and submit the report to Board Office.

The next date of hearing on 23.03.2022. The Board has to submit the ATR to Hon'ble NGT on or before 19.03.2022.

Compliance report to recommendation of Joint Committee constituted in respect of OA No. 111/2020 related to Frothing of Chemical foam in river.

| Sl No. | Action points | Present status | Proposed action by the Joint committee | Action taken by KSPCB to the Directions of Hon'ble NGT vide orders dated: 17.02.2022. |
|--------|--|---|---|---|
| 1 | Study of Performance of evaluation of sewage Treatment Plants in Bangalore by engaging a CSIR Institute. | <i>The performance of the STPs located in Koramangla and Challaghatta, Hebbal Valleys are being assessed based on its capacity utilized and characteristics by BWSSB. However, the treated waste water quality needs to be ascertained. Further, Water quality of water (treated water by BWSSB) diverted for irrigation to Chikkaballapura and Kolar Districts through</i> | <i>BWSSB may engage a CSIR Institute like CLRI or NEERI or others for evaluating performance of STPs located in K&C and Hebbal valleys. (viz., there are 32 STPs in Bangalore including 21 STPs in Koramangla&Challaghatta and Hebbal Valleys). The same may be supervised by KSPCB. The final report may be submitted to KSPCB for review.</i> | BWSSB has submitted NEERI report pertaining to performance evaluation report of STPs. In the report BWSSB has come out with standards operating procedures for STP and also mentioned that O &M of existing STPs need to be improved. The same is being taken up by |



B

| | | | | |
|---|---|--|--|---|
| | | <p>Minor irrigation Department is required to be assessed.</p> <p>Therefore, there is need to conduct audit of the data of quantity of sewage generation, Sewage treatment capacity installed vs actually operated and treated wastewater characteristics.</p> | | <p>BWSSB and the same will be inspected on periodical basis by KSPCB</p> |
| 2 | | | <p>The outcome of the performance study of STPs may be submitted as Status of Compliance of the State Functionaries of Karnataka to the Monitoring Committee constituted in the matter of O.A 125/2017, for review and reporting.</p> <p>Among the industries those that are Red/Orange category (small, medium and large) with treated effluent discharge option as surface water/sewer drain/others (which includes industries having ZLD) in River basin of Thenpennai be monitored for effluent characteristics by concerned SPCBs, so as to ascertain the quality of treated effluent discharge as per the Consent Conditions of SPCBs. The details of the compliance status and action taken report be placed in public domain (TNPCCB and KSPCB website).</p> | <p>12 Marshals have been engaged for any illegal discharge and action will be taken for non complying units.</p> |
| 3 | <p>Environmental Compensation be imposed by SPCBs after evaluating performance of STPs and identification of defaulters upon Random verification.</p> | <p>Performance evaluation of STPs by BWSSB and random inspection industries is required to be carried out by KSPCB/TNPCCB with specific reference to River Thenpennai.</p> | <p>EC be calculated and imposed based on the Performance Evaluation of STPs and Random Verification of Grossly Polluting Industries.</p> <p>Calculation of EC by the three member Committee comprising of CPCB, TNPCCB and KSPCB, after submission of Reports by the concerned authorities</p> | <p>KSPCB has imposed EC of Rs. 288.80 Cr. On 496 No's of Apartment/Commercial establishment and Rs. 1.40 Cr. has collected.</p> |



| | | | (BWSSB, KSPCB, TNPCB) | |
|---|---|---|---|--|
| 4 | <i>Regular Water Quality Monitoring at important locations.</i> | <i>Water Quality is being monitored by KSPCB by installing real time monitoring stations in Bellandur and Varthur. Further, Mugulur Bridge and Sokkarasanapalli is being monitored under National Water Quality Monitoring Programme.</i> | <i>The trend of water quality and its improvement at major confluence points may be monitored for the year 2021-22 on a monthly basis and a report be submitted to CPCB to ensure the quality of water flowing in River Thenpennai.</i> | <i>The subject was placed before the 236th meeting of the KSPCB held on 15.03.2022 since the delegation of power exceeds Chairman limits. A letter has been addressed to the Principal Secretary, Government of Karnataka, Department of Ecology & Environment to give exemption under 4G. The work is under progress and shortly, the on line data will be shared in the KSPCB, TNPCB & CPCB website. An Agreement in this regard has been entered with the service provider. At present the water quality is being monitored manually and report is enclosed as Annxure-II.</i> |





 Member Secretary,
 KSPCB

Chikkaballapura

Ph : 080-23238458
Fax : 080-23238300



Email: centraliab@kspcb.gov.in
Website : <http://kspcb.gov.in>



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL. Vide Certificate Number TC-5487
IS 18001:2007 CERTIFIED LABORATORY

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬಿಸ್ಕಾಟಿಂಗ್ ಘಟಕ,
2 ನೇ 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ಕಿಕ್ಕಬಲ್ಲಪುರ,
ಕಿಕ್ಕಬಲ್ಲಪುರ, ಚಿಕ್ಕಬಲ್ಲಪುರ - 560006
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT (ACCREDITED PARAMETERS)

Date: 04-03-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Srinivasa Sagara Lake, Nallikadrenahalli Village, Chikkaballapura Tq & Dist. | Page 1 of 2 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 08-02-2021 |
| DATE OF COLLECTION : | 08-02-2021 | DATE OF COMPLETION OF TEST: 12-02-2021 |
| DATE OF RECEIPT : | 08-02-2021 | SAMPLE REPORT NO : W-2899 |
| PARTICULARS : | Lake Water | SAMPLE NO: W-2899 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Range of testing/Limit of Detection | Test Method |
|-------|--|------------|------------------------|---------|---------|---------|---------|----------------------|--|--|
| | | | A | B | C | D | E | | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.3 | 2 to 12 Unit | IS 3025 (Part 11): 2002 |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 486 | 10 to 5000 µs/cm | IS 3025 (Part 14): 2013 |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.9 | 0.5 to 20 mg/L | IS 3025 (Part 38): 2003 |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 5.0 | 2 to 300 mg/L | IS 3025 (Part 44): 2009 |
| 5. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 920 x10 ² | Qualitative (<1.8 to >1600 MPN/100 ml) | APHA 23 rd edition (Part 9221 A, B, C) 9-68 to 9-75: 2017 |

| | |
|------------------|--|
| INFERENCE | Class -"D"— Propagation of Wild Life, Fisheries |
|------------------|--|

- Note: 1. Additional analysis report No: W-2899 A dated 04-03-2021 shall also be read for declaration of Inference of the sample Tested.
2. The above results pertain only to the sample tested.
3. The report shall not be reproduced without the written approval of the laboratory.
4. Samples will be stored for a period of 10 days from the date of issue of report.
5. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

ANALYSIS REPORT (NON ACCREDITED PARAMETERS)

Date: 04-03-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Srinivasa Sagara Lake, Nallikadrenahalli Village, Chikkaballapura Tq & Dist. | Page 2 of 2 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 08-02-2021 |
| DATE OF COLLECTION : | 08-02-2021 | DATE OF COMPLETION OF TEST: 12-02-2021 |
| DATE OF RECEIPT : | 08-02-2021 | SAMPLE REPORT NO : W-2899 A |
| PARTICULARS : | Lake Water | SAMPLE NO: W-2899 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Test Method |
|-------|-------------------------|------|------------------------|---|---|-----|-----|---------|---|
| | | | A | B | C | D | E | | |
| 1. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.05 | IS:11624-1986 |
| 2. | Free Ammonia as N | mg/L | - | - | - | 1.2 | - | 0.01 | APHA(23 rd Edition (4500 NH ₃ D): 2017 |
| 3. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23 rd Edition (Part 4500B B): 2017 |

| | |
|------------------|--|
| INFERENCE | Class -"D"— Propagation of Wild Life, Fisheries |
|------------------|--|

- Note: 1. Additional analysis report No: W-2899 dated 04-03-2021 shall also be read for declaration of Inference of the sample Tested
2. BDL: Below Detection Limit in mg/L.
Boron as B: 0.1.


 Section Head
 Water Testing Laboratory

--End of Report --

Ph : 080-23238458
Fax : 080-23238300



Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87(E/P)ACT, 1996 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
IS 18001:2007 CERTIFIED LABORATORY

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಪರಿಸ್ವಚ್ಛೇದನಾ
ಒಳ ಇಲಾಖೆ, ಕರ್ನಾಟಕ ರಾಜ್ಯ,
ಬೆಂಗಳೂರು, ಚಿಕ್ಕಬಳ್ಳಾಪುರ-ಇಲಾಖೆ
K.S.P.C.B. "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivnagar, Bangalore - 560079

ANALYSIS REPORT (ACCREDITED PARAMETERS)

Date: 04-03-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Amani Gopalakrishnakere Lake, Chikkaballapura, Chikkaballapura Tq & Dist. | Page 1 of 2 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 08-02-2021 |
| DATE OF COLLECTION : | 08-02-2021 | DATE OF COMPLETION OF TEST: 12-02-2021 |
| DATE OF RECEIPT : | 08-02-2021 | SAMPLE REPORT NO : W-2901 |
| PARTICULARS : | Lake Water | SAMPLE NO: W-2901 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Range of testing/Limit of Detection | Test Method |
|-------|--|---------------|------------------------|---------|---------|---------|---------|----------------------|--|--|
| | | | A | B | C | D | E | | | |
| 1. | pH@25 ^o C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.1 | 2 to 12 Unit | IS 3025 (Part 11): 2002 |
| 2. | Conductivity@25 ^o C | µs/cm | - | - | - | - | 2250 | 341 | 10 to 5000 µs/cm | IS 3025 (Part 14): 2013 |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 6.3 | 0.5 to 20 mg/L | IS 3025 (Part 38): 2003 |
| 4. | Biochemical Oxygen Demand (3 days @ 27 ^o C) | mg/L | 2 | 3 | 3 | - | - | 4.0 | 2 to 300 mg/L | IS 3025 (Part 44): 2009 |
| 5. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 350 x10 ² | Qualitative (<1.8 to >1600 MPN/100 ml) | APIA 23 rd edition (Part 9221 A, B, C) 9-68 to 9-75: 2017 |

INFERENCE

Class -"D"— Propagation of Wild Life, Fisheries

- Note: 1. Additional analysis report No: W-2901 A dated 04-03-2021 shall also be read for declaration of Inference of the sample Tested.
2. The above results pertain only to the sample tested.
3. The report shall not be reproduced without the written approval of the laboratory.
4. Samples will be stored for a period of 10 days from the date of issue of report.
5. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

ANALYSIS REPORT (NON ACCREDITED PARAMETERS)

Date: 04-03-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Amani Gopalakrishnakere Lake, Chikkaballapura , Chikkaballapura Tq & Dist. | Page 2 of 2 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 08-02-2021 |
| DATE OF COLLECTION : | 08-02-2021 | DATE OF COMPLETION OF TEST: 12-02-2021 |
| DATE OF RECEIPT : | 08-02-2021 | SAMPLE REPORT NO : W-2901 A |
| PARTICULARS : | Lake Water | SAMPLE NO: W-2901 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Test Method |
|-------|-------------------------|------|------------------------|---|---|-----|-----|---------|---|
| | | | A | B | C | D | E | | |
| 1. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 1.39 | IS:11624-1986 |
| 2. | Free Ammonia as N | mg/L | - | - | - | 1.2 | - | 0.001 | APHA(23 rd Edition (4500 NH ₃ D): 2017 |
| 3. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23 rd Edition (Part 4500B B): 2017 |

| | |
|------------------|---|
| INFERENCE | Class -"D"— Propagation of Wild Life, Fisheries |
|------------------|---|

- Note: 1. Additional analysis report No: W-2901 dated 04-03-2021 shall also be read for declaration of Inference of the sample Tested
2. BDL: Below Detection Limit in mg/L.
Boron as B: 0.1.

--End of Report--


 Section Head
 Water Testing Laboratory


ANALYSIS REPORT (NON ACCREDITED PARAMETERS)

Date: 04-02-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE: | Kandavara Lake Kandavara Village, Chikkaballapura Tq & Dist. | Page 2 of 2 |
| | | DATE OF COMMENCEMENT OF TEST: 20-01-2021 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO RO: Chikkaballapura | DATE OF COMPLETION OF TEST : 28-01-2021 |
| DATE OF COLLECTION : | 20-01-2021 | |
| DATE OF RECEIPT : | 20-01-2021 | SAMPLE REPORT NO: W-2773A |
| PARTICULARS : | Lake Water | SAMPLE NO : W-2773 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Test Method |
|-------|-------------------------|------|------------------------|---|---|-----|-----|---------|---|
| | | | A | B | C | D | E | | |
| 1. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.1 | IS:11624-1986 |
| 2. | Free Ammonia as N | mg/L | - | - | - | 1.2 | - | 0.01 | APHA(23 rd Edition (4500 NH ₃ D): 2017 |
| 3. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23 rd Edition (Part 4500B B): 2017 |


| | |
|-----------|--|
| INFERENCE | Class " D " Propagation of Wild Life, Fisheries. |
|-----------|--|

- Note: 1. Additional analysis report No: W-2773 dated 04-02-2021 shall also be read for declaration of Inference of the sample Tested
2. BDL: Below Detection Limit in mg/L.
Boron as B: 0.1.

16305
Section Head
Water Testing Laboratory

---End Of Report---

Ph : 080-23238438
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL vide certificate number TC-5487
IS18001:2007 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿಸರ್ಗಭವನ
೨ ನೇ 'D' ಮುಖ್ಯರಸ್ತೆ, ಶಿವನಗರ,
ಬೆಂಗಳೂರು, ಬೆಂಗಳೂರು-೫೬೦೦೭೯
K. S. P. C. B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT (ACCREDITED PARAMETERS)

Date: 04-02-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE: | Kandavara Lake (DC Point) Near Bandahalli Village, Muddenahalli Road, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 20-01-2021 |
| DATE OF COLLECTION : | 20-01-2021 | DATE OF COMPLETION OF TEST : 28-01-2021 |
| DATE OF RECEIPT : | 20-01-2021 | SAMPLE REPORT NO: W-2774 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-2774 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Range of testing/Limit of Detection | Test Method |
|-------|--|-------------|------------------------|---------|---------|---------|---------|----------------------|--|--|
| | | | A | B | C | D | E | | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.4 | 2 to 12 Unit | IS 3025 (Part 11): 2002 |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 1080 | 10 to 5000 µs/cm | IS 3025 (Part 14): 2013 |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.7 | 0.5 to 20 mg/L | IS 3025 (Part 38): 2003 |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6 | 2 to 300 mg/L | IS 3025 (Part 44): 2009 |
| 5. | Chemical Oxygen Demand | mg/L | - | - | - | - | - | 64 | 4 mg/L to 1000 mg/L | IS 3025 (Part 58): 2006 |
| 6. | Total Coliform | MPN /100 ml | 50 | 500 | 5000 | - | - | 1600x10 ² | Qualitative (<1.8 to >1600 MPN/100 ml) | APHA 23 rd edition (Part 9221 A, B, C) 9-68 to 9-75: 2017 |

| | |
|-----------|--|
| INFERENCE | Class " D " Propagation of Wild Life, Fisheries. |
|-----------|--|

Note: 1. Additional analysis report No: W-2774A dated 04-02-2021 shall also be read for declaration of Inference of the sample Tested.

- The above results pertain only to the sample tested.
- The report shall not be reproduced without the written approval of the laboratory.
- Samples will be stored for a period of 10 days from the date of issue of report.
- Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".

Radha M. N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabcen
Authorized Signatory (Chemical)
(Farhath Jabcen)
Deputy Scientific Officer

---End of Report---

PR : 080-23238458
Fax : 080-23238300



Email: centrallab@kspcb.gov.in
Website: <http://kspcb.gov.in>



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL vide certificate number TC-5487
IS 18001:2007 CERTIFIED LABORATORY

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ, ಪರಿಸರ ಸಂರಕ್ಷಣೆ,
ಒಳನೀರಿನ ಮಲಮಲಿವು, ಹಿಮ್ಮುಖಾಹಲಿ
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560079
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thummaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT (ACCREDITED PARAMETERS)

Date: 04-02-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE: | Kandavara Lake (DC Point) Near Bandahalli Village, Muddenahalli Road, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 20-01-2021 |
| DATE OF COLLECTION : | 20-01-2021 | DATE OF COMPLETION OF TEST : 28-01-2021 |
| DATE OF RECEIPT : | 20-01-2021 | SAMPLE REPORT NO: W-2774 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-2774 |

| Sl No | Parameters | Unit | Water Quality Criteria | | | | | Results | Range of testing/Limit of Detection | Test Method |
|-------|--|-------------|------------------------|---------|---------|---------|---------|----------------------|--|--|
| | | | A | B | C | D | E | | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.4 | 2 to 12 Unit | IS 3025 (Part 11): 2002 |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 1080 | 10 to 5000 µs/cm | IS 3025 (Part 14): 2013 |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.7 | 0.5 to 20 mg/L | IS 3025 (Part 38): 2003 |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6 | 2 to 300 mg/L | IS 3025 (Part 44): 2009 |
| 5. | Chemical Oxygen Demand | mg/L | - | - | - | - | - | 64 | 4 mg/L to 1000 mg/L | IS 3025 (Part 58): 2006 |
| 6. | Total Coliform | MPN /100 ml | 50 | 500 | 5000 | - | - | 1600x10 ² | Qualitative (<1.8 to >1600 MPN/100 ml) | APHA 23 rd edition (Part 9221 A, B, C) 9-68 to 9-75: 2017 |

INFERENCE Class "D" Propagation of Wild Life, Fisheries.

Note: 1. Additional analysis report No: W-2774A dated 04-02-2021 shall also be read for declaration of Inference of the sample Tested.

- The above results pertain only to the sample tested.
- The report shall not be reproduced without the written approval of the laboratory.
- Samples will be stored for a period of 10 days from the date of issue of report.
- Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

H & N Valley Lake Monitored List

| SI No. | Name & Address of the Lake | Remarks |
|--------|--|--|
| 1 | Mustoor Lake, Mustoor Village, Thippenahalli Gram Panchayath, Chikkaballapura Tq and Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 2 | Ittamma kere Lake Gowdagere Village & Gram Panchayath, Gowribidanur Tq, Chikkaballapura Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 3 | Marlur Doddakere Lake Marlur Village, Gowribidanur Tq, Chikkaballapura Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 4 | Peresandra Hosakere Lake Someshwara Village, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 5 | Dibbur Lake Diibbur Village, Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 6 | Lakkanayakanahalli Kunte Lake Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 7 | Chalakaparthi Lake Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 8 | Poomasagara Lake Inimichenahalli Village, Doddapylagurki Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 9 | dhamana Lake Dinne Hosahalli Village, Thippenahalli Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 10 | Kandavara Tank, | Class "D" – Propagation of Wild |

| | | |
|----|---|--|
| | Kandavara Village, Chikkaballapura Tq & Dist. | Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 11 | Srinivasa Sagara Lake, Nallikadrenahalli Village, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 12 | Amani Gopalakrishnakere Lake, Chikkaballapura, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 13 | Ablude Lake, Gudahalli Village, Abludu Gram Panchayath, Shidlaghatta Tq, Chikkaballapura Dsti. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 14 | Angarekanahalli Lake, Angarekanahalli Village & Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 15 | Kathriguppe Lake, Kathriguppe Village, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 16 | Hiriyannanahalli Lake, Hiriyannanahalli Village, Angarekanahalli Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 17 | Lakkanayakanahalli Lake, Lakkanayakanahalli Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 18 | Shettivarahalli Lake, Gangrekaluve & Chakayalaparathi Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 19 | Krishnapura Lake, Krishnapura Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |
| 20 | Peresandra Byrasagara Lake, Peresandra Village & Gram Panchayath, Chikkaballapura Tq & Dist. | Class "D" – Propagation of Wild Like, Fisheries as per Primary Water quality Criteria-CPCB |

: 080-23238458
x : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕ.ರ.ಮಾ.ಸ.ಮಂ., ನಿರ್ಗಾಭವನ,
೭ ನೇ 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ಕಿಕ್ಕಾಬಲ್ಲಪುರ,
ಚಿಕ್ಕಾಬಲ್ಲಪುರ, ಬೆಂಗಳೂರು-೫೬೦೦೧೦
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 08-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE: | Mustoor Lake, Mustoor Village, Thippenahalli, Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 DATE OF COMMENCEMENT OF TEST:18-08-2021 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO RO: Chikkaballapura | DATE OF COMPLETION OF TEST:24.08.2021 |
| DATE OF COLLECTION : | 17-08-2021 | SAMPLE REPORT NO:W-1156 |
| DATE OF RECEIPT : | 18-08-2021 | |
| PARTICULARS : | Lake Water Sample | SAMPLE NO : W-1156 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|------------------|--|--|------------------------|---------|---------|---------|---------|----------------------|---|
| | | | A | B | C | D | E | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 6.9 | IS 3025 (Part 11) |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 773 | IS 3025 (Part 14) |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | | 5.2 | IS 3025 (Part 38) |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6.0 | IS 3025 (Part 44) |
| 5. | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 6. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.5 | IS:11624 |
| 7. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |
| 8. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 1600x10 ² | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |
| INFERENCE | | Class -" D"— Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB. | | | | | | | |

Note: 1. The above results pertain only to the sample tested.

2. The report shall not be reproduced without the written approval of the laboratory.

3. Samples will be stored for a period of 10 days from the date of issue of report.

4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".

5. BDL: Below Detection Level in mg/L.

Boron as B:0.1; Free Ammonia:1.0;

Radha.M.N

Authorized Signatory (Biological)
(Radha M.N)

Assistant Scientific Officer

Farhath Jabeen

Authorized Signatory (Chemical)
(Farhath Jabeen)

Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿರ್ವಹಣಾ ಕಛೇರಿ,
2ನೇ ಮಹಡಿ, ಕೆ.ಎಸ್.ಪಿ.ಸಿ.ಬಿ. ಕಟ್ಟಡ,
ಬೆಂಗಳೂರು-560009
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Ittammana kere Lake Gowdagere Village & Gram Panchayath, Gowribidanur Tq, Chikkaballapura Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 18-08-2021 |
| DATE OF COLLECTION : | 17-08-2021 | DATE OF COMPLETION OF TEST: 24-08-2021 |
| DATE OF RECEIPT : | 18-08-2021 | SAMPLE REPORT NO: W-1157 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1157 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|--|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.3 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 530 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.8 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 5.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 350x10 ³ | APHA 23rd edition (9221 A, B, C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.0 | IS:11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

| | |
|------------------|---|
| INFERENCE | Class "D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB. |
|------------------|---|

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87, E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿಸರ್ಗ ಭವನ,
2 ನೇ 'ಡಿ' ಮಜ್ಬೂರು, ಶಿವನಗರ, ಬೆಂಗಳೂರು
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Malur Doddakere Lake, Malur Village, Gowribidanur Tq, Chikkaballapura Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 18-08-2021 |
| DATE OF COLLECTION : | 17-08-2021 | DATE OF COMPLETION OF TEST: 24-08-2021 |
| DATE OF RECEIPT : | 18-08-2021 | SAMPLE REPORT NO: W-1158 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1158 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.6 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 540 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 6.1 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 4.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 920x10 ² | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.0 | IS, 11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE

Class "D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಪರಿಸರ ಇಲಾಖೆ,
2ನೇ 'ನಿಸರ್ಗ ಭವನ' ಕಟ್ಟಡ, 7ನೇ
ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ-560079
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Peresandra Hoskere Lake Someshwara Village, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 18-08-2021 |
| DATE OF COLLECTION : | 17-08-2021 | DATE OF COMPLETION OF TEST: 24-08-2021 |
| DATE OF RECEIPT : | 18-08-2021 | SAMPLE REPORT NO: W-1159 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1159 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|----------------------|--|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.2 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 303 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 6.0 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 4.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 1600x10 ⁴ | APHA 23rd edition (9221 A, B, C). 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.0 | IS;11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE

Class " D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

KARNATAKA STATE POLLUTION CONTROL BOARD

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(C)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು
2 ನೇ "ಡಿ" ಮಟ್ಟದ, ತಮ್ಮಯ್ಯ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560006
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Lakkanayakanahalli Lake, Lakkanayakanahalli Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 11-08-2021 |
| DATE OF COLLECTION : | 10-08-2021 | DATE OF COMPLETION OF TEST: 18-08-2021 |
| DATE OF RECEIPT : | 10-08-2021 | SAMPLE REPORT NO: W-1068 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1068 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.3 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 662 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.8 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 240x10 ² | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.0 | IS;11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE Class " D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note:1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Fathath Jabeen
Authorized Signatory (Chemical)
(Fathath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು
೨ನೇ ಹಂತ, ಶಿವಮೊಗ್ಗ ರಸ್ತೆ, ಕೆ.ಎಸ್.ಪಿ.ಸಿ.ಬಿ.
ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ-೫೬೦೦೦೯
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Shettivarahalli Lake, Gangrekaluve & Chalakayalaparathi Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 11-08-2021 |
| DATE OF COLLECTION : | 10-08-2021 | DATE OF COMPLETION OF TEST: 18-08-2021 |
| DATE OF RECEIPT : | 10-08-2021 | SAMPLE REPORT NO: W-1069 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1069 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.1 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 409 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.7 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 5.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 920x10 ² | APHA 23rd edition (9221 A, B,C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.32 | IS;11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE Class "D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87, E(F) ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ, "ನಿಸರ್ಗ ಭವನ",
೭ನೇ 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ಶಿವನಗರ,
ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ-೫೬೦೦೦೭
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Krishnapura Lake, Krishnapura Village, Dibbur Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 11-08-2021 |
| DATE OF COLLECTION : | 10-08-2021 | DATE OF COMPLETION OF TEST: 18-08-2021 |
| DATE OF RECEIPT : | 10-08-2021 | SAMPLE REPORT NO: W-1070 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1070 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|----------------------|--|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.4 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 715 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.7 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 1600x10 ² | APHA 23rd edition (9221 A, B, C). 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.46 | IS:11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE Class "D" - Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿರೀಕ್ಷಾಭವನ,
೭ ನೇ 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ತಿಮ್ಮಯ್ಯ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-೫೬೦೦೦೭
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 07-09-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Peresandra Byrasagara Lake, Peresandra Village & Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 11-08-2021 |
| DATE OF COLLECTION : | 10-08-2021 | DATE OF COMPLETION OF TEST: 18-08-2021 |
| DATE OF RECEIPT : | 10-08-2021 | SAMPLE REPORT NO: W-1071 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-1071 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 8.2 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 711 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 6.3 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 4.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 240x10 ² | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.3 | IS;11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APIJA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE Class "D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



**KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY**

Legal 42(3)/87.E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು
ಜಿ.ಪಿ.ಒ.ಸಿ.ಬಿ. ನಿಸರ್ಗ ಭವನ,
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 11-08-2021

| | | |
|-----------------------|---|--|
| NAME OF THE LAKE: | Abludu Lake, Gudahalli Village, Abludu Gram Panchayath, Sidlaghatta Tq, Chikkaballapura Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 27-07-2021 |
| DATE OF COLLECTION : | 27-07-2021 | DATE OF COMPLETION OF TEST: 31.07.2021 |
| DATE OF RECEIPT : | 27-07-2021 | SAMPLE REPORT NO: W-918 |
| PARTICULARS : | Lake Water Sample | SAMPLE NO : W-918 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|--------|---|
| | | | A | B | C | D | E | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.5 | IS 3025 (Part 11) |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 893 | IS 3025 (Part 14) |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 5.8 | IS 3025 (Part 38) |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 7.0 | IS 3025 (Part 44) |
| 5. | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 6. | Sodium Absorption Ratio | - | - | - | - | - | 0.26 | 4.38 | IS:11624 |
| 7. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |
| 9. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 9200 | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |

INFERENCE

Class - " D" — Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB.

- Note:**
- The above results pertain only to the sample tested.
 - The report shall not be reproduced without the written approval of the laboratory.
 - Samples will be stored for a period of 10 days from the date of issue of report.
 - Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
 - BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0;

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87.E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿಸರ್ಗ ಭವನ,
೭ನೇ 'D' ಕ್ರಾಸ್, ಶಿವಮೊಗ್ಗ ರಸ್ತೆ,
ಶಿವಮೊಗ್ಗ, ಕರ್ನಾಟಕ-೫೬೦೦೦೭
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivamogga, Bangalore - 560079

ANALYSIS REPORT

Date: 11-08-2021

| | | |
|-----------------------|--|--|
| NAME OF THE LAKE: | Angarekanahalli Lake Angarekanahalli Village & Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 27-07-2021 |
| DATE OF COLLECTION : | 27-07-2021 | DATE OF COMPLETION OF TEST: 31.07.2021 |
| DATE OF RECEIPT : | 27-07-2021 | SAMPLE REPORT NO: W-919 |
| PARTICULARS : | Lake Water Sample | SAMPLE NO : W-919 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|-----------|--|--|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1. | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.7 | IS 3025 (Part 11) |
| 2. | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 819 | IS 3025 (Part 14) |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | | 6.4 | IS 3025 (Part 38) |
| 4. | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 4.0 | IS 3025 (Part 44) |
| 5. | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 6. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 5.3 | IS:11624 |
| 7. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |
| 9. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 540x10 ² | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |
| INFERENCE | | Class - " D" — Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB. | | | | | | | |

- Note:**
- The above results pertain only to the sample tested.
 - The report shall not be reproduced without the written approval of the laboratory.
 - Samples will be stored for a period of 10 days from the date of issue of report.
 - Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
 - BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0;

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>



Legal 42(3)/87(E)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಪೊಲಿಟಿಕ್ಸ್ ಭವನ
ಒಳ: 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ ತಿಮ್ಮಯ್ಯ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560000
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 11-08-2021

| | | |
|-----------------------|---|--|
| NAME OF THE LAKE: | Kathriguppe Lake, Kathriguppe Village, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 27-07-2021 |
| DATE OF COLLECTION : | 27-07-2021 | DATE OF COMPLETION OF TEST: 31.07.2021 |
| DATE OF RECEIPT : | 27-07-2021 | SAMPLE REPORT NO: W-920 |
| PARTICULARS : | Lake Water Sample | SAMPLE NO : W-920 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|-------------|------------------------|---------|---------|---------|---------|----------------------|--|
| | | | A | B | C | D | E | | |
| 1. | pH @ 25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.8 | IS 3025 (Part 11) |
| 2. | Conductivity @ 25° C | µs/cm | - | - | - | - | 2250 | 785 | IS 3025 (Part 14) |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 5.2 | IS 3025 (Part 38) |
| 4. | Biochemical Oxygen Demand (3 days @ 27 °C) | mg/L | 2 | 3 | 3 | - | - | 6.4 | IS 3025 (Part 44) |
| 5. | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 6. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 5.4 | IS; 11624 |
| 7. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |
| 9. | Total Coliform | MPN (100ml) | 50 | 500 | 5000 | - | - | 1600x10 ² | APHA 23rd edition (9221 A, B, C), 9-68 to 9-75 |

INFERENCE Class - " D" -- Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB,


- Note:**
- The above results pertain only to the sample tested.
 - The report shall not be reproduced without the written approval of the laboratory.
 - Samples will be stored for a period of 10 days from the date of issue of report.
 - Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
 - BDL: Below Detection Level in mg/L.
Boron as B: 0.1; Free Ammonia: 1.0;

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer


Farhat Jabeen
Authorized Signatory (Chemical)
(Farhat Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



TC-5487



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87.E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ವಿಜಯನಗರ,
ಎಸ್. 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ತಿಮ್ಮನಹಳ್ಳಿ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560009
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 11-08-2021

| | | |
|-----------------------|---|--|
| NAME OF THE LAKE: | Hiriyannanahalli Lake, Hiriyannanahalli Village, Angarekanahalli, Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 27-07-2021 |
| DATE OF COLLECTION : | 27-07-2021 | DATE OF COMPLETION OF TEST: 31.07.2021 |
| DATE OF RECEIPT : | 27-07-2021 | SAMPLE REPORT NO: W-921 |
| PARTICULARS : | Lake Water Sample | SAMPLE NO : W-921 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|------------------|--|---|------------------------|---------|---------|---------|---------|---------------------|--|
| | | | A | B | C | D | E | | |
| 1. | pH @ 25 ^o C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.1 | IS 3025 (Part 11) |
| 2. | Conductivity @ 25 ^o C | µs/cm | - | - | - | - | 2250 | 602 | IS 3025 (Part 14) |
| 3. | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 5.8 | IS 3025 (Part 38) |
| 4. | Biochemical Oxygen Demand (3 days @ 27 ^o C) | mg/L | 2 | 3 | 3 | - | - | 6 | IS 3025 (Part 44) |
| 5. | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 6. | Sodium Absorption Ratio | - | - | - | - | - | 26 | 4.42 | IS: 11624 |
| 7. | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |
| 9. | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 350x10 ² | APHA 23rd edition (9221 A, B, C). 9-68 to 9-75 |
| INFERENCE | | Class -" D" — Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB. | | | | | | | |

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B: 0.1; Free Ammonia: 1.0;

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Phone : 080-23238458
Fax : 080-23238300



**KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY**

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
IS 18001:2007 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಪರಿಸರ ಇಲಾಖೆ
೨ನೇ 'ಡಿ' ಮಹಡಿ ರಸ್ತೆ, ತಿಮ್ಮಯ್ಯ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-೫೬೦೦೦೭
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT (ACCREDITED PARAMETERS)

Date: 28-05-2021

| | | |
|-----------------------|--|--|
| NAME OF THE LAKE: | Rangadhamana Lake Dinne Hosahalli Village, Thippenahalli Gram Panchayath, Chikkaballapura Tq & Dist. | Page 1 of 3 DATE OF COMMENCEMENT OF TEST: 19-05-2021 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMPLETION OF TEST: 26-05-2021 |
| DATE OF COLLECTION : | 19-05-2021 | |
| DATE OF RECEIPT : | 19-05-2021 | SAMPLE REPORT NO: W-408 |
| PARTICULARS : | Lake Water | SAMPLE NO : W-408 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|--------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.8 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 640 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 8.0 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 5.0 | IS 3025 (Part 44) |
| 5 | Free Ammonia | mg/L | - | - | - | 1.2 | - | 0.003 | APHA 23rd edition (4500 NH3-D) |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 3.38 | IS:11624 |
| 7 | Boron as B | mg/L | - | - | - | - | 2.0 | BIDL | APHA 23rd edition (4500-B B) |
| 8 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 5400 | APHA 23rd edition (9221 A, B,C). 9-68 to 9-75 |

P.T.O


ANALYSIS REPORT (NON ACCREDITED PARAMETERS)

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE: | Rangadhamana Lake Dinne Hosahalli Village, Thippenahalli Gram Panchayath, Chikkaballapura Tq & Dist. | Page 3 of 3 |
| SAMPLE COLLECTED BY : | Smt. Vijalaksahmi, EO RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 19-05-2021 |
| DATE OF COLLECTION : | 19-05-2021 | DATE OF COMPLETION OF TEST: 26-05-2021 |
| DATE OF RECEIPT : | 19-05-2021 | SAMPLE REPORT NO: W-408 A |
| PARTICULARS : | Lake Water | SAMPLE NO : W-408 |

| SI No | Parameters | Unit | Water Quality Criteria | | | | | Results | Test Method |
|----------|------------------|------|------------------------|---|---|---|---|---------|--|
| | | | A | B | C | D | E | | |
| 1. | Alpha-BCH | PPb | - | - | - | - | - | Absent | APHA (23 rd Edition) 6630-B:2017 |
| 2. | Beta-BCH | PPb | - | - | - | - | - | Absent | |
| 3. | Gama-BCH | PPb | - | - | - | - | - | Absent | |
| 4. | Delta-BCH | PPb | - | - | - | - | - | Absent | |
| 5. | Heptachlor | PPb | - | - | - | - | - | Absent | |
| 6. | Aldrin | PPb | - | - | - | - | - | Absent | |
| 7. | Heptachlorepoide | PPb | - | - | - | - | - | Absent | |
| 8. | Endosulfan-I | PPb | - | - | - | - | - | Absent | |
| 9. | 44-DDE | PPb | - | - | - | - | - | Absent | |
| 10. | Dieldrin | PPb | - | - | - | - | - | Absent | |
| 11. | Endrin | PPb | - | - | - | - | - | Absent | |
| 12. | Endosulfan-II | PPb | - | - | - | - | - | Absent | |
| 13. | 4,4-DDD | PPb | - | - | - | - | - | Absent | |
| 14. | Endrin Aldelyde | PPb | - | - | - | - | - | Absent | |
| 15. | 4,4-DDT | PPb | - | - | - | - | - | Absent | |
| 16. | Methoxychlor | PPb | - | - | - | - | - | Absent | |

| | |
|------------------|---|
| INFERENCE | Class "D" - Propagation of Wild Life, Fisheries |
|------------------|---|

Note 1. Additional analysis report No: W-408 dated 28-05-2021 shall also be read for declaration of Inference of the sample Tested.


 Section Head
 Water Testing Laboratory

---End Of Report---

Phone : 080-23238458
Fax : 080-23238300



TC-5487



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/77, E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ಬೆಂಗಳೂರು,
2 ನೇ "ನಿಸರ್ಗ ಭವನ" ಕಟ್ಟಡ, ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560079
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 31-07-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Dibbur Lake, Dibbur Village, Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, BO. RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 05-07-2021 |
| DATE OF COLLECTION : | 05-07-2021 | DATE OF COMPLETION OF TEST: 09-07-2021 |
| DATE OF RECEIPT : | 05-07-2021 | SAMPLE REPORT NO: W-739 |
| PARTICULARS : | Lake water sample | SAMPLE NO : W-739 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|----------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.1 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 797 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.8 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 7.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 1600x10 ² | APHA 23rd edition (9221 A, B,C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.07 | IS: 11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE - Class "D" - Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB


- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Phone : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87, E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ವಿಶಾಖ ಭವನ,
೭ ನೇ 'ಡಿ' ಮುಖ್ಯ ರಸ್ತೆ, ಶಿವನಗರ,
ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ-೫೬೦೦೦೯
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 31-07-2021

| | | |
|-----------------------|---|--|
| NAME OF THE LAKE : | Lakkanayakanahalli Kunte Lake, Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO. RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 05-07-2021 ^f |
| DATE OF COLLECTION : | 05-07-2021 | DATE OF COMPLETION OF TEST: 09-07-2021 ^f |
| DATE OF RECEIPT : | 05-07-2021 | SAMPLE REPORT NO: W-740 |
| PARTICULARS : | Lake water sample | SAMPLE NO : W-740 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|--|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.8 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | us/cm | - | - | - | - | 2250 | 731 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.6 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 6.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 920x10 ² | APHA 23rd edition (9221 A, B, C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.53 | IS:11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE

Class "D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B: 0.1; Free Ammonia: 1.0.

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



**KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY**

Legal 42(3)/87, E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ನಿರೀಕ್ಷಾಧಿಕಾರಿ,
ಒ.ಬಿ.ಡಿ. ಕಟ್ಟಡ, ಶಿವನಗರ ರಸ್ತೆ,
ಶಿವನಗರ, ಬೆಂಗಳೂರು-560079
K.S.P.C.B., "Nisarga Bhavan"
7th D Cross, Thimmasiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 31-07-2021

| | | |
|-----------------------|--|---|
| NAME OF THE LAKE : | Chalakaparthi Lake, Dibbur Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO. RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 05-07-2021 |
| DATE OF COLLECTION : | 05-07-2021 | DATE OF COMPLETION OF TEST: 09-07-2021 |
| DATE OF RECEIPT : | 05-07-2021 | SAMPLE REPORT NO: W-741 |
| PARTICULARS : | Lake water sample | SAMPLE NO : W-741 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|---|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 6.5 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 767 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.9 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 7.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 350x10 ³ | APHA 23rd edition (9221 A, B,C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 1.87 | IS:11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE

Class " D" – Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB

- Note:1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B 0.1; Free Ammonia:1.0.

Radha M.N.
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

Ph : 080-23238458
Fax : 080-23238300



KARNATAKA STATE POLLUTION CONTROL BOARD
CENTRAL ENVIRONMENTAL LABORATORY

Legal 42(3)/87,E(P)ACT, 1986 RECOGNISED ENVIRONMENTAL LABORATORY
ISO/IEC 17025 Accredited Testing Laboratory by NABL. Vide Certificate Number TC-5487
ISO 45001:2018 CERTIFIED LABORATORY

Email: centrallab@kspcb.gov.in
Website : <http://kspcb.gov.in>

ಕರ್ನಾಟಕ ಸರ್ಕಾರ, ವಿಜಯನಗರ,
2 ನೇ 'ಇ' ಮುಖ್ಯ ರಸ್ತೆ, ಚಿಕ್ಕಬಳ್ಳಾಪುರ,
ಕೆ.ಎಸ್.ಪಿ.ಸಿ.ಬಿ., "ನಿಸರ್ಗ ಭವನ"
7th D Cross, Thimmaiah Road,
Shivanagar, Bangalore - 560079

ANALYSIS REPORT

Date: 31-07-2021

| | | |
|-----------------------|---|---|
| NAME OF THE LAKE : | Poomasagara Lake, Inimichenahalli Doddapalyagurki Gram Panchayath, Kasaba Hobli, Chikkaballapura Tq & Dist. | Page 1 of 1 |
| SAMPLE COLLECTED BY : | Smt. Vijayalakshmi, EO. RO: Chikkaballapura | DATE OF COMMENCEMENT OF TEST: 05-07-2021 |
| DATE OF COLLECTION : | 05-07-2021 | DATE OF COMPLETION OF TEST: 09-07-2021 |
| DATE OF RECEIPT : | 05-07-2021 | SAMPLE REPORT NO: W-742 |
| PARTICULARS : | Lake water sample | SAMPLE NO : W-742 |

| Sl. No | Parameters | Unit | Water Quality Criteria | | | | | Result | Test Method |
|--------|--|------------|------------------------|---------|---------|---------|---------|---------------------|--|
| | | | A | B | C | D | E | | |
| 1 | pH@25° C | - | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 7.9 | IS 3025 (Part 11) |
| 2 | Conductivity@25° C | µs/cm | - | - | - | - | 2250 | 855 | IS 3025 (Part 14) |
| 3 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | - | 4.1 | IS 3025 (Part 38) |
| 4 | Biochemical Oxygen Demand (3 days @ 27° C) | mg/L | 2 | 3 | 3 | - | - | 8.0 | IS 3025 (Part 44) |
| 5 | Total Coliform | MPN /100ml | 50 | 500 | 5000 | - | - | 540x10 ³ | APHA 23rd edition (9221 A, B, C), 9-68 to 9-75 |
| 6 | Sodium Absorption Ratio | - | - | - | - | - | 26 | 2.21 | IS:11624 |
| 7 | Free Ammonia | mg/L | - | - | - | 1.2 | - | BDL | APHA 23rd edition (4500 NH3-D) |
| 8 | Boron as B | mg/L | - | - | - | - | 2.0 | BDL | APHA 23rd edition (4500-B B) |

INFERENCE Class "D" - Propagation of Wild Life, Fisheries as per Primary water quality criteria-CPCB

- Note: 1. The above results pertain only to the sample tested.
2. The report shall not be reproduced without the written approval of the laboratory.
3. Samples will be stored for a period of 10 days from the date of issue of report.
4. Decision Rule: "Statement of conformity / non conformity applies only to test results as per standard stipulated by regulatory authority".
5. BDL: Below Detection Level in mg/L.
Boron as B:0.1; Free Ammonia:1.0.

Radha M.N
Authorized Signatory (Biological)
(Radha M.N)
Assistant Scientific Officer

Farhath Jabeen
Authorized Signatory (Chemical)
(Farhath Jabeen)
Deputy Scientific Officer

---End of Report---

ಪ್ರಾದೇಶಿಕ ಕಛೇರಿ - ಯಲಹಂಕ(ಬ್ಯಾಟರಾಯನಪುರ) ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಬರುವ ಕೆರೆಗಳು.

1. ಅಲ್ಲಾಳಸಂದ್ರ ಕೆರೆ,ಯಲಹಂಕ
2. ಪುಟ್ಟೇನಹಳ್ಳಿ ಕೆರೆ, ಯಲಹಂಕ
3. ಹೆಬ್ಬಾಳ ಕೆರೆ.
4. ನಾಗವಾರ ಕೆರೆ.
5. ಜಕ್ಕೂರು ಕೆರೆ.
6. ಯಲಹಂಕ ಕೆರೆ.
7. ಸಿಂಗಾಪುರ ಕೆರೆ, ವಿದ್ಯಾರಣ್ಯಪುರ.
8. ನರಸೀಪುರ ಕೆರೆ,ವಿದ್ಯಾರಣ್ಯಪುರ.
9. ರಾಜೇನಹಳ್ಳಿ ಕೆರೆ, ದಾಸರಹಳ್ಳಿ, ಯಲಹಂಕ.
10. ಅಮೃತಹಳ್ಳಿ ಕೆರೆ.
11. ಕೋಗಿಲು ಕೆರೆ
12. ಚೇಳಕೆರೆ, ಕಲ್ಯಾಣನಗರ
13. ಹೊರಮಾವು(ಅಗರ)ಕೆರೆ.
14. ಬೆಳ್ಳಹಳ್ಳಿ ಕೆರೆ.
15. ಅಗ್ರಹಾರ ಕೆರೆ.
16. ಹೊರಮಾವು ಕೆರೆ, ಜಯಂತಿನಗರ
17. ತಿರುಮೇನಹಳ್ಳಿ ಕೆರೆ
18. ಚೊಕ್ಕನಹಳ್ಳಿ ಕೆರೆ
19. ಬಾಗಲೂರು ಕೆರೆ
20. ದೊಡ್ಡಬೊಮ್ಮಸಂದ್ರ ಕೆರೆ
21. ಗೋಪಾಲಪುರ ಕೆರೆ



Allalassandra Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 |
|------------|------------------------------|------------|---------|---------|---------|---------|---------|----------|---------|---------|---------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 7 | 7.3 | 9.2 | 8.5 | 8.5 | 7.4 | 8.8 | 6.71 | 6 | 7.5 |
| 2 | Dissolved Oxygen | mg/L | 6.5 | 7.4 | 5.1 | 6 | 8 | 4.4 | 7.3 | 10 | 3 | 7.1 |
| 3 | BOD | mg/L | 3 | 3 | 14 | 4 | 5 | 8 | 16 | 537 | 214 | 4 |
| 4 | Conductivity | µs/cm | 588 | 947 | 875 | 619 | 620 | 1102 | 860 | 4 | 6 | 970 |
| 5 | Nitrate -N | mg/L | 0.6 | 4 | 0.9 | 1.1 | 1.6 | 6 | 0.79 | - | - | 10.4 |
| 6 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | - | - |
| 7 | Total coli form | MPN/100 ml | 440x102 | 350x104 | 240x102 | 350x102 | 350x102 | 1600x102 | 350x102 | BDL | <0.1 | 16000 |
| 8 | Fecal Coli form | MPN/100 ml | 92x102 | 79x104 | 33x102 | 31x102 | 70x102 | 280x102 | 33x102 | - | - | 2200 |
| 9 | COD | mg/L | 32 | 37 | 164 | - | 80 | 108 | 155 | - | - | 46 |
| 10 | Turbidity | NTU | 45.2 | 1 | 32.9 | - | 22 | 18 | 47 | 920x102 | 920x102 | 19 |
| 11 | Total Hardness as CaCO3 | mg/L | 60 | 260 | 93 | - | 121 | 234 | 114 | 4.23 | 0.8 | 237 |
| 12 | Calcium as CaCO3 | mg/L | 64 | 118 | 50 | - | 59 | 117 | 40 | 0.004 | 0.002 | 100 |
| 13 | Magnesium as CaCO3 | mg/L | 55 | 142 | 43 | - | 62 | 117 | 74 | - | - | 137 |
| 14 | Chloride | mg/L | 98 | 171 | 194 | - | 106 | 183 | 211 | - | - | 164 |
| 15 | Sodium | mg/L | 67 | 100 | 145 | - | 84 | 113 | 112 | - | - | 97 |
| 16 | Potassium | mg/L | - | 10 | - | - | 18 | 33 | 31 | - | - | 25 |
| 17 | Sulphate | mg/L | 18 | 14 | 11 | - | 28 | 36 | 48 | - | - | 13 |
| 18 | P-Alkalinity as CaCO3 | mg/L | Nil | Nil | 22 | - | 18 | Nil | 4 | - | - | Nil |
| 19 | Total Alkalinity as CaCo3 | mg/L | 68 | 208 | 122 | - | 135 | 176 | 121 | - | - | 220 |
| 20 | Total Kjeldhal Nitrogen as N | mg/L | 0.16 | 0.76 | 0.35 | - | 1.1 | 3.4 | 0.8 | - | - | 0.72 |
| 21 | Total Suspended Soilds | mg/L | 28 | 2 | 28 | - | 24 | 26 | 62 | - | - | 22 |
| 22 | Total Dissolved Solids | mg/L | 390 | 624 | 590 | - | 430 | 792 | 602 | - | - | 678 |
| 23 | Total Fixed Solids | mg/L | 308 | 480 | 470 | - | 340 | 594 | 470 | - | - | 540 |
| 24 | Dissolved Phosphate as P | mg/L | - | 0.07 | - | - | - | 0.06 | 0.3 | - | - | - |
| 25 | Fluoride | mg/L | 0.454 | 0.218 | 0.319 | - | 0.41 | 0.3 | 0.44 | - | - | 0.44 |

Amruthalli Lake- Anaysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|---------------------------------------|------------|---------------------|---------------------|---------------------|----------------------|--------|---------|---------------------|--------|---------------------|---------------------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.6 | 6.8 | 6.8 | 6.7 | 9.1 | 7.3 | 6.71 | 8.3 | 7.2 | 7.1 | |
| 2 | BOD | mg/L | 3 | 77 | 5 | 5.1 | 8.7 | 7.4 | 10 | 4 | 6.6 | 5.2 | |
| 3 | Conductivity | µs/cm | 1028 | 1120 | 1003 | 3 | 15 | 3 | 537 | 9 | 3 | 4 | |
| 4 | Dissolved Oxygen | mg/L | 6.8 | 0.5 | 4.3 | 591 | 879 | 947 | 4 | 632 | 853 | 603 | |
| 5 | Nitrate -N | mg/L | - | 2 | 0.88 | 0.8 | 1.1 | 4 | - | 0.8 | 2.2 | 0.45 | |
| 6 | Fluoride | mg/L | - | 0.3 | 0.2 | 0.2 | 0.24 | - | - | - | 0.31 | - | |
| 7 | Boron | mg/L | <0.1 | <0.1 | <0.1 | 1600x10 ₂ | 5400 | 350x104 | BDL | 5400 | 920x10 ₅ | 540x10 ₂ | |
| 8 | Total Dissolved Solids | mg/L | - | 794 | 702 | 280x10 ₂ | 700 | 79x104 | - | 430 | 140x10 ₅ | 23x10 ₂ | |
| 9 | Sulphate | mg/L | - | 31 | 76 | 37 | 172 | 37 | - | - | 32 | 49 | |
| 10 | Total coli form | MPN/100 ml | 540x10 ₃ | 920x10 ₂ | 920x10 ₂ | 12.1 | 39 | 1 | 920x10 ₂ | - | 6.4 | 34 | |
| 11 | Sodium Absorption Ratio | - | 2.5 | 107 | - | 79 | 97 | 260 | 4.23 | - | 245 | 123 | |
| 12 | Free Ammonia * | | 0.03 | - | 4 | 40 | 51 | 118 | 0.004 | - | 124 | 57 | |
| 13 | Chloride | mg/L | - | 159 | 170 | 39 | 46 | 142 | - | - | 121 | 66 | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | 125 | 180 | 171 | - | - | 92 | 138 | |
| 15 | Fecal Coli form | MPN/100 ml | - | 110x10 ₂ | 84x10 ₂ | 88 | 132 | 100 | - | - | 2 | - | |
| 16 | COD | mg/L | - | 258 | - | - | - | 10 | - | - | - | 19 | |
| 17 | Turbidity | NTU | - | 8.5 | 3 | 19 | 13 | 14 | - | - | 117 | 15 | |
| 18 | Total Hardness as CaCO ₃ | mg/L | - | 191 | 252 | Nil | 21 | Nil | - | - | Nil | Nil | |
| 19 | Calcium as CaCO ₃ | mg/L | - | 96 | 128 | 75 | 126 | 208 | - | - | 81 | 76 | |
| 20 | Magnesium as CaCO ₃ | mg/L | - | 23 | 124 | 0.3 | 0.29 | 0.76 | - | - | 0.4 | 8 | |
| 21 | Potassium as P-Alkalinity | mg/L | - | 28 | 34 | 10 | 34 | 2 | - | - | 6 | 46 | |
| 22 | CaCO ₃ | mg/L | - | Nil | Nil | 394 | 592 | 624 | - | - | 578 | 422 | |
| 23 | Total Alkalinity as CaCo ₃ | mg/L | - | 164 | 221 | 312 | 468 | 480 | - | - | 456 | 330 | |

Bagalur Lake - Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 |
|------------|-------------------------|------------|---------|---------|---------|---------|----------|---------|--------|---------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.3 | 6.6 | 6.7 | 6.8 | 6.8 | 7.7 | - | 6.9 | |
| 2 | BOD | mg/L | 5.2 | 6 | 5 | 8 | 5 | 4 | - | 4 | |
| 3 | Conductivity | µs/cm | 705 | 699 | 978 | 737 | 898 | 1150 | - | 861 | |
| 4 | Dissolved Oxygen | mg/L | 5.6 | 5 | 6.8 | 4.7 | 4.4 | 7.8 | - | 6.2 | |
| 5 | Nitrate -N | mg/L | - | - | - | - | - | - | - | - | |
| 6 | Fluoride | mg/L | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | BDL | BDL | BDL | BDL | BDL | BDL | - | BDL | |
| 8 | Total Dissolved Solids | mg/L | - | - | - | - | - | - | - | - | |
| 9 | Sulphate | mg/L | - | - | - | - | - | - | - | - | |
| 10 | Total coli form | MPN/100 ml | 540x102 | 920x102 | 540x102 | 540x105 | 1600x102 | 350x102 | | 240x102 | |
| 11 | Sodium Absorption Ratio | - | 2.72 | 2.89 | 6 | 2.75 | 6 | 2 | | 3 | |
| 12 | Free Ammonia * | | 0.0001 | BDL | BDL | BDL | BDL | BDL | | BDL | |
| 13 | Chloride | mg/L | - | - | - | - | - | - | - | - | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | |
| 15 | Fecal Coli form | MPN/100 ml | - | - | - | - | - | - | | - | |
| 16 | COD | mg/L | - | - | - | - | - | - | | - | |
| 17 | Turbidity | NTU | - | - | - | - | - | - | | - | |
| 18 | Total Hardness as CaCO3 | mg/L | - | - | - | - | - | - | | - | |
| 19 | Calcium as CaCO3 | mg/L | - | - | - | - | - | - | | - | |
| 20 | Magnesium as CaCO3 | mg/L | - | - | - | - | - | - | | - | |

| | | | | | | | | | | | | | | | | | | |
|-------|---------------------------------------|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 21 | Potassium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | P-Alkalinity as CaCO ₃ | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 23 | Total Alkalinity as CaCO ₃ | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 24 | Total Kjeldhal Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25 | Total Suspended Solids | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 26 | Total Fixed Solids | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 27 | Dissolved Phosphate as P | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 28 | Cyanide | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 29 | Cadmium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | Copper | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 31 | Lead | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 32 | Total Chromium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 33 | Nickel | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 34 | Zinc | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 35 | Iron | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Class | | | D | E | E | D | D | D | D | D | D | - | - | - | D | | | |

Chelekere Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|---------------------------------------|------------|---------------------|----------------------|---------------------|---------------------|---------------------|---------------------|--------|---------------------|---------------------|---------------------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6 | 6.9 | 6.5 | 6.71 | 9.2 | 8.8 | 7.5 | 6.8 | 6.9 | 7 | |
| 2 | BOD | mg/L | 3 | 4 | 4 | 10 | 5.1 | 7.3 | 7.1 | 5.8 | 5.2 | 6.5 | |
| 3 | Conductivity | µs/cm | 214 | 477 | 495 | 537 | 14 | 16 | 4 | 3 | 3 | 3 | |
| 4 | Dissolved Oxygen | mg/L | 6 | 5.2 | 7.1 | 4 | 875 | 860 | 970 | 478 | 588 | 588 | |
| 5 | Nitrate -N | mg/L | - | - | - | - | 0.9 | 0.79 | 10.4 | 3.8 | 0.6 | 0.6 | |
| 6 | Fluoride | mg/L | - | - | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | <0.1 | <0.1 | <0.1 | BDL | 240x10 ² | 350x10 ² | 16000 | 350x10 ² | 540x10 ² | 440x10 ² | |
| 8 | Total Dissolved Solids | mg/L | - | - | - | - | 33x10 ² | 33x10 ² | 2200 | 70x10 ² | 94x10 ² | 92x10 ² | |
| 9 | Sulphate | mg/L | - | - | - | - | 164 | 155 | 46 | 39 | 32 | 32 | |
| 10 | Total coli form | MPN/100 ml | 920x10 ² | 1600x10 ² | 350x10 ² | 920x10 ² | 32.9 | 47 | 19 | 16.6 | 36.5 | 45.2 | |
| 11 | Sodium Absorption Ratio | - | 0.8 | 4.3 | 3.2 | 4.23 | 93 | 114 | 237 | 96 | 70 | 60 | |
| 12 | Free Ammonia * | mg/L | 0.002 | 0.002 | 0.00011 | 0.004 | 50 | 40 | 100 | 42 | 36 | 64 | |
| 13 | Chloride | mg/L | - | - | - | - | 43 | 74 | 137 | 54 | 34 | 55 | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | - | 194 | 211 | 164 | 108 | 130 | 98 | |
| 15 | Fecal Coli form | MPN/100 ml | - | - | - | - | 145 | 112 | 97 | 65 | 90 | 67 | |
| 16 | COD | mg/L | - | - | 42 | - | - | 31 | 25 | 12 | - | - | |
| 17 | Turbidity | NTU | - | - | - | - | 11 | 48 | 13 | 31 | 19 | 18 | |
| 18 | Total Hardness as CaCO ₃ | mg/L | - | - | - | - | 22 | 4 | Nil | Nil | Nil | Nil | |
| 19 | Calcium as CaCO ₃ | mg/L | - | - | - | - | 122 | 121 | 220 | 47 | 68 | 68 | |
| 20 | Magnesium as CaCO ₃ | mg/L | - | - | - | - | 0.35 | 0.8 | 0.72 | 2.3 | 0.16 | 0.16 | |
| 21 | Potassium | mg/L | - | - | - | - | 28 | 62 | 22 | 16 | 28 | 28 | |
| 22 | P-Alkalinity as CaCO ₃ | mg/L | - | - | - | - | 590 | 602 | 678 | 336 | 390 | 390 | |
| 23 | Total Alkalinity as CaCO ₃ | mg/L | - | - | - | - | 470 | 470 | 540 | - | 308 | 308 | |

Chokkanahalli Lake - Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 |
|------------|-------------------------|------------|---------|---------|---------|---------|---------|----------|--------|---------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.4 | 6.5 | 7.2 | 6.5 | 7.1 | 7.9 | - | 7.2 | |
| 2 | BOD | mg/L | 3.2 | 3 | 6 | 8 | 6 | 11 | - | 4 | |
| 3 | Conductivity | µs/cm | 712 | 700 | 728 | 745 | 898 | 1160 | - | 899 | |
| 4 | Dissolved Oxygen | mg/L | 5.1 | 5 | 4.8 | 4.8 | 4.6 | 4 | - | 5.9 | |
| 5 | Nitrate -N | mg/L | - | - | - | - | - | - | - | - | |
| 6 | Fluoride | mg/L | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | BDL | BDL | BDL | BDL | BDL | BDL | - | BDL | |
| 8 | Total Dissolved Solids | mg/L | - | - | - | - | - | - | - | - | |
| 9 | Sulphate | mg/L | - | - | - | - | - | - | - | - | |
| 10 | Total coli form | MPN/100 ml | 540x102 | 240x107 | 920x107 | 240x103 | 240x102 | 1600x102 | | 540x102 | |
| 11 | Sodium Absorption Ratio | - | 2.75 | 2.72 | 3.49 | 2.68 | 4.77 | 3.11 | | 2.3 | |
| 12 | Free Ammonia * | | 0.0003 | BDL | BDL | BDL | BDL | BDL | | BDL | |
| 13 | Chloride | mg/L | - | - | - | - | - | - | - | - | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | |
| 15 | Fecal Coli form | MPN/100 ml | - | - | - | - | - | - | | - | |
| 16 | COD | mg/L | - | - | - | - | - | - | | - | |
| 17 | Turbidity | NTU | - | - | - | - | - | - | | - | |
| 18 | Total Hardness as CaCO3 | mg/L | - | - | - | - | - | - | | - | |
| 19 | Calcium as CaCO3 | mg/L | - | - | - | - | - | - | | - | |
| 20 | Magnesium as CaCO3 | mg/L | - | - | - | - | - | - | | - | |

Gopala Pura Lake - Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 |
|------------|-------------------------|------------|----------|----------|---------|--------|---------|---------|---------|----------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 7.3 | 6.5 | 7.1 | - | 8.1 | 7.6 | 7.5 | 6.9 | |
| 2 | BOD | mg/L | 3.2 | 3 | 7 | - | 6 | 6 | 6 | 4 | |
| 3 | Conductivity | µs/cm | 1037 | 697 | 740 | - | 568 | 1064 | 487 | 873 | |
| 4 | Dissolved Oxygen | mg/L | 5.2 | 5.8 | 5.2 | - | 4.4 | 7.2 | 4.8 | 6 | |
| 5 | Nitrate -N | mg/L | - | - | - | - | - | - | - | - | |
| 6 | Fluoride | mg/L | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | BDL | BDL | BDL | - | BDL | BDL | BDL | BDL | |
| 8 | Total Dissolved Solids | mg/L | - | - | - | - | - | - | - | - | |
| 9 | Sulphate | mg/L | - | - | - | - | - | - | - | - | |
| 10 | Total coli form | MPN/100 ml | 1600x102 | 1600x102 | 920x102 | - | 920x102 | 240x102 | 540x102 | 1600x102 | |
| 11 | Sodium Absorption Ratio | - | 4.15 | 3.03 | 3.147 | - | 2.147 | 1.9 | 2.15 | 2.4 | |
| 12 | Free Ammonia * | | 0.001 | BDL | BDL | - | BDL | BDL | BDL | BDL | |
| 13 | Chloride | mg/L | - | - | - | - | - | - | - | - | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | |
| 15 | Fecal Coli form | MPN/100 ml | - | - | - | - | - | - | - | - | |
| 16 | COD | mg/L | 295 | 84 | - | - | - | - | - | - | |
| 17 | Turbidity | NTU | - | - | - | - | - | - | - | - | |
| 18 | Total Hardness as CaCO3 | mg/L | - | - | - | - | - | - | - | - | |
| 19 | Calcium as CaCO3 | mg/L | - | - | - | - | - | - | - | - | |
| 20 | Magnesium as CaCO3 | mg/L | - | - | - | - | - | - | - | - | |

Hebbal Lake- Analysis Report From April -2021 to March-2022

| SL.No. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|--------|------------------------------|------------|---------|---------|----------|---------|---------|---------|---------|---------|---------|--------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.6 | 6.71 | 6.7 | 6 | 6.8 | 6.8 | 7.1 | 6.8 | 8.5 | 7.9 | |
| 2 | Dissolved Oxygen | mg/L | 4 | 10 | 5.1 | 4.2 | 5.8 | 8.4 | 5.2 | 6.2 | 6 | 6.2 | |
| 3 | BOD | mg/L | 15 | 537 | 3 | 3 | 3 | 3 | 4 | 5 | 4 | 4 | |
| 4 | Conductivity | µs/cm | 860 | 4 | 591 | 533 | 478 | 488 | 603 | 589 | 619 | 1103 | |
| 5 | Nitrate -N | mg/L | 1.9 | - | 0.8 | 1.2 | 3.8 | 1.4 | 0.45 | 0.35 | 1.1 | 9 | |
| 6 | Ammonical Nitrogen as N | mg/L | - | - | 0.2 | - | - | - | - | - | - | - | |
| 7 | Total coli form | MPN/100 ml | 350x102 | BDL | 1600x102 | 920x102 | 350x102 | 540x102 | 540x102 | 540x102 | 350x102 | 3500 | |
| 8 | Fecal Coli form | MPN/100 ml | 94x102 | - | 280x102 | 70x102 | 70x102 | 70x102 | 23x102 | 110x102 | 31x102 | 460 | |
| 9 | COD | mg/L | 162 | - | 37 | - | 39 | 36 | 49 | 64 | - | - | |
| 10 | Turbidity | NTU | 13 | 920x102 | 12.1 | - | 16.6 | 5.2 | 34 | 12 | - | 15 | |
| 11 | Total Hardness as CaCO3 | mg/L | 219 | 4.23 | 79 | - | 96 | 72 | 123 | 74 | - | 217 | |
| 12 | Calcium as CaCO3 | mg/L | 112 | 0.004 | 40 | - | 42 | 31 | 57 | 42 | - | 109 | |
| 13 | Magnesium as CaCO3 | mg/L | 107 | - | 39 | - | 54 | 41 | 66 | 32 | - | 108 | |
| 14 | Chloride | mg/L | 127 | - | 125 | - | 108 | 137 | 138 | 127 | - | 190 | |
| 15 | Sodium | mg/L | 105 | - | 88 | - | 65 | 62 | - | 85 | - | 114 | |
| 16 | Potassium | mg/L | 24 | - | - | - | 12 | 13 | 19 | 15 | - | 29 | |
| 17 | Sulphate | mg/L | 42 | - | 19 | - | 31 | 7 | 15 | 31 | - | 33 | |
| 18 | P-Alkalinity as CaCO3 | mg/L | Nil | - | Nil | - | Nil | Nil | Nil | Nil | - | Nil | |
| 19 | Total Alkalinity as CaCo3 | mg/L | 232 | - | 75 | - | 47 | 62 | 76 | 53 | - | 196 | |
| 20 | Total Kjeldhal Nitrogen as N | mg/L | 1.2 | - | 0.3 | - | 2.3 | 1.2 | 8 | 0.8 | - | 3 | |
| 21 | Total Suspended Solids | mg/L | 24 | - | 10 | - | 16 | 8 | 46 | 18 | - | 22 | |
| 22 | Total Dissolved Solids | mg/L | 602 | - | 394 | - | 336 | 322 | 422 | 412 | - | 782 | |
| 23 | Total Fixed Solids | mg/L | 470 | - | 312 | - | - | 248 | 330 | 320 | - | 602 | |
| 24 | Dissolved Phosphate as P | mg/L | - | - | - | - | - | 0.1 | 0.19 | - | - | 0.09 | |

| | | | | | | | | | | | | | | | | | | |
|-------|------------------------------|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 21 | Potassium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | P-Alkalinity as CaCO3 | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 23 | Total Alkalinity as CaCO3 | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 24 | Total Kjeldhal Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25 | Total Suspended Solids | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 26 | Total Fixed Solids | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 27 | Dissolved Phosphate as P | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 28 | Cyanide | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 29 | Cadmium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | Copper | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 31 | Lead | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 32 | Total Chromium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 33 | Nickel | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 34 | Zinc | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 35 | Iron | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Class | | | E | D | E | E | E | E | D | - | - | - | - | E | | | | |

| | | | | | | | | | | | | | | | | | | |
|-------|--------------------------|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26 | Total Fixed Solids | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 27 | Dissolved Phosphate as P | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 28 | Cyanide | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 29 | Cadmium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 30 | Copper | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 31 | Lead | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 32 | Total Chromium | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 33 | Nickel | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 34 | Zinc | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 35 | Iron | mg/L | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Class | | | D | D | E | D | E | D | D | D | D | D | D | E | D | | | |

Narasipura Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|-------------------------------------|---------------|---------------------|--------|---------------------|---------------------|---------|---------|---------|---------|---------|---------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.5 | | 6.7 | 6.5 | 6.6 | 6.5 | 6.3 | 6.5 | 6.6 | 6.5 | |
| 2 | BOD | mg/L | 3 | | 3 | 3 | 3 | 3 | 5 | 4 | 4 | 6 | |
| 3 | Conductivity | µs/cm | 535 | | 587 | 536 | 405 | 490 | 495 | 495 | 15 | 435 | |
| 4 | Dissolved Oxygen | mg/L | 7.5 | | 5.8 | 7 | 6.4 | 5.2 | 6 | 7.1 | 860 | 3 | |
| 5 | Nitrate -N | mg/L | - | | - | - | - | - | - | - | 1.9 | - | |
| 6 | Fluoride | mg/L | - | | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 350x102 | <0.1 | |
| 8 | Total Dissolved Solids | mg/L | - | | - | - | - | - | - | - | 94x102 | - | |
| 9 | Sulphate | mg/L | - | | - | - | - | - | - | - | 162 | - | |
| 10 | Total coli form | MPN/100 ml | 540x10 ₃ | | 540x10 ₂ | 920x10 ₂ | 540x102 | 540x102 | 920x102 | 350x102 | 13 | 820x102 | |
| 11 | Sodium Absorption Ratio | - | 3.5 | | 4.3 | 4.5 | 1.2 | 3.7 | 3.3 | 3.2 | 219 | 3.5 | |
| 12 | Free Ammonia * | | 0.0003 | | 0.0005 | 0.0004 | 0 | 0.001 | 0.0003 | 0.00011 | 112 | 0.0003 | |
| 13 | Chloride | mg/L | - | | - | - | - | - | - | - | 107 | - | |
| 14 | Ammonical Nitrogen as N | mg/L | - | | - | - | - | - | - | - | 127 | - | |
| 15 | Fecal Coli form | MPN/100 ml | - | | - | - | - | - | - | - | 105 | - | |
| 16 | COD | mg/L | - | | - | - | - | - | - | 42 | 24 | - | |
| 17 | Turbidity | NTU | - | | - | - | - | - | - | - | 42 | - | |
| 18 | Total Hardness as CaCO ₃ | mg/L | - | | - | - | - | - | - | - | Nil | - | |
| 19 | Calcium as CaCO ₃ | mg/L | - | | - | - | - | - | - | - | 232 | - | |
| 20 | Magnesium as CaCO ₃ | mg/L | - | | - | - | - | - | - | - | 1.2 | - | |
| 21 | Potassium | mg/L | - | | - | - | - | - | - | - | 24 | - | |
| 22 | P-Alkalinity as CaCO ₃ | mg/L | - | | - | - | - | - | - | - | 602 | - | |

Puttenahalli Lake- Analysis Report From 01-April -2021 to 31-March-2022

| Sl.N | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------|------------------------------|------------|---------|---------|---------|---------|---------|---------|----------|---------|---------|---------|--------|
| | | | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.9 | 6.9 | 7.2 | 7.3 | 7.7 | 7.6 | 6.6 | 7 | 6.5 | 6.3 | |
| 2 | Dissolved Oxygen | mg/L | 5.2 | 6 | 6.6 | 7.4 | 4.5 | 4 | 6.2 | 6.5 | 3 | 5 | |
| 3 | BOD | mg/L | 3 | 5 | 3 | 3 | 4 | 6 | 4 | 3 | 536 | 495 | |
| 4 | Conductivity | µs/cm | 588 | 582 | 853 | 947 | 783 | 931 | 551 | 588 | 7 | 6 | |
| 5 | Nitrate -N | mg/L | 0.6 | 1.7 | 2.2 | 4 | 0.66 | 0.42 | 0.63 | 0.6 | - | - | |
| 6 | Ammonical Nitrogen as N | mg/L | - | - | 0.31 | - | 0.24 | - | - | - | - | - | |
| 7 | Total coli form | MPN/100 ml | 540x102 | 920x102 | 920x105 | 350x104 | 920x105 | 240x102 | 1600x102 | 440x102 | <0.1 | <0.1 | |
| 8 | Fecal Coli form | MPN/100 ml | 94x102 | 170x102 | 140x105 | 79x104 | 46x105 | 33x102 | 40x102 | 92x102 | - | - | |
| 9 | COD | mg/L | 32 | 81 | 32 | 37 | 41 | 67 | 47 | 32 | - | - | |
| 10 | Turbidity | NTU | 36.5 | 19 | 6.4 | 1 | 4.2 | 5.2 | 44 | 45.2 | 920x102 | 920x102 | |
| 11 | Total Hardness as CaCO3 | mg/L | 70 | 156 | 245 | 260 | 201 | 212 | 80 | 60 | 4.5 | 3.3 | |
| 12 | Calcium as CaCO3 | mg/L | 36 | 73 | 124 | 118 | 100 | 108 | 36 | 64 | 0.0004 | 0.0003 | |
| 13 | Magnesium as CaCO3 | mg/L | 34 | 83 | 121 | 142 | 101 | 104 | 44 | 55 | - | - | |
| 14 | Chloride | mg/L | 130 | 96 | 92 | 171 | 170 | 181 | 121 | 98 | - | - | |
| 15 | Sodium Absorption Ratio | mg/L | 90 | 69 | 2 | 100 | 108 | - | 80 | 67 | - | - | |
| 16 | Potassium | mg/L | - | 18 | - | 10 | 9 | - | 15 | - | - | - | |
| 17 | Sulphate | mg/L | 19 | 39 | 117 | 14 | 56 | - | 32 | 18 | - | - | |
| 18 | P-Alkalinity as CaCO3 | mg/L | Nil | Nil | - | - | |
| 19 | Total Alkalinity as CaCO3 | mg/L | 68 | 114 | 81 | 208 | 75 | 115 | 38 | 68 | - | - | |
| 20 | Total Kjeldhal Nitrogen as N | mg/L | 0.16 | 0.84 | 0.4 | 0.76 | 0.6 | 0.8 | 0.8 | 0.16 | - | - | |

Rachenahalli Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|---------------------------------------|------------|----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.7 | 8.5 | 6.8 | 8.5 | 7 | 8.2 | 8.9 | 6.5 | 7.3 | 7.5 | |
| 2 | BOD | mg/L | 5.1 | 8 | 4 | 8 | 9 | 9 | 11 | 4 | 7.4 | 7.1 | |
| 3 | Conductivity | µs/cm | 3 | 5 | 592 | 634 | 953 | 871 | 977 | 495 | 3 | 4 | |
| 4 | Dissolved Oxygen | mg/L | 591 | 620 | 4.9 | 4.3 | 4.1 | 4 | 9.1 | 7.1 | 947 | 970 | |
| 5 | Nitrate -N | mg/L | 0.8 | 1.6 | - | - | - | - | - | - | 4 | 10.4 | |
| 6 | Fluoride | mg/L | 0.2 | - | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | 1600x10 ₂ | 350x10 ₂ | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 350x10 ₄ | 16000 | |
| 8 | Total Dissolved Solids | mg/L | 280x10 ₂ | 70x10 ₂ | - | - | - | - | - | - | 79x10 ₄ | 2200 | |
| 9 | Sulphate | mg/L | 37 | 80 | - | - | - | - | - | - | 37 | 46 | |
| 10 | Total coli form | MPN/100 ml | 12.1 | 22 | 350x10 ₂ | 540x10 ₂ | 350x10 ₃ | 350x10 ₂ | 540x10 ₂ | 350x10 ₂ | 1 | 19 | |
| 11 | Sodium Absorption Ratio | - | 79 | 121 | 3.9 | 4 | 2.7 | 3.1 | 2.8 | 3.2 | 260 | 237 | |
| 12 | Free Ammonia * | | 40 | 59 | 0.002 | 0.004 | 0.01 | 0.04 | 0.49 | 0.00011 | 118 | 100 | |
| 13 | Chloride | mg/L | 39 | 62 | - | - | - | - | - | - | 142 | 137 | |
| 14 | Ammonical Nitrogen as N | mg/L | 125 | 106 | - | - | - | - | - | - | 171 | 164 | |
| 15 | Fecal Coli form | MPN/100 ml | 88 | 84 | - | - | - | - | - | - | 100 | 97 | |
| 16 | COD | mg/L | - | 18 | - | - | - | - | - | 42 | 10 | 25 | |
| 17 | Turbidity | NTU | 19 | 28 | - | - | - | - | - | - | 14 | 13 | |
| 18 | Total Hardness as CaCO ₃ | mg/L | Nil | 18 | - | - | - | - | - | - | Nil | Nil | |
| 19 | Calcium as CaCO ₃ | mg/L | 75 | 135 | - | - | - | - | - | - | 208 | 220 | |
| 20 | Magnesium as CaCO ₃ | mg/L | 0.3 | 1.1 | - | - | - | - | - | - | 0.76 | 0.72 | |
| 21 | Potassium | mg/L | 10 | 24 | - | - | - | - | - | - | 2 | 22 | |
| 22 | P-Alkalinity as CaCO ₃ | mg/L | 394 | 430 | - | - | - | - | - | - | 624 | 678 | |
| 23 | Total Alkalinity as CaCO ₃ | mg/L | 312 | 340 | - | - | - | - | - | - | 480 | 540 | |

Singapore Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|--|---------------|---------|--------|----------------------|---------------------|---------------------|---------------------|---------------------|---------|--------------------|---------------------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 8.8 | 9.1 | 6.6 | 6.5 | 6.8 | 7.1 | 7.3 | 8.8 | 8.5 | 6.71 | |
| 2 | BOD | mg/L | 7.3 | 8.7 | 12 | 3 | 5 | 17 | 36 | 7.3 | 6 | 10 | |
| 3 | Conductivity | µs/cm | 16 | 15 | 952 | 535 | 1058 | 967 | 950 | 16 | 4 | 537 | |
| 4 | Dissolved Oxygen | mg/L | 860 | 879 | 3.2 | 7.5 | 5.4 | 0.2 | 5.2 | 860 | 619 | 4 | |
| 5 | Nitrate -N | mg/L | 0.79 | 1.1 | - | - | - | - | - | 0.79 | 1.1 | - | |
| 6 | Fluoride | mg/L | - | 0.24 | - | - | - | - | - | - | - | - | |
| 7 | Boron | mg/L | 350x102 | 5400 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 350x102 | 350x102 | BDL | |
| 8 | Total Dissolved Solids | mg/L | 33x102 | 700 | - | - | - | - | - | 33x102 | 31x10 ₂ | - | |
| 9 | Sulphate | mg/L | 155 | 172 | - | - | - | - | - | 155 | - | - | |
| 10 | Total coli form | MPN/100 ml | 47 | 39 | 1600x10 ₃ | 540x10 ₃ | 920x10 ₃ | 920x10 ₃ | 540x10 ₃ | 47 | - | 920x10 ₂ | |
| 11 | Sodium Absorption Ratio | - | 114 | 97 | 2.5 | 3.5 | 2 | 3.5 | 2.7 | 114 | - | 4.23 | |
| 12 | Free Ammonia * | | 40 | 51 | 0.02 | 0.0003 | 0.1 | 0.024 | 0.072 | 40 | - | 0.004 | |
| 13 | Chloride | mg/L | 74 | 46 | - | - | - | - | - | 74 | - | - | |
| 14 | Ammonical Nitrogen as N | mg/L | 211 | 180 | - | - | - | - | - | 211 | - | - | |
| 15 | Fecal Coli form | MPN/100 ml | 112 | 132 | - | - | - | - | - | 112 | - | - | |
| 16 | COD | mg/L | 31 | - | - | - | - | - | 380 | 31 | - | - | |
| 17 | Turbidity | NTU | 48 | 13 | - | - | - | - | - | 48 | - | - | |
| 18 | Total Hardness as CaCO ₃ | mg/L | 4 | 21 | - | - | - | - | - | 4 | - | - | |
| 19 | Calcium as CaCO ₃ | mg/L | 121 | 126 | - | - | - | - | - | 121 | - | - | |
| 20 | Magnesium as CaCO ₃ | mg/L | 0.8 | 0.29 | - | - | - | - | - | 0.8 | - | - | |
| 21 | Potassium | mg/L | 62 | 34 | - | - | - | - | - | 62 | - | - | |
| 22 | P-Alkalinity as CaCO ₃ | mg/L | 602 | 592 | - | - | - | - | - | 602 | - | - | |


Thirumenahalli Lake- Analysis Report From April -2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 |
|------------|-------------------------------------|------------|---------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|--------|--------|--------|
| | | | Result | Result | Result | Result | Result | Result | Result | Result | Result | Result |
| 1 | pH | pH Unit | 6.7 | 7.5 | 6.81 | 7.1 | 7.3 | 7.9 | 7.1 | | | |
| 2 | BOD | mg/L | 4 | 6 | 8 | 2 | 9 | 10 | 4 | | | |
| 3 | Conductivity | µs/cm | 546 | 628 | 1224 | 470 | 978 | 1157 | 894 | | | |
| 4 | Dissolved Oxygen | mg/L | 6.3 | 5.4 | 2.1 | 6.2 | 5 | 4.1 | 4.6 | | | |
| 5 | Nitrate -N | mg/L | - | - | - | - | - | - | - | | | |
| 6 | Fluoride | mg/L | - | - | - | - | - | - | - | | | |
| 7 | Boron | mg/L | <0.1 | <0.1 | BDL | <0.1 | BDL | BDL | BDL | | | |
| 8 | Total Dissolved Solids | mg/L | - | - | - | - | - | - | - | | | |
| 9 | Sulphate | mg/L | - | - | - | - | - | - | - | | | |
| 10 | Total coli form | MPN/100 ml | 350x10 ² | 1600x10 ² | 350x10 ² | 350x10 ² | 920x10 ² | 350x10 ² | 1600x10 ² | | | |
| 11 | Sodium Absorption Ratio | - | 4.4 | 2.5 | 3 | 4 | 2.58 | 3.4 | 3.3 | | | |
| 12 | Free Ammonia * | | 0.001 | 0.043 | 0.07 | 0.0009 | BDL | BDL | BDL | | | |
| 13 | Chloride | mg/L | - | - | - | - | - | - | - | | | |
| 14 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | | | |
| 15 | Fecal Coli form | MPN/100 ml | - | - | - | - | - | - | - | | | |
| 16 | COD | mg/L | - | - | - | - | - | - | - | | | |
| 17 | Turbidity | NTU | - | - | - | - | - | - | - | | | |
| 18 | Total Hardness as CaCO ₃ | mg/L | - | - | - | - | - | - | - | | | |
| 19 | Calcium as CaCO ₃ | mg/L | - | - | - | - | - | - | - | | | |
| 20 | Magnesium as CaCO ₃ | mg/L | - | - | - | - | - | - | - | | | |

Yelahanka Lake- Analysis Report From April - 2021 to March-2022

| Sl.N o. | Parameters | Unit | Apr-21 | May-21 | Jun-21 | Jul-21 | Aug-21 | Sep-21 | Oct-21 | Nov-21 | Dec-21 | Jan-22 | Feb-22 |
|------------|---------------------------------|---------------|---------|---------|---------|---------|---------|---------|---------|---------|----------|-------------|--------|
| | | | Result | Result | Result |
| 1 | pH | pH Unit | 8.5 | 6.6 | 9.1 | 8.2 | 8.5 | 8.7 | 8.7 | 6.6 | 6.7 | 6 | |
| 2 | Dissolved Oxygen | mg/L | 8 | 4 | 7.2 | 7.2 | 7.3 | 4.2 | 5.6 | 4 | 5.1 | 3 | |
| 3 | BOD | mg/L | 5 | 15 | 13 | 4 | 3 | 7 | 12 | 6 | 3 | 214 | |
| 4 | Conductivity | µs/cm | 620 | 860 | 872 | 630 | 839 | 911 | 829 | 811 | 591 | 6 | |
| 5 | Nitrate -N | mg/L | 1.6 | 1.9 | 1 | 0.8 | 3 | 2 | 0.8 | 2 | 0.8 | - | |
| 6 | Ammonical Nitrogen as N | mg/L | - | - | - | - | - | - | - | - | 0.2 | - | |
| 7 | Total coli form | MPN/100 ml | 350x102 | 350x102 | 350x102 | 540x102 | 920x102 | 920x102 | 920x103 | 170x102 | 1600x102 | <0.1 | |
| 8 | Fecal Coli form | MPN/100 ml | 70x102 | 94x102 | 70x102 | 32x102 | 130x102 | 170x102 | 79x103 | 33x102 | 280x102 | - | |
| 9 | COD | mg/L | 80 | 162 | 156 | - | 56 | - | 135 | - | 37 | - | |
| 10 | Turbidity | NTU | 22 | 13 | 33.2 | - | 21 | 14 | 59 | 8.6 | 12.1 | 920x10 2 | |
| 11 | Total Hardness as CaCO3 | mg/L | 121 | 219 | 94 | - | 118 | 99 | 118 | 217 | 79 | 0.8 | |
| 12 | Calcium as CaCO3 | mg/L | 59 | 112 | 49 | - | 64 | 50 | 44 | 104 | 40 | 0.002 | |
| 13 | Magnesium as CaCO3 | mg/L | 62 | 107 | 45 | - | 54 | 49 | 74 | 113 | 39 | - | |
| 14 | Chloride | mg/L | 106 | 127 | 186 | - | 195 | 206 | 212 | 135 | 125 | - | |
| 15 | Sodium | mg/L | 84 | 105 | 139 | - | 105 | 118 | - | 101 | 88 | - | |
| 16 | Potassium | mg/L | 18 | 24 | - | - | 27 | 30 | 31 | 22 | - | - | |
| 17 | Sulphate | mg/L | 28 | 42 | 18 | - | 13 | 16 | 45 | 23 | 19 | - | |
| 18 | P-Alkalinity as CaCO3 | mg/L | 18 | Nil | 22 | - | 123 | 36 | 12 | Nil | Nil | - | |
| 19 | Total Alkalinity as CaCo3 | mg/L | 135 | 232 | 121 | - | 230 | 136 | 115 | 212 | 75 | - | |
| 20 | Total Kjeldhal Nitrogen as N | mg/L | 1.1 | 1.2 | 0.39 | - | 0.31 | 0.7 | 2 | 0.6 | 0.3 | - | |
| 21 | Total Suspended Solids | mg/L | 24 | 24 | 30 | - | 24 | 22 | 68 | 18 | 10 | - | |

| Water Quality of Lake located in the Thenoennai River catchment area | | | | | | | |
|--|---|---------------------------|--|---|---|---|---|
| Year | Name if the Lake | Date of Sample Collection | Calsissification (Enclosed the results copy) | | | | |
| | | | A | B | C | D | E |
| 2021-22 | Sankey Tank, Malleshwaram, Bengaluru. | 07.04.2021 | | | | √ | |
| | | 19.05.2021 | | | | √ | |
| | | 16.06.2021 | | | | √ | |
| | | 28.07.2021 | | | | √ | |
| | | 23.08.2021 | | | | √ | |
| | | 08.09.2021 | | | | √ | |
| | | 26.10.2021 | | | | √ | |
| | | 24.11.2021 | | | | √ | |
| | | 20.12.2021 | | | | √ | |
| | | 12.01.2022 | | | | √ | |



Bangalore WU east

Monitoring Results of Ulsoor Lake

| Sl. No. | Parameters | 04.01.2021(Accredited Parameters) | | | 04.01.2021(Non Accredited Parameters) | | | 01.02.2021 (Accredited Parameters) | | | 01.02.2021 (Non- Accredited Parameters) | | |
|---------|--------------------------------|-----------------------------------|-------------|--------------|---------------------------------------|-------------|--------------|------------------------------------|--------------------------------|------------------------|---|--------------------------------|------------------------|
| | | Near Fishing center | Near Temple | Near Kalyani | Near Fishing center | Near Temple | Near Kalyani | Lake water Near Kalyani | Lake water Near Fishing Center | Lake Water Near Temple | Lake water Near Kalyani | Lake water Near Fishing Center | Lake Water Near Temple |
| | Physical Parameters | | | | | | | | | | | | |
| 1 | pH | 7.3 | 6.8 | 8.1 | | | | 8.0 | 7.8 | 7.8 | | | |
| 2 | Total Suspended Solids | | | | | | | | | | | | |
| 3 | Total Dissolved Solids | 372.0 | 276.0 | | | | | | 266.0 | 268.0 | | | |
| 4 | Turbidity | 2.8 | 2.3 | | | | | | 2.8 | 2.3 | | | |
| 5 | Conductivity | 570.0 | 416.0 | 433.0 | | | | 359.0 | 392.0 | 397.0 | | | |
| 6 | Suspended Solids | | | | | | | | | | | | |
| | Chemical Parameters | | | | | | | | | | | | |
| 8 | BOD (3 days @ 27° C) | 5.0 | 4.0 | 8.0 | | | | 10.0 | 7.0 | 5.0 | | | |
| 9 | Dissolved Oxygen | 5.4 | 5.2 | 4.5 | | | | 4.6 | 5.0 | 6.5 | | | |
| 10 | Sodium Absorption Ratio | | | | | | | | | | | | 2.4 |
| 11 | COD | 76.0 | 48.0 | | | | | | 80.0 | 48.0 | | | |
| 12 | Oil & Grease | | | | | | | | | | | | |
| 13 | Sulphate | 11.2 | 12.0 | | | | | | 10.0 | 9.0 | | | |
| 14 | Chloride | 60.0 | 100.0 | | | | | | 40.0 | 44.0 | | | |
| 15 | Nitrate as NO ₃ | | | | 1.7 | 0.3 | | | | | | | |
| 16 | Hardness as CaCO ₃ | 96.0 | 92.0 | 88.0 | | | | | 76.0 | 76.0 | | | 1.2 |
| 17 | Calcium as CaCO ₃ | 52.0 | 48.0 | | | | | | 40.0 | 44.0 | | | |
| 18 | Magnesium as MgCO ₃ | | | | 11.0 | 44.0 | | | | | | | |
| 19 | Boron | | | | BDL | BDL | | | | | | | |
| 20 | Total Kjeldal Nitrogen | | | | | | | | | | | | |
| 21 | Ammonical Nitrogen | 0.6 | 0.407 | 0.429 | | | | | 15.1 | 0.7 | | | |
| 22 | Potassium | 14.9 | 14.3 | | | | | | 14.0 | 14.0 | | | |
| 23 | Phosphate | | | | 0.5 | 0.1 | | | | | | | |
| 24 | Fluoride | 0.2 | 0.2 | | | | | | 0.2 | 0.2 | | | 0.8 |
| 25 | Phenolphthalein Alkalinity | | | | | | | | | | | | |
| 26 | Total Alkalinity | 108.0 | 60.0 | | Nil | Nil | | | 80.0 | 80.0 | | Nil | Nil |
| 27 | Sodium | 49.1 | 50.1 | | | | | | 49.0 | 52.0 | | | |
| 28 | Free Ammonia | | | | | | | | | | | | |
| 29 | Cyanide | | | | | | | | 0.023 | | | | 0.05 |

| Sl.No. | Parameters | 18.01.2021 (Accredited Parameters) Lake Water | 17.12.2020 (Non Accredited Lake Water | 01.02.2021 (Accredited Parameters) Lake Water | 01.02.2021 (Non Accredited Lake Water | 01.03.2021 (Accredited Parameters) Lake Water | 01.03.2021 (Non Accredited Lake Water | 01.04.2021 (Accredited Parameters) Lake Water | 01.04.2021 (Non Accredited Lake Water | 03.05.2021 Lake Water | 08.06.2021 Lake Water | 06.07.2021 Lake Water | 10.08.2021 Lake Water |
|--------|---|---|--|---|--|---|---|---|--|--------------------------|--------------------------|--------------------------|--------------------------|
| 32 | Iron | | | | | | | | | | | | |
| 33 | Nickel | | | | | | | | | | | | |
| 34 | Cadmium | | | | | | | | | | | | |
| | Biological Parameters | | | | | | | | | | | | |
| 35 | Total Coliform | 350 x 10 ² | | | | | | | | | | | |
| 36 | Fecal Coliform | | | 240 x 10 ³ | | 350 x 10 ² | | | | 540 x 10 ² | 240 x 10 ² | 540 x 10 ³ | 920 x 10 ² |
| 37 | Anionic Surfactants as Methylene blue active (MBA s)Substance | | | | | | | | | | | | |
| 38 | Dissolved Phosphate as P | | | | | | | | | | | | |
| 39 | Total fixed solids | | | | | | | | | | | | |
| 40 | Manganese as Mn | | | | | | | | | | | | |
| 41 | Cadmium as Cd | | | | | | | | | | | | |
| | Remarks | Class 'D' | Class 'D' | Class 'D' | Class 'D' | Class 'D' | Class 'D' | Class 'E' | Class 'E' | Class 'D' | Class 'D' | Class 'E' | Class 'D' |

Monitoring Results of Byrasandra Lake (Lower Lake)

| Sl. No. | Parameters | 22.02.2018 | 07.04.2018 | 25.05.2018 | 12.06.2018 | 30.07.2018 | 30.08.2018 | 31.10.2018 |
|---------|--------------------------------|------------|------------|------------|------------|------------|------------|-------------------|
| | Physical Parameters | | | | | | | |
| 1 | pH | 7.5 | 8.5 | 7 | 7 | 7.9 | | Lake water 7.7 |
| 2 | Total Suspended Solids | 34 | 68 | 6 | | | | 28 |
| 3 | Total Dissolved Solids | 942 | 230 | 270 | | | | 224 |
| 4 | Turbidity | 26 | | 5 | | | | 16.2 |
| 5 | Conductivity | 1400 | 333 | 404 | 567 | 319 | 439 | 321 |
| 6 | Suspended Solids | - | - | - | - | - | 18 | - |
| | Chemical Parameters | | | | | | | |
| 7 | BOD (3days @ 27° C) | 19 | 3 | 4 | 3 | 4 | 4 | 3 |
| 8 | Dissolved Oxygen | 2.2 | 6.4 | 4.5 | 7.1 | 5.2 | 5.9 | |
| 9 | COD | 209 | 32 | 45 | 53 | 56 | 58 | 38 |
| 10 | Sodium Absorption Ratio | | 2.0 | | | | 3 | |
| 11 | Free Ammonia | | 0.06 | | | | | |
| 12 | Oil & Grease | | | | | | | |
| 13 | Sulphate | | 11 | | | | 34 | 22 |
| 14 | Chloride | | 57 | | | | 59 | 55 |
| 15 | Nitrate as NO ₃ | 3.6 | 1.2 | 1.0 | <0.5 | 0.5 | 0.9 | 1.4 |
| 16 | Hardness as CaCO ₃ | | 116 | | | | 97 | 89 |
| 17 | Calcium as CaCO ₃ | | 63 | | | | 51 | 56 |
| 18 | Magnesium as MgCO ₃ | | 53 | | | | 46 | 33 |
| 19 | Boron | BDL | BDL | <0.1 | | | <0.1 | <0.1 |
| 20 | Total Kjeldal Nitrogen | 1.81 | 0.54 | 0.8 | | | 0.8 | 1 |
| 21 | Ammonical Nitrogen | 1.25 | 0.4 | 0.3 | 14.7 | 0.01 | 0.5 | 0.06 |
| 22 | Potassium | | 13.6 | | | | 13 | 7 |
| 23 | Phosphate | | | 0.6 | | | 0.8 | 0.1 |
| 24 | Fluoride | 0.51 | 0.18 | 0.2 | | | <0.1 | 0.3 |
| 25 | Phenolphthaleim Alkalinity | BDL | Nil | Nil | | | Nil | Nil |
| 26 | Total Alkalinity | | 96 | 82 | | | 120 | 82 |
| 27 | Sodium | | 49 | | | | 65 | 52 |
| 28 | Cyanide | | BDL | | | | | |
| Sl No. | Parameters | 22 02 2018 | 07 04 2018 | 25 05 2018 | 12 06 2018 | 30 07 2018 | 30 08 2018 | 21 10 2018 |

Monitoring Results of Byrasandra Lake (Upper Lake)

| Sl.No. | Parameters | 07.04.2018 | 26.05.2018 | 12.06.2018 | 30.07.2018 | 30.08.2018 | 31.10.2018 |
|--------|--------------------------------|------------|------------|------------|------------|------------|------------|
| | Physical Parameters | Lake water | Near Kodi | Near Kodi | Near Kodi | Near Kodi | Lake water |
| 1 | pH | 8.7 | 7.1 | 6.7 | 8 | 7.3 | 7.5 |
| 2 | Total Suspended Solids | | | | | | |
| 3 | Total Dissolved Solids | 222 | | | | | |
| 4 | Turbidity | | | | | | |
| 5 | Conductivity | 335 | 409 | 418 | 319 | 353 | 345 |
| | Chemical Parameters | | | | | | |
| 6 | BOD (3 days @ 27° C) | 7 | 4 | 4 | 4 | 4 | 8.0 |
| 7 | Dissolved Oxygen | 4.8 | 4.1 | 5.4 | 5.2 | 6 | 4.1 |
| 8 | COD | 77 | | | | | |
| 9 | Sodium Absorption Ratio | 2.8 | 2.4 | 100 | 2.6 | 2.9 | 2.8 |
| 10 | Oil & Grease | | | | | | |
| 11 | Sulphate | 12 | 15 | 18 | 8 | 39 | 29 |
| 12 | Chloride | 50 | | | | | |
| 13 | Nitrate as NO ₃ | 15 | 4.9 | 2.18 | 2.2 | 2.7 | 2.3 |
| 14 | Hardness as CaCO ₃ | 61 | | | 64 | | |
| 15 | Calcium as CaCO ₃ | | | | | | |
| 16 | Magnesium as MgCO ₃ | | | | | | |
| 17 | Boron | BDL | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 18 | Total Kjeldal Nitrogen | | | | | | |
| 19 | Ammonical Nitrogen | 0.4 | | | | | |
| 20 | Potassium | | | | | | |
| 21 | Phosphate | | | | | | |
| 22 | Fluoride | 0.3 | 0.2 | 0.14 | 0.6 | <0.1 | 0.34 |
| 23 | Phenolphthalein Alkalinity | | | | | | |
| 24 | Total Alkalinity | | | | | | |
| 25 | Sodium | 51 | | | | | |
| 26 | Cyanide | | | | | | |
| 27 | Free Ammonia | 0.06 | 0.002 | 0.004 | 0.001 | 0.004 | 0.002 |

| Sl.No. | Parameters | 07.04.2018 | 26.05.2018 | 12.06.2018 | 30.07.2018 | 30.08.2018 | 31.10.2018 |
|--------|---|------------------------|-----------------------|-----------------------|-----------------------|------------------------|------------|
| | Physical Parameters | | Near Kodi | Near Kodi | Near Kodi | Near Kodi | |
| | Heavy Metals | | | | | | |
| 28 | Total Chromium | | | | | | |
| 29 | Lead | | | | | | <0.2 |
| 30 | Copper | | | | | | 0.07 |
| 31 | Zinc | | | | | | <0.1 |
| 32 | Iron | | | | | | 0.26 |
| 33 | Nickel | | | | | | |
| 34 | Cadmium | | | | | | |
| | Biological Parameters | | | | | | |
| 35 | Total Coliform | 1600 x 10 ² | 540 x 10 ² | 920 x 10 ² | 350 x 10 ² | 1600 x 10 ² | 3500 |
| 36 | Fecal Coliform | | | | | | |
| 37 | Anionic Surfactants as Methylene blue active (MBA s)Substance | | | | | | |
| 38 | Dissolved Phosphate as P | 0.07 | | | | | |
| 39 | Total fixed solids | | | | | | |
| 40 | Manganese as Mn | | | | | | |
| 41 | Cadmium as Cd | | | | | | |
| | Remarks | Class 'D' | Class 'D' | Class 'D' | Class 'D' | Class 'D' | Class 'D' |

Environmental Officer
Bengaluru City East

Navarod wafur

Water quality (Analysis report) of Channasandra Bridge

| Sl. No. | Parameters | Unit | Water Quality Criteria | | | | | 10.09.2020 | 04.03.2021 | 26.04.2021 | 05.05.2021 | 08.06.2021 |
|---------|-------------------------------------|-----------|------------------------|---------|---------|---------|---------|---------------------|---------------------|---------------------|------------|---------------------|
| | | | A | B | C | D | E | | | | | |
| 1 | pH | pH Unit | 6.5-8.5 | 6.5-8.5 | 6.0-9.0 | 6.5-8.5 | 6.0-8.5 | 6.63 | 6.9 | 6.8 | 7.1 | 6.9 |
| 2 | Biochemical Oxygen | mg/L | 2 | 3 | 3 | -- | -- | 8.0 | 14.0 | 16.0 | 8.0 | 6.0 |
| 3 | Chemical Oxygen | mg/L | -- | -- | -- | -- | -- | 87 | -- | -- | 96 | 76 |
| 4 | Boron | mg/L | -- | -- | -- | -- | -- | -- | BDL | BDL | -- | BDL |
| 5 | Total Suspended Solids | mg/L | -- | -- | -- | -- | -- | 16 | -- | -- | -- | -- |
| 6 | Total Dissolved Solids | mg/L | -- | -- | -- | -- | -- | 694 | -- | -- | -- | -- |
| 7 | Total Fixed Solids | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8 | Total Kjeldhal Nitrogen | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9 | Conductivity | µs/cm | -- | -- | -- | -- | 2250 | 1033 | 1484 | 1273 | 1302 | 1036 |
| 10 | Dissolved Oxygen | mg/L | 6 | 5 | 4 | 4 | -- | 5.5 | 3.2 | 3.4 | 4.8 | 4.3 |
| 11 | Nitrate as NO ₃ | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | Ammonical Nitrogen as N | mg/L | -- | -- | -- | -- | -- | 14.8 | -- | -- | -- | -- |
| 13 | Turbidity | NTU | -- | -- | -- | -- | -- | 12.2 | -- | -- | -- | -- |
| 14 | Fluoride | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 15 | Chloride | mg/L | -- | -- | -- | -- | -- | 124 | -- | -- | -- | -- |
| 16 | Sulphate | mg/L | -- | -- | -- | -- | -- | 9.1 | -- | -- | -- | -- |
| 17 | T - Alkalinity | mg/L | -- | -- | -- | -- | -- | 252 | -- | -- | -- | -- |
| 18 | P - Alkalinity | mg/L | -- | -- | -- | -- | -- | Nil | -- | -- | -- | -- |
| 19 | Total Phosphate | mg/L | -- | -- | -- | -- | -- | 0.017 | -- | -- | -- | -- |
| 20 | Percent Sodium | % | -- | -- | -- | -- | -- | 51 | -- | -- | -- | -- |
| 21 | Sodium | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 22 | Potassium | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23 | Total Hardness as CaCO ₃ | mg/L | -- | -- | -- | -- | -- | 194 | -- | -- | -- | -- |
| 23 | Calcium as CaCO ₃ | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24 | Magnesium as CaCO ₃ | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25 | Total coli form | MPN/100ml | 50 | 500 | 5000 | -- | -- | 920X10 ² | 540X10 ² | 540X10 ³ | 5400 | 920X10 ² |
| 26 | Fecal Coli form | MPN/100ml | -- | -- | -- | -- | -- | 120X10 ² | -- | -- | -- | -- |
| 27 | Nickel | mg/L | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 28 | Copper | mg/L | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 29 | Total Chromium | mg/L | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 30 | Cadmium | mg/L | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |

| | | | | | | | | | | | | | |
|--------------------------------------|------------------------------------|-----------|----|----|----|----|----|------|--------|-----|-----|-----|-----|
| 31 | Zinc | mg/L | -- | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 32 | Lead | mg/L | -- | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 33 | Iron | mg/L | -- | -- | -- | -- | -- | -- | 1.13 | -- | -- | -- | -- |
| 34 | Hexavalent Chromium | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 35 | Mercury | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 36 | Manganese | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 37 | Surfactants | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 38 | Free Ammonia as N | mg/L | -- | -- | -- | -- | -- | 0.03 | -- | BDL | BDL | BDL | BDL |
| 39 | Cynide as CN | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 40 | Arsenic | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 41 | Anionic Detergents (as | mg/L | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 42 | Sodium Absorption Ratio | - | -- | -- | -- | -- | -- | 2.07 | -- | BDL | BDL | BDL | 2.6 |
| 43 | Dissolved Phosphate as P | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 44 | Ortho Phosphate as PO ₄ | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 45 | Bicarbonate (HCO ₃) | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 46 | Carbonate (CO ₃) | mg/L | -- | -- | -- | -- | -- | -- | BDL | -- | -- | -- | -- |
| 48 | Phenolic Compounds | mg/L | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 49 | Alpha-HCH | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 50 | Beta-HCH | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 51 | Gamma HCH | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 52 | Delta-HCH | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 53 | Heptachlor | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 54 | Aldrin | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 55 | Heptachlor epoxide | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 56 | Endrosulfan-I | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 57 | 4,4-DDE | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 58 | Dieldrin | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 59 | Endrin | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 60 | Endosulfan -II | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 61 | 4,4-DDD | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 62 | Endrin Aldehyde | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 63 | 4,4-DDT | PPB | -- | -- | -- | -- | -- | -- | Absent | -- | -- | -- | -- |
| 64 | Methoxychlor | MPN/100ml | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 65 | Ammonia as N | mg/L | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Inference : Conforms to Class | | | | | | | | | | | | | |
| | | | | | | | | | "D" | "E" | "E" | "D" | "D" |

| SI No | Parameters | Units | Class "E" | Class "D" | Class "E" | Class "D" | Class "E" |
|-------|--------------------|-------|-----------|-----------|-----------|-----------|-----------|
| 30 | Total Chromium | mg/L | BDL | | | | |
| 31 | Nickel | mg/L | BDL | | | | |
| 32 | Zinc | mg/L | BDL | | | | |
| 33 | Iron | mg/L | 0.85 | | | | |
| 34 | Manganese | mg/L | 0.15 | | | | |
| 35 | Fecal Streptococci | mg/L | 84 | | | | |
| | INFERENCE | | 920 | | | | |
| | Parameters | Units | Class "E" | Class "D" | Class "E" | Class "D" | Class "E" |

* Now the lake is under rejuvenation

| SI No | Parameters | Units | Class "D" | Class "E" | Class "D" | Class "E" |
|-------|-------------------------|---------|---------------------|-----------|-----------|-----------|
| 1 | Temperature | C | 25 | | | |
| 2 | pH@25C | | 7.2 | | | |
| 3 | Conductivity @25°C | us/cm | 671 | | | |
| 4 | Dissolved oxygen | mg/L | 5.8 | | | |
| 5 | BOD | mg/L | 4 | | | |
| 22 | Boron as B | mg/L | BDL | | | |
| 23 | Bicarbonate(HCO3) | mg/L | | | | |
| 24 | Carbonate(CO3) | mg/L | | | | |
| 25 | Total Coliform | MPN/100 | 240x10 ² | | | |
| 35 | Free Ammonia as N | mg/L | BDL | | | |
| 36 | Sodium Absorption Ratio | | 2 | | | |
| 37 | Fecal Streptococci | mg/L | | | | |
| | INFERENCE | | Class "D" | | | |
| | Parameters | Units | Class "D" | Class "E" | Class "D" | Class "E" |

| SI No | Parameters | Units | 09.03.2021 | 08.04.2021 | 27.07.2021 | 31.08.2021 | 29.09.2021 | 27.10.2021 | 17.11.2021 | 28.12.2021 |
|-------|-------------------------|-------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1 | Temperature | C | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 2 | pH@25C | | 6.9 | 7.3 | 6.6 | 7.2 | 7.3 | 7.2 | 7 | 6.9 |
| 3 | Conductivity @25°C | us/cm | 1751 | 1912 | 2380 | 1338 | 2140 | 1550 | 1458 | 1569 |
| 4 | Dissolved oxygen | mg/L | BDL | 5.2 | BDL | 4.6 | BDL | 3 | 3.1 | BDL |
| 5 | BOD | mg/L | 116 | 10 | 35 | 12 | 105 | 15 | 19 | 45 |
| 6 | COD | mg/L | | | | | | | | |
| 7 | Nitrates as N | mg/L | | | | | | | | |
| 8 | Amicals Nitrogen NH4-N | mg/L | | | | | | | | |
| 9 | Turbidity | mg/L | | | | | | | | |
| 10 | Total Hardness as CaCO3 | mg/L | | | | | | | | |
| 11 | Calcium as CaCO3 | mg/L | | | | | | | | |
| 12 | Magnesium as CaCO3 | mg/L | | | | | | | | |
| 13 | Chloride as Cl | mg/L | | | | | | | | |
| 14 | Sodium as Na | mg/L | | | | | | | | |
| 15 | potassium as K | mg/L | | | | | | | | |
| 16 | Sulphate as SO4 | mg/L | | | | | | | | |
| 17 | P-Alkalinity as CaCO3 | mg/L | | | | | | | | |

lake Name and Address
Kittaganahalli

lake Name and Address
Bommasandra Lake

Regional Office,
Sarjapura

Regional Office,
Sarjapura

| SI No | Parameters | Units | 21.01.2021 | 10.02.2021 | 09.03.2021 | 08.04.2021 | 14.07.2021 | 11.08.2021 | 27.10.2021 | 17.11.2021 | 28.12.2021 |
|-------|----------------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 18 | T-Alkalinity as CaCO3 | mg/L | | | | | | | | | |
| 19 | TDS | mg/L | | | | | | | | | |
| 20 | Total Phosphate as P | mg/L | | | | | | | | | |
| 21 | Fluoride as F | mg/L | | | | | | | | | |
| 22 | Boron as B | mg/L | BDL |
| 23 | Bicarbonate(HCO3) | mg/L | | | | | | | | | |
| 24 | Carbonate(CO3) | mg/L | | | | | | | | | |
| 25 | Total Coliform | MPN/100 | 920x10 ² | 540x10 ² | 920x10 ² | 920x10 ² | 350x10 ² | 920x10 ² | 240x10 ² | 350x10 ² | 350x10 ² |
| 26 | Fecal Coliform | MPN/100ml | | | | | | | | | |
| 27 | Cadmium | mg/L | | | | | | | | | |
| 28 | Copper | mg/L | | | | | | | | | |
| 29 | Lead | mg/L | | | | | | | | | |
| 30 | Total Chromium | mg/L | | | | | | | | | |
| 31 | Nickel | mg/L | | | | | | | | | |
| 32 | Zinc | mg/L | | | | | | | | | |
| 33 | Iron | mg/L | | | | | | | | | |
| 34 | Manganese | mg/L | | | | | | | | | |
| 35 | Free Ammonia as N | mg/L | 0.04 | 0.1 | BDL | BDL | BDL | 3.2 | BDL | BDL | BDL |
| 36 | Sodium Absorption Ratio | | 3.3 | 5.2 | 4.02 | 2.73 | | | BDL | 3.75 | 3 |
| 37 | Fecal Streptococci | mg/L | | | | | | | | | |
| | INFERENCE | | Class"E" | Class"D" | Class"Below E" | Class"D" | Class"E" | Class"D" | Class"E" | Class"E" | Class"E" |
| | Regional Office, Sarjapura | lake Name and Address | | | | | | | | | |
| | Rayasandra Lake | | | | | | | | | | |
| 1 | Temperature | C | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 2 | pH@25C | | 7 | 7.1 | 7.5 | 7.6 | 7.4 | 7.9 | 7.1 | 6.8 | 6.7 |
| 3 | Conductivity @25°C | us/cm | 1343 | 1470 | 1563 | 1359 | 1487 | 1413 | 1035 | 1051 | 1456 |
| 4 | Dissolved oxygen | mg/L | 5.8 | 5.2 | 5 | 3 | 4.2 | 4.8 | 5.3 | 2.9 | BDL |
| 5 | BOD | mg/L | 5 | 6 | 8 | 15 | 10 | 8 | 6 | 15 | 20 |
| 6 | COD | mg/L | 64 | 56 | 76 | 152 | 112 | 80 | 60 | 122 | 132 |
| 7 | Nitrates as N | mg/L | 1.3 | 3.8 | 4 | 1.6 | 2.7 | 4 | 1.15 | 1.62 | 24 |
| 8 | Ammonical Nitrogen NH4-N | mg/L | 0.4 | 2.98 | 0.39 | 0.81 | 0.19 | 0.54 | 1.16 | 11 | 15 |
| 9 | Turbidity | mg/L | 15.7 | 10 | 5 | 24.3 | 8.3 | 80.4 | 7.7 | 9 | 8.6 |
| 10 | Total Hardness as CaCO3 | mg/L | 372 | 384 | 408 | 384 | 384 | 360 | 256 | 328 | 328 |
| 11 | Calcium as CaCO3 | mg/L | 200 | 200 | 212 | 196 | 200 | 248 | 132 | 195 | 184 |
| 12 | Magnesium as CaCO3 | mg/L | 41.8 | 184 | 196 | 188 | 44.7 | 112 | 124 | 133 | 144 |
| 13 | Chloride as Cl | mg/L | 268 | 256 | 296 | 356 | 340 | 240 | 228 | 220 | 276 |
| 14 | Sodium as Na | mg/L | 112 | 140 | 170 | 122 | 94 | 185 | 105 | 129 | 178 |
| 15 | potassium as K | mg/L | 25.05 | 24 | 27 | 11 | 18 | 31 | 11 | 24 | 42 |
| 16 | Sulphate as SO4 | mg/L | 18 | 14 | 12 | 43 | 25 | 12 | 47 | 14 | 14 |
| 17 | P-Alkalinity as CaCO3 | mg/L | NIL |
| 18 | T-Alkalinity as CaCO3 | mg/L | 268 | 308 | 336 | 288 | 328 | 328 | 232 | 292 | 364 |

| | | | | | | | | | | | |
|----|----------------------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|----------------------|
| 19 | TDS | mg/L | 912 | 978 | 1042 | 924 | 1038 | 982 | 704 | 712 | 920 |
| 20 | Total Phosphate as P | mg/L | 0.52 | 0.2 | 0.85 | 0.07 | 0.128 | 0.51 | 0.38 | 3.1 | 0.57 |
| 21 | Fluoride as F | mg/L | 0.3 | 0.0388 | 0.3 | 0.37 | 0.55 | 0.22 | 0.15 | 0.28 | 0.15 |
| 22 | Boron as B | mg/L | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| 23 | Bicarbonate(HCO3) | mg/L | 268 | 308 | 336 | 288 | 328 | 328 | 232 | 292 | 364 |
| 24 | Carbonate(CO3) | mg/L | NIL | NIL | NIL | NIL | NIL | NIL | NIL | NIL | NIL |
| 25 | Total Coliform | MPN/10 ⁰ | 540x10 ³ | 1600x10 ² | 920x10 ² | 240x10 ³ | 540x10 ³ | 540x10 ² | 1600x10 ² | 1600x10 ² | 1600x10 ² |
| 26 | Fecal Coliform | MPN/10 ⁰ | 63x10 ³ | 140x10 ² | 120x10 ² | 33x10 ³ | 94x10 ³ | 79x10 ² | 140x10 ² | 150x10 ² | 70x10 ² |
| 27 | Cadmium | mg/L | | | | BDL | | | BDL | | |
| 28 | Copper | mg/L | | | | BDL | | | BDL | | |
| 29 | Lead | mg/L | | | | BDL | | | BDL | | |
| 30 | Total Chromium | mg/L | | | | BDL | | | BDL | | |
| 31 | Nickel | mg/L | | | | BDL | | | BDL | | |
| 32 | Zinc | mg/L | | | | BDL | | | 0.063 | | |
| 33 | Iron | mg/L | | | | 1.13 | | | 0.167 | | |
| 34 | Manganese | mg/L | | | | 0.29 | | | 0.353 | | |
| 35 | Fecal Streptococi | mg/L | 84 | 84 | 79 | | | | | | |
| | INFERENCE | | Class"D" | Class"D" | Class"D" | Class"E" | Class"D" | Class"D" | Class"D" | Class"E" | Class"E" |

Bangalore city South

| Parameters | Unit | Date of sample collected | | | | | | | | | | | | | |
|-------------------------|-----------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|
| | | 6.1.2021 | 15.02.2021 | 1.3.2021 | 6.4.2021 | 6.5.2021 | 14.6.2021 | 27.7.2021 | 16.8.2021 | 6.9.2021 | 7.10.2021 | 19.11.2021 | 6.12.2021 | 4.1.2022 | |
| Temperature | 0C | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| pH | - | 7.9 | 7.7 | 7.8 | 7 | 6.6 | 7 | 7.1 | 7.4 | 7.6 | 7.3 | 7.2 | 7.2 | 8.1 | 6.9 |
| Conductivity | - | 397 | 418 | 404 | 489 | 484 | 430 | 509 | 452 | 475 | 422 | 400 | 455 | 427 | 427 |
| Dissolved Oxygen | mg/L | 5.8 | 5.8 | 5.3 | 5.4 | 6.2 | 6.7 | 6.1 | 5 | 4.8 | 6.9 | 5.2 | 2.6 | 6.4 | 6.4 |
| BOD | mg/L | 5 | 5 | 8 | 6 | 4 | 4 | 3 | 8 | 5 | 5 | 6 | 28 | 4 | 4 |
| Total Coliform | MPN/100ml | 350X10 ² | 350X10 ² | 920X10 ² | 350X10 ² | 350X10 ² | 540X10 ² | 1600X10 ² | 240X10 ² | 240X10 ² | 350X10 ² | 1600X10 ² | 350X10 ² | 240X10 ² | 240X10 ² |
| Fecal Coliform | MPN/100ml | 48X10 ² | 31X10 ² | 120X10 ² | 46X10 ² | 70X10 ² | 49X10 ² | 130X10 ² | 49X10 ² | 34X10 ² | 70X10 ² | 150X10 ² | 33X10 ² | 49X10 ² | 49X10 ² |
| Chemical Oxygen Demand | mg/L | 56 | 56 | 76 | 64 | 44 | 40 | 32 | 76 | 48 | 40 | 61 | 200 | 36 | 36 |
| Ammonia as N | mg/L | 0.3 | 0.19 | BDL | 0.46 | 0.65 | 0.4 | 0.23 | 0.7 | 0.11 | 0.4 | 0.33 | 0.18 | 0.51 | 0.51 |
| Turbidity | NTU | 3.9 | 3.7 | 24 | 5.9 | 4.7 | 8.4 | 5.3 | 11.2 | 18.2 | 1.8 | 11 | 11.1 | 9.4 | 9.4 |
| Total Hardness as CaCO3 | mg/L | 116 | 136 | 84 | 128 | 168 | 100 | 104 | 108 | 148 | 104 | 104 | 108 | 116 | 116 |
| Calcium as CaCO3 | mg/L | 68 | 76 | 48 | 68 | 92 | 56 | 56 | 60 | 88 | 60 | 60 | 60 | 64 | 64 |
| Chloride as CL | mg/L | 58 | 76 | 60 | 72 | 96 | 56 | 76 | 40 | 116 | 72 | 56 | 48 | 56 | 56 |
| Sodium as NA | mg/L | 54 | 59 | 61 | 58 | 57 | 46 | 41 | 46 | 56 | 67 | 41 | 52 | 61 | 61 |
| Potassium as K | mg/L | 14 | 13 | 15 | 11 | 10 | 6 | 8 | 4 | 12 | 15 | 4 | 15 | 12 | 12 |
| Sulphate as SO4 | mg/L | 13 | 13.5 | 8 | 18 | 11 | 9 | 13 | 7 | 5 | 15 | 6 | 10 | 15 | 15 |
| T-alkalinity CaCO3 | mg/L | 152 | 124 | 112 | 100 | 140 | 84 | 132 | 72 | 124 | 108 | 112 | 96 | 140 | 140 |
| Total dissolved solids | mg/L | 268 | 282 | 274 | 330 | 328 | 302 | 346 | 306 | 330 | 286 | 272 | 318 | 310 | 310 |
| Flouride as F | mg/L | 0.4 | 0.42 | 0.37 | 0.18 | 0.14 | 0.15 | BDL | 0.16 | 0.22 | 0.4 | 0.33 | 0.29 | 0.28 | 0.28 |
| Nitrate as NO3 | mg/L | 2.5 | 1.01 | 1 | 1.3 | 1.46 | 1.73 | 1.15 | 1.2 | 1 | 3 | 1.2 | 0.61 | 1.8 | 1.8 |
| Magnesium as CaCO3 | mg/L | 11.7 | 14.6 | 36 | 60 | 18.5 | 44 | 48 | 48 | 60 | 44 | 44 | 12 | 52 | 52 |
| P-Alkanity | mg/L | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil |
| Total Phospate as P | mg/L | 0.26 | 0.15 | BDL | BDL | 0.16 | 0.13 | BDL | 0.17 | 0.05 | 0.14 | 0.14 | BDL | BDL | BDL |
| Boron as B | mg/L | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Bicarbonate HCO3 | mg/L | 152 | 124 | 112 | 100 | 140 | 84 | 132 | 72 | 124 | 108 | 112 | 96 | 140 | 140 |
| Carbonate CO3 | mg/L | Nil | Nil | Nil | Nil | Nil | 79 | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil |
| Fecal streptococci | MPN/100ml | 47 | 46 | 46 | 33 | 43 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS D | CLASS E | CLASS D | CLASS D |

Annexure-2

Water Quality of the river Dakshina Pinakini near Mugalur Bridge

| Year | Sampling Location | Date Of Sample Collection | Classification | | | | |
|------------|--|---------------------------|----------------|---|---|---|---|
| | | | A | B | C | D | E |
| 2018-19 | Dakshina Pinakini River, Near Mugalur Bridge, Mugalur, Bengaluru | 24.05.2018 | - | - | - | D | - |
| | | 12.06.2018 | - | - | - | - | E |
| | | 26.07.2018 | - | - | - | - | E |
| | | 14.08.2018 | - | - | - | - | E |
| | | 18.09.2018 | | | | D | |
| | | 26.10.2018 | - | - | - | D | - |
| | | 27.11.2018 | - | - | - | D | - |
| | | 14.12.2018 | - | - | - | - | E |
| 2019-20 | | 11.04.2019 | - | - | - | D | - |
| | | 18.05.2019 | - | - | - | - | E |
| | | 03.05.2019 | - | - | - | - | E |
| | | 14.03.2019 | - | - | - | - | E |
| | | 05.02.2019 | - | - | - | - | E |
| | | 16.01.2019 | - | - | - | D | - |
| | | 14.06.2019 | - | - | C | - | |
| | | 16.07.2019 | - | - | - | D | - |
| | | 5.08.2019 | - | - | - | - | E |
| | | 6.08.2019 | - | - | - | - | E |
| | | 17.10.2019 | - | - | - | D | - |
| | | 05.11.2019 | - | - | - | - | E |
| | | 17.09.2019 | - | - | - | D | - |
| | | 12.12.2019 | - | - | - | - | E |
| | | 30.01.2020 | - | - | - | D | - |
| | | 09.01.2020 | - | - | - | - | E |
| 2020-21 | 22.04.2020 | - | - | - | - | E | |
| | 27.05.2020 | - | - | - | - | E | |
| | 11.08.2020 | - | - | - | D | - | |
| | 09.09.2020 | - | - | - | D | - | |
| | 22.10.2020 | - | - | - | D | - | |
| | 27.11.2020 | - | - | - | - | E | |
| | 24.12.2020 | - | - | - | - | E | |
| | 08.01.2021 | - | - | - | - | E | |
| | 21.01.2021 | - | - | - | - | E | |
| | 10.02.2021 | - | - | - | - | E | |
| | 09.03.2021 | - | - | - | - | E | |
| | 17.06.2021 | - | - | - | - | E | |
| | 14.07.2021 | - | - | - | - | E | |
| | 11.08.2021 | - | - | - | - | E | |
| | 16.09.2021 | - | - | - | - | E | |
| | 27.10.2021 | - | - | - | D | - | |
| 17.11.2021 | - | - | - | D | - | | |
| 28.12.2021 | - | - | - | - | E | | |

Annexure- 3

LIST OF INDUSTRIES HAVE BEEN ISSUED CLOSURE DIRECTIONS

| SI No | Name and Address of the Industry | Category | Date of Issue | Remarks |
|-------|---|----------|---------------|---|
| 1 | Kumar Organic Products Limited , Plot No.60/65, Road No.3, Jigani Industrial Area, Anekal, Bangalore Urban - 562106 | LR | 26.10.2018 | Revocation order issued under Water and Air Act on 07.09.2019 |
| 2 | Kumar Organic Products Private Limited, ; Plot NO:62, Road NO:3 & 5, Jigani Industrial Area, Anekal Taluk, Bangalore Urban District - 560105 | LR | 26.10.2018 | Revocation order issued under Water and Air Act on 07.09.2019 |
| 3 | Sharada Electrochem, No. S.P 175, 1st Phase, Jigani, KSSIDC Industrial Area, Anekal Taluk, Bengaluru Urban District - 560105 | SR | 05.11.2018 | Revocation order issued under Water and Air Act on 04.06.2019 |
| 4 | Sri Shivashakthi Rubbers, No.84-P4, 1st Phase, J.I.A, Jigani Hobli, B'lore | SR | 13.11.2018 | Revocation order issued under Water Act on 24.01.2019 |
| 5 | Sathya Industries, No.142/145,Jigani Industrial Area, Dr. B.R Ambedkar Industrial Estate, 1st Phase, Anekal Taluk, Bengaluru Urban District - 560 106 | SR | 19.11.2018 | Revocation order issued under Water Act on 22.12.2018 |
| 6 | Pavithra Chemicals, No. 183, Jigani, KSSIDC Industrial Estate, Jigani, Anekal Taluk, Bengaluru Urban District | SR | 05.11.2018 | Revocation order issued under Water Act on 31.12.2019 |
| 7 | Shine Chemical Industries, No.SP-165, Jigani Industrial Estate, Jigani, Anekal Taluk, Bengaluru Urban District - 562106 | SR | 24.11.2018 | Revocation order issued under Water and Air Act on 17.09.2019 |
| 8 | SB Refineries, Plot No. 81, Bommasandra - Jigani Link Road Industrial Area, 4th Phase, Anekal Taluk, Bangalore Urban District- 560 099 | SO | 26.06.2018 | Revocation order issued under Water and Air Act on 02.05.2019 |
| 9 | Chowdeshwari Brick Industry, Survey No. 271/3 & 271/2B, Haragadde Village, Jigani Hobli, Anekal Taluk, Bangalore Urban District | SG | 25.03.2019 | Industry demolished |

| | | | | |
|----|---|----|------------|---|
| 10 | Vohra Packaging, No:94, Ii Phase, , Jigani Industrial Area, Anekal, Bangalore Urban - 562106 | SG | 25.03.2019 | Revocation order issued under Water Act on 04.09.2019 |
| 11 | Poonam's Furniture House, No. 121/3, Kachanayakanahalli Village, Hennagara Post, Jigani Hobli, Anekal Taluk, Bangalore Urban District | SG | 25.03.2019 | Industry demolished |
| 12 | Poonam's Interiors & Decorators, Survey No. 121/2, Kachanayakanahalli Village, Hennagara Post, Jigani Hobli, Anekal Taluk, Bangalore Urban District | SG | 25.03.2019 | Industry demolished |
| 13 | Yashashwini Concrete Blocks & Its Allied Products, Survey No. 342, Hulimangala Village, Jigani Hobli, Anekal Taluk, Bangalore Urban District | SG | 25.03.2019 | Closed |
| 14 | Ekamate Systems India Private Limited, Plot No. 141, Bommasandra - Jigani Link Road Industrial Area, 4th Phase, Anekal Taluk, Bangalore Urban District- 560 099 | SG | 27.03.2019 | Revocation order issued under Water Act on 03.06.2019 |
| 15 | Sapthagiri Brick Works, Survey Nos. 345/2A 345/2B & 346/1, 346/3 & 346/36 of Anekal Town, Kasaba Hobli, Anekal Taluk, Bangalore Urban District | SG | 27.03.2019 | Closure order inforce |
| 16 | Hatson Agro Product Limited, Anekal Chilling Center., Sy No. 382, Marsoor Village, Bangalore | SO | 27.03.2019 | Closed |
| 17 | Leo Concrete Pvt Ltd., D.L.F Maiden Heights, # 260/1, Rajapura, Jigani Link Road, Bangalore | SG | 27.03.2019 | Closed |
| 18 | Maini Materials Movement Private Limited, Survey No. 150/1, Bandapura Village, Marsur Post, Kasaba Hobli, Anekal Taluk, Bangalore Urban District | SG | 27.03.2019 | Closure order inforce |
| 19 | Jyothi Can Mix, 93/2, Audadenahalli Village, Kasaba Hobli, Bangalore | SG | 27.03.2019 | Closed |

| | | | | |
|----|---|----|------------|---|
| 20 | R.S.R Stone Works, 23/P, 50, Thammanayakanahalli, Kasaba Hobli, Anekal Taluk, Bangalore | SO | 27.03.2019 | Temporarily closed |
| 21 | Sudarshan Brick Works, Survey Nos. 5 & 7, Chikkahagade Village, Sidi Hosakote Post, Kasaba Hobli, Anekal Taluk, Bangalore Urban District | SG | 27.03.2019 | CFO issued from this office vide No. A-108866 dtd: 11.02.2019 valid up to 31.12.2025 under Air Act. |
| 22 | N.R Granites, Sy No. 5/1, Agara Thimmanahalli, Kasaba Hobli, Bangalore | SG | 27.03.2019 | Closed |
| 23 | Nagarjuna Chamber Brick Works, Survey No. 492, Bodarahalli, Sidi Hosakote (Post), Kasaba Hobli, Anekal Taluk, Bangalore Urban District | SG | 27.03.2019 | Closed |
| 24 | P.K Plastics, Sy No. 30/29, Thirupalya , Angala Main Road, Near New Town Layout, Jigani Hobli, Anekal Taluk, Bengaluru Urban District | SO | 17.09.2019 | Closure order inforce |
| 25 | Sri Shivashakthi Rubbers, No.84-P4, 1st Phase, Jigani Industrial Area, Jigani Hobli, Bengaluru | SR | 02.01.2020 | Closure order issued. Applied for revocation of closure order. |
| 26 | Manjunatha Metal Finishers, No. 105, 4th Phase, Bommasandra Jigani Link Road, Anekal Taluk, Bengaluru | SR | 23.01.2020 | Closed |
| 27 | Shine Electroplating Industries, No. 105, 4th Phase, Bommasandra Jigani Link Road, Anekal Taluk, Bangalore | SR | 23.01.2020 | Revocation order issued under Water Act on 05.08.2020 |
| 28 | Power Control Equipment, Unit-II, ; Plot No.40-A, Phase-I, Road No.3, Jigani Indl. Area, Bangalore. | MR | 05.02.2020 | Revocation order issued under Water and Air Act on 21.03.2020 |
| 29 | Ravi Industries, Plot No. 206, Survey No. 239-P, Bommasandra - Jigani Link Road Industrial Area, Anekal Taluk, Bengaluru Urban District - 560 099 | SR | 05.02.2020 | Revocation order issued under Water and Air Act on 02.03.2020 |

| | | | | |
|----|--|----|------------|---|
| 30 | Sun Clad Coaters, Plot No.18/A, 2nd Phase KSSIDC Indl. Area, Jigani, Anekal Taluk, Bangalore. | SR | 05.02.2020 | Revocation order issued under Water and Air Act on 22.04.2020 |
| 31 | Aron Universal Private Limited, Survey No: 25/1, Jigani Industrial Area, 2nd Phase, Anekal Taluk, Bengaluru Urban District - 560105 | LR | 05.02.2020 | Revocation order issued under Water and Air Act on 14.07.2020 |
| 32 | Arihant Metals & Extruded Private Limited, Plot No. 9-L, Yarandahalli, Bommasandra Industrial Area, I Phase, Anekal Taluk, Bengaluru Urban District - 562 158 | MR | 06.02.2020 | Revocation order issued under Water and Air Act on 02.03.2020 |
| 33 | Saify industries (plant-3),(formerly Automax) ; Plot No.75, Jigani Indl Area, Jigani, Anekal Taluk, Bengaluru Urban District - 560 099 | MR | 05.02.2020 | Hon'ble High Court order industry was operating (W.A No. 3532/2020 dtd: 02.03.2020) & applied for revocation of closure order |
| 34 | Vishal Precision Steel Tubes & Stripes Pvt Ltd (Formerly known as Arryaa Bright Industries,) Unit-2, Plot No. 88, Bommasandra Jigani Link Road, 4th Phase, Bommasandra Indl Area, Bangalore | SR | 05.02.2020 | Industry permanently closed |
| 35 | Omax Autos Limited, Plot No. 6, KIADB Industrial Area, Bommasandra - Jigani Link Road Industrial Area, 4th Phase, Anekal Taluk, Bangalore Urban District- 560 099 | LR | 05.02.2020 | Revocation order issued under Water Act on 02.02.2020 |
| 36 | Stellance Pharmascience Ltd., (Formerly Karnataka Chemzyn Limited,), Plot No:456/1 A&B, Jigani Industrial Area, Anekal, Bangalore Urban District | LR | 20.03.2020 | Closure order issued. Applied for revocation of closure order. |

| | | | | |
|----|--|--------|------------|--|
| 37 | Progressive Poly Pack Industries, Plot No. 90, Road No. 3, Bommasandra Industrial Area, 4th Phase, Anekal Taluk, Bangalore Urban District- 560 099 | SG | 22.06.2020 | CFO issued from this office vide No. AW-110206 dtd: 14.06.2019 valid up to 31.12.2025 under Water and Air Act. |
| 38 | Murugan Dyeing Unit, Ward. No.191, 7th Cross, Bhuvaneshwari Layout, Naganathapura, Bengaluru 100 | Red | 17.12.2018 | Closed |
| 39 | Abhishek Washing Tech (Other name Sneha Fab Solutions) No.7, Lakshmi Layout Main Road, Chikkabegur Road, Bengaluru | Red | 17.12.2018 | Closed |
| 40 | Jayalakshmi Dyeing, Lakshmi Layout, G B Palya, Begur Hobli, Bengaluru | Red | 17.12.2018 | Closed |
| 41 | V M Process, Sy.No.182, Begur Village, Begur Hobli, Bengaluru | Red | 03.01.2019 | Closed |
| 42 | Srindraj Dyeing, Lakshmi Layout, Garvebhavi Pallya, Begur Hobli, Bengaluru | Red | 16.01.2019 | Closed |
| 43 | Sachin Design Creations, 13th Main, 18th Cross, Viratanagar, Bommanhalli, Bengaluru | Red | 30.01.2019 | Closed |
| 44 | Shree Mahalakshmi Dyeing Works , No.55, 3rd Cross, Mangammanpallya Main Road, Popular Colony, Bommanhalli, Bengaluru -560068 | Red | 22.02.2019 | Closed |
| 45 | Subramani Dyeing Works, 8th Cross, Hongasandra, Begur Post, Bengaluru -560068 | Red | 22.02.2019 | Closed |
| 46 | Om Shakthi Dyeing Works, No.97/7B, No. 253, Balakrishna Reddy Building, Hongsandra, Bengaluru-560068 | Red | 26.02.2019 | Closed |
| 47 | H.M.Process, Sy.No. 176/65, Bilekhalli, Bannerughatta Main Riad, Bengaluru | Red | 28.06.2019 | Closed |
| 48 | Manjunatha Condiments , No. 166/7, Amruthappa layout, Doresanipallya, BG Road, Bengaluru | Orange | 06.07.2019 | Closed |

| | | | | |
|----|---|-----------|--|-----------------------------------|
| 49 | Hyat Heat Transformers.No. 860/1, Bilekhalli, Doresanipallya, Bg Road, Bengaluru | Orange | 06.07.2019 | Closed |
| 50 | MA Interiors & Manufacturrers.No. 116/7, Amruthappa Layout, Bengaluru | Green | 06.07.2019 | Closed |
| 51 | Om Shakthi Dyeing Works, Sy.No. 230, Begur Village & Hobli, Bengaluru | Red | 19.07.2019 | Closed |
| 52 | Velkan Engineering Pvt Ltd, 139/1/7A, Sarvabhouma Industrial Area, Behind HSBC, Futura, Bannerghatta Road, Bangalore - 560076. | Green | 16.09.2019 | Closed |
| 53 | Samrudhi Packaging Industry. NO. 83/2, Doddamma Layout, Hulimavu Road, Bengaluru | Green | 17.09.2019 | Closed |
| 54 | Ravika Creations, No. 62/4, Bommanahalli, Begur Road, Bengaluru | Green | 18.09.2019 | Closed |
| 55 | TMA Hospitality Services Pvt Ltd., Ammis Biryani-Central Kitchen, No.3, Begur Kodichikkanahalli Road, Bommanahalli, Bangalore-61. | Red | 18.09.2019 | Closed |
| 56 | Rakashan Enterprises, No.14, Kunnappa Industrial Estate, Doddakallasandra, Kanakapura Main Road, Bangalore-560 062 | Red | 18.09.2019 | Closure order revoked & Operating |
| 57 | Thirumala Dyeing Work, No. 13, 3rd Cross' Lakshmi Layout, Garvebhavipallya, Bengaluru | Red | 27.09.2019 | Closed |
| 58 | Prime Lences Pvt Ltd. No. 229/296/264, NR Layout, roopena Agarahara, Bengaluru | Orange | 18.12.2019 | Closed |
| 59 | Sri Lakshmi Ranganatha Industries, No.78, Singasandra Village, Begur Hobli, Bengaluru | Red | 29.05.2020 | Closed |
| 60 | Jax Green Tech, Plot No. 93, KIADB Industrial Area, 4th Phase, Malur, Kolar District. | Small Red | Closure direction issued by the Board on 24.12.2019. | For not adopting SOP compliances |
| 61 | Bangalore Enamels Paints & Chemicals Plot No. 3E, Doddenkundi Indl Area, I Phase, Whiteifld Road Mahadevapura Post Bangalore East Taluk | Orange | 05.09.2019 | Closure order inforce |

| | | | | |
|----|---|--------|-------------------------------------|--------------------------------------|
| 62 | Chamundeshwari Stone Crusher Sy. No. 21/3, Bidarahalli Hobli, Mittaganahalli, Bengaluru East Taluk, Bengaluru 562 149 | Orange | 12.09.2019 | revoked closure order on 21.11.2019. |
| 63 | CPF India Pvt. Ltd. (Formerly Charoen Pokhand (India) Pvt Ltd., (Food Division)) Sy No. 34, mandur Village and post Budigere Road, Bidarahalli Hobli Bangalore East Taluk | Green | 04.10.2018 | revoked closure order on 02.02.2019 |
| 64 | Elite Vehicles Pvt LTd Plot No. 2, Dyavasadrna Indl Area, 2nd phase, Bangalore East Taluk | Orange | 22.06.2018 | revoked closure order on 17.12.2018 |
| 65 | Barque Hotel Private Limited (Formerly Hotel Formule 1, (A Unit of Mandakini Constructions Pvt Ltd) Plot No. 4, EPIP, Zone, EOIZ Indl Area Phase-II, Whitefield Road Bangalore East Taluk | Orange | 04.10.2018 & 11.10.2018 (apc & wpc) | revoked closure order on 15.05.2019 |
| 66 | Khivraj Motors No. 174/1C and Katha no. 431 Hoodi Village, Whitefield Road Bangalore East Taluk | Orange | 27.09.2019 | Closed |
| 67 | Mallya Steel Industries No. 28/A, Vishweshwariah Indl Area Mahadevapura Bangalore East Taluk | Red | 18.09.2019 | revoked closure order on 07.01.2020 |
| 68 | New Whites Laundry Sy No. 36/2, Doddagubbi Village, Doddagubbi main road, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru | Orange | 16.11.2018 | Closed |
| 69 | Shakthi Food And Beverages Services LLP Plot No. 02, Vishweshwariah Industrial Area, Mahadevapura Post, K.R Puram Hobli, Bengaluru 560 048 | Orange | 18.09.2019 | revoked closure order on 01.06.2020. |
| 70 | Silicon Steel Pvt. Ltd, Plot No. 39, 12th Mile, Old Madras Road, , Bangalore East Taluk | Orange | 23.06.2018 | revoked closure order on 07.09.2018 |
| 71 | Jaskey Exports Pvt. Ltd. No. 91/3, Shed No.1 & 2, Dhruva Industrial Estate Cheemasandra Village, Bidarahalli Hobli, Bengaluru East Taluk. | Green | 19.07.2019 | revoked closure order on 23.10.2019. |

| | | | | |
|----|--|-----|------------|--|
| 72 | Swastik Bright Industries Plot No 34, Rampura Village, Bidarahalli Hobli, Bengaluru East Taluk. | Red | 03.06.2019 | revoked closure order on 24.07.2020 |
|----|--|-----|------------|--|

Regional Officer,
RO-Mahadevapura
ಪರಿಸರ ಅಧಿಕಾರಿ
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
ಬೆಂಗಳೂರು-ಮಹದೇವಪುರ, ಬೆಂಗಳೂರು

Regional Officer,
RO-Anekal
Environmental Officer
Karnataka State Pollution Control Board
Regional Office, Anekal

Regional Officer,
RO-Bommanahalli
ಪರಿಸರ ಅಧಿಕಾರಿ
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
ಬೆಂಗಳೂರು - 560 010

ENVIRONMENTAL OFFICER
Karnataka State Pollution Control Board
KOLAR - 563 101.

Annexure-4

List of Legal Cases

| Sl. No. | Name of the industry | PCR No | Court Name | Status |
|---------|---|----------|--------------------|---|
| 1 | Tropical Paradise, Silver County Road, Near Shobha Cinema, Kudlu Village, Bangalore-68 | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 dated: 07.08.2019 this office has filed cases in ACCMM Court, Waiting for hereing date |
| 2 | Credez flora, Credence Developers No. 100, 16th Cross, New Mico Layout, Hongasandra, Bangalore-68 | 14787/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 3 | Varun Lotus Apartment, No. 14 Near Singasandra Bus Stop, Hosur Road, Bangalore-68 | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 4 | SLV Kristal Apartment, Sy.No. 36/9, Begur Koppa Road, Ellenhalli, Bangalore-68 | 14785/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 5 | Parijatha Apartment, Adjacent to Shobha Marbel, Bellandur, Greenlen Layout, Bangalore. | 14788/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 6 | Tirumala Lotus Apartment, Gottigere Village, Bannerghatta Road, Kambattalli Road, Near Water tank, Bangalore-83 | 14659/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 7 | AMG Conclaied Apartment, Yellenalli Village, Akshyanagar, BTM 6th Stage, Begur Hobli, Bengaluru-68 | 14786/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 8 | Prakasa Pride, No.37/1, Kaubisanahalli, Reddy Layout, Varthur Bangalore. | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 9 | Anand Enclave Apartment, Sy.No. 373, Royal County Layout, J.P. Nagara 8th Phase, Gottigere-Vil, Bannerghatta Road, Bangalore-83 | 14593/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 10 | Pruthvi Residency, No. 414, MLA Layout, BG Main Road, Kalena Agrahara Village, Near Saptagiri Casrul, Bengaluru-70 | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 |

| | | | | |
|----|--|----------|-----------------|--|
| 11 | Meenakshi Lake View, Near Doddamane Temple, 1st Cross, Sarjapur Junction, Ibbalur Village, HSR Layout, Bangalore-560102. | 14790/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 12 | Thirumala Blossoms Apartment, BI Layout, Gottigere-VII, Uttarahalli-hobli, Bannerghatta Road, Bangalore-83 | 14592/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 13 | SLV Builders, by name SLV Spandana, Sy.No. 25/4, Begur Village & Hobli, Bengaluru-68 | 14791/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 14 | Dharani Nakshatra No. 11/10, Akshaya Nagara, Yellenahalli Mn Road, Bangalore-68 | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 15 | Vardhini and Madku Apartment, Begur Koppa Road, Yelenahalli, Bangalore-68 | --- | ACMM, Bengaluru | As per Board office authorization No. 2934 |
| 16 | DS Max Serene, Near Hulimavu Bus Stop, Bangalore-76 | 14797/19 | ACMM, Bengaluru | As per Board office authorization No. 2934 |

Regional Officer,

EnvRO-Anekal
Karnataka State Pollution Control Board
Regional Office, Anekal

Annexure- 6

LIST OF APARTMENT /COMMERCIAL ESTABLISHMENT FOR WHICH ENVIRONMENTAL COMPENSATION HAS BEEN IMPOSED

| Sl. No. | Name and Address of the Apartment/ Commerical Complex/ layout | ECC amount in Lakhs | Date of EC leveid |
|---------|--|---------------------|-------------------|
| 1 | Brigade Metropolis Arcade, No. 73/1, 73/2, 74, 75(Part), 76/1(Part), 76/2, 77/1, 78, 79, 80/1 & 81/2, Garudacharpalya, Mahadevapura, K.R. Puram, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 2 | Brigade Metropolis Summit, No. 73/1, 73/2, 74, 75(Part), 76/1(Part), 76/2, 77/1, 78, 79, 80/1 & 81/2, Garudacharpalya, Mahadevapura, K.R. Puram, Bangalore East Taluk | 0.0 | 04.12.2019 |
| 3 | Brigade Metropolis Apartment, No. 73/1, 73/2, 74, 75(Part), 76/1(Part), 76/2, 77/1, 78, 79, 80/1 & 81/2, Garudacharpalya, Mahadevapura, K.R. Puram, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 4 | Purva Park Ridge apartment, Sy No. 33/2B, 33/3, 34/2, 35/3, 38/1 & 38/3 , Goshala Road, Garudacharpalya, Mahadevapura Post, Bengaluru-560 048 | 5.0 | 04.12.2019 |
| 5 | Metro Cash & carry, Sy. No. 69/1 & 69/2, Mahadevapura Village, K.R. Puram Hobli, Bangalore East Taluk, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 6 | Amrutha Sparkling Nest, Sy. No. 83/2 Mahadevapura Post, Whitefield Bangalore East Taluk | 5.0 | 04.12.2019 |
| 7 | India Biludcon Pvt. Ltd. Sigma Soft Tach Park, Delta & Gama Block, Sy.No.7,8 & 9, Ramagondanahalli Varthur Hobli, White Field Road Bangalore East Taluk | 5.0 | 04.12.2019 |

| | | | |
|----|--|-----|------------|
| 8 | Virginia Develoopers Pvt. Ltd, Katha No. 984/639/10/11/12/1, Sy.No.10, 11&12, Ramagondanahalli Village, Varthur Hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 9 | Adarsha Palm Meadows,Sy. No. 7/1, 7/2, 7/3, 8/1, 8/2, 8/3 & 491, R. Narayanapura village, Mahadevapura, Bengaluru | 5.0 | 04.12.2019 |
| 10 | Brigade Harmony Apartment, Sy. No. 250, Ramagondanahalli, Whitefield Road, Varthur Hobli, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 11 | DNR Corporation pvt. Ltd., Sy. No. 1/1 of R. Narayanapura, Sy No. 4/1 of Ramagondanahalli Village Varthur Hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 12 | Keerthi Flora Apartment, Sy.No.135, Kundanahalli Village, K.R.Puram Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 13 | Akme Projects Pvt. Ltd (AKME Encore), Sy No. 16/2, 134/2, Kundalahalli Main RoadK.R. Puram HobliBangalore East Taluk | 5.0 | 04.12.2019 |
| 14 | Sterling Brookside apartment, ITPL Main road, Kundalahalli Village, Whitefield Road, Bengaluru | 5.0 | 04.12.2019 |
| 15 | Sumadhura Sawan MTB Apartment, Sy. No. 18, Hoodi village, K.R. Puram Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 16 | Sterling shalom apartment, Sy No. 9/2, kundalahalli VillageK.R. Puram Hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 17 | Rennaisance Rainbow apartment, Sy No.127/2b, 127/2c And 127/2d Kundanahalli Village, K.R.Puram Hobli, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 18 | Knight Bridge Apartment, Kundalahalli Village, K.R. Puram Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 19 | Vijetha Lapis Luzuli Foundations & Constructions Pvt. Ltd, Sy No. 111, Khatha No. 180, (SAS) Near Brookfield, Kundalahalli Village, Mahadevapura CMCBangalore East Taluk | 5.0 | 04.12.2019 |

| | | | |
|----|--|-----|------------|
| 20 | Sri Krishna Sai Enclave, Hoodi Circle, ITPL Main road, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 21 | Prime Developers, (Prime Blue Forest), Sy No.194/5 & 194/6, Hoodi Village, K.R.Puram Hobli, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 22 | SMR Builders Pvt. Ltd "SMR Vinay Galaxy, Sy No. 4/2A, 4/2B, 6/1A & 6/1B, Hoodi Hobli, K.R. Puram, Whitefield Road, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 23 | Satko constructions pvt. Ltd., Satko Palm Trees , Sy. NO. 137, Munnekolalu Village, Marathahalli Village, Bengaluru | 5.0 | 04.12.2019 |
| 24 | Raghavendra Constructions, Paramount Raghavedra Arista, Sy No.46/2, Munnekollalu Village, Mahadevapura Cmc, Varthur Hobi, Bengaluru | 5.0 | 04.12.2019 |
| 25 | MVP Mukunda Vivek Paradise, Sy. No. 17/2, Munnekolalu village, Varthur Hobli, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 26 | Mangalya Survodaya (Himalaya Containers & Cartons Pvt Ltd, No.17/2, Munnekolala Village Mararathahalli - Varthur Road Bangalore East Taluk | 5.0 | 04.12.2019 |
| 27 | Aishwarya Serenity apartment, Munnekolalu Village, Near Marathahalli, Varthur Hobli, Bengalur 560037 | 5.0 | 04.12.2019 |
| 28 | GCN White Palms Apartment, Sy. No. 10/2, 7th cross, Ramagondanahalli Village, R. Narayanapura, Whitefield, Bengaluru | 5.0 | 04.12.2019 |
| 29 | Sraddha Splendor apartment, Ramagondanahalli Village, Varthur Road, Bengaluru | 5.0 | 04.12.2019 |
| 30 | Skylark Green Apartment, Ramagondanahalli Village, Varthur Road, Bengaluru | 5.0 | 04.12.2019 |
| 31 | Renaissance Jagruthi - 2, Sy.No 5/ 2 A, Ramagondanahalli Village, Varthur Hobli, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 32 | Water wood apartment,Sy.No. 36/2, 36/3 & 37/2, Ramagondanahalli, Bangalore East Taluk | 5.0 | 04.12.2019 |

| | | | |
|----|---|-----|------------|
| 33 | Biodiversity conservation (India) Ltd, T Zed Residential Apartment, Sy.No.12/2, P, 12/3, 12/4, 12/5, 20/1, 20/2, 21/1, 21/2, 22/2, 22/3,22/4 & 22/5, R. Narayanapura village, K.R.Puram Hobli, Bangalore East Taluk | 5.0 | 04.12.2019 |
| 34 | Rohan Builders, Rohan Vasantham, Sy.No. 22,23,24 & 28(part) munnekalalu Village, Varthur Hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 35 | Purva Riveria Apartment, Sy. No. 23/1 & 23/2, Marathahalli Bridge,Bengaluru | 5.0 | 04.12.2019 |
| 36 | Purva Fountain Square, Sy.No.22(P), 23(P), 24(P), Munnekollalu village, Varthur Hobli, Marathahalli,Bangalore East Taluk | 5.0 | 04.12.2019 |
| 37 | Sai Paragon Meadows, Sy. N. 64, 65, BEML Layout, Kundalahalli Village, Bengaluru 560 066 | 5.0 | 04.12.2019 |
| 38 | DSR Elite apartment, Sy.No. 52/2, Mahadevpura Village, K.R.Puram Hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 39 | Akruthi Homes, Mageshwari Amman Temple Road, Chennappa Layout, Mahadevapura, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 40 | Dhruvika Mogra, No. 333, Mahadevapura, Whitefield Main Road, Bengaluru | 5.0 | 04.12.2019 |
| 41 | Pioneer Fortune Square, Sy. No. 36, Hoodi Village, K.R. Puram Hobli, Whitefield, Bengaluru | 5.0 | 04.12.2019 |
| 42 | Sugama Vanijya Holding Private Limited., Plot No. 11B, Sy No. 40/9, Dyavasandra Industrial Area, 2nd Phase, K.R. Puram Hobli, Bengaluru East Taluk. Bengaluru | 5.0 | 04.12.2019 |
| 43 | Zonasha Estates and Projects, Zonasha Paradiso, Sy. No. 47/1A, 47/1A5 & 47/1B & 17/3, Katha No. 2875, 2874, & 3038 at Doddanekundi Village, K.R. Puram Hobli, Bengaluru | 5.0 | 04.12.2019 |

| | | | |
|----|--|-----|------------|
| 44 | Alpine Housing Development corporation Ltd " Alipne Eco", Sy.No.13, Doddanekundi Village K.R.Puram hobli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 45 | Oasis Construcions, Oasis Breeze, Sy. No. 37/1, 37/2 & 37/3, Munnenakolalu village, Varthur Hobli,Bangalore East Taluk | 5.0 | 04.12.2019 |
| 46 | New Heaven Apartment, Karthik Nagar, Doddanekundi Village, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 47 | Adithya Elixir apartment, Sy. No. 17/1, Karthik Nagar, Alpine Eco Road, Beside Big Basket ware house, Doddanekundi village, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 48 | VRR Lake View, Karthik Nagar, Doddanekundi village, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 49 | Sherwood Residence Association (Tata Housing Sherwood), Basavanagar Main RoadMarathalli Bangalore East Taluk | 5.0 | 04.12.2019 |
| 50 | Innovative aqua font, Sy. No. 180, Basavanagar, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 51 | Sobha Sunflower, Sy. No. 173, Vibhuthipura Village, Bengaluru | 5.0 | 04.12.2019 |
| 52 | Krishna Icon Apartment, 14/15, New Annasandra palya main road, Vinayaka nagar, Vimanapura, Bengaluru 560 017 | 5.0 | 04.12.2019 |
| 53 | Homtech Suhanbhav by Homtech Shelters, 3rd main, 10th cross, LBS Nagar, Annasandra palya Road, Bengaluru 560 017 | 5.0 | 04.12.2019 |
| 54 | Adithya Soigne Apartment, Phase-I, Sy.No.135/1A Shasthri Nagar, Shivananda Nagar, New Thippasandra Post, Vibhuthi Pura, Varthur Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 55 | Ittina Abby Apartment, Sy. No. 151/2A, LB Shastri Nagar, Vibhuthipura village, Varthur Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 56 | Adarsha Developers, Adarsha vista, Katha No. 34, Vibhuthipura Village, KR Puram hobli, Bengaluru | 5.0 | 04.12.2019 |

| | | | |
|----|---|-----|------------|
| 57 | Mahaveer sanctum, 7th cross, 1st main, LB Shastri Nagar, HAL Post, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 58 | Nester Harmony Apartment, Sy. No. 150-153, Marathahalli village, K.R Puram outer ring road, Opposite More Mega store, Mahadevapura, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 59 | Nagarjuna Maple Heights Apartment, Sy. No. 182 & 185, B.Narayanapura, Marathahalli Ring road, Bengaluru 560 016 | 5.0 | 04.12.2019 |
| 60 | NCC Ivory Heights, Sy. No. 183/2, 184/1, 184/2 & 185, Mahadevapura Village, K.R. Puram Hobli, Bengaluru 560 016 | 5.0 | 04.12.2019 |
| 61 | Dhaaruni Residency by Saakra Associates, Katha No. 5/210, Sy. No. 10, HAL sub division, Mahadaevapura, Bengaluru | 5.0 | 04.12.2019 |
| 62 | Advika Nester Raga Apartment, Sy. No. 152 & 153, Mahadevapura outer ring road, K R. Puram Hobli, Bengalur 560 048 | 5.0 | 04.12.2019 |
| 63 | Durga Rainbow apartment, No. 8/9, 9/1, 9/2 & 9/3, Mahadevapura outer ring road, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 64 | Elil Abode Apartment, Subbanna compound, Near Nester Raga apartment, Opposite more mega store, Mahadevapura, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 65 | Shilphita Annex Apartment, Sy. No. 151/1 & 151/4, Chinnappa Layout, Mahadevapura Village, K.R. Puram Hobli, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 66 | Shilphita Splendour apartment, Sy. No. 119, 149 & 150, Mahadevapura Village, K.R. Puram Hobli, Bengaluru 560 048 | 5.0 | 04.12.2019 |
| 67 | Devagiri Pearls, Sy. No. 4/2, Site No. 83/81/24/2, Nallurahalli Village, Whitefield, Bengaluru 560 066 | 5.0 | 04.12.2019 |

| | | | |
|----|---|-----|------------|
| 68 | Neeladri Deobliss apartment, Sy. No. 4/1, Site No. 83/81/24/2, Nallurahalli Village, Whitefield, Bengaluru 560 066 | 5.0 | 04.12.2019 |
| 69 | Silicon pride apartment, Sy. No. 4/2, Siddapura village, Nallurahalli, Bengaluru 560 066 | 5.0 | 04.12.2019 |
| 70 | DNA Eden View Apartment, Borewell Road, Nallurahalli Village, Whitefield, Bengaluru | 5.0 | 04.12.2019 |
| 71 | Gopalan Habitat Splendour apartment. Sy. 16& 45, Chinnappanahalli Village, K.R. Puram Hobli, Bengaluru | 5.0 | 04.12.2019 |
| 72 | SMR Galaxy, Sy. No. 16, Chinappanahalli, Near AECS layout Off Marathahalli Outer Ring Road, Bangalore-48 | 5.0 | 04.12.2019 |
| 73 | Innovative petal, Sy. No. 30, Doddanekundi village, K.R. Puram village, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 74 | VRR Heritage, Doddanekundi Village, BMA College road, K.R. Puram Hobli, Bengaluru 560 037 | 5.0 | 04.12.2019 |
| 75 | Akme Balet Apartment by Akme Projects Limited, Sy No.28, 34 & 36, Doddanakundi Village, K R Puram Hobli, Mahadevapura Post, Bangalore East Taluk, Bangalore 560 037 | 5.0 | 04.12.2019 |
| 76 | Bhagini Icon Hotel, #43, Kundanahalli gate, Near Shankara Eye Hospital, Marathalli, Bangalore | 5.0 | 04.12.2019 |
| 77 | Anish stone yard apartment by MC builders, 1st main road, LB Shastri Nagar, HAL Post, Old Airport Road, Bengaluru 560 017 | 5.0 | 14.01.2020 |
| 78 | Parimala Sun ridge apartment, Sy. No. 12/2B, 11/6, 10, Siddapura Village, Varthur Main road, Whitefield, Bengaluru 560 066 | 5.0 | 14.01.2020 |
| 79 | Ramanna Mid Town Rhythm Apartment, 1st Main, 7th cross, Ramagondanahalli, Whitefield, Bengaluru 560 066 | 5.0 | 14.01.2020 |

| | | | |
|----|--|-------|------------|
| 80 | Adithya Soigne Apartment, Phase-II, Sy.No.135/1A Shastri Nagar, Shivananda Nagar, New Thippasandra Post, Vibhuthi Pura, Varthur Hobli, Bengaluru | 5.0 | 14.01.2020 |
| 81 | Arvind Expansia, Sy. No. 55, Puttappa Industrial estate, Mahadevapura, Bengaluru | 5.0 | 14.01.2020 |
| 82 | Rohan Housing Pvt. Ltd., Rohan Mihira Apartment, Sy No. 8/1, 2, 9, 10/2 of Chinnappanahalli Village K.R. Puram Hobli, Bangalore East Taluk | 5.0 | 14.01.2020 |
| 83 | **Shikaram, Munnekolalu Village, Varthur Hobli, Bengaluru 560 037 | 300.0 | 04.12.2019 |
| 84 | **BM Marvel Apartment, Borewell Road, Nallurahalli Village, Beside DNA Infrastructure Apartment, Bengaluru 66 | 290.0 | 04.12.2019 |
| 85 | Prestige Exora Business Park-II, Kadubisanahalli, Bangalore | 5.0 | 04.12.2019 |
| 86 | Krishvi Gavakshi, Kadubisanahalli, Pannatthur Road, Bangalore-103. | 5.0 | 04.12.2019 |
| 87 | Skanda Sky and Skanda Skruthi Apartment, kadubisanahalli, Doddakanahalli, Bangalore | 5.0 | 04.12.2019 |
| 88 | Kethana Eternal Blossoms, Scisko backgate, Pannatthur Main Road, Kadubisanahalli, Bangalore-103 | 5.0 | 04.12.2019 |
| 89 | Shradda Polimre, Kadubisanahalli, Scisko Backgate, Bangalore-103 | 5.0 | 04.12.2019 |
| 90 | Pranava's BSR Gitaar, Sy No.92/3, Beside Croma Building Road, Panatthur, Bangalore. | 5.0 | 04.12.2019 |
| 91 | Parimala Trinity, Sy.No.69, Boganahalli Road, Panatthur, Bangalore-103 | 5.0 | 04.12.2019 |
| 92 | SLS Sapphire, Panatthur Main Road, Bangalore | 5.0 | 04.12.2019 |
| 93 | SLS Sunrise Apartment, Boganahalli, Panatthur Road, Bangalore-87 | 5.0 | 13.02.2020 |
| 94 | Gopalan Urban Wood, Sy. No. 7A, 7B & 8, Doddanekundi Industrial area, Mahadevapura, Bengaluru 560 048 | 300.0 | 04.12.2019 |

| | | | |
|-----|---|--------------|------------|
| 95 | Habitat Aster Commercial complex , No. 28/1, Kaveri Nagar, Opposite Brigade Metropolis, Mahadevapura post, Bengaluru | 300.0 | 04.12.2019 |
| 96 | Habitat Aster Apartment , No. 28/1, Kaveri Nagar, Opposite Brigade Metropolis, Mahadevapura post, Bengaluru | 300.0 | 04.12.2019 |
| 97 | CBR Akruthi Apartment, No. 112/5/6/7, Hoodi Garden, Thigalarapalya, Hoodi, Bangalore 560 048. | 300.0 | 04.12.2019 |
| 98 | Sraddha Silver spring apartment, Sy. No. 1/15, BEML Layout, Kundalahalli Village, Bengaluru 560 066 | 290.0 | 04.12.2019 |
| 99 | Royal palms aparment by Gopalan Enterprises, 2nd cross, LB Shastri Nagar, HAL Post, Old Airport Road, Bengaluru 560 017 | 290.0 | 04.12.2019 |
| 100 | Manjunath Homes, 4th main, Abbaireddy layout, Kagadavapura, Bengaluru 560 093 | 290.0 | 04.12.2019 |
| 101 | Sai Krupa Garden, Muni reddy Layout, Gangamma Temple Road, Mahadevapura, Bengaluru 560 048 | 290.0 | 04.12.2019 |
| 102 | Garuda star field apartment, Outer ring road, Mahadevapura, Bengaluru 560 048 | 290.0 | 04.12.2019 |
| 103 | Nandi Sunrise, Sy. No. 29/1, Doddanekundi village, Off outer ring road, Marathahalli, Bengaluru 560 037 | 280.0 | 04.12.2019 |
| 104 | Adhunik Serenity Apartment, Sy. No. 28/1, BEML layout, 17th cross road, Thubarahalli, Varthur hobli, Bengaluru | 290.0 | 04.12.2019 |
| 105 | Govinda Meghana Homes, Munnekolalu Village, Varthur Hobli, Bengaluru 560 037 | 270.0 | 04.12.2019 |
| 106 | Charitha Blossom, Sy. No. 15/2, 15th cross, 8th main, BEML Layout, Kundalahalli Village, Bengaluru | 290.0 | 04.12.2019 |
| 107 | Sai Krupa Harmony, Mageshwari Amman Temple Road, Near MTP School, Mahadevapura, Bengaluru | 290.0 | 04.12.2019 |

| | | | |
|-----|--|-------|------------|
| 108 | Ferns Saroj Apartment, 7th cross, LB Shastri Nagar, HAL Post, Old Airport Road, Bengaluru 560 017 | 290.0 | 04.12.2019 |
| 109 | Samhita Square apartment, Basavanagar, Marathahalli, Bengaluru | 290.0 | 04.12.2019 |
| 110 | Srinidhi Residency, No. 364/2, Basavanagar Main road, Marathahalli Post, Bengaluru 560 037 | 290.0 | 04.12.2019 |
| 111 | Fortune White wings, 1st Main road, Talacauvery layout, Vibhuthipura Village, Bengaluru 560 037 | 290.0 | 04.12.2019 |
| 112 | United Daffodil, Sy. No. 30, Doddenakundi Village Mahadevapura Post, Outer Ring Road, Bangalore East Taluk | 280.0 | 04.12.2019 |
| 113 | Vidya Heritage Plaza, Sy. No. 29/3 & 30, Doddenakundi Village Mahadevapura Post, Outer Ring Road, Bangalore East Taluk | 280.0 | 04.12.2019 |
| 114 | Indus Innova Apartment, Mahadevapura Main Road, HP India software backyard, Bengaluru 560 048 | 290.0 | 04.12.2019 |
| 115 | Apoorva Lake Side, Sy. No. 155, Opposite Tata Shear Wood apartment, Basavangar, Marathahalli, Bengaluru 560 037 | 290.0 | 04.12.2019 |
| 116 | Sanjeevini Pebbles, Victoria View Layout, Borewell Road, Near DNA Iris Apartment, Nallurahalli Village, Whitefield, Bengaluru | 290.0 | 04.12.2019 |
| 117 | GM Heritage apartment, Victoria View Layout, Borewell Road, Near DNA Iris Apartment, Nallurahalli Village, Whitefield, Bengaluru | 270.0 | 04.12.2019 |
| 118 | BM Rose wood, No. 38/4, Nallurahalli Village, Whitefield, Bengaluru 560 066 | 290.0 | 04.12.2019 |
| 119 | Sunshine Builder by Silicon City, Sy. No. 68/2, Nallurahalli Village, Bengaluru 560 066 | 290.0 | 04.12.2019 |
| 120 | Bangalore In Sy. No. 24/1, Fern city Road, Doddeanekundi, Bangalore-37 | 270.0 | 04.12.2019 |
| 121 | Sai Krupa Elite Sy. No. 39/2, Fern City Road, Doddeanekundi, Bangalore-37 | 270.0 | 04.12.2019 |

| | | | |
|-----|--|-------|------------|
| 122 | Fern Habitat Sy. No. 84, Doddanekundi, Marathahalli post, Bangalore-37 | 290.0 | 04.12.2019 |
| 123 | Ravoos Temple Bells Apartment ,2nd Cross Road, Near Sai Baba Temple, Manjunath Layout, Munekolalu, Bangalore North, Marthahalli Colony, Bangalore – 37 | 270.0 | 04.12.2019 |
| 124 | Chaitanya Techno School, 9th Main, 27th cross, HSR Layout. Bangalore-560102 | 300 | 04.12.2019 |
| 125 | Raj Alkaa Park, Kalenaagrahara, Bannerughatta Road | 170 | 04.12.2019 |
| 126 | Damdens Zephyr Apartments, No. 62/1/2/3, Gottigere-vil, Kamakshy Layout, Banneraghatta road. Bangalore-83 | 300 | |
| 127 | Gunia Felisa, Bohra Layout, Gottigere-vil, Uttarahalli-hobli, Bengalore south-tq, Banneraghatta road, Bangalore-83 | 300 | 04.12.2019 |
| 128 | Malnad Siri Apartment, Avalahalli-vil, Anjanapura-Po, J.P.Nagar 9th Phase, Near Gurukula School, Bangalore-83 | 300 | 04.12.2019 |
| 129 | Real Houses Apartment, Sy No. 66/13, 62/3, Anjanapura, Uttarahalli-hobli, Bangalore south-Tq, Bangalore-62. | 300 | 04.12.2019 |
| 130 | CITI Lights Liberty, Opp to Eco space Bellandur ,Marathahalli,Outer ring road,Bangalore | 300 | 04.12.2019 |
| 131 | Golden Residency,Bellandur,Outer Ring road.Bangalore-103 | 300 | 04.12.2019 |
| 132 | Prabhavathi Devine,Avani Sringeri Nagar,Nayanappanahalli, Bangalore | 300 | 04.12.2019 |
| 133 | Isiri Stone Creek,Yellenahalli Road,Akshayanagara ,Bangalore-76 | 300 | 04.12.2019 |
| 134 | Vakil Marina Layout,Kodichikkanahalli, Bilekahalli, Bangalore-76 | 300 | 04.12.2019 |
| 135 | M/s.Prabhavathi Plasma Appartment, No.25/2&3, Ramaiah layout, Garvebhapalya, Hongasandra, B'lore | 300 | 04.12.2019 |
| 136 | M/s.Prabhavathi Bliss-01 appartment, No.75, 16th main, moco layout, Hongasandra, b'lore-68 | 300 | 04.12.2019 |
| 137 | M/s.Prabhavathi Meghna Appartment, No.105/3, Hongasandra village, Begur hobli, Blore-68 | 300 | 04.12.2019 |
| 138 | M/s Indwin galaxy, no.17/3, kudlu village, harlur main road, singasandra, bangalore-68 | 300 | 04.12.2019 |
| 139 | M/s Sai balaji residency, harlur, near old pepsi go-down parappana agrahara, bangalore-68 | 210 | 04.12.2019 |
| 140 | Geetham Pride, No. 48/6, Kudlu Main Road, Bangalore-68 | 300 | 04.12.2019 |

| | | | |
|-----|---|-----|------------|
| 141 | Vivantha Maagan, Daya M K Developers, Tejaswini Nagar, Phase-1, Doddakammanahalli, Bangalore-76 | 300 | 04.12.2019 |
| 142 | Santara Magan Palace, - 2, Daya M K Developer, near Maruthi Dental College, Off Kammanahalli, Bannerghatta Road, Bangalore - 76 | 300 | 04.12.2019 |
| 143 | Balaji Serinity, Serinity Layout, Sarjapura Road, Kaikondarahalli, Bangalore-35 | 300 | 04.12.2019 |
| 144 | Trinity Meadows Annexe, Sy.No.76, Bellandur Main Road, Bengaluru-103 | 300 | 04.12.2019 |
| 145 | Kristal Campus-II Owners Association, by name "Brookite/Halite", Sy.No.79/6, Ambalipura Village Bengaluru East -103 | 300 | 04.12.2019 |
| 146 | "Golden Corner" Bellandur Gate, Sarjapur Road, Bengaluru-37. Bellandur Gate, Sarjapur Road, Bengaluru-103 | 300 | 04.12.2019 |
| 147 | CASA Granade, No.337, Yamalur Road, Beside Prestige Tech Park, Kadubisanahalli, Bangalore-87 | 300 | 04.12.2019 |
| 148 | Sunray Hotel, Kadubisanahalli, Panatthur Road, Bangalore | 300 | 04.12.2019 |
| 149 | DSR Daffodil, Sy No.18, 1B, Bellandur Village, Varthur Hobli, Bangalore | 300 | 04.12.2019 |
| 150 | BVS Pinackle, Boganahalli, Panatthur Road, Bangalore-87 | 300 | 04.12.2019 |
| 151 | Krystal Jade, Sy No.80/2, ORR, Bellandur Village, Varthur Hobli, Bangalore | 300 | 04.12.2019 |
| 152 | Trinity complex-Trinity Acres and Woods, Sy No.25/2, Amblipuravillage, Sarjapura Main Road, Bangalore | 290 | 04.12.2019 |
| 153 | Prashanth Regency Apartment, Sy.No.23/1, yellenahalli Village, Begur Hobli, Bengaluru -68 | 300 | 04.12.2019 |
| 154 | Elegant Archid Apartment, Sy.No.56/28, 9th Cross, Akshyay Nagar, Bengaluru -68 | 300 | 04.12.2019 |
| 155 | RM Sneha Resedincy, Sy.No.28/7, Basapura Main Road, Basapura Village, E-City, Bengaluru-100 | 300 | 04.12.2019 |
| 156 | Lavendar Apartment, 6th Main, 5th Cross, Akashyanagar, Near Off B G Road, Bengaluru | 300 | 04.12.2019 |
| 157 | Shravanthi Woods Apartment, No-14, Kalenaagrahara Village, Virgo Nagar, BG Road, Bengaluru-70 | 300 | 04.12.2019 |
| 158 | SLV Niceview Apartment, Hosa Road, Pragathi Nagar, Chikkatogur Road, Bengaluru -100 | 300 | 04.12.2019 |
| 159 | Sanjana Supreme Apartment, Deo height layout, 7th Cross, Begur, Bengaluru -68 | 300 | 04.12.2019 |

| | | | |
|-----|---|-----|------------|
| 160 | JanaJeeva Silver palm,Amalipura Residential Harluru Road, Bellanduru yard, Bangalore-35 | 290 | 04.12.2019 |
| 161 | Silicon City Academy, Chunchaghatta Main road, New Bank Colony, Konanakunte, Bangalore-62 | 300 | 04.12.2019 |
| 162 | M/s Tropical Paradise, Silver County Road, Near Shobha Cinema, Kudlu village, Bangalore-68 | 300 | 04.12.2019 |
| 163 | M/s Credez flora, Credence Developers No.100, 16th cross, New Mico Layout, Hongasandra, Bangalore-68 | 300 | 04.12.2019 |
| 164 | M/s. Varun Lotus Appartments, No.14 Near Singasandra Bus Stop, Hosur Road, B'lore-68 | 300 | 04.12.2019 |
| 165 | SLV Kristal Apartment, Sy.No.36/9, Begur Koppa Road, Ellenhalli, Bengaluru -68 | 300 | 04.12.2019 |
| 166 | Parijatha Apartment, Adjacent to Shobha Marbel, Bellandur, Greenlen Layout, Bangalore | 300 | 04.12.2019 |
| 167 | Tirumala Lotus Apartment, Gottigere Village, Banneraghatta road, Kambattalli Road, Near water tank, Bangalore-83 | 300 | 04.12.2019 |
| 168 | AMG Conclaied Apartment, Yellenalli Village, Akshyanagar, BTM 6th Stage, Begur Hobli, Bengaluru -68 | 300 | 04.12.2019 |
| 169 | Prakasa Pride, No.37/1,Kaubisanahalli, Reddy Layout,Varthur Bangalore. | 300 | 04.12.2019 |
| 170 | Anand Enclave Apartment, Sy. No. 373, Royal county layout, J.P. Nagara 8 th Phase, Gottigere-vil, Banneraghatta road, Bangalore-83 | 300 | 04.12.2019 |
| 171 | Pruthvi Residency, No.414, MLA Layout, BG Main Road, Kalena Agrahara Village, Near Sapthagiri Castul, Bengaluru- 70 | 300 | 04.12.2019 |
| 172 | Meenakshi Lake View, Near Doddamane Temple, Ist Cross, Sarjapur Junction, Ibbur Village, HSR Layout. Bangalore-560102. | 300 | 04.12.2019 |
| 173 | Thirumala Blossoms Apartment, B1 layout, Gottigere-vil, Uttarahalli-hobli, Banneraghatta road, Bangalore-83. | 300 | 04.12.2019 |
| 174 | SLV Builders, by name SLV Spandana, Sy.No.25/4, Begur Village & Hobli, Bengaluru -68 | 300 | 04.12.2019 |
| 175 | Dharani Nakshatra No 11/10,Akshaya Nagara,yellenahalli Mn Road,Bangalore -68 | 300 | 04.12.2019 |
| 176 | Vardhini and Madku Apartment Begur Koppa Road,Yelenahalli, Bangalore-68 | 300 | 04.12.2019 |

| | | | |
|-----|--|-----|------------|
| 177 | Kristal Olivine Residents Welfare Association, by name "Kristal Olivine", Sy. No: 89/1 & 89/2, Bellandur Village, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 300 | 04.12.2019 |
| 178 | Sumukha Serenity Apartment. No.192, Nyanappana Halli, Devarachikkanahalli, Chamundeshwari Nagar, Bengaluru-76 | 300 | 04.12.2019 |
| 179 | (Savithri Aashirvad Build tech) Balaji Ashirwad Elite Apartment, Sy.No.75/1, Kammanahalli Village, Begur Road, Gottigere, Bengaluru -83 | 300 | 04.12.2019 |
| 180 | Sindhu Amazon Apartment Owners Welfare Association, Sy.No.79/8, Bellandur Village Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 700 | 04.12.2019 |
| 181 | DS Max serene, Near Hulimavu Bus Stop, B'lore-76 | 300 | 04.12.2019 |
| 182 | Genesis Apartment, clube house, Ibblur Village, Bangalore-560102. | 5 | 04.12.2019 |
| 183 | Hinduja Global Solution Ltd, No 115, Hosur Road, Garebhavipalya, Bangalore-68 | 5 | 04.12.2019 |
| 184 | SVR Flora Apartment , No. 133, 2nd Sector, Haralur Road, HSR Layout, Bangalore-560103. | 5 | 04.12.2019 |
| 185 | Sumo Sonnet Apartment, 48/6, Kudle Main Road, Near Corp Bank, Bangalore-560068. | 5 | 04.12.2019 |
| 186 | Bren Palms Apartment, 48/1, Kudlu Main Road, Hosa Palay, Bangalore-560068. | 5 | 04.12.2019 |
| 187 | Salarpuriya Cadenza Apartment, Near Kuddlu Gate, Bommanahalli, Bangalore- | 5 | 04.12.2019 |
| 188 | GV Properties Pvt Ltd, Embassy Point, Challagatta Village , Inner Ring Road, Bangalore. | 5 | 04.12.2019 |
| 189 | Vithola Residential Apartment No.46/1,46/2, Kalenaagrahara off Bannerghatta Road, Bangalore76 | 5 | 04.12.2019 |
| 190 | Sri Sai Supreme, Sy. No. 41/4, Gottigere-vil, Uttarahalli-hobli, Bangalore south-tq, Bannerghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 191 | Nydhile Residency, No. 3794/1, Gottigere-vil, Jypthi Nagar, Uttarahalli-hobli, Bangalore south-tq, Bannerghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 192 | Nandi Park Apartment, Sy. No. 41/3, Gottigere-vil, Kamakshy layout, Uttarahalli-hobli, Bangalore south-tq, Bannerghatta road, Bangalore-83 | 10 | 04.12.2019 |
| 193 | SMR Vinaya Meenakshi, Gottigere-vil, Uttarahalli-hobli, Bangalore south-tq, Bannerghatta road, Bangalore-83 | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 194 | krystal Beryl Apartment, Gottigere-vil, Uttarahalli-hobli, Bengalore south-tq, Banneraghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 195 | Himagiri Meadows, No. 31, 32/1,2, 33-37, 42/12, 48/4, 41/1-2, 130, Gottigere-vil, Uttarahalli-hobli, Bengalore south-tq, Banneraghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 196 | Radiant White Orchid, Kalena Agrahara bus stop, Gottigere-vil, beside Decathlon sports, Banneraghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 197 | Skyline Bagmane Champagne Hills Apartment, Sy. No. 10/4, Gottigere-vil, Uttarahalli-hobli, Bengalore south-tq, Bangalore-83 | 5 | 04.12.2019 |
| 198 | Suprabhats Hill Ridge Residency, Near south Avenue layout, Jambo Savari Dinne road, Gottigere-vil, Uttarahalli-hobli, Bangalore-83 | 5 | 04.12.2019 |
| 199 | Arya Hamsa Apartment, Sy. No. 28/1, Kothnur-vil, J.P. Nagara 8 th Phase, Uttarahalli-hobli, Bangalore-83 | 5 | 04.12.2019 |
| 200 | M/s Janhavi Construction Pvt Ltd., Janhavi Enclave, (Dr.K.Jeevan), No.35/3, Kodichikanahalli village, Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 201 | Eshwari Oak Dhale, Near BK Circle, Kothnur-vil, J.P.Nagar 8 th Phase, Bangalore-76 | 5 | 04.12.2019 |
| 202 | H.M. World City, Ragunpalya, opp. Vinayaka theatre, J.P. Nagar 9 th Phase, Gottigere main road, Bangalore-108 | 15 | 04.12.2019 |
| 203 | IMG Elite, Ragunpalya, Near Nandi Garden, J.P. Nagar 9 th Phase, adjacent to Royal Lake club, Gottigere-Po, Bangalore-108 | 5 | 04.12.2019 |
| 204 | Nandi Garden Apartment, Anjanapura Main Road, J.P.Nagar 9 th Phase, Avalahalli, Bangalore-62 (new-108) | 5 | 04.12.2019 |
| 205 | Vishwothama Apartment, Sy. No. 14/1,2, 15/2, Site No. 5 to 19, Katha No-5, Kothnur-vil, Uttarahalli-hobli, Bengalore south-tq, Bangalore-83 | 5 | 04.12.2019 |
| 206 | Vishwendra Apartment, Royal Lakefront Residency, Kothnur Dinne, J.P. Nagar 8 th Phase, NRBK Circle, Bangalore-76 | 5 | 04.12.2019 |
| 207 | Mangalya Prosper, Sy.No. 57/4, Anjanapura-vil, Uttarahalli-hobli, Bengalore south-Tq, JP Nagar 8 th Phase, Bangalore-108. | 5 | 04.12.2019 |
| 208 | JSR the Banyan Apartment, Sy. No. 64/1-4, 65(P), 66/2-9, Adjacent to Royal Park, Residency Layout, Anjanapura-Po, JP Nagar 9 th Phase, Bangalore-62 (new 108). | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 209 | DS Max Stone Hills, Sy. No. 60/2, Gollahalli-vil, Anjanapura-Po, JP Nagar 9 th Phase, Uttarahalli-hobli, Bangalore south-Tq, Bangalore-62 (new 108). | 5 | 04.12.2019 |
| 210 | Anand Somu Pristine, Sy No. 25, Katha No. 529, Anjanapura 9 th Block, Gollahalli, Uttarahalli-hobli, Bangalore south-Tq, Bangalore-62. | 5 | 04.12.2019 |
| 211 | Sobha Marvella Apartment Owners Association, Sy. No.87/8, Bellandur (V), Varthur (H), Bangalore | 5 | 04.12.2019 |
| 212 | Mantri Espana, (Mantri ORR-1) Mantri Developers Pvt. Ltd, Sy.No.51/1 to 50/2, 36/1 to 39/6, Devarabeesanahalli & Kariyammana Agrahara village, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 10 | 04.12.2019 |
| 213 | Sobha Lavender Apartment Owners Association, Sy. No.100/4 & 100/6, Bellandur Village, Sarjapura Ring Road, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 5 | 04.12.2019 |
| 214 | Soul Space Project Limited, Sy no 78/7/c & 89/6, Bellandur Village, Outer Ring Road, Varthur (Hobli) Bangalore | 10 | 04.12.2019 |
| 215 | NOVOTEL and IBIS Hotel, Opp to RMZ Europa Business Park, Marathalli Outer Ring road, Bangalore 5600103 | 5 | 04.12.2019 |
| 216 | Banyan Tree Apartment, 154, Kariyammana Agrahara, Varthur (Hobli), Bangalore 5600103 | 5 | 04.12.2019 |
| 217 | Salarapuria Premia, Outer ring road, Opp to New Horizon College, Bangalore | 5 | 04.12.2019 |
| 218 | MDB Software Technologies Pvt Ltd., Sy. No.53, Deverabeesanahalli Village, Varthur Hobli, Bangalore | 5 | 04.12.2019 |
| 219 | Prestige Estates Projects Ltd, Prestige Platina, Sy. No.32/1, 32/2, 34/1, Kadubeesanahalli village, Varthur Hobli, Outer Ring Road, bangalore | 5 | 04.12.2019 |
| 220 | Exora Business Parks pvt, Amani Bellandur Khawa Village, Varthur, Bellandur, Bangalore East Taluk | 5 | 04.12.2019 |
| 221 | ARICENT Technologies, Sy no 18/1, Outer ring road, Panathur (P), Bangalore-87 | 10 | 04.12.2019 |
| 222 | Ajmera Green Acres Owners Welfare Association, Ajmera Green Acres, Sy No 15/4, 15/5, 15/6, 16/7, 16/8, 16/9, 21/1, 21/2, 21/3, 21/4, 20/2, kalena Agrahara Village, Begur Hobli, Banerghatta Road, Bangalore 68 | 5 | 04.12.2019 |

| | | | |
|-----|--|----|------------|
| 223 | Purva Panorama Apartment Owners Association, Sy.No.22/1-2-3, 23, 28-1B-29/1, 30/1-2-3-4, Kalena Agrahara Village, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 224 | Prestige Nottingham, Sy.No.9, Kalena Agrahara Village, Begur Hobli, Opp. Meenakshi Temple, Bangalore. | 5 | 04.12.2019 |
| 225 | Rose Garden Apartment Owners Association, Sy.No.12/3 & 38/5 (New No.171 to 171/9), Arekere Village, Begur Hobli, Bannerghatta Road, Bangalore. | 5 | 04.12.2019 |
| 226 | Sapthagiri Splendor apartment,RTO Road,Devarachikknahalli,BTM 4th stage,Bangalore | 5 | 04.12.2019 |
| 227 | R K Suraksha Properties,RK suraksha landmark, Sy. No. 80/3, Katha No. 1384/80/3, Ward No. 193, Arakere Village, Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 228 | CVK Meenakshi Elegance,MLA Layout,kalenagrahara,Begur(hobli), Bangalore-76 | 5 | 04.12.2019 |
| 229 | ND GEIPEL Apartments,BG Road,Kalenagrahara,Bangalore-76 | 5 | 04.12.2019 |
| 230 | NEEV Academy, Yamlur main road, Kempapura Road, Bangalore-07 | 5 | 04.12.2019 |
| 231 | Brigade Palms Springs, 24th Main, PNP Parivar, Puttenahalli, Bangalore | 5 | 04.12.2019 |
| 232 | Mahaveer John Quil, 6/2, Puttenahalli, 7th Phase, JP Nagar, Bangalore-76 | 5 | 04.12.2019 |
| 233 | Mahaveer Wilton, No.16/2, 5th Phase,, 22nd Main, Puttenahalli, JP Nagar, Bangalore | 5 | 04.12.2019 |
| 234 | Adarsh Rythm, 155/2, 159/2, 159/3, Panduranga Nagar, Arkere, bangalore | 5 | 04.12.2019 |
| 235 | Kalyani Magnum, 165/2, Doresanipalya, bangalore076 | 5 | 04.12.2019 |
| 236 | Mohan Enterprises, Kalyani Vista infotek park Sy. No. 151/1B, Doresanipalya Bengaluru | 5 | 04.12.2019 |
| 237 | Krishna Magnum, Sy No 164 & 165, Doresanipalya, Bellekalli, Bannerghatta Road Bangalore | 5 | 04.12.2019 |
| 238 | Epitome Crown,Ranka Colony road, Banneragahtta road, Bilaekahalli, bangalore-76 | 5 | 04.12.2019 |
| 239 | Mahaveer Marvle, No.54, Kodichikkanahalli, Bangalore-76 | 5 | 04.12.2019 |
| 240 | Mahaveer Laoreal,2n Cross, Manjushree Layout, Kodichikkanahalli, Bangalore-76 | 5 | 04.12.2019 |
| 241 | Radiant Lotous Apartment, kodichikkanahalli | 5 | 04.12.2019 |
| 242 | Indian Institute of Management, Bannerghatta Main Road, bangalore-76 | 10 | 04.12.2019 |

| | | | |
|-----|--|----|------------|
| 243 | HSBC Data processing India Pvt. Ltd, B1, 148/1, Futura, BG Road, Bilekahalli, B'lore-76 | 10 | 04.12.2019 |
| 244 | Aahika Apartment, Banneraghatta Road, bangalore-76 | 5 | 04.12.2019 |
| 245 | M/s.Sobha Mayflower, No.96/1, Sarjapura outer ring road, Bellandur, B'ore-03 | 5 | 04.12.2019 |
| 246 | M/s.Sobha Primirose, No.98/1 & 99, Bellandur Village, Varthur hobli, B'lore-03 | 5 | 04.12.2019 |
| 247 | M/s.Wood stock ambience, No.123 & 124, Singasandra Village, Begur hobli, B'lore-100 | 5 | 04.12.2019 |
| 248 | M/s.Parmount Sumadura Sarene, No.117/2, Singasandra Village, B'lore-68 | 5 | 04.12.2019 |
| 249 | M/s. G R Srinivas Appartments, No.155/182, Manipal county raod, singasandra, B'lore-68 | 5 | 04.12.2019 |
| 250 | M/s. Divya Jyothi Royal County, No.11/2, Manipal county road, Singasandra, B'lore-68 | 5 | 04.12.2019 |
| 251 | M/sRoyal Citadel, No.155/A1, Manipal County Road, Begur village, B'lore-68 | 5 | 04.12.2019 |
| 252 | M/s.Esteella Gaacious, No.167/4, Chik begur village, Singasandra, B'lore-68 | 5 | 04.12.2019 |
| 253 | M/s. Uma sree Dream World Appartment, No.49/1 &49/2 Kudlu Jn, Hongasandra, Hosur main road, B'lore | 15 | 04.12.2019 |
| 254 | M/s. Keys Hotel, No.7, Hosur main road, Singasandra, B'lore | 5 | 04.12.2019 |
| 255 | M/s.Sri thirumala Sarovor, No.3/1, Kaveri appartment, Hosur main raod, Singasandra, B'lore | 5 | 04.12.2019 |
| 256 | M/s.Sri thirumala Sarovor, No.3/2,Paravathi appartment, Hosur main raod, Singasandra, B'lore | 5 | 04.12.2019 |
| 257 | M/s. ibis Hotel, No.26/1, Hongasandra village, Begur Hobli, B'lore-68 | 5 | 04.12.2019 |
| 258 | M/s. Oxford Engineering Institutions, Hosur main road, Hongasandra Bommanahalli, B'lore | 5 | 04.12.2019 |
| 259 | M/s.Rajarajeshwari Nivas, No.393/28&29, Hosur, BH HTMT, Bommanahalli, B'lore-68 | 5 | 04.12.2019 |
| 260 | M/s. Greenage Grihanirman Pvt ltd, #3,4th Floor, Salapuria Windsor, Ulsoor raod, B'lore-42 | 5 | 04.12.2019 |
| 261 | M/s.AMR Tech Park, IV A/B, No.23,24, Hosur main Road, Bommanhalli, B'lore-68 | 5 | 04.12.2019 |
| 262 | M/s.AMR Tech Park, 2,2B No.23,24, Hosur main Road, Bommanhalli, B'lore-68 | 5 | 04.12.2019 |
| 263 | M/s.AMR Tech Park, 1,1A,2a, No.23,24, Hosur main Road, Bommanhalli, B'lore-68 | 5 | 04.12.2019 |
| 264 | M/s.Mythri Grandeur Appartment, No.129/238/3&2B, Begur village, 1st cross, 16th main, Hongasandra, B'lore-68 | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 265 | M/s. Royal Legend, No.60,Kodichikkanahalli main road, Kauvery nagar, B'lore-68 | 5 | 04.12.2019 |
| 266 | M/s.Aishwarya Amaze Appertment, No.33/2, Devara Chikkanahalli main road, Near D-mart, Blore-76 | 5 | 04.12.2019 |
| 267 | M/s ELINA apartment, Devarachikkanahalli, Bommanahalli, bangalore-76 | 5 | 04.12.2019 |
| 268 | M/s Golden rays, no.8, Devarachikkanahalli main road, bommanahalli, bangalore-76 | 5 | 04.12.2019 |
| 269 | M/s Raj lake view apartment, sy.no.62/3 & 62/8, bommanahalli, kodichikkanahalli village, bangalore-68 | 5 | 04.12.2019 |
| 270 | M/s GK Jewel city, kudlu village, harlur main road, singasandra, bangalore-68 | 5 | 04.12.2019 |
| 271 | M/s GK Golden city, kudlu village, harlur main road, parappana agrahara, bangalore-68 | 5 | 04.12.2019 |
| 272 | M/s Sai poorna apartment, kudlu village, harlur main road, parappana agrahara, bangalore-68 | 5 | 04.12.2019 |
| 273 | M/s Fortune Sunnyvale apartment, 5th main, AECS Layout, A block, near ganesha temple, kudlu, singasandra, bangalore-68 | 5 | 04.12.2019 |
| 274 | M/s SLS Summerfields, no.7/2, AECS layout, singasandra, bangalore-68 | 5 | 04.12.2019 |
| 275 | M/s Brindavan Palms apartment, no. 49/2, naganathapura, near central jail, hosa road, bangalore-68 | 5 | 04.12.2019 |
| 276 | M/s Sri Sai Acropolis, 47/2, naganathapura, near central jail, hosa road, bangalore-100 | 5 | 04.12.2019 |
| 277 | M/s Sobha Cinnamon & Saffron, Sy.no.86/2, 8/1, 8/3, 90/2, kudlu village, harlur main road, bangalore-68 | 10 | 04.12.2019 |
| 278 | M/s Keerthi royal palms, Sy.No.7, Basapura, pragathi nagar, bangalore-100 | 5 | 04.12.2019 |
| 279 | M/s Ajantha royal apartment, Sy.no.32/2, Beratana agrahara, lavakushanagar, bangalore-100 | 5 | 04.12.2019 |
| 280 | Puravankara Projects Ltd., "Purva Sky wood", Sy.92, 105, 98/1, 193/1, 95/2, 95/3, Kudlu Village, Sarjapura Hoble,Bangalore-68 | 5 | 04.12.2019 |
| 281 | M/s Klassik Landmark, sy.no.34/9, 10, 11, 12, 13, Junnasandra, varthur hobli, near amrutha college of engg., bangalore-35 | 10 | 04.12.2019 |
| 282 | M/s HM Symphony condominium, sy.no.83, 84, 85 & 86, kasavanahalli village, varthur hobli, bangalore-35 | 5 | 04.12.2019 |
| 283 | M/s Kristal Jasper apartment, kasavanahalli village, varthur hobli, bangalore-35 | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 284 | M/s Confident Phoenix apartment, kasavanahalli village, varthur hobli, bangalore-35 | 5 | 04.12.2019 |
| 285 | M/s Ushodaya Luxuria, no.29/11, IAS layout, kasavanahalli village, varthur hobli, bangalore-35 | 5 | 04.12.2019 |
| 286 | Arya Hamsa Grande, Kothnur-vil, J.P. Nagara 8th Phase, Bangalore-83 | 5 | 04.12.2019 |
| 287 | M/s Greenwood residency Phase-1, sy.no.62/1, sarjapura main road, wipro mori, kaikondrahalli, bangalore-35 | 5 | 04.12.2019 |
| 288 | M/s Greenwood residency Phase-2, sy.no.62/2, sarjapura main road, wipro mori, kaikondrahalli, bangalore-35 | 5 | 04.12.2019 |
| 289 | M/s Mantri glades, sy.no.79/5, 82/1, 2, 3, sarjapura main road, varthur hobli, kaikondrahalli, bangalore-35 | 5 | 04.12.2019 |
| 290 | M/s Sunny brooks, next to wipro, sarjapura main road, varthur hobli, Doddakannahalli, bangalore-35 | 5 | 04.12.2019 |
| 291 | Saran Developers & Infrastructure (I) Pvt.Ltd, by name " Mulberry Woods", Sy.No. 19/7 & 19/8, Katha No. 1027/19/7, 19/8Doddakannahalli Village, Sarjapura Road, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 5 | 04.12.2019 |
| 292 | M/s Big banyan routs, no.18/1B, carmelaram road, sarjapura main road, Doddakannahalli, Bangalore-35 | 5 | 04.12.2019 |
| 293 | Corporate Leisure & Property Developments Private Limited, by name " Suncity Gloria", Sy.No 18/3 A 1, 18/3 B, 18/3 C 1, Doddakannelli Village, Varthur Hobli, Bengaluru. | 10 | 04.12.2019 |
| 294 | Sobha Jasmine M/s. Sobha Jasmine Apartment Owners Welfare Association, Sy.No.32/2, 4, 3, Ibbalur Village, Sarjapurapur, ORR, Begur Hobli, Bangalore-103 | 5 | 04.12.2019 |
| 295 | M/s. Relaiable Acacia Apartment Owners Association, 5th cross, 7th main, Iblur, Bangalore-103 | 5 | 04.12.2019 |
| 296 | Sobha Daisy Condominium M/s. Sobha Daisy Condominium apartment Owners Association, Sy.No.31/5, Ibbalur Village, (8/1 of Bellandur Village, Varthur Hobi, Bangalore-103 | 5 | 04.12.2019 |
| 297 | Sobha Carnation M/s. Sobha carination apartment Owners Association, No.100/7, Green glen Layout,Sarjapura ORR, Bangalore-103 | 5 | 04.12.2019 |

| | | | |
|-----|---|---|------------|
| 298 | M/s. RR Residency Apartment owners Association, Hospalya Haralukunte, Begur Hobli, Bangalore-78 | 5 | 04.12.2019 |
| 299 | M/s. Manar Elegance owners welfare Association, No. 37/7, 24th Main, Sector-2, HSR Layout, Bangalore-102 | 5 | 04.12.2019 |
| 300 | M/s. Silver Heights Apatment owners Association, Sy. No. 27, 24th Main, Sector-2, HSR Layout, Bangalore-102 | 5 | 04.12.2019 |
| 301 | Fortune Summit, No. 244, Roopena Agrahara, Hosur Main Road, Bangalore-68 | 5 | 04.12.2019 |
| 302 | Mantri Sarovara Apartment Owners Association, Sy.No.137/1/2, Agra Village, Begur Hobli, Bangalore- 560034. | 5 | 04.12.2019 |
| 303 | Salarpuria Serenity Apartment Owners Association, Sy.No.41/A To 41/F, Mangammanapallya, Venkojirao Kahne Village, HSR Layout, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 304 | N.D.Oliva, Sy.No.29/2A, 29/3, Haralakunte Village Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 305 | Sobha Daffodil Condominium Resident Welfare Association ,Sy.No.27, 29/5, 29/11, 29/12 & 29/13, Haralakunte Village, Begur Hobli, HSR Layout, Bangalore South Taluk, Bangalore -560102 (24th Main, 2nd Sector, HSR Layout, Bangalore-102) | 5 | 04.12.2019 |
| 306 | Estrella Terraces, 271/1A, Opp Pride Regalia, Bannerghatta Road, Bangalore - 76 | 5 | 04.12.2019 |
| 307 | SGR Built Tech Pvt. Ltd., (GR Lavender), Sy. No.87/8 (III), Kothanur Village , Uttarahalli Hobli, Banglaore | 5 | 04.12.2019 |
| 308 | Astha Valmark, 86/2, 178/1, Behind Meenakshi Temple, Kothnur Village, Bangalore-76 | 5 | 04.12.2019 |
| 309 | Windsor Four Seasons, 69/2,Behind Meenakshi Temple, Bannerghatta Road, Bangalore-76 | 5 | 04.12.2019 |
| 310 | Classic Orchards Layout Behind Meenakshi Temple, Bannerghatta Road,Bangalore-76 | 5 | 04.12.2019 |
| 311 | SJR Builders by name SJR Luxuria, Sy.No.100/P/1, 101/1 & 103, Arekere (V), Begur (H), Bangalore. | 5 | 04.12.2019 |
| 312 | Larsen & Turbo South- City, Mico Layout, Arekere, Bannerghatta Road, Bangalore - 76 | 5 | 04.12.2019 |
| 313 | Innovative Infra Project, Aspan Woods , Sy. No.125/1, Kammanahalli Village, Begur Hobli, Bangalore | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 314 | Vishal India Commerical Developers Pvt Ltd., Royal Meenakshi Mall, No. 424/376, 487, Bannerghatta Road, Bangalore - 76 | 5 | 04.12.2019 |
| 315 | ACAS Crescent Square, 125/2, Doddakammanahalli, Opp Annamma Temple Off Bannerghatta Road, Bangalore - 83.(ACAS Crescent Square Apartment Owners Welfare Association, (Sai Snigdha Construction PVt Ltd.), No.125/2, Doddakammanahalli Main Road, Bannerghatta Road, SOS Post, Bangalore-76.) | 5 | 04.12.2019 |
| 316 | Nandi Citedal, Sy No 23, 24 of chandrashekarapura Villlage, Sy No 50/2 off Yellanahlli off Banerghatta Road, Bangalore 560 083. | 10 | 04.12.2019 |
| 317 | Subhodaya Laurals, Off Bannerghatta Road, Tejaswini Nagar, Phase-1, Doddakammanahalli, Bangalore-76 | 5 | 04.12.2019 |
| 318 | Nitesh Housing Developers Pvt Ltd, "Nitesh Hydepark", Sy. No.49, Venugopalnagar, Hulimavu village, Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 319 | Klassik Benchmark Apartment Owners Association", Sy.No.10/1, 11/1, 11/2, Kalena Agrahara Village, Begur Hobli, Bannerghatta Road, Bangalore. | 5 | 04.12.2019 |
| 320 | Aikya Apartment Owners Welfare Association, (Mythreyi Promoters & Developers (P) Ltd.), No.12/1, Kalena Agrahara Village, Begur Hobli, Bangalore-76 | 5 | 04.12.2019 |
| 321 | Esteem Enclave, No.38/1B, 39/1, 39/2 & 39/3, Arakere Village, Begur (H), Bangalore South Taluk, Bangalore-76 | 5 | 04.12.2019 |
| 322 | Sri. Nakoda Construction Ltd, Apas Valmark, Sy. No.52, Hulimavu Village, Begur Hobli, Bangalore -76 | 5 | 04.12.2019 |
| 323 | Abhee Lakeview Apartment, Serinity Layout, Sarjapura Road, Kaikondarahalli, Bangalore-35 | 5 | 04.12.2019 |
| 324 | Bren celestia, No.39/2, Kaikondanahalli Village, Sarjapura Road (behind Reliance digital), Bangalore-35 | 5 | 04.12.2019 |
| 325 | Bren Mercury, No.39/2, Kaikondanahalli Village, Sarjapura Road (behind Reliance digital), Bangalore-35 | 5 | 04.12.2019 |
| 326 | Intel Technology Inida Pvt Ltd, SRR-3 Sy.No.23- 56p, No. 18/2A, Deavarabisanahalli village Bengaluru-103 | 5 | 04.12.2019 |

| | | | |
|-----|--|----|------------|
| 327 | Oceanus Fressia Enclave Apartment Owners Welfare Association, Sy.No.19/7 & 19/8, Kaikondanahalli Village, Varthur Hobli, Bengaluru off sarjapura Road, Bangalore-35 | 5 | 04.12.2019 |
| 328 | Sri Mitra Builders & Developers, by name " Sri Mitra Spring Valley", Sy.No. 11/2,Kaikondrahalli Village, Varthur Hobli, (opp Fire Station), Sarjapura Road, Bengaluru -35 | 5 | 04.12.2019 |
| 329 | Bhavya Serena, Near Norbert Church, Kasavanahalli, Bangalore-35 | 5 | 04.12.2019 |
| 330 | Vars Builders & Developers, Vars Park Wood, No.90/4, Doddakannalli, Behind ADARSH Palm Retreat, Bangalore-35. | 5 | 04.12.2019 |
| 331 | Saroj Dynasty, Saroj Builds & Properties Pvt Ltd, Sy. No.94/5, Doddakannelli Village, Varthur Hobli, bangalore-35 | 5 | 04.12.2019 |
| 332 | Akme Harmony Apartment Owners Welfare Association. Sy.No.11 & 12, Amblipura Village, Varthur Hobli Bengaluru-103 | 5 | 04.12.2020 |
| 333 | Ganapa Towers,(Happiest Minds) 51/3, Hosur Main Road,Madiwala, Bangalore-68. | 5 | 04.12.2019 |
| 334 | Sri Utopia Aptment,Kadubisanahalli, Yamalur Road, ORR, Bangalore-087 | 5 | 04.12.2019 |
| 335 | Salarpuria Touch Stone, Sy.no. 14P7 & 15/1A, Kadubisanahalli Village, Bengaluru. | 5 | 04.12.2019 |
| 336 | Salarpuria Halmark, No.15/3 and 16, ORR, Kadubisanahalli, Panatthur Post, Bangalore-103. | 5 | 04.12.2019 |
| 337 | Prestige Tech park, JPMC Block, Kadubisanahalli,Varthur Hobli,Bangalore. | 5 | 04.12.2019 |
| 338 | Umbel Properties Pvt Ltd, Hilton Residences, Sy. No. 5/1, Challaghatta Village, Varthur Hboli, Bangalore | 10 | 04.12.2019 |
| 339 | Golf Links Software Pvt Ltd, Sy. No. 13/2, 10/3, 13/1, 14,15(P), 8/2, 2/1, 2/2, 2/3, 2/4, 4(P), 5/1,6,7,7/1,7/2,7/4,8,8/1, 8/2A, 8/2B, 8/3,8/4 & 10 of Challaghatta Village, Off Intermediate Ring Road, Bangalore | 5 | 04.12.2019 |
| 340 | Maruthi Infotech Centre, Sy. No. 11/1 & 12/1, Challagatta Village, Amariyothi Layout, Intermediate Ring Road, Domlur, Bangalore | 5 | 04.01.2019 |
| 341 | Red Coral Properties, by name " Mahaveer Rhyolite" Sy. No.37, Nyanappanahalli village, Begur Hobli, Bangalore | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 342 | Suadela Construction Pvt Ltd, (Hiranandani Projects), Sy.No.321/2B(P), 321/2C, 322/1, 323/1(P),323/3,323/4, 323/5,323/6,323/7,325/1(P),325/2,327,328/1,328/2,328/3,328/4,330,331,332/2 of Begur Village & 19(P) of Hulimavu Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 343 | Durga Project Inc., by name "Durga Coral" Sy.No.20/5 & 20/6, Kadubeesanahalli, Marathalli Ring Road,Bengaluru East Taluk Bengaluru Urban District | 10 | 04.12.2019 |
| 344 | Nagarjuna Suits, 19/5,Kadubisanahalli, Panatthur Road,Bangalore-103. | 5 | 04.12.2019 |
| 345 | Sri Sai Ikon Apartment, Doddakanahalli, Sarjapura Road,(Near ARS School), Bangalore | 5 | 04.12.2019 |
| 346 | Saroja Builds & Properties Pvt Ltd, (Saroj white sand) Katha No.228/114/4, Sy. No.114/4, Boganahalli Village, Varthur Hobli, bangalore | 5 | 04.12.2019 |
| 347 | Prestige Propert Management Services, PrestigeSiler Sun and Trinity Center, Kadubisanahalli,- Doddakannahalli,Boganahalli,Bangalore-560004. | 5 | 04.12.2019 |
| 348 | Aditi Elite, No.128/21,22,23,24, Bhoganahalli Village, Varthur Holi, Bangalore | 5 | 04.12.2019 |
| 349 | Prestige Estates Projects Ltd, by name " Prestige Sunny Side Elm", Sy. No. 134/1 & 134/2, Boganahalli Village, Varthur Hobli,Bengaluru East Taluk, Bengaluru Urban District | 5 | 04.12.2019 |
| 350 | Prestige Estates Projects Ltd, by name " Prestige Sunny Side Oak", Sy. No. 134/1 & 135, Boganahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 5 | 04.12.2019 |
| 351 | Krishvi Dhavala, No.100/7,Doddakannahalli,Near Gear School.Bangalore-71. | 5 | 04.12.2019 |
| 352 | Cessna Garden Developers (P) Ltd.'Cessna Business Park-Phas4e I & II(Block, 1,2,5,6,7,8 & MLCP) Sy.No.5,6,3/2B, 4(P), 79(P), 8/1,8/2,11(P),12/2(P),12/3(P), 12/4,17/1(P),17/3(P),17/4, 38/2,43,44, 7& 9 of Kadabeesanahalli Village, Marathalli-Sarjapur Outer Ring Road, Varthur Hobli, Bengaluru. | 5 | 04.12.2019 |
| 353 | Embassy Signet(Symphony),Sy No.12/1 and 13/1,ORR,Kadubisanahalli,Varthur Hobli,Bangalore. | 5 | 04.12.2019 |

| | | | |
|-----|--|---|------------|
| 354 | Embassy Tech Sqaure, Sy.No.10/1A to 17/3, Kadubeesanahalli Village, Varthtur Hobli, Bengaluru East Taluk, Bengalure Urban District | 5 | 04.12.2019 |
| 355 | Umiya Builders & Developers, " Umiya Business bay Tower-2", (Umiya Holding) Katha.No. 172/3, Sy.No. 10/1A,1B & 11, Kadubisanahalli Village,Varthtur Hobli, Outer Ring Road | 5 | 04.12.2019 |
| 356 | Cessna Garden Developers, Aloft Hotel, Sy.No-3/2B to 7 & 9, Kadubisanahalli Village,Varthtur Hobli,Outer Ring Road, Bengaluru | 5 | 04.12.2019 |
| 357 | I-Life Apartment, Sai shrusti, Devarabisanahalli,Varthtur Hobli,Bangalore-037 | 5 | 04.12.2019 |
| 358 | Bhagini Icon Commercial Complex by N.Subba Reddy, Sy.No 57/1A, Devarabisanahalli Village, Outer Ring Road, | 5 | 04.12.2019 |
| 359 | Samhi JV Business Hotels Pvt Ltd - Fairfield [Formerly Supreme Build Cap Pvt Ltd.,], Sy. No.43,44/1, 44/2, Devarabisanahalli, Varthtur Hobli, Bangalore | 5 | 04.12.2019 |
| 360 | Accenture Services Pvt Ltd., RMZ Ecospace-Campus 2A Block, Sy. No. 17/2 to 17/4, 20 to 25/8, 43/1 to 50, Bellandur Village, Varthtur Hobli, Bengaluru. | 5 | 04.12.2019 |
| 361 | Accenture Services Pvt Ltd., RMZ Ecospace-Campus 2B Block, Sy. No. 17/2 to 17/4, 20 to 25/8, 43/1 to 50, Bellandur Village, Varthtur Hobli, Bengaluru. | 5 | 04.12.2019 |
| 362 | Srinivasa Signature, Off Sarjapura Ring Road, Kaikondanahalli,Bellandur. | 5 | 04.12.2019 |
| 363 | Suryashakti 80 Trees, 140/2, Beside gear international School,Doddakannahalli,Off Sarjapur Road,Bangalore-35. | 5 | 04.12.2019 |
| 364 | CANSA Heights, 141/B,Gear School Road, Doddakannahalli,Bangalore-35. | 5 | 04.12.2019 |
| 365 | Assetz Property & Homes Pvt Ltd, East Point, Sy. No.87, 88/1 & 88/2, Boganahalli Village, Varthtur Hobli, Bangalore | 5 | 04.12.2019 |
| 366 | Rose Wood Regency,Kaikondanahalli,Sarjapura Mainroad,Bangalore-35 | 5 | 04.12.2019 |
| 367 | Srinivasa Classic Apartment,No.25/2C,Kaikondanahalli,Varthtur Hobli,Bangalore | 5 | 04.12.2019 |

| | | | |
|-----|---|----|------------|
| 368 | Purva Sunshine Residents Association, Sy.No.48/1, 48/2, 49/1, 49/2, 49/3, 49/4, 50, 51, Kaikondarahalli, Sarjapur Road,Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |
| 369 | Purvankara projects ltd. By name "Purva Whitehall", Sy.No.10/1 11/1 & 14 Kaikondanahalli village,Sarjapur road, Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |
| 370 | Dhatri Residency, Sy.No. 37/1, Mylasandra Road, Bengaluru-112 | 5 | 04.12.2019 |
| 371 | MDVR Primerose Apartment,. Suy.No. 27/7, Begur Koppa Road, Begur, Bengaluru | 5 | 04.12.2019 |
| 372 | Splendid Lakeview Apartment, Sy.No. 18/1, Vittasandra Road, Begur Village & Hobli, Bengaluru -68 | 10 | 04.12.2019 |
| 373 | Janhavi Shelter Apartment, Sy.No.30/1, Ellenahalli Village, Akshya Nagar, BTM 6th Stage, Bengaluru | 5 | 04.12.2019 |
| 374 | DLF Newtown Apartment, Begur Village & Hobli,Bengaluru -68 | 5 | 04.12.2019 |
| 375 | Lake view County Apartment, Sy.No. 157/1 & 157/2 Manipal County Road, Singasandra, Bengaluru | 5 | 04.12.2019 |
| 376 | Vijaya Spring wood Apartment, No.81, Manipal County Road, Singasandra Main Road, Bengaluru -68 | 5 | 04.12.2019 |
| 377 | Gouthami Comfort, Sy.No.123/39, 22/1 & 22/2, Basapura Village, Basapura Main Road, Begur Hobli,Bengaluru-100 | 5 | 04.12.2019 |
| 378 | Skylark Zenith Apartment, NO-41/1C, Chikkatogur Village, Begur Hobli, Hosa Road Junction, Bengaluru -100 | 5 | 04.12.2019 |
| 379 | SKV Hanging Garden Apartment, No-18/1A, Basapura Main Road, Hosa Main Road Junctioun, Basapura Cross, Bengaluru -100 | 5 | 04.12.2019 |
| 380 | Thirumala Vintage Apartment, No.26/1, Hosa Road, Basapura Village, Begur -Bengaluru -100 | 5 | 04.12.2019 |
| 381 | Shebang Apartment, Su.No.40/4, Basapura Main Road, Basapura Village , Bengaluru | 5 | 04.12.2019 |
| 382 | Concorde Midway City Owners Association., Sy.No.20, Basapura Village, 9th Mile, Hosur Road, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 383 | Jahnvi Meadows Apartment, No-34/2, Ellenahalli Village, Begur - Koppa road, Begur Hobli, Bengaluru | 5 | 04.12.2019 |
| 384 | G R Queen Pride Apartment, Begur Koppa Road, Ellenahalli, Bengaluru | 5 | 04.12.2019 |

| | | | |
|-----|---|---|------------|
| 385 | Balaji Encalve Apartment, Begur Koppa Rad, Ellenahalli, Bengaluru -68 | 5 | 04.12.2019 |
| 386 | Radiant Shine Apartment, Sy. No.53/3, Yelanahalli Village, Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 387 | Reddy Structure Pvt Ltd., Mahaveer Ridge, Sy.No.53/4, Yellanahalli, Begur Road, Bangalore. | 5 | 04.12.2019 |
| 388 | Ajantha Meadows Apartment, Aksyanagar Village, Begur Hobli, Bengaluru | 5 | 04.12.2019 |
| 389 | Opal Akshya Apartment, 9th Cross, Akshya Nagar, Bengaluru -68 | 5 | 04.12.2019 |
| 390 | BSR Sai Palace, No.8/6, Roopenagarahara Main Road, Viratnagar, Bommanahalli, Bengaluru | 5 | 04.12.2019 |
| 391 | Sai Nandana Gardenia Apartment, No-81/2, Kammanahalli Village, Begur Hobli, Gottigere Post, Bengaluru-83 | 5 | 04.12.2019 |
| 392 | Nandi Deepa Apartment Owners Association, Sy.No.124, Dodda Kammanahalli, Begur Hobli, Bangalore- 560068. | 5 | 04.12.2019 |
| 393 | Sri Thirumala Symphony Apartment, Chikkatogur Road, Begur Outer Ring Road, E-City, Bengaluru | 5 | 04.12.2019 |
| 394 | DS Max Apartment, Chikkatogur Main Road & Village, Bengaluru -100 | 5 | 04.12.2019 |
| 395 | Salarpuria Symphony Apartment Owners Association, Sy.No.8/2, Beratana Agrahara Village, Sy.No.44/2 & 44/3, in Chikkathogur Village, Begur, Hosur Main Road, Bangalore. | 5 | 04.12.2019 |
| 396 | Krishna Enterprises(Housing & Infrastructure) India Pvt Ltd., (Krishna Mystiq), Sy. No.134/4 & 134/9 (Old No.134/2 & 133/8) of Doddathogur village, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 397 | Oceanus Vista aPartment, Kasavanahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 5 | 04.12.2019 |
| 398 | Spring Field Apartment, Sarjapura Main Road, Nera Total Mall, Bangalore-35, Spring Field Welfare Association, Residential Apartment, Sy.No.19 & 20, Ambalipura Village, Varthur Hobli, Sarjapur Road, Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |
| 399 | DSR Ultima, Harluru Road, Off Sarjapura Road, Bangalore-560102, DSR Infrastructure Pvt Ltd., DSR Ultima, Sy.No.102/1 & 102/3, Haralur Village, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |

| | | | |
|-----|---|---|------------|
| 400 | Sai poorna High End, Harluru main Road, Ooff Sarjapura Road-560102 | 5 | 04.12.2019 |
| 401 | Presitge Ferns Residency, Haruru Road, Next to Shoba Classic, Bangalore-560102, Prestige Estate Projects Ltd, Prestige Ferns Residency, Sy. No.1/1 (P) - 1/4 (P), 10/1(P), 10/2(P), 11, 14/1 - 14/3, Harlur Village, Varthur Hobli, Bangalore | 5 | 04.12.2019 |
| 402 | Abeeb Princess Apartment, Doddamma Temple Road, Ibblur Village, Begur Hobli, Bangalore-102 | 5 | 10.12.2019 |
| 403 | Nandiwoods Apartment, Yelenhalli, Near Global Residency, Near SOS Post, Bannerghatta Road, Bangalore-76 | 5 | 04.12.2019 |
| 404 | Radiant Structure Pvt LTd, "Radiant Redwood", Sy, No.62/2, Yellanahalli Village, Begur Hobli, Bangalore-68 | 5 | 04.12.2019 |
| 405 | Sobha Aquamarine Apartment Association, Sy. No.83, Bellandur (V0, Varthur Hobli, Bangalore | 5 | 04.12.2019 |
| 406 | Sobha Hibiscus Condominium, Sy.No.6/1 & 6/2, Ambalipura Village, Varthur Hobli, Bengaluru East Taluk , Bengaluru Urban District | 5 | 04.12.2019 |
| 407 | Sobha Quartz Owners Association, Sy. No.32 & 83, Ibblur Village, Begur Hobli, Sarjapura Road, Bangalore | 5 | 04.12.2019 |
| 408 | Somasta Ish Woods, Doddamma Devi Temple Road, Ibblur Village, Begur Hobli, Bangalore | 5 | 04.12.2019 |
| 409 | Itina anai, Kempapura Main Road, Bangalore | 5 | 04.12.2019 |
| 410 | Sai purna Luxuria, M/s. Srinivas Developers, Haralur Main Road, HSR Extension, Bangalore-102 | 5 | 04.12.2019 |
| 411 | Thirumala Sunidhi Desire Apartment, No 289/2, 289/3, Begur Main Road, Near IOC Petrol Bunk, Bangalore-68 | 5 | 04.12.2019 |
| 412 | DSR Rainbow Height Apartment Owners Welfare Association, BBMP Katha No.691/153/3, 24th Main, Near KEB Sub Station, Sector-2, HSR Layout, Bangalore-102. | 5 | 04.12.2019 |
| 413 | Parmount Raghavendra Akash Apartments Owners Welfare Association, Sy.No.33/2, Konappana Agrahara, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 414 | SNN Builders Pvt Ltd, Raj Serenity, Sy. No.49/1, 49/2, 41 & 42, of Begur Village & Sy. No. 40/1, 40/2, 40/3, 40/4, Yellanahalli Village, Begur Hobli, Bangalore | 5 | 04.12.2019 |

| | | | |
|-----|--|----|------------|
| 415 | Sumadhura Constructions, Sumadhura Anantham, Katha No.750/113/1/113/3/114/2, Sy. No.113/1, 113/3, 114/2, Singasandra Village, Begur hobli, Bangalore | 5 | 04.12.2019 |
| 416 | Praja Priya Engineers, by name " Radiant Resham", Sy.No.54/3A,Katha No-2190/234/54/3A, Yellanahalli, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 417 | Vaishnavi Infrastructure Pvt Ltd., by name " Vaishnavi Terrace", Katha No. 419,Sy.No. 179 & 180, JP Nagar 4th Phase, Bilekhalli, Begur Hobli, Bengaluru | 10 | 04.12.2019 |
| 418 | Sri Venkateshwara Developers, "GOLD HILL SQUARE", No.690, Hosur Main Road, Bommanahalli, Bangalore-560068. | 10 | 04.12.2019 |
| 419 | Citrus Resorts Pvt Ltd, (R.S. Kalyani Hotels Pvt.Ltd), No.28/29, K.No.838, Sy.No.80/2, Bellandur Village, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |
| 420 | Adamas Builders Pvt Ltd, [Formerly Supreme Build Cap Pvt Ltd], Sy. No. 27(P), 28/1(P), 28/2(P), 29/1,29/2,29/3A, 39/3B,32, 33,34/1,34/2,34/2,34/4,35, 36,37/1,37/2,42(P),43,44/4,44/2,46/3 Devarabisanahalli, varthur Hobli, Bangalore-103 | 5 | 04.12.2019 |
| 421 | Commercial Complex by B.P.Venkatswamy Reddy,(Total Mall)Sy.No.12/5, 12/6, 12/7 & 14 (P).Kaikondarahalli, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 5 | 12.02.2020 |
| 422 | Rohan Jharoka Apartment Owners Association, (Phase-II), Sy.No.20/1 to 5, 32 & 33/2, Of Kempapura Village, Varthur Hobli, Bangalore | 5 | 12.02.2020 |
| 423 | Lotus Petals Apartment, No.6/78,Doddakammanahalli, BG Road, Bengaluru -83 | 5 | 12.02.2020 |
| 424 | Brundavan Serenity Apartment, Kasavanahalli Main Road, Bengaluru -35 | 5 | 12.02.2020 |
| 425 | M/s.SJR Prime Corporation Pvt. Ltd, "SJR Water Mark", Sy.no.68, Kasavanahalli Village, Varthur Hobli, Bengaluru | 5 | 12.02.2020 |
| 426 | Bhavya Prestine,#235,Panathur-Doddakanahalli Road, Boganahalli,Bangalor | 5 | 12.02.2020 |
| 427 | M/s Golden woods, sy.no.12/3, kasavanahalli village, carmelaram, varthur hobli, bangalore-35 | 5 | 12.02.2020 |

| | | | |
|-----|--|---|------------|
| 428 | Janapriya Lake View, Resident Association, JPLV Apartment Phase-I, Sy no. 26/4 Vijayashree Lay Out, Kodichikkanahalli, bangalore-76 | 5 | 12.02.2020 |
| 429 | Janapriya Lake View Welfare Association(Apartment by Engineers Syndicate(I) Pvt. Ltd, SyNo 26/2, Phase 2, Beguru Hobli, Billekahalli | 5 | 12.02.2020 |
| 430 | M/s. Embassy Property Development Pvt Ltd., Sy. No.53, Deverabeesanahalli Village, Varthur Hobli, Bangalore. | 5 | 12.02.2020 |
| 431 | M/s Corporate Leisure & Property, Euphoria Apartment, Ibbalur, Outer Ring Road, Bengaluru | 5 | 12.02.2020 |
| 432 | M/s Golden Gate Properties Ltd. by name Bhuvana Greens, Sy.No. 15/3D, 29/4P, Kasavanahalli village, Varthur Hobli, Bangalore | 5 | 12.02.2020 |
| 433 | M/s Orchid Lake View Developers, Near Bellandur Mosque, Bellandur Lake Road, Bangalore | 5 | 12.02.2020 |
| 434 | Ananda Valmark Apartment Owners Association, Sy. No.98/2, 99/2, 100 & 101, Kammanahalli Village, Begur Hobli, Bangalore | 5 | 12.02.2020 |
| 435 | M/s Vascon venus apartment, sy.no.9, beratena agrahara, electronic city post, bangalore | 5 | 12.02.2020 |
| 436 | Nandi Retreat Apartment Owner's Welfare Association, Sy.No.92/2 & 92/3, Kammanahalli, Begur Hobli, Bangalore. | 5 | 12.02.2020 |
| 437 | Raja Housing Ltd in the name of RAJA ARISTOS, No.145/1, (Old No.96/3), Kammanahalli, Begur (H), Bangalore. | 5 | 12.02.2020 |
| 438 | SRK Towers, Big Bazaar complex, Plot No.448, Bannerghatta Road | 5 | 12.02.2020 |
| 439 | M/s SNN Grandeur Apartment, Sy.no.62/3 & 5, Bommanahalli village, Kodichikkanahalli main road, bangalore-80 | 5 | 12.02.2020 |
| 440 | Kuteer Bliss Apartment Owners Association, Sy. No.14/A, Kalena agrahara village, Begur Hobli, Bangalore | 5 | 12.02.2020 |
| 441 | Manoharam, Amani, Bellandur Khane, Croma Building Road, Pannatthur Road, Bangalore | 5 | 12.02.2020 |
| 442 | Indiqube Alpha, Kadubisanahalli, Pannatthur Road, Bangalore-104 | 5 | 12.02.2020 |
| 443 | Sriven@205, Croma Building Road, Pannatthur Road, Bangalore | 5 | 12.02.2020 |

| | | | |
|-----|--|---|------------|
| 444 | M/s Pioneer woodwinds, 3rd cross, sbi layout, devarachikkanahalli, bangalore-560076 | 5 | 12.02.2020 |
| 445 | New Horizon Educational & Cultural Trust, Sy.No. 14 (New ,48,48,90) 39, 40, 41 & 42, Kadubeesanahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 5 | 12.02.2020 |
| 446 | Prestige Property Manganment Services,, The Falcon House, Kadubisanahalli, Verthur Hobli, Bengaluru | 5 | 12.02.2020 |
| 447 | M/s Springvillae, Harlur village, kudlu road, bangalore-102 | 5 | 12.02.2020 |
| 448 | M/s Silver county apartment, khatha no. 48/210, sy.no.210, kudlu village, sarjapura hobli, anekal taluk, bangalore-68 | 5 | 12.02.2020 |
| 449 | M/s Silver crown apartment, Beside silver county, kudlu village, sarjapura hobli, anekal taluk, bangalore-68 | 5 | 12.02.2020 |
| 450 | M/s Silver pearl apartment, sy.no.72, kudlu village, choodasandra circle, hosa road, bangalore-100 | 5 | 12.02.2020 |
| 451 | M/s LGCL Ashlar villas, sy.no.55/1, 55/3 & 58/192, choodasandra, sarjapura hobli, bangalore-68 | 5 | 12.02.2020 |
| 452 | M/s Jana jeeva splendour -1, sy.no.1/11, Behind IOC petrol pump, rayasandra circle, naganathapura, hosa road, bangalore-120 | 5 | 12.02.2020 |
| 453 | M/s SLV Sankalpa ventures apartment, no.2, naganathapura, begur hobli, bangalore-120 | 5 | 12.02.2020 |
| 454 | M/s GR Sagar nivas, no.13, rayasandra main road, naganathapura, near central jail, hosa road, bangalore-68 | 5 | 12.02.2020 |
| 455 | Mahaveer Spring Annex, No.4/2, Sarakki Kere,5th Phase, JP Nagar, Bangalore | 5 | 12.02.2020 |
| 456 | M/s Pariwar Palace, No.67/2, Devarachikkanahalli Village, Begur (H), Bangalore. | 5 | 12.02.2020 |
| 457 | Prestige Pegasus, Sy.No.14, Sy.No.19, Kaikondanahalli Villag & Ambalipura village, Varthur Hobli, Bengaluru -35 | 5 | 12.02.2020 |
| 458 | Elan Homes Owners Association, "Divya Shree Elan", Sy. No. 15 & 23, Plot No.1, Katha No.87, Kaikondanahalli (V), Varthur (H), Bangalore-35 | 5 | 12.02.2020 |

| | | | |
|-----|--|---|------------|
| 459 | RMZ Ecoworld Infrastructure Pvt.Ltd [Previously Adarsha Prime Projects (P) Ltd,[Building -1,2,3-A & 3B, 4A,B&C, 5A&B, 6A & B,7 ,8A&B & 9A & B], Sy.No.s 19, 20, 21, 22 & 25 Sy.No.72 Sy.No. 96,97,98,99, 100 and 101, 102/1 2 3, 103, 104/1,2 , 105, 106 Devarabisanahaali, Doddakanahalli and Bogenahalli, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 5 | 12.02.2020 |
| 460 | RMZ Ecospace-Campus 1A,1B,1C,3A and 3B Sy. No. 17/2 to 17/4, 20 to 25/8, 43/1 to 50, Bellandur Village, Varthur Hobli, Bengaluru. | 5 | 12.02.2020 |
| 461 | Adarsh Developer, Palm Retreat, Sy.No.17/2 &17/3, Tower 3 to 7, ORR, Devarabisanahalli, Bangalore-103 | 5 | 12.02.2020 |
| 462 | Bren Corporation, [Formerly B. J. Neethu & Others, SY. No.22/1E & 22/2A, Katha No. 925/1, Kaikondrahalli village, Varthur Hobli, Bangalore | 5 | 12.02.2020 |
| 463 | Raja Sannidhi Apartment, Begur Koppa Road, Begur Hobli, Kammanahalli Village, Bengaluru | 5 | 12.02.2020 |
| 464 | Salarpuria Softzone,81/1,81/2, Katha No 799, ORR,Bellandur,Bangalore | 5 | 12.02.2020 |
| 465 | Pritech Park Trust, C/o RMZ Eco- Space Block-4B, Sy. No.17, 20-25, 29, 43 & 44, Bellandur Village, Varthur (H), Bengaluru | 5 | 12.02.2020 |
| 466 | Sriram Spandana Association, Challaghatta, Varthur-hobli, Bangalore-560037 | 5 | 12.02.2020 |
| 467 | M/s ND Passion apartment, no. 86/1, 86/2, kudlu village, harlur main road, bangalore-68 | 5 | 04.12.2019 |
| 468 | Axis Concepts Capstone Pvt Ltd., Sy. No.75/1A, Hulimavu Village, Begur Hobli, Bannerghatta Road, Bangalore | 5 | 04.12.2019 |
| 469 | Prestige Hi-Tech Projects, Silver crest, SY. No.27, Kariyammana Agrahara Village, Varthur Hobli, Bangalore | 5 | 04.12.2019 |
| 470 | Vedant Vyum,Begur Koppa main Road, Opposite SNN, Raj Serenity, Yelenahalli Village, off B G Road, Bangalore-68 | 5 | 04.12.2019 |
| 471 | BPL Telecom Ltd., 11th KM, Arakere, B.G.Road, Bangalore. | 5 | 04.12.2019 |
| 472 | Gangothri Elegants, Sy No. 85/3&4, 4 th Cross, Jyothi nagar, Bohra Layout, Gottigere-vil, Uttarahalli-hobli, Bengaluru south-tq, Banneraghatta road, Bangalore-83 | 5 | 04.12.2019 |

| | | | |
|-----|---|---|------------|
| 473 | RVS Shastri Residency, # 79/1, Hatimi street, Bohra Layout, Gottigere-vil, Uttarahalli-hobli, Bangalore south-tq, Banneraghatta road, Bangalore-83 | 5 | 04.12.2019 |
| 474 | IMG Windfall, Sy. No 6/1,2, 5 th Block, Anjanapura, Lalbahaddurshastri layout, Bangalore-62 (new 108). | 5 | 04.12.2019 |
| 475 | Sumukkha Maple Groove,Akshaya Gardens,Akshaya nagara, Bangalore-76 | 5 | 04.12.2019 |
| 476 | Mathrushree Orelan Homes,Kempaur-Yemlur Main Road | 5 | 04.12.2020 |
| 477 | Sai Garden Apartment,Kempalapur-Yemlur Main Road | 5 | 04.12.2019 |
| 478 | M/s. MGR Plateena, Near Kudlu gate, Hongasandra Bommanahalli, B'lore | 5 | 04.12.2019 |
| 479 | M/s Jsons Felicia apartment, sy.no.10/11,12, 2nd A cross, AECS layout, singasandra, bangalore-68 | 5 | 04.12.2019 |
| 480 | M/s. Purvi Lotus Apartment owners Association, somasandarpalya, Haralukunte, HSR Lyt Extension, Begur Hobli, Bangalore-78 (M/s. B M Developers) | 5 | 04.12.2019 |
| 481 | N.D. Sepel, N.D. Developers Pvt Ltd., Sy No 29/2A, Haralakunte village, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 482 | Pariwar Passion, Doddakammanahalli, near East India Tech Office, Bannerghatta Road, Bangalore-76 | 5 | 04.12.2019 |
| 483 | Century Paradise, 1st Stage,Tejaswini Nagar, Phase-1, Doddakammanahalli, Bangalore-76 | 5 | 04.12.2019 |
| 484 | Mahaveer Glacier, 1st Main, 1st cross, Vijaya Bank Road, Arekere, BG Road, Bangalore-76 | 5 | 04.12.2019 |
| 485 | Pride Regalia Apartment Owners Association, Sy.No.80/3, Hulimavu Village, Begur Hobli, Bangalore. | 5 | 04.12.2020 |
| 486 | AECS Maruti College of Dental Sciences & Research Centre, 108, Hulimavu tank Bund Road, BTM 6th Stage, 1st Phase. Off. Bannerghatta Road, Kammanahalli, Bangalore | 5 | 04.12.2019 |
| 487 | GRS Towers, No.18/2A, Ambilapura Village, Bellandur gate, Sarjapura Main Road, Bangalore-102. | 5 | 04.12.2019 |
| 488 | Elegance Garnet, Outer Ring Road, Intel Service Road, Bellandur, Bangalore-103 | 5 | 04.12.2019 |
| 489 | Balaji Meadows Apartment, No-111, 6th Cross,Akshayanagr,50 Ft Yellenahalli Road, Bengaluru | 5 | 04.12.2019 |

| | | | |
|---|--|----------------|------------|
| 490 | Amoda Valmark Apartment Owner's Welfare Association, Sy No 132/3, Dodda Kammanahalli Village, BG Road, Begur Hobli, Bangalore. | 5 | 04.12.2019 |
| 491 | Donata Constructions, Plot No.46, Katha No.2820/2633/46, Sy. No.25/2, Kasavanahalli, Varthur Hobli, Bangalore | 5 | 04.12.2019 |
| 492 | Oceanus Monarda Apartment Owners Association, Sy.No.15/3A & 15/3B, Kasavanahalli Village, Varthur Hobli, Bengaluru East Taluk Bengaluru Urban District | 5 | 04.12.2019 |
| 493 | KPR Elite, No.201, Amruth College Road, Kasavanahalli, Camel Ram Post, Bangalore-35 | 5 | 04.12.2019 |
| 494 | Silver Ton Apartment,163/1,Manipal County Road, Singasandra,Bangalore-68 | 5 | 04.12.2019 |
| 495 | Mantri Dwellings Pvt Ltd, Mantri DSK Pinnacle, Sy. No.60/1 (P), Hulimavu (V), Begur Hobli, Bannerghatta Road, Bangalore | 5 | 04.12.2020 |
| 496 | HTMT Global Solutions Ltd., ; No.4,5, & 6, Narendra Arcade, Garvebhavipalya, Hosur Road, B'lore. | 5 | 04.12.2020 |
| Total | | 28880.0 | |
| Total Rs. - 28880 Lakhs are 288.8 crores | | | |

K.S. Shetty
Regional Officer,

Bommanahalli

Regional Officer,
Bommanahalli
Karnataka State Pollution Control Board
Bangalore - 560 010

RO-

M. S. Srinivas
Regional Officer,

RO-Mahadevapura

ಪಂಚರ ಅಧಿಕಾರಿ
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
ಬೆಂಗಳೂರು-ಮಹದೇವಪುರ, ಬೆಂಗಳೂರು


Annexure- 6A

LIST OF APARTMENT /COMMERCIAL ESTABLISHMENTS PAID ENVIRONMENTAL COMPENSATION

| Sl.No | Name And Address of the Units | Date | Amount |
|-------|--|------------|--------|
| 1 | Nandi Gardens Apartment Owners Association, Opp. Promac Industries, Sy. No. 12/23, 24, 25, 9th Phase, J.P. Nagar, Anjanapujra Post, Avalahalli, Bangalore | 21.01.2020 | 5.0 |
| 2 | SJR Builders by name SJR Luxuria, Sy.No.100/P/1, 101/1 & 103, Arekere (V), Begur (H), Bangalore. | 21.01.2020 | 5.0 |
| 3 | Maruthi Infotech Centre, Sy. No. 11/1 & 12/1, Challagatta Village, Amariyothi Layout, Intermediate Ring Road, Domlur, bangalore | 06.02.2020 | 5.0 |
| 4 | Intel Technology India Pvt Ltd Plot No 23 to 56P, Sy No 23/1,23/2P,24,25, 26/P.Devarabeesanahalli, Outer ring road, Varthur hobli, Bellandur post, Bengaluru 560 103 | 06.02.2020 | 5.0 |
| 5 | H.S.B.C. Electronic Data Processing India Pvt Ltd, "FUTURA", No.148/1, Bannerghatta Road, Bilekahalli Village, Bangalore -560076. | 12.02.2020 | 10.0 |
| 6 | Samhi JV Business Hotels Pvt Ltd [Formerly Supreme Build Cap Pvt Ltd.,], Sy. No.43,44/1, 44/2, Devarabisanahalli, Varthur Hobli, Bangalore | 15.02.2020 | 5.0 |
| 7 | Keys Hotel, No.7, Hosur Main Road, Singasandra Village, Bangalore | 17.02.2020 | 5.0 |
| 8 | Accenture Service Limited, C/o, RMZ Eco Space Campus-2A Block. No.17/2 to 17/4 to 25/B, 43/1 to 50, Bellandur Village, Bengaluru | 17.02.2020 | 5.0 |
| 9 | Accenture Service Limited, C/o, RMZ Eco Space Campus-2B Block. No.17/2 to 17/4 to 25/B, 43/1 to 50, Bellandur Village, Bengaluru | 17.02.2020 | 5.0 |
| 13 | AMR Tech Park, 1, 1A, 2A, No.23/24, Hongasandra, Bommanhalli Hosur Main Road, Bangalore-560068 | 26.02.2020 | 5.0 |
| 14 | AMR Tech Park, IV A/B No.23/24, Hongasandra, Bommanhalli Hosur Main Road, Bangalore-560068 | 26.02.2020 | 5.0 |
| 15 | Royal Citadel Apartment Owners Association, No.157/6, 155/1A1, Begur village, Begur Hobli, Bangalore | 09.03.2020 | 5.0 |


| | | | |
|----|---|------------|-----|
| 16 | Golf Links Software Pvt Ltd, Sy. No. 13/2, 10/3, 13/1, 14,15(P), 8/2, 2/1, 2/2, 2/3, 2/4, 4(P), 5/1,6,7,7/1,7/2,7/4,8,8/1, 8/2A, 8/2B, 8/3,8/4 & 10 of Challaghatta Village, Off Intermediate Ring Road, Bangalore | 06.03.2020 | 5.0 |
| 17 | GV Properties PVt Ltd, Embassy Point, Sy. No.10/2A & 10/2B, Challaghatta Village, Varthur Hobli, Bangalore | 06.03.2020 | 5.0 |
| 18 | Mohan Enterprises, Kalyani Magnum, Sy.No. 165/2, Doresanipallya, Bengaluru | 12.03.2020 | 5.0 |
| 19 | Mohan Enterprises, Kalyani Vista Sy.No. 165/1,165/17, Doresanipallya, Bengaluru | 12.03.2020 | 5.0 |
| 20 | Mohan Enterprises, Krishna Magnum, Sy.No. 165/3, 165/4, Doresanipallya, Bengaluru | 12.03.2020 | 5.0 |
| 21 | New Horizon Educational & Cultural Trust, Sy.No. 14 (New ,48,48,90) 39, 40, 41 & 42, Kadubeesanahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru Urban District | 05.03.2020 | 5.0 |
| 22 | Techpark Hotels Pvt. Ltd.(Novotel & IBIS), Sy.No. 41/1 & 41/2, Devarabisanahalli, Varthur Hobli, Bengaluru. | 16.03.2020 | 5.0 |
| 23 | Ushodaya Luxuria Owners Association, Sy.No.29/11, IAS Layout, Kasavanahalli, Central jail Road, Bengaluru | 23.03.2020 | 5.0 |
| 24 | M/s. RMZ Ecoworld Infrastructure Pvt.Ltd, Devarabeesanahalli Village, Varthur Hobli, Bengaluru | 11.05.2020 | 5.0 |
| 25 | Adamas Builders Pvt Ltd, [Formerly Supreme Build Cap Pvt Ltd], Sy. No. 27(P), 28/1(P), 28/2(P), 29/1,29/2,29/3A, 39/3B,32, 33,34/1,34/2,34/2,34/4,35, 36,37/1,37/2, 42(P),43,44/4,44/2,46/3 Devarabisanahalli, varthur Hobli, Bangalore | 29.05.2020 | 5.0 |
| 26 | Cessna Garden Developers (P) Ltd.' Cessna Business Park-Phase I & II (Block, 1,2,5,6,7,8 & MLCP) Sy.No.5,6,3/2B, 4(P), 79(P), 8/1,8/2,11(P),12/2(P),12/3(P), 12/4, 17/1(P), 17/3(P),17/4, 38/2,43,44, 7& 9 of Kadabeesanahalli Village, Marathalli-Sarjapur Outer Ring Road, Varthur Hobli, Bengaluru | 10.06.2020 | 5.0 |
| 27 | RMZ Ecospace-Campus 1A,1B,1C,3A and 3B, Sy. No. 17/2 to 17/4, 20 to 25/8, 43/1 to 50, Bellandur Village, Varthur Hobli, Bengaluru | 20.06.2020 | 5.0 |
| 28 | Confident Pheonix Apartment Owners Association, Sy.No.85 & 86, Kasavanahalli, Varthur Hobli, Bengaluru | 13.08.2020 | 5.0 |

| | | | |
|---------------------------|--|------------|------------|
| 29 | Suadela Construction Pvt Ltd, (Hiranandani Projects), Sy.No.321/2B(P), 321/2C, 322/1, 323/1(P),323/3,323/4, 323/5,323/6,323/7, 325/1(P),325/2,327,328/1,328/2,328/3,328/4,330, 331,332/2 of Begur Village & 19(P) of Hulimavu Begur Hobli, Bangalore | 03.09.2020 | 5.0 |
| 30 | Sai Smaran Constructions, by name Sai Garden, Sy.No. 18/1, K.No.188, Kempapura Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru | 14.10.2020 | 5.0 |
| 31 | DSR Spring Beauty Apartment, Sy. No. 124/1, Kundalahalli, ITPL Main Road, Whitefield Road, Bengaluru | 04.12.2019 | 5.0 |
| 32 | Prism Properties, Prism Sovereign apartment, Sy.No.106/1 & 107, Kundalahalli village, K.R.Puram Hobli, Bangalore East Taluk | 04.12.2019 | 5.0 |
| 33 | Island Star Mall Developers Private Limited, No 40/41, Lower ground, Whitefield Main Road, Mahadevapura Post, Bengaluru 560 048. | 04.12.2019 | 5.0 |
| 34 | Chitrakuta Environs, Sy. No. 184, 7th cross, Virabhadra Nagar, Bengaluru 560 037 | 04.12.2019 | 5.0 |
| 35 | Sumadhura Silver Ripples, Katha No. 222/183, Sy. No. 25/1A, 25/2 28, 30/2, Nallurahalli Village, Bengaluru 560 066 | 04.12.2019 | 5.0 |
| 36 | Gopalan Millenium Towers, Sy. No. 133, Kundalahalli Village, K.R. Puram Hobli, Bengaluru | 04.12.2019 | 10.0 |
| 37 | Soul Space Projects Limited, (Soul Space Arena), Sy No. 36/5, Doddenakundi VillageMahadevapura Post, Outer Ring Road,Bangalore East Taluk | 04.12.2019 | 5.0 |
| 38 | Ferns Builders and Developers Ltd , (Ferns Icon), Sy No. 28, 34/3, 36/2, 36/3, 36/4 & 36/5 of Doddanekundi Village Bangalore East Taluk | 04.12.2019 | 5.0 |
| Grand Total in Rs. | | | 185 |


Regional Officer,

RO-Mahadevapura

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪರಿಸರ ಸಂರಕ್ಷಣೆ ಮತ್ತು ಮಾನವ ಸಂಪನ್ಮೂಲ ಇಲಾಖೆ
ಬೆಂಗಳೂರು - 560 010


Regional Officer

Regional Office, Bommanahalli
Regional Office, Bommanahalli
Karnataka State Pollution Control Board
Bangalore - 560 010