

**BEFORE THE HONOURABLE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI.**

O.A. No. 13 of 2021

IN THE MATTER OF:

Tribunal on its own motion Suo Motu
based on the News Item in Deccan Chronicle English Newspaper,
Dt. 10.12.2020, "Kurnool shocked by quality of KMC Water

..Applicants

Versus

1. Union of India
Rep. by its Secretary,
Ministry of Environment, Forest & Climate Change,
Indira Paryavaran Bhavan,
Jorbagh, New Delhi-110 003,
Mail: secy-moef@nic.in
Phone: 011 - 24695262.

..... Respondents

REPORT FILED BY THE 8TH RESPONDENT HEALTH DEPARTMENT

23-3-2021



**M/S MADHURI DONTI REDDY
ADVOCATE**

**STANDING COUNCIL FOR GOVERNMENT OF
ANDHRA PRADESH**

**A.P. POLLUTION CONTROL BOARD
T.T.D. SUPREME COURT OF INDIA**

#S2, Royal Castle, 26, Gill Nagar Extension, Choolaimedu,
Chennai - 600 094. Mobile: 98407 98460 / 6383121322

COUNSEL FOR R2 to R10, R12 to R22

Report of Health, Medical & Family Welfare Department on the orders of the Hon'ble Green Tribunal in O.A.No.13 of 2021, Dated:23.02.2021.

-OO-

It is submitted that the District Medical & Health Officer, Kurnool has reported that the quality of treated water is being tested at the Regional Public Laboratory, Kurnool Medical College Campus, Kurnool and the quality of Water is certified as satisfactory and within normal limits for Drinking purpose. The report of Regional Public Health Laboratory, Kurnool are enclosed.

2. The District Medical Officer, Kurnool has also reported that they have conducted house to house survey to find out the water borne diseases if any and quality of water being consumed and also reported that "the survey conducted in 12 urban PHC of Kurnool Municipal Area with ANMs and ASHAs covering 118019 households and reported only 11 diarrhea cases during the period. The survey report on the water born diseases furnished by the Regional Public Laboratory, Kurnool is also herewith furnished for favour of kind information.

ANIL KUMAR SINGHAL
PRINCIPAL SECRETARY TO GOVERNMENT


26/3/2021
Deputy Secretary to Government
Health, Medical and Family Welfare Department
A.P. Secretariat, Velagapudi,
Amaravathi.

ANNEXURE - V

Water Analysis Report



REGIONAL PUBLIC HEALTH LABORATORY
KURNOOL MEDICAL COLLEGE CAMPUS: KURNOOL – AP
 (Under the Control of the Directorate, I.P.M. P.H. Labs., Gollapudi Vijayawada)

REPORT OF CHEMICAL EXAMINATION OF WATER

Name & Address of Sender	MPL PROTECTED WATER SUPPLY-KURNOOL MPL CORPORATION		
Sender's Ref.. Number		Collected by	Engineering staff
Date of Sample Collected	11 th DECEMBER 2020	Date of Receipt	11 th DECEMBER 2020
Lab Reference Number	1148/C/2020	Receipt Number	NA
Source of the Sample	Clear Water from 9 MGD Treatment plant of Ashok nagar *sample tested as received basis		

RESULTS

PHYSICAL CHARACTERISTICS

S.No	Characteristics	Results	Lower and Upper permissible limit as per IS 10500 2012
01	Appearance	Normal	Normal
02	Colour	05	5-10 HU
03	Turbidity (Units)	05	10NTU
04	Odour	No odour	Unobjectionable

CHEMICAL CHARACTERISTICS

05	pH	7.2	6.5 – 8.5
06	Electrical Conductivity (µMhos/cm at 25°C)	1120	
The following values are expressed as mg/L			
07	Dissolved Solids (105°C)	739	500-1500
08	Alkalinity/Phenolphalein	0	
09	Methyl Orange (as Ca CO ₃)	160	300-600
10	Total Hardness (as Ca CO ₃)	220	200-600
11	Carbonate Hardness (as Ca CO ₃)	160	
12	Non-Carbonate Hardness (as Ca CO ₃)	060	
13	Chlorides (as Cl)	280	200
14	Nitrates (as N)	05	45
15	Flourides (as F)	0.8	0.5-1.5
16	Ammonia cal Nitrogen	Nil	Absent
17	Albuminoidal Nitrogen	Nil	Absent
18	Nitrites (as NO ₂)	Nil	Absent
19	Oxygen consumed from KMnO ₄		
20	Iron	0.1	1.0
21	Sulphates	80	200
22	Any other sp test * E COLI/Coliform	Absent	NIL

Remarks: *H2S method

All the characteristics are within normal limits for drinking purpose.

[Signature]
 13/12/2020
 SENIOR ANALYST
 REGD PUBLIC HEALTH LAB
 KURNOOL 518002

[Signature]
 Section Officer 26.3.2021.

Health, Medical and Family Welfare (H) Dept.
 A.P. Secretariat, Velagapudi,
 Amaravathi

Scanned by CamScanner

ANNEXURE - VI



REGIONAL PUBLIC HEALTH LABORATORY
KURNOOL MEDICAL COLLEGE CAMPUS: KURNOOL – AP
(Under the Control of the Directorate, I.P.M. P.H. Labs., Gollapudi Vijayawada)

REPORT OF CHEMICAL EXAMINATION OF WATER

Name & Address of Sender	KURNOOL MPL CORPORATION		
Sender's Reference Number		Collected by	Mpl Engineering staff
Date of Sample Collected	13 th MARCH 2021	Date of Receipt	13 th MARCH 2021
Lab Reference Number	0264/C/2021	Receipt Number	
Source of the Sample Label as	CLEAR WATER *(sample tested as received basis) SUMP- HWW ASHOK NAGAR		

RESULTS

PHYSICAL CHARACTERISTICS


S.No	Characteristics	Results	Lower and Upper permissible limit as per IS 10500 2012
01	Appearance	Normal	Normal
02	Colour	05	5-10 HU
03	Turbidity (Units)	10	10NTU
04	Odour	No odour	Unobjectionable

CHEMICAL CHARACTERISTICS

05	p ^H	7.4	6.5 – 8.5
06	Electrical Conductivity (Microhoms/cm at 25°C)	1600	
The following values are expressed as mgs/L			
07	Dissolved Solids (105°C)	1056	500-1500
08	Alkalinity/Phenolphalein	0	
09	Methyl Orange (as Ca CO ₃)	240	300-600
10	Total Hardness (as Ca CO ₃)	480	200-600
11	Carbonate Hardness (as Ca CO ₃)	240	
12	Non-Carbonate Hardness (as Ca CO ₃)	240	
13	Chlorides (as Cl)	360	200
14	Nitrates (as N)	05	45
15	Flourides (as F)	1.0	0.5-1.5
16	Ammonia cal Nitrogen	Nil	Absent
17	Albuminoidal Nitrogen	Nil	Absent
18	Nitrites (as NO ₂)	Nil	Absent
19	Oxygen consumed from KMnO ₄		
20	Iron	0.3	1.0
21	Sulphates	80	200
22	Any other sp test		

Remarks:

All the characteristics are within normal limits for drinking purpose
ADVISED 0.5 PPM RESIDUAL CHLORINE IN DISTRIBUTION SYSEM


 SENIOR ANALYST
 REGIONAL PUBLIC HEALTH LAB
 KURNOOL

Section Officer
 26.03.2021

Health, Medical and Family Welfare (H) Dept.
 A.P. Secretariat, Velagapudi,
 Amaravathi

4408070/2021/CAO-HMF04

2010 11-20,000 L.C. -24-3-2011.

REGIONAL PUBLIC HEALTH LABORATORY
KURNOOL MEDICAL COLLEGE CAMPUS : KURNOOL- AP.
(Under the Control of The Directorate, I.P.M.P.H.Labs.,Hyderabad)

REPORT OF BACTERIOLOGICAL EXAMINATION OF WATER

Sample received from: Kurnool Milk Corporation
Date and hour of Collection: 13-03-2021 Date of Receiving 13-03-2021
Source of Water: clean water - Sump - H.W.W Ashoknagar

Lab Ref No: 341/B/2021 Receipt No: - Date -

Results of Examinations:

Total colonies /ml.

On agar 37°C:

Per 100 ml: nil

Nature of Coli form:

Bacteria Isolated : nil

BACTERIOLOGICAL QUALITY

[Signature]
SENIOR WATER ANALYST
REC: [Signature]

[Signature]
CIVIL SURGEON BACTERIOLOGIST
REGIONAL LABORATORY: KURNOOL
Phone.No: 085 16-255676

[Signature]
Section Officer
Health, Medical and Family Welfare (H) Dept.
A.P. Secretariat, Velagapudi,
Amaravathi

4408070/2021/CAO-HMF04

11-20,000 L.C.-24-3-2011.

REGIONAL PUBLIC HEALTH LABORATORY
KURNOOL MEDICAL COLLEGE CAMPUS : KURNOOL- AP.
(Under the Control of The Directorate, I.P.M.P.H.Labs.,Hyderabad)

REPORT OF BACTERIOLOGICAL EXAMINATION OF WATER

Sample received from: Kurnool Milk Corporation
Date and hour of Collection: 13.03.2021 Date of Receiving 13.03.2021
Source of Water: CEEP WATER - Sump - H.W.W. Ashoknagar

Lab Ref No: 341/B/2021 Receipt No: - Date: -

Results of Examinations:

Total colonies /ml.

On agar 37°C:

Per 100 ml: Nil

Nature of Coli form:

Bacteria Isolated : Nil

BACT. LAB. QUALITY

[Signature]
SENIOR WATER ANALYST
REC. [Stamp]

[Signature]
CIVIL SURGEON BACTERIOLOGIST
REGIONAL LABORATORY: KURNOOL
Phone No: 085 18-255675

[Signature] 26.03.2021
Section Officer
Health, Medical and Family Welfare (H) Dept.
A.P. Secretariat, Velagapudi,
Amaravathi

4408070/2021/CAO-HMF04

11-20,000 L.C.-24.3.2011.

**REGIONAL PUBLIC HEALTH LABORATORY
KURNOOL MEDICAL COLLEGE CAMPUS : KURNOOL-AP.**
(Under the Control of The Directorate, I.P.M.P.H.Labs.,Hyderabad)

REPORT OF BACTERIOLOGICAL EXAMINATION OF WATER

Sample received from: KURNOOL MPCL CORPORATION

Date and hour of Collection: 13.03.2021

Date of Receiving: 13.03.2021

Source of Water: New water - SS Tank

Lab Ref No: 340/B/2021

Receipt No: -

Date: -

Results of Examinations:

Total colonies /ml.

On agar 37°C:

Per 100 ml:

460

BACTERIOLOGICAL QUALITY
NOT GUARANTEED

Nature of Coli form:

Bacteria Isolated :

Coliform

[Signature]
SENIOR WATER ANALYST
SENIOR ANALYST
REGIONAL PUBLIC HEALTH LAB
KURNOOL-518002

[Signature]
CIVIL SURGEON BACTERIOLOGIST
REGIONAL LABORATORY: KURNOOL
Phone No. 08518/255876

[Signature]
Section Officer
26.03.2021

Health, Medical and Family Welfare (H) Dept.
A.P. Secretariat, Velagapudi,
Amaravathi

Water Born Diseases House to House Survey Report - KURNOOL URBAN								
S.No	Name of UPHC	Name of Ward Secretariat	Name of ANM	Name of Asha	No. of Houses Visited	Safe Drinking Water Facility Yes / No	No. of Diarrhoeal Cases Identified & Reported	Total Area Finished/ Pending
1	Bandimetta	3rd ward/8th Sachivalam Ganigalli	S.Uma Maheswari	N.Asiya Begum	698	YES	0	FINISHED
2	Bandimetta	3rd ward, 6th sachivalayam	venkatalakshamma	B rajeswari	829	YES	1	FINISHED
3	Bandimetta	Bongulabazar, 11th ward, 26sachivalayam	usha rani	G shanthamma	871	YES	1	FINISHED
4	Bandimetta	Erraburju, 02/05	M Ramulamma	P aruna	822	YES	0	FINISHED
5	Bandimetta	kalla street	k ramasubbamma	s habibunisa	1168	YES	0	FINISHED
6	Bandimetta	mogalpara	vg nagarani	s sabitha	573	YES	0	FINISHED
7	Bandimetta	old ediga area	s vimalamma	D rajeswari	846	YES	1	FINISHED
8	bandimetta	sharaff bazar, 12th sachivalayam	p surekha	B manikyamma	1225	YES	1	FINISHED
9	Bandimetta	khadakpura	m padamavathi	ashiya begum	947	YES	0	FINISHED
10	Bandimetta	mangalveedi, 4th ward	v f geetha	m Lakshmi	688	YES	0	FINISHED
11	Indhiramma katta	Indhiramma katta	B Mahalakshmi	M Jayalakshmi	1231	YES	0	FINISHED
12	Indhiramma katta	Kallur ward office	K Ravanamma	A Lalitha	981	YES	0	FINISHED
13	Indhiramma katta	Mahaveer nagar	G Tharani	Rajeshwari	714	YES	0	FINISHED
14	Indhiramma katta	Neela kanteswar devalayam old Kallur	C Manjula	B Prasanna Lakshmi	750	YES	0	FINISHED
15	Indhiramma katta	New Krishna nagar -1	N Krishnaveni	B Laksmi	586	YES	0	FINISHED
16	Indhiramma katta	New Krishna nagar -2	R P Renuka	Madamma	1123	YES	0	FINISHED
17	Indhiramma katta	Police colony	M Puspalatha	Ragavendramma	913	YES	0	FINISHED
18	Indhiramma katta	Subbalaxmi nagar	V Sarala	B.Savithri	867	YES	0	FINISHED
19	Indhiramma katta	Tarakarama nagar	P Anuradha	D.Renuka	803	YES	0	FINISHED
20	Indhiramma katta	Vittal nagar	O Renuka	M. Jyothi	1220	YES	0	FINISHED
21	JOHARAPURAM-1	LAXMIGARDENS	M.ARUNA	D UMADEVI	1026	YES	2	FINISHED
22	JOHARAPURAM-1	Chanikyapuri colony	R Umamaheswaramma	P. Nagamani	1200	YES	0	FINISHED
23	JOHARAPURAM-1	NETAJI NAGAR	A KIRAN SAILAJA	VENKATESWARI	827	YES	1	FINISHED
24	JOHARAPURAM-1	Dharga area	R.Vineelamma	B. Rajitha	1306	YES	0	FINISHED
25	JOHARAPURAM-1	TAPPETA STREET	L Nagamani	P Hymavathi	1300	YES	0	FINISHED
26	JOHARAPURAM-1	INDIRAMMA HOUSES	N.JHANSI RANI	MADAMMA	535	YES	0	FINISHED
27	JOHARAPURAM-1	APHB COLONY	G Dhanalakshmi	K kavitha	1257	YES	0	FINISHED
28	Joharapuram2	ANGANWADI CENTRE (Kamma Street)	VIDYAVATHI	B.UMA	600	YES	0	FINISHED
29	Joharapuram2	BUDHAWARAPETA (Budawarapeta-2)	B LAKSHMI	E.BHARATHI	1350	YES	0	FINISHED
30	Joharapuram2	GOVT . GENERAL HOSPITAL (Budawarapeta-3)	R MADHAVI	P.MARRY	900	YES	0	FINISHED
31	Joharapuram2	HARIJANA WADA	K NAGAMANI	S.PRAMEELA	1077	YES	0	FINISHED
32	Joharapuram2	KINDA GERI (NEAR MATHA MARENAMMA TEMPLE)	J KAVITHA	M.LAKSHMI KANTHA	800	YES	0	FINISHED
33	Joharapuram2	KINDA GERI (NEAR MATHA MARENAMMA TEMPLE)	D KUSUMA PRIYA	M.PADMAVATHI	963	YES	0	FINISHED
34	Joharapuram2	MARIDIAN FUNCTION HALL (Budawarapeta-1)	P LAKSHMI DEVI	P.PRABHAVATHI	660	YES	0	FINISHED
35	Joharapuram2	NEAR ANJANEYA SWAMY TEMPLE (Habeeb Mubarak	S PULLAMMA	K.PARVATHAMMA	850	YES	0	FINISHED
36	Joharapuram2	OSMANIA COLLEGE	M PRASHANTHAMMA	D RAJESWARI	977	YES	0	FINISHED

S.No	Name of UPHC	Name of Ward Secretariat	Name of ANM	Name of Asha	No. of Houses Visited	Safe Drinking Water Facility Yes / No	No. of Diarrhoeal Cases Identified & Reported	Total Area Finished/ Pending
37	Joharapuram2	VADDA GERI	M PUSHPALATHA	S NAGALAKSHMI	988	YES	0	FINISHED
38	Joharapuram2	CHINNA MARKET	K Indira Bai	B Divya Bharathi	1056	YES	0	FINISHED
39	Joharapuram2	DANDI GERI	R Suvamma	K Chinnari	876	YES	0	FINISHED
40	Joharapuram2	PEDDA PAKAKANA	K.Neelavathi	T Pavithra	892	YES	0	FINISHED
41	Joharapuram2	TELUGU GERI	P Nagamma	B Thirupathamma	1093	YES	0	FINISHED
42	Mujjafarnagar	34/90,srinivasa nagar	G.Vani	P.Rajeswari	1553	YES	0	FINISHED
43	Mujjafarnagar	34/89,Ayyappa nagar	K.Suseela	D.Sharada	1552	YES	0	FINISHED
44	Mujjafarnagar	34/91,Bhagavan nagar	P.Rajeswari	P.Swarnalatha	952	YES	0	FINISHED
45	Mujjafarnagar	31/82,Mujjafar nagar	S.Swarnatatha	Panyam Raghavendramma	1450	YES	0	FINISHED
46	Mujjafarnagar	28/Pandipadu	N.Maheswaramma	V.Pushpavathamma	1409	YES	0	FINISHED
47	Roza-1	Roja street-01	J Sanjamma	N Lalitha	963	YES	0	FINISHED
48	Roza-1	99 sachlm munagalapadu	v.madhuramani	m.suseelamma	1460	YES	0	FINISHED
49	Roza-1	121 Sachlm Challa compound	M. Uma Maheswari	B. Suhasini	612	YES	0	FINISHED
50	Roza-1	126 Sachlm NR.PETA-1	K.VENKATESWARAMMA	K.LAKSHMI	584	YES	0	FINISHED
51	Roza-1	Roja street-01	J Sanjamma	N Lalitha	963	YES	0	FINISHED
52	Roza-1	124 Sachlm ROJA STREET-02	S JAYA KUMARI	B BHULAKSHMI	658	YES	0	FINISHED
53	Roza-1	125 Sachlm Prakash Nagar	M. Laxmi	M.Suvatthamma	807	YES	0	FINISHED
54	ROJA STREET-2	KOTHAPETA-RAITHUBAZAR (49A/127)	A.BHUWANESHWARI	A.SALOMI	1037	YES	0	FINISHED
55	ROJA STREET-2	KOTHAPETA-MANGALAGERI (49B/128)	G.SUJATHAMMA	K.CHANDRAKALA	996	YES	0	FINISHED
56	ROJA STREET-2	GOULIGERI (50A/129)	U.KALYANI	RUTHAMMA	1005	YES	0	FINISHED
57	ROJA STREET-2	N.R PETA-2 (50B/130)	M.NAGAMALLESWARI	K.BRUNDHA DEVI	449	YES	0	FINISHED
58	ROJA STREET-2	S.NAGAPPA STREET (51A/131)	B.RENUKA	G.NAGESHWARAMA	1222	YES	0	FINISHED
59	ROJA STREET-2	SAI BABA SANGEEVA NAGAR (51B/132)	B.SIRISHA	B.MADHAMMA	948	YES	0	FINISHED
60	SHAREEN NAGAR	80-Sachivalayam Subbalaxmi nagar-01	V.Sarala	B.Savithri	867	YES	0	FINISHED
61	SHAREEN NAGAR	75 sachivalayam/ shareennagar 02	N.Kalyani bai	Tk.Krishnaveni	627	YES	0	FINISHED
62	SHAREEN NAGAR	UDYOGANAGAR	S CHANDANA	P IMAMBEE	750	YES	0	FINISHED
63	SHAREEN NAGAR	SAVARITHOTA	B.KALYANI	G.BHARATHI	730	YES	0	FINISHED
64	SHAREEN NAGAR	VITTAL NAGAR	O.RENUKA	M. JYOTHI	1220	YES	0	FINISHED
65	SHAREEN NAGAR	THARAKA RAMA NAGAR	P.ANURADHA	D. RENUKA	803	YES	0	FINISHED
66	SHAREEN NAGAR	HOUSING BOARD COLONY	K.Shantha kumari	M.SWAPNA	720	YES	0	FINISHED
67	SHAREEN NAGAR	SHAREENNAGAR 01	K.Anuradha	K.Rani	646	YES	0	FINISHED
68	SHAREEN NAGAR	RAGHAVENDRA NAGAR	M.GANGAMMA	G.VIJAYA LAKSHMI	1246	YES	0	FINISHED
69	SHAREEN NAGAR	ITC COMPANY	K.PRAMEELA KUMARI	BHARATHI	1130	YES	0	FINISHED
70	SHAREEN NAGAR	27/70sachivalayam Venkatadri nagar	P.venkata pavanewari	S.Rajini	610	YES	0	FINISHED
71	SHAREEN NAGAR	Abbas nagar 69th Secretariat	P. Lakshmi devi	Tirumala	747	YES	0	FINISHED
72	SHAREEN NAGAR	Ramachandranagar	K.Ramanamma	S jyothi	800	YES	0	FINISHED
73	SHAREEN NAGAR	SHAREEN NAGAR-03	C.PUSHPA	Y.JAYAMMA	738	YES	0	FINISHED

S.No	Name of UPHC	Name of Ward Secretariat	Name of ANM	Name of Asha	No. of Houses Visited	Safe Drinking Water Facility Yes / No	No. of Diarrhoeal Cases Identified & Reported	Total Area Finished/ Pending
74	SHAREEN NAGAR	New Krishna nagar-1	N Krishnavenamma	B Laxmi	586	YES	0	FINISHED
75	SHAREEN NAGAR	New Krishna nagar 2	R. P. Renuka	Madhamma	1123	YES	0	FINISHED
76	ILLUR NAGAR	IG NAGAR -1	jeevitha	p v pushpavathi	1104	YES	0	FINISHED
77	ILLUR NAGAR	NARSIMHAREDDY NAGAR 119/45A	voilet kumari	radha	456	YES	0	FINISHED
78	ILLUR NAGAR	INDIRAGANDHI NAGAR-02-112/42	menaka	a parvathi	867	YES	0	FINISHED
79	ILLUR NAGAR	market yard	bujamma	r prashanthi	627	YES	0	FINISHED
80	ILLUR NAGAR	CHALLAVARI STREET	LEELAVATHI	G SAROJA	750	YES	1	FINISHED
81	ILLUR NAGAR	SITARAMNAGAR	ARUNA	LAKSHMI MADHURI	730	YES	0	FINISHED
82	ILLUR NAGAR	Ramalingeswar nagar	RAJYALAKSHMI	RAMESWARI	1220	YES	0	FINISHED
83	ILLUR NAGAR	Bangarupeta 13/31 sachivalayam	NARASAMMA	H SUJATHA	803	YES	0	FINISHED
84	ILLUR NAGAR	Ashoknagar 01	ANASUYAMMA	B PRAMEELA	720	YES	1	FINISHED
85	ILLUR NAGAR	ASHOK NAGAR 2, 45/120	SHINY DEEVENA PREMI	ASHIRVADAMMA	646	YES	0	FINISHED
86	ILLUR NAGAR	VR colony. 44 ward. 118 sachivalayam	RAJINI KUMARI	M PRASANNA RANI	1246	YES	0	FINISHED
87	ILLUR NAGAR	kappal nagar	ANURADHA	SUJATHA	1130	YES	0	FINISHED
88	ILLUR NAGAR	BALAJINAGAR	BUJJAMMA	N SUNEETHA	610	YES	1	FINISHED
89	ILLUR NAGAR	SUBBALAXMI NAGAR -02	YASHODAMMA	ZILEKA BI	747	YES	0	FINISHED
90	ILLUR NAGAR	Mamatha nagar	BODAMMA	YASHODAMMA	800	YES	0	FINISHED
91	ILLUR NAGAR	konda reddy nagar 38/101 sachivalayam	CHINNA BUSHANAMMA	M RAJESWARI	738	YES	1	FINISHED
92	ILLUR NAGAR	Ambekar colony	RUKMINI	D PADMAVATHI	586	YES	0	FINISHED
93	ILLUR NAGAR	stantanpuram 39/102	ANANDAMMA	LAKSHMI	1123	YES	0	FINISHED
94	SRI RAM NAGAR	MADHAVI NAGAR 1	SUCHARITA.K	K KALAVATHI	968	YES	0	FINISHED
95	SRI RAM NAGAR	ARORA NAGAR	S.MAYURI	C APARNA	415	YES	0	FINISHED
96	SRI RAM NAGAR	JNR NAGAR	E. ANITHA	C NAGAMANI	740	YES	0	FINISHED
97	SRI RAM NAGAR	25/63 SACHIVALAYAM	V SUBHASHINI	M RENUKA	1050	YES	0	FINISHED
98	SRI RAM NAGAR	SOMISETTY NAGAR	N SIVAMMA	P PRASOOLBI	1130	YES	0	FINISHED
99	SRI RAM NAGAR	DOCTOR COLONY	P UMADEVI	S RAJESWARI	1188	YES	0	FINISHED
100	SRI RAM NAGAR	MADHAVI NAGAR2	M ANITHA	B MAHESWARI	853	YES	0	FINISHED
101	SRI RAM NAGAR	B CAMP	D NIRMALABAI	J UMAMAHESWARI	323	YES	0	FINISHED
102	SRI RAM NAGAR	SRINAGAR COLONY	B SHEKANBEE	SIVA NAGALAKSHMI	1026	YES	0	FINISHED
103	SRI RAM NAGAR	4THCLASSEMBLYESCOLONY	B ANURDHA	A PUSHPAVATHI	1248	YES	0	FINISHED
104	SRI RAM NAGAR	LAKSHMINAGAR 2	T SHARADA	A V RAMANAMMA	826	YES	0	FINISHED
105	SRI RAM NAGAR	LAKSHMINAGAR1	R VIJAYA NIRMALA	T SHANTHAKUMARI	860	YES	0	FINISHED
106	SRI RAM NAGAR	59 SECRETARIATE	K RAMALAKSHMI	M PADMAVATHI	756	YES	0	FINISHED
107	SRI RAM NAGAR	23/58 SECRETARIATE	P PADMAVATHI	M PADMAVATHI	1128	YES	0	FINISHED
108	SRI RAM NAGAR	GANESHNAGAR	K SUJATHA	B NARSAMMA	1350	YES	0	FINISHED
109	SRI RAM NAGAR	FCI COLONY 2	UMA BHARATHI	M SHANTHAMMA	950	YES	0	FINISHED
110	SRI RAM NAGAR	sharadanagar	b venkatalakshamma	r nagamma	1060	YES	0	FINISHED

S.No	Name of UPHC	Name of Ward Secretariat	Name of ANM	Name of Asha	No. of Houses Visited	Safe Drinking Water Facility Yes / No	No. of Diarrhoeal Cases Identified & Reported	Total Area Finished/ Pending
111	WEAKER SECTION COLONY	Rajeev nagar	E sridevi	M kavitha	887	YES	0	FINISHED
112	WEAKER SECTION COLONY	LAKSHMI PURAM PETA	m.nagamani bai	p.rabiya bee	950	YES	0	FINISHED
113	WEAKER SECTION COLONY	Rajiv gruhakalpa	M. j Satyakala	S Jakeera Begum	1125	YES	0	FINISHED
114	WEAKER SECTION COLONY	MAHAVEER NAGER	THARANI	RAJESWARI	714	YES	0	FINISHED
115	WEAKER SECTION COLONY	guru raghavendra nagar	D.Anusuya bai	k.indiramma	1228	YES	0	FINISHED
116	WEAKER SECTION COLONY	weaker section colony-2	P. Padma	S. Nazimunnisa	1078	YES	0	FINISHED
117	WEAKER SECTION COLONY	NTR COLONY-1	M.Vimala	B.Eswaribai	1628	YES	0	FINISHED
118	WEAKER SECTION COLONY	NIRMAL NAGAR	A Nagalakshamma	G Jaya sree	1182	YES	0	FINISHED
119	WEAKER SECTION COLONY	VISHNU TOWN SHIP	C RAJINI	K MARUTHI	802	YES	0	FINISHED
120	WEAKER SECTION COLONY	WEAKER section colony-1	K SUPRIYA	M ANURADHA	953	YES	0	FINISHED
121	WEAKER SECTION COLONY	NTR COLONY-2	T SUNITHA	S SHANTHA KUMARI	1092	YES	0	FINISHED
122	WEAKER SECTION COLONY	NAGENDRA NAGAR	B SATYA SULOCHANA	S PAPANNA	1084	YES	0	FINISHED
123	WEAKER SECTION COLONY	BRUNDHAVAN NAGAR	T Satyavathi	P.Nagamani	1416	YES	0	FINISHED
124	UFWC KURNOOL	ERRABURUJU-02/05	M.RAMULAMMA	P.ARUNA	822	YES	0	FINISHED
125	UFWC KURNOOL	KHANDERI-02	K.KAVITHA	E.HEMALATHA	765	YES	0	FINISHED
126	UFWC KURNOOL	kalla street	K. Rama subbamma	s. habibunisa	1168	YES	0	FINISHED

ABSTRACT	
No. of UPHCs	12
No. of Houses Visited	118019
Safe Drinking Water Facility Yes / No	YES
No. of Diarrhoeal Cases Identified & Reported	11
Total Area Finished/ Pending	FINISHED

R. K. K. K.
District Nodal Officer,
YSR Urban Health Clinics - NUHM

S. R. R. R.
District Medical & Health Officer,
Kurnool.

P. D. D. D.
26.03.2024
Section Officer

Health, Medical and Family Welfare (A) Dept.
A.P. Secretariat, Velagapudi,
Amaravathi

In compliance to the orders of Hon'ble NGT in O.A No.13 of 2021 (SZ), dated.20.01.2021.

It is submitted that the case has been SuoMotu registered by NGT on basis of the newspaper reports published in Deccan Chronicle English Newspaper, dated 10.12.2020, under the caption "**Kurnool Shocked by quality of KMC water**" and another newspaper report published in Eenaadu Telugu Newspaper, Kurnool Edition dated: 27.12.2020 and also another newspaper report published in Deccan Chronicle English newspaper, dated 05.01.2021 under the caption "**10 fall ill after drinking contaminated water in Kosigi**". Complaining that the Tungabhadra River in that area has been polluted in Handri and Tungabhadra, which flows across Kurnool city due to discharge of untreated industrial effluents, untreated sewage and also dumping of municipal waste and after consuming water from the river the local people have been affected with serious diseases.

2. With reference to the orders of the National Green Tribunal, Southern Zone, Chennai in OA No.13 of 2021 (SZ), the report pertains to Health, Medical & Family Welfare Department, Govt of Andhra Pradesh is submitted hereunder:

3. It is to submit that there is no complaint on role of Health, Medical & Family Welfare Department in treating the people who fell sick. On a regular basis the concerned departments monitor the quality of water being supplied for drinking. It is also further submitted that the Health, Medical & Family Welfare Department has decided to establish water testing labs in all the districts in the State in the next financial year and accordingly, the said proposal is under active consideration in the Government.

ANIL KUMAR SINGHAL
PRINCIPAL SECRETARY TO GOVERNMENT

Deputy Secretary to Government
Health, Medical and Family Welfare Department
A.P. Secretariat, Velagapudi,
Amaravathi.