

**IN THE HON'BLE NATIONAL GREEN TRIBUNAL  
EASTERN ZONAL BENCH, KOLKATA**

**ORIGINAL APPLICATION NO. 182/ 2023**

IN THE MATTER OF: -


Sushovan Saw

...Applicant(s)

Versus

Ministry of Environment, Forest  
and Climate change

... Respondent(s)



**INDEX**

<b>S. No.</b>	<b>Particulars</b>	<b>PAGE NO.</b>
1.	Counter Affidavit	1-5
2.	A Copy of S.O.1533 (E) dated 14.09.2006 is annexed as <b>Annexure R/1.</b>	6-77
3.	A copy of Office Memorandum No. 22-34/2018-III dated 9 <sup>th</sup> August, 2018 is annexed as <b>Annexure R/2.</b>	76-247
4.	A Copy of Environment Clearance dated 16 <sup>th</sup> November, 2021 is annexed as <b>Annexure R/3</b>	242-250
5.	A Copy of the approved minutes of the Personal Hearing held 01.08.2024 has been annexed as <b>Annexure R/4.</b>	251-260
6.	A copy of the Stage-1 conditions has been annexed as <b>Annexure R/5.</b>	261-264

Place: Kolkata

Date: 02<sup>nd</sup> September, 2024

Through

Respondent No. 1

Dibyendra Narayan Ray

Advocate

SL. NO. 06/2024 -\*

**IN THE HON'BLE NATIONAL GREEN TRIBUNAL  
EASTERN ZONAL BENCH, KOLKATA**



**BEFORE THE NOTARY PUBLIC  
AT BIDHANNAGAR  
DIST.-NORTH 24 PARGANAS**

**ORIGINAL APPLICATION NO. 182/ 2023**

IN THE MATTER OF: -

Sushovan Saw  
...Applicant(s)

Versus

Ministry of Environment, Forest  
and Climate change  
... Respondent(s)


**REPLY AFFIDAVIT ON BEHALF OF RESPONDENT NO. 1, MINISTRY OF  
ENVIRONMENT, FOREST AND CLIMATE CHANGE**

I, Dr. Shahida Parvin Quazi, daughter of Late Quazi Sirazul Haque, aged about 46 years, presently working as 'Scientist - E' at the Sub Office Kolkata, Regional Office Bhubaneswar under the Ministry of Environment, Forest and Climate Change, having its office at IB-198, Sector- III, Salt Lake City, Kolkata - 700 106, do hereby solemnly affirm on oath and state as under:

1. That I am duly authorized and competent to swear the present reply affidavit on behalf of Ministry of Environment, Forest and Climate Change (hereinafter referred as MoEFCC).
2. That the contents of the application, unless specifically admitted, are denied to the extent that they are inconsistent with submissions made hereinafter.
3. That the instant reply is being filed by the Answering Respondent without prejudice to his right to file a fuller and more detailed reply at a later stage, if so necessary.
4. That it is alleged by the applicant that Environmental Clearance obtained by Respondent No. 3 through the suppression of facts, specifically that the land in question is forested. Additionally, it is claimed that the EIA report was falsified and that Respondent No. 3 deliberately misled the authorities regarding the encroachment of forest land. The applicant contends that the authorities have effectively condoned these illegal actions and should be held liable for violations of the Environmental (Protection) Act, 1986, the Forest (Conservation) Act, 1980, and related regulations.
5. That it is humbly submitted that the Answering Respondent in exercise of the powers conferred by Section 3 of the Environment (Protection) Act, 1986 read with clause (d) of sub-rule (3) of rule 5 of the Environment (Protection) Rules, 1986, had notified the Environment Impact Assessment Notification, 2006 on 14.09.2006. A Copy of S.O.1533 (E) dated 14.09.2006 is annexed as **Annexure R/1**.
6. That under the provision of the Environment Impact Assessment Notification (hereinafter referred to as EIA), 2006, construction of new projects or activities or the expansion or modernization of existing projects or activities listed in the schedule annexed to the said notification entailing capacity addition with change in process and or technology shall be undertaken in any part of India, as applicable, only

**02 SEP 2024**

-X-




after receipt of the prior environment clearance from the Central Government or by the State Level Environment Impact Assessment Authority (hereinafter referred to as SEIAA), as the case may be. It is submitted that, the Central Government under sub Section (3) of section 3 of the Environment Protection Act, 1986 in accordance with the procedures specified in the EIA Notification, 2006, duly constitutes SEIAA.

7. That the EIA Notification, 2006 in Paragraph 7, stipulates four stages in the process of obtaining Environmental Clearance. Stage (1) is screening wherein the Expert Appraisal Committee or the State Expert Appraisal Committee takes the decision whether or not Environmental Impact Assessment Report has to be prepared for the proposed projects. Stage (2) is Scoping wherein the Expert Appraisal Committee for category 'A' projects and the State Expert Appraisal Committee for category 'B' projects determines detailed and comprehensive Terms of Reference addressing all relevant environmental concern for the preparation of an EIA/EMP Report in respect of the proposed project or activity for which the prior environmental clearance is sought. Stage (3) relates to Public Consultation and has two components- (i) a public hearing, which is conducted by the concerned State Pollution Control Board at the project site or in its close proximity, explaining all possible environment impacts and measures proposed in EMP and (ii) obtaining written responses from other concerned persons who have a plausible stake in the environment aspects of the project or activity. Lastly, Stage (4) relates to Appraisal of the Project wherein the detailed scrutiny by the EAC or the SEAC of the application and other documents like the Final EIA Report and outcome of public consultations relating including public hearing proceedings, submitted by the Project Proponent to regulatory authority concerned for grant of environment clearance is conducted.
8. That it is respectfully submitted that EIA Notification, 2006 has decentralized the environmental clearance process by categorizing the developmental projects in two categories, i.e., Category 'A' project and Category B. The 'Category 'A' projects are appraised at Central level by the Expert Appraisal Committee (hereinafter referred to as "EAC") and Category 'B' projects are appraised at State Level Expert Appraisal Committee (hereinafter referred to as "SEAC"). State Level Environment Impact Assessment Authority (hereinafter referred to as "SEIAA") and SEAC are constituted to provide clearance to Category B projects.
9. That it is most respectfully submitted that under Schedule- I to the EIA Notification, 2006 relating to the list of projects requiring Environmental Clearance from the Central Government, metallurgical industries (ferrous & non-ferrous) comes within the purview of entry 3 (a), which is reproduced below as follows: -

02 SEP 2024

X



(1)	Project Activity	or Category with threshold limit		Conditions if any
		A	B	
(1)	(2)	(3)	(4)	(5)
3(a)	Metallurgical industries (ferrous & nonferrous)	a) Primary metallurgical & industry All projects b) Sponge iron manufacturing industry ≥ 200TPD c) Secondary metallurgical processing industry All toxic and heavy metal producing units ≥ 20,000 tonnes / annum	Sponge iron manufacturing <200TPD Secondary metallurgical processing industry i) All toxic and heavy metal producing units <20,000 tonnes / annum ii.) All other non-toxic secondary metallurgical processing industries >5000 tonnes/ annum	General Condition shall apply. Note: (i) The recycling industrial units registered under the HSM Rules are exempted. (ii) In case of secondary metallurgical processing industrial units, those projects involving operation of furnaces only such as induction and electric arc furnace, submerged arc furnace, and cupola with capacity more than 30,000 tonnes per annum (TPA) would require environmental clearance. (iii) Plant / units other than power plants (given against entry no. 1(d) of the schedule), based on municipal solid waste (non-hazardous) are exempted.

10. That the proposed project activity is listed at schedule no. 3 (a) Metallurgical industries (Ferrous & non-ferrous), 1 (d) Thermal Power Plants and 4 (b) Coke Oven Plant under Category "A" of the schedule of the EIA notification, 2006 and appraised at the Central level.
11. That it is most respectfully submitted that the proposal for Expansion-cum modification of their plant for ultimate production of 3.0 MTPA pellets, 1.11 MTPA Sinter, 0.45 MTPA coke, 84,000 Nm<sup>3</sup>/hour Producer gas, 2.23 MTPA Sponge Iron, 0.77MTPA hot metal/Pig Iron, 2.88 MTPA Billets, 1.65 MTPA Long Steel Products, 0.22 MTPA DI pipe, 0.48 MTPA LD Converter, 10,000 m<sup>3</sup>/day Oxygen Plant, 1.2 MTPA Cement grinding unit, 0.1 MTPA Ferro Alloys and 316 MW Captive Power


02 SEP 2024



Plant. by M/s. Shyam Sel & Power Limited (hereinafter referred to as the "Project Proponent" was received by the answering Respondent.

12. That M/s. Shyam Sel & Power Limited had earlier made an application vide proposal no. IA/WB/IND/6700/2008 dated 22/07/2021. The proposal was considered by the Reconstituted EAC (Industry 1) in its 41<sup>st</sup> meeting held on 29 - 30th July, 2021 wherein the proposal was returned in present form due to the shortcomings as recorded in the minutes of meeting available on PARIVESH. After deliberations, the Committee recommended that the consultant may be issued a Show Cause Notice(SCN) for deliberately misinforming the EAC about the natural features of the site as indicated in the KML file. Later M/s. Shyam Sel & Power Limited has again made an online application vide proposal no. IA/WB/IND/6700/2008 dated 03/09/2021. Subsequently, the proposal was considered by REAC in its 44th meeting held on 13th - 14th September, 2021 wherein the proposal was again returned in present form due to the shortcomings as recorded in the minutes of meeting available on PARIVESH. Consequently, Project proponent has again made an online application vide proposal no. IA/WB/IND/6700/2008 dated 29<sup>th</sup> September, 2021.
13. That the proposal of Project Proposal was considered in 46th Reconstituted Expert Appraisal Committee (Industry- 1) held on 11 - 12th October, 2021. In view of the foregoing and after detailed deliberations, the committee recommended the instant proposal for grant of Environment Clearance under the provisions of EIA Notification, 2006 subject to the stipulation of following specific conditions and general conditions as per the Ministry's Office Memorandum No. 22-34/2018-III dated 9<sup>th</sup> August, 2018 pertaining to integrated steel plants based on project specific requirements. A copy of Office Memorandum No. 22-34/2018-III dated 9<sup>th</sup> August, 2018 is annexed as Annexure R/2 and A Copy of Environment Clearance dated 16<sup>th</sup> November, 2021 is annexed as **Annexure R/3**.
14. That a Personal Hearing was held under the Chairmanship of Joint Secretary (C&MD), MoEF&CC, on 01.08.2024, to review issues related to the non-compliance of Environmental Clearance (EC) conditions for the project titled 'M/s Shyam Sel and Power Limited' at J.L. No. 50, 51, & 52, Village Dhasna, Mouza - Dhasna, Mamudpur&Sarthakpur, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal, wherein on the basis of detailed deliberations, the following was concluded:
- i. *Status of FIR lodged against M/s Shyam Sel and Power Ltd for illegal encroachment of forest land to be provided by FC Division/ PP. No work to be carried out in additional forest land until stage II FC is obtained for the said land and same is handed over to PP by Forest Deptt.*
  - ii. *FC Division may confirm if any further action, penal or otherwise, is pending against PP as per extant norms for encroachment of forest land for which Stage-I FC has been granted.*
  - iii. *Status of ongoing court case O.A. No. 182 of 2023 in NGT to be confirmed by Ind-I sector / PP.*
  - iv. *Documentary proof to be submitted by PP with respect to the alienation of govt. land sought by them along with proof for change in status from Govt. to forest land during pendency of application. Photographic evidences of the additional forest land area under diversion is also to be submitted.*

02 SEP 2024

~~X~~

- v. PP shall seek amendment of the EC wrt additional forest land immediately for which Stage-I forest clearance has been granted. Along with the above, EAC of concerned sector i.e. IA(Ind-1) of the Ministry shall also deliberate and decide the matter w.r.t alleged concealment of information as per para 8(vi) of EIA Notification, 2006, based on the submissions of PP, documents submitted at the time of EC, further documents as sought from PP in preceding paras and any other relevant document that may be required.
- vi. PP shall submit documentary evidence/ geo tagged photographs or other necessary details as mentioned in table above to confirm the current status of observed non-compliances of EC conditions to SRO for review and onward submission to the Ministry.

A Copy of the approved minutes of the Personal Hearing held 01.08.2024 has been annexed as **Annexure R/4**.

15. It is further submitted that the answering Ministry has accorded the "In-Principle" approval under section-2 of the Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980 for non-forestry use of 0.47 ha of forest land in favour of M/s Shyam Sel and Power Limited subject to fulfilment of certain conditions. Further, the Stage-II/Final approval has not been accorded so far as the complete compliance of the conditions stipulated in "In-Principle" approval is yet to be received from the State. A copy of the "In-Principle" approval dated 11.01.2024 has been annexed as **Annexure R/5**.
16. That, in view of the aforementioned facts and circumstances, this Hon'ble Tribunal may kindly be pleased to pass appropriate order(s)/directions as the Hon'ble Tribunal may deem fit and appropriate in the interest of justice.

*S. Shahida Parvin*

**DEPONENT**

**VERIFICATION**

Verified at Kolkata on this 2<sup>nd</sup> day of September, 2024 that the contents of this affidavit based on official record(s) maintained and information available in the office are true and correct, no part of it is false and nothing has been concealed there from.

*S. Chaudhuri*

**S. CHAUDHURI**  
**\*NOTARY\***  
**GOVT. OF INDIA**  
**Regn. No.-558/08**  
**Bidhannagar Court**  
**Dist.-North 24 Pgs**

**02 SEP 2024**

*S. Shahida Parvin*

**DEPONENT**



ANNEXURE- R/1

# भारत का राजपत्र

## The Gazette of India

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 1067]  
No. 1067]

नई दिल्ली, बृहस्पतिवार, सितम्बर 14, 2006/भाद्र 23, 1928  
NEW DELHI, THURSDAY, SEPTEMBER 14, 2006/BHADRA 23, 1928

पर्यावरण और वन मंत्रालय

अधिसूचना

नई दिल्ली, 14 सितम्बर, 2006

का.आ. 1533(अ).—केंद्रीय सरकार या केन्द्रीय सरकार द्वारा राज्य सरकार या संबंधित संघ राज्यक्षेत्र प्रशासन के परामर्श से गठित किए जाने वाले राज्य या संघ राज्यक्षेत्र स्तर पर्यावरण समाघात निर्धारण प्राधिकरण द्वारा इस अधिसूचना के प्रयोजन के लिए पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा 3 की उपधारा (3) के अधीन संघ मंत्रिमंडल द्वारा 18 मई, 2006 को अनुमोदित राष्ट्रीय पर्यावरण नीति और अधिसूचना में विनिर्दिष्ट प्रक्रिया के उद्देश्यों के अनुसार जब तक पूर्व पर्यावरणीय अनापत्ति अभिलिखित नहीं हो जाती है, भारत के किसी भाग में<sup>1</sup>, नई परियोजनाओं या क्रियाकलापों पर या इस अधिसूचना की अनुसूची में यथा उपवर्णित उनके सक्षम पर्यावरणीय समाघातों पर विद्यमान परियोजनाओं या क्रियाकलापों के विस्तार या आधुनिकीकरण पर कतिपय निर्बंधन और प्रतिषेध अधिरोपित करने के लिए, पर्यावरण (संरक्षण) नियम, 1986 के नियम 5 के उपनियम (3) के अधीन एक प्रारूप अधिसूचना भारत के राजपत्र, असाधारण, भाग 2, खंड 3, उपखंड (ii) में, का०आ० सं० 1324(अ), तारीख 15 सितंबर, 2005 द्वारा प्रकाशित की गई थी जिसमें उन सभी व्यक्तियों से, जिनके उनसे प्रभावित होने की संभावना है, उस तारीख से, जिसको उक्त अधिसूचना को अंतर्विष्ट करने वाले राजपत्र की प्रतियां जनता को उपलब्ध करा दी गई थीं, साठ दिन की अवधि के भीतर आक्षेप और सुझाव आमंत्रित किए गए थे ;

और उक्त अधिसूचना की प्रतियां 15 सितंबर, 2005 को जनता को उपलब्ध करा दी गई थीं ;

और ऊपर उल्लिखित प्रारूप अधिसूचना के उत्तर में प्राप्त सभी आपेक्षों और सुझावों पर केन्द्रीय सरकार ने सम्यक् रूप से विचार कर लिया है ।



अतः, अब केंद्रीय सरकार, पर्यावरण (संरक्षण) नियम, 1986 के नियम 5 के उपनियम (3) के खंड (घ) के साथ पठित पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा 3 की उपधारा (1) और उपधारा (2) के खंड (v) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, और अधिसूचना सं० का.आ. 60(अ), तारीख 27 जनवरी, 1994 को उन बातों के सिवाए अधिक्रान्त करते हुए, जिन्हें ऐसे अधिक्रमण से पूर्व किया गया है या करने का लोप किया गया है, यह निदेश देती है कि इसके प्रकाशन की तारीख से ही, नई परियोजनाओं या क्रियाकलापों का अपेक्षित संनिर्माण या इस अधिसूचना की अनुसूची में सूचीबद्ध विद्यमान परियोजनाओं या क्रियाकलापों का विस्तार या आधुनिकीकरण प्रक्रिया और या प्रौद्योगिकी में परिवर्तन सहित क्षमता में परिवर्धन करते हुए भारत के किसी भाग में, यथास्थिति, केन्द्रीय सरकार द्वारा या इस अधिसूचना में इसमें इसके पश्चात् विनिर्दिष्ट प्रक्रिया के अनुसार उक्त अधिनियम की धारा 3 के

<sup>1</sup> भारत का राज्यक्षेत्रीय सागर खंड और अनन्य अर्थिक जोन सम्मिलित है।

अधीन केन्द्रीय सरकार द्वारा सम्यक् रूप से गठित राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण द्वारा पूर्व पर्यावरण अनापत्ति के पश्चात् ही किया जाएगा।

## 2. पूर्व पर्यावरणीय अनापत्ति की अपेक्षाएं (ई.सी.) :-

निम्नलिखित परियोजनाओं या क्रियाकलापों के लिए, परियोजना प्रबंधन द्वारा भूमि को अभिप्राप्त करने के सिवाय, कोई संनिर्माण कार्य या भूमि तैयार करने से पूर्व उक्त अनुसूची में प्रवर्ग 'ख' के अंतर्गत आने वाले विषयों के लिए संबंधित विनियामक प्राधिकरण से, जिसे अनुसूची में 'क' के अंतर्गत आने वाले विषयों के लिए इसमें इसके पश्चात् केन्द्रीय सरकार में पर्यावरण और वन मंत्रालय कहा गया है, और राज्य स्तर पर राज्य पर्यावरण समाघात निर्धारण प्राधिकरण कहा गया है, पूर्व पर्यावरणीय अनापत्ति अपेक्षित होगी जब परियोजना या क्रियाकलाप आरंभ किया जाता है।

- (i) इस अधिसूचना की अनुसूची में सूचीबद्ध सभी नई परियोजनाएं या क्रियाकलाप ;
- (ii) इस अधिसूचना की अनुसूची में सूचीबद्ध विद्यमान परियोजनाओं या क्रियाकलापों का, संबंधित क्षेत्र के लिए अर्थात् परियोजनाओं या क्रियाकलापों के लिए जो विस्तार या आधुनिकीकरण के पश्चात् अनुसूची में दी गई अधिकतम सीमाओं को पार कर लेते हैं, क्षमता में परिवर्धन सहित विस्तार या आधुनिकीकरण ;
- (iii) विनिर्दिष्ट रेंज से परे अनुसूची में सम्मिलित किसी विद्यमान विनिर्माणकर्ता यूनिट में उत्पाद मिश्रण में कोई परिवर्तन।

3. राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण :- (1) कोई राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण, जिसे इसमें इसके पश्चात् एसईआईएए कहा गया है, केन्द्रीय सरकार द्वारा पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा 3 की उपधारा (3) के अधीन गठित किया जाएगा जिसमें तीन सदस्य होंगे जिसके अंतर्गत एक अध्यक्ष और एक सदस्य-सचिव, राज्य सरकार या संबंधित संघ राज्यक्षेत्र प्रशासन द्वारा नामनिर्देशित किए जाएंगे।

- (2) सदस्य-सचिव संबंधित राज्य सरकार या संघ राज्यक्षेत्र प्रशासन का सेवारत अधिकारी होगा जो पर्यावरण विधियों से परिचित होगा ।
- (3) अन्य दो सदस्य या तो वृत्तिक या विशेषज्ञ होंगे जो इस अधिसूचना के परिशिष्ट VI में दी गई पात्रता कसौटी को पूरा करते हों ।
- (4) उमर उपपैरा (3) में विनिर्दिष्ट सदस्यों में से एक सदस्य जो पर्यावरण समाघात निर्धारण प्रक्रिया में विशेषज्ञ हो, एसईआईएए का अध्यक्ष होगा ।
- (5) राज्य सरकार या संघ राज्यक्षेत्र प्रशासन उपपैरा (3) से उपपैरा (4) में निर्दिष्ट सदस्यों और अध्यक्ष के नामों को केन्द्रीय सरकार को अग्रेषित करेगी और केन्द्रीय सरकार नामों के प्राप्ति की तारीख से तीस दिन के भीतर इस अधिसूचना के प्रयोजनों के लिए एसईआईएए को ए० प्राधिकरण के रूप में गठित करेगी ।
- (6) गैर पदधारी सदस्य और अध्यक्ष की (प्राधिकरण को केन्द्रीय सरकार द्वारा गठित करने वाली अधिसूचना के प्रकाशन की तारीख से) तीन वर्षों की नियत पदावधि होगी ।
- (7) एसईआईएए के सभी विनिश्चय एकमत से होंगे और किसी बैठक में लिए जाएंगे ।

#### 4. परियोजना और क्रियाकलापों का प्रवर्गीकरण :-

- (i) सभी परियोजनाएं या क्रियाकलाप मुख्यतः दो प्रवर्गों में प्रवर्गीकृत हैं- प्रवर्ग 'क' और प्रवर्ग 'ख' सक्षम समाघात की स्थानिक सीमा और मानव स्वास्थ्य और प्राकृतिक तथा मानव निर्मित संसाधनों पर आधारित हैं ।
- (ii) अनुसूची में प्रवर्ग 'क' के रूप में सम्मिलित सभी परियोजनाओं या क्रियाकलापों, जिसके अंतर्गत विद्यमान परियोजनाओं या क्रियाकलापों का विस्तार और आधुनिकीकरण तथा उत्पाद मिश्रण में परिवर्तन सम्मिलित है, के लिए, इस अधिसूचना के प्रयोजनों के लिए केन्द्रीय सरकार द्वारा गठित की जाने वाली किसी विशेषज्ञ आंकलन समिति की सिफारिशों पर भारत सरकार में पर्यावरण और वन मंत्रालय से पूर्व पर्यावरण अनापत्ति अपेक्षित होगी ;
- (iii) अनुसूची में प्रवर्ग 'ख' के रूप में सम्मिलित सभी परियोजनाओं या क्रियाकलापों, जिसके अंतर्गत पैरा 2 के उपपैरा (ii) में यथाविनिर्दिष्ट विद्यमान परियोजनाओं या क्रियाकलापों का विस्तार और आधुनिकीकरण या पैरा 2 के उपपैरा (iii) में यथाविनिर्दिष्ट उत्पाद मिश्रण में परिवर्तन भी हैं, किन्तु जिसमें वे सम्मिलित नहीं हैं जो अनुसूची में निश्चित की गई साधारण शर्तों को पूरा करते हैं, राज्य/संघ राज्यक्षेत्र पर्यावरण समाघात निर्धारण प्राधिकरण से पूर्व पर्यावरणीय अनापत्ति अपेक्षित होगी । एसईआईएए का अपना विनिश्चय, इस इस अधिसूचना में गठित की जाने वाली किसी राज्य या संघ राज्यक्षेत्र स्तर विशेषज्ञ आंकलन समिति (एसईएसी) की सिफारिशों पर आधारित होगा । एसईआईएए सम्यक् रूप से गठित एसईआईएए या एसईएसी की अनुपस्थिति में, कोई प्रवर्ग 'ख' परियोजना प्रवर्ग 'क' परियोजना समझी जाएगी ;

5. **स्क्रीनिंग, विस्तारण और आंकलन समिति :-** केंद्रीय सरकार के स्तर पर वही विशेषज्ञ आंकलन समिति और राज्य या संघ राज्य स्तर पर राज्य विशेषज्ञ आंकलन समिति (जिन्हें इसमें इसके पश्चात् ईएसी और एसईएसी कहा गया है) क्रमशः प्रवर्ग 'क' और प्रवर्ग 'ख' परियोजनाओं या क्रियाकलापों की स्क्रीनिंग, विस्तारण और आंकलन करेगी। ईएसी और एसईएसी की प्रत्येक मास में कम से कम एक बार बैठक होगी।

- (क) ईएसी की संरचना परिशिष्ट VI में दी जाएगी। राज्य या संघ राज्यक्षेत्र स्तर पर एसईएसी का गठन संबंधित राज्य सरकार या संघ राज्यक्षेत्र प्रशासन के परामर्श से समान संरचना सहित गठन किया जाएगा।
- (ख) केंद्रीय सरकार, संबद्ध राज्य सरकार या संघ राज्यक्षेत्र प्रशासन की पूर्व सहमति से प्रशासनिक सुविधा और लागत के कारणों से एक या अधिक राज्य या संघ राज्यक्षेत्र के लिए एक एसईएसी का गठन कर सकेंगी।
- (ग) विशेषज्ञ आंकलन समिति और राज्य विशेषज्ञ आंकलन समिति तीन वर्ष की अवधि के लिए गठित की जाएगी।
- (घ) संबंधित विशेषज्ञ आंकलन समिति और राज्य विशेषज्ञ आंकलन समिति के प्राधिकृत सदस्य उस परियोजना या क्रियाकलाप के संबंध में जिसके लिए पूर्व पर्यावरणीय अनापत्ति मांगी गई है, को स्क्रीन करने या विस्तार करने या आंकलन के प्रयोजनों के लिए आवेदक को जो निरीक्षण के लिए आवश्यक सुविधाएं देगा, कम से कम सात दिन की पूर्व सूचना देगा।
- (ङ) विशेषज्ञ आंकलन समिति और राज्य विशेषज्ञ आंकलन समिति संयुक्त दायित्व के सिद्धांत पर कृत्य करेगी। अध्यक्ष प्रत्येक मामले में सहमति बनाने का प्रयास करेगा और सहमति नहीं बन पाती है तो बहुमत का विचार माना जाएगा।

6. **पूर्व पर्यावरणीय अनापत्ति के लिए आवेदन (ईसी) :-** सभी मामलों में पर्यावरणीय अनापत्ति मांगने के लिए कोई आवेदन, परियोजना और/या क्रियाकलापों के लिए, जिससे आवेदन संबंधित है, आवेदक द्वारा स्थल पर किसी सन्निर्माण क्रियाकलाप या भूमि की तैयारी के प्रारंभ के पूर्व, पूर्वक्षित स्थल (स्थलों) की पहचान के पश्चात् परिशिष्ट 2 दिखाना है, यदि लागू हों, इससे संगत प्ररूप 1 और अनुपूरक प्ररूप 1क में किया जाएगा। आवेदक, उसके सिवाय, सन्निर्माण परियोजनाओं या क्रियाकलापों (अनुसूची की मद 8) के मामले में प्ररूप 1 और अनुपूरक प्ररूप 1क के अतिरिक्त पूर्व साध्यता परियोजना रिपोर्ट की एक प्रति, पूर्व साध्यता रिपोर्ट के स्थान पर धारणा योजना की एक प्रति आवेदन के साथ पेश करेगा।

7. (i) **नई परियोजनाओं के लिए पूर्व पर्यावरणीय अनापत्ति (ईसी) प्रक्रिया के प्रक्रम :-** नई परियोजनाओं के लिए पर्यावरणीय अनापत्ति प्रक्रिया में अधिकतम चार प्रक्रम समाविष्ट होंगे, जिनमें से सभी इस अधिसूचना में नीचे अर्थात्पर्यवर्तित विशिष्ट मामलों में लागू नहीं होंगे, ये चार प्रक्रम श्रृंखलाबद्ध क्रम में होंगे :-

- प्रक्रम (1) स्क्रीनिंग (केवल प्रवर्ग 'ख' परियोजनाओं और क्रियाकलापों के लिए)
- प्रक्रम (2) विस्तारण
- प्रक्रम (3) लोक परामर्श
- प्रक्रम (4) आंकलन

### I. प्रक्रम (1) - स्क्रीनिंग :

प्रवर्ग 'ख' परियोजनाओं या क्रियाकलापों के मामले में, यह प्रक्रम परियोजना की प्रकृति और अवस्थिति विनिर्देश पर आधारित पर्यावरणीय अनापत्ति मंजूर करने से पूर्व उसके आंकलन के लिए कोई पर्यावरणीय समाघात निर्धारण रिपोर्ट तैयार करने के लिए यह अवधारण करने के लिए कि परियोजना या क्रियाकलाप के लिए आगे पर्यावरणीय अध्ययन करना अपेक्षित है या नहीं संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति (एसईएसी) द्वारा प्ररूप 1 में पूर्व पर्यावरणीय अनापत्ति मांगने के लिए किसी आवेदन की संवीक्षा होगी। कोई पर्यावरणीय समाघात निर्धारण रिपोर्ट की अपेक्षा करने वाली परियोजनाओं को प्रवर्ग "ख1" कहा जाएगा और शेष परियोजनाओं को प्रवर्ग "ख2" कहा जाएगा और उसके लिए कोई पर्यावरणीय समाघात निर्धारण रिपोर्ट अपेक्षित नहीं होगी। मद 8ख के सिवाय परियोजनाओं के ख 1 या ख2 में प्रवर्गीकरण के लिए पर्यावरण और वन मंत्रालय समय-समय पर समुचित मार्गदर्शक सिद्धांत जारी करेगा।

### II. प्रक्रम (2) विस्तारण :

(i) उस प्रक्रिया को निर्दिष्ट करता है जिसके द्वारा प्रवर्ग 'क' परियोजनाओं या क्रियाकलापों के मामले में विशेषज्ञ आंकलन समिति, और प्रवर्ग 'ख1' परियोजनाओं या क्रियाकलापों के मामले में, राज्य स्तर विशेषज्ञ आंकलन समिति, जिसके अंतर्गत विद्यमान परियोजनाओं या क्रियाकलापों के विस्तार और/या आधुनिकीकरण और/या उत्पाद मिश्रण में परिवर्तन के विस्तार, सौंपे जाने वाले विस्तृत और व्यापक कार्य अवधारित करने के लिए, उस परियोजना या क्रियाकलाप के संबंध में कोई पर्यावरणीय समाघात निर्धारण रिपोर्ट तैयार करने के लिए सभी सुसंगत पर्यावरणीय समुत्थानों को, जिसके लिए पूर्व पर्यावरणीय अनापत्ति ईप्सित की गई है, आवेदन सम्मिलित हैं। विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति विहित आवेदन प्ररूप 1/प्ररूप 1क में दी गई जानकारी के आधार पर सौंपे जाने वाले कार्य अवधारित करेगी, जिसके अंतर्गत आवेदक द्वारा सौंपे जाने वाले प्रस्थापित कार्य, किसी विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर आंकलन समिति के किसी सब ग्रुप द्वारा देखा गया कोई स्थल, यदि विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा आवश्यक समझा जाए, आवेदक द्वारा सुझाए गए सौंपे जाने वाले कार्य और अन्य सूचना जो विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति के पास उपलब्ध हो, सम्मिलित हैं। अनुसूची की मद 8 में प्रवर्ग ख के रूप में सूचीबद्ध सभी परियोजनाओं और क्रियाकलापों (संनिर्माण, नगरी/वाणिज्यिक काम्लैक्स/आवासन) के लिए विस्तार अपेक्षित नहीं होगा और उनका आंकलन प्ररूप 1/प्ररूप 1क और धारणा योजना के आधार पर किया जाएगा।

(ii) सौंपे गए कृत्यों को प्ररूप 1 की प्राप्ति के साठ दिनों के भीतर विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा आवेदक को प्रेषित किया जाएगा। अनुसूची के प्रवर्ग क हाइड्रोक्लेक्ट्रिक परियोजना मद 1 (ग) (i) के मामले में सौंपे गए कृत्यों को पूर्व संनिर्माण क्रियाकलापों के लिए अनापत्ति सहित प्रेषित किया जाएगा। यदि सौंपे गए कृत्यों को अंतिम रूप नहीं दिया गया है और प्ररूप 1 की प्राप्ति के साठ दिनों के भीतर आवेदक को प्रेषित किया जाता है तो आवेदक द्वारा सुझाए गए सौंपे जाने वाले कृत्य ईआईए अध्ययन के लिए अनुमोदित अंतिम सौंपे गए कृत्यों के रूप में समझे जाएंगे। अनुमोदित सौंपे गए कृत्य, पर्यावरण और वन मंत्रालय तथा संबंधित राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण के लिए वेबसाइट पर प्रदर्शित किए जाएंगे।

(iii) इसी प्रक्रम पर संबंधित विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिश पर संबंधित विनियामक प्राधिकरण द्वारा पूर्व पर्यावरणीय अनापत्ति के लिए आवेदनों को नामंजूर किया जा सकेगा। ऐसे नामंजूर किए जाने की दशा में, विनिश्चय को उसके कारणों सहित आवेदक को, आवेदन की प्राप्ति के साठ दिनों के भीतर लिखित में संसूचित किया जाएगा।

### III प्रक्रम (3) लोक परामर्श

(i) “लोक परामर्श” उस प्रक्रिया को निर्दिष्ट करता है जिसके द्वारा स्थानीय प्रभावी व्यक्तियों और ऐसे अन्य व्यक्तियों की चिंताओं को, जिनका परियोजना या क्रियाकलापों के पर्यावरणीय समाघातों में न्यायसंगत आधार है, समुचित रूप में अभिकल्पित परियोजना या क्रियाकलाप में संबंधित सभी सामग्री को ध्यान में रखते हुए सुनिश्चित किया जाएगा। सभी प्रवर्ग “क” और प्रवर्ग “ख1” परियोजनाएं या क्रियाकलाप निम्नलिखित के सिवाय लोक परामर्श करेंगे :-

- (क) सिंचाई परियोजनाओं का आधुनिकीकरण (अनुसूची की मद 1(ग) (ii))।
- (ख) संबंधित प्राधिकारियों द्वारा अनुमोदित औद्योगिक संपदाओं या पार्कों के भीतर अवस्थित सभी परियोजनाएं या क्रियाकलाप (अनुसूची की मद 7(ग)) और जिन्हें ऐसे अनुमोदन में अननुज्ञात नहीं किया जाता है।
- (ग) सड़कों और राजमार्गों का विस्तार (अनुसूची की मद 7(च)) जिनमें भूमि का कोई और अर्जन अंतर्वलित नहीं है।
- (घ) सभी भवन/संनिर्माण परियोजनाएं/क्षेत्र विकास परियोजनाएं और नगरीय योजनाएं (मद 8)।
- (ङ) सभी प्रवर्ग ख 2 परियोजनाएं और क्रियाकलाप।
- (च) केन्द्रीय सरकार द्वारा यथा अवधारित राष्ट्रीय रक्षा और सुरक्षा से संबंधित सभी परियोजनाएं और क्रियाकलाप या जिसमें अन्य युक्तगत विचार अंतर्वलित हैं।

(ii) लोक परामर्श में साधारणतया दो घटक समाविष्ट होंगे :-

- (क) स्थानीय प्रभावित व्यक्तियों की चिंताओं को सुनिश्चित करने के लिए परिशिष्ट 4 में विहित रीति में की जाने वाली स्थल पर या उसके निकट परिसर में जिला वार कोई लोक सुनवाई ;
- (ख) परियोजना या क्रियाकलाप के पर्यावरणीय पहलुओं में कोई न्यायसंगत आधार रखने वाले अन्य संबंधित व्यक्तियों से लिखित में प्रतिक्रियाएं प्राप्त करना।

(iii) स्थल (स्थलों) पर या उसके निकट परिसर में सभी मामलों में लोक सुनवाई विनिर्दिष्ट रीति में संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति द्वारा की जाएगी और कार्यवाहियों को आवेदक से प्राप्त अनुरोध के पैंतालीस दिनों के भीतर संबंधित विनियामक प्राधिकरण को अग्रेषित किया जाएगा।

(iv) यदि संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्य क्षेत्र प्रदूषण नियंत्रण समिति लोक सुनवाई नहीं करती है और लोक सुनवाई को विनिर्दिष्ट अवधि के भीतर पूरी नहीं करती है और/या लोक सुनवाई की कार्यवाहियां को विहित अवधि के भीतर यथाउपर्युक्त संबंधित विनियामक प्राधिकरण को प्रेषित नहीं करती है तो विनियामक प्राधिकरण अन्य लोक अभिकरण या प्राधिकरण को, जो विनियामक प्राधिकरण का अधीनस्थ नहीं है, प्रक्रिया को पैंतालीस दिनों की और अवधि के भीतर पूरा करने के लिए लगाएगी।

(v) यदि उमर उपपैरा (iii) के अधीन नामनिर्दिष्ट लोक अभिकरण या प्राधिकरण, संबंधित विनियामक प्राधिकरण को यह रिपोर्ट करता है, कि स्थानीय अवस्थिति के कारण लोक सुनवाई करना संभव नहीं है, तो किसी रीति में स्पष्ट रूप से अभिव्यक्त किए जाने वाले संबंधित स्थानीय व्यक्तियों के विचारों का समर्थन करेंगे। वह उस तथ्य की रिपोर्ट संबंधित विनियामक प्राधिकरण को ब्यौरेवार देगा जो रिपोर्ट पर और अन्य विश्वसनीय सूचना पर सम्यक् रूप से विचार करने के पश्चात्, जिसका लोक परामर्श के लिए विनिश्चय किया गया है, उस दशा में जिसे लोक सुनवाई में सम्मिलित करने की आवश्यकता है, रिपोर्ट करेगा।

(vi) परियोजना या क्रियाकलापों के पर्यावरणीय पहलुओं में कोई न्यायसंगत आधार रखने वाले अन्य संबंधित व्यक्तियों से लिखित में प्रक्रिया अभिप्राप्त करने के लिए, संबंधित विनियामक प्राधिकरण और राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति, आवेदक द्वारा परिशिष्ट 3क में दिए गए प्ररूप में तैयार की गई संक्षिप्त ईआईए रिपोर्ट को उनके वेबसाइट पर देते हुए ऐसे संबंधित व्यक्तियों से लोक सुनवाई की व्यवस्था के लिए किसी लिखित अनुरोध की प्राप्ति के सात दिनों के भीतर प्रतिक्रियाएं प्राप्त करेंगी। गोपनीय सूचना, जिसके अंतर्गत प्रकट न करने योग्य या विधिक रूप से विशेषाधिकार प्राप्त सूचना, जिसमें बौद्धिक संपदा अधिकार अंतर्बलित हैं, आवेदन में विनिर्दिष्ट स्रोत, वेबसाइट पर नहीं रखे जाएंगे। संबंधित विनियामक प्राधिकरण, परियोजना या क्रियाकलाप की बाबत विस्तृत प्रचार को सुनिश्चित करने के लिए अन्य समुचित मीडिया का उपयोग भी कर सकेगा। विनियामक प्राधिकरण, तथापि लोक सुनवाई की तारीख तक निरीक्षण के लिए प्रारूप ईआईए रिपोर्ट किसी संबंधित व्यक्ति से, सामान्य कार्यालय घंटों के दौरान अधिसूचित स्थान पर किसी लिखित अनुरोध पर उपलब्ध कराएगा। इस लोक परामर्श प्रक्रिया के भाग के रूप में प्राप्त सभी प्रतिक्रियाएं शीघ्रतम उपलब्ध साधन से आवेदक को अग्रेषित की जाएंगी।

(vii) लोक परामर्श पूरा करने के पश्चात्, इस प्रक्रिया के दौरान अभिव्यक्त सभी सारवान पर्यावरणीय चिंताओं को संबोधित करेगा और प्रारूप ईआईए और ईएमपी में समुचित परिवर्तन करेगा। इस प्रकार तैयार की गई अंतिम ईआईए रिपोर्ट आवेदक के लिए संबंधित विनियामक प्राधिकरण को प्रस्तुत की जाएगी। आवेदक, लोक परामर्श के दौरान अभिव्यक्त की गई सभी चिंताओं को संबोधित करते हुए, प्रारूप ईआईए और ईएमपी की एक संक्षिप्त रिपोर्ट अनुकल्पतः प्रस्तुत करेगा।

#### IV प्रक्रम(4) - आंकलन :

(i) आंकलन से आवेदन और अन्य दस्तावेजों, ऐसे अंतिम ईआईए रिपोर्ट, लोक परामर्शों का निष्कर्ष, जिसके अंतर्गत लोक सुनवाई की कार्यवाहियां हैं, पर्यावरणीय अनापत्ति मंजूर करने के लिए संबंधित विनियामक प्राधिकरण को

आवेदक द्वारा प्रस्तुत की गई विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा विस्तृत संवीक्षा अभिप्रेत है। यह आंकलन विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा किसी कार्यवाही को, जिसमें आवेदक को आवश्यक स्पष्टीकरण प्रस्तुत करने के लिए व्यक्तिगत रूप से या किसी प्राधिकृत प्रतिनिधि को आमंत्रित किया जाता है, एक पारदर्शी रीति में किया जाएगा। इस कार्यवाही के निष्कर्ष पर विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति संबंधित विनियामक प्राधिकरण को निश्चित निबंधनों और शर्तों पर पूर्व पर्यावरणीय अनापत्ति मंजूर करने के लिए या पूर्व पर्यावरणीय अनापत्ति के लिए आवेदन को नामंजूर करने के लिए उसके कारणों सहित स्पष्ट सिफारिशें करेगी।

(ii) सभी परियोजनाओं या क्रियाकलापों का आंकलन जो लोक परामर्श के लिए अपेक्षित नहीं है या कोई पर्यावरण समाघात निर्धारण रिपोर्ट प्रस्तुत करना अपेक्षित नहीं है, जैसा लागू हो विहित आवेदन प्ररूप 1 और प्ररूप 1क के आधार पर उपलब्ध सभी अन्य सुसंगत विधिमान्य सूचना और दौरा किए स्थल को, जहां विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा ऐसा करना आवश्यक समझा जाता है, कार्यान्वित किया जाएगा।

(iii) किसी आवेदन का आंकलन, विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा अंतिम पर्यावरण समाघात निर्धारण रिपोर्ट और अन्य दस्तावेजों की प्राप्ति या प्ररूप 1 या प्ररूप 1क के साठ दिनों के भीतर पूरा किया जाएगा, जहां लोक परामर्श आवश्यक नहीं है, वहां विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिशों को सक्षम प्राधिकारी के समक्ष अगले पन्द्रह दिनों के भीतर अंतिम विनिश्चय के लिए रखा जाएगा। आंकलन की विहित प्रक्रिया परिशिष्ट V में दी गई है।

**7. (ii) विद्यमान परियोजनाओं का विस्तार या आधुनिकीकरण या उत्पाद मिश्रण में परिवर्तन के लिए पूर्व पर्यावरणीय अनापत्ति प्रक्रिया,-**

उस क्षमता के परे जिसके लिए इस अधिसूचना के अधीन पूर्व पर्यावरणीय अनापत्ति मंजूर की गई है, उत्पादन क्षमता में वृद्धि सहित या तो पट्टा क्षेत्र या खनन परियोजनाओं की दशा में उत्पादन क्षमता में वृद्धि सहित या इस अधिसूचना की अनुसूची में विहित अंतिम सीमा के परे कुल उत्पादन क्षमता में वृद्धि सहित विद्यमान यूनिट के आधुनिकीकरण के लिए, प्रक्रिया और/या प्रौद्योगिकी में परिवर्तन के माध्यम से या उत्पाद मिश्रण में किसी परिवर्तन के लिए पूर्व पर्यावरणीय अनापत्ति ईप्सित करने वाले सभी आवेदन प्ररूप 1 में किए जाएंगे और उन पर संबंधित विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा साठ दिनों के भीतर विचार किया जाएगा, जो सम्यक् आवश्यक तत्परता से जिसके अंतर्गत ईआईई का तैयार किया जाना और लोक परामर्श भी है, विनिश्चय करेगी और आवेदन का तदनुसार पर्यावरणीय अनापत्ति मंजूर करने के लिए आंकलन किया जाएगा।

**8. पूर्व पर्यावरणीय अनापत्ति मंजूर किया जाना या उसको खारिज किया जाना,-**

(i) विनियामक प्राधिकरण, संबंधित ई ए सी या एस ई ए सी की सिफारिशों पर विचार करेगा और अपने विनिश्चय को आवेदक को विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिशों की प्राप्ति के पैंतालीस दिनों के भीतर प्रेषित करेगा या अन्य शब्दों में अंतिम पर्यावरणीय समाघात निर्धारण रिपोर्ट की प्राप्ति के एक सौ पांच दिनों के भीतर प्रेषित करेगा और जहां पर्यावरणीय समाघात निर्धारण पूरे आवेदन की प्राप्ति के एक सौ पांच दिनों के भीतर अपेक्षित नहीं है वहां अपेक्षित दस्तावेज, नीचे उपबंधित के सिवाय प्रेषित करेगा।

(ii) विनियामक प्राधिकरण, सामान्यतः विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिशों को स्वीकार करेगा। उन दशाओं में जहां विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिशों से असहमत है, वहां विनियामक प्राधिकरण विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की सिफारिशों की प्राप्ति के पैंतालिस दिनों के भीतर असहमति के कारणों का कथन करते हुए पुनर्विचार का अनुरोध करेगा। इस विनिश्चय की सूचना आवेदक को साथ-साथ प्रेषित की जाएगी। उसके पश्चात् विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति, विनियामक प्राधिकरण के संप्रेक्षणों पर विचार करेगी और उस पर अपने विचार साठ दिनों की और अवधि के भीतर पेश करेगी। विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति के विचारों को ध्यान में रखने के पश्चात् विनियामक प्राधिकरण का विनिश्चय अंतिम होगा और संबंधित विनियामक प्राधिकरण को अगले तीस-दिनों के भीतर आवेदक को प्रेषित किया जाएगा।

(iii) उस दशा में जहां विनियामक प्राधिकरण का विनिश्चय आवेदक को, ऊपर उपपैरा (i) या (ii) में, जहां लागू हो निर्निर्दिष्ट अवधि के भीतर संसूचित नहीं किया जाता है, वहां आवेदक इस प्रकार अग्रसर हो सकेगा मानो मांगी गई पर्यावरण अनापत्ति मंजूर कर दी गई है या विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की अंतिम सिफारिशों के निबंधनों में विनियामक प्राधिकरण द्वारा नामंजूर कर दी गई है।

(iv) ऊपर पैरा (i) और (ii) के अधीन, जहां लागू हो, विनियामक प्राधिकरण द्वारा विनिश्चय के लिए विनिर्दिष्ट अवधि के अवसान पर, विनियामक प्राधिकरण का विनिश्चय और विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति की अंतिम सिफारिशें लोक दस्तावेज होंगे।

(v) अन्य विनियामक प्राधिकरणों से परियोजनाओं या क्रियाकलापों, या संबंधित विनियामक प्राधिकरण द्वारा स्क्रीनिंग, विस्तारण या आंकलन या विनिश्चय पूर्व पर्यावरण अनापत्ति के लिए आवेदनों की प्राप्ति के पूर्व तब तक अपेक्षित नहीं होगी जब तक या तो ऐसी अनापत्ति किसी विधि की अपेक्षा का आवश्यक तकनीकी कारणों से कोई श्रृंखलाबद्ध आधार न हो।

(vi) जान बूझ कर छिपाना और/या मिथ्या प्रस्तुतीकरण या भ्रामक सूचना या आंकड़े देना जो स्क्रीनिंग, विस्तारण या आंकलन या आवेदन पर विनिश्चय के लिए सारवान हो, आवेदन को नामंजूर किए जाने या उस आधार पर मंजूर की गई पूर्व पर्यावरणीय अनापत्ति के रद्दकरण के लिए दायी बनाएगी। किसी आवेदन को नामंजूर करना या इस आधार पर पहले मंजूर की गई किसी पूर्व पर्यावरणीय अनापत्ति के रद्दकरण का विनिश्चय विनियामक प्राधिकरण द्वारा आवेदक की व्यक्तिगत सुनवाई करने के पश्चात् किया जाएगा और उसमें नैसर्गिक न्याय के सिद्धांतों का पालन किया जाएगा।

#### 9. पर्यावरणीय अनापत्ति की विधिमान्यता,-

“पर्यावरणीय अनापत्ति की विधिमान्यता” से वह अवधि अभिप्रेत है जिससे विनियामक प्राधिकरण द्वारा मंजूर की गई पूर्व पर्यावरणीय अनापत्ति मंजूर की जाती है या आवेदक द्वारा यह समझा जा सकेगा कि यह ऊपर पैरा 7 के उपपैरा (iv) के अधीन परियोजना या क्रियाकलाप द्वारा उत्पादन प्रचालन आरंभ करने या संनिर्माण परियोजनाओं की दशा में (अनुसूची की मद 8) सभी संनिर्माण प्रचालन पूरा करने, जिसके लिए पूर्व पर्यावरण अनापत्ति के लिए

आवेदन का निर्देश करता है, मंजूर की गई है। किसी परियोजना या क्रियाकलाप के लिए नदी घाटी परियोजनाओं (अनुसूची की मद 1(ग)) की दशा में दस वर्ष की अवधि के लिए, विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति द्वारा यथा प्राक्कलित परियोजना की अवधि खनन परियोजनाओं के लिए अधिकतम तीस वर्षों के लिए और सभी अन्य परियोजनाओं और क्रियाकलापों की दशा में पांच वर्ष होगी। तथापि क्षेत्र विकास परियोजनाओं और नगरीय की दशा में (मद 8(ख)) विधिमान्य अवधि केवल ऐसे क्रियाकलापों तक सीमित होगी जहां तक किसी विकासकर्ता के रूप में आवेदक का उत्तरदायित्व है। इस विधिमान्यता की अवधि को संबंधित विनियामक प्राधिकरण द्वारा पांच वर्ष की अधिकतम अवधि तक बढ़ाया जा सकेगा, परन्तु यह तब जब कि कोई आवेदन आवेदक द्वारा विनियामक प्राधिकरण को संनिर्माण परियोजनाओं या क्रियाकलापों के लिए (अनुसूची की मद 8) अद्यतन प्ररूप 1 और अनुपूरक प्ररूप 1क सहित विधिमान्य अवधि के भीतर किया जाता है। इस बाबत विनियामक प्राधिकरण, यथास्थिति, विशेषज्ञ आंकलन समिति या राज्य स्तर विशेषज्ञ आंकलन समिति से भी परामर्श कर सकेगा।

**10. पश्च पर्यावरणीय अनापत्ति को मानीटर करना,-**

(i) परियोजना प्रबंधन के लिए प्रत्येक कलेंडर वर्ष की 1 जून और 1 दिसंबर को संबंधित विनियामक प्राधिकरण को निश्चित पूर्व पर्यावरणीय अनापत्ति के निबंधनों और शर्तों के संबंध में अनुपालन रिपोर्टों को अर्धवार्षिक रूप में हार्ड और साफ्ट प्रतियों में प्रस्तुत करना आज्ञापक होगा।

(ii) परियोजना प्रबंधन द्वारा प्रस्तुत की गई सभी ऐसी अनुपालन रिपोर्टें लोक दस्तावेज होंगी, उसकी प्रतियां संबंधित विनियामक प्राधिकरण को आवेदन पर किसी व्यक्ति को दी जाएंगी। ऐसी अंतिम अनुपालन रिपोर्टें संबंधित विनियामक प्राधिकरण की वेबसाइट पर भी दर्शित की जाएगी।

**11. पर्यावरणीय अनापत्ति की अंतरणीयता,-**

किसी आवेदक को किसी विनिर्दिष्ट परियोजना या क्रियाकलाप के लिए मंजूर की गई कोई पूर्व पर्यावरणीय अनापत्ति अंतरक द्वारा या अंतरिकी द्वारा आवेदन पर परियोजना या क्रियाकलाप को करने के हकदार किसी अन्य विधिक व्यक्ति को अंतरक द्वारा लिखित "अनापत्ति सहित" जो इसकी विधिमान्यता की अवधि के दौरान संबंधित विनियामक प्राधिकरण द्वारा उन्हीं निबंधनों और शर्तों के अधीन पूर्व पर्यावरणीय अनापत्ति आरंभ में मंजूर की गई थी और उसी विधिमान्यता अवधि के लिए अंतरित की जा सकेगी। ऐसे मामलों में विशेषज्ञ आंकलन समिति या संबंधित राज्य स्तर विशेषज्ञ आंकलन समिति को कोई निर्देश आवश्यक नहीं है।

**12. लंबित मामलों के निपटान तक ई.आई.ए. अधिसूचना का प्रवर्तन,-**

इस अधिसूचना के अंतिम प्रकाशन की तारीख से पर्यावरणीय समाघात निर्धारण की अधिसूचना सं० का.आ. 60(अ), तारीख 27 जनवरी, 1994 को, उन बातों के सिवाय, जिन्हें ऐसे अधिक्रमण से पूर्व किया गया है या करने से लोप किया गया है, उस सीमा तक अधिक्रान्त किया जाता है कि पूर्व पर्यावरणीय अनापत्ति के लिए किए गए और इस अधिसूचना के अंतिम प्रकाशन की तारीख को लंबित सभी या कुछ प्रकार के आवेदनों को, परियोजनाओं या क्रियाकलापों को, उस सूची के सिवाय जिनमें अनुसूची 1 में पूर्व पर्यावरणीय अनापत्ति अपेक्षित है, इस अधिसूचना के किसी एक या सभी उपबंधों से छूट दे सकेगी या उक्त अधिसूचना के कुछ या सभी उपबंधों के प्रवर्तन को इस अधिसूचना के जारी करने की तारीख से एक वर्ष से अधिक अवधि के लिए जारी रख सकेगी।

## अनुसूची

(पैरा 2 और 7 देखें)

पूर्व पर्यावरणीय अनापत्ति की अपेक्षा वाली परियोजनाओं या क्रियाकलापों की सूची

क्र. सं.	परियोजना या क्रियाकलाप	अवसीमा सहित प्रवर्ग		शर्तें, यदि कोई हों
		क	ख	
1	<b>खनन, प्राकृतिक संसाधन का निष्कर्षण और विद्युत उत्पादन विनिर्दिष्ट उत्पादन क्षमता के लिए)</b>			
1	2	3	4	5
1(क)	खनिज का खनन	खनन पट्टा क्षेत्र का $\geq 50$ हे० किसी भी खनन क्षेत्र का ध्यान दिए बिना ऐम्बेस्टेज खनन	$< 50$ हेक्टेयर $\geq 5$ हेक्टेयर खनन पट्टा क्षेत्र	साधारण शर्तें लागू होंगी टिप्पण खनिज पदार्थों के पूर्वक्षण (जिसमें ड्रिलिंग न हो) को छूट दी गई है बशर्त कि वास्तविक सर्वेक्षण के लिए छूट वाले क्षेत्रों की पूर्व अनुमति ली गई है।
1(ख)	अपतट और तटवर्ती तेल तथा गैस की खोज, विकास और उत्पादन	सभी परियोजनाएं	-	टिप्पण सार खोज सर्वेक्षण (जिसमें ड्रिलिंग न हो) को छूट दी गई है बशर्त कि वास्तविक सर्वेक्षण के लिए छूट वाले क्षेत्रों की पूर्व अनुमति ली गई है।
1(ग)	नदी घाटी परियोजनाएं	(i) $\geq 50$ मे०वा० जल विद्युत उत्पादन (ii) $\geq 10,000$ हे० खेती योग्य प्रभावित क्षेत्र	(i) $< 50 \geq 25$ मे०वा० जल विद्युत उत्पादन (ii) $< 10,000$ हे० खेती योग्य प्रभावित क्षेत्र	साधारण शर्तें लागू होंगी
1(घ)	तापीय विद्युत संयंत्र	(कोयला लिग्नाइट और नेफ्था गैस आधारित) $\geq 500$ मे.वा. $\geq 50$ मे.वा. (पैटकोक, डीजल और सभी अन्य ईंधन)	(कोयला/लिग्नाइट/नेफ्था एवं गैस आधारित) $< 500$ मे.वा. (पैटकोक, डीजल और सभी अन्य ईंधन) $< 50$ मे.वा $\geq 5$ मे.वा.	साधारण शर्तें लागू होंगी
1(ङ)	आणविक विद्युत परियोजनाएं और आणविक ईंधन का प्रसंस्करण	सभी परियोजनाएं	-	
2	<b>प्राथमिक प्रसंस्करण</b>			
2(क)	कोयला धोवनशालाएं	$\geq 1$ मिलियन टन/ वार्षिक कोयले का उत्पादन	$< 1$ मिलियन टन/ वार्षिक कोयले का उत्पादन	साधारण शर्तें लागू होंगी ( यदि खनन क्षेत्र के अंदर स्थित है तो प्रस्ताव का मूल्यांकन खनन प्रस्ताव के साथ किया जाना चाहिए)



2(ख)	खनिज सज्जीकरण	$\geq 0.1$ मिलियन टन/ वार्षिक कोयले का उत्पादन	$< 0.1$ मिलियन टन/ वार्षिक कोयले का उत्पादन	साधारण शर्त लागू होगी अनापत्ति प्रदान करने के लिए खनन प्रस्ताव का खनिज सज्जीकरण के साथ ही मूल्यांकन किया जाना चाहिए
3	<b>पदार्थ उत्पादन -</b>			
3(क)	धातुकर्म उद्योग (फेरस और गैर फेरस)	क) प्राथमिक धातुकर्म उद्योग सभी परियोजनाएं ख) स्पंज आयरन विनिर्माण $\geq 200$ टन पी डी ग) गौण धातु कर्म प्रसंस्करण उद्योग सभी विषाक्त और भारी धातु उत्पादित करने वाली इकाइयां $\geq 20,000$ टन/ वार्षिक	स्पंज आयरन विनिर्माण $< 200$ टन पी डी गौण धातु कर्म प्रसंस्करण उद्योग 1) सभी विषाक्त और भारी धातु उत्पादित करने वाली इकाइयां $< 20,000$ टन/ वार्षिक 2) अन्य सभी विषरहित गौण धातुकर्म प्रसंस्करण उद्योग $> 5000$ टन /वार्षिक	स्पंज आयरन विनिर्माण के लिए साधारण शर्त लागू होगी
3(ख)	सीमेंट संयंत्र	वार्षिक उत्पादन क्षमता $\geq 1.0$ मिलियन टन	वार्षिक उत्पादन क्षमता $< 1.0$ मिलियन टन यह सभी ग्राइंडिंग इकाइयों के लिए लागू है	साधारण शर्त लागू होगी
4	<b>पदार्थ प्रसंस्करण</b>			
4(क)	पेट्रोलिम रिफाइनिंग उद्योग	सभी परियोजनाएं	-	-
4(ख)	कोक भट्टी संयंत्र	$\geq 2,50,000$ टन वार्षिक	$< 2,50,000$ एवं $\geq 25,000$ टन वार्षिक	-
4(ग)	एस्बेस्टास मिलिंग और एस्बेस्टास आधारित उत्पाद	सभी परियोजनाएं	-	-
4(घ)	क्लोस्कार उद्योग,	उत्पादन क्षमता $\geq 300$ टन पी डी या अधिसूचित औद्योगिक क्षेत्र/संपदा से बाह्य अवस्थित इकाई	उत्पादन क्षमता $< 300$ टन पी डी और अधिसूचित औद्योगिक क्षेत्र/संपदा में अवस्थित इकाई	विनिर्दिष्ट शर्त लागू होगी किसी नए पार प्रकोष्ठ आधारित संयंत्र को अनुज्ञा नहीं दी जाएगी और इस अधिसूचना द्वारा झिल्लीमय प्रकोष्ठ प्रौद्योगिकी में परिवर्तन करने वाली विद्यमान इकाई को छूट प्राप्त है।

4	सोडा भस्म उद्योग (ड)	सभी परियोजनाएं	-	-
4(च)	चमड़ा/त्वचा/खाल प्रसंस्करण उद्योग	औद्योगिक क्षेत्र से बाहर सभी नई परियोजनाएं या औद्योगिक क्षेत्र के बाहर विद्यमान ईकाइयों का विस्तार	अधिसूचित औद्योगिक क्षेत्र/संपदा में अवस्थित सभी नई परियोजनाएं या परियोजनाओं का विस्तार	विनिर्दिष्ट शर्त लागू होगी
5	<b>उत्पादन/फैक्ट्रिकेशन</b>			
5(क)	रासायनिक उर्वरक	सभी परियोजनाएं	-	-
5(ख)	कीटनाशक उद्योग और कीटनाशक विशिष्ट मध्यक जीवमार (विनिर्मिति को छोड़कर)	तकनीकी श्रेणी के कीटनाशकों को उत्पादन करने वाली सभी ईकाइयां	-	-
5(ग)	पेट्रो रसायन परिसर (पेट्रोलियम के अंश और प्राकृतिक गैस और/या सुगन्धितों में सुधार प्रसंस्करण आधारित उद्योग)	सभी परियोजनाएं	-	-
5(घ)	मानव निर्मित फाइबर का उत्पादन	रेयन	अन्य	साधारण शर्त लागू होगी
5(ङ)	पेट्रो रसायन आधारित प्रसंस्करण ( भंजन से भिन्न अन्य प्रसंस्करण तथा सुधार और जो परिसर के भीतर समाविष्ट नहीं है )	अधिसूचित औद्योगिक क्षेत्र/संपदा के बाह्य अवस्थित	अधिसूचित औद्योगिक क्षेत्र/संपदा के भीतर अवस्थित	विनिर्दिष्ट शर्त लागू होगी
5(च)	संश्लिष्ट कार्बनिक रसायन उद्योग (रंजक और रंजक मध्यक; थोक औषधि और औषधि विनिर्मितियों को छोड़कर मध्यक: संश्लिष्ट रबड़ मूल कार्बनिक रसायन, अन्य संश्लिष्ट कार्बनिक रसायन और रसायन मध्यक)	अधिसूचित औद्योगिक क्षेत्र/संपदा के बाह्य अवस्थित	अधिसूचित औद्योगिक क्षेत्र/संपदा के भीतर अवस्थित	विनिर्दिष्ट शर्त लागू होगी
5(छ)	आसवनी	(i) सभी शीरा आधारित आसवनी । (ii) सभी गन्ने का रस/गैर-शीरा आधारित आसवनी $\geq 30$ कि०ली० दैनिक	सभी गन्ने का रस/गैर शीरा आधारित आसवनी $< 30$ कि०ली० दैनिक	साधारण शर्त लागू होगी
5(ज)	समेकित पेंट उद्योग	-	सभी परियोजनाएं	साधारण शर्त लागू होगी
5(झ)	अपशिष्ट कागज से कागज का निर्माण और तैयार लुग्दी और विरंजन किए बिना तैयार लुग्दी से कागज निर्माण के अलावा लुग्दी एवं कागज	लुग्दी विनिर्माण और लुग्दी और कागज विनिर्माण उद्योग	लुग्दी विनिर्माण के बिना कागज विनिर्माण उद्योग	साधारण शर्त लागू होगी

	उद्योग			
5(अ)	चीनी उद्योग		गन्ना पेरने की क्षमता $\geq$ 5000 टन दैनिक	साधारण शर्त लागू होगी
5(ट)	प्रेरण/आर्क भट्टी/कुपोला भट्टी 5 टन प्रति घंटा या ज्यादा		सभी परियोजनाएं	साधारण शर्त लागू होगी
6	<b>सेवा सेक्टर</b>			
6(क)	राष्ट्रीय उद्यानों/ अभयारण्यों/ प्रवाल भित्तियों/ एल एन जी टर्मिनल सहित पारिस्थिकीय संवेदनशील क्षेत्रों से गुजरने वाली तेल और गैस परिवहन पाइप लाइनें (अपरिकृष्ट और परिष्करणी /पेट्रो रसायन उत्पाद)	सभी परियोजनाएं		
6(ख)	एकल भंडारकरण और परिसंकटमय रसायन को संभालना (एमएसआईएचसी नियम, 1989 और 2000 की संशोधित अनुसूची 2 और 3 के स्तंभ 3 में उपदर्शित अवसीमा योजना परिमाण के अनुसार		सभी परियोजनाएं	साधारण शर्त लागू होगी
7	<b>पर्यावरणीय सेवाओं सहित भौतिक अवसंरचना</b>			
7(क)	विमानपत्तन	सभी परियोजनाएं	-	-
7(ख)	सभी पोत भंजन यार्ड जिसमें पोत भंजन इकाई भी सम्मिलित है	सभी परियोजनाएं	-	-
7(ग)	औद्योगिक संपदा/पार्क/परिसर/ क्षेत्र/निर्यात प्रसंस्करण जोन (नि.प्र.जो.), विशेष आर्थिक जोन (वि.आ.जो.) जैव प्रौद्योगिकी पार्क वमझ परिसर	प्रस्तावित औद्योगिक संपदा में यदि एक भी उद्योग श्रेणी क के अंतर्गत आता है तो पूरे औद्योगिक क्षेत्र को श्रेणी क ही समझा जाएगा चाहे वह किसी भी क्षेत्र में हो  500 हेक्टेयर से ज्यादा क्षेत्र की औद्योगिक संपदाएं और जिनमें कम से कम एक श्रेणी ख का उद्योग स्थित हो	औद्योगिक संपदाएं और जिनमें कम से कम एक श्रेणी ख का उद्योग स्थित है और क्षेत्र < 500 हेक्टेयर हो  औद्योगिक संपदाएं क्षेत्र > 500 हेक्टेयर और जिसमें श्रेणी क या ख श्रेणी का कोई उद्योग नहीं है	विशेष शर्त लागू होगी टिप्पण 500 हेक्टेयर से कम क्षेत्र की औद्योगिक संपदाओं जिनमें क या ख श्रेणी का कोई उद्योग नहीं है, को मंजूरी की आवश्यकता नहीं है
7(घ)	सामान्य परिसंकटमय अपशिष्ट उपचार भंडारकरण और निपटान सुविधाएं (उ.भं.नि.सु.)	सभी एकीकृत सुविधाएं जिनमें भस्मीकरण और भूमिभरण या केवल भस्मीकरण शामिल है	केवल भूमि भरण वाली सभी सुविधाएं	साधारण शर्त लागू होगी

7(ड)	पत्तन, बंदरगाह	≥ 5 मिलियन टन वार्षिक स्थोरा की उठाई-धराई की क्षमता (मत्स्य बंदरगाह से भिन्न)	< 5 मिलियन टन वार्षिक स्थोरा की उठाई-धराई की क्षमता और पत्तन/बंदरगाह में ≥ 10,000 टन वार्षिक मछली पकड़ने की क्षमता	साधारण शर्त लागू होगी
7(घ)	राजमार्ग	1) नए राष्ट्रीय राजमार्ग: और 2) 30 कि.मी. से ज्यादा लंबाई के राष्ट्रीय राजमार्गों का विस्तार जिनमें मार्ग के दोनों ओर अतिरिक्त भूमि अधिग्रहण 20 मीटर से ज्यादा है और एक से अधिक राज्यों से गुजरते हैं।	1) नए राज्य राजमार्ग: और 2) 30 कि.मी. से ज्यादा लंबे राष्ट्रीय/राज्य राजमार्गों का विस्तार जिनमें मार्ग के दोनों ओर अतिरिक्त भूमि अधिग्रहण 20 मीटर से ज्यादा है।	साधारण शर्त लागू होगी
7(छ)	आकाशी यात्री रज्जुमार्ग		सभी परियोजनाएं	साधारण शर्त लागू होगी
7(ज)	सामान्य ज्ञाप उपचार संयंत्र (स.स.उ.सं.)		सभी परियोजनाएं	साधारण शर्त लागू होगी
7(झ)	नगरपालिका ठोस अपशिष्ट प्रबंधन सुविधा (स.न.अ.प्र.स.)		सभी परियोजनाएं	साधारण शर्त लागू होगी
8	भवन/संनिर्माण परियोजनाएं/क्षेत्र विकास परियोजनाएं और शहरीकरण			
8(क)	भवन एवं संनिर्माण परियोजनाएं		≥ 20000 वर्ग मी. के निर्मित क्षेत्र और < 1,50,000 वर्ग मीटर के निर्मित क्षेत्र #	# आवृत संनिर्माण के लिए निर्मित क्षेत्र आकाश की ओर खुली सुविधाओं की दशा में यह क्रियाकलाप क्षेत्र भी होगा।
8(ख)	नगरी और क्षेत्र विकास परियोजनाएं		≥ 50 हे० क्षेत्र को सम्मिलित करते हुए और या निर्मित क्षेत्र ≥ 1,50,000 वर्ग मीटर ++	++ 8 (ख) के अंतर्गत सभी परियोजनाओं को ख 1 प्रवर्ग के अनुसार निबंधित किया जाएगा।

## टिप्पण

## साधारण शर्त (सा.श.)

प्रवर्ग "ख" में विनिर्दिष्ट किसी परियोजना या क्रियाकलाप को प्रवर्ग "क" माना जाएगा, यदि वह : (i) वन्य जीव (संरक्षण) अधिनियम, 1972 के अधीन अधिसूचित संरक्षित क्षेत्र; (ii) उसकी समय-समय पर केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा गंभीर रूप से प्रदूषित क्षेत्र के रूप में पहचान की गई है; (iii) परिस्थितिकी संवेदनशील क्षेत्र अधिसूचित है; और (iv) अंतरराज्यिक सीमाओं और अंतरराष्ट्रीय सीमाओं से दस किलोमीटर के भीतर संपूर्ण रूप से या आंशिक रूप में अवस्थित है।

## विनिर्दिष्ट शर्त (वि.श.)

यदि कोई मद 4(घ), 4(च), 5(ड), 5(घ) जैसी समयुग्म की प्रकार का उद्योगों वाला औद्योगिक संपदा/कांप्लेक्स/निर्यात प्रसंस्करण जोन/विशेष आर्थिक जोन/जैव प्रौद्योगिकी उद्यान/चमड़ा परिसर या पूर्व निर्धारित गतिविधियों वाले उद्योग (आवश्यक नहीं कि वे समयुग्म हों) पूर्व पर्यावरणीय अनापत्ति प्राप्त करते हैं, तो ऐसी संपदाओं/कांप्लेक्सों के भीतर प्रस्तावित उद्योगों सहित निजी उद्योगों को तब तक पूर्व पर्यावरणीय अनापत्ति लेना अपेक्षित नहीं है जब तक कि औद्योगिक कांप्लेक्स/संपदा के लिए निबंधनों और शर्तों का अनुपालन नहीं करते (ऐसी संपदा/कांप्लेक्सों की पूर्व पर्यावरणीय अनापत्ति की निबंधनों और शर्तों के लिए सहमता सुनिश्चित करने के विधिक उत्तरदायित्व से स्पष्ट रूप से पहचान करने का प्रबंध होना चाहिए जिसे कांप्लेक्स/संपदा के सारे जीवन में उसके अतिक्रमण के लिए उत्तरदायी ठहराया जा सकेगा)।

[सं. जे-11013/56/2004-आईए-II(I)]

आर. चन्द्रमोहन, संयुक्त सचिव

**परिशिष्ट -I**  
**(पैरा 6 देखें)**  
**प्ररूप 1**

**(1) आधारभूत जानकारी**

परियोजना का नाम :

विचाराधीन अनुकल्पी अवस्थिति/स्थान :

परियोजना का आकार \* :

परियोजना की प्राक्कलित लागत

संपर्क जानकारी :

संवीक्षा प्रवर्ग :

- अंचलीय क्रियाकलाप के लिए तत्स्थानी क्षमता (जैसे विनिर्माण करने के लिए उत्पादन क्षमता, खनिज उत्पादन के लिए खनन पट्टा क्षेत्र और उत्पादन क्षमता, खनिज पूर्वक्षेत्र के लिए क्षेत्र, अनुरेख परिवहन अवसंरचना के लिए लंबाई, विद्युत उत्पादन आदि के उत्पादन क्षमता )

**(II) क्रियाकलाप**

1. परियोजना का संनिर्माण, प्रचालन या न निकालना जिसमें ऐसी कार्यवाई भी सम्मिलित है जो परिक्षेत्र में भौतिक परिवर्तनों का कारण होगी (स्थलाकृति, भूमि उपयोग, जल निकायों में परिवर्तन आदि)

क्र.सं.	जानकारी/जांच सूची पुष्टिकरण	हां/नहीं	उनके ब्यौरे (लगभग मात्रा/दरों, सहित, जो संभव हो, सहित) आंकड़ों की जानकारी के स्रोत सहित ।
1.1	भूमि उपयोग, समावेश भूमि या स्थलाकृति में स्थायी या अस्थायी जिसमें भूमि उपयोग की मात्रा (स्थानीय भूमि उपयोग योजना के बारे में वृद्धि भी सम्मिलित है)		
1.2	विद्यमान भूमि, वनस्पति और भवनों की अनापत्ति		
1.3	नई भूमि उपयोगों का सृजन		
1.4	संनिर्माण पूर्व अन्वेषण अर्थात बोर, गृह, मिट्टी का परिक्षण करना		
1.5	संनिर्माण कार्य		
1.6	विध्वंस कार्य		

1.7	संनिर्माण कार्य या संनिर्माण कर्मकारों के घर के प्रबंध के लिए उपयोग किए गए अस्थायी स्थल		
1.8	उपर्युक्त सू-भवन, संरचनाएं या भुस्त जिसमें अनुरेखीय संरचनाएं, काटनीं और भस्म या खुदाई भी सम्मिलित है।		
1.9	भूमिगत कार्य जिसमें खनन या खुपंग बनाना भी सम्मिलित है।		
1.10	भूमि उद्धार कार्य		
1.11	तलकषक		
1.12	अपतृप्त संरचनाएं		
1.13	उत्पादन और विनिर्माण प्रक्रियाएं		
1.14	सामग्रियों या माल के भंडार की सुविधाएं		
1.15	ठोस अपशिष्ट या तरल बहिःस्रावों के उपचार या निपटान के लिए सुविधाएं		
1.16	परिचालन कर्मकारों के दीर्घकालिक घर का प्रबंध के लिए सुविधाएं		
1.17	संनिर्माण या प्रचालन के दौरान नई सड़क, रेल या समुद्री यातायात		
1.18	नई सड़क, रेल, वायु जल वाहिन या अन्य परिवहन अवसंरचना जिसमें नए या परिवर्तित मार्ग और स्टेशन, पत्तन, विमानपत्तन आदि भी सम्मिलित है।		
1.19	विद्यमान परिवहन मार्गों को बंद करना या अवर्तन या यातायात परिचालन में परिवर्तनों के लिए प्रमुख अवसंरचना		
1.20	नई या अपवर्तित प्रेषण लाईनें या पाइपलाइनें		
1.21	अवरुद्ध करना, बांध बनाना, पुलिया बनाना, पुनःरेखांकन या जलमार्गों या एक्वीकरों के जल विज्ञान के लिए अन्य परिवर्तन		
1.22	प्रवाह पार		
1.23	भूजल या भूतल से जल का अंतरण या धृक्करण		
1.24	नालियों या प्रवाह को प्रभावित करने वाले जलनिष्पादों या भूमि स्तर में परिवर्तन		
1.25	संनिर्माण, परिचालन या म भिकालमे के लिए कार्मिक या सामग्रियों का परिवहन		
1.26	दीर्घकालिक रूप में तोड़ना, प्रारंभ करना या कार्य पुनः आरंभ करना।		
1.27	आरंभ के दौरान जारी ऐसे क्रियाकलाप जो पर्यावरण पर समाघात कर सकेंगे।		
1.28	जमता का किसी क्षेत्र के लिए या तो अस्थायी रूप से या स्थायी रूप से आना।		
1.29	अन्य देशीय प्रजातियों का आना		
1.30	मूल निवासी प्रजातियों या आनुवंशिक विविधता की हानि		
1.31	अन्य कोई कार्यवाहियां		

2. परियोजना के संनिर्माण या प्रचालन के लिए प्राकृतिक संसाधनों का उपयोग (जैसे भूमि, जल सामग्री या ऊर्जा विशेष रूप से ऐसा कोई संसाधन जो नवीकरणीय नहीं है या जिसका प्रदाय कम है )

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यारे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
2.1	विशेष रूप से अविकसित भूमि या कृषि भूमि (हे0)		
2.2	जल (अनुमानित स्रोत और प्रतियोगी उपयोगकर्ता) इकाई : के.एल.डी.		
2.3	खनिज (एम.टी.)		
2.4	संनिर्माण सामग्री -- पत्थर और सत, बालू/मृदा (अनुमानित स्रोत एम.टी.)		
2.5	वन और इमारती लकड़ी (स्रोत -- एम.टी.)		
2.6	ऊर्जा जिसके अंतर्गत विद्युत् और ईंधन (स्रोत, प्रतियोगी उपयोगकर्ता) इकाई : ईंधन (एम.टी.) ऊर्जा (एम.डब्ल्यू)		
2.7	कोई अन्य प्राकृतिक संसाधन (समुचित मानक इकाइयों का उपयोग करें )		

3. पदार्थों या सामग्रियों का उपयोग उदहरण, परिवहन, उठाई धराई या उत्पादन, जो मानव स्वास्थ्य या पर्यावरण के लिए खतरनाक या जिनके मानव स्वास्थ्य की जोखिम की वास्तविकता के बारे में चिंताएं उठती हैं ।

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यारे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
3.1	पदार्थों या सामग्रियों का उपयोग जो मानव स्वास्थ्य या पर्यावरण (फ्लोरा, फोना और जल प्रदाय के लिए परिसंकटमय) (एम.एस.आई.एच.सी. नियमों के अनुसार) है		
3.2	रोग के होने में परिवर्तन या रोग वाहकों के रोग का प्रभाव (उदहरणार्थ कीट या जल-जन्य रोग)		
3.3	लोगों के कल्याण पर प्रभाव. उदहरणार्थ जीवन दशाओं में परिवर्तन करके		
3.4	लोगों के संवेदनशील समूह जो परियोजना अर्थात् अस्पताल रोगियों, बालकों, वृद्धों आदि द्वारा प्रभावित हो सकते हैं		
3.5	कोई अन्य कारण		

## 4. निर्माण या प्रचालन या प्रारंभ न करने के दौरान टोस अपशिष्टों का उत्पादन (एम.टी./मास)

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
4.1	मृदा, अधिक भार या खान अपशिष्ट		
4.2	नगरपालिक अपशिष्ट (घरेलू और या वाणिज्यिक अपशिष्ट)		
4.3	परिसंकटमय अपशिष्ट (परिसंकटमय अपशिष्ट प्रबंध तंत्र नियमों के अनुसार)		
4.4	अन्य औद्योगिक प्रक्रिया अपशिष्ट		
4.5	अधिशेष उत्पाद		
4.6	मल बही-स्राव उपचार से मल गाद या अन्य गाद		
4.7	निर्माण या ढाये गए अपशिष्ट		
4.8	बेकार मशीनरी या उपस्कर		
4.9	संदूषित मृदाएं या अन्य सामग्रियां		
4.10	कृषि अपशिष्ट		
4.11	अन्य टोस अपशिष्ट		

## 5. वायु में संदूषकों या किसी परिसंकटमय विषैले या जहरीले पदार्थों का विसर्जन

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
5.1	लेखन सामग्री या चल संसाधनों से जीवाणु ईंधनों के दहन से उत्सर्जन		
5.2	उत्पादन प्रक्रियाओं से उत्सर्जन		
5.3	सामग्रियों की उठाई धराई से जिसके अंतर्गत भंडारण या परिवहन भी है, उत्सर्जन		
5.4	निर्माण क्रियाकलापों से जिसके अंतर्गत संयंत्र और उपस्कर भी हैं, उत्सर्जन		
5.5	सामग्रियों की उठाई धराई से जिसके अंतर्गत निर्माण सामग्री, मल और अपशिष्ट भी हैं, धूल या गंध		
5.6	अपशिष्ट के भस्मीकरण से उत्सर्जन		
5.7	खुली वायु में अपशिष्ट के जलने से उत्सर्जन (उदाहरणार्थ स्लैश सामग्री, निर्माण सामग्री का ढेर)		
5.8	किसी अन्य स्रोतों से उत्सर्जन		

6. शोर और कंपन का पैदा होना तथा प्रकाश और उष्मा का उत्सर्जन

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
6.1	उपस्कर के प्रचालन से उदाहरणार्थ ईजन, वातायन संयंत्र, संदलनित्र		
6.2	औद्योगिक या उसी प्रकार की प्रक्रियाओं से		
6.3	निर्माण या ढहाने से		
6.4	विस्फोटन या पाइलिंग से		
6.5	निर्माण या प्रचालन संबंधी यातायात से		
6.6	प्रकाशन या प्रशीतन प्रणालियों से		
6.7	किन्हीं अन्य संसाधनों से		

7. भूमि या मल नालियों, सतही जल, भूमिगत जल, तटीय जल या समुद्र में प्रदूषकों के विसर्जन से भूमि या जल के संदूषण के जोखिम

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
7.1	परिसंकटमय सामग्री की उठाई धराई, भंडारण, उपयोग या गाद से		
7.2	जल या भूमि में (अनुमानित ढंग और विसर्जन का स्थान) मल या अन्य बही स्रावों के विसर्जन से		
7.3	वायु से भूमि या जल में उत्सर्जित प्रदूषकों के जमा होने से		
7.4	किन्हीं अन्य संसाधनों से		
7.5	क्या इन संसाधनों से पर्यावरण में प्रदूषकों के जमा होने से दीर्घकालिक जोखिम है ?		

8. परियोजना के निर्माण या प्रचालन के दौरान दुर्घटनाओं का जोखिम जो मानव स्वास्थ्य या पर्यावरण को प्रभावित कर सकते हैं

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
8.1	परिसंकटमय पदार्थों के विस्फोट, गाद, आग, भंडारण, उठाई धराई या उत्पादन से		
8.2	किन्हीं अन्य कारणों से		
8.3	क्या परियोजना प्राकृतिक विपदाओं द्वारा पर्यावरण को नुकसान पहुंचाएंगी (उदाहरणार्थ बाढ़, भूकंप, भू-सखलन, वृष्टिस्फोट आदि) ?		

9. बातें जिन पर विचार किया जाना चाहिए (जैसे पारिणामिक विकास) जिनके कारण पर्यावरणीय प्रभाव होते हैं या जो संचयी प्रभावों को करने के लिए अन्य विद्यमान प्रभावों सहित या पक्षेत्र में नियोजित क्रियाकलापों के लिए सामर्थवान हैं

क्र.सं.	सूचना/जांच सूची पुष्टीकरण	हां/नहीं	सूचना आंकड़ों के स्रोत सहित उनके ब्यौरे (लगभग मात्राओं/दरों सहित, जहां कहीं संभव हो)
9.1	जिसके कारण आधार का विकास, सहायक विकास या परियोजना द्वारा विकास को बल मिलता है जिसका पर्यावरण पर प्रभाव हो सकता है अर्थात् - <ul style="list-style-type: none"> <li>• आधारिक अवसंरचना (सड़कें, बिजली प्रदाय, अपशिष्ट या अपशिष्ट जल उपचार आदि)</li> <li>• आवासन विकास</li> <li>• निष्कर्षित उद्योग</li> <li>• पूर्ति उद्योग</li> <li>• अन्य</li> </ul>		
9.2	जिसके कारण स्थल का बाद में उपयोग होता है जिसका पर्यावरण पर प्रभाव हो सकता है		
9.3	पश्चात्कर्ती विकासों के लिए उदाहरण स्थापित करना		
9.4	सामिप्य के कारण अन्य विद्यमान परियोजनाओं पर संचयी प्रभाव हैं या उसी प्रकार के प्रभावों सहित नियोजित परियोजनाएं		

### (III) पर्यावरणीय संवेदनशीलता

क्र.सं.	क्षेत्र	नाम/पहचान	आकाशी दूरी (15 किलोमीटर के भीतर) प्रस्तावित परियोजना अवस्थान सीमा
1.	उनके पारिस्थितिक भू-दृश्य, सांस्कृतिक या अन्य संबंधित मूल्यों के लिए अंतरराष्ट्रीय कन्वेंशन, राष्ट्रीय या स्थानीय विधान के अधीन संरक्षित क्षेत्र ।		
2.	क्षेत्र जो पारिस्थितिक कारणों के लिए महत्वपूर्ण या संवेदनशील हैं - वेट लैंड्स, जल स्रोत या अन्य जल संबंधी निकाय, तटीय जोन, बायोस्फीयर, पहाड़ियां, वन		
3.	क्षेत्र जो प्रजनन, घोंसला बनाने, चारे के लिए, आराम करने के लिए, सर्दी के लिए, प्रवास के लिए फ्लोरा और फोना के संरक्षित महत्वपूर्ण या संवेदनशील प्रजातियों द्वारा उपयोग किए जाते हैं		
4.	अंतरदेशीय, तटीय, सामुद्रिक या भूमिगत जल		

5.	राज्य, राष्ट्रीय सीमाएं		
6.	मनोरंजन की या अन्य पर्यटक/यात्रियों वाले क्षेत्रों में पहुंच के लिए जनता द्वारा उपयोग किए जाने वाले मार्ग या सुविधाएं		
7.	रक्षा प्रतिष्ठापन		
8.	सघन रूप से बसे हुए या निर्मित क्षेत्र		
9.	संवेदनशील मानव निर्मित भूमि उपयोगों के अधिभोगाधीन क्षेत्र अस्पताल, पाठशालाएं, पूजा स्थल, सामुदायिक सुविधाएं		
10.	महत्वपूर्ण, उच्च क्वालिटी या दुर्लभ संसाधनों वाले क्षेत्र (भूमिगत जल संसाधन, भूतल संसाधन, वनोद्योग, कृषि, मत्स्य उद्योग, पर्यटन, खनिज)		
11.	क्षेत्र जो पहले से ही प्रदूषण या पर्यावरणीय नुकसान के अधीन हैं (वे जहां विद्यमान विधिक पर्यावरणीय मानक अधिक होते हैं)		
12.	क्षेत्र जहां प्राकृतिक संकट हो सकता है जो वर्तमान पर्यावरणीय समस्याओं की योजनाओं को प्रभावित कर सकते हैं (धंसना, भूस्खलन, भूमि कटाव, बाढ़ या अत्यंत या प्रतिकूल वातावरणीय दशाएं)		

**परिशिष्ट 2**  
(पैरा 6 देखें)

प्रारूप 1क (केवल अनुसूची की मद 8 के अधीन सूचीबद्ध निर्माण परियोजनाओं के लिए)

**पर्यावरणीय प्रभावों की जांच सूची**

(पूर्ण जानकारी उपलब्ध कराने के लिए अपेक्षित परियोजना सलाहकार और जहां कहीं आवश्यक हो प्रारूप के साथ स्पष्टीकारक टिप्पण संलग्न करें तथा प्रस्तावित पर्यावरणीय प्रबंधन योजना और मॉनिटरिंग कार्यक्रम के साथ प्रस्तुत करें)

**1. भूमि पर्यावरण**

(परियोजना स्थल और आसपास का विशाल दृश्य संलग्न करें)

1.1 क्या विद्यमान भूमि के उपयोग में परियोजना से सारवान रूप से परिवर्तन किया जाएगा जो वातावरण आसपास से संगत नहीं है ? (प्रस्तावित भूमि उपयोग सक्षम प्राधिकारी के अनुमोदित मास्टर प्लान/विकास योजना के अनुरूप होना चाहिए। भूमि उपयोग में परिवर्तन यदि कोई हो और सक्षम प्राधिकारी से कानूनी अनुमोदन प्रस्तुत किया जाए)। (i) स्थल अवस्थान, (ii) प्रस्तावित स्थल (पांच सौ मीटर के भीतर आसपास के सक्षमों) और (iii) समुचित मापमान के स्थल (स्तर और समोच्च रेखा उपदर्शित करते हुए) के नक्शे संलग्न करें। यदि उपलब्ध नहीं है तो केवल अवधारणा युक्त योजना संलग्न करें।

1.2 भूमि क्षेत्र, निर्मित क्षेत्र, जल उपयोग, विद्युत अपेक्षा, संयोजकता, सामुदायिक सुविधाओं, पर्यावरण आवश्यकताओं आदि के अनुसार सभी बड़ी परियोजना की आवश्यकताओं को सूचीबद्ध करें।

1.3 प्रस्तावित स्थल से संलग्न विद्यमान सुविधाओं पर प्रस्तावित विनाशकारी के पर्यावरण प्रभाव क्या हैं ? (उपरोक्त खुले स्थल, सामुदायिक सुविधाएं, विद्यमान भूमि उपयोग के ब्यारे, स्थानीय पारिस्थिति, आदि)

1.4 क्या किसी महत्वपूर्ण भूमि विज्ञान के परिणामस्वरूप भूस्खलन, भूमि कटाव, बाढ़, अत्यंत वातावरण, आदि का जोखिम है ? (जोखिम किस्म, ढाल विश्लेषण, भूमि कटाव की संवेदनशीलता, भूकंपन आदि के जोखिम दिए गए)

1.5 क्या प्राकृतिक मल निकास प्रणाली के परिवर्तन से संबंधित प्रस्ताव है ? (प्रस्तावित परियोजना स्थल के निकट प्राकृतिक मल निकासी को दर्शित करते हुए किसी समोच्च नक्शे के ब्यौरे दें)

1.6 निर्माण क्रियाकलाप — कर्तन, भरण, भूमि सुधार आदि में अंतर्वलित भूमि कार्य की मात्राएं क्या हैं ? (अंतर्वलित भूमि कार्य, स्थल आदि के बाहर से सामग्री भरने के परिवहन के ब्यौरे दें)

1.7 निर्माण अवधि के दौरान जल प्रदाय अपशिष्ट उठाई धराई आदि के संबंध में ब्यौरे दें ।

1.8 क्या नीचे के क्षेत्रों और वेट लैंड्स में परिवर्तन होंगे ? (वह ब्यौरे दें कि किस प्रकार निचले क्षेत्र और वेट लैंड्स प्रस्तावित क्रियाकलापों से उपांतरित हो रहे हैं)

1.9 क्या निर्माण के दौरान निर्माण के कूड़ा करकट और अपशिष्ट से स्वास्थ्य को खतरा होगा ? (निर्माण के दौरान जिसके अंतर्गत निर्माण श्रम और व्ययन की युक्तियां भी हैं, जनित अपशिष्टों की विभिन्न किस्मों की मात्राएं दें ।)

## 2. जल पर्यावरण

2.1 विभिन्न उपयोगों की अपेक्षाओं के विश्लेषण सहित प्रस्तावित परियोजना के लिए जल अपेक्षा की कुल मात्रा दें । जल अपेक्षा की पूर्ति कैसे होगी । स्रोतों और मात्राओं का कथन करें तथा एक जल अतिशेष विवरण दें ।

2.2 जल के प्रस्तावित स्रोत की क्षमता क्या है ? (बहाव या प्राप्ति के आधार पर)

2.3 अपेक्षित जल की क्वालिटी क्या है यदि पूर्ति किसी नगर पालिक स्रोत से नहीं है ? (जल की क्वालिटी के वर्ग सहित भौतिक, रासायनिक, जैव वैज्ञानिक लक्षणों को दर्शित करें)

2.4 कितनी जल अपेक्षा की उपचारित बेकार जल के पुनः चक्रण से पूर्ति हो सकती है ? (मात्राओं, स्रोतों और उपयोगिताओं के ब्यौरे दें ।)

2.5 क्या अन्य उपयोक्ताओं से जल का उपयोजन होगा ? (कृपया अन्य विद्यमान उपयोगों और उपभोग की मात्राओं पर परियोजना के प्रभाव का निर्धारण करें)

2.6 प्रस्तावित क्रियाकलापों से प्राप्त बेकार जल से प्रदूषण के भार में क्या वृद्धि है ? (प्रस्तावित क्रियाकलापों से प्राप्त बेकार जल की मात्राओं और संघटन के ब्यौरे दें)

2.7 जल अपेक्षाओं की जल संचयन से हुई पूर्ति के ब्यौरे दें । सृजित सुविधाओं के ब्यौरे प्रस्तुत करें ।

2.8 दीर्घकालिक आधार पर निर्माण चरण के पश्चात् क्षेत्र की प्रस्तावित परियोजना के पूरा होने के लक्षणों (मात्रात्मकता के साथ-साथ क्वालिटी भी) के कारण भूमि उपयोग में हुए परिवर्तनों का क्या प्रभाव होगा ? क्या इससे बाढ़ या जल के जमा होने की किसी रूप में समस्या में वृद्धि होगी ?

2.9 भूमिगत जल पर प्रस्ताव के क्या प्रभाव होंगे ? (क्या भूमिगत जल में नल लगाया जाएगा ; भूमिगत जल की सारणी, पुनः प्रभारण क्षमता और सक्षम प्राधिकारी से अभिप्राप्त अनुमोदन यदि कोई हों के ब्यौरे दें)

2.10 भूमि और पनिलों को प्रदूषित करने वाले निर्माण क्रियाकलापों से बचने के साधनों के लिए क्या सावधानियां/कदम उठाए जाने हैं ? (प्रतिकूल प्रभावों से बचने के लिए मात्राओं और अपनाए जाने वाले उपायों के ब्यौरे दें)

2.11 स्थल के भीतर किस प्रकार तेज जल की व्यवस्था की जाएगी ? (क्षेत्र में बाढ़ से बचने के लिए किए गए उपबंध, समोच्च स्तरों के उपदर्शन के स्थल अभिन्यास सहित उपलब्ध कराई गई जल निकासी सुविधाओं के ब्यौरे का कथन करें)

2.12 क्या आवश्यक अवधि में विशेष रूप से निर्माण श्रमिकों के लगाए जाने से परियोजना स्थल के आसपास अस्वच्छता दशाएं उत्पन्न हो जाती हैं ? (उचित स्पष्टीकरण से न्यायोचित ठहराएं)

2.13 स्थल सुविधाओं पर संग्रहण, उपचार और जल निकासी के सुरक्षित व्ययन के लिए क्या व्यवस्था की जाती है ? (पुनःचक्रण और व्ययन के लिए प्रौद्योगिकी और सुविधाओं सहित जनन, उपचार क्षमताओं की, चाहे जैसी हों मात्राओं के ब्यौरे दें)

2.14 दोहरी नलसाजी प्रणाली के ब्यौरे दें यदि उपयोग किए गए उपचारित अपशिष्ट का प्रसाधनों को बहाने या किसी अन्य उपयोग के लिए उपयोग किया जाता है ।

### 3 वनस्पति

3.1 क्या जैवविविधता पर परियोजना का कोई खतरा है ? (स्थानीय पारिस्थितिक प्रणाली का उसकी विशिष्ट बातों सहित यदि कोई हों वर्णन करें)

3.2 क्या निर्माण में वनस्पति की विस्तृत निकासी या उपांतरण अंतर्वलित है ? (परियोजना द्वारा प्रभावित वृक्षों और वनस्पति का विस्तृत लेखा जोखा दें)

3.3 महत्वपूर्ण स्थल की बातों पर प्रभावों को कम करने के लिए प्रस्तावित उपाय क्या हैं ? (किसी समुचित मापमान कि किसी अभिन्यास योजना सहित वृक्षारोपण, भूदृश्य, जल निकायों आदि के सृजन के प्रस्ताव के ब्यौरे दें)

### 4. जीव जन्तु

4.1 क्या जीव जन्तुओं, स्थलीय और जलीय रूप से किसी प्रकार हटाने या उनके चलने फिरने के लिए रुकावटें होने की संभावना है ? ब्यौरे दें ।

4.2 क्षेत्र के जीव जन्तुओं पर क्या कोई प्रत्यक्ष या अप्रत्यक्ष प्रभाव हैं ? ब्यौरे दें ।

4.3 जीवजन्तुओं पर प्रतिकूल प्रभावों को कम करने के लिए कारीडोर, मछली सीड़ियों आदि जैसे उपाय विहित करें ।

### 5. वायु पर्यावरण

5.1 क्या परियोजना से द्वीपों में गैसों के वायुमंडलीय सांद्रण में वृद्धि होगी और उसके परिणामस्वरूप उष्मा बढ़ेगी ? (प्रस्तावित निर्माणों के परिणामस्वरूप वर्धित यातायात बढ़ने को ध्यान में रखते हुए विक्षेपण आदर्शों पर आधारित अनुमानित मूल्यों सहित पृष्ठभूमि वायु क्वालिटी स्तरों के ब्यौरे दें)

5.2 धूल, जहरीली वाष्पों या अन्य परिसंकटमय गैसों के बनने पर क्या प्रभाव हैं ? सभी मौसम विज्ञान परिभाषों के संबंध में ब्यौरे दें ।

5.3 क्या प्रस्ताव से यानों को पार्क करने के स्थल में कमी आएगी ? परिवहन अवसंरचना और सुधार के लिए प्रस्तावित उपायों के, जिसके अंतर्गत परियोजना स्थल के प्रवेश और निर्गम पर यातायात व्यवस्था भी है, विद्यमान स्तर के ब्यौरे दें ।

5.4 प्रत्येक प्रवर्ग के अधीन क्षेत्रों में आंतरिक सड़कों, बाइसिकल मार्गों, पैदल यात्री मार्गों, पैदल मार्गों आदि पर चलने के पैदलों के ब्यारे दें।

5.5 क्या यातायात शोर और कंपन में महत्वपूर्ण वृद्धि होगी ? ऊपर वर्णित बातों को कम करने के लिए स्रोतों और प्रस्तावित उपायों के ब्यारे दें।

5.6 परियोजना स्थल के आसपास शोर स्तरों और कंपन तथा धिरी हुई वायु की क्वालिटी पर डीजी सेटों और अन्य उपकरणों पर क्या प्रभाव होगा ? ब्यारे दें।

## 6. सौन्दर्यबोद्धी

6.1 क्या प्रस्तावित निर्माणों के परिणामस्वरूप किसी दृश्य, दृश्यसुविधा या भूदृश्य में रुकावट होगी ? क्या प्रस्तावको ने इन बातों पर विचार कर लिया है ?

6.2 क्या विद्यमान परिनिर्माणों पर नए निर्माण से कोई प्रतिकूल प्रभाव होगा ? किन बातों को ध्यान में रखा गया है ?

6.3 क्या डिजाइन मापमान को प्रभावित करने वाले शहर रूपी या शहरी डिजाइनों का कोई स्थानीय आकलन है ? उनका स्पष्ट रूप से उल्लेख किया जा सकता है।

6.4 क्या कोई मानव विज्ञान संबंधी या पुरातत्वीय स्थल या बाह्य चीजें आसपास में हैं ? कथन करें यदि कोई अन्य महत्वपूर्ण बात, जिसपर प्रस्तावित स्थल के परिक्षेत्र में होने पर विचार किया गया है।

## 7. सामाजिक - आर्थिक पहलू

7.1 क्या प्रस्ताव के परिणामस्वरूप स्थानीय जनता के समाज संबंधी परिनिर्माणों में कोई परिवर्तन होगा ? ब्यारे दें।

7.2 प्रस्तावित परियोजना के आसपास विद्यमान सामाजिक अवसंरचना के ब्यारे दें।

7.3 क्या परियोजना से स्थानीय समुदायों पर प्रतिकूल प्रभाव, पवित्र स्थलों या अन्य सांस्कृतिक मूल्यों में विघ्न पड़ेगा ? प्रस्तावित सुखापाय क्या हैं ?

## 8. निर्माण सामग्री

8.1 अधिक ऊर्जा सहित निर्माण सामग्री का उपयोग हो सकेगा। क्या ऊर्जा दक्ष प्रक्रियाओं सहित निर्माण सामग्री उत्पादित की जाती है ? (निर्माण सामग्री और उनकी ऊर्जा दक्षता का चयन करने में ऊर्जा संरक्षण उपायों के ब्यारे दें)

8.2 निर्माण के दौरान सामग्री का परिवहन और उठाई धराई के कारण प्रदूषण, शोर और लोक अशान्ति हो सकती है। इन प्रभावों को कम करने के लिए क्या उपाय किए जाने हैं ?

8.3 क्या सड़कों और ढाचों में पुनः चक्रित सामग्री उपयोग की जाती है ? की गई बचतों की सीमा का कथन करें ?

8.4 परियोजना के प्रचालन संबंधी चरणों के दौरान हुए कूड़े के संग्रहण, पृथक्करण और व्ययन की पद्धति के ब्यारे दें।

## 9 ऊर्जा संरक्षण

9.1 विद्युत अपेक्षा प्रदाय के स्रोत, स्रोत आदि की पृष्ठभूमि आदि के ब्यौरे दें। निर्मित क्षेत्र में प्रति वर्ग फुट ऊर्जा खपत कितनी है ? ऊर्जा खपत को कम करने के लिए क्या प्रयास किए गए हैं ?

9.2 विद्युत की पृष्ठभूमि की किस्म और क्षमता, जिसको देने की आपकी योजना है, क्या है ?

9.3 उपयोग किए जाने वाले कांच के अभिलक्षण क्या हैं ? शार्ट वेव और लांग वेव विकिरण दोनों से संबंधित उसके अभिलक्षणों के निर्देश दें।

9.4 भवन में कौन से अप्रत्यक्ष सौर वास्तविक कारक उपयोग किए जा रहे हैं ? प्रस्तावित परियोजना में किए गए उपयोग को स्पष्ट करें।

9.5 क्या गलियों और भवनों के अभिन्यास सौर ऊर्जा युक्तियों की क्षमता को अधिकतम करते हैं ? क्या आपने भवन कम्प्लैक्स में उपयोग के लिए सड़क प्रकाशन आपात प्रकाशन और सौर ताप्त जल प्रणालियों के उपयोग पर विचार कर लिया है ? ब्यौरों का सार दें।

9.6 क्या प्रशीतन/तापन भार को कम करने के लिए शेडिंग का प्रभावी रूप से उपयोग किया जाता है ? पूर्व और पश्चिम की दीवारों और छत पर शेडिंग को अधिकतम करने के लिए उपयोग करने के सिद्धांत क्या हैं ?

9.7 क्या परिनिर्माणों में ऊर्जा दक्ष स्थल शीतन, प्रकाशन और यांत्रिक प्रणालियों का उपयोग किया जाता है ? तकनीकी ब्यौरे दें। ट्रांसफार्मरों और मोटर दक्षता प्रकाशन तीव्रता और वायु प्रशीतन भार धारणाओं के ब्यौरे दें। क्या आप सीएफसी एचसीएफसी फ्री चिलर्स का उपयोग कर रहे हैं ? विनिर्देश दें।

9.8 सूक्ष्म जलवायु के परिवर्तन में भवन क्रियाकलापों के संभावित प्रभाव क्या हैं ? तप्त द्वीप और प्रतीपन प्रभावों के सृजन पर प्रस्तावित निर्माण के संभावित प्रभावों पर स्वतः निर्धारण का उल्लेख करें।

9.9 भवन आहाते के तापीय अभिलक्षण क्या हैं ? (क) छत ; (ख) बाह्य दीवारें ; और (ग) झरोखे ? उपयोग की गई सामग्री और व्यष्टिक संघटकों के यू मूल्यों या आर मूल्यों के ब्यौरे दें।

9.10 अग्नि संकट के लिए प्रस्तावित सावधानियां और सुरक्षा उपाय क्या हैं ? आपात योजनाओं के ब्यौरे दें।

9.11 दिवाल सामग्री के रूप में यदि कांच का उपयोग किया जाता है तो ब्यौरे और विनिर्देश जिसके अंतर्गत उत्सर्जनता और तापीय अभिलक्षण भी हैं, दें।

9.12 भवन में वायु प्रवेशन की दर क्या है ? प्रवेशन के प्रभावों को कैसे कम कर रहे हैं, उसके ब्यौरे दें।

9.13 समग्र ऊर्जा खपत में अपारंपरिक ऊर्जा प्रौद्योगिकियों का किसी सीमा तक उपयोग किया जाता है ? उपयोग की गई नवीकरणीय ऊर्जा प्रौद्योगिकियों के ब्यौरे दें।

## 10 पर्यावरण प्रबंध योजना

पर्यावरण प्रबंध योजना में, निर्माण, प्रचालन और परियोजना के क्रियाकलापों के परिणामस्वरूप प्रतिकूल पर्यावरणीय प्रभावों को न्यूनतम करने के लिए समस्त जीवन चक्र के दौरान किए जाने वाले क्रियाकलापों की प्रत्येक मदवार के लिए सभी न्यूनतम करने वाले उपाय अंतर्विष्ट होंगे। इसमें विभिन्न पर्यावरणीय विनियमों के अनुपालन के लिए पर्यावरणीय मानिटरि योजना का आलेखन भी होगा। आपात की दशा में, जैसे स्थल पर दुर्घटना जिसके अंतर्गत आग लगना भी है, उठाए जाने वाले कदमों का कथन भी होगा।

परिशिष्ट 3  
(पैरा 7 देखें)

पर्यावरणीय समाघात निर्धारण दस्तावेज की साधारण संरचना

क्र.सं.	ईआईए संरचना	अंतर्वस्तु
1.	प्राक्कथन	<ul style="list-style-type: none"> <li>• रिपोर्ट का प्रयोजन</li> <li>• परियोजना और परियोजना प्रस्तावक की पहचान</li> <li>• परियोजना की प्रकृति, आकार, अवस्थान का संक्षिप्त वर्णन और देश, प्रदेश में इसका महत्व</li> <li>• अध्ययन का विस्तार — किए गए विनियामक विस्तार के ब्यौरे (सौंपे गए कृत्यों के अनुसार)</li> </ul>
2.	परियोजना वर्णन	<ul style="list-style-type: none"> <li>• परियोजना के उन पहलुओं का संघनित वर्णन (परियोजना साध्यता अध्ययन पर आधारित) जिनकी पर्यावरणीय प्रभाव कारित करने की संभावना है। निम्नलिखित को स्पष्ट करने के लिए ब्यौरे उपबंधित किए जाने चाहिए :</li> <li>• परियोजना के किस्म</li> <li>• परियोजना की आवश्यकता</li> <li>• अवस्थान (साधारण अवस्थान, विनिर्दिष्ट अवस्थान, परियोजना सीमा और परियोजना स्थल अभिन्यास को दर्शित करते हुए नक्शे)</li> <li>• प्रचालन का आकार या विस्तार (जिसके अंतर्गत परियोजना द्वारा या उसके लिए अपेक्षित सहयोजित क्रियाकलाप)</li> <li>• अनुमोदन और कार्यान्वयन के लिए प्रस्तावित अनुसूची</li> <li>• प्रौद्योगिकी और प्रक्रिया वर्णन</li> <li>• परियोजना वर्णन, जिसके अंतर्गत परियोजना अभिन्यास, परियोजना आदि के संघटकों को दर्शित करते हुए आरेखन। साध्यता आरेखनों के स्कीमबद्ध प्रतिनिधित्व जो ईआईए परियोजना के लिए महत्वपूर्ण जानकारी दें।</li> <li>• पर्यावरणीय मानकों, पर्यावरणीय प्रचालन दशाओं या अन्य ईआईए अपेक्षाओं की पूर्ति के लिए परियोजनाओं में सम्मिलित न्यूनिकरण उपायों का वर्णन (विस्तार द्वारा यथाअपेक्षित)</li> <li>• प्रौद्योगिकीय असफलता के जोखिम के लिए नई और अपरीक्षित प्रौद्योगिकी का निर्धारण</li> </ul>
3.	पर्यावरण का वर्णन	<ul style="list-style-type: none"> <li>• अध्ययन क्षेत्र, अवधि, संघटक और पद्धति</li> <li>• विस्तार में पहचान किए गए मूल्यवान पर्यावरणीय संघटकों के लिए आधारिक लेखा की स्थापना</li> <li>• सभी पर्यावरणीय संघटकों के आधार नक्शे</li> </ul>
4.	अनुमानित पर्यावरणीय समाघात और न्यूनिकरण उपाय	<ul style="list-style-type: none"> <li>• परियोजना अवस्थान, संभावित दुर्घटनाओं, परियोजना डिजाइन, परियोजना निर्माण, नियमित प्रचालनों, पूरी की गई परियोजना को अंतिम रूप से बंद करना या पुनर्स्थापन के कारण अन्वेषित पर्यावरणीय समाघातों के ब्यौरे।</li> <li>• पहचान किए गए प्रतिकूल समाघातों न्यूनिकृत और/या दूर करने के लिए उपाय</li> <li>• पर्यावरणीय संघटकों के असंपरिवर्तनीय और पुनः प्राप्त न किए जा सकने वाले आश्वासन।</li> </ul>

		<ul style="list-style-type: none"> <li>• समाघातों के महत्व का निर्धारण (महत्व महत्व निर्धारण का अवधारणा करने के लिए मानदण्ड)</li> <li>• न्यूनीकरण उपाय</li> </ul>
5.	अनुकल्पियों का विश्लेषण (प्रौद्योगिकी और स्थल)	<ul style="list-style-type: none"> <li>• यदि विस्तारित करने के कार्य के परिणामस्वरूप अनुकल्पियों की आवश्यकता होती है :</li> <li>• प्रत्येक अनुकल्पी का वर्णन</li> <li>• प्रत्येक अनुकल्पी के प्रतिकूल समाघातों का सार</li> <li>• प्रत्येक अनुकल्पी के लिए प्रस्तावित न्यूनीकरण उपाय और</li> <li>• अनुकल्पी का चयन</li> </ul>
6.	पर्यावरणीय मानीटरी कार्यक्रम	<ul style="list-style-type: none"> <li>• न्यूनीकरण उपायों की प्रभावशीलता को मानीटर करने के तकनीकी पहलू (जिसके अंतर्गत माप, पद्धति, आवर्त, अवस्थान, आंकड़े विश्लेषण, रिपोर्ट करने की अनुसूचियां, आपात प्रक्रियाएं, विस्तृत बजट और उपापन अनुसूचियां भी हैं)</li> </ul>
7.	अतिरिक्त अध्ययन	<ul style="list-style-type: none"> <li>• लोक परामर्श</li> <li>• जोखिम निर्धारण</li> <li>• सामाजिक समाघात निर्धारण आर और आर अनुवर्ती योजनाएं</li> </ul>
8.	परियोजना के फायदे	<ul style="list-style-type: none"> <li>• भौतिक अवसंरचना में सुधार</li> <li>• सामाजिक अवसंरचना में सुधार</li> <li>• नियोजन क्षमता - कुशल ; अर्धकुशल और अकुशल</li> <li>• अन्य मूर्त फायदे</li> </ul>
9.	पर्यावरणीय लागत फायदा विश्लेषण	यदि विस्तारण प्रक्रम पर सिफारिश की जाती है ।
10.	ईएमपी	<ul style="list-style-type: none"> <li>• यह सुनिश्चित करने के लिए कि न्यूनीकरण संबंधी उपाय कार्यान्वित किए गए हैं और ईआईए के अनुमोदन के पश्चात् उनकी प्रभावी मानीटरी की गई है, प्रशासनिक पहलुओं का वर्णन ।</li> </ul>
11.	संक्षिप्त सार और निष्कर्ष (यह ईआईए रिपोर्ट का संक्षिप्त सार होगा)	<ul style="list-style-type: none"> <li>• परियोजना के कार्यान्वयन के लिए समग्र औचित्य ।</li> <li>• यह स्पष्टीकरण कि प्रतिकूल प्रभाव किस प्रकार कम किए जाते हैं</li> </ul>
12.	नियोजित परामर्शियों का प्रकटन	<ul style="list-style-type: none"> <li>• उनके संक्षिप्त कार्य और दिए गए परामर्श की प्रकृति सहित नियोजित किए गए परामर्शियों के नाम.</li> </ul>

परिशिष्ट 3क  
(पेस 7 देखें)

**संक्षिप्त पर्यावरणीय समाघात निर्धारण की अंतर्घरस्तु**

पर्यावरणीय समाघात निर्धारण का संक्षिप्त सार अधिकतम ए -4 आकार के दस पृष्ठों पर पूरी पर्यावरणीय समाघात निर्धारण का एक संक्षिप्त सार होगा । इसमें संक्षेप में अनिवार्य रूप से पूर्ण पर्यावरणीय समाघात निर्धारण रिपोर्ट के निम्नलिखित अध्याय होने चाहिए :-

- (1) परियोजना वर्णन :
- (2) पर्यावरण का वर्णन :
- (3) अनुमानित पर्यावरणीय समाघात और न्यूनीकरण उपाय :
- (4) पर्यावरणीय मानीटरी कार्यक्रम :
- (5) अतिरिक्त अध्ययन :
- (6) परियोजना के फायदे :
- (7) पर्यावरण प्रबंधन योजना :

## परिशिष्ट 4

(पैरा 7 देखिए)

## लोक सुनवाई को संचालित करने के लिए प्रक्रिया

1.0 लोक सुनवाई की, संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति द्वारा परियोजना स्थल (स्थलों) में या उसके निकटस्थ परिसर में जिला वार एक प्रणालीबद्ध, समयबद्ध और पारदर्शी रीति में अधिकतम संभव लोक भागीदारी को सुनिश्चित करते हुए व्यवस्था की जाएगी।

## 2.0 प्रक्रिया :

2.1 आवेदक, उस राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति के सदस्य सचिव को, जिसकी अधिकारिता में परियोजना अवस्थित है, विहित कानूनी अवधि के भीतर लोक सुनवाई की व्यवस्था करने के लिए एक सादा पत्र के माध्यम से अनुरोध करेगा। यदि परियोजना स्थल का किसी राज्य या संघ राज्यक्षेत्र के परे विस्तार है तो प्रत्येक राज्य या संघ राज्यक्षेत्र में जिसमें परियोजना स्थित है, लोक सुनवाई आज्ञापक है और आवेदक, इस प्रक्रिया के अनुसार लोक सुनवाई करने के लिए प्रत्येक संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति को पृथक अनुरोध करेगा।

2.2 आवेदक, अनुरोध पत्र के साथ प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट की कम से कम दस हार्ड प्रतियां और जसी के बराबर सॉफ्ट (इलेक्ट्रॉनिक) प्रतियां, परिशिष्ट 3 में दी गई सामान्य संरचना सहित (जिसके अंतर्गत विस्तार (प्रक्रम 2) के पश्चात् संसूचित किए गए सौंपे गए कृत्यों के अनुसार निर्बाध रूप से अंग्रेजी और स्थानीय भाषा में तैयार की गई संक्षिप्त पर्यावरणीय समाघात निर्धारण रिपोर्ट सम्मिलित है) संलग्न की जाएगी। इसके साथ-साथ आवेदक संक्षिप्त पर्यावरणीय समाघात निर्धारण रिपोर्ट के साथ ऊपर प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट की एक हार्ड प्रति और एक सॉफ्ट प्रति पर्यावरण और वन मंत्रालय तथा निम्नलिखित प्राधिकारियों या कार्यालयों को निम्नकी अधिकारिता में परियोजना अवस्थित होगी, अग्रेषित करने की व्यवस्था करेगा :

(क) जिला मजिस्ट्रेट

(ख) जिला परिषद या नगर निगम

(ग) जिला उद्योग कार्यालय

(घ) पर्यावरण और वन मंत्रालय का संबंधित प्रादेशिक कार्यालय

2.3 ऊपर उल्लिखित प्राधिकारी, पर्यावरण और वन मंत्रालय के सिवाय, प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट की प्राप्ति पर, अपनी अधिकारिताओं के भीतर, उसमें हितबद्ध व्यक्तियों से संबंधित विनियामक प्राधिकरणों को अपनी टीका-टिप्पणियां भेजने का अनुरोध करते हुए, विस्तृत प्रचार करने की व्यवस्था करेंगे। वे लोक सुनवाई होने तक सामान्य कार्यालय घंटों के दौरान जनता को इलैक्ट्रॉनिक रूप से या अन्यथा निरीक्षण करने के लिए प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट भी उपलब्ध कराएंगे। पर्यावरण और वन मंत्रालय अपनी वेबसाइट पर प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट का सार तत्परता से प्रदर्शित करेगा और दिल्ली स्थित मंत्रालय में सामान्य कार्यालय घंटों के दौरान किसी अधिसूचित स्थान पर निर्देश के लिए पूरे प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट को भी उपलब्ध करेगा।

2.4 संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्य प्रदूषण नियंत्रण समिति भी राज्य/संघ राज्यक्षेत्र के भीतर परियोजना की बाबत प्रचार करने के लिए उसी प्रकार की व्यवस्था करेगी और चयनित कार्यालयों या लोक पुस्तकालयों या पंचायतों आदि में निरीक्षण के लिए प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट (परिशिष्ट 3क) का संक्षिप्त सार उपलब्ध कराएगी। वे उपर्युक्त पांच प्राधिकारियों/कार्यालयों अर्थात् पर्यावरण और वन मंत्रालय, जिला मजिस्ट्रेट आदि को प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट की एक प्रति अतिरिक्त रूप से भी उपलब्ध कराएंगे।

### 3.0 लोक सुनवाई की सूचना

3.1 संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति का सदस्य सचिव परियोजना सलाहकार से प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट की प्राप्ति की तारीख से तीस दिनों के भीतर लोक सुनवाई संचालित करने के लिए तारीख, समय और निश्चित स्थान को अंतिम रूप देगा और उसको मुख्य राष्ट्रीय दैनिक में और एक प्रादेशिक भाषा के दैनिक समाचारपत्र में विज्ञापित करेगा। जनता को अपनी प्रतिक्रियाएं देने के लिए कम से कम तीस दिनों की सूचना उपलब्ध कराई जाएगी ;

3.2 विज्ञापन, जनता को उन स्थानों या कार्यालयों की बाबत भी सूचित करेगा जहां प्रारूप पर्यावरणीय समाघात निर्धारण रिपोर्ट और पर्यावरणीय समाघात निर्धारण रिपोर्ट के संक्षिप्त सार तक सुनवाई से पूर्व जनता की पहुंच हो सके ;

3.3 लोक सुनवाई की तारीख, समय और स्थान को तब तक आस्थगित नहीं किया जाएगा जब तक कोई अवांछित आपात स्थिति न आ जाए और केवल संबंधित जिला मजिस्ट्रेट की सिफारिश पर किया आस्थगन को उन्हीं राष्ट्रीय और प्रादेशिक भाषा के समाचार पत्रों के माध्यम से अधिसूचित किया जाएगा तथा संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति द्वारा पहचान किए सभी कार्यालयों में मुख्य रूप से प्रदर्शित भी किया जाएगा ;

3.4 ऊमर आपवादिक परिस्थितियों में, केवल जिला मजिस्ट्रेट के परामर्श से संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति के सदस्य-सचिव द्वारा लोक परामर्श के लिए नई तारीख, समय और स्थान का विनिश्चय किया जाएगा और ऊमर 3.1 के अधीन प्रक्रिया के अनुसार नए सिरे से अधिसूचित किया जाएगा ।

#### 4.0 पैन्ल

जिला मजिस्ट्रेट या किसी अपर जिला मजिस्ट्रेट से अन्यून की पंक्ति का उसका प्रतिनिधि, राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति के प्रतिनिधि की सहायता से समस्त लोक सुनवाई प्रक्रिया का पर्यवेक्षण करेगा और उसकी अध्यक्षता करेगा ।

#### 5.0 वीडियोग्राफी

राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति, समस्त कार्यवाहियों की वीडियो फिल्म तैयार करने की व्यवस्था करेगी । संबंधित विनियामक प्राधिकरण को इसे अग्रेषित करते समय वीडियो टेप की एक प्रति या एक सीडी लोक सुनवाई कार्रवाइयों के साथ संलग्न की जाएगी ।

#### 6.0 कार्यवाहियां

6.1 उन सभी व्यक्तियों की उपस्थिति को जो स्थल पर विद्यमान हैं, अंतिम कार्यवाहियों के साथ संलग्न किया जाएगा ।

6.2 कार्यवाहियों को आरंभ करने के लिए उपस्थिति हेतु कोई गणपूर्ति अपेक्षित नहीं होगी ।

6.3 आवेदक का कोई प्रतिनिधि, परियोजना और पर्यावरण समाघात निर्धारण रिपोर्ट के संक्षिप्त सार की प्रस्तुति के साथ कार्यवाहियां आरंभ करेगा ।

6.4 स्थल पर उपस्थित प्रत्येक व्यक्ति को, आवेदक से परियोजना पर सूचना या स्पष्टीकरण मांगने का अवसर दिया जाएगा । लोक सुनवाई कार्यवाहियों का संक्षिप्त सार ठीक रूप से प्रदर्शित करते हुए अभिव्यक्त सभी विचारों और अभिव्यक्त चिंताओं को राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति के प्रतिनिधि द्वारा अभिलिखित किया जाएगा और प्रांतीय भाषा में अंतर्वस्तुओं को स्पष्ट करते हुए कार्यवाहियों के अंत में श्रोताओं को पढ़ कर सुनाया जाएगा तथा कसर पाए गए कार्यवृत्त पर उसी दिन जिला मजिस्ट्रेट या उसके प्रतिनिधि द्वारा हस्ताक्षर किए जाएंगे तथा संबंधित राज्य प्रदूषण नियंत्रण बोर्ड/संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति को अग्रेषित किया जाएगा ।

6.5 जनता द्वारा उठाए गए मुद्दों का एक विवरण और आवेदक की टीका-टिप्पणियों को भी स्थानीय भाषा में और अंग्रेजी भाषा में तैयार किया जाएगा तथा कार्यवाहियों के साथ संलग्न किया जाएगा ।

6.6 लोक सुनवाई की कार्यवाहियों को उस पंचायत घर के कार्यालय पर, जिसकी अधिकारिता में परियोजना अवस्थित है, संबंधित जिला परिषद, जिला मजिस्ट्रेट और राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति के कार्यालय में सहजदृश्य रूप से प्रदर्शित किया जाएगा। राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति साधारण जानकारी के लिए अपने वेबसाइट पर कार्यवाहियों को प्रदर्शित भी करेगी। कार्यवाहियों पर टीका-टिप्पणियों को, यदि कोई हों, संबंधित विनियामक प्राधिकरणों और संबंधित आवेदक को प्रत्यक्षतः भेजी जा सकेगी।

#### 7.0 लोक सुनवाई को पूरा करने के लिए कालावधि :

7.1 लोक सुनवाई, आवेदक से अनुरोध पत्र की प्राप्ति की तारीख से पैंतालीस दिन की अवधि के भीतर पूरी की जाएगी। अतः संबंधित राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्यक्षेत्र प्रदूषण नियंत्रण समिति लोक सुनवाई के पूरा होने के आठ दिनों के भीतर संबंधित विनियामक प्राधिकरण को लोक सुनवाई की कार्यवाहियों को भेजेगी। आवेदक, लोक सुनवाई और लोक परामर्श के पश्चात् तैयार की गई अंतिम पर्यावरणीय समाघात निर्धारण रिपोर्ट या प्रास्य पर्यावरण समाघात निर्धारण रिपोर्ट पर अनुपूरक रिपोर्ट की प्रति के साथ संबंधित विनियामक प्राधिकरण को, अनुमोदित लोक सुनवाई कार्यवाहियों की एक प्रति प्रत्यक्षतः भी अग्रेषित करेगा।

7.2 यदि राज्य प्रदूषण नियंत्रण बोर्ड या संघ राज्य क्षेत्र प्रदूषण नियंत्रण समिति, नियत पैंतालीस दिनों के भीतर लोक सुनवाई करने में असफल रहती है तो केन्द्रीय सरकार, पर्यावरण और वन मंत्रालय, प्रवर्ग 'क' परियोजना या क्रियाकलाप के लिए और प्रवर्ग ख परियोजना या क्रियाकलाप के लिए और राज्य सरकार या संघ राज्यक्षेत्र प्रशासन, राज्य पर्यावरणीय समाघात निर्धारण प्राधिकरण के अनुरोध पर, किसी अन्य अभिकरण या प्राधिकरण को इस अधिसूचना में अधिकथित प्रक्रिया के अनुसार प्रक्रिया को पूरा करने के लिए नियोजित करेगी।

#### परिशिष्ट 5

(पैरा 7 देखिए)

#### आंकलन के लिए विहित प्रक्रिया

1. आवेदक, संबंधित विनियामक प्राधिकरण को निम्नलिखित दस्तावेजों को संलग्न करते हुए, जहां लोक परामर्श आज्ञापक है, एक सादा सूचना के माध्यम से आवेदन करेगा :-

- अंतिम पर्यावरण समाघात निर्धारण रिपोर्ट की बीस हार्ड प्रतियां और एक साफ्ट प्रति
- लोक सुनवाई की कार्यवाहियों की वीडियो टेप की एक प्रति या सी.डी.
- अंतिम अभिन्यास योजना की बीस प्रतियां
- परियोजना साध्यता रिपोर्ट की एक प्रति

2. आवेदक द्वारा प्रस्तुत की गई अंतिम पर्यावरणीय समाघात निर्धारण रिपोर्ट और अन्य सुसंगत दस्तावेजों की संबंधित विनियामक प्राधिकरण द्वारा उसकी प्राप्ति की तारीख से तीस दिनों के भीतर कार्यालय में तत्परता से टीओआर के प्रतिनिर्देश से समीक्षा की जाएगी और ध्यान में रखी गई अपर्याप्तताओं को प्रत्येक अंतिम पर्यावरणीय समाघात निर्धारण रिपोर्ट की एक प्रति संलग्न करते हुए, जिसके अंतर्गत लोक सुनवाई कार्यवाहियां और प्राप्त की गई अन्य लोक प्रतिक्रियाएं भी हैं, प्ररूप 1 या प्ररूप 1क की एक प्रति और प्रस्तावों पर विचार करने के लिए पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति की बैठकों के लिए निश्चित तारीख सहित पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति के सदस्यों को एकल सेट में इलेक्ट्रानिक रूप से या अन्यथा संसूचित किया जाएगा।

3. जहां कोई लोक परामर्श आज़ापक नहीं है और इसलिए कोई औपचारिक पर्यावरणीय समाघात निर्धारण अध्ययन अपेक्षित नहीं है, वहां आंकलन, विहित आवेदन प्ररूप 1 के आधार पर और अनुसूची की मद 8 से भिन्न सभी परियोजनाओं और क्रियाकलापों की दशा में किसी पूर्व साध्यता रिपोर्ट के आधार पर किया जाएगा। अनुसूची की मद 8 की दशा में, इसके विलक्षण परियोजना चक्र को ध्यान में रखते हुए, संबंधित पर्यावरणीय निर्धारण समिति या राज्य पर्यावरणीय निर्धारण समिति, प्ररूप 1, प्ररूप 1क और धारणा योजना के आधार पर सभी प्रवर्ग 'ख' परियोजनाओं या क्रियाकलापों का आंकलन करेगी और पर्यावरणीय अनापत्ति के लिए शर्तें नियत करेगी। जब कभी आवेदक सभी अन्य आवश्यक कानूनी अनुमोदनों सहित निश्चित पर्यावरणीय अनापत्ति शर्तों को पूरा करते हुए अनुमोदित स्कीम/भवन योजना प्रस्तुत करता है तो पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति, सक्षम प्राधिकारी को पर्यावरणीय अनापत्ति मंजूर करने की सिफारिश करेगी।

4. प्रत्येक आवेदन, पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति के समक्ष और इसका पूरा आंकलन, विहित रीति में अपेक्षित दस्तावेजों/ब्यौरों सहित इसकी प्राप्ति के साठ दिनों के भीतर रखा जाएगा।

5. आवेदक को परियोजना प्रस्ताव पर विचार करने के लिए पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति की निश्चित तारीख से कम से कम पन्द्रह दिन पूर्व सूचित किया जाएगा।

6. पर्यावरणीय निर्धारण समिति/राज्य पर्यावरणीय निर्धारण समिति की बैठक के कार्यवृत्त को बैठक के पांच कार्यकरण दिनों के भीतर अंतिम रूप दिया जाएगा और संबंधित विनियामक प्राधिकरण के वेबसाइट पर प्रदर्शित किया जाएगा। परियोजना या क्रियाकलापों को पर्यावरणीय अनापत्ति को मंजूर किए जाने के लिए सिफारिश की दशा में, कार्यवृत्त में विनिर्दिष्ट पर्यावरणीय सुस्थापायों और शर्तों को स्पष्ट रूप से सूचीबद्ध किया जाएगा। यदि सिफारिशें नामंजूर करने के लिए हैं तो उसके कारणों को भी स्पष्ट रूप से कथित किया जाएगा।

## परिशिष्ट 6

(पैरा 5 देखिए)

केन्द्रीय सरकार द्वारा गठित की जाने वाली प्रवर्ग 'क' परियोजनाओं के लिए सेक्टर/परियोजना विनिर्दिष्ट विशेषज्ञ आंकलन समिति और प्रवर्ग 'ख' परियोजनाओं के लिए राज्य/संघ राज्यक्षेत्र स्तर विशेषज्ञ आंकलन समितियों की संरचना

1. विशेषज्ञ आंकलन समितियां और राज्य/संघ राज्यक्षेत्र स्तर विशेषज्ञ आंकलन समितियां केवल निम्नलिखित पात्रता कसौटी को पूरा करने वाले वृत्तिकों और विशेषज्ञों से मिलकर बनेगी

वृत्तिक : ऐसा व्यक्ति जिसके पास कम से कम (i) एम.ए./एम.एस.सी डिग्री सहित संबंधित विद्या शाखा में पांच वर्ष का औपचारिक विश्वविद्यालय प्रशिक्षण या (ii) इंजीनियरी/प्रौद्योगिकी/वास्तुविद विद्या शाखाओं की दशा में, बी.टेक/बी.ई./बी.आर्क. डिग्री सहित क्षेत्र में विहित व्यावहारिक प्रशिक्षण सहित किसी वृत्तिक प्रशिक्षण पाठ्यक्रम में चार वर्षीय औपचारिक प्रशिक्षण या (iii) अन्य वृत्तिक डिग्री (जैसे विधि) जिसमें पांच वर्ष का औपचारिक विश्वविद्यालय प्रशिक्षण या विहित व्यावहारिक प्रशिक्षण अंतर्बलित है, या (iv) विहित शिक्षुता/कारीगारी तथा संबंधित वृत्तिक संगम द्वारा संचालित परिक्षाएं उत्तीर्ण की हो (जैसे चार्टर्ड अकाउंटेंसी) या (v) किसी विश्वविद्यालय डिग्री के पश्चात् किसी विश्वविद्यालय या सेवा अकादमी में दो वर्ष का औपचारिक प्रशिक्षण (जैसे एम.बी.ए./आई.ए.एस./आई.एफ.एस.) व्यष्टि वृत्तिकों का चयन करते समय उनके द्वारा उनके क्षेत्रों में प्राप्त अनुभव को ध्यान में रखा जाएगा ।

विशेषज्ञ : ऊपर पात्रता कसौटी को पूरा करने वाला कोई वृत्तिक जिसके पास क्षेत्र में कम से कम पंद्रह वर्ष का सुसंगत अनुभव या संबंधित क्षेत्र में कोई उच्चतर डिग्री हो (जैसे पी.एच.डी. और कम से कम दस वर्ष का सुसंगत अनुभव) ।

आयु : सत्तर वर्ष से नीचे । तथापि, किसी क्षेत्र में विशेषज्ञों की अनुपलब्धता/कमी की दशा में विशेषज्ञ आंकलन समिति के सदस्यों की अधिकतम आयु को पचहतर वर्ष तक अनुज्ञात किया जा सकेगा ।

2. पर्यावरणीय निर्धारण समिति के सदस्य निम्नलिखित क्षेत्रों/विद्या शाखाओं में अपेक्षित विशेषज्ञता और अनुभव वाले विशेषज्ञ होंगे । उस दशा में कि "विशेषज्ञ" की कसौटी को पूरा करने वाले व्यक्ति उपलब्ध नहीं हैं, तो उसी क्षेत्र में पर्याप्त अनुभव रखने वाले वृत्तिकों पर भी विचार किया जा सकेगा ।

- पर्यावरण क्वालिटी विशेषज्ञ : पर्यावरणीय क्वालिटी के संबंध में माप/मानिटरी, विश्लेषण और निर्वचन में विशेषज्ञ ।

- परियोजना प्रबंधन में क्षेत्रीय विशेषज्ञ : परियोजना प्रबंधन या सुसंगत क्षेत्रों में प्रक्रिया /प्रचालन/सुविधा प्रबंधन में विशेषज्ञ ।
  - पर्यावरणीय समाघात निर्धारण प्रक्रिया विशेषज्ञ : पर्यावरणीय समाघात निर्धारण का संचालन और कार्यान्वयन तथा पर्यावरणीय प्रबंधन योजना और अन्य प्रबंधन योजना तैयार करने में विशेषज्ञ और जो पर्यावरणीय समाघात निर्धारण प्रक्रिया में उपयोग की जाने वाली भावी तकनीकों और औजारों में विस्तृत विशेषज्ञता और ज्ञान रखते हों ।
  - जोखिम निर्धारण विशेषज्ञ ।
  - पेड़ - पौधे और जीव- जन्तु प्रबंधन में प्राणी विज्ञान विशेषज्ञ ।
  - वन और वन्य जीव विशेषज्ञ ।
  - परियोजना आंकलन में अनुभव सहित पर्यावरणीय अर्थशास्त्र विशेषज्ञ ।
3. पर्यावरणीय निर्धारण समिति की सदस्यता पंद्रह नियमित सदस्यों से अधिक की नहीं होगी । तथापि, अध्यक्ष, समिति की किसी विशिष्ट बैठक के लिए किसी सुसंगत क्षेत्र में किसी विशेषज्ञ को सदस्य के रूप में सहयोजित कर सकेगा ।
4. अध्यक्ष, सुसंगत विकास क्षेत्र में एक प्रतिष्ठित और पर्यावरणीय निति या प्रबंधन में अथवा लोक प्रशासन में अनुभव प्राप्त विशेषज्ञ होगा ।
5. अध्यक्ष, सदस्यों में से एक सदस्य को उपाध्यक्ष के रूप में नामनिर्देशित करेगा जो अध्यक्ष की अनुपस्थिति में पर्यावरणीय निर्धारण समिति की बैठक की अध्यक्षता करेगा ।
6. पर्यावरण और वन मंत्रालय का एक प्रतिनिधि उसके सचिव के रूप में समिति की सहायता करेगा ।
7. किसी सदस्य की अधिकतम पदावधि, जिसके अंतर्गत अध्यक्ष भी है, प्रत्येक तीन वर्ष की दो पदावधि होगी ।
8. अध्यक्ष/सदस्य को किसी कारण और समुचित जांच के बिना पदावधि के अवसान से पूर्व नहीं हटाया जा सकेगा ।

**MINISTRY OF ENVIRONMENT AND FORESTS  
NOTIFICATION**

New Delhi, the 14th September, 2006

**S.O. 1533(E).**—Whereas, a draft notification under Sub-rule (3) of Rule 5 of the Environment (Protection) Rules, 1986 for imposing certain restrictions and prohibitions on new projects or activities, or on the expansion or modernization of existing projects or activities based on their potential environmental impacts as indicated in the Schedule to the notification, being undertaken in any part of India<sup>1</sup>, unless prior environmental clearance has been accorded in accordance with the objectives of National Environment Policy as approved by the Union Cabinet on 18th May, 2006 and the procedure specified in the notification, by the Central Government or the State or Union Territory Level Environment Impact Assessment Authority (SEIAA), to be constituted by the Central Government in consultation with the State Government or the Union Territory Administration concerned under Sub-section (3) of Section 3 of the Environment (Protection) Act, 1986 for the purpose of this notification, was published in the Gazette of India, Extraordinary, Part II, Section 3, Sub-section (ii) *vide* number S.O. 1324(B), dated the 15th September, 2005 inviting objections and suggestions from all persons likely to be affected thereby within a period of sixty days from the date on which copies of Gazette containing the said notification were made available to the public;

And whereas, copies of the said notification were made available to the public on 15<sup>th</sup> September, 2005;

And whereas, all objections and suggestions received in response to the above mentioned draft notification have been duly considered by the Central Government;

Now, therefore, in exercise of the powers conferred by sub-section (1) and clause (v) of sub-section (2) of section 3 of the Environment (Protection) Act, 1986, read with clause (d) of sub-rule (3) of rule 5 of the Environment (Protection) Rules, 1986 and in supersession of the notification number S.O. 60 (E) dated the 27<sup>th</sup> January, 1994, except in respect of things done or omitted to be done before such supersession, the Central Government hereby directs that on and from the date of its publication the required construction of new projects or activities or the expansion or modernization of existing projects or activities listed in the Schedule to this notification entailing capacity addition with change in process and or technology shall be undertaken in any part of India only after the prior environmental clearance from the Central Government or as the case may be, by the State Level Environment Impact Assessment Authority, duly constituted by the Central Government under sub-section (3) of section 3 of the said Act, in accordance with the procedure specified hereinafter in this notification.

---

<sup>1</sup>Includes the territorial waters

**2. Requirements of prior Environmental Clearance (EC):-** The following projects or activities shall require prior environmental clearance from the concerned regulatory authority, which shall hereinafter referred to be as the Central Government in the Ministry of Environment and Forests for matters falling under Category 'A' in the Schedule and at State level the State Environment Impact Assessment Authority (SEIAA) for matters falling under Category 'B' in the said Schedule, before any construction work, or preparation of land by the project management except for securing the land, is started on the project or activity:

- (i) All new projects or activities listed in the Schedule to this notification;
- (ii) Expansion and modernization of existing projects or activities listed in the Schedule to this notification with addition of capacity beyond the limits specified for the concerned sector, that is, projects or activities which cross the threshold limits given in the Schedule, after expansion or modernization;

(iii) Any change in product - mix in an existing manufacturing unit included in Schedule beyond the specified range.

**3. State Level Environment Impact Assessment Authority:-** (1) A State Level Environment Impact Assessment Authority hereinafter referred to as the SEIAA shall be constituted by the Central Government under sub-section (3) of section 3 of the Environment (Protection) Act, 1986 comprising of three Members including a Chairman and a Member – Secretary to be nominated by the State Government or the Union territory Administration concerned.

- (2) The Member-Secretary shall be a serving officer of the concerned State Government or Union territory administration familiar with environmental laws.
- (3) The other two Members shall be either a professional or expert fulfilling the eligibility criteria given in Appendix VI to this notification.
- (4) One of the specified Members in sub-paragraph (3) above who is an expert in the Environmental Impact Assessment process shall be the Chairman of the SEIAA.
- (5) The State Government or Union territory Administration shall forward the names of the Members and the Chairman referred in sub- paragraph 3 to 4 above to the Central Government and the Central Government shall constitute the SEIAA as an authority for the purposes of this notification within thirty days of the date of receipt of the names.
- (6) The non-official Member and the Chairman shall have a fixed term of three years (from the date of the publication of the notification by the Central Government constituting the authority).
- (7) All decisions of the SEIAA shall be unanimous and taken in a meeting.

**4. Categorization of projects and activities:-**

- (i) All projects and activities are broadly categorized in to two categories - Category A and Category B, based on the spatial extent of potential impacts and potential impacts on human health and natural and man made resources.
- (ii) All projects or activities included as Category 'A' in the Schedule, including expansion and modernization of existing projects or activities and change in product mix, shall require prior environmental clearance from the Central Government in the Ministry of Environment and Forests (MoEF) on the recommendations of an Expert Appraisal Committee (EAC) to be constituted by the Central Government for the purposes of this notification;
- (iii) All projects or activities included as Category 'B' in the Schedule, including expansion and modernization of existing projects or activities as specified in sub paragraph (ii) of paragraph 2, or change in product mix as specified in sub paragraph (iii) of paragraph 2, but excluding those which fulfill the General Conditions (GC) stipulated in the Schedule, *will* require prior environmental clearance from the State/Union territory Environment Impact Assessment Authority (SEIAA). The SEIAA shall base its decision on the recommendations of a State or Union territory level Expert Appraisal Committee (SEAC) as to be constituted for in this notification. In the absence of a duly constituted SEIAA or SEAC, a Category 'B' project shall be treated as a Category 'A' project;

### 5. Screening, Scoping and Appraisal Committees:-

The same Expert Appraisal Committees (EACs) at the Central Government and SEACs (hereinafter referred to as the (EAC) and (SEAC) at the State or the Union territory level shall screen, scope and appraise projects or activities in Category 'A' and Category 'B' respectively. EAC and SEAC's shall meet at least once every month.

- (a) The composition of the EAC shall be as given in Appendix VI. The SEAC at the State or the Union territory level shall be constituted by the Central Government in consultation with the concerned State Government or the Union territory Administration with identical composition;
- (b) The Central Government may, with the prior concurrence of the concerned State Governments or the Union territory Administrations, constitute one SEAC for more than one State or Union territory for reasons of administrative convenience and cost;
- (c) The EAC and SEAC shall be reconstituted after every three years;
- (d) The authorised members of the EAC and SEAC, concerned, may inspect any site(s) connected with the project or activity in respect of which the prior environmental clearance is sought, for the purposes of screening or scoping or appraisal, with prior notice of at least seven days to the applicant, who shall provide necessary facilities for the inspection;
- (e) The EAC and SEACs shall function on the principle of collective responsibility. The Chairperson shall endeavour to reach a consensus in each case, and if consensus cannot be reached, the view of the majority shall prevail.

### 6. Application for Prior Environmental Clearance (EC):-

An application seeking prior environmental clearance in all cases shall be made in the prescribed Form I annexed herewith and Supplementary Form 1A, if applicable, as given in Appendix II, after the identification of prospective site(s) for the project and/or activities to which the application relates, before commencing any construction activity, or preparation of land, at the site by the applicant. The applicant shall furnish, along with the application, a copy of the pre-feasibility project report except that, in case of construction projects or activities (item 8 of the Schedule) in addition to Form I and the Supplementary Form 1A, a copy of the conceptual plan shall be provided, instead of the pre-feasibility report.

### 7. Stages in the Prior Environmental Clearance (EC) Process for New Projects:-

7(i) The environmental clearance process for new projects will comprise of a maximum of four stages, all of which may not apply to particular cases as set forth below in this notification. These four stages in sequential order are:-

- Stage (1) Screening (Only for Category 'B' projects and activities)
- Stage (2) Scoping
- Stage (3) Public Consultation
- Stage (4) Appraisal

#### 1. Stage (1) - Screening:

In case of Category 'B' projects or activities, this stage will entail the scrutiny of an application seeking prior environmental clearance made in Form I by the concerned State level Expert Appraisal Committee (SEAC) for determining whether or not the project or activity

requires further environmental studies for preparation of an Environmental Impact Assessment (EIA) for its appraisal prior to the grant of environmental clearance depending up on the nature and location specificity of the project . The projects requiring an Environmental Impact Assessment report shall be termed Category 'B1' and remaining projects shall be termed Category 'B2' and will not require an Environment Impact Assessment report. For categorization of projects into B1 or B2 except item 8 (b), the Ministry of Environment and Forests shall issue appropriate guidelines from time to time.

## II. Stage (2) - Scoping:

(i) "Scoping": refers to the process by which the Expert Appraisal Committee in the case of Category 'A' projects or activities, and State level Expert Appraisal Committee in the case of Category 'B1' projects or activities, including applications for expansion and/or modernization and/or change in product mix of existing projects or activities, determine detailed and comprehensive Terms Of Reference (TOR) addressing all relevant environmental concerns for the preparation of an Environment Impact Assessment (EIA) Report in respect of the project or activity for which prior environmental clearance is sought. The Expert Appraisal Committee or State level Expert Appraisal Committee concerned shall determine the Terms of Reference on the basis of the information furnished in the prescribed application Form I/Form 1A including Terms of Reference proposed by the applicant, a site visit by a sub- group of Expert Appraisal Committee or State level Expert Appraisal Committee concerned only if considered necessary by the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned, Terms of Reference suggested by the applicant if furnished and other information that may be available with the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. All projects and activities listed as Category 'B' in Item 8 of the Schedule (Construction/Township/Commercial Complexes/Housing) shall not require Scoping and will be appraised on the basis of Form I/ Form 1A and the conceptual plan.

(ii) The Terms of Reference (TOR) shall be conveyed to the applicant by the Expert Appraisal Committee or State Level Expert Appraisal Committee as concerned within sixty days of the receipt of Form I. In the case of Category A Hydroelectric projects Item 1(c) (i) of the Schedule the Terms of Reference shall be conveyed along with the clearance for pre-construction activities. If the Terms of Reference are not finalized and conveyed to the applicant within sixty days of the receipt of Form I, the Terms of Reference suggested by the applicant shall be deemed as the final Terms of Reference approved for the EIA studies. The approved Terms of Reference shall be displayed on the website of the Ministry of Environment and Forests and the concerned State Level Environment Impact Assessment Authority.

(iii) Applications for prior environmental clearance may be rejected by the regulatory authority concerned on the recommendation of the EAC or SEAC concerned at this stage itself. In case of such rejection, the decision together with reasons for the same shall be communicated to the applicant in writing within sixty days of the receipt of the application.

## III. Stage (3) - Public Consultation:

(i) "Public Consultation" refers to the process by which the concerns of local affected persons and others who have plausible stake in the environmental impacts of the project or activity are ascertained with a view to taking into account all the material concerns in the project or activity design as appropriate. All Category 'A' and Category B1 projects or activities shall undertake Public Consultation, except the following:-

- (a) modernization of irrigation projects (item 1(c) (ii) of the Schedule).

- (b) all projects or activities located within industrial estates or parks (item 7(c) of the Schedule) approved by the concerned authorities, and which are not disallowed in such approvals.
  - (c) expansion of Roads and Highways (item 7 (f) of the Schedule) which do not involve any further acquisition of land.
  - (d) all Building /Construction projects/Area Development projects and Townships (item 8).
  - (e) all Category 'B2' projects and activities.
  - (f) all projects or activities concerning national defence and security or involving other strategic considerations as determined by the Central Government.
- (ii) The Public Consultation shall ordinarily have two components comprising of:-
- (a) a public hearing at the site or in its close proximity- district wise, to be carried out in the manner prescribed in Appendix IV, for ascertaining concerns of local affected persons;
  - (b) obtain responses in writing from other concerned persons having a plausible stake in the environmental aspects of the project or activity.
  - (iii) the public hearing at, or in close proximity to, the site(s) in all cases shall be conducted by the State Pollution Control Board (SPCB) or the Union territory Pollution Control Committee (UTPCC) concerned in the specified manner and forward the proceedings to the regulatory authority concerned within 45(forty five ) of a request to the effect from the applicant.
  - (iv) in case the State Pollution Control Board or the Union territory Pollution Control Committee concerned does not undertake and complete the public hearing within the specified period, and/or does not convey the proceedings of the public hearing within the prescribed period directly to the regulatory authority concerned as above, the regulatory authority shall engage another public agency or authority which is not subordinate to the regulatory authority, to complete the process within a further period of forty five days..
  - (v) If the public agency or authority nominated under the sub paragraph (iii) above reports to the regulatory authority concerned that owing to the local situation, it is not possible to conduct the public hearing in a manner which will enable the views of the concerned local persons to be freely expressed, it shall report the facts in detail to the concerned regulatory authority, which may, after due consideration of the report and other reliable information that it may have, decide that the public consultation in the case need not include the public hearing.
  - (vi) For obtaining responses in writing from other concerned persons having a plausible stake in the environmental aspects of the project or activity, the concerned regulatory authority and the State Pollution Control Board (SPCB) or the Union territory Pollution Control Committee (UTPCC) shall invite responses from such concerned persons by placing on their website the Summary EIA report prepared in the format given in Appendix IIIA by the applicant along with a copy of the application in the prescribed form , within seven days of the receipt of a written request for arranging the public hearing . Confidential information including non-disclosable or legally privileged information involving Intellectual Property Right, source specified in the application shall not be placed on the web site. The regulatory authority concerned may also use

other appropriate media for ensuring wide publicity about the project or activity. The regulatory authority shall, however, make available on a written request from any concerned person the Draft EIA report for inspection at a notified place during normal office hours till the date of the public hearing. All the responses received as part of this public consultation process shall be forwarded to the applicant through the quickest available means.

(vii) After completion of the public consultation, the applicant shall address all the material environmental concerns expressed during this process, and make appropriate changes in the draft EIA and EMP. The final EIA report, so prepared, shall be submitted by the applicant to the concerned regulatory authority for appraisal. The applicant may alternatively submit a supplementary report to draft EIA and EMP addressing all the concerns expressed during the public consultation.

#### **IV. Stage (4) - Appraisal:**

(i) Appraisal means the detailed scrutiny by the Expert Appraisal Committee or State Level Expert Appraisal Committee of the application and other documents like the Final EIA report, outcome of the public consultations including public hearing proceedings, submitted by the applicant to the regulatory authority concerned for grant of environmental clearance. This appraisal shall be made by Expert Appraisal Committee or State Level Expert Appraisal Committee concerned in a transparent manner in a proceeding to which the applicant shall be invited for furnishing necessary clarifications in person or through an authorized representative. On conclusion of this proceeding, the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned shall make categorical recommendations to the regulatory authority concerned either for grant of prior environmental clearance on stipulated terms and conditions, or rejection of the application for prior environmental clearance, together with reasons for the same.

(ii) The appraisal of all projects or activities which are not required to undergo public consultation, or submit an Environment Impact Assessment report, shall be carried out on the basis of the prescribed application Form 1 and Form 1A as applicable, any other relevant validated information available and the site visit wherever the same is considered as necessary by the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned.

(iii) The appraisal of an application shall be completed by the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned within sixty days of the receipt of the final Environment Impact Assessment report and other documents or the receipt of Form 1 and Form 1 A, where public consultation is not necessary and the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee shall be placed before the competent authority for a final decision within the next fifteen days. The prescribed procedure for appraisal is given in Appendix V ;

#### **7(ii). Prior Environmental Clearance (EC) process for Expansion or Modernization or Change of product mix in existing projects:**

All applications seeking prior environmental clearance for expansion with increase in the production capacity beyond the capacity for which prior environmental clearance has been granted under this notification or with increase in either lease area or production capacity in the case of mining projects or for the modernization of an existing unit with increase in the total production capacity beyond the threshold limit prescribed in the Schedule to this notification through change in process and or technology or involving a change in the product -mix shall be made in Form 1 and they shall be considered by the concerned Expert Appraisal Committee or State Level Expert Appraisal Committee within sixty days, who will decide on the due diligence.

necessary including preparation of EIA and public consultations and the application shall be appraised accordingly for grant of environmental clearance.

**8. Grant or Rejection of Prior Environmental Clearance (EC):**

(i) The regulatory authority shall consider the recommendations of the EAC or SEAC concerned and convey its decision to the applicant within forty five days of the receipt of the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned or in other words within one hundred and five days of the receipt of the final Environment Impact Assessment Report, and where Environment Impact Assessment is not required, within one hundred and five days of the receipt of the complete application with requisite documents, except as provided below.

(ii) The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In cases where it disagrees with the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned, the regulatory authority shall request reconsideration by the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned within forty five days of the receipt of the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned while stating the reasons for the disagreement. An intimation of this decision shall be simultaneously conveyed to the applicant. The Expert Appraisal Committee or State Level Expert Appraisal Committee concerned, in turn, shall consider the observations of the regulatory authority and furnish its views on the same within a further period of sixty days. The decision of the regulatory authority after considering the views of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned shall be final and conveyed to the applicant by the regulatory authority concerned within the next thirty days.

(iii) In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in sub-paragraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned.

(iv) On expiry of the period specified for decision by the regulatory authority under paragraph (i) and (ii) above, as applicable, the decision of the regulatory authority, and the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned shall be public documents.

(v) Clearances from other regulatory bodies or authorities shall not be required prior to receipt of applications for prior environmental clearance of projects or activities, or screening, or scoping, or appraisal, or decision by the regulatory authority concerned, unless any of these is sequentially dependent on such clearance either due to a requirement of law, or for necessary technical reasons.

(vi) Deliberate concealment and/or submission of false or misleading information or data which is material to screening or scoping or appraisal or decision on the application shall make the application liable for rejection, and cancellation of prior environmental clearance granted on that basis. Rejection of an application or cancellation of a prior environmental clearance already granted, on such ground, shall be decided by the regulatory authority, after giving a personal hearing to the applicant, and following the principles of natural justice.

### 9. Validity of Environmental Clearance (EC):

The "Validity of Environmental Clearance" is meant the period from which a prior environmental clearance is granted by the regulatory authority, or may be presumed by the applicant to have been granted under sub paragraph (iv) of paragraph 7 above, to the start of production operations by the project or activity, or completion of all construction operations in case of construction projects (item 8 of the Schedule), to which the application for prior environmental clearance refers. The prior environmental clearance granted for a project or activity shall be valid for a period of ten years in the case of River Valley projects (item 1(c) of the Schedule), project life as estimated by Expert Appraisal Committee or State Level Expert Appraisal Committee subject to a maximum of thirty years for mining projects and five years in the case of all other projects and activities. However, in the case of Area Development projects and Townships [item 8(b)], the validity period shall be limited only to such activities as may be the responsibility of the applicant as a developer. This period of validity may be extended by the regulatory authority concerned by a maximum period of five years provided an application is made to the regulatory authority by the applicant - within the validity period, together with an updated Form 1, and Supplementary Form 1A, for Construction projects or activities (item 8 of the Schedule). In this regard the regulatory authority may also consult the Expert Appraisal Committee or State Level Expert Appraisal Committee as the case may be.

### 10. Post Environmental Clearance Monitoring:

(i) It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.

(ii) All such compliance reports submitted by the project management shall be public documents. Copies of the same shall be given to any person on application to the concerned regulatory authority. The latest such compliance report shall also be displayed on the web site of the concerned regulatory authority.

### 11. Transferability of Environmental Clearance (EC):

A prior environmental clearance granted for a specific project or activity to an applicant may be transferred during its validity to another legal person entitled to undertake the project or activity on application by the transferor, or by the transferee with a written "no objection" by the transferor, to, and by the regulatory authority concerned, on the same terms and conditions under which the prior environmental clearance was initially granted, and for the same validity period. No reference to the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned is necessary in such cases.

### 12. Operation of EIA Notification, 1994, till disposal of pending cases:

From the date of final publication of this notification the Environment Impact Assessment (EIA) notification number S.O.60 (E) dated 27<sup>th</sup> January, 1994 is hereby superseded, except in suppression of the things done or omitted to be done before such suppression to the extent that in case of all or some types of applications made for prior environmental clearance and pending on the date of final publication of this notification, the Central Government may relax any one or all provisions of this notification except the list of the projects or activities requiring prior environmental clearance in Schedule I, or continue operation of some or all provisions of the said notification, for a period not exceeding one year from the date of issue of this notification.

## SCHEDULE

(See paragraph 2 and 7)

## LIST OF PROJECTS OR ACTIVITIES REQUIRING PRIOR ENVIRONMENTAL CLEARANCE

Project or Activity	Category with threshold limit		Conditions if any	
	A	B		
1	Mining, extraction of natural resources and power generation (for a specified production capacity)			
(1)	(2)	(3)	(4)	(5)
I(a)	Mining of minerals	<p>≥ 50 ha. of mining lease area</p> <p>Asbestos mining irrespective of mining area</p>	<p>&lt;50 ha</p> <p>≥ 5 ha .of mining lease area.</p>	<p>General Condition shall apply</p> <p>Note Mineral prospecting (not involving drilling) are exempted provided the concession areas have got previous clearance for physical survey</p>
I(b)	Offshore and onshore oil and gas exploration, development & production	All projects		<p>Note Exploration Surveys (not involving drilling) are exempted provided the concession areas have got previous clearance for physical survey</p>
I(c)	River Valley projects	<p>(i) ≥ 50 MW hydroelectric power generation;</p> <p>(ii) ≥ 10,000 ha. of culturable command area</p>	<p>(i) &lt; 50 MW ≥ 25 MW hydroelectric power generation;</p> <p>(ii) &lt; 10,000 ha. of culturable command area</p>	General Condition shall apply
I(d)	Thermal Power Plants	<p>≥ 500 MW (coal/lignite/naphtha &amp; gas based);</p> <p>≥ 50 MW (Pet coke diesel and all other fuels -)</p>	<p>&lt; 500 MW (coal/lignite/naphtha &amp; gas based);</p> <p>&lt;50 MW</p> <p>≥ 5MW (Pet coke ,diesel and all other fuels )</p>	General Condition shall apply

(1)	(2)	(3)	(4)	(5)
1(e)	Nuclear power projects and processing of nuclear fuel	All projects		
2		<b>Primary Processing</b>		
2(a)	Coal washeries	≥ 1 million ton/annum throughput of coal	<1million ton/annum throughput of coal	General Condition shall apply  (If located within mining area the proposal shall be appraised together with the mining proposal)
2 (b)	Mineral beneficiation	≥ 0.1million ton/annum mineral throughput	< 0.1million ton/annum mineral throughput	General Condition shall apply  (Mining proposal with Mineral beneficiation shall be appraised together for grant of clearance)

3				
Materials Production				
(1)	(2)	(3)	(4)	(5)
3(a)	Metallurgical industries (ferrous & non ferrous)	<p>a) Primary metallurgical industry</p> <p>All projects</p> <p>b) Sponge iron manufacturing <math>\geq 200</math>TPD</p> <p>c) Secondary metallurgical processing industry</p> <p>All toxic and heavy metal producing units <math>\geq 20,000</math> tonnes /annum</p>	<p>Sponge iron manufacturing <math>&lt; 200</math>TPD</p> <p>Secondary metallurgical processing industry</p> <p>i.) All toxic and heavy metal producing units <math>&lt; 20,000</math> tonnes /annum</p> <p>ii.) All other non-toxic secondary metallurgical processing industries <math>&gt; 5000</math> tonnes/annum</p>	General Condition shall apply for Sponge iron manufacturing
3(b)	Cement plants	$\geq 1.0$ million tonnes/annum production capacity	$< 1.0$ million tonnes/annum production capacity. All Stand alone grinding units	General Condition shall apply

4				
Materials Processing				
(1)	(2)	(3)	(4)	(5)
4(a)	Petroleum refining industry	All projects	-	-
4(b)	Coke oven plants	≥2,50,000 tonnes/annum	<2,50,000 & ≥25,000 tonnes/annum	-
4(c)	Asbestos milling and asbestos based products	All projects	-	-
4(d)	Chlor-alkali industry	≥300 TPD production capacity or a unit located outside the notified industrial area/estate	<300 TPD production capacity and located within a notified industrial area/estate	Specific Condition shall apply  No new Mercury Cell based plants will be permitted and existing units converting to membrane cell technology are exempted from this Notification
4(e)	Soda ash Industry	All projects	-	-
4(f)	Leather/skin/hide processing industry	New projects outside the industrial area or expansion of existing units outside the industrial area	All new or expansion of projects located within a notified industrial area/estate	Specific condition shall apply
5				
Manufacturing/Fabrication				
5(a)	Chemical fertilizers	All projects	-	-
5(b)	Pesticides industry and pesticide specific intermediates (excluding formulations)	All units producing technical grade pesticides	-	-

(1)	(2)	(3)	(4)	(5)
5(c)	Petro-chemical complexes (industries based on processing of petroleum fractions & natural gas and/or reforming to aromatics)	All projects -	-	-
5(d)	Manmade fibres manufacturing	Rayon	Others	General Condition shall apply
5(e)	Petrochemical based processing (processes other than cracking & reformation and not covered under the complexes)	Located out side the notified industrial area/ estate -	Located in a notified industrial area/ estate	Specific Condition shall apply
5(f)	Synthetic organic chemicals industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)	Located out side the notified industrial area/ estate	Located in a notified industrial area/ estate	Specific Condition shall apply
5(g)	Distilleries	(i) All Molasses based distilleries  (ii) All Cane juice/ non-molasses based distilleries $\geq 30$ KLD	All Cane juice/non-molasses based distilleries - $< 30$ KLD	General Condition shall apply
5(h)	Integrated paint industry	-	All projects	General Condition shall apply

(1)	(2)	(3)	(4)	(5)
5(i)	Pulp & paper industry excluding manufacturing of paper from waste paper and manufacture of paper from ready pulp with out bleaching	Pulp manufacturing and Pulp& Paper manufacturing industry	Paper manufacturing industry without pulp manufacturing	General Condition shall apply
5(j)	Sugar Industry	-	≥ 5000 tcd cane crushing capacity	General Condition shall apply
5(k)	Induction/arc furnaces/cupola furnaces 5TPH or more	-	All projects	General Condition shall apply
6		Service Sectors		
6(a)	Oil & gas transportation pipe line (crude and refinery/ petrochemical products), passing through national parks /sanctuaries/coral reefs /ecologically sensitive areas including LNG Terminal	All projects		

(1)	(2)	(3)	(4)	(5)
6(b)	Isolated storage & handling of hazardous chemicals (As per threshold planning quantity indicated in column 3 of schedule 2 & 3 of MSIHC Rules 1989 amended 2000)	-	All projects	General Condition shall apply
7		<b>Physical Infrastructure including Environmental Services</b>		
7(a)	Air ports	All projects	-	-
7(b)	All ship breaking yards including ship breaking units	All projects	-	-
7(c)	Industrial estates/parks/ complexes/ areas, export processing Zones (EPZs), Special Economic Zones (SEZs), Biotech Parks, Leather Complexes.	If at least one industry in the proposed industrial estate falls under the Category A, entire industrial area shall be treated as Category A, irrespective of the area.  Industrial estates with area greater than 500 ha. and housing at least one Category B industry.	-Industrial estates housing at least one Category B industry and area <500 ha.  Industrial estates of area > 500 ha. and not housing any industry belonging to Category A or B.	Special condition shall apply  Note: Industrial Estate of area below 500 ha. and not housing any industry of category A or B does not require clearance.
7(d)	Common hazardous waste treatment, storage and disposal facilities (TSDFs)	All integrated facilities having incineration & landfill or incineration alone	All facilities having land fill only	General Condition shall apply

(1)	(2)	(3)	(4)	(5)
7(e)	Ports, Harbours	≥ 5 million TPA of cargo handling capacity (excluding fishing harbours)	< 5 million TPA of cargo handling capacity and/or ports/ harbours ≥10,000 TPA of fish handling capacity	General Condition shall apply
7(f)	Highways	i) New National High ways; and  ii) Expansion of National High ways greater than 30 KM, involving additional right of way greater than 20m involving land acquisition and passing through more than one State.	i) New State High ways; and  ii) Expansion of National / State Highways greater than 30 km involving additional right of way greater than 20m involving land acquisition.	General Condition shall apply
7(g)	Aerial ropeways		All projects	General Condition shall apply
7(h)	Common Effluent Treatment Plants (CETPs)		All projects	General Condition shall apply
7(i)	Common Municipal Solid Waste Management Facility (CMSWMF)		All projects	General Condition shall apply

(1)	(2)	(3)	(4)	(5)
8		<b>Building /Construction projects/Area Development projects and Townships</b>		
8(a)	Building and Construction projects		≥20000 sq.mtrs and <1,50,000 sq.mtrs. of built-up area#	#(built up area for covered construction; in the case of facilities open to the sky, it will be the activity area )
8(b)	Townships and Area Development projects.		Covering an area ≥ 50 ha and or built up area ≥1,50,000 sq .mtrs ++	**All projects under Item 8(b) shall be appraised as Category B I

**Note:-****General Condition (GC):**

Any project or activity specified in Category 'B' will be treated as Category A, if located in whole or in part within 10 km from the boundary of: (i) Protected Areas notified under the Wild Life (Protection) Act, 1972, (ii) Critically Polluted areas as notified by the Central Pollution Control Board from time to time, (iii) Notified Eco-sensitive areas, (iv) inter-State boundaries and international boundaries.

**Specific Condition (SC):**

If any Industrial Estate/Complex / Export processing Zones /Special Economic Zones/Biotech Parks / Leather Complex with homogeneous type of industries such as Items 4(d), 4(f), 5(e), 5(f), or those Industrial estates with pre -defined set of activities (not necessarily homogeneous, obtains prior environmental clearance, individual industries including proposed industrial housing within such estates /complexes will not be required to take prior environmental clearance, so long as the Terms and Conditions for the industrial estate/complex are complied with (Such estates/complexes must have a clearly identified management with the legal responsibility of ensuring adherence to the Terms and Conditions of prior environmental clearance, who may be held responsible for violation of the same throughout the life of the complex/estate).

[No. J-11013/56/2004-IA-II(I)]  
R. CHANDRAMOHAN, Jt. Secy.

**APPENDIX I**

(See paragraph - 6)

**FORM 1****(I) Basic Information**

Name of the Project:

Location / site alternatives under consideration:

Size of the Project: \*

Expected cost of the project:

Contact Information:

Screening Category:

- Capacity corresponding to sectoral activity (such as production capacity for manufacturing, mining lease area and production capacity for mineral production, area for mineral exploration, length for linear transport infrastructure, generation capacity for power generation etc..)

**(II) Activity**

- 1. Construction, operation or decommissioning of the Project involving actions, which will cause physical changes in the locality (topography, land use, changes in water bodies, etc.)**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
1.1	Permanent or temporary change in land use, land cover or topography including increase in intensity of land use (with respect to local land use plan)		
1.2	Clearance of existing land, vegetation and buildings?		
1.3	Creation of new land uses?		
1.4	Pre-construction investigations e.g. bore houses, soil testing?		
1.5	Construction works?		
1.6	Demolition works?		
1.7	Temporary sites used for construction works or housing of construction workers?		
1.8	Above ground buildings, structures or earthworks including linear structures, cut and fill or excavations		
1.9	Underground works including mining or tunneling?		
1.10	Reclamation works?		
1.11	Dredging?		
1.12	Offshore structures?		
1.13	Production and manufacturing processes?		

1.14	Facilities for storage of goods or materials?		
1.15	Facilities for treatment or disposal of solid waste or liquid effluents?		
1.16	Facilities for long term housing of operational workers?		
1.17	New road, rail or sea traffic during construction or operation?		
1.18	New road, rail, air waterborne or other transport infrastructure including new or altered routes and stations, ports, airports etc?		
1.19	Closure or diversion of existing transport routes or infrastructure leading to changes in traffic movements?		
1.20	New or diverted transmission lines or pipelines?		
1.21	Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers?		
1.22	Stream crossings?		
1.23	Abstraction or transfers of water from ground or surface waters?		
1.24	Changes in water bodies or the land surface affecting drainage or run-off?		
1.25	Transport of personnel or materials for construction, operation or decommissioning?		
1.26	Long-term dismantling or decommissioning or restoration works?		
1.27	Ongoing activity during decommissioning which could have an impact on the environment?		
1.28	Influx of people to an area in either temporarily or permanently?		
1.29	Introduction of alien species?		
1.30	Loss of native species or genetic diversity?		
1.31	Any other actions?		

**2. Use of Natural resources for construction or operation of the Project (such as land, water, materials or energy, especially any resources which are non-renewable or in short supply):**

S.No.	Information/checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
2.1	Land especially undeveloped or agricultural land (ha)		

2.2	Water (expected source & competing users) unit: KLD		
2.3	Minerals (MT)		
2.4	Construction material – stone, aggregates, and / soil (expected source – MT)		
2.5	Forests and timber (source – MT)		
2.6	Energy including electricity and fuels (source, competing users) Unit: fuel (MT), energy (MW)		
2.7	Any other natural resources (use appropriate standard units)		

**3. Use, storage, transport, handling or production of substances or materials, which could be harmful to human health or the environment or raise concerns about actual or perceived risks to human health.**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
3.1	Use of substances or materials, which are hazardous (as per MSIHC rules) to human health or the environment (flora, fauna, and water supplies)		
3.2	Changes in occurrence of disease or affect disease vectors (e.g. insect or water borne diseases)		
3.3	Affect the welfare of people e.g. by changing living conditions?		
3.4	Vulnerable groups of people who could be affected by the project e.g. hospital patients, children, the elderly etc.,		
3.5	Any other causes		

**4. Production of solid wastes during construction or operation or decommissioning (MT/month)**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
4.1	Spoil, overburden or mine wastes		

4.2	Municipal waste (domestic and or commercial wastes)		
4.3	Hazardous wastes (as per Hazardous Waste Management Rules)		
4.4	Other industrial process wastes		
4.5	Surplus product		
4.6	Sewage sludge or other sludge from effluent treatment		
4.7	Construction or demolition wastes		
4.8	Redundant machinery or equipment		
4.9	Contaminated soils or other materials		
4.10	Agricultural wastes		
4.11	Other solid wastes		

**5. Release of pollutants or any hazardous, toxic or noxious substances to air (Kg/hr)**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
5.1	Emissions from combustion of fossil fuels from stationary or mobile sources		
5.2	Emissions from production processes		
5.3	Emissions from materials handling including storage or transport		
5.4	Emissions from construction activities including plant and equipment		
5.5	Dust or odours from handling of materials including construction materials, sewage and waste		

5.6	Emissions from incineration of waste		
5.7	Emissions from burning of waste in open air (e.g. slash materials, construction debris)		
5.8	Emissions from any other sources		

**6. Generation of Noise and Vibration, and Emissions of Light and Heat:**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data with source of information data
6.1	From operation of equipment e.g. engines, ventilation plant, crushers		
6.2	From industrial or similar processes		
6.3	From construction or demolition		
6.4	From blasting or piling		
6.5	From construction or operational traffic		
6.6	From lighting or cooling systems		
6.7	From any other sources		

**7. Risks of contamination of land or water from releases of pollutants into the ground or into sewers, surface waters, groundwater, coastal waters or the sea:**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
7.1	From handling, storage, use or spillage of hazardous materials		
7.2	From discharge of sewage or other effluents to water or the land (expected mode and place of discharge)		
7.3	By deposition of pollutants emitted to air into the land or into water		
7.4	From any other sources		
7.5	Is there a risk of long term build up of pollutants in the environment from these sources?		

**8. Risk of accidents during construction or operation of the Project, which could affect human health or the environment**

S.No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
3.1	From explosions, spillages, fires etc from storage, handling, use or production of hazardous substances		
3.2	From any other causes		
3.3	Could the project be affected by natural disasters causing environmental damage (e.g. floods, earthquakes, landslides, cloudburst etc)?		

63A (TYPE COPY)

**1. Risks of contamination of land or water from releases of pollutants into the ground or into sewers, surface waters, groundwater, coastal waters or the sea:**

<b>S.No.</b>	<b>Information/Checklist confirmation</b>	<b>Yes/No</b>	<b>Details thereof (with approximate quantities/rates, wherever possible) with source of information data</b>
7.1	From handling, storage, use or spillage of hazardous materials		
7.2	From discharge of sewage or other effluents to water or the land (expected mode and place of discharge)		
7.3	By deposition of pollutants emitted to air into the land or into water		
7.4	From any other sources		
7.5	Is there a risk of long term build up of pollutants in the environment from these sources?		

**2. Risk of accidents during construction or operation of the Project, which could affect human health or the environment**

<b>S.No.</b>	<b>Information/Checklist confirmation</b>	<b>Yes/No</b>	<b>Details thereof (with approximate quantities/rates, wherever possible) with source of information data</b>
8.1	From explosions, spillages, fires etc from storage, handling, use or production of hazardous substances		
8.2	From any other causes		
8.3	Could the project be affected by natural disasters causing environmental damage (e.g. floods, earthquakes, landslides, cloudburst etc)?		

9. Factors which should be considered (such as consequential development) which could lead to environmental effects or the potential for cumulative impacts with other existing or planned activities in the locality

S. No.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
9.1	<p>Lead to development of supporting facilities, ancillary development or development stimulated by the project which could have impact on the environment e.g.:</p> <ul style="list-style-type: none"> <li>• Supporting infrastructure (roads, power supply, waste or waste water treatment, etc.)</li> <li>• housing development</li> <li>• extractive industries</li> <li>• supply industries</li> <li>• other</li> </ul>		
9.2	Lead to after-use of the site, which could have an impact on the environment		
9.3	Set a precedent for later developments		
9.4	Have cumulative effects due to proximity to other existing or planned projects with similar effects		

**(III) Environmental Sensitivity**

S.No.	Areas	Name/ Identity	Aerial distance (within 15 km.) Proposed project location boundary
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value		

2	Areas which are important or sensitive for ecological reasons - Wetlands, watercourses or other water bodies, coastal zone, biospheres, mountains, forests		
3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, over wintering, migration		
4	Inland, coastal, marine or underground waters		
5	State, National boundaries		
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas		
7	Defence installations		
8	Densely populated or built-up area		
9	Areas occupied by sensitive man-made land uses ( <i>hospitals, schools, places of worship, community facilities</i> )		
10	Areas containing important, high quality or scarce resources ( <i>ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals</i> )		
11	Areas already subjected to pollution or environmental damage. ( <i>those where existing legal environmental standards are exceeded</i> )		
12	Areas susceptible to natural hazard which could cause the project to present environmental problems ( <i>earthquakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions</i> )		

**(IV). Proposed Terms of Reference for EIA studies**



## APPENDIX II

(See paragraph 6)

**FORM-1 A (only for construction projects listed under item 8 of the Schedule)**

### CHECK LIST OF ENVIRONMENTAL IMPACTS

(Project proponents are required to provide full information and wherever necessary attach explanatory notes with the Form and submit along with proposed environmental management plan & monitoring programme)

#### 1. LAND ENVIRONMENT

(Attach panoramic view of the project site and the vicinity)

1.1. Will the existing landuse get significantly altered from the project that is not consistent with the surroundings? (Proposed landuse must conform to the approved Master Plan / Development Plan of the area. Change of landuse if any and the statutory approval from the competent authority be submitted). Attach Maps of (i) site location, (ii) surrounding features of the proposed site (within 500 meters) and (iii) the site (indicating levels & contours) to appropriate scales. If not available attach only conceptual plans.

1.2. List out all the major project requirements in terms of the land area, built up area, water consumption, power requirement, connectivity, community facilities, parking needs etc.

1.3. What are the likely impacts of the proposed activity on the existing facilities adjacent to the proposed site? (Such as open spaces, community facilities, details of the existing landuse, disturbance to the local ecology).

1.4. Will there be any significant land disturbance resulting, in erosion, subsidence & instability? (Details of soil type, slope analysis, vulnerability to subsidence, seismicity etc may be given).

1.5. Will the proposal involve alteration of natural drainage systems? (Give details on a contour map showing the natural drainage near the proposed project site)

1.6. What are the quantities of earthwork involved in the construction activity-cutting, filling, reclamation etc. (Give details of the quantities of earthwork involved, transport of fill materials from outside the site etc.)

1.7. Give details regarding water supply, waste handling etc during the construction period.

1.8. Will the low lying areas & wetlands get altered? (Provide details of how low lying and wetlands are getting modified from the proposed activity)

1.9. Whether construction debris & waste during construction cause health hazard? (Give quantities of various types of wastes generated during construction including the construction labour and the means of disposal)

#### 2. WATER ENVIRONMENT

2.1. Give the total quantity of water requirement for the proposed project with the breakup of requirements for various uses. How will the water requirement met? State the sources & quantities and furnish a water balance statement.

- 2.2. What is the capacity (dependable flow or yield) of the proposed source of water?
- 2.3. What is the quality of water required, in case, the supply is not from a municipal source? (Provide physical, chemical, biological characteristics with class of water quality)
- 2.4. How much of the water requirement can be met from the recycling of treated wastewater? (Give the details of quantities, sources and usage)
- 2.5. Will there be diversion of water from other users? (Please assess the impacts of the project on other existing uses and quantities of consumption)
- 2.6. What is the incremental pollution load from wastewater generated from the proposed activity? (Give details of the quantities and composition of wastewater generated from the proposed activity)
- 2.7. Give details of the water requirements met from water harvesting? Furnish details of the facilities created.
- 2.8. What would be the impact of the land use changes occurring due to the proposed project on the runoff characteristics (quantitative as well as qualitative) of the area in the post construction phase on a long term basis? Would it aggravate the problems of flooding or water logging in any way?
- 2.9. What are the impacts of the proposal on the ground water? (Will there be tapping of ground water; give the details of ground water table, recharging capacity, and approvals obtained from competent authority, if any)
- 2.10. What precautions/measures are taken to prevent the run-off from construction activities polluting land & aquifers? (Give details of quantities and the measures taken to avoid the adverse impacts)
- 2.11. How is the storm water from within the site managed?(State the provisions made to avoid flooding of the area, details of the drainage facilities provided along with a site layout indication contour levels)
- 2.12. Will the deployment of construction labourers particularly in the peak period lead to unsanitary conditions around the project site (Justify with proper explanation)
- 2.13. What on-site facilities are provided for the collection, treatment & safe disposal of sewage? (Give details of the quantities of wastewater generation, treatment capacities with technology & facilities for recycling and disposal)
- 2.14. Give details of dual plumbing system if treated waste used is used for flushing of toilets or any other use.

### 3. VEGETATION

- 3.1. Is there any threat of the project to the biodiversity? (Give a description of the local ecosystem with it's unique features, if any)

~~67A~~ (TYPE COPY)

## 2. WATER ENVIRONMENT

2.1. Give the total quantity of water requirement for the proposed project with the breakup of requirements for various uses. How will the water requirement met? State the sources & quantities and furnish a water balance statement.

2.2. What is the capacity (dependable flow or yield) of the proposed source of water?

2.3. What is the quality of water required, in case, the supply is not from a municipal source? (Provide physical, chemical, biological characteristics with class of water quality)

2.4. How much of the water requirement can be met from the recycling of treated wastewater? (Give the details of quantities, sources and usage)

2.5. Will there be diversion of water from other users? (Please assess the impacts of the project on other existing uses and quantities of consumption)

2.6. What is the incremental pollution load from wastewater generated from the proposed activity? (Give details of the quantities and composition of wastewater generated from the proposed activity)

2.7. Give details of the water requirements met from water harvesting? Furnish details of the facilities created.

2.8. What would be the impact of the land use changes occurring due to the proposed project on the runoff characteristics (quantitative as well as qualitative) of the area in the post construction phase on a long term basis? Would it aggravate the problems of flooding or water logging in any way?

2.9. What are the impacts of the proposal on the ground water? (Will there be tapping of ground water; give the details of ground water table, recharging capacity, and approvals obtained from competent authority, if any)

2.10. What precautions/measures are taken to prevent the run-off from construction activities polluting land & aquifers? (Give details of quantities and the measures taken to avoid the adverse impacts)

2.11. How is the storm water from within the site managed?(State the provisions made to avoid flooding of the area, details of the drainage facilities provided along with a site layout indication contour levels)

2.12. Will the deployment of construction labourers particularly in the peak period lead to unsanitary conditions around the project site (Justify with proper explanation)

2.13. What on-site facilities are provided for the collection, treatment & safe disposal of sewage? (Give details of the quantities of wastewater generation, treatment capacities with technology & facilities for recycling and disposal)

2.14. Give details of dual plumbing system if treated waste used is used for flushing of toilets or any other use.

### 3. VEGETATION

3.1. Is there any threat of the project to the biodiversity? (Give a description of the local ecosystem with it's unique features, if any)

3.2. Will the construction involve extensive clearing or modification of vegetation? (Provide a detailed account of the trees & vegetation affected by the project)

3.3. What are the measures proposed to be taken to minimize the likely impacts on important site features (Give details of proposal for tree plantation, landscaping, creation of water bodies etc along with a layout plan to an appropriate scale)

#### 4. FAUNA

4.1. Is there likely to be any displacement of fauna- both terrestrial and aquatic or creation of barriers for their movement? Provide the details.

4.2. Any direct or indirect impacts on the avifauna of the area? Provide details.

4.3. Prescribe measures such as corridors, fish ladders etc to mitigate adverse impacts on fauna

#### 5. AIR ENVIRONMENT

5.1. Will the project increase atmospheric concentration of gases & result in heat islands? (Give details of background air quality levels with predicted values based on dispersion models taking into account the increased traffic generation as a result of the proposed constructions)

5.2. What are the impacts on generation of dust, smoke, odorous fumes or other hazardous gases? Give details in relation to all the meteorological parameters.

5.3. Will the proposal create shortage of parking space for vehicles? Furnish details of the present level of transport infrastructure and measures proposed for improvement including the traffic management at the entry & exit to the project site.

5.4. Provide details of the movement patterns with internal roads, bicycle tracks, pedestrian pathways, footpaths etc., with areas under each category.

5.5. Will there be significant increase in traffic noise & vibrations? Give details of the sources and the measures proposed for mitigation of the above.

5.6. What will be the impact of DG sets & other equipment on noise levels & vibration in & ambient air quality around the project site? Provide details.

#### 6. AESTHETICS

6.1. Will the proposed constructions in any way result in the obstruction of a view, scenic amenity or landscapes? Are these considerations taken into account by the proponents?

6.2. Will there be any adverse impacts from new constructions on the existing structures? What are the considerations taken into account?

6.3. Whether there are any local considerations of urban form & urban design influencing the design criteria? They may be explicitly spelt out.

6.4. Are there any anthropological or archaeological sites or artefacts nearby? State if any other significant features in the vicinity of the proposed site have been considered.

#### 7. SOCIO-ECONOMIC ASPECTS

7.1. Will the proposal result in any changes to the demographic structure of local population? Provide the details.

- 7.2. Give details of the existing social infrastructure around the proposed project.
- 7.3. Will the project cause adverse effects on local communities, disturbance to sacred sites or other cultural values? What are the safeguards proposed?

## **8. BUILDING MATERIALS**

- 8.1. May involve the use of building materials with high-embodied energy. Are the construction materials produced with energy efficient processes? (Give details of energy conservation measures in the selection of building materials and their energy efficiency)
- 8.2. Transport and handling of materials during construction may result in pollution, noise & public nuisance. What measures are taken to minimize the impacts?
- 8.3. Are recycled materials used in roads and structures? State the extent of savings achieved?
- 8.4. Give details of the methods of collection, segregation & disposal of the garbage generated during the operation phases of the project.

## **9. ENERGY CONSERVATION**

- 9.1. Give details of the power requirements, source of supply, backup source etc. What is the energy consumption assumed per square foot of built-up area? How have you tried to minimize energy consumption?
- 9.2. What type of, and capacity of, power back-up to you plan to provide?
- 9.3. What are the characteristics of the glass you plan to use? Provide specifications of its characteristics related to both short wave and long wave radiation?
- 9.4. What passive solar architectural features are being used in the building? Illustrate the applications made in the proposed project.
- 9.5. Does the layout of streets & buildings maximise the potential for solar energy devices? Have you considered the use of street lighting, emergency lighting and solar hot water systems for use in the building complex? Substantiate with details.
- 9.6. Is shading effectively used to reduce cooling/heating loads? What principles have been used to maximize the shading of Walls on the East and the West and the Roof? How much energy saving has been effected?
- 9.7. Do the structures use energy-efficient space conditioning, lighting and mechanical systems? Provide technical details. Provide details of the transformers and motor efficiencies, lighting intensity and air-conditioning load assumptions? Are you using CFC and HCFC free chillers? Provide specifications.
- 9.8. What are the likely effects of the building activity in altering the micro-climates? Provide a self assessment on the likely impacts of the proposed construction on creation of heat island & inversion effects?

9.9. What are the thermal characteristics of the building envelope? (a) roof; (b) external walls; and (c) fenestration? Give details of the material used and the U-values or the R values of the individual components.

9.10. What precautions & safety measures are proposed against fire hazards? Furnish details of emergency plans.

9.11. If you are using glass as wall material provides details and specifications including emissivity and thermal characteristics.

9.12. What is the rate of air infiltration into the building? Provide details of how you are mitigating the effects of infiltration.

9.13. To what extent the non-conventional energy technologies are utilised in the overall energy consumption? Provide details of the renewable energy technologies used.

### 10. Environment Management Plan

The Environment Management Plan would consist of all mitigation measures for each item wise activity to be undertaken during the construction, operation and the entire life cycle to minimize adverse environmental impacts as a result of the activities of the project. It would also delineate the environmental monitoring plan for compliance of various environmental regulations. It will state the steps to be taken in case of emergency such as accidents at the site including fire.

### APPENDIX III

(See paragraph 7)

### GENERIC STRUCTURE OF ENVIRONMENTAL IMPACT ASSESMENT DOCUMENT

S.NO	EIA STRUCTURE	CONTENTS
1.	Introduction	<ul style="list-style-type: none"> <li>• Purpose of the report</li> <li>• Identification of project &amp; project proponent</li> <li>• Brief description of nature, size, location of the project and its importance to the country, region</li> <li>• Scope of the study – details of regulatory scoping carried out (As per Terms of Reference)</li> </ul>
2.	Project Description	<ul style="list-style-type: none"> <li>• Condensed description of those aspects of the project (based on project feasibility study), likely to cause environmental effects. Details should be provided to give clear picture of the following: <ul style="list-style-type: none"> <li>• Type of project</li> <li>• Need for the project</li> <li>• Location (maps showing general location, specific location, project boundary &amp; project site layout)</li> </ul> </li> </ul>

		<ul style="list-style-type: none"> <li>• Size or magnitude of operation (incl. Associated activities required by or for the project)</li> <li>• Proposed schedule for approval and implementation</li> <li>• Technology and process description</li> <li>• Project description. Including drawings showing project layout, components of project etc. Schematic representations of the feasibility drawings which give information important for EIA purpose</li> <li>• Description of mitigation measures incorporated into the project to meet environmental standards, environmental operating conditions, or other EIA requirements (as required by the scope)</li> <li>• Assessment of New &amp; untested technology for the risk of technological failure</li> </ul>
3.	Description of the Environment	<ul style="list-style-type: none"> <li>• Study area, period, components &amp; methodology</li> <li>• Establishment of baseline for valued environmental components, as identified in the scope</li> <li>• Base maps of all environmental components</li> </ul>
4.	Anticipated Environmental Impacts & Mitigation Measures	<ul style="list-style-type: none"> <li>• Details of Investigated Environmental impacts due to project location, possible accidents, project design, project construction, regular operations, final decommissioning or rehabilitation of a completed project</li> <li>• Measures for minimizing and / or offsetting adverse impacts identified</li> <li>• Irreversible and Irretrievable commitments of environmental components</li> <li>• Assessment of significance of impacts (Criteria for determining significance, Assigning significance)</li> <li>• Mitigation measures</li> </ul>
5.	Analysis of Alternatives (Technology & Site)	<ul style="list-style-type: none"> <li>• In case, the scoping exercise results in need for alternatives:</li> <li>• Description of each alternative</li> <li>• Summary of adverse impacts of each alternative</li> <li>• Mitigation measures proposed for each alternative and</li> <li>• Selection of alternative</li> </ul>

6.	Environmental Monitoring Program	<ul style="list-style-type: none"> <li>• Technical aspects of monitoring the effectiveness of mitigation measures (incl. Measurement methodologies, frequency, location, data analysis, reporting schedules, emergency procedures, detailed budget &amp; procurement schedules)</li> </ul>
7.	Additional Studies	<ul style="list-style-type: none"> <li>• Public Consultation</li> <li>• Risk assessment</li> <li>• Social Impact Assessment. R&amp;R Action Plans</li> </ul>
8.	Project Benefits	<ul style="list-style-type: none"> <li>• Improvements in the physical infrastructure</li> <li>• Improvements in the social infrastructure</li> <li>• Employment potential –skilled; semi-skilled and unskilled.</li> <li>• Other tangible benefits</li> </ul>
9.	Environmental Cost Benefit Analysis	If recommended at the Scoping stage
10.	EMP	<ul style="list-style-type: none"> <li>• Description of the administrative aspects of ensuring that mitigative measures are implemented and their effectiveness monitored, after approval of the EIA</li> </ul>
11.	Summary & Conclusion (This will constitute the summary of the EIA Report )	<ul style="list-style-type: none"> <li>• Overall justification for implementation of the project</li> <li>• Explanation of how, adverse effects have been mitigated</li> </ul>
12.	Disclosure of Consultants engaged	<ul style="list-style-type: none"> <li>• The names of the Consultants engaged with their brief resume and nature of Consultancy rendered</li> </ul>

**APPENDIX III A**  
(See paragraph 7).

**CONTENTS OF SUMMARY ENVIRONMENTAL IMPACT ASSESSMENT**

The Summary EIA shall be a summary of the full EIA Report condensed to ten A-4 size pages at the maximum. It should necessarily cover in brief the following Chapters of the full EIA Report: -

1. Project Description
2. Description of the Environment
3. Anticipated Environmental impacts and mitigation measures
4. Environmental Monitoring Programme
5. Additional Studies
6. Project Benefits
7. Environment Management Plan

**APPENDIX IV****(See paragraph 7)****PROCEDURE FOR CONDUCT OF PUBLIC HEARING**

1.0 The Public Hearing shall be arranged in a systematic, time bound and transparent manner ensuring widest possible public participation at the project site(s) or in its close proximity District -wise, by the concerned State Pollution Control Board (SPCB) or the Union Territory Pollution Control Committee (UTPCC).

**2.0 The Process:**

2.1 The Applicant shall make a request through a simple letter to the Member Secretary of the SPCB or Union Territory Pollution Control Committee, in whose jurisdiction the project is located, to arrange the public hearing within the prescribed statutory period. In case the project site is extending beyond a State or Union Territory, the public hearing is mandated in each State or Union Territory in which the project is sited and the Applicant shall make separate requests to each concerned SPCB or UTPCC for holding the public hearing as per this procedure.

2.2 The Applicant shall enclose with the letter of request, at least 10 hard copies and an equivalent number of soft (electronic) copies of the draft EIA Report with the generic structure given in Appendix III including the Summary Environment Impact Assessment report in English and in the local language, prepared strictly in accordance with the Terms of Reference communicated after Scoping (Stage-2). Simultaneously the applicant shall arrange to forward copies, one hard and one soft, of the above draft EIA Report along with the Summary EIA report to the Ministry of Environment and Forests and to the following authorities or offices, within whose jurisdiction the project will be located:

- (a) District Magistrate/s
- (b) Zila Parishad or Municipal Corporation
- (c) District Industries Office
- (d) Concerned Regional Office of the Ministry of Environment and Forests

2.3 On receiving the draft Environmental Impact Assessment report, the above-mentioned authorities except the MoEF, shall arrange to widely publicize it within their respective jurisdictions requesting the interested persons to send their comments to the concerned regulatory authorities. They shall also make available the draft EIA Report for inspection electronically or otherwise to the public during normal office hours till the Public Hearing is over. The Ministry of Environment and Forests shall promptly display the Summary of the draft Environmental Impact Assessment report on its website, and also make the full draft EIA available for reference at a notified place during normal office hours in the Ministry at Delhi.

2.4 The SPCB or UTPCC concerned shall also make similar arrangements for giving publicity about the project within the State/Union Territory and make available the Summary of the draft Environmental Impact Assessment report (Appendix III A) for inspection in select offices or public libraries or panchayats etc. They shall also additionally

make available a copy of the draft Environmental Impact Assessment report to the above five authorities/offices viz, Ministry of Environment and Forests, District Magistrate etc.

### **3.0 Notice of Public Hearing:**

3.1 The Member-Secretary of the concerned SPCB or UTPCC shall finalize the date, time and exact venue for the conduct of public hearing within 7(seven) days of the date of receipt of the draft Environmental Impact Assessment report from the project proponent, and advertise the same in one major National Daily and one Regional vernacular Daily. A minimum notice period of 30(thirty) days shall be provided to the public for furnishing their responses;

3.2 The advertisement shall also inform the public about the places or offices where the public could access the draft Environmental Impact Assessment report and the Summary Environmental Impact Assessment report before the public hearing.

3.3 No postponement of the date, time, venue of the public hearing shall be undertaken, unless some untoward emergency situation occurs and only on the recommendation of the concerned District Magistrate the postponement shall be notified to the public through the same National and Regional vernacular dailies and also prominently displayed at all the identified offices by the concerned SPCB or Union Territory Pollution Control Committee;

3.4 In the above exceptional circumstances fresh date, time and venue for the public consultation shall be decided by the Member –Secretary of the concerned SPCB or UTPCC only in consultation with the District Magistrate and notified afresh as per procedure under 3.1 above.

### **4.0 The Panel**

4.1 The District Magistrate or his or her representative not below the rank of an Additional District Magistrate assisted by a representative of SPCB or UTPCC, shall supervise and preside over the entire public hearing process.

### **5.0 Videography**

5.1 The SPCB or UTPCC shall arrange to video film the entire proceedings. A copy of the videotape or a CD shall be enclosed with the public hearing proceedings while forwarding it to the Regulatory Authority concerned.

### **6.0 Proceedings**

6.1 The attendance of all those who are present at the venue shall be noted and annexed with the final proceedings.

6.2 There shall be no quorum required for attendance for starting the proceedings.

6.3 A representative of the applicant shall initiate the proceedings with a presentation on the project and the Summary EIA report.

6.4 Every person present at the venue shall be granted the opportunity to seek information or clarifications on the project from the Applicant. The summary of the public

hearing proceedings accurately reflecting all the views and concerns expressed shall be recorded by the representative of the SPCB or UTPCC and read over to the audience at the end of the proceedings explaining the contents in the vernacular language and the agreed minutes shall be signed by the District Magistrate or his or her representative on the same day and forwarded to the SPCB/UTPCC concerned.

6.5 A Statement of the issues raised by the public and the comments of the Applicant shall also be prepared in the local language and in English and annexed to the proceedings:

6.6 The proceedings of the public hearing shall be conspicuously displayed at the office of the Panchyats within whose jurisdiction the project is located, office of the concerned Zila Parishad, District Magistrate, and the SPCB or UTPCC. The SPCB or UTPCC shall also display the proceedings on its website for general information. Comments, if any, on the proceedings which may be sent directly to the concerned regulatory authorities and the Applicant concerned.

#### 7.0 Time period for completion of public hearing

7.1 The public hearing shall be completed within a period of 45 (forty five) days from date of receipt of the request letter from the Applicant. Therefore the SPCB or UTPCC concerned shall send the public hearing proceedings to the concerned regulatory authority within 8(eight) days of the completion of the public hearing. The applicant may also directly forward a copy of the approved public hearing proceedings to the regulatory authority concerned along with the final Environmental Impact Assessment report or supplementary report to the draft EIA report prepared after the public hearing and public consultations.

7.2 If the SPCB or UTPCC fails to hold the public hearing within the stipulated 45(forty five) days, the Central Government in Ministry of Environment and Forests for Category 'A' project or activity and the State Government or Union Territory Administration for Category 'B' project or activity at the request of the SEIAA, shall engage any other agency or authority to complete the process, as per procedure laid down in this notification.

#### APPENDIX -V (See paragraph 7)

#### PROCEDURE PRESCRIBED FOR APPRAISAL

1. The applicant shall apply to the concerned regulatory authority through a simple communication enclosing the following documents where public consultations are mandatory: -

- Final Environment Impact Assessment Report [20(twenty) hard copies and 1 (one) soft copy]]
- A copy of the video tape or CD of the public hearing proceedings
- A copy of final layout plan (20 copies)
- A copy of the project feasibility report (1 copy)

2. The Final EIA Report and the other relevant documents submitted by the applicant shall be scrutinized in office within 30 days from the date of its receipt by the concerned Regulatory Authority strictly with reference to the TOR and the inadequacies noted shall be communicated electronically or otherwise in a single set to the Members of the EAC

/SEAC enclosing a copy each of the Final EIA Report including the public hearing proceedings and other public responses received along with a copy of Form -I or Form 1A and scheduled date of the EAC /SEAC meeting for considering the proposal .

3. Where a public consultation is not mandatory and therefore a formal EIA study is not required, the appraisal shall be made on the basis of the prescribed application Form 1 and a pre-feasibility report in the case of all projects and activities other than Item 8 of the Schedule .In the case of Item 8 of the Schedule, considering its unique project cycle , the EAC or SEAC concerned shall appraise all Category B projects or activities on the basis of Form 1, Form 1A and the conceptual plan and stipulate the conditions for environmental clearance . As and when the applicant submits the approved scheme /building plans complying with the stipulated environmental clearance conditions with all other necessary statutory approvals, the EAC /SEAC shall recommend the grant of environmental clearance to the competent authority.

4. Every application shall be placed before the EAC /SEAC and its appraisal completed within 60 days of its receipt with requisite documents / details in the prescribed manner.

5. The applicant shall be informed at least 15 (fifteen) days prior to the scheduled date of the EAC /SEAC meeting for considering the project proposal.

6. The minutes of the EAC /SEAC meeting shall be finalised within 5 working days of the meeting and displayed on the website of the concerned regulatory authority. In case the project or activity is recommended for grant of EC, then the minutes shall clearly list out the specific environmental safeguards and conditions. In case the recommendations are for rejection, the reasons for the same shall also be explicitly stated.

#### APPENDIX VI

(See paragraph 5)

#### COMPOSITION OF THE SECTOR/ PROJECT SPECIFIC EXPERT APPRAISAL COMMITTEE (EAC) FOR CATEGORY A PROJECTS AND THE STATE/UT LEVEL EXPERT APPRAISAL COMMITTEES (SEACs) FOR CATEGORY B PROJECTS TO BE CONSTITUTED BY THE CENTRAL GOVERNMENT

1. The Expert Appraisal Committees (EAC(s) and the State/UT Level Expert Appraisal Committees (SEACs) shall consist of only professionals and experts fulfilling the following eligibility criteria:

**Professional:** The person should have at least (i) 5 years of formal University training in the concerned discipline leading to a MA/MSc Degree, or (ii) in case of Engineering /Technology/Architecture disciplines, 4 years formal training in a professional training course together with prescribed practical training in the field leading to a B.Tech/B.E./B.Arch. Degree, or (iii) Other professional degree (e.g. Law) involving a total of 5 years of formal University training and prescribed practical training, or (iv) Prescribed apprenticeship/article ship and pass examinations conducted by the concerned professional association (e.g. Chartered Accountancy ),or (v) a University degree , followed by 2 years of formal training in a University or Service Academy (e.g. MBA/IAS/IFS). In selecting the individual professionals, experience gained by them in their respective fields will be taken note of.

**Expert:** A professional fulfilling the above eligibility criteria with at least 15 years of relevant experience in the field, or with an advanced degree (e.g. Ph.D.) in a concerned field and at least 10 years of relevant experience.

**Age:** Below 70 years. However, in the event of the non-availability of /paucity of experts in a given field, the maximum age of a member of the Expert Appraisal Committee may be allowed up to 75 years



2. The Members of the EAC shall be Experts with the requisite expertise and experience in the following fields /disciplines. In the event that persons fulfilling the criteria of "Experts" are not available, Professionals in the same field with sufficient experience may be considered:

- **Environment Quality Experts:** Experts in measurement/monitoring, analysis and interpretation of data in relation to environmental quality
- **Sectoral Experts in Project Management:** Experts in Project Management or Management of Process/Operations/Facilities in the relevant sectors.
- **Environmental Impact Assessment Process Experts:** Experts in conducting and carrying out Environmental Impact Assessments (EIAs) and preparation of Environmental Management Plans (EMPs) and other Management plans and who have wide expertise and knowledge of predictive techniques and tools used in the EIA process
- **Risk Assessment Experts**
- **Life Science Experts in floral and faunal management**
- **Forestry and Wildlife Experts**
- **Environmental Economics Expert with experience in project appraisal**

3. The Membership of the EAC shall not exceed 15 (fifteen) regular Members. However the Chairperson may co-opt an expert as a Member in a relevant field for a particular meeting of the Committee.

4. The Chairperson shall be an outstanding and experienced environmental policy expert or expert in management or public administration with wide experience in the relevant development sector.

5. The Chairperson shall nominate one of the Members as the Vice Chairperson who shall preside over the EAC in the absence of the Chairman /Chairperson.

6. A representative of the Ministry of Environment and Forests shall assist the Committee as its Secretary.

7. The maximum tenure of a Member, including Chairperson, shall be for 2 (two) terms of 3 (three) years each.

8. The Chairman / Members may not be removed prior to expiry of the tenure without cause and proper enquiry.

~~7X~~  
F. No. 22-34/2018-IA.III

ANNEXURE-R/2

Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

\*\*\*\*\*

Indira Paryavaran Bhawan  
Aliganj, Jorbagh Road  
New Delhi-110 003

Dated: 9<sup>th</sup> August, 2018

**Office Memorandum**

**Sub.: Standardization of Environment Clearance conditions – reg.**

The Ministry of Environment, Forest and Climate Change has notified the Environmental Impact Assessment (EIA) Notification, 2006 imposing certain restrictions and prohibitions on new projects or activities, or on the expansion or modernization of existing projects or activities based on their potential environmental impacts as indicated in the Schedule to the notification, being undertaken in any part of India, unless prior environmental clearance has been accorded in accordance with the provisions of the Environment (Protection) Act, 1986.

2.0 The process, *inter alia*, includes screening, scoping, public consultation and appraisal by Expert Appraisal Committee (EAC). Expert Appraisal Committee concerned shall make categorical recommendations to the regulatory authority concerned either for grant of prior environmental clearance on stipulated terms and conditions, or rejection of the application for prior environmental clearance, together with reasons for the same.

3.0 In order to bring uniformity on stipulated terms and conditions across the projects and sectors and as a general guidance to the EAC as well as project proponents, the Ministry has prepared standard conditions for the following sectors:

- i. Integrated Iron and Steel Plants
- ii. Coke Oven plants
- iii. Sponge Iron Plants
- iv. Induction Furnace and Rolling Mills
- v. Pellet Plants
- vi. Aluminium Smelters
- vii. Aluminium Refineries
- viii. Asbestos Based Industries
- ix. Mineral benefaction plants
- x. Integrated cement plants
- xi. Standalone Cement Grinding Units with captive power plants
- xii. Standalone Cement Grinding Units without captive power plants


~~4~~



- xiii. Tanneries / Hide processing industries
- xiv. Paper and Pulp Industries
- xv. Open Cast Coal Mines
- xvi. Underground Coal Mines
- xvii. Coal Washeries
- xviii. Petroleum Refineries Industry, Petro Chemical Complexes and Petro Chemicals Products and Petro Chemical based processing.
- xix. Distilleries & Sugar
- xx. Pharmaceuticals and chemical industries
- xxi. Off-shore and On-shore oil and gas exploration, development and production
- xxii. Oil and gas transportation,
- xxiii. Isolated storage and handling of hazardous chemicals.
- xxiv. River Valley and Hydro-electric projects
- xxv. Industrial Estates

4.0 The standard EC conditions enclosed herewith shall be considered by Expert Appraisal Committee at the time of appraisal of the proposals. EAC after due diligence, can modify, delete and add conditions based on the project specific requirements. The recommended conditions by the EAC shall be brought in the minutes of the meeting of the Expert Appraisal Committee.

This issues with the approval of competent authority.

  
 (Sharath Kumar Pallerla)  
 Director (IA-Policy)

To,

1. Chairman, CPCB
2. Chairmen of all the Expert Appraisal Committees
3. Chairperson/Member Secretaries of all the SEIAA/SEACs
4. Chairpersons/Member Secretaries of all SPCBs/UTPCCs
5. All the officers of IA Division

**Copy for information to:**

1. PS to Minister for Environment, Forest and Climate Change
2. PS to MoS (EF&CC)
3. PPS to Secretary (EF&CC)
4. PPS to AS(AKJ) / AS(AKM)
5. PPS to JS(GB) / JS(JT)
6. Website, MoEF&CC
7. Guard File.

**ANNEXURE - I**

**Standard EC Conditions for Integrated Iron and Steel Plants**

**I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012(Integrated iron & Steel); G.S.R 414 (E) dated 30<sup>th</sup> May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants)as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants

~~78~~

released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The cameras shall be installed at suitable locations for 24X7 recording of battery emissions on the both sides of coke oven batteries and videos shall be preserved for at least one-month recordings.
- v. Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
- vi. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- vii. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- viii. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- ix. Secondary emission control system shall be provided at SMS Converters.
- x. Pollution control system in the steel plant shall be provided as per the CREP Guidelines of CPCB.
- xi. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- xii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- xiii. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- xiv. Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).
- xv. Land-based APC system shall be installed to control coke pushing emissions.
- xvi. Monitor CO, HC and O<sub>2</sub> in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.
- xvii. Vapour absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens.

- xviii. In case concentrated ammonia liquor is incinerated, adopt high temperature incineration to destroy Dioxins and Furans. Suitable NOx control facility shall be provided to meet the prescribed standards.
- xix. The coke oven gas shall be subjected to desulphurization if the sulphur content in the coal exceeds 1%.
- xx. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- xxi. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.
- xxii. The project proponent shall install Dry Gas Cleaning Plant with bag filter for Blast Furnace and SMS converter. *(to be decided on case to case basis depending on type and size of plant)*
- xxiii. Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30<sup>th</sup> May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30<sup>th</sup> May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time as amended from time to time;
- v. Adhere to 'Zero Liquid Discharge'
- vi. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.



- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- viii. Tyre washing facilities shall be provided at the entrance of the plant gates
- ix. CO<sub>2</sub> injection shall be provided in GCP of SMS to reduce pH in circulating water to ensure optimal recycling of treated water for converter gas cleaning.
- x. The project proponent shall practice rainwater harvesting to maximum possible extent.
- xi. Treated water from ETP of COBP shall not be used for coke quenching.
- xii. Water meters shall be provided at the inlet to all unit processes in the steel plants.
- xiii. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide TRTs to recover energy from top gases of Blast Furnaces.
- ii. Coke Dry Quenching (CDQ) shall be provided for coke quenching for both recovery and non-recovery type coke ovens;
- iii. Waste heat shall be recovered from Sinter Plants coolers and Sinter Machines.
- iv. Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.
- v. Use hot charging of slabs and billets/blooms as far as possible.
- vi. Waste heat recovery systems shall be provided in all units where the flue gas or process gas exceeds 300°C.
- vii. Explore feasibility to install WHRS at Waste Gases from BF stoves; Sinter Machine; Sinter Cooler, and all reheating furnaces and if feasible shall be installed.
- viii. Restrict Gas flaring to < 1%.

- ix. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- x. Provide LED lights in their offices and residential areas.
- xi. Ensure installation of regenerative type burners on all reheating furnaces.

#### VI. Waste management

- i. An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed to use slag as river sand in construction industry.
- ii. In case of Non-Recovery coke ovens, the gas main carrying hot flue gases to the boiler, shall be insulated to conserve heat and to maximise heat recovery.
- iii. Tar Sludge and waste oil shall be blended with coal charged in coke ovens (applicable only to recovery type coke ovens).
- iv. Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in Sinter plant shall be installed.
- v. Waste recycling Plant shall be installed to recover scrap, metallic and flux for recycling to sinter plant and SMS.
- vi. Used refractories shall be recycled as far as possible.
- vii. SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, railway track ballast and other applications. The project proponent shall install a waste recycling facility to recover metallic and flux for recycle to sinter plant. The project proponent shall establish linkage for 100% reuse of rejects from Waste Recycling Plant.
- viii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- ix. Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
- x. The waste oil, grease and other hazardous waste like acidic sludge from pickling, galvanising, chrome plating mills etc. shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016. Coal tar sludge / decanter shall be recycled to coke ovens
- xi. Kitchen waste shall be composted or converted to biogas for further use.*(to be decided on case to case basis depending on type and size of plant)*

#### VII. Green Belt



- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Iron and Steel plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - II****Standard EC Conditions for Coke Oven Plants****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 277 (E) dated 31<sup>st</sup> March 2012(applicable to Coke oven)as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specifications through laboratories recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four



- locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)
- iv. The cameras shall be installed at suitable locations for 24X7 recording of battery emissions on the both sides of coke oven batteries and videos shall be preserved for at least one-month recordings.
  - v. Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
  - vi. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
  - vii. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
  - viii. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
  - ix. Secondary emission control system shall be provided at SMS Converters.
  - x. Pollution control system in the steel plant shall be provided as per the CREP Guidelines of CPCB.
  - xi. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
  - xii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
  - xiii. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
  - xiv. Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).
  - xv. Land-based APC system shall be installed to control coke pushing emissions.
  - xvi. Monitor CO, HC and O<sub>2</sub> in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.
  - xvii. Vapour absorption system shall be provided in place of vapour compression system for cooling of coke oven gas in case of recovery type coke ovens.

- xviii. In case concentrated ammonia liquor is incinerated, adopt high temperature incineration to destroy Dioxins and Furans. Suitable NOx control facility shall be provided to meet the prescribed standards.
- xix. The coke oven gas shall be subjected to desulphurization if the sulphur content in the coal exceeds 1%.
- xx. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- xxi. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.
- xxii. The project proponent shall install Dry Gas Cleaning Plant with bag filter for Blast Furnace and SMS converter. (to be decided on case to case basis depending on type and size of plant)
- xxiii. Dry quenching (CDQ) system shall be installed along with power generation facility from waste heat recovery from hot coke.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30<sup>th</sup> May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The project proponent shall provide appropriate ETP for effluents discharged from coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) 31<sup>st</sup> March 2012 (applicable to Coke oven plants) as amended from time to time.
- v. Adhere to 'Zero Liquid Discharge'.
- vi. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.



- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. Treated water from ETP of COBP shall not be used for coke quenching.
- x. Water meters shall be provided at the inlet to all unit processes in the steel plants.
- xi. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide TRTs to recover energy from top gases of Blast Furnaces.
- ii. Coke Dry Quenching (CDQ) shall be provided for coke quenching for both recovery and non-recovery type coke ovens.
- iii. Waste heat shall be recovered from Sinter Plants coolers and Sinter Machines.
- iv. Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.
- v. Use hot charging of slabs and billets/blooms as far as possible.
- vi. Waste heat recovery systems shall be provided in all units where the flue gas or process gas exceeds 300°C.
  - i. Explore feasibility to install WHRS at Waste Gases from BF stoves; Sinter Machine; Sinter Cooler, and all reheating furnaces and if feasible shall be installed.
  - ii. Restrict Gas flaring to < 1%.
  - iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
  - iv. Provide LED lights in their offices and residential areas.

- vii. Ensure installation of regenerative type burners on all reheating furnaces.

#### **VI. Waste management**

- i. An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed to use slag as river sand in construction industry.
- ii. In case of Non-Recovery coke ovens, the gas main carrying hot flue gases to the boiler, shall be insulated to conserve heat and to maximise heat recovery.
- iii. Tar Sludge and waste oil shall be blended with coal charged in coke ovens (applicable only to recovery type coke ovens).
- iv. Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in Sinter plant shall be installed.
- v. Waste recycling Plant shall be installed to recover scrap, metallic and flux for recycling to sinter plant and SMS.
- vi. Used refractories shall be recycled as far as possible.
- vii. SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, railway track ballast and other applications. The project proponent shall install a waste recycling facility to recover metallic and flux for recycle to sinter plant. The project proponent shall establish linkage for 100% reuse of rejects from Waste Recycling Plant.
- viii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- ix. Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
- x. The waste oil, grease and other hazardous waste like acidic sludge from pickling, galvanising, chrome plating mills etc. shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016. Coal tar sludge / decanter shall be recycled to coke ovens.
- xi. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.



### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Coke Oven plants shall be implemented.

### **X. Miscellaneous**



- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.



- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



## ANNEXURE - III

### **Standard EC Conditions for Sponge Iron (DRI) Plants:**

#### **I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

#### **II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 414 (E) dated 30th May 2008 as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants)as amended from time to time)and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to

95

- SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)
- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
  - v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
  - vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
  - vii. Provide pollution control system in the sponge iron plant as per the CREP Guidelines of CPCB.
  - viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
  - ix. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
  - x. The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation;
  - xi. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 414 (E) dated 30th May 2008; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground

water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.

- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide waste heat recovery system on the DRI Kilns.
- ii. The dolochar generated shall be used for power generation.
- iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- iv. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.
- ii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iii. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016



- iv. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- i. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection

measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

- iv. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- v. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Sponge Iron plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.



- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - IV****Standard EC Conditions for Induction/ Electric Arc Furnace & Rolling Mills****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015(Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released

10X

(e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- ix. The project proponent shall use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- x. The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.
- xi. The project proponent shall provide primary and secondary fume extraction system at all melting furnaces.
- xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. The project proponent shall provide the ETP for effluents of rolling mills to meet the standards prescribed in G.S.R 277 (E) 31st March 2012 (applicable to IF/EAF) as amended from time to time.
- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
- ii. Practice hot charging of slabs and billets/blooms as far as possible.
- iii. Ensure installation of regenerative type burners on all reheating furnaces.
- iv. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- v. Provide the project proponent for LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.

- ii. Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces
- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- v. Kitchen waste shall be composted or converted to biogas for further use.*(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or

shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

\*\*\*\*\*

**ANNEXURE - V****Standard EC Conditions Iron Ore Pelletisation Plants (including CPP):****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (applicable to pellet plants) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to

10X

SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- viii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- ix. Use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- x. Provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.
- xi. Provide primary and secondary fume extraction system at all melting furnaces.
- xii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (applicable to pellet plants) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup>December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas

#### **VI. Waste management**

- i. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- ii. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- iii. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the pellet plants shall be implemented.

#### **I. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

\*\*\*\*\*

**ANNEXURE - VI****Standard EC Conditions for Aluminium Smelters****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 742 (E) dated 30<sup>th</sup> August 1990 and thereafter amended vide G.S.R 46 (E) dated 3<sup>rd</sup> February 2006 (Aluminium); S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants

~~1x3~~

released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation.
- x. Provide covered sheds for raw materials like bauxite, coal, etc.
- xi. Adopt measures to recover fluoride gas from electrolytic cells and recycle the same in the process.
- xii. Practice use of low-sulphur tars for baking anodes
- xiii. Adopt dry scrubbing combined with incineration in order to control emissions of tar and volatile organic compounds (VOCs). The waste heat shall be recovered from the flue gases of incinerator.
- xiv. Make efforts to increase the life of pot lining through better construction and operating techniques.
- xv. Recycle alumina dust collected in ESPs installed in calciner.
- xvi. Design the pot roofs with louvers and roof ventilators
- xvii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 742

(E) dated 30<sup>th</sup> August 1990 and further amended vide G.S.R 46 (E) dated 3<sup>rd</sup> February 2006 (Aluminium); S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Reduce water consumption in bauxite beneficiation and alumina refinery by concentrating the solids in the tailings
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases.

1X

- ii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- iii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.
- ii. A plan for 100 % utilisation of red mud generated shall be implemented. Under the Plan, MOU with shall be signed with potential buyers including cement companies for supply of red mud. (For new Projects)
- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. Oily scum and metallic sludge recovered from ETP shall be mixed, dried, and briquetted and reused.
- v. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016
- vi. Kitchen waste shall be composted or converted to biogas for further use.*(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization
- iv. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium Industry shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.



- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - VII****Standard EC Conditions for Aluminium Refineries****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 742 (E) dated 30<sup>th</sup> August 1990 and thereafter amended vide G.S.R 46 (E) dated 3<sup>rd</sup> February 2006 (Aluminium); S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants

released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation.
- x. Provide covered sheds for raw materials like bauxite, coal, etc.
- xi. recycle alumina dust collected in ESPs installed in calciner
- xii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 742 (E) dated 30<sup>th</sup> August 1990 and further amended vide G.S.R 46 (E) dated 3<sup>rd</sup> February 2006(Aluminium); S.O. 3305 (E) dated 7<sup>th</sup> December 2015(Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground

water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.

- iv. Adhere to 'Zero Liquid Discharge'
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Reduce water consumption in bauxite beneficiation and alumina refinery by concentrating the solids in the tailings
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases.
- ii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- iii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.
- ii. The red mud generated from the project shall be stored in the red mud pond lined with impervious clay prior to use to prevent leakage, designed as per the CPCB guidelines with proper leachate collection system. Ground water shall be monitored regularly all around the red mud disposal area and report submitted to the Regional Office of the Ministry. Proper care shall be taken to ensure no run off or seepage from the red mud disposal site to natural drainage.

**(For Expansion Projects)**

(The red mud already generated from the existing plant shall be stored in the red mud pond lined with impervious clay prior to use to prevent leakage, designed as per the CPCB guidelines with proper leachate collection system. Ground water shall be monitored regularly all around the red mud disposal area and report submitted to the Regional Office of the Ministry. Proper care shall be taken to ensure no run off or seepage from the red mud disposal site to natural drainage. Plan shall be implemented for utilising the already generated red mud in a time bound manner)

- iii. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.
- iv. Oily scum and metallic sludge recovered from ETP shall be mixed, dried, and briquetted and reused.
- v. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016
- vi. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

**VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

**VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

**IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-LA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
  - i. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
  - iv. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out
  - v. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium Industry shall be implemented.

#### **I. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.

- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - VIII****Standard EC Conditions for Asbestos Based Industries:****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time
- vii. The project proponent shall obtain a certificate from the supplier of Chrysotile fibre that it does not contain any toxic or trace metals. A copy of certificate shall be submitted to the Ministry of Environment and Forests.
- viii. The project proponent shall adhere to the prescribed BIS standards and laws regarding use and handling of asbestos, safety of employees etc. Raw materials like asbestos fibre and cement shall be transported in closed containers. Asbestos fibre shall be brought in pelletized form in impermeable bags and under compressed condition.
- ix. Only Chrysotile white asbestos fibre shall be used. Blue asbestos shall not be utilized as raw material in the manufacturing process.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 913 (E) dated 24<sup>th</sup> October, 1989 as amended time to time (Asbestos); S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and

- CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions including asbestos fibre count in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited NIOH / ITRC / NCB or any other approved agency.
  - iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)
  - iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
  - v. The project proponent shall provide appropriate dust collectors to Fibre mill, Bag opening device (BOD), Cement and Fly ash silos. Bag filters followed by wet washer shall be provided at automatic bag opening machine, bag shredder, fibre mill and to cement silo to collect the dust and recycle the same into the process.
  - vi. High Efficiency Particulate Air filters (HEPA) preceded by primary filters shall be installed on all asbestos contaminated areas.
  - vii. Total dust emission limit of 2 mg/Nm<sup>3</sup> as notified under the Environment (Protection) Act, 1986 shall be complied. Adequate measures shall be adopted to control the process emission and ensure that the stack emission of asbestos fibre shall not exceed the emission limit of 0.2 fibre/cc. Asbestos fibre in work zone environment shall be maintained within 0.1 fibre/cc.
  - viii. Provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
  - ix. Pollution control system in the steel plant shall be provided as per the CREP Guidelines of CPCB.
  - x. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
  - xi. Channelize through hood with proper suction arrangement, bag filter and stack the fugitive emissions generated from hopper of Jaw crusher and pulverizer.
  - xii. Separate truck parking area shall be provided and monitor vehicular emissions at regular interval.

- xiii. Bring the cement in closed tankers, fly ash in covered trucks and asbestos in impervious bags opening inside a closed mixer.
- xiv. The bags containing asbestos fibre including damaged bags, if any shall be stored in enclosed area.
- xv. Place the asbestos contaminated materials (non-encapsulated) for off-site removal in sealed packaging such as double sealed heavy duty (700 gauge) plastic bags, suitably labelled.
- xvi. Empty and damaged fibre bags shall be shredded into fine particles in a bag-shredder and recycled into the process.
- xvii. AC sheets shall be piled in wet condition only.
- xviii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport.
- xix. Proper housekeeping shall be maintained within the plant premises. Process machinery, exhaust and ventilation systems shall be laid in accordance with Factories Act. Better housekeeping practices shall be adopted for improvement of the environment within the work environment also. These include:
  - a. All monitoring transfer points shall be connected to dust extraction system.
  - b. Leakages or dust from machines and ducts shall be plugged.
  - c. Floor shall be cleaned by vacuum cleaner only and the dust collected shall be reused in the process.
  - d. Enclosed belt conveyer shall be used instead of manual transportation of asbestos within the premises
- xx. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 913 (E) dated 24<sup>th</sup> October, 1989 as amended time to time (Asbestos); S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The water drawl shall not exceed --- (existing and the expansion project put together)
- v. Adhere to 'Zero Liquid Discharge'
- vi. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the plants.
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. Waste heat shall be recovered from kiln and cooler.
- ii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- iii. Provide LED lights in their offices and residential areas.
- iv. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.
- v. Maximize utilization of alternate fuels and Co-processing to achieve best practice norms.

#### **VI. Waste management**

- i. The PP shall ensure that the entire solid waste generated including process rejects, cement, fly ash, dust from bag filters and empty asbestos bag shall be recycled back in the manufacturing process. There will be no solid waste disposal outside the plant premises. Asbestos fibres which cannot be further recycled due to contamination of

iron dust shall be stored in HDPE lined secured landfill. The disposal facilities for asbestos waste shall be in accordance with the Bureau of Indian Standard Code.

- ii. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- iii. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. There shall be no manual handling/opening of asbestos fibre bags. The company shall install fully automatic asbestos fibre debagging system.
- ii. To educate the workers, all the work places where asbestos dust may cause a hazard shall be clearly indicated as a dust exposure area through the use of display signs which identifies the hazard and the associated health effects.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Regular medical examination of the workers and health monitoring of all the employees shall be carried out and if cases of asbestosis are detected, necessary compensation shall be arranged under the existing laws. The proponent shall create in-house facilities for spirometry test. A competent occupational health physician shall be appointed to carry out medical surveillance. Occupational health of all the workers shall be monitored for lung function test, Spirometry test, chest x-ray, sputum for acid-fast-bacilli (AFC) and asbestos body (AB), urine for sugar and albumen, blood tests for TLC, DLC, ESR, Hb and records maintained for at least 40 years from the beginning of the employment or 15 years after the retirement or cessation of employment whichever is later. Occupational Health Surveillance shall be carried out as per the directives of the Hon'ble Supreme Court including the recent Kalyaneswari case
- v. The project proponent shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- vi. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- vii. The commitment made by the project proponent to the issues raised during Public Hearing shall be implemented by the proponent

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Asbestos Based Plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.

- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - IX****Standard EC Conditions for Mineral Beneficiation Plants:****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. Monitor fugitive emissions in the plant premises.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and

132

three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent use leak proof trucks/dumpers carrying ore and other raw materials and cover them with tarpaulin.
- vii. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- viii. Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The project proponent shall provide the slime disposal facility with impervious lining and collection wells for seepage. The water collected from the slime pond shall be treated and recycled.
- v. Adhere to 'Zero Liquid Discharge'
- vi. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vii. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.

- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016
- ii. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt and EMP**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile

STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
  - i. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
  - iv. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out
  - v. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Mineral Beneficiation plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other

- orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - X****Standard EC Conditions Integrated Cement Plants:****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- i. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and 10<sup>th</sup> May, 2016 (Co-processing Cement); S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants

178

released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Recycle and reuse lime fines, coal fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after agglomeration.
- x. Ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash;
- xi. Provide wind shelter fence and chemical spraying on the raw material stock piles; and
- xii. Provide Low NO<sub>x</sub> burners as primary measures and SCR /NSCR technologies as secondary measure to control NO<sub>x</sub> emissions. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xiii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport
- xiv. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement)and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement)and 10<sup>th</sup> May, 2016(in case of Co-processing Cement)as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants)as amended from time to time) and connected to SPCB and CPCB online

servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. Waste heat recovery system shall be provided for kiln and cooler.
- ii. The project proponent make efforts to achieve power consumption less than 65 units/tonne for Portland Pozzolona Cement (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.

- iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- iv. Provide the project proponent for LED lights in their offices and residential areas.
- v. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.
- vi. maximize utilization of alternate fuels and Co-processing to achieve best practice norms

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.
- ii. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- iii. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Cement plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.

- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XI****Standard EC Conditions for Cement Grinding Units with Captive Power Plants:****I. Monitoring of compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 612 (E) dated 25<sup>th</sup> S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to

14

SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
- x. Provide wind shelter fence and chemical spraying on the raw material stock piles; and
- xi. Provide Low NO<sub>x</sub> burners as primary measures and SCR /NSCR technologies as secondary measure to control NO<sub>x</sub> emissions.
- xii. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xiii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport
- xiv. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

### III. Water quality monitoring and preservation

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimise water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas.
- iii. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

#### **VI. Waste management**

- i. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.

- ii. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other

purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XII****Standard EC Conditions for Cement Grinding Units without Captive Power Plants:****I. Statutory compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to

SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
- x. Provide wind shelter fence and chemical spraying on the raw material stock piles; and
- xi. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport
- xiii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

### III. Water quality monitoring and preservation

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimise water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas.
- iii. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

#### **VI. Waste management**

- i. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- ii. Kitchen waste shall be composted or converted to biogas for further use.*(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
  - i. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
  - iv. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

- v. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - ii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.

- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XIII****Standard EC Conditions for Tanneries and Leather / Hide Processing Units Industries****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986.
- ii. The project proponent shall monitor fugitive emissions (for PM2.5, PM10, NH3 and VOCs) in the plant premises at least once in a year through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall submit monthly summary report of monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB in the six-monthly monitoring report.
- iv. The project proponent shall provide appropriate Air Pollution Control (APC) system for all the emission generating points so as to comply prescribed stack emission standards (if any stack is proposed).
- v. Adequate method shall be adopted to control odour and a report submitted to the Ministry's Regional Office.

X67

- vi. The Company shall provide stacks of adequate height to the D.G. Sets along with acoustic enclosures for noise control as per guidelines. The DG Sets should comply with the norms notified.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system at discharge points for effluents with respect to standards prescribed in Environment (Protection) Rules 1986 and connect to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The effluent shall monitor manually with respect to standards prescribed in Environment (Protection) Rules 1986 at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iv. Ground water monitoring around the solid waste disposal site/secured landfill (SLF), if any, should be carried out regularly
- v. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- vi. The project proponent provide the ETP for effluent to meet the standards prescribed under the Environment (Protection) Rules, 1986 as amended from time to time.
- vii. The project proponent allow the treated effluent to be discharged in the ambient environment only after exhausting options for reuse in order to minimise freshwater usage. (in case of the large scale tanneries in sensitive / critical areas- implement Zero Liquid Discharge)
- viii. Wastewater after primary treatment should be discharged into the CETP through a closed pipeline. **(it shall be applicable if tannery effluent is send to a CETP)**
- ix. At 100% utilisation of the processing capacity, the total effluent generated from the leather complex should not exceed stipulated limit. All tanneries located in the area should install required pre-treatment facilities in their tannery. The entire effluent generated (except chrome liquor) after pre-treatment, should be treated in the CETP and it shall meet the prescribed CETP standards. The final CETP design and recommended standards should be approved by a Govt. institute such as NEERI, CLRI, IITs, NITs **(it shall be applicable to tannery CETP)**

- x. Provide Sewage Treatment Plant for domestic wastewater in case there is no municipal sewer line to convey sewage for treatment at Municipality sewage treatment plant.
- xi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- xii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- xiii. Water meters shall be provided at the inlet to all unit processes in the steel plants.
- xiv. The project proponent shall make efforts for reduction in specific water and power consumption and increase in the recycling of the treated effluent.

#### **IV. Noise monitoring and prevention**

- i. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Spent chrome liquor should be segregated at the tannery premises and collected separately and processed for recovery and reuse of chromium in the tanneries. The process adopted should be the one involving precipitation of chromium with the help of a suitable alkali. Design of the proposed continuous Chrome Recovery plant should be approved by a Govt. institute such as NEERI, CLRI, IITs, NITs.
- ii. In-house various salt control measures shall be adopted by tanneries: such as mechanical desalting of hide, counter current soaking and recycling of pickle liquor to reduce TDS.
- iii. The company shall dispose of solid waste in the secured double lined landfill site. The fleshings from the tannery shall be supplied to the manufacturers of dog chew and glue or properly dispose of in environment-friendly manner.
- iv. The waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016 and Solid Waste Management Rules, 2016.

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the tannery sector shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other

~~16~~

orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

ANNEXURE - XIV**Standard EC Conditions for Paper and Pulp Industries:****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 546 (E) dated 30<sup>th</sup> August 2008 as amended from time to time and S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and the systems be calibrated according to equipment supplier's specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in

reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall install high volume, low concentration NCG collection & destruction system to mitigate all malodorous gases emitted.
- vii. Emissions shall be controlled from chemical recovery section through primary and secondary venturi scrubbers.
- viii. Pollution control system in the pulp and paper plant shall be provided as per the CREP Guidelines of CPCB.
- ix. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- x. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- xi. In case of treatment process disturbances/failure of pollution control equipment adopted by the unit, the respective unit shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- xii. The company shall install Oxygen Delignification (ODL) Plant and shall maintain AOX below 1 kg/tonne of paper production
- xiii. Elemental Chlorine Free (ECF) technology shall be used and lime kiln shall be installed to manage lime sludge

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 546 (E) dated 30<sup>th</sup> August 2008 as amended from time to time and S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The project proponent shall provide the ETP to meet the standards prescribed in vide G.S.R. No. 546 (E) dated 30<sup>th</sup> August 2008 as amended from time to time and S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. Tyre washing facilities shall be provided at the entrance of the plant gate(s).
- viii. Ensure that there is no black liquor spillage in the area of pulp mill, no use of elemental chlorine for bleaching in mill, installation of hypo preparation plant.
- ix. Ensure that no spillage of foam in chemical recovery plant, no discharge of foul condensate generated from MEE in the Chemical recovery process directly to ETP
- x. The project proponent shall practice rainwater harvesting to maximum possible extent.
- xi. Water meters shall be provided at the inlet to all unit processes in the steel plants.
- xii. The project proponent shall make efforts to minimise water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Deinking sludge and fine sludge from ETP shall be disposed through TSDF.
- ii. Black Liquor shall be separately processed for recovery of energy and chemical in a Chemical Recovery Process.
- iii. Sufficient number of colour coded waste collection bins shall be constructed at shop floors in each shop to systematically segregate and store waste materials generated at the shop floors (other than Process waste) in designated coloured bins for value addition by promoting reuse of such wastes and for good housekeeping.
- iv. 100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office. (in case of CPP)
- v. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016
- vi. Kitchen waste shall be composted or converted to biogas for further use. *(to be decided on case to case basis depending on type and size of plant)*

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- v. The proponent shall follow International Standards of safety for ClO<sub>2</sub> generation and storage system, and ozone plant, and certification on regular basis may be submitted. Provision for adequate safety for personnel in case of any accidental leakage should be in place

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
  - i. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- iv. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- v. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Pulp and Paper plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition

to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of

Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

ANNEXURE - XVSTANDARD EC CONDITIONS FOR OPENCAST COAL MINES**I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan / Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority.
- vi. Solid waste/hazardous waste generated in the mines needs to addressed in accordance to the Solid Waste Management Rules, 2016 / Hazardous & Other Waste Management Rules, 2016

**II. Air quality monitoring and preservation**

- i. Continuous ambient air quality monitoring stations as prescribed in the statue be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub>. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months.
- ii. The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB.
- iii. Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc

OC

shall be carried out in critical areas prone to air pollution (with higher values of PM<sub>10</sub>/PM<sub>2.5</sub>) such as haul road, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.

- iv. The transportation of coal shall be carried out as per the provisions and route envisaged in the approved Mining Plan or environment monitoring plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed so that the impact of sound, dust and accidents could be appropriately mitigated.
- v. Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.
- vi. Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.
- vii. Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.

### III. Water quality monitoring and preservation

- i. The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board.
- ii. The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No. J-20012/1/2006-1A.11 (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.
- iii. Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.
- iv. Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.
- v. Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.



- vi. Catch and or garland drains and siltation ponds in adequate numbers and appropriate size shall be constructed around the mine working, coal heaps & OB dumps to prevent run off of water and flow of sediments directly into the river and water bodies. Further, dump material shall be properly consolidated/ compacted and accumulation of water over dumps shall be avoided by providing adequate channels for flow of silt into the drains. The drains/ ponds so constructed shall be regularly de-silted particularly before onset of monsoon and maintained properly. Sump capacity should provide adequate retention period to allow proper settling of silt material. The water so collected in the sump shall be utilised for dust suppression and green belt development and other industrial use. Dimension of the retaining wall constructed, if any, at the toe of the OB dumps within the mine to check run-off and siltation should be based on the rainfall data. The plantation of native species to be made between toe of the dump and adjacent field/habitation/water bodies.
- vii. Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) after due treatment conforming to the specific requirement (standards).
- viii. Industrial waste water generated from CHP, workshop and other waste water, shall be properly collected and treated so as to conform to the standards prescribed under the standards prescribed under Water Act 1974 and Environment (Protection) Act, 1986 and the Rules made there under, and as amended from time to time. Adequate ETP /STP needs to be provided.
- ix. The water pumped out from the mine, after siltation, shall be utilized for industrial purpose *viz.* watering the mine area, roads, green belt development *etc.* The drains shall be regularly desilted particularly after monsoon and maintained properly.
- x. The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations, considering the presence of river/rivulet/pond/lake etc, shall be prepared and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the approved Mining Plan/EIA/EMP report and with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved Mining Plan and as per the permission of DGMS or any other authority as prescribed by the law.
- xi. The project proponent shall take all precautionary measures to ensure reverian/ riparian ecosystem in and around the coal mine upto a distance of 5 km. A revarian /riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government.

#### **IV. Noise and Vibration monitoring and prevention**

- i. Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs

in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.

- ii. Controlled blasting techniques shall be practiced in order to mitigate ground vibrations, fly rocks, noise and air blast etc., as per the guidelines prescribed by the DGMS.
- iii. The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

#### V. Mining Plan

- i. Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.
- ii. Mining shall be carried out as per the approved mining plan(including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).
- iii. No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980
- iv. Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.

#### VI. Land reclamation

- i. Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).
- ii. The final mine void depth should preferably be as per the approved Mine Closure Plan, and in case it exceeds 40 m, adequate engineering interventions shall be provided for sustenance of aquatic life therein. The remaining area shall be backfilled and covered with thick and alive top soil. Post-mining land be rendered usable for agricultural/forestry purposes and shall be diverted. Further action will be treated as specified in the guidelines for Preparation of Mine Closure Plan issued by the Ministry of Coal dated 27<sup>th</sup> August, 2009 and subsequent amendments.
- iii. The entire excavated area, backfilling, external OB dumping (including top soil) and afforestation plan shall be in conformity with the "during mining"/"post mining" land-use pattern, which is an integral part of the approved Mining Plan and the EIA/EMP submitted to this Ministry. Progressive compliance status vis-a-vis the post mining land use pattern shall be submitted to the MOEFCC/RO.
- iv. Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to

utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.

- v. Further, it may be ensured that as per the time schedule specified in mine closure plan it should remain live till the point of utilization. The topsoil shall temporarily be stored at earmarked site(s) only and shall not be kept unutilized. The top soil shall be used for land reclamation and plantation purposes. Active OB dumps shall be stabilised with native grass species to prevent erosion and surface run off. The other overburden dumps shall be vegetated with native flora species. The excavated area shall be backfilled and afforested in line with the approved Mine Closure Plan. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest and Climate Change/ Regional Office.
- vi. The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

#### **VII. Green Belt**

- i. The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered/endemic flora/fauna, if any, spotted/reported in the study area. The Action plan in this regard, if any, shall be prepared and implemented in consultation with the State Forest and Wildlife Department.
- ii. Greenbelt consisting of 3-tier plantation of width not less than 7.5 m shall be developed all along the mine lease area as soon as possible. The green belt comprising a mix of native species (endemic species should be given priority) shall be developed all along the major approach/ coal transportation roads.

#### **VIII. Public hearing and Human health issues**

- i. Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & it's RO on six-monthly basis.
- ii. The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time.
- iii. Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.

- iv. Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.
- v. The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29<sup>th</sup> October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the

~~176~~

Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

\*\*\*\*\*

STANDARD EC CONDITIONS FOR UNDERGROUND COAL MINES**I. Statutory compliance:**

- i. The Environmental clearance shall be subject to orders of Hon'ble Supreme Court of India, Hon'ble High Courts, NGT and any other Court of Law, from time to time, and as applicable to the project
- ii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- iii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iv. The project proponent shall prepare a Site-Specific Conservation Plan / Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission from the Central Ground Water Authority.
- vii. Solid waste/hazardous waste generated in the mines needs to addressed in accordance to the Solid Waste Management Rules, 2016 / Hazardous & Other Waste Management Rules, 2016

**II. Air quality monitoring and preservation**

- i. Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO<sub>2</sub> and NO<sub>x</sub>. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. to be carried out at least once in six months. Online ambient air quality monitoring station/stations may also be installed in addition to the regular air monitoring stations as per the requirement and/or in consultation with the SPCB
- ii. The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such

176

as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB.

- iii. Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water sprinkling/rain gun/ mist sprinkling etc., shall be carried out in critical areas prone to air pollution with higher level of particulate matter all through the coal transport roads, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.
- iv. Major approach roads shall be black topped and properly maintained.
- v. The transportation of coal shall be carried out as per the provisions and route proposed in the approved mining plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed that the impact of sound, dust and accidents could be appropriately mitigated.
- vi. Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.
- vii. Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.
- viii. Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.

### III. Water quality monitoring and preservation

- i. The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board.
- ii. The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No. J-20012/1/2006-IA.11 (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.
- iii. Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.

170

- iv. Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.
- v. Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.
- vi. The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side, stabilized with plantation so as to withstand the peak water pressure preventing any chance of mine inundation.
- vii. Garland drains (of suitable size, gradient and length) around the critical areas i.e. mine shaft and low lying areas, shall be designed keeping at least 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. The sump capacity shall also provide adequate retention period to allow proper settling of silt material of the surface runoff
- viii. The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.
- ix. Industrial waste water from coal handling plant and mine water shall be properly collected and treated so as to conform to the standards prescribed under the Environment (Protection) Act, 1986 and the Rules made thereunder, and as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluent. Sewage treatment plant of adequate capacity shall be installed for treatment of domestic waste water.
- x. Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
- xi. The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations shall be prepared, considering the presence of any river/rivulet/pond/lake etc., with impact of mining activities on it, and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the provisions of the approved Mining Plan/ EIA-EMP submitted to this Ministry and the same should be done with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.
- xii. The project proponent shall take all precautionary measures to ensure reverian/ riparian ecosystem in and around the coal mine upto a distance of 5 km. A revarian /riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government.

X0

#### IV. Noise and Vibration monitoring and prevention

- i. Adequate measures shall be taken for control of noise levels below 85 dB(A) in the work environment. Workers engaged in underground mining operations, operation of HEMM, etc. shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms/guidelines in this regard. Progress in usage of such accessories to be monitored. Adequate awareness programme for users to be conducted.
- ii. The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

#### V. Mining Plan

- i. Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.
- ii. No change in mining method *i.e.* UG to OC, calendar programme and scope of work shall be made without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
- iii. Mining shall be carried out as per the approved mining plan (including mine closure plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).
- iv. Underground work place environmental conditions shall be rendered ergonomic and air breathable with adequate illumination in conformance with DGMS standards.
- v. No mining activity shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980 and also adhering to The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 read with provisions of Indian Forest Act, 1927.
- vi. Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.

#### VI. Land reclamation

- i. Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).
- ii. Post-mining land be rendered usable for agricultural/forestry purposes and shall be handed over to the respective State Government, as specified in the Guidelines for Preparation of Mine Closure Plan, issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.

18

- iii. Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material.
- iv. Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3<sup>rd</sup> November, 2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, alongwith fly ash for external dump of overburden, backfilling or stowing of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.
- v. A separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring & implementation of mitigation measures be carried out.
- vi. Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine.
- vii. Native tree species shall be selected and planted over areas affected by subsidence.
- viii. The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

## **VII. Green Belt**

- i. The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora/fauna, if any, spotted/reported in the study area. Action plan, in this regard, if any, shall be prepared and implemented in consultation with the State Forest and Wildlife Department.
- ii. Greenbelt, consisting of three-tier plantation, of width not less than 7.5 m, shall be developed all along the mine lease area in a phased manner. The green belt comprising of a mix of native species shall be developed all along the major approach roads/ coal transportation roads.

## **VIII. Public hearing and Human health issues**

- i. Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored.
- ii. The Project Proponent shall undertake Occupational Health survey for initial and Periodical medical examination of the workers engaged in the Project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS Circulars. Besides carrying out regular periodic health check-up of their workers, 20% of the workers engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any.

OC

- iii. Personnel (including outsourcing employees) working in dusty areas shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.
- iv. Skill training as per safety norms specified by DGMS shall be provided to all workmen including the outsourcing employees to ensure high safety standards in mines.
- v. Effective arrangement shall be made to provide and maintain at suitable points conveniently situated, a sufficient supply of drinking water for all the persons employed.
- vi. Implementation of Action Plan on the issues raised during the Public Hearing shall be ensured. The Project Proponent shall undertake all the tasks as per the Action Plan submitted with budgetary provisions during the Public Hearing. Land oustees shall be compensated as per the norms laid out R&R Policy of the Company/ or the National R&R Policy/ R&R Policy of the State Government, as applicable
- vii. The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29<sup>th</sup> October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

#### IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

## X. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- vii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- viii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- ix. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- x. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

~~184~~

- xi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

\*\*\*\*\*

**ANNEXURE - XVII****STANDARD EC CONDITIONS FOR COAL WASHERY****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan / Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority.
- vi. Solid waste/hazardous waste generated in the washery needs to addressed in accordance to the Solid Waste Management Rules, 2016 / Hazardous & Other Waste Management Rules, 2016.
- vii. Coal beneficiation practices shall be carried out under strict adherence to provisions of the Factories Act, 1957 and subordinate legislations made there under.

**II. Air quality monitoring and preservation**

- i. Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO<sub>2</sub> and NO<sub>x</sub>. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. carried out at least once in six months.
- ii. Continuous ambient air quality monitoring stations as prescribed in the statute be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub>. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in

consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months.

- iii. Transportation of coal by road shall be carried out by covered trucks/conveyors. The transportation of clean coal and rejects shall be by rail with wagon loading through silo. Effective measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulates such as roads, belt conveyors, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled at source. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central/State Pollution Control Board
- iv. All approach roads shall be black topped and internal roads shall be concreted. The roads shall be regularly cleaned. Coal transportation shall be carried out by covered trucks.
- v. Covered trucks shall be engaged for mineral transportation outside the washery upto the railway siding, shall be optimally loaded to avoid spillage en-route. Trucks shall be adequately maintained and emissions shall be below notified limits.
- vi. Facilities for parking of trucks carrying raw material from linked mine shall be created within the unit.
- vii. Vehicular emissions shall be kept under control and regularly monitored. The vehicles having 'PUC' certificate from authorized pollution testing centres shall be deployed for washery operations.
- viii. Hoppers of the coal crushing unit and other washery units shall be fitted with high efficiency bag filters/mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of closed belt conveyor systems and from transportation roads.
- ix. The raw coal, washed coal and coal wastes (rejects) shall be stacked properly at earmarked site (s) within stockyards fitted with wind breakers/shields. Adequate measures shall be taken to ensure that the stored mineral does not catch fire.
- x. The temporary reject sites should appropriate planned and designed to avoid air and water pollution from such sites.

### III. Water quality monitoring and preservation

- i. The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board.
- ii. The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No. J-20012/1/2006-1A.11 (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for compliance.

187

- iii. Industrial waste water shall be properly collected and treated so as to conform to the standards prescribed under the Environment (Protection) Act, 1986 and the Rules made there under, and as amended from time to time.
- iv. The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the washery. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side stabilised with plantation so as to withstand the peak water pressure preventing any chance of inundation.
- v. Heavy metal content in raw coal and washed coal shall be analysed once in a year and records maintained thereof.
- vi. The rejects should preferably be utilized in FBC power plant or disposed off through sale for its gainful utilization. If the coal washery rejects are to be disposed off, it should be done in a safe and sustainable manner with adequate compaction and post closure arrangement to avoid water pollution due to leachate from rejects and surface run off from reject dumping sites.
- vii. An Integrated Surface Water Management Plan for the washery area up to its buffer zone considering the presence of any river/rivulet/pond/lake *etc.* with impact of coal washing activities on it, shall be prepared, submitted to MoEFCC and implemented.
- viii. Waste Water shall be effectively treated and recycled completely either for washery operations or maintenance of green belt around the plant.
- ix. Rainwater harvesting in the washery premises shall be implemented for conservation and augmentation of ground water resources in consultation with Central Ground Water Board.
- x. No ground water shall be used for coal washing unless otherwise permitted in writing by competent authority (CGWA) or MoEFCC. The make-up water requirement of washery should not exceed 1.5 m<sup>3</sup>/tonne of raw coal.
- xi. Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.
- xii. Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.
- xiii. The project proponent shall take all precautionary measures to ensure riverine/ riparian ecosystem in and around the coal mine up to a distance of 5 km. A riverine/riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government

#### **IV. Noise and Vibration monitoring and prevention**

- i. The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis
- ii. Adequate measures shall be taken for control of noise levels as per noise pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.

#### **V. Coal beneficiation**

- i. Coal stacking plan shall be prepared separately for raw coal, clean coal, middling and rejects.
- ii. Efforts should be made to reduce energy consumption by conservation, efficiency improvements and use of renewable energy.

#### **VI. Green Belt**

- i. Three tier greenbelt comprising of a mix of native species, of minimum 30 m width shall be developed all along the washery area to check fugitive dust emissions and to render aesthetic to neighbouring stakeholders. A 3-tier green belt comprising of a mix of native species or tree species with thick leaves shall be developed along vacant areas, storage yards, loading/transfer points and also along internal roads/main approach roads.
- ii. The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

#### **VII. Public hearing and Human health issues**

- i. Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & its RO on six-monthly basis.
- ii. The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any. as amended time to time.
- iii. Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.

- iv. Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.
- v. The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29<sup>th</sup> October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

#### **VIII. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **IX. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No change in coal beneficiation process and scope of work shall be made without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC) with such conditions mentioned therein. No change in the maximum quantum of raw material feed per annum against the approved washery capacity shall be made
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

~~191~~

- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

\*\*\*\*\*

**ANNEXURE - XVIII****Standard EC Conditions for Petroleum Refining Industry, Petro-chemical complexes and Petrochemical products and petrochemical based processing**

[applicable to item 4(a) Petroleum refining industry; 5(c) Petro-chemical complexes (industries based on processing of petroleum fractions & natural gas and/or reforming to aromatics); 5(e) Petrochemical products and petrochemical based processing such as production of carbon black and electrode grade graphite (processes other than cracking & reformation and not covered under the complexes)]

**I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier

specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.

- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)
- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- vii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- viii. The National Emission Standards for Petroleum Oil Refinery issued by the Ministry vide G.S.R. 186(E) dated 18th March, 2008 and G.S.R. 595(E) dated 21st August, 2009 as amended from time to time shall be followed.
- ix. The National Emission Standards for Petrochemical (Basic & Intermediates) issued by the Ministry vide G.S.R. 820 (E) dated 9th November, 2012as amended time to time shall be followed.
- x. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions

### **III. Water quality monitoring and preservation**

- i. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD).

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- v. As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
- vi. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- vii. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- viii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- ix. The project proponent shall make efforts to minimise water consumption in the complex by segregation of used water, practicing cascade use and by recycling treated water.

#### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The energy sources for lighting purposes shall preferably be LED based.

#### **VI. Waste management**

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.

~~105~~

- ii. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- iii. The company shall undertake waste minimization measures as below:-
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

#### **VII. Green Belt**

- i. The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- iv. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

- vii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Iron and Steel plants shall be implemented.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/BMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XIX****Standard EC Conditions Distillery sector**  
**(applicable to item S.N. 5(g)- Distilleries & 5(j) - Sugar industry)****I. Statutory compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vi. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)

200

- iii. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- v. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
- vi. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- vii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- viii. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

### **III. Water quality monitoring and preservation**

- i. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD) and connected to SPCB and CPCB online servers.
- ii. Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD)
- iii. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- iv. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- v. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- vi. Industrial/trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP and then passed through RO system.

- vii. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.

#### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The energy sources for lighting purposes shall preferably be LED based.

#### **VI. Waste management**

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- ii. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- iii. The company shall undertake waste minimization measures as below:-
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation

#### **VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant

#### **VIII. Safety, Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.



- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

~~204~~

- xiii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XX****Standard EC Conditions for Pharmaceutical/Chemical Industry sector**

(applicable to item S.N. 4(d) - Chlor-alkali industry; 4(e) - Soda ash industry; 5(b) -Pesticides industry and Pesticides specific intermediates; 5(f) - Synthetic organic chemicals industry {dyes & dye intermediates, bulk drugs and intermediates & synthetic rubbers etc} and 5(h) - Integrated paint industry)

**I. Statutory compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vi. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.

- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- iv. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- v. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- vi. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
- vii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be complied with

### III. Water quality monitoring and preservation

- i. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)
- ii. As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
- iii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- iv. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- v. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.

- vii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.

#### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. The energy sources for lighting purposes shall preferably be LED based.

#### **VI. Waste management**

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- ii. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- iii. The company shall undertake waste minimization measures as below:-
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation

#### **VII. Green Belt**

- i. The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.

#### **VIII. Safety, Public hearing and Human health issues**

- ii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iv. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- v. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- vi. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- viii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other

purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

~~2X~~

- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XXI****Standard EC Conditions for Offshore and Onshore Oil and Gas exploration, development & production sector****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- vi. The project proponent shall obtain and adhere to statutory clearance under the Coastal Regulation Zone Notification, 2011, as applicable

**II. Air quality monitoring and preservation**

- i. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with
- ii. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

2X

- iv. Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 for PM10, PM2.5, SO2, NOX, CO, CH4, HC, Non-methane HC etc.
- v. During exploration, production, storage and handling, the fugitive emission of methane, if any, shall be monitored using Infra-red camera/ appropriate technology.
- vi. The project proponent also to ensure trapping/storing of the CO2 generated, if any, during the process and handling.
- vii. Approach road shall be made pucca to minimize generation of suspended dust

### **III. Water quality monitoring and preservation**

- i. As proposed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged to any surface water body, sea and/or on land. Domestic sewage shall be disposed off through septic tank/soak pit.
- ii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- iii. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- iv. The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.
- v. Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546(E) dated 30th August, 2005.

### **IV. Noise monitoring and prevention**

- i. The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

**V. Energy Conservation measures**

- iv. The energy sources for lighting purposes shall preferably be LED based.

**VI. Waste management**

- i. Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.
- ii. Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the Ministry's Regional Office

**VII. Safety, Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.
- iii. Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.
- iv. On completion of drilling, the company has to plug the drilled wells safely and obtain certificate from environment safety angle from the concerned authority
- v. The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of the well and drilling site shall be restored the area in original condition. In the event that no economic quantity of hydrocarbon is found a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations
- vi. The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall develop a contingency plan for H<sub>2</sub>S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be

2X4

provided with personal H<sub>2</sub>S detectors in locations of high risk of exposure along with self containing breathing apparatus

- ix. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- x. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- xi. The Company shall carry out long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the Ministry and Regional Office.

#### **VIII. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **IX. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of

which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. Restoration of the project site shall be carried out satisfactorily and report shall be sent to the Ministry's Regional Office
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

~~26~~

- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XXII****Standard EC Conditions for Oil & gas transportation pipeline sector****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- vi. The project proponent shall obtain and adhere to statutory clearance under the Coastal Regulation Zone Notification, 2011, as applicable.
- vii. The Oil Industry Safety Directorate (OISD) guidelines for pipeline projects shall be followed in letter and spirit.
- viii. Necessary approval from Chief Controller of Explosive must be obtained before commission of project.

**II. Air quality monitoring and preservation**

- i. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- ii. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.

- iii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

### **III. Water quality monitoring and preservation**

- i. As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
- ii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- iii. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- iv. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
- v. The construction of pipelines through the waterbodies shall be avoided during the rainy season/ breeding seasons of aquatic animals.
- vi. The riverbed, embankments and dykes shall be restored adequately after installation of crossings.

### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

### **V. Energy Conservation measures**

- i. The energy sources for lighting purposes shall preferably be LED based.

### **VI. Waste management**

- i. Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.

### **VII. Safety, Public hearing and Human health issues**

- i. SCADA system shall be installed with dedicated optical fiber based telecommunication link for safe operation of pipeline and leak detection system.
- ii. Intelligent pigging facilities shall be provided for the entire pipeline system for internal corrosion monitoring. Coating and impressed current cathodic protection system shall be provided to prevent external corrosion.
- iii. All the recommendations mentioned in the risk assessment report shall be implemented and Emergency response plan shall be based on guideline prepared by OISD
- iv. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Onsite and Offsite Disaster Management Plan shall be implemented.

#### **VIII. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **IX. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of

which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of commencing the land development work and completion of the project.
- ix. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- x. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- vii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- viii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- ix. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- x. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other

Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules.

- xiii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**ANNEXURE - XXIII****Standard EC Conditions for isolated storage and handling of hazardous chemicals sector****I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- vi. During construction phase, air pollution and solid waste management aspects need to be properly addressed ensuring compliance of the Construction and Demolition Waste Management Rules, 2016.
- vii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- viii. The company should obtain all requisite clearances for fire safety and explosives and should comply with the stipulation made by the respective authorities.
- ix. Necessary approvals from Chief Controller of Explosives must be obtained before commission of project, if applicable.
- x. The project proponent shall obtain and adhere to statutory clearance under the Coastal Regulation Zone Notification, 2011, as applicable

**II. Air quality monitoring and preservation**

- i. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
- ii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iii. Regularly monitoring of VOC and HC in the work zone area in the plant premises should be carried out and data be submitted to Ministry's Regional Office, CPCB and State Pollution Control Board. Quarterly monitoring for fugitive emissions should be carried out as per the guidelines of CPCB and reports submitted to Ministry's Regional Office.
- iv. During storage and handling, the fugitive emission of methane, if any, shall be monitored using Infra-red camera/ appropriate technology.
- v. The project proponent also to ensure trapping/storing of the CO<sub>2</sub> generated, if any, during the process and handling.
- vi. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- vii. Water sprinkling has to be undertaken on regular basis to control the polluting particles.
- viii. Approach road shall be made pucca to minimize generation of suspended dust.

### **III. Water quality monitoring and preservation**

- i. As already committed by the project proponent, Zero Liquid Discharge shall be ensured (applicable in case of the projects achieving the ZLD).
- ii. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.

### **IV. Noise monitoring and prevention**

- i. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

### **V. Energy Conservation measures**

- iv. The energy sources for lighting purposes shall preferably be LED based.

#### **VI. Waste management**

- i. Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.

#### **VII. Green Belt**

- i. The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.

#### **VIII. Safety, Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and guidelines prepared by OISD, DGMS and Govt. of India. Mock drill should be conducted once in a month. onsite and off-site Disaster Management Plan shall be implemented.
- ii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- iii. Additional safety measures should be taken by using remote operated shut off valve, double block & bleed valve (DBB), impervious dyke wall and un-bonded flexible roof drain pipe, if applicable.
- iv. High and low-level alarms shall be fitted to plant storage tanks which can detect overfilling. However, proper supervision shall be done every time.
- v. Unit should carry out safety audit and report submitted to the Regional Office.
- vi. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.

- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of commencing the land development work and completion of the project.
- vii. Restoration of the project site shall be carried out satisfactorily and report shall be sent to the Ministry's Regional Office.
- xi. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- xii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- viii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- ix. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- x. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**XI. Miscellaneous(*applicable only for LPG storage*)**

- i. No packing/loading/unloading of LPG cylinders shall be made on road/outside factory premises. Vehicles loaded/unloaded with LPG cylinders shall be parked inside the plant premises only and not on road sides.
- ii. The proponent shall strictly follow Oil Industry Safety Directorate (OISD) norms/guidelines for installation and design of equipments and operation of the LPG Bottling Plants.

~~27~~

- iii. Cylinders should be filled with the LPG and should never be over-filled. Cylinders should be checked before and after filling to ensure that they are fit to fill, have been correctly filled, are gas tight and will be trouble-free in service.
- iv. Cylinder filling operations should be carried out in accordance with a reputable technical standard or code such as ISO 10691.
- v. Road tankers should be equipped to the standard specified in national regulations reputable code. Vehicles should be mobilized during transfer operations and equipped to prevent untimely movement. Loading/unloading bays should be protected against impact. Fire-resistant coatings shall be provided to tanks/vessels.
- vi. Sections of pipeline and storage systems that can be isolated with valves or blinds should be equipped with safety valves to protect against possible damage as liquid LPG expands with increases in temperature.
- vii. The norms/guidelines of Oil Industry Safety Directorate (OISD) for installation and design of equipments and operation of the LPG Bottling Plants shall be strictly followed. Safety audit to be carried out and report submitted to the Regional Office.
- viii. The project proponent shall conduct a traffic density survey on the approach road to be used for transportation of LPG tankers and LPG cylinders.
- ix. Static electricity discharge shall be checked. Steel structures and pipeline should be securely earthed. Road tankers should be bonded to earth before LP Gas transfers commence and remain so until the operation is complete and the hose is disconnected.
- x. The proponent shall strictly comply with Government of India's Gas Cylinder Rules and its amendments.



## ANNEXURE - XXIV

### **Standard EC Conditions for River Valley and Hydroelectric projects**

#### **I. Statutory compliance:**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- v. NOC shall be obtained from National Commission of Seismic Design Parameters (NCSDS) of CWC.
- vi. Necessary approval of CEA shall be obtained for those projects having the project cost more than Rs. 1,000 crore.

#### **II. Air quality monitoring and preservation**

- i. Regular monitoring of various environmental parameters viz., Water Quality, Ambient Air Quality and Noise levels as per the CPCB guidelines at designated locations shall be carried out on monthly basis and a detailed database of the same shall be prepared and recorded. This shall be used as a baseline data for post construction EIA / Monitoring purposes.
- ii. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed standards.
- iii. Necessary control measures such as water sprinkling arrangements, etc. be taken up to arrest fugitive dust at all the construction sites.

#### **III. Water quality monitoring and preservation**

- i. Conjunctive use of surface water to be planned in the project to check water logging as well as to increase crops productivity. The field drains shall be connected with natural drainage system.

- ii. Remodelling of existing natural drains (link drains) and connecting them with irrigated land through constructed field drains, collector drains, etc. are to be ensured on priority basis..
- iii. Before impounding of the water, Cofferdams for both at the upstream and downstream are to be decommissioned as per EIA/EMP report so that once the project is commissioned; cofferdam should not create any adverse impact on water environment including the rock mass and muck used for the Cofferdam.
- iv. As the reservoir will be acting as balancing reservoir and there would be fluctuation of water level during peaking period, efforts be made to reduce impact on aquatic life including impacts during spawning period both at the upstream and downstream of the project
- v. Water depth sensors shall be installed at suitable locations to monitor e-flow. Hourly data to be collected and converted to discharge data. The Gauge and Discharge data in the form of Excel Sheet be submitted to the Regional Office, MoEF & CC and to the CWC on weekly basis.
- vi. Mixed irrigation shall be practised and necessary awareness be given to all the farmers and trained in the use of such systems. Proper crops selection shall be carried out for making irrigation facility more effective.
- vii. On Farm Development (OFD) works like landscaping, land levelling, drainage facilities, field irrigation channels and farm roads, etc. should be taken up in phased manner prior to the start of irrigation in the entire command area. The Command Area Development Plan should be strictly implemented as proposed in the EIA/EMP report.

#### **IV. Noise monitoring and prevention**

- i. All the equipment likely to generate high noise shall be appropriately enclosed or inbuilt noise enclosures be provided so as to meet the ambient noise standards as notified under the Noise Pollution (Regulation and Control) Rules, 2000, as amended in 2010 under the Environment Protection Act (EPA), 1986.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Catchment Area Treatment Plan**

- i. Catchment Area Treatment (CAT) Plan as proposed in the EIA/EMP report shall be implemented in consultation with the State Forest Department and shall be implemented in synchronization with the construction of the project.

#### **VI. Waste management**

- i. Muck disposal be carried out only in the approved and earmarked sites. The dumping sites shall be located sufficiently away from the HFL of the river. Efforts be made to reuse the muck for construction and other filling purposes and balanced be disposed of at the designated disposal sites. Once the muck disposal sites are inactive, proper treatment measures like both engineering and biological measures be carried out so that sites are stabilized quickly.

- ii. Solid waste management should be planned in details. Land filling of plastic waste shall be avoided and instead be used for various purposes as envisaged in the EIA/EMP reports. Efforts be made to avoid one time use of plastics.

#### **VII. Green Belt, EMP Cost, Fisheries and Wildlife Management**

- i. Based on the recommendation of Cumulative Impact Assessment and Carrying capacity study of river basin or as per the ToR conditions or minimum 15% of the average flow of four consecutive leanest months, whichever value is higher, shall be released as environmental flow.
- ii. Detailed information on species composition particular to fish species from previous study/literature be inventorized and proper management plan shall be prepared for in-situ conservation in the streams, tributaries of river and the main river itself for which adequate budget provision be made and followed strictly.
- iii. Wildlife Conservation Plan prepared for both core and buffer zones shall be implemented in consultation with the local State Forest Department.
- iv. To enrich the habitat of the project site, plantation shall be raised as envisaged in the EIA/EMP report. Plantation to be developed along the periphery of the reservoir in multi-layers with local indigenous species in consultation with the local State Forest Department.
- v. Compensatory afforestation programme shall be implemented as per the plan approved.
- vi. Fish ladder/pass as envisaged in the EIA/EMP report shall be provided for migration of fishes. Regular monitoring of this facility be carried out to ensure its effectiveness.

#### **VIII. Public hearing and Human health issues**

- i. Resettlement & Rehabilitation plan be implemented in consultation with the State Govt. as approved by the State Govt
- ii. Budget provisions made for the community and social development plan including community welfare schemes shall be implemented in toto.
- iii. Preventive measures viz. fuming and spraying of mosquito control shall be done in and around the labour colonies, affected villages, stagnatedpools, etc. Provisions be made to not to create any stagnated pools to avoid creation of breeding grounds of the vector borne diseases
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Labourforce to be engaged for construction works shall be examined thoroughly and adequately treated before issuing them work permit. Medical facilities shall be provided at the construction sites.

- vi. Early Warning Telemetric system shall be installed in the upper catchment area of the project for advance intimation of flood forecast.
- vii. Emergency preparedness plan be made for any eventuality of the dam failure and shall be implemented as per the Dam Break Analysis

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. Skill mapping be undertaken for the youths of the affected project area and based on the skill mapping, necessary trainings to the youths be provided for their long time livelihood generation
- iii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iv. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- v. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vi. Post EIA and SIA be prepared for the project through a third party and evaluation report be submitted to the Ministry after five years of commissioning of the project.
- vii. Multi Disciplinary Committee (MDC) be constituted with experts from Ecology, Forestry, Wildlife, Sociology, Soil Conservation, Fisheries, NGO, etc. to oversee implementation of various environmental safeguards proposed in EIA/EMP report during construction of the project. The monitoring report of the Committee shall be uploaded in the website of the Company.
- viii. Formation of Water User Association/Co-operative be made involment of the whole community be ensured for discipline use of available water for irrigation purposes

#### **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by

- prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
  - iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
  - iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
  - v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
  - vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
  - vii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  - viii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  - ix. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
  - x. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
  - xi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

- xii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xiii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



**ANNEXURE - XXV**

**STANDARD ENVIRONMENT AND CRZ CLEARANCE CONDITIONS FOR THE PROJECTS RELATED TO INDUSTRIAL ESTATES/PARKS/COMPLEXES/ AREAS, EXPORT PROCESSING ZONES (EPZS), SPECIAL ECONOMIC ZONES (SEZS), BIOTECH PARKS, LEATHER COMPLEXES**

**I. Statutory compliance:**

- i. This clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project
- ii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- iii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iv. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.
- ix. This environmental clearance is only for the said Industrial Area. Any other activity within the Industrial Area would require separate environmental clearance, as applicable under EIA Notification, 2006 as amended from time to time. For all the individual units, environmental clearances, as applicable, shall be obtained from the respective regulatory authorities.

- x. The buildings shall have adequate distance (as per local building bye laws) between them to allow movement of fresh air and passage of natural light, air and ventilation in accordance with guidelines of local authorities

## **II. Air quality monitoring and preservation**

- i. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the Industrial area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- ii. The D.G. sets to be used during development/ construction phase shall be in conformity to Environment (Protection) Rules prescribed for air and noise emission standards. Storage of diesel shall be made underground and necessary approvals/permissions from Chief control of explosives to be obtained.
- iii. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking, loading and unloading shall be fully internalized and no public space shall be utilized.
- iv. Vehicles hired for bringing construction material to the site should have a Pollution Under Control (PUC) certificate and shall conform to applicable air and noise emission standards and shall be operated only during non-peak hours.

## **III. Water quality monitoring and preservation**

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986.
- ii. Construction of storm water drains for collection, storage and its re-use as per guidelines of Central Ground Water Authority (CGWA).
- iii. The project proponent shall report to the State Pollution Control Board about the compliance of the prescribed standards for all discharges from the Industrial Area into the sea. - Project specific
- iv. Fixtures for showers, toilet flushing and drinking shall be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- v. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured/recorded to ensure the water balance as projected by the project proponent. The record shall be submitted to the concerned Regional Office of the Ministry along with six monthly monitoring reports.
- vi. Water demand during development/construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices referred. Project specific
- vii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in

the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- viii. The project proponent shall make efforts to minimise water consumption in the industrial complex by segregation of used water, practicing cascade use and by recycling treated water.
- ix. Member industries shall treat the effluent to meet the prescribed CETP inlet norms.
- x. The member units shall provide RCC tanks for storage of effluent for monitoring the characteristics of effluent before taking into the Common Effluent Treatment Plant (CETP) for further treatment.
- xi. Proper flow meters along with online monitoring facilities shall be provided to monitor the effluent quality and quantity sent from member industries to CETP and from CETP to the final disposal/re-use on a continuous basis.
- xii. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- xiii. To achieve the Zero Liquid Discharge, waste water generated from different industrial operations shall be properly collected, treated to the prescribed standards and then recycled or reused for the identified uses. – Project specific
- xiv. The project should not amend or alter the pathways of the natural streams or creeks/nallah flowing.
- xv. Rain water harvesting for roof run-off and surface run-off, as plan submitted shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 4 m above the highest ground water table.

#### **IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

#### **V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Disposal of muck during development/construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority. The ground water quality of the adjacent to dumping area should be monitored and report should be submitted to MoEF&CC and its Regional Office concerned.
- ii. Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016
- iii. All hazardous waste generated during development/ construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the Central Pollution Control Board/State Pollution Control Board.
- iv. Used LEDs shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible. Energy conservation measures should be as per Bureau of Energy Efficiency (BEE) standards.
- v. Air pollution and the solid waste management aspects need to be properly addressed ensuring compliance of the Construction and Demolition Waste Management Rules, 2016.
- vi. The solid waste generated shall be properly collected and segregated in accordance with the Solid Waste Management Rules, 2016. Wet garbage shall be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material. No municipal waste shall be disposed off outside the premises

## **VII. Green Belt**

- i. The green belt/plantation of to a width of 15 m should be provided all along the periphery of industrial area with native species. The individual units should keep 33% of allotted area as green area with native place. The time bound action plan for green belt/plantation be submitted to the MoEF&CC and concerned Regional Office within three months of issue of this letter.
- ii. Cutting of plants/trees are to be totally avoided by the construction labours. The contractor has to maintain log book for the purchase and distribution of fuel wood.
- iii. Management Plan for biodiversity conservation along with the implementation schedule should be prepared with the help of concerned government institution /state forest department, and same to be submitted to MoEF&CC and its Regional Office before commencement of work. Sufficient fund provision to be made to implement the same.
- iv. All the topsoil excavated during development/construction activities should be stored for use in horticulture/landscape development within the project site. Report should be submitted to MoEF&CC and its Regional Office concerned.

- v. For monitoring of land use pattern, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its concerned Regional office

#### **VIII. Public hearing and Human health issues**

- i. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- ii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) regarding plants located in the industrial estates/park shall be implemented.
- vii. Special purpose vehicle shall be established for implementation, monitoring and compliance of the environmental safeguards.

#### **X. Miscellaneous**

- i. Construction material has to be brought from approved/authorized places.
- ii. Internal Road widths within the industrial area shall be minimum 18 m ROW.
- iii. Parking space to accommodate trucks, cars, two wheelers and bicycles shall be provided as per the norms.
- iv. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- v. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- vi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vii. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- viii. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- ix. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- x. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- xi. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- xii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xi. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

- xii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiv. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvi. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

#### **XI. Coastal Regulation Zone (CRZ) – If applicable**

- i. On the project site physical HTL demarcation has to be compulsorily made with the help of Government of India organizations/Institutions.
- ii. Screens and trash bars shall be provided to avoid entry of fishes and fish larvae in to the system - Project Specific
- iii. There shall be no disturbance to the sand dunes (Size and location latitude and longitude to be given).
- iv. All the provisions of the CRZ Notification, 2011 and subsequent amendments shall be strictly complied with, and in case of any change in scope of work, necessary recommendations from the concerned CZMA shall be obtained for further consideration by the concerned regulatory authority.
- v. No construction work other than those permitted in CRZ Notification shall be carried out in CRZ area.
- vi. The physic – chemical and biological parameters including benthic fauna and flora, primary and secondary productions as well as fishery populations are to be monitored regularly during the construction phase by employing qualified persons.
- vii. In view of the river ecology and dependency for sustenance of fishery in coastal areas, alternate water resources shall be explored to meet the huge water demand for the

project, in addition to the best recycling practices for the industrial requirements. Natural flow of River shall not be altered or tampered with. Project specific

- viii. Though the sumps and pump house are located beyond CRZ area, in view of its proximity to sea necessary prior permission shall be obtained for construction of sumps from the competent authority. Copy of permission shall be submitted to the concerned the concerned Regional Office of the Ministry prior to the commencement of work. Project Specific
- ix. Detailed scientific studies for Coastal Management Plan shall be prepared by an expert institution of repute and time bound action plan to be submitted to the Ministry and its Regional Office concerned within three months of issue of this letter.
- x. Non vegetated mudflats must be clearly demarcated on the map and no artificial plantation to be undertaken on non- vegetated mudflats.
- xi. 2% of the project cost shall be apportioned for marine and coastal biodiversity protection and conservation measures, to be spent by the project proponent towards fulfilling its Corporate Environmental Responsibility (CER). Project Specific.
- xii. The temperature at the discharge point has to be monitored regularly and also the physico-chemical and biological parameters including benthic fauna and flora, primary and secondary productions as well as fishery populations has to be monitor regularly during the operation phase by employing qualified persons.
- xiii. The project proponent shall report to the State Pollution Control Board about the compliance of the prescribed standards for all discharges from the Industrial Area into the sea.
- xiv. The desalination plant reject has to be disposed properly.
- xv. Periodic monitoring of coastal water shall be carried out at outfall location by the project proponent by establishing minimum 3 monitoring stations. Proper record of monitoring should be placed along with six monthly compliance report.
- xvi. Implementation of Marine Environmental Management Plan in Toto

ENVIRONMENTAL  
CLEARANCE

**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**

To,

The Executive Assistant to MD  
SHYAM SEL AND POWER LIMITED  
S S Chamber, 5 CR Avenue, Kolkata-700072,,Kolkata,West Bengal-  
700072

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND/6700/2008 dated 29 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

- |  |   |
|--|---|
| 1. EC Identification No.                   | <b>EC21A008WB117492</b>                               |
| 2. File No.                                | J-11011/887/2007-IA.II(I)                             |
| 3. Project Type                            | Expansion   |
| 4. Category                                | A   |
| 5. Project/Activity including Schedule No. | 3(a) Metallurgical industries (ferrous & non ferrous) |
| 6. Name of Project                         | Proposed Integrated Steel Plant                       |
| 7. Name of Company/Organization            | SHYAM SEL AND POWER LIMITED                           |
| 8. Location of Project                     | West Bengal   |
| 9. TOR Date                                | N/A   |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 16/11/2021

(e-signed)  
Sundar Ramanathan  
Scientist E  
IA - (Industrial Projects - 1 sector)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*

**PARIVESH**  
*(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environment Single-Window Hub)*



243

This refers to your proposal no. **IA/WB/IND/6700/2008 dated 29/09/2021** through Parivesh Portal for grant of **Environmental Clearance (EC)** for the project mentioned above.

2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006, the above-mentioned project/activity is listed at schedule no. 3 (a) Metallurgical industries (Ferrous & non-ferrous), 1 (d) Thermal Power Plants and 4 (b) Coke Oven Plant under Category "A" of the schedule of the EIA notification, 2006 and appraised at Central level.
3. Accordingly, the above-mentioned proposal has been considered by the **Re-constituted EAC (Industry-I)** in its **46<sup>th</sup> meeting held on 11<sup>th</sup> – 12<sup>th</sup> October, 2021**. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at <https://parivesh.nic.in/>.
4. The details of the proposal are as per the EIA report submitted by the proponent. The salient features of the expansion proposal as presented during the above-mentioned meeting of EAC (Industry 1) are as under: -

S.No.	Particulars	Details
a.	Terms of Reference for undertaking EIA study	11/11/2020
b.	Period of baseline data collection	1 <sup>st</sup> October, 2020 – 31 <sup>st</sup> December, 2020
c.	Date of Public Consultation	09/03/2021
d.	Action plan to address the PH issues	In addition to EMP budget of Rs. 192.84 Crores (capital cost), an amount of Rs. 441 lakhs have been earmarked to address the issues raised during public consultation and an amount of Rs. 371 lakhs to address the need based issues based on Social Impact Assessment (SIA) conducted.
e.	Location of the project	Village Dhasna, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal.
f.	Latitude and Longitude of the project site	Latitude: 23°40'02.06"N to 23°41'50.13"N Longitude: 87°07'00.06"E to 87°07'53.20"E
g.	Total land	284.09 ha (existing land)
h.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014	Total land is 284.09 ha and is under the possession of the company.
i.	Existence of habitation & involvement of R&R, if any	No R&R involved.
j.	Elevation of the project site	341.2 feet (104 meters) AMSL
k.	Involvement of Forest land if any.	No Forest Land is involved
l.	Water body exists within the project site as well as study area	<b>Project site:</b> 8 numbers Water bodies and 1 number Nallah <b>Study area:</b> AjayRiver-7.0Km in NE direction
m.	Existence of ESZ / ESA / national park / wildlife Sanctuary / biosphere Reserve / tiger reserve / elephant reserve etc. if any within the study area	NIL
n.	Project cost	INR 1987.36 Crores
o.	EMP cost	INR 192.84 Crores (Capital Cost) INR 18.42 Crores (RecurringCost)

244

S.No.	Particulars	Details
p.	Employment opportunity	2750 Nos
q.	Water and Power requirement	Water – 16706 m <sup>3</sup> /day (overall project after expansion) Power – 472 MW (overall project after expansion)

**Unit configuration and capacity:**

S No	Name of Unit	Capacity as per EC		Units under Operation	Units under Implementation / To be Implemented	Proposed Project	Ultimate Capacity
		Capacity	Ultimate Capacity				
1	Sinter Plant	0.85 MTPA	0.85 MTPA	-	0.85 MTPA*	Capacity Enhancement from 0.85 MTPA to 1.11 MTPA	1.11 MTPA*
2	Pellet Plant 1	0.6 MTPA	1.8 MTPA (1800000 TPA)	0.6 MTPA*	-	Capacity Enhancement from 0.6 MTPA to 0.9 MTPA	0.9 MTPA*
	Pellet Plant 2	0.6 MTPA		0.6 MTPA*	-	Capacity Enhancement from 0.6 MTPA to 0.9 MTPA	0.9 MTPA*
	Pellet Plant 3	0.6 MTPA		-	0.6 MTPA*	Capacity Enhancement from 0.6 MTPA to 1.2 MTPA	1.2 MTPA*
3	Blast Furnace	0.6 MTPA (1x450 m <sup>3</sup> )	0.6 MTPA (600000 TPA)	-	0.6 MTPA* (1x450 m <sup>3</sup> )	Capacity Enhancement from 450 m <sup>3</sup> to 550 m <sup>3</sup>	0.77 MTPA* (1x550 m <sup>3</sup> )
4	Direct Reduced Iron (DRI) Plant	2 x 100 TPD	0.89 MTPA (890000 TPA)	2x100 TPD*	-	Capacity Enhancement from 100 TPD to 150 TPD	2x150 TPD* (0.09 MTPA)
		3 x 300 TPD		3x300 TPD*	-	Capacity Enhancement from 300 TPD to 450 TPD	3x450 TPD* (0.445 MTPA)
		2 x 90 TPD		2x90 TPD*	-	Capacity Enhancement from 90 TPD to 150 TPD	2x150 TPD* (0.09 MTPA)
		4 x 350 TPD		1x350 TPD*	3x350 TPD*	Capacity Enhancement from 350 TPD to 450 TPD	3X450 TPD* (0.445 MTPA)
						Capacity Enhancement from 350 TPD to 700 TPD	1x700 TPD* (0.231 MTPA)
-	-	-	-	4x700 TPD (New)	4x700 TPD(New) (0.924 MTPA)		
5	Ferro Alloys Plant	3 X 9 MVA 2 x 4.5 MVA	0.1 MTPA	0.1 MTPA	-	-	0.1 MTPA (3 X 9 MVA 2 x 4.5 MVA)
6	Steel Melting Shop (SMS) (Induction Furnace route)	12x18 T	1.51 MTPA (1.11 MTPA + 0.4 MTPA)	4x18 T	8x18 T	2 x 8 T (New) 20 x 20 T (New) [1.37 MTPA]	12x18 T
		2x15 T		2x15 T	-		2x15 T
		4x5 T		4x5 T	-		4x5 T
		8x8T		8x8T	-		8 x 8 T
	SMS (Electric Arc Furnace route)	1 x 45 T (0.4 MTPA)	-	-	1 x 45 T (0.4 MTPA)	-	1 x 45 T (0.4 MTPA)

245

S No	Name of Unit	Capacity as per EC		Units under Operation	Units under Implementation / To be Implemented	Proposed Project	Ultimate Capacity
		Capacity	Ultimate Capacity				
7	Rolling Mill 1 - Structural	0.15 MTPA	1 MTPA (1000000 TPA)	0.15 MTPA*	-	Capacity Enhancement From 0.15 MTPA to 0.2 MTPA	0.2 MTPA*
	Rolling Mill 2 - TMT Bars	0.15 MTPA		0.15MTPA	-	-	0.15 MTPA
	Rolling Mill 3 - Wire Rods	0.2 MTPA		0.2MTPA*	-	Capacity Enhancement from 0.2 MTPA to 0.3 MTPA	0.3 MTPA*
	Rolling Mill 4 - Long Product	0.3 MTPA		-	0.3 MTPA*	Capacity Enhancement from 0.3 MTPA to 0.5 MTPA	0.5 MTPA*
	Rolling Mill 5 - Long Product	0.2 MTPA		-	0.2 MTPA	-	0.2 MTPA
	Cold Rolling Mill 6 - Long Product	-		-	-	0.3 MTPA - New	0.3 MTPA - New
8	Coke Oven Plant	0.3 MTPA	0.3 MTPA (300000 TPA)	-	0.3 MTPA*	Capacity Enhancement from 0.3 MTPA to 0.45 MTPA	0.45 MTPA* (450000 TPA)
9	DI Pipe Plant	0.1 MTPA	0.1 MTPA (100000 TPA)	-	0.1 MTPA*	Capacity Enhancement from 0.1 MTPA to 0.25 MTPA	0.25 MTPA* (250000 TPA)
10	Captive Power Plant	WHRB - 93 MW CFBC - 43 MW	136 MW	WHRB - 48 MW CFBC - 43 MW	WHRB - 45 MW	WHRB - 86 MW (New) CFBC - 94 MW (New)	WHRB - 179 MW CFBC - 137 MW  Total : 316 MW
11	Cement Grinding Unit	1.2 MTPA	1.2 MTPA	-	1.2 MTPA	-	1.2 MTPA
12	Producer Gas Plant	36,000Nm <sup>3</sup> /Hr (12 Nos. x 3000 Nm <sup>3</sup> /Hr)	36,000Nm <sup>3</sup> /Hr (12 Nos. x 3000 Nm <sup>3</sup> /Hr)	36,000Nm <sup>3</sup> /Hr (12 Nos. x 3000 Nm <sup>3</sup> /Hr)	-	48,000Nm <sup>3</sup> /Hr (12 Nos. x 4000 Nm <sup>3</sup> /Hr) - New	84,000Nm <sup>3</sup> /Hr (12 Nos. x 3000 Nm <sup>3</sup> /Hr) + 12 Nos. x 4000 Nm <sup>3</sup> /Hr
13	L D Converter Plant	-	-	-	-	0.48 MTPA 60 Ton/ Heat - New	0.48 MTPA 60 Ton/ Heat - New
14	Oxygen Plant	-	-	-	-	10000 M <sup>3</sup> / Day - New	10000 M <sup>3</sup> / Day - New
Note: * Denotes Capacity enhancement of units under operation / units under implementation / units to be implemented for which EC has already been granted.							

5. The Re-constituted EAC (Industry-I) EAC in its 46<sup>th</sup> meeting held on 11-12<sup>th</sup> October, 2021, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of Environment Clearance subject to stipulation of specific and general conditions as detailed in the paragraph given below.
6. The MoEF&CC has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the

recommendations of the Expert Appraisal Committee (Industry-1) hereby decided to grant Environment Clearance for instant expansion proposal of **M/s. Shyam Sel and Power Limited** under the provisions of EIA Notification, 2006 subject to the following specific conditions and general conditions:

#### A. Specific conditions

- i. Four Continuous Ambient Air Quality monitoring stations under installation shall be commissioned and connected to the SPCB/CPCB server by end of October, 2021. Compliance status in this regard shall be submitted to the Ministry and Regional Office of the MoEF&CC.
- ii. The nallah passing through the project site shall not be disturbed. Landscaping shall be done on both embankments, with green belt covering 10 m land on both sides of the nallah.
- iii. Green Belt shall be developed in 97 hectares of land (34 % of total land) with tree density of 2500 trees per ha by 31/12/2024 all along the periphery of the project site. This shall include, gap filling which shall be done in existing green belt developed area wherever tree density is less than 2500 trees per ha. In addition to this, 18.4 hectares (45.5 acres) of land outside the project premises located adjacent to the main plant shall also be brought under green belt development as committed by the PP.
- iv. Project proponent shall conserve eight water bodies exist in the project site by developing green belt development all along the boundary of the water body.
- v. Solid waste utilization
  - Maximum 90 days of slag storage area shall be permitted inside the plant.
  - PP shall recycle/reuse 100 % solid waste generated in the plant.
  - Used refractories shall be recycled.
- vi. Sinter Plant shall be equipped with sinter cooler waste recovery system to generate process steam or power.
- vii. BF shall be equipped with Top Recovery Turbine, dry gas cleaning plant, stove waste heat recovery, cast house and stock house ventilation system and slag granulation facility.
- viii. Secondary fume extraction system shall be installed on converters of Steel Melting Shop.
- ix. Basic Furnace (BF) and LD gas shall be cleaned dry.
- x. Submerged Arc Furnace and Electric Arc Furnace shall be closed type with 4<sup>th</sup> hole extraction system.
- xi. 85-90 % of billets/slabs shall be rolled directly in hot stage. Only 10-15 % rolling shall be done through RHF using only Light Diesel Oil or BF gas.
- xii. Particulate matter emission from all the stacks shall not exceed 30 mg/Nm<sup>3</sup>.
- xiii. Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF&CC.
- xiv. Cold Rolling Mill (CRM) shall have ETP to treat and recycle the treated water from CRM complex. Sludge generated at CRM ETP shall be sent to TSDF.
- xv. DI plant shall have the following provisions:
  - a. Wet scrubbers for Volatile Organic Compounds in annealing furnace.
  - b. Bag filter for Zn coating and Mg converter area.
  - c. Wet scrubbers in paint and bitumen coating area.
  - d. Bag Filter in Cement lining area.
  - e. PTFE dipped bags shall be used in the plant.
  - f. PM emissions from BF in Zinc coating area shall be 5 mg/Nm<sup>3</sup>.
  - g. ETP with recycling facility shall be included. All scrubber effluent shall be treated in ETP.

247

- xvi. Parking area for trucks/dumpers shall be provided within the plant. No truck/dumper shall be parked outside the plant premises.
- xvii. Water requirement for the plant shall be met from Ajay River bed and Asansol Municipal Development Authority. Ground water abstraction is not permitted.

## B. General conditions

### I. Statutory compliance:

- i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.

### II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- iii. Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.
- iv. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- v. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- vi. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- vii. Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- viii. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.
- ix. Facilities for spillage collection shall be provided for coal and coke on wharf of coke oven batteries (Chain conveyors, land based industrial vacuum cleaning facility).
- x. Land-based APC system shall be installed to control coke pushing emissions.
- xi. Monitor CO, HC and O<sub>2</sub> in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.
- xii. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.
- xiii. Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars.

### III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31<sup>st</sup> March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30<sup>th</sup>

May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.

- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall provide the ETP for coke oven to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time as amended from time to time;
- iv. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- v. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vi. Tyre washing facilities shall be provided at the entrance of the plant gates.
- vii. Water meters shall be provided at the inlet to all unit processes in the steel plants.

#### IV. Noise monitoring and prevention

- i. Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

#### V. Energy Conservation measures

- i. Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.
- ii. Restrict Gas flaring to < 1%.
- iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- iv. Provide LED lights in their offices and residential areas.
- v. Ensure installation of regenerative type burners on all reheating furnaces.

#### VI. Waste management

- i. Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.
- ii. Kitchen waste shall be composted or converted to biogas for further use.

#### VII. Green Belt

- i. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.

#### VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.

249

- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
- iii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

**IX. Environment Management**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.

**X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.

250


- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

7. This issues with the approval of the Competent Authority.

  
(Sundar Ramanathan)  
Scientist 'E'

**Copy to:-**

1. Secretary, Department of Environment, Government of West Bengal, Secretariat Kolkata.
2. Secretary, Department of Forests, Government of West Bengal, Kolkata.
3. Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, IB – 198, Sector-III, Salt Lake City, Kolkata - 700106.
4. Chairman, Central Pollution Control Board, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
5. Chairman, West Bengal State Pollution Control Board, Paribesh Bhawan, 10A- Block LA, Sector –III, Salt Lake City, Kolkata – 700 098.
6. Member Secretary, Central Ground Water Authority, A2, W3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
7. District Collector, Paschim Burdwan District, West Bengal.
8. Guard File/Record File/Monitoring File.
9. MoEF&CC website

  
(Sundar Ramanathan)  
Scientist 'E'

## ANNEXURE- R/4

PROCEEDINGS

**Personal hearing held on 01.08.2024 at 11:00 hrs for the project “M/s Shyam Sel and Power Limited at J.L. 50,51 & 52, Village Dhasna, Mamudpur & Sarthakpur, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal”**

Personal hearing with reference to the project by M/s Shyam Sel and Power Ltd was held on **01.08.2024** at 11:00 hrs under the Chairmanship of **Dr. Sujit Kumar Bajpayee, Joint Secretary, MOEF&CC** at Satluj Meeting hall, Indira Paryavaran Bhawan. The list of the participants is at **Annexure I**.

2. **Dr. Shruti Rai Bhardwaj, Director/Sct 'F', MoEF&CC** extended warm welcome to the participants and gave a brief background of the matter:

- i. Environmental Clearances (EC's) were granted by the Ministry to the project by **M/s. Shyam Sel Power Limited**, located at Village Dhasna, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal subject to implementation of the various conditions and environmental safeguards contained therein, and
  - a. Ministry's EC to M/s. Shyam Steel and Power Limited for 'Integrated Steel Plant (1.00 MTPA) [Ductile Iron Pipes, Seamless Tubes, ERW Tubes) alongwith Captive Power Plant (2 x 250 MW) at Village Jamuria, P.O. Bahadurpur, District Burdwan, West Bengal" vide letter No. **J-11011/887/2007-IA.II (I)** dated **18.03.2009**
  - b. The validity of the EC No. **J-11011/887/2007-IA.II (I)** dated **18.03.2009** was extended up to **17.03.2019** vide letter no. **J-11011/887/2007-IA.II (I)** dated **17.06.2016**
  - c. Ministry's EC to M/s. Shyam Sel and Power Limited for "Expansion of the integrated steel plant for ultimate production of 1.8 MTPA pellets, 0.85 MTPA Sinter, 0.3 MTPA Coke, 36,000 Nm<sup>3</sup>/hour producer gas, 0.89 MTPA Sponge Iron, 0.6 MTPA hot metal/ Pig Iron, 1.51 MTPA Billets, 1.0 MTPA long steel products, 0.1 MTPA DI pipe, 1.2 MTPA Cement grinding unit, 0.1 MTPA Ferro Alloys and 136 MW Captive Power plant" vide letter No. **J-11011/887/2007-IA.II (I)** dated **26.12.2019**
  - d. Ministry's EC to M/s. Shyam Sel and Power Limited for "Expansion-cum modification of their plant for ultimate production of 3.0 MTPA pellets, 1.11 MTPA Sinter, 0.45 MTPA coke, 84,000 Nm<sup>3</sup>/hour Producer gas, 2.23 MTPA Sponge Iron, 0.77 MTPA hot metal/ Pig Iron, 2.88 MTPA Billets, 1.65 MTPA Long Steel Products, 0.22 MTPA DI pipe, 0.48 MTPA LD Converter, 10,000 m<sup>3</sup>/day Oxygen Plant, 1.2 MTPA Cement grinding unit, 0.1 MTPA Ferro Alloys and 316 MW Captive Power Plant" vide letter no. **J-11011/887/2007-IA-II (I)** dated **16.11.2021**
- ii. A complaint dated **30.06.2023** was received in the Ministry against **M/s. Shyam Sel and Power Limited**, West Bengal regarding "*Illegal encroachment of land 8.59 Acres government forest land, construction activities initiated without obtaining Forest Clearance and hiding the information, concealing factual data or submitting the false/fabricated data to obtain EC & Expansion by the*

- industry, for their steel and captive power plant located at Village Dhasna, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal".*
- iii. A Joint inspection has been carried out by the Regional Office (RO) of this Ministry at **Kolkata** along with Regional Office of the Ministry at **Bhubaneswar** on **07.08.2023** for ascertaining alleged illegal construction activity within the forest land as reported by the complainant. The said report was submitted to the Ministry vide letter dated **20.08.2023**.
  - iv. The Joint Inspection report submitted for the project was examined in the Ministry and following was noted:
    - a. Certain parts of the under constructed Sinter Plant (no construction was taking place at the time of monitoring) was present within parts of land [(Plot 473 (p))] that has been demarcated as part of the forest land (shown during inspection by the ADFO and Range Forest Officer, Asansol (T) Range).
    - b. The office of PCCF vide letter dated 18.08.2023 had provided the enquiry report submitted by the DFOs along with other documents.
    - c. As per the DFO report, preliminary survey by local Admin on 28.02.2023 had noticed that M/s. Shyam Sel & Power Ltd. had encroached the forest land over 8.59 acre.
    - d. General Diary was lodged at Jamuria P.S. on 15.03.2023 regarding illegal forest land encroachment.
    - e. The DFO report also stated that a joint survey was done from Land Department on 27.04.2023 and it was confirmed that M/s. Shyam Sel & Power Ltd Authority encroached the forest land over 8.73 acre.
    - f. FIR was lodged by Forest Ranger Officer, Asansol (T) Range in Jamuria Police Station for illegal encroachment of Government forest land measuring 8.59 Acres situated at Mouza Mamudpur, J.No.-51, Plot No 473.
    - g. It was also reported that M/s. Shyam Sel & Power Ltd Authority had applied for forest diversion for 0.9 Ha of forest land on 31.05.2023.
  - v. Based on the observations of joint inspection conducted by officers of SRO, Kolkata and RO, Bhubaneswar on **07.08.2023**, a Show-Cause Notice (SCN) cum Direction was issued to the unit vide Ministry's letter no. **IA-Z-12011/18/2023-IA-I(M)** dated **04.09.2023**, which was responded by the PP vide their communication dated **03.10.2023**. The direction was to stop all the illegal on-going construction, which has been reported to be undertaken within parts of the land that has been demarcated as part of the forestland.
  - vi. In the meantime, SRO conducted second site inspection of the unit on **05.09.2023** and confirmed about discontinuation of the alleged illegal construction activity previously observed during joint inspection on the portion of the sinter plant present in the demarcated forest land.
  - vii. The response to SCN submitted by PP was verified by SRO Kolkata on the basis of site inspection conducted on **13.12.2023**. The report was examined within the Ministry and it was noted that SRO has observed continued pending non-compliance.

- viii. Forest Conservation division of the Ministry shared following information wrt the alleged encroachment of the forest land
- i. The User Agency encroached 8.73 acre (3.53 ha) forest land and a big RCC construction done within the 0.47 ha. Now the structure on forest land is in incomplete condition. A FIR was lodged at Jamuria Police Station on 13.04.2023.
  - ii. The construction activity was carried out by the User Agency over 0.47 ha of forest land. The forest land has been demarcated by the RCC pillars with barbed wire at the side of the Project proponent's area. **Balance 3.0629 ha (3.5329 ha – 0.47 ha) forest land is in possession of State Forest Department, which was confirmed by the State Forest Officials during site visit. No infrastructure/ construction was observed in the balance 3.0629 ha forest land. However, soil filling was done by the project proponent in some portion of the 3.0629 ha encroached forest land and new plantation (Arjun, Akashmoni, Karanj etc) was observed in that area. It was informed that the plantation work was done by the project proponent on suggestion of the local forest officials.**
  - c. Proposal of M/s Shyam Sel and Power Limited for the expansion of Steel Plant for ex-post facto approval under the Van (Sanrakshan Evam Samvardhan) Adhinyam), 1980 was submitted online by the Government of West Bengal on 14.12.2023 involving total area of 8.47 ha comprising of 8.0 ha of non-forest land and 0.47 ha of Protected Forest land.
  - d. As per detail furnished along with the proposals, it was observed that the user agency had encroached forest area of 8.73 acres wherein they have constructed the buildings and other permanent structures. During subsequent surveys the area under encroachment was observed to be 8.73 acres.
  - e. Proposal was considered by the Advisory Committee in its meeting held on 18.12.2023 and the Committee *inter-alia* observed that the Sub-Office of the Regional Office Bhubaneswar conducted the site inspection of the area on 23.11.2023 and observation of the Regional Office with regards to the violation are as under:
- ix. The Advisory Committee, after detailed deliberations on the proposal, recommended the proposal for grant of 'in-principle' approval subject to prescribed conditions.
  - x. Based on the above recommendation of the Advisory Committee and approval of the same by the competent authority, the proposal was granted 'in-principle' approval (FC-I) by the Central Government on 11.01.2024

3. Representative of FC Division of the Ministry, AIG(FC) confirmed the conditional FC-I granted to the project on 11.01.2024 for regularizing the illegal encroachment in the area of 0.47 ha of forest area.

4. This was followed by a presentation by the project proponent and associated detailed deliberations wrt issues raised in the complaint. Details are as given below:

#### I. Encroachment of forestland

- i. Total of 659 (267 ha) acre of plot was available with PP for the project. The plot adjacent to the alleged encroached forestland was acquired by the PP, who then began construction on the acquired land on the basis of survey by a third-party consultant along with internal team, which helped in demarcation of the boundary. However, subsequently a survey by the Forest Department on 27.04.2023 alleged that the construction had encroached on some part of the forestland, leading PP to halt construction work.
- ii. Initial claims of 8.59 acres of encroachment was revised to 0.47 hectares (1.17 acres) after re-measurement by the Forest Department. Subsequently, PP stopped all construction activities on the alleged forest area as directed in the Ministry's SCN dated 04.09.2023.
- iii. Following the advice of the Forest Department, PP submitted a proposal for the diversion of 0.47 hectares of forestland for non-forest purposes. The Central Government granted 'in-principle' approval on 11.01.2024 for the ex-post facto regularization of encroachment over 0.47 hectares of forestland in favor of M/s Shyam Sel and Power Limited for the expansion of the existing Integrated Steel Plant in the Durgapur Forest Division, West Bengal (Proposal No. FP/WB/IND/442054/2023).
- iv. The Chairman asked the need for venturing into this reported 0.47 ha of forest land, when approx 267 ha was already available with them for the project. Further, MS, C&MD brought to the notice that in remaining 3.0629 ha (3.5329 ha – 0.47 ha) forest land in the possession of State Forest Department, soil filling was done by the project proponent in some portion of the 3.0629 ha encroached forest land and new plantation was also observed by forest department in that area.
- v. PP clarified that construction in 0.47 ha of forest land was inadvertent error on the basis of ground analysis done by third party consultant. Further, the plantation work was done by the project proponent as part of their commitment for green belt. The PP admitted that there are two plots, 473 (yet to be acquired) and 473/561. They have started construction of the conveyor belt on plot 473/561 and inadvertently the work spilled over to adjacent plot 473 which is supposedly was government land.
- vi. The PP also submitted that as per the EC dated 16.11.2021, Specific Condition iii, they were required to develop a green belt outside the plant premises over an area of 18.4 hectares. Out of this, 9.5 hectares of green belt have been developed. However, for the remaining area, the PP had applied for alienation of Plot No. 473 assuming it a govt. land and inadvertently also began plantation work on the said plot 473 to fulfil green belt commitment.
- vii. PP also submitted that in the process of applying for the alienation of this Government land, its status was changed to forestland. Subsequently, forest officials informed the PP that some construction work had been done on the forest land. The PP clarified that they inadvertently trespassed the land which was used solely for the raw material supply section of the sinter plant through a conveyor belt system.
- viii. After detailed discussion, the explanation regarding inadvertent encroachment was not found to be justified considering that boundary areas of lands are not

fluid and is generally known by the land owners, especially before taking up any heavy civil construction which involves significant investment. Further, the mandatory green belt is developed by any project proponent in the land area owned by them and cannot be undertaken in illegally encroached forest/ govt land without proper authorisation from concerned department. Moreover, if PP had applied for alienation of govt. land, then without waiting for such alienation approval, any kind of encroachment on any type of land not belonging to PP cannot be justified. PP was asked to submit copy of alienation application with complete detail along with proof for change of status of land from govt. land to forest land.

- ix. MS, Ind-1 informed about a court case (O.A. No. 182 of 2023) which has been filed before the Hon'ble NGT inter-alia on issues related to encroachment of forest land, concealment of information, etc.

## II. Concealment of information during the application for EC:

5. MS, C&MD informed that the analysis within the Ministry indicated that information has been concealed during the EC process wrt requirement of additional govt. / forest land. The Chairman asked the reason for not informing the Expert Appraisal Committee (EAC) at the time of grant of EC about the need of additional land for industrial purpose. PP clarified that since the land was not in possession; they didn't inform EAC and had planned to apply for amendment of EC once land has been acquired by them. The encroachment of forest area was inadvertent error and not done intentionally with any planning.

6. The above was followed by presentation by PP wrt non-compliance of EC conditions. The outcome of the personal hearing on non-complied EC conditions are as given below:

S. No.	Conditions of EC dated 18.03.2009, 26.12.2019 and 16.11.2021	Latest observations of SRO Kolkata and RO Bhubaneshwar based on monitoring conducted on 13.12.2023	Submission of PP and conclusion during the Personal Hearing
1.	Green Belt shall be developed in 97 hectares of land (34 % of total land) with tree density of 2500 trees per ha by 31/12/2024 all along the periphery of the project site. This shall include gap filling which shall be done in existing green belt developed area wherever tree density is less than 2500 trees per ha. In addition to this, 18.4 hectares (45.5 acres) of land outside the project	<b>Partially Complied</b> PAs are supposed to develop 18.4 Ha (45.5 acres) of green belt outside the project premises. As per the survey report PAs have developed green belt in 2.63 Ha (6.49 acres). <b>The remaining area of 15.77 Ha is yet to be developed.</b> PAs have requested the District Land & Land Reform Officer, Asansol, Paschim Bardhaman	During the presentation PP submitted that Green Belt Development/ Plantation Programme on 18.4 Hectares of Land outside the project premises is also going on, Plantation programme has already been completed on 9.5 Acres of land outside the project premises and balance green belt development is also in process, and gradually

	premises located adjacent to the main plant shall also be brought under green belt development as committed by the PP. ( <b>Specific Condition iii of of EC dated 16.11.2021</b> ). ( <b>Specific Condition xviii of EC dated 18.03.2009</b> )	for providing land (approximately 20 Ha) for the establishment of an oxy zone.	will be completed within a period of three years.  Further, RO informed that in the plant premises the planation was found satisfactory however, RO suggested the gap filling needs to be done at the site.  Based on the submissions PP shall submit the action plan with time lines for developing <b>remaining green belt as stipulated to SRO for review and onward submission to Ministry.</b>
2.	Project proponent shall conserve eight water bodies exist in the project site by developing green belt development all along the boundary of the water body. ( <b>Specific Condition iv. of of EC dated 16.11.2021</b> ).	<b>Partially Complied</b> During monitoring, it was observed that PAs have provided demarcated boundary walls. <b>Certain area still lack demarcated boundary walls (in areas of construction).</b> PAs have informed that demarcated boundary wall for the ongoing expansion project will be done after completion of the project work.	During the presentation, PP submitted that the boundary walls has been demarcated in the project area except for the disputed land.  <b>MS, C&amp;MD asked the PP to submit the geo tagged photographs of the same and same shall be reviewed by RO and submitted to the Ministry.</b>
3.	Performance test shall be conducted on all pollution control systems every year and report shall be submitted to Regional Office of the MoEF&CC. ( <b>Specific Condition xiii. of of EC dated 16.11.2021</b> ).),	<b>Partially Complied</b> PAs have submitted the efficiency Test report, conducted by M/s. Ultimate Envirollytical Solutions. On perusal of the report, it is observed that the efficiency test report for the ESP attached to Pellet-I plant is not present.	PP has submitted the copy of efficiency test report to SRO as part of six-monthly compliance report.  The same was submitted to C&MD. <b>Based on the documents submitted by the PP, the condition may be treated as Complied.</b>
4.	The project proponent shall install 24x7 continuous emission	<b>Partially Complied</b> As per the information submitted by PAs, it is	PP clarified that they have again carried out emission data monitoring which

	<p>monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (<b>General Condition i. Air quality monitoring and preservation) of EC dated 16.11.2021</b>), (<b>Specific Condition I &amp; General Condition iv. of EC dated 18.03.2009</b>)</p>	<p>observed that for SMS-3 (6x 8T, 2x18 t) and Pellet-3 (1 x 1.2 MTPA) opacity meter has been installed and PAs are waiting for CPCB clearance. For 90 MW CFBC, opacity meter has been installed and PAs are waiting for commissioning by service engineer. For DRI kiln 11 &amp; 12 (2x700 TPD), application for connectivity to CPCB is in process. Other stacks are connected to CPCB server. <b>On perusal of emission data on CPCB website on 05.01.2024, it is observed that PM is above 30 mg/Nm<sup>3</sup> for Pellet 2 plant.</b></p>	<p>reported PM values within the standard. The same can be verified through the emission data available on CPCB website.</p> <p>As per the deliberations made during the meeting <b>PP was asked to share the link of the CPCB server to SRO in order to verify the status of Particulate Matter.</b></p>
5.	<p>Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface runoff (<b>General Condition: Water quality monitoring and preservation v. of EC dated 16.11.2021</b>)</p>	<p><b>Partially Complied</b> During monitoring, it was observed that garland drain and collection pit has been provided to the coal shed area where wind shelter fence have been developed. PAs have informed that garland drains will be provided in other stock piles area by June 2024.</p>	<p>PP submitted that they have constructed the garland drains in all the stock piles area.</p> <p><b>MS, C&amp;MD asked the PP to submit the geo tagged photographs of the same to SRO for review.</b></p>
6.	<p>Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. (<b>General</b></p>	<p><b>Partially Complied</b> Pas have monitored the work zone noise level through a third-party monitoring agency by collecting the noise samples from 14 locations inside the plant on October, 2023 and submitted the</p>	<p>PP confirmed that all the precautionary measures have now been taken up to control the work zone noise levels.</p> <p><b>Based on the information submitted the PP, the condition may be considered as Complied.</b></p>

	<b>Condition: Noise monitoring and preservation i. of EC dated 16.11.2021) &amp; General Condition v. of EC dated 18.03.2009)</b>	monitoring report along with the reply. Monitoring report indicated that work zone noise levels for Turbine Floor (Power Plant) and inside R.M. area was above the OSHA's Permissible limit (PEL) of 90 dB(A) and Indian Factory Act 1948 Permissible Limit (PEL) of 90 dB(A).	
7.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented. ( <b>General Condition: Public hearing and human health issues i. of EC dated 16.11.2021)</b>	<b>Partially Complied</b> PAs have submitted a copy of the "Identification OH&S Hazard and risk, Risk Assessment and Risk Managements measures" signed by the factory Manager. However, the implementation status of the proposed plan has not been submitted.	PP said that the implementation of the Hazard and risk management plan has now been completed and photos of the same have been shared. <b>Based on the information submitted the PP, the condition may be considered as Complied.</b>
8.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. ( <b>General Condition: Miscellaneous ii. of EC dated 16.11.2021) &amp; General Condition xvi. of EC dated 18.03.2009).</b>	<b>Not Complied</b> EC has been uploaded in their website. <b>The receiving copy of the EC intimation letter has not been provided to ensure that the copy of the clearance letter has been submitted to all concerned authority.</b>	PP said that they will be sharing the receiving copy of the EC intimation letter. <b>MS, C&amp;MD asked the PP to submit the same to the SRO for review.</b>
9.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical	<b>Partially Complied</b> During monitoring, it was observed that LED display board was displaying the ambient air quality monitoring	PP submitted that the display board has now been displaying the ambient air quality data.

<p>sectoral parameters, data. No stack monitoring data was being displayed in the display board. Pas have informed that installation of LED Display Board for the Stack Emission Data is under process &amp; will be completed by February 2024.</p> <p><b>General Condition: Miscellaneous iv. of EC dated 16.11.2021) &amp; General Condition iv &amp; Specific Condition -i of EC dated 18.03.2009).</b></p>	<p>data. No stack monitoring data was being displayed in the display board. Pas have informed that installation of LED Display Board for the Stack Emission Data is under process &amp; will be completed by February 2024.</p>	<p><b>MS, C&amp;MD asked the PP to submit the same to the SRO for review</b></p>
---	---	--

**7. On the basis of detailed deliberations, following was concluded:**

- i. Status of FIR lodged against M/s Shyam Sel and Power Ltd for illegal encroachment of forest land to be provided by FC Division/ PP. No work to be carried out in additional forest land until stage II FC is obtained for the said land and same is handed over to PP by Forest Deptt.
- ii. FC Division may confirm if any further action, penal or otherwise, is pending against PP as per extant norms for encroachment of forest land for which Stage-I FC has been granted.
- iii. Status of ongoing court case O.A. No. 182 of 2023 in NGT to be confirmed by Ind-I sector / PP.
- iv. Documentary proof to be submitted by PP with respect to the alienation of govt. land sought by them along with proof for change in status from Govt. to forest land during pendency of application. Photographic evidences of the additional forest land area under diversion is also to be submitted.
- v. PP shall seek amendment of the EC wrt additional forest land immediately for which Stage-I forest clearance has been granted. Along with the above, EAC of concerned sector i.e. IA(Ind-1) of the Ministry shall also deliberate and decide the matter w.r.t alleged concealment of information as per para 8(vi) of EIA Notification, 2006, based on the submissions of PP, documents submitted at the time of EC, further documents as sought from PP in preceding paras and any other relevant document that may be required.
- v. PP shall submit documentary evidence/ geo tagged photographs or other necessary details as mentioned in table above to confirm the current status of observed non-compliances of EC conditions to SRO for review and onward submission to the Ministry.

The meeting ended with the vote of thanks to the Chair.

\*\*\*\*

**ANNEXURE I**

**List of Participants for the Personal Hearing held on 01.08.2023 in the matter of “M/s Shyam Sel and Power Limited at J.L. 50,51 & 52, Village Dhasna, Mamudpur & Sarthakpur, P.S. Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal”**

<b>S. No.</b>	<b>Name</b>	<b>Designation</b>
1.	Shri Sujit Kumar Bajpayee	Joint Secretary, MoEF&CC
2.	Dr. Shruti Rai Bhardwaj	Director, IA-CMD
3.	Shri Dinesh Runiwal	Additional Director, IA-Ind I
4.	Smt. Shahida Parveen Quazi	SRO, Kolkata
5.	Shri Suneet Bhardwaj	AIG, FC
6.	Dr. Bhardwaj Adiraju	Joint Director, IA-CMD
7.	Shri Sandeepan B.S.	Scientist-C, Ind-I
8.	Shri Vinay Rana	ASO, IA-CMD
9.	Smt. Pinky Taneja	Consultant, IA-CMD
10.	Shri Ritin Raj	RA, IA-CMD
<b>Representatives of M/s Shyam Sel and Power Ltd.</b>		
11.	Shri Sumit Chakraborty	
12.	Shri Prashant Kumar	
13.	Shri M K Prusy	



सत्यमेव जयते

261  
Government of India

ANNEXURE- R/5



...  
(Forest Conservation Division)

Online Proposal No.: **FP/WB/IND/442054/2023**



Dated: **11/01/2024**

To,

Additional Chief Secretary (Forest)  
Department of Forests, Government of West Bengal,  
Kolkata

**Subject:**

Proposal for ex-post facto approval for regularization of encroachment over 0.47 ha of forest land in favour of M/s Shyam Sel and Power Limited for expansion of existing Integrated Steel Plant in Durgapur Forest Division in West Bengal (Proposal No. FP/WB/IND/442054/2023) – reg.

**Sir/Madam,**

I am directed to refer to the online proposal no. FP/WB/IND/442054/2023. dated 27/08/2023. on the above-mentioned subject seeking prior approval of the Central Government under section 2 of the Forest (Conservation) Act, 1980 and to say that the proposal has been examined by the constituted by the Central Government under section 3 of the aforesaid Act.

After careful consideration of the proposal of the Government of WEST BENGAL and on the basis of the recommendations of the FAC and approval of the same by the competent authority of MoEFCC, New Delhi, the Central Government hereby grant **“In-Principle”** approval under section-2 of Forest (Conservation) Act, 1980 for Proposal for non-forestry use of 0.47 ha of forest land under the Forest (Conservation) Act, 1980 in favour of M/s SHYAM SEL & POWER LIMITED. for Durgapur Division in Forest Division, District PASCHIM BARDHAMAN. WEST BENGAL subject to the fulfillment of the following conditions:

### 1. General Conditions

S. No	Conditions
1.1	Legal status of the diverted forest land shall remain unchanged
1.2	The land identified for the purpose of CA shall be clearly depicted on a Survey of India toposheet of 1:50,000 scale
1.3	The User Agency shall transfer the cost of raising and maintaining the compensatory afforestation, at the current wage rate, to the State Forest Department. The scheme may include appropriate provision for anticipated cost increase for works scheduled for subsequent years

S. No	Conditions
1.4	At the time of payment of the Net Present Value (NPV) at the then prevailing rate, the User Agency shall furnish an undertaking to pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India
1.5	All the funds received from the user agency under the project, except the funds realized for regeneration/ demarcation of safety zone, shall be transferred to Ad-hoc CAMPA in the Savings Bank Account pertaining to the State concerned
1.6	The User Agency shall obtain the Environment Clearance as per the provisions of the Environmental (Protection) Act, 1986, if required
1.7	The boundary of the diverted forest land, shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, forward and back bearing and distance from pillar to pillar
1.8	The User agency, if required, will undertake comprehensive soil conservation measures in the area being diverted at the project cost in consultation with the State Forest Department. A scheme of the same may be submitted along with the compliance report
1.9	No labour camp shall be established on the forest land
1.10	The User Agency shall provide fuels preferably alternate fuels to the labourers and the staff working at the site so as to avoid any damage and pressure on the nearby forest areas
1.11	The forest land shall not be used for any purpose other than that specified in the proposal
1.12	The forest land proposed to be diverted shall under no circumstances be transferred to any other agency, department or person without prior approval of the Central Government
1.13	No damage to the flora and fauna of the adjoining area shall be caused
1.14	Any tree felling shall be done only when it is unavoidable and that too under strict supervision of the State Forest Department
1.15	The User Agency shall submit six monthly self-compliance reports as on 1st January and 1st July of every year to this office as well as to the Nodal Officer of the State
1.16	The State Government shall monitor compliance of conditions of Forest Clearance and shall submit in this regard yearly report as on 31st December of every year
1.17	Any other condition that the concerned Regional Office of this Ministry may stipulate, from time to time, in the interest of conservation, protection and development of forests & wildlife
1.18	The User Agency and the State Government shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project, including compliance of Scheduled tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 before handing over the forest land to the user agency.

S. No	Conditions
2.1	At the time of payment of the Net Present Value (NPV) at the present rate, the user agency shall furnish an undertaking to pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India;
2.2	The User Agency shall transfer the funds towards the cost of Net Present Value (NPV) of the forest land being diverted under this proposal from the User Agency as per the orders of the Hon'ble Supreme Court of India dated 28.03.2008, 24.04.2008 and 09.05.2008 in Writ Petition (Civil) No. 202/1995 and the guidelines issued by this Ministry vide its letter No. 5-3/2007-FC dated 06.01.2022 read with 22.03.2022 through online portal of CAMPA account of the State Concerned;
2.3	Cost of plantation of ten times the number of trees likely to be felled or specified number of trees as may be specified in the order for diversion of forest land (subject to a minimum no. of 100 plants), shall be levied from the user agency towards compensatory afforestation.
2.4	The non-forest land transferred and mutated in favour of the State Forest Department shall be notified by the State Government as RF under Section-4 or PF under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the local Forest Act, 1927 before issue of Stage-II approval. The Nodal Officer shall report compliance in this regard along with a copy of the original notification declaring the non-forest land under Section 4 or Section 29 of the Indian Forest Act, 1927, as the case may be, within the stipulated period to the Central Government for information and record.
2.5	The non-forest land identified for raising penal compensatory afforestation shall be transferred and mutated in favour of the State Forest Department before issue of the Stage-II clearance.

### 3. Specific Conditions

S. No	Conditions
3.1	The user agency shall pay the 5 times penal NPV plus 12% simple interest till the deposit is made by the user agency.
3.2	The user agency shall provide penal compensatory afforestation i.e. non-forest land equivalent to five times the forest land being diverted for the purpose of CA
3.3	UA should pay cost of NPV, penal NPV, CA, penal CA along with cost of maintenance for 10 years
3.4	The user agency shall bear all costs of restoring the entire encroached forest land to fully stocked forest status (crown density > 0.7).
3.5	Appropriate Wildlife Conservation Plan should be prepared by the DFO Durgapur at the cost of user agency and a copy of the approved Plan shall be submitted along with the compliance of 'in-principle' approval.
3.6	The State Government shall take action against the erring official failed to stop the encroachment of forest land.

204

After receipt of a report on the compliance of conditions stipulated in the extant 'in-principle' approval as mentioned above, from the State Government, the proposal shall be considered for final approval under clause (ii) of subsection (1) of section 2 of the Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980. Transfer of forest land to user agency shall not be affected till final approval is granted by the Government in this regard.

**Copy To**

1. PCCF (HoFF), Government of West Bengal, Kolkata
2. DDGF (Central), Regional Office of MoEF&CC at Bhubaneswar.
3. Sub Office, of RO Bhubaneswar at Kolkata.
4. Nodal Officer (FCA), Forest Department, Government of West Bengal, Kolkata.
5. User Agency.
6. Monitoring Cell, FC Division, MoEF & CC, New Delhi, for uploading.
7. Guard File.



**Your's faithfully**

(Charan Jeet Singh)  
Scientist 'D'