

X



BEFORE THE NATIONAL GREEN TRIBUNAL  
EASTERN ZONE BENCH, KOLKATA  
ORIGINAL APPLICATION NO. 20/2022/EZ

SUPROVA PRASAD

.....APPLICANT

VERSUS

MoEF&amp;CC &amp; ORS.

.....RESPONDENTS

BEFORE THE NOTARY PUBLIC  
AT BIDHANNAGAR  
DIST.-NORTH 24 PARGANAS



STATUS REPORT IN THE FORM OF AFFIDAVIT BY THE CHIEF  
SECRETARY, GOVERNMENT OF WEST BENGAL.

## INDEX

SL No	PARTICULARS	ANNEXURE	PAGE
1.	Affidavit		1-10
2.	Report of Kolkata Metropolitan Development Authority	"R1"	11-26
3.	Report of Kolkata Municipal Corporation	"R2"	27-48
4.	Report of Kamarhati Municipality, Panihati Municipality, Baranagar Municipality, Bally Municipality and Uttarpara Kotrung Municipality and Howrah Municipal Corporation	"R3(colly)"	49-72

Filed by:

Sibojyoti Chakraborti

Advocate

Calcutta High Court

Advocate.

STATE OF WEST BENGAL

24 SEP 2024

X

BEFORE THE NATIONAL GREEN TRIBUNAL  
EASTERN ZONE BENCH, KOLKATA  
ORIGINAL APPLICATION NO. 20/2022/EZ



SUPROVA PRASAD



.....APPLICANT

VERSUS

MoEF&amp;CC &amp; ORS.

.....RESPONDENTS

STATUS REPORT IN THE FORM OF AFFIDAVIT BY THE CHIEF  
SECRETARY, GOVERNMENT OF WEST BENGAL.

**Most Respectfully Sheweth**

I, Dr. Manoj Pant, S/o Dharmanand Pant, aged about 59 years, by faith- Hindu,  
by Occupation- Government Service, working as the Chief Secretary,  
Government of West Bengal having office Nabanna, 325, Sarat Chatterjee  
Road, Howrah, , do hereby solemnly declare and say as follows:-

1. That, I am holding the post of Chief Secretary, Government of West Bengal and I have made myself well acquainted with the facts and circumstances of instant case and have gone through the documents and reports pertaining to the subject matter of the instant Original Application. Hence, I am competent to affirm the instant affidavit before the Hon'ble Tribunal.
2. That, this affidavit is being affirmed in pursuance of the solemn Order passed by this Hon'ble National Green Tribunal, Eastern Bench dated

24 SEP 2024

X

18.01.2024 and 05.08.2024 wherein Chief Secretary, Government of West Bengal was directed to file affidavit examining the aspects as stated in the affidavit of the applicant dated 05.10.2023.

3. That, in compliance with the directions of this Hon'ble Tribunal, Urban Development and Municipal Affairs (UD&MA) Department held meeting with all stakeholder departments/local authorities on 05.06.2024 and conducted joint inspection of the site on 26.06.2024 to survey the condition of the Hooghly / Ganga River Ghats. Thereafter, Action taken Report (ghat- wise and outfall-wise) with timelines (indicating present status and action plan) showing substantial progress with regard to measures undertaken for cleaning of Ganga ghats along with the steps taken to minimize plastic waste on all ghats as well as banning the littering into the river Ganga was sought from the stakeholders Departments.



4. That Kolkata Metropolitan Development Authority (KMDA) has submitted a report on pollution abatement of different out falling drains to the River Hooghly-

**Howrah:**

A 60 MLD Sewage Treatment Plant (STP) is currently under construction by the KMDA under the National Mission for Clean Ganga (NMCG) at Arupara, Howrah along with a sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Howrah Municipal area. (Target date for commissioning is **January, 2025**)

The Jagannath Drain will be tapped under this STP Project.

Additionally, a 150 KLD capacity Fecal Sludge Treatment Plant (FSTP) is under construction at the Arupara STP premises. This facility is designed to treat fecal sludge from the surrounding areas of Howrah District, aiming to

24 SEP 2024

X

reduce the pollution levels of local drains that ultimately discharge into the River Hooghly. (Target date for commissioning is **January, 2025**)

For the pollution abatement of the following six nos. khals / drains, tendering processing is going on (1 st Call), for preparation of DPR, to mitigate the pollution of the Hooghly River.

- Nazergang Khal
- N.C. pal Khal
- Saraswati Khal (Sankrail)
- Singhi More Khal
- Sankrail, near Manikpur Ferry Ghat
- Drain at Bazarpara, Garighat Sharenga Khal



Furthermore, a 1.5 MLD STP (Waste Stabilsation Pond) will be constructed for pollution abatement of Santragachi Jheel. Administrative approval and financial sanction have been issued recently on 26.06.2024 and work order for a new STP project will be issued shortly. (Target date for commissioning is **September, 2025**)

Furthermore, to address the pollution from 16 (sixteen) outfall drains in the Howrah Municipal area, a proposal for inviting Notice Inviting Tender for the engagement of a consultant to prepare the DPR has been submitted to the State Project Management Group (SPMG) for approval.

#### **Bally:**

It is stated that 62 MLD STP comprising 1no. 40 MLD ASP and 22 MLD WSP is currently under construction by KMDA under NMCG at Bally(Kona) STP, Bally, Bhatta Nagar, along with sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Bally Municipal Area.(Target date for commissioning is **January, 2025**).

24 SEP 2024

X

For pollution abatement of Bally Khal, consultant has been engaged for preparation of DPR. The DPR may be submitted to NMCG by 14.09.2024.(Target date of completion is **September, 2024**).

Furthermore, to address the pollution from six outfall drains in the Bally Municipal area, a proposal for inviting NIT for the engagement of a consultant to prepare the DPR has been submitted to the SPMG for approval.

**Baranagar & Kamarhati:**

It is stated that 60 MLD STP is currently under construction by KMDA at A.K. Mukherjee Road, Baranagar under NMCG along with sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Kamarhati Municipal Area.(Target date for commissioning is **January, 2025**).

Furthermore, to address the pollution abatement of 17 (seventeen) nos. out falling drains of Baranagar & Kamarhati Municipal Area, a proposal for inviting NIT for the engagement of a consultant for preparation of DPR has been submitted to the SPMG for sanctioning to reduce pollution level of River Hooghly.

**Under Uttarpara-Kotrung Municipality:**

The list of important ghats has been provided by Chairman, Uttarpara-Kotrung Municipality with details of outfalls. A 22 MLD Sewage Treatment Plant (STP) is presently in operational at Kanaipur under Uttarpara-Kotrung Municipality. Different out falling drains are connected with this STP and for the remaining untapped drains of the Uttarpara-Kotrung Municipal area, proposal for inviting NIT for the engagement of a consultant for preparation of DPR has been proposed to reduce the pollution level of River Hooghly.



**24 SEP 2024**

X

Copy of the report of Kolkata Metropolitan Development Authority (KMDA) is marked and annexed as **Annexure R/1**.

5. Kolkata Municipal Corporation (KMC) has reported that ex-situ and in-situ treatment / Bio-Remediation technique is not effective in these ghats due to tidal effect of the river Hooghly. However, KMC has undertaken various activities for cleaning of Ghats at river Hooghly :

*i. Regarding solid waste management of Ganga Ghats*

The SWM Department of KMC and SPM(K), Kolkata (erstwhile KoPT) has jointly identified different locations for storage of floating materials and accumulated materials at Mullick Ghat Flower Market, Bagbazar Ghat, Rani Rashmoni Ghat, Kashi Mitra Ghat, Nimtala Ghat, Sovabazar Ghat. Each

storage point has been provided with two 240 litres Bins , blue for Non-bio-degradable waste, and green for Bio-degradable has been provided. The waste materials are stored in such bins and thereafter it is lifted by auto tippers into the moveable compactors and dumped at the disposal sites for processing on regular basis. After lifting of the wastes the storage points (Ghats) are cleaned up by lime and bleaching powder. Now, the Ghats are clean and litter-free.

KMC cleans up ghats and approach roads towards ghats, and organizes regular awareness programmes as well. KMC also makes special arrangements during different puja festivals like removal of immersion waste from different ghats, activities of Chat puja at different ghats of river Hooghly every year.

*ii. Regarding Plastic Waste Management:-*

In Rani Rashmoni Ghat, Mullick Ghat, Bagbazar Ghat, Shovabazar Ghat, Kashimitra Ghat, Nimtala Ghat and Baje Kadamtala Ghat at present SWM Department is collecting plastic wastes under dry waste in segregated manner



24 SEP 2024

X

and disposes the same at the plastic processing plant at Dhapa dumping site. Parks & Squares Department of KMC has planted some 120 coconut plants by both the sides of Baje Kadamtala Ghat. It has additionally arranged for periodical cleaning of these Ghats throughout the year alongwith disposal of wastes.

iii. **Regarding Liquid Waste Management:-**

Penstock Gates already installed for complete restriction of sewage flow to river Ganga at Chandpal Ghat, Millennium Park, Jackson Ghat, Jagannath Ghat, Nimtala Ghat, Sovabazar Ghat, Bagbazar Ghat, Sarbamangala Ghat, Ratan Babu Ghat, Jain Medical College, Dilarjung Gate - Old penstock gate is existing. DPR for installation of new penstock Gate prepared and send to State Disaster Management Fund (SDMF).

There is four vent sluice and a lock at the outfall of circular canal, which is maintained by the Irrigation and Waterways Department.

Tolly's Nullah - (Regarding *Liquid Waste*) - Tolly's Nullah Project for tapping and diversion of sewage discharge has been taken up by Town Planning Development Department (TPDD) of KMC. KMC has floated International Competitive Bidding on this work on 29.08.2023 in the e-Procurement System of Government of West Bengal vide Tender reference no. KMC/D.G.(TNP)/61/2023-2024. The bid has been opened on 15.01.2024 and it has been found that, three (3) nos. of bidder had participated in response to this Tender. KMC has evaluated the Technical Bid and submitted the Technical Bid Evaluation Report (TBER) to NMCG through WBSPMG on 15.03.2024. Now, World Bank through NMCG has reverted on 15.05.2024 with 10 nos. of observation point over the TBER.

24 SEP 2024

X

Based on which KMC has submitted the Revised Technical Bid Evaluation Report (TBER) to NMCG through SPMG dated 21.06.2024, in reply of which the World Bank has accepted most of the compliances as sent by KMC except 2 points on which they have requested for further clarifications through NMCG by mail dated 11.07.2024.

KMC has clarified the remaining 2 points in the meeting held on 2<sup>nd</sup> week of September, 2024 and is awaiting formal NOC. Once the NOC for TBER will be obtained from World Bank through NMCG, the Finance Bid will be opened and subsequently after necessary official correspondences the Work Order will be given to the L1 bidder, which is expected by November, 2024 end. The total period of completion of the project is considered as 36 months after issuance of Work Order plus 15 years of Operation and Maintenance thereafter.

Tolly's Nullah (*Regarding Solid Waste*) - Floating garbage arrester nets have been installed at different locations to keep the Ganges free from the menace of pollution. High Fencing has been erected by both banks of Tolly's Nullah to minimize accumulation of garbage in the course – reducing contribution to Ganga.

Also mass awareness, signage boards have been put up on the fencing. Awareness camps are organized periodically.

Dhankheti Nikashi - For Garden reach STP Project, after completion of the STP, the discharge from Dhankheti Nikashi will be intercepted and diverted to the STP. For this project, the Concession Agreement has been signed dated 15.03.2024 between NMCG, KMC and the Concessionaire i.e. Ms GR Sewage Treatment Plant Limited formed by the successful agency M/s Traders & Engineers Pvt. Ltd. Letter of Award (LoA) issued. Formal Work order to be issued in due course.

24 SEP 2024

X

M/s Fichtner Consulting Engineers India Pvt. Ltd. has also been engaged as Project Engineer by NMCG, Govt. of India. Further, IIT Kharagpur has been engaged as proof checker for this instant HAM project on dt. 06.07.2024. At site, presently the mobilisation of manpower, materials and machineries have been engaged by the Agency. Soil testing work is completed and accordingly the basic engineering package, design and drawings have been submitted and under review by the appointed Project Engineer and IIT Kharagpur.

The total period of completion of the project is considered as 24 months after issuance of Work Order plus 15 years of Operation and Maintenance thereafter. Copy of the report of Kolkata Municipal Corporation (KMC) along with photographs is marked and annexed as **Annexure R/2**.

That Kamarhati Municipality, Panihati Municipality, Baranagar Municipality, Bally Municipality and Uttarpara Kotrung Municipality and Howrah Municipal Corporation have submitted a detailed status report on the present condition of ghats, frequency of cleaning of ghats, IEC activities, renovation /beautification undertaken by them etc. which is collectively marked as **Annexure R/3** (Colly).

That the reply is true to my knowledge and belief, which I derived from the office record.

*Identified by me*  
*Sibajyoti Chakrabarti*  
Advocate.  
STATE OF WEST BENGAL

*Mangobaul*  
DEPONENT

*S. Chaudhuri*  
S. CHAUDHURI  
• NOTARY •  
GOVT. OF INDIA  
Regn. No.-5584/08  
Bidhannagar Court  
Dist. North 24 Pgs

24 SEP 2024



X

**VERIFICATION  
BEFORE THE NOTARY PUBLIC  
AT BIDHANNAGAR  
DIST.-NORTH 24 PARGANAS**



I, Dr. Manoj Pant, Chief Secretary , Government of West Bengal do hereby solemnly affirm and declare that the contents of the report in the form of affidavit are true to the best of my knowledge and belief. No part of the Report is false and nothing has been concealed.

Verified at Kolkata this 23<sup>rd</sup> day of September, 2024.

*Manoj Pant*  
DEPONENT

*Identified by me.*  
*Sibajyoti Chakrabarti*  
Advocate.  
STATE OF WEST BENGAL

*S. CHAUDHURI*  
\*NOTARY\*  
GOVT. OF INDIA  
Regn. No.-6584/08  
Bidhannagar Court  
Dist.-North 24 Pgs

24 SEP 2024

**Report on pollution abatement of different out falling drains to the River Hooghly, in connection with the Hon'ble NGT matters being OA 20/2022/EZ, OA 33/2024/EZ & OA 40/2024/EZ,**

**HOWRAH:**

A 60 MLD Sewage Treatment Plant (STP) is currently under construction by the KMDA under the National Mission for Clean Ganga (NMCG) at Arupara, P.O. G.I.P Colony, P.S. Jagacha, Howrah-711112, along with a sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Howrah Municipal area. (Target date for commissioning: Jan'2025)

Here, The Jagannath Drain will be tapped under this STP Project.

Additionally, a 150 KLD capacity Fecal Sludge Treatment Plant (FSTP) is under construction at the Arupara STP premises. This facility is designed to treat fecal sludge from the surrounding areas of Howrah District, aiming to reduce the pollution levels of local drains that ultimately discharge into the River Hooghly. (Target date for commissioning: Jan'2025)

For the pollution abatement of the following six nos. khals / Drains Tendering processing is going on (1 st Call), for preparation of DPR, to mitigate the pollution of the Hooghly River.

- Nazergang Khal
- N.C. pal Khal
- Saraswati Khal (Sankrail)
- Singhi More Khal
- Sankrail, near Manikpur Ferry Ghat
- Drain @ Bazarpara, Garighat Sharenga Khal

Furthermore, a 1.5 MLD STP (WSP type) will be constructed for pollution abatement of Santragachi Jheel. Administrative approval and financial sanction have been issued recently on 26/06/2024 and work order for a new STP project will be issued shortly. (Target date for commissioning: Sep'2025)

Furthermore, to address the pollution from 16 (sixteen) outfall drains in the Howrah Municipal area, a proposal for inviting NIT for the engagement of a consultant to prepare the DPR has been submitted to the SPMG for approval. The details of the proposed outfall drains are listed below.

Sl.No	Outfall name	Longitude	Latitude	Status
1	Jaya Bibi Road	22.61560	88.35962	To be tapped in HBB HAM Project
2	Gossai Ghat	22.61317	88.35858	Untapped
3	Hanuman Jute Mill	22.61054	88.35709	To be tapped in HBB HAM Project
4	Pandit Ghat	22.60352	88.35249	Untapped
5	Bandha Ghat	22.60078	88.35048	Untapped
6	Bandha Ghat (Burning Ghat)	22.59939	88.34954	Untapped
7	Chatubabu Ghat	22.59777	88.34688	Untapped
8	Golabari Ghat	22.59284	88.34609	To be tapped in HBB HAM Project
9	Salt Gola	22.58828	88.34498	To be tapped in HBB HAM Project
10	Telkal Ghat	22.57666	88.33998	Untapped
11	Mullick Ghat	22.57322	88.33693	Untapped
12	Ramkrishnapur Ghat	22.57136	88.33500	Untapped
13	Foreshore Road near KMWSA pump house	22.56476	88.32863	Untapped
14	Bagdinara (101) Foreshore Road, Shibpur	22.56267	88.32735	Untapped

*Ataldu*  
018124  
Superintending Engineer (North)  
Water & Sanitation (GAP) Sector  
K. M. D. A

*M*  
Chief Engineer  
Water & Sanitation Sector,  
GAP Wing, KMDA

15	Shibpur Burning Ghat	22.56085	88.32576	Untapped
16	Shalimar Gate No.1	22.55269	88.31665	Untapped
17	Swarnamoyee Khal	22.55245	88.30999	Untapped
18	Botanical Garden Ghat	22.55473	88.30053	Untapped
19	Howrah Drainage Canal (Nazirganje)	22.55843	88.27764	Untapped
20	Botanical Garden-I	22.55179	88.30960	Proposed to be tapped in Howrah HAM project.
21	130-Foreshore road drain	22.57117	80.33517	Untapped

**BALLY:**

62 MLD STP comprising 1no. 40 MLD ASP and 22 MLD WSP is currently under construction by KMDA under NMCG at Bally(Kona) STP, Bally, Bhatta Nagar, P.O- Kona, P.S- Liluah, Howrah -711114, along with sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Bally Municipal Area. (Target date for commissioning: Jan'2025)

For pollution abatement of **Bally Khal**, Consultant has been engaged for preparation of DPR. The DPR may be submitted to NMCG by 14.09.2024. (Target date for completion: Sep' 2024)

Furthermore, to address the pollution from **six outfall drains** in the Bally Municipal area, a proposal for inviting NIT for the engagement of a consultant to prepare the DPR has been submitted to the SPMG for approval. The details of the proposed outfall drains are listed below.

Sl.No	Outfall name	Longitude	Latitude	Status
1	Asutosh mukherjee road (Power house)	22.623239	88.360498	Untapped
2	Bk paul temple road (Jagannath Ghat)	22.619672	88.36068	To be tapped in 62 MLD Bally STP under HBB HAM Project
3	Ramlochon shire street (Mara Pora Ghat)	22.630007	88.358167	To be tapped in 62 MLD Bally STP under HBB HAM Project
4	Belur kuti ghat	22.630208	88.358403	Untapped
5	Lala babu shire Rd ghat	22.628536	88.358916	To be tapped in 62 MLD Bally STP under HBB HAM Project
6	Ghoses lane pal ghat	22.635877	88.355723	Untapped
7	Mahendra bagchi lane ghat (Rash bari)	22.637395	88.354993	To be tapped in 62 MLD Bally STP under HBB HAM Project
8	Akshay dutta lane ghat (Dewangaji)	22.642857	88.352628	Untapped
9	Bally Nurshing home	22.649957	88.350865	Untapped
10	AN paul jetty Rd ghat	22.652969	88.350082	Untapped

**BARANAGAR & KAMARHATI:**

*Shalini*  
Superintending Engineer (North)  
Water & Sanitation (GAP) Sector  
K. M. D. A

*[Signature]*  
Chief Engineer  
Water & Sanitation Sector,  
GAP Wing, KMDA

A 60 MLD STP is currently under construction by KMDA at A.K. Mukherjee Road, Baranagar, P.O.-Rabindra Nagar, P.S- Dum Dum, North 24 Pgs, Pin- 700065 under NMCG along with sewerage pipe network system. This STP will treat domestic sewage generated from various wards under the Kamarhati Municipal Area. (Target date for commissioning: Jan'2025)

Furthermore, to address the pollution abatement of 17 (seventeen) nos. out falling drains of Baranagar & Kamarhati Municipal area, proposal for inviting NIT for engagement of consultant for preparation of DPR has been sent to the SPMG for sanctioning to reduce the pollution level of River Hooghly. Details of out falling drains as proposed are mentioned below.

**List of Outfall in Kamarhati Municipal Area:-**

Sl. No	Outfall name	Ward No.	Longitude	Latitude	Status
1	Dakshineswar Ferry Ghat	14	22.65390	88.35740	To be tapped in HBB HAM Project
2	D D Modal Ghat	12	22.66120	88.35670	Untapped
3	Bhatir Ghat	12	22.66280	88.35720	Untapped
4	Phari Ghat	12	22.66450	88.35720	Untapped
5	Madhu Roy Ghat	12	22.66540	88.35800	Untapped
6	Jayanti Math Drain near Ferry Ghat	10	22.66680	88.35830	Untapped
7	Ariadaha Patbari Ghat	10	22.66800	88.35860	Untapped
8	S.C.B.M Ghat	9	22.66900	88.36010	Untapped
9	Char mondir Ghat	9	22.67100	88.36020	Untapped
10	Ariadaha rathtala Ghat	9			Untapped
11	Mullick Colony Ghat	9	22.66960	88.35950	Untapped
12	Bhagwar Ghat	9	22.67280	88.36150	Untapped
13	Gali Ghat	2	22.67590	88.36310	Tapped in HBB HAM Project. However, Approximately 250m stretch still unattended.
14	Pituri Ghat	1			Untapped
15	Vivekananada Ghat	1			Untapped

**List of Outfall in Baranagar Municipal Area:-**

Sl. No.	Name of the Drain	Location	LAT	LONG	Remarks
1.	Lockgate	Ward No-4, Lock Gate	22.65244	88.35856	Partially tapped
2.	Abasar Park	Ward No-31, Near Abasar Park, Kuthi Ghat	22.63645	88.36271	Untapped
3.	Hara Kumar Thakur Stand	Ward No-31, Jay Mitra Kali Bari, Kuthi Ghat	22.63561	88.36296	Untapped
4.	Alambazar Jute Factory	Ward No-31, 284, Maharaja Nanda Kumar Road, Alambazar	22.64566	88.35949	Untapped
5.	Dakhineswar Ferry Ghat Drain	Near Dakhineswar Temple	22.65364	88.35754	To be tapped in 60 MLD Baranagar STP under HBB HAM Project

*Attaldu*  
01/8/24  
Superintending Engineer (North)  
Water & Sanitation (GAP) Sector  
K. M. D. A

*[Signature]*  
Chief Engineer  
Water & Sanitation Sector.  
GAP Wing, KMDA


Under Uttarpara-Kotrung Municipality:-

A 22 MLD Sewage Treatment Plant (STP) is presently in operational at Kanalpur under Uttarpara-Kotrung Municipality. Different out falling drains are connected with this STP and for the remaining untapped drains of the Uttarpara-Kotrung Municipal area, proposal for inviting NIT for engagement of Consultant for preparation of DPR has been proposed to reduce the pollution level of River Hooghly. Details of out falling drains as proposed are mentioned below.


Name of the ULB	Sl No	Name of the Drain	Status of I&D (Tapped/ Untapped)	Remarks
UTTARPARA - KOTRUNG	1	Shibnarayan Road	Untapped	Connected with a shallow ditch.
	2	Collage Ghat	Untapped	
	3	Muktokeshi Ghat	Untapped	
	4	Chatterjee Ghat	Untapped	
	5	Mondir Bari Ghat	Untapped	
	6	Ram ghat	Tapped into rejuvenation project of 22 MLD STP at Kanalpur under Uttarpara-Kotrung municipality.	Tapped into LS-2 at Uttarpara and diverted to Kanalpur STP.
	7	Doltala Ghat	Tapped into rejuvenation project of 22 MLD STP at Kanalpur under Uttarpara-Kotrung municipality.	Tapped into LS-1 at Uttarpara and diverted to Kanalpur STP.
	8	Shaw Wallace Ghat	Untapped	
	9	Baldikpara Ghat	Untapped	
	10	R S Verma Drain	Tapped into rejuvenation project of 22 MLD STP at Kanalpur under Uttarpara-Kotrung municipality.	Tapped into LS-3 at Uttarpara and diverted to Kanalpur STP.
	11	HCG Brickfield	Untapped	

*A. Halder*  
01/8/24  
Superintending Engineer (Norm.,  
Water & Sanitation (GAP) Sector)  
K. M. D. A

*M. M. M. M.*  
Chief Engineer  
Water & Sanitation Sector,  
GAP Wing, KMDA



A N PAL JETIA GHAT



AKSHAY DUTTA GHAT




BARENDRA PARA GHAT

- 18 -




JAGANNATH GHAT


-X-




KAKESWAR TALA GHAT



KALITALA GHAT




KEDAR GHAT




LALA BABU SHIRE ROAD GHAT



PAL GHAT



PANCHANAN TALA GHAT



PATHAK GHAT



PUNAM CHAND BAGARIA GHAT

~~24~~

Report of KMC in connection with OA-20/2022/EZ and OA-33/2024/EZ

Dated: 01-08-2024

A. Report in regard to Affidavit dt. 05.10.2023 filed by the Applicant in OA No. 20/2022/EZ [namely, *Suprova Prasad -vs- Ministry of Environment Forest & Climate Change and Ors.*]:

Paragraph/Point no.	Comment	Action taken	Remarks, if any
1. Ex-situ and in-situ treatments	Bio-Remediation not effective due to Tidal effect of the river Hooghly.	- Not Applicable -	
4. Different Ghats of river Hooghly to be plastic free around 100 mtrs.  Plastic use should be banned completely at all the ghats		At present SWM department is collecting such plastic waste under dry waste in segregated manner and disposed to the plastic processing plant at Dhapa dumping site. After processing of such plastic waste different products like chairs, benches, boards, lumbers, bins, flower vase etc are produced.  Awareness regarding segregation of waste is being done on regular manner and also collected in two different coloured Bins of 240 litres capacity (i.e. <i>Green for Wet waste &amp; Blue for Dry waste</i> ).	
9. Bio-remediation technique to treat sewerage	Bio-Remediation not effective due to Tidal effect of the river Hooghly.	-Not Applicable-	
10. Collective plan is required for regular cleaning in & around different Ghat river Hooghly.		SWM department provides conservancy services at different Ghats of river Hooghly and its connecting roads on regular manner. Important Ghats are as follows: 1. Rani Rashmoni Ghat, 2. Mullick Ghat 3. Bagbazar Ghat 4. Shovabazar Ghat 5. Kashimitra Ghat 6. Nimtala Ghat 7. Judges Ghat	

E.E(S)/SWM-1  
0-26

SKM  
1.10.24

01  
0204

		<p>8. Doi Ghat  9. Bhicholi Ghat  10. Baja Kadamtala Ghat  11. Sarbamangala Ghat  12. Mayer Ghat  13. Sovabazar Ghat  14. Sutanati Ghat  15. Aahirotola Ghat  16. Nimtola Ghat</p> <p>Upon decision, SMP(K) / KoPT collects the floating matters from the river Hooghly; and KMC has identified six different locations near the Ghats where such matters stored and it is disposed to Dhapa dumping site using containers and movable compactors.</p> <p>Six different storage points are as follows:</p> <ol style="list-style-type: none"> <li>1. Sarbamangala Ghat</li> <li>2. Mayer Ghat</li> <li>3. Sovabazar Ghat</li> <li>4. Sutanati Ghat</li> <li>5. Aahirotola Ghat</li> <li>6. Nimtola Ghat</li> </ol> <p>KMC also makes special arrangements during different Puja festivals like removal of immersion waste from different Ghats, activities of Chhat Puja at different Ghats of river Hooghly every year.</p>	
--	--	--	--


B. Report in regard to the original application (copy enclosed) filed by the applicant in OA 33/2024/EZ [namely, *Subhas Datta -Vs- State of West Bengal & Ors*].

Paragraph / Point no.	Comment	Action taken	Remarks, if any
10. Dumping of garbage on both banks of River Ganga	Outside the purview of KMC	Not Applicable	SMP(K) is the owner of the lands on the banks of river Hooghly

*[Handwritten signatures and stamps]*

*[Handwritten signature]*  
Joint Municipal Commissioner

11. Drains / outfalls discharging untreated liquid waste.	Discharge at <b>Millennium Ghat</b> totally restricted by KMC's <b>penstock gate</b> . Ref: Photograph enclosed as Annex- P/2.	-Action already taken- (as mentioned in comment).	
15. Deplorable condition of the Ghats full of garbage  That the reputed and historic Ghats of the city named Rani Rashmoni Ghat ..... historic and heritage ghats, the photographs of which have been taken and enclosed as ANNEXURE-P/6		<p>Keeping the Ghats clean and hygienic are the prime responsibility of SWM Department of KMC.</p> <p>On the part of SWM Department, following actions have been taken as follows.</p> <ol style="list-style-type: none"> <li>i. Six locations namely Rani Rashmoni Ghat, Mullick Ghat Flower Market, Bagbazar Ghat, Sovabazar Ghat, Kashi Mitra Ghat and Nimtala Ghat for storage of floating materials and accumulated materials have been identified jointly by KMC and SMP(K), Kolkata (erstwhile <b>KOPT</b>).</li> <li>ii. Each storage point has been provided with two 240 ltrs Bins : Blue for Non-bio- degradable waste, and <i>Green</i> for Bio-degradable.</li> <li>iii. The waste materials are stored in such bins and there after it is lifted by auto tippers into the moveable compactors and dumped at the disposal sites for processing on regular basis.</li> <li>iv. After lifting of the wastes the storage points (Ghats) are cleaned up by lime and bleaching powder.</li> </ol>	<p>Condition of the Ghats like that of Mullick Ghat Flower Market, Bagbazar Ghat, Rani Rashmoni Ghat, Kashi Mitra Ghat, Nimtala Ghat, Sovabazar Ghat as shown in the geo-tagged pictures attached.</p> <p>The Ghats are clean and litter-free.</p>




  
 Joint Municipal Commissioner


22. (b), (c) and (d) To stop throwing garbage and immediately cleanup of the river banks of Ganga and monitor the same so that no further littering takes place there.		Action taken as stated earlier against Para 15.	KMC cleans up Ghats and approach roads towards Ghats; it also organizes regular Awareness programmes

C. The Para-wise / point - wise statement of facts/comment with regard to the original application filed by the applicant in OA-40/2024/EZ [namely, *Ankur Sharma -Vs- The State of West Bengal & Ors.*]:

*Not applicable for KMC*

**1. List of Hooghly-Ganga River Ghats (ULB wise)-SWM activities at different Ghats**

ULB Name	Total No. of Ghats	Total No. of Important Ghats	Name of the Ghats	L A T / L O N G	Action taken with regard to SWM Rules	Action taken with regard to Liquid Waste Management	Action taken with regard to Plastic Waste Management	Remarks, if any
KMC	About 19 Ghats	7 Ghats	1. Rani Rashmoni Ghat 2. Mullick Ghat 3. Bagbazar Ghat 4. Shovabazar Ghat		SWM Department provides Conservancy services at different Ghats of river Hooghly and its connecting roads in regular	Ghats are not the Outfall Points, as such	At present SWM Department is collecting such plastic wastes under dry waste in segregated manner and disposes the same at the plastic processing plant at Dhapa dumping site. Parks & Squares Department of KMC has planted some 120 coconut plants by both the sides of Baje Kadamtala Ghat. It has additionally arranged for periodical cleaning of	

  
 B.ER/SWM-7

Joint Municipal

~~31~~

			5.Kashimitra Ghat 6. Nimtala Ghat 7. Baje Kadamtala Ghat.		manner.		these Ghats throughout the year alongwith disposal of wastes.
--	--	--	---	--	---------	--	---

2. List of drains / outfalls (ULB-wise)-Liquid Waste Management by installation of penstock gates at different ghats.

*[Handwritten signatures and stamps]*  
 E.E.G. / S.W.M. / 1-8-24  
 Dy. C.E. (S.W.M.)  
 Municipal Corporation

ULB	Total Outfalls	Outfall name	Whether it is CPCB identified drain / outfall (Yes/No) If Yes, with Code No., if any	LAT / LONG	Action taken with regard to Solid Waste Management Rules	Action taken with regard to Liquid Waste Management	Action taken with regard to Plastic Waste Management	Remarks, if any
KMC	15	Chandpal Ghat	Yes	22.568717, 88.341211		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
		Millennium Park	Yes	22.576806, 88.345982		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
		Jackson Ghat	Yes	22.579305, 88.347517		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
		Jagannath Ghat	Yes	22.587707/8 8.349841		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		

*[Handwritten signature]*

*[Handwritten signature]*  
 Chief Engineer (CI)

*[Handwritten signature]*  
 General Director, Drainage

*[Handwritten signature]*  
 Joint Municipal Commissioner


Nimtala Ghat	Yes	22.593706, 88.351905		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
Sovabazar Ghat	Yes	22.598913, 88.356249		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
Bagbazar Ghat	Yes	22.605051, 88.36489		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
Sarbamangala Ghat	Yes	22.618936, 88368358		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
Ratan Babu Ghat	Yes	22.630041, 88.365158		Penstock Gates already installed for complete restriction of sewage flow to river Ganga.		
Tolly's Nullah	Yes	22.550526, 88.324856	Floating garbage arrester nets have been installed at different locations to keep the Ganges free from the menace of pollution.  High Fencing has been erected by both banks of Tolly's Nullah to minimize accumulation of	Tolly's Nullah Project for tapping and diversion of sewage discharge has been taken up by TPDD of KMC. KMC has floated International Competitive Bidding on this work on 29.08.2023 in the e-Procurement System of Government of West Bengal vide Tender reference no. KMC/D.G.(TNP)/61/2023-2024. The bid has been opened on 15.01.2024 and it has been found that, three (3) nos. of bidder had participated in response to this Tender. KMC has	Also, Mass Awareness Signage Boards have been put up on the fencing;  Awareness Camps are organised periodically	


*Handwritten:* 1/18/24  
*Stamp:* Executive Engineer (O) & D Deputy North/KMC


*Handwritten:* Date 18/12/24

*Handwritten:* 18/12/24  
*Stamp:* Joint Municipal Commissioner The Kolkata Municipal Corporation

			<p>garbage in the course – reducing contribution to Ganga.</p>	<p>evaluated the Technical Bid and submitted the Technical Bid Evaluation Report (TBER) to NMCG through WBSPMG on 15.03.2024. Now, World Bank through NMCG has reverted on 15.05.2024 with 10 nos. of observation point over the TBER.</p> <p>Based on which KMC has submitted the Revised Technical Bid Evaluation Report (TBER) to NMCG through SPMG on dated 21.06.2024, in reply of which the World Bank has accepted most of the compliances as sent by KMC except 2 points on which they have requested for further clarifications through NMCG by mail on dated 11.07.2024.</p> <p>KMC is in the process to prepare the Compliance report on the remaining 2 nos. comments as sent by World Bank and will resubmit the Revised TBER to NMCG through WBSPMG expected by early week of August 2024.</p> <p>In this regard a review meeting has also been conducted by NMCG on 15.07.2024 for finalising the justification of TBER from the end of</p>	
--	--	--	--	--	--

  
 Joint Municipal Commissioner  
 Kolkata Municipal Corporation

  
 01/08/24  
 (TPDD)

  
 01/08/24  
 (TPDD)

				KMC, WBSPMG and NMCG.  Once the NOC for TBER will be obtained from World Bank through NMCG, the Finance Bid will be opened and subsequently after necessary official correspondences the Work Order will be given to the L1 bidder, which is expected by November 2024 end. The total period of completion of the project is considered as 36 months after issuance of Work Order plus 15 years of Operation and Maintenance thereafter.	
Hooghly Bridge	Yes			This is under the purview of Fort William authority	
Circular Canal	Yes			Circular canal is under the jurisdiction of I&WD, Govt. of W.B.	
Dilarjung Gate	Yes	22.613417, 88.368677		Old penstock gate is existing. DPR for installation of new penstock Gate prepared and send to SDMF.	
Jain Medical College	Yes	22.617367, 88.368437		Penstock gate installed.	
Dhankheti Nikashi		22.550526, 88.324856		For Garden reach STP Project, after completion of the STP, the discharge from Dhankheti Nikashi will be	

*Handwritten signature/initials*

*Handwritten signature/initials*

*Handwritten signature/initials*  
Dy. Chief Engineer (C)  
S & D Dept. / N.M.C.

*Handwritten signature/initials*  
N.M.C.



					<p>intercepted and diverted to the STP. For this project, the Concession Agreement has been signed on dated 15.03.2024 between NMCG, KMC and the Concessionaire i.e. Ms GR Sewage Treatment Plant Limited formed by the successful agency M/s Traders &amp; Engineers Pvt. Ltd. Letter of Award (LoA) issued. Formal Work order to be issued in due course.</p> <p>M/s Fichtner Consulting Engineers India Pvt. Ltd. has also been engaged as Project Engineer by NMCG, Govt. of India. Further, IIT Kharagpur has been engaged as proof checker for this instant HAM project on dt. 06.07.2024.</p> <p>At site, presently the mobilisation of manpower, materials and machineries have been engaged by the Agency. Soil testing work is completed and accordingly the basic engineering package, design and drawings have been submitted and under review by the appointed Project Engineer and IIT Kharagpur.</p> <p>The total period of completion of the project is considered as 24 months after issuance of Work Order plus 15 years of Operation and Maintenance</p>		
--	--	--	--	--	---	--	--

Joint Municipal Commissioner  
*(Handwritten signature)*



*(Handwritten signature)*  
 11/08/24

38 X

Geo-tagged photographs enclosed separately







~~40-39-~~







GPS Map Camera  
Kolkata, West Bengal, India  
Jaganmohi Ghat, Strand Bank Rd, Kolkata, West Bengal 700007, India  
Lat 22.587707°  
Long 88.248841°  
10/04/24 09:28 AM GMT +05:30





GPS Map Camera  
Kolkata, West Bengal, India  
8, Fairley Place, S.B.G. Bagh, Kolkata, West Bengal 700001, India  
Lat 22.579999°  
Long 88.347517°  
10/04/24 09:09 AM GMT +05:30


-47-48-










~~44-43~~








Plantation of Coconut Trees at Bajakadamtala Ghat near the river bank by KMC





~~49~~ ~~68~~



Name of ULB: Panihati Municipality

~~50-45~~ X

Annexure R / 36 (olly) 1233

Sl No	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GYP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
1	Narasingha Dutta Ghat (Balak Brahmachari Ghat) (Ward no. - 01)	22.711176	88.36501	259 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet, new stair & Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
2	Tehar Para Ghat (Ward no. - 01)	22.710187	88.365015	320 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
3	Nutan Kalibari Ghat (Haridas Santra Ghat) (Ward no. - 01)	22.705805	88.365744	310 Sq.m.	Partly Broken	Yes, Need to renovated beautification area	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
4	Sahab Bagan Ghat (Sidha Ghat) (Ward no. - 01)	22.703505	88.36675	432 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known, may be connected with 2 no. of 500 dia R.C.C pipe	Detail estimate prepare Shortly
5	Raja Bagan Ghat (Sidha Ghat) (Ward no. - 01)			210 Sq.m.	Broken	Yes, need to construct new stair & guard wall of surrounding area	No	No	IEC board are fixed at ghat		No	Detail estimate prepare Shortly
6	Natun Ghat (Ward no. - 01)			90 Sq.m.	Partly Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
7	Kasari Para Ghat (Ward no. - 01)			210 Sq.m.	Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly



*[Signature]*  
Sanitary Inspector  
Panihati Municipality

*[Signature]*  
Executive Officer  
Panihati Municipality

*[Signature]*  
Chairman  
Panihati Municipality

## Name of ULB: Panihati Municipality

Sl. No	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
8	Sukchar Bazar Para Ghat (Ward no. - 01)	22.707589	88.365018	584 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet, guard wall & Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
9	Niharika Ghat (Ward no. - 01)			550 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
10	Baro Mandir Ghat (Ward no. - 03)	22.702546	88.36587	417Sq.m.	Partly Broken	Yes, Need to renovated beautification area & construct Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
11	Tran Babur Ghat (Ward no. - 03)	22.699798	88.365927	596 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
12	Tran Babur Kalibarir Ghat (Ward no. - 03)	22.69942	88.366033	539 Sq.m.	Partly damaged	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
13	Gobinda Homer Ghat (Ward no. - 03)	22.698375	88.366003	540 Sq.m.	Partly Broken	Yes, Need to renovated beautification area	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
14	Mahua Ghat (Ward no. - 03)	22.697838	88.366661	270 Sq.m.	Partly Broken	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
15	Senbabur Ghat (Ward no. - 03)			542 Sq.m.	Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly

  
Sanitary Inspector  
Panihati Municipality

  
Executive Officer  
Panihati Municipality

  
Chairman  
Panihati Municipality



Name of ULB: Panihati Municipality

52

X

1235

Sl. No	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
16	Gouranga Ghat (Ward no. - 03)	22.696395	88.366224	225 Sq.m.	Partly Broken	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
17	Mahotsavtala Ghat (Ward no. - 04)	22.696383	88.366174	540 Sq.m.	Partly damaged	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
18	Panihati - Konnagar Ferry Ghat (Ward no. - 04)				Good		No	No	IEC board are fixed at ghat	Three days in a week	No	
19	Panihai Bazarpara Ghat (Ward no. - 04)	22.694248	88.366549	860 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
20	Burning Ghat (Ward no. - 05)	22.692536	88.366607	270 Sq.m.	Good		No	No	IEC board are fixed at ghat	Three days in a week	No	
21	Boser Ghat (Tali Ghat) (Ward no. - 05)	22.69102	88.366679	228 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
22	Giri Bala Ghat (Ward no. - 05)			130 Sq.m.	Broken	Yes, need to construct new stair, guard wall	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
23	Giri Bala Thakur Barir Ghat (Ward no. - 05)	22.689663	88.366665	270 Sq.m.	Partly Broken	Yes. Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly



*[Signature]*  
Sanitary Inspector  
Panihati Municipality

*[Signature]*  
Executive Officer  
Panihati Municipality

*[Signature]*  
Chairman  
Panihati Municipality

Sl. No	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
24	Anandamaye Ghat (Sadhu Ghat) (Ward no. - 06)	22.686126	88.366583	108 Sq.m.	Partly damaged	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
25	Dumurtala Ghat (Sadhu Ghat) (Ward no. - 06)	22.687584	88.366562	208 Sq.m.	Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
26	P.B Ghat (Shibtala Ghat) (Ward no. - 07)	22.684227	88.366172	552 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
27	Pyne Thakur Barir Ghat (Ward no. - 01)	22.711892	88.364948	100 Sq.m.	Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat		No	Pvt. Ghat
28	Anandamaye Ashramer Ghat (Ward no. - 06)						No	No	IEC board are fixed at ghat		No	Pvt. Ghat
29	Marwarj Babur Ghat (Ward no. - 06)						No	No	IEC board are fixed at ghat		No	Pvt. Ghat
30	Iskcon Mandirer Ghat (Ward no. - 03)			90 Sq.m.	Partly damaged	Yes, need to construct Guard wall	No	No	IEC board are fixed at ghat		No	Pvt. Ghat



*[Signature]*  
Sanitary Inspector  
Panihati Municipality

*[Signature]*  
Executive Officer  
Panihati Municipality

*[Signature]*  
Chairman  
Panihati Municipality



Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
Narasingha Dutta Ghat (Balak Bramhachari Ghat) (Ward no. - 01)	22.711176	88.36501	259 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet, new stair & Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Tehar Para Ghat (Ward no. - 01)	22.710187	88.365015	320 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Nutan Kalibari Ghat (Haridas Santra Ghat) (Ward no. - 01)	22.705805	88.365744	310 Sq.m.	Partly Broken	Yes, Need to renovated beautification area	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Saheb Bagan Ghat (Sidha Ghat) (Ward no. - 01)	22.703505	88.36675	432 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known, may be connected with 2 no. of 500 dia R.C.C pipe	Detail estimate prepare Shortly
Raja Bagan Ghat (Sidha Ghat) (Ward no. - 01)			210 Sq.m.	Broken	Yes, need to construct new stair & guard wall of surrounding area	No	No	IEC board are fixed at ghat		No	Detail estimate prepare Shortly
Natun Ghat (Ward no. - 01)			90 Sq.m.	Partly Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Kasari Para Ghat (Ward no. - 01)			210 Sq.m.	Broken	Yes, need to construct new stair	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly

Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks
Sukchar Bazar Para Ghat (Ward no. - 01)	22.707589	88.365018	584 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet, guard wall & Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Niharika Ghat (Ward no. - 01)			550 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Baro Mandir Ghat (Ward no. - 03)	22.702546	88.36587	417Sq.m.	Partly Broken	Yes, Need to renovated beautification area & construct Ramp	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Tran Babur Ghat (Ward no. - 03)	22.699798	88.365927	596 Sq.m.	Partly Broken	Yes, Need to renovated beautification area, construct new toilet	No	No	IEC board are fixed at ghat	Three days in a week	Not known	Detail estimate prepare Shortly
Tran Babur Kalibarir Ghat (Ward no. - 03)	22.69942	88.366033	539 Sq.m.	Partly damaged	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Gobinda Homer Ghat (Ward no. - 03)	22.698375	88.366003	540 Sq.m.	Partly Broken	Yes, Need to renovated beautification area	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly
Mahua Ghat (Ward no. - 03)	22.697838	88.366661	270 Sq.m.	Partly Broken	Yes, need to renovated stairs	No	No	IEC board are fixed at ghat	Three days in a week	No	Detail estimate prepare Shortly

-55-

Ganga Ghat wise report with regard to Hon'ble NGT, Eastern Zone Bench matters (Ref.: OA 20 of 2022) (Ref: Meeting held on 31.07.2024)

**Name of ULB :- BALLY MUNICIPALITY**

SL No	Name of Ghats	if important (high footfall, tourist aspect), mention yes/no	Ward No	Location (Lat,Long)	Approx Length X breadth = Area in Sqm of Ghat	Whether bin stand with bins placed at site. Mention yes/no	Whether IEC stand placed at site. Mention yes/no	Whether any discharge point at ghat {mention distance (mtr)/from the ghat to the discharge point of outfall}	Whether at outfall id with screen or without screen	Whether any Toilet block with Chlorination chamber near to the Ghat.	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	frequency of cleaning of ghat	Remarks	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	A.N Paul Jetia Ghat	Yes	1	22.62532, 88.35092	12.35 x 18.20 = 224.77 sqm	Yes	But new Bin with stand required	Yes	70 mtr.	Yes	No	Good	No	No	Two times Daily	Need fund to maintain all the parameters mentioned in the columns 8 to 16 & Estimates for renovation of three nos. Ghats will be submitted shortly.
2	Panchanantala Ghat	Yes	1	22.65092, 88.35058	51.60 x 15.65 = 807.54 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	Yes, Renovation of Railing, sitting arrangement, Change room, Tree Gabions, Immersion ramp, High Mast lighting arrangement etc.	No	Two times Daily	
3	Kalitara Ghat	No	5	22.6488, 88.35116	4.20 x 8.25 = 34.65 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
4	Bally Pathak Ghat	Yes	5	22.65227, 88.35687	9.50 x 25.80 = 245.10 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	No	No	Two times Daily	
5	Bally Kedar Ghat	Yes	7	22.64603, 88.35087	11.50 x 20.35 = 234.02 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	No	No	Two times Daily	
6	Aksay Dutta Lane Ghat	No	7	22.64396, 88.36008	10.50 x 22.50 = 236.25 sqm	Yes	But new Bin with stand required	Yes	20 mtr.	Yes	No	Good	No	No	Two times Daily	
7	Poonam Chand Bagaria Ghat	No	9	22.64125, 88.35256	8.25 x 15.80 = 130.35 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
8	Bally Barendra Para Ghat	No	8	22.63916, 88.35353	7.50 x 45.20 = 339.00 sqm	Yes	But new Bin with stand required	Yes	Adjacent to the Ghat	Yes	No	Good	No	No	Two times Daily	
9	Kakeshwa Tala Ghat	No	8	22.64199, 88.36036	9.50 x 15.80 = 150.10 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
10	Paul Ghat	Yes	8	22.63575, 88.35523	30.00 x 50.00 = 1500.00 sqm	Yes	But new Bin with stand required	Yes	40 mtr.	Yes	Yes	Good	No	No	Two times Daily	



11	Lalababu Shire Road Ghat	Yes	13	22.63437, 88.36693	24.50 x 28.60 = 700.70 sqm	Yes	But new Bin with stand required	Yes	10 mtr.	Yes	No	Good	Yes, Renovation of Railing, sitting arrangement, Change room, Tree Gabions, Immersion ramp, High Mast lighting arrangement etc.	No	Two times Daily
12	Belur Morapora Ghat	No	15	22.62448, 88.3603	6.20 x 19.20 = 119.04 sqm	Yes	But new Bin with stand required	Yes	15 mtr.	Yes	Yes	Good	No	No	Two times Daily
13	Belur Jaganath Ghat	Yes	15	22.61986, 88.36055	5.25 x 28.60 = 150.15 sqm	Yes	But new Bin with stand required	Yes	Adjacent to the Ghat	Yes	No	Good	Yes, Renovation of Railing, sitting arrangement, Change room, Tree Gabions, Immersion ramp, High Mast lighting arrangement etc.	No	Two times Daily

Signature of S. A. E.

Signature of Executive Officer



Ganga Ghat wise report with regard to Hon'ble NGT, Eastern Zone Bench matters (Ref: OA 20 of 2022) (Ref: Meeting held on 31.07.2024)

Name of ULB :- BALLY MUNICIPALITY

Sl. No.	Name of Ghat	Is important high potential source aspect improve yes/no	Sl. No.	Location (Lat, Long)	Approx Length & breadth = Area in Sqm of Ghat	Whether bin stand with bins placed at site. Mention yes/no	Whether Bin stand with bins placed at site. Mention yes/no	Whether any discharge point at ghat (mention distance (mtr) from the discharge point of outfall)	Whether at outfall w/ with screen or without screen	Whether any Toilet block with Chlorination chamber near to the Ghat	Present condition of ghat	whether renovation required or not if yes give short description	whether any OVP found or not	frequency of cleaning of ghat	Remarks	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	A. N. Prasad Ganga Ghat	Yes	1	22.62512, 88.35062	12.75 x 18.20 = 234.77 sqm	Yes	But new Bin with stand required	Yes	70 mtr	Yes	No	Good	No	No	Two times Daily	Need fund to maintain all the parameters mentioned in the resolution 850/19
2	Mancharamoni Ghat	Yes	1	22.62662, 88.35058	51.60 x 12.65 = 657.54 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	Yes, Renovation of Railing, sitting arrangement, Change room, Tree Cablines, Immersion ramp, High Mast lighting arrangement etc	No	Two times Daily	& Estimate for renovation of three nos. Ghats will be submitted shortly
3	Kalidasa Ghat	No	5	22.6468, 88.35110	4.20 x 8.25 = 34.65 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
4	Haldu Pathak Ghat	Yes	5	22.65227, 88.35687	7.50 x 25.80 = 245.10 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	No	No	Two times Daily	
5	Haldu Khatu Ghat	Yes	7	22.64663, 88.35687	11.50 x 20.35 = 234.02 sqm	Yes	But new Bin with stand required	Yes	No	No	Yes	Good	No	No	Two times Daily	
6	Akhay Datta Laha Ghat	No	7	22.64366, 88.36008	10.50 x 22.50 = 236.25 sqm	Yes	But new Bin with stand required	Yes	20 mtr	Yes	No	Good	No	No	Two times Daily	
7	Poonam Chand Bagaria Ghat	No	9	22.64125, 88.35256	8.25 x 15.80 = 130.35 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
8	Haldu Barindra Para Ghat	No	8	22.63916, 88.35253	7.50 x 45.20 = 339.00 sqm	Yes	But new Bin with stand required	Yes	Adjacent to the Ghat	Yes	No	Good	No	No	Two times Daily	
9	Subashree Taha Ghat	No	8	22.64199, 88.36039	7.50 x 15.80 = 119.10 sqm	Yes	But new Bin with stand required	Yes	No	No	No	Good	No	No	Two times Daily	
10	Paul Ghat	Yes	8	22.63575, 88.35523	30.00 x 30.00 = 900.00 sqm	Yes	But new Bin with stand required	Yes	40 mtr	Yes	Yes	Good	No	No	Two times Daily	

11	Lalababu Shire Road Ghat	Yes	13	22.63437, 88.36693	24.50 x 28.60 = 700.70 sqm	Yes	But new Bin with stand required	Yes	10 mtr	Yes	No	Good	Yes. Renovation of Railing, sitting arrangement, Change room, Tree Gabions, Immersion ramp, High Mast lighting arrangement etc	No	Two times Daily
12	Belur Morapora Ghat	No	15	22.62448, 88.3603	6.20 x 19.20 = 119.04 sqm	Yes	But new Bin with stand required	Yes	15 mtr	Yes	Yes	Good	No	No	Two times Daily
13	Belur Jagannath Ghat	Yes	15	22.61986, 88.36055	5.25 x 28.60 = 150.15 sqm	Yes	But new Bin with stand required	Yes	Adjacent to the Ghat	Yes	No	Good	Yes. Renovation of Railing, sitting arrangement, Change room, Tree Gabions, Immersion ramp, High Mast lighting arrangement etc.	No	Two times Daily

*S. A. E.*  
01/8/24

Signature of S. A. E.  
**Sub - Assistant Engineer**  
**Bally Municipality**

*S. A. E.*  
01.08.24

Signature of Executive Officer  
**Executive Officer**  
**Bally Municipality**

~~60~~ 59  
X

### List of Important Ghat

Sl. No	Name of Outfall	Ward	Screening	IC HODING	Digital Display	Beautification	Remarks
1	Bhola Dom Ghat	17		End of Auguat		Detail Estimate under Process	
2	College Ghat	17	Yes	End of Auguat		Detail Estimate under Process	
3	Kalitala Ghat	17		End of Auguat		Detail Estimate under Process	
4	Patni Ghat	17		End of Auguat		Detail Estimate under Process	
5	Mandir Bari Ghat	16	Yes	End of Auguat		Detail Estimate under Process	
6	Babu Ghat	16		End of Auguat		Detail Estimate under Process	
7	Ram Ghat	15	Yes	End of Auguat		Detail Estimate under Process	
8	Kheya Ghat	15		End of Auguat	Estimate Preparation process on going	Detail Estimate under Process	
9	Doltala (Ramsita Ghat)	13	Yes	End of Auguat	Estimate Preparation process on going	Detail Estimate under Process	
10	Dharmata Ghat	13	Yes	End of Auguat		Detail Estimate under Process	
11	Dargatala Ghat	12		End of Auguat		Detail Estimate under Process	

12	Kumarpara Ghat	12		End of August		Detail Estimate under Process	
13	B.B. Street Ghat	5		End of August		Detail Estimate under Process	
14	Ananda Ghat	5		End of August		Detail Estimate under Process	Screening are damage due to Erosion of Embankment of River Ganga, we will further provide after moonsoon around end of november 2024
15	Baidik Para Ghat	5	Yes	End of August		Detail Estimate under Process	
16	Sankhari Para Ghat	5		End of August		Detail Estimate under Process	
17	Gazi Abdul Saheb Sarani	1		End of August		Detail Estimate under Process	
18	Shibtala Burning Ghat	8		End of August		Detail Estimate under Process	

  
 Chairman  
 Uttarpara-Kotrung  
 Municipality

~~62~~ X

### Details of Outfall

Sl. No	Name of Outfall	Ward	Screening	IC HODING	Digital Display	Beautification	Remarks
1	Ram Ghat	15	Completed				
2	Baidikpara Ghat	5	Completed				Screening are damage due to Erosion of Embankment of River Ganga, we will further provide after moonsoon around end of november 2024
3	Shibnarayan Road	17	Completed				
4	Chatterjee Ghat	17	Completed				
5	Doltala Ghat	13	Completed				
6	Muktokeshi Ghat	17	Completed				
7	College Ghat	17	Completed				
8	Mondir Bari Ghat	16	Completed				
9	Shaw wallace Ghat	13	Completed				

  
**Chairman**  
 Uttarpara-Kolung  
 Municipality

# GHAT STATUS

*Baramagar Municipality*

1246

Sl no	Name of Ghat	lat	long	appr ox area	present conditi on	whether renovation required or not if yes give short	wheth er any GVP found or not	whether double bins with stand struicture are erected	whether proper IEC board are fixed at ghat or not	frequeny of cleaning of ghat	whether at outfall id with screen or without screen	remarks
1	Rajbari Ghat	22.650365	88.358436	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	BROKEN	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
2	Alambazar Quarter Ghat	22.649714	88.358751	1200 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
3	Alambazar Ghat / Ram Lochan Ghat	22.648383	88359103	750 sq m	GOOD	YES	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
4	Masjid Ghat	22.645	88.36007	450 sq m	BROKEN	Yes (BROKEN GHAT)	NO	BROKEN,PARTI ALLY	NO	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
5	Thakur Abanindra Nath Maha Shamsan Ghat	22.642683	88.360774	800 sq m	GOOD	Yes	NO	BROKEN,PARTI ALLY	HAVE A WALL PAINTING . IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
6	Gouranga Ghat/SRI CHAITAINA GHAT	22.640482	88.36153	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	NO	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
7	Kancher Mandir	22.639126	88.36217	750 sq m	GOOD	Yes	YES	BROKEN,PARTI ALLY	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.

8	Jay Mitra Kali Bari	22.63736	888.362669	1000 sq m	GOOD	NO	NO	6 BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
---	---------------------	----------	------------	--------------	------	----	----	---------------------------	---------------------------------	---------------------------------------

with  
screen

Beautificat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

9	Shib Mandir Ghat	22.363043	88.363043	753 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
10	Kutighat Launch ghat	22.638364	88.354208	875 sq m	GOOD	NO	NO	BROKEN,PAR TIALY	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
11	Kutighat	22.635073	88.363174	875 sq m	GOOD	Yes	NO	ONLY BINS	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
12	Gents Ghat	22.632842	88.36397	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	HAVE A WALL PAINTING . IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
13	Ladies Ghat	22.632974	88.3642	750 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
14	Shila Ghat/SOATI DAHA GHAT	22.632851	88.36404	700 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
15	Paramanik Ghat	22.631748	88.364485	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

-68

GHAT STATUS

Sl no	Name of Ghat	lat	long	appr ox area	present condition	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	whether at outfall id with screen or without screen	remarks
1	Rajbari Ghat	22.650365	88.358436	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	BROKEN	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
2	Alambazar Quarter Ghat	22.649714	88.358751	1200 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
3	Alambazar Ghat / Ram Lochan Ghat	22.648383	88359103	750 sq m	GOOD	YES	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
4	Masjid Ghat	22.645	88.36007	450 sq m	BROKEN	Yes (BROKEN GHAT)	NO	BROKEN,PARTI ALLY	NO	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
5	Thakur Abanindra Nath Maha Shamsan Ghat	22.642683	88.360774	800 sq m	GOOD	Yes	NO	BROKEN,PARTI ALLY	HAVE A WALL PAINTING . IEC BOARD REQUIRED	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
6	Gouranga Ghat/SRI CHAJTAINA GHAT	22.640482	88.36153	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	NO	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
7	Kancher Mandir	22.639126	88.36217	750 sq m	GOOD	Yes	YES	BROKEN,PARTI ALLY	IEC BOARD REQUIRED	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estlmate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.
8	Jay Mitra Kall Bari	22.63736	888.362669	1000 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Dally EXCEPT SUNDAY AND HOLIDAY		Beautifcat & small civil work required. Estimate of the said work submitted shortly.After getting funds from the Concerned authority ,we will be able to complete the work.

with screen

	shib Mandir Ghat	22.363043	88.363043	753 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
10	Kutlghat Launch ghat	22.638364	88.354208	875 sq m	GOOD	NO	NO	BROKEN,PAR TIALY	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
11	Kutlghat	22.635073	88.363174	875 sq m	GOOD	Yes	NO	ONLY BINS	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
12	Gents Ghat	22.632842	88.36397	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	HAVE A WALL PAINTING . IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY
13	Ladies Ghat	22.632974	88.3642	750 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
14	Shila Ghat/SOATI DAHA GHAT	22.632851	88.36404	700 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC board are fixed at ghats	Daily EXCEPT SUNDAY AND HOLIDAY
15	Paramanik Ghat	22.631748	88.364485	600 sq m	GOOD	NO	NO	BROKEN,PARTI ALLY	IEC BOARD REQUIRED	Daily EXCEPT SUNDAY AND HOLIDAY

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.


Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

Beautifcat & small civil work required.  
Estimate of the said work submitted  
shortly.After getting funds from the  
Concerned authority ,we will be able to  
complete the work.

  
Executive Officer  
Baranagar Municipality

  
ARNAB DUTTA  
Sanitary Inspector  
Baranagar Municipality



KAMARHATI MUNICIPALITY  
GANGA GHAT DETAILS

SL. No.	Name of Ghat	Lat	Long	Approx area	Present condition of ghat	Whether renovation required or not if yes give short description	Whether any GVP found or not	Whether double bins with stand structure are erected at ghat	Whether proper IEC board are fixed at ghat or not	frequency of clearing of ghat	Whether at outfall id with screen or without screen	Remarks
1	Dakshineswar Ferry Ghat	22.6539°N	88.3574°E	860 sq. m. Aprox.	Good	Rest room required	Yes	NO	IEC board are not fixed at ghat	3 Day in a week	without screen due to Broken	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work
2	D.D. Mondal Ghat	22.6612°N	88.3567°E	5445 sq.m. Aprox.	Damaged	Yes (Renovation overhed structure and stare & floor area and also need one Toilet with changing Room)	N.A	Yes	IEC board are fixed at ghat	Day after	without screen due to stolen	Already submitted for Model Ghat
3	Bhatir Ghat (Malapara Ghat)	22.6628°N	88.3572°E	49586 sq.m. Aprox.	Damaged	Renovation required	Yes	NO	IEC board are not fixed at ghat	Day after	without screen due to stolen	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work
4	Ariadaha Phari Ghat	22.6645°N	88.3574°E	650 sq.m. Aprox.	Good	N.A	Yes	Yes	IEC board are fixed at ghat	Day after	without screen due to stolen	Beautification and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work
5	Madhuray Ghat	22.6654°N	88.358°E	2000 sq.m. Aprox.	Damaged	Yes (Renovation overhed structure and stare & floor area)	N.A	Yes	IEC board are fixed at ghat but Broken	Day after	without screen due to stolen	Already submitted Model Ghat
6	Ariadaha Ferry Ghat	22.6539°N	88.3574°E	600 sq.m. Aprox.	Good	N.A	NIL	Yes	IEC board are fixed at ghat but Broken	Day after	without screen due to broken	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work

~~68~~  
X  
**KAMARHATI MUNICIPALITY  
GANGA GHAT DETAILS**

SL. No.	Name of Ghat	Lat	Long	Approx area	Present condition of ghat	Whether renovation required or not if yes give short description	Whether any GVP found or not	Whether double bins with stand structure are erected at ghat	Whether proper IEC board are fixed at ghat or not	frequency of clearing of ghat	Whether at outfall id with screen or without screen	Remarks
7	Ariadaha Phatbari Ghat	22.6680°N	88.3586°E	750 sq.m. Aprox.	Good	N.A	NIL	Yes	IEC board are fixed at ghat but Broken	Day after	without screen due to stolen	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work.
8	S.C.B.M Ghat	22.6690°N	88.3601°E	480 sq.m. Aprox.	Good	N.A	N.A	NO	IEC board are fixed at ghat	Day after	without screen due to stolen	Beautification and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work.
9	Char Mandir Ghat	22.6710°N	88.3602°E	1000 sq.m. Aprox.	Good	N.A	N.A	NO	IEC board are not fixed at ghat	Day after	without screen due to stolen	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work.
10	Mallick Colony Ghat (Sarat Ghosal Ghat)	22.6696°N	88.3595°E	360 sq.m. Aprox.	Good	N.A	N.A	NO	IEC board are fixed at ghat	Day after	without screen due to stolen	Beautification, IEC and small civil work required, estimate of the said work submitted shortly. After getting funds from the concerned authority, we will be able to complete the work.

**KAMARHATI MUNICIPALITY  
GANGA GHAT DETAILS**

SL. No.	Name of Ghat	Lat	Long	Approx area	Present condition of ghat	Whether renovation required or not if yes give short description	Whether any GVP found or not	Whether double bins with stand structure are erected at ghat	Whether proper IEC board are fixed at ghat or not	frequency of clearing of ghat	Whether at outfall id with screen or without screen	Remarks
11	Bhagwar Ghat	22.6728°N	88.3615°E	480 sq.m. Aprox.	Good	N.A	N.A	Yes	IEC board are fixed at ghat	Day after	without screen due to stolen	Beautification and small civil work required, estimate of the said work submitted shortly After getting funds from the concerned authority, we will be able to complete the work
12	Gali Ghat	22.6759°N	88.3631°E	480 sq.m. Aprox.	Damaged	Renovation required	N.A	NO	IEC board are not fixed at ghat	Day after	without screen due to stolen	Beautification, IEC and small civil work required, estimate of the said work submitted shortly After getting funds from the concerned authority, we will be able to complete the work
13	Kamarhati Pituri Ghat	22.680903°	88.365246°	1500 sq.m. Aprox.	Good	N.A	N.A	NO	IEC board are fixed at ghat	Day after	without screen due to stolen	Beautification and small civil work required, estimate of the said work submitted shortly After getting funds from the concerned authority, we will be able to complete the work

*[Signature]*  
2/8/24

*[Signature]*  
Somnath D.  
Executive Officer  
Kamarhati Municipality  
Executive Officer  
Kamarhati Municipality

Inspection on Ganga Ghat in respect to OA20/2022 E2 NG

Date of report: 09.06.2024

Name of ULB: Howrah						Date of report: 09.06.2024							
Sl No.	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks	Timeline of HMC for completion of the job
1	Ramkrishna Ghat	22.58	88.42	1000	ok	NO	NO	yes	NO	2	NO	1 pair bin with structure will be required. 2 nos IEC board with frame structure will be required. timeline of execution 20.07.2024. changing room and toilet exist. Soak well to be provided	Structure with pair bin & IEC Board will be provided on and before 15 days. Soak well provided within 90 days
2	Shibpur Ghat	22.56	88.33	1500	ok	yes/renovation required (guard wall) proper estimate to be placed	yes/cleared by 3 days	yes	IEC required	2	YES/with out SCREEN	some abandoned pillars are exist in the Ganga at shibpur side. abandoned ferry ghat. gangway (under transport dept) delabrate condition	IEC Board will be provided within 15 days
3	Nazirganj Ghat	22.56	88.28	350	Good	yes	NO	yes	there is a existing structure without contain	2	NO	there are 3 nos abandoned structure to be renovated immediately	IEC Board will be provided within 15 days
4	Topiwala ghat	22.57	88.33	400	GOOD	NO	NO	no	NO	no	small outfall without screening	this is maintained by kopt. issue of maintenance	
5	Bichali ghat	22.57	88.33	800	Good	NO	NO	no	NO	no	NO	gold smith (unauthorised structure)	
6	Chandmari Ghat	22.57	88.34	1500	Good	NO	NO	yes	there is a existing structure without contain	2	NO	land is under railway and kopt	IEC Board will be provided within 15 days

Inspected under HMC and considered 25 as per previous report, sl no 1 to 6 (6 nos) ghat are regularly maintained by HMC has reported by letter no. 300/2024 dated 10.06.2024. 2 nos ghat (sl no 1 & 6) (6 nos) ghat are not under regular maintenance. 2 nos ghat (sl no 3 & 5) (2 nos) ghat are under regular maintenance. D.D No. 415/07/2024

Inspected Ghat

Name of ULB: Howrah

Date of visit: 09.06.2024

Sl No.	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks	Timeline of HMC for completion of the job
8	Chatu Babu ghat				Good	NO	NO	yes	NO	1	NO		IEC Board will be provided within 15 days
9	Phoolta Ghat				Good	NO	YES	yes	YES	1	NO		
10	Saltola Ghat				BROKEN	YES	NO	NO	NO	0	NO	UNDER RAILWAY PROPERTY	
11	Chawalpatty ghat				GOOD	YES	NO	YES	NO	1	NO		IEC Board will be provided within 15 days
12	Gossai Ghat				Good	NO	NO	YES	YES	1	NO		
13	Solakuth Ghat				Good	NO	NO	YES	NO	1			IEC Board will be provided within 15 days
14	Hanuman jute mill ghat				Good	NO	NO	YES	NO	0		UNDER HUNUMAN JUTEMILL	
15	Bandha ghat				Good	NO	NO	yes	NO	2			IEC Board will be provided within 15 days
16	ghat				Good	NO	NO	YES	NO				IEC Board will be provided within 15 days
17	ghat				Good	NO	NO	YES	NO			CLEARING MANDIR COMMITTEE	IEC Board will be provided within 15 days

Name of ULB:Howrah

Date of visit:09.06.2024

Sl No.	Name of ghat	Lat	Long	approx area	Present condition of ghat	whether renovation required or not if yes give short description	whether any GVP found or not	whether double bins with stand structure are erected at ghat	whether proper IEC board are fixed at ghat or not	frequency of cleaning of ghat	Whether at outfall id with screen or without screen	Remarks	Timeline of HMC for completion of the job
18	Sadhu Ghat				Good	NO	NO	yes	NO	1	NO		IEC Board will be provided within 15 days
19	Golabari Ferri Ghat				Good	NO	NO	yes	NO	1	NO		IEC Board will be provided within 15 days
20	Namak gola ghat				GOOD	NO	YES	YES	NO	1	NO		Gvp will be cleaned within 10 days. IEC Board will be provided within 15 days
21	Teikal ghat				GOOD	NO	NO	NO	NO	1	NO		Structure with pair bin & IEC Board will be provided on and before 15 days.
22	Burn company ghat				GOOD	NO	NO	YES	NO	1	NO		IEC Board will be provided within 15 days
23	Shibpur ghat	22.56	88.33	1500	ok	yes/renovation required(guard wall) proper estimate to be	yes/cleared by 3 days	yes	IEC requird	2	YES/with out SCREEN	some abandoned pillars are exist in the Ganga at shibpur side.abandoned ferry ghat.gangway(under transport	
24	Shibpur burning ghat	22.56	88.3	3600	Good	NO	NO	yes	NO	1			IEC Board will be provided within 15 days
25	Botanical garden ghat	22.56	88.32	3000 SQFT	Good	NO	NO	NO	NO	2			IEC Board will be provided within 15 days

Double bin stand required 23 nos,IEC Board required 25 nos,screen required 15 nos regular cleaning required daily two times on 25 ghats

Total no of Ghat

25

*Stama*  
02/08/24  
*h2*  
02/08/24