

IN THE NATIONAL GREEN TRIBUNAL. EASTERN ZONE,
KOLKATA,
M..A NO.43 /2024/ EZ
(Arising out of O.A. No. 36 / 2022 /EZ- Disposed of on
14.10.2022.

Rabeya Tabassum Petitioner.
-Versus-
State of Odisha & others Opp. Parties

INDEX

Sl. No.	Particulars of documents	Annexure	PAGES
1.	COUNTER AFFIDAVIT		1- 4
2.	the copy of the minute of meeting dtd. 28.10.2021 relating to renovation of Petanallah at CDA Cuttack	W/1	5 - 8
3.	copy of the minutes of meeting dtd. 18.11.2021 relating to surveillance and diversion of wrongly connected house sewer connection to the sewerage system	W/2	9-13
4.	copy of the minutes of the meeting dtd. 24.02.2022 relating to surveillance and diversion of wrongly connected house sewerage connection to the storm water drainage system in CDA area Cuttack	W/3	14-16

Cuttack

Date: 15/02/25

By the Opp. party No.4, through

(S)
Prasanna Kumar Bhuyan
Advocate ADVOCATE

Enrollment No.0-318/1979

Mobile No:9938036001

Email:- advpkbhuyan@gmail.com

X

IN THE NATIONAL GREEN TRIBUNAL. EASTERN ZONE,

KOLKATA,

M..A NO.43 /2024/ EZ

(Arising out of O.A. No. 36 / 2022 /EZ- Disposed of on

14.10.2022.

Rabeya Tabassum Petitioner.

-Versus-

State of Odisha & others Opp. Parties


COUNTER AFFIDAVIT FILED BY OPP.PARTY NO.4 I.E. WATER

CORPORATION OF ODISSHA

I, Shri Baishnu Bhusan Behera, aged about 33 years son of Sri Bankanidhi Behera, presently working as general Manager, WATCO Division Cuttack do hereby solemnly affirm and state as follows:-

1. That I swear this affidavit on behalf of Managing Director, WATCO, Bhubaneswar being instructed by him.
2. That the aforesaid M.A. is filed for non compliance of the order of this Hon'ble Tribunal dtd. 14.10.2022 in O.A. No. 36 / 2022/ EZ, within stipulated period of time.
3. That in this aspect it is submitted here that the sewerage and drainage system of CDA were constructed in the year 1985. In


F.K. BHUYAN
ADVOCATE


18.10.2025
R.K. PARIDA
NOTARY
CUTTACK TOWN

X

6. That in subsequent stage there was another meeting under the chairmanship of Engineer in Chief, (EIC), OWSSB, in connection with Surveillance and diversion of wrongly connected house sewer connections, (if any), to the existing foul sewerage system from the storm water drainage system in CDA. Bidanasi area, Cuttack constitution of joint technical team, for timely execution of works held on 18.11.2021, wherein it was decided about the diversion of all sewerage connections from Petanallah to the sewer treatment plant.

In this aspect, the copy of the minutes of meeting dtd. 18.11.2021 relating to surveillance and diversion of wrongly connected house sewer connection to the STP is filed herewith as Annexure-W/ 2 to this counter affidavit for reference

7. That after the aforesaid meeting, the further meeting was held on 24.02.2022 in connection with work "Surveillance for diversion of wrongly connected house sewer connection to the storm water drainage system in C.D.A. area, Bidanasi, Cuttack, where in it was decided to continue the survey work till it's completion and survey data, so obtained, shall be shared among CMC and WATCO, Cuttack for conciliation, if any. That survey data shall be the basis for restoration of the sewerage connection and disconnection from the existing drainage system in CDA area, Bidanasi, Cuttack .


P.K. BHUYAN
ADVOCATE


18/12/21
R.K. PARIDA
A. NOTARY
CUTTACK TOWN

X

In this aspect the copy of the minutes of the meeting dtd. 24.02.2022 relating to surveillance and diversion of wrongly connected house sewerage connection to the storm water drainage system in CDA area, Cuttack. is filed herewith as Annexure W/ 3 to this counter affidavit for reference.

8. That by this process the various sewerage connection and disconnection from the existing drainage system in the CDA area, Bidanasi Cuttack have been detected and necessary steps are taken by WATCO for diversion of sewerage to link them with sewerage treatment plant (STP) near Aswini Hospital, CDA, Cuttack. In fact there is no flow of waste water connected to petannallah through sewerage system. In this manner WATCO is trying its level best to check the waste water of the sewerage to petannallah any more. By this process, WATCO has complied the direction of this Hon'ble Tribunal dtd.14.10.2022 in O.A. No. 36 / 2022/ EZ

9. That the facts stated above are true to the best of my knowledge and belief.

Baishnu Bhusan Behera
General Manager
WATCO Division
Cuttack

Advocate. 15/2/25
P.K. BHUYAN
ADVOCATE

CERTIFICATE

Certified that due to non-availability of cartridge papers, this counter affidavit is typed in thick white papers.

Cuttack

Date: 15/2/2025

[Signature]
ADVOCATE.
P.K. BHUYAN
ADVOCATE

The above named deponent being identified by... *P. K. Bhuyan* Advocate and the facts stated above are true to the best of his/her knowledge.

[Signature]
R.K. PARIDA
NOTARY
CUTTACK TOWN

[Signature]
R.K. PARIDA
NOTARY
CUTTACK TOWN



X

GOVERNMENT OF ODISHA
DEPARTMENT OF WATER RESOURCES

ANNEXURE No. 4/1

No. WR-MAJIII-MISC-0038-2021 32503 / WR, Dated: 20/12/2021

From

Sri B N Pradhan,
Deputy Secretary to Govt

To

The Principal Secretary, Forest Department
The Principal Secretary, P & DM Department
The Principal Secretary, I & T Department
The Commissioner, Chief Secretary, Odisha Language Literature & Culture Department/
The Commissioner, M. S. Cutack
The Chairman, I. A. C. B.
The Collector & DM, Cutack
The MD, WATCO, Bhubaneswar

Sub:- Proceedings of the Meeting on "Renovation of Petanala at CDA, Bidanasi" and "Barabati Fort Complex Development" in Cutack held on 29.10.2021 at 11.45 AM under the Chairmanship of the Chief Secretary, Odisha

Sir,

In inviting a reference to the subject cited above, I am directed to enclose herewith a copy of the proceedings of the Meeting on "Renovation of Petanala at CDA, Bidanasi" and "Barabati Fort Complex Development" in Cutack city held on 29.10.2021 at 11.45 AM through virtual mode under the Chairmanship of the Chief Secretary, Odisha for your kind perusal and immediate necessary action

Yours faithfully

Memo No. 32504 / WR; Dated. 20/12/2021 Deputy Secretary to Government

Copy along with copy of enclosures forwarded to the OSD to Chief Secretary, Odisha for kind information of the Chief Secretary, Odisha

Memo No. 32505 / WR; Dated. 20/12/2021 Deputy Secretary to Government

Copy along with copy of enclosures forwarded to the P.S. to Principal Secretary, DoWR for kind information of Principal Secretary.

Memo No. 32506 / WR; Dated. 20/12/2021 Deputy Secretary to Government

Copy along with copy of enclosures forwarded to the E.I.C., WR, Odisha / CE, Drainage, Bhubaneswar for information and necessary action.

Deputy Secretary to Government

~~SECRET~~

PROCEEDINGS OF THE MEETING ON "RENOVATION OF PETA NALLA AT CDA, BIDANASI" AND "BARABATI FORT COMPLEX DEVELOPMENT" IN CUTTACK HELD UNDER THE CHAIRMANSHIP OF THE CHIEF SECRETARY, ODISHA ON DATED 29 10 2021 AT 11 45 A.M THROUGH VIRTUAL MODE

A meeting was held on "Renovation of Peta Nalla located at CDA, Bidanasi in Cuttack City" under the Chairmanship of the Chief Secretary, Odisha over virtual mode on 29 10:2021 at 11.45 A.M. At the outset, the Principal Secretary to Government welcomed all and, briefed on two points on which decisions have to be taken.

1. Renovation of Peta Nalla.
2. Land for Development Park in the flood plain area in front of Odisha judicial Academy.

Chief Engineer, Drainage explained by way a Power Point Presentation that the existing length of the nala is 3300 mtr and available width is varying from 40 mtr to 50 mtr. Although the Nalla is cleaned every year there is large growth of weeds and water hyacinth. Sewage disposal is directly made to the Nalla causing extreme unhygienic condition in the nearby vicinity. A proposal to construct RCC guard wall with treatment of bed was discussed.

The following decisions are made in the meeting;

1. WATCO is required to cap all the sewage points to link them to Sewerage Treatment Plant (STP), which is located at Bidanasi near the outfall point of the Nalla within 2-3 months' time.



2. Water Resources Organisation shall then take up the renovation work out of their own funding
3. The renovation work includes removal of slushy soil and organic matters from the bed, so that good quality of water shall flow all the time.
4. The width of the Nalla is to be kept about 15 mtr by making both sides of the banks with good quality of borrowed earth and then turfing is to be done.
5. The space available after renovation, can be developed by Cuttack Municipal Corporation as parks, parking space, cycle tracks, etc.
6. The unauthorised encroachment is to be removed by CMC for which a R&R Package is to be proposed.
7. Bore wells are to be provided by CMC for recharging to the Nalla with fresh water with technical inputs of H&UD, if required.
8. Fencing on both sides of the Nalla with wire mesh is to be done by CMC, so that garbage cannot be thrown inside the Nalla.
9. Provision of bridges are to be made by H&UD Department

Further, regarding Barabati Fort development, a detailed discussion taken up at length. Commissioner CMC stated that the eastern & western moat Wall are being developed by ASI with funding from the UIDSSMT Scheme by CMC and the work is going on.

~~X~~ ~~X~~

Towards the stretch of sports complex near Anand Bhavan & Indoor Stadium is being developed by the Tourism Department as an Interpretation Centre and the same has already been approved by ASI.

However, there are significant stretches inside the Barabati Fort Complex which remain encroached by unauthorized occupants. The enumeration and survey of the encroachments has already been done by CMC and it has been found that approximately 200 families are residing in this complex as unauthorized manner.

Hence for further development and completion of Interpretation Centre, development of open space within the Barabati fort Complex for Tourists and for prevention of Sewerage runoff from these unauthorized habitants in the Gadakhai moat it is imperative that these habitants are rehabilitated elsewhere and with suitable compensation and the land is made free of encroachments.

It was therefore decided that a Rehabilitation & Resettlement Package on the line of SCB Redevelopment & Talanda Road Development will be formulated in and cost of the same will be incorporated in the Project Cost by the Tourism Department.

The meeting ended with a vote of thanks to the chair.


Chief Secretary, Govt. of Odisha

ANNEXURE No. 4/2



Orissa water supply & sewerage board

(A Govt. of Odisha Undertaking)

Satyaganagar, Bhubaneswar 751007 Phone: (0674) 2571185

Mail: orcwssb@gmail.com

No. 3707 (WE) Dt. 24.11.2021

M. No 9731 dated 15.11
copy along with copy
of enclosure forwarded
to Manoff. Sancho
& Ar. CDA
Raj Kula
25/11
General Manager
WATCO Cuttack

To

The Municipal Commissioner,
CMC, Cuttack

The Engineer-in-Chief,
OISIP, JICA, OWSSB, Cuttack

The Managing Director,
WATCO, Bhubaneswar

The Secretary,
Cuttack Development Authority, Cuttack

Sub: Minute of Meeting held under the Chairmanship of EIC, OWSSB in connection with the work "Surveillance and Diversion of wrongly connected house sewer connections (if any) to the existing foul sewerage system from the storm water drainage system in CDA, Bidanasi Area Cuttack – constitution of Joint Technical Team" held on 18.11.2021 at 5.00 PM

Ref: OWSSB Letter No.3639 dated 15.11.2021

Sir,

In continuation to this office letter under reference it is to enclose herewith a copy of Minutes of Meeting held under the Chairmanship of EIC, OWSSB in connection with the work "Surveillance and Diversion of wrongly connected house sewer connections (if any) to the existing foul sewerage system from the storm water drainage system in CDA, Bidanasi Area Cuttack – constitution of Joint Technical Team" on 18.11.2021 at 5.00 PM for kind information and necessary action.

Yours faithfully,

Encl: As above

Engineer-in-Chief, OWSSB
22/11

Memo No. 3708 (WE) / OWSSB Date 24.11.2021

Copy with copy of enclosure forwarded to the Chief Engineer-cum-Additional Secretary to Government, H&UD Department for information with reference to this office Memo No.3640 dated 15.11.2021.

Encl: As above

Engineer-in-Chief, OWSSB
22/11

Memo No. 3709 (WE) / OWSSB Date 24.11.2021

Copy forwarded to the Project Director, PMC, OWSSB, Sambalpur/ Project Engineer, PMU-I, OWSSB, Cuttack/ General Manager, WATCO, Cuttack for information and necessary action with reference to this office Memo No.3641 dated 15.11.2021.

Encl: As above

Engineer-in-Chief, OWSSB
22/11

~~18~~ 19

Minutes of Meeting Held on 18.11.2021 at 5.00 PM in the 2nd Floor Conference Hall of OWSSB on Surveillance and Diversion of wrongly connected house sewer connections (if any) to the existing foul sewerage system from the storm water drainage system in CDA, Bidanasi Area Cuttack- constitution of Joint Technical Team for timely execution of works.

The list of members present is annexed.

The Engineer-in-Chief, OWSSB, Bhubaneswar welcomed all the members present in the meeting and discussed with all the members regarding the following issues.

Construction of Sewage system and Drainage system in CDA area was executed by CDA during year 1985 to 1990. The Operation & maintenance of Sewerage & Drainage system was looked after by CDA, Cuttack & initially handed over to CMC, Cuttack on dated 14.01.2011 & as per H & U.D. Deptt. letter No. 4324/Huddt. 31.01.2013 the CMC, Cuttack handed over the O & M activities to OWSSB on dated 12.02.2013. At the time of taking over O & M by OWSSB the 4.5 MLD STP near Ashwini Hospital, Bidanasi, Cuttack was in defunct condition & also the sewage pumping stations were in defunct condition as a result the sewage & drainage water from Sector-6 to Sector-11, CDA, Cuttack was out falling into PettaNallah. OWSSB was looking after O & M of above Sewerage scheme from 12.02.2013 to 20.01.2020. As per Resolution No. 16614 dated 10.09.2019 of H & UD Deptt. Govt. of Odisha, the operation & maintenance of sewerage system of CDA, Abhinaba Bidanasi, Cuttack has been handed over to P.H. Division-I, Cuttack on dated 21.01.2020 which is now renamed as WATCO Division, Cuttack.

It is intimated by Engineer-in-Chief, W.R. Deptt. in his letter No. 22549 dt. 01.09.2021 to Engineer-in-Chief, OWSSB that in a high level meeting held on 31.08.2021 under the chairmanship of Chief Secretary, Odisha the natural drainage channel "PettaNallah" shall be renovated by W.R Deptt. after capping the direct sewage lines falling in PettaNallah and linking the sewerage system to 36 MLD Sewage Treatment Plant at CDA, Bidanasi area constructed under JICA, OISIP, OWSSB, Cuttack & requested Engineer-in-Chief, OWSSB for diversion of City Sewerage system from PettaNallah to facilitate Deptt. of Water Resources (DoWR) for executing drainage improvement works. Govt. in H & U.D Deptt. vide letter No. 15285/ Huddt.

5/8/21

4800 18/11/21

290 12/11/21

1.21 18/11/2021

31.08.2021 also communicated in-principle approval for Surveillance and Diversion of above house sewer connections at the cost of existing on-going sewerage project of Cuttack under OISIP. JICA, Cuttack & for the above purpose, it has been decided that the Officers of CMC, Cuttack & the Officers of WATCO, Cuttack shall extend the technical support, as & when required.


In order to overcome to the above situation a meeting is held with different stakeholders in the conference hall of 2nd Floor Unnati Bhawan, OWSSB, Bhubaneswar on 18.11.2021 under the chairmanship of Engineer-in-Chief, OWSSB and discussed over the following points for diversion of Sewage System from PettaNallah (about 3.3 K.M length) to the Sewage Treatment Plant, since PettaNallah is a natural drainage channel originating from Sector-10 CDA area & falling in River Kathojodi at Belleview, Bidanasi to discharge only storm water.


1. Diversion of sewage water to PettaNallah from part of Sector-10 & Sector-11 near RCC sump at Sector-10.
2. 3 Nos of RCC drainage pipe line of 1200 mm dia each feeding from Sector-8,9 and part of Sector-10 falling into PettaNallah.
3. 13 Nos of underground drainage pipe line in between Sector-10 to Sector-6 connecting to PettaNallah.
4. 1200 mm dia RCC pipe line connecting to PettaNallah adjacent to the boundary wall of 36 MLD STP, CDA, Bidanasi, Cuttack.
5. Regarding encroachment of maximum number of sewerage & Drainage Manholes by the different households of CDA, Bidanasi by construction of ramps, verandahs and compound wall etc.

After detailed discussion it is decided that two numbers of Joint Technical Team with following Officers / Staff from OWSSB/WATCO/CMC/CDA, Cuttack shall be constituted for Surveillance and Diversion of sewerage system from PettaNallah to Sewage Treatment Plant

Technical Team No. I

1. Sri Arabinda Biswal, DPE, OWSSB, Cuttack.
2. Sri Purushottam Rout, WATCO, Cuttack.
3. Sri Swagatika Mohanty, JE, CMC, Cuttack.
4. Sri Sanatan Das, DLR, CDA, Cuttack.


13/11/21


18/11/21


18/11/21






18/11/21


Technical Team No. II

1. Sri Prafulla Kumar Behera, AE, WATCO, Cuttack.
2. Sri Subhasisa Mohanty, APE, OWSSB, Cuttack.
3. Sri Manoj Kumar Debata, JE, CMC, Cuttack.
4. Representative from CDA, Cuttack.


The above Technical Team shall survey the details of the diversion of sewerage system connected to Petta Nallah through RCC bypass pipe lines which are discharging bulk quantities as detailed at Para 1 to 4 above immediately & take up the survey of details of individual house hold sewer line of Sector area i.e Sector-6 to Sector-11 thereafter. After survey of bulk discharge points, Sector-7 area, as a pilot basis shall be surveyed at first instance to find out the nature & type of diversion work required for individual house hold in order to facilitate estimation of same for execution of above work. At present the O&M of above Sewerage System of CDA area, Cuttack is being looked after by WATCO, Cuttack since 21.01.2020. WATCO shall execute the above work whereas necessary funds for execution shall be provided by OISIP, JICA, OWSSB to WATCO.


The above two teams shall take up the survey works from downstream towards up-stream of the Petta Nallah and report the progress of survey work done on daily basis to OWSSB / CMC / WATCO etc for taking further action on the matter.

The meeting ended by thanks to from the chair.



Project Engineer,
PMU, OWSSB, Cuttack


Project Director (TC)
OWSSB, Bhubaneswar


18/11/24
City Engineer,
CMC, Cuttack


18/11/24
Managing Director,
WATCO, Bhubaneswar


18/11/24
for General Manager,
WATCO, Cuttack


18/11/24
Engineer-in-Chief
OWSSB, Bhubaneswar


18/11/24
Deputy Project Engineer,
Project Management Unit,
O.W.S.S.B., Cuttack



Members present in the meeting held in the 2nd Floor Conference Hall of OWSSB on 18.11.2021 at 5.00 PM
 On Surveillance and Diversion of wrongly connected house sewer connections (if any) to the existing foul sewerage system from the storm water drainage system in CDA – Bidanasi Area Cuttack – constitution of Joint Technical Team for timely execution of works.

Sl.	Name & Designation of Officers Present	Email & Mobile No.	Signature
1	Er. Hadibandhu Behera, EIC, OWSSB	EIC@owssb@gmail.com 9437114661	
2	R. A. Malik, PA, TC	rahindram@gmail.com	
3	S. R. Patro, Asst Engineer CWC	subaraopatro@gmail.com	
4	Sonal chandran M/In-charge MD, WAPB	9439919855	
5	Prasad C. Nayak, P.B. Officer	9437193135	
6	Dambardhar Panda, managers, Banabati etc.	9438193285	
7	Arabinda Biswal, DFE, PMU, DGLRB, Cuttack.	9861165449	 18/11/21
8	Shubhasis Mahanty, Asst. PMU, OWSSB, Cuttack	9008670649 9008670649	
9			
10			
11			
12			



716
21-3-22

Orissa Water Supply & Sewerage Board
Satyanagar, Bhubaneswar-751 007
Phone:(0674) 2571185, e-mail : eicowssb@gmail.com

No. 640 Idt. 3.3.2022

To

The City Engineer,
CMC, Cuttack
Project Director,
PMC, OWSSB, Sambalpur
General Manager,
WATCO, Cuttack
Project Engineer,
PMU, OWSSB, Cuttack

Sub: Minutes of the meeting held under the Chairmanship of EIC, OWSSB in connection with the work "Surveillance for diversion of wrongly connected house sewer connections to the storm water drainage system in CDA Area, Bidanasi, Cuttack"

Ref: Letter No. 551 dated 21.02.2022 of EIC, OWSSB.

Sir,

With reference to the subject cited above, it is to enclose herewith the minutes of meeting held under the Chairmanship of Engineer-in-Chief, OWSSB in connection with work "Surveillance for diversion of wrongly connected house sewer connections to the storm water drainage system in CDA Area, Bidanasi, Cuttack" on dated 24.02.2022. It is requested that further course of action may be taken as per the decision taken in the said meeting.

Encl: As above

Yours faithfully,

Memo No. 641 Idt. 3.3.2022

Engineer-in-Chief
3/3/22

Copy submitted to the Commissioner, Cuttack Municipal Corporation for information and necessary action with reference to OWSSB letter No. 551 dated 21.02.2022.

Encl: As above

Memo No. 642 Idt. 3.3.2022

Engineer-in-Chief
3/3/22

Copy forwarded to the Engineer-in-Chief, OISIP, JICA, OWSSB, Cuttack / Managing Director, WATCO, Bhubaneswar for information and necessary action with reference to OWSSB Memo no. 553 dated 21.02.2022.

Encl: As above

Memo No. 643 Idt. 3.3.2022

Engineer-in-Chief
3/3/22

Copy forwarded to the Staff Officer to Principal Secretary to Govt., H&UD Department for kind information of Principal Secretary with reference to OWSSB Memo No. 554 dated 21.02.2022.

urgent.

Engineer-in-Chief
3/3/22

memo no 653 dt. 5-3-22

copy along with the mom, dt 24.2.2022 forwarded to the Asst. manager CDA @cuttack for information and n/a. on disconnection

Encl- mom. / no. 290
3/3/22

1777
LC
No. 140
5.3.22

147-1061520
copy forwarded to
to Manager, Koraput
A.M. CDA
for sign kalya

General Manager
WATCO Division
Cuttack
4/3/22

~~15~~


MINUTES OF MEETING HELD ON 24.02.2022 AT 4.00 PM IN THE OFFICE CHAMBER OF ENGINEER-IN-CHIEF, OWSSB, BHUBANESWAR ON "SURVEILLANCE FOR DIVERSION OF WRONGLY CONNECTED HOUSE SEWER CONNECTIONS TO THE STORM WATER DRAINAGE SYSTEM IN CDA AREA, BIDANASI, CUTTACK"

The list of Members present is annexed.


A meeting was convened on 24.02.2022 under the Chairmanship of Engineer-in-Chief, OWSSB, Bhubaneswar in his office chamber at 4.00 PM. The meeting was held as per letter No.551 dated 21.2.2022 of OWSSB. It was regarding sharing and re-conciliation of the data collected so far through "Surveillance for diversion of wrongly connected house sewer connections to the storm water drainage system in CDA Area, Bidanasi, Cuttack".


At the outset Engineer-in-Chief welcomed the members present in the meeting. The survey data collected so far by the Project Engineer, PMU, OWSSB, Cuttack was shared among the members. After thorough deliberation on the subject and the result of survey conducted so far, the following decisions are taken.


1. The data shared today need to be verified by WATCO, Cuttack and correction required, if any, may be reported by General Manager, WATCO, Cuttack to the PE, PMU, OWSSB, Cuttack within a week.
2. It is learnt during discussion in the meeting that officials of Technical Team No.1 and 2 from WATCO, CMC and CDA, Cuttack are not reporting regularly for the joint survey works. General Manager, WATCO, Cuttack and City Engineer, CMC, Cuttack present in the meeting assured to look into the matter and arrange suitable personnel from their organizations to accompany the officials of OWSSB for subsequent field survey works. It is mentioned here that two Technical Teams were constituted comprising officials of OWSSB, WATCO, CMC and CDA as communicated in the proceedings of earlier meeting vide OWSSB letter No.3707/ Memo No.3709 dated 24.11.2021.
3. It is decided to continue the survey work till its completion and survey data, so obtained, shall be shared among CMC and WATCO, Cuttack for re-conciliation, if any. That survey data shall be the basis for restoration of the Sewerage Connections and disconnection from the existing drainage system in CDA Area, Bidanasi, Cuttack.
4. PE, PMU, OWSSB, Cuttack shall ensure sharing of the drawings with flow directions of the existing sewerage and drainage system in CDA Area, Bidanasi, Cuttack so as to facilitate WATCO, Cuttack take up the repair, restoration, diversions works.



24/2/2022
Dy. Project Engineer,
PMU, OWSSB, Cuttack



24/2/2022
Project Engineer,
PMU, OWSSB, Cuttack


24/2/22
General Manager,
WATCO, Cuttack









24/2/22
City Engineer,
CMC, Cuttack


24/2/22
Project Director
PMC, OWSSB,
Sambalpur


24-2
Project Director (TC),
OWSSB, Bhubaneswar


24/2/22
Engineer-in-Chief
OWSSB, Bhubaneswar

MEMBERS PRESENT IN THE MEETING HELD ON 24.02.2022 AT 4.00 PM IN CONNECTION WITH THE WORK "SURVEILLANCE FOR DIVERSION OF WRONGLY CONNECTED HOUSE SEWER CONNECTIONS TO THE STORM WATER DRAINAGE SYSTEM IN CDA, BIDANASI AREA, CUTTACK"

Sl.	Designation of Officers Present	Signature
01.	Engineer-in-Chief, OWSSB	
02.	R. N. Mallik, PD, TE, OWSSB	
03.	Mrutyunjaya Pany, P.D. PMC, Sambalpur	
04.	Debabrata Mohanty, G.M, WATCO, CTC	
05.	Premad Kumar Pany, H.P.S OWSSB Cutk	 24/02/2022
06.	Atabendra Biswal, DPE, OWSSB, Cuttack	 24/2/2022
07.	Siba Rao Pedro Civil Engineer CTC	 24/2/22
08.		
09.		
10.		
11.		