

**BEFORE THE NATIONAL GREEN
TRIBUNAL EASTERN ZONE,
KOLKATA**
MEMORANDUM OF APPLICATION
(Under section 18 (1) read with sections
14 & 15 of the National Green
Tribunal Act, 2010)

**DOCUMENTS
IN
Original Application No. 188 of 2024**

IN THE MATTER OF:

Saurav Narayan ...Applicant

vs.

Bihar Pollution Control Board
And Others.Respondents

INDEX

SL.	Particulars	Page No.
1.	LAB REPORT OF BAHARWA GHAT, GAY GHAT, LOHARWA GHAT, ANTA GHAT, RANI GHAT AND MASJID GHAT ALONG WITH AFFIDAVIT IN SUPPORT OF THE DOCUMENTS (LAB REPORTS)	1-7
2.	PROOF OF SERVICE	8

Place: Hajipur

Date: 03.03.2025

FILED BY:

Zeeshan

MD. Zeeshan Ali
Advocate for the
Applicant
D/13638/2023
Third Floor, K-42,
Kirti Nagar
Delhi-110015
Mob: 8083481798



PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com

Mob. - 9065103567 / 9546991814

Test Report

Sample/Report No./TC-136692500000187F	Report Issue Date:- 15/01/2025
Name & Address:- Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur	
Name Of Project :- Central University of Panjab	
Description of Sample :- Waste Water Outlet	
Sample Receiving Date:- 10/01/2025	End Date of Analysis:- 15/01/2025
Start Date of Analysis:- 10/01/2025	
Sampling Place:- Baharwa Ghat	

Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.82	IS:3025(P-11)
2	BOD	<30 mg/L	27	IS:3025(P-44)
3	TSS	<100 mg/L	86	IS:3025(P-17)
4	COD	<150mg/L	143	IS:3025(P-58)
End of Test report				Page-1/1

Tested by
Apurva
Chemist

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.



Approved & Issued by
Dr. C.B. Sharma
CMD cum TM



PHEET Emblem

PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com

Mob. - 9065103567 / 9546991814

Test Report				
Sample/Report No./TC-136692500000186F		Report Issue Date:- 15/01/2025		
Name & Address:- Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur				
Name Of Project :- Central University of Panjab				
Description of Sample :- Waste Water Outlet				
Sample Receiving Date:- 10/01/2025		End Date of Analysis:- 15/01/2025		
Start Date of Analysis:- 10/01/2025				
Sampling Place:- Gay Ghat				
Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.68	IS:3025(P-11)
2	BOD	<30 mg/L	26	IS:3025(P-44)
3	TSS	<100 mg/L	88	IS:3025(P-17)
4	COD	<150mg/L	127	IS:3025(P-58)
End of Test report				Page-1/1

Tested by

 Chemist

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.



Approved & Issued by
 Dr. C.B. Sharma
 CMD cum TM



PHEET Emblem



TC-13669

PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com

Mob. - 9065103567 / 9546991814

Test Report				
Sample/Report No./TC-136692500000185F		Report Issue Date:- 15/01/2025		
Name & Address:- Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur				
Name Of Project :- Central University of Panjab				
Description of Sample :- Waste Water Outlet				
Sample Receiving Date:- 10/01/2025		End Date of Analysis:- 15/01/2025		
Start Date of Analysis:- 10/01/2025				
Sampling Place:-Loharwa Ghat				
Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.68	IS:3025(P-11)
2	BOD	<30 mg/L	25	IS:3025(P-44)
3	TSS	<100 mg/L	85	IS:3025(P-17)
4	COD	<150mg/L	141	IS:3025(P-58)
End of Test report				Page-1/1

Tested by

APD
Chemist

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.



Approved & Issued by
Dr. S.B. Sharma
CMD cum TM



PHEET Emblem



PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com

Mob. - 9065103567 / 9546991814

Test Report				
Sample/Report No./TC-136692500000184F		Report Issue Date:- 15/01/2025		
Name & Address:- Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur				
Name Of Project :- Central University of Panjab				
Description of Sample :- Waste Water Outlet				
Sample Receiving Date:- 10/01/2025		End Date of Analysis:- 15/01/2025		
Start Date of Analysis:- 10/01/2025				
Sampling Place:-Anta Ghat				
Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.93	IS:3025(P-11)
2	BOD	<30 mg/L	26	IS:3025(P-44)
3	TSS	<100 mg/L	82	IS:3025(P-17)
4	COD	<150mg/L	135	IS:3025(P-58)
End of Test report				Page-1/1

Tested by

 Analyst

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.



Approved & Issued by
 Dr. C.B. Sharma
 CMD cum TM



PHEET Emblem

PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com


Mob. - 9065103567 / 9546991814

TC-13669

Test Report

Sample/Report No./TC-136692500000183F Report Issue Date:- 15/01/2025
 Name & Address:- **Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur**
 Name Of Project :- Central University of Panjab
 Description of Sample :- Waste Water Outlet
 Sample Receiving Date:- 10/01/2025 End Date of Analysis:- 15/01/2025
 Start Date of Analysis:- 10/01/2025
 Sampling Place:- **Rani Ghat**

Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.65	IS:3025(P-11)
2	BOD	<30 mg/L	21	IS:3025(P-44)
3	TSS	<100 mg/L	75	IS:3025(P-17)
4	COD	<150mg/L	123	IS:3025(P-58)
End of Test report				Page-1/1

Tested by

 Chemist

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.



Approved & Issued by
 Dr. C.B. Sharma
 CMD cum TM



PHEET LAB PRIVATE LIMITED

ISO 45001:2018, ISO/IEC 17025:2017 Certified & NABL Accredited Lab

Testing Of Water/Waste Water/Ambient Air/Stack Emission & Noise

under 01 Roof, Located in Bhagirathi Lane, Opposite Malaria Control Office, Ashok Rajpath, Mahendru, Patna-800006

Email - pheetlab@gmail.com / sharma.chandrabhan9@gmail.com

Mob. - 9065103567 / 9546991814

Test Report				
Sample/Report No./TC-136692500000182F		Report Issue Date:- 15/01/2025		
Name & Address:- Saurav Narayan, 31, Subhash Nagar, Pokhara Mohalla, Hajipur				
Name Of Project :- Central University of Panjab				
Description of Sample :- Waste Water Outlet				
Sample Receiving Date:- 10/01/2025		End Date of Analysis:- 15/01/2025		
Start Date of Analysis:- 10/01/2025				
Sampling Place:-Masjid Ghat				
Sr.No.	Test Parameters	Limit As Per CPCB	Results	Method reference
1	pH	6.5-9.0	7.68	IS:3025(P-11)
2	BOD	<30 mg/L	23	IS:3025(P-44)
3	TSS	<100 mg/L	68	IS:3025(P-17)
4	COD	<150mg/L	139	IS:3025(P-58)
End of Test report				Page-1/1

Tested by
Analyst

- Note :
1. Text Reports Are Valid For The Sample Tested In Our Lab
 2. Water / Waste Water Samples Would be preserved / stored in our lab, for next 15 Days, since the receiving date, thereafter, would be disposed off.
 3. Sample Tested Are Not Returnable, Unless Stated For
 4. Test Report are Not Valid For Judicial Purpose
 5. In Case Of Any Dispute, It would Be the subject of Patna Jurisdiction.

Approved & Issued by
Dr. C.B. Sharma
CMD cum TM

**BEFORE THE NATIONAL GREEN
TRIBUNAL EASTERN ZONE, KOLKATA
MEMORANDUM OF APPLICATION**
(Under section 18 (1) read with sections 14 & 15
of the National Green Tribunal Act, 2010)

**DOCUMENTS
IN
Original Application No. 188 of 2024**

IN THE MATTER OF:

Saurav Narayan... Applicant

vs.

Bihar Pollution Control Board
And Others.

... Respondents

AFFIDAVIT

I, Saurav Narayan s/o Ajay Narayan Choudhary, R/o Subhash Nagar, Pokhara Mohalla, Hajipur, Bihar 844101 aged about 26 years, do hereby solemnly affirm and declare on oath as under:

1. That I am the Applicant herein and well conversant with the facts and circumstances of the case and competent to swear the present Affidavit.
2. That I have gone through the documents that I am filing in the present case as document to aid and assist this Hon'ble Tribunal in being aware of the present condition of the drains in question in the present OA.
3. That the documents (lab reports) are true copies of their respective originals.

Main part here

Identify the deponent

Saurav Narayan
DEPONENT

VERIFICATION

I, Saurav Narayan, the applicant herein, do verify that the contents of the above paragraphs are true to the best of my knowledge, belief and information. That I have not suppressed any material fact.

Saurav Narayan
DEPONENT

Dated: 3/13/2024

I, *[Signature]*,
Notary Public,
do hereby certify that the affidavit was read over & explained to the declarant who accepted it to be attested as true.

NOTARY PUBLIC

ATTESTED
[Signature]
3/13/24
SURVEILLOR
BATHINDA

1486
3/13/2024



557

Legal Saurav <info.legal.saurav@gmail.com>

Advance service of document in the case of Saurav Narayan v. Bihar Pollution Control Board And Others Original Application No. 188 of 2024

1 message

Legal Saurav <info.legal.saurav@gmail.com>

Mon, Mar 3, 2025 at 3:11 PM

To: chairmanbspb_bihar@gov.in, patnamc-bih@gov.in, urbansec-bih@nic.in, efd-bih@nic.in, admn.nmcg@nic.in, desk@reliablegroup.org.in, dm-patna.bih@nic.in, admin@jmenviro.com, spmgbihar@gmail.com

Greetings of the day,

I am writing to provide advance service of the document of application in the matter of Saurav Narayan v. Bihar Pollution Control Board and Others (Original Application No. 188 of 2024), filed before the The National Green Tribunal Eastern Zone, Kolkata.

Please find attached a copy of the application

Thank you.

Best
Saurav Narayan
+91 8083481798

 **LAB REPORT.pdf**
2424K