

**BEFORE THE NATIONAL GREEN TRIBUNAL (SZ) AT CHENNAI**  
**O.A. NO. 184 OF 2023 (SZ)**

Dr. P.Nagarajan & 2 others

...Applicants

Vs

The Secretary to Government & 3 others

...Respondents

**FILE C**

**INDEX TO ADDITIONAL TYPED SETS OF PAPERS**

<b>S.no</b>	<b>Dates</b>	<b>DESCRIPTION</b>	<b>Page No.s</b>
01.	05.04.2024	Hon'ble Madras High Court Order in W.P.No.8951 of 2024 - <b>Annexure 31</b>	1-4
02.	-----	TNPCB Water Sample Reports of Coir Industries and Surroundings- <b>Annexure 32</b>	5-31
03.	-----	Photos of Coir Pith Yards and its Effluents- <b>Annexure 33</b>	32-48

Dated this the 1<sup>st</sup> day of May, 2024 at Chennai.

  
Counsel for the Applicants  
**R.PRABAKAR**  
PH: 90475 88331  
EMAIL: [prabakar.law@gmail.com](mailto:prabakar.law@gmail.com)



WEB COPY

1



WP.No.8951 of 2024

IN THE HIGH COURT OF JUDICATURE AT MADRAS

DATED: 05.04.2024

CORAM:

THE HONOURABLE MR.JUSTICE S.S.SUNDAR

AND

THE HONOURABLE MRS.JUSTICE N.SENTHILKUMAR

WP.No.8951 of 2024  
WMP.Nos.9972 to 9974 of 2024

1. Dr.P.Nagarajan
2. Jothi Sathyap Priya K
3. A.Thiyagaraj

Petitioners

Vs

1. The Secretary to Government, Environment, Climate and Forests Department, Fort St.George, Chennai-9
2. The Chairperson, Tamil Nadu Pollution Control Board Chennai-32
3. The Member Secretary, Tamil Nadu Pollution Control Board Chennai-32
4. The Chief Engineer, The State Ground and Surface Water Resources Data Centre, Chennai-113
5. The Central Pollution Control Board Delhi 110032

Respondents

Prayer:- This Writ Petition has been filed, under Article 226 of the Constitution of India, to issue a Writ of Certiorari to call for the records relating to the order dated 27.02.2024 of the NGT(SZ), made in OA.No.184 of 2023 (SZ) by the National Green Tribunal, Southern Zone Bench and to quash the same as it does not grant an order of stay of the impugned circular dated 10.10.2023, passed by the Respondents 2 and 3 contrary to scientific pollution index score, violation of the orders of this Court and the National Green Tribunal Principal



WP.No.8951 of 2024

Bench, New Delhi.

WEB COPY

For Petitioners : Mr.T.Mohan, SC for Mr.R.Prabakar

For Respondents : Mr.Dr.T.Seenivasan, SGP-R1  
Mr.V.Gunasekar, Standing Counsel-RR2 and 3  
Mr.G.Nanmaran, SGP-R4  
Mr.M.R.Gokul Krishnan, Standing Counsel-R5

## ORDER

(Order of the Court was made by S.S.SUNDAR, J.)

1. This Writ Petition has been filed to issue a Writ of Certiorari to call for the records, relating to the order, dated 27.02.2024 of the NGT(SZ), made in OA.No.184 of 2023 (SZ) by the National Green Tribunal, Southern Zone Bench and to quash the same as it does not grant an order of stay of the impugned circular, dated 10.10.2023, passed by the Respondents 2 and 3 contrary to scientific pollution index score, violation of the orders of this Court and the National Green Tribunal Principal Bench, New Delhi.
2. This Court heard the learned counsel on either side, considered their submissions and also perused materials placed on record.
3. By the impugned order, the Tribunal, at the request of the Tamil Nadu Pollution Control Board to file a report, which is relevant, adjourned the matter to 15.03.2024. The grievance of the Petitioners is that the Tribunal failed to exercise its discretion to grant an interim order, while passing the impugned order. It is now reported that the Tribunal, by order dated, 15.03.2024, has adjourned the matter to 03.05.2024 as the Central Pollution Control Board has reported that they are in the process of issuing the final notification, pursuant to the draft notification issued by them and such a final



WP.No.8951 of 2024

notification would be relevant to resolve the issue.

WEB COPY

4. The contention of the learned senior counsel for the Petitioners is that the decision of the Central Pollution Control Board is not necessary and the State Pollution Control Board has to act as they are bound by the classification and regulations. However, the limited prayer of the learned senior counsel for the Petitioners is that this Court, at least, may request the Tribunal to dispose of their interlocutory application without reference to the report and the decision of the Central Pollution Control Board. This Court, without hearing all the parties, who are interested, is not inclined to express our opinion on contentious issues.
5. Considering the limited prayer now sought for by the learned senior counsel for the Petitioners, without expressing any opinion on the merits of the submissions of the learned senior counsel for the Petitioners, this Court requests the Tribunal to dispose of the interlocutory application, pending disposal of OA.No.184 of 2023 (SZ), as expeditiously as possible, preferably, on or before 03.05.2024.
6. With the above observations, this Writ Petition is disposed of. No costs. Consequently, the connected MPs are closed.

(S.S.R.J.) & (N.S.J.)  
05.04.2024

Index:Yes/No  
Web:Yes/No  
Speaking/Non Speaking  
Neutral Citation: Yes/No  
Srcm



WEB COPY

WP.No.8951 of 2024

S.S.SUNDAR, J.  
and  
N.SENTHILKUMAR, J.

Srcm

To

1. The Secretary to Government, Environment, Climate and Forests Department, Fort St.George, Chennai-9
2. The Chairperson, Tamil Nadu Pollution Control Board, Chennai-32
3. The Member Secretary, Tamil Nadu Pollution Control Board, Chennai-32
4. The Chief Engineer, The State Ground and Surface Water Resources Data Centre, Chennai-113
5. The Central Pollution Control Board, Delhi 110032

WP.No.8951 of 2024

05.04.2024



ROA of M/s.  
**TAMILNADU POLLUTION CONTROL BOARD**

DISTRICT ENVIRONMENTAL LABORATORY  
TIRUPPUR

IInd Floor, Kumaran Complex, Kumaran Road, Tiruppur-1.  
Telephone : 0421 - 2244876

**REPORT OF ANALYSIS**

Report No: W- 658 to 662 /DEL/TPR/2021-2022/Dated. 21.09.2021

1. Name and Address of the sender : The DEE, TNPCB/ Tiruppur(N),
2. Sample Collected by : The DEE/AEE/AE/TNPCB/ Tiruppur(N),
3. Nature & Number of samples : 5 Nos Trade Effluent Samples
4. Date and time of collection : 17.09.2021 at 01.00 PM to 03.00 PM
5. Date and time of receipt at the Laboratory : 17.09.2021 at 05.15 PM
6. Point of collection :
  1. Stagnant waste water inside the unit premises (Northern east corner)
  2. Collection tank of waste water of the unit
  3. Stagnant waste water near collection Tank Inside the unit premises.
  4. Bore water inside the unit premises(Northern east corner)
  5. Common Bore water of ponparappi village.

Sl. No	Parameters	DEE Code	TPNSS181	TPNSS182	TPNSS183	TPNSS184	TPNSS185
		LAB Code	658	659	660	661	662
1.	pH	(Num)	5.871	6.053	6.629	7.352	7.713
2.	Total suspended solids	(mg/l)	4	128	156	4	4
3.	Total Dissolved Solids	(mg/l)	92	11764	11476	1448	2920
4.	Chloride (as Cl)	(mg/l)	7	4951	4715	434	773
5.	Sulfate (as SO <sub>4</sub> )	(mg/l)	6	472	488	37	562
6.	COD	(mg/l)	64	1200	1600	8	8
7.	BOD 3 days at 27°C	(mg/l)					
8.	TKN (as N)	(mg/l)					
9.	Nitrate Nitrogen(NO <sub>3</sub> N)	(mg/l)	0.85	6.7	5.2	7.2	14.3
10.	Fluoride (as F)	(mg/l)	2.2	1.3	2.7	0.82	1.2
11.	Phenolic Compounds	(mg/l)	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
12.	Sodium (as Na)	(mg/l)					
13.	Pottasium (as K)	(mg/l)					
14.	Cyanide	(mg/l)					

*R. Kalichelvi*  
Dy. Chief Scientific Officer,  
DEL, TNPC Board, Tiruppur



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

**ULR-TC702520000000615P**

Report No	: 425.	Report Date	: 30.12.2020.
Analysis starting Date	: 11.09.2020.	Analysis Completion date	: 30.12.2020.
Code No & Point of Collection		Date of Collection	: 10.09.2020.
1. PR-110 (1Litre bottle - 2Nos) - Trade effluent sample		Date of Receipt	: 11.09.2020.
collected outside the premises of		Sample Condition	: Sealed
M/s.Duinkop Enterprises Pvt Ltd.,		Sample Collected and	
		Requested by	: Er.P.Manimaran, DEE & Dr.P.Ramesh, AE.. O/o.The District Env.Engineer Plot No.E-55A, Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-110
1	pH @ 25° C	APHA 23rd Edi.2017 4500 - H <sup>+</sup>	---	6.25
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	242
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	11,320
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	1485
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	249
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	12
7	BOD for 3 days @ 27°C	IS 3025 - 1993. Reaff - 2009	mg/l	6
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	64

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
3rd & 4th Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltnpcbche@gmail.com](mailto:deltnpcbche@gmail.com), [aeltncbche@gmail.com](mailto:aeltncbche@gmail.com).



**TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.**



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC702520000000615P**

Report No : 425.	Report Date : 30.12.2020.
Analysis starting Date : 11.09.2020.	Analysis Completion date : 30.12.2020.
Code No & Point of Collection	Date of Collection : 10.09.2020.
<b>1. PR-110</b> (1 Litre bottle - 2Nos) - Trade effluent sample	Date of Receipt : 11.09.2020.
collected outside the premises of	Sample Condition : Scaled
M/s.Duinkop Enterprises Pvt Ltd.,	Sample Collected and
	Requested by : Er.P.Manimaran, DFE & Dr.P.Ramesh, AE., O/o.The District Env.Engineer Plot No.F-55A, Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-110
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	0.86
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	108
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	890
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	304.6
14	Magnesium	APHA 23rd Edi.2017 - 3500 Mg-A	mg/l	31.6
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe-B	mg/l	0.57
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

*[Signature]*  
D.C.S.O

*[Signature]*  
**[K.SELVARAJ]**  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbce@gmail.com, aeltnpcbce@gmail.com.**



**TAMILNADU POLLUTION CONTROL BOARD**  
**Advanced Environmental Laboratory, Coimbatore – 641 030.**

**REPORT OF ANALYSIS**

Report No : 425. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
1. PR-110 (1 Litre bottle – 2Nos) - Trade effluent sample Date of Receipt : 11.09.2020.  
collected outside the premises of Sample Condition : Sealed  
M/s.Duinkop Enterprises Pvt Ltd., Sample Collected and Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh. AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore.-- 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-110
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	100
18	Nitrate Nitrogen	APHA 23rd Edi.2017 – 4500 NO3	mg/l	30.1
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	162
20	Copper	APHA 23rd Edi. 2017 – 3500 – Cu-A	mg/l	0.0412
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore – 641 030.**  
**Telephone: 0422 - 2440174, Email: [deltnpbcbe@gmail.com](mailto:deltnpbcbe@gmail.com), [aeltnpbcbe@gmail.com](mailto:aeltnpbcbe@gmail.com).**



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

ULR-TC702520000000610P

Report No	: 419.	Report Date	: 30.12.2020.
Analysis starting Date	: 11.09.2020.	Analysis Completion date	: 30.12.2020.
Code No & Point of Collection		Date of Collection	: 10.09.2020.
1. PR-104 - Stagnated Water sample collected at Odai,		Date of Receipt	: 11.09.2020.
Malaipalayam Village, Sular Taluk (Behind		Sample Condition	: Sealed
Remmy Substrates India Pvt.Ltd).		Sample Quantity	: 2.5 Litres
		Sample Collected and Requested by	: Er.P.Manimaran, DEE & Dr.P.Ramesh, AE., O/o.The District Env.Engineer Plot No.E-55A, Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-104
1	pH @ 25° C	APHA 23rd Edi.2017 4500 - H <sup>+</sup>	- - -	7.73
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	146
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	6102
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	1336
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	34
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27° C	IS 3025 - 1993, Reaff - 2009	mg/l	9
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	96

Remarks: < - Indicates less than minimum detectable limit.

D.C.S.O

*(Signature)*  
[K.SELVARAJ]  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltnpcbcbe@gmail.com](mailto:deltnpcbcbe@gmail.com), [aeltnpcbcbe@gmail.com](mailto:aeltnpcbcbe@gmail.com).



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

**ULR-TC70252000000610P**

Report No : 419. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
L PR-104 - Stagnated Water sample collected at Odai, Date of Receipt : 11.09.2020.  
Malaipalayam Village, Sular Taluk (Behind Sample Condition : Sealed  
Kemmy Substrates India Pvt.Ltd). Sample Quantity : 2.5 Litres  
Sample Collected and Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-104
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500.Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500.F-D	mg/l	1.43
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	168
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	770
13	Calcium	APHA 23rd Edi.2017 - 3500.Ca - B	mg/l	272.5
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	24.9
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe - B	mg/l	0.78
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** <- Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramusamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltnpcbcbce@gmail.com](mailto:deltnpcbcbce@gmail.com), [aeltncpcbcbce@gmail.com](mailto:aeltncpcbcbce@gmail.com)



**TAMILNADU POLLUTION CONTROL BOARD**  
**Advanced Environmental Laboratory, Coimbatore – 641 030.**

**REPORT OF ANALYSIS**

Report No : 419. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
**1. PR-104** - Stagnated Water sample collected at Odai, Date of Receipt : 11.09.2020.  
Malaipalayam Village, Sulur Taluk (Behind Sample Condition : Sealed  
Remmy Substrates India Pvt.Ltd). Sample Quantity : 2.5 Litres  
Sample Collected and Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE..  
O/o: The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore – 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-104
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	100
18	Nitrate Nitrogen	APHA 23rd Edi.2017 – 4500 NO3	mg/l	26.6
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	216
20	Copper	APHA 23rd Edi. 2017 – 3500 – Cu-A	mg/l	0.0347
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore – 641 030.  
Telephone: 0422 – 2440174, Email: [deltncbce@gmail.com](mailto:deltncbce@gmail.com), [aeltncbce@gmail.com](mailto:aeltncbce@gmail.com)



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

[ULR-TC7025200000006 (3P)]

Report No	: 423.	Report Date	: 30.12.2020.
Analysis starting Date	: 11.09.2020.	Analysis Completion date	: 30.12.2020.
Code No & Point of Collection		Date of Collection	: 10.09.2020.
I: PR-108 - Stagnated water sample collected at		Date of Receipt	: 11.09.2020.
the land owned by Remmy Substrates,		Sample Condition	: Sealed
India Pvt.Ltd.		Sample Collected and	
		Requested by	: Er.P.Manimaran, DEE & Dr.P.Ramesh, AE., O/o.The District Egv.Engineer Plot No.E-55A, Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-108
1	pH @ 25° C	APHA 23rd Edi.2017 4500 - H <sup>+</sup>	---	7.65
2	Total Suspended Solids	APHA 23rd Edi, 2017 - 2540 - D	mg/l	124
3	Total Dissolved Solids	APHA 23rd Edi, 2017 - 2540 - C	mg/l	3344
4	Chlorides as Cl	APHA 23rd Edi, 2017 - 4500 - Cl-B	mg/l	990
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi, 2017 - 4500 - E	mg/l	422
6	Oil & Grease	APHA 23rd Edi, 2017 - 5520 - B	mg/l	5
7	BOD for 3 days @ 27°C	IS 3025 - 1993, Reaff - 2009	mg/l	9
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	88

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: deltnpcbche@gmail.com, aeltnpcbche@gmail.com



13  
TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

**ULR-TC70252000000613P**

Report No : 423.

Report Date : 30.12.2020.

Analysis starting Date : 11.09.2020.

Analysis Completion date : 30.12.2020.

Code No & Point of Collection

Date of Collection : 10.09.2020.

1. PR-108 - Stagnated water sample collected at  
the land owned by Remmy Substrates,  
India Pvt.Ltd.

Date of Receipt : 11.09.2020.

Sample Condition : Sealed

Sample Collected and

Requested by : Er.P.Manimaran, DCE &  
Dr.P.Ramesh, AE.  
O/o.The District Env.Engineer  
Plot No.1-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-108
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	0.61
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	184
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	530
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	188.4
14	Magnesium	APHA 23rd Edi.2017 - 3500 Mg - A	mg/l	14.6
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe - B	mg/l	0.88
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere, except in full, without the written approval of Laboratory.  
**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbcb@gmail.com, aeltnpcbcb@gmail.com**



TAMILNADU POLLUTION CONTROL BOARD  
Advanced Environmental Laboratory, Coimbatore - 641 030.

REPORT OF ANALYSIS

Report No : 423. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
I. PR-108 - Stagnated water sample collected at Date of Receipt : 11.09.2020.  
the land owned by Remmy Substrates, Sample Condition : Sealed  
India Pvt.Ltd. Sample Collected and Requested by :  
Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AII.,  
O/o.The District Env. Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-I PR-108
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	50
18	Nitrate Nitrogen	APHA 23rd Edi.2017 - 4500 NO3	mg/l	23.0
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	79
20	Copper	APHA 23rd Edi. 2017 - 3500 - Cu-A	mg/l	0.0365
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

Remarks:

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [detnpcbce@gmail.com](mailto:detnpcbce@gmail.com), [aetnpcbce@gmail.com](mailto:aetnpcbce@gmail.com)



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

**ULR-TC70252000000614P**

Report No : 424.

Report Date : 30.12.2020.

Analysis starting Date : 11.09.2020.

Analysis Completion date : 30.12.2020.

Code No & Point of Collection

Date of Collection : 10.09.2020.

~~1. PR-109~~ (1 Litre bottle - TNo) - Stagnated water sample  
collected at the land owned by Remy  
Substrates, India Pvt.Ltd.

Date of Receipt : 11.09.2020.

Sample Condition : Sealed

Sample Collected and

Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-109
1	pH @ 25° C	APHA 23rd Edi.2017 - 4500 - H <sup>1</sup>	---	6.87
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	320
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	1880
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	841
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	218
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	12
7	BOD for 3 days @ 27° C	IS 3025 - 1993. Reaff - 2009	mg/l	11
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	104

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test results furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltnpcbcbce@gmail.com](mailto:deltnpcbcbce@gmail.com), [aeltncpcbcbce@gmail.com](mailto:aeltncpcbcbce@gmail.com)



16  
TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC702520000000614P**

Report No	: 424.	Report Date	: 30.12.2020.
Analysis starting Date	: 11.09.2020.	Analysis Completion date	: 30.12.2020.
Code No & Point of Collection		Date of Collection	: 10.09.2020.
<b>I. PR-109</b> (1 Litre bottle - I No) - Stagnated water sample		Date of Receipt	: 11.09.2020.
collected at the land owned by Remmy		Sample Condition	: Sealed
Substrates, India Pvt.Ltd.		Sample Collected and	
		Requested by	: Er.P.Manjmaran, DEE & Dr.P.Ramesh, AE., O/o.The District Env.Engineer Plot No.E-55A, Pollachi Main Road, Kurichi. SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-109
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	1.13
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	244
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	360
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	72.1
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	43.7
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe - B	mg/l	0.86
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

(K.SELVARAJ)  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.

**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**

**Telephone: 0422 - 2440174, Email: deltnpcbce@gmail.com, aeltnpcbce@gmail.com.**



**TAMILNADU POLLUTION CONTROL BOARD**  
**Advanced Environmental Laboratory, Coimbatore – 641 030.**

**REPORT OF ANALYSIS**

**Report No** : 424. **Report Date** : 30.12.2020.  
**Analysis starting Date** : 11.09.2020. **Analysis Completion date** : 30.12.2020.  
**Code No & Point of Collection** : **Date of Collection** : 10.09.2020.  
**I. PR-109** (11litre bottle - 1No) – Stagnated water sample **Date of Receipt** : 11.09.2020.  
collected at the land owned by Remmy **Sample Condition** : Sealed  
Substrates.India Pvt.Ltd. **Sample Collected and**  
**Requested by** : Fr.P.Manimaran, DEE &  
Dr.P.Ramesh, A.E.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate.  
Coimbatore – 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-I PR-109
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	150 pH:6.35 Apparently
18	Nitrate Nitrogen	APHA 23rd Edi.2017 – 4500 NO3	mg/l	18.0
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	230
20	Copper	APHA 23rd Edi. 2017 – 3500 - Cu-A	mg/l	0.0317
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbcbce@gmail.com, aeltnpcbcbce@gmail.com.**



**TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.**



**Accredited Laboratory - (ISO/IEC 17025:2005)  
REPORT OF ANALYSIS**

**NABL - TC-7025**

**ULR-TC702520000000611P**

<b>Report No</b> : 420.	<b>Report Date</b> : 30.12.2020.
<b>Analysis starting Date</b> : 11.09.2020.	<b>Analysis Completion date</b> : 30.12.2020.
<b>Code No &amp; Point of Collection</b>	<b>Date of Collection</b> : 10.09.2020.
<b>1. PR-105</b> - Borewell Outlet sample collected at	<b>Date of Receipt</b> : 11.09.2020.
Mr.Velusamy, Agri-land SF.No.220/1, 221/1,	<b>Sample Condition</b> : Sealed
219/2 Malaipalayam Village, Suler Taluk.	<b>Sample Collected and</b>
	<b>Requested by</b> : Er.P.Manimaran, DEE &
	Dr.P.Ramesh, AS,
	O/o.The District Env.Engineer
	Plot No.E-55A,
	Pollachi Main Road, Kurichi,
	SIDCO Industrial Estate.
	Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-105
1	pH @ 25° C	APHA 23rd Edi.2017 - 4500 - H	- - -	8.10
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	6
3	Total Dissolved Solids	APIA 23rd Edi. 2017 - 2540 - C	mg/l	2604
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - CI-B	mg/l	633
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	23
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27°C	IS 3025 - 1993, Reaff - 2009	mg/l	<2
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	8

**Remarks:** < - Indicates less than minimum detectable limit.

*[Signature]*  
D.C.S.O

*[Signature]*  
**[K.SELVARAJ]**  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of laboratory  
**3rd & 4th Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbche@gmail.com, aeltnpcbche@gmail.com.**



19  
TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC70252000000611P**

Report No : 420.	Report Date : 30.12.2020.
Analysis starting Date : 11.09.2020.	Analysis Completion date : 30.12.2020.
Code No & Point of Collection	Date of Collection : 10.09.2020.
1. PR-105 - Borewell Outlet sample collected at	Date of Receipt : 11.09.2020.
Mr. Velusamy, Agri land SF.No.220/1, 221/1,	Sample Condition : Sealed
219/2 Malaipalayam Village, Sulur Taluk.	Sample Collected and
	Requested by : Er.P.Manimaran, DEE &
	Dr.P.Ramesh, AE.
	O/o The District Env. Engineer
	Plot No.E-55A,
	Pollachi Main Road, Kurichi,
	SIDCO Industrial Estate,
	Coimbatore - 641.021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-105
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<0.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	1.30
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	148
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	550
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	140.3
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	48.6
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe - B	mg/l	0.61
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

(K.Selvaraj)  
[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641-030.**  
**Telephone: 0422 - 2440174, Email: [deltncbcbce@gmail.com](mailto:deltncbcbce@gmail.com), [aeltncbcbce@gmail.com](mailto:aeltncbcbce@gmail.com)**



TAMILNADU POLLUTION CONTROL BOARD  
Advanced Environmental Laboratory, Coimbatore – 641 030.

**REPORT OF ANALYSIS**

Report No : 420. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
1. PR-105 – Borewell Outlet sample collected at : Date of Receipt : 11.09.2020.  
Mr.Velusamy, Agri land SF.No.220/1. 221/1. Sample Condition : Sealed  
219/2 Malaipalayam Village, Sular Taluk. Sample Collected and  
Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-105
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	<5
18	Nitrate Nitrogen	APHA 23rd Edi.2017 – 4500 NO3	mg/l	19.8
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	<1.0
20	Copper	APHA 23rd Edi. 2017 – 3500 – Cu-A	mg/l	0.0415
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore – 641 030.  
Telephone: 0422 - 2440174, Email: [deltncbche@gmail.com](mailto:deltncbche@gmail.com), [aeltncbche@gmail.com](mailto:aeltncbche@gmail.com)

**TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.**



**Accredited Laboratory - (ISO/IEC 17025:2005)**

**NABL - TC-7025**

**REPORT OF ANALYSIS**

**ULR-TC70252000000608P**

<b>Report No</b> : 417	<b>Report Date</b> : 30.12.2020.
<b>Analysis starting Date</b> : 11.09.2020.	<b>Analysis Completion date</b> : 30.12.2020.
<b>Code No &amp; Point of Collection</b>	<b>Date of Collection</b> : 10.09.2020.
<b>I: PR-102 - Borewell Outlet sample collected at</b>	<b>Date of Receipt</b> : 11.09.2020.
Mr. Jagannathan, Agri land SF.No.240/3,4	<b>Sample Condition</b> : Sealed
Malaipalayam Village, Sulur Taluk.	<b>Sample Quantity</b> : 2.5 Litres
	<b>Sample Collected and Requested by</b> : Er.P.Manimaran, DEE & Dr.P.Ramesh, AE, O/o. The District Env. Engineer Plot No.E-55A, Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-102
1	pH @ 25° C	APHA 23rd Edi.2017 4500 H <sup>1</sup>		7.85
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	6
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	2272
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	584
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	23
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27°C	IS 3025 - 1993. Reaff - 2009	mg/l	<2
8	COD	APHA 23rd Edi.2017 5220 - B	mg/l	8

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

**[K.SELVARAJ]**

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: deltnpcbcb@gmail.com, aeltnpcbcb@gmail.com.



**TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.**



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC702520000000608P**

<b>Report No</b> : 417.	<b>Report Date</b> : 30.12.2020.
Analysis starting Date : 11.09.2020.	Analysis Completion date : 30.12.2020.
Code No & Point of Collection	Date of Collection : 10.09.2020.
<b>1. PR-102</b> - Borewell Outlet sample collected at	Date of Receipt : 11.09.2020.
Mr.Jaganathan, Agri land SF.No.240/3,4	Sample Condition : Sealed
Malaipalayam Village, Sular Taluk.	Sample Quantity : 2.5 Litres
	Sample Collected and
	Requested by : Er.P.Manimaran, DLE & Dr.P.Ramesh, AE., O/o.The District Env.Engineer Plot No.E-55A. Pollachi Main Road, Kurichi, SIDCO Industrial Estate, Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-102
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	1.24
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	104
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	610
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	188.4
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	34.0
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe -B	mg/l	0.55
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: [deltnpcbce@gmail.com](mailto:deltnpcbce@gmail.com), [aeltncbce@gmail.com](mailto:aeltncbce@gmail.com).**



TAMILNADU POLLUTION CONTROL BOARD  
Advanced Environmental Laboratory, Coimbatore – 641 030.

**REPORT OF ANALYSIS**

Report No : 417. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
Date of Receipt : 11.09.2020.  
I. PR-102 – Borewell Outlet sample collected at  
Mr.Jaganathan, Agri land SF.No.240/3,4 Sample Condition : Sealed  
Malaipalayam Village, Suler Taluk. Sample Quantity : 2.5 Litres  
Sample Collected and  
Requested by : Mr.P.Manimaran, DFE &  
Dr.P.Ramesh, AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate.  
Coimbatore – 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-102
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	<
18	Nitrate Nitrogen	APHA 23rd Edi.2017 – 4500 NO3	mg/l	24.5
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	<1.0
20	Copper	APHA 23rd Edi. 2017 – 3500 - Cu-A	mg/l	0.1132
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	0.018

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore – 641 030.  
Telephone: 0422 – 2440174, Email: [deltnpchbc@gmail.com](mailto:deltnpchbc@gmail.com), [aeltnpchbc@gmail.com](mailto:aeltnpchbc@gmail.com)



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)  
REPORT OF ANALYSIS

NABL - TC-7025

ULR-TC70252000000612P

Report No : 421. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
1. PR-106 Borewell Outlet sample collected at Date of Receipt : 11.09.2020.  
Mr.Jeyaprakash, Agri land SF.No.918 & 976, Sample Condition : Sealed  
Malaipalayam Village, Suler Taluk. Sample Collected and  
Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE,  
O/o.The District Env.Engineer  
Plot No.F-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-106
1	pH @ 25° C	APIIA 23rd Edi.2017 4500 - H <sup>+</sup>	---	8.12
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	4
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	2076
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	609
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	398
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27°C	IS 3025 - 1993, Reaff - 2009	mg/l	<2
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	8

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test results furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of the laboratory.  
3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltnpcbcbce@gmail.com](mailto:deltnpcbcbce@gmail.com), [aeltncpcbcbce@gmail.com](mailto:aeltncpcbcbce@gmail.com).



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

REPORT OF ANALYSIS

**ULR-TC70252000000612P**

**Report No** : 421. **Report Date** : 30.12.2020.  
**Analysis starting Date** : 11.09.2020. **Analysis Completion date** : 30.12.2020.  
**Code No & Point of Collection** : **Date of Collection** : 10.09.2020.  
**1. PR-106 - Borewell Outlet sample collected at** **Date of Receipt** : 11.09.2020.  
**Mr.Jeyaprakash, Agri land SF.No.918 & 976,** **Sample Condition** : Scaled  
**Malaipalayam Village, Sulur Taluk.** **Sample Collected and**  
**Requested by** : Er.P.Manimaran, DEE &  
 Dr.P.Ramesh, AE.,  
 O/o.The District Env.Engineer  
 Plot No.E-55A,  
 Pollachi Main Road, Kurichi,  
 SIDCO Industrial Estate,  
 Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-I PR-106
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	1.42
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	92
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	560
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	144.3
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	48.6
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe -B	mg/l	0.69
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

(K.SELVARAJ)  
 Authorised Signatory,  
 Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.  
**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbcb@gmail.com, aeltnpcbcb@gmail.com**



TAMILNADU POLLUTION CONTROL BOARD  
Advanced Environmental Laboratory, Coimbatore – 641 030.

**REPORT OF ANALYSIS**

Report No : 421. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
1. PR-106 – Borewell Outlet sample collected at : Date of Receipt : 11.09.2020.  
Mr.Jeyaprakash, Agriland SF.No.918 & 976. Sample Condition : Sealed  
Malaipalayam Village, Sular Taluk. Sample Collected and  
Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.,  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-106
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	<5
18	Nitrate Nitrogen	APHA 23rd Edi.2017 - 4500 NO3	mg/l	14.2
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	<1.0
20	Copper	APHA 23rd Edi. 2017 – 3500 – Cu-A	mg/l	0.0279
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	<0.0015

**Remarks:**

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory.

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore – 641 030.  
Telephone: 0422 – 2440174, Email: [deltncbche@gmail.com](mailto:deltncbche@gmail.com), [aeltncbche@gmail.com](mailto:aeltncbche@gmail.com).



TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)  
REPORT OF ANALYSIS

NABL - TC-7025

ULR-TC70252000000607P

Report No : 416. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020.  
I. PR-101 - Borewell Outlet sample collected at Date of Receipt : 11.09.2020.  
Mr. Uthiyagarajan, Agri land SF.No.240/3,4 Sample Condition : Sealed  
Malaipalayam Village, Sulur Taluk. Sample Quantity : 2.5 Litres  
Sample Collected and Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, A.E.  
O/o.The District Env.Enginner  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-101
1	pH @ 25° C	APHA 23rd Edi.2017 4500 - H <sup>+</sup>	---	7.79
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	8
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	922
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	287
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - E	mg/l	30
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27°C	IS 3025 - 1993, Reaff - 2009	mg/l	<2
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	8

Remarks: < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
3rd & 4th Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: deltnpcbcbe@gmail.com, aeltnpcbcbe@gmail.com



28  
TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC70252000000607P**

**Report No** : 416. **Report Date** : 30.12.2020.  
**Analysis starting Date** : 11.09.2020. **Analysis Completion date** : 30.12.2020.  
**Code No & Point of Collection** : **Date of Collection** : 10.09.2020.  
**1. PR-101** - Borewell Outlet sample collected at **Date of Receipt** : 11.09.2020.  
Mr.Thiyagarajan, Agri land SF.No.240/3,4 **Sample Condition** : Sealed  
Malaipalayam Village, Sulur Taluk. **Sample Quantity** : 2.5 Litres  
**Sample Collected and Requested by** : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.  
O/o.The District Env.Engineer  
Plot No.E-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-101
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	0.79
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	100
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	350
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	108.2
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	19.4
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe - B	mg/l	0.43
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
**3rd & 4th Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: deltnpcbche@gmail.com, aeltnpcbche@gmail.com**



TAMILNADU POLLUTION CONTROL BOARD  
Advanced Environmental Laboratory, Coimbatore - 641 030.

REPORT OF ANALYSIS

Report No : 416. Report Date : 30.12.2020.  
Analysis starting Date : 11.09.2020. Analysis Completion date : 30.12.2020.  
Code No & Point of Collection : Date of Collection : 10.09.2020  
1. PR-101 - Borewell Outlet sample collected at Date of Receipt : 11.09.2020.  
Mr.Thiyagarajan, Agri land SF.No.240/3.4 Sample Condition : Sealed  
Malaipalayam Village, Sulur Taluk. Sample Quantity : 2.5 Litres  
Sample Collected and Requested by : Er.P.Manimaran, DEE &  
Dr.P.Ramesh, AE.,  
OAS The District Env.Engineer  
Plot No L-55A,  
Pollachi Main Road, Kurichi,  
SIDCO Industrial Estate,  
Coimbatore - 641 021.

Sl. No	Parameters	Test Method	Unit	Sample-1 PR-101
17	Colour	APHA 23rd Edi.2017 2120 - B	Hazen Units	<5
18	Nitrate Nitrogen	APHA 23rd Edi.2017 4500 NO3	mg/l	15.8
19	Turbidity	APHA 23rd Edi.2017 2130 - B	NTU	<1.0
20	Copper	APHA 23rd Edi. 2017 - 3500 Cu-A	mg/l	0.0179
21	Zinc	APHA 23rd Edi. 2017 - 3500. Zn-A	mg/l	0.051

Remarks:

< - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]  
Assistant Director (Lab)

The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory

3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.  
Telephone: 0422 - 2440174, Email: [deltupcbce@gmail.com](mailto:deltupcbce@gmail.com), [aeltupcbce@gmail.com](mailto:aeltupcbce@gmail.com).



**TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.**



Accredited Laboratory - (ISO/IEC 17025:2005)

NABL - TC-7025

**REPORT OF ANALYSIS**

**ULR-TC702520000000609P**

Report No : 418.	Report Date : 30.12.2020.
Analysis starting Date : 11.09.2020.	Analysis Completion date : 30.12.2020.
Code No & Point of Collection :	Date of Collection : 10.09.2020.
<b>1. PR-103</b> - Stagnated Water sample collected at Odai.	Date of Receipt : 11.09.2020.
Malaipalayam Village, Sulur Taluk (Behind	Sample Condition : Sealed -
Remy Substrates India Pvt.Ltd).	Sample Quantity : 2.5 Litres
	Sample Collected and
	Requested by : Er.P.Manimaran, DEE &
	Dr.P.Ramesh, AE.,
	O/o.The District Env.Engineer
	Plot No.E-55A,
	Pollachi Main Road, Kurichi.
	SIDCO Industrial Estate,
	Coimbatore - 641 021.

Sl.No	Parameters	Test Method	Unit	Sample-1 PR-103
1	pH @ 25° C	APHA 23rd Edi.2017 4500 - H	---	8.31
2	Total Suspended Solids	APHA 23rd Edi. 2017 - 2540 - D	mg/l	26
3	Total Dissolved Solids	APHA 23rd Edi. 2017 - 2540 - C	mg/l	456
4	Chlorides as Cl	APHA 23rd Edi. 2017 - 4500 - Cl-B	mg/l	158
5	Sulphate as SO <sub>4</sub>	APHA 23rd Edi. 2017 - 4500 - F	mg/l	20
6	Oil & Grease	APHA 23rd Edi. 2017 - 5520 - B	mg/l	<4
7	BOD for 3 days @ 27°C	IS 3025 - 1993. Reaff - 2009	mg/l	6
8	COD	APHA 23rd Edi.2017 - 5220 - B	mg/l	72

**Remarks:** < - Indicates less than minimum detectable limit.

D.C.S.O

[K.SELVARAJ]

Authorised Signatory,  
Assistant Director (Lab).

The test result furnished is only for the sample received. The test report shall not be reproduced anywhere, except in full, without the written approval of Laboratory.

**3<sup>rd</sup> & 4<sup>th</sup> Floor, No.5, Ramasamy Nagar, Kuvundampalayam, Coimbatore - 641 030.**

**Telephone: 0422 - 2440174, Email: [deltncbcbe@gmail.com](mailto:deltncbcbe@gmail.com), [aeltncbcbe@gmail.com](mailto:aeltncbcbe@gmail.com)**



31  
TAMILNADU POLLUTION CONTROL BOARD,  
ADVANCED ENVIRONMENTAL LABORATORY,  
COIMBATORE - 641 030.



Accredited Laboratory - (ISO/IEC 17025:2005)  
**REPORT OF ANALYSIS**

NABL - TC-7025

**ULR-TC70252000000609P**

Report No	: 418.	Report Date	: 30.12.2020.
Analysis starting Date	: 11.09.2020.	Analysis Completion date	: 30.12.2020.
Code No & Point of Collection		Date of Collection	: 10.09.2020.
1. PR-103 - Stagnated Water sample collected at Odai,		Date of Receipt	: 11.09.2020.
Malaipalayam Village, Sulur Taluk (Behind		Sample Condition	: Sealed
Remy Substrates India Pvt.Ltd).		Sample Quantity	: 2.5 Litres
		Sample Collected and	
		Requested by	: Er.P.Manimaran, DEE & Dr.P.Ramesh, AI... O/o.The District Env.Engineer Plot No:1-35A, Pollachi Main Road, Kurichl, SIDCO Industrial Estate, Coimbatore - 641 021.


Sl.No	Parameters	Test Method	Unit	Sample-1 PR-103
9	Total Residual Chlorine	APHA 23rd Edi.2017 - 4500 Cl-B	mg/l	<1.0
10	Fluoride	APHA 23rd Edi.2017 - 4500 F - D	mg/l	1.29
11	Total Alkalinity	APHA 23rd Edi.2017 - 2320 - B	mg/l	248
12	Total Hardness	APHA 23rd Edi.2017 - 2340 - C	mg/l	200
13	Calcium	APHA 23rd Edi.2017 - 3500 Ca - B	mg/l	60.1
14	Magnesium	APHA 23rd Edi.2017 - 3500 - Mg-A	mg/l	12.2
15	Iron Total	APHA 23rd Edi.2017 - 3500 - Fe -B	mg/l	0.51
16	Hexavalent Chromium	APHA 23rd Edi.2017 - 3500 Cr - B	mg/l	<0.01

**Remarks:** < - Indicates less than minimum detectable limit.

*[Signature]*  
D.C.S.O

*[Signature]*  
**[K.SELVARAJ]**  
Authorised Signatory,  
Assistant Director (Lab).


The test result furnished relate to the sample received. The test report shall not be reproduced anywhere except in full without the written approval of Laboratory  
**3rd & 4th Floor, No.5, Ramasamy Nagar, Kavundampalayam, Coimbatore - 641 030.**  
**Telephone: 0422 - 2440174, Email: [deltnpchcbe@gmail.com](mailto:deltnpchcbe@gmail.com), [aeltnpchcbe@gmail.com](mailto:aeltnpchcbe@gmail.com)**



"Remmy Substrates India Pvt.Ltd" - Unit 2



**Sri Raagavendra Best Fibre near PAP Canal**  
 KoolanaickenPatti - Pollachi



**Legend**  
 Circle Measure Kallipatti  
 Kallipatti  
 R13

**2021 Satellite View of Kallipatti Pudur near Priya Kumar Farm House**  
 Coir Pith had been Dumped in Agricultural Land by all Respondent + Behind PriyaKumar Farm House by R13.

Google Earth  
 Image © 2021 Maxar Technologies



**Vaigai Agro Products**  
Pollachi

Vaigai Agro Products Limited (Pollachi Unit)

kishore.s garden house

Prabu Garden Stp

Selvaraj garden

400 m

Google Earth  
Image © 2022 Maxar, Earthstar



**Anar Coir Private Limited**  
Pollachi

Arumigu Karupusamy Temple

Jai sri coir products



Anar Coir Private Limited

Anar Coir Private Limited

Ponnegoundanur - Chettipalayam Rd

300 m





## Water is Spraying /Washing/ Bleaching in Coir Industries



SMV EXPORTS | Coco Peat/Coir Pith Production Process



0:26 / 0:53

Scroll for details



SMV EXPORTS | Coco Peat/Coir Pith Production Process



0:17 / 0:53

Scroll for details

India's No 1 Coco & Coir Products Manufacturers & Exporters Company | Vaighai Worldwide




TRIPLE WASHED

1:07 / 4:14

Scroll for details













**Coimbatore, Tamil Nadu, India**  
**Unnamed Road, Tamil Nadu 642202, India**  
**Lat N 10° 48' 25.6176" Long E 77° 9' 47.2788"**  
**01/02/23 07:16 AM**

GPS Map Camera


20.18° C

65° NE





India's No 1 Coco & Coir Products Manufacturers & Exporters Company | Vaighai Worldwide




# MULTIPLE BAYS

Scroll for details

▶ 🔊 0:52 / 4:14



India's No 1 Coco & Coir Products Manufacturers & Exporters Company | Vaighai Worldwide



# RAW COCO PEAT

▶ | 🔊 0:57 / 4:14

[Scroll for details](#)

