

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Sakthi Knitting*

Month : *July - 07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		69505.0	69970.9	465.9	7746.00	7803.33	57.33			
2	S. CSAM	69970.9	70337.0	366.1	7803.33	7856.10	52.77	P. Phalay	G.P. Cymon	
3	S. KAM	70337.0	70753.0	416.0	7856.10	7872.00	15.90	P. Phalay	S. K. Cymon	
4		70753.0	70967.0	214.0	7872.00	7929.40	57.4	P. Phalay	A. A. T	
5		70967.0	71375.0	408	7929.40	7985.01	55.61		P. Phalay	
6		71375.0	71755.1	380.1	7985.01	8076.25	91.24			
7		71755.1	71989.3	234.2	8076.25	8161.74	85.49		P. Phalay	
8		71989.3	72350.0	360.7	8161.74	8222.00	60.26		P. Phalay	
9		72350.0	72633.3	283.3	8222.00	8304.68	82.68		P. Phalay	
10		72633.3	72821.3	388.0	8304.68	8393.53	88.85			
11		72821.3	73452.4	431.1	8393.53	8473.53	80	C. Emery	P. Phalay	
12		73452.4	73830.1	377.7	8473.53	8532.64	59.11	C. Emery	A. A. T	
13		73830.1	74142.0	311.9	8532.64	8612.64	80	C. Emery	A. A. T	
14		74142.0	74651.7	509.7	8612.64	8670.00	57.36	C. Emery	P. Phalay	
15		74651.7	75056.6	404.9	8670.00	8727.82	57.82	C. Emery	P. Phalay	
16		75056.6	75265.3	208.7	8727.82	8808.94	81.12			
17		75265.3	75480.8	215.5	8808.94	8883.04	74.1			
18		75480.8	75528.0	47.2	8883.04	8948.00	64.96	P. Phalay	K. Phalay	
19		75528.0	76090.0	562.0	8948.00	8998.53	50.53			
20		76090.0	76540.0	450	8998.53	9064.63	66.1			
21		76540.0	76932.9	392.9	9064.63	9126.80	62.17			
22		76932.9	77333.6	400.7	9126.80	9172.93	46.13	P. Phalay		
23		77333.6	77773.8	440.2	9172.93	9251.42	78.49	P. Phalay	S. K. Cymon	
24		77773.8	78180.9	407.1	9251.42	9314.41	62.99	P. Phalay	S. K. Cymon	
25		78180.9	78620.2	439.3	9314.41	9381.19	66.78	P. Phalay	S. K. Cymon	
26		78620.2	79117.7	497.5	9381.19	9440.94	59.75			
27		79117.7	79634.2	516.5	9440.94	9514.26	73.32			
28		79634.2	80017.7	383.5	9514.26	9587.24	72.98			
29		80017.7	80519.7	502.0	9587.24	9672.68	55.44			
30		80519.7	80801.8	282.1	9672.68	9736.48	63.8			
31		80801.8	81315.0	513.2	9736.48	9811.00	74.52			
TOTAL..		81315.0			9811.00					

1110

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Network.....clothing.....Company...*

Month : *July -07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		58181.2	58393.8	212.6	2698.49	2698.49	0.0			
2	5.24 AM	58393.8	58393.8	0.0	2698.49	2698.52	0.03	P. Phasat	J. C. C.	
3	5.25 AM	58393.8	58706.9	313.1	2698.52	27041.1	5.59	P. Phasat		
4	5.27 AM	58706.9	58991.8	284.9	27041.1	27041.4	0.3	P. Phasat	J. C. C.	
5		58991.8	59272.9	281.1	27041.4	27132.3	2899.97			
6		59272.9	59514.6	241.7	27132.3	27170.1	37.8			
7		59514.6	59558.6	44.0	27170.1	27170.1	0.0			
8		59558.6	59734.5	175.9	27170.1	27170.1	0.0		J. C. C.	
9		59734.5	59734.5	0.0	27170.1	27170.1	0.0		P. Phasat	
10		59734.5	60053.8	319.3	27170.1	2720.30	6.03			
11		60053.8	60356.6	302.8	2720.30	2720.64	0.0	C. Emilly	J. C. C.	
12		60356.6	60721.4	364.8	2720.64	2732.29	11.65	C. Emilly	U. Babu	
13		60721.4	61053.5	332.1	2732.29	2732.29	0.0	C. Emilly	J. C. C.	
14		61053.5	61402.7	349.2	2732.29	2736.55	4.26	C. Emilly	U. Babu	
15		61402.7	61548.5	145.8	2736.55	2736.55	0.0	C. Emilly	J. C. C.	
16		61548.5	61695.3	146.8	2736.55	2739.14	2.59			
17		61695.3	62048.1	352.8	2739.14	2744.73	5.59			
18		62048.1	62481.6	433.5	2744.73	2760.40	15.67	P. Phasat	J. C. C.	
19		62481.6	62650.2	168.6	2760.40	2772.28	11.88			
20		62650.2	62802.1	151.9	2772.28	2772.28	0.0		J. C. C.	
21		62802.1	63177.9	375.8	2772.28	2786.04	13.76	P. Phasat	J. C. C.	
22		63177.9	63562.8	384.9	2786.04	2788.10	2.06	P. Phasat	J. C. C.	
23		63562.8	63857.5	294.7	2788.10	2788.10	0.0	P. Phasat	J. C. C.	
24		63857.5	64218.8	361.3	2788.10	2809.57	21.47	P. Phasat		
25		64218.8	64616.7	397.9	2809.57	2813.67	4.1	P. Phasat	J. C. C.	
26		64616.7	64851.4	234.7	2813.67	2818.82	5.15			
27		64851.4	65060.1	208.7	2818.82	2826.32	7.5			
28		65060.1	65476.1	416.0	2826.32	2839.61	13.29			
29		65476.1	65686.6	210.5	2839.61	2854.89	15.28			
30		65686.6	65872.3	185.7	2854.89	2854.89	0.0		J. C. C.	
31		65872.3	66255.3	383.0	2854.89	2854.46	0.0		J. C. C.	
TOTAL..					2854.46					

3134010

15645

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company :..... Unishont..... Textiles.....

Month : July-07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		41093.0	41269.2	176.2	3586.9	3594.0	7.1			
2		41269.2	41494.0	224.8	3594.0	3612.7	18.7	P. Phany	Schur	
3		41494.0	41718.0	224.0	3612.7	3628.4	15.7	P. Phany	Schur	
4	5.30	41718.0	41942.0	224.0	3628.4	3653.6	25.2	P. Phany	Schur	
5		41942.0	42166.7	224.7	3653.6	3678.9	25.3	Yump	Schur	
6	4.21.66.7	42166.7	42446.2	279.5	3678.9	3703.1	24.2	Yump	Schur	
7		42446.2	42670.0	223.8	3703.1	3727.9	24.2	Yump	Schur	
8		42670.0	42756.0	86.0	3727.9	3745.1	17.8	Yump	Schur	
9		42756.0	42841.0	85.0	3745.1	3762.1	17.0	Yump	Schur	
10		42841.0	43123.0	282.0	3762.1	3787.0	24.9	Yump	Schur	
11		43123.0	43347.0	224.0	3787.0	3811.0	24.0	C. Emery	Junny	
12		43347.0	43600.3	253.3	3811.0	3840.0	29.0	C. Emery	N. G. R.	
13		43600.3	43850.0	249.7	3840.0	3865.0	25.0	C. Emery	Junny	
14		43850.0	44100.0	250.0	3865.0	3890.0	25.0	C. Emery	N. G. R.	
15		44100.0	44278.8	178.8	3890.0	3908.7	18.7	C. Emery	N. G. R.	
16		44278.8	44457.6	178.8	3908.7	3928.4	19.7			
17		44457.6	44708.1	250.5	3928.4	3953.2	24.8	P. Phany	Schur	
18		44708.1	44958.2	250.1	3953.2	3976.1	22.9	P. Phany	Schur	
19		44958.2	45238.1	279.9	3976.1	4001.2	25.1	Yump	Schur	
20		45238.1	45518.1	280.0	4001.2	4027.6	26.4	Yump	Schur	
21		45518.1	45798.6	280.5	4027.6	4058.8	31.2	P. Phany	Schur	
22		45798.6	45896.3	97.7	4058.8	4078.6	19.8	P. Phany	Schur	
23		45896.3	46133.5	237.2	4078.6	4103.0	24.4	P. Phany	N. G. R.	
24		46133.5	46413.0	279.5	4103.0	4128.0	25.0	P. Phany	N. G. R.	
25		46413.0	46693.0	280.0	4128.0	4153.0	25.0	P. Phany	N. G. R.	
26		46693.0	46973.0	280.0	4153.0	4180.0	27.0	Yump	N. G. R.	
27		46973.0	47253.0	280.0	4180.0	4205.0	25.0	Yump	N. G. R.	
28		47253.0	47532.5	279.5	4205.0	4230.3	25.3	Yump	N. G. R.	
29		47532.5	47703.0	170.5	4230.3	4255.1	24.8	Yump	N. G. R.	
30		47703.0	47927.0	224.0	4255.1	4279.1	24.0	Yump	Schur	
31		47927.0	48207.3	280.3	4279.1	4305.3	26.2	Yump	Schur	
TOTAL..				280.3						

7114

715.0

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Garagoluxi Textiles

Month : July-07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		4611.5	4611.5	0.0						
2		4611.5	4637.7	26.2				P. Phalay	P. Phalay	
3	5.55AM	4637.7	4669.5	31.8				P. Phalay	P. Phalay	
4	5.55AM	4669.5	4707.8	38.3				P. Phalay	P. Phalay	
5	6-11	4707.8	4707.8	0.0						
6	6-12	4707.8	4752.3	44.5						
7		4752.3	4763.9	11.6						
8		4763.9	4763.9	0.0						
9		4763.9	4814.0	50.1						
10		4814.0	4848.9	34.9						
11		4848.9	4886.9	38						
12		4886.9	4886.9	0.0						
13		4886.9	4886.9	0.0						
14		4886.9	4929.6	42.7						
15		4929.6	4951.8	22.2						
16		4951.8	4994.7	42.9						
17		4994.7	5035.1	40.4	0.0	0.0				
18		5035.1	5060.6	25.5						
19		5060.6	5079.4	18.8						
20		5079.4	5130.8	51.4						
21		5130.8	5171.4	40.6						
22		5171.4	5171.4	0.0						
23		5171.4	5208.0	36.6						
24		5208.0	5246.9	38.9						
25		5246.9	5289.0	42.1						
26		5289.0	5309.1	20.1						
27		5309.1	5348.1	39						
28		5348.1	5389.1	41.0						
29		5389.1	5389.1	0.0						
30		5389.1	5419.6	30.5						
31		5419.6	5451.4	31.8						
TOTAL..		5451.4								

2396

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Mahavix Spinning Mills*

Month : *July-07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		8222.5	8285.1	62.6	54.1	54.1	0.0			
2	5.15 AM	8285.1	8356.9	71.8	54.1	54.1	0.0	P. Phalany	su	
3	5.17 AM	8356.9	8508.1	151.2	54.1	54.1	0.0	P. Phalany	su	
4		8508.1	8673.7	165.6	54.1	54.1	0.0	P. Phalany	su	
5		8673.7	8809.1	135.4	54.1	54.1	0.0	Yump		
6		8809.1	8975.1	165.9	54.1	54.1	0.0	Yump	wj	
7		8975.1	9113.9	138.9	54.1	54.1	0.0	Yump		
8		9113.9	9238.4	124.5	54.1	54.1	0.0	Yump	wj	
9		9238.4	9289.9	31.5	54.1	54.1	0.0	Yump		
10		9269.9	9401.3	131.4	54.1	54.1	0.0	Yump		
11		9401.3	9582.1	180.8	54.1	54.1	0.0	C. Emmy	A. Ramesh	
12		9582.1	9618.8	36.7	54.1	54.1	0.0	C. Emmy	G. Jeyaraj	
13		9618.8	9762.6	143.8	54.1	54.1	0.0	C. Emmy	M. Raju	
14		9762.6	9914.0	151.4	54.1	54.1	0.0	C. Emmy	A. Ramesh	
15		9914.0	10079.4	165.4	54.1	54.1	0.0	C. Emmy	P. Phalany	
16		10079.4	10185.5	106.1	54.1	54.1	0.0			
17		10185.5	10316.4	130.9	54.1	54.1	0.0			
18		10316.4	10383.3	66.9	54.1	54.1	0.0	P. Phalany	wj	
19		10383.3	10503.5	120.2	54.1	54.1	0.0	Yump		
20		10503.5	10692.8	189.3	54.1	54.1	0.0	Yump		
21		10692.8	10829.3	136.5	54.1	54.1	0.0	P. Phalany	M. Raju	
22		10829.3	11008.0	178.7	54.1	54.1	0.0	P. Phalany		
23		11008.0	11104.9	96.9	54.1	54.1	0.0	P. Phalany	V. K.	
24		11104.9	11168.2	63.3	54.1	54.1	0.0	P. Phalany	P. Phalany	
25		11168.2	11236.4	68.2	54.1	54.1	0.0	P. Phalany	P. Phalany	
26		11236.4	11356.8	120.4	54.1	64.8	10.7	Yump	S. Raju	
27		11356.8	11497.1	140.3	64.8	64.8	0.0	Yump	wj	
28		11497.1	11644.4	147.3	64.8	64.8	0.0	Yump	wj	
29		11644.4	11784.4	140.0	64.8	64.8	0.0	Yump		
30		11784.4	11917.4	133	64.8	64.8	0.0	Yump	A. Ramesh	
31		11917.4	12061.1	143.7	64.8	64.8	0.0	Yump	A. Ramesh	
TOTAL..				7238.6						

7238.6

11-7

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Finalt Graman*

Month : *July-07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		18433.1	18434.0	0.9	1000.5	1000.5	0.0			
2		18434.0	18502.6	68.6	1000.5	1000.5	0.0	P. Phary		
3		18502.6	18503.0	0.4	1000.5	1000.5	0.0	P. Phary	S. Ganesan	
4		18503.0	18503.0	0.0	1000.5	1000.5	0.0	P. Phary		
5		18503.0	18503.0	0.0	1000.5	1000.5	0.0			
6		18503.0	18503.0	0.0	1000.5	1000.5	0.0			
7		18503.0	18504.2	1.2	1000.5	1000.5	0.0			
8		18504.2	18807.2	303.0	1000.5	1000.5	0.0			
9		18807.2	18808.5	1.3	1000.5	1000.5	0.0			
10		18808.5	18809.0	0.5	1000.5	1020.5	20			
11		18809.0	18809.0	0.0	1020.5	1038.8	18.3	C. Emery		
12		18809.0	18809.5	0.5	1038.8	1038.8	0.0	C. Emery		
13		18809.5	18813.4	3.9	1038.8	1053.5	14.7	C. Emery		
14		18813.4	19023.0	209.6	1053.5	1074.5	21.0	C. Emery		
15		19023.0	19051.0	28.0	1074.5	1074.5	0.0	C. Emery		
16		19051.0	19051.7	0.7	1074.5	1074.5	0.0			
17		19051.7	19052.2	0.5	1074.5	1098.0	23.5			
18		19052.2	19652.9	600.7	1098.0	1109.4	11.4	P. Phary		
19		19052.9	19052.9	0.0	1109.4	1109.4	0.0			
20		19052.9	19293.0	240.1	1109.4	1109.4	0.0			
21		19293.0	19418.3	125.3	1109.4	1127.1	17.7	P. Phary		
22		19418.3	19418.7	0.4	1127.1	1127.1	0.0	P. Phary		
23		19418.7	19524.8	106.1	1127.1	1127.1	0.0	P. Phary		
24		19524.8	19525.2	0.4	1127.1	1127.1	0.0	P. Phary		
25		19525.2	19572.9	47.7	1127.1	1127.1	0.0	P. Phary		
26		19572.9	19776.3	203.4	1127.1	1153.6	26.5			
27		19776.3	19776.3	0.0	1153.6	1170.9	17.3			
28		19776.3	19777.4	1.1	1170.9	1170.9	0.0			
29		19777.4	19777.4	0.0	1170.9	1170.9	0.0			
30		19777.4	19900.1	122.7	1170.9	1182.1	11.2			
31		19900.1	19901.1	1.0	1182.1	1182.1	0.0			
TOTAL										

14679

161.6

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Vijaya.....Gowinda.....

Month : July -07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		9438.0	9453.3	15.3	741.8	744.0	2.2			
2	5.00 AM	9453.3	9543.2	89.9	744.0	744.0	0.0	P. Phalmy	K. Sathapalan	
3	5.05 AM	9543.2	9673.6	130.4	744.0	750.4	6.4	P. Phalmy	P. Selloppan	
4		9673.6	9763.8	90.2	750.4	761.3	10.9	P. Phalmy	K. Sathapalan	
5		9763.8	9878.5	114.7	761.3	774.5	13.2	P. Phalmy	P. Selloppan	
6		9878.5	9957.0	78.5	774.5	784.5	10.0	P. Phalmy	K. Sathapalan	
7		9957.0	10068.4	111.4	784.5	798.2	13.7	P. Phalmy	P. Selloppan	
8		10068.4	10115.1	46.7	798.2	801.9	3.7	P. Phalmy		
9		10115.1	10245.5	130.4	801.9	806.7	4.8	P. Phalmy		
10		10245.5	10329.4	83.9	806.7	820.9	14.2	P. Phalmy	P. Selloppan	
11		10329.4	10483.7	94.4	820.9	833.9	13.0	C. Eswary	K. Sathapalan	
12		10483.7	10583.2	99.5	833.9	849.8	15.9	C. Eswary	K. Sathapalan	
13		10583.2	10648.1	104.9	849.8	859.9	10.1	C. Eswary	P. Phalmy	
14		10648.1	10782.9	104.8	859.9	872.0	12.1	C. Eswary	K. Sathapalan	
15		10782.9	10859.9	77.0	872.0	876.8	4.8	C. Eswary	K. Sathapalan	
16		10859.9	10966.9	107.0	876.8	885.8	9.0		K. Sathapalan	
17		10966.9	11064.6	97.7		897.7	11.0		K. Sathapalan	
18		11064.6	11203.1	138.5	897.7	910.9	13.2	P. Phalmy	K. Sathapalan	
19		11203.1	11322.8	119.7	910.9	919.9	9.0	P. Phalmy	K. Sathapalan	
20		11322.8	11491.0	168.2	919.9	932.0	12.1			
21		11491.0	11565.1	74.1	932.0	941.1	9.1	P. Phalmy	K. Sathapalan	
22		11565.1	11578.4	13.3	941.1	941.1	0.0		K. Sathapalan	
23		11578.4	11685.9	107.5	941.1	953.8	12.7	P. Phalmy	K. Sathapalan	
24		11685.9	11751.9	66.0	953.8	966.2	12.4	P. Phalmy	K. Sathapalan	
25		11751.9	11868.4	116.5	966.2	978.9	12.7	P. Phalmy	K. Sathapalan	
26		11868.4	11936.4	68.0	978.9	983.3	4.4	P. Phalmy	K. Sathapalan	
27		11936.4	12016.3	79.9	983.3	986.2	2.9	P. Phalmy	K. Sathapalan	
28		12016.3	12031.6	15.3	986.2	996.5	10.3	P. Phalmy	K. Sathapalan	
29		12031.6	12031.6	0.0	996.5	998.6	2.1	P. Phalmy	K. Sathapalan	
30		12031.6	12094.0	62.4	998.6	998.6	0	P. Phalmy	K. Sathapalan	
31		12094.0	12163.9	69.9	998.6	999.9	1.3	P. Phalmy	K. Sathapalan	
TOTAL..										

2725

2534

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Manwell.....Industries.....*

Month : *July 2007*

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		38806.6	39030.6	224	2879.9	2880.7	0.8			
2	5.05 AM	39030.6	39254.6	224	2880.7	2899.9	19.2	P. Phalaraj		Be's
3	5.10 AM	39254.6	39478.6	224	2899.9	2919.9	20.0	P. Phalaraj	Be's	
4		39478.6	39702.6	224	2919.9	2939.9	20.0	P. Phalaraj	M. Palani	
5		39702.6	39926.6	224	2939.9	2959.9	20	Y. Prasad		
6		39926.6	40206.6	280	2959.9	2959.9	0.0	Y. Prasad	Be's	
7		40206.6	40430.6	224	2959.9	2979.9	20.0	Y. Prasad		
8		40430.6	40654.6	224	2979.9	2999.9	20.0	Y. Prasad	M. Palani	
9		40654.6	40878.6	224	2999.9	3019.9	20	Y. Prasad	Be's	
10		41102.6	41102.6	224	3019.9	3039.9	20	Y. Prasad	M. Palani	
11		41102.6	41327.1	224.5	3039.9	3059.9	20	C. Eswari	Be's	
12		41327.1	41550.6	223.5	3059.9	3079.9	20	C. Eswari	M. Palani	
13		41550.6	41774.6	224	3079.9	3099.9	20	C. Eswari	M. Palani	
14		41774.6	42024.6	250	3099.9	3119.9	20	C. Eswari	M. Palani	
15		42024.6	42248.6	224	3119.9	3119.9	0.0	C. Eswari		
16		42248.6	42472.6	224	3119.9	3139.9	20.0		B. Chinn	
17		42472.6	42696.6	224	3139.9	3159.9	20.0	Y. Prasad	M. Palani	
18		42696.6	42921.5	224.9	3159.9	3179.9	20.0	Y. Prasad	B. Chinn	
19		42921.5	43145.6	224.1	3179.9	3199.9	20	Y. Prasad	Be's	
20		43145.6	43345.6	(250)	3199.9	3219.9	20.0	Y. Prasad	S. Prasad	(Ramp 43395.6)
21		43345.6	43619.6	224.0	3219.9	3239.9	20.0	P. Phalaraj	Be's	
22		43619.6	43843.6	224	3239.9	3239.9	0.0	P. Phalaraj	M. Palani	
23		43843.6	44067.6	224	3239.9	3259.9	20	P. Phalaraj	B. Chinn	
24		44067.6	44291.6	224	3259.9	3279.9	20.0	P. Phalaraj	M. Palani	
25		44291.6	44515.6	224	3279.9	3279.9	20	P. Phalaraj	Be's	
26		44515.6	44739.6	224	3279.9	3319.9	20.0	Y. Prasad	M. Palani	
27		44739.6	44963.6	224	3319.9	3339.9	20	Y. Prasad	M. Palani	
28		44963.6	45187.7	224.1	3339.9	3359.9	20.0	Y. Prasad		
29		45187.7	45411.7	224.0	3359.9	3359.9	0.0	Y. Prasad	Be's	
30		45411.7	45635.7	224	3359.9	3379.9	20	Y. Prasad	Be's	
31		45635.7	45859.7	224	3379.9	3399.9	20	Y. Prasad	Be's	
TOTAL..				224						

70531

500

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Dewi Thread processors

Month : July -07

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		27239	27336	97.0	1039	1047	8.0			
2	5.5240	27336	27490	154.0	1047	1057	10.0	P. Phany	<i>[Signature]</i>	
3		27490	27617	127	1057	1066	9.0	P. Phany		
4		27617	27761	144	1066	1074	8.0	P. Phany		
5		27761	27978	217	1074	1084	10.0	<i>[Signature]</i>	<i>[Signature]</i>	
6		27978	28051	73	1084	1094	10.0	<i>[Signature]</i>		
7		28051	28229	230	1094	1104	10.0	<i>[Signature]</i>		
8		28229	28289	60	1104	1104	0.0	<i>[Signature]</i>	<i>[Signature]</i>	
9		28289	28382	93	1104	1114	10.0	<i>[Signature]</i>		
10		28382	28533	151	1114	1124	10.0	<i>[Signature]</i>	<i>[Signature]</i>	
11		28533	28653	120	1124	1134	10.0	C. Emmy		
12		28653	28673	20	1134	1144	10.0	C. Emmy	<i>[Signature]</i>	
13		28673	28760	87	1144	1152	8	C. Emmy		
14		28760	28760	0.0	1152	1152	0.0	C. Emmy		
15		28760	28760	0.0	1152	1152	0.0	C. Emmy		
16		28760	28822	62	1152	1158	6.0	<i>[Signature]</i>		
17		28822	29002	180	1158	1163	5.0	<i>[Signature]</i>		
18		29002	29190	188	1163	1168	5.0	P. Phany		
19		29190	29345	155	1168	1173	5	<i>[Signature]</i>		
20		29345	29345	0.0	1173	1173	0.0	<i>[Signature]</i>		Gate not open
21		29345	29557	212	1173	1189	16.0	P. Phany	<i>[Signature]</i>	
22		29557	29757	200	1189	1189	0.0	P. Phany	<i>[Signature]</i>	
23		29757	29867	110	1189	1193	4.0	P. Phany	<i>[Signature]</i>	
24		29867	30027	160	1193	1198	5.0	P. Phany	<i>[Signature]</i>	
25		30027	30113	86	1198	1204	6.0	P. Phany	<i>[Signature]</i>	
26		30113	30203	90	1204	1210	6.0	<i>[Signature]</i>	<i>[Signature]</i>	
27		30203	30296	93	1210	1215	5.0	<i>[Signature]</i>	<i>[Signature]</i>	
28		30296	30352	56	1215	1219	4.0	<i>[Signature]</i>		
29		30352	30381	29	1219	1219	0.0	<i>[Signature]</i>	<i>[Signature]</i>	
30		30381	30535	154	1219	1223	4.0	<i>[Signature]</i>	<i>[Signature]</i>	
31		30535	30689	154	1223	1227	4.0	<i>[Signature]</i>	<i>[Signature]</i>	Gate not open at 5.45 AM
TOTAL										

2450

100

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Amarjoths..... Spinning..... Mills.*

Month : *July -07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		27844	28004	160	3063.0	3067.0	4.0		M	
2	5:20	28004	28164	160	3067.0	3087.0	20.0	P. Phukan	M. Raja	
3		28164	28325	161	3087.0	3108	21.0	P. Phukan	M. Raja	
4		28325	28483	158	3108.0	3127	19.0	P. Phukan	M. Raja	
5		28483	28639	156	3127.	3147	20.0	P. Phukan	A. Sarav	
6		28639	28767	128	3147	3167	20.0	P. Phukan	S. Raja	
7		28767	28917	150	3167	3187	20.0	P. Phukan		
8		28917	29023	106	3187	3187	0.0	P. Phukan	R. Raja	
9		29023	29173	150	3187	3207	20.0	P. Phukan		
10		29173	29398	225	3207	3227	20.0	P. Phukan	S. Raja	
11		29398	29550	152	3227	3247	20.0	C. Emery	R. Alaguraja	
12		29550	29710	160	3247	3247	0.0	C. Emery	S. Raja	
13		29710	29870	160	3247	3261	14.0	C. Emery	M. Raja	
14		29870	30030	160	3261	3281	20.0	C. Emery	M. Raja	
15		30030	30190	160	3281	3281	0.0	C. Emery	M. Raja	
16		30190	30350	160	3281	3301	20.0			
17		30350	30510	160	3301	3321	20.0		M. Raja	
18		30510	30657	147	3321	3341	20.0	P. Phukan		
19		30657	30817	160	3321	3361	20.0	P. Phukan		
20		30817	30860	43	3361	3361	0.0	P. Phukan	R. Alaguraja	
21		30860	31000	140	3361	3370	9.0			
22		31000	31166	166	3370	3381	11.0	P. Phukan	M. Raja	
23		31166	31326	160	3370	3401	20.0	P. Phukan	S. Raja	
24		31326	31486	160	3401	3421	20.0	P. Phukan	S. Raja	
25		31486	31646	160	3401	3441	20.0	P. Phukan	M. Raja	
26		31646	31805	159	3441	3457	16.0	P. Phukan	R. Alaguraja	
27		31805	31958	153	3457	3457	0.0	P. Phukan	S. Raja	
28		31958	32052	94	3457	3461	4.0	P. Phukan	S. Raja	
29		32052	32212	160	3461	3474	13.0	P. Phukan	S. Raja	
30		32212	32373	161	3474	3492	18.0	P. Phukan	S. Raja	
31		32373	32532	159	3492	3511	19.0	P. Phukan	S. Raja	
TOTAL...										

4688

440

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SPOOT, PERUNDURAI

Water of the Company

Month: Year:

WATER					DYE BATH					
Sl. No	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		27515.5	27515.5	0.0	27515.5	27515.5	0.0			
2		27520.0	27520.0	0.0	27520.0	27520.0	0.0			
3		27525.0	27525.0	0.0	27525.0	27525.0	0.0			
4		27530.0	27530.0	0.0	27530.0	27530.0	0.0			
5		27535.0	27535.0	0.0	27535.0	27535.0	0.0			
6		27540.0	27540.0	0.0	27540.0	27540.0	0.0			
7		27545.0	27545.0	0.0	27545.0	27545.0	0.0			
8		27550.0	27550.0	0.0	27550.0	27550.0	0.0			
9		27555.0	27555.0	0.0	27555.0	27555.0	0.0			
10		27560.0	27560.0	0.0	27560.0	27560.0	0.0			
11		27565.0	27565.0	0.0	27565.0	27565.0	0.0			
12		27570.0	27570.0	0.0	27570.0	27570.0	0.0			
13		27575.0	27575.0	0.0	27575.0	27575.0	0.0			
14		27580.0	27580.0	0.0	27580.0	27580.0	0.0			
15		27585.0	27585.0	0.0	27585.0	27585.0	0.0			
16		27590.0	27590.0	0.0	27590.0	27590.0	0.0			
17		27595.0	27595.0	0.0	27595.0	27595.0	0.0			
18		27600.0	27600.0	0.0	27600.0	27600.0	0.0			
19		27605.0	27605.0	0.0	27605.0	27605.0	0.0			
20		27610.0	27610.0	0.0	27610.0	27610.0	0.0			
21		27615.0	27615.0	0.0	27615.0	27615.0	0.0			
22		27620.0	27620.0	0.0	27620.0	27620.0	0.0			
23		27625.0	27625.0	0.0	27625.0	27625.0	0.0			
24		27630.0	27630.0	0.0	27630.0	27630.0	0.0			
25		27635.0	27635.0	0.0	27635.0	27635.0	0.0			
26		27640.0	27640.0	0.0	27640.0	27640.0	0.0			
27		27645.0	27645.0	0.0	27645.0	27645.0	0.0			
28		27650.0	27650.0	0.0	27650.0	27650.0	0.0			
29		27655.0	27655.0	0.0	27655.0	27655.0	0.0			
30		27660.0	27660.0	0.0	27660.0	27660.0	0.0			
31		27665.0	27665.0	0.0	27665.0	27665.0	0.0			
TOTAL		27665.0	27665.0	0.0	27665.0	27665.0	0.0			

3065.7

346.4

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Premina Processors

Month : July 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		10778	10855	77.0	732.0	732.0	0.0			
2	5.49 AM	10855	10902	47.0	732.0	734.0	2.0	P. Dharmap	MUTHUSAMI	
3		10902	11038	136.0	734.0	737	3.0	P. Dharmap	P. Srin	
4		11038	11038	0.0	737.0	737.0	0.0	P. Dharmap	P. Srin	
5		11038	11144	106.0	737	740.0	3.0	P. Dharmap	P. Srin	
6		11144	11224	80.0	737.140	740	3.0	P. Dharmap	P. Srin	
7		11224	11304	80.0	740	743	3.0	P. Dharmap	P. Srin	
8		11304	11384	80.0	743	743	0.0	P. Dharmap	P. Srin	
9		11384	11464	80.0	743	743	0	P. Dharmap	M. Murthy	
10		11464	11531	67	743	743	0	P. Dharmap	K. R	
11		11531	11629	98.0	743	753	10.0	C. Emery	K. R	
12		11629	11719	90.0	753	753	0.0	C. Emery	P. Mani	
13		11719	11792	73.0	753	753	0.0	C. Emery	M. Murthy	
14		11792	11839	46.0	753	755	2.0	C. Emery	M. Murthy	
15		11839	11892	54.0	755	755	0.0	C. Emery	P. Srin	
16		11892	11955	63.0	755	755	0.0		P. Mani	
17		11955	11974	19	755	755	0.		K. R	
18		11974	12144	170.0	755	755	0.0	P. Dharmap	P. Srin	
19		12144	11976	168.0	755	755	0	P. Dharmap	P. Srin	(Meter Revers)
20			11976	205	755	755	0	P. Dharmap	P. Srin	
21				80						
22		11976	12041	65	755	757	2.0	P. Dharmap	P. Mani	
23		12041	12134	93	757	766	9.0	P. Dharmap	P. Mani	
24		12134	12152	18	766	780	14.0	P. Dharmap	P. Mani	
25		12152	12202	50	780	790	10	P. Dharmap	P. Mani	
26		12202	12272	70	790	795	5.0	P. Dharmap	P. Mani	
27		12272	12352	70	795	804	9.0	P. Dharmap	P. Mani	
28		12352	12395	43	804	809	5.0	P. Dharmap	P. Mani	
29		12395	12395	0.0	809	809	0.0	P. Dharmap	K. R	
30		12395	12435	40	809	819	10.0	P. Dharmap	P. Srin	
31		12348		80	819			P. Dharmap	K. R	Meter n4 work.
TOTAL..										

2342

37

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *network*

Month : *AUG - 07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		66858.3	66440.9	132.6	2854.46	2854.73	0.27	C. Emery	D. Shanley	
2		66440.9	66529.1	88.2	2854.73	2854.73	0.0	C. Emery	J. Shanley	
3		66529.1	66529.1	0.0	2854.73	2854.73	0.0	D. Shanley	D. Shanley	
4		66529.1	66529.1	0.0	2854.73	2854.73	0.0	P. Shanley		
5		66529.1	66713.7	184.6	2854.73	2854.73	0.0	C. Emery	J. Shanley	
6		66713.7	67090.4	376.7	2854.73	2854.73	0.0	C. Emery	J. Shanley	
7		67090.4	67465.4	375	2854.73	2858.21	3.48	P. Shanley	J. Shanley	
8		67465.4	67671.2	205.8	2858.21	2859.52	1.31	J. Shanley		
9		67671.2	67929.0	257.8	2859.52	2872.04	12.52	J. Shanley		
10		67929.0	68250.7	321.7	2872.04	2880.39	8.35	P. Shanley	J. Shanley	
11		68250.7	68609.8	359.1	2880.39	2893.59	13.2	J. Shanley		
12		68609.8	68881.2	271.4	2893.59	2902.10	8.51	P. Shanley	J. Shanley	
13		68881.2	69086.3	205.1	2902.10	2912.29	10.19	P. Shanley		
14		69086.3	69657.1	570.8	2912.29	2924.91	12.62	P. Shanley		
15		69657.1	69666.8	9.7	2924.91	2924.91	0.0	C. Emery		
16		69666.8	70004.1	337.3	2924.91	2938.07	13.16	P. Shanley		
17		70004.1	70286.5	282.4	2938.07	2944.60	6.53	J. Shanley	K. AS	
18		70286.5	70708.1	421.6	2944.60	2960.74	16.14	J. Shanley	M. Shanley	
19		70708.1	70992.2	284.1	2960.74	2968.02	7.28	P. Shanley		
20		70992.2	71257.2	265	2968.02	2968.40	0.38	J. Shanley		
21		71257.2	71556.4	299.2	2968.40	2974.07	5.67	J. Shanley	K. AS	
22		71556.4	71824.5	268.1	2974.07	2989.30	15.23	P. Shanley	J. Shanley	
23		71824.5	71982.7	158.1	2989.30	2997.69	8.39	J. Shanley		
24		71982.7	72393.2	410.5	2997.69	3002.85	5.16	P. Shanley		
25		72393.2	72783.9	390.6	3002.85	3007.50	4.65	C. Emery	K. AS	
26		72783.9	73207.3	423.5	3007.50	3019.50	12.0	C. Emery		
27		73207.3	73460.3	253	3019.50	3020.5	1.0	C. Emery		
28		73460.3	73933.3	473	3020.5	3031.82	11.32	P. Shanley	J. Shanley	
29		73933.3	74513.1	579.8	3031.82	3040.25	8.43	C. Emery		
30		74513.1	75060.7	547.6	3040.25	3048.01	7.76			
31		75060.7	75582.0	521.3	3048.01	3072.22	24.21	J. Shanley		
TOTAL										

29325

21776

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Sakthi knitting

Month : AUG - 07

WASH WATER				DYE BATH						
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		81315.0 ✓	81760.0 ✓	445 ✓	9911.0 ✓	9982.37 ✓	71.37 ✓	C. Emmy	P. Vign	
2		81760.0 ✓	82130.0 ✓	370 ✓	9982.37 ✓	9981.63 ✓	39.26 ✓	C. Emmy	P. Vign	
3		82130.0 ✓	82130.0 ✓	0.0 ✓	9981.63 ✓	9921.63 ✓	0.0 ✓	P. Dharmaraj	R. Sankar	
4		82130.0 ✓	82130.0 ✓	0.0 ✓	9921.63 ✓	9921.63 ✓	0.0 ✓	P. Dharmaraj		
5		82130.0 ✓	82500.0 ✓	370 ✓	9921.63 ✓	9921.63 ✓	0.0 ✓	C. Emmy	V. Jha	
6		82500.0 ✓	82890.3 ✓	390.3 ✓	9921.63 ✓	9955.69 ✓	34.06 ✓	C. Emmy	R. Sankar	
7		82890.3 ✓	83371.7 ✓	481.4 ✓	9955.69 ✓	9999.90 ✓	44.21 ✓			
8		83371.7 ✓	83861.0 ✓	489.3 ✓	9999.90 ✓	0060.00 ✓	60 ✓			
9		83861.0 ✓	84281.1 ✓	420.1 ✓		0123.40 ✓	63.40 ✓			
10		84281.1 ✓	84660.0 ✓	378.9 ✓	0123.40 ✓	191.90 ✓	68.5 ✓			
11		84660.0 ✓	85100.0 ✓	440 ✓	191.90 ✓	216.45 ✓	24.55 ✓			
12		85100.0 ✓	85458.7 ✓	358.7 ✓	216.45 ✓	261.97 ✓	45.52 ✓	C. Emmy		
13		85458.7 ✓	85920.0 ✓	461.3 ✓	261.97 ✓	265.67 ✓	3.70 ✓	P. Dharmaraj		
14		85920.0 ✓	86176.6 ✓	256.6 ✓	265.67 ✓	307.62 ✓	41.95 ✓	P. Dharmaraj		
15		86176.6 ✓	86176.6 ✓	0.0 ✓	307.62 ✓	307.62 ✓	0.0 ✓	C. Emmy	P. Vign	
16		86176.6 ✓	86629.8 ✓	453.2 ✓	307.62 ✓	327.42 ✓	19.8 ✓	P. Dharmaraj	P. Vign	
17		86629.8 ✓	87018.5 ✓	388.7 ✓	327.42 ✓	348.32 ✓	20.9 ✓		R. Sankar	
18		87018.5 ✓	87416.6 ✓	398.1 ✓	348.32 ✓	378.03 ✓	30.21 ✓			29.71
19		87416.6 ✓	87963.9 ✓	547.3 ✓	378.03 ✓	3408.16 ✓	30.13 ✓	P. Dharmaraj	P. Vign	
20		87963.9 ✓	88352.2 ✓	388.3 ✓	408.16 ✓	435.26 ✓	27.1 ✓		P. Vign	
21		88352.2 ✓	88748.1 ✓	395.9 ✓	435.26 ✓	448.01 ✓	12.75 ✓		A. An	
22		88748.1 ✓	88921.4 ✓	173.3 ✓		4809.6 ✓	32.15 ✓	P. Dharmaraj	A. An	
23		88921.4 ✓	89165.0 ✓	243.6 ✓	4809.6 ✓	531.61 ✓	50.63 ✓			
24		89165.0 ✓	89559.0 ✓	394 ✓	531.61 ✓	566.36 ✓	34.75 ✓	P. Dharmaraj	A. An	
25		89559.0 ✓	89795.0 ✓	236 ✓	566.36 ✓	603.34 ✓	36.98 ✓	C. Emmy	R. Sankar	
26		89795.0 ✓	90082.7 ✓	287.7 ✓	603.34 ✓	623.64 ✓	20.3 ✓	C. Emmy	R. Sankar	
27		90082.0 ✓	90391.6 ✓	309.6 ✓	623.64 ✓	642.79 ✓	19.15 ✓	C. Emmy	R. Sankar	
28		90391.6 ✓	90626.9 ✓	235.3 ✓	642.79 ✓	658.41 ✓	15.62 ✓	P. Dharmaraj	A. An	
29		90626.9 ✓	90982.7 ✓	355.8 ✓	658.41 ✓	680.40 ✓	21.99 ✓	C. Emmy	P. Vign	
30		90982.7 ✓	91395.0 ✓	412.3 ✓	680.40 ✓	735.00 ✓	54.60 ✓			
31		91395.0 ✓	91817.0 ✓	422.0 ✓	735.00 ✓	766.00 ✓	31.00 ✓			
TOTAL										

A 10502 9547

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Alan Teaknit

Month : AUG -07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		48874.3	48597.2	372.9	981.8	1006.85	25.05	C. Emery	P. M	
2		48597.2	48894.9	297.7	1006.85	1009.04	2.19	C. Emery		
3		48894.9	49056.8	161.9	1009.04	1009.04	0.0	P. Phary		
4		49056.8	49241.7	184.9	1009.04	1009.04	0.0	P. Phary		
5		49241.7	49440.1	198.4	1009.04	1009.04	0.0	C. Emery		
6		49440.1	49668.7	228.6	1009.04	1009.13	0.09	C. Emery		
7		49668.7	50009.4	340.7	1009.13	1009.13	0.0	P. Phary	PL s/s	
8		50009.4	50280.1	270.7	1009.13	1009.13	0	J. J		
9		50280.1	50621.4	341.3	1009.13	1009.13	0	J. J		
10		50621.4	50906.8	285.4	1009.13	1009.13	0.0	P. Phary	PL s/s	
11		50906.8	51223.6	316.8	1009.13	1009.28	0.15	J. J	R. B	
12		51223.6	51506.7	283.1	1009.28	1009.36	0.08	P. Phary	W. J	
13		51506.7	51820.8	314.1	1009.36	1009.36	0	P. Phary	W. J	
14		51820.8	52148.5	327.7	1009.36	1009.36	0.0	P. Phary	W. J	
15		52148.5	52390.4	241.9	1009.36	1009.69	0.33	C. Emery	W. J	
16		52390.4	52706.6	316.2	1009.69	1009.69	0.0	P. Phary	R. B	
17		52706.6	53006.6	300.0	1009.69	1009.69	0.0	J. J	R. B	
18		53006.6	53306.6	300.0	1009.69	1009.69	0.0	J. J	R. B	
19		53306.6	53606.6	300.0	1009.69	1009.69	0.0	P. Phary		
20		53606.6	53906.6	300	1009.69	1009.69	0.0	J. J		
21		53906.6	54242.4	335.8	1009.69	1009.69	0.0	J. J		
22		54242.4	54506.6	264.2	1009.69	1009.69	0.0	P. Phary		
23		54506.6	54752.9	246.3	1009.69	1010.01	0.32	J. J		
24		54752.9	55132.4	380.5	1010.01	1010.01	0.0	P. Phary		
25		55132.4	55339.0	205.6	1010.01	1010.16	0.15	C. Emery		
26		55339.0	55630.5	291.5	1010.16	1010.33	0.17	C. Emery		
27		55630.5	55781.9	91.4	1010.33	1010.40	0.07	C. Emery		
28		55781.9	55883.3	101.4	1010.40	1010.40	0	P. Phary		
29		55883.3	56193.2	309.9	1010.40	1010.40	0	C. Emery		
30		56193.2	56483.0	290.6	1010.40	1010.53	0.13			
31		56483.0	56835.9	352.3	1010.53	1010.53	0.0	J. J	C. H. B.	
TOTAL...										

8561.6

28.7

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Unibond Textiles

Month : AUG-07

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		48807.3	48487.3	28.0	4305.3	4330.7	25.4	C. Emery	J. Kumar	
2		48487.3	48748.0	26.7	4330.7	4356.1	25.4	C. Emery	J. Kumar	
3		48748.0	48856.1	108.1	4356.1	4356.1	0.0	P. Phelan	J. Kumar	
4		48856.1	49052.0	195.9	4356.1	4359.1	3.0	D. Nagaraj		
5		49052.0	49286.4	234.4	4359.1	4359.1	0.0	C. Emery	N. S. S.	
6		49286.4	49537.4	25.1	4359.1	4385.6	26.5	C. Emery	N. S. S.	
7		49537.4	49757.9	220.5	4385.6	4411.2	25.6	P. Phelan	N. S. S.	
8		49757.9	50008.4	250.5	4411.2	4435.0	23.8	J. Kumar	N. S. S.	
9		50008.4	50218.3	209.9	4435.0	4461.1	26.1	J. Kumar	J. Kumar	
10		50218.3	50417.4	199.1	4461.1	4486.0	24.9	J. Kumar	N. S. S.	
11		50417.4	50644.2	226.8	4486.0	4514	28.0	J. Kumar	N. S. S.	
12		50644.2	50779.2	135.0	4514	4536.6	22.6	P. Phelan	J. Kumar	
13		50779.2	50992.4	213.2	4536.6	4561.0	24.4	J. Kumar	N. S. S.	
14		50992.4	51254.5	262.1	4561.0	4586.0	25.0	P. Phelan	N. S. S.	
15		51254.5	51323.8	69.3	4586.0	4604.9	18.9	C. Emery	J. Kumar	
16		51323.8	51585.7	261.9	4604.9	4633.8	28.9	P. Phelan	J. Kumar	
17		51585.7	51810.7	225.0	4633.8	4655.8	22.0	J. Kumar	J. Kumar	
18		51810.7	52082.6	271.9	4655.8	4680.0	24.2	J. Kumar	J. Kumar	
19		52082.6	52133.8	51.2	4680.0	4697.1	17.1	P. Phelan	J. Kumar	
20		52133.8	52328.2	194.4	4697.1	4717.1	20.0	J. Kumar	J. Kumar	
21		52328.2	52630.0	301.8	4717.1	4742.3	25.2	J. Kumar	J. Kumar	
22		52630.0	52860.0	230	4742.3	4767.0	24.7	J. Kumar	J. Kumar	
23		52860.0	53140.2	280.2	4767.0	4796.4	29.4	J. Kumar	J. Kumar	
24		53140.2	53425.2	285	4796.4	4821.1	24.7	J. Kumar	J. Kumar	
25		53425.2	53644.4	219.2	4821.1	4846.0	24.9	C. Emery	J. Kumar	
26		53644.4	53725.4	81.0	4846.0	4863.5	17.5	C. Emery	J. Kumar	
27		53725.4	53890.4	165	4863.5	4874.4	10.9	C. Emery	N. S. S.	
28		53890.4	54050.2	159.8	4874.4	4890.8	16.4	C. Emery	N. S. S.	
29		54050.2	54260.2	210.0	4890.8	4915.0	24.2	C. Emery	N. S. S.	
30		54260.2	54456.0	195.8	4915.0	4940.0	25.0	J. Kumar	N. S. S.	
31		54456.0	54680.0	224.0	4940.0	4964.4	24.4	J. Kumar	N. S. S.	
TOTAL		54680.0			4964.4					

1472.7

461.10

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Gangolai Textiles

Month : AUG - 07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		5451.1	5491.1	40.0	0	0	0	C. Emery	A. G.	
2		5491.1	5524.9	33.8				C. Emery	A. G.	
3		5524.9	5524.9	0.0				P. Ramana		
4		5524.9	5548.3	23.4				P. Dasappa		
5		5548.3	5548.3	0.0				C. Emery		
6		5548.3	5590.0	41.7				C. Emery	K.P.C.	
7		5590.0	5647.7	57.7				P. Phary	K.P.C.	
8		5647.7	5693.6	45.9						
9		5693.6	5693.6	0.0						
10		5693.6	5757.7	64.1				P. Phary		
11		5757.7	5794.2	36.5						
12		5794.2	5794.2	0.0				P. Phary		
13		5794.2	5848.7	54.5				P. Phary		
14		5848.7	5872.5	23.8				P. Phary	K. Viswan	
15		5872.5	5872.5	0.0				C. Emery	K.P.C.	
16		5872.5	5872.5	0.0				P. Phary		
17		5872.5	5927.2	54.7						
18		5927.2	5973.0	45.8						
19		5973.0	5973.0	0.0						
20		5973.0	6022.1	49.1						
21		6022.1	6062.6	40.5						
22		6062.6	6078.9	16.3				P. Phary		
23		6078.9	6130.2	51.3						
24		6130.2	6182.7	52.5						
25		6182.7	6182.7	0.0				C. Emery		
26		6182.7	6182.7	0.0				C. Emery		
27		6182.7	6225.3	42.6				C. Emery		
28		6225.3	6283.3	58				P. Phary		
29		6283.3	6314.4	31.1				C. Emery		
30		6314.4	6364.7	50.3						
31		6364.7	6370.3	5.6						
TOTAL										

919.2

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Mahavir Spinning mills*

Month : *AUG-07*

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		12061.1	12217.4	156.3	68.8	68.4	0	C. Emery		
2			12377.7	160.3		68.4	0.0	C. Emery		
3		12377.7	12432.8	55.1	68.4	68.4	0.0	P. Phalay		
4		12432.8	12646.8	214	68.4	68.4	0.0	P. Phalay		
5		12646.8	12761.8	115	68.4	68.4	0.0	C. Emery		
6		12761.8	12843.3	81.5	68.4	68.4	0.0	C. Emery		
7		12843.3	12968.7	125.4	68.4	68.4	0.0	P. Phalay		
8		12968.7	13070.1	101.4	68.4	68.4	0			
9		13070.1	13180.2	110.10	68.4	68.4				
10		13180.2	13307.4	127.2	68.4	68.4	0.0	P. Phalay		
11		13307.4	13432.8	125.4	68.4	68.4	0.0			
12		13432.8	13554.1	121.3	68.4	68.4	0.0	P. Phalay		
13	120.5	13554.1	13674.6	120.5	68.4	68.4	0.0	P. Phalay		
14		13674.6	13826.5	151.9	68.4	68.4	0.0	P. Phalay		
15		13826.5	13911.5	85.0	68.4	68.4	0.0	C. Emery		
16		13911.5	13943.3	31.8	68.4	68.4	0.0	P. Phalay		
17		13943.3	14052.8	109.5	68.4	68.4	0.0			
18		14052.8	14220.7	167.9	68.4	68.4	0.0			
19		14220.7	14220.7	0.0	68.4	68.4	0.0	P. Phalay		
20		14220.7	14470.3	249.6	68.4	68.4	0.0			
21		14470.3	14630.3	160	68.4	68.4	0.0			
22		14630.3	14766.1	135.8	68.4	68.4	0.0			
23		14766.1	14896.2	130.1	68.4	68.4				
24		14896.2	15001.6	105.4	68.4	68.4	0.0	P. Phalay		
25		15001.6	15149.6	148.0	68.4	68.4	0.0	C. Emery		
26		15149.6	15306.6	157	68.4	68.4	0.0	C. Emery		
27		15306.6	15424.7	118.1	68.4	68.4	0.0	C. Emery		
28		15424.7	15615.2	190.5	68.4	68.4	0	P. Phalay		
29		15615.2	15764.2	149.0	68.4	68.4	0			
30		15764.2	15940.1	175.9	68.4	68.4	0			
31		15940.1	16090.1	150.0	68.4	68.4	0			
TOTAL										

4029

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Finefit Garments

Month : AUG - 07

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		19901.1	19982.0	80.9	1182.1	1182.1		C. Emily	S. Gurusetti	
2		19982.0	19982.0	0	1182.1	1182.1		C. Emily	S. Gurusetti	
3		19982.0	19982.0	0.0	1182.1	1182.1	0.0	P. Phalgun	S. Gurusetti	
4		19982.0	19982.0	0.0	1182.1	1182.1	0.0	D. Dhruva		
5		19982.0	19982.0	0.0	1182.1	1182.1	0.0	C. Emily	S. Gurusetti	
6		19982.0	19982.0	0	1182.1	1182.1	0.0	C. Emily	S. Gurusetti	
7		19982.0	19982.0	0.0	1182.1	1182.1	0.0	P. Phalgun		
8		19982.0	19982.0	0	1182.1	1182.1				
9			20080.7	987	1182.1	1182.1				
10		20080.7	20080.7	0.0	1182.1	1182.1	0.0	P. Phalgun	S. Gurusetti	
11		20080.7	20080.7	0.0	1182.1	1182.1	0.0			
12		20080.7	20080.7	0.0	1182.1	1182.1	0.0	P. Phalgun		
13		20080.7	20080.7	0	1182.1	1182.1		P. Phalgun		
14		20080.7	20156.1	75.4	1182.1	1182.1	0.0	P. Phalgun		
15		20156.1	20156.1	0.0	1182.1	1182.1	0.0	C. Emily	S. Gurusetti	
16		20156.1	20156.1	0.0	1182.1	1182.1	0.0	P. Phalgun		
17		20156.1	20157.0	0.9	1182.1	1182.1	0.0			
18		20157.0	20157.0	0.0	1182.1	1182.1	0.0			
19		20157.0	20157.0	0.0	1182.1	1182.1	0.0			
20		20157.0	20212.7	55.7	1182.1	1182.1	0.0			
21		20212.7	20378.6	165.9	1182.1	1182.1				
22		20378.6	20534.4	155.8	1182.1	1182.1	0.0	P. Phalgun	S. Gurusetti	
23		20534.4	20534.4	0	1182.1	1182.1				
24		20534.4	20534.4	0.0	1182.1	1182.1	0.0	P. Phalgun	S. Gurusetti	
25		20534.4	20534.4	0.0	1182.1	1182.1	0.0	C. Emily	S. Gurusetti	
26		20534.4	20534.4	0.0	1182.1	1182.1	0.0	C. Emily		
27		20534.4	20534.4	0	1182.1	1182.1	0.0	C. Emily	S. Gurusetti	
28		20534.4	20684.4	130	1182.1	1182.1	0	P. Phalgun	S. Gurusetti	
29		20684.4	20684.4	20	1182.1	1182.1	0	C. Emily	S. Gurusetti	
30		20684.4	20759.2	74.8	1182.1	1182.1	0			
31		20759.2	20759.2	0.0	1182.1	1182.1	0.0			
TOTAL										

553/10

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Vijaya Crovinda

Month : AUG - 07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		12163.9	12252.1	88.2	999.9	1011.3	11.4	C. Emmy	Kunjalakar	
2		12252.1	12292.1	40	1011.3	1016.8	5.5	C. Emmy	Kunjalakar	
3		12292.1	12292.1	0.0	1016.8	1016.8	0.0	D. Dharmy		
4		12292.1	12292.1	0.0	1016.8	1016.8	0.0	P. Dharmy		
5		12292.1	12292.1	0.0	1016.8	1016.8	0.0	C. Emmy	Kunjalakar	
6		12292.1	12292.1	0.0	1016.8	1016.8	0.0	C. Emmy		
7		12292.1	12379.4	87.3	1016.8	1025.5	8.7	P. Dharmy	Kunjalakar	
8		12379.4	12503.9	124.5	1025.5	1032.3	6.8	J. J.	Kunjalakar	
9		12503.9	12639.0	135.1	1032.3	1043.3	11	J. J.	Kunjalakar	
10		12639.0	12713.4	74.4	1043.3	1055.5	12.2	P. Dharmy	Kunjalakar	
11		12713.4	12804.2	90.8	1055.5	1070.5	15.0	J. J.	Kunjalakar	
12		12804.2	12937.1	132.9	1070.5	1079.2	8.7	P. Dharmy	Kunjalakar	
13		12937.1	12988.0	50.9	1079.2	1087.2	8	P. Dharmy	Kunjalakar	
14		12988.0	13033.0	45.0	1087.2	1093.7	6.5	P. Dharmy	Kunjalakar	
15		13033.0	13040.2	7.2	1093.7	1100.5	6.8	C. Emmy	Kunjalakar	
16		13040.2	13136.1	95.9	1100.5	1104.6	4.1	P. Dharmy	Kunjalakar	
17		13136.1	13216.0	79.9	1104.6	1112.2	7.6	J. J.	Kunjalakar	
18		13216.0	13313.6	97.6	1112.2	1122.7	10.5	J. J.	Kunjalakar	
19		13313.6	13327.6	14.0	1122.7	1127.1	4.4	P. Dharmy	Kunjalakar	
20		13327.6	13460.6	133	1127.1	1132.5	5.4	J. J.	Kunjalakar	
21		13460.6	13572.1	111.5	1132.5	1143.9	11.4	J. J.	Kunjalakar	
22		13645.3	13645.3	73.2		1153.6	9.7	P. Dharmy	Kunjalakar	
23		13645.3	13777.1	131.8	1153.6	1161.8	8.2	J. J.	Kunjalakar	
24		13777.1	13894.7	117.6	1161.8	1172.6	10.8	P. Dharmy	Kunjalakar	
25		13894.7	13985.4	90.7	1172.6	1183.0	10.4	C. Emmy	Kunjalakar	
26		13985.4	13995.2	9.8	1183.0	1187.2	4.2	C. Emmy	Kunjalakar	
27		13995.2	14081.2	86	1187.2	1195.5	8.3	C. Emmy	Kunjalakar	
28		14081.2	14196.0	114.8	1195.5	1201.3	5.8	P. Dharmy	Kunjalakar	
29		14196.0	14292.5	96.5	1201.3	1211.3	10.0	C. Emmy	Kunjalakar	
30		14292.5	14416.5	124.0	1211.3	1223.3	12.0	J. J.	Kunjalakar	
31		14416.5	14517.7	101.2	1223.3	1223.8	0.5	J. J.	Kunjalakar	
TOTAL										

2353.8

223.1

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Mamwell Industries

Month : AUG-07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		45959.7	46093.7	224	3399.9	3415.9	16	C. Emery	B. Ch	
2		46093.7	46307.7	224	3415.9	3439.9	24	C. Emery	B. Ch	
3		46307.7	46531.7	224	3439.9	3439.9	0.0	I. Kurban	B. Ch	
4		46531.7	46755.7	224	3439.9	3439.9	0.0	P. Phalany		
5		46755.7	46979.7	224	3439.9	3439.9	0.0	C. Emery	B. Ch	
6		46979.7	47203.7	224	3439.9	3451.0	11.1	C. Emery		
7		47203.7	47427.7	224	3451.0	3471.0	20.0		Mr. Palani	
8		47427.7	47651.8	224.1	3471.0	3491.0	20	J. S.		
9		47651.8	47875.8	224	3491.0	3511.0	20	J. S.	Mr. Palani	
10		47875.8	48099.8	224	3511.0	3531.0	20	J. S.	Mr. Palani	
11		48099.8	48323.8	224	3531.0	3551	20	J. S.	Mr. Palani	
12		48323.8	48555.0	221.2	3551.0	3564.7	13.7	P. Phalany	B. Ch	
13		48555.0	48779.0	224	3564.7	3584.7	20	P. Phalany	B. Ch	
14		48779.0	49003.0	224.0	3584.7	3604.7	20.0	P. Phalany	B. Ch	
15		49003.0	49227.0	224.0	3604.7	3624.7	20.0	C. Emery	Mr. Palani	
16		49227.0	49451.0	224.0	3624.7	3644.7	20.0	P. Phalany	B. Ch	
17		49451.0	49675.0	224.0	3644.7	3664.7	20.0	J. S.	B. Ch	
18		49675.0	49899.0	224.0	3664.7	3684.7	20.0	J. S.	Mr. Palani	
19		49899.0	50123.0	224.0	3684.7	3684.7	0.0	P. Phalany	B. Ch	
20		50123.0	50347.0	224	3684.7	3704.7	20.0	J. S.	Mr. Palani	
21		50347.0	50571.0	224	3704.7	3724.7	20	J. S.	Mr. Palani	
22		50571.0	50795.0	224	3724.7	3744.7	20.0	P. Phalany	Mr. Palani	
23		50795	51019.1	224.1	3744.7	3764.7	20	J. S.		
24		51019.1	51243.1	224	3764.7	3784.7	20.0	P. Phalany	Mr. Palani	
25		51243.1	51467.1	224	3784.7	3804.7	20.0	C. Emery	Mr. Palani	
26		51467.1	51691.1	224	3804.7	3804.7	0.0	C. Emery	J. S.	
27		51691.1	51915.1	224	3804.7	3823.7	19	C. Emery	J. S.	
28		51915.1	52139.1	224	3823.7	3842.4	18.7	P. Phalany	B. Ch	
29		52139.1	52363.1	224	3842.4	3862.4	20.0	C. Emery	B. Ch	
30		52363.1	52587.1	224	3862.4	3884.4	22.0			
31		52587.1	52811.1	224	3884.4	3902.4	18.0	J. S.	B. Ch	
TOTAL..										

6951.4

502.5

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Devi Thread PROCAMORS.....

Month : AUG-07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		30535	30942	307	1823	1833	10	C. Emery		
2		30942	30941	99	1833	1843	10.0	C. Emery		
3		30941	30941	0.0	1843	1843	0.0	P. Dharmaraj		
4		30941	31096	155	1843	1843	0.0	P. Dharmaraj		
5		31096	31099	2.0	1843	1843	0.0	C. Emery		
6		31099	31300	201	1843	1848	5	C. Emery	C.S. Sathya	
7		31300	31379	79	1848	1851	3.0	P. Dharmaraj	Ramesh	
8		31379	31552	173	1251	1256	5	all		
9		31552	31614	62	1256	1260	4	all	C.S. Sathya	
10		31614	31783	169	1260	1265	5.0	P. Dharmaraj	C.S. Sathya	
11		31783	31913	130	1265	1270	5.0	all	C.S. Sathya	
12		31913	31913	0.0	1270	1270	0.0	P. Dharmaraj		
13		31913	31913	0.0	1270	1270	0			
14		31913	32266	353.0	1270	1279	9.0	P. Dharmaraj	Ramesh	
15		32266	32266	0.0	1279	1279	0.0	C. Emery		
16		32266	32401	135.0	1279	1285	6.0	P. Dharmaraj		
17		32401	32544	143.0	1285	1290	5.0	all	S. Sathya	
18		32544	32740	196.0	1290	1300	10.0	all	C.S. Sathya	
19		32740	32836	96.0	1300	1300	0.0	P. Dharmaraj		
20		32836	33038	202	1300	1305	5.0	all		
21		33038	33232	194	1305	1310	5	all		
22		33232	33337	105	1310	1320	10	all		
23		33337	33527	190	1320	1325	5	all		
24		33527	33846	319	1325	1335	10	C. Emery	Ramesh	gate district open
25		33846	33846	0	1335		0	C. Emery		
26		33846	33893	47	1335	1335	0	P. Dharmaraj		
27		33893	33928	35	1335	1340	5	C. Emery	C.S. Sathya	
28		33928	34108	180	1340	1341	1	P. Dharmaraj	Ramesh	
29		34108	34262	154	1341	1346	5.0	C. Emery		
30		34262	34460	198	1346	1355	09:00			
31		34460	34460	0.0	1355	1355	05	all	C.S. Sathya	
TOTAL										

5925

132

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : *Amarjuthi Spinning Mills...*

Month : *AUG-07*

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		32532	32692	160	3511	3530	19	C. Emery	M. Raja	
2		32692	32856	164	3530	3535	5	C. Emery	M. Raja	
3		32856	33041	185	3535	3535	0.0	P. Phalgun	M. Raja	
4		33041	33199	158	3535	3548	13.0	P. Phalgun		
5		33199	33337	138	3548	3548	0.0	C. Emery	M. Raja	
6		33337	33492	155	3548	3548	0.0	C. Emery	M. Raja	
7		33492	33657	165	3548	3568	20.0	P. Phalgun	M. Raja	
8		33657	33815	158	3568	3578	10			
9		33815	33977	162	3578	3578	0			
10		33977	34119	142	3578	3578	0.0	P. Phalgun		
11		34119	34132	13	3578	3588	10.0			
12		34132	3432	0.0	3588	3588	0.0			
13		34132	34375	143	3588	3590	2			
14		34375	34440	165	3590	3610	20.0	P. Phalgun	A. Savari	
15		34440	34590	150	3610	3620	10.0	C. Emery		
16		34590	34677	87	3620	3620	0.0	P. Phalgun		
17		34677	34837	160	3620	3625	5.0		A. Savari	
18		34837	35015	178	3625	3643	18.0		A. Savari	
19		35015	35167	152	3643	3643	0.0			
20		35167	35292	125	3643	3643	0.0		A. Savari	
21		35292	35442	150	3643	3643	0			
22		35442	35635	193		3672	29.0	P. Phalgun		
23		35635	35813	178	3672	3693	21			
24		35813	35932	119	3693	3697	4.0	P. Phalgun		
25		35932	36092	160	3697	3697	0.0	C. Emery		
26		36092	36132	40	3697	3697	0.0	C. Emery	A. Savari	
27		36132	36293	161	3697	3700	3	C. Emery		
28		36293	36452	159	3700	3715	15.0	P. Phalgun		
29		36452	36452	0.0	3715	3715	0.0	C. Emery		
30		36452	36762	290.0	3715	3726	11.00			
31		36762	36742	0.0	3726	3726	0.0		A. Savari	
TOTAL...										

9210

215

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Krishna Textiles

Month : AUG -07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		28939.2	29006.2	167	2376.4	2388.4	12	C. Emery	cm	
2		29006.2	29152.0	145.8	2388.4	2407.4	19	C. Emery	S. S. S.	
3		29152.0	29260.8	108.8	2407.4	2411.1	3.7	P. Dharmaj	Redha	
4		29260.8	29384.3	123.5	2411.1	2411.1	0.0	P. Dharmaj		
5		29384.3	29384.3	0.0	2411.1	2411.1	0.0	C. Emery	S. S. S.	
6		29384.3	29533.9	149.6	2411.1	2423.1	12	C. Emery	Redha	
7		29533.9	29680.0	146.1	2423.1	2442.5	19.4	P. Dharmaj	Redha	
8		29680.0	29832.2	152.2	2442.5	2462.1	19.6			
9		29832.2	29977.3	145.1	2462.1	2483.5	21.4			
10		29977.3	30124.0	146.7	2483.5	2500.4	16.9	P. Dharmaj	cm	
11		30124.0	30287.1	163.1	2500.4	2510.5	10.1			
12		30287.1	30403.6	116.5	2510.5	2510.5	0.0	P. Dharmaj	cm	
13		30403.6	30403.6	0	2510.5	2510.5	0			
14		30403.6	30422.2	18.6	2510.5	2510.5	0.0	P. Dharmaj	cm	
15		30422.2	30422.2	0.0	2510.5	2510.5	0.0	C. Emery	Redha	
16		30422.2	30422.2	0.0	2510.5	2510.5	0.0			
17		30422.2	30517.4	95.2	2510.5	2518.2	7.7		Redha	
18		30517.4	30661.0	143.6	2518.2	2544.7	26.5		Redha	
19		30661.0	30813.9	152.9	2544.7	2544.7	0.0	P. Dharmaj	S. S. S.	
20		30813.9	30928.9	115	2544.7	2544.7	0		Redha	
21		30928.9	30997.0	68.1	2544.7	2544.7	0			
22		30997.0	30997.3	0.0	2544.7	2551.5	6.8	P. Dharmaj		
23		30997.3	31027.6	30.3	2551.5	2551.5	0			
24		31027.6	31174.2	146.6	2551.5	2572.0	20.5	P. Dharmaj	cm	
25		31174.2	31317.2	143.0	2572.0	2591.5	19.5	C. Emery		
26		31317.2	31498.2	181.0	2591.5	2591.5	0.0	C. Emery	K. S. S.	
27		31498.2	31606.2	108	2591.5	2602.5	11	C. Emery	cm	
28		31606.2	31607.2	1.0	2602.5	2602.5	0		S. S. S.	
29		31607.2	31607.2	0.0	2602.5	2602.5	0	C. Emery	S. S. S.	
30		31607.2	31607.2	0.0	2602.5	2602.5	0.0			
31		31607.2	21751	144	2602.5	2617.5	15			
TOTAL										

2911.8

241.1

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : Premina processors

Month : AUG-07

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		12435	12495	60	819	819	0.0	C. Empty	P. Srinivas	
2		12495	12560	65	819	825	6	C. Empty	P. Srinivas	
3		12560	12640	80	825	830	5.0	P. Srinivas	P. Srinivas	
4		12640	12736.0	96	830	830	0.0	D. Phalar	V. Srinivas	
5		12736	12828.0	92	830	830	0.0	C. Empty	V. Srinivas	
6		12828	12919.0	91	830	836	6.0	C. Empty	V. Srinivas	
7		12919.0	13000	81	836	841	5.0	P. Srinivas	N. Srinivas	
8		13000.0	13083	83	841	841	0		N. Srinivas	
9		13083	13165	82	841	842	1		P. Srinivas	
10		13165	13255	90	842	861	19	D. Phalar	N. Srinivas	
11		13255	13345	90	861	872	11.0	Young	P. Srinivas	
12		13345	13427	142	872	872	0.0	P. Srinivas	K. R	
13		13427	13537	50	872	882	10	P. Srinivas	A. Srinivas	
14		13537	13673	136	882	896	8.0	P. Srinivas	M. Srinivas	
15		13693	13821	128	896	903	7.0	C. Empty	P. Srinivas	
16		13821	13931	110	903	916	13.0	P. Srinivas	P. Srinivas	
17		13931	14080	149	916	926	10.0	Young	P. Srinivas	
18		14080	14191	111	926	935	9.0	Young	K. R	
19		14171	14303	112	935	935	0.0	P. Srinivas	P. Srinivas	
20		14303	14430	127	935	949	14.0	Young	P. Srinivas	
21		14430	14520	90	949	959	10	Young	P. Srinivas	
22		14520	14635	115	959	969	10	P. Srinivas	N. Srinivas	
23		14635	14757	122	969	989	20			
24		14757	14860	103	989	1004	15	P. Srinivas	N. Srinivas	
25		14860	14977	117	1004	1020	16	C. Empty	P. Srinivas	
26		14977	15083	106	1020	1030	10	C. Empty	P. Srinivas	
27		15083	15103	20	1030	1045	15	C. Empty	P. Srinivas	
28		15103	15260	157	1045	1060	15	P. Srinivas	P. Srinivas	
29		-	-	100	1060	1060	0	C. Empty		
30		15468	15468	208	1060	1060	0			
31		15468	15739	271	1060	1063	3	Young		
TOTAL										

3494

1111

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company :SANKHILAKSHMI.....

Month : SEP 07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		91817.0	92196.0	379	766.00	797.0	31	P. Phalaraj	R. Sankar	
2		92196.0	92574.6	378.6	797.00	813.63	16.63	P. Phalaraj		
3		92574.6	92915.0	340.4	813.63	852.0	38.37			
4		92915.0	93320.4	405.4	852.0	915.80	63.8			
5		93320.4	93624.8	304.4	915.80	944.57	28.77	P. Phalaraj	A. Ar	
6		93624.8	94134.6	509.8	944.87	979.26	34.39			
7		94134.6	94595.6	461	979.26	1007.21	27.95			
8		94595.6	95057.1	461.5	1007.21	1058.28	52.07			
9		95057.1	95280.0	222.9		1115.09	55.81	P. Phalaraj	P. Sankar	
10		95280.0	95750.2	470.2		1186.14	71.04			
11		95750.2	96300.1	549.9	1186.14	1263.38	77.24			
12		96300.1	96720.0	419.9	1263.38	1342.00	78.62			
13		96720.0	97098.0	378	1342.00	1418.40	76.4	C. Emery	K. Palanisamy	
14		97098.0	97538.6	440.6	1418.40	1500.00	81.6	C. Emery	u. Palanisamy	
15		97538.6	97833.9	295.3	1500.00	1557.40	57.4			
16		97833.9	98286.8	452.9	1557.40	1614.12	56.72	C. Emery	P. Sankar	
17		98286.8	98702.5	415.7	1614.12	1694.12	80	C. Emery	P. Sankar	
18		98702.5	99160.0	457.5	1694.12	1774.36	80.24			
19		99160.0	99738.0	578	1774.36	1854.00	79.64	C. Emery		
20		99738.0	00290.0	552	1854.00	1934.00	80.00			
21		00290.0	00740.0	450	1934.00	2010.00	76.0			
22		740.0	01115.0	375	2010.00	2094.06	84.06	P. Phalaraj	K. Palanisamy	
23		1115.0	1565.0	450	2094.06	2160.06	66.00	P. Phalaraj		
24		1565.0	2115.0	650.5	2160.06	2226.0	66.00			
25		2115.0	2531.0	416	2226.0	2302.06	76.06	P. Phalaraj	R. Sankar	
26		2531.0	2948.3	417.3	2302.06	2364.06	62	C. Emery	K. Palanisamy	
27		2948.3	3416.3	468	2364.06	2440.43	76.37			
28		3416.3	3864	447.7	2440.43	2490.77	50.34			
29		3864	4384	520.0	2490.77	2571.35	80.58			
30		4384	4956.9	472.9	2571.35	2604.35	33.0	C. Emery		
31										
TOTAL										

13029.9

1072.35

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : NETWORK

Month : SEP-07

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		75582.0	75894.6	312.6	3072.22	3083.94	11.72	P. Phalay		
2		75894.6	76290.6	396	3083.94	3086.89	2.95	P. Phalay		
3		76290.6	76543.7	253.1	3086.89	3090.86	3.97	J. J.		
4		76543.7	76822.1	278.4	3090.86	3098.40	7.54	P. Phalay	J. J.	
5		76822.1	77186.2	364.1	3098.40	3109.45	11.05	P. Phalay	J. J.	
6		77186.2	77558.1	371.9	3109.45	3109.45	0.0	J. J.	J. J.	
7		77558.1	77909.4	351.3	3109.45	3121.63	12.18	J. J.		
8		77909.4	78154.4	245	3121.63	3124.04	2.41	J. J.	J. J.	
9			78249.0	94.6		3127.08	3.04	P. Phalay	J. J.	
10		78249.0	78545.9	296.9	3127.08	3129.47	2.39	J. J.	J. J.	
11		78545.9	78705.0	159.1	3129.47	3137.57	8.10	J. J.	K. N. S.	
12		78705.0	78875.9	170.9	3137.57	3137.57	0	J. J.		
13		78875.9	79161.7	285.8	3137.57	3151.97	14.4	C. Emery		
14		79161.7	79506.9	345.2	3151.97	3156.12	4.15	C. Emery		
15		79506.9	79810.9	304	3156.12	3156.12	0.0	P. Phalay		
16		79810.9	79956.9	146	3156.12	3161.64	5.52	C. Emery		
17		79956.9	80025.2	68.3	3161.64	3161.64	0	C. Emery		
18		80025.2	80267.1	241.9	3161.64	3161.64	0.0		J. J.	
19		80267.1	80466.4	199.3	3161.64	3161.66	0.02	C. Emery		
20		80466.4	80630.1	163.7	3161.66	3161.66	0.0			
21		80630.1	80935.2	305.1	3161.66	3167.65	5.99			5.99
22		80935.2	80998.0	62.8	3167.65	3167.65	0.0	P. Phalay		
23		80998.0	80998.0	0.0	3167.65	3167.65	0.0	P. Phalay		
24		80998.0	81055.7	57.7	3167.65	3167.65	0.0			
25		81055.7	81271.9	216.2	3167.65	3167.65	0.0	P. Phalay		
26		81271.9	81540.2	268.3	3167.65	3182.72	15.07	C. Emery		
27		81540.2	81969.4	429.2	3182.72	3192.22	9.5			
28		81969.4	82187.8	218.4	3192.22	3197.62	5.4			
29		82187.8	82719.9	532.1	3197.62	3208.30	10.68			
30		82719.9	82931.0	211.1	3208.30	3211.98	3.68	C. Emery		
31										
TOTAL..										

7349

139.76

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : ALLAN

Month : SEP - 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		5683.59	57105.1	269.2	1010.53	1010.53	0.0	P. Phalraj	[Signature]	
2		57105.1	57383.7	278.6	1010.53	1010.53	0.0	P. Phalraj	[Signature]	
3		57383.7	57719.8	336.1	1010.53	1010.58	0.05	[Signature]	[Signature]	
4		57719.8	57983.6	263.8	1010.58	1010.58	0.0	P. Phalraj	[Signature]	
5		57983.6	58283.6	300	1010.58	1010.58	0.0	P. Phalraj	[Signature]	
6		58283.6	58543.5	259.9	1010.58	1010.58	0.0	[Signature]	[Signature]	
7		58543.5	58883.6	340.1	1010.58	1010.58	0.0	[Signature]	[Signature]	
8		58883.6	59211.1	327.5	1010.58	1010.58	0.0	[Signature]	[Signature]	
9		59211.1	59403.6	192.5	1010.58	1011.05	0.47	P. Phalraj	[Signature]	
10		59403.6	59565.2	161.6	1011.05	1011.05	0.0	[Signature]	[Signature]	
11		59565.2	59882.5	317.3	1011.05	1011.05	0.0	[Signature]	[Signature]	
12		59882.5	60133.2	250.7	1011.05	1011.05	0.0	[Signature]	[Signature]	
13		60133.2	60402.3	269.1	1011.05	1011.18	0.13	C. Emery	[Signature]	
14		60402.3	60742.0	339.7	1011.18	1011.18	0.0	C. Emery	[Signature]	
15		60742.0	61052.4	310.4	1011.18	1011.18	0.0	C. Emery	[Signature]	
16		61052.4	61339.6	287.2	1011.18	1011.18	0.0	C. Emery	[Signature]	
17		61339.6	61556.6	217	1011.18	1035.18	24	C. Emery	[Signature]	
18		61556.6	61913.5	356.9	1035.18	1054.68	19.5	C. Emery	[Signature]	
19		61913.5	62186.7	273.2	1054.68	1059.05	4.37	C. Emery	[Signature]	
20		62186.7	62539.6	352.9	1059.05	1074.05	15.0	[Signature]	[Signature]	
21		62539.6	62742.1	202.5	1074.05	1089.67	15.62	[Signature]	[Signature]	
22		62742.1	63090.7	348.6	1089.67	1104.09	14.42	P. Phalraj	[Signature]	
23		63090.7	63405.6	314.9	1104.09	1104.09	0.0	P. Phalraj	[Signature]	
24		63405.6	63713.2	307.6	1104.09	1104.09	0.0	[Signature]	[Signature]	
25		63713.2	63976.9	263.7	1104.09	1104.09	0.0	P. Phalraj	[Signature]	
26		63976.9	64287.9	311	1104.09	1104.09	0	C. Emery	[Signature]	
27		64287.9	64567.9	280.0	1104.09	1104.09	0.0	[Signature]	[Signature]	
28		64567.9	64847.9	280.0	1104.09	1134.82	30.73	[Signature]	[Signature]	
29		64847.9	65204.5	356.6	1134.82	1148.10	13.28	[Signature]	[Signature]	13.28
30		65204.5	65545.5	341.0	1148.10	1148.10	0.0	C. Emery	[Signature]	
31										
TOTAL										

8709.6

137.57

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : UNIFRONT

Month : Sep. 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		54680	54874.2	194.2	4966.4	4990.6	24.2	P. Phaly	[Signature]	
2		54874.2	54954.0	79.8	4990.6	5002.2	11.6	P. Phaly	T. Marink	
3		54954.0	55152.9	198.9	5002.2	5027.5	25.3	[Signature]	[Signature]	
4		55421.4	55421.4	0	5002.2	5050.0	47.8	P. Phaly	[Signature]	22.5
5		55421.4	55634.4	213.0	5050.0	5074.3	24.3	[Signature]	[Signature]	
6	414.2	55782.4	55835.6	53.2	5074.3	5099.2	24.9	[Signature]	[Signature]	
7		55835.6	56054.1	218.5	5099.2	5124.2	25	[Signature]	[Signature]	
8		56054.1	56335.1	281.0	5124.2	5149.0	24.8	[Signature]	[Signature]	
9		56335.1	56457.5	122.4	5149.0	5167.0	18	P. Phaly	[Signature]	
10		56457.5	56649.0	191.5	5167.0	5192.1	25.1	[Signature]	N. Se	
11		56649.0	56855.9	206.9	5192.1	5220.9	28.8	[Signature]	N. Se	
12		56855.9	57105.0	249.1	5220.9	5245.0	24.1	[Signature]	[Signature]	
13		57105.0	57383.0	278	5245.0	5270.0	25.0	C. Emory	N. Se	
14		57383.0	57601.7	218.7	5270.0	5297.0	27.0	C. Emory	N. Se	
15		57601.7	57851.0	249.3	5297.0	5322	25.0	[Signature]	N. Se	
16		57851.0	58041.0	190.0	5322	5336.2	14.2	C. Emory	[Signature]	
17		58041.0	58292.9	251.9	5336.2	5363.2	27	C. Emory	[Signature]	
18		58292.9	58571.0	278.1	5363.2	5388.0	24.8	[Signature]	[Signature]	
19		58571.0	58874.0	303	5388.0	5418.7	30.7	C. Emory	[Signature]	
20		58874.0	59172.3	298.3	5418.7	5446.2	27.5	[Signature]	[Signature]	
21		59172.3	59471.2	298.9	5446.2	5473.3	27.1	[Signature]	[Signature]	
22		59471.2	59791.1	319.9	5473.3	5506.3	33.0	P. Phaly	[Signature]	
23		59791.1	60030.1	239	5506.3	5533.6	27.3	[Signature]	[Signature]	
24		60030.1	6090.1	280	5533.6	5560.1	26.5	[Signature]	N. Se	607.6
25		6036.1	6060.0	289.9	5560.1	5574.0	13.9	P. Phaly	N. Se	(Dye Bath Non Meter)
26		6060.0	60907.8	307.8	4446.0	4440.1	7.1	C. Emory	N. Se	
27		60907.8	61228.1	320.3	4440.1	4451.2	11.1	[Signature]	N. Se	
28		61228.1	61508.1	280.0	4451.2	44537	25.0	[Signature]	N. Se	
29		61508.1	61788.0	279.9	44537	44562	25.0	[Signature]	N. Se	
30		61788	62068.0	280.0	44562	44587	25.0	C. Emory	[Signature]	
31										
TOTAL...										

M 7388

M 734.6

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : GAN GOTHIRI

Month : Sep. 2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		6370.3 ✓	6411.3 ✓	41 ✓				P. Nalini	[Signature]	
2		6411.3 ✓	6411.3 ✓	0.0 ✓				P. Nalini	[Signature]	
3		6411.3 ✓	6423.4 ✓	12.1 ✓				[Signature]	[Signature]	
4		6423.4 ✓	6423.4 ✓	0.0 ✓				P. Nalini	[Signature]	
5		6423.4 ✓	6462.5 ✓	39.1 ✓				P. Nalini	[Signature]	
6		6462.5 ✓	6475.7 ✓	13.2 ✓				[Signature]	[Signature]	
7		6475.7 ✓	6503.8 ✓	28.1 ✓				[Signature]	[Signature]	
8		6503.8 ✓	6524.7 ✓	20.9 ✓				[Signature]	[Signature]	
9		6524.7 ✓	6524.7 ✓	0 ✓				[Signature]	[Signature]	
10		6524.7 ✓	6566.7 ✓	42 ✓				[Signature]	[Signature]	
11		6566.7 ✓	6608.4 ✓	41.7 ✓				[Signature]	[Signature]	
12		6608.4 ✓	6608.4 ✓	0 ✓				[Signature]	[Signature]	
13		6608.4 ✓	6661.7 ✓	53.3 ✓				C. Emmy	[Signature]	
14		6661.7 ✓	6661.7 ✓	0.0 ✓				C. Emmy	[Signature]	
15		6661.7 ✓	6661.7 ✓	0.0 ✓				[Signature]	[Signature]	
16		6661.7 ✓	6661.7 ✓	0.0 ✓				C. Emmy	[Signature]	
17		6661.7 ✓	6705.7 ✓	44 ✓				C. Emmy	[Signature]	
18		6705.7 ✓	6765.2 ✓	59.5 ✓				[Signature]	[Signature]	
19		6765.2 ✓	6801.2 ✓	36 ✓				C. Emmy	[Signature]	
20		6801.2 ✓	6816.4 ✓	15.2 ✓				[Signature]	[Signature]	
21		6816.4 ✓	6865.8 ✓	49.4 ✓				[Signature]	[Signature]	
22		6865.8 ✓	6866.6 ✓	0.8 ✓				P. Nalini	[Signature]	
23		6866.6 ✓	6866.6 ✓	0.0 ✓				P. Nalini	[Signature]	
24		6866.6 ✓	6895.1 ✓	28.5 ✓				[Signature]	[Signature]	
25		6895.1 ✓	6906.2 ✓	11.1 ✓				[Signature]	[Signature]	
26		6906.2 ✓	6954.9 ✓	48.7 ✓				C. Emmy	[Signature]	
27		6954.9 ✓	6974.8 ✓	19.9 ✓				[Signature]	[Signature]	
28		6974.8 ✓	6990.2 ✓	15.4 ✓				[Signature]	[Signature]	
29		6990.2 ✓	7011.7 ✓	21.5 ✓				[Signature]	[Signature]	
30		7011.7 ✓	7011.7 ✓	0.0 ✓				[Signature]	[Signature]	
31								C. Emmy	[Signature]	
TOTAL..										

641.40

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : FINEFIT

Month : Sep. 2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		20759.2	20759.2	0.0	1182.1	1182.1	0.0	P. Phalgun	[Signature]	
2		20759.2	20759.2	0.0	1182.1	1182.1	0.0	P. Phalgun	[Signature]	
3		20759.2	20759.2	0.0	1182.1	1182.1	0.0	[Signature]	[Signature]	
4		20759.2	20759.2	0.0	1182.1	1182.1	0.0	P. Phalgun	[Signature]	
5		20759.2	20760.0	0.8	1182.1	1199.4	17.3	[Signature]	[Signature]	
6		20760.0	20934.2	174.2	1198.4	1222.4	24.0	[Signature]	[Signature]	22.7
7		20934.2	21027.5	93.3	1222.1	1243.5	21.4	[Signature]	[Signature]	
8		21027.5	21084.7	57.2	1243.5	1243.5	0.0	[Signature]	[Signature]	
9		21084.7	21084.7	0.0						
10		21084.7	21370.8	286.1		1271.9	28.4	[Signature]	[Signature]	
11		21370.8	21412.8	42	1271.9	1289.0	17.1	[Signature]	[Signature]	
12		21412.8	21412.8	0.0	1289.0	1289.0	0.0	[Signature]	[Signature]	
13		21412.8	21508.9	96.1	1289.0	1289.0	0.0	C. Emory	[Signature]	
14		21508.9	21509.7	0.8	1289.0	1289.0	0.0	C. Emory	[Signature]	
15		21509.7	21519.7	10.0	1289.0	1289.0	0.0	C. Emory	[Signature]	
16		21519.7	21519.7	0.0	1289.0	1289.0	0.0	C. Emory	[Signature]	
17		21519.7	21630.0	110.3	1289.0	1289.0	0.0	C. Emory	[Signature]	
18		21630.0	21630.0	0.0	1289.0	1289.0	0.0			
19		21630.0	21744.4	114.4	1289.0	1314.8	25.8	C. Emory	[Signature]	
20		21744.4	21842.2	97.8	1314.8	1325.9	11.1	[Signature]	[Signature]	
21		21842.2	21842.2	0.0	1325.9	1325.9	0.0	P. Phalgun	[Signature]	
22		21842.2	21842.2	0.0	1325.9	1325.9	0.0	P. Phalgun	[Signature]	
23		21842.2	21842.2	0.0	1325.9	1325.9	0.0	P. Phalgun	[Signature]	
24		21842.2	21965.0	122.8	1325.9	1325.9	0.0	[Signature]	[Signature]	
25		21965.0	22062.6	97.6	1325.9	1325.9	0.0	P. Phalgun	[Signature]	
26		22062.6	22202.6	140	1325.9	1325.9	0.0	C. Emory	[Signature]	
27		22202.6	22312.7	110.1	1325.9	1325.9	0.0	[Signature]	[Signature]	
28		22312.7	22488.8	176.1	1325.9	1343.1	17.2	[Signature]	[Signature]	
29		22488.8	22589.4	100.6	1343.1	1343.1	0.0	[Signature]	[Signature]	
30		22589.4	22589.4	0.0	1343.1	1343.1	0.0	C. Emory	[Signature]	
31										
TOTAL..										

21830.2

161

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : VIJAYA GOVINDA

Month : Sep-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		14517.7	14609.1	91.4	1223.8	1241.4	17.6	D. Dhaling	Kumutha	
2		14609.1	14627.1	18.0	1241.4	1245.4	4.0	P. Dhaling	Kumutha	
3		14627.1	14743.9	116.8	1245.4	1255.3	9.9			
4		14743.9	14903.2	159.3	1255.3	1265.5	10.2	P. Dhaling	Kumutha	
5		14903.2	15017.0	113.8	1265.5	1273.7	8.2	P. Dhaling	Kumutha	
6		15017.0	15138.8	121.8	1273.7	1285.5	11.8			
7		15138.8	15236.8	98	1285.5	1293.3	7.8			
8		15236.8	15366.6	129.8	1293.3	1304.1	10.8			
9		15366.6	15375.7	9.1	1304.1	1306.4	2.3			
10		15375.7	15467.3	91.6	1306.4	1318.2	11.8			
11		15467.3	15552.8	85.5	1318.2	1327.2	9			
12		15552.8	15654.7	101.9	1327.2	1339.1	11.9			
13		15654.7	15689.5	34.8	1339.1	1349.2	10.1	C. Emmy	Kumutha	
14		15689.5	15723.8	34.3	1349.2	1361.2	12.0	C. Emmy	P.N.R.	
15		15723.8	15767.5	43.7	1361.2	1372.0	10.8			
16		15767.5	15824.8	57.3	1372.0	1380.6	8.6	C. Emmy	P.N.R.	
17		15824.8	15900.8	76	1380.6	1389.6	9	C. Emmy	Kumutha	
18		15900.8	16065.8	165	1389.6	1399.7	10.1			
19		16065.8	16200.2	134.4	1399.7	1409.2	9.5	C. Emmy	Kumutha	
20		16200.2	16307.2	107	1409.2	1418.9	9.7			
21		16307.2	16401.4	94.2	1418.9	1427.8	8.9			
22		16401.4	16499.3	97.9	1427.8	1437.5	9.7	P. Dhaling	P.N.R.	
23		16499.3	16539.9	40.6	1437.5	1442.8	5.3	P. Dhaling		
24		16539.9	16672.1	132.2	1442.8	1458.4	15.6			
25		16672.1	16753.2	81.1	1458.4	1466.6	8.2	P. Dhaling	K. Sabhis	
26		16753.2	16868.2	115	1466.6	1477.4	10.8	C. Emmy	M.K.	
27		16868.2	16996.2	128.0	1477.4	1489.3	11.9			
28		16996.2	17098.8	102.6	1489.3	1500.0	10.7			
29		17098.8	17218.0	119.2	1500.0	1509.0	9.0			
30		17218.0	17356.0	138.0	1509.0	1519.3	10.3	C. Emmy	M.K.	
31										
TOTAL..										

M/ 2838-3

M/ 295-50

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : MAXWELL

Month : SEP 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		52811.1	53035.1	224	3902.4	3922.4	20	R. Thirumangal	S. Jay	
2		53035.1	53259.1	224	3922.4	3922.4	0.0	R. Thirumangal	m. bharathi	
3		53259.1	53483.1	224	3922.4	3936.4	14	d. d. d.		
4			53707.1	224		3956.4	20.0	R. Thirumangal	m. bharathi	
5		53707.1	53931.1	224	3956.4	3973.4	17	R. Thirumangal	m. bharathi	
6		53931.1	54155.1	224	3973.4	3993.4	20.0	Y. S. S.	T. Krishna	
7		54155.1	54379.1	224	3993.4	4013.4	20.0	Y. S. S.	M. P. S.	
8		54379.1	54603.1	224	4013.4	4033.4	20.0	Y. S. S.	M. P. S.	
9		54603.1	54827.1	224	4033.4	4033.4			Boban	
10		54827.1	54985.2	158	4033.4	4053.4	20.0	Y. S. S.	P. S.	
11		54985.2	55209.2	224	4053.4	4073.4	20	Y. S. S.	B. S.	
12		55209.2	55433.2	224	4073.4	4093.4	20	d. d. d.		
13		55433.2	55619.2	186	4093.4	4113.4	20.0	C. Emery	S. Jay	
14		55619.2	55843.2	224	4113.4	4133.4	20.0	C. Emery	S. Jay	
15		55843.2	55989.7	146.5	4133.4	4153.4	20.0		B. S.	
16		55989.7	56813.7	224	4153.4	4153.4	0.0	C. Emery	M. P. S.	
17		56813.7	56437.7	224	4153.4	4173.4	20.0	C. Emery	M. P. S.	
18		56437.7	56661.7	224	4173.4	4193.4	20.0		M. P. S.	
19		56661.7	56885.2	223.5	4193.4	4219.4	26	C. Emery	M. P. S.	
20		56885.2	57109.7	224.5	4219.4	4239.4	20.0	Y. S. S.	m. bharathi	
21		57109.7	57333.7	224	4239.4	4259.4	20.0		S. Jay	
22		57333.7	57557.7	224	4259.4	4279.4	20.0		m. bharathi	
23		57557.7	57781.7	224	4279.4	4279.4	0.0	R. Thirumangal	M. bharathi	
24		57781.7	58005.7	224	4279.4	4299.4	20.0	Y. S. S.		
25		58005.7	58255.7	250.0	4299.4	4319.4	20.0	R. Thirumangal	M. P. S.	
26		58255.7	58479.7	224	4319.4	4339.4	20	C. Emery	B. S.	
27		58479.7	58729.7	250.0	4339.4	4359.7	20.3	Y. S. S.	B. S.	
28		58729.7	58953.7	224.0	4359.7	4379.7	20.0	Y. S. S.	B. S.	
29		58953.7	59213.7	260.0	4379.7	4399.7	20.0	Y. S. S.	B. S.	
30		59213.7	59437.7	224.0	4399.7	4399.7	0.0	C. Emery		
31					4399.7					
TOTAL										

66266

497.3

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : DEVITHREAD

Month : Sep-2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		34460	34656	196	1355	1374	19	P. Nhalay	CS Saha	
2		34656	34678	22	1355	1374	19	P. Nhalay	Nhalay	
3		34678	34871	193	1374	1379	5			
4		34871	34966	95	1379	1381	2.0	P. Nhalay	CS Saha	
5		34966	35118	152	1381	1388	7	P. Nhalay	Nhalay	
6		35118	35249	131	1388	1392	A-0	Yamp		
7		35249	35423	174	1392	1410		Yamp		
8		35423	35627	204	1410	1410	3.0	Yamp	P. Nhalay	
9		35627	35627		1410	1403		P. Nhalay		
10		35627	35682	55	1403	1407	13	Yamp	CS Saha	
11		35682	35826	144	1407	1410		Yamp	CS Saha	
12		35826	35892.0	66	1410	1410				
13		35892.0	36073.0	181	1410	1417	7.0	C. Emmy	Nhalay	
14		36073.0	36295	222	1417	1422	5.0	C. Emmy	Yamp	
15		36295	36442	147	1422	1426	4.0		CS Saha	
16		36442	36554	112	1426	1426	0.0	C. Emmy	P. Nhalay	
17		36554	36594	40	1426	1429	3	C. Emmy		
18		36594	36747	153	1429	1434	5.0		CS Saha	
19		36747	36905	58	1434	1434	0.0	C. Emmy		
20		36905	36997	192	1434	1434	0.0	Yamp	P. Nhalay	
21		36997	37171	174	1434	1440	6.0			
22		37171	37326	155	1440	1448	8.0	P. Nhalay		
23		37326	37381	55	1448	1448	0.0	P. Nhalay	Nhalay	
24		37381	37394	13	1448	1456	8.0	Yamp	CS Saha	
25		37394	37424	30	1456	1456	0.0	P. Nhalay		
26		37424	37591	167	1456	1456	0.0	C. Emmy	CS Saha	
27		37591	37652	61	1456	1456	0.0	Yamp	Nhalay	
28		37652	37901	249	1456	1471	15.0	Yamp		
29		37901	37982	81	1471	1472	1.0	Yamp	CS Saha	
30		37982	38061	79	1472	1472	0.0	C. Emmy		
31										
TOTAL										

3601

117

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : AMARJOTHI

Month : Sep-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		36742	36742	0.0	3726	3726	0.0	P. Phalaly		
2		36742	36742	0.0	3726	3726	0.0	P. Phalaly		
3		36742	36918	176	3726	3737	11			
4			37062	144		3749	18.0	P. Phalaly		
5		37062	37170	108	3749	3753	0.4	P. Phalaly		
6		37170	37170	0.0	3753	3753	0.0			
7		37170	37170	0.0	3753	3753	0.0			
8		37170	37170	0.0	3753	3753	0.0			
9		37170	37330	160	3753	3753	0.0			
10		37330	37388	58	3753	3766	13			
11		37388	37544	156	3766	3772	6			
12		37544	37708	164	3772	3782	10			
13		37708	37870	162	3782	3808	26.0	C. Emmy		
14		37870	38028	158	3808	3830	22.0	C. Emmy	V. Masaram	
15		38028	38193	165	3830	3848	18.0			
16		38193	38350	157	3848	3868	20.0	C. Emmy		
17		38350	38510	160	3868	3888	20.0	C. Emmy		
18		38510	38681	171	3888	3898	10.0			
19		38681	38830	149	3898	3918	20.0	C. Emmy		
20		38830	38990	160	3918	3938	20.0			
21		38990	39153	163	3938	3958	20.0			
22		39153	39310	157	3958	3978	20.0	P. Phalaly		
23		39310	39470	160	3978	3994	16.0	P. Phalaly		
24		39470	39630	160	3994	4016	22.0			
25		39630	39800	170	4016	4034	18.0	P. Phalaly		
26		39800	39952	152	4034	4054	20.0	C. Emmy		
27		39952	40110	158	4054	4074	20.0			
28		40110	40270	160	4074	4094	20.0			
29		40270	40431	161	4094	4119	25.0			
30		40431	40590	159	4119	4127	8.0	C. Emmy		
31										
TOTAL...										

3848

408

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : KRISHNA

Month : Sep. 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		31751	31926.2	175.2	2617.5	2635.6	18.1	P. N. Shanley	Rajiv	
2		31926.2	32053.6	127.4	2635.6	2635.6	0.0	P. N. Shanley	cm	
3		32053.6	32202.8	149.2	2635.6	2648.3	12.7	cm		
4		32202.8	32337.4	134.6	2648.3	2665.5	17.2	C. Emory	cm	
5		32337.4	32477.8	140.4	2665.3	2670.9	5.6	cm		
6		32477.8	32633.0	155.2	2670.9	2683.6	12.7	cm		
7		32633.0	32774.7	141.7	2683.6	2711.3	27.7	cm		
8		32774.7	32959.4	184.7	2711.3	2731.3	20.0	cm	Rajiv	
9		32959.4	33215.3	255.9	2731.3	2731.3	0.0	P. N. Shanley		
10		33215.3	33340.8	125.5	2731.3	2745.2	13.9	cm		
11		33340.8	33531.0	190.2	2745.2	2770.1	24.9	cm		
12		33531.0	33697.2	166.2	2770.1	2793.4	23.3	cm		
13		33697.2	33889.2	192.0	2793.4	2814.6	21.2	C. Emory	Rajiv	
14		33889.2	33976.8	87.6	2814.6	2835.6	21.0	C. Emory	Rajiv	
15		33976.8	34117.2	140.4	2835.6	2854.6	19.0	cm		
16		34117.2	34262.0	144.8	2854.6	2854.6	0.0	C. Emory		
17		34262.0	34396.0	134	2854.6	2854.6	0.0	C. Emory	P. Shanley	
18		34396.0	34396.0	0.0	2854.6	2864.4	9.8	cm		
19		34396.0	34555.3	159.3	2864.4	2873.2	8.8	C. Emory	cm	
20		34555.3	34701.7	146.4	2873.2	2893.5	20.3	cm	A. Rajiv	
21		34701.7	34886.5	184.8	2893.5	2912.9	19.4	cm		
22		34886.5	35044.7	158.2	2912.9	2934.5	21.6	P. N. Shanley	cm	
23		35044.7	35204.6	159.9	2934.5	2934.5	0.0	P. N. Shanley	cm	
24		35204.6	35422.1	217.5	2934.5	2954.1	19.6	cm		
25		35422.1	35624.0	201.9	2954.1	2974.1	20.0	P. N. Shanley	Rajiv	
26		35624.0	35916.5	292.5	2974.1	2993.4	19.3	C. Emory	Rajiv	
27		35916.5	35985.4	68.9	2993.4	3001.4	8.0	cm	Rajiv	
28		35985.4	36201.3	215.9	3001.4	3001.4	0.0	cm	Rajiv	
29		36201.3	36400.1	198.8	3001.4	3001.4	0.0	cm		
30		36400.1	36618.5	218.4	3001.4	3001.4	0.0	C. Emory		
31										
TOTAL										

4867.5

383.9

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : PREMINA

Month : Sep-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		15739 ✓	15605 ✓	80 ✓	1063 ✓	1063 ✓	0.0 ✓	P. Dhaling	P. Srinivas	Meter running in reverse
2		15605 ✓	15617 ✓	12 ✓	1063 ✓	1063 ✓	0.0 ✓	P. Dhaling	N. Murthy	
3		15617 ✓	15660 ✓	43 ✓	1063 ✓	1063 ✓				
4		15660 ✓	15748 ✓	88 ✓	1063 ✓	1063 ✓	0.0 ✓	P. Dhaling	N. Murthy	
5		15748 ✓	15831 ✓	83 ✓	1063 ✓	1063 ✓		P. Dhaling	N. Murthy	
6		15831 ✓	15902 ✓	71 ✓	1063 ✓	1063 ✓	0.0 ✓		N. Murthy	
7		15902 ✓	15967 ✓	65 ✓	1063 ✓	1095 ✓	32 ✓		V. Srinivas	
8		15967 ✓	16034 ✓	67 ✓	1095 ✓	1106 ✓	11.0 ✓			
9		16034 ✓	16073 ✓	39 ✓	1106 ✓	1121 ✓	15 ✓	P. Dhaling		
10		16073 ✓	16130 ✓	57 ✓	1121 ✓	1132 ✓	11 ✓		P. Srinivas	
11		16130 ✓	16265 ✓	135 ✓	1132 ✓	1177 ✓	45 ✓		K. R.	
12		16265 ✓	16408 ✓	143 ✓	1177 ✓	1186 ✓	9 ✓			
13		16408 ✓	16500 ✓	92 ✓	1186 ✓	1196 ✓	10 ✓	C. Emery	P. Srinivas	
14		16500 ✓	16555 ✓	55 ✓	1196 ✓	1207 ✓	11 ✓	C. Emery	MUTHUSWAMY	
15		16555 ✓	16627 ✓	72 ✓	1207 ✓	1207 ✓	0 ✓			
16		16627 ✓	16743 ✓	116 ✓	1207 ✓	1207 ✓	0.0 ✓	C. Emery	K. R.	
17		16743 ✓	16904 ✓	161 ✓	1207 ✓	1207 ✓	0.0 ✓	C. Emery	V. Srinivas	
18		16904 ✓	16900 ✓	96 ✓	1207 ✓	1211 ✓	4 ✓		N. Murthy	
19		16900 ✓	16949 ✓	49 ✓	1211 ✓	1227 ✓	16 ✓	C. Emery	N. Murthy	
20		16949 ✓	16978 ✓	30 ✓	1227 ✓	1233 ✓	6.0 ✓		P. Srinivas	
21		16978 ✓	16978 ✓	0 ✓	1233 ✓	1244 ✓	11.0 ✓			
22		16978 ✓	17078 ✓	100 ✓	1244 ✓	1257 ✓	13.0 ✓	P. Dhaling	N. Murthy	
23		17078 ✓	17170 ✓	92 ✓	1257 ✓	1258 ✓	1.0 ✓	P. Dhaling	A. Annam	
24		17170 ✓	17217 ✓	47 ✓	1258 ✓	1262 ✓	4.0 ✓		P. Srinivas	
25		17217 ✓	17307 ✓	90 ✓	1262 ✓	1266 ✓	4.0 ✓	P. Dhaling	P. Srinivas	
26		17307 ✓	17407 ✓	100 ✓	1266 ✓	1272 ✓	6.0 ✓	C. Emery	P. Srinivas	
27		17407 ✓	17430 ✓	23.0 ✓	1272 ✓	1276 ✓	4.0 ✓		P. Srinivas	
28		17430 ✓	17528 ✓	98.0 ✓	1276 ✓	1279 ✓	3.0 ✓		P. Srinivas	
29		17528 ✓	17661 ✓	133.0 ✓	1279 ✓	1296 ✓	17.0 ✓		P. Srinivas	
30		17661 ✓	17768 ✓	107 ✓	1296 ✓	1303 ✓	7.0 ✓	C. Emery	S. Pan	
31										
TOTAL..										

2243

240

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : MAHAVIR

Month : Sep - 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		16090.1	16282.2	192.1	68.4	68.4	0.0	P. Phalaraj	R. Srin	
2		16282.2	16449.4	167.2	68.4	68.4	0.0	P. Phalaraj	Srin	
3		16449.4	16625.0	175.6	68.4	68.4				
4		16625.0	16796.8	171.8	68.4	68.4	0.0	P. Phalaraj	Srin	
5		16796.8	16965.6	168.8	68.4	68.4				
6		16965.6	17154.6	189	68.4	68.4	0.0			
7		17154.6	17198.6	44	68.4	68.4				
8		17198.6	17396.8	198.2	68.4	68.4	0.0		P. Phalaraj	
9		17396.8	17487.2	90.4	68.4	68.4				
10		17487.2	17572.2	85	68.4	68.4			M. Srinivasan	
11		17572.2	17833.4	261.2	68.4	68.4			Srin	
12		17833.4	17957.1	123.7	68.4	68.4				
13		17957.1	18049.1	92	68.4	68.4	0.0	C. Emery		
14		18049.1	18275.0	225.9	68.4	68.4	0.0	C. Emery		
15		18275.0	18331.3	56.3	68.4	68.4	0.0			
16		18331.3	18463.6	132.3	68.4	68.4	0.0	C. Emery	Srin	
17		18463.6	18620.6	157	68.4	68.4	0.0	C. Emery		
18		18620.6	18767.5	146.9	68.4	68.4	0.0			
19		18767.5	18897.5	130	68.4	68.4	0.0	C. Emery		
20		18897.5	19038.7	141.2	68.4	68.4	0.0			
21		19038.7	19150.2	111.5	68.4	68.4	0.0			
22		19150.2	19248.3	98.1	68.4	68.4	0.0	P. Phalaraj		
23		19248.3	19461.4	213.1	68.4	68.4	0.0	P. Phalaraj	P. Phalaraj	
24		19461.4	19626.5	165.1	68.4	68.4	0.0			
25		19626.5	19759.3	132.8	68.4	68.4	0.0	P. Phalaraj		
26		19759.3	19868.3	109	68.4	68.4		C. Emery		
27		19868.3	20096.3	228	68.4	68.4	0.0			
28		20096.3	20266.6	170.3	68.4	68.4	0.0			
29		20266.6	20441.6	175.0	68.4	68.4	0.0			
30		20441.6	20677.4	235.8	68.4	68.4	0.0	C. Emery		
31										
TOTAL										

M-4587.3

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : SHAKTI KNOTTING

Month : OCT - 2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		4856.9	4856.9		2604.35	2604.72	0.37			
2			4856.9	0.0		2604.72	0.0			
3			5319.9	463		2633.91	29.19			
4		5319.9	5829.7	509.8	2633.91	2707.0	73.09			
5		5829.7	6370.1	540.4	2707.0	2777.70	70.7			
6		6370.1	6850.0	479.9	2777.70	2843.70	66.0			
7		6850.0	7300.6	450.6	2843.7	2859.22	15.52			
8		7300.6	7900.6	600.0	2859.22	2922.22	63.0			
9		7900.6	8215.6	415.0	2922.22	2994.22	72.0			
10		8215.6	8735.6	520	2994.22	3074.22	80			
11		8735.6	9255.6	520	3074.22	3154.16	79.94			
12		9255.6	9665.4	409.8	3154.16	3229.30	75.14			
13		9665.4	10184.1	518.7	3229.30	3304.82	75.52			
14		10184.1	10560.1	376.0	3304.82	3369.82	65.00			
15		10560.1	11080.1	520	3369.82	3432.00	62.18			
16		11080.1	11330.5	250.4	3432.00	3460.00	28			
17		11330.5	11673.0	342.5	3460.00	3504.10	44.1			
18		11673.0	12100.0	427.0	3504.10	3560.10	56.0			
19		12100.0	12510.0	410	3560.10	3634.10	74.0			
20		12510.0	12526.0	0.16	3634.10	3634.10	0.0			
21		12526.0	12900.0	374	3634.10	3676.0	42.0			
22		12900.0	13367.0	467	3676.0	3712.54	36.44			
23		13367.0	13780.0	413	3712.54	3768.76	56.22			
24		13780.0	14140.1	360.1	3768.76	3769.76	0			
25		14140.1	14724.0	584	3769.76	3795.76	27.00			
26		14724.0	15244.0	520	3795.76	3848.76	53.0			
27		15244.0	15764.0	520	3848.76	3901.75	52.99			
28		15764.0	16284.0	520	3901.75	3954.75	53.00			
29		16284.0	16804.0	520	3954.75	4011.83	57.08			
30		16804.0	17324.0	520	4011.83	4077.04	55.21			
31		17324.0	17708.5	384.5	4077.04	4100.24	23.2			
TOTAL...										

12851.60

1495.89

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company

NET WORK

Month

Oct-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		82931.0	82931.1		3211.72	3211.98				
2		82931.0	82931.1	0.0	3211.98	3211.98	0.0			
3			83130.0	1.2		3211.98	0.0	C. Emery		
4		83130.0	83446.9	316.9	3211.98	3219.14	7.16	C. Emery		
5		83446.9	83978.8	331.7	3219.14	3229.71	10.57			
6		83978.8	84082.2	303.4	3229.71	3241.76	12.25	K. Mahalingam		
7		84082.2	84535.2	453.0	3241.76	3248.84	6.28	C. Emery		
8		84535.2	85083.2	548.0	3248.84	3259.69	11.11	C. Emery		
9		85083.2	85153.9	70.7	3259.69	3260.22	0.54	C. Emery		
10		85153.9	85441.8	287.9	3260.22	3267.53	7.31	K. Mahalingam		
11		85441.8	85741.8	300.0	3267.53	3276.52	8.99			
12		85741.8	86229.7	487.9	3276.52	3284.99	8.47	K. Mahalingam		
13		86229.7	86749.7	520.0	3284.99	3297.79	13.0	K. Mahalingam		
14		86749.7	87190.0	380.3	3297.79	3314.19	16.2	K. Mahalingam		
15		87190.0	87481.4	291.4	3314.19	3321.85	7.66	K. Mahalingam		
16		87481.4	87895.8	414.4	3321.85	3335.47	13.62	K. Mahalingam		
17		87895.8	88285.6	389.8	3335.47	3355.67	20.2	K. Mahalingam		
18		88285.6	88656.2	370.6	3355.67	3370.60	14.93			
19		88656.2	89063.7	407.5	3370.60	3381.36	10.76			
20		89063.7	89086.6	22.9	3381.36	3388.96	7.6			
21		89086.6	89436.6	340.0	3388.96	3399.96	0.0	C. Emery		
22		89436.6	89790.6	354.0	3399.96	3400.88	11.92			
23		89790.6	90211.0	430.4	3400.88	3413.36	12.48			
24		90211.0	90594.5	383.5	3413.36	3414.92	1.56	C. Emery		
25		90594.5	91049.5	455.0	3414.92	3415.72	0.7	C. Emery		
26		91049.5	91464.5	415.0	3415.72	3430.85	14.53	C. Emery		
27		91464.5	91856.0	391.5	3430.85	3434.98	4.13			
28		91856.0	92242.0	386.0	3434.98	3442.27	7.29			
29		92242.0	92574.1	332.1	3442.27	3450.92	8.65	C. Emery		
30		92574.1	92953.8	379.7	3450.92	3462.72	12.0	K. Mahalingam		
31		92953.8	93269.9	316.1	3462.72	3464.73	1.81			
TOTAL										

211.18.9

252.75

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : UNI FRONT

Month : OCT-2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		62068.0	62211.9	143.9	44587	44612	25	[Signature]	[Signature]	Dye bath flow meter
2		62211.9	62362.0	150.1	44612	44612		[Signature]	[Signature]	
3			62642.0	280		44637	25	C. Emmy	[Signature]	
4		62642.0	62922.0	280	44637	44662	25	C. Emmy	N. Se	
5		62922.0	63242.4	320.4	44662	44690	28	[Signature]	[Signature]	
6		63242.4	63562.1	319.7	44690	44716	26.0		[Signature]	
7		63562.1	63849.8	287.7	44716	44736	20.0	C. Emmy	[Signature]	
8		63849.8	64130.8	281.0	44736	44745	9.0	C. Emmy	N. Se	
9		64130.8	64450.8	320.0	44745	44770	25.0	C. Emmy	N. Se	
10			64775.8	325		44795	20		[Signature]	
11		64775.8	65095.1	319.3	44795	44820	25.0	[Signature]	[Signature]	
12		65095.1	65445.1	350	44820	44845	25		N. Se	
13		65445.1	65745.1	300	44845	44870	25.0	P. Phalaraj	[Signature]	
14		65745.1	65978.1	233	44870	44881	11.0	P. Phalaraj	[Signature]	
15		65978.1	66260.1	282	44881	44906	25		[Signature]	
16		66260.1	66560.1	300	44906	44931	25	P. Phalaraj	[Signature]	
17		66560.1	66860.1	299.9	44931	44956	25	P. Phalaraj	[Signature]	
18		66860.1	67180.1	320	44956	44981	25.0	[Signature]	[Signature]	
19	67180.1	67547.0	67547.0	366.9	44981	45009	28.0	[Signature]	[Signature]	
20		67547.0	67639.7	92.7	45009	45024	0.0	[Signature]	[Signature]	
21		67639.0	67930.7	291.7	45024	45050	15.0	C. Emmy	N. Se	
22		67930.7	68288.1	357.4	45050	45080	30.0	[Signature]	[Signature]	
23		68288.1	68564.1	276	45080	45112	32	P. Phalaraj	N. Se	
24		68564.0	68932.3	368.2	45112	45122	10.0	C. Emmy	N. Se	
25		68932.3	69239.3	307	45122	45140	18.0	C. Emmy	N. Se	
26		69239.3	69589.6	350.3	45140	45158	18.0	C. Emmy	N. Se	
27		69589.6	69907.6	318.0	45158	45178	20.0	[Signature]	N. Se	
28		69907.6	70027.6	120.0	45178	45198	20.0		[Signature]	
29		70027.6	70267.6	240	45198	45220	22.0	C. Emmy	[Signature]	
30		70267.6	70587.6	320	45220	45240	20.0		[Signature]	
31		70587.6	70937.0	349.4	45240			[Signature]	[Signature]	
TOTAL..										

W 3869.00

653

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : GRAND GLOT HR

Month : OCT-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		7011.7	7011.7							
2			7011.7	0.0						
3			7038.4	26.7						
4		7038.4	7087.9	49.5						
5		7087.9	7092.7	4.8						
6		7092.7	7177.5	84.8						
7		7177.5	7225.0	47.5						
8		7225.0	7265.0	40.0						
9		7265.0	7328.9	63.9						
10		7328.9	7362.4	33.5						
11		7362.4	7398.5	36.1						
12		7398.5	7448.0	49.5						
13		7448.0	7490.2	42.2						
14		7490.2	7490.2	0.0						
15		7490.2	7518.8	28.6						
16		7518.8	7569.1	50.3						
17		7569.1	7603.3	34.2						
18		7603.3	7640.2	36.9						
19		7640.2	7676.3	36.1						
20		7676.3	7676.3	0.0						
21		7676.3	7676.3	0.0						
22		7676.3	7732.2	55.9						
23		7732.2	7774.2	42.0						
24		7774.2	7815.2	41						
25		7815.2	7856.4	41.2						
26		7856.4	7856.4	0.0						
27		7856.4	7888.2	31.8						
28		7888.2	7888.2	0.0						
29		7888.2	7961.5	73.3						
30		7961.5	7988.1	26.6						
31		7988.1	8016.5	28.4						
TOTAL										

1004.80

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : DHMAVER

Month : Oct 2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		20677.4	20781.8	104.4	68.4	68.4				
2		20781.8	20939.1	157.3	68.4	68.4				
3		21017.1	21017.1	78	68.4	68.4		C. Emmy		
4		21116.4	21116.4	99.3	68.4	68.4	0.0	C. Emmy		
5		21239.4	21239.4	123.0	68.4	68.4	0.0			
6		21363.5	21363.5	124.1	68.4	68.4	0			
7		21447.7	21447.7	84.2	68.4	68.4	0.0	C. Emmy		
8		21647.7	21647.7	200.0	68.4	68.4	0.0	C. Emmy		
9		21737.5	21737.5	89.8	68.4	68.4	0.0	C. Emmy		
10		21988.5	21988.5	251	68.4	68.4				
11		22157.7	22157.7	169.2	68.4	68.4	0.0			
12		22359.3	22359.3	201.6	68.4	68.4				
13		22567.3	22567.3	213.208	68.4	68.4	0.0			
14		22713.3	22713.3	146	68.4	68.4	0.0			
15		22930.9	22930.9	217.6	68.4	68.4				
16		23100.3	23100.3	169.4	68.4	68.4				
17		23321.0	23321.0	220.7	68.4	68.4				
18		23498.7	23498.7	177.7	68.4	68.4	0.0			
19		23697.7	23697.7	199.0	68.4	68.4	0.0			
20		23855.6	23855.6	157.9	68.4	68.4	0.0			
21		24045.6	24045.6	190.0	68.4	68.4	0.0	C. Emmy		
22		24134.0	24134.0	88.4	68.4	68.4	0.0			
23		24330.7	24330.7	196.7	68.4	68.4	0.0			
24		24343.1	24343.1	12.4	68.4	68.4		C. Emmy		
25		24547.6	24547.6	204.5	68.4	68.4	0.0	C. Emmy		
26		24748.2	24748.2	200.6	68.4	68.4	0.0	C. Emmy		
27		24974.2	24974.2	226	68.4	68.4	0.0			
28		24974.2	25139.2	165	68.4	68.4				
29		25139.2	25241.2	102	68.4	68.4		C. Emmy		
30		25546.2	25546.2	305.0	68.4	68.4	0.0			
31		25546.2	25614.9	68.7	68.4	68.4	0			
TOTAL										

4937.5

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : FINEFIT

Month : OCT-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		22589.4	22590.4	1	1343.0	1343.0				
2		22590.4	22590.4		1343.0	1343.0				
3		22756.7	22756.7	166.3	1343.0	1343.0	0.0			
4		22756.7	22863.7	107	1343.0	1343.0	0.0			
5		22863.7	22894.3	30.6	1343.0	1343.0	0.0			
6		22894.3	23040.3	146.0	1343.0	1343.0	0.0			
7		23040.3	23040.3	0.0	1343.0	1343.0	0.0			
8		23040.3	23104.7	64.4	1343.0	1343.0	0.0			
9		23104.7	23104.7	0.0	1343.0	1343.0	0.0			
10		23104.7	23104.7		1343.0	1343.0				
11		23104.7	23263.6	158.9	1343	1343.0	0.0			
12		23263.6	23334.6	71	1343	1343.0				
13		23334.6	23502.6	168	1343	1343	0.0			
14		23502.6	23502.6	0.0	1343	1343	0.0			
15		23502.6	23502.6		1343	1343.0				
16		23502.6	23621.3	118.7	1343	1343.0				
17		23621.3	23621.3		1343	1343				
18		23621.3	23760.0	138.7	1343	1343	0.0			
19		23760.0	23760.0	0.0	1343	1343	0.0			
20		23760.0	23760.0	0.0	1343	1343	0.0			
21		23760.0	23760.0	0.0	1343	1343	0.0			
22		23760.0	23760.0	0.0	1343	1343	0.0			
23		23760.0	23812.6	52.6	1343	1343	0.0			
24		23812.6	23813.6	1.0	1343	1343	0.0			
25		23813.6	23813.6	0.0	1343	1343	0.0			
26		23813.6	23813.6	0.0	1343	1343	0.0			
27		23813.6	23992.7	179.1	1343	1343	0.0			
28		23992.7	24154.7	162.0	1343	1343	0.0			
29		24154.7	24367.6	212.9	1343	1343	0.0			
30		24367.6	24493.6	126.0	1343	1343	0.0			
31		24493.6	24613.8	120.2	1343	1343	0.0			
TOTAL										

2024.4

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : VIJAYA GOVINDA

Month : OCT-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		17356.0	17418.2	62.2	1519.3	1530.6	11.30	[Signature]	[Signature]	
2		17418.2	17455.9	37.7		1530.6		[Signature]	[Signature]	
3			17530.6	74.7		1541.4	10.50	C. Emmy	[Signature]	
4		17530.6	17647.6	117	1541.4	1553.4	12	C. Emmy	[Signature]	
5		17647.6	17779.8	132.2	1553.4	1566.0	12.6	[Signature]	[Signature]	
6		17779.8	17879.0	99.2	1566.0	1578.0	12.0	P. Phalaraj	[Signature]	
7		17879.0	17904.1	25.1	1578.0	1588.1	4.1	C. Emmy	[Signature]	
8		17904.1	18040.1	136.0	1588.1	1598.1	10.0	C. Emmy	[Signature]	
9		18040.1	18153.0	112.9	1598.1	1603.8	11.7	C. Emmy	[Signature]	
10		18153.0	18218.6	65.6	1603.8	1613.8	10	P. Phalaraj	[Signature]	
11		18218.6	18338.3	119.7	1613.8	1624.2	10.4	[Signature]	[Signature]	
12		18338.3	18418.3	80	1624.2	1638.5	9.3	P. Phalaraj	[Signature]	
13		18418.3	18568.6	150.3	1638.5	1644.7	11.2	P. Phalaraj	[Signature]	
14		18568.6	18653.7	85.1	1644.7	1652.6	7.9	P. Phalaraj	[Signature]	
15		18653.7	18823.4	169.7	1652.6	1663.3	10.7	P. Phalaraj	[Signature]	
16		18823.4	18911.5	88.1	1663.3	1672.8	9.5	P. Phalaraj	[Signature]	
17		18911.5	19055.1	143.6	1672.8	1680.8	8	P. Phalaraj	[Signature]	
18		19055.1	19167.6	112.5	1680.8	1691.0	10.2	[Signature]	[Signature]	
19		19167.6	19243.7	76.1	1691.0	1698.0	7.0	[Signature]	[Signature]	
20		19243.7	19243.7	0.0	1698.0	1698	0.0	[Signature]	[Signature]	
21		19243.7	19398.7	155.0	1698.0	1698.0	0.0	C. Emmy	[Signature]	
22		19398.7	19410.5	11.8	1698.0	1707.6	9.6	[Signature]	[Signature]	
23		19410.5	19568.5	158.0	1707.6	1720.6	13.0	[Signature]	[Signature]	
24		19568.5	19652.6	84.1	1720.6	1722.9	2.3	C. Emmy	[Signature]	
25		19652.6	19735.6	83.0	1722.9	1725.9	3.0	C. Emmy	[Signature]	
26		19735.6	19825.5	89.9	1725.9	1733.4	7.5	C. Emmy	[Signature]	
27		19825.5	19950.4	124.9	1733.4	1739.4	6.0	[Signature]	[Signature]	
28		19950.4	20040.8	90.4	1739.4	1740.4	1.0	[Signature]	[Signature]	
29		20040.8	20124.4	83.6	1740.4	1751.4	11	C. Emmy	[Signature]	
30		20124.4	20314.7	190.3	1751.4	1761.4	10.0	P. Phalaraj	[Signature]	
31		20314.7	20394.7	80.0	1761.4	1775.2	13.8	[Signature]	[Signature]	
TOTAL										

3038.70

255.90

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : MAXWEL

Month : OCT. 2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		59437.7	59661.7	224	4399.7	4417.7				
2		59661.7	59885.7	224	4419.7	4437.7				
3			60165.7	280		4459.7	60			
4		60165.7	60445.7	280	4459.7	4479.7	20			
5		60445.7	60725.7	280	4479.7	4495.7	20			
6		60725.7	61005.7	280	4499.7	4519.7	20			
7		61005.7	61285.7	280	4519.7	4519.7	0.0			
8		61285.7	61565.7	280	4519.7	4539.7	20.0			
9		61565.7	61845.7	280	4539.7	4558.7	19.0			
10		61845.7	62125.7	280	4558.7	4578.7	20			
11		62125.7	62405.7	280	4578.7	4598.7	20.0			
12		62405.7	62650.7	245	4598.7	4618.7	20			
13		62650.7	62960.7	310	4618.7	4638.7	20.0			
14		62960.7	63240.7	280	4638.7	4658.7	20.0			
15		63240.7	63520.7	280	4658.7	4678.7	20			
16		63520.7	63800.7	280	4678.7	4698.7	20			
17		63800.7	64080.7	280	4698.7	4718.7	20			
18		64080.7	64360.7	280	4718.7	4738.7	20.0			
19		64360.7	64640.7	280	4738.7	4760.7	22.0			
20		64640.7	64920.7	280	4760.7	4768.5	7.8			
21		64920.7	64920.7	0.0	4768.5	4771.9	3.4			
22		64920.7	65106.0	185.3	4771.9	4791.7	20.0			
23		65106.0	65273.2	167.2	4791.7	4811.7	20.0			
24		65273.2	65485.2	212	4811.7	4812.3	0.6			
25		65485.2	65751.6	266.4	4812.3	4820.3	8.0			
26		65751.6	66036.6	285.0	4820.3	4835.3	15.0			
27		66036.6	66316.6	280		4850.3	15.0			
28		66316.6	66596.6	280	4850.3	4857.3	7.0			
29		66596.6	66792.7	196.1	4857.3	4872.3	15			
30		66792.7	66972.7	180	4872.3	4887.3	15.0			
31		66972.7	67252.7	280	4887.3	4902.3	15.0			
TOTAL										

7815

502.61

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : DEVI THREAD

Month : OCT-2007

WASH WATER					DYE BATH					
Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		38061	38225	164	1472	1474	2			
2			38363	138		1479	5			
3			38465	102		1487	8			
4		38465	38557	92	1487	1487	0.0			
5		38557	38614	57	1487	1487	0.0			
6		38614	38786	172	1487	1487	0.0			
7		38786	38804	18	1487	1487	0.0			
8		38804	38884	80	1487	1490	3.0			
9		38884	38932	48	1490	1492	2.0			
10		38932	38969	37	1492	1492				
11		38969	39056	87	1492	1492	0.0			
12		39056	39142	86	1492	1492				
13		39142	39271	129	1492	1492	0.0			
14		39271	39335	64	1492	1492	0.0			
15		39335	39375	40	1492	1496	4			
16		39375	39496	121	1496	1504	8			
17		39496	39651	155	1504	1508	4			
18		39651	39747	96	1508	1518	7.0			
19		39747	39782	35	1518	1519	4.0			
20		39782	39901	119	1519	1524	5.0			
21		39901	39982	81	1524	1524	0.0			
22		39982	40104	122	1524	1528	4.0			
23		40104	40224	120	1528	1534	6.0			
24		40224	40411	187	1534	1536	2			
25		40411	40480	7.0	1536	1536	0.0			
26		40480	40507	27.0	1536	1536	0.0			
27		40507	40651	144	1536	1536	0.0			
28		40651	40930	279	1536	1536	0.0			
29		40930	41148	218	1536	1540	4			
30		41148	41299	151	1540	1542	2.0			
31		41299	41453	154	1542	1544	2.0			
TOTAL										

3392

72

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : AMARJOTHI

Month : OCT-2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		40590	40750	160	4127	4145	18			
2		40750	40920	170	4145	4165	20			
3		40920	41112	192	4165	4185	20			
4		41112	41310	198	4185	4205	20.0	C. Emory		
5		41310	41510	200	4205	4225	20.0	C. Emory		
6		41510	41749	239	4225	4244	19.0			
7		41749	41910	161	4244	4234	10.0	C. Emory		
8		41910	42110	200	4234	4260	26.0	C. Emory	A. Savani	
9		42110	42130	20	4260	4269	9.0	C. Emory	A. Savani	
10		42130	42272	142	4269	4285	16	P. Phalar	A. Savani	
11		42272	42517	245	4285	4305	20.0		A. Savani	
12		42517	42607	90	4305	4325	20		M. Raja	
13		42607	42687	80	4325	4330	5.0	P. Phalar		
14		42687	42875	188	4330	4350	20.0	P. Phalar	M. Raja	
15		42875	43009	134	4350	4351	1	P. Phalar		
16		43009	43194	185	4351	4371	20	P. Phalar		
17		43194	43394	200	4371	4391	20	P. Phalar	M. Raja	
18		43394	43574	180	4391	4411	20.0			
19		43574	43720	146	4411	4431	20.0			
20		43720	43885	165	4431	4451	20.0			
21		43885	44145	260	4451	4470	19.0	C. Emory		
22		44145	44317	172	4470	4490	20.0			
23		44317	44481	164	4490	4510	20	P. Phalar	A. Savani	
24		44481	44610	129	4510	4515	5	C. Emory	A. Savani	
25		44610	44838	228	4515	4523	8.0	C. Emory		
26		44838	45031	193	4523	4538	15.0	C. Emory		
27		45031	45145	114	4538	4558	20.2			
28		45145	45369	224	4558	4578	20.0			
29		45369	45548	179	4578	4598	20	C. Emory	M. Raja	
30		45548	45745	197	4598	4613	15.0	P. Phalar		
31		45745	45944	199	4613	4633	20.0			
TOTAL										

5354

506

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : J. RISHNA

Month : OCT-2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		36618.5	36800.0	181.5	3001.4	3005.1	3.7			
2		36800.0	36920.0	180	3005.1	3021.1	16.0			
3		36920.0	37161.8	181.8	3021.6	3041.6	20	C. Emery	Reda	
4		37161.8	37360.0	198.2	3041.6	3061.6	20	C. Emery		
5		37360.0	37563.4	203.4	3061.6	3082.0	20.4		Reda	
6		37563.4	37791.0	227.6	3082.0	3095.0	13.0			
7		37791.0	37932.9	141.9	3095.0	3095.0	0.0	C. Emery		
8		37932.9	38139.9	206	3095.0	3116.0	21.0	C. Emery		
9		38139.9	38320.9	182	3116.0	3137.0	21.0	C. Emery	Reda	
10		38320.9	38524.9	204	3137.0	3156.0	19	P. Phalar		
11		38524.9	38725.9	201	3156.0	3177.3	21.3			
12		38725.9	38906.0	180.1	3177.3	3198.3	21	P. Phalar		
13		38906.0	39092.0	186	3198.3	3214.3	16.0	P. Phalar	Reda	
14		39092.0	39272.0	180	3214.3	3214.3	0.0	P. Phalar	Reda	
15		39272.0	39471.1	199.1	3214.3	3229.5	15.2	P. Phalar		
16		39471.1	39656.6	185.5	3229.5	3232.4	2.9	P. Phalar	Reda	
17		39656.6	39840.1	183.5	3232.4	3236.4	4	P. Phalar	Reda	
18		39840.1	40020.1	180.0	3236.4	3253.0	16.6			
19		40020.1	40106.3	86.2	3253.0	3256.2	3.2			
20		40106.3	40106.3	0.0	3256.2	3256.2	0.0			
21		40106.3	40106.3	0.0	3256.2	3256.2	0.0	C. Emery		
22		40106.3	40106.3	0.0	3256.2	3256.2	0.0			
23		40106.3	40106.3		3256.2	3256.2				
24		40106.3	40107.3	1	3256.2	3256.2		C. Emery		
25		40107.3	40207.3	100.0	3256.2	3256.2	0.0	C. Emery		
26		40207.3	40208.3	1.0	3256.2	3256.2	0.0	C. Emery		
27		40208.3	40311.7	103.4	3256.2	3257.2	0.0			
28		40311.7	40451.0	139.3	3256.2	3256.2	0.0			
29		40451.0	40648.0	197	3256.2	3256.2		C. Emery		
30		40648.0	40831.0	183	3256.2	3277.2	21.0	P. Phalar		
31		40831.0	41064.9	233.9	3277.2	3298.8	21.6			
TOTAL..										

4446.40

297.40

PERUNDURAI COMMON EFFLUENT TREATMENT PLANT, SIPCOT, PERUNDURAI.

Name of the Company : PREMINA

Month : OCT-2007

WASH WATER

DYE BATH

Date	Time	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	Opening Reading (M ³)	Closing Reading (M ³)	Day Qty (M ³)	PCETP Sign	Member Sign	Remarks
1		17768 ✓	17892 ✓	124 ✓	1303 ✓	1324 ✓	21 ✓	<i>[Signature]</i>		
2		17892 ✓	17962 ✓	70 ✓	1324 ✓	1325 ✓	1 ✓	<i>[Signature]</i>		
3		17962 ✓	17991 ✓	29 ✓	1325 ✓	1330 ✓	5 ✓	<i>[Signature]</i>	N. Muthy	
4		17991 ✓	17969 ✓	40 ✓	1330 ✓	1333 ✓	3.0 ✓	<i>[Signature]</i>	N. Muthy	
5		17969 ✓	17935 ✓	50 ✓	1333 ✓	1337 ✓	4.0 ✓	<i>[Signature]</i>	N. Muthy	Meter Vessel
6		17935 ✓	18012 ✓	77 ✓	1337 ✓	1340 ✓	3.0 ✓	<i>[Signature]</i>		
7		18012 ✓	18012 ✓	0.0 ✓	1340 ✓	1340 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
8		18012 ✓	18076 ✓	64.0 ✓	1340 ✓	1360 ✓	20.0 ✓	<i>[Signature]</i>	K. 12	
9		18076 ✓	18185 ✓	109.0 ✓	1360 ✓	1360 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
10		18185 ✓	18263 ✓	78 ✓	1360 ✓	1374 ✓	14 ✓	<i>[Signature]</i>	P. Srin	
11		18263 ✓	18370 ✓	107 ✓	1374 ✓	1385 ✓	11.0 ✓	<i>[Signature]</i>	P. Srin	
12		18370 ✓	18400 ✓	30 ✓	1385 ✓	1400 ✓	15 ✓	<i>[Signature]</i>	P. Srin	
13		18400 ✓	18478 ✓	78 ✓	1400 ✓	1407 ✓	7.0 ✓	<i>[Signature]</i>	P. Srin	
14		18478 ✓	18569 ✓	91 ✓	1407 ✓	1419 ✓	12.0 ✓	<i>[Signature]</i>	P. Srin	
15		18569 ✓	18664 ✓	95 ✓	1419 ✓	1419 ✓	✓	<i>[Signature]</i>		
16		18664 ✓	18772 ✓	108 ✓	1419 ✓	1419 ✓	✓	<i>[Signature]</i>	V. Srin	
17		18772 ✓	18889 ✓	117 ✓	1419 ✓	1419 ✓	✓	<i>[Signature]</i>		
18		18889 ✓	18920 ✓	31.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>		
19		18920 ✓	19031 ✓	111.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
20		19031 ✓	18997 ✓	100.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	V. Srin	(Meter Reading)
21	⊕ meter reverse	18997 ✓	19002 ✓	100.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
22		19002 ✓	19179 ✓	177 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
23		19179 ✓	19017 ✓	102 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	V. Srin	
24		19017 ✓	19050 ✓	33 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
25		19050 ✓	19209 ✓	159 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
26		19209 ✓	19310 ✓	101 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
27		19310 ✓	19430 ✓	120 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	P. Srin	
28		19430 ✓	19230 ✓	100 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	V. Srin	
29		19230 ✓	19276 ✓	46 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	N. Muthy	
30		19276 ✓	19308 ✓	32.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	V. Srin	
31		19308 ✓	19331 ✓	23.0 ✓	1419 ✓	1419 ✓	0.0 ✓	<i>[Signature]</i>	<i>[Signature]</i>	
TOTAL..										

2500

116

BEFORE THE NATIONAL GREEN TRIBUNAL SOUTHERN
ZONE AT CHENNAI

MEMORANDUM OF APPLICATION

(Under Sec.18(1) read with Section 14 of
National Green Tribunal Act, 2010)

Application No. 251 of 2017

Perundurai Common Effluent Treatment Plant
Rep. by its Director Mr.N.Chandrasekaran ...Applicant

VERSUS

1. The Member Secretary
Tamil Nadu Pollution Control Board, ...Respondent

INDEX

SL. No.	Date	Particulars	Page No
1.	04.07.2007 - 03.10.2007	Log book for discharge of Effluent	
2.	11.03.2021	Consolidated statement of Log book records	

The documents include in the typed set are attested to be true copies.

Date : 11.03.2021

Place : Chennai

COUNSEL FOR APPLICANT