

## INDEX

**2nd REPORT (INTERIM) OF THE RECONSTITUTED COMMITTEE BY HON'BLE  
NGD VIDE ORDER DATED 21.12.2021 IN O.A. 93/2021 MUKESH KUMAR  
AGGARWAL VS. CPCB AND ANOTHER**

Sl. No.	PARTICULARS	DATE	PARA NO.	ANNEXURE NO.	PAGE NO.
1.	Report of the Committee	21.02.2022	.	1	1-6
2.	Brief note by the Chairman	10.01.2022	2	2	7-9
3.	Minutes of the I <sup>st</sup> meeting	10.02.2022	2	3	10-13
4.	Minutes of the 2 <sup>nd</sup> meeting	18.02.2022	6	4	14-16
5.	Legal opinion by CPCB	09.02.2022	3	5	17
6.	Legal opinion by UPPCB	09.02.2022	3	6	18
7.	Legal opinion by Chairman	18.02.2022	3	7	19-25
8.	Order of District Magistrate, Mathura	31.12.2021	6	8	26-29
9.	Compliance Report of UPPCB	21.02.2022	8	9	30-31
10.	Press release in Amar Ujala, Agra	20.01.2022	9	10	32
11.	Letter of CE0-4, UPPCB to District Magistrate, Mathura	02.02.2022	10	11	33-39
12.	Action taken against Mis Anu Ent Udyog	06.02.2022	6	12	40-42
13.	Various correspondence by RO, Mathura with District administration	-	9	13	43-49
14.	List of 38 Brick Kiln Closed Down by U.P.P.C.B. in June-July 2021	22.02.2022	-	14	50-51

**2<sup>ND</sup> REPORT (INTERIM) OF THE COMMITTEE RECONSTITUTED BY HON'BLE NGT PRINCIPAL BENCH, NEW DELHI VIDE ORDER DATED 21.12.2021 IN OA No. 93/2021 Mukesh Kumar Aggarwal Vs. Central Pollution Control Board & Anr.**

The Hon'ble NGT vide order dated 21.12.2021 reconstituted the Committee comprising of:

- i. Justice Anil Kumar Sharma, former Judge of Allahabad High Court now available at Mathura- Chairman.
- ii. Member Secretary, CPCB - Member.
- iii. District Magistrate, Mathura - Member.
- iv. Member Secretary, SEIAA, UP - Member.
- v. Member Secretary, UP State PCB – Member.

In order to comply with the referenced orders of Hon'ble NGT, first meeting on virtual mode, was held with the members of the re-constituted Committee on 10.01.2022 at 12:00 noon. The meeting was chaired by Hon'ble Mr Justice Anil Kumar Sharma, Former Judge of Allahabad High Court. District Magistrate, Mathura could not attend the meeting owing to his involvement in Official duties pertaining to ensuing general elections in the State. The polling in District Mathura was held on 10<sup>th</sup> February, 2022 (1<sup>st</sup> phase) Following attended the meeting:

**Members**

1. Dr. Prashant Gargava, Member Secretary, CPCB
2. Shri Ajay Kumar Sharma, Member Secretary, UPPCB and SEIAA

**Others**

1. Shri S.K. Gupta, Additional Director, CPCB Delhi
2. Dr R.K. Singh, Regional Director, CPCB, Lucknow
3. Shri R.K. Singh, Chief Environmental Officer, UPPCB
4. Shri Arvind Kumar, Regional Officer, UPPCB Mathura

2. Before the 1<sup>st</sup> meeting the Chairman sent Brief Note to all the members of the Committee, which is **Annexure-2**. Member-Secretary UPPCB gave status report of the brick kilns established and operational in Tehsil Mant and Chhata. An issue cropped up about the applicability of **U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012**, on brick kilns established prior to promulgation of these Rules i.e. 27.6.2012. Opening the discussion MS UPPCB apprised that the guidelines for establishment of brick kilns have been notified by the Department of Environment, Government of UP on 27.06.2012. Prior to this date, guidelines of District Panchayat were being followed. Many brick kilns have been established before 27.06.2012 and necessary permissions were granted as per the guidelines of District Panchayat. However, the Chairman desired that enforcement of guidelines of 2012 should be done as per the referenced order of Hon'ble NGT dated 12.08.2021 and also read out the observations of the NGT in its order dated 12.8.2021 on page-25 (quote) **"Siting criteria is to apply even to old brick kilns as every renewal is at par with new consent."** Member Secretary apprised that Hon'ble NGT has already clarified regarding the enforcement of guidelines in the judgement of Appeal No.-74/2014 in the matter of **M/s Jai Hanuman Ent. Udyog Vs U.P. Pollution Control Board order dated 7<sup>th</sup> May, 2015**. A copy of the referenced order of Hon'ble NGT and guidelines of District Panchayat at Mathura for siting of brick kilns shall be provided to the Chairman by the Regional Officer Mathura within 02 days for deciding further course of action. As there was some confusion about the applicability of Rules of 2012 on brick kilns established prior to 27.06.2012. To resolve this issue a detailed discussion with legal opinion of both the boards namely CPCB and UPCCB was required. Both the boards were requested to obtain legal opinion of their respective legal cells to study the judgment of the NGT referred above and any other judgment of the Apex Court on the issue of applicability

of 2012 Rules on brick kilns established prior to 27.06.2012 i.e. retrospectively or retroactively? If yes, to what extent? The legal opinion was sought by 31.01.2022.

- 3. Both the Boards submitted opinions of their respective legal cell, **Annexures 5 and 6**. The Legal Cell of UPPCB did not give report on the core issue. There was difference of opinion between the two Pollution Control Boards, therefore, the Chairman after due discussion in the meeting dated 18.2.2022, gave his Legal opinion, which is **Annexure-7** and has held as under:

*"In view of what has been said and done above, I fully agree with the legal opinion given by the CPCB and thus it is held that the UP Rules of 2012 would apply to all brick kilns irrespective of their year of establishment and consents granted by the State Board, however, reasonable time should be given to the brick kiln owners of the units established before 27.6.2012 to ensure compliance of existing environmental laws including the siting criteria."*

The intervention of the Hon'ble NGT is required, as the UPPCB does not seem to be satisfied with the findings of the Chairman.

- 4. The Member-Secretary CPCB graciously agreed to conduct study of carrying capacity estimation with respect to number of brick kilns ought to be allowed in Tehsil Mant and Chhata as was done in case of OA No. 1016/2019 Utkarsh Pawar v/s CPCB & Ors.
- 5. The Chairman of the Committee insisted upon the action taken by the Board in compliance of the referenced order of Hon'ble NGT, in specific terms of non-complying Brick kilns with respect to siting criteria, in violation of consent conditions, beyond carrying capacity, setting up of Air quality monitoring stations at appropriate locations. The Member Secretary, UPPCB apprised that so far 38 non complying brick kilns have been closed by the Board. So far as the siting criteria is concerned the Regional Officer, UPPCB Mathura along with the team constituted by DM Mathura will re-inspect all the brick Kilns situated in Tehsil Chhata and Mant, as per directions of the NGT contained in order dated 12.8.2021 (Para 17-C) for

reviewing consent given to all the brick kilns by the State PCB in the light of *CPCB directions as well as the air quality norms, siting criteria and carrying capacity*. A consolidated status of action taken in light of referenced order of Hon'ble NGT shall be submitted to the Committee. During the meeting Member Secretary, UPPCB directed RO. Mathura to start inspection of such Brick kilns immediately. The minutes of the meeting are **Annexure-3**.

6. The 2<sup>nd</sup> meeting of the Committee through video conferencing was held on 18.02.2022, wherein only Sri Navneet Singh Chahl, District Magistrate, Mathura could participate. The other members owing to prior engagements could not make it possible to attend the meeting; their officers participated in the meeting and discussion. Regarding closure of brick kilns violating siting criteria and consent terms, it was found that no brick kiln, except the one M/s Anu Ent Udyog (**Annexure-12**) had been closed. It was also apprised that after the Hon'ble NGT order dated 12.08.2021 no Brick kiln in Distt. - Mathura is operating as on date. A designated Committee comprising SDM Tehsil- Mant and Chhata, Mining Officer Mathura, District Commercial Tax Officer Mathura, District Panchayat Officer Mathura, Regional Officer UPPCB Mathura had been constituted by the District Magistrate Mathura vide order dated 31.12.2021 (**Annexure-8**) for physical inspection/verification and action be taken against defaulter Brick kilns in both the Tehsils. Regional Officer Mathura apprised the Committee that due to declaration of **Assembly Elections** in 5 States by Election Commission of India and polling in Distt. -Mathura on 10.02.2022 (first phase) inspections could not be carried out but it will soon be started and report will be submitted to the ADM/DM Mathura. **The Chairman specifically requested the District. Magistrate Mathura to get the desired inspections carried out as early as possible. He emphasised that without active cooperation, supervision and control of the District Magistrate, the**

compliance of Hon'ble NGT's directions would not be carried. He gladly assured for full cooperation and compliance of the Hon'ble NGT order.

7. It was unanimously resolved by the committee that considering the volume of the work and involvement of various departments in execution thereof at least two months' further time be requested from the Hon'ble NGT for completion of field monitoring with verification and other tasks related to carrying capacity, assessment and submission of final report. The status/monitoring report be accordingly submitted to Hon'ble NGT accordingly. The minutes of the meeting are **Annexure-4**.
8. Today the UPPCB has submitted compliance report of the orders of the Hon'ble NGT passed in the case so far, which is **Annexure-9**.
9. Various letters (**Annexure-10**) were written by R.O., Mathura to different administrative authorities for ensuring compliance of Hon'ble NGT orders and press release dated 20.01.2022 (**Annexure-13**) was also issued.
10. In the order dated 31.12.2021 the District Magistrate, Mathura and this Committee vide minutes dated 10.1.2022 have directed for physical verification of all the brick kilns situated in Tehsil Chhata and Mant regarding siting criteria and compliance of other environmental norms as consent granted to all brick kilns had to be reviewed by the UPPCB, as per directions of the Hon'ble Tribunal dated 12.8.2021. However, the CEO-4, UPPCB vide letter dated 2.2.2022 **Annexure-11** (more than a month after the order of the Hon'ble Tribunal dated 21.12.2021) has written to District Magistrate, Mathura for verification of only 35 brick kilns, consent for which had been granted only on the basis of reports of revenue authorities without verification by the Pollution Control authorities. It shows non-compliance of directions of this Committee as also of the order of District Magistrate. Lack of coordination between the Board and this Committee as also District Administration creates confusion in the mind of the people. The Board, being statutory authority

should endeavour to comply with the orders of the Tribunal in letter and spirit following due process of law. The election process of Assembly election has given an alibi to the pollution control authorities for defying orders of the Tribunal. There is dire need to sensitise various departments involved in the process of physical verification of brick kilns by the District Magistrate.

11. The report is concluded with a couplet of Ramcharit Manas:

“विनय न मानत जलधि जड़ गए तिनि दिन बीति  
बोले राम सकोप तब भय बिनु होई न प्रीति ॥”

भावार्थ – इधर तीन दिन बीत गए, किन्तु जड़ समुन्द्र विनय नहीं मानता, तब श्री रामजी क्रोध सहित बोले – बिना भय के प्रीति नहीं होती।

PRAYER

In view of the above, the Committee earnestly request the Hon'ble NGT as under:

- a) To direct the UPPCB to apply U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012 for assessment of siting criteria and compliance of other environment rules on the brick kilns established prior to 27.6.2012;
- b) To graciously grant two months' time to submit final report in the matter.

*ny*  
(Navneet Singh Chahal)  
District Magistrate,  
Mathura  
Member

*प.प्र.*  
(Dr. Prashant Gargava)  
Member-Secy. CPCB  
Member

*Anil Kumar Sharma* 22.2.2022  
(Justice Anil Kumar Sharma)  
Former Judge, Allahabad  
High Court  
Chairman

*UPPCB point of view is attached separately.*

(Ajay Kumar Sharma)  
Member-Secy. UPPCB/SE/AA.U.P.  
Member

### UPPCB's Point of View

1. Regarding point no.-6 in 2<sup>nd</sup> Report (Interim) of the Committee Reconstituted by Hon'ble NGT (Principal Bench), New Delhi vide order dated 21.12.2021 in OA no. 93/2021, Mukesh Kumar Aggarwal Vs. Central Pollution Control Board & Ors., it is submitted that 38 nos. of brick kilns have been directed to close down by UPPCB in the month of June-July, 2021, which are still lying closed in compliance of Board's order. List of 38 brick kilns is enclosed herewith as Annexure No.-14.
2. Regarding point no.-10 of above said Report, it is submitted that UPPCB has complied the Hon'ble NGT order in letter and spirit. In compliance of order of Hon'ble NGT and direction given by Hon'ble Justice Shri Anil Kumar Sharma, Chairman of the constituted Committee during the meeting dated 10.1.2022, all the files of newly established brick kilns after the enforcement of new citing criteria were screened by high officials at Head Quarter of UPPCB and accordingly, it was found that out of 76 brick kilns who were issued CTE (Consent to Establish), 35 CTE were issued on the basis of report of Revenue Department only. Therefore, Chief Environmental Officer requested District Magistrate Mathura to get these 35 kilns inspected within 15 days by the joint team (consisting of SDM, RO UPPCB & 03 other District Level Officials) constituted by him on 31.12.2021. This letter was written on the pretext of prioritizing the inspection/survey of all the brick kilns of Tehsil Mantt and Chhata. Moreover, other 41 CTEs were issued on the basis of inspection conducted by UPPCB/Revenue Department.
3. It is also submitted that soon after the District Magistrate Mathura constituted the Committee, General Election of UP Assembly were announced and Committee Officials got busy in the Election Process.
4. In compliance of order of Hon'ble NGT, UPPCB is regularly monitoring the ambient air quality at Tehsil Mantt and Chhata and as per the Committee's decision, data is being sent to CPCB for the purpose of assessment of the carrying capacity of the area.

ms  
 22/2/2022  
 आर. क. सिंह  
 CEO. IV  
 UPPCB.

AS  
 22.2.2022  
 (Ajay Kumar Sharma)  
 MS, UPPCB/SEIAA

**BRIEF NOTE BY JUSTICE ANIL KUMAR SHARMA, CHAIRMAN OF THE RECONSTITUTED COMMITTEE BY HON'BLE NGT VIDE ORDER DATED 21.12.2021.**

The Hon' ble NGT vide order dated 21.12.2021 had reconstituted the Committee earlier formed by order dated 12.8.2021 passed in OA no. 93/2021 Mukesh Kumar Aggarwal Vs. CPCB & others as under -

17. In view of above discussion, **further steps in the matter be taken by the statutory regulators and monitored by the Committee** constituted by this Tribunal.

The Committee will stand reconstituted as follows:

- i. Justice Anil Kumar Sharma, former Judge of Allahabad High Court now available at Mathura - Chairman.
- ii. ii. Member Secretary, CPCB - Member.
- iii. iii. District Magistrate, Mathura- Member.
- iv. iv. Member Secretary, SEIAA, UP - Member.
- v. v. Member Secretary, UP State PCB - Member.

The Committee may accordingly give further report in the light of above observations. In the report, **number of brick kilns closed or required to be closed or could be allowed and the period during which the same could be allowed as a result of assessment and monitoring by the Committee may be specified. (para-18 of the order dated 21.12.2021)**

Earlier the Hon'ble NGT vide order dated 12.8.2021 has given several directions to be followed by the UPPCB, which are as under :

(A) *Brick kilns operating in violation of environmental norms - without consent, in violation of consent conditions, in violation of siting criteria, beyond carrying capacity be forthwith closed, following due process of law, exercising statutory powers by the State PCB. (Action was to be taken by the UPPCB within two months (para-16 of the order). However no action has been reported by the State PCB so far.*

(B) *The State PCB in coordination with the District Magistrate and the Air Quality Monitoring Committee headed by Secretary Environment may ensure setting up of air quality monitoring stations at appropriate locations and also take other steps for effective monitoring of compliance of air quality norms in the area in question. (No compliance has been reported)*

(C) *Consent given to all the brick kilns be reviewed by the State PCB in the light of CPCB directions as well as the air quality norms, siting criteria and carrying*

capacity. Short listing as per carrying capacity may be done on the basis of technology used, inter se distance, distance from sensitive locations and comparative level of compliance. **(No compliance has been reported)**

**(D) Tunnel kiln technology with PNG may be appropriately encouraged in the interest of reduction of pollution load. (Directions were given to the RO, UPPCB Mathura in the minutes of 6<sup>th</sup> Meeting of the Committee on 14.12.2021)**

Certain new directions/observations have been given by the Hon'ble Tribunal vide order dated 21.12.2021, which inter alia are –


1. We are informed that those which did not have consent have been closed. **What about those violating consent conditions, not following siting norms, continuing old technology against guidelines?** There seems to be flagrant violation of orders of this Tribunal on these aspects. The Committee appointed by this Tribunal may look into these aspects and ensure remedial action which may be mentioned in its report. **(para-12)**
2. Engagement of IIT for carrying capacity assessment appears to be as a result of some communication gap which is not as per mandate of 40 the Tribunal. **Instead of this course of action, what is required is the analysis of available data on the pattern of approach of the Expert Committee in its report dated 06.07.2020 filed by the CPCB, dealt with vide order dated 15.10.2020 in OA No. 1016/2019, Utkarsh Panwar supra. (para-13)**
3. Simple work in terms of order of this Tribunal does not warrant any fresh study or any intricate research by any other institution. Assessment of the ground situation needs to be made for a decision whether and how many brick kilns ought to be allowed in the light of air quality data in the area. We further note that contrary to orders of this Tribunal only brick kilns operating without consent are reported to have been closed. **There is no mention about closure of brick kilns violating siting criteria and consent terms, using obsolete technology contrary to CPCB guidelines or operating in excess of the carrying capacity i.e. when data shows inability to take more pollution load in the area, except by use of technology which avoids pollution load and if the air quality is not harmful for public health. If air quality norms are already exceeding, all that the Committee needs to say is that no brick kiln can be allowed during the period air pollution is above threshold, till improvement of air quality.** If the air quality can sustain lesser number or maintaining longer distance, it has to be ascertained. If improved technology can help, it may be so mentioned. The Committee is to operate within these parameters. Precautionary principle has to guide the issue. **(para-14)**

4. In Mant and Chatta area where 168 and 59 brick kilns are said to be operating in a cluster. The Committee was required to determine whether siting norms were reasonable and being followed and whether the air quality permitted could sustain the pollution load generated by the brick kilns. The Air Quality Monitoring Stations were required to be set up at appropriate locations based on which effective monitoring of the pollution load was possible. (para-15)

5. As already mentioned, the State PCB has miserably failed to monitor compliance of consent conditions, ambient air and stack monitoring, siting criteria as well as compliance of environmental norms. Such lapse on the part of the State PCB has resulted in serious damage to the environment and public health. The Chairman, State PCB needs to take action against such failure, including the erring officers of the State PCB posted in the area. (para-16)

**REQUEST:-**

I request all the Hon'ble members of the Committee to kindly seriously ponder on all the above points and the directions given by the Hon'ble NGT vide orders dated 12.8.2021 and 21.12.2021 and ensure compliance within the time granted for us which is 3<sup>rd</sup> week of February, 2022.

  
(Justice Anil Kumar Sharma)

Chairman of the Committee.

**Minutes of 1<sup>st</sup> Meeting in compliance of Hon'ble NGT Order dated 21.12.2021 in the matter O.A. No. 93/2021, Mukesh Kumar Aggrawal Vs Central Pollution Control Board &Anr.-Reg.**

Hon'ble NGT vide order dated 21.12.2021 reconstituted the committee comprising of :

- i. Justice Anil Kumar Sharma, former Judge of Allahabad High Court now available at Mathura- Chairman.
- ii. Member Secretary, CPCB - Member.
- iii. District Magistrate, Mathura - Member.
- iv. Member Secretary, SEIAA, UP - Member.
- v. Member Secretary, UP State PCB - Member.

In order to comply with the referenced orders of Hon'ble NGT, first meeting on virtual mode, was held with the members of the re-constituted Committee on 10.01.2022 at 12:00 noon. The meeting was chaired by Hon'bl Mr Justice Anil Kumar Sharma, Former Judge of Allahabad High Court. District Magistrate, Mathura could not attend the meeting owing to his involvement in Official duties pertaining to ensuing general elections in the State. The polling in District Mathura will be held on 10<sup>th</sup> February, 2022 (1<sup>st</sup> phase) Following attended the meeting:

Members

1. Dr. Prashant Gargava, Member Secretary, CPCB
2. Shri Ajay Kumar Sharma, Member Secretary, UPPCB and SEIAA

Others

1. Shri S.K. Gupta, Additional Director, CPCB Delhi
2. Dr R.K. Singh, Regional Director, CPCB, Lucknow
3. Shri R.K. Singh, Chief Environmental Officer, UPPCB
4. Shri Arvind Kumar, Regional Officer, UPPCB Mathura

With the permission of the Chairman, Member Secretary, UPPCB apprised the Committee about the re-constitution of the Committee in compliance of the referenced order dated 21.12.2021 of Hon'ble NGT and requested R.D., CPCB Lucknow to enlighten the Committee with the action plan as directed by Hon'ble NGT. R.D., CPCB Lucknow apprised the Committee about the referenced Order and also about action taken/proposed till date as per decision taken during the last meeting held on 14.12.2021. It was noted that UPPCB has established two manual AQMS, one each at Chhata and Mant and the ambient air quality monitoring as per schedule, at both the stations has begun from January 2022. The Committee further deliberated on the following issues:

1. Closure of brick kilns violating siting criteria and Consent terms:

a. Member Secretary, UPPCB apprised that 227 brick kilns are established in Distt.- Mathura including 59 in Tehsil-Chhata and 168 in Tehsil-Mant and total 63 brick kilns have been converted to Zig-Zag technology. The Chairman wanted to know the action taken by UPPCB after the order of the NGT dated 12.08.2021 in which it was ordered that Brick kilns operating in violation of environmental norms without consent, in violation of consent conditions, in violation of siting criteria, beyond carrying capacity be forthwith closed. Member Secretary UPPCB apprised that after the Hon'ble NGT order no Brick kiln in Distt.- Mathura is operating. A designated Committee comprising SDM Tehsil- Mant and Chhata, Mining Officer Mathura, District Commercial Tax Officer Mathura, District Panchayat Officer Mathura, Regional Officer UPPCB Mathura has been constituted by the District Magistrate Mathura on 31.12.2021 for inspection and action against defaulter Brick kilns in Tehsil- Mant and Chhata. Regional Officer Mathura apprised the Committee that inspections will be started immediately and report will be submitted to the ADM/DM Mathura. Copy of the Report shall be provided to the Committee.

**Action : Regional Officer, UPPCB, Mathura**

b. As far the violation of siting criteria is concerned, MS, UPPCB apprised the Committee that the guidelines for establishment of brick kilns have been notified by the Department of Environment, Government of UP on 27.06.2012. Prior to this date, guidelines of District Panchayat were being followed. Many brick kilns have been established before 27.06.2012 and necessary permissions were granted as per the guidelines of District Panchayat. Chairman desired that enforcement of guidelines of 2012 should be done as per the referenced order of Hon'ble NGT dated 12.08.2021 and also read out the observations of the NGT in its order dated 12.8.2021 on page-25 (quote) **"Siting criteria is to apply even to old brick kilns as every renewal is at par with new consent."** Member Secretary apprised that Hon'ble NGT has already clarified regarding the enforcement of guidelines in the judgement of **Appeal No.- 74/2014 in the matter of M/s Jai Hanuman Ent. Udyog Vs U.P. Pollution Control Board order dated 7<sup>th</sup> May, 2015.** A copy of the referenced order of Hon'ble NGT and guidelines of District Panchayat at Mathura for siting of brick kilns shall be provided to the Chairman by the Regional Officer Mathura within 02 days for deciding further course of action. There seems to be some confusion about applicability of Rules of 2012 on brick kilns established prior to 27.06.2012. To resolve this issue a detailed discussion with legal opinion of both the boards namely CPCCB and UPCCB is required. **Both the boards are requested to obtain legal opinion of their respective legal cells to study the judgment of the NGT referred above and any other judgment of the Apex Court on the issue of applicability of 2012 Rules on brick kilns established prior to 27.06.2012 i.e. retrospectively or**

retroactively? If yes, to what extent? The legal opinion be submitted to the Chairman positively by 31.01.2021

**Action: MS CPCB, MS UPCCB and The Concerned CEO UPCCB, HO, Lucknow**

- 2. **Carrying capacity estimation with respect to no. of brick kilns ought to be allowed:**

MS CPCB apprised the Committee that estimation of carrying capacity, as done in case of OA No. 1016/2019 Utkarsh Pawar v/s , can CPCB & Ors, be estimated. The data required for the purpose will be shared with UPCCB, which will ensure the data at the earliest. He also suggested to involve the CPCB Scientist, involved in the similar study, and asked RD, CPCB, Lucknow to coordinate with UPCCB.

**Action: UPCCB, RD, CPCB, Lucknow**

- 3. **Estimation of Air Quality at Chhata and Mant:**

MS UPCCB apprised the Committee that Board has installed two monitoring stations one at Chhata and the other at Mant. The samples are collected on weekly basis as per agreed schedule. Apart from these manual stations, a CAQMS is functional at Vrindavan.

MS CPCB suggested that setting up ambient air quality monitoring may be decided considering criteria developed by CPCB for the purpose along with impact zone of industrial clusters of Chaata and Mant.


- 4. **Compliance status of Hon'ble NGT order dated 12.08.2021:**

The Chairman of the Committee insisted upon the action taken by the Board in compliance of the referenced order of Hon'ble NGT, in specific terms of non-complying Brick kilns with respect to siting criteria, in violation of consent conditions, beyond carrying capacity, setting up of Air quality monitoring stations at appropriate locations. The Member Secretary, UPCCB apprised that so far 38 non complying brick kilns have been closed by the Board. So far as the siting criteria is concerned the Regional Officer, UPCCB Mathura along with the team constituted by DM Mathura will re-inspect all the brick Kilns situated in Tehsil Chhata and Mant, as per directions of the NGT contained in order dated 12.8.2021 (Para 17-C) for reviewing consent given to all the brick kilns by the State PCB in the light of CPCB directions as well as the air quality norms, siting criteria and carrying capacity. A consolidated status of action taken in light of referenced order of Hon'ble NGT shall be submitted to the Committee. During the meeting Member Secretary, UPCCB directed RO. Mathura to start inspection of such Brick kilns immediately.

**Action: Regional Officer, UPPCB, Mathura**

The MS UPPCB apprised the Committee that in keeping with the referenced order dt 21.12.2021 of Hon'ble NGT request of refund of funds paid by UPPCB to IIT Delhi for carrying out the designated Study, had already been sent.

The meeting ended with a vote of thanks to the Chair.

  
(Arvind Kumar)  
Regional Officer, UPPCB,  
Mathura

**Minutes of 2<sup>nd</sup> Meeting in compliance of Hon'ble NGT Order dated 21.12.2021 in the matter O.A. No. 93/2021, Mukesh Kumar Aggrawal Vs Central Pollution Control Board & Anr.-Reg.- Mathura**

(14)

Hon'ble NGT vide order dated 21.12.2021 reconstituted the committee comprising of:

- i. Justice Anil Kumar Sharma, former Judge of Allahabad High Court now available at Mathura- Chairman.
- ii. Member Secretary, CPCB- Member.
- iii. District Magistrate, Mathura-Member.
- iv. Member Secretary, SEIAA, UP - Member.
- v. Member Secretary, UP State PCB – Member.

In order to comply with the referenced orders of Hon'ble NGT, second meeting on virtual mode, was held with the members of the re-constituted Committee on 18.02.2022 at 11:00 AM. The meeting was chaired by Justice Anil Kumar Sharma, Former Judge of Allahabad High Court. Following attended the meeting:

**Members**

1- Sri Navneet Singh Chahal, IAS District Magistrate, Mathura

Dr. Prashant Gargava, Member Secretary of CPCB personally rang me and took leave from attending the meeting as he is engaged in other pre-fixed important assignments. and CEO, UPPCB informed that Mr. Ajay Kumar Sharma Member Secretary UPPCB is out of station.

**Others**

1. Shri S.K. Gupta, Additional Director, CPCB Delhi
2. Dr R.K. Singh, Regional Director, CPCB, Lucknow
3. Shri R.K. Singh, Chief Environmental Officer, UPPCB
4. Shri Arvind Kumar, Regional Officer, UPPCB Mathura
5. Shri Mahindra Nath, Law Officer-I, UPPCB, Lucknow

With the permission of the Chairman, the Committee deliberated on the following issues:

**1- Closure of brick kilns violating siting criteria and Consent terms:**

- a. It was apprised that 227 brick kilns are established in Distt.-Mathura including 58 in Tehsil-Chhata and 169 in Tehsil-Mant. Total 189 brick kilns have obtained CTO (Consent to operate) from the Pollution Control Board. The closure directions against 38 brick kilns have been issued by the Pollution Control Board. Only 63 brick kilns have been converted to Zig-Zag technology. It was also apprised that after the Hon'ble NGT order dt. 12.08.2021 no Brick klin in Distt.- Mathura is operating as on date. A designated Committee comprising SDM Tehsil-

Mant and Chhata, Mining Officer Mathura, District Commercial Tax Officer Mathura, District Panchayat Officer Mathura, Regional Officer UPPCB Mathura has been constituted by the District Magistrate Mathura on 31.12.2021 for physical inspection/verification and action against defaulter Brick kilns in both the Tehsils. Regional Officer Mathura apprised the Committee that due to declaration of **Assembly Elections** in 5 States by Election Commission of India and polling in Distt.-Mathura on 10.02.2022 (first phase) inspections could not be carried out but it will soon be started and report will be submitted to the ADM/DM Mathura. **The Chairman specifically requested the District Magistrate Mathura to get the desired inspections carried out as early as possible. He emphasised that without active cooperation, supervision and control of the District Magistrate, the compliance of Hon'ble NGT's directions would not be carried. He gladly assured for full cooperation for full compliance of the Hon'ble NGT order.**

**Action: Regional Officer, UPPCB, Mathura/Distt. Administration, Mathura**

- b. As far the violation of siting criteria is concerned, Chairman desired that enforcement of guidelines of 2012 should be done as per the referenced order of Hon'ble NGT dated 12.08.2021 and also read out the observations of the NGT in its order dated 12.8.2021 on page-25 (quote) **“Siting criteria is to apply even to old brick kilns as every renewal is at par with new consent.”** A copy of the guidelines of District Panchayat Barabanki for siting of brick kilns have been provided by the Regional Officer Mathura. CEO UPPCB apprised that the guidelines for each Districts of U.P. are same as per guidelines by Distt. Panchayat Barabanki. In the first meeting on 10.1.2022 the issue of applicability of 2012 Rules on the brick kilns established prior to 27.6.2012 cropped up and the Member Secretary UPPCB informed that as per the directions of NGT in the case Appeal no. 74/2014 M/s Jai Hanuman Ent Udyog Vs. U. P. Pollution Control Board, the bye-laws of Zila Panchyat would be applicable for siting criteria on the brick kilns established prior to promulgation of UP Rules of 2012. However, as stated above, the Chairman was of different view and to resolve it, opinion of legal cells of CPCB and UPPCB were called and the matter was discussed at length in the meeting. The legal Officer of UPPCB also participated in the discussion. For reasons to be recorded separately by the Chairman, the legal opinion given by Legal Cell of CPCB was accepted, which inter alia has concluded as under:-

**“Therefore, in view of the above, it is opined that U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012, are not *strict sensu* retrospective but retroactive as they do not take away the vested rights but only permit continuation thereof, subject to further restrictions. It is further opined**

that the above mentioned U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012 applies on the brick kilns established prior to 27.06.2012 i.e. retroactively.”

**2- Carrying capacity estimation with respect to no. of brick kilns ought to be allowed:**

RD CPCB, Lucknow apprised the Committee that R.O. UPPCB, Mathura has provided data for estimation of carrying capacity but mixing height data near Chhata and Mant are also required. R.O. Mathura confirmed that source emission data for the brick kilns provided to CPCB, has been generated based on monitoring performed following standard protocol/procedures. R.O. Mathura further agreed that he will enquire about the availability of mixing height data from the Mathura refinery and provide it to CPCB as soon as it is available. RD Lucknow agreed to start the process of carrying capacity estimation by CPCB on priority.

**Action: R.O. UPPCB, Mathura /RD, CPCB, Lucknow**

**3-Estimation of Air Quality at Chhata and Mant:**

R.O. UPPCB apprised the Committee that Board has installed two air monitoring stations at Chhata and Mant. The samples are collected on weekly basis as per agreed schedule. The reports are being provided regularly. Apart from these manual stations, a CAQMS is functional at Vrindavan.

**4-Compliance status of Hon’ble NGT order dated 12.08.2021 and 21.12.2021:**

As noted under point 1 (a) above.

**Action: Regional Officer UPPCB, Mathura**

It was unanimously decided by the committee that considering the volume of the work and involvement of various departments in execution thereof at least two months further time be requested from the Hon’ble NGT for completion of field monitoring with verification and other task related to carrying capacity assessment and submission of final report. The status/monitoring report be accordingly submitted to Hon’ble NGT accordingly.

The meeting ended with a vote of thanks to the Chair.

  
**(ARVIND KUMAR)**  
Regional Officer UPPCB, Mathura

**Query raised in the first meeting of the Committee held on 10.01.2022, in the matter of O.A. No. 93/2021, Mukesh Kumar Aggrawal Vs Central Pollution Control Board & Anr**

**Query: Both the boards i.e. CPCB and UPPCB requested to obtain legal opinion of their respective legal cells to study the judgment of the NGT referred above and any other judgment of the Apex Court on the issue of applicability of 2012 Rules on brick kilns established prior to 27.06.2012 i.e. retrospectively retroactively? If yes, to what extent? The legal opinion be submitted to the Chairman positively by 31.01.2021.**

In the light of Judgement dated 11 May, 2015 in Appeal No 74/2014 titled as M/s Jai Hanuman Ent. Udyog Vs U.P. Pollution Control Board, it is submitted that: -

The application for grant of consent ought to have been considered in accordance with the laws in force, when the application was moved and not when the unit claims to have been established or the time since when it was running. If unit falls within the prohibited distance in terms of U.P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012, compliance to these Rules being mandatory, the unit cannot be permitted to operate in any violation thereof.

The environmental laws including the provisions of the Air Act and the Rules of 2012 are social beneficial legislation, intended to provide and serve greater cause of public health and environment. The purpose is to ensure that because of the emission from the brick kiln, the people residing in vicinity do not suffer on account of air pollution resulting from such activity. The purpose of providing a mandatory statutory distance of the brick kiln from the residential areas is to ensure that the people carrying on activity, particularly like schools and residential areas, are not adversely affected by carrying on of such activity. The fact that the unit had so far been operating without obtaining consent and in violation of the prescribed standards, would not vest in him a right to continue with such unlawful activity. When the unit applied for obtaining consent for the first time that will be the point of time to determine the application of the laws.


An industrial unit which had been established and operationalized prior to 1974, 1981 and/or 1986, was granted permission under the laws in force and the unit owner had made heavy investments in making the unit operational. The Water (Prevention and Control of Pollution) Act came into force in 1974, Air (Prevention and Control of Pollution) Act in 1981 and Environment (Protection) Act in 1986, all these Acts deal with existing units as well as the units which are to be established in future. These laws granted time to the existing units to take all anti-pollution measures and obtain the consent of the respective Pollution Control Boards to continue its operations. Failure to do so, could invite penal action including, closure of industry under these Acts. The said Unit should not be permitted to contend that since it was an existing unit, it has earned a right to pollute the environment and cause environmental pollution, putting the life of the others at risk, on the ground that it was an existing unit and was operating in accordance with law. These laws *stricto sensu* are not retrospective as they do

not abolish or impair any vested rights under the existing laws. However, these laws impose a new obligation without taking away the vested rights. In that sense it can be interpreted as being retroactive in nature, as they do not take away the right of the person to carry on business or his industrial unit but only impose new obligation.

Therefore, in view of above it is opined that U.P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012, are not *stricto sensu* retrospective but are retroactive as they do not take away the vested rights but only permit continuation thereof, subject to further restrictions. It is further opined that the above mentioned U.P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012 applies on the brick kilns established prior to 27.06.2012 i.e. retroactively.



**Urmila Thakur**  
Law Officer, CPCB



**Kamal Bandhu**  
Assistant Law Officer, CPCB

OA No. 93/2021, Mukesh Kumar Agarwal Vs. Central Pollution Control Board and Anr. में पारित आदेश दिनांक 21.12.2021 के अनुपालन में दिनांक 10.01.2022 का आहूत बैठक के कार्यवृत्त में वर्णित स्थल चयन (siting criteria) से संबंधित बिन्दु पर अनुपालन आख्या-

बिन्दु-1(b) "As far the violation of siting criteria is concerned, MS, UPPCB apprised the Committee that the guidelines for establishment of brick kilns have been notified by the Department of Environment, Government of UP on 27.06.2012. Prior to this date, guidelines of district panchayat were being followed. Many brick kiln have been established before 27.06.2012 and necessary permissions were granted as per the guideline of district panchayat. Chairman desired that enforcement of guidelines of 2012 should be as per the referenced order of Hon'ble NGT dated 12.08.2021. Member Secretary apprised that Hon'ble NGT has already clarified regarding the enforcement of guidelines in the Appeal No. 74/2014 in the matter of M/s Jai Hanuman ENT Udyog vs. U. P. Pollution Board order dated 07<sup>th</sup> May, 2015. A copy of reference order of Hon'ble NGT and guidelines of district panchayat at Mathura of siting of brick kilns shall be provided to the Chairman by the Regional Officer Mathura within 02 days for deciding further course of action."

(Action: The Concerned CEO UPPCB, HO, Lucknow)

अनुपालन आख्या-


राज्य बोर्ड द्वारा प्रकरण के संबंध में अभिमत निम्नवत् है:-


उ0प्र0 ईट भट्टा (स्थापना हेतु स्थल मापदण्ड) नियमावली-2012 जो दिनांक 27.06.2012 से लागू है कि पूर्व स्थापित ऐसे भट्टे जिन्हें राज्य बोर्ड द्वारा स्थापनार्थ अथवा संचालनार्थ सहमति प्रदान नहीं की गई है, के संबंध में मा0 एन0जी0टी0 द्वारा अपील संख्या-74/2014, मे0 जय हनुमान ईट उद्योग बनाम उ0प्र0 प्रदूषण नियंत्रण बोर्ड व अन्य में पारित आदेश दिनांक 07.05.2015 जिसकी पुष्टि मा0 सर्वोच्च न्यायालय द्वारा सिविल अपील डायरी नं0-29041/2015 में की गई है, पर अभिमत चाहा गया है। उक्त के संबंध में मा0 एन0जी0टी0 द्वारा अपील संख्या-74/2014, मे0 जय हनुमान ईट उद्योग बनाम उ0 प्र0 प्रदूषण नियंत्रण बोर्ड व अन्य में पारित आदेश दिनांक 07.05.2015 के सुसंगत अंश निम्नवत् हैं:-

6. Once it is undisputable on record that the unit of the appellant came into existence and started operating in the year 2010, without obtaining consent of the UPPCB in terms of the Air Act, then the consequences of it being an illegal unit and carrying out an unlawful activity would necessarily follow. A unit, which is established contrary to law and which pollutes the environment, cannot claim any advantage at a subsequent stage on the strength of the NOC from the Zila Parishad, which had no jurisdiction to deal with any of the matters, particularly of environment, as contemplated under the provisions of the Air Act. It is not a case of lack of jurisdiction but that of no jurisdiction of the Zila Parishad. It was mandatory for the appellant to establish its units only upon grant of Consent to Establish and the Consent to operate from the UPPCB. Having failed to comply with its statutory obligation, the appellant is estopped from claiming the benefit of law under the Rules in force in 2010, as opposed to the applicability of Rules of 2012.
7. .... Admittedly, the unit applied for obtaining consent of the UPPCB for the first time in the year 2013, thus, that will be the point of time to determine the application of the laws. ....
8. .... The appellant cannot take advantage of his own wrong conduct, which is in violation to the laws in force at the relevant time. ....


मा0 एन0जी0टी0 द्वारा पारित उपरोक्त आदेश के अनुसार ऐसे ईट भट्टे जो उ0प्र0 ईट भट्टा (स्थापना हेतु स्थल मापदण्ड) नियमावली-2012 के लागू होने की

तिथि 27.06.2012 से पूर्व स्थापित हैं किन्तु उनके द्वारा बोर्ड से स्थापनार्थ एवं संचालनार्थ सहमति नहीं ली गई है और न ही सहमति हेतु कोई आवेदन पत्र प्रस्तुत किया गया है। ऐसी दशा में ईट भट्टा द्वारा सहमति हेतु प्रथम बार आवेदन की तिथि के समय लागू विधि व्यवस्था प्रभावी होगी यदि ईट भट्टे द्वारा उक्त नियमावली लागू होने की तिथि 27.06.2012 के पश्चात प्रथम बार सहमति आवेदन प्रस्तुत किया जाता है, भले ही ईट भट्टा दिनांक 27.06.2012 के पूर्व स्थापित हो, तो उसे 2012 के पूर्व प्रचलित जिला पंचायत की उपविधियों का लाभ प्रदान नहीं किया जाना तथा उ०प्र० ईट भट्टा (स्थापना हेतु स्थल मापदण्ड) नियमावली-2012 के प्राविधानों के अनुसार ईट भट्टों की स्थापना/सहमति प्रकरण का निस्तारण किया जाना विधिसंगत होगा।

  
(महेन्द्र नाथ)  
विधि अधिकारी-प्रथम

  
(आर० के० सिंह)  
मुख्य पर्यावरण अधिकारी-वृत्त-4

सदस्य सचिव



09.02.22

(अजय कुमार शर्मा)  
सदस्य सचिव

ई० आर० के० सिंह  
मुख्य पर्यावरण अधिकारी (अभियन्ता)  
उ०प्र० प्रदूषण नियंत्रण बोर्ड  
लखनऊ

**LEGAL OPINION IN**  
**O.A. No. 93/2021, Mukesh Kumar Aggrawal Vs Central Pollution Control**  
**Board & Anr.-Reg.- Mathura**

In the reconstituted Committee meeting dated 10.1.2022 an issue cropped up about the applicability of **U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012**, on brick kilns established prior to promulgation of these Rules i.e. 27.6.2012.

Opening the discussion MS UPCCB apprised that the guidelines for establishment of brick kilns have been notified by the Department of Environment, Government of UP on 27.06.2012. Prior to this date, guidelines of District Panchayat were being followed. Many brick kilns have been established before 27.06.2012 and necessary permissions were granted as per the guidelines of District Panchayat. However, the Chairman desired that enforcement of guidelines of 2012 should be done as per the referenced order of Hon'ble NGT dated 12.08.2021 and also read out the observations of the NGT in its order dated 12.8.2021 on page-25 (quote) **"Siting criteria is to apply even to old brick kilns as every renewal is at par with new consent."** Member Secretary apprised that Hon'ble NGT has already clarified regarding the enforcement of guidelines in the judgement of **Appeal No.-74/2014 in the matter of M/s Jai Hanuman Ent. Udyog Vs U.P. Pollution Control Board order dated 7<sup>th</sup> May, 2015**. A copy of the referenced order of Hon'ble NGT and guidelines of District Panchayat at Mathura for siting of brick kilns shall be provided to the Chairman by the Regional Officer Mathura within 02 days for deciding further course of action. There seems to be some confusion about applicability of Rules of 2012 on brick kilns established prior to 27.06.2012. To resolve this issue a detailed discussion with legal opinion of both the boards namely CPCCB and UPCCB is required. **Both the boards were requested to obtain legal opinion of their respective legal cells to study the judgment of the NGT referred above and any other judgment of the Apex Court on the**

**issue of applicability of 2012 Rules on brick kilns established prior to 27.06.2012 i.e. retrospectively or retroactively? If yes, to what extent? The legal opinion be submitted to the Chairman positively by 31.01.2022.**

In compliance of the above the UP PCB has submitted reports of its Legal Cell dated 2.2.2022 and 9.2.2022, wherein after studying the judgment of NGT in the case of Appeal no. 74/2014 Jai Hanuman Ent Udyog Vs. UP PCB and Ors dated 7.5.2015 which had been confirmed by the Supreme Court in Civil Appeal Diary no. 29041/2015 they have concluded as under:

(Report dated 2.2.2022) As per the above order the brick kilns which are established prior to 27.6.2012 but consent to establish and consent to operate has not been taken nor applied for, in such circumstances their application will be considered as per the existing rules on the date when the application is moved irrespective of the fact such brick kilns were established prior to 27.6.2012. They will not be extended benefit of bye laws of Zila Panchyat.

Since the report was not to the point, so the Board was requested to send report complying with the directions contained in the minutes of meeting dated 10.1.2022. Thereafter the UPPPCB again sent report of their Legal Cell dated 9.2.2022, which too was not found in consonance of the directions and an email was sent to the UPPCB by the Chairman, on 11.2.2022 at 1.09 p.m. which reads as under:

“I have perused the report of legal cell of UPPCB dated 9.2.2022, but sorry to say that it is not to the point. They have quoted incomplete para 1(b) of MoM held on 10.1.2022, and left out the important part thereof as also highlighted portion noted at the end of this paragraph.

The core issue is whether Rules of 2012 are applicable to brick kilns established prior to 27.6.2012, i e. retrospectively or retroactively, irrespective of the fact whether they have valid consent of the board to establish it.

It is important to note that the Hon'ble NGT in its order dated 12.8.2021 on page 25 has clearly stated (quote) **"Siting criteria is to apply even to old brick kilns as every renewal is at par with new consent."**

I hope legal cell of the UPPCB will look into the matter in correct perspective and report accordingly.

Kindly submit report by 15.2.2022 positively.

It may be treated as MOST URGENT."

However, no report of the legal cell of the UPPCB has been received till today i.e. 18.2.2022.

In its report dated 9.2.2022, the Legal Cell of State PCB has reiterated its earlier opinion dated 2.2.2022.

The CPCB has submitted report of its Legal Cell on the issue and they have concluded as under:

**"Therefore, in view of the above, it is opined that U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012, are not *strict sensu* retrospective but retroactive as they do not take away the vested rights but only permit continuation thereof, subject to further restrictions. It is further opined that the above mentioned U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012 applies on the brick kilns established prior to 27.06.2012 i.e. retroactively."**

I have carefully read the judgment of the Hon'ble NGT referred above and find that in this case also the contention of the the UPPCB was that the Rules of 2012 would not apply to brick kilns established in 2010. In the facts of this case the brick kiln in question was established in 2010. Respondent no. 2 filed complaint on 2.2.2013 alleging inter alia that the brick kiln has no proper licences/consent from UPPCB. Zila Panchayat after enquiry rejected the complaint. Respondent no. 2 filed another complaint with RO UPPCB, who issued notice to the appellant on 19.1.2013. Respondent no. 2 filed PIL no. 11620/2013 in High Court stating that the brik kiln was running since 2010 without any NOC from

UPPCB or licences from the authorities. The High Court disposed of the writ with a direction to Respondent no. 4 and 5 that Rules of 2012, laying down the terms and conditions for establishment of brick kiln should be followed and no person should be permitted to establish or run the brick kiln in violation of the rules. Thereafter Zila Panchyat passed an order on 31.5.2013. Various authorities including the UPPCB were of the view that the Rules of 2012 would not apply as the unit was established in 2010. Thereafter the UPPCB on 6.9.2013 granted the consent to the appellant unit. The matter ultimately went before the Appellate authority under Air Act in compliance with order of High Court in another writ. The appellate authority quashed the order dated 6.9.2013 observing that the Board ought to have been guided by the Rules of 2012.

In this case the Hon'ble Tribunal has placed reliance on the case of *Himmat Singh Shekhawat Vs. State of Rajasthan and Ors.* 2015 All (I) NGT Reporter (1) Delhi 44. The plea raised therein was that since the Project Proponents had been carrying on the mining activity for a considerable time, therefore, the preventive and precautionary steps directed to be taken under subsequent laws were not applicable upon them, including the judgment of the Supreme Court prohibiting mining activity in the area of less than five hectares without prior Environment Clearances. The Tribunal took the view that such activities and restrictions imposed in the interest of environment are not *strict sensu* retrospective but retroactive as they do not take away the vested rights but only permit continuation thereof, subject to further restrictions. It is further opined that the above mentioned U. P. Brick Kilns (Siting Criteria for Establishment) Rules, 2012 applies on the brick kilns established prior to 27.06.2012 i.e. retroactively. The Hon'ble Tribunal considered in detail the legal and factual aspects of the case and further observed that different Environmental laws although came into existence in different years from 1974 to 1986 but they deal with existing units as well as the units which are to be established in future. These laws granted time to the existing units to take all anti-pollution measures

and obtain the consent of the concerned Pollution Control Boards to continue its operations: Failure to do so could invite penal action including, closure of industry under these laws. The said unit should not be permitted to contend that since it was an existing unit, it has earned a right to pollute the environment and cause environmental pollution, putting the life of others at risk, on the ground that it was an existing unit and was operating in accordance with law. Such a contention, if raised, would have to be noticed only to be rejected. In this case the State of Karnataka had given one year time to the existing mine lease holders to comply with the requirements of obtaining Environmental Clearances. The Tribunal took the view that it would unexceptionally apply to the new units, but in our considered view, would also apply to the existing lease holders as well; except that they would have to be given time to comply with the requirements of law.

During discussion in the meeting the learned CEO and learned Law Officer of the UPPCB valiantly tried to support their point of view and tried to draw a distinction that the law laid down in the case of *Himmat Singh Shekhawat Vs. State of Rajasthan and Ors (supra)* is not applicable as it relates to mines of Karnataka whereas the case in hand relates to brick kilns situated in District Mathura. I am afraid this contention can stand even for a single moment. Surprisingly the Law Officer too supports a view which cannot by any imagination be accepted. Under the precautionary principle which is a part of Article 21 of the Constitution as laid down by the Hon'ble Supreme Court in the case of *Indian Council for Environ Legal Action vs. Union of India & Ors* every regulatory authority must follow the precautionary principle and not permit any action which may deteriorate the air quality beyond the limits.

It is noteworthy that earlier in the case in hand i.e. Mukesh Kumar Aggarwal's case, the Hon'ble NGT vide order dated 14.5.2021 had constituted a joint Committee comprising CPCB, State PCB and District Magistrate, Mathura

to verify the facts and furnish a factual and action taken report in terms of compliance of siting and environmental norms including assimilative capacity of the air to sustain particular number of brick kilns. The joint Committee submitted its report dated 4.8.2021, which was considered by the Hon'ble Tribunal in order dated 12.8.2021. The Joint Committee has inter alia recommended as under:

- **Strict compliance of the siting criteria as per the Uttar Pradesh Brick kiln (Siting Criteria for Establishment) Rules, 2012(UP Govt. notification no. 921/55-parya/12- 94 (parya)/2012 Dated: June 27, 2012. The Brick kiln units, which are not as per the siting criteria norms, may be relocated.**

The Committee had in mind that 2012 Rules are applicable to all brick kilns including those established prior to 27.6.2012. The UP PCB is signatory of the joint Committee report, then how they can be permitted to take a somersault to contend against their earlier stand.

At page 22 the Tribunal in its order dated 12.8.2021 has observed:

**24. The Joint Committee without giving any detail regarding the date of establishment of the brick kilns states that some of brick kilns were established prior to notification of the UP Siting Criteria Rules, 2012 and therefore they are not conforming with the siting criteria. It is surprising that even after nine years of notification of Uttar Pradesh Brick Kilns (Siting Criteria for Establishment) Rules, 2012, the UPPCB and CPCB has failed to implement the said rules.**

These observations clear all doubt about the applicability of the 2012 Rules on brick kilns established prior to 27.6.2012 irrespective of the fact that they have valid consent to establish the brick kiln.

In view of what has been said and done above, I fully agree with the legal opinion given by the CPCB and thus it is held that the UP Rules of 2012 would apply to all brick kilns irrespective of the their year of establishment and

consents granted by the State Board, however, reasonable time should be given to the brick kiln owners of the units established before 27.6.2012 to ensure compliance of existing environmental laws including the siting criteria.

Let this legal opinion be sent to all members of the Committee including Regional Director, CPCB, Lucknow.



February 18, 2022

**Justice Anil Kumar Sharma (Retd.)**  
**Chairman of the Designate Committee of NGT**

## कार्यालय जिलाधिकारी, मथुरा।

पत्रांक: 891/5-548/2021

दिनांक 31/12/2021

मा0 उच्च न्यायालय इलाहाबाद द्वारा पारित आदेश दिनांक 23.10.2011 Contempt Application (Civil)-4471/2021 (Sohenveer Vs Sh. Navneet Singh Chahal DM Mathura) एवं माननीय नेशनल ग्रीन ट्रिब्यूनल द्वारा पारित आदेश दिनांक 12.08.2021 Read With 21-12-2021 O.A. No.-93/2021 (Mukesh Kumar Aggrwal Vs CPCB & Another) का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के अनुपालन में जनपद मथुरा के क्षेत्रान्तर्गत तहसील मॉट एवं छाता में स्थापित/संचालित ईट भट्टों हेतु मा0 एन0जी0टी0 द्वारा पारित आदेश दिनांक 21.12.2021 में समस्त ईट भट्टों का निरीक्षण/सर्वेक्षण संयुक्त टीम द्वारा किया जाना है जो निम्नवत् है-

1. उप जिलाधिकारी, तहसील-मॉट एवं छाता, जनपद-मथुरा।
2. खान अधिकारी, खनन विभाग, मथुरा।
3. जिला वाणिज्यकर अधिकारी, मथुरा।
4. जिला पंचायत अधिकारी, मथुरा।
5. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मथुरा।

अतः उपरोक्त संयुक्त टीम को निर्देशित किया जाता है कि तहसील मॉट एवं छाता में स्थापित/संचालित ईट भट्टों का निरीक्षण/सर्वेक्षण कर दोषी पाये गये ईट भट्टों के विरुद्ध तत्कालिक प्रभावी कार्यवाही किया जाना सुनिश्चित करें।

  
(नवनीत सिंह चहल)  
जिलाधिकारी, मथुरा।



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा।

27

पत्रांक: 1092/0-72/2022

दिनांक 16/02/2022

सेवा में,

1. उप जिलाधिकारी, तहसील-मोंट एवं छाता, जनपद-मथुरा।
2. खान अधिकारी, खनन विभाग, मथुरा।
3. जिला वाणिज्यकर अधिकारी, मथुरा।
4. जिला पंचायत अधिकारी, मथुरा।
5. उ० प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा द्वारा नामित प्रतिनिधि।

विषय: मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन में दिनांक 31.12.2022 को जिलाधिकारी महोदय, मथुरा दिये गये निर्देशानुसार तहसील-मोंट एवं छाता में स्थापित ईट भट्टों का निरीक्षण किया जाना है, जिससे मा० एन०जी०टी० के आदेशों का अनुपालन सुनिश्चित कराया जा सके।

सादर सूचनार्थ प्रेषित।

भवदीय

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. मा० न्यायमूर्ति श्री अनिल कुमार शर्मा (रिटायर्ड), इलाहाबाद हाईकोर्ट, मथुरा।
2. जिलाधिकारी महोदय, मथुरा।
3. सदस्य सचिव महोदय, उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में परित आदेश दिनांक 21.12.2021 के अनुपालन में ईट भट्टों की निरीक्षण आख्या

1.	ईट भट्टे का नाम	
2.	जिला पंचायत का रजिस्ट्रेशन	
3.	खनन विभाग की अनुमति/रजिस्ट्रेशन	
4.	वाणिज्य कर विभाग का रजिस्ट्रेशन	
5.	उ0प्र0 प्रदूषण नियंत्रण बोर्ड की एन0ओ0सी0/सहमति	
6.	एन0जी0टी0 के आदेशानुसार ईट भट्टे का संचालन मार्च से जून ही संचालित होगा, के सम्बन्ध में स्थिति	
7.	हाइड्रा तकनीकि/जिग-जेग का विवरण	
8.	चिमनी की ऊँचाई, प्लेटफार्म, पोर्टहोल	
9.	प्रयुक्त ईंधन की मात्रा	
10.	प्रयुक्त ईंधन की भण्डारण क्षमता एवं रखरखाव	
11.	ईट भट्टा क्षेत्र में जल छिडकाव के प्रबन्धन का विवरण	
12.	ईट भट्टे पर वृक्षारोपण की स्थिति	
13.	भू-स्वामित्व प्रमाण पत्र	
14.	पर्यावरणीय क्षतिपूर्ति का विवरण	

15	कुल उत्पादन क्षमता प्रतिमाह/प्रतिदिन	
16	उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ द्वारा जारी बन्दी आदेश	
17	प्रतिबन्धित ईंधन का प्रयोग	
18	बाउण्ड्री वॉल की स्थिति (गाइड लाइन 2012 के अनुक्रम में)	
19	ईट भट्ठा परिसर में मुविंग एरिया में फर्श की स्थिति (सी०पी०सी०बी० के दिशा निर्देश के अनुक्रम में)	

जिला पंचायत अधिकारी,  
मथुरा।

खान अधिकारी,  
खनन विभाग, मथुरा।

वाणिज्यकर अधिकारी  
मथुरा।

क्षेत्रीय अधिकारी  
उ०प्र० प्रदूषण नियंत्रण  
बोर्ड, मथुरा।

उप जिलाधिकारी  
तहसील-छाता, मथुरा।

**Compliance report of Hon'ble NGT, New Delhi order dated 21.12.2021 in the OA no. 93/2021, Mukesh Kumar Aggarwal Vs. Central Pollution Control Board and others.**


1. There are total 227 no. of brick klin units are established in Mathura district; out of which 58 no. of brick klin units are located in Chhata tehsil and rest 169 brick klin units are located in Maant tehsil of Mathura district. Total 189 brick klin units have valid consent issued by UPPCB to operate under Air and Water Act, out of which 50 no. of brick kilns units are located in Chhata tehsil and 139 brick kilns units are located in Maant tehsil. UPPCB issued closure orders to 38 brick kilns units, out of which 08 no. of brick kilns units are located in Chhata tehsil and 30 brick kilns units are located in Maant tehsil. 33 no. of brick kilns in Mathura district have been converted to zig-zag (hydra) technology; out of which 28 no. of brick kilns units are located in Chhata tehsil and 05 brick kilns units are located in Maant tehsil. In Mathura district, 30 no. of NOC was issued to establish brick kilns units based on zig-zag technology, out of which 07 no. of brick kilns units are located in Chhata tehsil and 23 brick klin units are located in Maant tehsil. There are total 63 no. of zig-zag technology based brick klin units located in Mathura district, out of which 35 no. of brick kilns units are located in chata tehsil and 28 brick klin units are located in Maant tehsil. It is relevant to point out that 150 no. of brick klin units in Mathura district were established prior to notification of new guidelines of year 2012. Under new guidelines the Consent to establish have been issued to 77 no. of brick klin units on the basis of certified reports obtained from Chhata/Maant tehsil.

**Updated/present status of brick kiln units in District, Mathura is as below:**

Number of established brick kiln units	-	227
Units closed due to self reasons, closure orders issued to them from head office UPPCB	-	33
Closure orders issued by board to units using prohibited fuel	-	05
Number of brick kilns with valid consent	-	189

2. In compliance of Honorable NGT, New Delhi order dated 21.12.2021, District Magistrate Mathura formed joint committee on dated 31.012.2021, comprising SDM Chhata and Maant Tehsils, Mining Officer, Mathura, District Sales tax officer, Mathura, District Panchayat officer, Mathura and Regional Officer UPPCB, Mathura for the inspection/survey of all brick klins of Mathura district. Due to UP legislative assembly election-2022, the inspection of such units is proposed in next two months. It is relevant to point out that no brick klin is operating in compliance of the Hon'ble NGT orders. Copy of formation of committee by District Magistrate Mathura is being enclosed as **Annexure-I**
3. UPPCB Mathura is monitoring the ambient air quality at 02 no. locations regularly and will be continued till June, 2022. Prior to this the ambient air quality were also monitored at 07 locations of Chhata and Maant tehsil during the period from 27.10.2021 to 22.12.2021 to collect the preliminary air quality data. These data were supplied to CPCB and IIT Delhi.
4. A complaint was received that M/s Anu Ent udhyog, khasra no. 9/1, village-umrala, tehsil-Chhata, district Mathura has started firing the brick klin. The District administration have taken the notice to the incidence and the brick klin was closed down on dated 07.02.2022 with the help of District administration to ensure the orders of Hon'ble NGT passed earlier.
5. In compliance of Hon'ble NGT order dated 21.12.2021 and meeting Dated: 10.01.2022 ambient air quality data and all desired information were sent to Central Pollution Control Board, Lucknow through e-mail. Copy is enclosed as **Annexure-**
6. In compliance of Hon'ble NGT order dt 21.12.2021 the two meetings of the members have been conducted on dated 10.01.2022 and 18.02.2022. Copy of the minutes of meeting are annexed as **Annexure.....**

In compliance of Hon'ble NGT orders all the brick klins are still lying closed.

  
12/02/2022

आगरा | बृहस्पतिवार, 20 जनवरी 2022

6



क्षेत्रीय कार्यालय  
30प्र0 प्रदूषण नियन्त्रण बोर्ड  
65 ए, बल्देवपुरी, महोली रोड  
मथुरा  
प्रेस-विज्ञप्ति

पत्रांक: 999/P-16/2022

दिनांक- 19.01.2022

### ईट भट्टों के सम्बन्ध में आवश्यक सूचना

मा0 उच्च न्यायालय द्वारा जनहित याचिका सं0 20773/14 दिनांक 01.05.2014, उ0प्र0 सरकार द्वारा जारी अधिसूचना दिनांक 27.06.2012 के नियम (S)(1), केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी आदेश दिनांक 27.06.2017, दिनांक 08.11.2018 एवं मा0 एन0जी0टी0, नई दिल्ली में विचाराधीन ओपे0 सं0-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 13.04.2021, दिनांक 12.08.2021 एवं दिनांक 21.12.2021 के आदेशानुसलन में आपको निर्देशित किया जाता है कि ईट पकाने की प्रक्रिया में प्रयुक्त ईंधन जैसे कोयला/लकड़ी/तूरी का प्रयोग किया जाना अनिवार्य है, इसके अलावा अन्य किसी प्रकार के ईंधन जैसे-पेट कोक, प्लास्टिक रबर, लेटर, ऑयली रेसीड्यू आदि का प्रयोग किया जाना पूर्णतः प्रतिबन्धित किन्तु नया है। यहाँ यह भी अवगत कराना है कि ईट भट्टा संचालन माह-मार्च से माह-जून तक किया जाना तथा अपने ईट भट्टे को जिक जैक टेक्नोलॉजी पध्ति पर परिवर्तित किया जाना सुनिश्चित करें तथा निम्न बिन्दुओं का अनुपालन सुनिश्चित करें।

1. बोर्ड द्वारा निर्गत सशर्त अनापत्ति प्रमाण पत्र एवं सशर्त सहमति (जल/वायु) में निहित शर्तों को विन्दुवार अनुपालन आख्या।
2. उद्योग द्वारा प्रस्तुत शपथ पत्र में निहित बिन्दुओं का अनुपालन आख्या।
3. चिमनी से हो रहे प्लू गैस उत्सर्जन की जांच हेतु केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली के दिशा निर्देशों के अनुरूप स्थायी रूप में अनुश्रवण छिद्र, प्लेटफार्म एवं चिमनी की व्यवस्था स्थापित किया जाये तथा स्टैक मानीटरिंग हेतु अनुश्रवण छिद्र के निकट विद्युत आपूर्ति की व्यवस्था सुनिश्चित की जाये।
4. ईट भट्टे के चारों ओर ऊँचे घने, प्रदूषणरोधी किस्म के वृक्षों की पंक्ति का विकसित की जाये तथा भट्टे के ऑस-पास वाटर स्प्रीकलिंग सिस्टम स्थापित कर संचालित किया जाये ताकि धूल उड़ने की सम्भावना न रहे तथा परिवेशीय वायु गुणता बोर्ड मानकों के अनुरूप रहे।
5. ईट भट्टों में प्रतिबन्धित ईंधन का प्रयोग कदापि न किया जाये तथा स्टीन फ्यूल का प्रयोग किये जाने हेतु प्रस्ताव व सामयिक कार्यक्रम अपेक्षित है। ईंधन के रूप में सी0पी0सी0वी0, नई दिल्ली द्वारा अनुमत्य ईंधन (तूरी) का ही प्रयोग किया जाये तथा अनुमत्य ईंधन को ईट भट्टा परिसर के अन्दर क्वार्ड एरिया में रखा जाये।
6. ईट भट्टे से सम्बन्धित प्रकरण माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन है। परिवेशीय वायु गुणवत्ता का ध्यान में रखते हुए ईट भट्टे से अपेक्षा की जाती है कि सुरंगी टेक्नोलॉजी के भट्टों के स्थान पर नई तकनीक पर आधारित जिक-जैक टेक्नोलॉजी पर आधारित ईट भट्टों का स्थापना/मॉडिफिकेशन का कार्य अतिलम्ब प्रारम्भ कर दें तथा इस प्रकार प्लानिंग की जाये कि आगामी सत्र में समस्त ईट भट्टे को नई टेक्नोलॉजी अर्थात् जिक-जैक/हाइड्रा पर संचालित हो।
7. ईट भट्टे द्वारा अपने सम्पूर्ण परिसर के चारों ओर 03 मीटर ऊँचाई की बाउन्ड्री वाल का निर्माण करना, ईट निर्माण में खजन के हिसाब से फ्लाइ ऐश को रॉ मैटेरियल में मिलाना, ईट भट्टे के सम्पूर्ण परिसर में ईटों का पक्का फर्श का निर्माण करना, ईट भट्टे की खनन परियोजना (खनन स्थल, ईट पहाड़ी/पथर) के चारों ओर 06 फिट ऊँची टीन शीट/दिवाल बनाया जाये।

नोट:- कृपया नोट करें कि मा0 एन0जी0टी0, नई दिल्ली में विचाराधीन ओपे0 सं0-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अन्तर्गत अनुपालन के उद्देश्य से जिलाधिकारी महोदय, मथुरा द्वारा दिनांक 31.12.2021 को गठित संयुक्त टीम (जिला पंचायत खनन विभाग, वाणिज्य कर, प्रदूषण नियंत्रण बोर्ड एवं उप जिलाधिकारी, मॉट एवं छाता) के द्वारा संयुक्त निरीक्षण के दौरान पूर्व में दिये गये निर्देशों का अनुपालन एवं अन्य सम्बन्धित विभाग द्वारा निर्गत सशर्त प्रमाण पत्र में वर्णित शर्तों का अनुपालन एवं प्रमाण पत्रों की छायाप्रति त पाये जाने की दशा में ईट भट्टों के विरुद्ध बन्दी का कार्यवाही प्रारम्भ कर दी जायेगी, जिसका सम्पूर्ण उत्तरदायित्व ईट भट्टे के पदाधिकारियों का होगा।

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या-

171085

/सी-4/एन0जी0टी0/133/2021-22

दिनांक-

22-22

सेवा में,

जिलाधिकारी,  
मथुरा।

विषय- ओ0ए0 सं0- 93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालनार्थ जनपद-मथुरा में उ0प्र0 ईट भट्टा (स्थापना हेतु स्थल मापदण्ड) नियमावली 2012 दिनांक 27.06.2012 के पश्चात स्थापित ईट भट्टों की जांच के संबंध में।

महोदय,

उपरोक्त विषयक अवगत कराना है कि ओ0ए0 सं0-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन हेतु मा0 न्यायमूर्ति श्री अनिल कुमार शर्मा की अध्यक्षता में दिनांक 10.01.2021 को सम्पन्न बैठक में दिये गये निर्देशों के अनुक्रम में जनपद-मथुरा की छाता एवं मॉट तहसील में दिनांक 27.06.2012 के पश्चात ईट भट्टों को जारी अनापत्ति प्रमाण पत्रों की पत्रावलियों का अवलोकन किया गया। दिनांक 27.06.2012 के पश्चात दिनांक 23.04.2021 तक कुल 76 ईट भट्टों को क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड मथुरा द्वारा अनापत्ति प्रमाण पत्र जारी किये गये। संलग्न सूची के अनुसार इन 76 ईट भट्टों में से क्रम सं0 1 से 41 पर अंकित ईट भट्टों का सत्यापन तहसील तथा क्षेत्रीय कार्यालय द्वारा किया गया जबकि क्रम सं0 42 से 76 पर अंकित ईट भट्टों को तहसील से प्राप्त सत्यापन आख्या के आधार पर अनापत्ति प्रमाण पत्र निर्गत किया गया है।

अतः आपसे अनुरोध है कि संलग्न सूची के क्रम सं0 42 से 76 पर अंकित ईट भट्टों की जांच जिला स्तर पर गठित समिति के माध्यम से कराकर 15 दिवसों में वस्तुस्थिति से अवगत कराने का कष्ट करें।

संलग्नक-यथोपरि।

भवदीय

(आर0 के0 सिंह)

मुख्य पर्यावरण अधिकारी, वृत्त-4

प्रतिलिपि- 1. मा0 न्यायमूर्ति श्री अनिल कुमार शर्मा, मथुरा को सूचनार्थ प्रेषित।

2. क्षेत्रीय अधिकारी उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मथुरा को इस निर्देश के साथ प्रेषित कि जिलाधिकारी मथुरा से समन्वय स्थापित कर समिति के माध्यम से निरीक्षण सम्पन्न कराकर आख्या समयानुसार उपलब्ध करायें।

मुख्य पर्यावरण अधिकारी, वृत्त-4

टी सी 12 वी, किर्ति खण्ड,  
गोमती नगर, लखनऊ-226010  
ई-मेल-Info@uppcb.com  
वेबसाइट-www.uppcb.com

J.C. 12V Vibhuti Khand,  
Gomti Nagar, Lucknow-226010  
e-mail: info@uppcb.com  
Web Site: www.uppcb.com

मा० एन०जी०टी० में योजित ओ०ए० सं०-९३/२०२१ मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड के आदेशों के अनुक्रम में जनपद-मथुरा में २७.०६.२०१२ के पश्चात जारी अनापत्ति प्रमाण पत्रों से सम्बन्धित ईट भट्टों की पत्रावलियों की जांच का विवरण

क्र०सं०	ईट भट्टे का नाम व पता	स्थापना वर्ष	स्थल चयन की स्थिति		NOC निर्गमन की तिथि	सहमति की स्थिति	टिप्पणी
			तहसील की आख्या	बोर्ड की आख्या/स्थल निरीक्षण दिनांक			
1	2 मै० ब्रजवासी ईट उद्योग, ग्राम-मानागढ़ी, तह०-मौंट, जनपद-मथुरा	3	4	5	6	7	8
1	मै० जय श्री राम ब्रिक्स उद्योग, खसरा सं०-३७१, ग्राम-उझानी बांगर, तह०-छाता, जनपद-मथुरा		03-09-13	31-08-13	29-08-13		
2	मै० बालाजी ईट उद्योग, ग्राम-उझानी बांगर, तह०-छाता, जनपद-मथुरा		05-12-13	18-11-13	17-12-13		
3	मै० पहलवान ईट उद्योग, खसरा सं०-३२५, ३२९, ग्राम-एदलगढ़ी सुल्तान पट्टी, तह०-मौंट, जनपद-मथुरा		29-10-13	28-10-13	30-10-13		
4	मै० श्री मुकेश ईट उद्योग, खसरा सं०-३४५, ३४६, ३४७, मीजा-छिनपराई, तह०-मौंट, जनपद-मथुरा		06-07-13	27-06-13	10-07-13		
5	मै० रामकृष्ण ईट उद्योग, खसरा सं०-२०६, ग्राम-मुसमुना, तह०-मौंट, जनपद-मथुरा		14-10-13	29-10-13	20-11-13		
6	मै० श्री शिव ब्रिक्स उद्योग, ग्राम-बढ़ा बांगर, तह०-छाता, जनपद-मथुरा		24-08-13	26-08-13	30-08-13		
7	मै० महाराय ईट उद्योग, ग्राम-कोलाना बांगर, नौहरील, तह०-मौंट, जनपद-मथुरा		10-10-13	21-10-13	28-10-13		
8			06-07-13	27-06-13	10-07-13		

9	मै० उदय ईट उद्योग, ग्राम-अमरपुर बांगर, परगना-नौहशील, तह०-मोंट, जनपद-मथुरा	06-07-13	27-06-13	10-07-13
10	मै० गौरव ईट उद्योग, ग्राम-दौलतपुर, तह०-मोंट, जनपद-मथुरा	09-07-14	10-07-14	14-07-14
11	मै० राजू ईट उद्योग, ग्राम-मानागढी, जनपद-मथुरा	16-07-14	24-07-14	04-08-14
12	मै० राधा कृष्ण ईट उद्योग, खसरा सं०-154/02, तह०-मोंट, जनपद-मथुरा	29-05-14	12-06-14	13-06-14
13	मै० श्री दाऊजी ईट उद्योग, खसरा सं०-120, 121, ग्राम-फरीदपुर बांगर, तह०-मोंट, जनपद-मथुरा	22-05-14	12-06-14	20-06-14
14	मै० चौधरी ईट उद्योग, खसरा सं०-108, ग्राम-रामगढी बांगर, तह०-मोंट, जनपद-मथुरा	25-03-14	02-05-14	07-05-14
15	मै० जय माता दी ब्रिक्स ईट उद्योग, खसरा सं०-104, 236, ग्राम-शहजादपुर बांगर, तह०-छाता, जनपद-मथुरा	03-02-14	06-02-14	15-02-14
16	मै० चेतक ईट उद्योग, खसरा सं०-103, ग्राम-मानागढी, तह०-मोंट, जनपद-मथुरा	23-07-14	14-08-14	20-08-14
17	मै० उमा ईट उद्योग, खसरा सं०-402, 403, ग्राम-पालखेड़ा, तह०-मोंट, जनपद-मथुरा	28-06-14	04-07-14	05-07-14
18	मै० जय हनुमान ईट उद्योग, ग्राम-शेरनगर, तह०-छाता, जनपद-मथुरा	17-07-14	24-07-14	08-08-14
19	मै० जी०एस०एस० ईट उद्योग, खसरा सं०-32, ग्राम-शंकरगढी, तह०-मोंट, जनपद-मथुरा	02-07-14	30-06-14	04-07-14
20	मै० ओम ईट उद्योग, खसरा सं०-54, 53, ग्राम-नानकपुर खादर, तह०-मोंट, जनपद-मथुरा	01-08-14	02-08-14	04-08-14
21	मै० शिव ईट उद्योग, खसरा सं०-482, ग्राम-बौदपुर कलां, तह०-मोंट, जनपद-मथुरा	10-10-14	16-10-14	17-10-14
22	मै० श्री बालाजी ईट उद्योग, खसरा सं०-1003A, ग्राम-मानागढी, तह०-मोंट, जनपद-मथुरा	20-08-14	27-08-14	28-08-14
23	मै० मों दुर्गा ईट उद्योग, ग्राम-रामपुर बांगर, तह०-छाता, जनपद-मथुरा	06-02-14	05-03-14	17-05-14

24	मै० बाबा ब्रिक्स फील्ड, खसरा सं०-231, ग्राम-शेरनगर बांगर रूपनगर, तह०-छाता,	09-02-14	02-05-14	12-05-14		
25	मै० जय दुर्ग ईट उद्योग, खसरा सं०-43, 45, 46, 49, 50, ग्राम-छिनपरई बांगर, तह०-मोंट, जनपद-मथुरा	07-08-14	08-08-14	12-08-14		
26	मै० कार्तिक ईट उद्योग, खसरा सं०-206, ग्राम-सुरीर कलां, तह०-मोंट, जनपद-मथुरा	12-08-14	14-08-14	22-08-14		
27	मै० संजीव चौधरी ईट उद्योग, खसरा सं०-574, ग्राम-मानागढ़ी, जनपद-मथुरा	20-08-14	27-08-14	08-09-14		
28	मै० जय गोले ईट उद्योग, खसरा सं०-196, 197, ग्राम-शेरनगर बांगर, तह०-छाता, जनपद-मथुरा	10-09-14	15-09-14	16-09-14		
29	मै० पौरुष ईट उद्योग, खसरा सं०-149/4, ग्राम-तेहरा, तह०-मोंट, जनपद-मथुरा	12-08-14	21-08-14	27-08-14		
30	मै० एस०एस० ईट उद्योग, खसरा सं०-57, ग्राम-सुरीर कलां, तह०-मोंट, जनपद-मथुरा	02-08-14	06-08-14	07-08-14		
31	मै० रघुवीर ईट उद्योग, ग्राम-सुल्तानपट्टी, तह०-मोंट, जनपद-मथुरा	05-08-14	06-08-14	07-08-14		
32	मै० मोहन जी ईट उद्योग, खसरा सं०-210, 274, ग्राम-शेरनगर, तह०-छाता, जनपद-मथुरा	10-09-14	27-08-14	15-09-14		
33	मै० फौजी ईट उद्योग, खसरा सं०-392 ग्राम-नौहडली बांगर, तह०-मोंट, जनपद-मथुरा	05-08-14	06-08-14	07-08-14		
34	मै० सुधा ईट उद्योग, ग्राम-सलाका बरौठ, खसरा सं०-144, तह०-मोंट, जनपद-मथुरा	12-08-14	14-08-14	19-08-14		
35	मै० श्री राधा कृष्ण ईट उद्योग, खसरा सं०-354, ग्राम-चौदपुर, तह०-मोंट, जनपद-मथुरा	05-08-14	14-08-14	27-08-14		
36	मै० एस०आर०बी० ईट उद्योग, खसरा सं०-392, ग्राम-सुल्तानपट्टी, तह०-मोंट, जनपद-मथुरा	21-07-14	24-07-14	30-07-14		
37	मै० जय श्रीराम ईट उद्योग, ग्राम-बरौठ बांगर, तह०-मोंट, जनपद-मथुरा	07-07-14	08-07-14	14-07-14		

38	मै० जयदेव बाबा ईट उद्योग, ग्राम-इनायतगढ बांगर, तह०-मोंट, जनपद-मथुरा	18-07-14	24-07-14	31-07-14	
39	मै० महावली ईट उद्योग, कोसी कलां, जनपद-मथुरा	13-08-18	28-12-18	28-12-18	
40	मै० कमला त्रिक्स फेक्ट्री, खसरा सं०-57, ग्राम-सुरीर विजळ बांगर, तह०-जनपद-मथुरा	25-08-18	12-09-18	13-09-18	
41	मै० गोपाल त्रिक्स उद्योग, खसरा सं०-357 मी०, ग्राम-उझानी बांगर, जनपद-मथुरा	26-09-19	13-11-19	14-11-19	
42	मै० रतीराम त्रिक्स उद्योग, खसरा सं०-933, ग्राम-हताना, तह०-छाता, जनपद-मथुरा	29-07-19	—	04-09-19	
43	मै० वजरंग त्रिक्स फील्ड, खसरा सं०-594, 595, मौजा भरई, खादर भरई, तह०-माट, जनपद-मथुरा	21-08-20	—	08-09-20	
44	मै० कान्हा ईट उद्योग ईट उद्योग, खसरा सं०-721 मि०, ग्राम-बढ़ा बांगर, तह०-छाता जनपद-मथुरा	11-11-21	—	11-11-20	
45	मै० बजरंग ईट उद्योग, खसरा सं०-481, शेर नगर बांगर, तह०-छाता, जनपद-मथुरा	29-07-20	—	30-07-20	
46	मै० शिव ईट उद्योग, खसरा सं०-139, 145, 164, नौहड्डील खादर, तह०-मोंट, जनपद-मथुरा	28-11-20	—	03-12-20	
47	मै० श्री मों नगर कोट ईट उद्योग, खसरा सं०-145 ऐच, तह०-छाता, जनपद-मथुरा	10-11-20	—	11-11-20	
48	मै० श्री कृष्णा ईट उद्योग, खसरा सं०-147, 111, 112 क, लाना कौलाना, परगना-नौहड्डील, तह०-मोंट जनपद-मथुरा	15-06-20	—	23-06-20	
49	मै० राम त्रिक्स फील्ड, खसरा सं०-182/3, 193, 243, ग्राम-सुरीर कलां बांगर, तह०-मोंट, जनपद-मथुरा	09-10-20	—	12-10-20	
50	मै० राम ईट उद्योग, खसरा सं०-318 ग, मनीगढी खादर, तह०-मोंट, जनपद-मथुरा	03-09-20	—	07-09-20	
51	मै० कैलाश अग्रवाल ईट उद्योग, खसरा सं०-11, 12, ग्राम-लाना कौलाना, तह०-मोंट, जनपद-मथुरा	19-09-20	—	22-09-20	

52	मै० गोपाल भट्टा कम्पनी, खसरा सं०-185 मि०, ग्राम-वसाऊ खादर, तह०-मोंट, जनपद-मथुरा	24-12-20	—	30-12-20	
53	मै० कृष्णा ईट उद्योग, खसरा सं०-188/01, 1 ग्राम-ऐच तह०-छाता, जनपद-मथुरा	10-12-20	—	15-12-20	
54	मै० तरुन ब्रिक्स उद्योग, खसरा सं०-64/185 मि०, ग्राम-वसाऊ खादर, तह०-मोंट, जनपद-मथुरा	26-12-20	—	30-12-20	
55	मै० बाबा ईट उद्योग, खसरा सं०-59, ग्राम-इब्राहीमपुर बलीपुर, तह०-मोंट, जनपद-मथुरा	17-03-20	—	27-04-20	
56	मै० सरपंच ब्रिक्स उद्योग, खसरा सं०-626, ग्राम-बड़ा बांगर, तह०-छाता, जनपद-मथुरा	16-12-19	—	18-01-20	
57	मै० चौधरी ईट उद्योग, खसरा सं०-492/1, ग्राम-नावली, तह०-मोंट, जनपद-मथुरा	24-02-20	06-03-20	07-03-20	
58	मै० श्री राधा कृष्ण ईट उद्योग, खसरा सं०-288, मौजा, जसरा मोंट, जनपद-मथुरा	26-04-21	—	20-05-21	
59	मै० ओम साई ईट उद्योग, खसरा सं०-986, ग्राम-मीरपुर बांगर, तह० मोंट, जनपद-मथुरा	10-03-21	—	24-03-21	
60	मै० राजू ईट उद्योग, खसरा सं०-183, 184, मौजा मानगढी मोंट, जनपद-मथुरा	12-01-21	—	13-01-21	
61	मै० डी०आर०वी० भट्टा कम्पनी, ग्राम-शाहपुर बांगर, तह०-छाता, जनपद-मथुरा	05-01-21	—	13-01-21	
62	मै० श्रीराम ईट उद्योग, खसरा सं०-168, ग्राम-तिलकागढी, तह०-मोंट, जनपद-मथुरा	17-02-21	—	15-03-21	
63	मै० लम्बर दार ईट उद्योग, खसरा सं०-247, शेर नगर बांगर, तह०-छाता, जनपद-मथुरा	01-01-21	—	02-01-21	
64	मै० वालाजी ब्रिक्स उद्योग, खसरा सं०-36/3 चौइस बांगर, तह०-छाता, जनपद-मथुरा	13-04-21	—	28-05-21	
65	मै० नवरदार ईट उद्योग, खसरा सं०-169, ग्राम-मझोई बांगर, तह०-छाता, जनपद-मथुरा	17-12-20	—	14-01-21	
66	मै० श्री वजरंग ईट उद्योग, खसरा सं०-216/3 ग्राम-बाधरा, तह०-मोंट, जनपद-मथुरा	22-02-21	—	22-06-21	

67	मै० श्री कन्हैया ईट उद्योग, खसरा सं०-257 मौजा बाघई बांगर, तह०-मोंट, जनपद-मथुरा	27-01-21	—	29-01-21	
68	मै० शिव ईट उद्योग, खसरा सं०-757 बड़ा बांगर, तह०-छाता, जनपद-मथुरा	15-01-21	—	15-01-21	
69	मै० श्री गुरु कृपा ईट उद्योग, खसरा सं०-463 (ब), ग्राम-नावली, तह०-मोंट, जनपद-मथुरा	29-01-21	—	17-03-21	
70	मै० आकाश ब्रिक्स ईट उद्योग, खसरा सं०-178 शहजादपुर बांगर, तह०-छाता, जनपद-मथुरा	06-01-21	—	13-01-21	
71	मै० प्रधान ईट उद्योग, खसरा सं०-844, बुखारी तह०-छाता, जनपद-मथुरा	22-02-21	—	22-02-21	
72	मै० जय श्री गिराज महाराज ईट उद्योग, खसरा सं०-510, तह०-छाता, जनपद-मथुरा	29-12-20	—	01-01-21	
73	मै० लम्बरदार ब्रिक्स इण्डस्ट्रीज, खसरा सं०-183, शहजादपुर बांगर, तह०-छाता, जनपद-मथुरा	12-02-21	—	06-03-21	
74	मै० नारायण ईट उद्योग, खसरा सं०-228, 231, ग्राम-जाफरपुर खादर, तह०-मोंट, जनपद-मथुरा	08-01-21	—	13-01-21	
75	मै० विजय ईट उद्योग, खसरा सं०-317, 318, ग्राम-तिलकागढ़ी, तह०-मोंट, जनपद-मथुरा	21-06-21	—	28-06-21	
76	मै० हरी ओम ब्रिक्स फील्ड, खसरा सं०-178, ग्राम-खाजपुर, तह०-मोंट, जनपद-मथुरा	16-04-21	—	23-04-21	



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा

पत्रांक: 1055/A-165/2022

दिनांक: 08/02/22

सेवा में,

मुख्य पर्यावरण अधिकारी (वृत्त-4),  
उ० प्र० प्रदूषण नियंत्रण बोर्ड,  
लखनऊ।

विषय: मै० अनु ईट उद्योग खसरा नं०-9/1, तहसील-मांट, मथुरा द्वारा माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में परित आदेश दिनांक 21.12.2021 की अवेहलना किये जाने सम्बन्ध में।

महोदय,

कृपया उपरोक्त सन्दर्भित विषय के सम्बन्ध में शिकायती पत्र उपजिलाधिकारी छाता मथुरा के माध्यम से प्राप्त पत्र दिनांक 06.02.2022 का सन्दर्भ ग्रहण करने का कष्ट करें। उप जिलाधिकारी, छाता, मथुरा को प्राप्त शिकायती पत्र में मै० अनु ईट उद्योग, खसरा सं०-9/1, ग्राम-उमराला, तहसील-छाता, जनपद-मथुरा द्वारा ईट भट्टे में आग डालने का कार्य किये जाने की शिकायत प्राप्त हुयी है। उक्त के क्रम में दिनांक 06.02.2022 को श्री सुबोध तोमर, पुलिस स्पेक्टर अपराध (मय फोर्स), श्री सुरेश चौधरी, अग्नि शमन विभाग, कोसी कला, मथुरा, श्री डी०के० गुप्ता, सहा० पर्या० अभियन्ता, उ० प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा की संयुक्त टीम द्वारा निरीक्षण किया गया। निरीक्षण के समय ईट भट्टे में फुकाई का कार्य होता पाया गया, जिसको अग्नि शमन विभाग के कर्मचारियों (मय पानी के टैंकर सहित) द्वारा ईट भट्टे की आग को पानी डालकर बुझाया गया। निरीक्षण आख्या संलग्न है। तत्क्रम में उक्त ईट भट्टे की पुनः शिकायत प्राप्त होने पर दिनांक 07.02.2022 सुश्री राकेश शर्मा, नायब तहसीलदार, तहसील-छाता, मथुरा, श्री अरविन्द कुमार, क्षेत्रीय अधिकारी, उ० प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा, श्री सुबोध तोमर, पुलिस स्पेक्टर अपराध (मय फोर्स), श्री मोहित कुमार, उप निरीक्षक चौकी प्रभारी, कोसी कोटवन, मथुरा एवं श्री सुरेश चौधरी, अग्नि शमन विभाग, कोसी कला, मथुरा की संयुक्त टीम द्वारा पुनः निरीक्षण किया गया। निरीक्षण के समय ईट भट्टा प्रतिनिधि श्रीमती अनुराधा चौधरी को मा० एन०जी०टी० द्वारा पारित आदेशों के सम्बन्ध में अवगत कराते हुए नोटिस की प्रतियां दी गयीं (फोटोग्राफ संलग्न) और निर्देशित किया गया कि ईट भट्टे का संचालन दिनांक 03.03.2022 के उपरान्त ही समस्त विभागों से अनुमति प्राप्त करने के उपरान्त ही संचालन कार्य प्रारम्भ किया जाये। निरीक्षण के दौरान ईट भट्टा संचालित पाया गया, जिसको अग्नि शमन विभाग द्वारा पानी डालकर आग को बुझाकर बन्द कराया गया। निरीक्षण आख्या संलग्न।

यहां यह भी अवगत कराना है कि उक्त ईट भट्टे को इस कार्यालय के पत्रांक-1744/एनओसी-414/06 दिनांक 02.02.2006 के माध्यम से अनापत्ति प्रमाण पत्र निर्गत किया गया तथा उक्त ईट भट्टे द्वारा सहमति (जल एवं वायु) प्राप्त किये बिना ईट भट्टे को संचालन किये जाने के कारण बोर्ड मुख्यालय के पत्रांक-एच 20165/सी-4/ईट-247/बन्दी आदेश/2018 दिनांक 17.05.2018 द्वारा बन्दी आदेश निर्गत है तथा वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा-31 ए के अन्तर्गत राज्य बोर्ड द्वारा जारी बन्दी आदेश दिनांक 17.05.2018 को उल्लंघन कर ईट भट्टे का संचालन किये जाने के फल स्वरूप बोर्ड मुख्यालय के पत्रांक-एच 48606/सी-4/ईट-247/20 दिनांक 05.03.2020 द्वारा कुल 46 दिनों के उल्लंघन पर दैनिक 6,250/- अर्थात् रू०-2,87,500/- मात्र की पर्यावरणीय क्षतिपूर्ति अधिरोपित की गयी है (प्रति संलग्न)।

उपरोक्तानुसार ईट भट्टे द्वारा बिना सहमति (जल एवं वायु) प्राप्त किये ईट भट्टे का संचालन कार्य किया जा रहा है। निरीक्षण के दौरान ईट भट्टा प्रतिनिधि द्वारा अवगत कराया गया कि ईट भट्टे में फुकाई का कार्य दिनांक 05.02.2022 से प्रारम्भ किया गया है। उपरोक्त को दृष्टिगत रखते हुए दिनांक 05.02.2022 से दिनांक 07.02.2022 अर्थात् तीन दिन का दैनिक 6,250/- दैनिक क्षतिपूर्ति अधिरोपित किए जाने की संस्तुति सहित आख्या आपके अवलोकनार्थ एवं अग्रिम कार्यवाही हेतु सादर प्रेषित।

भवदीय

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

संलग्नक: उपरोक्तानुसार।

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. माननीय जस्टिस श्री अनिल कुमार शर्मा (रिटायर्ड), इलाहाबाद हाईकोर्ट, मथुरा।
2. सदस्य सचिव महोदय, उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. जिलाधिकारी महोदय, मथुरा।
4. अपर जिलाधिकारी (वि०/रा०), मथुरा।
5. उप जिलाधिकारी, छाता, मथुरा।


क्षेत्रीय अधिकारी


मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के सम्बन्ध में।


कृपया उपरोक्त सन्दर्भित विषय के सम्बन्ध में दिनांक 06.02.2022 को उप जिलाधिकारी महोदय, छाता, मथुरा के द्वारा अवगत कराया कि तहसील-छाता, जनपद मथुरा के ग्राम उमराला में स्थापित मै0 अनु ईट उद्योग द्वारा ईट के निर्माण हेतु फुकाई का कार्य आरम्भ कर दिया गया है जिसके सम्बन्ध में शिकायती पत्र प्राप्त हुआ, उक्त के सम्बन्ध में उनके द्वारा निर्देशित किया गया कि पुलिस फोर्स के साथ अग्नि शमन विभाग के कर्मचारी मय पानी के टैकर सहित जाकर उपरोक्त ईट भट्टे के आग को पानी डाल कर बुझा दिया जाये।

उक्त के अनुपालन में दिनांक 07.02.2022 को सुश्री राखी शर्मा, नायाब तहसीलदार, तहसील-छाता, मथुरा, श्री अरविन्द कुमार, क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मथुरा श्री सुबोध तोमर, पुलिस इन्सपेक्टर, अपराध (मय फोर्स), श्री मोहित कुमार, उप निरीक्षक चौकी प्रभारी, कोसी कोटवन, मथुरा एवं श्री सुरेश चौधरी, अग्निशमन विभाग (मय पानी टैकर) द्वारा मै0 अनु ईट उद्योग, खसरा नं0-9/1, ग्राम-उमराला, तहसील-छाता, मथुरा का निरीक्षण किया गया। निरीक्षण के समय श्रीमती अनुराधा चौधरी ईट भट्टा प्रतिनिधी उपस्थित थी, जिनको मा0 एन0जी0टी0 द्वारा पारित आदेशों के सम्बन्ध में अवगत कराते हुए नोटिस कि प्रतियां दी गयी और निर्देशित किया गया कि उक्त ईट भट्टे का संचालन 03.03.2022 समस्त विभागों से अनुमति प्राप्त करने के उपरान्त ही संचालित किया जाये।

निरीक्षण के समय ईट भट्टा संचालित पाया गया, जिसको अग्नि शमन विभाग द्वारा पानी को छोड़ कर भट्टे को बन्द करा दिया गया। उक्त शिकायत के सम्बन्ध में दिनांक 06.02.2022 को भी ईट भट्टा संचालक को भट्टे को बन्द किये जाने को निर्देशित किया गया था।

  
(सुबोध कुमार तोमर)  
निरीक्षक अपराध,  
कोसी कोटवन,  
पुलिस विभाग, मथुरा


  
(अरविन्द कुमार)  
क्षेत्रीय अधिकारी,  
उ0प्र0 प्रदूषण नियंत्रण बोर्ड,  
मथुरा


  
(सुश्री राखी शर्मा)  
नायाब तहसीलदार,  
तहसील-छाता,  
मथुरा

दिनांक 06.02.2022 को उप जिलाधिकारी छाता महोदय के द्वारा अवगत कराया गया कि तहसील-छाता, जनपद मथुरा के ग्राम उमराला में स्थापित मै0 अनु ईट उद्योग द्वारा ईट के निर्माण हेतु फुकाई का कार्य आरम्भ कर दिया गया है, जिसके सम्बन्ध में उन्हें एक शिकायती पत्र प्राप्त हुआ है (प्रति संलग्न), उक्त के सम्बन्ध में उनके द्वारा निर्देशित किया गया है कि पुलिस फोर्स के साथ अग्नि शमन विभाग के कर्मचारी मय पानी के टैकर सहित जाकर उपरोक्त ईट भटठे के आग को पानी डाल कर बुझा दिया जाये।

उक्त के अनुपालन में पुलिस इन्सपेक्टर, अपराध श्री सुबोध तोमर के नेतृत्व में अग्नि शमन विभाग के कर्मचारी श्री सुरेश चौधरी (नय पानी टैकर) के साथ ईट भटठे का मौका मुयाइना किया गया, निरीक्षण के दौरान मै0 अनु ईट उद्योग संचालित पाया गया तथा ईट भटठे की स्वामिनी श्रीमती अनुराधा चौधरी उपस्थित थी, ईट भटठा स्वामिनी को सूचित किया गया कि मा0 एन0जी0टी0 नई दिल्ली द्वारा पारित आदेश के अनुपालन में माह मार्च से पूर्व ईट भटठे में उत्पादन कार्य अर्थात फुकाई का कार्य किया जाना प्रतिबन्धित है जिसके सम्बन्ध में पूर्व में कई बार दैनिक समाचार पत्रों एवं नोटिस के द्वारा ईट भटठे में फुकाई का आप द्वारा स्वयं बन्द कर दिया जाये किन्तु उपस्थित प्रतिनिधि (श्रीमती अनुराधा चौधरी) द्वारा फुकाई का कार्य बन्द करने से स्पष्ट मना कर दिया गया तथा उनके द्वारा कहा गया कि मेरा भटठा निरन्तर संचालित रहेगा। उक्त स्थिति को देखते हुए भटठे में फुकाई का कार्य बन्द किये जाने के उद्देश्य में अग्नि शमन विभाग के पानी के टैकर के माध्यम से भटठे की आग को बुझाने हेतु भटठे में पानी डालना प्रारम्भ किया गया, जिसके प्रतिक्रिया फलस्वरूप श्रीमती अनुराधा चौधरी द्वारा उत्तेजित हो गयी तो उनको समझाया गया कि आप मा एन0जी0टी0/मा0 उच्च न्यायालय के दिशा निर्देशों का पालन करना सुनिश्चित और भटठे का कार्य बन्द कर दें। आख्या सूचनार्थ सादर प्रस्तुत।

  
 (मोहित कुमार)  
 उपनिरीक्षक चौकी प्रभारी,  
 कोसी कोटवन,  
 पुलिस विभाग, मथुरा।

  
 06/02/2022  
 (डी0के0 गुप्ता)  
 सहा0 पर्यावरण अभियन्ता,  
 उ0प्र0 प्रदूषण नियंत्रण बोर्ड,  
 मथुरा।

  
 06/02/22  
 (सुबोध कुमार तोमर)  
 निरीक्षक अपराध,  
 कोसी कोटवन,  
 पुलिस विभाग, मथुरा।



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा।

पत्रांक: 890/5-548/2021

दिनांक 31/12/2021

सेवा में,  
जिलाधिकारी महोदय,  
मथुरा।

**विषय:** मा० उच्च न्यायालय इलाहाबाद द्वारा पारित आदेश दिनांक 23.10.2011 Contempt Application (Civil)-4471/2021 (Sohenveer Vs Sh. Navneet Singh Chahal DM Mathura) एवं माननीय नेशनल ग्रीन ट्रिब्यूनल द्वारा पारित आदेश दिनांक 12.08.2021 Read With 21-12-2021 O.A. No.-93/2021 (Mukesh Kumar Aggrwal Vs CPCB & Another) के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषय के सम्बन्ध में मा० उच्च न्यायालय इलाहाबाद द्वारा पारित आदेश दिनांक 23.10.2011 Contempt Application (Civil)- 4471/2021 (Sohenveer Vs Sh. Navneet Singh Chahal DM Mathura) एवं माननीय नेशनल ग्रीन ट्रिब्यूनल द्वारा पारित आदेश दिनांक 12.08.2021 Read With 21-12-2021 O.A. No.-93/2021 (Mukesh Kumar Aggrwal Vs CPCB & Another) का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के अनुपालन में जनपद मथुरा के क्षेत्रान्तर्गत तहसील मॉट एवं छाता में स्थापित/संचालित ईट भट्टों हेतु मा० एन०जी०टी० द्वारा पारित आदेश दिनांक 21.12.2021 में समस्त ईट भट्टों का निरीक्षण/सर्वेक्षण संयुक्त टीम द्वारा किया जाना है जो निम्नवत् है—

1. उप जिलाधिकारी, तहसील-मॉट एवं छाता, जनपद-मथुरा।
2. खान अधिकारी, खनन विभाग, मथुरा।
3. जिला वाणिज्यकर अधिकारी, मथुरा।
4. जिला पंचायत अधिकारी, मथुरा।
5. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा।

अतः उपरोक्त संयुक्त टीम को तहसील मॉट एवं छाता में स्थापित/संचालित ईट भट्टों का निरीक्षण/सर्वेक्षण किये जाने एवं दोषी पाये गये ईट भट्टों के विरुद्ध तत्कालिक प्रभावी कार्यवाही किए जाने हेतु निर्देशित करने का कष्ट करें

भवदीय

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. मा० न्यायमूर्ति श्री अनिल कुमार शर्मा (रिटायर्ड), हाई कोर्ट, इलाहाबाद।
2. प्रोफेसर, श्री मुकेश खरे, आई०आई०टी०, दिल्ली।
3. श्री हर्षा कोटा, आई०आई०टी०, दिल्ली।
4. श्री आर०के० सिंह, क्षेत्रीय निदेशक, केन्द्रीय प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. मुख्य पर्यावरण अधिकारी (वृत्त-4) उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
6. श्री प्रदीप मिश्रा, बोर्ड अधिवक्ता, नोएडा।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा।

पत्रांक: 1022/0-72/2022

दिनांक 31/01/22

सेवा में,

उप जिलाधिकारी,  
छाता/मोंट,  
मथुरा।

विषय: मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 13.04.2021 एवं दिनांक 12.08.2021 के अनुपालन के सम्बन्ध में।

महोदय,

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 का सन्दर्भ ग्रहण करने का कष्ट करें।

उपरोक्त वर्णित माननीय न्यायालय द्वारा पारित आदेश का शत-प्रतिशत अनुपालन करने के पश्चात ही जनपद-मथुरा में ईट भट्टों का संचालन होने दिया जाये, उक्त के सम्बन्ध में उ०प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा द्वारा ईट भट्टों को पृथक रूप से नोटिस प्रेषित किए गये हैं, जिसके अन्तर्गत निम्नलिखित निर्देश दिये गये हैं-

1. बोर्ड द्वारा निर्गत सशर्त अनापत्ति प्रमाण पत्र एवं सशर्त सहमति (जल/वायु) में निहित शर्तों की बिन्दुवार अनुपालन आख्खा।
2. उद्योग द्वारा प्रस्तुत शपथ पत्र में निहित बिन्दुओं की अनुपालन आख्खा।
3. चिमनी से हो रहे फ्लू गैस उत्सर्जन की जांच हेतु केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली के दिशा निर्देशों के अनुरूप स्थायी रूप में अनुश्रवण छिद्र, प्लेटफार्म एवं चिमनी की व्यवस्था स्थापित किया जाये तथा स्टैक मानीटरिंग हेतु अनुश्रवण छिद्र के निकट विद्युत आपूर्ति की व्यवस्था सुनिश्चित की जाये।
4. ईट भट्टों के चारों ओर ऊँचे, घने, प्रदूषणरोधी किस्म के वृक्षों की पट्टिका विकसित की जाये तथा भट्टों के आस-पास वाटर सिप्रिकिलिंग सिस्टम स्थापित कर संचालित किया जाये ताकि धूल उड़ने की सम्भावना न रहे तथा परिवेशीय वायु गुणता बोर्ड मानकों के अनुरूप रहे।
5. ईट भट्टों में प्रतिबन्धित ईंधन का प्रयोग कदापि न किया जाये तथा क्लीन फ्यूल का प्रयोग किये जाने हेतु प्रस्ताव व समयबद्ध कार्यक्रम आपेक्षित है। ईंधन के रूप में सी०पी०सी०बी०, नई दिल्ली द्वारा अनुमन्य ईंधन (तूरी) का ही प्रयोग किया जाये तथा अनुमन्य ईंधन को ईट भट्टा परिसर के अन्दर कवर्ड एरिया में रखा जाये।
6. ईट भट्टों से सम्बन्धित प्रकरण माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन है। पर्यावरणीय वायु गुणवत्ता का ध्यान में रखते हुए ईट भट्टों से अपेक्षा की जाती है कि पुरानी टेक्नोलाजी के भट्टों के स्थान पर नई तकनीक पर आधारित जिक-जैक टेक्नोलाजी पर आधारित ईट भट्टों की स्थापना/मॉडीफिकेशन का कार्य अविलम्ब प्रारम्भ कर दें तथा इस प्रकार प्लानिंग की जाये कि आगामी सत्र में समस्त में ईट भट्टों को नई टेक्नोलाजी अर्थात जिक-जैक/हाइड्रा पर संचालित हो।

अतः उपरोक्त के सम्बन्ध में आपको निर्देशित किया जाता है कि माननीय एन०जी०टी०, नई दिल्ली द्वारा पारित आदेश दिनांक 12.08.2021 का शत-प्रतिशत अनुपालन कराये जाने हेतु इस कार्यालय के पत्रांक-927/ओ-34/2022 दिनांक 06.01.2022 द्वारा नोटिस प्रेषित किए गये तथा दैनिक समाचार पत्रों (दैनिक जागरण एवं अमर उजाला) में विज्ञापित प्रकाशित करायी गयी। उक्त के क्रम में सम्बन्धित को निर्देशित करने का कष्ट करें तथा यदि किसी ईट भट्टों द्वारा आदेश का अनुपालन किये बगैर संचालित किया जाता है तो ईट भट्टों का संचालन तत्काल प्रभाव से बन्द कराया जाये तथा माननीय एन०जी०टी० द्वारा पूर्व में पारित आदेश व केन्द्रीय प्रदूषण नियंत्रण बोर्ड के दिशा-निर्देशों के अनुरूप ईट भट्टों पर पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने की कार्यवाही की जायेगी।

भवदीय

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. जिलाधिकारी महोदय, मथुरा।
2. अपर जिलाधिकारी (वि०/रा०), मथुरा।
3. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा।

पत्रांक: 998/0-72/2022  
सेवा में,

दिनांक 19/01/22

विषय: सूची संलग्न।  
मा० उच्च न्यायालय पारित आदेश दिनांक 01.05.2014, उ०प्र० सरकार द्वारा जारी अधिसूचना दिनांक 27.06.2012 के नियम (6)(1), केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी आदेश दिनांक 27.06.2017, दिनांक 08.11.2018 एवं मा० एन०जी०टी०, नई दिल्ली में पारित आदेश दिनांक 13.04.2021, दिनांक 12.08.2021 एवं दिनांक 21.12.2021 के अनुपालन के सम्बन्ध में।

महोदय,  
कृपया उपरोक्त सन्दर्भित विषयक इस कार्यालय के पत्रांक-927/ओ-34/2022 दिनांक 06.01.2022 के सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में मा० उच्च न्यायालय द्वारा जनहित याचिका सं० 20773/14 दिनांक 01.05.2014, उ०प्र० सरकार द्वारा जारी अधिसूचना दिनांक 27.06.2012 के नियम (5)(1), केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी आदेश दिनांक 27.06.2017, दिनांक 08.11.2018 एवं मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 13.04.2021, दिनांक 12.08.2021 एवं दिनांक 21.12.2021 के आदेशानुपालन में आपको निर्दिष्ट किया जाता है कि ईट पकाने की प्रक्रिया में प्रयुक्त ईंधन जैसे- लकड़ी/तूरी का प्रयोग किया जाना अनिवार्य है, इसके अलावा अन्य किसी प्रकार के ईंधन जैसे-पेट-कोक, प्लास्टिक रबर, लेदर, ऑयली रेसीड्यू आदि का प्रयोग किया जाना पूर्णतः प्रतिबन्धित किया गया है। जनपद मथुरा संचालित/स्थापित ईट भट्टों में ईंधन के रूप में अनुमन्य स्वच्छ फ्यूल का प्रयोग तथा ईट भट्टों का संचालन माह-मार्च से माह-जून तक एवं ईट भट्टों को जिक जैक टेक्नोलॉजी पद्यति पर परिवर्तित कराये जाना है। माननीय न्यायालय के आदेश के अनुपालनार्थ आपको निम्नलिखित निर्देश दिये गये हैं-

1. बोर्ड द्वारा निर्गत सशर्त अनापत्ति प्रमाण पत्र एवं सशर्त सहमति (जल/वायु) में निहित शर्तों की विन्दुवार अनुपालन आख्या।
2. उद्योग द्वारा प्रस्तुत राफ्त पत्र में निहित विन्दुओं की अनुपालन आख्या।
3. धिमनी से हो रहे फ्लू गैस उत्सर्जन की जांच हेतु केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली के दिशा निर्देशों के अनुरूप स्थायी रूप में अनुश्रवण छिद्र, प्लेटफार्म एवं धिमनी की व्यवस्था स्थापित किया जाये तथा स्टैक मानीटरिंग हेतु अनुश्रवण छिद्र के निकट विद्युत आपूर्ति की व्यवस्था सुनिश्चित की जाये।
4. ईट भट्टों के चारों ओर ऊँचे, घने, प्रदूषणरोधी किस्म के वृक्षों की पट्टिका विकसित की जाये तथा भट्टों के आस-पास वाटर रिप्रिकिलिंग सिस्टम स्थापित कर संचालित किया जाये ताकि धूल उड़ने की सम्भावना न रहे तथा परिवेशीय वायु गुणता बोर्ड मानकों के अनुरूप रहे।
5. ईट भट्टों में प्रतिबन्धित ईंधन का प्रयोग कदापि न किया जाये तथा क्लीन फ्यूल का प्रयोग किये जाने हेतु प्रस्ताव व समयबद्ध कार्यक्रम आपेक्षित है। ईंधन के रूप में सी०पी०सी०बी०, नई दिल्ली द्वारा अनुमन्य ईंधन (तूरी) का ही प्रयोग किया जाये तथा अनुमन्य ईंधन को ईट भट्टों परिसर के अन्दर कवर्ड एरिया में रखा जाये।
6. ईट भट्टों से सम्बन्धित प्रकरण माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन है। पर्यावरणीय वायु गुणवत्ता का ध्यान में रखते हुए ईट भट्टों से अपेक्षा की जाती है कि पुरानी टेक्नोलॉजी के भट्टों के स्थान पर नई तकनीक पर आधारित जिक-जैक टेक्नोलॉजी पर आधारित ईट भट्टों की स्थापना/मॉडीफिकेशन का कार्य अविलम्ब प्रारम्भ कर दें तथा इस प्रकार प्लानिंग की जाये कि आगामी सत्र में समस्त ईट भट्टों को नई टेक्नोलॉजी अर्थात जिक-जैक/हाइड्रा पर संचालित हो तथा ईट भट्टों का संचालन माह-मार्च से माह-जून तक ही किया जाये।
7. ईट भट्टों द्वारा अपने सम्पूर्ण परिसर के चारों ओर 03 मीटर ऊँचाई की बाउन्ड्री वाल का निर्माण करना, ईट निर्माण में वजन के हिसाब से फ्लाई ऐश को रॉ मैटेरियल में मिलाना, ईट भट्टों के सम्पूर्ण परिसर में ईटों का पक्का फर्श का निर्माण करना, ईट भट्टों की खनन परियोजना (खनन स्थल, ईट पथायी/पथेर) के चारों ओर 06 फिट ऊंची टीन शैड/दिवाल बनाया जाये।

उक्त के क्रम में आपको पुनः निर्देशित किया जाता है कि जिलाधिकारी महोदय, मथुरा द्वारा गठित टीम (जिला पंचायत खनन विभाग, वाणिज्य कर, प्रदूषण नियंत्रण बोर्ड एवं उप जिलाधिकारी, गॉट एवं छाता) के संयुक्त निरीक्षण के दौरान इस कार्यालय द्वारा निर्गत अनापत्ति प्रमाण पत्र एवं सहमति जल एवं वायु की प्रति तथा उसमें निहित शर्तों की विन्दुवार अनुपालन आख्या की प्रति ईट भट्टों स्थल पर उपलब्ध कराना सुनिश्चित करें, अन्यथा की स्थिति में माना जायेगा कि ईट भट्टों द्वारा सशर्त अनापत्ति प्रमाण पत्र एवं सहमति (जल एवं वायु) में निहित शर्तों का अनुपालन नहीं किया जा रहा है, ऐसी दशा में ईट भट्टों के विरुद्ध बन्दी की कार्यवाही की जायेगी, जिसका सम्पूर्ण ईट भट्टों के पदाधिकारियों का होगा।

भवदीय

(अशोक कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित।

1. जिलाधिकारी महोदय, मथुरा।
2. उप जिलाधिकारी, गॉट, मथुरा को इस अनुरोध के साथ कि आप अपने स्तर से भी ईट भट्टों को मा० उच्च न्यायालय एवं मा० एन०जी०टी० के आदेशों का अनुपालन सुनिश्चित कराये जाने हेतु निर्देशित करने का कष्ट करें।
3. मुख्य पर्यावरण अधिकारी (यूत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी  
19/01/22



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देवपुरी, महोली रोड  
मथुरा।

पत्रांक: 1031/0-72/2022

दिनांक 01/02/2022

सेवा में,

उप जिलाधिकारी,  
छाता/मॉट,  
मथुरा।

विषय: मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन के सम्बन्ध में।

महोदय,

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 का सन्दर्भ ग्रहण करने का कष्ट करें।

उपरोक्त वर्णित माननीय न्यायालय द्वारा पारित आदेश का शत-प्रतिशत अनुपालन कराने के सम्बन्ध में आपसे अनुरोध करना है कि आप अपने क्षेत्र में स्थापित/संचालित ईट भट्टों की पुनः दूरी उ०प्र० शासन के पर्यावरण अनुभाग द्वारा अधिसूचना सं०-921/55-पर्या/12-94(पर्या)/11, दिनांक 27.06.2012 की गाइड लाइन के अनुरूप सत्यापित कराकर इस कार्यालय को अवगत कराने का कष्ट करें, जिससे मा० एन०जी०टी० के आदेशों का अनुपालन सुनिश्चित कराया जा सके।

भवदीय

(असिन्दु कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. जिलाधिकारी महोदय, मथुरा।
2. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. अपर जिलाधिकारी (वि०/रा०), मथुरा।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

elc



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए. बल्देव पुरी, महोली रोड  
मथुरा।

पत्रांक: 1039/0-72/2022

दिनांक 03/02/2022

सेवा में,  
उप जिलाधिकारी,  
छाता/मॉट,  
मथुरा।

विषय: मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्रांक-एच 71085/सी-4/एन०जी०टी०/133/2021-22 दिनांक 02.02.2022 (प्रति संलग्न), जो जिलाधिकारी महोदय, मथुरा को सम्बोधित तथा इस कार्यालय को निर्देशित है, का सन्दर्भ ग्रहण करने का कष्ट करें। माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन में मा० न्यायमूर्ति श्री अनिल कुमार शर्मा की अध्यक्षता में दिनांक 10.01.2021 को सम्पन्न बैठक में दिये गये निर्देशों के अनुक्रम में जनपद-मथुरा की तहसील-छाता एवं मॉट में दिनांक 27.06.2012 के पश्चात ईट भट्टों को जारी अनापत्ति प्रमाण पत्रों की पत्रावलियां के अवलोकनार्थ दिनांक 23.04.2021 तक कुल 76 ईट भट्टों को इस कार्यालय द्वारा अनापत्ति प्रमाण पत्र जारी किया गया। संलग्न सूची के अनुसार 76 ईट भट्टों में से क्रम सं०-42 से 76 पर अंकित ईट भट्टों को तहसील से प्राप्त सत्यापन आख्या के आधार पर अनापत्ति प्रमाण पत्र निर्गत किया गया।

अतः उपरोक्तानुसार संलग्न सूची के क्रम सं०-42 से 76 पर अंकित ईट भट्टों की जाँच तहसील स्तर पर गठित समिति के माध्यम से पुनः ईट भट्टों की जांच/सत्यापन कराकर इस कार्यालय को अवगत कराने का कष्ट करें, जिससे मा० एन०जी०टी० के आदेशों का अनुपालन में बोर्ड मुख्यालय को सूचना उपलब्ध करायी जा सके।

भवदीय

संलग्नक: यथोपरि।

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. मा० न्यायमूर्ति श्री अनिल कुमार शर्मा (रिटायर्ड), इलाहाबाद हाईकोर्ट, मथुरा।
2. जिलाधिकारी महोदय, मथुरा।
3. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय  
उ० प्र० प्रदूषण नियंत्रण बोर्ड  
65 ए, बल्देव पुरी, महोली रोड  
मथुरा।

पत्रांक: 1092/0-72/2022

दिनांक 16/02/2022

सेवा में,

1. उप जिलाधिकारी, तहसील-मोंट एवं छाता, जनपद-मथुरा।
2. खान अधिकारी, खनन विभाग, मथुरा।
3. जिला वाणिज्यकर अधिकारी, मथुरा।
4. जिला पंचायत अधिकारी, मथुरा।
5. उ० प्र० प्रदूषण नियंत्रण बोर्ड, मथुरा द्वारा नामित प्रतिनिधि।

विषय: मा० एन०जी०टी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अनुपालन में दिनांक 31.12.2022 को जिलाधिकारी महोदय, मथुरा दिये गये निर्देशानुसार तहसील-मोंट एवं छाता में स्थापित ईट भट्टों का निरीक्षण किया जाना है, जिससे मा० एन०जी०टी० के आदेशों का अनुपालन सुनिश्चित कराया जा सके।

सादर सूचनार्थ प्रेषित।

भवदीय

(अरविन्द कुमार)  
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. मा० न्यायमूर्ति श्री अनिल कुमार शर्मा (रिटायर्ड), इलाहाबाद हाईकोर्ट, मथुरा।
2. जिलाधिकारी महोदय, मथुरा।
3. सदस्य सचिव महोदय, उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय  
**उ०प्र० प्रदूषण नियन्त्रण बोर्ड**  
 65 ए, बल्देवपुरी, महोली रोड  
 मथुरा  
 प्रेस-विज्ञप्ति

संज्ञांक-999/P-16/2022

दिनांक- 19.01.2022

**ईट भट्टों के सम्बन्ध में आवश्यक सूचना**

भा० उच्च न्यायालय द्वारा जनांकित याचिका सं० 20773/14 दिनांक 01.05.2014 उ०प्र० सरकार द्वारा जारी अधिसूचना दिनांक 27.06.2012 के नियम (5)(1), केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी आदेश दिनांक 27.06.2017, दिनांक 08.11.2018 एवं भा० एन०सीटी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 13.04.2021, दिनांक 12.08.2021 एवं दिनांक 21.12.2021 के आदेशानुसारन में आपकी निर्देशित किया जाता है कि ईट पकाने की प्रक्रिया में प्रयुक्त ईंधन जैसे कोयला, लकड़ी, दूरा का प्रयोग किया जाना अनिवार्य है, इसके अलावा अन्य किसी प्रकार के ईंधन जैसे पीट कोक, प्लास्टिक स्तर, लेंटर, अलकली रेन्डोड्यू आदि का प्रयोग किया जाना पूर्णतः प्रतिबन्धित किया गया है। यहाँ यह भी अवगत कराना है कि ईट भट्टों का संचालन मई-मार्च से माह-जून तक किया जाना तथा अपने ईट भट्टों को जिक-जैक टेक्नोलॉजी पद्धति पर परिवर्तित किया जाना सुनिश्चित करें तथा निम्न बिन्दुओं का अनुपालन सुनिश्चित करें।

1. बोर्ड द्वारा निर्गत सरकारी अनुपति प्रमाण पत्र एवं सरकारी सहमति (जल/वायु) में निर्दिष्ट शर्तों को बिन्दुवार अनुपालन आख्यान।
2. जलवायु द्वारा प्रस्तुत शपथ पत्र में निर्दिष्ट बिन्दुओं का अनुपालन आख्यान।
3. चिमनी से हो रहे धूल धान तन्मार्जन की जांच हेतु केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली के दिशा निर्देशों के अनुसंधान स्थायी रूप में अनुसंधान विभाग, प्लेटफार्म एवं चिमनी की व्यवस्था स्थापित किया जाये तथा स्टैक पार्मीटरिंग हेतु अनुसंधान डिस्ट्रिक्ट निकट विद्युत आपूर्ति की व्यवस्था सुनिश्चित की जाये।
4. ईट भट्टों के चारों ओर ऊँचे, घने, प्रदूषणरोधी किस्म के वृक्षों की पट्टिका विकसित की जाये तथा भट्टों के आस-पास वाटर रिटार्निंग सिस्टम स्थापित कर, संचालित किया जाये ताकि धूल कड़ने की सम्भावना न रहे तथा परिवेशीय वायु गुणवत्ता बोर्ड मानकों के अनुरूप रहे।
5. ईट भट्टों में प्रतिबन्धित ईंधन का प्रयोग कदापि न किया जाये तथा क्लीन फ्यूल का प्रयोग किये जाने हेतु प्रस्ताव न भण्डवड कार्यक्रम अपेक्षित है। ईंधन के रूप में सी०पी०सी०पी०, नई दिल्ली द्वारा अनुमत्य ईंधन (चूरा) का ही प्रयोग किया जाये तथा अनुमत्य ईंधन को ईट भट्टों परिसर के अन्दर कचड़ा एरिया में रखा जाये।
6. ईट भट्टों से सम्बन्धित प्रकरण माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन है। पर्यावरणीय वायु गुणवत्ता का ध्यान में रखते हुए ईट भट्टों से अपेक्षा की जाती है कि पुरानी टेक्नोलॉजी के भट्टों के स्थान पर नई तकनीकी पर आधारित जिक-जैक टेक्नोलॉजी पर आधारित ईट भट्टों की स्थापना/मॉडिफिकेशन का कार्य जल्दियत प्रारम्भ कर दें तथा इस प्रकार प्लांटिंग की जाये कि आगामी वर्ष में समस्त में ईट भट्टों को नई टेक्नोलॉजी अर्थात् जिक-जैक/हाइड्रु पर संचालित हो।
7. ईट भट्टों द्वारा अपने सम्पूर्ण परिसर के चारों ओर 03 मीटर ऊँचाई की बाउन्ड्री वाल का निर्माण करना, ईट निर्माण में खजम के डिवाइस से फ्लाई ऐश को गै मेटेरियल में मिलाना, ईट भट्टों के सम्पूर्ण परिसर में ईटों का पक्का फर्श का निर्माण करना, ईट भट्टों को खनन परिवोधन (खनन स्थल, ईट पधाकी/पथर) के चारों ओर 06 मीटर ऊँची टॉन ग्रीड/दिवाल बनाना जाये।

नोट:- कुपय नोट करें कि भा० एन०सीटी०, नई दिल्ली में विचाराधीन ओ०ए० सं०-93/2021 मुकेश कुमार अग्रवाल बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 21.12.2021 के अन्तर्गत अनुपालन के उद्देश्य से जिलाधिकारी महोदय, मथुरा द्वारा दिनांक 31.12.2021 को गठित संयुक्त टीम (जिस्त) पंचायत खनन विभाग, जलिन्य कर, प्रदूषण नियंत्रण बोर्ड एवं उप जिलाधिकारी, जल एवं सार) के द्वारा संयुक्त निरीक्षण के दौरान पूर्व में दिये गये निर्देशों का अनुपालन एवं अन्य सम्बन्धित विभाग द्वारा निर्गत सरकारी प्रमाण पत्र में निर्दिष्ट शर्तों का अनुपालन एवं प्रमाण पत्रों की उत्पादन न पाये जाने की दशा में ईट भट्टों के विन्यस्त कन्टी की कार्यवाही प्रारम्भ कर दी जायेगी, जिनका सम्पूर्ण उत्तरदायित्व ईट भट्टों के पदाधिकारियों का होगा।

(अरविन्द कुमार)  
 क्षेत्रीय अधिकारी

जनपद-मथुरा के तहसील-मॉट में स्थापित ईट भट्ठों की सूची, जिन्हें बोर्ड मुख्यालय द्वारा बन्दी आदेश जारी किए गये हैं।

50

क्र० सं०	ईट भट्ठे का नाम व पता	क्षमता	टिप्पणी	तहसील
1	मै० के०पी०एस० ईट उद्योग, शेऊपट्टी, बाजना, मॉट, मथुरा।	20000	बन्दी आदेश दिनांक 30.06.2021	मॉट
2	मै० चौधरी ईट उद्योग, खसरा सं०-544, शेऊपट्टी आंधरे की गढी, मॉट, मथुरा।	20000	बन्दी आदेश दिनांक 30.06.2021	मॉट
3	मै० आर०पी०एस० ईट उद्योग, शेऊपट्टी, जरेलिया, बाजना, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 30.06.2021	मॉट
4	मै० आर०एम० ईट उद्योग, खसरा सं०-291, मानागढी रोड, बाजना, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 30.06.2021	मॉट
5	मै० किशन ईट उद्योग, खसरा सं०-27, 28, नौहड़ील बांगर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 30.06.2021	मॉट
6	मै० एम०बी० ईट उद्योग, ग्राम-मानागढी, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
7	मै० कमलेश चौधरी ईट भट्ठा, बाजना, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
8	मै० कृष्णा ब्रिक्स फील्ड, मकरन्द गढी, नावली, मॉट, मथुरा।	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
9	मै० महालक्ष्मी ईट उद्योग, खैर-टैटीगांव रोड, सुदामागढी, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
10	मै० कमलेश ईट उद्योग, लमतौरी रोड, मीरपुर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
11	मै० कृष्णा ईट उद्योग, सुल्तानपुर, नौहड़ील-राया रोड, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
12	मै० ताज ईट उद्योग, आंधरे की गढी, मॉट, मथुरा।	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
13	मै० प्रधान ईट उद्योग, सिकन्दरपुर रोड, सुरीर विजऊ, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
14	मै० मॉ दुर्गे ईट उद्योग, मुबारकपुर, मॉट, मथुरा।	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
15	मै० भगवती ईट उद्योग, सुल्तानपुर नौहड़ील-राया रोड, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
16	मै० ब्रजवासी ईट उद्योग, तिलकागढी, रामपुर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
17	मै० लक्ष्मी नारायण ईट उद्योग, सुरीर कला, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
18	मै० ओम ब्रिक्स फैक्ट्री, सुल्तानपुर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
19	मै० शिव ईट उद्योग, मीरपुर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट

AAV

	मै0 सिद्धेश्वरी ईट उद्योग, नावली, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
21	मै0 राघे ईट उद्योग, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
22	मै0 राधा कृष्णा ईट उद्योग, सुरीर विजऊ, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
23	मै0 राजा ईट उद्योग, भदनवारा सिकन्दरपुर रोड, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
24	मै0 अक्रूर जी ईट उद्योग, सुरीर विजऊ, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
25	मै0 विजय ब्रिक्स उद्योग, सुरीर विजऊ बांगर, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
26	मै0 बॉबी ईट उद्योग, सुरीर विजऊ, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
27	मै0 शिव शंकर ईट उद्योग, सुरीर कला, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
28	मै0 श्री गिर्राज ईट उद्योग, मकदूमपुर, नौहझील, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
29	मै0 भवगती ईट उद्योग, सुरीर विजऊ, मॉट, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
30	मै0 इण्डियन ईट उद्योग, विसम्भरा, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	मॉट
31	मै0 एस0एस0बी0 ईट उद्योग (पुराना नाम-शिव ईट उद्योग), ग्राम-उझानी, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
32	मै0 राम ईट उद्योग, ग्राम-उझानी बांगर, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
33	मै0 अनु ईट उद्योग, उमराला, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
34	मै0 ओम ब्रिक्स उद्योग, हताना, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
35	मै0 दिनेश ईट उद्योग, रान्हेरा, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
36	मै0 इरसार ब्रिक्स उद्योग, रूपनगर बांगर, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
37	मै0 दीपक ब्रिक्स उद्योग, हताना, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता
38	मै0 जय श्रीराम भट्टा कं0, रूपनगर, छाता, मथुरा	20000	बन्दी आदेश दिनांक 26.07.2021	छाता

EE C-4  
UPPCB