

Minimate Results From 01.01.2017 of JVR OCP

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s),<8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-01-2017	15:14:46	600	1148	112	5	0.445	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-01-2017	15:14:32	600	1148	106	5	0.556	
5647	03-01-2017	15:25:43	600	1148	109.5	5	0.508	
5647	04-01-2017	15:06:38	500	885	109.5	5	0.318	
5647	05-01-2017	15:15:44	500	825	106	5	0.746	
5647	06-01-2017	15:06:22	650	1170	106	5	0.27	
5647	07-01-2017	15:10:15	500	885	121.6	5	1.064	
5647	08-01-2017	15:18:32	500	890	106	5	0.508	
5647	09-01-2017	15:15:02	600	1148	118.1	5	0.524	
5647	10-01-2017	15:14:20	650	1170	118.1	5	0.413	
5647	11-01-2017	15:12:10	650	1170	122	5	0.746	
5647	12-01-2017	15:26:12	500	890	130.1	5	0.286	
5647	13-01-2017	00:00:00	0	0	0	5	0	
5647	14-01-2017	14:55:58	500	885	112	5	0.318	
5647	15-01-2017	15:10:46	500	890	109.5	5	0.873	
5647	16-01-2017	15:12:44	600	1148	106	5	0.446	
5647	17-01-2017	15:03:46	500	1027	120	5	0.492	
5647	18-01-2017	15:08:38	500	885	116.9	5	0.286	
5647	19-01-2017	00:00:00	0	0	0	5	0	
5647	20-01-2017	15:29:48	500	825	123.5	5	0.349	
5647	21-01-2017	15:03:32	500	825	118.1	5	0.508	
5647	22-01-2017	15:10:21	500	890	122.3	5	0.984	
5647	23-01-2017	15:06:06	600	1148	120	5	0.429	
5647	24-01-2017	15:11:37	500	890	126.8	5	0.286	
5647	25-01-2017	15:04:29	500	885	100	5	0.445	
5647	26-01-2017	15:07:22	500	890	100	5	0.746	
5647	27-01-2017	15:06:05	650	1170	100	5	0.46	
5647	28-01-2017	15:18:37	600	1148	100	5	0.508	
5647	29-01-2017	15:30:06	500	1027	100	5	0.587	
5647	30-01-2017	15:12:22	650	1170	100	5	0.524	
5647	31-01-2017	15:22:23	500	890	106	5	0.667	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-02-2017	15:00:54	500	885	100	5	0.651	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-02-2017	15:00:54	500	890	100	5	0.831	
5647	03-02-2017	00:00:00	0	0	0	5	0	
5647	04-02-2017	03:10:15 PM	650	1170	100	5	0.746	
5647	05-02-2017	15:10:15	600	1148	100	5	0.397	
5647	06-02-2017	15:06:21	650	1170	100	5	0.964	
5647	07-02-2017	15:06:56	650	1170	100	5	0.587	
5647	08-02-2017	15:10:19	500	890	100	5	0.429	
5647	09-02-2017	15:14:15	650	1170	100	5	0.714	
5647	10-02-2017	15:10:08	650	1170	100	5	0.587	
5647	11-02-2017	15:06:11	500	1027	100	5	0.385	
5647	12-02-2017	15:12:09	500	885	100	5	0.556	
5647	13-02-2017	15:23:03	600	1148	100	5	0.524	
5647	14-02-2017	15:04:21	650	1170	100	5	0.608	
5647	15-02-2017	16:07:36	650	1170	100	5	0.333	
5647	16-02-2017	15:22:38	650	1170	100	5	0.683	
5647	17-02-2017	15:01:34	600	1148	100	5	0.508	
5647	18-02-2017	16:00:54	600	1148	100	5	0.857	
5647	19-02-2017	16:01:37	650	1170	100	5	0.968	
5647	20-02-2017	15:01:01	500	885	100	5	0.603	
5647	21-02-2017	16:09:39	500	885	100	5	0.45	
5647	22-02-2017	16:07:53	650	1170	100	5	0.381	
5647	23-02-2017	14:07:46	500	890	100	5	0.508	
5647	24-02-2017	00:00:00	0	0	0	5	0	
5647	25-02-2017	15:22:24	650	1170	100	5	0.381	
5647	26-02-2017	15:06:22	650	1170	100	5	0.762	
5647	27-02-2017	16:55:07	650	1170	100	5	0.828	
5647	28-02-2017	14:54:51	650	1170	100	5	0.429	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-03-2017	14:56:27	600	1160	100	5	0.429	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-03-2017	14:56:25	500	1034	100	5	0.318	
5647	03-03-2017	15:05:38	500	1020	100	5	0.349	
5647	04-03-2017	15:01:25	600	1160	100	5	0.619	
5647	05-03-2017	02:55:45 PM	600	1160	100	5	0.524	
5647	06-03-2017	14:57:30	500	1034	100	5	0.953	
5647	07-03-2017	00:00:00	0	0	0	5	0	
5647	08-03-2017	14:58:35	500	1034	100	5	0.429	
5647	09-03-2017	00:00:00	0	0	0	5	0	
5647	10-03-2017	14:55:15	500	1160	100	5	0.81	
5647	11-03-2017	15:05:55	500	1160	1100	5	0.841	
5647	12-03-2017	00:00:00	0	0	0	5	0	
5647	13-03-2017	15:04:44	500	1034	100	5	0.286	
5647	14-03-2017	00:00:00	0	0	0	5	0	
5647	15-03-2017	00:00:00	0	0	0	5	0	
5647	16-03-2017	14:54:27	600	1160	100	5	0.381	
5647	17-03-2017	15:03:46	600	1160	100	5	0.54	
5647	18-03-2017	00:00:00	0	0	0	5	0	
5647	19-03-2017	00:00:00	0	0	0	5	0	
5647	20-03-2017	14:59:18	600	1160	100	5	0.476	
5647	21-03-2017	15:03:53	600	1160	100	5	0.46	
5647	22-03-2017	16:05:36	600	1000	100	5	0.603	
5647	23-03-2017	15:26:17	500	1020	100	5	0.333	
5647	24-03-2017	14:59:02	500	1000	100	5	0.746	
5647	25-03-2017	15:39:11	500	1055	100	5	0.603	
5647	26-03-2017	14:58:49	600	1000	100	5	0.603	
5647	27-03-2017	15:16:43	600	1160	100	5	0.318	
5647	28-03-2017	15:05:10	600	1000	100	5	0.635	
5647	29-03-2017	15:04:53	600	1000	100	5	0.413	
5647	30-03-2017	16:04:45	600	1160	100	5	0.524	
5647	31-03-2017	15:14:39	600	1160	100	5	0.683	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-04-2017	15:17:39	500	805	100	5	0.587	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-04-2017	00:00:00	0	0	0	5	0	
5647	03-04-2017	15:07:18	500	1034	100	5	0.968	
5647	04-04-2017	15:01:07	500	805	100	5	0.54	
5647	05-04-2017	03:19:40 PM	600	1160	100	5	0.635	
5647	06-04-2017	15:02:03	600	1160	100	5	0.556	
5647	07-04-2017	00:00:00	0	0	0	5	0	
5647	08-04-2017	00:00:00	0	0	0	5	0	
5647	09-04-2017	15:09:24	500	1034	100	5	0.476	
5647	10-04-2017	15:07:31	500	805	100	5	0.762	
5647	11-04-2017	15:05:10	500	805	100	5	0.524	
5647	12-04-2017	15:12:24	600	1200	100	5	0.54	
5647	13-04-2017	14:58:33	600	1160	100	5	0.476	
5647	14-04-2017	15:00:03	600	1160	100	5	0.111	
5647	15-04-2017	15:02:16	500	805	100	5	0.524	
5647	16-04-2017	15:06:08	600	1160	100	5	1.191	
5647	17-04-2017	15:17:03	500	805	100	5	0.524	
5647	18-04-2017	15:12:29	600	1160	100	5	0.984	
5647	19-04-2017	15:04:31	600	1160	100	5	0.714	
5647	20-04-2017	15:12:16	500	805	100	5	0.46	
5647	21-04-2017	15:07:56	600	1200	100	5	0.857	
5647	22-04-2017	15:05:22	600	1200	100	5	0.619	
5647	23-04-2017	15:20:35	600	1160	100	5	0.667	
5647	24-04-2017	15:13:22	600	1160	100	5	0.445	
5647	25-04-2017	15:13:50	600	1200	100	5	0.556	
5647	26-04-2017	00:00:00	0	0	0	5	0	
5647	27-04-2017	00:00:00	0	0	0	5	0	
5647	28-04-2017	00:00:00	0	0	0	5	0	
5647	29-04-2017	15:11:17	600	1160	100	5	0.683	
5647	30-04-2017	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-05-2017	15:19:12	500	700	100	5	0.937	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-05-2017	15:29:28	600	1050	100	5	0.397	
5647	03-05-2017	15:06:57	500	700	100	5	0.286	
5647	04-05-2017	00:00:00	0	0	0	5	0	
5647	05-05-2017	03:08:34 PM	600	1050	100	5	0.73	
5647	06-05-2017	15:05:14	500	1000	100	5	0.651	
5647	07-05-2017	00:00:00	0	0	0	5	0	
5647	08-05-2017	15:32:57	500	1000	100	5	0.746	
5647	09-05-2017	15:14:15	600	1050	100	5	1	
5647	10-05-2017	15:25:22	600	1050	100	5	0.857	
5647	11-05-2017	15:14:35	600	1050	100	5	0.397	
5647	12-05-2017	15:22:36	500	700	100	5	1.032	
5647	13-05-2017	15:14:40	500	700	100	5	0.937	
5647	14-05-2017	00:00:00	0	0	0	5	0	
5647	15-05-2017	00:00:00	0	0	0	5	0	
5647	16-05-2017	15:19:48	500	700	100	5	0.81	
5647	17-05-2017	15:12:05	600	1050	100	5	0.587	
5647	18-05-2017	15:14:35	500	1000	100	5	0.826	
5647	19-05-2017	15:14:06	500	700	100	5	0.445	
5647	20-05-2017	15:02:38	600	1050	100	5	0.349	
5647	21-05-2017	00:00:00	0	0	0	5	0	
5647	22-05-2017	15:15:45	600	1050	106	5	0.381	
5647	23-05-2017	15:16:07	600	1050	100	5	0.54	
5647	24-05-2017	13:04:36	500	700	100	5	0.826	
5647	25-05-2017	13:15:21	500	1000	100	5	0.27	
5647	26-05-2017	13:07:24	500	1000	100	5	0.524	
5647	27-05-2017	14:59:38	500	700	116.9	5	0.413	
5647	28-05-2017	15:02:15	500	700	100	5	0	
5647	29-05-2017	15:15:12	500	1000	100	5	0.286	
5647	30-05-2017	15:03:35	500	1000	100	5	0.413	
5647	31-05-2017	15:05:46	500	700	100	5	0.794	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-06-2017	15:18:06	500	760	100	5	0.492	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-06-2017	15:29:27	500	760	100	5	0.683	
5647	03-06-2017	15:18:37	500	760	100	5	0.27	
5647	04-06-2017	00:00:00	0	0	0	5	0	
5647	05-06-2017	00:00:00	0	0	0	5	0	
5647	06-06-2017	15:08:52	500	1080	100	5	0.683	
5647	07-06-2017	00:00:00	0	0	0	5	0	
5647	08-06-2017	15:01:06	500	1080	100	5	0.46	
5647	09-06-2017	15:14:43	500	1080	100	5	0.413	
5647	10-06-2017	15:03:58	500	760	100	5	1.048	
5647	11-06-2017	15:34:07	500	760	100	5	0.762	
5647	12-06-2017	00:00:00	0	0	0	5	0	
5647	13-06-2017	15:09:21	500	760	100	5	0.762	
5647	14-06-2017	15:42:40	500	760	100	5	0.826	
5647	15-06-2017	15:09:29	500	760	100	5	0.365	
5647	16-06-2017	15:06:28	500	760	100	5	0.27	
5647	17-06-2017	15:16:21	500	760	100	5	0.397	
5647	18-06-2017	15:11:10	500	760	106	5	0.889	
5647	19-06-2017	14:55:51	500	760	100	5	0.746	
5647	20-06-2017	15:27:37	500	760	100	5	0.603	
5647	21-06-2017	00:00:00	0	0	0	5	0	
5647	22-06-2017	00:00:00	0	0	0	5	0	
5647	23-06-2017	00:00:00	0	0	0	5	0	
5647	24-06-2017	00:00:00	0	0	0	5	0	
5647	25-06-2017	14:58:13	600	1200	100	5	0.78	
5647	26-06-2017	00:00:00	0	0	0	5	0	
5647	27-06-2017	15:05:50	500	760	100	5	0.413	
5647	28-06-2017	15:02:51	500	1080	100	5	0.524	
5647	29-06-2017	15:15:55	600	1200	100	5	0.572	
5647	30-06-2017	15:11:50	600	1200	100	5	1.111	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-07-2017	14:45:10	500	1080	100	5	0.778	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-07-2017	15:45:11	600	1200	100	5	0.746	
5647	03-07-2017	15:18:22	500	1050	100	5	0.841	
5647	04-07-2017	15:17:39	500	1050	100	5	0.667	
5647	05-07-2017	15:08:17	600	1200	100	5	0.524	
5647	06-07-2017	15:22:07	550	860	100	5	0.683	
5647	07-07-2017	15:20:06	550	1010	100	5	0.556	
5647	08-07-2017	15:10:09	500	1050	100	5	0.683	
5647	09-07-2017	15:16:06	550	860	100	5	0.556	
5647	10-07-2017	15:09:00	500	1050	100	5	0.778	
5647	11-07-2017	15:07:00	550	860	100	5	0.762	
5647	12-07-2017	00:00:00	0	0	0	5	0	
5647	13-07-2017	15:29:29	600	1200	100	5	0.841	
5647	14-07-2017	00:00:00	0	0	0	5	0	
5647	15-07-2017	15:42:58	550	860	100	5	0.762	
5647	16-07-2017	14:52:32	500	1080	100	5	0.27	
5647	17-07-2017	00:00:00	0	0	0	5	0	
5647	18-07-2017	00:00:00	0	0	0	5	0	
5647	19-07-2017	15:17:56	550	1200	100	5	1.207	
5647	20-07-2017	15:11:31	500	1080	112	5	0.826	
5647	21-07-2017	15:16:17	500	1080	100	5	1.207	
5647	22-07-2017	14:57:10	550	1200	100	5	0.826	
5647	23-07-2017	15:13:07	550	1010	100	5	0.841	
5647	24-07-2017	15:03:45	550	1010	100	5	0.603	
5647	25-07-2017	15:15:39	500	860	100	5	0.587	
5647	26-07-2017	15:25:53	600	1200	100	5	0.81	
5647	27-07-2017	15:09:14	600	1200	106	5	0.572	
5647	28-07-2017	15:17:04	500	1080	100	5	0.651	
5647	29-07-2017	15:30:48	500	1050	106	5	0.286	
5647	30-07-2017	15:06:02	500	1080	106	5	0.905	
5647	31-07-2017	15:12:52	600	860	100	5	0.286	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-08-2017	15:51:51	500	790	100	5	0.635	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-08-2017	16:02:02	500	790	100	5	0.714	
5647	03-08-2017	15:16:26	500	790	100	5	0.905	
5647	04-08-2017	15:00:48	500	1070	100	5	0.556	
5647	05-08-2017	15:17:52	500	1070	100	5	0.857	
5647	06-08-2017	15:38:18	500	1070	100	5	1.032	
5647	07-08-2017	14:50:47	500	1070	100	5	0.619	
5647	08-08-2017	15:25:08	500	790	100	5	0.476	
5647	09-08-2017	15:22:47	500	1070	100	5	0.619	
5647	10-08-2017	15:14:37	500	1070	100	5	0.905	
5647	11-08-2017	00:00:00	0	0	0	5	0	
5647	12-08-2017	15:25:39	500	790	100	5	0.778	
5647	13-08-2017	17:21:27	500	1070	100	5	0.587	
5647	14-08-2017	15:23:04	500	900	100	5	0.73	
5647	15-08-2017	15:17:41	500	1000	100	5	0.46	
5647	16-08-2017	15:10:44	500	1070	100	5	0.667	
5647	17-08-2017	15:06:24	500	750	100	5	0.73	
5647	18-08-2017	00:00:00	0	0	0	5	0	
5647	19-08-2017	00:00:00	0	0	0	5	0	
5647	20-08-2017	14:54:16	500	790	100	5	1.349	
5647	21-08-2017	15:45:02	500	1070	100	5	0.524	
5647	22-08-2017	16:41:14	550	1200	100	5	0.968	
5647	23-08-2017	16:05:39	500	790	100	5	0.762	
5647	24-08-2017	15:28:05	500	790	100	5	1.302	
5647	25-08-2017	15:30:57	500	790	106	5	0.349	
5647	26-08-2017	15:15:27	500	1000	106	5	0.318	
5647	27-08-2017	15:14:20	500	750	120.8	5	0.445	
5647	28-08-2017	00:00:00	0	0	0	5	0	
5647	29-08-2017	15:11:07	500	790	100	5	0.445	
5647	30-08-2017	15:39:15	500	790	100	5	0.524	
5647	31-08-2017	15:30:11	500	1000	100	5	0.445	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-09-2017	16:29:52	600	750	100	5	0.699	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-09-2017	15:20:27	650	980	100	5	0.746	
5647	03-09-2017	15:33:06	600	1200	100	5	0.46	
5647	04-09-2017	15:15:20	650	980	100	5	0.905	
5647	05-09-2017	15:17:00	650	980	100	5	0.54	
5647	06-09-2017	16:06:22	650	980	100	5	0.46	
5647	07-09-2017	16:05:04	650	980	100	5	0.905	
5647	08-09-2017	15:14:14	600	200	100	5	0.762	
5647	09-09-2017	15:35:21	650	980	100	5	0.778	
5647	10-09-2017	15:39:01	550	930	100	5	0.667	
5647	11-09-2017	15:15:23	650	980	100	5	0.746	
5647	12-09-2017	15:07:14	600	750	100	5	0.556	
5647	13-09-2017	15:17:01	600	750	100	5	0.81	
5647	14-09-2017	15:24:07	600	1200	100	5	1.238	
5647	15-09-2017	15:24:01	650	980	100	5	0.46	
5647	16-09-2017	15:15:00	600	1200	100	5	0.762	
5647	17-09-2017	15:16:58	650	980	100	5	0.556	
5647	18-09-2017	15:12:31	650	750	100	5	1.238	
5647	19-09-2017	00:00:00	0	0	0	5	0	
5647	20-09-2017	15:22:17	600	1200	100	5	0.762	
5647	21-09-2017	00:00:00	0	0	0	5	0	
5647	22-09-2017	15:31:15	650	750	100	5	0.968	
5647	23-09-2017	15:38:11	550	980	100	5	1.095	
5647	24-09-2017	15:12:43	600	1200	100	5	0.81	
5647	25-09-2017	15:07:24	600	1200	100	5	1.048	
5647	26-09-2017	15:13:12	600	1200	100	5	1	
5647	27-09-2017	15:16:42	600	1200	100	5	0.794	
5647	28-09-2017	14:56:55	600	1200	100	5	0.81	
5647	29-09-2017	00:00:00	0	0	0	5	0	
5647	30-09-2017	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-10-2017	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-10-2017	00:00:00	0	0	0	5	0	
5647	03-10-2017	00:00:00	0	0	0	5	0	
5647	04-10-2017	00:00:00	0	0	0	5	0	
5647	05-10-2017	00:00:00	0	0	0	5	0	
5647	06-10-2017	00:00:00	0	0	0	5	0	
5647	07-10-2017	00:00:00	0	0	0	5	0	
5647	08-10-2017	00:00:00	0	0	0	5	0	
5647	09-10-2017	15:21:17	500	900	100	5	1.064	
5647	10-10-2017	15:17:50	500	1070	106	5	1.021	
5647	11-10-2017	15:07:10	500	1070	100	5	0.968	
BE22136	12-10-2017	15:04:09	500	900	88	5	0.618	
BE22136	13-10-2017	15:43:06	500	730	115.7	5	0.855	
BE22136	14-10-2017	15:05:22	500	1070	103.5	5	1.203	
BE22136	15-10-2017	16:23:11	600	1200	109.2	5	0.787	
BE22136	16-10-2017	16:21:18	500	1070	88	5	1.089	
BE22136	17-10-2017	16:21:18	500	900	110.2	5	1.327	
BE22136	18-10-2017	15:02:12	600	1200	88	5	0.746	
BE22136	19-10-2017	15:22:19	500	1070	88	5	0.632	
BE22136	20-10-2017	00:00:00	0	0	0	5	0	
BE22136	21-10-2017	00:00:00	0	0	0	5	0	
BE22136	22-10-2017	15:25:31	500	1070	88	5	0.896	
BE22136	23-10-2017	15:08:41	600	1200	88	5	1.252	
BE22136	24-10-2017	15:22:24	500	900	88	5	0.612	
BE22136	25-10-2017	15:08:21	500	900	88	5	0.75	
BE22136	26-10-2017	16:05:31	600	1200	93.98	5	0.761	
BE22136	27-10-2017	15:14:31	600	1200	91.48	5	1.178	
BE22136	28-10-2017	15:16:31	500	900	100	5	1.591	
BE22136	29-10-2017	15:24:18	500	750	88	5	0.769	
BE22136	30-10-2017	15:37:14	500	1070	111.5	5	0.716	
BE22136	31-10-2017	15:34:39	500	900	93.98	5	0.811	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-11-2017	15:34:30	550	1200	88	5	0.757	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-11-2017	15:44:40	600	920	93.98	5	0.623	
BE22136	03-11-2017	00:00:00	0	0	0	5	0	
BE22136	04-11-2017	15:22:56	500	1070	88	5	0.935	
BE22136	05-11-2017	15:30:30	500	1070	88	5	0.955	
BE22136	06-11-2017	15:21:27	600	920	88	5	0.709	
BE22136	07-11-2017	15:17:39	500	1070	119.8	5	0.894	
BE22136	08-11-2017	15:19:24	500	1070	88	5	1.079	
BE22136	09-11-2017	15:21:17	500	1070	101	5	0.503	
BE22136	10-11-2017	15:17:50	500	730	88	5	0.754	
BE22136	11-11-2017	15:07:10	500	900	118.1	5	0.995	
BE22136	12-11-2017	00:00:00	0	0	0	5	0	
BE22136	13-11-2017	15:43:06	500	900	88	5	0.559	
BE22136	14-11-2017	00:00:00	0	0	0	5	0	
BE22136	15-11-2017	16:23:11	500	900	91.48	5	0.742	
BE22136	16-11-2017	16:21:18	550	1200	88	5	0.987	
BE22136	17-11-2017	16:21:18	600	920	88	5	0.558	
BE22136	18-11-2017	15:02:12	550	1200	88	5	0.633	
BE22136	19-11-2017	15:22:19	550	1200	104.9	5	0.514	
BE22136	20-11-2017	00:00:00	0	0	0	5	0	
BE22136	21-11-2017	00:00:00	0	0	0	5	0	
BE22136	22-11-2017	15:25:31	500	730	107	5	0.651	
BE22136	23-11-2017	15:08:41	500	90	88	5	0.784	
BE22136	24-11-2017	15:22:24	500	900	91.48	5	0.63	
BE22136	25-11-2017	15:08:21	600	900	88	5	0.745	
BE22136	26-11-2017	16:05:31	550	1200	88	5	0.914	
BE22136	27-11-2017	00:00:00	0	0	0	5	0	
BE22136	28-11-2017	15:16:31	500	730	88	5	0.929	
BE22136	29-11-2017	15:24:18	500	1070	102.8	5	0.913	
BE22136	30-11-2017	15:37:14	500	900	88	5	0.932	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-12-2017	15:34:30	550	1200	88	5	0.636	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-12-2017	15:44:40	500	900	88	5	0.64	
BE22136	03-12-2017	00:00:00	0	0	0	5	0	
BE22136	04-12-2017	15:22:56	600	900	91.48	5	0.696	
BE22136	05-12-2017	15:30:30	550	1200	88	5	0.982	
BE22136	06-12-2017	15:21:27	500	900	88	5	0.589	
BE22136	07-12-2017	00:00:00	0	0	0	5	0	
BE22136	08-12-2017	15:19:24	600	920	101.9	5	0.63	
BE22136	09-12-2017	15:21:17	600	900	91.48	5	1.511	
BE22136	10-12-2017	15:17:50	600	920	91.48	5	0.734	
BE22136	11-12-2017	15:07:10	500	900	88	5	0.883	
BE22136	12-12-2017	00:00:00	0	0	0	5	0	
BE22136	13-12-2017	15:43:06	500	1070	88	5	0.635	
BE22136	14-12-2017	00:00:00	0	0	0	5	0	
BE22136	15-12-2017	16:23:11	500	900	91.48	5	0.591	
BE22136	16-12-2017	00:00:00	0	0	0	5	0	
BE22136	17-12-2017	16:21:18	600	900	88	5	0.867	
BE22136	18-12-2017	15:02:12	600	920	88	5	0.726	
BE22136	19-12-2017	15:22:19	600	900	91.48	5	0.871	
BE22136	20-12-2017	00:00:00	0	0	0	5	0	
5647	21-12-2017	00:00:00	0	0	0	5	0	
5647	22-12-2017	15:25:31	550	1200	106	5	0.397	
5647	23-12-2017	15:08:41	500	900	109.5	5	0.381	
5647	24-12-2017	15:22:24	600	900	106	5	0.429	
5647	25-12-2017	15:08:21	500	900	109.5	5	0.603	
5647	26-12-2017	16:05:31	500	1070	106.9	5	0.27	
5647	27-12-2017	00:00:00	0	0	0	5	0	
5647	28-12-2017	15:16:31	500	730	100	5	0.746	
5647	29-12-2017	15:24:18	600	900	100	5	0.46	
5647	30-12-2017	15:37:14	500	900	100	5	0.413	
5647	31-12-2017	15:07:40	600	900	100	5	0.381	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-01-2018	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-01-2018	00:00:00	0	0	0	5	0	
5647	03-01-2018	00:00:00	0	0	0	5	0	
5647	04-01-2018	00:00:00	0	0	0	5	0	
5647	05-01-2018	15:58:28	500	980	100	5	0.556	
5647	06-01-2018	15:37:39	500	980	100	5	0.46	
5647	07-01-2018	00:00:00	0	0	0	5	0	
5647	08-01-2018	00:00:00	0	0	0	5	0	
5647	09-01-2018	15:01:20	500	980	100	5	0.413	
5647	10-01-2018	15:19:20	500	980	100	5	1.127	
5647	11-01-2018	15:17:43	500	980	100	5	0.572	
5647	12-01-2018	00:00:00	0	0	0	5	0	
5647	13-01-2018	00:00:00	0	0	0	5	0	
5647	14-01-2018	15:30:13	500	980	100	5	0.905	
5647	15-01-2018	00:00:00	0	0	0	5	0	
5647	16-01-2018	00:00:00	0	0	0	5	0	
5647	17-01-2018	00:00:00	0	0	0	5	0	
5647	18-01-2018	15:04:58	500	896	100	5	0.413	
5647	19-01-2018	15:14:10	500	896	100	5	0.286	
5647	20-01-2018	15:43:11	500	839	100	5	0.714	
5647	21-01-2018	15:35:30	500	896	100	5	1.127	
5647	22-01-2018	15:06:35	500	1150	100	5	0.873	
5647	23-01-2018	15:17:02	500	896	100	5	0.714	
5647	24-01-2018	15:41:32	500	980	100	5	0.683	
5647	25-01-2018	15:10:19	500	896	112	5	0.524	
5647	26-01-2018	15:06:31	500	896	112	5	0.381	
5647	27-01-2018	15:41:24	500	839	106	5	0.302	
5647	28-01-2018	15:10:38	500	839	100	5	0.333	
5647	29-01-2018	00:00:00	0	0	0	5	0	
5647	30-01-2018	15:20:22	500	980	100	5	0.381	
5647	31-01-2018	15:42:11	500	1150	100	5	0.54	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
5647	01-02-2018	15:10:28	500	970	100	5	0.669	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
5647	02-02-2018	00:00:00	0	0	0	5	0	
5647	03-02-2018	15:17:43	500	980	100	5	0.413	
5647	04-02-2018	15:06:44	500	970	100	5	0.699	
5647	05-02-2018	00:00:00	0	0	0	5	0	
5647	06-02-2018	15:00:55	500	930	100	5	0	
5647	07-02-2018	00:00:00	0	0	0	5	0	
5647	08-02-2018	00:00:00	0	0	0	5	0	
5647	09-02-2018	15:07:33	500	970	112	5	0.714	
5647	10-02-2018	00:00:00	0	0	0	5	0	
5647	11-02-2018	15:04:02	950	1590	115.6	5	0.572	
BE22135	12-02-2018	15:12:56	500	970	101	5	0.73	
BE22135	13-02-2018	15:21:55	500	970	107	5	1.178	
BE22135	14-02-2018	15:30:11	950	1590	107	5	0.813	
BE22135	15-02-2018	15:11:29	500	930	107.5	5	1.426	
BE22135	16-02-2018	15:07:15	500	930	88	5	0.539	
BE22135	17-02-2018	15:08:50	600	1250	91.48	5	0.73	
BE22135	18-02-2018	15:15:05	600	1250	122.4	5	0.762	
BE22135	19-02-2018	15:22:40	500	930	111.2	5	0.648	
BE22135	20-02-2018	14:55:57	600	1250	111.8	5	0.568	
BE22135	21-02-2018	15:04:07	500	930	115	5	0.508	
BE22135	22-02-2018	15:09:32	950	1390	114	5	0.823	
BE22135	23-02-2018	15:15:41	500	930	88	5	0.813	
BE22135	24-02-2018	15:17:22	500	930	88	5	0.648	
BE22135	25-02-2018	15:44:46	950	1590	104.9	5	0.898	
BE22135	26-02-2018	15:16:58	950	1590	88	5	0.539	
BE22135	27-02-2018	15:28:40	500	839	88	5	0.852	
BE22135	28-02-2018	15:07:07	650	1250	88	5	0.508	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-03-2018	16:07:38	500	840	106	5	0.648	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-03-2018	00:00:00	0	0	0	5	0	
BE22135	03-03-2018	15:15:21	500	980	109.2	5	0.751	
BE22135	04-03-2018	15:56:03	500	980	110.6	5	0.684	
BE22135	05-03-2018	15:11:14	950	1530	113.3	5	0.73	
BE22135	06-03-2018	15:09:25	500	1070	110.2	5	1.205	
BE22135	07-03-2018	15:08:22	500	980	119.3	5	0.698	
BE22135	08-03-2018	15:06:53	500	980	115.7	5	0.698	
BE22135	09-03-2018	15:41:47	500	1070	114.8	5	0.852	
BE22135	10-03-2018	15:35:32	500	840	124.9	5	0.783	
BE22135	11-03-2018	15:11:24	500	980	88	5	0.582	
BE22135	12-03-2018	15:15:43	650	1250	112	5	0.568	
BE22135	13-03-2018	15:36:02	500	840	117.1	5	0.524	
BE22135	14-03-2018	15:23:33	500	1150	88	5	0.833	
BE22135	15-03-2018	15:16:02	500	1150	111.2	5	0.648	
BE22135	16-03-2018	15:01:52	500	1150	124.3	5	0.648	
BE22135	17-03-2018	15:01:57	500	1150	124.4	5	0.684	
BE22135	18-03-2018	15:10:12	500	840	121.9	5	0.898	
BE22135	19-03-2018	15:09:09	500	1070	121.3	5	0.873	
BE22135	20-03-2018	16:09:09	500	840	117.2	5	0.773	
BE22135	21-03-2018	17:09:09	0	0	0	5	0	
BE22135	22-03-2018	18:09:09	0	0	0	5	0	
BE22135	23-03-2018	19:09:09	0	0	0	5	0	
BE22135	24-03-2018	20:09:09	0	0	0	5	0	
BE22135	25-03-2018	21:09:09	0	0	0	5	0	
BE22135	26-03-2018	22:09:09	0	0	0	5	0	
BE22135	27-03-2018	23:09:09	0	0	0	5	0	
BE22135	28-03-2018	00:09:09	0	0	0	5	0	
BE22135	29-03-2018	01:09:09	0	0	0	5	0	
BE22135	30-03-2018	02:09:09	0	0	0	5	0	
BE22135	31-03-2018	03:09:09	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-07-2018	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-07-2018	00:00:00	0	0	0	5	0	
BE22135	03-07-2018	00:00:00	0	0	0	5	0	
BE22135	04-07-2018	00:00:00	0	0	0	5	0	
BE22135	05-07-2018	00:00:00	0	0	0	5	0	
BE22135	06-07-2018	00:00:00	0	0	0	5	0	
BE22135	07-07-2018	00:00:00	0	0	0	5	0	
BE22135	08-07-2018	00:00:00	0	0	0	5	0	
BE22135	09-07-2018	00:00:00	0	0	0	5	0	
BE22135	10-07-2018	00:00:00	0	0	0	5	0	
BE22136	11-07-2018	14:45:04	500	1180	117.9	5	0.696	
BE22136	12-07-2018	00:00:00	0	0	0	5	0	
BE22136	13-07-2018	14:44:59	600	1200	12	5	0.95	
BE22136	14-07-2018	14:28:39	600	1200	105	5	0.582	
BE22136	15-07-2018	00:00:00	0	0	0	5	0	
BE22136	16-07-2018	00:00:00	0	0	0	5	0	
BE22136	17-07-2018	00:00:00	0	0	0	5	0	
BE22136	18-07-2018	15:17:58	800	1420	111.8	5	0.976	
BE22136	19-07-2018	14:57:13	800	1420	118.1	5	0.635	
BE22136	20-07-2018	00:00:00	0	0	0	5	0	
BE22136	21-07-2018	16:07:57	800	1420	121.6	5	0.66	
BE22136	22-07-2018	00:00:00	0	0	0	5	0	
BE22136	23-07-2018	15:02:39	600	1200	112.3	5	0.539	
BE22136	24-07-2018	15:08:01	600	1200	100	5	0.568	
BE22136	25-07-2018	15:59:22	600	1200	119.6	5	0.696	
BE22136	26-07-2018	15:02:49	500	1180	127.1	5	0.582	
BE22136	27-07-2018	14:55:04	800	1420	131.6	5	1.596	
BE22136	28-07-2018	14:58:32	600	1250	136.4	5	0.684	
BE22136	29-07-2018	15:07:56	600	1200	117.4	5	0.73	
BE22136	30-07-2018	16:51:13	600	1200	135.5	5	1.1032	
BE22136	31-07-2018	15:12:45	650	1270	123.4	5	0.622	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-08-2018	15:09:25	600	1200	93.98	5	1.257	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-08-2018	15:57:15	900	1500	118.1	5	0.539	
BE22136	03-08-2018	15:30:34	900	1500	131.4	5	0.582	
BE22136	04-08-2018	15:27:28	1000	1650	98.84	5	0.648	
BE22135	05-08-2018	15:31:45	600	1250	116.4	5	0.648	
BE22135	06-08-2018	15:35:55	800	1420	88	5	0.524	
BE22135	07-08-2018	15:38:08	700	1320	88	5	0.635	
BE22136	08-08-2018	15:41:54	700	1320	126.6	5	0.582	
BE22136	09-08-2018	16:23:53	700	1320	101.9	5	0.622	
BE22136	10-08-2018	15:21:12	600	1200	88	5	0.524	
BE22136	11-08-2018	00:00:00	0	0	0	5	0	
BE22136	12-08-2018	00:00:00	0	0	0	5	0	
BE22136	13-08-2018	00:00:00	0	0	0	5	0	
BE22136	14-08-2018	00:00:00	0	0	0	5	0	
BE22136	15-08-2018	00:00:00	0	0	0	5	0	
BE22136	16-08-2018	15:08:03	500	1100	91.48	5	0.582	
BE22136	17-08-2018	15:18:32	600	1200	123.2	5	0.596	
BE22135	18-08-2018	15:35:33	600	1250	88	5	0.741	
BE22136	19-08-2018	00:00:00	0	0	0	5	0	
BE22136	20-08-2018	00:00:00	0	0	0	5	0	
BE22136	21-08-2018	14:57:06	600	1200	112.8	5	0.907	
BE22136	22-08-2018	15:00:26	900	1500	115.2	5	0.66	
BE22136	23-08-2018	15:29:11	900	1500	119.3	5	0.568	
BE22136	24-08-2018	00:00:00	0	0	0	5	0	
BE22136	25-08-2018	00:00:00	0	0	0	5	0	
BE22136	26-08-2018	00:00:00	0	0	0	5	0	
BE22136	27-08-2018	00:00:00	0	0	0	5	0	
BE22136	28-08-2018	00:00:00	0	0	0	5	0	
BE22135	29-08-2018	15:38:30	600	1200	131.5	5	0.311	
BE22135	30-08-2018	15:08:04	600	1200	132.2	5	0.311	
BE22135	31-08-2018	15:28:27	600	1200	88	5	0.622	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-09-2018	16:07:56	600	1200	122.4	5	0.66	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-09-2018	15:15:37	600	1250	91.48	5	0.539	
BE22135	03-09-2018	15:33:37	600	1250	88	5	0.568	
BE22135	04-09-2018	15:16:37	600	1250	117.2	5	0.539	
BE22135	05-09-2018	15:46:04	600	1250	135.7	5	0.381	
BE22135	06-09-2018	15:28:26	600	1250	88	5	0.73	
BE22135	07-09-2018	15:21:40	600	1250	127.1	5	0.684	
BE22135	08-09-2018	15:41:00	1000	1630	91.48	5	0.539	
BE22135	09-09-2018	15:19:35	600	1200	141	5	0.22	
BE22135	10-09-2018	15:29:29	600	1250	88	5	0.582	
BE22135	11-09-2018	15:36:00	600	1250	131.5	5	0.622	
BE22135	12-09-2018	15:53:53	1000	1630	88	5	0.718	
BE22135	13-09-2018	15:45:10	600	1200	88	5	0.907	
BE22135	14-09-2018	15:19:39	600	1200	130.5	5	0.22	
BE22135	15-09-2018	14:59:39	600	1250	121.1	5	0.783	
BE22135	16-09-2018	15:55:57	650	1270	125.2	5	0.73	
BE22135	17-09-2018	16:18:55	600	1250	130.5	5	0.75	
BE22135	18-09-2018	15:20:25	600	1200	88	5	0.539	
BE22135	19-09-2018	15:21:11	600	1250	88	5	0.806	
BE22135	20-09-2018	15:31:58	600	1250	100	5	0.89	
BE22135	21-09-2018	15:12:18	600	1250	93.98	5	1.159	
BE22135	22-09-2018	15:36:23	800	1630	98.84	5	0.882	
BE22135	23-09-2018	15:35:57	650	1270	91.48	5	0.914	
BE22135	24-09-2018	15:28:17	650	1270	88	5	0.649	
BE22135	25-09-2018	15:23:07	600	1250	88	5	0.914	
BE22135	26-09-2018	15:08:36	700	1420	103.5	5	0.825	
BE22135	27-09-2018	15:16:51	600	1250	88	5	0.86	
BE22135	28-09-2018	16:39:46	700	1420	88	5	0.79	
BE22135	29-09-2018	15:03:49	1000	1630	88	5	0.738	
BE22135	30-09-2018	15:38:20	1000	1630	88	5	1.345	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-10-2018	15:37:46	650	1270	102.8	5	0.593	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-10-2018	16:26:51	650	1270	95.92	5	0.828	
BE22135	03-10-2018	00:00:00	0	0	0	5	0	
BE22135	04-10-2018	00:00:00	0	0	0	5	0	
BE22135	05-10-2018	15:35:29	1000	1630	98.84	5	0.794	
BE22135	06-10-2018	15:15:18	650	1270	88	5	0.831	
BE22135	07-10-2018	15:13:14	1000	1630	115.9	5	0.697	
BE22135	08-10-2018	00:00:00	0	0	0	5	0	
BE22135	09-10-2018	00:00:00	0	0	0	5	0	
BE22135	10-10-2018	15:21:18	500	970	101	5	0.668	
BE22135	11-10-2018	00:00:00	0	0	0	5	0	
BE22135	12-10-2018	15:42:01	600	1170	118.6	5	1.783	
BE22135	13-10-2018	15:17:59	600	1170	128.3	5	0.813	
BE22135	14-10-2018	15:23:18	600	1170	112	5	1.513	
BE22135	15-10-2018	15:32:24	500	970	127.8	5	0.66	
BE22135	16-10-2018	00:00:00	0	0	0	5	0	
BE22135	17-10-2018	00:00:00	0	0	0	5	0	
BE22135	18-10-2018	00:00:00	0	0	0	5	0	
BE22135	19-10-2018	15:53:55	650	1270	104.9	5	0.907	
BE22135	20-10-2018	15:36:56	600	1250	125.8	5	1.055	
BE22135	21-10-2018	00:00:00	0	0	0	5	0	
BE22135	22-10-2018	00:00:00	0	0	0	5	0	
BE22135	23-10-2018	16:41:00	600	1250	88	5	0.73	
BE22135	24-10-2018	15:44:29	650	1270	88	5	0.684	
BE22135	25-10-2018	15:21:39	600	1250	91.48	5	1.055	
BE22135	26-10-2018	15:32:28	650	1270	123.8	5	0.582	
BE22135	27-10-2018	15:11:41	600	1250	124.1	5	0.741	
BE22135	28-10-2018	16:18:00	650	1270	127.8	5	0.813	
BE22135	29-10-2018	15:28:12	700	1400	128.6	5	0.648	
BE22135	30-10-2018	15:09:02	650	1270	116.7	5	0.568	
BE22135	31-10-2018	15:17:06	650	1270	116.3	5	0.539	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-11-2018	15:48:37	800	1400	132.1	5	0.762	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-11-2018	15:15:23	600	1180	126.4	5	1.314	
BE22135	03-11-2018	15:26:56	600	1180	109.2	5	0.524	
BE22135	04-11-2018	15:42:07	800	1400	97.5	5	0.648	
BE22135	05-11-2018	15:17:41	600	1180	112.3	5	0.568	
BE22135	06-11-2018	15:30:17	800	1400	114.8	5	0.524	
BE22135	07-11-2018	14:43:28	600	1180	88	5	0.803	
BE22135	08-11-2018	00:00:00	0	0	0	5	0	
BE22135	09-11-2018	15:22:59	800	1400	119.8	5	0.568	
BE22135	10-11-2018	15:36:02	600	1180	117.9	5	0.933	
BE22135	11-11-2018	15:39:26	800	1400	93.98	5	0.539	
BE22135	12-11-2018	15:59:54	750	1400	88	5	0.524	
BE22135	13-11-2018	00:00:00	0	0	0	5	0	
BE22135	14-11-2018	15:20:31	750	1400	123.4	5	0.696	
BE22135	15-11-2018	15:16:51	750	1400	88	5	0.582	
BE22135	16-11-2018	15:20:24	750	1400	126.3	5	1.943	
BE22135	17-11-2018	15:13:07	550	1180	123.2	5	0.88	
BE22135	18-11-2018	15:15:41	800	1400	122.8	5	0.66	
BE22135	19-11-2018	15:30:57	750	1400	115.7	5	0.88	
BE22135	20-11-2018	15:10:18	750	1400	122.9	5	1.205	
BE22135	21-11-2018	15:17:25	750	1400	124.9	5	0.648	
BE22135	22-11-2018	00:00:00	0	0	0	5	0	
BE22135	23-11-2018	15:28:04	600	1180	119.4	5	0.582	
BE22135	24-11-2018	15:48:43	600	1180	117.2	5	0.524	
BE22135	25-11-2018	15:26:02	750	1400	105.5	5	0.239	
BE22135	26-11-2018	15:06:38	750	1400	130.6	5	0.751	
BE22135	27-11-2018	15:03:47	750	1400	113.8	5	0.684	
BE22135	28-11-2018	15:23:29	600	1180	117.6	5	1.314	
BE22135	29-11-2018	15:47:53	600	1180	129.3	5	1.047	
BE22135	30-11-2018	15:21:43	600	1180	115.6	5	0.596	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-12-2018	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-12-2018	15:19:02	850	1860	125.4	5	0.648	
BE22135	03-12-2018	15:31:50	600	1180	114.2	5	1.178	
BE22135	04-12-2018	15:11:05	600	1180	124.4	5	0.741	
BE22135	05-12-2018	15:17:05	800	1400	123.5	5	1.257	
BE22135	06-12-2018	00:00:00	0	0	0	5	0	
BE22135	07-12-2018	00:00:00	0	0	0	5	0	
BE22135	08-12-2018	00:00:00	0	0	0	5	0	
BE22135	09-12-2018	00:00:00	0	0	0	5	0	
BE22135	10-12-2018	00:00:00	0	0	0	5	0	
BE22135	11-12-2018	00:00:00	0	0	0	5	0	
BE22135	12-12-2018	15:12:44	600	1180	117.8	5	1.454	
BE22135	13-12-2018	15:09:46	600	1180	120.9	5	1.231	
BE22135	14-12-2018	15:11:21	800	1400	126.8	5	1.114	
BE22135	15-12-2018	00:00:00	0	0	0	5	0	
BE22135	16-12-2018	15:25:45	750	1400	100	5	0.925	
BE22135	17-12-2018	00:00:00	0	0	0	5	0	
BE22135	18-12-2018	15:00:17	600	1180	100	5	0.524	
BE22135	19-12-2018	15:21:57	800	1400	100	5	1	
BE22135	20-12-2018	00:00:00	0	0	0	5	0	
BE22135	21-12-2018	00:00:00	0	0	0	5	0	
BE22135	22-12-2018	00:00:00	0	0	0	5	0	
BE22135	23-12-2018	15:43:09	600	1180	121.3	5	0.861	
BE22135	24-12-2018	15:11:44	600	1180	91.48	5	0.539	
BE22135	25-12-2018	15:06:16	800	1400	122.9	5	0.803	
BE22135	26-12-2018	15:02:58	600	1180	120.5	5	0.773	
BE22135	27-12-2018	15:08:47	600	1180	88	5	0.539	
BE22135	28-12-2018	15:10:23	600	1180	111.8	5	0.539	
BE22135	29-12-2018	00:00:00	0	0	0	5	0	
BE22135	30-12-2018	15:11:31	600	1180	88	5	0.524	
BE22135	31-12-2018	12:58:16	600	1180	101.9	5	0.696	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-01-2019	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-01-2019	15:19:47	600	1230	95.92	5	0.539	
BE22135	03-01-2019	15:12:57	850	1520	129.8	5	0.508	
BE22135	04-01-2019	15:40:28	850	1520	119	5	0.582	
BE22135	05-01-2019	15:00:49	850	1520	109.2	5	0.66	
BE22135	06-01-2019	00:00:00	0	0	0	5	0	
BE22135	07-01-2019	15:16:50	850	1520	91.48	5	0.524	
BE22135	08-01-2019	15:02:38	900	1800	93.98	5	0.933	
BE22136	09-01-2019	14:58:10	600	1230	134.9	5	1.535	
BE22136	10-01-2019	15:00:44	600	1230	88	5	0.66	
BE22136	11-01-2019	14:55:18	800	1470	88	5	0.582	
BE22136	12-01-2019	14:57:46	850	1520	114.6	5	0.648	
BE22136	13-01-2019	00:00:00	0	0	0	5	0	
BE22136	14-01-2019	15:02:22	700	1300	110.6	5	0.648	
BE22136	15-01-2019	00:00:00	0	0	0	5	0	
BE22136	16-01-2019	14:53:39	500	990	103.5	5	0.622	
BE22136	17-01-2019	15:38:13	500	990	107	5	0.684	
BE22136	18-01-2019	15:04:33	750	1860	133.5	5	0.684	
BE22136	19-01-2019	14:52:57	850	1860	91.48	5	0.582	
BE22136	20-01-2019	14:56:59	700	1520	136.7	5	0.684	
BE22136	21-01-2019	15:29:18	650	1520	134.6	5	0.73	
BE22136	22-01-2019	14:57:02	750	1520	127.4	5	0.524	
BE22136	23-01-2019	14:56:34	750	1520	103.5	5	0.539	
BE22136	24-01-2019	14:56:04	750	1520	132.8	5	0.889	
BE22136	25-01-2019	00:00:00	0	0	0	5	0	
BE22136	26-01-2019	00:00:00	0	0	0	5	0	
BE22136	27-01-2019	00:00:00	0	0	0	5	0	
BE22136	28-01-2019	00:00:00	0	0	0	5	0	
BE22136	29-01-2019	00:00:00	0	0	0	5	0	
BE22136	30-01-2019	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-02-2019	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-02-2019	00:00:00	0	0	0	5	0	
BE22136	03-02-2019	00:00:00	0	0	0	5	0	
BE22136	04-02-2019	00:00:00	0	0	0	5	0	
BE22136	05-02-2019	00:00:00	0	0	0	5	0	
BE22136	06-02-2019	00:00:00	0	0	0	5	0	
BE22136	07-02-2019	00:00:00	0	0	0	5	0	
BE22136	08-02-2019	00:00:00	0	0	0	5	0	
BE22136	09-02-2019	00:00:00	0	0	0	5	0	
BE22136	10-02-2019	00:00:00	0	0	0	5	0	
BE22136	11-02-2019	00:00:00	0	0	0	5	0	
BE22136	12-02-2019	00:00:00	0	0	0	5	0	
BE22136	13-02-2019	00:00:00	0	0	0	5	0	
BE22136	14-02-2019	00:00:00	0	0	0	5	0	
BE22136	15-02-2019	00:00:00	0	0	0	5	0	
BE22136	16-02-2019	00:00:00	0	0	0	5	0	
BE22136	17-02-2019	00:00:00	0	0	0	5	0	
BE22136	18-02-2019	00:00:00	0	0	0	5	0	
BE22136	19-02-2019	00:00:00	0	0	0	5	0	
BE22136	20-02-2019	00:00:00	0	0	0	5	0	
BE22136	21-02-2019	00:00:00	0	0	0	5	0	
BE22136	22-02-2019	00:00:00	0	0	0	5	0	
BE22136	23-02-2019	00:00:00	0	0	0	5	0	
BE22136	24-02-2019	00:00:00	0	0	0	5	0	
BE22136	25-02-2019	14:59:54	800	1470	129.8	5	0.696	
BE22136	26-02-2019	15:14:07	900	1520	122.8	5	0.648	
BE22136	27-02-2019	14:59:29	800	1470	124.3	5	0.596	
BE22136	28-02-2019	14:55:00	900	1520	109.5	5	0.524	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-03-2019	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-03-2019	00:00:00	0	0	0	5	0	
BE22136	03-03-2019	15:36:54	850	1860	123.4	5	0.582	
BE22136	04-03-2019	00:00:00	0	0	0	5	0	
BE22136	05-03-2019	00:00:00	0	0	0	5	0	
BE22136	06-03-2019	15:08:35	500	1050	116.1	5	0.684	
BE22136	07-03-2019	00:00:00	0	0	0	5	0	
BE22136	08-03-2019	16:05:05	850	1860	126.1	5	0	
BE22136	09-03-2019	15:20:00	750	1400	116.1	5	0.684	
BE22136	10-03-2019	15:20:13	500	1050	97.5	5	0.773	
BE22136	11-03-2019	15:21:16	500	1050	127.4	5	2.386	
BE22136	12-03-2019	00:00:00	0	0	0	5	0	
BE22136	13-03-2019	15:16:19	850	1520	88	5	0.582	
BE22136	14-03-2019	15:28:44	800	1470	97.5	5	0.508	
BE22136	15-03-2019	15:11:09	500	1050	119.9	5	0.508	
BE22136	16-03-2019	14:51:20	500	1050	125.6	5	0.524	
BE22136	17-03-2019	00:00:00	0	0	0	5	0	
BE22136	18-03-2019	00:00:00	0	0	0	5	0	
BE22136	19-03-2019	14:58:10	650	1520	130.3	5	0.696	
BE22136	20-03-2019	00:00:00	0	0	0	5	0	
BE22136	21-03-2019	00:00:00	0	0	0	5	0	
BE22136	22-03-2019	15:17:14	750	1400	95.92	5	0.524	
BE22136	23-03-2019	15:16:14	500	1050	97.5	5	1.905	
BE22136	24-03-2019	15:26:10	650	1290	15.3	5	0.582	
BE22136	25-03-2019	15:06:26	750	1400	125.6	5	1.078	
BE22136	26-03-2019	15:18:29	800	1630	102.8	5	0.803	
BE22136	27-03-2019	15:05:12	650	1290	88	5	1.143	
BE22136	28-03-2019	00:00:00	0	0	0	5	0	
BE22136	29-03-2019	00:00:00	0	0	0	5	0	
BE22136	30-03-2019	00:00:00	0	0	0	5	0	
BE22136	31-03-2019	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22136	01-04-2019	15:51:31	800	1630	129.4	5	0.813	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22136	02-04-2019	14:52:29	700	1400	88	5	0.741	
BE22135	03-04-2019	03:10:00	850	1860	137.5	5	0.524	
BE22135	04-04-2019	03:23:48	850	1860	137.5	5	0.635	
BE22135	05-04-2019	03:37:31	500	1050	137.7	5	0.524	
BE22135	06-04-2019	03:13:55	800	1400	138.2	5	0.813	
BE22135	07-04-2019	00:00:00	0	0	0	5	0	
BE22135	08-04-2019	00:00:00	0	0	0	5	0	
BE22135	09-04-2019	03:24:19	700	1650	137.9	5	0.539	
BE22135	10-04-2019	03:28:44	700	1650	137.6	5	1.078	
BE22135	11-04-2019	03:12:36	700	1650	137.6	5	0.508	
BE22135	12-04-2019	00:00:00	0	0	0	5	0	
BE22135	13-04-2019	03:36:23	700	1650	137.6	5	0.508	
BE22135	14-04-2019	03:40:44	700	1860	137.8	5	0.596	
BE22135	15-04-2019	00:00:00	0	0	0	5	0	
BE22135	16-04-2019	03:26:11	700	1650	137.7	5	0.813	
BE22135	17-04-2019	03:19:06	700	1650	137.7	5	1.055	
BE22135	18-04-2019	03:06:48	700	1650	137.7	5	0.568	
BE22135	19-04-2019	03:12:57	850	1860	137.6	5	0.505	
BE22135	20-04-2019	00:00:00	0	0	0	5	0	
BE22135	21-04-2019	03:05:35	850	1860	137.8	5	0.648	
BE22135	22-04-2019	03:19:56	800	1400	137.7	5	0.635	
BE22135	23-04-2019	00:21:09	800	1650	137.8	5	0.741	
BE22135	24-04-2019	00:16:37	750	1400	137.7	5	1.024	
BE22135	25-04-2019	00:17:54	750	1520	137.6	5	1.283	
BE22135	26-04-2019	00:24:14	700	1650	137.9	5	0.648	
BE22135	27-04-2019	00:18:16	800	1520	137.7	5	0.648	
BE22135	28-04-2019	00:16:59	800	1630	137.9	5	0.696	
BE22135	29-04-2019	00:16:15	700	1650	137.7	5	0.852	
BE22135	30-04-2019	00:44:44	700	1650	137.7	5	0.582	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-05-2019	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-05-2019	00:00:00	0	0	0	5	0	
BE22135	03-05-2019	00:00:00	0	0	0	5	0	
BE22135	04-05-2019	00:00:00	0	0	0	5	0	
BE22135	05-05-2019	00:00:00	0	0	0	5	0	
BE22135	06-05-2019	00:00:00	0	0	0	5	0	
BE22135	07-05-2019	00:00:00	0	0	0	5	0	
BE22135	08-05-2019	00:00:00	0	0	0	5	0	
BE22135	09-05-2019	00:00:00	0	0	0	5	0	
BE22135	10-05-2019	00:00:00	0	0	0	5	0	
BE22135	11-05-2019	00:00:00	0	0	0	5	0	
BE22135	12-05-2019	00:00:00	0	0	0	5	0	
BE22135	13-05-2019	00:00:00	0	0	0	5	0	
BE22135	14-05-2019	00:00:00	0	0	0	5	0	
BE22135	15-05-2019	00:00:00	0	0	0	5	0	
BE22135	16-05-2019	00:00:00	0	0	0	5	0	
BE22135	17-05-2019	00:00:00	0	0	0	5	0	
BE22135	18-05-2019	00:00:00	0	0	0	5	0	
BE22135	19-05-2019	00:00:00	0	0	0	5	0	
BE22135	20-05-2019	00:00:00	0	0	0	5	0	
BE22135	21-05-2019	00:00:00	0	0	0	5	0	
BE22135	22-05-2019	00:00:00	0	0	0	5	0	
BE22135	23-05-2019	00:00:00	0	0	0	5	0	
BE22135	24-05-2019	12:04:54	750	1620	137.6	5	0.539	
BE22135	25-05-2019	12:12:37	850	1860	137.7	5	0.508	
BE22135	26-05-2019	12:13:35	600	1630	138	5	0.524	
BE22135	27-05-2019	12:44:05	700	1650	137.8	5	1.368	
BE22135	28-05-2019	12:17:02	750	1620	137.7	5	1.576	
BE22135	29-05-2019	12:11:51	750	1620	137.5	5	0.861	
BE22135	30-05-2019	12:32:28	700	1650	137.3	5	1.823	
BE22135	31-05-2019	12:30:29	700	1650	137.7	5	0.907	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-06-2019	12:06:15	700	1650	137.7	5	0.582	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-06-2019	12:07:28	700	1650	137.9	5	0.568	
BE22135	03-06-2019	12:21:34	700	1650	137.5	5	0.648	
BE22135	04-06-2019	12:42:35	700	1650	137.7	5	2.004	
BE22135	05-06-2019	12:34:40	750	1620	137.8	5	0.539	
BE22135	06-06-2019	00:00:00	0	0	0	5	0	
BE22135	07-06-2019	12:14:03	750	1620	137.7	5	1.314	
BE22135	08-06-2019	00:00:00	0	0	0	5	0	
BE22135	09-06-2019	12:06:52	750	1400	137.9	5	1.408	
BE22135	10-06-2019	12:14:15	750	1520	137.3	5	2.232	
BE22135	11-06-2019	12:08:23	750	1520	137.7	5	0.684	
BE22135	12-06-2019	12:16:16	700	1650	137.9	5	0.508	
BE22135	13-06-2019	12:09:28	750	1400	137.9	5	0.539	
BE22135	14-06-2019	12:35:39	850	1860	137.7	5	1.42	
BE22135	15-06-2019	12:30:14	750	1520	138	5	0.73	
BE22135	16-06-2019	12:24:20	650	1710	137.9	5	0.524	
BE22135	17-06-2019	00:00:00	0	0	0	5	0	
BE22135	18-06-2019	00:00:00	0	0	0	5	0	
BE22135	19-06-2019	15:10:08	650	1710	138	5	0.582	
BE22135	20-06-2019	00:00:00	0	0	0	5	0	
BE22135	21-06-2019	15:14:05	750	1520	137.2	5	0.524	
BE22135	22-06-2019	15:20:01	650	1710	137.5	5	0.568	
BE22135	23-06-2019	15:01:42	850	1860	137.2	5	0.773	
BE22135	24-06-2019	15:15:22	750	1400	137.6	5	0.648	
BE22135	25-06-2019	14:59:32	850	1860	137.5	5	0.696	
BE22135	26-06-2019	15:02:43	750	1620	137.4	5	0.568	
BE22135	27-06-2019	15:28:37	750	1620	138	5	1.092	
BE22135	28-06-2019	14:55:15	750	1620	137.5	5	1.032	
BE22135	29-06-2019	00:00:00	0	0	0	5	0	
BE22135	30-06-2019	15:19:57	800	1520	1337.3	5	1.1	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-07-2019	15:11:28	650	1710	137.3	5	0.684	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-07-2019	00:00:00	0	0	0	5	0	
BE22135	03-07-2019	15:46:29	700	1450	137.4	5	0.539	
BE22135	04-07-2019	15:20:07	700	1450	137.2	5	0.524	
BE22135	05-07-2019	15:03:00	700	1450	137.2	5	648	
BE22135	06-07-2019	15:12:25	700	1450	137.4	5	0.582	
BE22135	07-07-2019	14:41:55	750	1620	137.3	5	2.012	
BE22135	08-07-2019	00:00:00	0	0	0	5	0	
BE22135	09-07-2019	14:55:38	850	1860	137.8	5	0.73	
BE22135	10-07-2019	15:07:04	700	1450	137.6	5	0.568	
BE22135	11-07-2019	16:15:04	750	1620	137.5	5	1.231	
BE22135	12-07-2019	00:00:00	0	0	0	5	0	
BE22135	13-07-2019	15:28:50	650	1710	137.5	5	0.568	
BE22135	14-07-2019	15:03:08	750	1620	137.5	5	0.524	
BE22135	15-07-2019	00:00:00	0	0	0	5	0	
BE22135	16-07-2019	15:21:27	850	1860	137.5	5	1.326	
BE22135	17-07-2019	15:14:02	700	1450	138	5	0.539	
BE22135	18-07-2019	14:58:44	700	1450	137.3	5	0.524	
BE22135	19-07-2019	15:32:15	850	1650	137.3	5	0.524	
BE22135	20-07-2019	14:45:08	850	1860	137.2	5	1.055	
BE22135	21-07-2019	15:12:47	700	1530	137.3	5	0.635	
BE22135	22-07-2019	14:56:27	700	1450	137.5	5	0.524	
BE22135	23-07-2019	15:04:31	850	1860	137.5	5	0.718	
BE22135	24-07-2019	14:55:33	600	1150	137.6	5	0.783	
BE22135	25-07-2019	15:00:19	850	1860	137.5	5	0.73	
BE22135	26-07-2019	00:00:00	0	0	0	5	0	
BE22135	27-07-2019	00:00:00	0	0	0	5	0	
BE22135	28-07-2019	00:00:00	0	0	0	5	0	
BE22135	29-07-2019	00:00:00	0	0	0	5	0	
BE22135	30-07-2019	15:43:15	600	1150	137.3	5	0.73	
BE22135	31-07-2019	15:30:30	600	1150	137.4	5	1.656	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-08-2019	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-08-2019	00:00:00	0	0	0	5	0	
BE22135	03-08-2019	00:00:00	0	0	0	5	0	
BE22135	04-08-2019	15:33:37	600	1150	137.5	5	0.524	
BE22135	05-08-2019	15:09:31	750	1660	137.4	5	0.684	
BE22135	06-08-2019	00:00:00	0	0	0	5	0	
BE22135	07-08-2019	00:00:00	0	0	0	5	0	
BE22135	08-08-2019	15:52:44	600	1150	136.9	5	2.543	
BE22135	09-08-2019	15:09:17	600	1150	137.3	5	0.568	
BE22135	10-08-2019	15:25:05	600	1150	137.5	5	0.635	
BE22135	11-08-2019	00:00:00	0	0	0	5	0	
BE22135	12-08-2019	16:02:41	600	1150	137.1	5	0.648	
BE22135	13-08-2019	15:13:02	750	1870	137.5	5	0.622	
BE22135	14-08-2019	15:02:08	600	1150	137.2	5	0.582	
BE22135	15-08-2019	15:18:19	600	1150	137.3	5	0.648	
BE22135	16-08-2019	15:14:02	750	1860	137.2	5	1.178	
BE22135	17-08-2019	15:17:57	600	1150	137.4	5	0.582	
BE22135	18-08-2019	00:00:00	0	0	0	5	0	
BE22135	19-08-2019	14:48:56	600	1150	137.3	5	0.696	
BE22135	20-08-2019	14:57:58	600	1150	137.2	5	1.616	
BE22135	21-08-2019	15:03:30	600	1150	136.9	5	2.603	
BE22135	22-08-2019	14:48:15	600	1150	136.9	5	0.684	
BE22135	23-08-2019	00:00:00	0	0	0	5	0	
BE22135	24-08-2019	14:44:59	600	1150	137.1	5	0.524	
BE22135	25-08-2019	00:00:00	0	0	0	5	0	
BE22135	26-08-2019	14:45:51	750	1870	137.4	5	0.907	
BE22135	27-08-2019	15:25:41	600	1150	137.6	5	0.568	
BE22135	28-08-2019	15:14:35	600	1150	137.6	5	0.813	
BE22135	29-08-2019	16:36:29	600	1150	88	5	0.568	
BE22135	30-08-2019	15:33:09	750	1870	137.3	5	1.55	
BE22135	31-08-2019	14:56:11	600	1150	137.4	5	0.696	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-09-2019	14:55:28	750	1990	137.1	5	1.55	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-09-2019	00:00:00	0	0	0	5	0	
BE22135	03-09-2019	15:04:55	750	1990	137.3	5	0.696	
BE22135	04-09-2019	14:58:43	750	1990	137.1	5	0.524	
BE22135	05-09-2019	14:52:39	750	1470	137.2	5	0.568	
BE22135	06-09-2019	00:00:00	0	0	0	5	0	
BE22135	07-09-2019	15:06:26	750	1470	137.2	5	0.803	
BE22135	08-09-2019	00:00:00	0	0	0	5	0	
BE22135	09-09-2019	00:00:00	0	0	0	5	0	
BE22135	10-09-2019	13:26:02	750	1990	93.98	5	0.539	
BE22135	11-09-2019	15:24:13	700	1660	137.2	5	0.582	
BE22135	12-09-2019	14:48:27	700	1660	137.2	5	0.684	
BE22135	13-09-2019	00:00:00	0	0	0	5	0	
BE22135	14-09-2019	00:00:00	0	0	0	5	0	
BE22135	15-09-2019	15:02:22	650	1470	137.3	5	0.751	
BE22135	16-09-2019	00:00:00	0	0	0	5	0	
BE22135	17-09-2019	14:55:49	750	1390	137.2	5	0.524	
BE22135	18-09-2019	14:35:49	750	1990	137.2	5	0.539	
BE22135	19-09-2019	14:56:50	700	1660	137.7	5	0.635	
BE22135	20-09-2019	15:21:02	750	1390	137.2	5	0.66	
BE22135	21-09-2019	14:54:43	750	1390	137.2	5	0.933	
BE22135	22-09-2019	00:00:00	0	0	0	5	0	
BE22135	23-09-2019	14:59:35	750	1390	137.3	5	0.823	
BE22135	24-09-2019	00:00:00	0	0	0	5	0	
BE22135	25-09-2019	00:00:00	0	0	0	5	0	
BE22135	26-09-2019	00:00:00	0	0	0	5	0	
BE22135	27-09-2019	14:53:16	750	1870	137.2	5	0.635	
BE22135	28-09-2019	14:51:47	750	1390	137.5	5	0.773	
BE22135	29-09-2019	14:54:00	750	1390	137.1	5	0.568	
BE22135	30-09-2019	14:36:33	750	1390	137.2	5	0.582	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-10-2019	14:50:53	700	1660	137.2	5	0.554	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-10-2019	15:00:12	750	1390	137.2	5	0.568	
BE22135	03-10-2019	00:00:00	0	0	0	5	0	
BE22135	04-10-2019	15:04:47	750	1390	137.4	5	0.635	
BE22135	05-10-2019	15:14:48	750	1390	137.3	5	0.524	
BE22135	06-10-2019	00:00:00	0	0	0	5	0	
BE22135	07-10-2019	15:20:07	650	1690	137.1	5	0.561	
BE22135	08-10-2019	00:00:00	0	0	0	5	0	
BE22135	09-10-2019	14:51:01	750	1870	137.1	5	0.568	
BE22135	10-10-2019	00:00:00	0	0	0	5	0	
BE22135	11-10-2019	00:00:00	0	0	0	5	0	
BE22135	12-10-2019	12:41:37	750	1870	137.2	5	0.823	
BE22135	13-10-2019	15:04:27	750	1870	137.6	5	0.696	
BE22135	14-10-2019	00:00:00	0	0	0	5	0	
BE22135	15-10-2019	14:56:08	750	1870	137.4	5	0.582	
BE22135	16-10-2019	14:48:25	700	1660	137.4	5	0.524	
BE22135	17-10-2019	14:48:26	700	1660	137.3	5	0.524	
BE22135	18-10-2019	15:00:01	700	1660	137.1	5	1.092	
BE22135	19-10-2019	15:20:09	750	1390	137.3	5	1.076	
BE22135	20-10-2019	15:05:21	700	1660	137.2	5	0.762	
BE22135	21-10-2019	15:06:22	700	1660	137.3	5	0.524	
BE22135	22-10-2019	14:34:11	700	1660	137.1	5	0.648	
BE22135	23-10-2019	00:00:00	0	0	0	5	0	
BE22135	24-10-2019	00:00:00	0	0	0	5	0	
BE22135	25-10-2019	14:48:36	700	1390	137.3	5	1.257	
BE22135	26-10-2019	00:00:00	0	0	0	5	0	
BE22135	27-10-2019	12:42:11	700	1660	137.2	5	0.696	
BE22135	28-10-2019	15:00:33	700	1390	137.3	5	0.73	
BE22135	29-10-2019	14:43:08	700	1390	124.3	5	1.178	
BE22135	30-10-2019	14:58:29	700	1390	137.2	5	0.596	
BE22135	31-10-2019	14:46:43	700	1390	134.4	5	0.648	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-11-2019	14:48:01	700	1600	137.4	5	0.783	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-11-2019	14:53:32	700	1390	137.3	5	0.539	
BE22135	03-11-2019	14:54:40	700	1600	137.2	5	0.524	
BE22135	04-11-2019	14:54:17	700	1600	137.5	5	0.582	
BE22135	05-11-2019	14:48:41	700	1600	137.5	5	0.524	
BE22135	06-11-2019	14:46:03	700	1600	137.3	5	0.524	
BE22135	07-11-2019	14:45:47	750	1390	137.2	5	0.635	
BE22135	08-11-2019	00:00:00	0	0	0	5	0	
BE22135	09-11-2019	14:59:24	750	1390	137.2	5	1.092	
BE22135	10-11-2019	14:49:18	700	1600	137.2	5	1.024	
BE22135	11-11-2019	14:50:10	700	1600	137.3	5	1.055	
BE22135	12-11-2019	14:50:43	750	1870	88	5	0.813	
BE22135	13-11-2019	14:52:37	700	1600	137.2	5	0.582	
BE22135	14-11-2019	14:41:58	700	1600	137.2	5	0.813	
BE22135	15-11-2019	15:00:08	700	1600	137.3	5	0.861	
BE22135	16-11-2019	14:44:37	700	1600	137.3	5	0.539	
BE22135	17-11-2019	14:58:32	700	1600	137.2	5	0.582	
BE22135	18-11-2019	14:48:17	700	1600	137.5	5	0.539	
BE22135	19-11-2019	14:48:19	700	1600	137.7	5	0.582	
BE22135	20-11-2019	14:50:27	750	1390	137.5	5	0.741	
BE22135	21-11-2019	14:46:37	700	1600	137.2	5	0.635	
BE22135	22-11-2019	14:41:34	750	1390	137.3	5	1.713	
BE22135	23-11-2019	15:01:42	700	1660	137.2	5	0.635	
BE22135	24-11-2019	14:46:19	700	1600	137.2	5	0.907	
BE22135	25-11-2019	14:46:06	700	1600	137.2	5	0.696	
BE22135	26-11-2019	14:43:36	700	1600	137.2	5	0.696	
BE22135	27-11-2019	15:09:35	700	1600	137.2	5	1.024	
BE22135	28-11-2019	15:34:10	700	1600	137.2	5	0.933	
BE22135	29-11-2019	00:00:00	0	0	0	5	0	
BE22135	30-11-2019	15:14:51	750	1870	137.3	5	1.631	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-12-2019	15:03:41	700	1600	137.2	5	0.568	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-12-2019	15:10:24	700	1600	137.2	5	0.823	
BE22135	03-12-2019	00:00:00	0	0	0	5	0	
BE22135	04-12-2019	15:10:49	700	1600	137.5	5	1.374	
BE22135	05-12-2019	14:55:32	750	1470	88	5	0.648	
BE22135	06-12-2019	00:00:00	0	0	0	5	0	
BE22135	07-12-2019	15:12:33	700	1600	137.1	5	0.751	
BE22135	08-12-2019	00:00:00	0	0	0	5	0	
BE22135	09-12-2019	00:00:00	0	0	0	5	0	
BE22135	10-12-2019	00:00:00	0	0	0	5	0	
BE22135	11-12-2019	15:37:56	750	1870	88	5	0.539	
BE22135	12-12-2019	15:06:50	700	1600	130	5	1.314	
BE22135	13-12-2019	15:12:24	750	1870	120.9	5	0.751	
BE22135	14-12-2019	15:27:14	700	1600	137.2	5	0.508	
BE22135	15-12-2019	15:12:32	700	1600	137.6	5	0.933	
BE22135	16-12-2019	00:00:00	0	0	0	5	0	
BE22135	17-12-2019	15:06:00	750	1470	137.3	5	0.582	
BE22135	18-12-2019	15:07:53	700	1600	137.2	5	1.922	
BE22135	19-12-2019	15:07:20	750	1470	137.4	5	0.524	
BE22135	20-12-2019	15:05:30	700	1600	137.7	5	0.684	
BE22135	21-12-2019	15:05:22	700	1600	137.5	5	0.773	
BE22135	22-12-2019	15:07:15	700	1600	137.3	5	0.582	
BE22135	23-12-2019	00:00:00	0	0	0	5	0	
BE22135	24-12-2019	15:11:32	700	1600	116.7	5	0.539	
BE22135	25-12-2019	15:08:40	700	1660	108.4	5	0.568	
BE22135	26-12-2019	15:07:31	700	1660	124.6	5	0.762	
BE22135	27-12-2019	15:11:36	700	1660	88	5	0.524	
BE22135	28-12-2019	15:10:31	700	1660	88	5	1.796	
BE22135	29-12-2019	15:07:10	700	1660	123.2	5	0.66	
BE22135	30-12-2019	15:06:20	700	1660	124.7	5	0.539	
BE22135	31-12-2019	15:06:19	700	1660	97.5	5	0.889	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-01-2020	15:07:14	800	1880	128.5	5	0.925	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-01-2020	00:00:00	0	0	0	5	0	
BE22135	03-01-2020	15:05:57	800	1600	127.5	5	0.803	
BE22135	04-01-2020	14:56:39	800	1600	93.98	5	0.852	
BE22135	05-01-2020	15:07:29	800	1600	129.1	5	0.622	
BE22135	06-01-2020	15:20:17	800	1880	134.7	5	1.54	
BE22135	07-01-2020	15:07:54	800	1880	122.5	5	0.582	
BE22135	08-01-2020	15:04:49	700	1600	136.9	5	1.04	
BE22135	09-01-2020	00:00:00	0	0	0	5	0	
BE22135	10-01-2020	00:00:00	0	0	0	5	0	
BE22135	11-01-2020	15:25:51	800	1880	120.4	5	0.582	
BE22135	12-01-2020	15:07:49	800	1880	123.2	5	0.582	
BE22135	13-01-2020	15:03:35	800	1600	130.3	5	0.539	
BE22135	14-01-2020	15:05:34	800	1600	88	5	0.762	
BE22135	15-01-2020	12:15:04	800	1880	123.7	5	0.508	
BE22135	16-01-2020	14:56:52	800	1600	137.8	5	1.675	
BE22135	17-01-2020	15:04:45	800	1880	123.2	5	0.524	
BE22135	18-01-2020	15:02:58	600	1600	137.5	5	0.622	
BE22135	19-01-2020	00:00:00	0	0	0	5	0	
BE22135	20-01-2020	14:56:15	750	1880	137.2	5	0.933	
BE22135	21-01-2020	00:00:00	0	0	0	5	0	
BE22135	22-01-2020	13:10:45	600	1600	138.3	5	0.524	
BE22135	23-01-2020	15:02:17	700	1880	137.4	5	0.622	
BE22135	24-01-2020	00:00:00	0	0	0	5	0	
BE22135	25-01-2020	00:00:00	0	0	0	5	0	
BE22135	26-01-2020	15:06:27	700	1880	138	5	0.524	
BE22135	27-01-2020	00:00:00	0	0	0	5	0	
BE22135	28-01-2020	00:00:00	0	0	0	5	0	
BE22135	29-01-2020	15:06:13	600	1600	137.8	5	0.916	
BE22135	30-01-2020	15:07:17	700	1880	137.9	5	0.648	
BE22135	31-01-2020	15:45:04	700	1880	137.5	5	1.085	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-02-2020	15:07:23	750	1880	137.3	5	0.568	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-02-2020	00:00:00	0	0	0	5	0	
BE22135	03-02-2020	00:00:00	0	0	0	5	0	
BE22135	04-02-2020	15:03:59	600	1690	137.9	5	1.114	
BE22135	05-02-2020	15:08:32	600	1690	137.7	5	1.15	
BE22135	06-02-2020	15:03:41	600	1690	138.1	5	0.524	
BE22135	07-02-2020	15:01:48	600	1690	138	5	1.301	
BE22135	08-02-2020	15:01:18	750	1880	137.4	5	0.66	
BE22135	09-02-2020	15:01:18	600	1690	137	5	0.582	
BE22135	10-02-2020	15:01:07	750	1880	137.5	5	1.157	
BE22135	11-02-2020	15:05:25	600	1690	137.6	5	0.582	
BE22135	12-02-2020	14:57:36	600	1690	137.9	5	0.539	
BE22135	13-02-2020	14:55:39	750	1880	98.84	5	1.709	
BE22135	14-02-2020	00:00:00	0	0	0	5	0	
BE22135	15-02-2020	00:00:00	0	0	0	5	0	
BE22135	16-02-2020	00:00:00	0	0	0	5	0	
BE22135	17-02-2020	15:02:21	600	1690	91.48	5	0.582	
BE22135	18-02-2020	00:00:00	0	0	0	5	0	
BE22135	19-02-2020	00:00:00	0	0	0	5	0	
BE22135	20-02-2020	14:53:48	600	1690	91.48	5	1.191	
BE22135	21-02-2020	00:00:00	0	0	0	5	0	
BE22135	22-02-2020	00:00:00	0	0	0	5	0	
BE22135	23-02-2020	16:00:34	750	1880	91.48	5	0.568	
BE22135	24-02-2020	00:00:00	0	0	0	5	0	
BE22135	25-02-2020	00:00:00	0	0	0	5	0	
BE22135	26-02-2020	15:07:14	600	1690	130.7	5	0.622	
BE22135	27-02-2020	14:57:14	750	1880	125.3	5	539	
BE22135	28-02-2020	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-03-2020	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-03-2020	00:00:00	0	0	0	5	0	
BE22135	03-03-2020	15:03:23	800	1690	91.48	5	0.741	
BE22135	04-03-2020	15:00:50	800	1690	118.3	5	0.762	
BE22135	05-03-2020	00:00:00	0	0	0	5	0	
BE22135	06-03-2020	00:00:00	0	0	0	5	0	
BE22135	07-03-2020	00:00:00	0	0	0	5	0	
BE22135	08-03-2020	15:37:10	750	1880	111.5	5	0.539	
BE22135	09-03-2020	14:55:00	800	1690	125.9	5	0.783	
BE22135	10-03-2020	14:39:38	750	1880	95.92	5	0.622	
BE22135	11-03-2020	15:00:18	800	1880	112	5	0.582	
BE22135	12-03-2020	15:04:33	750	1690	117.6	5	0.696	
BE22135	13-03-2020	00:00:00	0	0	0	5	0	
BE22135	14-03-2020	00:00:00	0	0	0	5	0	
BE22135	15-03-2020	14:39:43	800	1880	109.5	5	0.648	
BE22135	16-03-2020	15:02:46	750	1690	117.2	5	0.783	
BE22135	17-03-2020	00:00:00	0	0	0	5	0	
BE22135	18-03-2020	00:00:00	0	0	0	5	0	
BE22135	19-03-2020	14:39:46	800	1880	88	5	1.426	
BE22135	20-03-2020	15:04:09	750	1690	103.5	5	0.582	
BE22135	21-03-2020	00:00:00	0	0	0	5	0	
BE22135	22-03-2020	00:00:00	0	0	0	5	0	
BE22135	23-03-2020	00:00:00	0	0	0	5	0	
BE22135	24-03-2020	00:00:00	0	0	0	5	0	
BE22135	25-03-2020	00:00:00	0	0	0	5	0	
BE22135	26-03-2020	00:00:00	0	0	0	5	0	
BE22135	27-03-2020	00:00:00	0	0	0	5	0	
BE22135	28-03-2020	00:00:00	0	0	0	5	0	
BE22135	29-03-2020	15:01:00	750	1690	127.4	5	1.024	
BE22135	30-03-2020	14:48:05	750	1690	93.98	5	1.426	
BE22135	31-03-2020	00:00:00	0	0	0	5	0	

S.No	Date	Time	Distance from site(Meters)		Noise Level(dB)	PPV(mm/s), <8Hz		Remarks
			Instrument Location	Colony	Actual	Permissible Limit	Actual	
BE22135	01-04-2020	00:00:00	0	0	0	5	0	As the instrument was located at Hanuman temple, Quarry, NTR colony w.r.t the site of blasting. NTR colony was away from the instrument location, the noise levels obtained with the instrument may reduced further below threshold value i.e. 128dB
BE22135	02-04-2020	00:00:00	0	0	0	5	0	
BE22135	03-04-2020	14:29:31	750	1690	104.2	5	0.539	
BE22135	04-04-2020	00:00:00	0	0	0	5	0	
BE22135	05-04-2020	00:00:00	0	0	0	5	0	
BE22135	06-04-2020	14:49:18	750	1690	123.1	5	1.524	
BE22135	07-04-2020	14:55:56	800	1880	108	5	0.696	
BE22135	08-04-2020	00:00:00	0	0	0	5	0	
BE22135	09-04-2020	00:00:00	0	0	0	5	0	
BE22135	10-04-2020	00:00:00	0	0	0	5	0	
BE22135	11-04-2020	14:55:07	750	1690	120.5	5	0.648	
BE22135	12-04-2020	00:00:00	0	0	0	5	0	
BE22135	13-04-2020	00:00:00	0	0	0	5	0	
BE22135	14-04-2020	00:00:00	0	0	0	5	0	
BE22135	15-04-2020	00:00:00	0	0	0	5	0	
BE22135	16-04-2020	00:00:00	0	0	0	5	0	
BE22135	17-04-2020	00:00:00	0	0	0	5	0	
BE22135	18-04-2020	00:00:00	0	0	0	5	0	
BE22135	19-04-2020	00:00:00	0	0	0	5	0	
BE22135	20-04-2020	00:00:00	0	0	0	5	0	
BE22135	21-04-2020	00:00:00	0	0	0	5	0	
BE22135	22-04-2020	00:00:00	0	0	0	5	0	
BE22135	23-04-2020	00:00:00	0	0	0	5	0	
BE22135	24-04-2020	00:00:00	0	0	0	5	0	
BE22135	25-04-2020	00:00:00	0	0	0	5	0	
BE22135	26-04-2020	00:00:00	0	0	0	5	0	
BE22135	27-04-2020	00:00:00	0	0	0	5	0	
BE22135	28-04-2020	00:00:00	0	0	0	5	0	
BE22135	29-04-2020	00:00:00	0	0	0	5	0	
BE22135	30-04-2020	00:00:00	0	0	0	5	0	