

Telephone No : 0487 - 2963939

E-mail: kspcbtsr@gmail.com



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പാവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655
KERALA STATE POLLUTION CONTROL BOARD
 Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-296	Date: 08.12.2020
Source	M/s. Well Inside the Premises of Sri. AA Paulose, Alappat(House), Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W2		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W2
1	pH	---	4.1
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.14
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	328
6	Alkalinity as CaCO ₃	„	5
7	Total Hardness as CaCO ₃	„	123
8	Chlorides as Cl	„	94
9	Sulphates as So ₄	„	2
10	Nitrates as N	„	5.2
11	Flourides as F	„	0.04
12	Oil & Grease	„	BDL
Remarks:			

Assistant Scientist

Kerala State Pollution Control Board



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-297 Date: 08.12.2020		
Source	M/s. Well Inside the Premises of Sri. George Emmaty, Ollur Thrissur.	Sample received from	EE, THRISSUR	
Sample Identification Code				W3
Date of Sample Collection				30.11.2020
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020	
Date of Receipt	30.11.2020			
Scientist – in –charge of analysis		SAJANDRA.K.C		

SI No	Parameter	Unit	Value
			W3
1	pH	---	4.6
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	83
6	Alkalinity as CaCO ₃	„	7.4
7	Total Hardness as CaCO ₃	„	13
8	Chlorides as Cl	„	22
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	0.34
11	Flourides as F	„	0.21
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

Handwritten signature and date
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പാവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-298 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Joyco Transport, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W4		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-07.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W4
1	pH	---	5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.07
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	64
6	Alkalinity as CaCO ₃	„	12
7	Total Hardness as CaCO ₃	„	17
8	Chlorides as Cl	„	23
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	11
11	Flourides as F	„	0.033
12	Oil & Grease	„	BDL

Remarks:

Sajandra
Assistant Scientist
Kerala State Pollution Control Board



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-299 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Tony Thottan, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W5		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W5
1	pH	---	4
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.03
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	241
6	Alkalinity as CaCO ₃	„	5.3
7	Total Hardness as CaCO ₃	„	108
8	Chlorides as Cl	„	37
9	Sulphates as So ₄	„	15
10	Nitrates as N	„	11
11	Flourides as F	„	0.15
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

AC 2

Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പറവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-300 . Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Unnikrishnan Thottapath, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W6		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W6
1	pH	---	4.2
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	116
6	Alkalinity as CaCO ₃	„	9.5
7	Total Hardness as CaCO ₃	„	20
8	Chlorides as Cl	„	35
9	Sulphates as SO ₄	„	BDL
10	Nitrates as N	„	11.5
11	Flourides as F	„	0.14
12	Oil & Grease	„	BDL

Remarks:

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

ABZ

Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്


മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-301 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Unnikrishnan Edakunny, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W7		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W7
1	pH	---	4.8
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.13
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	116
6	Alkalinity as CaCO ₃	„	14
7	Total Hardness as CaCO ₃	„	29
8	Chlorides as Cl	„	27
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	9
11	Flourides as F	„	BDL
12	Oil & Grease	„	BDL
Remarks:			



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thrissur-680655

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-302 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Sankara narayanan, Karipalmana, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W8		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W8
1	pH	---	5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.06
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	88
6	Alkalinity as CaCO ₃	„	12
7	Total Hardness as CaCO ₃	„	14
8	Chlorides as Cl	„	33
9	Sulphates as SO ₄	„	BDL
10	Nitrates as N	„	12.5
11	Flourides as F	„	0.85
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

AS 2
Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പറവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-303 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Bharathi,Ottapata(H), Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W9		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W9
1	pH	---	4.3
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	125
6	Alkalinity as CaCO ₃	„	9.5
7	Total Hardness as CaCO ₃	„	22
8	Chlorides as Cl	„	33
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	11.4
11	Flourides as F	„	0.3
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

AS2
Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-304 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of KSEB Well, Ollur Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W10		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W10
1	pH	---	3.5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.06
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	386
6	Alkalinity as CaCO ₃	„	2
7	Total Hardness as CaCO ₃	„	77
8	Chlorides as Cl	„	84
9	Sulphates as SO ₄	„	23
10	Nitrates as N	„	10
11	Flourides as F	„	0.6
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-305 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Kanchana Vadakkeveetil, Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W11		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W11
1	pH	---	4.4
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.01
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	78
6	Alkalinity as CaCO ₃	„	7
7	Total Hardness as CaCO ₃	„	12
8	Chlorides as Cl	„	27
9	Sulphates as SO ₄	„	BDL
10	Nitrates as N	„	9
11	Flourides as F	„	0.25
12	Oil & Grease	„	BDL
Remarks:			

Sajandra

Assistant Scientist

Kerala State Pollution Control Board

AEZ

Sajan
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-306 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. veroloth unnikrishnan, Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W12		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W12
1	pH	---	4.2
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	125
6	Alkalinity as CaCO ₃	„	4
7	Total Hardness as CaCO ₃	„	20
8	Chlorides as Cl	„	42
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	11
11	Flourides as F	„	0.06
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-307 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Smt.Indira Balakrishnan, Vallurvalappil House, Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W13		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W13
1	pH	---	4.5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	117
6	Alkalinity as CaCO ₃	„	4
7	Total Hardness as CaCO ₃	„	19
8	Chlorides as Cl	„	37
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	12.1
11	Flourides as F	„	0.05
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680656

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-308 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Laksham veedu Colony, Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W14		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
1	pH	---	W14 4.5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.08
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	78
6	Alkalinity as CaCO ₃	„	6
7	Total Hardness as CaCO ₃	„	11
8	Chlorides as Cl	„	25
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	12
11	Flourides as F	„	0.02
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

AEZ
Sajandra
8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പറവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-309 Date: 08.12.2020		
Source	M/s. Well Inside the Premises of Sri.Vincent, Moyalan House, Ollur, Thrissur.	Sample received from	EE, THRISSUR	
Sample Identification Code				W15
Date of Sample Collection				30.11.2020
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020	
Date of Receipt	30.11.2020			
Scientist – in –charge of analysis		SAJANDRA.K.C		

SI No	Parameter	Unit	Value
			W15
1	pH	---	3.5
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	”	0.2
4	Total Residual Chlorine	”	BDL
5	Total Dissolved Solids	”	109
6	Alkalinity as CaCO ₃	”	4
7	Total Hardness as CaCO ₃	”	13
8	Chlorides as Cl	”	29
9	Sulphates as So ₄	”	BDL
10	Nitrates as N	”	11
11	Flourides as F	”	0.04
12	Oil & Grease	”	BDL
Remarks:			

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

air
Sajandra
9/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-310 Date: 08.12.2020		
Source	M/s. Well Inside the Premises of Sri.R.K.Nair,Kaipally House, Ollur, Thrissur.	Sample received from	EE, THRISSUR	
Sample Identification Code				W16
Date of Sample Collection				30.11.2020
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020	
Date of Receipt	30.11.2020			
Scientist – in –charge of analysis		SAJANDRA.K.C		

SI No	Parameter	Unit	Value
			W16
1	pH	---	4.3
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	147
6	Alkalinity as CaCO ₃	„	3
7	Total Hardness as CaCO ₃	„	47
8	Chlorides as Cl	„	25
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	10
11	Flourides as F	„	0.08
12	Oil & Grease	„	BDL

Remarks:

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

Handwritten signatures and date 8/12/2020

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മജെസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പരവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri



ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-311 Date: 08.12.2020	
Source	M/s. Well Inside the Premises of Sri. Joy Perincheri House, Ollur, Thrissur.	Sample received from	EE, THRISSUR
Sample Identification Code	W17		
Date of Sample Collection	30.11.2020		
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020
Date of Receipt	30.11.2020		
Scientist – in –charge of analysis		SAJANDRA.K.C	

SI No	Parameter	Unit	Value
			W17
1	pH	---	4
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	BDL
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	105
6	Alkalinity as CaCO ₃	„	6
7	Total Hardness as CaCO ₃	„	24
8	Chlorides as Cl	„	25
9	Sulphates as So ₄	„	BDL
10	Nitrates as N	„	10
11	Flourides as F	„	0.6
12	Oil & Grease	„	BDL
Remarks:			

Sajandra
Assistant Scientist
 Kerala State Pollution Control Board

Sami
 8/12/2020



കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

മെജസ്റ്റിക് സ്ക്വയർ, മൂന്നാം നില, പറവട്ടാനി, ഒല്ലൂക്കര പി.ഒ., തൃശ്ശൂർ-680655

KERALA STATE POLLUTION CONTROL BOARD

Majestic Square, 3rd Floor, Paravattani, Ollukkara P.O., Thri

ANALYSIS REPORT (WATER/EFFLUENT/SOLID WASTE)		Report No:TAS-312 Date: 08.12.2020		
Source	M/s. Well Inside the Premises of Pratheeksha Aluminium company, Ollur, Thrissur.	Sample received from	EE, THRISSUR	
Sample Identification Code				W18
Date of Sample Collection				30.11.2020
Ref. No.	PCB/TSR/GEN/96/2014 Dated 30/11/2020	Period of analysis	30.11.2020-08.12.2020	
Date of Receipt				30.11.2020
Scientist – in –charge of analysis		SAJANDRA.K.C		

SI No	Parameter	Unit	Value
			W18
1	pH	---	3.8
2	Total Suspended Solids	mg/l	BDL
3	Ammonical Nitrogen	„	0.05
4	Total Residual Chlorine	„	BDL
5	Total Dissolved Solids	„	353
6	Alkalinity as CaCO ₃	„	3
7	Total Hardness as CaCO ₃	„	154
8	Chlorides as Cl	„	38
9	Sulphates as So ₄	„	2.5
10	Nitrates as N	„	9
11	Flourides as F	„	BDL
12	Oil & Grease	„	BDL

Remarks:

Sajandra
Assistant Scientist
Kerala State Pollution Control Board

Hev
Sajandra
8/12/2020 Type text