

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
CENTRAL ZONE BENCH, BHOPAL
ORIGINAL APPLICATION No. 58/2026

IN THE MATTER OF:

RASHID NOOR KHAN

.....APPLICANT

VERSUS

COLLECTOR BHOPAL & ORS.

.....RESPONDENT

INDEX

SR.	PARTICULARS	ANNEXURE	PAGE
1.	Report of MP PCB to the Original Application No. 58/2026 (Rashid Noor Khan Vs Collector Bhopal & Ors.)		2-7
2.	Inspection Photographs	1	8-10
3.	Google Earth Imagery	2	11
4.	Copy of Panchnama	3	12
5.	Copy of letter to BMC dt 04.05.2026	4	13
6.	Copy of letter to BMC and Forest dt 17.04.2026	5	14
7.	Copy of letter to BMC and Forest dt 05.05.2026	6	15
8.	Water Quality Monitoring Reports of Lower Lake	7	16
9.	Water Quality Monitoring Reports of Banganga Nalla and STP	8	17-18
10.	Vakalatnama		19
11.	Proof of Service		

Date: 06.05.2026

Place: Bhopal

**Submitted by MPPCB: -
through Counsel**



Adv. Parul Bhadoria

Ph. No.: (+91)-8085977111;

Email: parul.bhadoria04@gmail.com

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL

CENTRAL ZONE BENCH, BHOPAL

ORIGINAL APPLICATION No. 58/2026

IN THE MATTER OF:

RASHID NOOR KHAN

.....APPLICANT

VERSUS

COLLECTOR BHOPAL & ORS.

.....RESPONDENT

**REPORT OF MADHYA PRADESH POLLUTION CONTROL BOARD
(MPPCB) IN ORIGINAL APPLICATION NO. 58/2026 OF RASHID NOOR
KHAN VS COLLECTOR BHOPAL & ORS.**

The Madhya Pradesh Pollution Control Board (MPPCB) most respectfully submits as under: -

1. That, the Hon'ble NGT vide order dated 02.04.2026 passed in OA 58/2026 (CZ) Rashid Noor Khan Vs Collector Bhopal & Ors., issued following directions: -

“4. The Madhya Pradesh State Pollution Control Board is directed to inspect the area referred to in the Original Application, ascertain the allegations made by the applicant and file a detailed report, including photographs with latitude and longitude details in support of its findings.”

2. That, in compliance with the aforesaid order of the Hon'ble Tribunal, officials of MPPCB carried out a detailed site inspection on 05.05.2026 of the locations mentioned in the application, namely the plot situated at Professors' Colony (Civil Lines area), adjoining Lower Lake (Chhota Talab), and the Sewage Treatment Plant located near Professors' Colony, Bhopal.
3. That, during the course of inspection, Shri Bhupendra Singh, Assistant Engineer, Bhopal Municipal Corporation and Shri Gaurav Parmar, Assistant Engineer,

Bhopal Municipal Corporation were present. The applicant was duly informed about the inspection through mobile communication, and accordingly the applicant, Shri Rashid Noor Khan, along with his counsel Shri Harshvardhan Tiwari, remained present at the site during inspection. Photographs of the inspection proceedings have been taken and are enclosed as **Annexure-1**. The geographical coordinates of all relevant locations were recorded using a mobile-based application and subsequently marked on Google Earth imagery, which is enclosed as **Annexure-2**. A Panchnama was also prepared at site during inspection, and a copy of the same is enclosed as **Annexure-3**. The observations recorded during inspection are detailed as follows:

- 3.1. That, the site referred to in the application is a private plot located near House No. 12, Civil Lines, Professors' Colony, Tehsil Huzur, District Bhopal, having geographical coordinates Latitude 23°14'47.87"N and Longitude 77°24'11.58"E.
- 3.2. That, the total area of the plot is approximately 900 square meters. During inspection, a total of 7 full-grown trees were observed within the plot premises and drilled holes were found in all 07 trees, out of which 2 trees were found to be in relatively healthy condition with green foliage, whereas 5 trees were found in dried and withered condition.
- 3.3. That, upon close examination of all the trees present within the plot, it was observed that the trunks of the trees had drilled holes. Further, the presence of suspected chemical residues or marks indicative of injection of certain substances into the tree trunks was noticed.
- 3.4. That, subsequent to inspection of the plot, the adjoining Lower Lake area was also inspected. During inspection, three drains/nallahs were identified as discharging into the Lower Lake with noticeable flow at the time of inspection. These drains were observed in the areas of Banganga Nalla, Lokbhavan side, and Karishma Park. The locations of these drains have been identified and marked using Google Earth imagery, which is enclosed as

Annexure-2 for reference. The details of the drains along with their geographical coordinates and flow status are as under:

SNO	Drain/Nalla	Latitude	Longitude	Flow observed
1	Banganga Nalla	23°14'33.83"N	77°24'3.94"E	Yes
2	Nalla coming from Rajbhavan side to Lower Lake	23°14'35.24"N	77°24'10.99"E	Yes
3	Karishma Park Nalla	23°14'44.43"N	77°24'30.43"E	Yes

- 3.5. That, during inspection, it was observed that cleaning activities were being undertaken by the staff of Bhopal Municipal Corporation in the Lower Lake area.
- 3.6. That, as informed by the officials of Bhopal Municipal Corporation present at site, the drains discharging into the Lower Lake are proposed to be intercepted and diverted under AMRUT Scheme 2.0. It was further informed that two drains near Professors' Colony and drain near Pump House have already been intercepted and diverted to the Sewage Treatment Plant located near Professors' Colony.
- 3.7. That, the Sewage Treatment Plant located near Professors' Colony, situated behind Maharani Lakshmi Bai Girls Hostel, was also inspected. The geographical coordinates of the said STP are Latitude 23°14'45.32"N and Longitude 77°24'15.57"E.
- 3.8. That, the said STP has a treatment capacity of 2 MLD and is based on Sequential Batch Reactor (SBR) technology. At the time of inspection, the STP was found to be operational. The plant operator showed logbooks related to operation, including records of electricity consumption and chemical dosing. The treated wastewater was observed to be utilized for

gardening purposes. The overall operation, maintenance, and general cleanliness within the STP premises were found to be satisfactory.

4. That, with regard to the drains discharging into Lower Lake, MPPCB has issued a letter vide letter no. 1918 dated 04.05.2026 to Bhopal Municipal Corporation seeking following information: -
 - a) Number and location of all drains entering the Lower Lake,
 - b) Status of sewage treatment of such drains,
 - c) Details of interception and diversion plans under schemes such as AMRUT Scheme 2.0,
 - d) Information regarding existing STPs including their number, capacity, operational status and efficiency,
 - e) Details of action taken or proposed to prevent discharge of untreated or partially treated sewage into the lake.

A copy of the said letter is enclosed as **Annexure-4**. The response from Bhopal Municipal Corporation is awaited.

5. Previous Complaint and Action Taken by MPPCB

- 5.1. That, it is pertinent to mention that prior to the present proceedings, a similar complaint regarding damage to trees at the same location was received by MPPCB through email, and accordingly the site was inspected earlier on 11.04.2026. During the said inspection, approximately 6-7 trees were found having drilled holes and in withered condition on a vacant plot near Professors' Colony, Civil Lines, and visible signs of drilling/holes in the tree trunks were observed. On interaction with local residents, it was reported that the trees were in healthy condition approximately two to three months prior to inspection and had subsequently started drying.
- 5.2. That, since the responsibility for tree protection, plantation, and maintenance falls under the jurisdiction of Bhopal Municipal Corporation and the Forest Department, MPPCB issued a letter vide letter no. 1788 dated 17.04.2026 to

the Commissioner, BMC and Divisional Forest Officer, Bhopal for taking necessary action in the matter. A copy of the letter is enclosed as **Annexure-5**.

5.3. That, a reminder in this regard has also been issued by MPPCB vide letter no. 1925 dated 05.05.2026 to ensure necessary action by the concerned authorities. A copy of the same is enclosed as **Annexure-6**.

6. Water Quality Monitoring and Status

6.1. That, with regard to water quality, MPPCB is regularly monitoring the water quality of Lower Lake on a monthly basis. As per the analytical data for the year 2025, the average Dissolved Oxygen (DO) level of the lake is recorded as 5.5 mg/l, which is adequate to support aquatic life. During the inspection, presence of aquatic organisms such as fish and ducks was also observed, indicating supporting conditions for aquatic life. The analytical results for the year 2025 are enclosed as **Annexure-7**.

6.2. That, MPPCB is also periodically monitoring the water quality of Banganga Nalla, and the samples from the Sewage Treatment Plant at Professors' Colony are analyzed on a monthly basis. The analysis results indicate that the treated effluent from the STP is generally meeting the prescribed standards. The analytical reports of Banganga Nalla and the STP are enclosed as **Annexure-8** for kind perusal.


7. Recommendations


That, based on the observations made during inspection and analysis of available information, the following recommendations are respectfully submitted for consideration of the Hon'ble Tribunal:

7.1. That, Bhopal Municipal Corporation shall ensure time-bound action plan in intercepting and diverting of all drains discharging into the Lower Lake under AMRUT Scheme 2.0 or other relevant schemes to prevent entry of untreated or partially treated sewage.

7.2. Bhopal Municipal Corporation and Forest Department, may ascertain the cause of tree drying and the apparent drilling and suspected chemical injection in the tree trunks, and take appropriate action against the responsible persons.

8. That this Hon'ble Tribunal may kindly be pleased to take the present report on record.


Dr. Praveen Kothari
Scientist
RO, MPPCB, Bhopal


Neetesh Chaurasiya
Regional Officer
RO, MPPCB, Bhopal

Inspection Photographs in OA 58/2026 (CZ) dated 05.05.2026





Location in Professor's Colony where tree damaging incident occurred





Banganga Nalla meeting Lower Lake




Nalla from Lokbhavan Side








Karishma Park Nalla



Google Earth Imagery in OA 58/2026 (CZ)



स्थल पंचनामा 'लिख' विद्या 'एम' दस्ताक्षरकर्ता पंचनामा यह तस्वीर करते हैं कि आदि दिनांक 05/05/2026 के मानव संसाधन राष्ट्रीय दूरित आधिकारण के फ़ॉरम क्र. 58/2026 (CC) राशिय नर खान विद्वत् कलेक्टर मीपाल व अन्य के पारित आदेश दिनांक 02.04.2026 के परिपालन में म.प्र. प्रदूषण नियंत्रण बोर्ड के प्रतिनिधी डॉ प्रवीण के कोठारी द्वारा स्थल निरीक्षण किया गया। निरीक्षण केरान भाचिककर्ता राशिय नर खान, अधिकारता, श्री धर्मेन्द्र तिवारी एवं नगर निगम के प्राधिनधि श्री भूपेन्द्र सिंह, सहायक इंजी एवं श्री गौरव पंमार भी उपस्थित रहे। स्थल पंचनामा मॉडल पर तैयार किया गया। मॉडल पर उपस्थित सदस्यों के द्वारा पत्र मया उपस्थित लोगों के दस्ताक्षर लिए गए।

- | | | |
|---|----------------------|---|
| ① | Bhupendra Singh |  |
| ② | Gaurav Parmar |  |
| ③ | HARSH WARDHAN TIWARI |  |
| ④ | Dr Praveen Kothari |  |
| ⑤ | Rashmi Noor Khatun |  |



क्रमांक 19/18 /क्षेका/प्रनिबो/2026

भोपाल, दिनांक 04/05/2026

प्रति,

आयुक्त,
नगर पालिक निगम,
कुशाभाऊ ठाकरे, आई.एस.बी.टी. परिसर,
भोपाल (म. प्र.)

विषय: माननीय राष्ट्रीय हरित अधिकरण में ओ.ए. 58/2026 (सी.जेड.) (राशिद नूर खान विरुद्ध कलेक्टर भोपाल व अन्य) में पारित आदेश दिनांक 02/04/2026 के संबंध में।

कृपया उपरोक्त विषयान्तर्गत लेख है कि माननीय राष्ट्रीय हरित अधिकरण (NGT) में विचाराधीन प्रकरण OA 58/2026 (सी.जेड.) में भोपाल स्थित लोअर लेक में विभिन्न नालों एवं ड्रेनों के माध्यम से अनुपचारित सीवेज एवं अपशिष्ट जल का निस्सारण हो रहा है, प्रदूषण की समस्या निर्मित होने का लेख है। उक्त विषय के परिप्रेक्ष्य में निम्न बिंदुओं पर तथ्यात्मक जानकारी उपलब्ध कराने एवं आवश्यक कार्यवाही सुनिश्चित करने का कष्ट करें—

1. लोअर लेक में मिलने वाले नालों/ड्रेनों की कुल संख्या, उनके नाम/स्थान (जियो टैग लोकेशन) की विस्तृत सूची जिनके माध्यम से अपशिष्ट जल लोअर लेक में मिल रहा है।
2. यदि नालों को अमृत योजना के तहत इंटरसेप्ट/डायवर्ट कर सीवेज ट्रीटमेंट प्लांट (STP) से जोड़ा गया है तो जानकारी।
3. यदि उक्त कार्य किसी योजना (जैसे AMRUT आदि) के अंतर्गत प्रस्तावित/स्वीकृत है तो संबंधित परियोजनाओं की वर्तमान प्रगति, अपेक्षित पूर्णता अवधि, सीवेज ट्रीटमेंट प्लांट (STP) की स्थिति का विवरण।
4. लोअर लेक से संबंधित सभी STPs की सूची, उनकी स्थापित क्षमता, वर्तमान संचालन स्थिति (कार्यशील/अकार्यशील/आंशिक क्षमता) एवं वास्तविक उपचारित जल की मात्रा की जानकारी उपलब्ध कराई जाए।
5. झील में प्रदूषण रोकने हेतु वर्तमान में किए जा रहे अंतरिम उपायों तथा दीर्घकालीन कार्ययोजना का विवरण प्रस्तुत किया जाए।

अतः उपरोक्त बिंदुओं पर विस्तृत जानकारी 02 दिवस के भीतर इस कार्यालय को उपलब्ध कराते हुए, लोअर लेक में प्रदूषण की रोकथाम हेतु प्रभावी एवं समयबद्ध कार्यवाही सुनिश्चित की जाए। प्रकरण की आगामी सुनवाई दिनांक 07/05/2026 को नियत है।

o/c


(नीलेश चौरसिया)
क्षेत्रीय अधिकारी

140



क्षेत्रीय कार्यालय

मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड



पर्यावरण परिसर, ई-5, अरेरा कॉलोनी, भोपाल

Telephone:- 0755-2466392 Email:- romppcb_bpl@rediffmail.com

क्रमांक / 788 / क्षेका / प्रनिबो / 2026

भोपाल, दिनांक 17/04/2026

प्रति,

1. आयुक्त,
नगर पालिक निगम,
आई.एस.बी.टी. परिसर
भोपाल (म.प्र.)।
2. वन मंडल अधिकारी,
सामान्य वन मंडल,
एम.पी.एफ.डी. खेल परिसर,
74, बंगला, लिंक रोड-1
निशात कॉलोनी, भोपाल

विषय:- प्रोफेसर कॉलोनी, भोपाल (मध्यप्रदेश) में निर्माण गतिविधियों को सुगम बनाने हेतु परिपक्व जीवित वृक्षों को रासायनिक/विषाक्त पदार्थों से जानबूझकर सुखाकर अवैध रूप से हटाने/काटने की संगठित प्रक्रिया को "पर्यावरण अपराध" घोषित करते हुए कठोर दंडात्मक, आपराधिक एवं निवारक कार्यवाही बावत।

उपरोक्त विषयान्तर्गत शिकायत पत्र की प्रति संलग्न कर प्रेषित है। कार्यालय द्वारा स्थल का निरीक्षण 11.04.2026 को किया गया तथा वृक्षों के तनों में ड्रिल/छेद कर कोई पदार्थ डालने जैसे चिन्ह देखे गये। उक्त क्षेत्र में वृक्षारोपण एवं संधारण कार्य नगर निगम भोपाल एवं सामान्य वन मण्डल भोपाल के कार्य क्षेत्र में आता है। अतः अनुरोध है कि प्राप्त शिकायत के परिप्रेक्ष्य में संबंधितों को निर्देशित करने का कष्ट करें तथा की गई कार्यवाही से इस कार्यालय को अवगत कराने का कष्ट करें।

संलग्न:- उपरोक्तानुसार।

(एस.एन.द्विवेदी)
क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय

मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड

पर्यावरण परिसर, ई-5, अरेरा कॉलोनी, भोपाल



Telephone:- 0755-2466392 Email:- romppcb_bpl@rediffmail.com

क्रमांक 1925 /क्षेका/प्रनिबो/2026

भोपाल, दिनांक 05/05 /2026

प्रति,

1. आयुक्त,
नगर पालिक निगम,
कुशाभाऊ ठाकरे,
आई.एस.बी.टी. परिसर,
भोपाल (म. प्र.)
2. वन मंडल अधिकारी,
सामान्य वन मंडल,
एम.पी.एफ.डी. खेल परिसर,
74, बंगला, लिंक रोड-1,
निशांत कॉलोनी, भोपाल (म.प्र.)

विषय: प्रोफेसर कॉलोनी, भोपाल (मध्यप्रदेश) में निर्माण गतिविधियों को सुगम बनाने हेतु परिपक्व जीवित वृक्षों को रासायनिक/विषाक्त पदार्थों से जानबूझकर सुखाकर अवैध रूप से हटाने/काटने की संगठित प्रक्रिया को पर्यावरण अपराध घोषित करते हुए कठोर दण्डात्मक, अपराधिक एवं निवारक कार्यवाही बावत्।

संदर्भ:- इस कार्यालय का पत्र क्रमांक 1788 भोपाल, दिनांक 17/04/2026।

---00---

कृपया उपरोक्त विषयांतर्गत संदर्भित पत्र का अवलोकन हो, जिसके माध्यम से संबंधित विभागों को कार्यवाही करने एवं की गई कार्यवाही की जानकारी इस कार्यालय को उपलब्ध कराने का अनुरोध किया गया था। शिकायत के संबंध में इस कार्यालय द्वारा दिनांक 11/04/2026 को स्थल का निरीक्षण किया गया, जिसमें वृक्षों के तनों में ड्रिल/छेद कर किसी पदार्थ के डाले जाने जैसे चिन्ह पाए गए। उक्त क्षेत्रों में वृक्षारोपण एवं संधारण कार्य नगर पालिक निगम भोपाल तथा सामान्य वन मंडल भोपाल के कार्यक्षेत्र में आता है। अतः पुनः अनुरोध है कि उक्त शिकायत के परिप्रेक्ष्य में संबंधितों को आवश्यक निर्देश देने का कष्ट करें, तथा की गई कार्यवाही से इस कार्यालय को यथाशीघ्र अवगत कराने का कष्ट करें।

संलग्न:- उपरोक्तानुसार।

(नीतेश चौरसिया)

o/c क्षेत्रीय अधिकारी

MADHYA PRADESH POLLUTION CONTROL BOARD BHOPAL
Water Quality during Year 2025

Annexure-7

Natural Water Resource : Lower Lake near Kalighat, spill out let Bhopal (Sta. code- 1374)

Sr No	Par	Unit	Jan(06-01-2025)	Feb(03-02-2025)	March(10-03-2025)	April(02-04-2025)	May(01-05-2025)	June(02-06-2025)	July(01-07-2025)	Aug(05-08-2025)	Sep(03-09-2025)	Oct(06-10-2025)	Nov(12-11-2025)	Dec(08-12-2025)
1	Alkalinity as CaCO3	mg/l	172	176	182	182	184	144	154	150	154	168	182	190
2	Ammonical Nitrogen	mg/l	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
3	B.O.D (3 Days 27oC)	mg/l	4.4	5.2	5.4	5.2	4.8	5.1	5.4	5.1	3.7	5	6.4	6.8
4	Boron	mg/l	0.42	0.08	BDL	0.12	BDL	BDL	0.08	0.06	BDL	BDL	BDL	0.08
5	Calcium	mg/l	48.05	51.26	44.85	43.25	44.05	28.83	31.23	43.25	42.45	44.85	44.85	52.86
6	Calcium Hardness as CaCO3	Mg/Lts	120	128	112	108	110	72	78	108	106	112	112	132
7	Chemical Oxygen Demand	mg/l	40	29.4	48	39.2	38.72	37.6	29.64	19.6	28.4	20	28.8	38.4
8	Chloride	mg/l	58.9	20.24	40.09	40.38	33.26	52.8	44.98	37.59	28.4	42.75	50.35	45.6
9	Colour	Pt.Co.Scale	10	50	20	20	20	10	10	10	5	10	10	13.24
10	Conductivity	micromho/cm	413.6	466.1	505.9	522.8	492.8	451.4	514.8	472.9	446.2	473.4	459	458.7
11	Dissolved Oxygen	mg/l	6.2	4.5	5.7	5.8	5.8	4.5	5.6	6.1	5.3	5.8	5.5	4.1
12	Fecal Coliform	MPN/100 ml	280	240	170	350	540	350	540	540	540	920	540	1600
13	Fixed Dissolved Solids	mg/l	158	168	162	172	226	162	182	106	152	196	158	176
14	Fluoride	mg/l	BDL	0.31	BDL	0.6	BDL	0.08	0.04	0.24	0.08	BDL	BDL	BDL
15	Magnesium	mg/l	13.59	10.68	14.57	14.08	18.94	18.45	16.02	12.62	12.14	13.59	18.46	11.17
16	Magnesium Hardness as CaCO3	Mg/Lts	56	44	60	58	78	76	66	52	50	56	76	46
17	Nitrate	mg/l	5.01	10.7	8.22	9.62	9.67	5.36	14.84	10.65	14.07	6.18	9.69	8.24
18	Nitrite	mg/l	0.21	0.45	2.62	0.67	0.09	1.57	0.06	BDL	0.31	0.97	0.1	2.04
19	P-Alkanity	--	NIL	NIL	NIL	NIL	NIL	Nil	NIL	Nil	NIL	NIL	NIL	NIL
20	pH	pH Units	7.45	7.41	7.53	7.45	8	7.49	7.21	7.56	7.7	7.78	7.88	8.02
21	Phosphate	mg/l	0.92	0.92	0.1	0.42	0.48	0.1	0.16	1.3	0.85	0.73	0.46	0.1
22	Potassium	mg/l	-	5.67	5.68	5.13	5.33	4.22	2.37	3.08	4.93	6.43	5.31	6.54
23	Sodium	mg/l	-	14.57	24.61	29.83	30.24	30.12	31.92	24.34	24.47	20.33	25.28	32.04
24	Sodium Absorption Ratio(SAR)	SAR	NA	0.48	0.81	1	0.96	1.07	1.15	0.83	0.85	0.68	0.8	1.04
25	streptococci	MPN/100 ml	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
26	Sulphate	mg/l	24.56	21.35	11.48	16.04	17.04	13.48	13.36	26.8	19.14	11.82	17.24	18.75
27	Suspended Solids	mg/l	36	42	42	34	24	56	34	48	36	88	48	48
28	Temperature	Centigrade	-	-	-	-	-	-	-	26	24	24	22	21
29	Total coliform	MPN/100 ml	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600	1600
30	Total Dissolved Solids	mg/l	296	310	358	354	342	304	316	298	298	356	308	308
31	Total Hardness as CaCO3	mg/l	176	172	172	166	188	148	144	160	156	168	188	178
32	Total Kjeldahl Nitrogen	mg/l	2.8	1.4	2.8	2.8	2.8	4.2	2.8	2.8	2.8	BDL	2.8	2.8
33	Total Solids	mg/l	332	352	400	388	366	360	350	346	334	444	356	356
34	Turbidity	N.T.U.	3	3.6	2.6	4.1	6.5	5.5	3.6	12.6	3.1	8.4	7.7	3.2

143

MADHYA PRADESH POLLUTION CONTROL BOARD Water Quality during Year 2025

Natural Water Resource : Banganga Nalla Before Mixing to Lower Lake, Bhopal.

Sr No	Par	Unit	Jan()	Feb(18-02-2025)	March()	April()	May()	June(02-06-2025)	July()	Aug()	Sep()	Oct()	Nov(12-11-2025)	Dec()
1	B.O.D (3 Days 27oC)	mg/l	-	5.8	-	-	-	14	-	-	-	-	4.8	-
2	Chemical Oxygen Demand	mg/l	-	60	-	-	-	65.8	-	-	-	-	28.8	-
3	Chloride	mg/l	-	48.21	-	-	-	57.85	-	-	-	-	57	-
4	E.Coli.	MPN/100 ml	-	-	-	-	-	-	-	-	-	-	BDL	-
5	Fecal Coliform	MPN/100 ml	-	-	-	-	-	-	-	-	-	-	1600	-
6	Nitrate	mg/l	-	-	-	-	-	-	-	-	-	-	4.88	-
7	Nitrite	mg/l	-	-	-	-	-	-	-	-	-	-	0.02	-
8	pH	pH Units	-	7.02	-	-	-	7.12	-	-	-	-	7.35	-
9	Phosphate	mg/l	-	-	-	-	-	-	-	-	-	-	1.17	-
10	Sulphate	mg/l	-	-	-	-	-	-	-	-	-	-	16.06	-
11	Suspended Solids	mg/l	-	46	-	-	-	52	-	-	-	-	222	-
12	Total coliform	MPN/100 ml	-	-	-	-	-	-	-	-	-	-	1600	-
13	Total Dissolved Solids	mg/l	-	428	-	-	-	492	-	-	-	-	444	-
14	Total Solids	mg/l	-	474	-	-	-	544	-	-	-	-	666	-

144

MADHYA PRADESH POLLUTION CONTROL BOARD
Water Quality during Year 2025

Natural Water Resource : Water Sample of Professor Colony STP, Bhopal

Sr No	Par	Unit	Jan(05-01-2026)	Feb(03-02-2025)	March(10-03-2025)	April(02-04-2025)	May(01-05-2025)	June(02-06-2025)	July(01-07-2025)	Aug(05-08-2025)	Sep(03-09-2025)	Oct(09-10-2025)	Nov(12-11-2025)	Dec(08-12-2025)
1	B.O.D (3 Days 27oC)	mg/l	5.2	2.4	6	7	7	5.6	5	13.2	6.4	6	6.4	6.2
2	Chemical Oxygen Demand	mg/l	28.8	19.6	29.4	29.64	28.8	28.2	29.4	57.6	38.72	29.64	38.4	28.8
3	Chloride	mg/l	45.93	33.26	53.21	49.98	40.98	44.35	55.18	138.7	38.98	44.94	49.4	37.32
4	Fecal Coliform	MPN/100 ml	1600	-	-	-	-	-	1600	1600	0	1600	1600	-
5	pH	pH Units	7.64	7.72	7.64	7.84	7.17	7.53	7.44	7.66	7.52	7.78	7.67	6.4
6	Suspended Solids	mg/l	42	46	52	35	26	26	35	42	56	36	90	82
7	Total coliform	MPN/100 ml	1600	-	-	-	-	-	-	1600	0	1600	1600	-
8	Total Dissolved Solids	mg/l	346	246	562	397	778	372	311	966	324	332	384	366
9	Total Solids	mg/l	388	292	614	432	804	398	346	1008	380	368	474	448

VAKALATNAMA


[Rule 4(1) of the Rules framed under Advocates Act, 1961]

BEFORE THE NATIONAL GREEN TRIBUNAL**CENTRAL ZONEL BENCH, BHOPAL****ORIGINAL APPLICATION No. 58/2026****IN THE MATTER OF:****Rashid Noor Khan****Applicant(s)****Vs.****Collector Bhopal & Ors.****Respondent(s)**




I Neetesh Chaurasiya, Regional Officer Bhopal, MPPCB named below do hereby appoint, engage, and authorize advocate(s) named below to appear, act and plead as aforesaid case proceedings which shall include application for restoration, setting aside of ex- party orders, corrections, modifications, review and recall of orders passed in these proceedings, in this court or any other court in which the same may be tried/ heard/proceeded and also in appellate. Revisional and executing court in respect of proceedings arising from this case/ proceedings as per agreed terms and conditions and authorize him/them to sign and file pleadings, appeals, cross objections, applications, affidavit or other documents as may be deemed necessary for the proper prosecution/defence of the case in all its stages and also agree to ratify and confirm act done by him/them as if done by me.

In witness whereof i/we do hereunto set my/our hand to the presents, the contents of which have been duly understood by me /us this 06.05.2026 at Bhopal.

PARTICULARS OF EACH PARTY EXECUTING VAKALATNAMA

Name	Registered Address	E-Mail Add & Telephone (If any)	Status in case	Signature
Neetesh Chaurasiya, Regional Officer, Bhopal, MPPCB	E5, Arera Colony Paryawaran Parisar Regional Office MPPCB Bhopal - 462016	7898892470 romppcb_bpl@rediff.com	Officer-in-Charge	 REGIONAL OFFICER M.P. Pollution Control Board BHOPAL

Accepted

Name & Enrollment No.	Office Address	E-Mail Add.	Telephone	Full Signature
PARUL BHADORIA 1587-2012	Paryawaran Parisar, E-5 Arera Colony, Bhopal, 462016	parul.bhadoria04@gmail.com legalcell.pcb@mp.gov.in	8085977111	
MOHIT BUCH 1305/2017		legalcell.pcb@mp.gov.in	9685034578	
PRANJAL PANDEY MP 2881-2021		advocatepranjalpandey@gmail.com	9340657120	
SHIVAM DWIVEDI MP 3857-2023		advshivamdwivedi20@gmail.com	8878471359	