

BEFORE THE NATIONAL GREEN TRIBUNAL (SZ) CHENNAI

Application No. 104 of 2021

K. Ramsingh,
S/o. Mr. Kandasamy,
No. 3/93, South Street,
Theertharappapuram Post,
Alangulam Taluk,
Tenkasi District – 627 423.
Phone No. 8531066058
E. mail : lingaram74@gmail.com

..Applicant

-vs-

1. The Director, Rep By Chairman/Member Secretary,
SEIAA - Department of Environment,
No. 1, Jeenis Road,
Panagal Building Ground Floor,
Saidapet, Chennai – 600015.
Phone No. 044 - 24336421
E.Mail : tndoe@tn.gov.in
2. The Chairman,
Tamil Nadu Pollution Control Board,
No. 76, Mount Road,
Guindy, Chennai – 600032.
Phone : 044 - 22353134
E.Mail : tnpceb-chn@gov.in
3. The Deputy Director,
Dep Of Geology and Mining ,Govt of Tamilnadu,
Collectorate, Kokkirakulam,
Tirunelveli – 627 009
Phone : 0462 2500309,
E.Mail : minetnv@gmail.com,
4. The District Collector,
Collectorate,
No. 82, Railway Feeder Road,
Tenkasi – 627 811, Tenkasi District.
Phone : 04633 - 290547
E.Mail : collr-tks@gov.in
5. The Superintending Engineer,
O/o. The Superintending Engineer,
TANGEDCO, Anna Building,
Thiyagaraya Nagar, Tirunelveli – 627 011.
Phone : 0462 - 2531981
E.Mail : setin@tnebnet.org

15.9.2021

6. The Assistant Engineer,
Distribution – TANGEDCO,
Servaikaranpatti, Kadayam,
Tenkasi District – 627 415
Phone : 9445854389
E.Mail : cedtin@tnebnet.org
7. Mr. N. Mohamed Mahaboob,
Proprietor – AP Nadanoor Rough Stone,
Jelly and Gravel Quarry, No. 8/142, Main Road,
Pottal Pudur, Ambasamudram Taluk,
Tenkasi District – 627 423.
(Previously Tirunelveli District)
Phone : 9443932490
E.Mail : infoglobalmining@gmail.com
8. Mr. K. Sasikumar,
S/o. V. Kalangiam,
Proprietor – AP Nadanoor Rough Stone,
Jelly and Gravel Quarry,
No. 9/303, Nainar Koil Street,
Velappanaiyeripatti, Thippanampatti Village,
Tenkasi District – 627 423
(Previously Tirunelveli District)
Phone : 9962688444
E.Mail : infoglobalmining@gmail.com ..Respondents

OBJECTION TO REPLY STATEMENT FILED ON BEHALF
OF 5TH & 6TH RESPONDENTS

The applicant submits the following objections for kind consideration:

1. The applicant submits that the respondents 5 & 6 have not followed any rules for laying poles in order to give H.T. Service connection to the respondents 7 & 8. The 5th & 6th respondents have erected poles in the middle of the agricultural lands by spoiling the field and agricultural activities. No notice is given to the land owners before erecting pole in the private lands. No acquisition was made and no compensation is paid to the land owners. The aim of the 5th & 6th respondents is to aid the 7th & 8th respondents for the best reasons known to them.

K. Sasikumar

2. It is submitted that, though the respondents in Para 8 of their reply statement stating that the detail estimate was approved by the Chief Engineer/Distribution, have not produced any documents to substantiate their contention. It is evident from the fact that in Para 8 the respondents 5 & 6 states that line is to be erected for length of 5.3 kilometers comprising 107 poles. Whereas in the reply to R.T.I. the line is erected for length of 7.021 kilometer comprising 97 poles.
3. It is submitted that the allegation in para 9 of the reply statement is not wholly true. It is true that A.P. Nadanur village people are objecting for erection of H.T. Electricity Poles. It is false to state that 4 poles were erected in the said village were damaged. In fact, on 17.11.2020 the pole erected by the 5th & 6th respondents in A.P.Nadanur Village fell on one Chellappa's house. On his complaint he got compensation.
4. It is submitted that the allegations made in para 10 is with regard to third parties. It is false to state that Peace Committee Meeting was convened on 22.02.2021 at 4th respondent's office. Neither this applicant nor any of the affected villagers were called to attend the said meeting. It is evident from the fact that the erection work during March 2021 was objected by the villagers.
5. It is submitted that the entire erection of poles is only for the benefit of private individuals i.e. 7th & 8th respondents herein. No H.T. power supply is required by the villagers for carrying on agricultural activities. The respondents 5 & 6 are invoking Sec. 10 & 16 of the

K. S. G. R.

Indian Telegraphic Act 1885. This section can be invoked for public purpose and not for facilitating private individuals. The 5th & 6th respondents have filed only evasive reply without giving any reply to forceful erection of poles in agricultural lands and private lands.

6. It is submitted that the respondents 7 & 8 at the time of seeking license for quarry have clearly stated in the application that, no H.T. electricity power is required for running the quarry business. The license is also issued based on the fact that no H.T. power is required for running the business. Now the respondents 7 & 8 suppressing the above material fact have now applied for H.T. Power connection for running the quarry business.

Dated at Chennai on this 9th day of December 2021.


Counsel for Applicant


Applicant

VERIFICATION

I, K. Ramsingh, Son of Mr. Kandasamy, the applicant herein, do hereby declare that what are all stated above paras 1 to 6 are true and correct to the best of my knowledge and belief.

Verified at Chennai on this 9th day of December 2021


Applicant.

List of Documents:

1. R.T.I. Application and reply given by TNEB, Public Information Officer, Tirunelveli to one Mr. Saravananaraj, A.P.Nadanur Village.
2. Photos showing erection of E.B. poles through agricultural paddy fields.

BEFORE THE NATIONAL GREEN
TRIBUNAL (SZ) CHENNAI

Application No. 104 of 2021

K. Ramsingh

..Applicant

-vs-

The Director,
Rep By Chairman/Member Secretary,
SEIAA - Department of Environment,
No. 1, Jeenis Road, Panagal Building
Ground Floor, Saidapet,
Chennai – 600015.
Phone No. 044 - 24336421
E.Mail : tndoc@tn.gov.in
And 7 others.

...Respondents

OBJECTION TO REPLY STATEMENT FILED
ON BEHALF OF 5TH & 6TH RESPONDENTS

M/s. A.JOHN BRITTO (834/1990)
N. POOVANALINGAM (638/1993)
S. PAUL LORDSON JEBARAJ
(MS 3526 / 2019)
Counsel for Applicant
Mobile No. 72990 36902
E. Mail : poovanalingam_n@yahoo.com

(பதிவு அஞ்சல் ஒப்புக்கை அட்டையுடன் - நாள் 28-பிப்ரவரி-2021

அலுவலர்:

இரா. சரவணராஜ்,
21, சாய் நகர்,
போளூர் கார்டன் பேஸ் 1
வானகரம்,
சென்னை - 600095

பெறுநர்:

பொது தகவல் அலுவலர்,
தமிழ்நாடு மின்சார வாரியம்
மஹாராஜ நகர்
திருநெல்வேலி - 627011



தகவல் உரிமைச் சட்டம் 2005இன் பிரிவு 6(1) இன் கீழ் விண்ணப்பம்

1. ஆழ்வார்குறிச்சி துணை மின் நிலையத்தில் இருந்து அணைந்த பெருமாள் நாடாணர் அருகில் அல் முபார்க் கிரஷர் வழியாக, தீர்த்தாரபுரம் அருகில் உள்ள ஸ்ரீ ராஜலக்ஷ்மி ப்ளூ மெட்டல் கிரஷருக்கு செல்லும் மின் வழிப்பாதையின் நீளம் மற்றும் நடப்படும் மின்கம்பங்கள் எண்ணிக்கை தகவல் தரவும்.
2. இந்த மின்வழிப்பாதை ப்ரொஜெக்ட்டின் திட்ட மதிப்பீடு தகவல் தரவும்.
3. இந்த ப்ரொஜெக்ட்டின் திட்ட மதிப்பீட்டிற்கு, பணம் செலுத்திய நிறுவனங்களின் பெயர் மற்றும் பங்களிப்பு தொகை தகவல் தரவும்.
4. இந்த இரண்டு கிரஷருக்கு செல்லும் மின்வழிப்பாதை மாநில நெடுஞ்சாலை, காட்டு வழிப்பாதை வழியாக செல்லாமல், பாப்பாங்குளம் பாசன வயல்வெளி, பட்டா நிலங்கள் மற்றும் பொதுமக்கள் வசிக்கும் குடியுறுப்பு பகுதி வழியாக கொண்டு செல்லப்பட்ட காரண தகவல் தரவும்.
5. மேற்படி இடத்தில் வழியாக மின் கம்பங்களை நடலாம் என்ற வரைபடத்தை வரைவு செய்த அதிகாரியின் பெயர் , பதவி, அலுவலக முகவரி , தீர்மான தேதி , அதைப்பற்றிய அலுவலக கோப்பின் ஒளி நகல் தரவும்.
6. மேற்படி மின்வழிப்பாதையில் மின்கம்பங்களை நட இறுதி உத்தரவு கொடுத்த அதிகாரியின் பெயர் , பதவி , அலுவலக முகவரி தரவும்.
7. மேற்படி மின்வழிப்பாதையில் மின்கம்பங்களை நட மேற்பார்வை செய்த, செய்யும் அதிகாரிகளின் பெயர் , பதவி , அலுவலக முகவரி தரவும்.
8. மேற்படி மின்வழிப்பாதையில் மின்கம்பங்களை நட வேறு ஒரு அலுவலகத்தில் இருந்து நியமிக்கப்பட்ட சிறப்பு/மாற்று அதிகாரியின் பெயர் , பதவி , அலுவலக முகவரி தருக .

9. மேற்படி மின்வழிப்பாதையில் மின்கம்பங்களை நட ஒப்பந்தம் எடுத்த ஒப்பந்த நிறுவனத்தின் பெயர், முகவரி தகவல் தரவும்.

10. மேற்படி மின்வழிப்பாதையில் செல்லும் மின்கம்பியின் மின்கடத்து திறன் அளவீடு தகவல் தரவும்.

11. மேற்படி மின்வழிப்பாதையில் மின்கம்பங்கள் ஒரே வரிசையில் செல்லாமல் சில இடங்களில் மட்டும் எகிர் திசையில் மாற்றி நடப்பட்ட காரண தகவல் தருக.

12. மேற்படி மின்கம்பங்கள் அல் முபாரக் கிரஷர் அருகில் உள்ள காஜூர் செல்லும் அரசு வழிப்பாதையில் மின்வழிப்பாதை திட்ட வரைவு செய்யப்பட்டு, பின் அணைந்த பெருமாள் நாடானூர் குடியிருப்பு பகுதி வழியாக மாற்றி அமைக்க பட்ட காரண தகவல் தருக.

13. மேற்படி மின்கம்பங்கள் முருகாண்டியூர் விலக்கு அருகில் உள்ள பட்டா ஒடை வழிப்பாதையில் மின்வழிப்பாதை அமைக்கப்பட்டு, பின் முருகாண்டியூர் குடியிருப்பு பகுதி வழியாக மாற்றி அமைக்க பட்ட காரண தகவல் தருக.

14. மேற்படி மின்வழிப்பாதையில் செல்லும் மின் கம்பங்களை சிறிது தூரம் மாற்றி வைக்க வேண்டும் என்று இந்த வழிப்பாதையில் உள்ள பட்டாதாரர் கோரிக்கை வைக்கும் பட்சத்தில் அக்கம்பங்களை அவ்விடத்திலிருந்து அகற்றவோ அல்லது மாற்றி வைக்கவோ மின்சார வாரியம் வசூலிக்கும் குறைந்தபட்ச / அதிக பட்ச தொகை பற்றிய தகவல் தரவும்.

15. மேற்படி மின்வழிப்பாதையில் செல்லும் மின் கம்பங்கள் அருகில் பட்டா நில உடமைதாரர் கட்டடம் கட்டினால் எவ்வளவு தூரம் இடைவெளி விட வேண்டும் என்ற தகவல் தரவும்.

16. மேற்படி மின்வழிப்பாதையில் மின் கம்பங்களை நட பட்டா நிலத்தின் உடமைதாரர்களுக்கு மின்சாரவாரியம் இழப்பீடு வழங்கிய தகவல் தருக.

17. மேற்படி மின்வழிப்பாதையில் மின் கம்பங்களை நட மறுப்பு தெரிவித்த நிலத்தின் உடமைதாரர் புகாரின் மீது எடுக்கப்பட்ட நடவடிக்கை தகவல் தருக.

18. மேற்படி மின்வழிப்பாதையில் 17-11-2020 அன்று அணைந்த பெருமாள் நாடானூர் கிரஷர் அருகில் ஒரு குடிசை வீட்டின் மின்கம்பம் விழுந்ததால் அந்த வீட்டின் உரிமையாளருக்கு நஷ்டஈடு கொடுக்கப்பட்ட தகவல் மற்றும் எடுக்கப்பட்ட நடவடிக்கை தகவல் தருக.

இதற்கான கட்டணமாக ரூபாய் 10 க்கான நீதிமன்ற கட்டண வில்லை ஒட்டியுள்ளேன் என்பதையும் கனிவுடன் தெரிவித்துக் கொள்கின்றேன்.

இப்படிக்கு

இரா. சரவணராஜ்
சென்னை

பதிவுச்சாள்

தமிழ்நாடு மின் உற்பத்தி மற்றும் பகிர்மானக் கழகம்

அனுப்புநர்
மேல்முறையீட்டு அலுவலர் மற்றும்
மேற்பார்வை பொறியாளர்,
திருநெல்வேலி மீன்பகிர்மான வட்டம்,
திருநெல்வேலி.11.

✓ பெறுநர்

திரு.இரா.சரவணராஜ்,
21, சாய் நகர்,
போளூர் கார்டன் பேஸ் 1,
வானகரம்,
சேன்னை - 600095.

க.எண்.மே.மு.வ/மே.பொ/திமிபவ/திலி/உ.செ.பொ/பொத/உ.பொ/பொதப/முறிவ/கோ.த.உ.ச/உ.எண்.128/2021: நாள் 22.07.2021

அய்யா,

பொருள்: தகவல் அறியும் உரிமைச் சட்டம் 2005-ன் கீழ் பெறப்பட்ட மேல்முறையீட்டு மனுவிற்கு தகவல் வழங்குவது - தொடர்பாக.

பார்வை: 1. தங்களது மேல்முறையீட்டு மனு நாள் - 10.06.2021 (இவ்வலுவலகத்தில் பெறப்பட்ட நாள் 23.06.2021).

2. க.எண்.பொ.த.அ./செ.பொ/கல்லி/திலி/தொ.நு.உ.1/கோ.த.உ.ச/உ.எண்.2076/21 நாள்:17.04.2021

பார்வை (1)ன் மூலம் பெறப்பட்ட தகவல் அறியும் உரிமைச் சட்டம் - 2005ன் மேல்முறையீட்டு மனுவிற்கு கீழ்க்கண்டவாறு தகவல் தெரிவித்துக்கொள்ளப்படுகிறது :

தங்களுடைய மனு நாள் 28.02.2021 ல் கோரியுள்ள தகவல்களுக்கு ஏற்கனவே பார்வை 2ன் படி தங்களுக்கு செயற்பொறியாளர் / விநியோகம் / கல்லிடைக்குறிச்சி அவர்களால் பதில் அனுப்பப்பட்டுள்ளது. இருப்பினும் பின்வருமாறு கூடுதல் தகவல்கள் தெரிவித்துக்கொள்ளப்படுகிறது:

தகவல் எண்:1-

07.021 கிலோ மீட்டர் 97 மின்கம்பங்கள்.

தகவல் எண்:2

ரூபாய் 65,62,640/-

தகவல் எண்:3

பிராஜெக்டின் திட்ட மதிப்பீட்டிற்கு பணம் செலுத்திய நிறுவனங்கள் மற்றும் ராஜஸ்டீக்மி புளு மெட்டல் மற்றும் M.Sand. செலுத்திய பணம் ரூபாய் 13.13,880/- (பதிமூன்று இலட்சத்து பதிமூன்று ஆயிரத்து எண்ணூற்று எண்பது மட்டும்).

தகவல் எண்:4

தொழிற்நுட்ப வசதிக்காக

தகவல் எண்:5

இளமின் பொறியாளர் / விநியோகம் / கடையம்

தகவல் எண்:6

தலைமை பொறியாளர் / திருநெல்வேலி மின் பகிர்மான வட்டம்/ திருநெல்வேலி.

தகவல் எண்:7

இளமின் பொறியாளர் / விநியோகம் / கடையம்

தகவல் எண்:8

இல்லை

தகவல் எண்:9

M. Francis, Gangaikondan, Tirunelveli

தகவல் எண்:10

11KV மின் பாதை.

தகவல் எண்:11

தொழில் நுட்ப வசதிக்காகவும், ஏற்கனவே மின்பாதை செல்வதின் அடிப்படையிலும்.

தகவல் எண்:12

காவூர் செல்லும் அரசு வழிப்பாதையில் மின்கம்பங்கள் அமைக்க, திட்டம் வரைவு இல்லை.

தகவல் எண்:13

மின்கம்பம் நடுவதற்கு ஆட்சேபனை பொது மக்களிடம் இருந்து வரப்பெற்றது. அதன் காரணமாக மின்பாதை மாற்றி அமைக்கப்பட்டது.

தகவல் எண்:14

மாற்று வழிப்பாதையை தேர்வு செய்வதைப் பொறுத்தே மதிப்பீடு தயார் செய்ய இயலும்.

தகவல் எண்:15

மின் வயர்களுக்கும், கட்டிடங்களுக்கும் இடையில் 4 அடி இடைவெளி இருக்க வேண்டும்.

தகவல் எண்:16

மின் வாரிய விதியின் படி இழப்பீடு வழங்கப்படவில்லை.

தகவல் எண்:17

பணி தொடரவில்லை

தகவல் எண்:18

இச்சம்பவம் குறித்து தகவல் ஏதுவும் இவ்வலுவலகத்தில் பெறப்படவில்லை என்ற தகவல் தங்களுக்கு தெரிவித்துக் கொள்ளப்படுகிறது.


மேல்முறையீட்டு அலுவலர் மற்றும் 3/2
மேற்பார்வை பொறியாளர்,
திருநெல்வேலி மின் பகிர்மான வட்டம்.





Objection to 5&6 Res.pdf

1 message

ramalingam ramachandran <lingaram74@gmail.com>

9 December 2021 at 22:28

To: tnpcb-chn@gov.in, minetnv@gmail.com, collr-tks@gov.in, setin@tnebnnet.org, cedtin@tnebnnet.org, infoglobalmining@gmail.com

Before The National Green Tribunal (SZ)

Chennai.

Application No. 104 of 2021.

K. Ramsingh

Vs.

8 other's

Counter Objection to the Objection filed by 5 & 6th Respondents.

Kindly acknowledge the same.

Counsel for Applicant.

A. JohnBritto

 **Objection to 5&6 Res.pdf**

2974K