

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 277 OF 2022**

IN THE MATTER OF:

LIYAKAT ALI & ORSAPPLICANTS
VERSUS
 STATE OF UTTAR PRADESH & ORSRESPONDENTS

INDEX

S.No.	Particulars	Pg. No
1.	Additional Affidavit on behalf of Respondent/Tehri Pulp and Paper Limited, with Affidavit	
2.	<u>ANNEXURE-1</u> Copy of Closure Order dated 10.01.2023, issued by UPPCB	
3.	<u>ANNEXURE-2</u> Copy of letter dated 12.01.2023, addressed by the Answering Respondent to UPPCB	
4.	<u>ANNEXURE-3</u> Copy of letter dated 07.02.2023, addressed by the UPPCB to the Answering Respondent	

FILED BY:

Utkarsh Sharma

[UTKARSH SHARMA]

Counsel for Respondent/Tehri Pulp and Paper Limited
 139, Setalvad Block,
 Supreme Court, New Delhi-110001
 Mob:+91-9312061203

Dated: 26.03.2025

E-mail: utkarsh.sharma7@gmail.com

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 277 OF 2022**

IN THE MATTER OF:

LIYAKAT ALI & ORS

....APPLICANTS

VERSUS

STATE OF UTTAR PRADESH & ORS.

....RESPONDENTS

**ADDITIONAL AFFIDAVIT ON BEHALF OF
RESPONDENT/TEHRI PULP AND PAPER LIMITED WITH
SUPPORTING AFFIDAVIT**

MOST RESPECTFULLY SHOWETH:

1. That the present Additional Affidavit is being filed on behalf of Tehri Pulp and Paper Limited, through its General Manager (Environment) Mr. Kishor Kumar Gupta, who is the duly authorized signatory of the Company and is competent to swear the Affidavit on its behalf.
2. That the present Additional Affidavit is being filed to clarify the aspect of the Closure Order dated 10.01.2023, issued qua Unit-2 of Tehri Pulp and Paper Limited, Bhopa road, Muzaffarnagar by the Uttar Pradesh Pollution Control Board [UPPCB]. The factum of passing of the Closure Order dated 10.01.2023, which had been taken note of by this Hon'ble Tribunal on the last date of hearing on 14.02.2025, is reflected in the Report of the Joint

Committee filed before this Hon'ble Tribunal on 13.02.2023 in Original Application No. 744 of 2022 titled Moharram Ali vs State of Uttar Pradesh & Ors. The finding against the Answering Respondent in the said Report was that at the time of inspection on the night of 08.01.2023, untreated effluent was found to be getting discharged from the unit into the Dandhera drain.

3. That post the inspection on 08.01.2023, a Closure Order was issued against Unit-2 of the Answering Respondent on 10.01.2023. Subsequent to the issuance of the Closure Order, the operations of Unit-2 of the Answering Respondent were immediately stopped. On 12.01.2023, a letter was addressed to the UPPCB on behalf of the Answering Respondent, highlighting the reasons as to why some discharge was seen from the unit into the Dandhera drain at the time of inspection on 08.01.2023.
4. That what had happened was that on 08.01.2023, the sludge pump installed at Unit-2 of the Answering Respondent, which connected to the primary clarifier from the equalization tank, started malfunctioning due to some mechanical problems, which led to overflow of water taking place into the Dandhera drain, which passes extremely close to the primary clarifier. On noticing the problem, immediate steps were taken to install the standby pump, whereafter the overflow stopped. The main pump was also

sent for repair and was reinstalled on 11.01.2023. In order to make sure that a similar situation does not arise in the future, remedial measures were also put in place by the Answering Respondent, wherein a standby pump of similar capacity was installed alongside the main pump, with a mechanism being put in place to enable automatic shifting of pumping to the standby pump in case the main pump stopped functioning for some reason. The said facts were duly intimated to the UPPCB by the Answering Respondent in its letter dated 12.01.2023.

A true copy of Closure Order dated 10.01.2023, issued by UPPCB, is annexed and marked as **Annexure-1.**

A true copy of letter dated 12.01.2023, addressed by the Answering Respondent to UPPCB, is annexed and marked as **Annexure-2.**

5. That after receiving the letter from the Answering Respondent, the Regional Officer, UPPCB, Muzaffarnagar conducted an inspection of Unit-2 of the Answering Respondent and submitted a report to the Head Office at Lucknow. After considering all facts and circumstances, the Head Office of UPPCB issued a communication dated 07.02.2023 to the Answering Respondent, intimating that the earlier Closure Order dated 10.01.2023 issued qua Unit-2 of the Answering Respondent stands revoked,

subject to the conditions indicated in the letter dated 07.02.2023. Thereafter, operations were commenced at Unit-2 of the Answering Respondent, with great care being taken to ensure that the unit remains fully compliant and complies with all conditions mentioned in the letter dated 07.02.2023.

A true copy of letter dated 07.02.2023, addressed by the UPPCB to the Answering Respondent, is annexed and marked as **Annexure-3**.

6. That it is stated with responsibility that an ETP of adequate capacity is installed at the unit of the Answering Respondent, which has been functioning satisfactorily over the years, as is also evident from the Report prepared by the CPPRI, containing the Performance Evaluation of the ETP installed at the unit of the Answering Respondent. The said report has already been placed before this Hon'ble Tribunal.
7. That the Unit of the Answering Respondent is subjected to regular inspections and samples collected from the inlet and outlet points of the ETP are sent for testing by the authorities, with the parameters having been found to be within the prescribed norms over the years. The discharge from the unit into the main drain, which was observed by the authorities on the night of 08.01.2023 and which led

to the issuance of the Closure Order dated 10.01.2023, had happened due to the reasons indicated in the preceding paragraphs, which were beyond the control of the management of the Answering Respondent. Immediate corrective action was taken by the management of the Answering Respondent on getting to know of the problem and the main pump was reinstalled, post repair, on 11.02.2023 itself. The Unit, realising that it was at fault, even if inadvertent, for some discharge taking place directly from the unit into the drain, did not contest the quantum of Environment Compensation imposed on it by UPPCB for the said infraction and duly deposited the same.

8. That in such circumstances, it is respectfully prayed that the present Additional Affidavit may kindly be taken on record and the Original Application may kindly be disposed of, qua the Answering Respondent.

FILED BY:

Utkarsh Sharma

[UTKARSH SHARMA]

Counsel for Respondent/Tehri Pulp and Paper Limited Private Limited
139, Setalvad Block,
Supreme Court, New Delhi-110001
Mob:+91-9312061203

Dated: 26.03.2025

E-mail: utkarsh.sharma7@gmail.com



BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO.277 OF 2022

IN THE MATTER OF:
LIYAKAT ALI & ORS.

....APPLICANT

STATE OF U.P. & ORS.

VERSUS

....RESPONDENTS

AFFIDAVIT

I, Kishor Kumar Gupta, S/o Late Mr. Banwari Lal Gupta, aged 61 years, R/o 59, Lal Bagh, Street No. 6, Gandhi Colony Muzaffarnagar, Uttar Pradesh-251001, do hereby solemnly affirm and declare as under:-

1. That I am the General Manager (Environment) at Tehri Pulp and Paper Limited and am fully conversant with the facts of the present case. I am also duly authorized on behalf of the Company to affirm this Affidavit.



2. That I have read and understood the contents of the accompanying Additional Affidavit, which has been drafted under my instructions and I state that the contents of the same are true and correct to the best of my knowledge derived from the records maintained during the course of usual business by Tehri Pulp and Paper Limited.


3. That the Annexures annexed to the present Additional Affidavit are true and correct copies of their respective originals.

VERIFICATION

Verified at Muzaffarnagar on this day of March, 2025 that the contents of the above affidavit are true to my knowledge, no part of it is false, and nothing material has been concealed therefrom.

Kishor Kumar

(K.K. Gupta)
DEPONENT



(K.K. Gupta)
DEPONENT

Identified by



PRERNA TYAGI
NOTARY
MUZAFFARNAGAR

25 MAR 2025

The deponent
is/are identified by
I have satisfied myself by examining the
deponent who understand the contents
of the affidavit which has been read out and
explained by me to the deponent Fee.....
Charged Rs.....



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

ANNEXURE-1

संदर्भ संख्या: 187071/सी-3/जल/619/2023

दिनांक: 10/01/2023

सेवा में

मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2,
9 वां कि.मी., भोपा रोड,
जनपद- मुजफ्फरनगर।

पंजीकृत

यह कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद-मुजफ्फरनगर जोकि वेस्ट पेपर का प्रयोग कर क्राफ्ट पेपर के उत्पादन हेतु उपरोक्त वर्णित स्थल पर कार्यरत है, जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 यथासंशोधित की धारा-47 के अन्तर्गत एक कम्पनी है।

यह कि माघ मेला अवधि में गंगा नदी जल की अखिलता एवं निर्मलता सुनिश्चित किये जाने हेतु गंगा नदी बेसिन में स्थित औद्योगिक इकाईयों को उत्प्रवाह शुद्धिकरण संयंत्र का सतत संचालन सुनिश्चित कराने तथा अशुद्धिकृत अथवा रंगीन उत्प्रवाह के गंगा नदी/सहायक नदियों में निस्तारण पर निगरानी किये जाने हेतु शासन स्तर से निर्देश जारी किये गये हैं। अग्रेतर, आयुक्त महोदय सहारनपुर मण्डल, सहारनपुर द्वारा हिण्डन एवं उसकी सहायक नदियों को निर्मल व अखिल बनाये जाने के सम्बन्ध सम्बन्ध हुई मण्डलीय बैठक दिनांक 18.10.2022 के कार्यवृत्त में निर्देश संख्या-7 व 17 में निम्नवत् निर्देशित किया गया है :-

7-हिण्डन नदी एवं उसकी सहायक नदियों में डिस्चार्ज प्रवाहित करने वाली समस्त औद्योगिक इकाईयां 15 दिन में ई.टी.पी. प्लांट को मानकों के अनुरूप दुरुस्त करा लें और निरन्तर संचालन करें। 15 दिन उपरान्त औद्योगिक इकाईयों के ई.टी.पी. प्लांट की जांच कर ई.टी.पी. प्लांट का मानक के अनुरूप संचालन न पाये जाने पर सम्बन्धित इकाई के विरुद्ध बन्दी की कार्यवाही सुनिश्चित की जाये।

17-रात्रि के समय औद्योगिक इकाईयां सीधे ड्रेन में डिस्चार्ज कर रही हैं, इस हेतु रात्रि में चैकिंग कर डिस्चार्ज की स्थिति पर सतर्क दृष्टि रखी जाये। सीधे डिस्चार्ज करने वाली औद्योगिक इकाईयों के विरुद्ध नियमानुसार बन्द करने की कार्यवाही की जाये।

यह कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर के प्राधिकृत जलकारियों द्वारा रात्रि में क्षेत्र भ्रमण के दौरान दिनांक-08.01.2023 को धन्धेडा ड्रेन में अशुद्धिकृत उत्प्रवाह प्रवाहित होता पाये जाने पर धन्धेडा ड्रेन का निरीक्षण किया गया। निरीक्षण में पाया गया कि उद्योग नौ टिहरी पल्प एण्ड पेपर लि0 (यूनिट-2), भोपा रोड, मुजफ्फरनगर के परिसर के शहर फाइनल आउटलेट के माध्यम से धन्धेडा ड्रेन में अशुद्धिकृत उत्प्रवाह का निस्तारण हो रहा है। निरीक्षण के दौरान उद्योग से निस्तारित हो रहे उत्प्रवाह का जल नमूना एकत्रित किया गया एवं वर्तमान तक प्राप्त विश्लेषण आख्या के अनुसार प्रचालक COD=6880 mg/l पायी गयी, जो कि बोर्ड मानकों से अधिक है। उक्त से स्पष्ट है कि उद्योग द्वारा उत्प्रवाह शुद्धिकरण संयंत्र का संचालन समुचित रूप से नहीं किया जा रहा है। उद्योग द्वारा अशुद्धिकृत उत्प्रवाह निस्तारित किये जाने के कारण धन्धेडा ड्रेन के साथ-साथ काली नदी पश्चिमी, हिण्डन नदी, यमुना नदी एवं अन्ततः गंगा नदी की जल गुणवत्ता पर विपरीत प्रभाव पड़ना स्वाभाविक है। केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा हिण्डन नदी की जल गुणवत्ता के सम्बन्ध में बैठक दिनांक 04.01.2023 द्वारा भी ऐसे उद्योगों के विरुद्ध कार्यवाही हेतु निर्देश दिये गये हैं। उद्योग द्वारा माघ मेला हेतु दिये गये निर्देशों का भी उल्लंघन किया गया है।

यह कि उद्योग को दिनांक 31.12.2024 तक शर्त सहमति जल निर्गत की गयी है, जिसकी शर्तों का उल्लंघन किया जा रहा है।

यह कि मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 यथासंशोधित के प्राविधानों के अन्तर्गत बोर्ड से निर्गत सहमति शर्तों का उल्लंघन कर आस-पास के पर्यावरण एवं जनमानस के स्वास्थ्य पर प्रतिकूल प्रभाव डाला जा रहा है, जोकि जल (जल प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 यथासंशोधित में निहित अज्ञापक प्राविधानों का उल्लंघन तथा एक दण्डनीय अपराध है। अतएव जनहित एवं जन साधारण को स्वच्छ वातावरण प्रदान करने के लिए यह आवश्यक है कि उद्योग के संचालन को रोका जाये।

अतः जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की धारा 32(1)(सी) के अन्तर्गत राज्य बोर्ड को प्रदत्त शक्तियों के अधीन उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि0 (यूनिट-2), भोपा रोड, मुजफ्फरनगर के विरुद्ध सहाय अधिकारी के अनुमोदनोपरान्त निम्नलिखित बंदी आदेश तत्काल प्रभाव से जारी किये जाते हैं :-

टी.सी. - 12 वी. विभूति खण्ड, गोमती नगर,
लखनऊ - 226 010
दूरभाष : 0522-2720828, 2720831
ई-मेल : info@uppcb.com
वेबसाइट : www.uppcb.com

TRUE COPY

T.C.-12 V, Vibhuti Khand, Gomti Nagar,
Lucknow - 226 010
Phone : 0522-2720828, 2720831
E-mail : info@uppcb.com
Website : www.uppcb.com

1. यह कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर को दिनांक 31.12.2024 तक की अवधि हेतु निर्गत सहमति जल को बन्दी आदेश जारी रहने तक की अवधि हेतु निलम्बित (Suspend) किया जाता है।
2. यह कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर के उत्पादन/संचालन कार्य को तत्काल प्रभाव से बन्द कर दें।
3. यह कि राक्षम अधिकारियों से यह अज्ञेया की जाती है कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर को मिलने वाली बिजली, पानी तथा अन्य सुविधाओं को तत्काल प्रभाव से बन्द कर दें।
उपरोक्त के अतिरिक्त यह भी स्पष्ट करें कि क्यों न गा0 एन0जी0टी0 द्वारा पारित आदेशों के अनुक्रम में सी0पी0सी0वी0 द्वारा विकसित की गयी मैथाड्रॉलांजो के अनुसार सक्षम अधिकारी के अनुगोदनापरान्त उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद-मुजफ्फरनगर पर क्षेत्रीय कार्यालय द्वारा किये गये निरीक्षण दिनांक-08.01.2023 से पर्यावरणोप्य मानक का उल्लंघन मानत हुए रुपये-30,000/- प्रतिदिन की दर से सुधारात्मक कार्यवाही किये जाने तक उल्लंघनकारी दिवसों हेतु पर्यावरणीय क्षतिपूर्ति अधिसूचित कर उक्त की वसूली की जायें।
राक्षम अधिकारी द्वारा पत्र निर्गमन हेतु अधिकृत।

(अभिषेक त्रिपाठी)
10/11/23

(अभिषेक त्रिपाठी)

प्रभारी, वृत्त-3

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. जिलाधिकारी, मुजफ्फरनगर को इस अनुरोध के साथ कि कृपया संबंधित अधीनस्थ को उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद-मुजफ्फरनगर को तत्काल बन्दी सुनिश्चित कराये जाने हेतु निर्देशित करने का कष्ट करें।
2. पुलिस अधीक्षक, मुजफ्फरनगर को इस अनुरोध के साथ कि कृपया संबंधित अधीनस्थ को उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद-मुजफ्फरनगर को तत्काल बन्दी सुनिश्चित कराये जाने हेतु निर्देशित करने का कष्ट करें।
3. अभियंता अभियन्ता विद्युत वितरण खण्ड, उ0प्र0 पावर कार्रेशन लि0, मुजफ्फरनगर को इस निर्देश के साथ कि कृपया उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद-मुजफ्फरनगर की विद्युत आपूर्ति तत्काल विच्छेदित कराना सुनिश्चित करें।
4. अभियंता अभियन्ता जल संरक्षण, मुजफ्फरनगर को इस निर्देश के साथ कि कृपया उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर की जल आपूर्ति तत्काल विच्छेदित कराना सुनिश्चित करें।
5. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ कि उद्योग मैसर्स टिहरी पल्प एण्ड पेपर लि., यूनिट-2, 9 वां कि.मी., भोपा रोड, जनपद- मुजफ्फरनगर की बन्दी सुनिश्चित कराये तथा अनुपालन आख्या बोर्ड मुख्यालय प्रेषित करें।

(अभिषेक त्रिपाठी)
10/11/23

(अभिषेक त्रिपाठी)


प्रभारी, (वृत्त-3)

0/1/8

TRUE COPY

T.I.N. : 09473100495 dt. 1.4.95
GSTIN No. : 09AAACT0285B1ZO
C.I.N. : U21022DL1993PLC119328

2170



TEHRI

ANNEXURE-2

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref. No.

Dated.....

Date: 12 January 2023

To,
The Chief Environment Officer (C-3)
U.P. Pollution Control Board,
Lucknow

Sub: - Representation against closure notice dated 10.01.2022

Dear Sir,

This is in reference to your closure notice ref. no. H-87071/C-3/Water-619/ 2023 dated 10.01.2023, kindly find below our representation as:-

1. That we have installed adequate E.T.P. and have modified it regularly and are operating with valid consent under water, air and Hazardous Act. This shows that we were complying the norms of treated waste water.

2. Our industry undergoes regular monitoring of effluent generated from ETP on quarterly basis and the concentrations are within prescribed limits. We have recently conducted latest analysis on 3.01.2023 (by MOEF/NABL accredited laboratory) and the pollutants are within prescribed limits complying the norms .We have attached the report for the same and annexed as **Annexure-1.**

3. We would also like to highlight that our sludge pump connecting to the primary clarifier -2 from equalization tank went into malfunctioning on 08.01.2023 due to some mechanical problem in the pump. Due to this overflow of water took place in to the final discharge drain passing very near to this primary clarifier-2 and it was recorded during inspection on 08.01.2023.

On knowing the issue, we immediately installed the standby pump and the main pump was sent for repair. We would highlight that on 11.01.23 the main pump has been reinstalled after repair. The photographs for the same have been attached for your reference as **Annexure-2.**

4. A proper remedial measure for future has been adopted so that such a problem does not arise. A proper stand-by pump of similar capacity has been installed alongside the main pump. This results in automatic shift of pumping by standby pump in order when main pump stops functioning. (Photographs of main pump & standby pump are enclosed as **Annexure-3**)



TRUE COPY

Regd. Office : 216, AGARWAL PRESTIGE MALL PLOT NO. 02
COMMUNITY CENTRE RANI BAGH, PITAMPURA, NEW DELHI - 110034



T.I.N. : 09473100495 dt. 1.4.95
GSTIN No. : 09AAACT0285B1ZO
C.I.N. : U21022DL1993PLC119328

2171



TEHRI

PULP & PAPER LIMITED

Office & Works : 9th K.M. STONE, BHOPA ROAD, MUZAFFARNAGAR-251 001

☎ : 0131-2468383, 2468384, 2468385, Fax : 0131 - 2468386 E-mail : info@tehrpaper.com visit us : www.tehrpaper.com

Ref. No.

Dated.....

Prayer

We feel sorry for not complying the regulations during inspection dated 08.01.2023 because of malfunctioning of the pump. But it is to be noted that testing of parameters of treated effluent are conducted on regular basis and the pump has also been repaired now. A proper remedial measure has also been taken up for future by installation of a standby pump of similar capacity.

Hence we request your good self to kindly verify the above facts and please withdraw the closure notice issued against our unit.

Thanking you,

M/s Tehri Pulp and Paper Ltd., Unit 2
(9th k.m. Bhopa Road)

Ch. Anoop

(Authorized Signatory)



Encl: As above

C.C. To Regional Officer, U.P. Pollution Control Board, Muzaffarnagar (U.P.)

Ch. Anoop
12-1-23

अधीन कायालय
१० म प्रदूषण नियन्त्रण बोर्ड
मुजफ्फरनगर

L
TRUE COPY



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ संख्या: H-88619/सी-3/जल/619/2023

दिनांक: 07/02/2023

सेवा में,

मैसर्स टिहरी पल्प एण्ड पेपर्स लि. (यूनिट-2),
9 वां कि.मी., भोपा रोड,
जनपद-मुजफ्फरनगर।

पंजीकृत

विषय: जल (प्रदूषण निवारण तथा निगंत्रण) अधिनियम, 1974 की धारा 32(1)(सी) के अन्तर्गत जारी बन्दी आदेश को सर्रात निक्षेप किये जाने के संबंध में।

महोदय,

उपरोक्त विषयक बोर्ड मुख्यालय के पत्र संख्या-एच 87071/सी-3/जल-619/2023, दिनांक-10.01.2023, जिसके द्वारा उद्योग के विरुद्ध बन्दी आदेश जारी किया गया है, का संदर्भ लेने का कष्ट करें। उद्योग को जारी बन्दी आदेश के क्रम में उद्योग के प्रत्यावेदन तथा क्षेत्रीय अधिकारी, मुजफ्फरनगर द्वारा प्रेषित निरीक्षण आख्या एवं संस्तुति दिनांक-01.02.2023 पर विचारोपरान्त सक्षम अधिकारी के अनुमोदनोपरान्त उद्योग पर बोर्ड द्वारा किये गये निरीक्षण दिनांक-08.01.2023 से दिनांक-11.01.2023 तक अर्थात् कुल 04 दिवसों हेतु पर्यावरणीय मानकों का उल्लंघन मानते हुए रुपये-30,000/-प्रतिदिन की दर से कुल रुपये -1,20,000/- (रुपये एक लाख बीस हजार मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित करने के साथ जारी बन्दी आदेश दिनांक-10.01.2023 को निम्नलिखित शर्तों के साथ निक्षेपित किया जाता है:-

1. उद्योग द्वारा स्थापित उत्प्रवाह शुद्धिकरण संयंत्र का संचालन सुचारु रूप से इस प्रकार किया जाए कि निस्तारित शुद्धिकृत उत्प्रवाह सदैव मानकों के अनुरूप रहे, जिससे पश्चिमी काली नदी की जल गुणता प्रभावित न हो।
 2. उद्योग द्वारा ई.टी.पी. के आउटलेट पर स्थापित ओ.सी.ई.एम.एम.एस. को सी.पी.सी.बी. एवं राज्य बोर्ड के सर्वर से संयोजित कर अनवरत डाटा प्रेषित किया जाना सुनिश्चित किया जाए।
 3. उद्योग द्वारा मा. राष्ट्रीय हरित अधिकरण में योजित ओ.ए. संख्या-277/2022 लियाकत अली व अन्य बनाम उ.प्र. सरकार एवं ओ. ए. संख्या-744/2022 मोहम्मद अली बनाम स्टेट आफ उत्तर प्रदेश में मा. एन.जी.टी. द्वारा समय-समय पर पारित अन्य आदेशों का अक्षरशः अनुपालन करना सुनिश्चित करें।
 4. उद्योग द्वारा स्थापित उत्प्रवाह शुद्धिकरण संयंत्र के माध्यम से निस्तारित शुद्धिकृत उत्प्रवाह की बोर्ड से मान्यता प्राप्त प्रयोगशाला से विश्लेषित विश्लेषण आख्या त्रैमासिक रूप से बोर्ड में जमा की जाए।
 5. उद्योग द्वारा बोर्ड से निर्गत सहमति शर्तों का कड़ाई से अनुपालन सुनिश्चित करते हुए अनुपालन आख्या समयबद्ध रूप से बोर्ड को प्रेषित किया जाए।
 6. उद्योग द्वारा मा. एन.जी.टी. एवं केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा दिये गये निर्देशों का अनुपालन सुनिश्चित किया जाए।
 7. उद्योग द्वारा पर्यावरण (संरक्षण) अधिनियम, 1986 के प्राविधानों का अनुपालन सुनिश्चित किया जाए।
 8. उद्योग को बोर्ड द्वारा अधिरोपित पर्यावरणीय क्षतिपूर्ति की धनराशि रुपये-1,20,000/- (रुपये एक लाख बीस हजार मात्र) को उ. प्र. प्रदूषण नियंत्रण बोर्ड के यूनियन बैंक आफ इण्डिया, वैभव खण्ड, गोमती नगर, लखनऊ स्थित बैंक खाता संख्या -701502010002104, आई.एफ.एस.सी. कोड-UBIN0570150 में 15 दिन के अन्दर जमा किया जाए।
 9. उपरोक्त अधिरोपित पर्यावरणीय क्षतिपूर्ति का भुगतान निर्धारित समयावधि के अन्तर्गत किया जाना सुनिश्चित करें अन्यथा की दशा में दिनांक-10.01.2023 द्वारा बन्दी आदेश पुनः स्वतः प्रभावी हो जाएगा।
- उपरोक्त निर्देशों का कड़ाई से अनुपालन सुनिश्चित किया जाए तथा अनुपालन आख्या समयबद्ध रूप से बोर्ड को प्रेषित की जाए।
सक्षम अधिकारी के द्वारा पत्र निर्गमन हेतु अधिकृत।

(हस्ताक्षर)
07/2/23
मुख्य पर्यावरण अधिकारी (वृत्त-3)

प्रतिलिपि: निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. जिलाधिकारी, मुजफ्फरनगर।
2. वरिष्ठ पुलिस अधीक्षक, मुजफ्फरनगर।
3. अधिशासी अभियन्ता, उ.प्र. पावर कार्पोरेशन लि., विद्युत वितरण खण्ड, मुजफ्फरनगर।
4. अधिशासी अभियन्ता, जल संस्थान, मुजफ्फरनगर।
5. क्षेत्रीय अधिकारी, उ.प्र. प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को इस निर्देश के साथ प्रेषित कि उद्योग को निर्गत निर्देशों का अनुपालन सुनिश्चित करायें।

TRUE COPY

Vh-lh - 12 oh) foHkwfr [k.M] xkserh ux]]
y[kuA - 226 010
nwjHkk*k % 0522-2720828, 2720831
bZ&esy % info@uppcb.com
osclkbV % www.uppcb.com

T.C.-12 V, Vibhuti Khand, Gomti Nagar,
Lucknow - 226 010
Phone : 0522-2720828, 2720831
E-mail : info@uppcb.com
Website : www.uppcb.com