

1556

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL

O.A. No. 225 OF 2022

In the matter of:

Nitin Dhiman

.....Applicant

V/S



State of Punjab

.....Respondent

**Short Reply/Status Report in the form of affidavit by
Jitendra Jorwal IAS, Deputy Commissioner,
Ludhiana**

It is most respectfully showeth:

1. That undersigned is posted as District Magistrate, Ludhiana and thus filing the reply.
2. That Hon'ble National Green Tribunal vide orders dated 14.08.2024 has directed as follows:-

"8. Having regard to the report of the amicus we are prima-facie of the view that the direction of the Hon'ble Supreme Court has not been complied with. Hence we deem it proper to implead the Secretary, Environment State of Punjab as Respondent No. 13.

9. Let notice be issues to the newly added Respondent No. 12 & 13 for filing their response at least one week before the next date of hearing.

10. Learned counsel for the State of Punjab and District Magistrate, Ludhiana submits that report/response will be filed within four weeks.

11. List on 27.11.2024"

87/0
f
3. That in compliance to the orders of Hon'ble National Green Tribunal, New Delhi that the report has been received from Punjab Pollution control board, Ludhiana vide letter no. SPL-1 dated 23-11-2024 in the performa desired by Hon'ble NGT vide order dated 14.08.2024 is enclosed herewith as **Annexure-A**.

4. The undersigned has followed the instruction passed earlier by Hon'ble National Green Tribunal. That in the view of the compliance of factual report is submitted made herein above, with request to Original Application No 225 of 2022 may be disposed-off with appropriate orders. Any instructions passed by the Hon'ble Tribunal shall be complied in letter and spirit.



It is, therefore, prayed that the Original Application No 225 of 2022 may kindly be disposed off with appropriate orders.

Submitted by

(Jitendra Jorwal, IAS)

District Magistrate, Ludhiana

Verification:-

Verified that the affidavit S.F.A./G.P.A. has been read over & explained to the deponent, executant who seemed correctly to understand the same at the time making above there.

Verified that the contents of para no.1 to 4 of the above reply are true and correct to my knowledge as derived from the official record. No part of the above reply is false and nothing material has been kept concealed therein.

Dated:- 23-11-2024

Place:- LUDHIANA

(Jitendra Jorwal, IAS)

District Magistrate, Ludhiana



ATTESTED AS IDENTIFIED

NOTARY PUBLIC, LDH

12 3 NOV 2024

**Punjab Pollution Control Board**

Regional Office-III, Savitri Complex, Dholewal Chowk, Ludhiana

No: SPL-1

Date. 23.11.2024

To

The Deputy Commissioner,
Ludhiana

Sub: Data related to dyeing Industries of Ludhiana as per Performa provided by the Hon'ble NGT in order dated 14.08.2024 passed in O.A. no. 225 of 2022 titled "Nitin Dhiman v/s State of Punjab & Ors" .

Please find enclosed herewith data of dyeing Industries of District Ludhiana as per Performa provided by Hon'ble National Green Tribunal, New Delhi in order dated 14.08.2024 passed in O.A. no. 225 of 2022 titled as "Nitin Dhiman v/s State of Punjab & Ors. Further, it is mentioned here that the work related to geo-tagging of industries is under process

DA/- As above

23/11/2024

**Environmental Engineer
For Punjab Pollution Control Board**
For Deputy Commissioner
Ludhiana

S. No	Name & Address of the unit	Small/Medium unit with geo code	Environmental Clearance	Consent from PPCB	Consumption of water and intake source	Provision for pretreatment within the unit	If connected to CETP and the quantity to be supplied to the CETP (KLD)	Capacity of the CETP to which the unit is connected and the environmental/consent for the CETP	Quantity discharged from CETP along with water quality analysis (to be annexed) and mode of discharge (land, river canal etc.)	If having own ETP along with geo code and capacity (KLD)	Quantity discharged from ETP (KLD) along with water quality to be annexed analysis and mode of discharge (land, river canal etc.)
1	A.D. Dyeing & Finishing Mills, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2023/23503750 dated 08.11.2023, valid upto 31.03.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	323	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
2	A.K. Dyeing House, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2020/12984331 dated 28.08.2020, expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	522	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
3	A.K. Dyeing, Jaswal Complex, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/16399693 dated 19.10.2021, expired on 18.10.2022.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	694	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
4	Aashish Dyeing, (Shivala Processors), 2220/6, Mahavir Complex, Opp. Central Jail, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2022/17745180 dated 08.03.2022, expired on 07.03.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
5	Abhay Processors Eariler known as Shyam Dyeing & Finishing Mills, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/25566079 dated 26.06.2024, valid upto 30.06.2026.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	413	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
6	Adarsh Processors, Mahavir Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/26126645 dated 24.09.2024, valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	182	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
7	Aman Processors, Opp. Central Jail, Near Shiv Mandir, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25462433 dated 20.04.2024, valid upto 20.04.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
8	Arora Brothers Creations, Plot no. 48, Jaswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/26069525 dated 15.07.2024, valid upto 30.06.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

9	Balak International, Plot No. 14, Jaswal Complex, Kakka Village Road, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/264 84796 dated 11.08.2024, valid upto 11.08.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	625	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
10	Balarama Tex Ltd Eariler known as Gangesh Cottex, B/s Yogi Dyeing, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/243 81549 dated 06.12.2023, valid upto 06.12.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	300	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
11	Berry Scientific Dyers, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/1 5160432 dated 12.03.2021, Expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	348	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
12	C.K. Processors, Jaswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/242 62232 dated 29.12.2023 valid upto 28.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	783	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
13	Deepak Dyeing House (M/s Ghip's Processors) Tajpur Road, Near Jaswal Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/255 73841 dated 03.05.2024 valid upto 03.05.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	400	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
14	Famina Fabrics, Plot no. 37, Jaswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/255 97977 dated 06.05.2024 valid upto 06.05.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	280	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
15	Friends Finishers, Tajpur Road, Opp. Central Jail, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2018/7 911644 dated 29.08.2018 expired on 30.06.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
16	G.K. Finishing, Mata Karam Kaur Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/253 25377dated 04.04.2024 Valid upto 04.04.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	100	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
17	G.P. Dyeing, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/266 60696 dated 04.08.2024 valid upto 04.08.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	393.6	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
18	G.R. Woollen Mills, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/242 65390 dated 24.11.2023 valid upto 24.11.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	317	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

19	Ganga Dyeing & Processors, Bhamian Kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/24204297 dated 29.11.2023 valid upto 29.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	400	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
20	Fortune Impex, (previously known as Golden Processors), VILL. Bhamian Kalan Tajpur Road, Ldh	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2024/23524021 dated 24.09.2024 valid upto 30.06.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	1163	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
21	Gupta Shivam Dyeing Processors, Village Bhamian Kalan, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2024/26161205 dated 06.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	522	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
22	Gupta Shivam Processors (Previously known as M/s Shree Balaji Dyeing & Finishing Mill), 137, Mahavir Jain Colony, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2023/21490456 dated 21.06.2023 expired on 20.12.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
23	Handa Processors, St. No. 7, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/24107507 dated 02.11.2023 valid upto 02.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	430.4	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
24	G.K.K. PROCESSORS Previously known as M/S HINDUSTAN FINISHERS, Tajpur Road, Opp. Central Jail, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25143809 dated 01.04.2024 valid upto 01.04.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	261	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
25	Sat Sahib Dyeing (Previously Hindustan Processors], Mahavir Jain Colony, Opp. Octrio Post, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/25964255 dated 30.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	222	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
26	Hinglaj Processors, Jamalpur Awana, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2024/26226142 dated 08.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	609	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
27	Bajrang Bali Dyeing earlier known as Indoman Dyeing Works, Opp. Central Jail Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/16872108 dated 27.10.2021 expired on 26.04.2022.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	243	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
28	Jai Maa Dyeing & Finishing Mills, 485, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25338476 dated 03.04.2024 valid upto 03.04.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

29	Jai Shree Radhey Industry, St. No. 03, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/243 58050 dated 02.01.2024 valid upto 02.01.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	518.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
30	Jasbir Dyeing House, 2250/3 K, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2020/1 1577977 dated 21.05.2020 expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	434	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
31	Jindal Finishing Works, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 88139 dated 15.05.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	787	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
32	Jiwan Risham Processors (SEA Fashion), Vill. Bhamian Kalan, PO Mundia kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/251 74360 dated 18.03.2024 valid upto 18.03.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	100	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
33	Gopal Ji Garments Pvt. Ltd., formally known as JMG Garments, Mahavir Dyeing Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2022/1 7595096 dated 06.01.2022 expired on 05.01.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	203	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
34	K.B. Dyeing, Street No. 5, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/241 08849 dated 02.11.2023 valid upto 02.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	190	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
35	Kairavi Processors, Plot no.98-99, Mahavir Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/268 11131 dated 01.10.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
36	Khanna Industries, Kakka Road, Opp. Central Jail, tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/237 60395 dated 24.11.2023 valid upto 31.03.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	870	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
37	Khanna Processors, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/256 15992 dated 08.05.2024 valid upto 08.05.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	520	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
38	Koutton Dyeing HouseJaswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/241 25369 dated 04.11.2023 valid upto 04.11.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	382.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

39	Krishna Industries (M/s Krishna Dyieng), 2220/10-A, Shiv Mandir St., Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/241 88395 dated 20.11.2023 valid upto 20.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	300	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
40	Krishna Processors, B-XXXI, Kullewal, Mahavir Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/250 06619 dated 26.02.2024 valid upto 26.02.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	522	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
41	Lovely Industries, Near Amrit Dharam Kanda, New Puli, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/1 6480507 dated 23.09.2021 expired on 22.09.2022.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	1214	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
42	M.R. Dyeing & Finishing Mills, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 16818 dated 21.05.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	750	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
43	M/s Abhinandan Knits (P) Ltd., (Formally known as M.Tech Processors), Mahavir Jain Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/268 03983 dated 24.09.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	431	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
44	Madhok Scientific DyersPlot no. 104, Mahavir jain Colony, Tajpur Road, Ldh	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 01222 dated 07.10.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	391.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
45	Mahabir Dyeing House, 2279/1, Vishwakarma Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/265 48797 dated 01.10.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	435	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
46	Maharaja Dyeing & Finishing Mills, Mahavir Complex, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2019/1 0457351 dated 16.09.2019 expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	785	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
47	Mahavir Dyeing & Finishing Industries, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/1 3232420 dated 12.01.2021 expired on 30.06.2021.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	1435	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
48	Megha Processors, Mahavir Dyeing Complex, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/254 12080 dated 26.06.2024 valid upto 30.06.2026.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	300	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

49	Mohinder Dyeing & Finishing House, Mahavir Colony, Kakka Road, Near Makkar Textile, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/268 40561 dated 24.09.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	534	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
50	N.V. Processors (Eariler known as Veer Garment), 117, Mahavir Jain Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2022/202 31523 dated 16.12.2022 expired on 15.03.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	415	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
51	New Amba Dyeing (Unit No. 2), Mata Karam Kaur Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/1 5929427 dated 27.07.2021 valid upto 30.06.2026.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	162	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
52	New Amba Dyeing, Mata Karam Kaur Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2022/203 98274dated 26.12.2022 expired on 25.03.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	336	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
53	Paras Knit, 2220-2C/1, Mahavir Dyeing Complex, Tajpur Road,	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2022/1 9108831 dated 08.08.2022 expired on 07.08.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	255	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
54	Prabhat Dyeing & Finishing Industry, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/242 61878 dated 05.05.2024 valid upto 05.05.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	346.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
55	S. G. PROCESSORS (Tenant of M/s Parmod Dyeing), Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/266 76948 dated 01.10.2024 valid upto 30.06.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	100	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
56	Ponahari Dyeing Works, Jaswal complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/257 09480 dated 20.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	399	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
57	R.K. Finishing & Processing, Near Shiv Mandir, Opp. Central Jail, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/241 30894 dated 26.02.2024 valid upto 26.02.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
58	R.K. Washing, Plot no.22, Tajpur Road, Mahavir Colony, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/256 91262 dated 17.05.2024 valid upto 17.05.2026.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	64.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

59	R.S. Dyeing, Geeta Nagar, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2024/23923787 dated 01.01.2024 valid upto 31.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	169	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
60	Rasila Processors, 13118, Mata Karam Kaur Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/20875816 dated 27.02.2023 valid upto 26.02.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	140	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
61	Royal Processors, 2220/8, Shiv Mandir Street, Mahavir Dyeing Complex, Tajpur Road, Opp Central Jail, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25374359 dated 09.04.2024 valid upto 09.04.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	100	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
62	S.K. Dyeing & Finishing, Plot No.1, Mahavir Jain Industrial complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/24877499 dated 21.06.2024 valid upto 30.06.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	527	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
63	S.K. Industries (Shree Balaji Dyeing), 2250/30-A, Geeta Nagar, Tajpur Road, Ludhiana (Earlier Paramount Dye-Tech)	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25597852 dated 06.05.2024 valid upto 06.05.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	149	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
64	Saral Dyers, Mahavir Colony, Tajpur Road, Ludhiana (Old Name Stylo Colour Art)	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2022/20229224 dated 03.11.2022 expired on 02.02.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	701	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
65	Sehyog Enterprises, Vill. Bhamian Kalan, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/25328082 dated 15.04.2024 valid upto 15.04.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	835.1	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
66	Shoshi Exports, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/24532369 dated 27.03.2024 expired on 26.09.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
67	Shree Balaji Processors, Opp. Central Jail, Tajpur Road, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2024/25138292 dated 01.07.2024 valid upto 30.06.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	729	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
68	Sunrise Dyers & Processors Pvt. Ltd., (Earlier Known as Quality Dyeing & Process Mills), B-XXX-2220/8A, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2022/19133992 dated 06.08.2022 expired on 30.06.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	602	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

69	Techno Knit Craft, Jaiswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/266 38526 dated 01.10.2024 valid upto 30.09.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	863	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
70	Vidhata Processors (Eariler Known as G.M.G. Processors), Dyeing Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/251 94156 dated 19.03.2024 valid upto 19.03.2026.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	90.5	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
71	Vohra Dyeing Factory, Jaswal Complex, Plot No. 10, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/252 16026 dated 03.05.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	347	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
72	Webson Hosiery Factory (Location-1), (Previously Known as: Shiv Processors), Jaswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/262 02443 dated 11.07.2024 valid upto 11.07.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	504	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
73	Webson Clothing India Earlier Known As Webson Hosiery Factory, Location-2, Khasra no.20//4/2, Village Bhamian Kalan, Jaiswal Complex, Tajpur Road, Industrial Area, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/265 01109 dated 04.09.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	652	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
74	Woolco Dyers, St. No. 6, Geeta Nagar, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 47246 dated 13.06.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	215	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
75	Lakshmi Processors Previously Known as Yogi Dyeing, 86-88, Jamalpur Awana, Mahavir Jain Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 83877 dated 21.06.2024 valid upto 30.06.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	919	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
76	Yogita Collection, Mahavir Jain Complex, Opp. Central Jail, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/242 90989 dated 12.01.2024 valid upto 31.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	868	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
77	Shiv Shakti Dyeing, Kakka Road, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/241 39780 dated 08.12.2023 valid upto 07.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	777	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

78	Fashion Fast (Earlier Known as Sparsh Creations), Geeta Colony, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/261 63749 dated 17.09.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
79	Rama Krishna Dyeing, Kakka Road,Opp Central Jail,Tajpur Road,Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/241 26053 dated 08.12.2023 valid upto 07.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	1305	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
80	Royal Coating Plot No-53, Jaswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/255 98013 dated 06.05.2024 valid upto 06.05.2027.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	480	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
81	New Ashok Dyeing Factory, #181, Jaiswal Complex, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/234 76082 dated 02.01.2024 valid upto 01.01.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	200	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
82	Komal Dyers, B-31, Preet Nagar, Kakka Road, Tajpur Road, Jamalpur Awana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/269 32448 dated07.10.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	1176	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
83	Styllia Garments, Tajpur Road, Near Central Jail, Kakka Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2024/2 4201725 dated 27.03.2024 expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	100	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
84	H.M. International. Plot No - 27, Near Hardev Nagar, Tajpur Road, Bhamian Kalan, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/240 27211 dated 06.12.2023 valid upto 05.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
85	Muskan Processor, Mahavir Jain Colony, Opp Central Jail Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2022/1 7857003 dated 06.04.2022 expired on 05.04.2023.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	409	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
86	N.K. Washing, Guru Nanak Nagar, Bhamian Kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/237 29735 dated 06.12.2023 valid upto 05.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
87	Flora Dyeing, Jaswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/262 80117 dated 02.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	339	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

88	Gurmehar International Multi trades Pvt Ltd. Plot No-B-31-2220/9E/6A, Mahavir Jain Colony, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/245 15308 dated 22.12.2023 valid upto 22.12.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	11.2	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
89	Lotus Clothing Co., Jaswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/249 99690 dated 25.02.2024 valid upto 25.02.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	462	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
90	Mahadev Washing, Tajpur Road, Opp. Central Jail, Mandir Wali Gali, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 67351 dated 19.06.2024 valid upto 30.09.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	190	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
91	Media Impex Pvt. Ltd., Vill. Bhamian Kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/242 51764 dated 16.01.2024 valid upto 30.06.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	908	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
92	Shree Lakshmi Industries, Jaswal Complex, Opp. Central Jail, Tajpur Road, LDH	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/242 43053 dated 02.01.2024 valid upto 01.01.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	783	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
93	A.K. Fabrics and processors, B-31, Jaswal Complex, Near Abadi, Preet Nagar, Kakka Road, Tajpur Road, Jamalpur Awana, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/214 57239 dated 07.10.2024 valid upto 30.06.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	348	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
94	Jai Ganesh Processor, Vill. Bhamian Kalan, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2020/1 3001263 dated 09.09.2020 expired on 30.06.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	773	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
95	Narang Sons International, 2220-D, Mahavir Dyeing Complex, Opp-Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2022/1910 5299 dated 22.07.2022 expired on 21.10.2022.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150.8	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
96	Bawa jeans Care Co. Plot no. 17-A, Mahavir Jain Colony, Opp. Central Jail, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Renewal/LDH3/2021/1 4530585 dated 11.02.2021 expired on 10.02.2022.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	165	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

97	Onkar Industries, Plot No. 18, Focal Point, Central Jail Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/242 29202 5 dated 21.11.2023 valid upto 21.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	150	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
98	New Bombay Dyeing & Bleaching House, Plot NO. 40, Mahavir Jain Colony, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/255 32876 dated 11.07.2024 valid upto 30.06.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	480	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
99	Shree Krishna Industries, Shiv Mandir Street, Opp central Jail ,Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/248 23306 dated 19.07.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	458	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
100	R.R. Fabrics, PLOT NO-B-XXXI, MAHAVIR JAIN COLONY, OPP CENTRAL JAIL, TAJPUR ROAD, LUDHIANA	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2024/247 21976 dated 16.01.2024 valid upto 16.01.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	499	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
101	B.L. Processor, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2023/226 42135 dated 06.12.2023 valid upto 30.06.2025	Ground Water	Not provided as unit is connected with 50 MLD CETP.	220	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
102	Hari Om Processor, Guru Nanak Nagar, Bhamian Kalan, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/259 56940 dated 15.07.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	80	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
103	Beas Scientific Dyers, Jaswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/258 82034 dated 15.07.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	500	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
104	Bansal Finishing & Dyeing Works, 54, Jaswal Complex, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/262 77106 dated 06.08.2024 valid upto 05.02.2025.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	4	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
105	Hindustan Fashion, Opp. Central Jail, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTO/Renewal/LDH3/2023/241 49726 dated 09.11.2023 valid upto 09.11.2028.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	172	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
106	SVN Industries, B-31/2220/1A OPP. CENTRAL JAIL, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/259 76388 dated 24.07.2024 valid upto 31.03.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	204.25	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP

107	Master Arts Processors, Kakka Road, Makkar Textile, Mahavir Colony, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Fresh/LDH3/2024/2599 8531 dated 26.07.2024 valid upto 31.12.2024.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	50	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
108	Ankush Processors, Near Bharat Box Factory, Kakka Road To Tajpur Road, Village Bhamian Kalan, Ludhiana,	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted vide no. CTOW/Varied/LDH3/2024/261 13710 dated 05.08.2024 valid upto 30.06.2029.	Ground Water	Not provided as unit is connected with 50 MLD CETP.	160	50 MLD	50 MLD, discharge into Buddha Nallah	Unit is connected with 50 MLD CETP	Unit is connected with 50 MLD CETP
109	Adinath Dyeing & Finishing Mills, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 1089491 dated 13.12.2023 valid upto 30.06.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	1900	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
110	M/s Sangeet Scientific Dyers (formerly known as Arihant Scientific Dyers), Dyeing Complex, Bahadurke Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/226 20302 dated 15.09.2023 expired on 14.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	400	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
111	Shree Gopal Ji Dyeing House (Previously known as Atam Dyeing & Finishing Mills),B-XXXII, 736/2, Bahadurke Road, Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/254 13164 dated 06.06.2024 valid upto 30.06.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	500	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
112	Chopra Process, Bahadur Ke Road, Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/257 48335 dated 23.05.2024 valid upto 23.05.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	150	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
113	Eakta Dyeing & Finishing House, Bahadurke Road, Dyeing Complex, Industrial Zone, ludhiana East.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 1680839 dated 29.09.2023 valid upto 30.06.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	1800	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
114	Girnar Fabrics India Private Limited, Village Bhattian, K.B. Road, G.T. Road West, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/231 35861 dated 04.10.2023 expired on 03.10.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	800	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
115	Jain Shawls and Fabrics Pvt Ltd, Opp. Indian Oil Petrol Pump, Plot No. E-14/1682, Bahadurke Road, Ldh	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 1779380 dated 22.09.2023 expired on 21.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	300	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP

116	Oswal Dyeing & Finishing Mills,Vill. Karabara, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/258 85469 dated 05.08.2024 valid upto 30.06.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	500	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
117	Sangat Dyeing House, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/1 8785752 dated 18.09.2023 expired on 17.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	400	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
118	Shri Balaji Finishing Mills (Formerly Shri Roop Dyeing & Finishing Mills, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/256 08138 dated 21.05.2024 valid upto 31.03.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	1200	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
119	Radha Processor formerly known as Navkar Dyeing, Bahadurke Road, Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2023/245 41201 dated 26.12.2023 valid upto 26.12.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	100	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
120	Shiva Processors (Formerly-Triveni Processors) Dyeing complex, Bahadurke Road, Ludhiana East.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 2108391 dated 19.09.2023 expired on 18.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	400	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
121	Sadan Hosiery Pvt. Ltd., B-32-E-14/1475, Gurbaksh Nagar, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2024/2621 9566 dated 05.08.2024 valid upto 30.06.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	850	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
122	Ranbir Enterprises Pvt. Ltd. (Opc), Dyeing Complex, Bahadurke Road,	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2020/1262 0831 dated 05.08.2020 expired on 22.01.2021. The industry is lying closed since 02 years	Ground Water	Not provided as unit is connected with 15 MLD CETP.	85	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
123	Viney Knitwears Pvt. Ltd. (Unit-II), E-14/736/2-B, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 2395945 dated 19.09.2023 expired on 18.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
124	Lark Knitwear, sharman Enclave, B/s Nagesh Hosiery, G.T. Road, West, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/2 2385567 dated 02.01.2024 valid upto 01.01.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	400	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP

125	Top Gear Fashions, B-XXXII, E-14/1679, Bahadurke Road, Vill. Taraf Karaba, Hadbast no. 161, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/21698715 dated 07.02.2024 valid upto 06.02.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	300	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
126	Navkar Dyeing and Finishing Mills, B-32-E-14-3295, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/23550452 dated 17.10.2023 valid upto 30.06.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	1000	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
127	Decent Finishers, B-XXXII-E-14-2296/3, Dyeing Complex, Bahadurke Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/25448750 dated 18.04.2024 valid upto 18.04.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	550	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
128	Oswal Finishing Mills B-32, Dyeing Complex, Industrial Zone, Bahadur Ke Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/26128861 dated 01.08.2024 valid upto 30.06.2028	Ground Water	Not provided as unit is connected with 15 MLD CETP.	1200	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
129	NADAR PRINTS, B-XXXII, DYEING COMPLEX, BAHADUR KE ROAD, LUDHIANA.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/25302892 dated 02.04.2024 valid upto 02.04.2029	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
130	Regal Enterprises (Previously known as Zip India) B-32, Mahavir Enclave, Akash Nagar, Village-Bhoura	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/24796740 dated 27.01.2024 valid upto 27.01.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	40	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
131	Prime Processors, Swami Vivekanand Marg, Bhattian Bahadur Ke Road	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/21876661 dated 15.09.2023 expired on 14.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	500	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
132	Narang Processors, 1st floor of M/s Prime Processors, Swami Vivekanand Marg, Bahadurke Road, Bhattian, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2023/24372533 dated 05.12.2023 valid upto 05.12.2026	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
133	Sidhi Vinayak Processors and chemicals, Near Sangat Dyeing, Dyeing Complex, Bahadurke Road, LDH	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/22081572 dated 19.09.2023 expired on 18.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
134	Adinath Knit, Plot No. E-14/3279, Bahadurke Road, Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/24216747 dated 02.01.2024 valid upto 01.01.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	100	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP

135	Ansh Processors, DYEING COMPLEX, BAHADUR KE ROAD, LUDHIANA	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/245 45871 dated 16.01.2024 expired on 30.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	150	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
136	Parbhat Threads (India), Opp- CETP Plant, Bhadurke, Mahavir Industrial Estate, Swami Vivekanand Marg, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/258 56150 dated 04.08.2024 valid upto 04.08.2026	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
137	Jolly clothing Co, Back Side Nagesh Knitwear, Sharman Enclave, Village Bhattian, G.T. Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/216 81760 dated 12.09.2023 expired on 11.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	25	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
138	M/s Vibgyor Dyeing And finishing House, Vivekanand Marg, Dyeing Complex, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/224 50056 dated 07.10.2023 expired on 06.10.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	300	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
139	VEER ENTERPRISES, BAHADUR KE ROAD, BHARTI COLONY CHOWNK, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 4214799 dated 21.12.2023 valid upto 20.12.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	50	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
140	Vipan Jain And Co Unit 2, Dyeing Complex, Bahadur Ke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/259 22483 dated 15.06.2024 valid upto 15.06.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	100	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
141	SEHGAL CREATION, BAHADUR KE ROAD, DYEING COMPLEX, OPP SAWDESHI WOOLEN MILL, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2023/2216 0950 dated 19.09.2023 expired on 18.09.2024	Ground Water	Not provided as unit is connected with 15 MLD CETP.	74	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
142	Tudor Intern+B143:B158ational Unit-II, B-32/E1-14/2297, Dyeing Complex, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTE vide CTE/Fresh/LDH3/2024/248229 65 dated 27.03.2024 expired on 26.03.2025	Ground Water	Not provided as unit is connected with 15 MLD CETP.	100	15 MLD	15 MLD, discharge into Buddha Nallah	Unit is connected with 15 MLD CETP	Unit is connected with 15 MLD CETP
143	Inaya International, Village Bhattian, G.T. Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	The industry has obtained NOC from Board for its establishment and has not yet commissioned.	Ground Water	-	400	15 MLD	15 MLD, discharge into Buddha Nallah	-	-
144	Friends Printers, E-10/4091, Bahadurke Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	The industry has obtained NOC from Board for its establishment and has not yet commissioned.	Ground Water	-	50	15 MLD	15 MLD, discharge into Buddha Nallah	-	-

145	Aggarwal Scientific Dyers, D-324, Phase-8, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 23-12-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	150	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
146	Amar Industries Limited, C-258, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	650	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
147	Arora Knit Fab (P) Ltd., HA-51-52-53, Phase-6, Focal Point Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
148	B.M.Processors, E-674, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30.09.2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	200	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
149	Bhasin Industries, E-751,752 & F- 325-326, Phase-8, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 29-04-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	200	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
150	BPR Zippers, F-295, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 25.10.2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	10	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
151	Dashmesh Weaving & Dyeing Mills Pvt. Ltd., C-193/A, Focal Point, Phase-6, Ludhiana.	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	2000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
152	Davinder Sandhu Impex Ltd., D-340, D-294, C-292, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 11-10-2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
153	Shree Ramal Industry Pvt. Ltd (Earlier Known as Deluxe Fabrics), HB-1 & 2, Focal Point, Phase-6, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 08-08-2029	Ground Water	Not provided as unit is connected with 40 MLD CETP.	900	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
154	Dhawan Processors, E-669 & 670, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	975	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

155	Ess Aar Coating (India) Ltd., E-486, Focal Point Phase-6, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 02-11-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
156	Ganpati Industry, D-355, Focal Point, Phase-8, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
157	Geesun (India) Inc. Previously: T.H.E. Makers Pvt. Ltd. D- 263, Focal Point Phase-8 Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2026	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
158	Gian Chand Sushil Kumar Jain, D- 337, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	340	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
159	Golden Enterprises, HC-24, Phase-6, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
160	Jain Dyeing Works, HB-14 & 15, Phase-6, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 22-05-2023	Ground Water	Not provided as unit is connected with 40 MLD CETP.	279.5	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
161	Kaursain Spinning Mill (Dyeing Unit), A-17, Phase- 8, Focal Point, Ludhaina.	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	800	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
162	Keshav Scientific Dyers, E- 676, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 05-03-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	100	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
163	Kudu Knit Process Private Limited, C- 219, Phase-8 Focal Point Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
164	Lovely Fabrics And Processors Pvt. Ltd., B-55, Phase-VII, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 08-11-2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

165	M.K Aggarwal Hosiery Pvt.Ltd., C-234 & D-338, Phase-8, Focal Point, Ludhaina.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
166	Mahadev Processors, E-726, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
167	Mahesh Dyeing House, D-287, Phase- 8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2029	Ground Water	Not provided as unit is connected with 40 MLD CETP.	600	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
168	Megaline Dyeing & Finishing (Earlier Megaline Enterprises) D-292, Focal Point, Phase-8 Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	550	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
169	Nanak Dyeing, D-331, Focal Point, Phase-8, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	200	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
170	Nav Durga Dyeing House, E-675, Phase-8 Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 26-09-2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
171	P.I. Cottex (Unit-II), E-638, Phase-7, Focal Point, Ludhiana.	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2026	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
172	P.V.M.Enterprises Pvt. Ltd., D-341-342, Phase-8, Focal Point Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 31-03-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
173	Pacific Dyers, 5349/E-745, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 05-02-2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
174	Perfect Dyeing & Finishing Industries, C-237, E-685, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	450	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

175	Punjab Wool Syndicate, HAA-63, Phase-6, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 28-10-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	35	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
176	R.K. Rajinder Dyeing House, D-290, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-10-2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	299	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
177	Raghav Industries, D-283, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
178	Raghav Woollen Mills (P) Ltd., D- 168,Focal Point,Phase-6 Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2026	Ground Water	Not provided as unit is connected with 40 MLD CETP.	200	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
179	Rainbow Scientific Dyers, C-211, Phase-8 Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	900	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
180	Ramal Industries Pvt. Ltd, D-265-66, Focal Point , Phase-8, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1400	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
181	Ramson Processors, E-506, Phase-6 Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
182	Ruby Dyeing & Finishing Mills, D-277-A, Phase-8 Focal Point Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	600	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
183	S.K. Kohli Textile Industries, E-664, Phase-8, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	400	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
184	S.K. Udyog, D-256, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	300	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

185	S.S. Processor, F-184, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 14-09-2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	160	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
186	Samrat Dyeing House, D-329, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	150	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
187	Sanya Fabrics, F-155,156,157,170, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	350	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
188	Shree Parshvanth Threads, E-678, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	100	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
189	Shyam Texchem Pvt. Ltd., D-228 Phase-7, Focal Point, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto30-06-2027	Ground Water	Not provided as unit is connected with 40 MLD CETP.	700	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
190	Sky Clothing, D-351/351-A, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 19-06-2029	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
191	Suvidhi Cotsyn (A Unit of Suvidhi Textiles Pvt. Ltd), C-189/A, Phase-6, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30-06-2026	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
192	V.H. Scientific Dyers, D-291, Focal Point, Phase-8, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 04-09-2029	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
193	Vishnu Fabrics, K-192, Phase-8, Focal Point, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 19-03-2025	Ground Water	Not provided as unit is connected with 40 MLD CETP.	50	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
194	Ashoka Dyeing & Finishing Mills Pvt. Ltd., C-132-133, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/258 45320 dated 4-Jun-24 valid upto 4-Jun-25	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1000	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

195	Blue Star Processors Pvt. Ltd. (Demerger from Sangam Weavers Pvt. Ltd.), D-57-58, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/27034874 Dated 30-Sep-24 valid upto 30-Sep-27	Ground Water	Not provided as unit is connected with 40 MLD CETP.	348	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
196	GNC Dyeing & Finishing Mills, C-21, Phase-3, Focal Point, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2022/19874775 Dated 26-Oct-22 valid upto 31-Mar-27	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1250	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
197	Jai Mata Di Dyeing and Finishing Mills (Previously Super Tex Processors) D-122, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/25681626 Dated 16-May-24 valid upto 16-May-29	Ground Water	Not provided as unit is connected with 40 MLD CETP.	500	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
198	Maharaja Processors, D-139,140 Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2024/24579798 Dated 8-Jan-24 valid upto 30-Jun-27	Ground Water	Not provided as unit is connected with 40 MLD CETP.	795	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
199	Navyug Laminates (Prop. Versatile Enterprises Pvt. Ltd.), C-124, Phase-5, Focal Point, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2024/22122844 Dated 15-1-2024 valid upto 31-3-2028	Ground Water	Not provided as unit is connected with 40 MLD CETP.	488	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
200	Raunaq Fabrics, C-30, Phase-2, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2024/24874082 Dated 19-Apr-24 valid upto 30-Jun-28	Ground Water	Not provided as unit is connected with 40 MLD CETP.	230	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
201	Riddhi Processors Pvt Ltd (Earlier Known as Gulab Deying)D-83, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/24715103 Dated 15-Jan-24 valid upto 15-Jan-29	Ground Water	Not provided as unit is connected with 40 MLD CETP.	995	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
202	Rosy Spinning Mills (P) Ltd.(Previously Known as Rosy Woollen Mills Pvt. Ltd)D-79, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/23988612 Dated 5-May-24 valid upto 5-May-29	Ground Water	Not provided as unit is connected with 40 MLD CETP.	297	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
203	Saachi Processors (P) Ltd.3-A, Adjoining Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/23195388 Dated 22-Sep-23 valid upto 21-Sep-24	Ground Water	Not provided as unit is connected with 40 MLD CETP.	1195	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
204	Sailo pal Dyeing Works (Regd.)D-96, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/22591874 Dated 19-Jul-23 valid upto 30-Jun-26	Ground Water	Not provided as unit is connected with 40 MLD CETP.	233.5	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP

205	Shiva Dyeing & Finishing, E-97, Phase-4, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/25463602 Dated 2-May-24 valid upto 2-May-29	Ground Water	Not provided as unit is connected with 40 MLD CETP.	630	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
206	Shivam Processors3-A, Hari Ram Dharam Kanda, Focal PointLudhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2022/17857478 Dated 20-Apr-22 valid upto 30-Jun-26	Ground Water	Not provided as unit is connected with 40 MLD CETP.	490	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
207	Superfine Knitters Ltd, C-5, Focal Point, Phase-5, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	-	Ground Water	Not provided as unit is connected with 40 MLD CETP.		40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
208	Centex Fabrics, Export unit-II, 217, Phase-7, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 30.09.2025	Ground Water	Into Sewer	NA	NA	NA	100	100
209	Fahrenheit Clothing India Pvt Ltd, C-190, Phase-7, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 14-09-2024	Ground Water	Not provided as unit is connected with 40 MLD CETP.	85	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
210	Sanjeev Dyeing Works, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	The industry has obtained shares of CETP, however, it has not yet commissioned.	-	-	1000	40 MLD	40 MLD, discharge into Buddha Nallah	-	-
211	R.N. Knit Fab, E-449, Phase-6, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Granted upto 19.08.2029	Ground Water	Not provided as unit is connected with 40 MLD CETP.	50	40 MLD	40 MLD, discharge into Buddha Nallah	Unit is connected with 40 MLD CETP	Unit is connected with 40 MLD CETP
212	Aarti International Ltd. (Dyeing & Process unit)VIII. Harijan & Bhamian Kalan, Kohara -Machhiwara Road,Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/varied/LDH1/2023/20269201 dated 13.02.2023 valid upto 31.03.2027	Ground Water	ETP Installed	Not connected to any CETP as ZLD	Not connected to any CETP as ZLD	ZLD	2000	ZLD
213	Sudsons Woollens Private Limited, Vill Uchi mangli, Chandigarh Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2021/14932660 dated 21.05.2021 valid upto 31.03.2025	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	50	ZLD
214	Bansal Spinning Mills Ltd, Vill Bilga, Sahnewal, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2021/15147285 dated 23.3.2021, valid upto 31.3.2026	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	100	ZLD

215	Om Yarn Plus Pvt Ltd, Vill Kanganwal, Jugiana, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2022/19247186 dated 17.8.2022, valid upto 31.3.2025	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	290	ZLD
216	Jainson Woolcombers Pvt Ltd, Vill Dharor, Sahnewal Dehlon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2021/15406992 dated 13.5.2021, valid upto 30.6.2026	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	77	ZLD
217	Imperial Wools, 2317/a, 2317/C, Industrial Area-c, Kanganwal Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH2/2020/13689270 dated 24.9.2020, valid upto 30.6.2025	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	24	ZLD
218	Eveline International, G.T Road, Dhandari Kalan, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2024/25035484 dated 9.7.2024, valid upto 31.3.2029	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	600	ZLD
219	Jaimal Singh Satnam Singh, Village Bajra, Rahon Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2022/18269929 dated 25.04.2022 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	300	ZLD
220	Jarnail Army Store, St. No. 4, Iqbal Nagar, Tajpur Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/22074765 dated 24.07.2023 valid upto 31.03.2026	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	10	ZLD
221	Parmeshwari Silk Mills Ltd. Vill. Bajra, Rahon Road, Ludhiana.	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/25239173 dated 27.06.2024 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	300	ZLD
222	Ram Dyeing, Near Radha Swami Satsang House, Tibba Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/25957978 dated 19.06.2024 valid upto 19.06.2027	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	5	ZLD
223	Decent Textiles, Hussainpura, HB No.100, Behind Neva Garments, Near Malhotra Restorts, Jalandhar Bypass, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/23522471 dated 29.09.2023 valid upto 30.06.2025	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	10	ZLD
224	Awon Processors, H.No. 176, B-XXX-2618-2619/A, Moti Nagar, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	-	Ground Water	ETP Installed	Not connected to any CETP	Not connected to any CETP as ZLD	ZLD	10	ZLD

225	A V Processors Kot Gangu Rai Adjoining Panjeta Kohara Machiwara Road	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2021/1671 0493 dated 24.09.2021 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	400	378
226	Dyefab Processors, Previously known as Ayat processors, Near Budhewal Sugar Mills, 3.3 KM From Chandigarh Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2022/1 7501600 dated 14.02.2022 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	280
227	Arora Industries, Village Rayian, Kohara Machiwara Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2018/7 723845 dated 17.07.2018 valid upto 30.06.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	100	80
228	Ashwani Knit, Vill. Kum Kalan, Machhiwara Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2024/2533 0463 dated 18.09.2024 valid upto 17.03.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	290
229	B. Lall Overseas, Opp. Ramgarh Police Chowki, Vill Jandiali, Chandigarh Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/257 31399 dated 22.05.2024 valid upto 22.05.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	250	250
230	Bhagwati Dyeing, Chandigarh Road, Kohara, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2023/2145 8075 dated 31.03.2023 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	300
231	Dev Tex Knit Pvt. Ltd., VPO Jandiali, Sahnewal Road, Kohara, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO/Renewal/LDH1/2024/257 66739 dated 27.05.2024 valid upto 27.09.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	100	80
232	Intel Knit Process , Uchi Mangli, Adj. Osho Forge Ltd, Chandigarh Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/2 3879190 dated 09.11.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	40	34
233	Jindba Processors Pvt. Ltd., Vill Uchi Mangali, Airport Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2023/216 71726 dated 10.05.2023 valid upto 31.03.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	1100	1100
234	M.k Aggarwal Fabrics Pvt. Ltd., plot no-24, Lakshita Cluster Colony, Kohara Machiwara Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2022/1857 0980 dated 09.06.2022 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	200	200

235	Manchanda Spinning & Weaving Mills (Unit-II), Vill Panjeta, Kohara-Machhiwara Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/24226583 dated 13.12.2023 valid upto 31.12.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	240	230
236	Paramount Syntex Pvt. Ltd. (Unit-II), Vill Mangarh, Machhiwara Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2024/25962388 dated 03.07.2024 valid upto 02.01.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	30	27
237	S.T Dyeing, Vill-Koomkalan, Kohara-Machhiwara Road, Ludhiana.,	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2021/15776656 dated 17.07.2021 valid upto 31.03.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	500	490
238	Shiva Texfabs Ltd (Unit-II)Vill Bhattian Machhiwara, Samrala, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/21779226 dated 11.08.2023 valid upto 10.08.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	1140	1140
239	Shri Kirti Processors, Village Jandiali, Hb No. 225, Kohara Sahnewal Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/23100250 dated 05.09.2023 valid upto 11.08.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	20	20
240	Sportking Processers (Dye House)Vill Barmalipur, Doraha Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2021/16446063 dated 15.11.2021 valid upto 31.3.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	1000	1000
241	STAR COTTEX PVT LTD, MANGLI UCHI, VILLAGE RAMGARH, CHANDIGARH ROAD, LUDHIANA	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2022/18295097 dated 16.05.2022 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	600	580
242	Swami Textilers Pvt. Ltd. (Unit-II)Vill Rampura, HB No. 249, Tehsil Payal Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2024/23251392 dated 28.06.2024 valid upto 27.09.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	350	350
243	Udey Crafts Vill Kohara, Kohara- Machhiwara Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/23612360 dated 13.10.2023 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	350	340
244	Vallabh Textile Company Ltd.Vill Dugri, Dehlon Road, Tehsil Payal Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Refusal	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	-	-

245	Viraat Textile Village Takhraan, Machiwara Road Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2022/18343296 dated 22.05.2022 valid upto 30.09.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	310	310
246	Mai Baap Processors Pvt. Ltd. Village, Gaddowal, Bhagpur-Gaddowal Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH1/2023/23649782 dated 19.10.2023 valid upto 31.03.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	770	770
247	Shramanji Industries private Limited, Village Kum Kalan, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/FRESH/PBIP/LDH-1/2023/2311167519 dated 19.12.2023 valid upto 31.03.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	1150	1150
248	M.k Aggarwal Finishing Factory., plot no-24, Lakshita Cluster Colony, Kohara Machiwara Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2022/18570980 dated 09.06.2022 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	200	200
249	KDFP Private Limited, VPO Koom Kalan, Machhiwara Road, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH-I/PBIP/2024/2402957556 dated 27.02.2024 valid upto 31.03.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	500	500
250	NRV MALWA TEXTILES PRIVATE LIMITED Vill Harian, Kohara-Machiwara road, Ludhiana, Punjab	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH-I/PBIP/2024/2403496932 dated 22.03.2024 valid upto 31.08.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	48	48
251	S R Processors ,Village Paharuwal, Chandigarh Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH1/2024/25544729 dated 21.05.2024 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	300
252	Sharman Spinning Mills Pvt Ltd Unit2, Airport Road, Sahewal, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2022/17731694 dated 7.6.2022, valid upto 31.3.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	225	225
253	Sharman Spinning Mills Pvt Ltd, 893/6, G.T. Road, Doraha, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH2/2024/25399549 dated 20.5.2024 valid upto 31.3.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	245	245
254	Shingora Textiles Ltd, VPO Doraha, Tehsil Payal, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2022/18913592 dated 22.7.2022, valid upto 31.3.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	600	600

255	D.V Saharan & Son, VPO Jugiana, G.T Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH2/2024/2477 5060 dated 5.2.2024, valid upto 4.2.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	40	40
256	Providence Textiles, Vill. Bilga, Sahnewal,, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH2/2023/239 18544 dated 7.12.2023, valid upto 30.6.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	115	115
257	Udey Udyog (Unit-2), Vill Harnampura, Opp Gini Real Estate, Payal, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2021/1 5697384 dated 28.5.2021 valid upto 30.6.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	290	290
258	Avon Cottex Pvt. Ltd, Vill. Mangat, Rahon Road, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2022/178 09581 dated 08.03.2022 valid upto 31.03.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	1000	1000
259	B.L. Malhotra Dyeing Works, Rahon Road, Vill. Meharban, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/1 7856241 dated 06.04.2022 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
260	Barkat Dyeing Works, Seera Road, Rahon Road, Vill. Meharban, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 3505756 dated 12.12.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	100	100
261	Bhandari Hosiery Exports Ltd., Vill. Meharban, Rahon Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2022/175 34607 dated 15.03.2022 valid upto 31.03.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	280	280
262	Bharti Scientific Dyers, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2021/1 4307668 dated 25.07.2021 valid upto 30.06.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	200	200
263	Dashmesh Tex. Processors Pvt. Ltd., Vill Bajra, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/1 8044769 dated 24.05.2022 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	15	15
264	Marvel Dyers & Processors Pvt. Ltd. (Friends Dyeing & Finishing Mills Pvt Ltd.), Rahon Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/1 8132255 dated 04.04.2022 valid upto 31.3.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	400	400

265	Ganpati Scientific Dyers Pvt. Ltd., Vill Seera, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/226 13666 dated 12.10.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	200	200
266	Gupta Scientific Dyers, VILL. Seera , Rahon Road , Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/226 13666 dated 17.04.2024 valid upto 17.04.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
267	J.B. Dyeing & Finishing Mills, Village Kakkowal, Noorwala Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2023/242 75707 dated 26.11.2023 valid upto 26.11.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	80	80
268	Ascent Global Textrade, 220-C, Village Tajpur Bet, PO Mundian Kalan, New Ram Sarup Dairy, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/248 59026 dated 08.02.2024 valid upto 08.02.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	10	10
269	Kay Jain Processors, Village Mangat, Rahon Road, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/222 84690 dated 01.09.2023 valid upto 31.03.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	900	900
270	M.R. Industries, Plot no. 4299, Jujhar Singh Nagar, Gehlewal, rahon Road, Ludhaina	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2021/163 20023 dated 09.08.2021 valid upto 30.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	25	25
271	Madhur Knit Craft Pvt. Ltd., Village Seera, Satowal Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2023/2225 6259 dated 08.08.2023 valid upto 07.08.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
272	Pawan Dyeing & Finishing Mills, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2021/1 5497104 dated 05.06.2021 valid upto 04.06.2026	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	600	600
273	Sahib Synthetics, G.T. Road, West, Vill. Bhora, Near Jassian Chowk, Jalandhar Bye Pass, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 0939588 dated 31.05.2023 expired on 31.07.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	120	120
274	Shaan Dyeing Company, Vill. Seera, Rahon Road, Ludhaina	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2022/1872 0638 dated 09.06.2022 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	370	370

275	Shree Surindera Dyeing Industries (Formerly Osheen Processors)Vill. Bhamian Kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/20906844 dated 28.02.2023 expired on 27.08.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
276	Intex Fabrics Pvt. Ltd., (Formerly Sofinco Industries Pvt. Ltd.), Kakka Road, B/s Mehandi Palace, Tajpur Bait, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/17571777 dated 05.01.2022 valid upto 30.06.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	45	45
277	SRV Chem Tech Pvt. Ltd.,Priya Colony, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/25950204 dated 18.06.2024 valid upto 18.06.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	2.7	2.7
278	Sukartik Clothing Pvt. Ltd., Village Seeran, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/23060810 dated 11.10.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	430	430
279	Sunny Scientific Dyers VILL. Seera , Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/17719713 dated 21.01.2022 valid upto 30.06.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	80	80
280	Vee Aar Industries, Village Gaunagarh, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/25777197 dated 05.07.2024 valid upto 30.06.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	220	220
281	Youngman Wollen Mills Ltd., Vill. Seera, Rahon Road, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/21319008 dated 10.08.2023 expired on 09.08.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	300
282	Shree Ramji clothing India Pvt. Ltd. (formerly known as Gopal Knits Processor), Vill. Seera, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/20851267 dated 03.02.2023 valid upto 30.06.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	240	240
283	Gee Collection, Village Seera,Rahon Road,Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/23056538 dated 27.03.2024 valid upto 30.06.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
284	M/S SAI PROCESSORS, VILLAGE BHUKRI KALAN,SAHBANA ROAD,LUDHIANA	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/25925553 dated 18.06.2024 valid upto 18.06.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	125	125

285	Gopal Knits Processors, Village Seera, Opp. Sugar Godown, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/242 80869 dated 10.01.2024 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	280	280
286	M.S. Enterprises, Village Gaunsgarh, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 4038866 dated 26.12.2023 valid upto 25.12.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	80	80
287	Golden Paper Mills, Village Khasi Kalan, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2023/2 3961528 dated 01.12.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	100	100
288	Beas Dyeing and Processing, Village Seera, Rahon Road, Distt. Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2024/254 61924 dated 05.06.2024 valid upto 30.06.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	150	150
289	J.S. Fashion Works, Village Satowal, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Varied/LDH3/2023/231 55349 dated 14.09.2023 valid upto 30.06.2028	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	300	300
290	D.C. Knitwear, B-31, Mahavir Colony, Kaka Road, Tajpur Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/2 4543089 dated 15.05.2024 valid upto 14.11.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	5	5
291	Arun Gupta HUF, Hadbast No. 76, Rahon Road, Village Bajra, Ludhiana.	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/255 34155 dated 06.05.2024 valid upto 06.05.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	35	35
292	CRYSTAL DYEING & FINISHING MILLS, Seera satowal Road, Village Seera, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTO/Renewal/LDH3/2024/266 62159 dated 24.08.2024 valid upto 24.08.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	125	125
293	Hemandra Clothing Private Limited, Khasra No. 18/9, Near Madhur Craft, Satowal Road, Village Seera, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2024/2491 4144 dated 19.03.2024 valid upto 18.03.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	160	160
294	Gyan Hosierey, VILLAGE GAUNSGARH, RAHON ROAD, LUDHIANA	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2024/2522 7326 dated 25.04.2024 expired on 24.10.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	50	50

295	Capital Industries, Rahon Road, Near Beas Satsang Ghar, Village Gaunsgarh, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2024/2515 4019 dated 05.04.2024 valid upto 04.04.2025	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	240	240
296	Danishwar Processing Works, Village Mangat, Near Kay Jain Processor, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Fresh/LDH3/2024/2508 2351 dated 16.04.2024 valid upto 15.04.2029	Ground Water	ETP Installed	Not connected to any CETP	NA	Plantation	122.76	122.76
297	Adhi Enterprises, B-XXIII-2120/1, Textile Colony, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	100	100
298	Awon Printers, St. No. 3, Baba Gajja Jain Colony, Near Moti Nagar, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	150	150
299	Azeez Fabrics Pvt. Ltd (Previously Gulab Industries Pvt. Ltd.), 251, Industrial Area-ALudhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	450	450
300	B.K Wools, 236/5, Industrial Area-A Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	50	50
301	Bharat Jiwan Dyeing Factory, 42, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	100	100
302	Capital Dyeing Company, 176, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH1/2024/253 34425 dated 12.04.2024 valid upto 11.10.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	100	100
303	H.C Dyeing Works, B-30, Plot No. 3595-96, Baba Deep Singh Nagar, Opp Truck Union, Bye Pass Road, Moti Nagar, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	400	400
304	Ishan Enterprises, 887, Industrial Area-ALudhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	150	150

305	J.S Jain Dyeing Factory Plot no. 26/6/2, Baba Gajja Jain Colony, Near Moti Nagar, Bye Pass Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	140	140
306	Jamna Dyeing & Finishing Mills 2840, Industrial Area-A, Link Road, Opp Aman Dharam Kanda, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	47	47
307	Madan Dyeing & Finishing Factory J-1, Textile Colony, Industrial Area-A Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	250	250
308	Malhotra Dyeing Kuldeep Nagar, Jalandhar Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	550	550
309	National Scientific Dyers, 37, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	300	300
310	Om Processors Pvt. Ltd., K-3, Textile Colony, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	700	700
311	Perfect Dyeing & Finishing Industries 97-C, Industrial Area-A Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	240	240
312	Pritam Sci. Dyers 16-A, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	285	285
313	Punjabi Dyeing, 367, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	250	250
314	R.P Processors 848/11, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	250	250

315	Rajneesh Dyeing House, 16-B, Industrial Area-A (Extension), Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	40	40
316	Ramal Dyeing, Jalandhar Bye Pass, Opp. Shakti Nagar, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	350	350
317	Rampal Sci.Dyers216, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	100	100
318	Sagar ApparelsB-XXX-2586/87, Baba Gajja Jain Colony, Moti NagarLudhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	270	270
319	Sanjeev Dyeing Works, 1004/9, Circular Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	500	500
320	Sewak Scintific DyersPlot No. 131/1, Industrial Area-A Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	50	50
321	SunShine Dyeing Pvt. Ltd.261, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	432	432
322	Ganesh Dyeing , G.T. Road, Dhandari Kalan, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Varied/LDH2/2019/109 08727 dated 15.9.2019, expired on 31.3.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	46	46
323	Natraj Scientific DyersOpp. Aman Dharam Kanda, Link Road, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023. Industry closed after direction issued by the Board	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	200	200
324	Golu International14-A, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 31.03.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	120	120

325	Oriental Knitfab Pvt. Ltd. 278, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
326	Pawan Lakshmi Processors, 35-36 B, Textile Colony, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
327	Sangam Dye House, H-8, Textile Colony Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
328	Beas Scientific Dyers, New Shakti Nagar, G.T. Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
329	Nav Bharat Dyeing Works, Sardar Nagar, Rahon Road, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
330	Swaastik Scientific Dyers (Previously Mahadev Dyeing & M/s Satyam Sci Dyers)D- 4, Textile Colony, Industrial Area-A,Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Indusruy closed permanently
331	D.V Saharan & Sons, Plot No. 404, Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
332	Dhir Processors & Traders, 123 Industrial Area-A, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
333	B.S Dyers, Plot No. 7, Friends Industrial Estate, Opp Aarti Steels, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly
334	KKK MillsB-40, Phase-5, Focal Point, Ludhiana	Small	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry closed permanetly

335	Sharman Woollen Mills Ltd, VPO Jugiana, G.T Road, Ludhiana	Medium	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Fresh/LDH2/2022/18093388 dated 29.4.2022, expired on 31.3.2023	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	175	175
336	Vardhman Spinning & General Mills., Chandigarh Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2022/20254461 dated 16.12.2022 expired on 31.03.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	2000	2000
337	Duke Fabrics (India) Pvt. Ltd.,G.T. Road, West, Near Jalandhar Bye Pass, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO vide CTOW/Renewal/LDH3/2024/25269815 dated 27.06.2024 expired on 30.06.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	1845	1845
338	Mahaluxmi Processing House Pvt Ltd, C-231 phase 8 Focal Point Ludhiana.	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted upto 31.03.2027	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	2000	2000
339	Vardhman Yarn and Thread Ltd, D-295/2 phase 8 Focal point Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted upto 30.06.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	550	550
340	Centex International Pvt. Ltd., Sua Road, Village Gobindgarh, Adj. Focal Point, Phase-VII, Ludhiana.	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO granted upto 30.06.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	1000	1000
341	Nahar Spinning Mills Ltd, Dhandari Kalan,Gt Road , Focal Point, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 30.06.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	2650	2650
342	Oriental Textile Processing Company Private Limited, Link Road, Samrala Chowk, Industrial Area-ALudhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTO Not granted after 30.06.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	1900	1900
343	Garg Acrylics Ltd, Kanganwal Road, G.T Road, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2023/21256580 dated 6.4.2023, expired on 31.3.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	900	900
344	Oswal Woollen Mills Ltd Unit-3, 105-BXXIX, G.T Road Sherpur, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	CTOW/Renewal/LDH2/2024/25331812 dated 24.6.2024, expired on 30.6.2024	Ground Water	ETP Installed	Not connected to any CETP	NA	Into Sewer	3600	3600

345	Vardhman Polytex Limited, D-295/1, Phase-8, Focal Point, Ludhiana	Large	Not applicable as industry is not covered under EIA notification dated 14.09.2006.	Industry has now closed its wet process permanently
-----	---	-------	--	---