



CHIEF SECRETARY

Lr.No. 298074/NGT/MAUD/K/2025, Dated:23.09.2025

To

The Registrar,
Hon'ble National Green Tribunal,
New Delhi.
(judicial-ngt@gov.in)

Sir,

Sub:State of Andhra Pradesh – Solid & Liquid Waste Management, Legacy Waste Treatment Orders of the Hon'ble NGT, New Delhi dated 20.03.2024 in O.A.No.606 of 2018 – Affidavit with the information submitted – Reg.


Ref: Order of the Hon'ble National Green Tribunal, New Delhi in O.A.No.606 of 2018, dated 20.03.2025.

I submit that the Hon'ble National Green Tribunal, New Delhi in their order dated 20.03.2025 has directed to file an Affidavit furnishing certain information on Solid & Liquid Waste Management, Legacy Waste Treatment etc., including observations made in the above order.

2. I therefore, submit an Affidavit submitting the information as directed by the Hon'ble National Green Tribunal, New Delhi, along with Annexures.

3. I further submit that the State of Andhra Pradesh is making all efforts to ensure compliance of the Orders of the Hon'ble National Green Tribunal issued in O.A.No.606 of 2018, from time to time.

Yours faithfully,


CHIEF SECRETARY

Encl: As above.

28/9/25

IN THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION NO.606/2018

IN THE MATTER OF:

In Re: Compliance of Municipal Solid Waste Management Rules, 2016 and other environmental issues.

INDEX

| Sl. No. | Particulars | Page Nos. |
|---------|--|-----------|
| 1 | Affidavit by the Chief Secretary to Government of Andhra Pradesh - Respondent | 1 to 9 |
| 2 | ULB-wise status on Solid Waste Management - Annexure-I. | 10 to 18 |
| 3 | ULB-wise information on Legacy Waste Remediation - Annexure-II. | 19 to 23 |
| 4 | ULB-wise details on Existing STPs - Annexure-III. | 24 to 30 |
| 5 | ULB wise details of under Construction STPs - Annexure-IV | 31 to 36 |
| 6 | ULB wise details of STPs under Tender Stage and to be Tendered - Annexure-V | 37 to 39 |
| 6 | Performance Results of Sewage Treatment Plants - Annexure-VI | 40 to 41 |
| 7 | ULB wise Details of Mode of Disposal of Untreated Sewage - Annexure-VII | 42 to 45 |
| 8 | ULB wise Details of Sewage Generation, Existing Facilities and Proposed Treatment interventions - Annexure-VIII | 46 to 48 |
| 9 | ULB wise Funds allocated for Liquid Waste Management - Annexure - IX | 49 to 54 |

1298

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
Original Application No.606/2018
(In respect of State of Andhra Pradesh)

**Re: Compliance of Municipal Solid Waste Management Rules,
2016 and other Environmental Issues**

AFFIDAVIT OF THE CHIEF SECRETARY,
STATE OF ANDHRA PRADESH

I, K. Vijayanand, S/o Sri Dr K. Narsimhulu, aged about 59 years, Occ: Chief Secretary to Government, Government of Andhra Pradesh, do hereby solemnly and sincerely affirm and state on oath as follows:

1. I submit that I am the Chief Secretary for the State of Andhra Pradesh and as such, I am well acquainted with the facts of the case to depose this Affidavit.
2. I submit that on behalf of the State of Andhra Pradesh, for the hearing held on 20.03.2025 in the present O.A No.606 of 2018, before the Hon'ble National Green Tribunal, Principal Bench, New Delhi (hereinafter referred to as Hon'ble Tribunal), the Chief Operating Officer, Swachh Andhra Corporation of Municipal Administration & Urban Development Department has appeared in person, representing the State of Andhra Pradesh.
3. I submit that in the said hearing on 20.03.2025 the Hon'ble Tribunal was pleased to examine the report dated 16.03.2025 submitted by the State of Andhra Pradesh and was pleased to observe certain gaps and

ATTESTOR



23/9/25

DEPONENT

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

deficiencies and has directed the State of Andhra Pradesh to submit fresh action taken report covering the said aspects by way of an affidavit. Hence this Affidavit.

4. [A] Solid Waste Management:

The Hon'ble Tribunal has observed that -

- (i) *"There is no disclosure on the current level of solid waste generation and processing at State level and its breakup covering 123 ULBs".*
- (ii) *"We find that out of total wet waste generation of 6889 TPD, waste processed for composting is 3787 TPD to produce 669.56 TPD of compost and thus, 3102 TPD remain unprocessed and therefore manner of management of this waste in each ULB should be disclosed. Further, Annexure III page 1273 discloses predominant route adopted for processing of waste is 'Waste to Compost', and 'Windrow Composting. Difference between these two should be clarified for their performance. The management of daily waste generated by each ULB, transported to the compost sites, should also be clarified. It would be better to provide data in the format as was earlier filed as Annexure II, page 1223 of report dated 10.7.2024".*

➤ In response to the same, it is submitted that at present the total waste generated in the State is 7527 TPD, out of which wet waste is 4471 TPD and dry waste is 3056 TPD. The wet waste of 4471 TPD is being processed through Waste to Compost Plants, Bio-CNG plants and windrow composting. 'Waste to Compost' refers to the overall process of converting biodegradable waste into compost, promoting decentralized waste processing.

ATTESTOR

DEPONENT



23/9/25



1300

It includes any method of composting: windrow, in-vessel, vermicomposting, pit composting, etc. whereas 'Windrow Composting' is a method for large-scale composting, where waste is arranged in long rows and periodically turned to ensure aerobic decomposition etc. Depending on the quantity and nature of waste generated these methods are followed; in respect of ULBs where compost plants are available waste is being processed for making compost in sheds and in respect of ULBs where plants are not available, waste is being processed through windrow composting in open area. 3056 TPD of dry waste generated is being processed through Material Recovery Facilities, Waste-to-Energy Plants and Cement Plants. It is therefore respectfully submitted that 100% of the municipal solid waste generated in the State is being processed.

In compliance with the directions of the Hon'ble Tribunal, the ULB wise data on the quantity of daily waste generated, collection and transportation arrangements, and the mode of waste processed are shown in the format as was earlier filed as Annexure II, page 1223 of the report dated 10.7.2024 and the same is enclosed herewith as **Annexure-I** along with the details of vehicles put in use for Collection and Transportation of Solid Waste.

- (iii) The Hon'ble Tribunal has observed that "*.....order about the permissibility of the use of biodegradable waste in WTE plants. State should categorically clarify on this issue as it is concerning a large number of ULBs and may defeat the purpose of waste segregation and provisions of MSW Rules*".

ATTESTOR



23/9/25

DEPONENT

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

- In response to the same, it is respectfully submitted that the State of Andhra Pradesh committed to strictly adhering to the Solid Waste Management Rules, 2016. In this regard, biodegradable waste is prioritized for processing through composting and bio methanation. The use of biodegradable waste in Waste-to-Energy plants is not encouraged.
- (iv) The Hon'ble Tribunal has observed that *"Annexure I (page 1260) discloses the fact that 35.18 lakh metric tonnes of waste is yet to be remediated in 91 ULBs. As per the present disclosure, 50.72 LMT has been remediated in 32 ULBs reclaiming 231.3 Acres of land. We find that, it has been disclosed that ULBs like Guntur, Kurnool, Chilakaluripet, Dharmavaram, Thirupati and Visakhapatnam have remediated 100% legacy waste. Perhaps in similar way, ULBs like Vizianagaram, Kavali and Vijayawada and other ULBs can expeditiously remediate their sites. Thus, we direct that those ULBs that have remediated their sites should not add legacy waste on account of unprocessed daily waste. The next report should add one more column in Annexure 1 on the gap in waste processing"*.
- In response to the same, it is submitted that up to the date of filing of last affidavit i.e. 16.03.2025, 50.72 Lakh MTs of legacy waste was remediated and subsequently i.e. from 16.03.2025 to 19.09.2025, 33.19 Lakh MTs of legacy waste is remediated. Thus, 83.91 Lakh MTs of legacy waste was remediated out of the total legacy waste of 85.90 Lakh MTs. In 90 ULBs 100% remediation is completed and in remaining 33 ULBs work is in progress to complete the balance legacy waste of 1.99 Lakh MTs shortly.

ATTESTOR

DEPONENT



CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

It is further submitted that an additional column (regarding gap in waste processing) is incorporated in the Annexure in which the ULB wise remediation details are shown, as directed by the Hon'ble Tribunal. The detailed ULB-wise information on legacy waste remediation is filed herewith as **Annexure-II**.

5. **[B] Sewage Management:**

The Hon'ble Tribunal has observed that -

- (i) *"Estimated sewage generation is 1923.27 MLD with utilisation of 524.75 MLD in STPs with installed/ designed capacity of 690.90 MLD and gap of untreated sewage of 1398.52 MLD".*
- (ii) *"Annexure IV, V and VI disclose a very sketchy picture. There should be clear disclosure on compliance of norms by treated sewage with the standards as directed by Tribunal in O.A. No. 1069/2018 by order dated 30.04.2019 and mode of disposal of untreated sewage of 1398.52 MLD should be disclosed".*
- In response to the same, it is submitted that as per the latest reports, sewage generation has increased to 1957 MLD. In 53 ULBs, 125 STPs have been installed with a treatment capacity of 707.90 MLD, out of which 75 STPs with a capacity of 533.65 MLD are operational with standards and 174.25 MLD is inoperational due to non-completion of House service sewer connections in some areas and also due to gap in Interception & Diversion connections, the details are filed herewith as **Annexure III**. To make the STPs full operational, special drives are being conducting for providing House service sewer connections with subsidized prices and Interception & Diversion works are proposed to bring the STPs into full operational capacity.

ATTESTOR



DEPONENT

A handwritten signature in blue ink, consisting of a stylized 'S' followed by a wavy line and a diagonal slash.

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

- I submit that in 96 ULBs, 159 STPs with a capacity of 638.52 MLD STPs are taken up with the funds of AMRUT, SBM-U, PLAN, HUDCO & other schemes to bridge the gap. The construction of STPs is at various stages. STP wise details, which are under construction are filed herewith as **Annexure IV**.
- Further, I submit that in addition to the existing and under construction STPs, 29 STPs with a capacity of 226.60 MLD are sanctioned under AMRUT 2.0 in 18 ULBs. They are under tender stage and in 66 ULBs 155 STPs with a capacity of 451.16 MLD are sanctioned under SBM-U 2.0 scheme are to be tendered. In 1 ULB, 2 STPs with a capacity of 34 MLD under UIDF scheme are at DPR stage. The ULB wise details of STPs at tender stage, STPs for which tenders to be called and the STPs at DPR stage are filed herewith as **Annexure-V**.
- It is respectfully submitted that prescribed discharge standards of treated sewage are being ensured through continuous monitoring. Real Time Water Quality Monitoring Stations (RTWQMS) have been installed at 28 STPs in 15 ULBs for online monitoring of parameters such as pH, BOD, COD, TSS and flow; the data whereof is being directly integrated with the server of the Andhra Pradesh Pollution Control Board. The detailed compliance in respect of the performance status of treated sewage has been compiled and is filed herewith as **Annexure-VI**.
- Further, it is respectfully submitted that the details of mode of disposal of untreated sewage are filed herewith as **Annexure-VII**.

ATTESTOR



23/9/25

DEPONENT

CHIEF SECRETARY
 Government of Andhra Pradesh
 Velagapudi, Amaravati,
 Guntur District - 522 238.

(iii) The Hon'ble Tribunal has observed that *"Although the present report does not disclose status of sewage management facilities with respect to each ULB, but referring to Annexure VI (page 1233) of report dated 12.7.2024 it has been observed that out of 123 ULBs, 72 ULBs do not have facilities for sewage management. We also find that some of the ULBs generating substantial quantity of sewage like Vizianagaram, Kakinada, Bhimavaram, Eluru, Guntur, Ananthapuram, Kurnool, Nandyal and Kadapa do not have adequate sewage management facilities"*.

- In response to the same, it is respectfully submitted that steps have been initiated to establish sewage treatment facilities across the concerned ULBs. In Vizianagaram, Kakinada, Bhimavaram, Eluru, Ananthapuram, Nandyal, Kurnool, Kadapa and Guntur ULBs, some STPs are under construction stage and some STPs are at tender stage. The details are shown in the Annexure IV & V. The ULB-wise details of sewage generation, existing facilities, and proposed interventions are filed herewith as **Annexure-VIII**.

6. [C] Ring-Fenced Funds:

The Hon'ble Tribunal has observed that *"Rs 2500 crores as per undertaking of the State has to be ring-fenced for utilising exclusively for liquid and solid waste management and therefore, we direct the state to disclose allocation of the amount to each ULB linking with works to be executed and the timelines finalised with Executing Agencies"*.

- In response to the same, it is respectfully submitted the detailed ULB wise allocation of the funds, the works undertaken therefrom

ATTESTOR




23/9/25

DEPONENT

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

and the timelines stipulated for their execution are herewith filed as **Annexure-IX**.

7. It is most respectfully submitted that a tabulated statement depicting the status of solid waste management and liquid waste management to each ULB are submitted as Annexure I in respect of Solid Waste Management and Annexure VIII in respect of Liquid Waste Management.
8. It is therefore, prayed that this Hon'ble Tribunal may be pleased to consider the status report submitted by the State of Andhra Pradesh in compliance of the directions dated 20.3.2025 of the Hon'ble Green Tribunal and may be pleased to pass such other order or orders as deemed fit and proper in the circumstances of the case and in the interest of justice.


DEPONENT

Solemnly affirmed and signed his name in my presence of this the 23 day of September, 2025 at Amaravati.

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.

// Before me //

ATTESTOR



23/9/25


ch.v.
CH. VARALAKSHMI
NOTARY M.A.,LL.B.
ADVOCATE Code No. 2124
HIGH COURT OF A.P.
Cell: 91009 55679

VERIFICATION

I K.Vijayanand, S/o Dr.K.Narsimhulu, aged about 59 years, Occ: Chief Secretary for the State of Andhra Pradesh, do hereby verify and declare that the contents stated in the above Paras are true and correct to the best of my knowledge based on the records and as per the legal advice.

Hence, verified on this 23/9 day September 2025.

(Advocate for the Respondent)



DEPONENT

CHIEF SECRETARY
Government of Andhra Pradesh
Velagapudi, Amaravati,
Guntur District - 522 238.



Ch. Varalakshmi
CH. VARALAKSHMI
NOTARY M.A.,LL.B.
ADVOCATE Code No. 2124
HIGH COURT OF A.P.
Cell: 91009 55679

23/9/25

Status of Solid Waste Management in ULBs

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | Dry Waste Processing | | | |
|-------|------------------|---------------------------------|-----------|-----------|------------------------------------|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | Qty. of Combustable Waste Processed (in TPD) |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1 | Amadalavalasa | 13.0 | 8.5 | 4.5 | Waste to Compost | 8.5 | 0.5 | WtE Vizag | - | 4.0 |
| 2 | Ichapuram | 18.0 | 12.0 | 6.0 | Waste to Compost | 12.0 | 1.0 | WtE Vizag | - | 5.0 |
| 3 | Palasa-Kasibugga | 28.0 | 18.0 | 10.0 | Waste to Compost | 18.0 | 1.0 | WtE Vizag | - | 9.0 |
| 4 | Rajam | 18.0 | 10.0 | 8.0 | Waste to Compost | 10.0 | 1.0 | WtE Vizag | - | 7.0 |
| 5 | Bobbili | 13.6 | 8.4 | 5.2 | Waste to Compost | 8.4 | 1.0 | WtE Vizag | - | 4.2 |
| 6 | Salur | 13.2 | 8.0 | 5.2 | Waste to Compost | 8.0 | 1.0 | WtE Vizag | - | 4.2 |
| 7 | GVMC | 1192.0 | 656.0 | 536.0 | Waste to Compost | 656.0 | 46.0 | WtE Vizag | - | 490.0 |
| 8 | Narsipatnam | 30.0 | 16.0 | 14.0 | Waste to Compost | 16.0 | 2.0 | WtE Vizag | - | 12.0 |
| 9 | Yelamanchili | 8.5 | 3.5 | 5.0 | Waste to Compost | 3.5 | 2.0 | WtE Vizag | - | 3.0 |
| 10 | Adoni | 62.4 | 37.4 | 25.0 | Bio CNG/Waste to Compost | 37.4 | 8.0 | - | Connected to Cement Factories | 17.0 |
| 11 | Nuzvid | 28.0 | 18.0 | 10.0 | Waste to Compost | 18.0 | 1.0 | WtE Guntur | - | 9.0 |
| 12 | Tiruvuru | 9.0 | 5.0 | 4.0 | Waste to Compost | 5.0 | 1.0 | WtE Guntur | - | 3.0 |
| 13 | Tenali | 95.0 | 52.0 | 43.0 | Waste to Compost | 52.0 | 3.0 | WtE Guntur | - | 40.0 |
| 14 | Sattenapalle | 27.9 | 15.0 | 12.9 | Bio CNG - Piduguralla | 15.0 | 1.9 | WtE Guntur | - | 11.0 |
| 15 | Narasaraopet | 65.0 | 45.0 | 20.0 | Bio CNG - Piduguralla | 45.0 | 2.0 | WtE Guntur | - | 18.0 |
| 16 | Piduguralla | 28.0 | 18.0 | 10.0 | Bio CNG/Waste to Compost | 18.0 | 1.0 | WtE Guntur | - | 9.0 |
| 17 | Allagadda | 11.8 | 8.0 | 3.8 | Waste to Compost | 8.0 | 1.0 | - | Connected to Cement Factories | 2.8 |
| 18 | Rayadurg | 26.9 | 16.0 | 10.9 | Waste to Compost | 16.0 | 1.9 | - | Connected to Cement Factories | 9.0 |
| 19 | Puttaparthi | 12.0 | 9.0 | 3.0 | Waste to Compost | 9.0 | 1.0 | - | Connected to Cement Factories | 2.0 |
| 20 | Yemmiganur | 44.0 | 26.0 | 18.0 | Bio CNG/Waste to Compost | 26.0 | 5.0 | - | Connected to Cement Factories | 13.0 |
| 21 | Ananthapuram | 143.0 | 93.0 | 50.0 | Windrow composting | 93.0 | 30.0 | - | Connected to Cement Factories | 20.0 |
| 22 | Atmakur(K) | 12.0 | 8.0 | 4.0 | Windrow composting | 8.0 | 3.0 | - | Connected to Cement Factories | 1.0 |

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | Dry Waste Processing | | | Qty. of Combustable Waste Processed (in TPD) |
|-------|-----------------------|---------------------------------|-----------|-----------|------------------------------------|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 23 | Budwel | 34.6 | 21.1 | 13.5 | ISWM | 21.1 | 9.5 | - | Connected to Cement Factories | 4.0 |
| 24 | Dhone | 29.0 | 15.0 | 14.0 | Windrow composting | 15.0 | 9.0 | - | Connected to Cement Factories | 5.0 |
| 25 | Markapur | 32.0 | 21.0 | 11.0 | Waste to Compost | 21.0 | 2.0 | WtE Guntur | - | 9.0 |
| 26 | Giddalur | 16.0 | 10.0 | 6.0 | Waste to Compost | 10.0 | 3.0 | - | Connected to Cement Factories | 3.0 |
| 27 | Kanigiri | 21.9 | 14.9 | 7.0 | Waste to Compost | 14.9 | 1.0 | WtE Guntur | - | 6.0 |
| 28 | Chirala | 33.1 | 20.1 | 12.9 | Waste to Compost | 20.1 | 2.0 | WtE Guntur | - | 10.9 |
| 29 | Gudivada | 60.0 | 40.0 | 20.0 | Windrow composting | 40.0 | 3.0 | WtE Guntur | - | 17.0 |
| 30 | Palamaner | 17.5 | 10.0 | 7.5 | Waste to Compost | 10.0 | 4.5 | - | Connected to Cement Factories | 3.0 |
| 31 | Pungunur | 13.3 | 8.1 | 5.2 | Waste to Compost | 8.1 | 4.0 | - | Connected to Cement Factories | 1.2 |
| 32 | Madanapalle | 61.5 | 36.0 | 25.5 | Bio CNG/Waste to Compost | 36.0 | 18.0 | - | Connected to Cement Factories | 7.5 |
| 33 | Sullurpet | 21.0 | 13.5 | 7.5 | Waste to Compost | 13.5 | 1.0 | WtE Guntur | - | 6.5 |
| 34 | Srikakulam | 69.6 | 39.2 | 30.4 | ISWM | 39.2 | 3.0 | WtE Vizag | - | 27.4 |
| 35 | Palakonda | 13.6 | 7.5 | 6.1 | Windrow composting | 7.5 | 1.1 | WtE Vizag | - | 5.0 |
| 36 | Vizianagaram | 119.0 | 65.0 | 54.0 | ISWM | 65.0 | 6.0 | WtE Vizag | - | 48.0 |
| 37 | Parvathipuram | 20.5 | 16.5 | 4.0 | Windrow composting | 16.5 | 1.0 | WtE Vizag | - | 3.0 |
| 38 | Nellimarla | 14.0 | 8.0 | 6.0 | Windrow composting | 8.0 | 1.0 | WtE Vizag | - | 5.0 |
| 39 | Gudur(Tpt) | 35.7 | 22.0 | 13.7 | Windrow composting | 22.0 | 3.7 | - | Connected to Cement Factories | 10.0 |
| 40 | Guntakal | 67.0 | 43.0 | 24.0 | Windrow composting | 43.0 | 19.0 | - | Connected to Cement Factories | 5.0 |
| 41 | Jaggaihpeta | 24.0 | 17.0 | 7.0 | Windrow composting | 17.0 | 4.0 | WtE Guntur | - | 3.0 |
| 42 | Jammalamadugu | 22.0 | 14.0 | 8.0 | Waste to Compost | 14.0 | 6.0 | - | Connected to Cement Factories | 2.0 |
| 43 | Pedana | 16.0 | 9.5 | 6.5 | Windrow composting | 9.5 | 4.0 | WtE Guntur | - | 2.5 |
| 44 | Vuyyuru | 17.2 | 9.6 | 7.7 | Windrow composting | 9.6 | 6.0 | WtE Guntur | - | 1.7 |
| 45 | Guntur | 484.0 | 234.0 | 250.0 | Windrow composting | 234.0 | 30.0 | WtE Guntur | - | 220.0 |
| 46 | Mangalagiri-Tadepalli | 143.7 | 80.6 | 63.0 | Windrow composting | 80.6 | 25.0 | WtE Guntur | - | 38.0 |

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | Dry Waste Processing | | | Qty. of Combustable Waste Processed (in TPD) |
|-------|-----------------|---------------------------------|-----------|-----------|------------------------------------|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 47 | Ponnur | 30.0 | 17.0 | 13.0 | Waste to Compost | 17.0 | 4.0 | WtE Guntur | - | 9.0 |
| 48 | Chilakaluripet | 59.5 | 35.5 | 24.0 | Windrow composting | 35.5 | 4.0 | WtE Guntur | - | 20.0 |
| 49 | Bapatla | 39.5 | 24.0 | 15.5 | Windrow composting | 24.0 | 5.5 | WtE Guntur | - | 10.0 |
| 50 | Repalle | 25.0 | 14.0 | 11.0 | Waste to Compost | 14.0 | 3.0 | WtE Guntur | - | 8.0 |
| 51 | Vinukonda | 22.0 | 13.7 | 8.3 | ISWM | 13.7 | 1.3 | WtE Guntur | - | 7.0 |
| 52 | Macherla | 27.3 | 16.0 | 11.4 | Waste to Compost | 16.0 | 1.4 | WtE Guntur | - | 10.0 |
| 53 | Kadapa | 284.2 | 188.5 | 95.7 | Windrow composting | 188.5 | 66.0 | - | Connected to Cement Factories | 29.7 |
| 54 | Dharmavaram | 72.0 | 49.0 | 23.0 | Windrow composting | 49.0 | 12.0 | - | Connected to Cement Factories | 11.0 |
| 55 | Kadiri | 38.0 | 22.0 | 16.0 | Windrow composting | 22.0 | 9.0 | - | Connected to Cement Factories | 7.0 |
| 56 | Gooty | 24.0 | 13.0 | 11.0 | Windrow composting | 13.0 | 7.0 | - | Connected to Cement Factories | 4.0 |
| 57 | Hindupur | 73.0 | 33.0 | 40.0 | Windrow composting | 33.0 | 23.0 | - | Connected to Cement Factories | 17.0 |
| 58 | Kurnool | 200.0 | 120.0 | 80.0 | Windrow composting | 120.0 | 60.0 | - | Connected to Cement Factories | 20.0 |
| 59 | Kalyandurgam | 18.0 | 8.0 | 10.0 | Waste to Compost | 8.0 | 6.0 | - | Connected to Cement Factories | 4.0 |
| 60 | Madakasira | 7.0 | 4.0 | 3.0 | Windrow composting | 4.0 | 2.0 | - | Connected to Cement Factories | 1.0 |
| 61 | Machilipatnam | 83.2 | 49.9 | 33.3 | Windrow composting | 49.9 | 2.0 | WtE Guntur | - | 31.3 |
| 62 | Mydukur | 21.0 | 11.0 | 10.0 | Windrow composting | 11.0 | 7.0 | - | Connected to Cement Factories | 3.0 |
| 63 | Nandigama | 24.0 | 16.0 | 8.0 | Windrow composting | 16.0 | 3.0 | WtE Guntur | - | 5.0 |
| 64 | Nandikotkur | 13.0 | 7.0 | 6.0 | Windrow composting | 7.0 | 2.0 | - | Connected to Cement Factories | 4.0 |
| 65 | Gudur(K) | 7.7 | 4.6 | 3.1 | Windrow composting | 4.6 | 1.1 | - | Connected to Cement Factories | 2.0 |
| 66 | Nandyal | 107.0 | 64.0 | 43.0 | Windrow composting | 64.0 | 27.0 | - | Connected to Cement Factories | 16.0 |

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | Dry Waste Processing | | | Qty. of Combustable Waste Processed (in TPD) |
|-------|-------------------|---------------------------------|-----------|-----------|------------------------------------|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 67 | Proddatur | 108.0 | 75.0 | 33.0 | Windrow composting | 75.0 | 20.0 | - | Connected to Cement Factories | 13.0 |
| 68 | Pulivendula | 30.0 | 16.0 | 14.0 | Waste to Compost | 16.0 | 8.0 | - | Connected to Cement Factories | 6.0 |
| 69 | Rajamahendravaram | 158.0 | 90.0 | 68.0 | ISWM | 90.0 | 8.0 | WtE Vizag | - | 60.0 |
| 70 | Rajampet | 24.0 | 16.0 | 8.0 | Windrow composting | 16.0 | 4.0 | - | Connected to Cement Factories | 4.0 |
| 71 | Rayachoti | 51.5 | 31.0 | 20.5 | ISWM | 31.0 | 11.0 | - | Connected to Cement Factories | 9.5 |
| 72 | Tadipatri | 47.0 | 28.0 | 19.0 | Waste to Compost | 28.0 | 10.0 | - | Connected to Cement Factories | 9.0 |
| 73 | Tirupathi | 225.8 | 150.0 | 75.8 | Bio CNG/Waste to Compost | 150.0 | 63.0 | - | Connected to Cement Factories | 12.8 |
| 74 | Ongole | 112.5 | 87.5 | 25.0 | Windrow composting | 87.5 | 6.0 | WtE Guntur | - | 19.0 |
| 75 | Chimakurthy | 18.0 | 12.0 | 6.0 | Waste to Compost | 12.0 | 3.0 | WtE Guntur | - | 3.0 |
| 76 | Addanki | 19.0 | 11.4 | 7.6 | Waste to Compost | 11.4 | 1.6 | WtE Guntur | - | 6.0 |
| 77 | Kandukur | 24.3 | 17.5 | 6.8 | Windrow composting | 17.5 | 3.0 | WtE Guntur | - | 3.8 |
| 78 | Kakinada | 143.5 | 89.0 | 54.5 | ISWM | 89.0 | 10.0 | WtE Vizag | - | 44.5 |
| 79 | Vijayawada | 520.0 | 270.0 | 250.0 | Waste to Compost | 270.0 | 25.0 | WtE Guntur | - | 225.0 |
| 80 | Gollaprolu | 10.5 | 7.5 | 3.0 | Windrow composting | 7.5 | 2.0 | WtE Vizag | - | 1.0 |
| 81 | Pithapuram | 25.0 | 13.0 | 12.0 | Windrow composting | 13.0 | 4.0 | WtE Vizag | - | 8.0 |
| 82 | Peddapuram | 25.0 | 21.0 | 4.0 | Windrow composting | 21.0 | 3.0 | WtE Vizag | - | 1.0 |
| 83 | Samalkota | 28.0 | 19.0 | 9.0 | Windrow composting | 19.0 | 1.0 | WtE Vizag | - | 8.0 |
| 84 | Yeleswaram | 8.0 | 7.0 | 1.0 | Windrow composting | 7.0 | 0.8 | WtE Vizag | - | 0.2 |
| 85 | Ramachandrapuram | 22.0 | 18.0 | 4.0 | Windrow composting | 18.0 | 3.0 | WtE Vizag | - | 1.0 |
| 86 | Mandapeta | 26.0 | 15.0 | 11.0 | Windrow composting | 15.0 | 4.0 | WtE Vizag | - | 7.0 |
| 88 | Tuni | 31.5 | 19.0 | 12.5 | Windrow composting | 19.0 | 2.0 | WtE Vizag | - | 10.5 |
| 88 | Mummidivaram | 10.0 | 8.0 | 2.0 | Windrow composting | 8.0 | 1.0 | WtE Vizag | - | 1.0 |
| 89 | Amalapuram | 30.5 | 18.5 | 12.0 | Waste to Compost | 18.5 | 4.0 | WtE Vizag | - | 8.0 |
| 90 | Eluru | 103.0 | 63.0 | 40.0 | Windrow composting | 63.0 | 2.0 | WtE Guntur | - | 38.0 |
| 91 | Tadepalligudem | 84.9 | 55.0 | 29.9 | Windrow composting | 55.0 | 9.9 | WtE Guntur | - | 20.0 |
| 92 | Tanuku | 45.0 | 31.0 | 14.0 | Windrow composting | 31.0 | 4.0 | WtE Guntur | - | 10.0 |
| 93 | Palakole | 41.9 | 27.9 | 14.0 | Windrow composting | 27.9 | 4.0 | WtE Guntur | - | 10.0 |

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | | Dry Waste Processing | | |
|-------|-----------------|---------------------------------|-----------|-----------|--|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | Qty. of Combustable Waste Processed (in TPD) |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 94 | Narasapuram | 35.0 | 21.0 | 14.0 | Windrow composting | 21.0 | 5.0 | WtE Guntur | - | 9.0 |
| 95 | Bhimavaram | 69.9 | 53.0 | 16.9 | Windrow composting | 53.0 | 6.0 | WtE Guntur | - | 10.9 |
| 96 | Nidadavole | 22.0 | 15.0 | 7.0 | Windrow composting | 15.0 | 3.0 | WtE Guntur | - | 4.0 |
| 97 | Kovvur | 23.0 | 15.0 | 8.0 | Clustered with ISWM Rajahmundry | 15.0 | 2.0 | WtE Vizag | - | 6.0 |
| 98 | Jangareddygudem | 36.0 | 24.0 | 12.0 | Windrow composting | 24.0 | 4.0 | WtE Guntur | - | 8.0 |
| 99 | Chittoor | 63.4 | 38.0 | 25.4 | Windrow composting | 38.0 | 21.0 | - | Connected to Cement Factories | 4.4 |
| 100 | Srikalahasthi | 51.5 | 29.5 | 22.0 | Windrow composting | 29.5 | 19.0 | - | Connected to Cement Factories | 3.0 |
| 101 | Nagari | 18.1 | 10.9 | 7.3 | Windrow composting | 10.9 | 6.0 | - | Connected to Cement Factories | 1.3 |
| 102 | Puttur | 24.0 | 14.0 | 10.0 | Windrow composting | 14.0 | 6.0 | - | Connected to Cement Factories | 4.0 |
| 103 | Nellore | 295.0 | 177.0 | 118.0 | Windrow composting | 177.0 | 20.0 | WtE Guntur | - | 98.0 |
| 104 | Venkatagiri | 20.8 | 11.3 | 9.5 | ISWM | 11.3 | 5.0 | WtE Guntur | - | 4.5 |
| 105 | Yerraguntla | 16.0 | 10.0 | 6.0 | Windrow composting | 10.0 | 3.0 | - | Connected to Cement Factories | 3.0 |
| 106 | Naidupeta | 29.0 | 20.0 | 9.0 | Windrow composting | 20.0 | 2.0 | WtE Guntur | - | 7.0 |
| 107 | Atmakur (N) | 17.9 | 11.0 | 6.9 | Windrow composting | 11.0 | 1.9 | WtE Guntur | - | 5.0 |
| 108 | Kavali | 51.0 | 28.0 | 23.0 | Windrow composting | 28.0 | 3.0 | WtE Guntur | - | 20.0 |
| 109 | Kondapalli | 41.0 | 24.0 | 17.0 | ISWM | 24.0 | 8.0 | WtE Guntur | - | 9.0 |
| 110 | Akiveedu | 17.5 | 15.0 | 2.5 | Windrow composting | 15.0 | 1.5 | WtE Guntur | - | 1.0 |
| 111 | Dachepalli | 18.0 | 12.0 | 6.0 | Clustered with Existing Bio NG Piduguralla | 12.0 | 3.0 | WtE Guntur | - | 3.0 |
| 112 | Gurazala | 11.0 | 6.1 | 5.0 | Clustered with Watse to Compost, Macherla | 6.1 | 2.0 | WtE Guntur | - | 3.0 |
| 113 | Darsi | 21.0 | 11.5 | 9.5 | Windrow composting | 11.5 | 5.5 | WtE Guntur | - | 4.0 |
| 114 | BuchireddyPalem | 12.0 | 8.0 | 4.0 | Windrow composting | 8.0 | 2.0 | WtE Guntur | - | 2.0 |
| 115 | Penukonda | 8.0 | 4.8 | 3.2 | Clustered with Watse to Compost, Puttaparthi | 4.8 | 1.2 | - | Connected to Cement Factories | 2.0 |

| S.No. | Name of the ULB | Total Waste Generation (in TPD) | Wet Waste | Dry Waste | Wet Waste Processing | | Dry Waste Processing | | | |
|--------------|-----------------|---------------------------------|-------------|-------------|--|-----------------------------------|--|--------------------------------|-------------------------------|--|
| | | | | | Type of Wet waste Processing Plant | Qty. Wet Waste Processed (in TPD) | Dry Waste processed in MRF Plants (in TPD) | Combustable Waste Processed at | | Qty. of Combustable Waste Processed (in TPD) |
| | | | | | | | | Waste to Energy | Cement Plants | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 116 | Bethamcherla | 10.0 | 6.5 | 3.5 | Windrow composting | 6.5 | 1.5 | - | Connected to Cement Factories | 2.0 |
| 117 | Kamalapuram | 7.0 | 5.0 | 2.0 | Windrow composting | 5.0 | 1.0 | - | Connected to Cement Factories | 1.0 |
| 118 | Kuppam | 21.0 | 13.0 | 8.0 | Windrow composting | 13.0 | 5.0 | - | Connected to Cement Factories | 3.0 |
| 119 | Tadigadapa | 110.0 | 66.0 | 44.0 | Clustered with Watsse to Compost, Vijayawada | 66.0 | 10.0 | WtE Guntur | - | 34.0 |
| 120 | Chintalapudi | 6.0 | 3.5 | 2.5 | Windrow composting | 3.5 | 1.0 | WtE Guntur | - | 1.5 |
| 121 | Podili | 17.2 | 11.3 | 5.9 | Clustered with Watsse to Compost, Kanigiri | 11.3 | 2.9 | WtE Guntur | - | 3.0 |
| 122 | Allur | 12.0 | 8.0 | 4.0 | Windrow composting | 8.0 | 1.8 | WtE Guntur | - | 2.0 |
| 123 | B.KothaKota | 9.0 | 5.4 | 3.6 | Windrow composting | 5.4 | 1.6 | - | Connected to Cement Factories | 2.0 |
| Total | | 7527 | 4471 | 3056 | | 4471 | 900 | | | 2156 |

| Abstract on Wet Waste Processing | | | |
|----------------------------------|------------------------------|------------|--------------|
| S.No | Organic Material (Wet Waste) | ULB Count | Quantity TPD |
| 1 | Bio-CNG | 8 | 175 |
| 2 | Waste to compost | 37 | 1623 |
| 3 | ISWM | 10 | 400 |
| 4 | Windrow Composting | 68 | 2273 |
| Total | | 123 | 4471 |

| Abstract on Dry Waste Processing | | | |
|----------------------------------|-------------------------------|------------|--------------|
| S.No | Dry Waste | No.of ULBs | Quantity TPD |
| 1 | WtE Guntur | 52 | 1069 |
| 2 | WtE Visakhapatnam | 27 | 783 |
| 3 | Connected to Cement Factories | 44 | 304 |
| 4 | MRF | 123 | 900 |
| Total | | | 3056 |

ANNEXURE-I (A)

| ULB wise Statement on Solid Waste Transportation Details | | | | | | |
|--|------------------|-----------|------------------|---------|----------|------------|
| S.No. | Name of the ULB | Pushcarts | Autos Tippers | Tippers | Tractors | Compactors |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Amadalavalasa | 21 | 0 | 0 | 0 | 1 |
| 2 | Ichapuram | 29 | 8 | 0 | 5 | 1 |
| 3 | Palasa-Kasibugga | 50 | 0 | 0 | 0 | 1 |
| 4 | Rajam | 26 | 0 | 1 | 2 | 2 |
| 5 | Bobbili | 53 | 10 | 1 | 1 | 1 |
| 6 | Salur | 43 | 0 | 0 | 0 | 1 |
| 7 | GVMC | 688 | 739 | 80 | 15 | 60 |
| 8 | Narsipatnam | 20 | 14 | 0 | 4 | 1 |
| 9 | Yelamanchili | 25 | 13 | 0 | 3 | 1 |
| 10 | Adoni | 67 | 20 | 1 | 8 | 4 |
| 11 | Nuzvid | 54 | 7 | 0 | 7 | 2 |
| 12 | Tiruvuru | 24 | 2 | 0 | 3 | 1 |
| 13 | Tenali | 86 | 0 | 0 | 13 | 4 |
| 14 | Sattenapalle | 32 | 9 | 0 | 5 | 2 |
| 15 | Narasaraopet | 40 | 18 | 0 | 12 | 3 |
| 16 | Piduguralla | 44 | 9 | 0 | 6 | 1 |
| 17 | Allagadda | 26 | 5 | 0 | 2 | 1 |
| 18 | Rayadurg | 20 | 14 | 0 | 4 | 2 |
| 19 | Puttaparthi | 51 | 10 | 0 | 0 | 2 |
| 20 | Yemmiganur | 60 | 13 | 0 | 3 | 3 |
| 21 | Ananthapuram | 248 | 50 | 5 | 16 | 12 |
| 22 | Atmakur(K) | 20 | 1 | 0 | 2 | 1 |
| 23 | Budwel | 55 | 9 | 0 | 6 | 2 |
| 24 | Dhone | 40 | 6 | 0 | 3 | 2 |
| 25 | Markapur | 87 | 23 | 0 | 3 | 1 |
| 26 | Giddalur | 33 | 0 | 0 | 3 | 1 |
| 27 | Kanigiri | 33 | 0 | 0 | 1 | 1 |
| 28 | Chirala | 62 | 11 | 0 | 8 | 2 |
| 29 | Gudivada | 148 | 31 | 0 | 7 | 4 |
| 30 | Palamaner | 51 | 8 | 0 | 3 | 2 |
| 31 | Pungunur | 50 | 17 | 0 | 5 | 2 |
| 32 | Madanapalle | 110 | 21 | 0 | 7 | 3 |
| 33 | Sullurpet | 15 | 8 | 0 | 7 | 1 |
| 34 | Srikakulam | 77 | 42 | 0 | 14 | 8 |
| 35 | Palakonda | 22 | 0 | 0 | 3 | 1 |
| 36 | Vizianagaram | 90 | 47 | 0 | 7 | 8 |
| 37 | Parvathinuram | 23 | 10 | 1 | 3 | 1 |
| 38 | Nellimarla | 17 | 2 | 1 | 0 | 2 |
| 39 | Gudur(Tpt) | 21 | 6 | 1 | 9 | 1 |
| 40 | Guntakal | 57 | 31 | 0 | 10 | 3 |
| 41 | Jaggaihpeta | 49 | 8 | 0 | 3 | 2 |
| 42 | Jammalamadugu | 42 | 11 | 0 | 2 | 1 |
| 43 | Pedana | 88 | 0 | 0 | 1 | 2 |

| S.No. | Name of the ULB | Pushcarts | Autos Tippers | Tippers | Tractors | Compactors |
|-------|-----------------------|-----------|------------------|---------|----------|------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 44 | Vuyyuru | 30 | 5 | 0 | 0 | 1 |
| 45 | Guntur | 245 | 220 | 0 | 22 | 37 |
| 46 | Mangalagiri-Tadepalli | 54 | 64 | 0 | 36 | 4 |
| 47 | Ponnur | 26 | 0 | 0 | 4 | 2 |
| 48 | Chilakaluripet | 69 | 0 | 0 | 4 | 4 |
| 49 | Bapatla | 33 | 7 | 0 | 6 | 2 |
| 50 | Repalle | 11 | 7 | 0 | 6 | 2 |
| 51 | Vinukonda | 42 | 1 | 0 | 7 | 2 |
| 52 | Macherla | 63 | 0 | 0 | 4 | 2 |
| 53 | Kadapa | 175 | 90 | 7 | 11 | 13 |
| 54 | Dharmavaram | 63 | 25 | 0 | 2 | 4 |
| 55 | Kadiri | 35 | 23 | 0 | 4 | 2 |
| 56 | Gooty | 40 | 3 | 0 | 4 | 2 |
| 57 | Hindupur | 100 | 22 | 0 | 9 | 3 |
| 58 | Kurnool | 289 | 104 | 7 | 25 | 14 |
| 59 | Kalyandurgam | 35 | 0 | 0 | 0 | 1 |
| 60 | Madakasira | 20 | 6 | 0 | 1 | 1 |
| 61 | Machilipatnam | 101 | 44 | 0 | 13 | 6 |
| 62 | Mydukur | 35 | 6 | 0 | 3 | 1 |
| 63 | Nandigama | 48 | 9 | 0 | 3 | 1 |
| 64 | Nandikotkur | 30 | 0 | 0 | 5 | 1 |
| 65 | Gudur(K) | 20 | 0 | 0 | 1 | 1 |
| 66 | Nandyal | 72 | 1 | 4 | 12 | 5 |
| 67 | Proddatur | 88 | 3 | 0 | 12 | 6 |
| 68 | Pulivendula | 60 | 33 | 0 | 9 | 1 |
| 69 | Rajamahendravaram | 195 | 111 | 5 | 16 | 16 |
| 70 | Rajampet | 41 | 17 | 0 | 1 | 2 |
| 71 | Rayachoti | 57 | 24 | 0 | 5 | 2 |
| 72 | Tadipatri | 90 | 3 | 9 | 6 | 0 |
| 73 | Tirupathi | 246 | 107 | 3 | 26 | 15 |
| 74 | Ongole | 254 | 60 | 0 | 1 | 8 |
| 75 | Chimakurthy | 35 | 1 | 0 | 2 | 1 |
| 76 | Addanki | 51 | 5 | 0 | 5 | 1 |
| 77 | Kandukur | 52 | 12 | 0 | 4 | 2 |
| 78 | Kakinada | 528 | 115 | 3 | 16 | 14 |
| 79 | Vijayawada | 1204 | 250 | 9 | 6 | 46 |
| 80 | Gollaprolu | 17 | 7 | 0 | 0 | 1 |
| 81 | Pithapuram | 57 | 8 | 0 | 6 | 2 |
| 82 | Peddapuram | 25 | 8 | 0 | 5 | 2 |
| 83 | Samalkota | 36 | 0 | 0 | 9 | 2 |
| 84 | Yeleswaram | 20 | 0 | 0 | 2 | 1 |
| 85 | Ramachandrapuram | 60 | 8 | 0 | 3 | 2 |
| 86 | Mandapeta | 60 | 10 | 0 | 0 | 2 |
| 88 | Tuni | 44 | 0 | 0 | 7 | 1 |
| 88 | Mummidivaram | 16 | 7 | 0 | 0 | 1 |
| 89 | Amalapuram | 37 | 12 | 0 | 11 | 1 |

| S.No. | Name of the ULB | Pushcarts | Autos Tippers | Tippers | Tractors | Compactors |
|--------------|-----------------|-------------|------------------|------------|------------|------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 90 | Eluru | 56 | 60 | 0 | 0 | 9 |
| 91 | Tadepalligudem | 66 | 33 | 0 | 9 | 5 |
| 92 | Tanuku | 72 | 24 | 0 | 12 | 2 |
| 93 | Palakole | 62 | 19 | 0 | 6 | 2 |
| 94 | Narasapuram | 55 | 16 | 0 | 6 | 2 |
| 95 | Bhimavaram | 32 | 35 | 0 | 13 | 4 |
| 96 | Nidadavole | 56 | 6 | 0 | 3 | 2 |
| 97 | Kovvur | 45 | 10 | 0 | 4 | 2 |
| 98 | Jangareddygudem | 33 | 0 | 0 | 0 | 2 |
| 99 | Chittoor | 60 | 15 | 3 | 11 | 8 |
| 100 | Srikalahasthi | 60 | 0 | 1 | 3 | 4 |
| 101 | Nagari | 40 | 3 | 0 | 4 | 2 |
| 102 | Puttur | 8 | 21 | 0 | 3 | 2 |
| 103 | Nellore | 471 | 114 | 0 | 9 | 17 |
| 104 | Venkatagiri | 42 | 0 | 0 | 5 | 2 |
| 105 | Yerraguntla | 20 | 11 | 0 | 3 | 1 |
| 106 | Naidupeta | 40 | 11 | 0 | 11 | 1 |
| 107 | Atmakur (N) | 30 | 2 | 0 | 4 | 3 |
| 108 | Kavali | 24 | 6 | 0 | 5 | 3 |
| 109 | Kondapalli | 36 | 3 | 0 | 12 | 0 |
| 110 | Akiveedu | 3 | 0 | 0 | 0 | 0 |
| 111 | Dachepalli | 0 | 0 | 0 | 4 | 0 |
| 112 | Gurazala | 12 | 0 | 0 | 5 | 0 |
| 113 | Darsi | 20 | 0 | 0 | 4 | 1 |
| 114 | BuchireddyPalem | 0 | 0 | 0 | 9 | 0 |
| 115 | Penukonda | 8 | 5 | 0 | 0 | 0 |
| 116 | Bethamcherla | 0 | 12 | 0 | 5 | 0 |
| 117 | Kamalapuram | 0 | 0 | 0 | 3 | 0 |
| 118 | Kuppam | 0 | 12 | 0 | 7 | 1 |
| 119 | Tadigadapa | 42 | 42 | 0 | 13 | 5 |
| 120 | Chintalapudi | 25 | 0 | 0 | 0 | 0 |
| 121 | Podili | 20 | 0 | 0 | 3 | 0 |
| 122 | Allur | 15 | 0 | 0 | 2 | 0 |
| 123 | B.KothaKota | 0 | 0 | 0 | 0 | 0 |
| Total | | 9259 | 3131 | 142 | 728 | 477 |

| Summary | | |
|--------------|--------------|--------------|
| S.No | Description | Nos. |
| 1 | Pushcarts | 9259 |
| 2 | Auto Tippers | 3131 |
| 3 | Tippers | 142 |
| 4 | Tractors | 728 |
| 5 | Compactors | 477 |
| Total | | 13737 |

ULB Wise Legacy Waste Treated & Land Reclaimed

| Sl. No. | (i) Name of District | (ii) Name of the ULB | (iii) Area covered by the legacy waste | | (iv) Quantity of the waste in each site | Quantity of waste remediated | Quantity of waste to be remediated | Percentage of work completed | Land reclaimed in acers |
|---------|-------------------------|-------------------------|---|-------|--|------------------------------|------------------------------------|------------------------------|-------------------------|
| | | | in SqKm | Acres | MT | MT | MT | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 1 | Anakapalli | Narsipatnam | 0.006 | 1.50 | 6250 | 5185 | 1065 | 83 | - |
| 2 | Anakapalli | Yelamanchali | 0.012 | 3.00 | 8719 | 8719 | 0 | 100 | 0.45 |
| 3 | Ananthapuramu | Rayadurg | 0.021 | 5.30 | 67039 | 66120 | 919 | 99 | 0.00 |
| 4 | Ananthapuramu | Kalyandurgam | 0.019 | 4.70 | 14426 | 14426 | 0 | 100 | 0.00 |
| 5 | Ananthapuramu | Tadipatri | 0.04 | 9.97 | 127237 | 116237 | 11000 | 91 | 0.00 |
| 6 | Ananthapuramu | Gooty | 0.036 | 9.00 | 31564 | 31564 | 0 | 100 | 0.00 |
| 7 | Ananthapuramu | Guntakal | 0.103 | 25.40 | 156000 | 156000 | 0 | 100 | 6.46 |
| 8 | Ananthapuramu | Ananthapuramu | 0.047 | 11.69 | 332485 | 332485 | 0 | 100 | 7.00 |
| 9 | Annamayya | Madanapalle | 0.172 | 42.56 | 30084 | 30084 | 0 | 100 | 25.02 |
| 10 | Annamayya | B.Kothakota | 0.002 | 0.60 | 6935 | 6935 | 0 | 100 | 0.00 |
| 11 | Annamayya | Rajampeta | 0.051 | 12.50 | 11817 | 11817 | 0 | 100 | 0.00 |
| 12 | Annamayya | Rayachoti | 0.074 | 18.16 | 17146 | 17146 | 0 | 100 | 8.00 |
| 13 | Bapatla | Bapatla | 0.028 | 6.99 | 67903 | 67903 | 0 | 100 | 0.00 |
| 14 | Bapatla | Repalle | 0.006 | 1.38 | 53602 | 53602 | 0 | 100 | 0.00 |
| 15 | Bapatla | Chirala | 0.032 | 8.00 | 12978 | 11831 | 1147 | 91 | 0.00 |
| 16 | Bapatla | Addanki | 0.028 | 7.00 | 12876 | 12876 | 0 | 100 | 3.50 |
| 17 | Chittoor | Chittoor | 0.067 | 16.60 | 135397 | 131717 | 3680 | 97 | 0.00 |
| 18 | Chittoor | Punganur | 0.036 | 8.90 | 9526 | 9526 | 0 | 100 | 3.00 |
| 19 | Chittoor | Palamaneru | 0.019 | 4.80 | 11965 | 11965 | 0 | 100 | 3.00 |
| 20 | Chittoor | Nagari | 0.026 | 6.40 | 9221 | 5890 | 3331 | 64 | 0.00 |
| 21 | Chittoor | Puttur | 0.014 | 3.50 | 11015 | 11015 | 0 | 100 | 0.50 |
| 22 | Chittoor | Kuppam | 0.002 | 0.60 | 2555 | 2555 | 0 | 100 | 0.60 |
| 23 | East Godavari | Rajahmahendravaram | 0.032 | 8.00 | 512495 | 511410 | 1085 | 100 | 0.00 |

| Sl. No. | (i) Name of District | (ii) Name of the ULB | (iii) Area covered by the legacy waste | | (iv) Quantity of the waste in each site | Quantity of waste remediated | Quantity of waste to be remediated | Percentage of work completed | Land reclaimed in acers |
|---------|-------------------------|-------------------------|---|-------|--|------------------------------|------------------------------------|------------------------------|-------------------------|
| | | | in SqKm | Acres | MT | MT | MT | | |
| 24 | East Godavari | Nidadavole | 0.019 | 4.65 | 37207 | 37207 | 0 | 100 | 4.00 |
| 25 | East Godavari | Kovvur | 0.002 | 0.50 | 8775 | 8775 | 0 | 100 | 0.50 |
| 26 | Eluru | Eluru | 0.105 | 25.88 | 45282 | 37217 | 8065 | 82 | 0.00 |
| 27 | Eluru | Chinthalapudi | 0.002 | 0.50 | 7300 | 2500 | 4800 | 34 | 0.00 |
| 28 | Eluru | Jangareddygudem | 0.08 | 19.77 | 18736 | 18736 | 0 | 100 | 1.76 |
| 29 | Eluru | Nuzivid | 0.02 | 5.00 | 15995 | 15995 | 0 | 100 | 1.50 |
| 30 | Guntur | Tenali | 0.016 | 4.00 | 63555 | 63555 | 0 | 100 | 2.00 |
| 31 | Guntur | Ponnur | 0.016 | 4.00 | 56466 | 56466 | 0 | 100 | 1.50 |
| 32 | Guntur | Mangalagiri Tadepalli | 0.018 | 4.38 | 228875 | 228875 | 0 | 100 | 4.38 |
| 33 | Guntur | Guntur | 0.145 | 35.74 | 480000 | 480000 | 0 | 100 | 29.40 |
| 34 | Kakinada | Peddapuram | 0.012 | 3.05 | 19612 | 19612 | 0 | 100 | 3.10 |
| 35 | Kakinada | Tuni | 0.003 | 0.75 | 22098 | 22098 | 0 | 100 | 0.50 |
| 36 | Kakinada | Yeleswaram | 0.001 | 0.30 | 11022 | 10022 | 1000 | 91 | 0.00 |
| 37 | Kakinada | Samalkot | 0.012 | 3.00 | 37786 | 37786 | 0 | 100 | 2.50 |
| 38 | Kakinada | Pithapuram | 0.021 | 5.17 | 24910 | 24910 | 0 | 100 | 5.00 |
| 39 | Kakinada | Gollaprolu | 0.008 | 2.00 | 13135 | 13135 | 0 | 100 | 2.50 |
| 40 | Kakinada | Kakinada | 0.059 | 14.66 | 362375 | 296924 | 65451 | 82 | 0.00 |
| 41 | Konaseema | Amalapuram | 0.012 | 3.00 | 27910 | 27910 | 0 | 100 | 1.50 |
| 42 | Konaseema | Ramachandrapuram | 0.013 | 3.30 | 22143 | 22143 | 0 | 100 | 0.00 |
| 43 | Konaseema | Mandapeta | 0.012 | 2.98 | 8779 | 0 | 8779 | 0 | 0.00 |
| 44 | Konaseema | Mumidivaram | 0.004 | 1.00 | 5624 | 0 | 5624 | 0 | 0.00 |
| 45 | Krishna | Pedana | 0.004 | 1.00 | 5821 | 0 | 5821 | 0 | 0.00 |
| 46 | Krishna | Gudivada | 0.019 | 4.67 | 50921 | 50921 | 0 | 100 | 2.20 |
| 47 | Krishna | Vuyyuru | 0.004 | 1.00 | 10000 | 5000 | 5000 | 50 | 0.00 |
| 48 | Krishna | YSR Tadigadapa | 0.013 | 3.20 | 50000 | 50000 | 0 | 100 | 1.78 |
| 49 | Krishna | Machilipatnam | 0.007 | 1.75 | 52267 | 52267 | 0 | 100 | 1.80 |

| Sl. No. | (i) Name of District | (ii) Name of the ULB | (iii) Area covered by the legacy waste | | (iv) Quantity of the waste in each site | Quantity of waste remediated | Quantity of waste to be remediated | Percentage of work completed | Land reclaimed in acers |
|---------|-------------------------|-------------------------|---|-------|--|------------------------------|------------------------------------|------------------------------|-------------------------|
| | | | in SqKm | Acres | MT | MT | MT | | |
| 50 | Kurnool | Gudur | 0.004 | 1.00 | 17901 | 15235 | 2666 | 85 | 0.00 |
| 51 | Kurnool | Adoni | 0.09 | 22.12 | 34132 | 34132 | 0 | 100 | 10.00 |
| 52 | Kurnool | Yemmiganur | 0.032 | 8.00 | 108597 | 100278 | 8319 | 92 | 0.00 |
| 53 | Kurnool | Kurnool | 0.076 | 18.85 | 150000 | 150000 | 0 | 100 | 10.00 |
| 54 | Manyam | Palakonda | 0.004 | 1.00 | 7700 | 2560 | 5140 | 33 | 0.00 |
| 55 | Manyam | Parvathipuram | 0.014 | 3.50 | 11921 | 7421 | 4500 | 62 | 0.00 |
| 56 | Manyam | Salur | 0.014 | 3.50 | 12042 | 8750 | 3292 | 73 | 0.00 |
| 57 | Nandyal | Allagadda | 0.004 | 1.07 | 27259 | 21106 | 6153 | 77 | 0.00 |
| 58 | Nandyal | Bethamcherla | 0.003 | 0.70 | 8030 | 8030 | 0 | 100 | 0.50 |
| 59 | Nandyal | Atmakur | 0.022 | 5.50 | 11444 | 9848 | 1596 | 86 | 0.00 |
| 60 | Nandyal | Nandikotkur | 0.019 | 4.60 | 11712 | 5784 | 5928 | 49 | 0.00 |
| 61 | Nandyal | Dhone | 0.292 | 72.10 | 73957 | 68390 | 5567 | 92 | 0.00 |
| 62 | Nandyal | Nandyal | 0.077 | 19.10 | 66475 | 66475 | 0 | 100 | 12.00 |
| 63 | NTR | Vijayawada | 0.179 | 44.31 | 648000 | 648000 | 0 | 100 | 44.31. |
| 64 | NTR | Nandigama | 0.011 | 2.60 | 28049 | 27651 | 398 | 99 | 0.00 |
| 65 | NTR | Jaggiahpeta | 0.017 | 4.08 | 16552 | 15565 | 987 | 94 | 0.00 |
| 66 | NTR | Tiruvuru | 0.004 | 1.10 | 20842 | 20842 | 0 | 100 | 2.16 |
| 67 | NTR | Kondapalli | 0.002 | 0.50 | 4957 | 4957 | 0 | 100 | 0.20 |
| 68 | Palnadu | Gurajala | 0.003 | 0.70 | 9198 | 9198 | 0 | 100 | 0.50 |
| 69 | Palnadu | Dachepalli | 0.005 | 1.20 | 16911 | 16911 | 0 | 100 | 0.75 |
| 70 | Palnadu | Piduguralla | 0.004 | 1.00 | 77813 | 77813 | 0 | 100 | 0.70 |
| 71 | Palnadu | Macherla | 0.005 | 1.20 | 3881 | 3881 | 0 | 100 | 0.00 |
| 72 | Palnadu | Sattenapalli | 0.012 | 3.00 | 50000 | 50000 | 0 | 100 | 1.50 |
| 73 | Palnadu | Vinukonda | 0.006 | 1.50 | 64078 | 64078 | 0 | 100 | 0.00 |
| 74 | Palnadu | Narasaraopeta | 0.038 | 9.50 | 23763 | 23763 | 0 | 100 | 2.00 |
| 75 | Palnadu | Chilakaluripet | 0.054 | 13.36 | 168698 | 168698 | 0 | 100 | 10.00 |

| Sl. No. | (i) Name of District | (ii) Name of the ULB | (iii) Area covered by the legacy waste | | (iv) Quantity of the waste in each site | Quantity of waste remediated | Quantity of waste to be remediated | Percentage of work completed | Land reclaimed in acers |
|---------|-------------------------|-------------------------|---|-------|--|------------------------------|------------------------------------|------------------------------|-------------------------|
| | | | in SqKm | Acres | MT | MT | MT | | |
| 76 | Prakasam | Markapur | 0.007 | 1.80 | 8691 | 8691 | 0 | 100 | 0.00 |
| 77 | Prakasam | Giddalur | 0.012 | 2.90 | 10672 | 8672 | 2000 | 81 | 0.00 |
| 78 | Prakasam | Chimakurthy | 0.011 | 2.70 | 17378 | 16443 | 935 | 95 | 0.00 |
| 79 | Prakasam | Podili | 0.002 | 0.60 | 5840 | 5840 | 0 | 100 | 0.00 |
| 80 | Prakasam | Kanigiri | 0.019 | 4.60 | 13301 | 13301 | 0 | 100 | 0.00 |
| 81 | Prakasam | Darsi | 0.003 | 0.80 | 10950 | 10950 | 0 | 100 | 0.00 |
| 82 | Prakasam | Ongole | 0.016 | 4.00 | 65902 | 65902 | 0 | 100 | 2.00 |
| 83 | SPS Nellore | Kavali | 0.029 | 7.20 | 113081 | 113081 | 0 | 100 | 2.50 |
| 84 | SPS Nellore | Alluru | 0.002 | 0.50 | 5125 | 5125 | 0 | 100 | 1.32 |
| 85 | SPS Nellore | Kandukur | 0.019 | 4.60 | 16157 | 16157 | 0 | 100 | 2.50 |
| 86 | SPS Nellore | Buchireddypalem | 0.004 | 1.00 | 15483 | 15483 | 0 | 100 | 0.50 |
| 87 | SPS Nellore | Atmakur | 0.045 | 11.00 | 11754 | 11754 | 0 | 100 | 0.00 |
| 88 | SPS Nellore | Gudur | 0.026 | 6.40 | 35569 | 35569 | 0 | 100 | 0.00 |
| 89 | SPS Nellore | Nellore | 0.115 | 28.29 | 686810 | 676810 | 10000 | 99 | 0.00 |
| 90 | Sri Satyasai | Dharmavaram | 0.061 | 15.00 | 240000 | 240000 | 0 | 100 | 7.00 |
| 91 | Sri Satyasai | Penukonda | 0.003 | 0.80 | 6424 | 6424 | 0 | 100 | 0.70 |
| 92 | Sri Satyasai | Hindupur | 0.026 | 6.50 | 61499 | 59498 | 2001 | 97 | 0.00 |
| 93 | Sri Satyasai | Madakasira | 0.03 | 7.36 | 14208 | 14208 | 0 | 100 | 0.82 |
| 94 | Sri Satyasai | Kadiri | 0.008 | 1.98 | 22987 | 20034 | 2953 | 87 | 0.00 |
| 95 | Sri Satyasai | Puttaparthi | 0.02 | 5.00 | 29507 | 25404 | 4103 | 86 | 0.00 |
| 96 | Srikakulam | Amadalavalasa | 0.015 | 3.75 | 6679 | 6679 | 0 | 100 | 0.00 |
| 97 | Srikakulam | Ichapuram | 0.01 | 2.50 | 6260 | 6260 | 0 | 100 | 0.00 |
| 98 | Srikakulam | Palasa Kasibugga | 0.016 | 4.00 | 9626 | 9626 | 0 | 100 | 0.00 |
| 99 | Srikakulam | Srikakulam | 0.078 | 19.35 | 237841 | 237841 | 0 | 100 | 0.00 |
| 100 | Tirupati | Tirupati | 0.102 | 25.26 | 204000 | 204000 | 0 | 100 | 15.00 |
| 101 | Tirupati | Srikalahasti | 0.04 | 9.88 | 46000 | 46000 | 0 | 100 | 5.00 |

| Sl. No. | (i) Name of District | (ii) Name of the ULB | (iii) Area covered by the legacy waste | | (iv) Quantity of the waste in each site | Quantity of waste remediated | Quantity of waste to be remediated | Percentage of work completed | Land reclaimed in acers |
|--------------|-------------------------|-------------------------|---|----------------|--|------------------------------|------------------------------------|------------------------------|-------------------------|
| | | | in SqKm | Acres | MT | MT | MT | | |
| 102 | Tirupati | Venkatagiri | 0.028 | 6.83 | 8088 | 8088 | 0 | 100 | 4.00 |
| 103 | Tirupati | Sullurpet | 0.012 | 3.07 | 31409 | 31409 | 0 | 100 | 1.50 |
| 104 | Tirupati | Naidupet | 0.012 | 3.00 | 12963 | 11042 | 1921 | 85 | 0.00 |
| 105 | Visakhapatnam | GVMC | 0.324 | 80.00 | 960000 | 960000 | 0 | 100 | 45.00 |
| 106 | Vizinagaram | Bobbili | 0.011 | 2.75 | 14711 | 14711 | 0 | 100 | 1.00 |
| 107 | Vizinagaram | Rajam | 0.014 | 3.50 | 12849 | 12849 | 0 | 100 | 2.50 |
| 108 | Vizinagaram | Nellimarla | 0.014 | 3.50 | 7727 | 7727 | 0 | 100 | 0.00 |
| 109 | Vizinagaram | Vizianagaram | 0.041 | 10.00 | 206101 | 206101 | 0 | 100 | 7.00 |
| 110 | West Godavari | Narsapur | 0.036 | 8.80 | 51312 | 51312 | 0 | 100 | 4.00 |
| 111 | West Godavari | Akivedu | 0.003 | 0.75 | 7312 | 7312 | 0 | 100 | 0.00 |
| 112 | West Godavari | Bhimavaram | 0.001 | 0.15 | 12545 | 12545 | 0 | 100 | 0.10 |
| 113 | West Godavari | Tadepalligudem | 0.02 | 4.94 | 14320 | 14320 | 0 | 100 | 1.50 |
| 114 | West Godavari | Tanuku | 0.022 | 5.46 | 74206 | 74206 | 0 | 100 | 3.50 |
| 115 | West Godavari | Palacole | 0.01 | 2.54 | 25181 | 25181 | 0 | 100 | 1.50 |
| 116 | YSR Kadapa | Kadapa | 0.112 | 27.60 | 108012 | 108012 | 0 | 100 | 20.00 |
| 117 | YSR Kadapa | Proddatur | 0.089 | 22.00 | 57914 | 57914 | 0 | 100 | 0.00 |
| 118 | YSR Kadapa | Jammalamadugu | 0.023 | 5.65 | 9477 | 5475 | 4002 | 58 | 0.00 |
| 119 | YSR Kadapa | Mydukur | 0.015 | 3.80 | 9828 | 9828 | 0 | 100 | 0.50 |
| 120 | YSR Kadapa | Yerraguntla | 0.005 | 1.20 | 6235 | 6235 | 0 | 100 | 1.00 |
| 121 | YSR Kadapa | Kamalapuram | 0.003 | 0.75 | 2555 | 2555 | 0 | 100 | 0.40 |
| 122 | YSR Kadapa | Pulivendula | 0.041 | 10.00 | 27283 | 27283 | 0 | 100 | 10.00 |
| 123 | YSR Kadapa | Badvel | 0.012 | 2.90 | 18993 | 18993 | 0 | 100 | 1.50 |
| Total | | | 4.06 | 1003.85 | 8590505 | 8391278 | 199227 | 98 | 316.10 |

Details of Existing STPs in the ULBs

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|---------------------------------|-------------------|-----------------------|-------------|-----------------------------|-------------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| PHMED - Operational STPs | | | | | | |
| 1 | GVMC | Old town | 1 | 38.00 | 38.00 | - |
| 2 | | Appughar | 1 | 25.00 | 25.00 | - |
| 3 | | Mudasarlova | 1 | 13.00 | 13.00 | - |
| 4 | | Narava | 1 | 54.00 | 54.00 | - |
| 5 | | Anakapalle | 1 | 15.00 | 15.00 | - |
| 6 | | Madinabagh | 1 | 2.00 | 2.00 | - |
| 7 | | Yathapalem | 1 | 2.50 | 2.50 | - |
| 8 | | Sri Nagar | 1 | 0.50 | 0.50 | - |
| 9 | GVMC | Mantripalem | 1 | 1.00 | 1.00 | - |
| 10 | | Aganampudi | 1 | 6.00 | 6.00 | - |
| 11 | | Rathi Cheruvu | 1 | 2.00 | 2.00 | - |
| 12 | | Kommadi / Madhurawada | 1 | 4.00 | 4.00 | - |
| 13 | | Bakkannapalem | 1 | 1.00 | 1.00 | - |
| 14 | | Marikavalasa | 1 | 2.00 | 2.00 | - |
| 15 | | Vambay Colony | 1 | 3.00 | 3.00 | - |
| 16 | | YSR Nagar | 1 | 2.00 | 2.00 | - |
| 17 | | Boyapalem | 1 | 1.00 | 1.00 | - |
| 18 | GVMC | Narava | 1 | 54.00 | 15.00 | Laying of UGD lines and Sewer connections to integrate nearby regions with STP is being done |
| 19 | | Paradesipalem | 1 | 2.00 | 0.50 | |
| 20 | Rajamahendravaram | Hukumpeta | 1 | 30.00 | 30.00 | - |
| 21 | Vijayawada | Ajith Singh Nagar-1 | 1 | 40.00 | 40.00 | - |
| 22 | | Ajith Singh Nagar-2 | 1 | 20.00 | 20.00 | - |
| 23 | | Ramalingeswar Nagar-1 | 1 | 20.00 | 20.00 | - |
| 24 | | Ramalingeswar Nagar-2 | 1 | 10.00 | 10.00 | - |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|------|-----------------|------------------------|-------------|-----------------------------|-------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 25 | Vijayawada | Autonagar - 1 | 1 | 10.00 | 10.00 | - |
| 26 | | Autonagar - 2 | 1 | 10.00 | 10.00 | - |
| 27 | | Jakkampudi | 1 | 20.00 | 20.00 | - |
| 28 | Kondapalli | Security Colony | 1 | 0.80 | 0.80 | - |
| 29 | | Security Colony | 1 | 2.00 | 1.60 | - |
| 30 | Tadepalli | Mahanadu-1 | 1 | 0.20 | 0.20 | - |
| 31 | | Mahanadu-2 | 1 | 0.20 | 0.20 | - |
| 32 | Narsaraopeta | CPT Road | 1 | 15.55 | 9.50 | Out of 35000 HH only 15000 Sewer Connections provided. Laying of Sewer connections is being taken up |
| 33 | Ongole | Koppolu | 1 | 15.00 | 15.00 | - |
| 34 | Nellore | Janardhan Reddy Colony | 1 | 5.00 | 5.00 | Under Special drive of Government, Steps are being taken to provide Sewer connections at |
| 35 | | Allipuram | 1 | 55.00 | 55.00 | |
| 36 | Tirupathi | Thukivakam | 1 | 50.00 | 33.00 | Present STP (Oxidation Pond) is being replaced with 25 MLD capacity STP(SBR technology) under Smart city Mission) |
| 37 | Kadapa | Nanepally | 1 | 20.00 | 10.00 | Present STP (Oxidation Pond) is being replaced with 20 MLD capacity STP(SBR technology) under AMRUT 1.0 |
| 38 | Pulivendula | Rotarypuram | 1 | 10.00 | 5.00 | Laying of UGD lines is under progress. |
| 39 | Kurnool | Jammichettu | 1 | 0.80 | 0.80 | - |
| 40 | | Sankal Bagh | 1 | 0.80 | 0.80 | - |
| 41 | | Tungabhadra Pump House | 1 | 0.80 | 0.80 | - |
| 42 | Yemmiganuru | Soganur road | 1 | 19.80 | 5.00 | Due to lack of sewer network and power supply to STP, it is non operational. |
| 43 | Tadipatri | Gannevaripalle | 1 | 3.50 | 3.50 | - |
| 44 | | Gannevaripalle | 1 | 8.00 | 8.00 | - |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|---------------------------------|-------------------|---------------------------|-------------|-----------------------------|-------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 45 | Puttaparthi | Sai Nagar | 1 | 0.50 | 0.50 | - |
| 46 | | Gokulam | 1 | 0.50 | 0.20 | - |
| | | | 46 | 596.45 | 502.40 | |
| APTIDCO Operational STPs | | | | | | |
| 47 | Srikakulam | Patrunivalasa | 1 | 2.10 | 2.10 | - |
| 48 | Vizianagaram | Saripalli | 1 | 1.50 | 1.50 | - |
| 49 | | Sonia nagar | 1 | 1.50 | 1.50 | - |
| 50 | Saluru | Saluru | 1 | 1.00 | 1.00 | - |
| 51 | GVMC | Satyanarayanapuram | 1 | 3.70 | 3.70 | - |
| 52 | | Parawada | 1 | 0.60 | 0.60 | - |
| 53 | | Dabbanda | 1 | 1.25 | 1.25 | - |
| 54 | | Aganampudi (Tri Junction) | 1 | 2.80 | 2.80 | - |
| 55 | Yelamanchili | Yelamanchili | 1 | 0.20 | 0.20 | - |
| 56 | Peddapuram | Valuthimmapuram | 1 | 0.50 | 0.50 | - |
| 57 | Pithapuram | Gorsa | 1 | 0.20 | 0.20 | - |
| 58 | Samalkota | Jaggamvaripeta | 1 | 0.20 | 0.20 | - |
| 59 | | Uppuvarisatram | 1 | 0.30 | 0.30 | - |
| 60 | Mandapeta | Gollapunta | 1 | 0.30 | 0.30 | - |
| 61 | Ramachandrapuram | Kothuru (Ph-I) | 1 | 0.30 | 0.30 | - |
| 62 | Rajamahendravaram | Bommuru-I | 1 | 0.30 | 0.30 | - |
| 63 | | Torredu | 1 | 1.60 | 1.60 | - |
| 64 | Tadepalligudem | a. Kondruprolu-I | 1 | 2.70 | 2.70 | - |
| 65 | | b. Kondruprolu-II | 1 | 0.50 | 0.50 | - |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|---|--------------------------|---------------------------|-------------|-----------------------------|-------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 66 | CRDA(Guntur) | Inavolu | 1 | 0.80 | 0.80 | |
| 67 | | Nowluru | 1 | 1.50 | 1.50 | - |
| 68 | Kurnool | Jagannadhagattu | 1 | 0.80 | 0.80 | - |
| 69 | Kurnool | | 1 | 1.60 | 1.60 | - |
| 70 | Nandyal | SRBC Colony | 1 | 1.10 | 1.10 | - |
| 71 | | | 1 | 1.20 | 1.20 | - |
| 72 | Adhoni | Siriguppa Road | 1 | 0.20 | 0.20 | - |
| 73 | Repalle | Repalle II | 1 | 0.90 | 0.90 | - |
| 74 | Allagadda | Chinthakuntla Village-III | 1 | 0.20 | 0.20 | - |
| 75 | Kandukur | Uppucheruvu-I | 1 | 1.40 | 1.40 | - |
| | APTIDCO STPs | | 29 | 31.25 | 31.25 | |
| | TOTAL Operational | | 75 | 627.70 | 533.65 | |
| Details of Non Operational STPs | | | | | | |
| PHMED - Installed but Non Operational STPs | | | | | | |
| 76 | GVMC | Karnavani palem | 1 | 5.00 | 0.00 | The existing STP is defunct. Under Smart City mission the UGD network in this region will be integrated with the trunk main of existing 108 MLD capacity STP at Narava. |
| 77 | Eluru | Denduluru | 1 | 5.00 | 0.00 | Providing Sewer connections under progress(AMRUT 1.0). |
| 78 | Tenali | Tenali | 1 | 10.00 | 0.00 | STP is under trial run |
| 79 | Nellore | Drivers Colony | 1 | 11.00 | 0.00 | Under Special drive of Government, Steps are being taken to provide Sewer connections at subsidised rate to HH @Rs.1/ connection |
| 80 | Kurnool | Kurnool | 1 | 2.00 | 0.00 | STP is under trial run |
| 81 | Puttaparthi | Prasanthi Gram | 1 | 0.50 | 0.00 | The existing STPs are being rehabilitated with 15th FC grants |
| | TOTAL | | 6 | 33.5 | 0 | |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|---|-----------------|-----------------------|-------------|-----------------------------|--|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| APTIDCO - Installed but Non Operational STPs | | | | | | |
| 82 | Palakollu | Penukulapadu | 1 | 0.70 | 0.00 | Trail Run held up for want of sewage. |
| 83 | Gudivada | Mallayapalem I | 1 | 2.00 | 0.00 | Trial run in progress |
| 84 | | Mallayapalem II | 1 | 0.75 | 0.00 | Trial run in progress |
| 85 | Machilipatnam | Gosangam II | 1 | 3.50 | 0.00 | Trial run in progress |
| 86 | | Rudravaram II | 1 | 2.00 | 0.00 | Trail Run in progress |
| 87 | Vijayawada | Jakkampudi I (A) | 1 | 1.50 | 0.00 | Civil work completed, Trial run is heldup for want of sewage |
| 88 | | Jakkampudi II (B) | 1 | 0.50 | 0.00 | Trial run in progress |
| 89 | | Jakkampudi III (C) | 1 | 0.50 | 0.00 | Waiting for beneficiary occupancy for fixing of electrical and mechanical works in the plant |
| 90 | | Jakkampudi IV (D) | 1 | 0.50 | 0.00 | |
| 91 | Mangalagiri | RGK Colony -I | 1 | 1.00 | 0.00 | |
| 92 | Guntur | Vengalayapalem I & II | 1 | 1.50 | 0.00 | |
| 93 | | Adavitakkilapadu | 1 | 2.00 | 0.00 | |
| 94 | Tenali | Chinaravuru | 1 | 1.00 | 0.00 | Waiting for beneficiary occupancy for fixing of electrical and mechanical works in the plant |
| 95 | Ponnuru | Nidubrolu | 1 | 1.00 | 0.00 | |
| 96 | Kavali | Maddurupadu | 1 | 1.00 | 0.00 | |
| 97 | Atmakur | Nellorepalem | 1 | 1.00 | 0.00 | |
| 98 | Gudur | Gandhinagar | 1 | 1.00 | 0.00 | Trial run is heldup for want of sewage &Power supply |
| 99 | Chilakaluripeta | Purushothapatnam | 1 | 1.00 | 0.00 | |
| 100 | CRDA (Guntur) | Ananthavaram | 1 | 0.90 | 0.00 | |
| 101 | | Dondapadu | 1 | 0.60 | 0.00 | |
| 102 | | Thulluru | 1 | 0.90 | 0.00 | |
| 103 | | Mandadam | 1 | 0.90 | 0.00 | Trial run is heldup for want of sewage &Power supply |
| 104 | | Penumaka | 1 | 0.60 | 0.00 | Trial run held up for want of housing work not yet taken up |
| 105 | Nidamaruru | 1 | 1.30 | 0.00 | Trial run held up for want of housing work not yet completed | |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|------|------------------|--------------------|-------------|-----------------------------|-------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 106 | Kurnool | Jagannadhagattu | 1 | 0.50 | 0.00 | Trial run held up for want of housing work not yet taken up |
| 107 | | | 1 | 0.90 | 0.00 | Trial run heldup for want of sewage and powersupply |
| 108 | | | 1 | 0.80 | 0.00 | Trial run heldup for want of sewage and powersupply |
| 109 | Nandyal | Nandhamuri Nagar | 1 | 0.90 | 0.00 | Trail Run Completed, O & M is held up for sewage and Power supply |
| 110 | | | 1 | 1.30 | 0.00 | Trail Run Completed, O & M is held up for sewage and Power supply |
| 111 | Adhoni | Siriguppa Road | 1 | 0.70 | 0.00 | Trail Run Completed, O & M is held up for sewage and Power supply |
| 112 | Piduguralla | Kondamodu II | 1 | 1.00 | 0.00 | Trail Run Completed, O & M is held up for sewage and Power supply |
| 113 | Macherla | Gorrilamandhi-II | 1 | 0.90 | 0.00 | Trial run is heldup for want of sewage |
| 114 | Naidupeta-II | Biradawada | 1 | 1.10 | 0.00 | Trial run is heldup for want of sewage &Power supply |
| 115 | Sullurupeta-II | Mannarupoluru | 1 | 2.00 | 0.00 | completed ,Trail run in Progress |
| 116 | Venkatagiri-II | Chevireddypalli | 1 | 3.00 | 0.00 | Trial run held up for want of power supply |
| 117 | Nellore | Akkacheruvupadu-II | 1 | 0.50 | 0.00 | completed ,Trail run in Progress |
| 118 | Nellore | Kallurupalli-II | 1 | 0.75 | 0.00 | completed ,Trail run in Progress |
| 119 | Nellore | Kondlapudi II&III | 1 | 1.50 | 0.00 | completed ,Trail run in Progress |
| 120 | Srikalahasthi-II | S.W. Hostel -II | 1 | 0.50 | 0.00 | |

| S No | Name of the ULB | Location of STP | No. of STPs | Installed Capacity (in MLD) | Operational capacity (in MLD) | Remarks |
|----------------------------------|-----------------|-------------------|-------------|-----------------------------|-------------------------------|---------------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 121 | Chittoor | Murukumbattu -II | 1 | 0.50 | 0.00 | completed ,Trail run in Progress |
| 122 | Puttur | Nandimangalam -II | 1 | 0.50 | 0.00 | Trial run held up for want of Sewage. |
| 123 | Punganur | Ethuru -II | 1 | 0.50 | 0.00 | Trial run in progress |
| 124 | Madanapalli | Venkappakota -II | 1 | 0.60 | 0.00 | Trial run in progress |
| 125 | Srikalahasthi-I | Rajiv Nagar -I | 1 | 0.60 | 0.00 | Trail Run in progress |
| APTIDCO STPs | | | 44 | 46.70 | 0 | |
| Total Non Functional STPs | | | 50 | 80.20 | 0 | |

Details of Existing STPs

| Status of STPs | No.of ULBs | No. of STPs | Installed Capacity (in MLD) | Utilization Capacity |
|----------------------|------------|-------------|-----------------------------|----------------------|
| Operational STPs | 29 | 75 | 627.70 | 533.65 |
| Non Operational STPs | 26 | 50 | 80.20 | 0 |
| Total | | 125 | 707.9 | 533.65 |

Details of STPs under Construction

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|------------------|---------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| 1 | 2 | 3 | 5 | 6 | 7 | 8 | 9 |
| AMRUT 1.0 | | | | | | | |
| 1 | PHMED | Srikakulam | 1 | 10.00 | 45% | 45% | Mar-26 |
| 2 | PHMED | Vizianagaram | 1 | 5.00 | 54% | 54% | Mar-26 |
| 3 | PHMED | Kakinada | 1 | 5.00 | 75% | 75% | Mar-26 |
| 4 | PHMED | Rajamahendravaram | 1 | 5.00 | 67% | 67% | Dec-25 |
| 5 | PHMED | Bhimavaram | 1 | 5.00 | 96% | 98% | Oct-25 |
| 6 | PHMED | Tadepalligudem | 1 | 5.00 | 36% | 40% | Dec-25 |
| 7 | PHMED | Machilipatnam | 1 | 5.00 | 48% | 48% | Dec-25 |
| 8 | PHMED | Gudivada | 1 | 5.00 | 93% | 94% | Oct-25 |
| 9 | PHMED | Chilakaluripeta | 1 | 5.00 | 35% | 35% | Mar-26 |
| 10 | PHMED | Kavali | 1 | 15.00 | 96% | 96% | Dec 25 |
| 11 | PHMED | Srikalahasthi | 1 | 7.00 | 53% | 55% | Dec-25 |
| 12 | PHMED | Madanapalle | 1 | 5.00 | 24% | 49% | Dec-25 |
| 13 | PHMED | Anantapuramu | 1 | 10.00 | 0% | 0% | Mar-26 |
| 14 | PHMED | Dharmavaram | 1 | 4.00 | 0% | 0% | Mar-26 |
| 15 | PHMED | | 1 | 4.00 | 0% | 0% | Mar-26 |
| 16 | PHMED | Guntakal | 1 | 8.00 | 15% | 15% | Dec 25 |
| 17 | PHMED | Kurnool | 1 | 10.00 | 39% | 45% | Dec 25 |
| 18 | PHMED | Nandyala | 1 | 10.00 | 71% | 75% | Dec 25 |
| 19 | PHMED | Adoni | 1 | 5.00 | 40% | 43% | Dec 25 |
| 20 | PHMED | Kadapa | 1 | 20.00 | 84% | 95% | Dec-25 |
| | | 19 | 20 | 148.00 | | | |
| AMRUT 2.0 | | | | | | | |
| 21 | PHMED | Kurnool | 1 | 35.00 | 0% | 0% | Dec 26 |
| 22 | PHMED | | 1 | 0.40 | 0% | 0% | Dec 26 |
| 23 | PHMED | | 1 | 0.20 | 0% | 0% | Dec 26 |
| 24 | APTIDCO | Kakinada | 1 | 1.50 | 75% | 75% | Dec-25 |
| 25 | APTIDCO | Rajahmundry | 1 | 1.50 | 70% | 70% | Dec-25 |
| 26 | APTIDCO | Rajahmundry | 1 | 0.75 | 72% | 72% | Dec-25 |
| 27 | APTIDCO | Tadipatri I & II | 1 | 2.75 | 95% | 95% | Dec-25 |
| 28 | APTIDCO | Dharmavaram | 1 | 0.75 | 72% | 72% | Dec-25 |

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|----------------|-----------------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| 29 | APTIDCO | Hindupur | 1 | 0.70 | 72% | 72% | Dec-25 |
| 30 | APTIDCO | Ananthapur | 1 | 1.25 | 70% | 70% | Dec-25 |
| 31 | APTIDCO | Guntakal | 1 | 1.25 | 70% | 67% | Dec-25 |
| 32 | APTIDCO | GVMC | 1 | 0.30 | 53% | 80% | Dec-25 |
| 33 | APTIDCO | GVMC | 1 | 1.00 | 60% | 60% | Dec-25 |
| 34 | APTIDCO | GVMC | 1 | 1.00 | 60% | 60% | Dec-25 |
| 35 | APTIDCO | | 1 | 0.40 | 65% | 65% | Dec-25 |
| 36 | APTIDCO | GVMC | 1 | 0.20 | 80% | 80% | Dec-25 |
| 37 | APTIDCO | GVMC | 1 | 0.50 | 65% | 65% | Dec-25 |
| 38 | APTIDCO | GVMC | 1 | 0.30 | 32% | 32% | Dec-25 |
| 39 | APTIDCO | GVMC | 1 | 0.20 | 55% | 55% | Dec-25 |
| 40 | APTIDCO | Eluru | 1 | 2.50 | 30% | 30% | Dec-25 |
| 41 | APTIDCO | Eluru | 1 | 0.20 | 30% | 30% | Dec-25 |
| | | 10 | 21 | 52.65 | | | |
| SBM 2.0 | | | | | | | |
| 42 | PHMED (SBM 2.0) Cluster - 1 | Amadalavalasa | 1 | 0.14 | 0% | 0% | Mar-26 |
| 43 | | Amadalavalasa | 1 | 0.18 | 0% | 0% | Mar-26 |
| 44 | | Amadalavalasa | 1 | 0.19 | 0% | 0% | Mar-26 |
| 45 | | Amadalavalasa | 1 | 0.10 | 0% | 0% | Mar-26 |
| 46 | | Amadalavalasa | 1 | 0.28 | 0% | 0% | - |
| 47 | | Ichapuram | 1 | 0.78 | 0% | 0% | Mar-26 |
| 48 | | Ichapuram | 1 | 0.37 | 0% | 0% | Mar-26 |
| 49 | | PalasaKasibugga | 1 | 0.01 | 0% | 0% | |
| 50 | | Bobbili | 1 | 3.50 | 0% | 5% | Mar-26 |
| 51 | | Bobbili | 1 | 0.15 | 0% | 33.80% | Mar-26 |
| 52 | | Bobbili | 1 | 0.16 | 0% | 5% | Mar-26 |
| 53 | | Bobbili | 1 | 0.2 | 35% | 64.50% | Mar-26 |
| 54 | | Bobbili | 1 | 0.07 | 1% | 5% | Mar-26 |
| 55 | | Bobbili | 1 | 0.07 | 1% | 5% | Mar-26 |
| 56 | | Narsipatnam | 1 | 0.24 | 0% | 0% | |
| 57 | | Yellamanchali | 1 | 0.40 | 0% | 0% | Mar-26 |
| 58 | | Yellamanchali | 1 | 0.50 | 0% | 0% | Mar-26 |
| 59 | PHMED(SBM 2.0) Cluster - 1 | Yellamanchali | 1 | 0.11 | 0% | 0% | Mar-26 |
| 60 | | Yellamanchali | 1 | 0.14 | 0% | 0% | Mar-26 |

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|-------------|--------------------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| 61 | PHMED (SBM 2.0) Cluster - 3 | Tiruvuru | 1 | 0.24 | 0% | 0% | - |
| 62 | | Piduguralla | 1 | 5.9 | 42% | 71.50% | Mar-26 |
| 63 | | | 1 | 5.2 | 42% | 61.50% | Mar-26 |
| 64 | | Vinukonda | 1 | 5.7 | 0% | 80% | Mar-26 |
| 65 | | | 1 | 5.5 | 0% | 80% | Mar-26 |
| 66 | PHMED(SBM 2.0) Cluster - 4 | Giddalur | 1 | 6.1 | 1% | 15% | Dec-26 |
| 67 | | Bapatla | 1 | 3.00 | 20% | 25% | Dec-26 |
| 68 | | Chirala | 1 | 5.00 | 0% | 0% | Dec-26 |
| 69 | PHMED (SBM 2.0) Cluster - 5 | Atmakur (k) | 1 | 0.59 | 0% | 48.70% | Nov-25 |
| 70 | | | 1 | 0.18 | 0% | 0.00% | Mar-26 |
| 71 | | | 1 | 0.25 | 0% | 15.00% | Jan-26 |
| 72 | | Jammalamadugu | 1 | 7.43 | 40% | 75% | Jan-26 |
| 73 | PHMED (SBM 2.0) Cluster - 6 | Badvel | 1 | 0.24 | 0% | 0% | Mar-26 |
| 74 | | Badvel | 1 | 0.65 | 0% | 0% | Mar-26 |
| 75 | | Badvel | 1 | 0.45 | 0% | 0% | Mar-26 |
| 76 | | Mydukur | 1 | 8.1 | 1% | 34.50% | Mar-26 |
| 77 | | Kandukur | 1 | 9.6 | 5% | 46% | Mar-26 |
| 78 | | Atmakur(N) | 1 | 0.19 | 0% | 0% | Mar-26 |
| 79 | PHMED(SBM 2.0) Cluster - 7 | Gooty | 1 | 3.60 | 5% | 47% | Dec-26 |
| 80 | | | 1 | 4.40 | 0% | 0% | - |
| 81 | | Kadiri | 1 | 14.90 | 5% | 43% | Mar-26 |
| 82 | PHMED(SBM 2.0) Cluster - 8 | Gudur | 1 | 0.11 | 0% | 0% | Jan-26 |
| 83 | | Venkatagiri | 1 | 9.58 | 52% | 80% | Jan-26 |
| 84 | | Naidupet | 1 | 7.9 | 48% | 75% | Jan-26 |
| 85 | | | 1 | 0.79 | 0% | 0% | Jan-26 |
| 86 | | Punganur | 1 | 0.16 | 0% | 21% | Jan-26 |
| | | 34 | 45 | 113.35 | | | |
| AIIB | | | | | | | |
| 87 | PHMED | Kanigiri | 1 | 6.00 | 2% | 2% | Jun-26 |

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|--------------|---------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| 88 | PHMED | Sullurupeta | 1 | 2.00 | 4% | 4% | Jun-26 |
| 89 | PHMED | | 1 | 2.00 | 4% | 4% | Jun-26 |
| 90 | PHMED | | 1 | 4.00 | 4% | 4% | Jun-26 |
| 91 | PHMED | Madakasira | 1 | 5.00 | 2% | 2% | Jun-26 |
| 92 | PHMED | Allagadda | 1 | 5.00 | 2% | 2% | Jun-26 |
| 93 | PHMED | Nandikotkur | 1 | 5.00 | 0% | 0% | Jun-26 |
| | | 5 | 7 | 29.00 | | | |
| PLAN | | | | | | | |
| 94 | PHMED | Pulivendula | 1 | 1.50 | 97% | 97% | Dec-25 |
| 95 | PHMED | Pulivendula | 1 | 1.50 | 82% | 82% | Dec-25 |
| 96 | PHMED | Pulivendula | 1 | 0.50 | 90% | 90% | Dec-25 |
| 97 | PHMED | Pulivendula | 1 | 0.50 | 60% | 60% | Dec-25 |
| 98 | PHMED | Pulivendula | 1 | 0.50 | 0% | 0% | Dec-25 |
| 99 | PHMED | Pulivendula | 1 | 0.50 | 0% | 0% | Dec-25 |
| 100 | PHMED | Pulivendula | 1 | 0.50 | 0% | 0% | Dec-25 |
| 101 | PHMED | Pulivendula | 1 | 0.02 | 60% | 60% | Dec-25 |
| 102 | PHMED | Pulivendula | 1 | 0.07 | 60% | 60% | Dec-25 |
| 103 | PHMED | Pulivendula | 1 | 0.08 | 60% | 60% | Dec-25 |
| 104 | PHMED | Pulivendula | 1 | 0.10 | 60% | 60% | Dec-25 |
| 105 | PHMED | Rayachoti | 1 | 1.00 | 5% | 5% | Mar-26 |
| 106 | PHMED | Rayachoti | 1 | 1.60 | 5% | 5% | Mar-26 |
| 107 | PHMED | Rayachoti | 1 | 3.75 | 5% | 5% | Mar-26 |
| 108 | PHMED | Rayachoti | 1 | 0.40 | 0% | 0% | Mar-26 |
| 109 | PHMED | Rayachoti | 1 | 0.15 | 0% | 0% | Mar-26 |
| 110 | PHMED | Rayachoti | 1 | 15.50 | 0% | 0% | Mar-26 |
| 111 | PHMED | Prodduturu | 1 | 24.00 | 0% | 0% | Mar-26 |
| | | 3 | 18 | 52.17 | | | |
| OTSFA | | | | | | | |
| 112 | PHMED | Guntur | 1 | 10.00 | 70% | 70% | Mar-26 |
| 113 | PHMED | Guntur | 1 | 20.00 | 60% | 60% | Mar-26 |
| 114 | PHMED | Guntur | 1 | 42.00 | 60% | 60% | Mar-26 |
| 115 | PHMED | Guntur | 1 | 28.00 | 51% | 51% | Mar-26 |
| 116 | PHMED | Guntur | 1 | 23.00 | 0% | 0% | Mar-26 |
| | | 1 | 5 | 123.00 | | | |

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|---|---------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| NRCP, JNNURM, 14th FC & SMart City | | | | | | | |
| 117 | PHMED | Rajamahendravaram | 1 | 50.60 | 45% | 57% | Dec-25 |
| 118 | PHMED | Vijayawada | 1 | 20.00 | 95% | 95% | - |
| 119 | PHMED | Tirupati | 1 | 25.00 | 85% | 85% | Oct-25 |
| 120 | PHMED | Tenali | 1 | 2.00 | 30% | 30% | - |
| | | 4 | 4 | 97.60 | | | |
| APTIDCO | | | | | | | |
| 121 | APTIDCO | Amalapuram | 1 | 1.00 | 90% | 100.00% | |
| 122 | APTIDCO | Nellimarla | 1 | 0.30 | 90% | 90.00% | Dec-25 |
| 123 | APTIDCO | Rajam | 1 | 0.20 | 90% | 90.00% | Dec-25 |
| 124 | APTIDCO | Amadalavalasa | 1 | 0.30 | 90% | 90.00% | Dec-25 |
| 125 | APTIDCO | Bobbili | 1 | 0.80 | 80% | 80.00% | Dec-25 |
| 126 | APTIDCO | Parvathipuram | 1 | 0.40 | 85% | 85.00% | Dec-25 |
| 127 | APTIDCO | Nandyal | 1 | 1.00 | 75% | 90.00% | Dec-25 |
| 128 | APTIDCO | Kadapa | 1 | 1.00 | 75% | 75.00% | Dec-25 |
| 129 | APTIDCO | Kadapa | 1 | 1.00 | 75% | 75.00% | Dec-25 |
| 130 | APTIDCO | Jammalamadugu | 1 | 1.00 | 73% | 73.00% | Dec-25 |
| 131 | APTIDCO | Rayachoti | 1 | 0.50 | 68% | 68.00% | Dec-25 |
| 132 | APTIDCO | Yerraguntla | 1 | 1.00 | 75% | 75.00% | Dec-25 |
| 133 | APTIDCO | Ramachandrapuram | 1 | 1.00 | 72% | 72.00% | Dec-25 |
| 134 | APTIDCO | Kadiri | 1 | 0.60 | 74% | 74.00% | Dec-25 |
| 135 | APTIDCO | Pamidi (GP) | 1 | 0.70 | 67% | 67.00% | Dec-25 |
| 136 | APTIDCO | Puttaparthi | 1 | 0.25 | 60% | 60.00% | Dec-25 |
| 137 | APTIDCO | Raydurgam | 1 | 0.60 | 67% | 67.00% | Dec-25 |
| 138 | APTIDCO | Narsipatnam | 1 | 0.60 | 60% | 60.00% | Dec-25 |
| 139 | APTIDCO | Narsipatnam | 1 | 0.30 | 60% | 60.00% | Dec-25 |
| 140 | APTIDCO | Markapur | 1 | 0.50 | 39% | 39.00% | Dec-25 |
| 141 | APTIDCO | Ichapuram | 1 | 0.10 | 25% | 25.00% | Dec-25 |
| 142 | APTIDCO | Palasa | 1 | 0.40 | 53% | 65.00% | Dec-25 |
| 143 | APTIDCO | Vinukonda | 1 | 0.70 | 42% | 42.00% | Dec-25 |
| 144 | APTIDCO | Kanigiri | 1 | 0.50 | 45% | 45.00% | Dec-25 |
| 145 | APTIDCO | Giddalur | 1 | 0.60 | 31% | 41.00% | Dec-25 |
| 146 | APTIDCO | Addanki | 1 | 0.50 | 45% | 45.00% | Dec-25 |
| 147 | APTIDCO | Tanuku | 1 | 0.20 | 10% | 10.00% | Dec-25 |

| S.No | Implementing agency | Name of the ULB/Location | No. of STPs | Capacity of STP in MLD | % Physical Progress achieved | Cumulative Physical progress | Completion Timeline |
|------|---------------------|--------------------------|-------------|------------------------|------------------------------|------------------------------|---------------------|
| 148 | APTIDCO | Tanuku | 1 | 0.30 | 10% | 10.00% | Dec-25 |
| 149 | APTIDCO | Jangareddygudem | 1 | 0.40 | 30% | 30.00% | Dec-25 |
| 150 | APTIDCO | Nidadavolu | 1 | 0.50 | 20% | 20.00% | Dec-25 |
| 151 | APTIDCO | Kovvuru | 1 | 0.30 | 10% | 10.00% | Dec-25 |
| 152 | APTIDCO | Nuziveedu | 1 | 1.30 | 20% | 20.00% | Dec-25 |
| 153 | APTIDCO | Tiruvuru | 1 | 0.40 | 10% | 10.00% | Dec-25 |
| 154 | APTIDCO | Tiruvuru | 1 | 0.40 | 10% | 10.00% | Dec-25 |
| 155 | APTIDCO | Jaggaihpeta | 1 | 1.60 | 20% | 20.00% | Dec-25 |
| 156 | APTIDCO | Nandigama | 1 | 0.20 | 10% | 10.00% | Dec-25 |
| 157 | APTIDCO | Vuyyuru | 1 | 0.90 | 15% | 15.00% | Dec-25 |
| 158 | APTIDCO | Vuyyuru | 1 | 0.30 | 15% | 15.00% | Dec-25 |
| 159 | APTIDCO | Vuyyuru | 1 | 0.10 | 15% | 15.00% | Dec-25 |
| | Sub Total | 32 | 39 | 22.75 | | | |
| | Grand Total | | 159 | 638.52 | | | |

| Summary | | | |
|--------------------------------------|-------------|-------------|-------------------------|
| Scheme Name | No. of ULBs | No. of STPs | Capacity of STPs in MLD |
| AMRUT 1.0 | 19 | 20 | 148 |
| AMRUT 2.0 | 10 | 21 | 52.65 |
| SBM-U 2.0 | 34 | 45 | 113.35 |
| AIIB | 5 | 7 | 29 |
| State PLAN | 3 | 18 | 52.17 |
| One Time Special Financial Assitnace | 1 | 5 | 123 |
| NRCP, JNNURM, 14th FC & SMart City | 4 | 4 | 97.6 |
| APTIDCO | 32 | 39 | 22.75 |
| Total | | 159 | 638.52 |

Annexure-V

STPs under tender stage and to be tendered

| S.No | Name of ULB | No of STPs | STP capacity in MLD |
|--|------------------|------------|---------------------|
| 1 | 2 | 3 | 4 |
| STPs under tender stage in AMRUT 2.0- PHMED | | | |
| 1 | Srikakulam | 1 | 5.00 |
| 2 | GVMC | 1 | 5.00 |
| 3 | Kakinada | 1 | 22.00 |
| 4 | Bhimavaram | 1 | 0.00 |
| 5 | Tadepalligudem | 2 | 6.40 |
| 6 | Eluru | 2 | 15.00 |
| 7 | Gudivada | 2 | 6.00 |
| 8 | Machilipatnam | 2 | 10.00 |
| 9 | Tenali | 1 | 9.00 |
| 10 | Chilakaluripeta | 1 | 10.00 |
| 11 | Ongole | 2 | 15.00 |
| 12 | Ananthapuram | 1 | 25.00 |
| 13 | Srikalahasthi | 2 | 1.50 |
| 14 | Hindupuram | 1 | 23.00 |
| 15 | Chittoor | 3 | 1.20 |
| 16 | Adoni | 2 | 25.50 |
| 17 | Nandyala | 3 | 32.00 |
| 18 | Kadapa | 1 | 15.00 |
| ULBs | TOTAL | 29 | 226.60 |
| STPs/NSTPs to be tendered under SBM 2.0 | | | |
| 1 | Amadalavalasa | 10 | 6.37 |
| 2 | Ichapuram | 2 | 4.55 |
| 3 | Palasa Kasibugga | 1 | 10.73 |
| 4 | Rajam | 11 | 4.00 |
| 5 | Bobbili | 4 | 8.70 |
| 6 | Nellimarla | 1 | 5.00 |
| 7 | Palakonda | 1 | 5.24 |
| 8 | Parvathipuram | 11 | 8.39 |
| 9 | Salur | 1 | 6.93 |
| 10 | Narsipatnam | 5 | 10.48 |
| 11 | Yellamanchali | 8 | 5.38 |
| 12 | Tuni | 1 | 8.32 |
| 13 | Samalkot | 1 | 8.31 |
| 14 | Pithapuram | 8 | 7.72 |
| 15 | Peddapuram | 2 | 7.38 |
| 16 | Gollaprolu | 1 | 3.31 |
| 17 | Yeleswaram | 1 | 4.64 |
| 18 | Nidadavole | 2 | 5.86 |
| 19 | Kovvur | 2 | 5.36 |

| S.No | Name of ULB | No of STPs | STP capacity in MLD |
|------|------------------|------------|---------------------|
| 1 | 2 | 3 | 4 |
| 20 | Mumidivaram | 1 | 3.70 |
| 21 | Amalapuram | 3 | 7.58 |
| 22 | Mandapeta | 2 | 8.82 |
| 23 | Ramachandrapuram | 1 | 6.46 |
| 24 | Palacole | 2 | 8.48 |
| 25 | Narsapur | 2 | 7.47 |
| 26 | Tanuku | 3 | 10.42 |
| 27 | Jangareddy Gudem | 2 | 11.62 |
| 28 | Nuzivid | 3 | 10.59 |
| 29 | Pedana | 2 | 4.20 |
| 30 | Vuyyuru | 2 | 7.20 |
| 31 | Nandigama | 2 | 8.41 |
| 32 | Jaggiahpeta | 2 | 12.02 |
| 33 | Tiruvuru | 2 | 8.50 |
| 34 | Ponnur | 3 | 8.09 |
| 35 | Macherla | 2 | 10.21 |
| 36 | Sattenapalli | 2 | 6.36 |
| 37 | Vinukonda | 0 | 1.67 |
| 38 | Piduguralla | 2 | 4.04 |
| 39 | Repalle | 3 | 4.90 |
| 40 | Bapatla | 1 | 6.81 |
| 41 | Chirala | 1 | 6.46 |
| 42 | Adanki | 2 | 12.14 |
| 43 | Markapur | 2 | 9.30 |
| 44 | Giddalur | 0 | 0.13 |
| 45 | Chimakurthy | 1 | 5.06 |
| 46 | Kandukur | 1 | 0.56 |
| 47 | Atmakur | 1 | 3.27 |
| 48 | Gudur | 2 | 14.69 |
| 49 | Venkatagiri | 2 | 0.00 |
| 50 | Naidupet | 0 | 1.30 |
| 51 | Punganur | 3 | 11.18 |
| 52 | Palamaneru | 3 | 8.60 |
| 53 | Nagari | 2 | 10.46 |
| 54 | Puttur | 3 | 9.09 |
| 55 | Rajampeta | 3 | 12.98 |
| 56 | Jammalamadugu | 1 | 0.23 |
| 57 | Badvel | 1 | 13.44 |
| 58 | Mydukur | 0 | 0.46 |
| 59 | Yerraguntla | 4 | 6.20 |
| 60 | Kadiri | 0 | 1.17 |
| 61 | Gooty | 0 | 0.16 |
| 62 | Kalyandurgam | 2 | 9.35 |
| 63 | Rayadurg | 1 | 10.26 |

| S.No | Name of ULB | No of STPs | STP capacity in MLD |
|------|----------------------------|-----------------|---------------------|
| 1 | 2 | 3 | 4 |
| 64 | Dhone | 1 | 8.93 |
| 65 | Atmakur | 3 | 7.64 |
| 66 | Gudur | 1 | 3.89 |
| | TOTAL | 155 | 451.16 |
| 1 | Nellore (UIDF) - retenderd | 2 | 34.00 |
| | GRAND TOTAL | 186 STPs | 711.76 MLD |

Abstract of proposed STPs under tender & to be tender stage

| No. of ULBs | Scheme / Status | Capacity | No. of STPs |
|-------------|--------------------------|---------------|-------------|
| 18 | AMRUT 2.0 (tender stage) | 226.60 | 29 |
| 66 | SBM 2.0 (to be tendered) | 451.16 | 155 |
| 1 | UIDF (re tender) | 34.00 | 2 |
| 85 | | 711.76 | 186 |

Performance Results of Existing STPs

| S. No | District | Name of ULB | No of STPs | Location of STPs | Installed Capacity of STP (MLD) | Treated Capacity (MLD) | APPCB Analysis results at the | | | | Final discharge point of STP outlet (on land / water body) | Designated Best Use Classification of water body | Performance of the STP |
|-------|---------------|-------------------|------------|-----------------------------------|---------------------------------|------------------------|-------------------------------|-------------|-------------|-----------------------|--|--|--|
| | | | | | | | PH | TSS in mg/l | BOD in mg/l | Fecal Coli MPN/100 ml | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 1 | Visakhapatnam | Visakhapatnam | 1 | (1) Old town, GVMC | 38.00 | 19.00 | 7.20 | 27.00 | 11.00 | 90.00 | Open Drains | Existing Canal | ASP |
| | | | 1 | (2) Appughar | 25.00 | 22.00 | 7.45 | 35.00 | 13.00 | | Open Drains | | ASP |
| | | | 1 | (3) Mudasarlova | 13.00 | 9.00 | 7.20 | 28.00 | 16.00 | 900.00 | Gulf Court | Gulf Court | ASP |
| | | | 1 | (4) Narava (1st module) | 54.00 | 19.50 | 7.30 | 22.00 | 18.10 | 60.00 | Industrial | HPCL Ltd | ASP |
| | | | 1 | (5) Anakapalle | 15.00 | 8.50 | 7.60 | 15.00 | 15.00 | 60.00 | Water Body | Existing Canal | AST |
| | | | 1 | (6) Mantripalem | 1.00 | 0.40 | 7.50 | 19.00 | 14.00 | 70.00 | On land | | FAB |
| 2 | East Godavari | Rajamahendravaram | 1 | Hukumpeta | 30.00 | 30.00 | 6.30 | 26.51 | 21.73 | 68.00 | Water Body | River | UASB |
| 3 | NTR | Vijayawada | 1 | Ajith Singh Nagar | 40.00 | 39.90 | 7.21 | 28.00 | 30.00 | 90.00 | Budameru Drain | Budameru Drain | UASBR |
| | | | 1 | Ramalingeswara Nagar | 20.00 | 19.50 | 6.78 | 15.00 | 18.99 | 80.00 | Budameru Drain | Budameru Drain | UASBR |
| 4 | Eluru | Eluru | 1 | Tamgellamudi | 5.00 | 5.00 | 8.30 | 9.20 | 7.70 | 220.00 | Water Body | Tammileru Canal | SBR |
| 5 | Guntur | Tenali | 1 | Puley colony, Tenali municipality | 10.00 | 7.00 | 7.60 | 8.43 | 8.02 | 91.00 | Major Drain Down Stream | Repalle Drain | SBR |
| 6 | Prakasam | Ongole | 1 | Koppolu | 15.00 | 15.00 | 7.30 | 7.19 | 5.79 | 78.00 | Water Body | Pothuraju Canal | SBR |
| 7 | Nellore | Nellore | 1 | Allipuram | 55.00 | 55.00 | 5.50 | 7.10 | 5.20 | 98.00 | Outfall Drains | Penna River | SBR |
| | | | 1 | Janardhanareddy Colony | 5.00 | 5.00 | 5.00 | 6.50 | 6.00 | 88.00 | Outfall Drains | Penna River | SBR |
| 8 | Tirupathi | Tirupathi | 1 | Thukivakam | 50.00 | 46.90 | 7.14 | 31.00 | 31.00 | 254.00 | Water Body | Irrigation Canal | Running efficiently with oxidation ponds technology. |

Performance Results of Existing STPs

| S. No | District | Name of ULB | No of STPs | Location of STPs | Installed Capacity of STP (MLD) | Treated Capacity (MLD) | APPCB Analysis results at the | | | | Final discharge point of STP outlet (on land / water body) | Designated Best Use Classification of water body | Performance of the STP |
|-------|---------------|---------------|------------|--|---------------------------------|------------------------|-------------------------------|-------------|-------------|-----------------------|--|--|---|
| | | | | | | | PH | TSS in mg/l | BOD in mg/l | Fecal Coli MPN/100 ml | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 9 | YSR Kadapa | Pulivendula | 1 | Rotarypuram | 10.00 | 3.50 | 6.90 | 3.98 | 4.80 | 40.00 | Water Body | Ulimella Lake | STP is running efficiently with SBR technology. |
| 10 | Ananthapur | Tadipatri | 2 | Gannevaripalle (Yellanuru) | 11.50 | 8.00 | 7.30 | 92.00 | 40.00 | 2000.00 | On Land | vanka | STP is running efficiently |
| 11 | Sri Satya Sai | Puttaparthi | 3 | Gokulam , Sai nagar & Prasanthi gram | 1.50 | 0.20 | 7.50 | 25.00 | 15.00 | 1011.00 | Grass Field | River | one STP is working |
| 12 | Kurnool | Kurnool | 1 | Deva Nagar(Kallur of Kurnool Municipal Corporation) | 2.00 | 1.80 | 7.50 | 8.96 | 7.60 | 500.00 | Water Body | River | STP is running efficiently with SBR technology. |
| 13 | | Kurnool | 3 | 0.80 MLD each @ Jammichettu Sankal Bagh & Tungabhadra Pump House | 2.4 | 2.4 | 6.00 | 8.00 | 7.2 | - | Outfall drains | Outfall Drains | |
| 14 | Guntur | Tadepalli | 2 | Mahanadu | 0.40 | 0.40 | 7.03 | 10.00 | 10.00 | 150.00 | Water Body | River | STP is running efficiently with SBT technology. |
| 15 | Palnadu | Narsaraoopeta | 1 | CPT Road | 15.55 | 9.5 | 7.14 | 7.12 | 6.56 | 120 | On Land | Irrigation Canal | Running efficiently with A2O Technology |
| | TOTAL | | 28 | | 419.35 | 327.5 | | | | | | | |

Annexure VII

Details of Method of Disposal of Untreated Sewage

| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Method of disposal of untreated sewage |
|-------|-------------------|---------------------------------------|--|
| 1 | 2 | 3 | 4 |
| 1 | Amadalavalsa | 5.54 | Disposed to the nearest outfall drain |
| 2 | Ichapuram | 9.94 | Disposed to the nearest outfall drain |
| 3 | Palasa-Kasibugga | 11.36 | Disposed to the sewerage outfall drain . |
| 4 | Srikakulam | 24.09 | Disposed to the sewerage outfall drain . |
| 5 | Bobbili | 4.51 | Disposed to the sewerage outfall drain . |
| 6 | Nellimarla | 4.42 | Disposed to the sewerage outfall drain . |
| 7 | Rajam | 4.57 | Disposed to the Sewerage Outfall Drain . |
| 8 | Vizianagaram | 35.93 | Disposed to the sewerage outfall drain . |
| 9 | Palakonda | 4.15 | Disposed to the sewerage outfall drain . |
| 10 | Parvathipuram | 6.61 | Disposed to the Sewerage Outfall Drain . |
| 11 | Saluru | 5.41 | disposed to the sewerage outfall drain |
| 12 | Visakhapatnam | 186.76 | At present 158 MLD of Sewage(Generated from Sewerage Network covered areas) is being treated in the STPs and Balance 106 MLD of sewage is being let into Households septic tank and Soakpits and final effluent is being letout into open drains |
| 13 | Narsipatnam | 7.38 | Disposed directly into nearest drains |
| 14 | Yelamanchili | 5.5 | Disposed directly into nearest drains |
| 15 | Gollaprolu | 2.66 | Disposed directly into nearest drains |
| 16 | Kakinada | 42.99 | Disposed directly into nearest drains |
| 17 | Peddapuram | 6.11 | Disposed directly into nearest drains |
| 18 | Pithapuram | 6.23 | Disposed in to the nearest channels |
| 19 | Samalkota | 6.67 | Disposed to the sewerage outfall drain . |
| 20 | Tuni | 6.34 | Disposed to the sewerage outfall drain . |
| 21 | Yeleswaram | 3.80 | Disposed to the drains. |
| 22 | Amalapuram | 6.51 | Disposed to the major outfall drain |
| 23 | Mandapeta | 6.42 | 1.92 MLD treated at TIDCO STP and untreated sewage is disposed into Goddu Kaluva irrigation drain |
| 24 | Mummidivaram | 3.02 | Disposed to the nearest irrigation drain |
| 25 | Ramachandrapuram | 5.40 | Disposed into the major irrigation drain |
| 26 | Kovvuru | 4.54 | Disposed in to the nearest Outfall drains |
| | Nidadavole | 6.18 | All the untreated sewage is disposed Malakodi waste water tank and singavaram waste water canal and from there finally disposed in to Major drain at Settipeta |
| 28 | Rajamahendravaram | 69.46 | 30 MLD is been treated with UASB technology. |
| 29 | Akiveedu | 3.95 | Disposed into upputeru drain |
| 30 | Bhimavaram | 17.87 | All the untreated sewage is disposed into Yanamuduru drain which is passing through middle of town. |
| 31 | Narsapuram | 7.06 | Disposed mainly into Muthyalapalli drain. |
| 32 | Palacole | 11.9 | Disposed into damayapathi and bezawada codu drains |
| 33 | Tadepalligudem | 13.5 | Untreated Sewage is disposing into Azarala waste water drain. |
| 34 | Tanuku | 11.15 | Disposed in to drains |
| 35 | Chintalpudi | 3.08 | Disposed in to drains |

Annexure VII

Details of Method of Disposal of Untreated Sewage

| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Method of disposal of untreated sewage |
|-------|-----------------------|---------------------------------------|--|
| 1 | 2 | 3 | 4 |
| 36 | Eluru | 34.72 | 5 mld sewage is treating by STP At Tamgellamudi. Remaining 25.8 mld is disposing in to Jalipudi drain |
| 37 | Jangareddygudem | 5.82 | Disposed to the outfall drain |
| 38 | Nuzividu | 7.56 | Disposed to the outfall drain |
| 39 | Gudivada | 13.51 | Disposing to Chandraiah Drain |
| 40 | Machilipatnam | 24.48 | Disposed to the sewerage outfall drain . |
| 41 | Pedana | 3.85 | At present the untreated sewage water diverted into near by drains i.e., vadha drain, lajjabanda drain |
| 42 | Vuyyuru | 5.07 | Disposed to the KCP back side Molasis drain |
| 43 | YSR Tadigadappa | 25.52 | Disposed into nearby major drains ,Chinatal Kaluva, Murugukodu kaluva |
| 44 | Jaggayyapeta | 6.7 | Disposed to the sewerage outfall drain . |
| 45 | Kondapalli | 9.72 | Disposed to the sewerage outfall drain . |
| 46 | Nandigama | 5.92 | Disposed in NallaVagu waste water channel |
| 47 | Tiruvuru | 4.38 | Disposed to the sewerage outfall drain . |
| 48 | Vijayawada | 146.29 | Out of 144 MLD sewage generated 130 MLD sewage is treating with 130 MLD STPs installed at seven locations in Vijaywada Municipal corporation and remaining 14 MLD is disposed to Budameru drain. |
| 49 | Guntur | 120.11 | 10.00 MLD waste water is being treated by STP at Suddapalli Donka. Remaining 109.60 MLD is disposing into Peekala Vagu |
| 50 | Mangalagiri Tadepalli | 36.09 | 0.4 MLD waste water is being treated by STP and remaining quantity sewage disposing into the nearest Outfall drains |
| 51 | Ponnur | 7.46 | Disposed to the sewerage outfall drain . |
| 52 | Tenali | 21.38 | In our ULB 10.00 MLD Capacity new STP is in working condition. As such we are treating the sewage and then disposing to the open canal nearby. |
| 53 | Chilakaluripeta | 12.62 | Disposing in Vogeru Vagu and Kuppa ganji Vagu |
| 54 | Dachepalli | 8.48 | Disposing in Naguleru vagu |
| 55 | Gurajala | 3.46 | Disposing in Dandi Vagu |
| 56 | Macherla | 7.02 | Disposing in Chandravanka Vagu |
| 57 | Narsaraopeta | 16.23 | Sewage is being treated through 15.55 MLD Capacity STP with A2O technology. |
| 58 | Piduguralla | 7.79 | Untreated Sewage is disposing into waste water drain. |
| 59 | Sattenapelle | 6.98 | Discharging in Yeddu Vagu |
| 60 | Vinukonda | 6.72 | sewage DISPOSE into Chekkavagu (5.50 MLD) and Vagu at Muntlakunta colony (5.7 MLD), Two STPs are under construction. |
| 61 | Addanki | 5.43 | Discharging to Gundlakamma Vaghu |
| 62 | Bapatla | 9.75 | Disposing into Tahvva Kaluva |
| 63 | Chirala | 11.14 | 17 Wards sewage water disposing to Epurupalem Straight cut & 16 Wards sewage water disposing in Kunderu vagu |
| 64 | Repalle | 6.05 | Disposing to Bethapudi Pedda kaluva |
| 65 | Chimakurthy | 4.42 | Untreated Sewage disposed in vagu |

Annexure VII

Details of Method of Disposal of Untreated Sewage

| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Method of disposal of untreated sewage |
|-------|-----------------|---------------------------------------|---|
| 1 | 2 | 3 | 4 |
| 66 | Darsi | 4.33 | untreated sewage Disposed into kateruvaggu and jommu kaluva |
| 67 | Giddalur | 4.48 | Disposed to vagu and kunta |
| 68 | Kanigiri | 5.66 | Untreated Sewage disposed in vagu |
| 69 | Markapur | 9.21 | Untreated waste water disposed in to KotcharlaKota Major Drain and Gundlakamma Canal |
| 70 | Ongole | 36.90 | Untreated Sewage disposed in Pothuraju Canal & Nallavagu |
| 71 | Podili | 4.91 | Untreated sewage disposed into outfall Drain |
| 72 | Alluru | 3.16 | Untreated sewage disposed into outfall Drain |
| 73 | Atmakur | 4.10 | Disposing in Vasili Cheruvu, Boggeru vagu, Atmakur Cheruvu |
| 74 | Buchireddypalem | 4.40 | Untreated sewage disposed into outfall Drain |
| 75 | Kandukur | 7.38 | Disposed into Uppucheruvu Alugu Vagu |
| 76 | Kavali | 11.65 | Untreated sewage disposed into outfall Drain |
| 77 | Nellore | 97.92 | Our city has a total of 3 STPs with a combined capacity of 71 MLD. The sewage is treated at these STPs, and the treated water is subsequently utilized for horticulture purposes. |
| 78 | Ananthapuram | 42.38 | Disposing into tadakaleru vanka |
| 79 | Gooty | 5.78 | Disposing in open drains. |
| 80 | Guntakal | 15.74 | Disposing in open drains Ammama Gudi temple. |
| 81 | Kalyanadurgam | 5.34 | Disposing in open drains |
| 82 | Rayadurg | 8.04 | Disposing into Mutrasi colony Major Drian |
| 83 | Tadlpatri | 13.44 | Sewarage is disposed into vanka after treatment in STPs |
| 84 | Dharmavaram | 15.52 | Untreated sewage disposed into outfall Drain |
| 85 | Hindupur | 22.46 | Untreated sewage disposed into outfall Drain |
| 86 | Kadiri | 10.60 | Untreated Sewage is disposing into the Madhileru Vagu. |
| 87 | Madakasira | 2.72 | into Chowtipalli vanka |
| 88 | Penukonda | 4.58 | Disposing into Uppu Vanka |
| 89 | Puttaparthi | 3.79 | pumped out into the oxidation pond |
| 90 | Chittoor | 24.92 | Present waste is disposing to small stream called uppu kalva |
| 91 | Kuppam | 5.94 | Untreated sewage water released into gullepalli cheruvu |
| 92 | Nagari | 7.54 | untreated sewage is Disposed to the nearest outfall drain |
| 93 | Palamaneru | 6.37 | untreated sewage is disposed into nearest outfall drain |
| 94 | Punganur | 6.68 | untreated sewage is disposed into nearest drain |
| 95 | Puttur | 6.52 | Present waste is disposing to small stream called uppu kalva |
| 96 | B.Kothakota | 3.11 | untreated sewage is disposed into nearest drain |
| 97 | Madanapalle | 19.44 | Untreated sewage is disposed to nearest outfall drain. |
| 98 | Rajampeta | 5.84 | Disposing in chakrala Madugu |
| 99 | Rayachoti | 11.97 | Disposed to the nearest outfall drain |
| 100 | Gudur | 11.22 | Disposed to the nearest outfall drain |

Annexure VII

Details of Method of Disposal of Untreated Sewage

| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Method of disposal of untreated sewage |
|-------|-----------------|---------------------------------------|--|
| 1 | 2 | 3 | 4 |
| 101 | Naidupet | 7.02 | Disposed to the nearest outfall drain |
| 102 | Srikalahasti | 11.17 | At Present the Disposal of Untreated Sewage goes to Chembedu drain Through Chembedu Kaluva |
| 103 | Sullurpet | 6.26 | Untreated sewage is disposed to Nerrikaluva |
| 104 | Tirupathi | 55.61 | In households where there is no underground drainage (UGD) network, sewage is being allowed to percolate into the soil through pit system toilets. In the case of households or institutions having septic tanks, the waste is being discharged into the existing Sewage Treatment Plant (STP) at Thukivakam after desludging. Out of the 50 wards, the above methods are being practiced in 3 wards where the UGD network is not available. |
| 105 | Venkatagiri | 6.14 | Disposed to drains |
| 106 | Adoni | 19.90 | The Untreated Sewage is disposed to Houdoddi vanka at Basapuram |
| 107 | Gudur | 2.54 | Disposed to Outfall Drain |
| 108 | Kurnool | 73.44 | Three STPs of each 0.8 MLD capacity are being used to treat sewage water. |
| 109 | Yemmiganur | 11.26 | The untreated sewerage is disposed to soganur vanka |
| 110 | Allagadda | 5.42 | The Untreated Sewage is disposed to vakileru at the Downstream of Allagadda Municipality |
| 111 | Atmakur | 5.84 | Untreated sewage is disposed to Gundlakamma vagu |
| 112 | Bethamcherla | 4.78 | The untreated sewage is disposed to vanka. |
| 113 | Dhone | 7.17 | The untreated sewage disposed to the nearest vanka |
| 114 | Nandikotkuru | 6.07 | The Untreated Sewage is disposed to the Downstream of the Field channels |
| 115 | Nandyal | 24.13 | The untreated sewerage is disposed into Kundu River |
| 116 | Badvel | 9.63 | The Untreated Sewage is disposed into Vanka at the Downstream |
| 117 | Jammalamadugu | 5.71 | The Untreated Sewage is disposed to the drains. |
| 118 | Kadapa | 51.78 | The Untreated Sewage is disposed of into Buggavanka. |
| 119 | Kamalapuram | 2.59 | The Untreated Sewage is disposed into Paageru vanka |
| 120 | Mydukuru | 5.98 | The Untreated Sewage is disposed into kaddila vanka and Yerra Vanka |
| 121 | Proddaturu | 21.20 | The Untreated Sewage is disposed to the irrigation channels. |
| 122 | Pulivendula | 8.78 | Treated at 10MLD STP, Rotary Puramu maintained by PHMED |
| 123 | Yerraguntla | 4.86 | The Untreated Sewerage is Disposed in to Valasapalli Vanka |

Annexure-VIII

| Status of Sewage Generation and Treatment in ULBs | | | | | | | |
|---|-------------------|---------------------------------------|---------------------------|-------------------------------------|----------------------------------|---------------------------------|---------------------------------|
| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Capacity of existing STPs | Capacity of STPs under construction | Capacity of STPs in tender stage | Total Capacity (in MLD) (4+5+6) | Gap in treatment capacity (MLD) |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Amadalavalsa | 5.54 | 0.00 | 1.17 | 6.37 | 7.54 | |
| 2 | Ichapuram | 9.94 | 0.00 | 1.25 | 4.55 | 5.80 | 4.14 |
| 3 | Palasa-Kasibugga | 11.36 | 0.00 | 0.41 | 10.73 | 11.14 | 0.22 |
| 4 | Srikakulam | 24.09 | 2.10 | 10.00 | 5.00 | 17.10 | 6.99 |
| 5 | Bobbili | 4.51 | 0.00 | 4.94 | 5.00 | 9.94 | |
| 6 | Nellimarla | 4.42 | 0.00 | 0.30 | 4.00 | 4.30 | 0.12 |
| 7 | Rajam | 4.57 | 0.00 | 0.20 | 8.70 | 8.90 | |
| 8 | Vizianagaram | 35.93 | 3.00 | 5.00 | 0.00 | 8.00 | 27.93 |
| 9 | Palakonda | 4.15 | 0.00 | 0.00 | 5.00 | 5.00 | |
| 10 | Parvathipuram | 6.61 | 0.00 | 0.40 | 8.49 | 8.89 | |
| 11 | Saluru | 5.41 | 1.00 | 0.00 | 7.50 | 8.50 | |
| 12 | Visakhapatnam | 186.76 | 241.35 | 3.90 | 5.00 | 250.25 | |
| 13 | Narsipatnam | 7.38 | 0.00 | 1.14 | 9.66 | 10.80 | |
| 14 | Yelamanchili | 5.5 | 0.20 | 1.15 | 5.52 | 6.87 | |
| 15 | Gollaprolu | 2.66 | 0.00 | 0.00 | 3.90 | 3.90 | |
| 16 | Kakinada | 42.99 | 0.00 | 6.50 | 22.00 | 28.50 | 14.49 |
| 17 | Peddapuram | 6.11 | 0.50 | 0.00 | 7.65 | 8.15 | |
| 18 | Pithapuram | 6.23 | 0.20 | 0.00 | 7.20 | 7.40 | |
| 19 | Samalkota | 6.67 | 0.50 | 0.00 | 8.60 | 9.10 | |
| 20 | Tuni | 6.34 | 0.00 | 0.00 | 8.70 | 8.70 | |
| 21 | Yeleswaram | 3.80 | 0.00 | 0.00 | 4.70 | 4.70 | |
| 22 | Amalapuram | 6.51 | 0.00 | 1.00 | 7.96 | 8.96 | |
| 23 | Mandapeta | 6.42 | 0.30 | 0.00 | 8.70 | 9.00 | |
| 24 | Mummidivaram | 3.02 | 0.00 | 0.00 | 4.10 | 4.10 | |
| 25 | Ramachandrapuram | 5.40 | 0.30 | 1.00 | 6.70 | 8.00 | |
| 26 | Kovvuru | 4.54 | 0.00 | 0.30 | 6.00 | 6.30 | |
| | Nidadavole | 6.18 | 0.00 | 0.50 | 5.80 | 6.30 | |
| 28 | Rajamahendravaram | 69.46 | 31.90 | 57.85 | 0.00 | 89.75 | |
| 29 | Akiveedu | 3.95 | 0.00 | 0.00 | 0.00 | 0.00 | 3.95 |
| 30 | Bhimavaram | 17.87 | 0.00 | 5.00 | 0.00 | 5.00 | 12.87 |
| 31 | Narsapuram | 7.06 | 0.00 | 0.00 | 8.50 | 8.50 | |
| 32 | Palacole | 11.9 | 0.70 | 0.00 | 8.10 | 8.80 | 3.10 |
| 33 | Tadepalligudem | 13.5 | 3.20 | 5.00 | 6.40 | 14.60 | |
| 34 | Tanuku | 11.15 | 0.00 | 0.50 | 10.84 | 11.34 | |
| 35 | Chintalpudi | 3.08 | 0.00 | 0.00 | 0.00 | 0.00 | 3.08 |
| 36 | Eluru | 34.72 | 5.00 | 7.70 | 15.00 | 27.70 | 7.02 |
| 37 | Jangareddygudem | 5.82 | 0.00 | 0.40 | 9.50 | 9.90 | |
| 38 | Nuzividu | 7.56 | 0.00 | 1.30 | 10.03 | 11.33 | |
| 39 | Gudivada | 13.51 | 2.75 | 5.00 | 6.00 | 13.75 | |
| 40 | Machilipatnam | 24.48 | 5.50 | 5.00 | 10.00 | 20.50 | 3.98 |
| 41 | Pedana | 3.85 | 0.00 | 0.00 | 4.35 | 4.35 | |
| 42 | Vuyyuru | 5.07 | 0.00 | 1.30 | 7.00 | 8.30 | |
| 43 | Tadigadappa | 25.52 | 0.00 | 0.00 | 0.00 | 0.00 | 25.52 |
| 44 | Jaggayyapeta | 6.7 | 0.00 | 1.60 | 10.40 | 12.00 | |
| 45 | Kondapalli | 9.72 | 2.80 | 0.00 | 0.00 | 2.80 | 6.92 |
| 46 | Nandigama | 5.92 | 0.00 | 0.20 | 7.71 | 7.91 | |
| 47 | Tiruvuru | 4.38 | 0.00 | 0.450 | 8.10 | 8.55 | |
| 48 | Vijayawada | 146.29 | 133.00 | 20.00 | 0.00 | 153.00 | |
| 49 | Guntur | 120.11 | 3.50 | 123.00 | 0.00 | 126.50 | |

| Status of Sewage Generation and Treatment in ULBs | | | | | | | |
|---|-----------------------|---------------------------------------|---------------------------|-------------------------------------|----------------------------------|---------------------------------|---------------------------------|
| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Capacity of existing STPs | Capacity of STPs under construction | Capacity of STPs in tender stage | Total Capacity (in MLD) (4+5+6) | Gap in treatment capacity (MLD) |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 50 | Mangalagiri Tadenalli | 36.09 | 8.90 | 0.00 | 0.00 | 8.90 | 34.69 |
| 51 | Ponnur | 7.46 | 1.00 | 0.00 | 8.29 | 9.29 | |
| 52 | Tenali | 21.38 | 11.00 | 2.00 | 9.00 | 22.00 | |
| 53 | Chilakaluripeta | 12.62 | 1.00 | 5.00 | 10.00 | 16.00 | |
| 54 | Dachepalli | 8.48 | 0.00 | 0.00 | 0.00 | 0.00 | 8.48 |
| 55 | Gurajala | 3.46 | 0.00 | 0.00 | 0.00 | 0.00 | 3.46 |
| 56 | Macherla | 7.02 | 0.90 | 0.00 | 9.90 | 10.80 | |
| 57 | Narsaraopeta | 16.23 | 15.55 | 0.00 | 0.00 | 15.55 | 0.68 |
| 58 | Piduguralla | 7.79 | 1.00 | 11.10 | 1.12 | 13.22 | |
| 59 | Sattenapelle | 6.98 | 0.00 | 0.00 | 9.47 | 9.47 | |
| 60 | Vinukonda | 6.72 | 0.00 | 11.90 | 0.00 | 11.90 | |
| 61 | Addanki | 5.43 | 0.00 | 0.50 | 9.40 | 9.90 | |
| 62 | Bapatla | 9.75 | 0.00 | 3.00 | 7.18 | 10.18 | |
| 63 | Chirala | 11.14 | 0.00 | 5.00 | 7.12 | 12.12 | |
| 64 | Repalle | 6.05 | 0.90 | 0.00 | 8.00 | 8.90 | |
| 65 | Chimakurthy | 4.42 | 0.00 | 0.00 | 5.90 | 5.90 | |
| 66 | Darsi | 4.33 | 0.00 | 0.00 | 0.00 | 0.00 | 4.33 |
| 67 | Giddalur | 4.48 | 0.00 | 6.70 | 0.00 | 6.70 | |
| 68 | Kanigiri | 5.66 | 0.00 | 6.50 | 0.00 | 6.50 | |
| 69 | Markapur | 9.21 | 0.00 | 0.50 | 12.74 | 13.24 | |
| 70 | Ongole | 36.90 | 15.00 | 0.00 | 15.00 | 30.00 | 6.90 |
| 71 | Podili | 4.91 | 0.00 | 0.00 | 0.00 | 0.00 | 4.91 |
| 72 | Alluru | 3.16 | 0.00 | 0.00 | 0.00 | 0.00 | 3.16 |
| 73 | Atmakur | 4.10 | 1.00 | 0.19 | 5.02 | 6.21 | |
| 74 | Buchireddypalem | 4.40 | 0.00 | 0.00 | 0.00 | 0.00 | 4.40 |
| 75 | Kandukur | 7.38 | 1.40 | 9.60 | 0.00 | 11.00 | |
| 76 | Kavall | 11.65 | 1.00 | 15.00 | 0.00 | 16.00 | |
| 77 | Nellore | 97.92 | 73.75 | 0.00 | 34.00 | 107.75 | |
| 78 | Ananthapuram | 42.38 | 0.00 | 11.25 | 25.00 | 36.25 | 6.13 |
| 79 | Gooty | 5.78 | 0.00 | 8.00 | 0.00 | 8.00 | |
| 80 | Guntakal | 15.74 | 0.00 | 9.25 | 0.00 | 9.25 | 6.49 |
| 81 | Kalyanadurgam | 5.34 | 0.00 | 0.00 | 8.00 | 8.00 | |
| 82 | Rayadurg | 8.04 | 0.00 | 0.60 | 10.70 | 11.30 | |
| 83 | Tadipatri | 13.44 | 11.50 | 2.75 | 0.00 | 14.25 | |
| 84 | Dharmavaram | 15.52 | 0.00 | 8.75 | 0.00 | 8.75 | 6.77 |
| 85 | Hindupur | 22.46 | 0.00 | 0.70 | 23.00 | 23.70 | |
| 86 | Kadiri | 10.60 | 0.00 | 15.50 | 0.00 | 15.50 | |
| 87 | Madakasira | 2.72 | 0.00 | 5.00 | 0.00 | 5.00 | |
| 88 | Penukonda | 4.58 | 0.00 | 0.00 | 0.00 | 0.00 | 4.58 |
| 89 | Puttapparth | 3.79 | 1.50 | 0.25 | 0.00 | 1.75 | 2.04 |
| 90 | Chittoor | 24.92 | 0.50 | 0.00 | 1.20 | 1.70 | 23.22 |
| 91 | Kuppam | 5.94 | 0.00 | 0.00 | 0.00 | 0.00 | 5.94 |
| 92 | Nagari | 7.54 | 0.00 | 0.00 | 13.10 | 13.10 | |
| 93 | Palamaneru | 6.37 | 0.00 | 0.00 | 9.24 | 9.24 | |
| 94 | Punganur | 6.68 | 0.50 | 0.16 | 8.81 | 9.46 | |
| 95 | Puttur | 6.52 | 0.50 | 0.00 | 10.61 | 11.11 | |
| 96 | B.Kothakota | 3.11 | 0.00 | 0.00 | 0.00 | 0.00 | 3.11 |
| 97 | Madanapalle | 19.44 | 0.60 | 5.00 | 0.00 | 5.60 | 13.84 |
| 98 | Rajampeta | 5.84 | 0.00 | 0.00 | 10.40 | 10.40 | |

Annexure-VIII

| Status of Sewage Generation and Treatment in ULBs | | | | | | | |
|---|--------------------|---------------------------------------|---------------------------|-------------------------------------|----------------------------------|---------------------------------|---------------------------------|
| S. No | Name of the ULB | Quantity of Sewage Generated (in MLD) | Capacity of existing STPs | Capacity of STPs under construction | Capacity of STPs in tender stage | Total Capacity (in MLD) (4+5+6) | Gap in treatment capacity (MLD) |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 99 | Rayachoti | 11.97 | 0.00 | 22.90 | 0.00 | 22.90 | |
| 100 | Gudur | 11.22 | 1.00 | 0.11 | 13.90 | 15.01 | |
| 101 | Naidupet | 7.02 | 1.10 | 8.69 | 0.00 | 9.79 | |
| 102 | Srikalahasti | 11.17 | 1.10 | 7.00 | 1.50 | 9.60 | 1.57 |
| 103 | Sullurpet | 6.26 | 2.00 | 8.00 | 0.00 | 10.00 | |
| 104 | Tirupathi | 55.61 | 50.00 | 25.00 | 0.00 | 75.00 | |
| 105 | Venkatagiri | 6.14 | 3.00 | 9.58 | 0.34 | 12.92 | |
| 106 | Adoni | 19.90 | 0.90 | 7.00 | 25.50 | 33.40 | |
| 107 | Gudur-K | 2.54 | 0.00 | 0.00 | 3.80 | 3.80 | |
| 108 | Kurnool | 73.44 | 9.00 | 35.60 | | 44.60 | 28.84 |
| 109 | Yemmiganur | 11.26 | 19.80 | 1.60 | 0.00 | 21.40 | |
| 110 | Allagadda | 5.42 | 0.20 | 5.60 | 0.00 | 5.80 | |
| 111 | Atmakur (Nandyala) | 5.84 | 0.00 | 1.02 | 7.20 | 8.22 | |
| 112 | Bethamcherla | 4.78 | 0.00 | 0.00 | 0.00 | 0.00 | 4.78 |
| 113 | Dhone | 7.17 | 0.00 | 0.00 | 11.30 | 11.30 | |
| 114 | Nandikotkuru | 6.07 | 0.00 | 5.00 | 0.00 | 5.00 | 1.07 |
| 115 | Nandyai | 24.13 | 4.50 | 5.00 | 32.00 | 41.50 | |
| 116 | Badvel | 9.63 | 0.00 | 1.34 | 13.90 | 15.24 | |
| 117 | Jammalamadugu | 5.71 | 0.00 | 8.43 | 0.35 | 8.78 | |
| 118 | Kadapa | 51.78 | 20.00 | 20.00 | 15.00 | 55.00 | |
| 119 | Kamalapuram | 2.59 | 0.00 | 0.00 | 0.00 | 0.00 | 2.59 |
| 120 | Mydukuru | 5.98 | 0.00 | 8.10 | 0.00 | 8.10 | |
| 121 | Proddaturu | 21.20 | 0.00 | 24.00 | 0.00 | 24.00 | |
| 122 | Pulivendula | 8.78 | 10.00 | 15.90 | 0.00 | 25.90 | |
| 123 | Yerraguntla | 4.86 | 0.00 | 1.00 | 5.31 | 6.31 | |
| | Total | 1957.00 | 707.90 | 638.52 | 711.76 | 2058.18 | 302.31 |

Details of ULB wise Funds allocated for Liquid Waste Management

| S No | Name of the ULB | No.of STPs | Capacity of STPs (in MLD) | Amount Allocated (in Cr) | Name of the Scheme | Status of Work | Time Line for Completion of the Work |
|------|------------------------------|------------|---------------------------|--------------------------|--------------------|----------------|--------------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Srikakulam | 1 | 10 | 29.83 | AMRUT 1.0 | 45 | Mar-26 |
| 2 | Vijayanagaram | 1 | 5 | 19.92 | AMRUT 1.0 | 54 | Mar-26 |
| 3 | Visakhapatnam (HSCs) - 27841 | | 0 | 33.31 | AMRUT 1.0 | 100 | Completed |
| 4 | Rajamahendravaram | 1 | 5 | 17.98 | AMRUT 1.0 | 67 | Dec-25 |
| 5 | Kakinada | 1 | 5 | 29.17 | AMRUT 1.0 | 75 | Mar-26 |
| 6 | Tadepalligudem | 1 | 5 | 32.14 | AMRUT 1.0 | 40 | Dec-25 |
| 7 | Bhimavaram | 1 | 5 | 15.7 | AMRUT 1.0 | 98 | Oct-25 |
| 8 | Eluru | 1 | 5 | 37.48 | AMRUT 1.0 | 100 | Completed |
| 9 | Vijayawada (Pumping Mains) | | 0 | 39.88 | AMRUT 1.0 | 75 | Dec-25 |
| 10 | Machilipatnam | 1 | 5 | 16.76 | AMRUT 1.0 | 48 | Mar-26 |
| 11 | Gudivada | 1 | 5 | 16.76 | AMRUT 1.0 | 94 | Oct-25 |
| 12 | Tenali | 1 | 10 | 30.06 | AMRUT 1.0 | 100 | Completed |
| 13 | Chilakaluripeta | 1 | 5 | 16.76 | AMRUT 1.0 | 35 | Mar-26 |
| 14 | Ongole | 1 | 15 | 30.79 | AMRUT 1.0 | 100 | Completed |
| 15 | Kavali | 1 | 15 | 29.11 | AMRUT 1.0 | 96 | Dec-25 |
| 16 | Srikalahasti | 1 | 7 | 26.85 | AMRUT 1.0 | 56 | Dec-25 |
| 17 | Tirupati (Network) | | 0 | 59.05 | AMRUT 1.0 | 100 | Completed |
| 18 | Madanapalli | 1 | 5 | 15.95 | AMRUT 1.0 | 49 | Dec-25 |
| 19 | Kadapa (2 STPs) | 1 | 25 | 94.35 | AMRUT 1.0 | 95 | Dec-25 |
| 20 | Dharmavaram | 1 | 15 | 48.17 | AMRUT 1.0 | 0 | Mar-26 |
| 21 | Ananthapur | 1 | 10 | 29.76 | AMRUT 1.0 | 0 | Mar-26 |
| 22 | Guntakal | 1 | 8 | 26.71 | AMRUT 1.0 | 15 | Mar-26 |
| 23 | Nandyal | 1 | 10 | 33.47 | AMRUT 1.0 | 75 | Dec-25 |
| 24 | Adoni | 1 | 5 | 15.84 | AMRUT 1.0 | 43 | Dec-25 |
| 25 | Kurnool (10+2) | 2 | 12 | 47.93 | AMRUT 1.0 | 90 | Dec-25 |
| 26 | Guntur | 5 | 123 | 170.15 | OTSFA | 55 | Mar-26 |
| 27 | Pulivendula | 11 | 15.77 | 100 | PLAN | 85 | Dec-25 |
| 28 | Rayachoti | 6 | 22.4 | 236 | PLAN | 10 | Mar-26 |
| 29 | Proddutur | 1 | 24 | 163 | PLAN | 0 | Mar-26 |
| 30 | Rajamundry | 1 | 50.6 | 88.43 | NRCP | 67 | Dec-25 |
| 31 | Tirupathi | 1 | 25 | 45.75 | Smart City | 85 | Mar-26 |

| S No | Name of the ULB | No. of STPs | Capacity of STPs (in MLD) | Amount Allocated (in Cr) | Name of the Scheme | Status of Work | Time Line for Completion of the Work |
|------|------------------|-------------|---------------------------|--------------------------|--------------------|----------------|--------------------------------------|
| 32 | Vijayawada | 1 | 20 | 13.75 | JnNURM | 95 | Mar-26 |
| 33 | Suulurpeta | 3 | 8 | 57.36 | AIBB | 4 | Jun-26 |
| 34 | Kanigiri | 1 | 6 | | AIBB | 2 | Jun-26 |
| 35 | Madakasira | 1 | 5 | 57.64 | AIBB | 2 | Jun-26 |
| 36 | Nandikotkur | 1 | 5 | | AIBB | 0 | Jun-26 |
| 37 | Allagadda | 1 | 5 | | AIBB | 2 | Jun-26 |
| 38 | Amadalavalasa | 15 | 6.99 | 14.73 | SBM 2.0 | 10% | Oct-27 |
| 39 | Ichapuram | 4 | 6.27 | 13.29 | SBM 2.0 | 10% | Nov-27 |
| 40 | Palasa Kasibugga | 2 | 12.4 | 25.9 | SBM 2.0 | 1% | Dec-27 |
| 41 | Rajam | 11 | 7.23 | 15.6 | SBM 2.0 | - | Jan-28 |
| 42 | Bobbili | 10 | 9.52 | 20.16 | SBM 2.0 | 40% | Feb-28 |
| 43 | Nellimarla | 1 | 3.69 | 8.15 | SBM 2.0 | - | Mar-28 |
| 44 | Palakonda | 1 | 5.24 | 11.24 | SBM 2.0 | - | Apr-28 |
| 45 | Parvathipuram | 11 | 8.39 | 17.92 | SBM 2.0 | - | May-28 |
| 46 | Salur | 1 | 6.93 | 15.01 | SBM 2.0 | - | Jun-28 |
| 47 | Narsipatnam | 6 | 10.72 | 22.95 | SBM 2.0 | 1% | Jul-28 |
| 48 | Yellannanchali | 12 | 6.53 | 14.21 | SBM 2.0 | 1% | Aug-28 |
| 49 | Tuni | 1 | 8.32 | 18.36 | SBM 2.0 | - | Sep-28 |
| 50 | Samalkot | 1 | 8.31 | 18.35 | SBM 2.0 | - | Oct-28 |
| 51 | Pithapuram | 8 | 7.72 | 17.17 | SBM 2.0 | - | Nov-28 |
| 52 | Peddapuram | 2 | 7.38 | 16.5 | SBM 2.0 | - | Dec-28 |
| 53 | Gollaprolu | 1 | 3.31 | 7.19 | SBM 2.0 | - | Jan-29 |
| 54 | Yeleswaram | 1 | 4.64 | 10.44 | SBM 2.0 | - | Feb-29 |
| 55 | Nidadavole | 2 | 5.86 | 14.02 | SBM 2.0 | - | Mar-29 |
| 56 | Kovvur | 2 | 5.36 | 11.88 | SBM 2.0 | - | Apr-29 |
| 57 | Mumidivaram | 1 | 3.7 | 8.57 | SBM 2.0 | - | May-29 |
| 58 | Amalapuram | 3 | 7.58 | 16.9 | SBM 2.0 | - | Jun-29 |
| 59 | Mandapeta | 2 | 8.82 | 19.38 | SBM 2.0 | - | Jul-29 |
| 60 | Ramachandrapuram | 1 | 6.46 | 14.66 | SBM 2.0 | - | Aug-29 |
| 61 | Palacole | 2 | 8.48 | 20.01 | SBM 2.0 | - | Sep-29 |
| 62 | Narsapur | 2 | 7.47 | 14.89 | SBM 2.0 | - | Oct-29 |
| 63 | Tanuku | 3 | 10.42 | 24.67 | SBM 2.0 | - | Nov-29 |
| 64 | Jangareddygudem | 2 | 11.62 | 25.5 | SBM 2.0 | - | Dec-29 |
| 65 | Nuzivid | 3 | 10.59 | 23.43 | SBM 2.0 | - | Jan-30 |
| 66 | Pedana | 2 | 4.2 | 9.92 | SBM 2.0 | - | Feb-30 |
| 67 | Vuyyuru | 2 | 7.2 | 16.68 | SBM 2.0 | - | Mar-30 |

| S No | Name of the ULB | No.of STPs | Capacity of STPs (in MLD) | Amount Allocated (in Cr) | Name of the Scheme | Status of Work | Time Line for Completion of the Work |
|------|-----------------|------------|---------------------------|--------------------------|--------------------|----------------|--------------------------------------|
| 68 | Nandigama | 2 | 8.41 | 19.09 | SBM 2.0 | - | Apr-30 |
| 69 | Jaggiahpeta | 2 | 12.02 | 26.29 | SBM 2.0 | - | May-30 |
| 70 | Tiruvuru | 3 | 8.74 | 18.98 | SBM 2.0 | 1% | Jun-30 |
| 71 | Ponnur | 3 | 8.09 | 17.62 | SBM 2.0 | - | Jul-30 |
| 72 | Macherla | 2 | 10.21 | 21.83 | SBM 2.0 | - | Aug-30 |
| 73 | Sattenapalli | 2 | 9.36 | 20.14 | SBM 2.0 | - | Sep-30 |
| 74 | Vinukonda | 2 | 12.87 | 27.15 | SBM 2.0 | 30% | Oct-30 |
| 75 | Piduguralla | 4 | 15.14 | 31.67 | SBM 2.0 | 50% | Nov-30 |
| 76 | Repalle | 3 | 8.9 | 19.22 | SBM 2.0 | - | Dec-30 |
| 77 | Bapatla | 2 | 9.81 | 22.04 | SBM 2.0 | 50% | Jan-31 |
| 78 | Chirala | 2 | 11.46 | 25.32 | SBM 2.0 | 1% | Feb-31 |
| 79 | Adanki | 2 | 12.14 | 25.19 | SBM 2.0 | - | Mar-31 |
| 80 | Markapur | 2 | 14.3 | 31.33 | SBM 2.0 | - | Apr-31 |
| 81 | Giddalur | 1 | 5.88 | 13.13 | SBM 2.0 | 25% | May-31 |
| 82 | Chimakurthy | 1 | 5.06 | 11.08 | SBM 2.0 | - | Jun-31 |
| 83 | Kanigiri | 2 | 9.3 | 20.67 | SBM 2.0 | Tendered | Jul-31 |
| 84 | Kandukur | 2 | 10.16 | 23.08 | SBM 2.0 | 40% | Aug-31 |
| 85 | Atmakur | 4 | 5.5 | 12.37 | SBM 2.0 | 5% | Sep-31 |
| 86 | Gudur TPT | 3 | 14.8 | 32.33 | SBM 2.0 | 1% | Oct-31 |
| 87 | Venkatagiri | 3 | 8.88 | 19.83 | SBM 2.0 | 55% | Nov-31 |
| 88 | Sullurpet | 4 | 3.94 | 9.98 | SBM 2.0 | Tendered | Dec-31 |
| 89 | Naidupet | 2 | 9.99 | 22.03 | SBM 2.0 | 40% | Jan-32 |
| 90 | Punganur | 4 | 11.34 | 24.26 | SBM 2.0 | 1% | Feb-32 |
| 91 | Palamaneru | 3 | 8.6 | 18.8 | SBM 2.0 | - | Mar-32 |
| 92 | Nagari | 2 | 10.46 | 23.68 | SBM 2.0 | - | Apr-32 |
| 93 | Puttur | 3 | 9.09 | 20.24 | SBM 2.0 | - | May-32 |
| 94 | Rajampeta | 3 | 12.98 | 27.53 | SBM 2.0 | - | Jun-32 |
| 95 | Rayachoty | 5 | 20.88 | 45.15 | SBM 2.0 | Tendered | Jul-32 |
| 96 | Jammalamadugu | 2 | 7.66 | 16.73 | SBM 2.0 | 55% | Aug-32 |
| 97 | Badvel | 4 | 14.78 | 32.24 | SBM 2.0 | 5% | Sep-32 |
| 98 | Mydukur | 1 | 8.56 | 18.72 | SBM 2.0 | 10% | Oct-32 |
| 99 | Yerraguntla | 4 | 6.2 | 13.46 | SBM 2.0 | - | Nov-32 |
| 100 | Pulivendula | 13 | 17.5 | 37.7 | SBM 2.0 | - | Dec-32 |
| 101 | Kadiri | 1 | 16.07 | 35.58 | SBM 2.0 | 25% | Jan-33 |
| 102 | Madakasira | 1 | 3.38 | 7.45 | SBM 2.0 | Tendered | Feb-33 |
| 103 | Puttaparthi | 2 | 5.51 | 12.39 | SBM 2.0 | - | Mar-33 |
| 104 | Gooty | 2 | 8.14 | 18.34 | SBM 2.0 | 10% | Apr-33 |
| 105 | Kalyandurgam | 2 | 9.35 | 20.05 | SBM 2.0 | - | May-33 |
| 106 | Rayadurg | 1 | 11.6 | 25.95 | SBM 2.0 | - | Jun-33 |
| 107 | Dhone | 1 | 12.93 | 28.61 | SBM 2.0 | - | Jul-33 |
| 108 | Atmakur | 4 | 7.64 | 16.89 | SBM 2.0 | 10% | Aug-33 |
| 109 | Nandikotkur | 2 | 9.02 | 19.65 | SBM 2.0 | - | Sep-33 |
| 110 | Allagadda | 1 | 7.11 | 15.27 | SBM 2.0 | Tendered | Oct-33 |
| 111 | Gudur (K) | 1 | 3.89 | 8.32 | SBM 2.0 | - | Nov-33 |
| | Total | 286 | 1160.77 | 3170.87 | | | |

Details of ULB wise Funds allocated for Legacy Waste Management

| Sl. No. | Name of the ULB | Amount allocated (in Crs) | Quantity of the waste in each site (in MTs) | Quantity of waste remediated (in MTs) | Percentage of work completed | Timeline for Completion of Work |
|---------|-----------------------|---------------------------|---|---------------------------------------|------------------------------|---------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Narsipatnam | 0.49 | 6250 | 5185 | 83 | Oct,2025 |
| 2 | Yelamanchali | 0.69 | 8719 | 8719 | 100 | - |
| 3 | Rayadurg | 0.63 | 67039 | 66120 | 99 | Oct,2025 |
| 4 | Kalyandurgam | 0.66 | 14426 | 14426 | 100 | - |
| 5 | Tadipatri | 2.07 | 127237 | 116237 | 91 | Oct,2025 |
| 6 | Gooty | 0.42 | 31564 | 31564 | 100 | - |
| 7 | Guntakal | 10.83 | 156000 | 156000 | 100 | - |
| 8 | Ananthapuramu | 41.88 | 332485 | 332485 | 100 | - |
| 9 | Madanapalle | 5.44 | 30084 | 30084 | 100 | - |
| 10 | B.Kothakota | 2.75 | 6935 | 6935 | 100 | |
| 11 | Rajampeta | 1.37 | 11817 | 11817 | 100 | |
| 12 | Rayachoti | 12.32 | 17146 | 17146 | 100 | |
| 13 | Bapatla | 4.64 | 67903 | 67903 | 100 | |
| 14 | Repalle | 0.73 | 53602 | 53602 | 100 | |
| 15 | Chirala | 3.12 | 12978 | 11831 | 91 | Oct,2025 |
| 16 | Addanki | 6.44 | 12876 | 12876 | 100 | |
| 17 | Chittoor | 15.58 | 135397 | 131717 | 97 | Oct,2025 |
| 18 | Punganur | 2.45 | 9526 | 9526 | 100 | |
| 19 | Palamaneru | 1.41 | 11965 | 11965 | 100 | |
| 20 | Nagari | 2.22 | 9221 | 5890 | 64 | Oct,2025 |
| 21 | Puttur | 2.03 | 11015 | 11015 | 100 | |
| 22 | Kuppam | 2.14 | 2555 | 2555 | 100 | |
| 23 | Rajahmahendravararam | 6.84 | 512495 | 511410 | 100 | |
| 24 | Nidadavole | 2.93 | 37207 | 37207 | 100 | |
| 25 | Kovvur | 0.80 | 8775 | 8775 | 100 | |
| 26 | Eluru | 7.57 | 45282 | 37217 | 82 | Oct,2025 |
| 27 | Chinthalapudi | 0.56 | 7300 | 2500 | 34 | Oct,2025 |
| 28 | Jangareddygudem | 1.44 | 18736 | 18736 | 100 | |
| 29 | Nuzivid | 3.31 | 15995 | 15995 | 100 | |
| 30 | Tenali | 3.67 | 63555 | 63555 | 100 | |
| 31 | Ponnur | 0.84 | 56466 | 56466 | 100 | |
| 32 | Mangalagiri Tadepalli | 17.97 | 228875 | 228875 | 100 | |
| 33 | Guntur | 38.45 | 480000 | 480000 | 100 | |
| 34 | Peddapuram | 1.54 | 19612 | 19612 | 100 | |
| 35 | Tuni | 1.74 | 22098 | 22098 | 100 | |
| 36 | Yeleswaram | 0.87 | 11022 | 10022 | 91 | Oct,2025 |
| 37 | Samalkot | 2.97 | 37786 | 37786 | 100 | |
| 38 | Pithapuram | 1.96 | 24910 | 24910 | 100 | |
| 39 | Gollaprolu | 1.04 | 13135 | 13135 | 100 | |
| 40 | Kakinada | 29.67 | 362375 | 296924 | 82 | Oct,2025 |
| 41 | Amalapuram | 4.93 | 27910 | 27910 | 100 | |
| 42 | Ramachandrapuram | 1.75 | 22143 | 22143 | 100 | |

| Sl. No. | Name of the ULB | Amount allocated (in Crs) | Quantity of the waste in each site (in MTs) | Quantity of waste remediated (in MTs) | Percentage of work completed | Timeline for Completion of Work |
|---------|-----------------|---------------------------|---|---------------------------------------|------------------------------|---------------------------------|
| 43 | Mandapeta | 0.69 | 8779 | 0 | 0 | Oct,2025 |
| 44 | Mumidivaram | 0.44 | 5624 | 0 | 0 | Oct,2025 |
| 45 | Pedana | 0.45 | 5821 | 0 | 0 | Oct,2025 |
| 46 | Gudivada | 8.90 | 50921 | 50921 | 100 | |
| 47 | Vuyyuru | 0.77 | 10000 | 5000 | 50 | Oct,2025 |
| 48 | YSR Tadigadapa | 3.84 | 50000 | 50000 | 100 | |
| 49 | Machilipatnam | 8.89 | 52267 | 52267 | 100 | |
| 50 | Gudur K | 0.28 | 17901 | 15235 | 85 | Oct,2025 |
| 51 | Adoni | 3.42 | 34132 | 34132 | 100 | |
| 52 | Yemmiganur | 4.34 | 108597 | 100278 | 92 | Oct,2025 |
| 53 | Kurnool | 15.72 | 150000 | 150000 | 100 | |
| 54 | Palakonda | 0.61 | 7700 | 2560 | 33 | Oct,2025 |
| 55 | Parvathipuram | 0.94 | 11921 | 7421 | 62 | Oct,2025 |
| 56 | Salur | 0.95 | 12042 | 8750 | 73 | Oct,2025 |
| 57 | Allagadda | 0.60 | 27259 | 21106 | 77 | Oct,2025 |
| 58 | Bethamcherla | 2.33 | 8030 | 8030 | 100 | |
| 59 | Atmakur | 0.35 | 11444 | 9848 | 86 | Oct,2025 |
| 60 | Nandikotkur | 1.90 | 11712 | 5784 | 49 | Oct,2025 |
| 61 | Dhone | 5.25 | 73957 | 68390 | 92 | Oct,2025 |
| 62 | Nandyal | 12.41 | 66475 | 66475 | 100 | |
| 63 | Vijayawada | 0 | 648000 | 648000 | 100 | |
| 64 | Nandigama | 0.16 | 28049 | 27651 | 99 | Oct,2025 |
| 65 | Jaggiahpet | 1.46 | 16552 | 15565 | 94 | Oct,2025 |
| 66 | Tiruvuru | 1.60 | 20842 | 20842 | 100 | |
| 67 | Kondapalli | 0.95 | 4957 | 4957 | 100 | |
| 68 | Gurajala | 0.17 | 9198 | 9198 | 100 | |
| 69 | Dachepalli | 0.63 | 16911 | 16911 | 100 | |
| 70 | Piduguralla | 1.09 | 77813 | 77813 | 100 | |
| 71 | Macherla | 3.10 | 3881 | 3881 | 100 | |
| 72 | Sattenapalli | 3.95 | 50000 | 50000 | 100 | |
| 73 | Vinukonda | 1.13 | 64078 | 64078 | 100 | |
| 74 | Narasaraopeta | 4.82 | 23763 | 23763 | 100 | |
| 75 | Chilakaluripet | 16.68 | 168698 | 168698 | 100 | |
| 76 | Markapur | 3.72 | 8691 | 8691 | 100 | |
| 77 | Giddalur | 0.95 | 10672 | 8672 | 81 | Oct,2025 |
| 78 | Chimakurthy | 1.59 | 17378 | 16443 | 95 | Oct,2025 |
| 79 | Podili | 0.12 | 5840 | 5840 | 100 | |
| 80 | Kanigiri | 1.28 | 13301 | 13301 | 100 | |
| 81 | Darsi | 0.18 | 10950 | 10950 | 100 | |
| 82 | Ongole | 12.10 | 65902 | 65902 | 100 | |
| 83 | Kavali | 2.25 | 113081 | 113081 | 100 | |
| 84 | Alluru | 0.11 | 5125 | 5125 | 100 | |
| 85 | Kandukur | 2.87 | 16157 | 16157 | 100 | |
| 86 | Buchireddypalem | 0.73 | 15483 | 15483 | 100 | |
| 87 | Atmakur N | 1.55 | 11754 | 11754 | 100 | |
| 88 | Gudur | 3.22 | 35569 | 35569 | 100 | |

| Sl. No. | Name of the ULB | Amount allocated (in Crs) | Quantity of the waste in each site (in MTs) | Quantity of waste remediated (in MTs) | Percentage of work completed | Timeline for Completion of Work |
|--------------|------------------|---------------------------|---|---------------------------------------|------------------------------|---------------------------------|
| 89 | Nellore | 44.20 | 686810 | 676810 | 99 | Oct,2025 |
| 90 | Dharmavaram | 20.37 | 240000 | 240000 | 100 | |
| 91 | Penukonda | 1.46 | 6424 | 6424 | 100 | |
| 92 | Hindupur | 5.26 | 61499 | 59498 | 97 | Oct,2025 |
| 93 | Madakasira | 0.07 | 14208 | 14208 | 100 | |
| 94 | Kadiri | 2.15 | 22987 | 20034 | 87 | Oct,2025 |
| 95 | Puttaparthi | 1.11 | 29507 | 25404 | 86 | Oct,2025 |
| 96 | Amadalavalasa | 0.53 | 6679 | 6679 | 100 | |
| 97 | Ichapuram | 0.50 | 6260 | 6260 | 100 | |
| 98 | Palasa Kasibugga | 0.76 | 9626 | 9626 | 100 | |
| 99 | Srikakulam | 13.98 | 237841 | 237841 | 100 | |
| 100 | Tirupati | 43.99 | 204000 | 204000 | 100 | |
| 101 | Srikalahasti | 5.08 | 46000 | 46000 | 100 | |
| 102 | Venkatagiri | 1.53 | 8088 | 8088 | 100 | |
| 103 | Sullurpet | 3.87 | 31409 | 31409 | 100 | |
| 104 | Naidupet | 0.51 | 12963 | 11042 | 85 | Oct,2025 |
| 105 | GVMC | 48.72 | 960000 | 960000 | 100 | |
| 106 | Bobbili | 1.16 | 14711 | 14711 | 100 | |
| 107 | Rajam | 1.01 | 12849 | 12849 | 100 | |
| 108 | Nellimarla | 0.61 | 7727 | 7727 | 100 | |
| 109 | Vizianagaram | 19.43 | 206101 | 206101 | 100 | |
| 110 | Narsapur | 3.94 | 51312 | 51312 | 100 | |
| 111 | Akivedu | 0.57 | 7312 | 7312 | 100 | |
| 112 | Bhimavaram | 4.65 | 12545 | 12545 | 100 | |
| 113 | Tadepalligudem | 4.56 | 14320 | 14320 | 100 | |
| 114 | Tanuku | 5.84 | 74206 | 74206 | 100 | |
| 115 | Palacole | 4.91 | 25181 | 25181 | 100 | |
| 116 | Kadapa | 32.80 | 108012 | 108012 | 100 | |
| 117 | Proddatur | 12.84 | 57914 | 57914 | 100 | |
| 118 | Jammalamadugu | 0.57 | 9477 | 5475 | 58 | Oct,2025 |
| 119 | Mydukur | 1.31 | 9828 | 9828 | 100 | |
| 120 | Yerraguntla | 0.24 | 6235 | 6235 | 100 | |
| 121 | Kamalapuram | 0.21 | 2555 | 2555 | 100 | |
| 122 | Pulivendula | 1.02 | 27283 | 27283 | 100 | |
| 123 | Badvel | 2.89 | 18993 | 18993 | 100 | |
| Total | | 683.27 | 8,590,505 | 8,391,278 | 98% | |
| | | | or say 85.90 Lakh MTs | or Say 83.91 Lakh MTs | | |