

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
Original Application No. 481/2024

IN THE MATTER OF:-

News item titled "Major fire erupts at Delhi's Ghazipur landfill site smoke engulfs region" appearing in the Hindustan Times dated 21.04.2024.

NDOH: 06.07.2026

INDEX

S/No.	Particulars	Page No.
1	Affidavit filed by the Respondent/Municipal Corporation of Delhi (MCD) in compliance of the order dated 07.04.2026 passed by this Hon'ble Tribunal.	2-17
2	Annexure-A	18-26

Through

New Delhi

DATED: 3/7/2026


PUJA KALRA

Standing Counsel MCD
Chamber No. 430, Block-I,
Delhi High Court, New Delhi.
Mob. 9312839323
Email:- pujakalra09@gmail.com

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI

Original Application No. 481/2024


IN THE MATTER OF:-

News item titled "Major fire erupts at Delhi's Ghazipur landfill site smoke engulfs region" appearing in the Hindustan Times dated 21.04.2024.

AFFIDAVIT ON BEHALF OF MUNICIPAL CORPORATION OF DELHI (MCD)

I, Gagan Khanna, aged about 51 years, son of Sh. Jugal Kishore Khanna, presently working as Executive Engineer (SLF) Ghazipur with the Municipal Corporation of Delhi, having my office at Adjacent to MC Primary School Lalita Park Near Laxmi Nagar Metro Station Delhi-110092, do hereby solemnly affirm and state as under:

1. That, I am the authorized officer of the Respondent/Municipal Corporation of Delhi and am well conversant with the facts and records of the present matter. I am competent and duly authorized to swear this affidavit on behalf of the Respondent Corporation.
2. That, on the last date of hearing i.e. 07.04.2026, the Hon'ble Bench as directed to reply to the affidavit report of Ld. Court Commissioner dated 06.04.2026. It has further been directed to place on record the time bound action plan for clearing the waste dumped at Ghazipur landfill site and for treating the daily waste which is reaching the landfill site.
3. The Ghazipur landfill was set up in 1984 prior to the notification of MSW Rules, 2000. Since the landfill came into existence prior to the notification of Solid Waste Management Rules, the same was setup



A handwritten signature in blue ink, appearing to read "Gagan".

without adhering to any norms that could be made applicable to the landfill site. The Municipal Corporation of Delhi has continued to use this landfill site due to lack of alternative site.

The Hon'ble National Green Tribunal vide its order dated: 17.07.2019 in O.A. No. 386/2019 and O.A. No. 519/2019 had directed to commence the work of bio-mining and bio-remediation of legacy waste at the three dumpsites in Delhi as per the model followed by Indore Municipal Corporation and Ahmadabad Municipal Corporation.

That, the respondent/ MCD to making all efforts for clearing the waste dumped at Gahzipur landfill site and for treating the daily fresh waste also. The work of bio-mining at Ghazipur SLF site started in the year 2019 and till 28.06.2026, quantity of 67.57 Lakh MT has been bio-mined and disposed off from the site.

That, the instant work of bio-mining is going to expired by September-2026. The department has already called a tender for reclamation of land through disposal of waste by Blo-remediation and Bio-mining at Ghazipur dumpsite Delhi, vide NIT dated 16.06.2026. The technical bids of the same are to be opened on 24.07.2026. In this work the entire remaining waste at Ghazipur site, which is approximately 69 Lakh MT, is proposed to be biominced and disposed off. The work is likely to be completed by December-2027. This timeline for complete remediation has also been submitted before the Hon'ble Supreme Court of India in the matter M.C. Mehta V/s. UOI and Ors. in WPC 13029/ 1985.

Presently, a waste processing facility (Waste to Energy Plant) of 1300 TPD capacity is working near Ghazipur Dumpsite with an electricity generating capacity of 12 MW. The agency is installing one more processing line to enhance waste processing capacity. After successful




Agar

commencement of additional line, the capacity of the plant would be enhanced to 1600-1700 TPD. Further, there is a leachate treatment plant of capacity 60 KLD in the premises of existing WtE Plant, Ghazipur, which is based on physio chemical treatment with two stage biodegradable treatment (Anaerobic and Aerobic)

4. That, in furtherance the department has also initiated following proposals for treatment of fresh MSW, in order to avoid further dumping of the same at Ghazipur site:-

- Establishment of minimum 800 TPD capacity to process the fresh Municipal Solid Waste and disposal of by-products at Pocket C, integrated freight complex Ghazipur site, for a period of five years, which is extendable for further two years. The agreement with the agency has already been done on 01.07.2026. A time period of 120 days has been granted to the agency for commencement of its operations.
- Establishment of 2000 MTPD new Waste to Energy Plant at SLF Ghazipur. The tenders for the same have been received. The capacity of plant would be 25 MW. The matter has already been referred to DERC for approval of rates and is in active consideration. The construction work is likely to be started in 5-6 months.
- Setting up of 300 MTPD Municipal Solid Waste (MSW) based Compressed Biogas (CBG) Plant and integrated CBG-CNG Fuel Station by IGL at Pocket-C, Integrated Freight Complex, Ghazipur, Delhi, for which a piece of land measuring 10 acres has been handed over to IGL in January-2026. IGL is working on feasibility and detail project reports in the matter.
- Establishment of Bio-Gas Facility of 300 TPD capacity for Treating Bio-Degradable Waste (Cattle Dung (preferably) and Municipal Solid



Ragan

Waste) into Bio-Gas/ CBG or Generation of Electricity at land opposite Integrated Freight Complex, Gharoli Extension, Mayur Vihar phase-III, Ghazipur in the jurisdiction of Municipal Corporation of Delhi. The tenders for this work have already been floated and its technical bid is due for opening on 24.07.2026.

5. That, the court Commissioner appointed by Hon'ble NGT inspected the site and submitted the report dated 06.04.2026. The parawise reply to the observations of Court Commissioner is as under:

S.No.	Observations	Reply
1.	<p>The WtE has remained non-operational for unreasonable amount of time.</p> <p>As per affidavit of EE dated 30.12.2025:</p> <p>WTE was not operational from April 2025 till Deecember-2025 adding approx. 900 TPD to the landfill.</p>	<p>It is submitted that Waste to Energy Plant at Ghazipur was not operational from 12.09.2025 to 05.12.2025 due to annual maintenance.</p> <p>However, the same was in working condition in rest of the period, as below:-</p> <p>Aril-2025 to 11.09.2025 operational.</p> <p>12.09.2025 to 05.12.2025 non-operational due to annual maintenance.</p> <p>06.12.2025 to 31.12.2025 operational.</p> <p>Details of the electricity generated daily and utilization</p>



[Handwritten Signature]

		of Waste to Energy Plant from April-2025 to December-2025 as Annexure-A (Colly).
2.	<p>(a) Fresh Waste received 2400-2600 MTD</p> <p>(b) WtE Plant 700-1000 MTD</p> <p>(c) GAP 1700 MTD</p> <p>(d) Fresh waste dumped at landfill 1700MTD</p> <p>As per affidavit of EE dated 30.12.2025.</p> <p>WtE was not operational from April 2025 till December 2025 adding approx.. 900TPD to the landfill.</p>	<p>(a) Presently 2200-2400 TPD of Municipal Solid Waste is being received at Ghazipur SLF site and out of which average 1200 TPD is being sent for processing at existing waste to energy plant.</p> <p>(b) Presently, a waste processing facility (Waste to Energy Plant) of 1300 TPD capacity is working near Ghazipur Dumpsite with an electricity generating capacity of 12 MW. The agency is installing one more processing line to enhance waste processing capacity. After successful commencement of additional line, the capacity of the plant would be enhanced to 1600-1700 TPD.</p> <p>(c) The department has already taken steps for establishment of minimum 800 TPD capacity</p>




Lagan

to process the fresh Municipal Solid Waste and disposal of by-products at Pocket C, integrated freight complex Ghazipur site, for a period of five years, which is extendable for further two years. The agreement with the agency has already been done on 01.07.2026. A time period of 120 days has been granted to the agency for commencement of its operations.

Moreover, tenders for a 2000 MTPD new Waste to Energy Plant at SLF Ghazipur have been received. The capacity of plant would be 25 MW. The matter has already been referred to DERC for approval of rates and is in active consideration. The construction work is likely to be started in 5-6 months.

It is submitted that Waste to Energy Plant at Ghazipur was not operational from



Ram Pal Singh

		<p>12.09.2025 to 05.12.2025 due to annual maintenance.</p> <p>However, the same was in working condition in rest of the period, as below:-</p> <p>Aril-2025 to 11.09.2025 operational.</p> <p>12.09.2025 to 05.12.2025 non-operational due to annual maintenance.</p> <p>06.12.2025 to 31.12.2025 operational.</p> <p>Details of the electricity generated daily and utilization of Waste to Energy Plant from April-2025 to December-2025 as Annexure-A (Colly).</p> <p>As stated in point no. 1.</p>
3.	<p>1. Chronic delay in Biomining</p> <p>2. Fresh waste being accumulated at the landfill site.</p>	<p>Currently, 28 nos. of trommels have been installed with capacity of 400 TPD at site, which are operating day and night shift. MCD is making all its best efforts for optimum use of tools and machinery engaged in bio-mining.</p> <p>Average daily 7500-8500TPD</p>




Raghu

		<p>of bio-mining is being carried out at site.</p> <p>Presently 2200-2400 TPD of Municipal Solid Waste is being received at Ghazipur SLF site and out of which average 1200 TPD is being sent for processing at existing waste to energy plant.</p> <p>It is stated that the pace of bio-mining is much faster than the amount of fresh waste being received at site.</p>
4.	<p>1. Reclaimed land is being used for (Waste) operational requirements.</p> <p>2. No plan for soil and groundwater remediation mentioned.</p>	<p>Approximately 20 acres has been reclaimed as on date, which is at surface level, and which is being utilized for operations/ movements of trucks and other machineries engaged in bio-mining for effective results. The 28 nos of trommels engaged in bio-mining work are mounted on waste dumps, as such, the reclaimed land at surface level</p>



R. Singh

		<p>is being utilized for bio-mining work explicitly.</p> <p>The department has already called a tender for reclamation of land through disposal of waste by Bio-remediation and Bio-mining at Ghazipur dumpsite Delhi, vide NIT dated 16.06.2026. The technical bids of the same are to be opened on 24.07.2026. In this work the entire remaining waste at Ghazipur site, which is approximately 69 Lakh MT, is proposed to be biominced and disposed off. The work is likely to be completed by December-2027.</p> <p>For soil and ground water remediation, further necessary action would be taken in consultation with the expert agencies in the field, once the entire land is reclaimed.</p>
5.	Leachate management appears to be inadequate.	Presently, a waste processing facility (Waste to Energy Plant) of 1300 TPD capacity is



Ram Pal Singh


working near Ghazipur Dumpsite with an electricity generating capacity of 12 MW. The agency is installing one more processing line to enhance waste processing capacity. After successful commencement of additional line, the capacity of the plant would be enhanced to 1600-1700 TPD. Further, there is a leachate treatment plant of capacity 60 KLD in the premises of existing WtE Plant, Ghazipur, which is based on physio chemical treatment with two stage biodegradable treatment (Anaerobic and Aerobic)

MCD has already constructed two leachate collection tanks with capacity of 50000 ltrs. Each. The leachate is collected and transported from these tanks to Waste to Energy Plant at Ghazipur site itself for further treatment. Moreover,



Raghu

		<p>the work of construction of a third leachate collection tank is in progress.</p> <p>A very small quantity of leachate generated is being collected and reused at SLF site by sprinkling over fresh MSW to settle the dust and for bio-culture of fresh waste.</p>
6.	<p>1. It has been admitted that C& D Waste is received and stacked at the landfill site.</p> <p>2. However, the same is spread over the landfill to curtail fire produced due to Methane production.</p> <p>3. Does C&D waste halt subsurface processes anaerobic generating methane?</p> <p>4. What is the action plan for capturing methane through engineered gas collection system?</p>	<p>MCD has a C&D Processing plant of capacity 1000 TPD at Shastri Park, which catters C&D Waste of Shahdara South Zone and Shahdara North Zone.</p> <p>Small portion of C&D Waste received at site is primarily being used for development of katchaa roads etc. for movement of RR trucks/ vehicles to avoid their settlement and is also used in very small portion to assist in fire suppression, in case of any outbreak.</p>



Raghu

		<p>Solid Waste Management Rules 2016, criteria for specification for land filling operations has categorically stated that "till the time waste processing facilities for composting or recycling or energy recovery are set up, the waste shall be sent to the sanitary landfill. The landfill cell shall be covered at the end of each working day with minimum 10 cm of soil, inert debris or construction material".</p> <p>The installation of complete methane collection system is not presently feasible due to space limitations and past unsuccessful attempts at similar projects (e.g. GAIL Project).</p>
7.	Leachate flow through katchaa drains - Although the problem has been identified yet the solution is awaited and no definite timeline provided.	Presently, a waste processing facility (Waste to Energy Plant) of 1300 TPD capacity is working near Ghazipur Dumpsite with an electricity



Rampal Singh

generating capacity of 12 MW. The agency is installing one more processing line to enhance waste processing capacity. After successful commencement of additional line, the capacity of the plant would be enhanced to 1600-1700 TPD. Further, there is a leachate treatment plant of capacity 60 KLD in the premises of existing WtE Plant, Ghazipur, which is based on physio chemical treatment with two stage biodegradable treatment (Anaerobic and Aerobic)

MCD has already constructed two leachate collection tanks with capacity of 50000 ltrs. Each. The leachate is collected and transported from these tanks to Waste to Energy Plant at Ghazipur site itself for further treatment. Moreover, the work of construction of a



Ragan

		<p>third leachate collection tank is in progress.</p> <p>A very small quantity of leachate generated is being collected and reused at SLF site by sprinkling over fresh MSW to settle the dust and for bio-culture of fresh waste.</p>
8.	<p>1. WTE Plant is utilized under capacity/ deficient</p> <p>2. These admissions demolish the contention that the WTE facility meaningfully mitigates waste accumulation at the Ghazipur landfill.</p>	<p>Presently 2200-2400 TPD of Municipal Solid Waste is being received at Ghazipur SLF site and out of which average 1200 TPD is being sent for processing at existing waste to energy plant.</p> <p>Presently, a waste processing facility (Waste to Energy Plant) of 1300 TPD capacity is working near Ghazipur Dumpsite with an electricity generating capacity of 12 MW. The agency is installing one more processing line to enhance waste processing capacity. After successful commencement of additional line, the capacity of the plant</p>



Agar

would be enhanced to 1600-1700 TPD.

The department has already taken steps for establishment of minimum 800 TPD capacity to process the fresh Municipal Solid Waste and disposal of by-products at Pocket C, integrated freight complex Ghazipur site, for a period of five years, which is extendable for further two years. The agreement with the agency has already been done on 01.07.2026. A time period of 120 days has been granted to the agency for commencement of its operations.

Moreover, tenders for a 2000 MTPD new Waste to Energy Plant at SLF Ghazipur have been received. The capacity of plant would be 25 MW. The matter has already been referred to DERC for approval of rates and is in active consideration. The



Sagar

		construction work is likely to be started in 5-6 months.
9.	<p>1. As per para wise reply dated 9/7/25 filed on behalf of the MCD. The following admission has been provided regarding fly ash utilization:</p> <p>2. Para 5 (19.6): clearly states that "Yes, the same is used to cover the MSW and on the Approach road."</p> <p>3. It is also an admitted fact that the waste does contain heavy metals along with other hazardous and non hazardous items. *Para 5 (23)</p>	<p>Presently the flyash being generated at WtE Plant is used to cover the MSW and on the Approach road.</p> <p>The agency maintaining Waste to Energy Plant is in final stage of signing agreement with one of the private player in the market for making fly ash bricks.</p>

6. That, the facts stated herein are true and correct to the best of my knowledge and belief and nothing material has been concealed therefrom.

[Signature]
DEPONENT

VERIFICATION

03 JUL 2026

Verified at New Delhi on this _____ day of _____ 2026 that the contents of the above affidavit are true and correct to my knowledge and belief, and nothing material has been concealed therefrom.

[Signature]
I mentioned the Dependent has Signed in the Affidavit



CERTIFIED THAT THE DEPONENT
 Shri/Smt./Km. Jagan Khanna
 S/o, W/o, D/o Jugal Khanna
 R/o _____
 Identified By Sr. Shri P. J. K. S.
 has solemnly affirmed before me at Delhi
 on _____ at Sr. No. 93
 that the contents of the affidavit which
 have been read & explained to him are
 true and correct to his knowledge
Adm
 Notary _____, Delhi (INDIA)

03 JUL 2026

12 MW WASTE TO ENERGY POWER PLANT

[EAST DELHI WASTE PROCESSING COMPANY LIMITED]

Details of the electricity generated daily & Utilisation of WTE plant

Date	Generated Power KWhr/day	Maximum Designed Capacity of plant for	Capacity utilization of WTE %	Waste intaking capacity under ideal conditions	Municipal Solid Waste MT	Remarks
APRIL						
4/1/2025	24308	288000	8.44	1300.00	636	operational
4/2/2025	0	288000	0.00	1300.00	408	Plant was stopped on account of Pressure part cleaning as a planned
4/3/2025	0	288000	0.00	1300.00	318	
4/4/2025	0	288000	0.00	1300.00	133	
4/5/2025	255830.4	288000	88.83	1300.00	668	operational
4/6/2025	278832.9	288000	96.82	1300.00	480	operational
4/7/2025	282304.5	288000	98.02	1300.00	474	operational
4/8/2025	281146.1	288000	97.62	1300.00	463	operational
4/9/2025	276069.8	288000	95.86	1300.00	686	operational
4/10/2025	271222.2	288000	94.17	1300.00	900	operational
4/11/2025	277971.1	288000	96.52	1300.00	976	operational
4/12/2025	279553	288000	97.07	1300.00	878	operational
4/13/2025	273100.5	288000	94.83	1300.00	894	operational
4/14/2025	61922.7	288000	21.50	1300.00	465	operational
4/15/2025	0	288000	0.00	1300.00	12	Plant was stopped due to fire incident in the boiler
4/16/2025	0	288000	0.00	1300.00	19	
4/17/2025	0	288000	0.00	1300.00	13	
4/18/2025	0	288000	0.00	1300.00	8	
4/19/2025	0	288000	0.00	1300.00	15	
4/20/2025	67884.4	288000	23.57	1300.00	28	operational
4/21/2025	242121.3	288000	84.07	1300.00	740	operational
4/22/2025	251431.3	288000	87.30	1300.00	697	operational
4/23/2025	267736.2	288000	92.96	1300.00	897	operational
4/24/2025	269737.5	288000	93.66	1300.00	992	operational
4/25/2025	255850.7	288000	88.84	1300.00	940	operational
4/26/2025	253363.7	288000	87.97	1300.00	815	operational
4/27/2025	260005.1	288000	90.28	1300.00	666	operational
4/28/2025	263291.9	288000	91.42	1300.00	706	operational

4/29/2025	252629.1	288000	87.72	1300.00	757	operational
4/30/2025	241751.7	288000	83.94	1300.00	609	operational
MAY						
5/1/2025	58261.4	288000	20.23	1300.00	591	operational
5/2/2025	38050.7	288000	13.21	1300.00	515	operational
5/3/2025	271873.7	288000	94.40	1300.00	828	operational
5/4/2025	271914.6	288000	94.41	1300.00	658	operational
5/5/2025	272299.8	288000	94.55	1300.00	706	operational
5/6/2025	279455.8	288000	97.03	1300.00	598	operational
5/7/2025	254266.2	288000	88.29	1300.00	643	operational
5/8/2025	267870.5	288000	93.01	1300.00	671	operational
5/9/2025	252869.7	288000	87.80	1300.00	709	operational
5/10/2025	254608.6	288000	88.41	1300.00	683	operational
5/11/2025	236171.4	288000	82.00	1300.00	720	operational
5/12/2025	235585.2	288000	81.80	1300.00	762	operational
5/13/2025	248802.2	288000	86.39	1300.00	753	operational
5/14/2025	253969.7	288000	88.18	1300.00	727	operational
5/15/2025	259166.3	288000	89.99	1300.00	507	operational
5/16/2025	184597.5	288000	64.10	1300.00	478	operational
5/17/2025	201336.6	288000	69.91	1300.00	713	operational
5/18/2025	241247.9	288000	83.77	1300.00	600	operational
5/19/2025	257605	288000	89.45	1300.00	648	operational
5/20/2025	265464.1	288000	92.18	1300.00	614	operational
5/21/2025	262217	288000	91.05	1300.00	855	operational
5/22/2025	254333.9	288000	88.31	1300.00	750	operational
5/23/2025	261264.5	288000	90.72	1300.00	772	operational
5/24/2025	249992	288000	86.80	1300.00	750	operational
5/25/2025	251275.2	288000	87.25	1300.00	672	operational
5/26/2025	233798.4	288000	81.18	1300.00	689	operational
5/27/2025	216625.3	288000	75.22	1300.00	654	operational
5/28/2025	213679.5	288000	74.19	1300.00	820	operational
5/29/2025	243598.6	288000	84.58	1300.00	839	operational
5/30/2025	228296.3	288000	79.27	1300.00	721	operational
5/31/2025	211395.1	288000	73.40	1300.00	719	operational

JUNE						operational
6/1/2025	219082	288000	76.07	1300.00	182	operational
6/2/2025	224940.3	288000	78.10	1300.00	711	operational
6/3/2025	203853.9	288000	70.78	1300.00	556	operational
6/4/2025	230517	288000	80.04	1300.00	523	operational
6/5/2025	228443	288000	79.32	1300.00	1109	operational
6/6/2025	158980.6	288000	55.20	1300.00	715	operational
6/7/2025	0	288000	0.00	1300.00	534	Plant stopped due to fire incident in the Boiler area
6/8/2025	0	288000	0.00	1300.00	327	
6/9/2025	0	288000	0.00	1300.00	502	
6/10/2025	0	288000	0.00	1300.00	822	
6/11/2025	0	288000	0.00	1300.00	1099	
6/12/2025	0	288000	0.00	1300.00	1012	
6/13/2025	0	288000	0.00	1300.00	897	
6/14/2025	0	288000	0.00	1300.00	1039	
6/15/2025	0	288000	0.00	1300.00	835	
6/16/2025	0	288000	0.00	1300.00	1019	
6/17/2025	0	288000	0.00	1300.00	628	
6/18/2025	0	288000	0.00	1300.00	467	
6/19/2025	0	288000	0.00	1300.00	586	
6/20/2025	0	288000	0.00	1300.00	644	
6/21/2025	0	288000	0.00	1300.00	505	
6/22/2025	13831.8	288000	4.80	1300.00	349	operational
6/23/2025	257683	288000	89.47	1300.00	391	operational
6/24/2025	235573.7	288000	81.80	1300.00	476	operational
6/25/2025	249710.5	288000	86.71	1300.00	393	operational
6/26/2025	237330.2	288000	82.41	1300.00	431	operational
6/27/2025	231887.5	288000	80.52	1300.00	637	operational
6/28/2025	250312.6	288000	86.91	1300.00	661	operational
6/29/2025	234015.7	288000	81.26	1300.00	557	operational
6/30/2025	219419.2	288000	76.19	1300.00	648	operational
JULY						operational
7/1/2025	223065.9	288000	77.45	1300.00	711	operational
7/2/2025	251394.3	288000	87.29	1300.00	733	operational

7/3/2025	251923.6	288000	87.47	1300.00	703	operational
7/4/2025	254233.7	288000	88.28	1300.00	608	operational
7/5/2025	222725	288000	77.34	1300.00	704	operational
7/6/2025	248044.7	288000	86.13	1300.00	270	operational
7/7/2025	114041	288000	39.60	1300.00	244	operational
7/8/2025	122878.1	288000	42.67	1300.00	536	operational
7/9/2025	227320.3	288000	78.93	1300.00	490	operational
7/10/2025	227718.4	288000	79.07	1300.00	696	operational
7/11/2025	224126.4	288000	77.82	1300.00	669	operational
7/12/2025	146471.1	288000	50.86	1300.00	762	operational
7/13/2025	220331.1	288000	76.50	1300.00	382	operational
7/14/2025	194674.7	288000	67.60	1300.00	629	operational
7/15/2025	0	288000	0.00	1300.00	635	operational
7/16/2025	219039	288000	76.06	1300.00	780	operational
7/17/2025	219614.2	288000	76.25	1300.00	408	operational
7/18/2025	248415.7	288000	86.26	1300.00	201	operational
7/19/2025	204800.3	288000	71.11	1300.00	742	operational
7/20/2025	220298.8	288000	76.49	1300.00	726	operational
7/21/2025	242030.1	288000	84.04	1300.00	736	operational
7/22/2025	230412	288000	80.00	1300.00	820	operational
7/23/2025	141959.7	288000	49.29	1300.00	715	operational
7/24/2025	209249.8	288000	72.66	1300.00	906	operational
7/25/2025	226579.1	288000	78.67	1300.00	872	operational
7/26/2025	217927.9	288000	75.67	1300.00	812	operational
7/27/2025	218640.8	288000	75.92	1300.00	670	operational
7/28/2025	209225.3	288000	72.65	1300.00	697	operational
7/29/2025	247088.2	288000	85.79	1300.00	360	operational
7/30/2025	223515	288000	77.61	1300.00	809	operational
7/31/2025	225663	288000	78.36	1300.00	708	operational
AUGUST						operational
8/1/2025	200937.5	288000	69.77	1300.00	616	operational
8/2/2025	224101.8	288000	77.81	1300.00	849	operational
8/3/2025	216576.7	288000	75.20	1300.00	504	operational
8/4/2025	233631.7	288000	81.12	1300.00	783	operational

8/5/2025	234071.5	288000	81.27	1300.00	806	operational
8/6/2025	95225.4	288000	33.06	1300.00	824	operational
8/7/2025	147029	288000	51.05	1300.00	515	operational
8/8/2025	11755.2	288000	4.08	1300.00	580	operational
8/9/2025	118008.2	288000	40.98	1300.00	408	operational
8/10/2025	190577.2	288000	66.17	1300.00	530	operational
8/11/2025	225087.7	288000	78.16	1300.00	665	operational
8/12/2025	128491.1	288000	44.61	1300.00	590	operational
8/13/2025	0	288000	0.00	1300.00	809	operational
8/14/2025	143859.1	288000	49.95	1300.00	670	operational
8/15/2025	218870.1	288000	76.00	1300.00	668	operational
8/16/2025	222109	288000	77.12	1300.00	723	operational
8/17/2025	210353.9	288000	73.04	1300.00	652	operational
8/18/2025	196618.2	288000	68.27	1300.00	805	operational
8/19/2025	167319.8	288000	58.10	1300.00	767	operational
8/20/2025	195991.5	288000	68.05	1300.00	916	operational
8/21/2025	186890.9	288000	64.89	1300.00	828	operational
8/22/2025	171318.5	288000	59.49	1300.00	628	operational
8/23/2025	179550	288000	62.34	1300.00	703	operational
8/24/2025	181594.7	288000	63.05	1300.00	570	operational
8/25/2025	213935.4	288000	74.28	1300.00	751	operational
8/26/2025	163221.7	288000	56.67	1300.00	872	operational
8/27/2025	115046.2	288000	39.95	1300.00	777	operational
8/28/2025	85872.8	288000	29.82	1300.00	861	operational
8/29/2025	138540.5	288000	48.10	1300.00	695	operational
8/30/2025	137939.8	288000	47.90	1300.00	997	operational
8/31/2025	118013.2	288000	40.98	1300.00	726	operational
SEPTEMBER						
9/1/2025	139098	288000	48.30	1300.00	816	operational
9/2/2025	134336.6	288000	46.64	1300.00	972	operational
9/3/2025	135241.7	288000	46.96	1300.00	719	operational
9/4/2025	103406.6	288000	35.91	1300.00	779	operational
9/5/2025	87900.6	288000	30.52	1300.00	803	operational
9/6/2025	97585	288000	33.88	1300.00	751	operational

9/7/2025	124935	288000	43.38	1300.00	713	operational
9/8/2025	152548.6	288000	52.97	1300.00	728	operational
9/9/2025	171664.9	288000	59.61	1300.00	791	operational
9/10/2025	157730	288000	54.77	1300.00	754	operational
9/11/2025	41765.3	288000	14.50	1300.00	576	operational
9/12/2025	0	288000	0.00	1300.00	454	
9/13/2025	0	288000	0.00	1300.00	432	
9/14/2025	0	288000	0.00	1300.00	213	
9/15/2025	0	288000	0.00	1300.00	342	
9/16/2025	0	288000	0.00	1300.00	317	
9/17/2025	0	288000	0.00	1300.00	368	
9/18/2025	0	288000	0.00	1300.00	325	
9/19/2025	0	288000	0.00	1300.00	313	
9/20/2025	0	288000	0.00	1300.00	319	
9/21/2025	0	288000	0.00	1300.00	267	
9/22/2025	0	288000	0.00	1300.00	372	
9/23/2025	0	288000	0.00	1300.00	276	
9/24/2025	0	288000	0.00	1300.00	257	
9/25/2025	0	288000	0.00	1300.00	293	
9/26/2025	0	288000	0.00	1300.00	392	
9/27/2025	0	288000	0.00	1300.00	370	
9/28/2025	0	288000	0.00	1300.00	286	
9/29/2025	0	288000	0.00	1300.00	346	
9/30/2025	0	288000	0.00	1300.00	212	
OCTOBER						
10/1/2025	0	288000	0.00	1300.00	415	
10/2/2025	0	288000	0.00	1300.00	366	
10/3/2025	0	288000	0.00	1300.00	334	
10/4/2025	0	288000	0.00	1300.00	415	
10/5/2025	0	288000	0.00	1300.00	329	
10/6/2025	0	288000	0.00	1300.00	355	
10/7/2025	0	288000	0.00	1300.00	340	
10/8/2025	0	288000	0.00	1300.00	348	
10/9/2025	0	288000	0.00	1300.00	217	

10/10/2025	0	288000	0.00	1300.00	204
10/11/2025	0	288000	0.00	1300.00	276
10/12/2025	0	288000	0.00	1300.00	342
10/13/2025	0	288000	0.00	1300.00	172
10/14/2025	0	288000	0.00	1300.00	147
10/15/2025	0	288000	0.00	1300.00	11
10/16/2025	0	288000	0.00	1300.00	74
10/17/2025	0	288000	0.00	1300.00	308
10/18/2025	0	288000	0.00	1300.00	207
10/19/2025	0	288000	0.00	1300.00	217
10/20/2025	0	288000	0.00	1300.00	161
10/21/2025	0	288000	0.00	1300.00	185
10/22/2025	0	288000	0.00	1300.00	194
10/23/2025	0	288000	0.00	1300.00	239
10/24/2025	0	288000	0.00	1300.00	249
10/25/2025	0	288000	0.00	1300.00	205
10/26/2025	0	288000	0.00	1300.00	323
10/27/2025	0	288000	0.00	1300.00	129
10/28/2025	0	288000	0.00	1300.00	15
10/29/2025	0	288000	0.00	1300.00	10
10/30/2025	0	288000	0.00	1300.00	20
10/31/2025	0	288000	0.00	1300.00	15
Nov-25					
11/1/2025	0	288000	0.00	1300.00	18
11/2/2025	0	288000	0.00	1300.00	18
11/3/2025	0	288000	0.00	1300.00	16
11/4/2025	0	288000	0.00	1300.00	21
11/5/2025	0	288000	0.00	1300.00	26
11/6/2025	0	288000	0.00	1300.00	22
11/7/2025	0	288000	0.00	1300.00	18
11/8/2025	0	288000	0.00	1300.00	21
11/9/2025	0	288000	0.00	1300.00	33
11/10/2025	0	288000	0.00	1300.00	30
11/11/2025	0	288000	0.00	1300.00	24

t Stopped for annual maintena

11/12/2025	0	288000	0.00	1300.00	37	
11/13/2025	0	288000	0.00	1300.00	27	
11/14/2025	0	288000	0.00	1300.00	22	
11/15/2025	0	288000	0.00	1300.00	18	
11/16/2025	0	288000	0.00	1300.00	25	
11/17/2025	0	288000	0.00	1300.00	22	
11/18/2025	0	288000	0.00	1300.00	17	
11/19/2025	0	288000	0.00	1300.00	22	
11/20/2025	0	288000	0.00	1300.00	23	
11/21/2025	0	288000	0.00	1300.00	23	
11/22/2025	0	288000	0.00	1300.00	18	
11/23/2025	0	288000	0.00	1300.00	20	
11/24/2025	0	288000	0.00	1300.00	20	
11/25/2025	0	288000	0.00	1300.00	195	
11/26/2025	0	288000	0.00	1300.00	245	
11/27/2025	0	288000	0.00	1300.00	195	
11/28/2025	0	288000	0.00	1300.00	216	
11/29/2025	0	288000	0.00	1300.00	237	
11/30/2025	0	288000	0.00	1300.00	183	
Dec-25						
12/1/2025	0	288000	0.00	1300.00	215	
12/2/2025	0	288000	0.00	1300.00	195	
12/3/2025	0	288000	0.00	1300.00	229	
12/4/2025	0	288000	0.00	1300.00	220	
12/5/2025	0	288000	0.00	1300.00	188	
12/6/2025	121382.8	288000	42.15	1300.00	119	operational
12/7/2025	224477.9	288000	77.94	1300.00	120	operational
12/8/2025	253531.1	288000	88.03	1300.00	288	operational
12/9/2025	255724.9	288000	88.79	1300.00	280	operational
12/10/2025	247577.7	288000	85.96	1300.00	352	operational
12/11/2025	241162.5	288000	83.74	1300.00	471	operational
12/12/2025	250530.2	288000	86.99	1300.00	407	operational
12/13/2025	244854.3	288000	85.02	1300.00	381	operational
12/14/2025	248757.9	288000	86.37	1300.00	175	operational

12/15/2025	245369.5	288000	85.20	1300.00	506	operational
12/16/2025	255632.5	288000	88.76	1300.00	477	operational
12/17/2025	240552.6	288000	83.53	1300.00	455	operational
12/18/2025	251649.7	288000	87.38	1300.00	341	operational
12/19/2025	251027.1	288000	87.16	1300.00	294	operational
12/20/2025	219929	288000	76.36	1300.00	235	operational
12/21/2025	239621.9	288000	83.20	1300.00	151	operational
12/22/2025	237028.6	288000	82.30	1300.00	870	operational
12/23/2025	134937	288000	46.85	1300.00	880	operational
12/24/2025	231545.9	288000	80.40	1300.00	901	operational
12/25/2025	246685.5	288000	85.65	1300.00	920	operational