


BEFORE THE NATIONAL GREEN TRIBUNAL**PRINCIPAL BENCH, NEW DELHI****Original Application No. 47 of 2024****IN THE MATTER OF:****Gen Secretary Industrial Focal Point Welfare Association****....Applicant****VERSUS****State of Punjab & Ors.****....Respondents****INDEX**

<u>S.NO.</u>	<u>PARTICULARS</u>	<u>PAGE NO.</u>
1.	Counter Affidavit Of Charanjit Singh Ubhi, Executive Officer, Municipal Council, Khanna, Tehsil Khanna, Distt. Ludhiana, Punjab, India (Respondent No. 3)	1-7
2.	ANNEXURE A-1 Work Completion Letter.	8-9
3.	ANNEXURE A-2 Test Report dated 03.12.2024 by PPCB.	10-11
4.	ANNEXURE A-3 Photographs to show the work has been completed at the site	12-15
5.	Proof of Service	16

Filed by:




(Mr. Karan Sharma)
Advocate for Respondent No. 3
Code No.3081
Mob # 9999777847
Email: karan.sh70@gmail.com

BEFORE THE NATIONAL GREEN TRIBUNAL**PRINCIPAL BENCH, NEW DELHI****Original Application No. 47 of 2024****IN THE MATTER OF:****Gen Secretary Industrial Focal Point Welfare Association****....Applicant****VERSUS****State of Punjab & Ors.****....Respondents****AFFIDAVIT**

I Charanjit Singh Ubhi aged about 53 years Executive Officer, Municipal Council, Khanna, Tehsil Khanna, Distt. Ludhiana, Punjab, India, do hereby solemnly affirm and declare as under:-


1. That in compliance of the order dated 26.11.2024 by this Hon'ble tribunal we are filing the present affidavit. As per letter of Punjab Water Supply and Sewerage Board, Ludhiana this office of the deponent has been informed through letter that the work Desalting/cleaning of existing sewer lines and 250mm i/d DIK9 Rising main in various streets by mechanized system using Super/Sucker/drilling machine including, disposal of silt up to 5 Km. and dismantling of road. Providing, laying, jointing, cutting and resting of 200 mm o/d UPVC pipe and all other works



contingent there too at Focal Pont, Khanna, Town, Ludhiana under which the said work K.H. Co. Op. L & C Society Ltd. Bhagwanpura, Tehsil Malout, Distt. Shri Muktsar Sahib, Punjab bearing office letter no. 2531 dated 20.06.2024 was allotted. The said work had been 100% completed that was started on 20.06.2024. That the work completion letter has been annexed herewith as **Annexure A-1** (Colly).

2. That pursuant to order dated 26.11.2024 the test was conducted at the site by Punjab Pollution Control Board and the same was found to be within the prescribed standards. The test report has been annexed herewith as **Annexure A-2**.
3. That the photographs were taken of the site that shows that there is no stagnation of water and the work has been completed at the site. The copy of the same has been annexed herewith as **Annexure A-3**.
4. That following Industries at Focal Point, Khanna are using the sewerage and water supply connections are as under:-

S. No.	Sewerage A/c No.	Name
1	PF-2	HEMKUNT INDUSTRIES
2	PF-4	BHAJAN SINGH
3	PF-4A	M/S G. V. SONDH AND DETERGANT
4	PF-5	ANMOL INDUSTRY
5	PF-7	A.F.I AGRO PLANT AND




		INDUSTRIES
6	PF-9	G..R PLANT INDUSTRIES
7	PF-9A	R.P .MACHINET TOOLS
8	PF-10A	M/S .PARTAP IRON AND STEEL ROLLING MILLS NARESH DHAWAN S/O AMIR CHAND
9	PF-11	JASVEER PROUDCT
10	PF-12	VISHWAKARMA FOUNDRY
11	PF-13	BHAG SINGH
12	PF-14	GURU NANAK INDUSTRIES
13	PF-15	K.S .SONS
14	PF-16	NIRMAL SINGH
15	PF-172	SARASWATI INDUSTRY
16	PF-19	JEET RAI AND SONS
17	PF-22	KARNAIL SINGH
18	PF-25	LAXMI ANAMAL
19	PF-27	JYOTI INDUSTRY
20	PF-28	MEHAK INDUSTRY
21	PF-29	SANJEEV INDUSTRY
22	PF-31	SANJEEV INDUSTRY
23	PF-32	S.K. SONS
24	PF-33	HIND UDYOG
25	PF-34	MEHAK INDUSTRIES
26	PF-35	SANJEEV INDUSTRY
27	PF-36	HIGHWAY RETREAD
28	PF-37	SUBHASH CHAND
29	PF-39	PARMINDER SINGH
30	PF-40	DHIR AGRO INDUSTRIES
31	PF-41	RAJ KUMAR
32	PF-44	ASHOK STEEL INDUSTRIES
33	PF-43	KIRAN ICECREAM
34	PF-50	AVINASH INDUSTRIES
35	PF-51	BHARAT AGRO INDUSTRIES
36	PF-54	ATAM MANOHAR INDUSTRIES
37	PF-55	DIAMOND SPRINGS
38	PF-57	AMARJEET SINGH
39	PF-59	AGGARWAL INDUSTRIES



40	PF-62	RAM PARKASH
41	PF-63	ANMOL INDUSTRIES
42	PF-64	SUSHIL KUMAR
43	PF-66	CHAMUNDA CHEMICALES
44	PF-71	AMAN FEED
45	PF-72	SATPAL
46	PF-73	GOPIKA INDUSTRIES
47	PF-75	ORIAN ENGINEERS
48	PF-76	AGGARWAL INDUSTRIES
49	PF-78	VIKAS INDUSTRIES
50	PF-79	SATISH SOAP
51	PF-80	SANJAY SOLVEX
52	PF-81	MALKIT SINGH
53	PF-83	F.E .AGRO
54	PF-84	KULWINDER SINGH S/O BALDEV SINGH
55	PF-85	D.V. INDUSTRIES
56	PF-86	TARUN PREET SINGH SONDH S/O BHUPINDER SINGH
57	PF-87	GUPTA STEEL UDYOG NEAR GAGAN FEED INDUSTRIES
58	PF-88	SHRI TRIVANI INDUSTRIES
59	PF-89	PARAMPREET SINGH BAL S/O SHIVDEV SINGH

S.No.	Consumer no.	Owner name
1	PF-1	S.G ELECTRIC INDUSTRIES
2	PF-2	HEMKUNT INDUSTRIAL CORPORATION
3	PF-3	UPKAR INDUSRTY
4	PF-4	BHAJAN SINGH
5	PF-5	TERSEM CHAND ANMOL FEED
6	PF-6	PARTAP MECHANICAL TOOLS
7	PF-7	A.F.I AGRO PVT LTD
8	PF-8	KAMAL CHEMICAL ALLOYS
9	PF-9	G.R PLANT IMPROVEMENT




10	PF-9A	GAURAV DHAND S/O KRISHAN DEV DHAND
11	PF-10	R.P MACHINE TOOLS
12	PF-11	JASBIR PRODUCT
13	PF-12	VISHKARMA FOUNDRY
14	PF-13	BHAG SINGH
15	PF-14	GURU NANAK INDUSTRIAL CORPORATION
16	PF-15	K.S SONS
17	PF-16	NIRMAL KUMAR
18	PF-17	SARSWATI INDUSTRIES
19	PF-18	KARNAIL SINGH BROTHERS
20	PF-18A	JEET RAI SONS
21	PF-19	VEENUS CONTROL DEVICE
22	PF-22	KARNAIL SINGH
23	PF-25	LAKSHMI ANEMAL
24	PF-26	MANOHAR INDUSTRY CORPORATION
25	PF-27	JYOTI INDUSTRY
26	PF-30	SADHU SINGH
27	PF-32	M.K SONS
28	PF-33	HIND UDYOG
29	PF-37	SUBASH CHAND
30	PF-38	KARAM CHAND
31	PF-39	PARMINDAR SINGH
32	PF-40	DHIR AGRO INDUSTRY
33	PF-41	KRISHAN LAL
34	PF-42	SHIRI RAM INDUSTRY
35	PF-43	KIRAN ICE CREAM
36	PF-44	ASHOKA STEEL INDUSTRIES
37	PF-45	PUNJAB OIL MILL
38	PF-45A	WATSON ENGENERING WORKS ANIL KUMAR AGGARWAL S/O RAJ KUMAR AGGARWAL
39	PF-46	SOHNA AGRO INDUSTRY
40	PF-47	JAIN HANS PAPER MILL
41	PF-48	URMILA DEVI KRISHNA AGRO



42	PF-49	RAJ KUMAR PUNJAB FLOOR INDUSTRY
43	PF-50	AVINASH INDUSTRY
44	PF-51	BHARAT AGRO INDUSTRIES
45	PF-52	KULWINDER SINGH S/O BALDEV SINGH
46	PF-53	M/S AMRIT AGRO INDUSTRY
47	PF-53A	KIRAN FEED CORPORATION
48	PF-55	DIMOND SPRINGS
49	PF-56	GODREJ SOAPS
50	PF-57	AMARJIT SINGH GOLDEN ICE CREAM
51	PF-58	VISHAL INDUSTRY
52	PF-58A	M/S DASHMESH BATRY& METAL INDUSTRIES
53	PF-59	AGGARWAL FOUNDRY
54	PF-60	LAJPAT RAI RAJ COMPUTER KANDA
55	PF-61	RAM PARKASH
56	PF-62	RAM PARKASH
57	PF-63	ANMOL INDUSTRIES
58	PF-64	SUNIL KUMAR
59	PF-66	CHAMUNDA CHEMICAL FEED
60	PF-67	C.C.F INDUSTRY
61	PF-71	AMAN FEED
62	PF-74	GOLDEN ENGENIERING
63	PF-75	ORION ENGENIERING WORKS
64	PF-76	AGGARWAL INDUSTRIES
65	PF-77	N.K INTERPRISES
66	PF-78	VIKAS INDUSTRIES
67	PF-79	SATISH SOAP
68	PF-81	MALKIT SINGH
69	PF-84	G.V.SOAP & DETERGENT

5. That as asked by the amicus in his report dated 17.10.2024 the position with regard to Marfed Vanaspati & Allied Industries



(Respondent no.36), we have checked the same and neither it has taken sewerage and water supply connections from Municipal Council, Khanna nor it discharges any kind of effluent in the sewerage line of Municipal Council, Khanna.


Deponent.

Executive Officer
Municipal Council
Khanna


Verification :-

Verification that the contents of the above affidavit are true and correct to the best of my knowledge and belief and nothing has been concealed therein.


Verified at _____


Deponent.

Executive Officer
Municipal Council
Khanna



Certified that affidavit/SSP/GPA have been readover & explained to this deponent executant who seemed directly to understand the same at the time making thereof.

ATTESTED

NOTARY
ASHOK KUMAR
in & Through Out
LUDHIANA
KHANNA (PB.)

ANNEXURE A-1

8

Punjabi to English Translation

PUNJAB WATER SUPPLY AND SEWERAGE MANDAL, LUDHIANA.

To

The Executive Officer,
Municipal Council, Khanna
No. 5686 dated 02.12.2024.

Sub : Desalting/cleaning of existing sewer lines and 250mm i/d DIK9 Rising main in various streets by mechanized system using Super/Sucker/drilling machine including, disposal of silt up to 5 Km. and dismantling of road. Providing ,laying, jointing, cutting and resting of 200 mm o/d UPVC pipe and all other works contingent there too at Focal Point, Khanna, Town, Ludhiana.

Ref:- Sub Divisional Engineer, Punjab V/s Sewerage Sub Division -2, Khanna regarding letter no.548 dated 02.12.2024.

Regarding the above mentioned subject Sub Divisional Engineer, Punjab V/s Sewerage Sub Division -2, Khanna, this office has been informed through letter under which the said work K.H.Co.Op. L & C Society.Ltd. Bhagwanpura, Tehsil Malout, Distt. Shri Muktsar Sahib, Punjab bearing office letter no. 2531 dated 20.06.2024 was allotted. The said work had been 100% completed.

This is for information and further action

Executive Engineer,
Punjab Water Supply and Sewerage
Division, Ludhiana.
Sd/- in Eng.

Dated 02.12.2024

951
13/12/24M.E./Supd.
13/12/2024

To

The Executive Officer,
Municipal Council, Khanna

Sub :- Intimation regarding completion of work as satisfactory.

Sir,

This is for your information that the work Desalting/cleaning of existing sewer lines and 250mm i/d DIK9 Rising main in various streets by mechanized system using Super/Sucker/drilling machine including, disposal of silt up to 5 Km. and dismantling of road. Providing ,laying, jointing, cutting and resting of 200 mm o/d UPVC pipe and all other works contingent there too at Focal Pont, Khanna, Town, Ludhiana has been completed as per the requirement of Focal Point, Welfare Association, Khanna.


Thanking you,


President Industrial Focal Point,

Welfare Association, Khanna

ANNEXURE A-2


10



PUNJAB POLLUTION CONTROL BOARD

CENTRAL LABORATORY

NABL Accredited & ISO 45001:2018 (OHS) certified Laboratory
 WATER LAB, HEAD OFFICE, VATAVARAN BHAWAN, PATIALA, PUNJAB
 Email: waterlab@ppcb.org, ppcb@ppcb.org; Website: www.ppcb.org



TEST REPORT

Test Report Code : E-1467-1468
 Report Issue Date : 29.11.2024
 Report Sent to (Name & Address) : STP 29 MLD, M.C Khanna
 Date of Sample Receipt : 19.11.2024
 Sample Registration No. : E-1467-1468
 Sample Description : Effluent Sample
 Type of Sample : Grab
 Analysis Duration : 19.11.2024 to 29.11.2024
 Sampling Location : Inlet of STP(E-1467), Outlet of STP(E-1468)
 Date of Sample Collection : 18.11.2024
 Name of Sample Collecting Officer : Er. Sanjpreet Singh, AEE & Er. Amritpal Kaur, SDO (PWSSB)
 Sampling Protocol : IS 17614 (Part-10): 2021
 Sample Quantity : 6.0 L
 Sample Packing : Plastic Bottle

Test Results (Water Quality Analysis)

Sr. No.	Test Parameters	Units	Results		Prescribed Standard Limit
			Inlet of STP	Outlet of STP	
1	Faecal Coliform MPN/100ml	-	1,20,000	BDL	<1000
2	Lead(Pb)	mg/l	-	BDL	-
3	Copper(Cu)	mg/l	-	BDL	-
4	Arsenic(As)	mg/l	-	BDL	-
5	Cobalt(Co)	mg/l	-	BDL	-
6	Molybdenum(Mo)	mg/l	-	BDL	-
7	Cadmium(Cd)	mg/l	-	BDL	-
8	Selenium(Se)	mg/l	-	BDL	-
9	Vanadium(V)	mg/l	-	BDL	-
10	Aluminium(Al)	mg/l	-	BDL	-
11	Tin(Sn)	mg/l	-	BDL	-
12	Manganese(Mn)	mg/l	-	BDL	-
13	Boron(B)	mg/l	-	BDL	-


Remarks: The prescribed standards are as per notification no 188 dt 28.3.19. However, if any stringent/other standards have been imposed by the Board, the same shall prevail.
 Note: BDL means Below Method Detection Limit.

Endst. No: 30082-84 **--End of Report--** Dt. 03/12/24

A copy of the above is forwarded to the:-

1. The Chief Environmental Engineer (Water), Punjab Pollution Control Board, Ludhiana.
2. The Senior Environment Engineer, Punjab Pollution Control Board, Zonal Office-II, Patiala.
3. The Environment Engineer, Punjab Pollution Control Board, Regional Office, Fatehgarh Sahib.

Name, Designation & Signature of Analyst 

Name & Designation of Authorized Signatory

 Avtar Singh
 Scientific Officer
 (Seal & Signature)



PUNJAB POLLUTION CONTROL BOARD CENTRAL LABORATORY



NABL Accredited & ISO 45001:2018 (OH&S) certified Laboratory
WATER LAB. HEAD OFFICE, SATYAPURAM BHAWAN, PATIALA, PUNJAB
Established in 1974, Amritsar, Website: www.ppcb.org

TEST REPORT



Test Report Code : E-1467-1468
 Report Issue Date : 29.11.2024
 Report Sent to (Name & Address) : STP 29 MLD, M.C Khanna
 Date of Sample Receipt : 19.11.2024
 Sample Registration No. : E-1467-1468
 Sample Description : Effluent Sample
 Type of Sample : Grab
 Analysis Duration : 19.11.2024 to 29.11.2024
 Sampling Location : Inlet of STP(E-1467), Outlet of STP(E-1468)
 Date of Sample Collection : 18.11.2024
 Name of Sample Collecting Officer : Pr. Sanatpreet Singh, AEE & Er. Amritpal Kaur, SDO (PWSSB)
 Sampling Protocol : IS 17614 (Part-10): 2021
 Sample Quantity : 6.0 L
 Sample Packing : Plastic Bottle

Test Results (Water Quality Analysis)

Sr. No.	Test Parameters	Units	Results		Prescribed Standard Limit	Test Method
			Inlet of STP	Outlet of STP		
1	pH Value	-	7.3	7.9	6.5-9.0	IS 3025 Part-11
2	Total Suspended Solids (TSS)	mg/l	281	<5	100	IS 3025 Part-17
3	Bio-Chemical Oxygen Demand (BOD)	mg/l	131	<5	30	IS 3025 Part-11
4	Nickel(Ni)	mg/l	-	<0.1	-	Alpha-24 th Ed. 3111-B
5	Zinc(Zn)	mg/l	-	<0.1	-	Alpha-24 th Ed. 3111-B
6	Chromium(Cr)	mg/l	-	<0.1	-	Alpha-24 th Ed. 3111-B
7	Iron(Fe)	mg/l	-	<0.1	-	Alpha-24 th Ed. 3111-B

Remarks: The prescribed standards are as per notification no 198 dt 28.3.19. However, if any stringent/other standards have been imposed by the Board, the same shall prevail.

End of Report

Name, Designation & Signature of Analyst

(Signature)

Name & Designation of Authorized Signatory

(Signature)
 Avtar Singh
 Scientific Officer
 (Seal & Signature)

ANNEXURE A-3

436


12





438

14



439

15





The Office of Karan Sharma <officeofkaransharmaor@gmail.com>

SERVICE OF AFFIDAVIT IN OA NO. 47 OF 2024

1 message

The Office of Karan Sharma <officeofkaransharmaor@gmail.com>

Mon, Dec 16, 2024 at 7:06 PM


To: "VIKAS INDUSTRIAL CORPORATION." <vickhn38@gmail.com>, abhishek yadav <kdev.abhishek@gmail.com>

Dear Sir

Please find the attached Affidavit in the matter of Gen Secretary Industrial focal point Welfare Association Vs. The State Punjab & Ors. on behalf of the Respondent No. 3

Regards

Office of Karan Sharma, AOR
Mob. No.: 9999777847

 Affidavit by Khanna in OA 74 of 2024.pdf
6809K