

**ACTION TAKEN REPORT (ATR) OF GUJARAT POLLUTION CONTROL BOARD
IN COMPLIANCE OF HON'BLE NGT WESTERN ZONE BENCH, PUNE IN THE
MATTER OF ORIGINAL APPLICATION NO. 03 OF 2024 (WZ) WRT LETTER
PETITION NO. 73 OF 2023 (COMPLAINT DATED 15.12.2023)**

(I) PREAMBLE

Hon'ble the National Green Tribunal, Western Zone Bench, At Pune Vide Original Application No. 03 OF 2024 (WZ) took cognizance of Complaint dated 15.12.2023 made by the General Secretary, All India Forward Bloc, A.K. Road, Fulpada, Surat, alleging that Bajrang Processors Pvt. Ltd located at S.No.190, Paiki, B/H. J.B. Kharwar Dyg., Solapur Copound, Udhana, Surat, Gujarat is burning restricted wood for producing water steam for boiler, which is emanating polluted black fog in the nearby area, which has affected the health of local residents as they are suffering from various diseases such as Bronchitis, T.B., etc. And order was made on dated: 02/01/2024.

Hon'ble NGT issued the following Direction as per order 02/01/2024

Relevant Para 2, is reproduced as “ In view of the fact stated in the complaint, we deem it appropriate to call for a report from the Member Secretary Gujarat Pollution Control Board (GPCB) as to the truthfulness of the content of the aforesaid complaint and the action taken there end, if any, within four weeks.”

(II) BASIC INFORMATION OF INDUSTRY

- M/s. Bajrang Processors is a textile industry which engaged in Dyeing & Printing activity of Grey Cloth at Plot No. 190, Behind J.B. Kharwar Dyeing and Printing Mills, Beside Adarsh Chemicals, Solarpur Comp. Udhna – 394 210, Ta – Chorasi, Dist- Surat.
- Unit having Consent to Operate/Consolidate Consent and Authorisation (CTO/CC&A) of the Board, which is valid up to date: 30/09/2025 for the manufacturing of “Dyeing and Printing of Grey Cloth” having total production quantity: 50,000 Meters/Day. [Copy of CTO/CC&A is annexed herewith and marked as “Annexure – A”]

(III) THE INSPECTION OF ABOVE MENTION UNIT WAS CARRIED OUT BY THE REGIONAL OFFICE, SURAT OF GUJARAT POLLUTION CONTROL BOARD AND AS PER THE INSPECTION REPORT DATED: 18/01/2024 OBSERVATION/ FACTUAL DETAILS ARE AS UNDER:

- During visit industrial plant is found in operation & Dyeing & Printing process is going on. Unit has two stenters with total seven chambers; during visit all are found in operation.
- Source of water supply is from SMC & own bore well. Unit is having NOC of CGWA. Generated industrial w/w is treated in ETP consisting of primary & secondary treatment units. ETP is observed in operation during visit. Treated w/w is partly reused for scrubber while remaining is being discharged in to u/g drainage system of SMC. One treated w/w sample is collected from final outlet of industry. Unit has provided flow meter on final outlet of ETP which shows reading of 6728.6 m³. Unit has provided ETP operation energy meter and same reading is 11834 KWH is recorded. Domestic waste water disposed in to soak pit system/septic tank system.
- Unit has provided one Steam Boiler (6 TPH) and TFH (3000 U) having common stack. Unit has provided separate sets of MCS, Teema Bag filter & Alkali scrubber as APCM with Boiler and TFH. Steam Boiler, TFH & all APCMs are observed in operation. During inspection ambient air quality is observed normal within premises as well as surrounding area. Coal is used as fuel in Boiler & TFH through auto fuel firing system. One flue gas sample is collected from comm. stack attached with Boiler & TFH. Reading of the Energy meter provided for APCM is noted as: 36217.8 KWh & CEMS provided at stack for PM is recorded as: PM=40.32 mg/Nm³. During inspection coal is observed in Boiler area. (Photograph attached herewith). **Unit has acquired adjoining plot on rental basis for the storage of coal/lignite and during visit @20-25 MT coal/lignite found stored.**
- During inspection @3.0 MT ETP sludge and 20 nos discarded containers found as a stock. Unit is a member of BEIL Ankleshwar for disposal of ETP sludge. Generated discarded containers maximum reuse and sold out to register decontaminator unit. At last, unit has disposed off ETP sludge 11.395 MT on 14-11-2022 at TSDF site of BEIL, Vide Manifest No is 1888908.

[Copy of Inspection Report is annexed herewith and marked as “Annexure – B”]

ANALYSIS RESULTS OF COLLECTED SAMPLES

<u>Final outlet of industry</u>		
<u>Parameters</u>	<u>Results</u>	<u>Norms</u>
pH	7.03	6.5 to 8.5
Colour	20	100
Total Dissolved Solids (TDS)	1974	2100
Suspended Solids (SS)	56	300
Chloride	580	600
Chemical Oxygen Demand (COD)	82	100
Biological Oxygen Demand (BOD)	26	30
****All the parameters in mg/L except pH and Colour		

<u>Common Stack attached to Boiler & TFH (Thermic Fluid Heater) through APCM</u>		
<u>Parameters</u>	<u>Results</u>	<u>Norms</u>
PM (Particulate Matter)	131 mg/NM ³	150 mg/NM ³
SO ₂	15.92 PPM	100 PPM
NO _x	7.91 PPM	50 PPM

[Copy of Analysis Reports are annexed herewith and marked as “Annexure – C”]

(IV) ACTION TAKEN BY THE BOARD:

Based on Inspection Report Show Cause Notice (SCN) Issued to the unit for below mention non-compliance:

- (i) Unit has acquired adjoining plot on rental basis for the storage of coal and not obtained CTE and CCA amendment for the same.

[Copy of SCN is annexed herewith and marked as “Annexure – D”]

CONCLUSION:

Looking at the representations of the complainer and inspection report as well as collected samples analysis reports, no violation/non-compliance observed as per the content of the complainer and unit is found in compliance of CCA issued by this Board.

The Board has published Gazetted Notifications for the use of solid fuels in industrial utilities, and the fire wood was included in the list of approved fuels. The copy of Gazetted Notification published by the Board are annexed herewith and marked as “Annexure – E”.

“We regret for not submit action taken report in time”



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous And Other Waste (Management and Transboundary) Rules, 2016 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application letter no. 183404 dated 16-10-2020 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s. Bajrang Processors Pvt. Ltd.

Plot No: 190, B/H. J.B.Kharwar Dyg. And Ptg. Mills,

Beside Adarsh Chemicals,

Solarpur Comp. Udhna-394210,

Tal: Chorasi, Dist: Surat.

1. Consent Order No. AWH-110258 Date of issue: 08-11-2020.
2. The consents shall be valid upto 30-09-2025 for the use of outlet for the discharge of treated effluent and emission due to operation of industrial plant for manufacturing of the following items/ products:

Sr. No.	Product	Quantity
1	Dyeing & Printing of Grey Cloth	50.000 Meters/Day

Subject to specific condition:

1. Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
2. As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
3. Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
4. Industry shall provide dedicated storage facility for fly ash.
5. Industry shall comply with fly ash notification 1999 as amended from time to time.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1. Source of Water: SMC + Borewell.
- 3.2. The quantity of the fresh water consumption for industrial purpose shall not exceed 700 KL/Day.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 20 KL/Day.

M/s. Bajrang Processors Pvt. Ltd.(ID-20566)

Page 1 of 6

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

- 3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations shall not exceed 500 KL/Day.
- 3.5. The quantity of domestic waste water shall not exceed 12.5 KL/Day.
- 3.6. The applicant shall operate effluent treatment system efficiently so that treated effluent from the industrial unit shall conform to the norms mentioned below.

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40 ^o C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavalent Chromium	0.1 mg/l
BOI (5 days at 20 ^o C)	30 mg/l
COD	100 mg/l
Total Dissolved Solids	2100 mg/l

- 3.7. The final treated effluent shall conform to the above standards shall be discharged into the Surat Municipal Corporation underground drain.
- 3.8. Industry shall provide fixed pipeline with flow meter for the reuse of treated effluent for disposal to SMC and maintain its records.
- 3.9. Domestic effluent shall be disposed off through septic tank/soak pit system.

4. CONDITIONS UNDER THE AIR ACT:

- 4.1. The following shall be used as a fuel in Steam Boiler, TFH respectively.

Sr. No.	Utility	Fuel	Quantity
1	Steam Boiler	Coal/Lignite	8 MT/Day
2	TFH	Coal Lignite	6 MT/Day

- 4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to Steam Boiler, TFH shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control System	Parameters	Permissible Limit
1	Steam Boiler (6 TPH)	30 (Common stack)	Multi Cyclone Separator, Water Scrubber & bag filter	Particulate Matter SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
	TFH (3000 U)		Multi Cyclone Separator, Water Scrubber & bag filter	Particulate Matter SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Industry shall take adequate measure to control dusting due to storage, transportation & handling of Coal/Lignite & fly ash.
- 4.6. Industry shall comply with Coal handling guideline of the Board.
- 4.7. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 4.8. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10meters from the source) other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT
PM 10	100 Microgram/ m ³
PM 2.5	60 Microgram/ m ³
SO ₂	80 Microgram/ m ³
NO _x	80 Microgram/ m ³

- 4.9. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 4.10. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

5. AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

5.1 Authorization order No:- AWH-110258 date of Issue: 08-11-2020.

5.2 M/s. Bajrang Processors Pvt. Ltd. is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Plot No: 190, B/H. J.B.Kharwar Dvg. And Ptg. Mills, Beside Adarsh Chemicals, Solarpur Comp, Udhna-394210, Tal: Chorasi, Dist: Surat.

Sr. No	Waste	Quantity MT/Year	Schedule-I/ Category	Facility
1	Chemical Sludge from waste water treatment	25	35.3	Collection, Storage, Transportation and disposal at GPCB authorized TSDF Site.
2	Used Oil	0.09	5.1	Collection, storage, transportation and disposal by selling to Registered re-refiners.
3	Empty barrels/containers/liners contaminated with hazardous chemicals/wastes	20	33.1	Collection, storage transportation and disposal to authorized decontaminator

Page 3 of 6

M/s. Bajrang Processors Pvt. Ltd.(ID-20566)

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Outward No: 574135/12/2020

- 5.3 The authorization shall be valid up to 30-09-2025.
- 5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.5.2 to the industry having valid CCA of this Board.

6. TERMS AND CONDITIONS OF AUTHORISATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
3. The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
7. It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
8. An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
9. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
10. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
16. In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.
19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
21. Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

7. GENERAL CONDITIONS:-

- 7.1. Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 7.2. Applicant shall also comply with the general conditions given in annexure I.
- 7.3. Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 7.4. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 7.5. The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 7.6. The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 7.7. The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 7.8. In case of change of ownership/management the name and address of the new owners: partners/directors/proprietor should immediately be intimated to the Board.
- 7.9. Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

8. SPECIFIC CONDITIONS:-

- 8.1. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.

M/s. Bajrang Processors Pvt. Ltd.(ID-20566)

Page 5 of 6

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Outward No: 57423/0112/1000

- 8.2. Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 8.3. In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 8.4. The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 8.5. Unit shall comply provisions of E-Waste Management Rules-2016.
- 8.6. The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 8.7. The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding **ninety days**. Prior permission of the Board shall be obtained for extension of the storage period.
- 8.8. The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 8.9. The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

**For and on behalf of
Gujarat Pollution Control Board**



Deputy Chief Environmental Engineer

NO: GPCB/CCA-SRT-887(3)/ID-20566

Date:-

**Issued to:
M/s. Bajrang Processors Pvt. Ltd.
Plot No: 190, B/H. J.B.Kharwar Dyg. And Ptg. Mills,
Beside Adarsh Chemicals,
Solarpur Comp. Udhna-394210,
Tal: Chorasi, Dist: Surat.**

Outward No: 574131, 01/12/2020

M/s. Bajrang Processors Pvt. Ltd.(ID-20566)

Annexure - B
Gujarat Pollution Control Board, Regional Office, Surat
Inspection Report

Name & Address of Unit	M/s. Bajrang Processors Pvt.Ltd (PCB ID-20566) Survey No.190 paiki, Beside Adarsh chemical , Behind J.B. Kharwar Dyg. & Ptg. Mill, Solapur Compound, Udhna, Surat
Reference:	<ul style="list-style-type: none">• H. O. mail date: 16-01-2024 regarding, Hon'ble National Green Tribunal, WZB, Pune vide order dated 2-01-2024 passed in Letter complaint dated 15.12.2023 (LP. No. 73/2023, registered as O. A. No. 03/2024) (Copy attached herewith)• Written complaint of Mr. Pareshbhai Solanki and Mr. Guddubhai (97734 12198) regarding the same (Copy attached herewith)
Date and Time of Visit:	18/11/2023 at 11:00 Hrs.
Visited By:	(1) V. B. Chaudhari (A.E.E.) (2) P. R. Jadav (SSA)
Contacted Person:	Mr. Amit Somani – Director of M/s. Bajrang Processors Pvt.Ltd
Observations :	<ul style="list-style-type: none">• This unit is inspected with reference to unit head Surat mail date: 16-01-2024 regarding Hon'ble National Green Tribunal, WZB, Pune vide order dated 2-01-2024 passed in Letter complaint dated 15.12.2023 (LP. No. 73/2023, registered as O. A. No. 03/2024) of General Secretary All India Forward Block Coordinator against M/s. Bajrang Processors Pvt. Ltd creates Air pollution.• Unit is engaged in “Dyeing & Printing of Grey Cloth – 50,000 Meter/Day” and having valid CCA up to 20/09/2025.• During visit industrial plant is found in operation & Dyeing & Printing process is going on. Unit has two stenters with total seven chambers; during visit all are found in operation.• Source of water supply is from SMC & own bore well. Unit is having NOC of CGWA. Generated industrial w/w is treated in ETP consisting of primary & secondary treatment units. ETP is observed in operation during visit. Treated w/w is partly reused for scrubber while remaining is being discharged in to u/g drainage system of SMC.• One treated w/w sample is collected from final outlet of industry. Unit has provided flow meter on final outlet of ETP which shows reading of 6728.6 m3. Unit has provided ETP operation energy meter and same reading is 11834 KWH is recorded.• Domestic waste water disposed in to soak pit system/septic tank system.• Unit has provided one Steam Boiler (6 TPH) and TFH (3000 U) having common stack. Unit has provided separate sets of MCS, Teema Bag filter & Alkali scrubber as APCM with Boiler and TFH. Steam Boiler, TFH & all APCMs are observed in operation. During inspection ambient air quality is observed normal within premises as well as surrounding area.• Coal is used as fuel in Boiler & TFH through auto fuel firing system. One flue gas sample is collected from comm. stack attached with Boiler & TFH. Reading of the Energy meter provided for APCM is noted as: 36217.8 KWh & CEMS provided at stack for PM is recorded as: PM=40.32 mg/Nm3. During inspection coal is observed in Boiler area. (Photograph attached herewith)• Unit has acquired adjoining plot on rental basis for the storage of coal/lignite and during visit @ 20-25 MT coal/lignite found stored.• During inspection @ 3.0 MT ETP sludge and 20 nos discarded containers found as a stock. Unit is a member of BEIL Ankleshwar for disposal of ETP sludge. Generated discarded containers maximum reuse and sold out to register decontaminator unit. At last, unit has disposed off ETP sludge 11.395 MT on 14-11-2022 at TSDf site of BEIL, Vide Manifest No is 1888908.• Necessary written instruction issued as per written instruction note.

-sd-
P.R.Jadav
(S.S.A.)

-sd-
V. B. Chaudhari
(A.E.E.)

Photographs taken during visit



Coal Storage observed within premises

Annexure - C

ANALYSIS REPORT FOR AIR

TYPE : Stack-Flue Gas

Gujarat Pollution Control Board

Surat

Plot No. 11-12/2,3

GIDC - Pandesara

Surat - 394221

Tele:(0261) 2442696

Sample ID:416089 - Analysis Completion:24/01/2024

Yarn / Textile processing involving any effluent/emission generating processes including bleaching, dyeing, printing and colouring / LAB

Inward : 49943

1. Name & : Bajrang Processors Pvt.Ltd - 20566
2. Address of the Unit : 190,B/H.J.B.KHARWAR DYG. AND PTG. MILLS,BESIDE ADARSH CHEMICALS,SO UDHNA - 394210,Taluka : Chorasi, District : Surat, GIDC : Not In Gide
3. Nature of Sample : REP-Representative/Grab , (Insp Type : OTH-Others/Higher Authority)
4. Sample Collected By : P R JADAV,SSA
5. Date & Time of Collection & Receipt : 18/01/2024, (1115 to 1145)
6. Date of Start & Completion of Analysis : 20/01/2024 & 24/01/2024
7. Sampling Point : Common Stack attached to Boiler and TFH through APCM ~
8. Fuel : Coal
9. APCM : Separate MCS ,Teema Bag filter , Alkali Scrubber
10. Thimble & Weight (gm) : 1/7073
11. Temperature on Collection : 60 & Volume-Absord Media : 50 ml for SO2 and 25 ml for NOx
12. Volume-Gas Passed : PM:546.84 Lit., SO2: 58.8 Lit. & NOx: 1652.41ml
13. Parameters : 3 & Oper Time(Min) : 30 minute

Sr	Parameter	Unit	Test Method	Range of Testing	Result
1	PM-Stack	MG/NM3	IS: 11255 (Part - 1), 1985 (Reaffirmed 1999)	1 - 5000 mg/NM3	131
2	SO2-Stack (PPM)	PPM	IS: 11255 (Part - 2), 1985 (Reaffirmed 2009)	5 - 500 mg/NM3	15.92
3	NOX-Stack	PPM	IS:11255(Part-7), 2005	5 - 500 mg/NM3	7.91

Laboratory Remarks : Freeze By:445-lab_445 Dt.: 30/01/2024

J.D.OZA, Lab Head

Field Observation :



ANALYSIS REPORT FOR
WATER / WASTE WATER SAMPLE

Gujarat Pollution Control Board, Surat
Plot No. 11-12/2,3
GIDC - Pandesara
Surat - 394221
Tele:(0261) 2442696

Sample ID:416085 - Analysis Completion:24/01/2024

Yarn / Textile processing involving any effluent/emission generating processes including bleaching, dyeing, printing and colouring / LAB
Inward : 49935

TEST REPORT

Test Report No. : 49935

Date: 24/01/2024

1. Name of the Customer : Bajrang Processors Pvt.Ltd - 20566
2. Address : 190,B/H.J.B.KHARWAR DYG. AND PTG. MILLS,BESIDE ADARSH CHEMICALS, COMP.,UDHNA
3. Nature of Sample : REP-Representative/Grab, (Insp Type : OTH-Others/Higher Authority)
4. Sample Collected By : P R JADAV,SSA
5. Quantity of Sample Received : @5 lit
6. Code No. of the Sample : 416085
7. Date & Time of Collection & Inwarding : 18/01/2024 , (1105 to 1105) & 19/01/2024
8. Date of Start & Completion of Analysis : 20/01/2024 & 24/01/2024
9. Sampling Point : from final outlet of industry ~
10. Flow Details (Remarks) : yes
11. Mode of Disposal : Into u/g drainage line of SMC
12. Ultimate Receiving Body : WWG -750 KLD (in which Reuse-250 KLD)
13. Temperature on Collection : 30 & pH Range on pH Strip :@ 7 to 8 on pH strip
14. Carboys Nos for : --- & Color & Appearance :light orange
15. Water Consumption & W.W.G (KLPD) : Ind :920.000 , Dom :10.000 & Ind :750.000 , Dom :9.000

Sr	Parameter	Unit	Test Method	Range of Testing	Result
1	Temperature	Centigrade	IS: 3025 (Part – 9) – 1984(Reaffirmed 2006)	Ambient oC - 60 oC	30
2	pH	pH Units	4500 H+ B APHA Standard Methods 23rd edi.2017	1 – 14 pH value As or	7.03
3	Colour	Pt.Co.Sc.	2120 B APHA Standard Methods 23rd edi. 2017	2 - to 99 Hazen & 1-50	20
4	Total Dissolved Solids	mg/l	Gravimetric method. (2540 C APHA Standard Method	10 – 200000 mg/L	1974
5	Suspended Solids	mg/l	Gravimetric method. (2540 D APHA Standard Method	2 – 10000 mg/L	56
6	Chloride	mg/l	Argentometric method. (4500 Cl ⁻ B APHA Standard M	1 - 50000 mg/l	580
7	Sulphate	mg/l	APHA(23rd edi) 4500 SO ₄ E	2-40mg/l	190
8	Chemical Oxygen Demand	mg/l	APHA (23rd Edition)- 5220 B Open Reflux Method-2(5.0- 50000 mg/l	82
9	Oil & Grease	mg/l	Liquid – Liquid Partition Gravimetric method. (5520 B	01 – 1000 mg/l	4.4
10	Phenolic Compounds	mg/l	4 Amino Antipyrrene method without Chloroform Extra	0.1 – 50 mg/l	0.12
11	B.O.D (3 Days 27oC)	mg/l	3 – Day BOD test. (IS 3025 (Part 44) 1993 Reaffirme	05–50000 mg/l	26

Laboratory Remarks : Freeze By:445-lab_445 Dt.: 24/01/2024


J.D.OZA, Lab Head

Field Observation :

Note : 1. * - These parameters are NOT covered under the scope of NABL.

- The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Board in writing.
- The Board is not responsible for the authenticity for the samples not collected by the Board's officials.
- Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
- Permissible Limits: as per Schedule VI of EPA Rules, 1986 as ammended by Second and Third ammendment 1993 for Effluents
- Physicochemical and microbiological parameters, Std.Methods for Water and Waste Water- 23rd Edition by APHA.
- Bioassay test (for toxicity) -IS:6582:Part-2:2001; Reaffirmed 2007.



Gujarat Pollution Control Board

Regional Office-SURAT

IS/ISO-9001:2005, IS/ISO-14001:2005 &
IS/ISO-45001:2018 Certified

Plot No.11-12/2,3, G.I.D.C., Pandesara, Dist.: Surat- 394221.

Phone: (0261) 2891696 Website : www.gpcb.gov.in

XGN website : <http://gpcb.xgn.gujarat.gov.in> E-mail : ro-gpcb-sura@gujarat.gov.in

R.P.A.D.

Show Cause Notice

WHEREAS you M/s. Bajrang Processors Pvt.Ltd are engaged with production of Dyeing & Printing at Survey No. 190 Paiki, Beside Adarsh chemical, Behind J.B. Kharwar Dyg. & Ptg Mill, solapur compound, Udhna, Surat.

WHEREAS, during the inspection it was observed that

- You have acquired adjoined plot on rental bases for the storage of coal and you have not obtained CTE/CCA- Amendment for the same.

In view of the above, you are called upon to show cause within 7 days why legal action should not be initiated against your unit for contravening the provision of the water Act 1974.

**For and on behalf of
Gujarat Pollution Control
Board**

Jigo
(Dr. J. D. Oza)

Regional Officer – Surat

NO: GPCB/RO-SRT/PCB ID-20566/T-362 (A)/12254 /2024 01 FEB 2024

Issued To,

✓ M/s. Bajrang Processors Pvt.Ltd
Survey No. 190 Paiki,
Beside Adarsh chemical,
Behind J.B. Kharwar Dyg. & Ptg Mill,
solapur compound, Udhna, Surat.

Copy to:

✗ Unit Head- Surat, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector
10-A, Gandhinagar – 382010.....for information please



सत्यमेव जयते

The Gujarat Government Gazette

EXTRAORDINARY

PUBLISHED BY AUTHORITY

Vol. LVIII]

FRIDAY, OCTOBER 27, 2017/KARTIKA 5, 1939

Separate paging is given to this Part in order that it may be filed as a Separate Compilation.

PART IV-C

Statutory Rules and Orders (Other than those published in Parts I, I-A and I-L) made by Statutory Authorities other than the Government of Gujarat including those made by the Government of India, the High Courts, the Director of Municipalities, the Commissioner of Police, the Director of Prohibition and Excise, the District Magistrates and the Election Commission, Election Tribunals, Returning Officers and other authorities under the Election Commission.

THE GUJARAT GOVERNMENT GAZETTE EXTRAORDINARY PUBLISHED BY AUTHORITY

THURSDAY, OCTOBER 26, 2017

PART IV-C

GUJARAT POLLUTION CONTROL BOARD NOTIFICATION SECTOR -10A, NEAR AIR FORCE STATION, GANDHINAGAR.

The Gujarat Pollution Control Board in exercise of the powers conferred under clause (d) of Section (2) of the Air (Prevention and Control of Pollution) Act 1981, here by notifies the following fuels as the "APPROVED FUELS" in the state.

- (1) List of "APPROVED FUELS"
 1. Coal
 2. Lignite
 3. Furnace Oil/LDO/LSHS
 4. Motor Gasoline
 5. Diesel
 6. Liquid Petroleum Gas (LPG)
 7. Compressed Natural Gas(CNG)/LNG
 8. Kerosene
 9. Naphtha
 10. Firewood
 11. Bio-gas

12. Agro waste/bio fuel/briquettes
13. RDF, as per provisions of Solid Waste Management Rules-2016.
14. Petcoke
15. Charcoal

(2) Petcoke is hereby notified as "APPROVED FUELS "subject to the following conditions:-

- a) The Sulphur content shall not be more than 7 % in any case/circumstance.
- b) Petcoke shall be permitted in the following projects only:-
 - i. Cement manufacturing in kilns
 - ii. Thermal Power Plant/Captive Power Plant of capacity above 25 MW
(with a condition to mix lime granules in required quantity with Petcoke)
 - iii. Glass manufacturing- up to 25 % of total fuel consumption
 - iv. Refractories manufacturing

(3) For utilization of the above approved fuels, adequate APCM shall be provided by the unit.

(4) CTE/CCA/EC, as the case may be, shall have to be obtained for utilization of these fuels.

(5) The use of Petcoke shall not be permitted in Eco-Sensitive Zone.

**K.C.MISTRY,
MEMBER SECRETARY,
GUJARAT POLLUTION CONTROL BOARD
GANDHINAGAR**