



**HEAD OFFICE**  
**Uttarakhand Pollution Control Board**  
 Gauradevi Paryavaran Bhawan  
 46-B, I.T. Park, Sahastradhara Road,  
 Dehradun (Uttarakhand)

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
 PRINCIPAL BENCH, NEW DELHI**

**Factual and Action Taken Report in compliance of order dated 13.10.2022 passed by the Hon'ble National Green Tribunal, Principal Bench, New Delhi in the matter of O.A. No. 632 of 2022 titled as "V.K. Tyagi Versus State of Uttarakhand.**

**INDEX**

Sr. No.	Description of Documents	Page No(s)
1.	Factual and Action Taken Report	1 - 4
2.	<b>ANNEXURE-1:</b> Inspection Report of Joint Committee along with Annexure- 1 to 6.	5 - 35
3.	<b>ANNEXURE-2:</b> Copy of letter dated 17.01.2023 sent to Managing Director, Uttarakhand Peyjal Nigam, Dehradun.	36 - 36
4.	<b>ANNEXURE-2:</b> Copy of letter dated 17.01.2023 sent to District Magistrate, Haridwar.	37 - 37

**Date:** 09.02.2023

**Place:** Dehradun

*[Handwritten signature]*

*[Handwritten initials]*

**Factual and Action Taken Report**

**In matter of**

**Original Application no. 632/2022**

In matter of:

V.K. Tyagi

.....Applicant

Versus

State of Uttarakhand


...Respondent

**I. BACKGROUND**

1. That the Hon'ble National Green Tribunal, Principal Bench, New Delhi, in matter of O.A. 632/2022, V.K. Tyagi Vs. State of Uttarakhand, in para 3 of the order dated 13.10.22 was pleased to direct as under;

*"..... Accordingly, we constitute a Joint Committee comprising of representative of National Mission for Cleaning Ganga, Government of India, State PCB and District Magistrate, Haridwar and direct the same to meet within four weeks, undertake visits to the sites, look into the grievances of the applicant, associate the applicant and concerned persons who are alleged to have made the encroachments, verify the factual position and submit its report within one month by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF. The State PCB will be the nodal agency for coordination and compliance.*

....."






2. In compliance of the above directions, a joint committee conducted an inspection on 18.11.2022 which comprised of the following was pleased to direct,

- a. Mr. Vijaynath Shukl, Municipal Commissioner, Nagar Nigam, Roorkee.
- b. Mr. Faiz Ullah Khan, Enforcement Co-Ordinator, NMCG, New Delhi.
- c. Mr. Ajay Kumar, Executive Engineer, Jal Sansthan, District-Haridwar.
- d. Mr. Subhash Chand Panwar, Regional Officer, UKPCB, Roorkee.
- e. Dr. Ajit Singh, Assistant Scientific Officer, UKPCB, Roorkee
- f. Mr. Sanjay Kumar, Assistant Municipal Commissioner, Haridwar.
- g. Mr. Sadhu Lal, Sub-Divisional Forest Officer, Roorkee

In this connection true copy of the inspection report dated 24.11.2022 of Joint Committee is being annexed herewith as **ANNEXURE-1**.

## II. OBSERVATION OF THE JOINT COMMITTEE

1. Point 3 and 4 of the report mentions I & D work to be conducted by State level (Nirman Sanstha) Uttarkahand, Payjal Nigam.






2. Point 7 of the report mentions that Executive Engineer, Upper Ganga Canal, Roorkee is informed that Rampur (Roorkee upstream) to Roorkee-Haridwar highway bridge has been allotted via lease (*Patte*) to various farmers. A FIR has been registered at Civil Lines, Roorkee, against the illegal cultivators of region Rampur to Roorkee. That 18 farmers are practicing illegal cultivation and 05 encroachments have been removed.

### III. ACTION TAKEN BY UKPCB

1. Directions have been issued on 17.01.2023 to Uttarakhand Payjal Nigan, Mohini Road, Dehradun through its Managing Director informing him of the order passed by Hon'ble NGT and the Joint Inspection Report dated 24.12.2022 and requiring the Nigam to comply with the orders of Hon'ble NGT and the Joint Inspection report dated 24.12.2022 forthwith and inform UKPCB. A copy of said letter is being annexed as **ANNEXURE-2**.
2. A letter dated 17.01.2023 has been issued to the District Magistrate, Haridwar drawing his attention to the orders of the Hon'ble NGT as well as point number 7 of the report of the Joint Committee dated 24.11.2022 and requesting compliance thereof. A copy of the letter has been annexed as **ANNEXURE-3**.

In this connection it is stated that as on date no compliance report has been received by UKPCB from either Uttarakhand Payjal Nigam or District Magistrate, Haridwar.

\*\*\*\*\*



मा0 नेशनल ग्रीन ट्रिब्यूनल में योजित वाद सं0- 632/2022 श्री वी0के0 त्यागी बनाम उत्तराखण्ड राज्य में पारित आदेश दिनांक 13.10.2022 के अनुपालन में गठित संयुक्त जांच कमेटी की निरीक्षण आख्या:-

उपरोक्त विषयक मा0 नेशनल ग्रीन ट्रिब्यूनल में योजित वाद सं0- 632/2022 श्री वी0के0 त्यागी बनाम उत्तराखण्ड राज्य के सम्बन्ध में पारित आदेश दिनांक 13.10.2022 के अनुक्रम में गठित संयुक्त जांच कमेटी द्वारा 18.11.2022 को सोनाली नदी में भूमि अतिक्रमण एवं अनुपचारित सीवेज छोड़े जाने के सम्बन्ध में निरीक्षण किया गया। निरीक्षण के समय निम्न सदस्य उपस्थित रहे:-

1. श्री विजय नाथ शुक्ल, नगर आयुक्त, नगर निगम, रुड़की।
2. श्री फैज उल्लाह खान, प्रवर्तन समन्वय एन0एम0सी0जी0, नई दिल्ली।
3. श्री अजय कुमार, अधिशासी अभियंता, जल संस्थान, जिला-हरिद्वार।
4. श्री सुभाष चन्द पंवार, क्षेत्रीय अधिकारी (प्र0) उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रुड़की।
5. डा0 अजीत सिंह, सहा0 वैज्ञा0 अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रुड़की।
6. श्री संजय कुमार, सहा0 नगर आयुक्त, रुड़की, हरिद्वार।
7. श्री अनिल सैनी, डिप्टी रेंजर, वन विभाग, रुड़की, जिला-हरिद्वार।

प्रकरण पर शिकायतकर्ता श्री वी0के0 त्यागी, मकान न0-40/80 चाव मंडी, रुड़की को निरीक्षण तिथि में उपस्थित रहने का अनुरोध पत्र पंजीकृत डाक के माध्यम से दिनांक 09.11.2022 को प्रेषित किया गया। साथ ही व्यक्तिगत रूप से भी सम्पर्क किया गया। शिकायतकर्ता न तो आवास पर मिले और न ही निरीक्षण स्थल पर उपस्थित रहे। शिकायतकर्ता द्वारा प्रेषित शिकायती पत्र में अवगत कराया गया कि रुड़की के पास सोनाली नदी में स्थित सरकारी भूमि पर सब्जियां उगाई जा रही हैं तथा रुड़की शहर का सीवेज भी नदी में मिल रहा है, जिस कारण नदी प्रदूषित हो रही है।

संयुक्त कमेटी द्वारा निरीक्षण के समय निम्न तथ्य प्रकाश में आये:-

1. सोनाली नदी रुड़की शहर के पूरब दिशा में बहती है। जिसका उदगम राजाजी नेशनल पार्क से होकर जनपद-हरिद्वार के भगवानपुर एवं रुड़की होते हुए अन्ततः शुक्रताल (उत्तर प्रदेश) होते हुए गंगा नदी में मिलती है। सोनाली नदी के Roorkee Catchment Area में किसी भी प्रकार का औद्योगिक उत्प्रवाह नदी में निस्तारित नहीं किया जाता है।
2. सोनाली नदी के अपस्ट्रीम में रुड़की शहर से 03 कि0मी0 दूरी पर सालियर में रुड़की शहर से जनित घरेलू उत्प्रवाह के शुद्धिकरण हेतु एक सी0एस0टी0पी0 (CSTP) की स्थापना की गयी है, जिसकी क्षमता 33 एम0एल0डी0 है। उक्त सी0एस0टी0पी0 का संचालन व रख-रखाव में 0 के0ई0एस0 कम्पनी द्वारा किया जा रहा है, जिसका सुपरविजन राज्य सरकार की एजेंसी, उत्तराखण्ड जल संस्थान, हरिद्वार डिविजन द्वारा किया जा रहा है। कार्यालय जल संस्थान जगजीतपुर हरिद्वार से प्रेषित पत्र में अवगत कराया गया है कि सालियर एस0टी0पी0 की क्षमता 33 एम0एल0डी0 के सापेक्ष 5 से 6 एम0एल0डी0 उत्प्रवाह का शुद्धिकरण किया जा रहा है। एस0टी0पी0 में सयोजित कुल हाउसहोल्ड की मात्रा 11326 है। जबकि 2415 का सयोजित किया जाना है। जबकि रुड़की शहर के समस्त नालों का एस0टी0पी0 से जोड़ने का कार्य उत्तराखण्ड पेयजल निगम स्तर से किया जाना अपेक्षित है। (उत्तराखण्ड जल संस्थान द्वारा प्रेषित रिपोर्ट संलग्न-01)
3. निरीक्षण के दौरान सी0एस0टी0पी0 संचालित पाया गया। उक्त सी0एस0टी0पी0, एस0बी0आर0 टेक्नोलॉजी पर आधारित है जिसमें वर्तमान समय में 06 एम0एल0डी0 घरेलू उत्प्रवाह को शुद्धिकरण किया जा रहा है। शुद्धिकृत उत्प्रवाह को अन्ततः एक ड्रेन के माध्यम से सोनाली नदी में

Handwritten signatures and initials in blue ink.

निस्तारित किया जाता है। निरीक्षण के समय सी0एस0टी0पी0 के अंतिम उत्प्रवाह का नमूना एकत्र किया गया। जिसकी विश्लेषण आख्या मानकों के अनुरूप पायी गयी। (संलग्नक- 02)।

4. सोनाली नदी में सी0एस0टी0पी0 से जनित शुद्धिकृत उत्प्रवाह मिलने के बाद रुड़की शहर के 07 अन्य ड्रेन सोनाली नदी में मिलते हैं, जो कि क्रमशः घरेलू उत्प्रवाह को Carry करते हैं, जिसका विवरण निम्नवत् है:-

क्रम सं०	ड्रेन का विवरण	घरेलू उत्प्रवाह की मात्रा (एम0एल0डी0)
Drain 1	आदर्श नगर ड्रेन अपर	0.21
Drain 2	आदर्श नगर ड्रेन लोअर	0.13
Drain 3	घोबीघाट ड्रेन	0.23
Drain 4	सोत मोहल्ला ड्रेन	0.41
Drain 5	इमली रोड ड्रेन	0.26
Drain 6	मच्छी मोहल्ला लोअर ड्रेन	0.23
Drain 7	रामपुर चुंगी ड्रेन	3.96

रुड़की शहर से मिलने वाले ड्रेन का विवरण व घरेलू उत्प्रवाह की मात्रा उत्तराखण्ड जल संस्थान हरिद्वार द्वारा किये गये आंकड़ों के अनुसार है, तथा समस्त नालों का आई0एण्ड डी0 कार्य राज्य स्तरीय निर्माण संस्था उत्तराखण्ड पेयजल निगम के स्तर से किया जाना अपेक्षित है।

5. सोनाली नदी के प्रदूषण सम्बन्धी विषयक निरीक्षण के समय सोनाली नदी के निम्न बिन्दुओं पर नमूना एकत्र किया गया। जिसका विश्लेषण Third Party मै0 देवांश टेस्टिंग एण्ड रिसर्च लैबोरेटरी द्वारा किया गया। जिसकी विश्लेषण रिपोर्ट निम्नवत् है:-

क्रम सं०	नमूना एकत्र स्थल का विवरण	प्राप्त नमूनों की विश्लेषण रिपोर्ट							नदी की जल गुणवत्ता की निर्धारित श्रेणी
		pH	BOD	COD	DO	TDS	FC	TC	
1.	सोनाली नदी के अपस्ट्रीम (रुड़की शहर के अपस्ट्रीम)	8.28	3	10	7.2	264.8	40	60	B
2.	सोनाली नदी पर (एस0टी0पी0 आउटलेट के मिलने के बाद)	7.79	8	30	4.5	323.2	90	110	D
3.	सोनाली नदी पर सभी ड्रेन मिलने के बाद	8.26	35	142	1.0	428.2	50	90	D
4.	सोनाली डाउनस्ट्रीम (गांव कुआंखेड़ा)	8.12	3.0	10	7.3	447.8	50	70	B

विस्तृत विश्लेषण रिपोर्ट संलग्न है। (संलग्नक-03)

6. सोनाली नदी के रुड़की, हरिद्वार शहर के लगभग 07 कि०मी० दूरी पर कुवांखेड़ा गांव पर नदी का नमूना एकत्र किया गया। जिसकी विश्लेषण रिपोर्ट 'बी' श्रेणी के अन्तर्गत पायी गयी। अवगत होना चाहें कि सोनाली नदी में कुआंखेड़ा के पूर्व कल्याणपुर नामक स्थल में जनपद-हरिद्वार की अन्य नदी

--2--

*(Handwritten signatures and marks)*


रतमाऊ नदी मिलती है, जिस कारण सोनाली नदी में फ्लो की मात्रा बढ़ जाती है। उक्त बिन्दु पर (कुआखेड़ा) में इस कार्यालय द्वारा प्रति माह जल नमूना एकत्र किया जाता है जिसकी विगत 03 माह की विश्लेषण रिपोर्ट संलग्न है। (संलग्नक- 04)।

7. निरीक्षण के समय पाया गया कि सोनाली नदी विगत वर्षों से मार्ग बदलकर निजि भूमि से होकर गुजर रही है। सोनाली नदी में अतिक्रमण के सम्बन्ध में निरीक्षण में पाया गया कि सोनाली नदी क्षेत्र उत्तर प्रदेश सिचाई विभाग के अधीन है। निरीक्षण के समय उत्तर प्रदेश सिचाई विभाग के प्रतिनिधि उपस्थित नहीं थे यद्यपि उपरोक्त सन्दर्भ में ज्वाइंट मजिस्ट्रेट, रुड़की द्वारा प्रेषित पत्र के प्रतियुत्तर में कार्यालय अधिशासी अभियंता उपरी खण्ड गंगा नहर, रुड़की द्वारा अवगत कराया गया कि रामपुर (रुड़की के अपस्ट्रीम) से रुड़की हरिद्वार राजमार्ग पुल तक कृषकों को कृषि कार्य हेतु पट्टे आवंटित किये गये हैं। आवंटित पट्टों की सूची संलग्न है। (संलग्नक-05)।


रामपुर से रुड़की में सोनाली नदी के मध्य अवैध रूप से कारस्तकारी कर रहे व्यक्तियों के विरुद्ध कोतवाली सिविल लाईन, रुड़की में एफ0आई0आर0 दर्ज की गयी है। यद्यपि वर्तमान तक 18 अवैध रूप से कारस्तकारी कर रहे व्यक्तियों में 05 व्यक्तियों द्वारा अतिक्रमण हटा दिया गया है। (संलग्नक-06)।

रामपुर से रुड़की तक सोनाली नदी क्षेत्र में किसी भी प्रकार की स्थायी संरचनाएँ नहीं हैं।

अतः उपरोक्त प्रकरण पर तथ्यात्मक स्थिति निरीक्षण रिपोर्ट के साथ आपके अवलोकनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रस्तुत है।

  
(साधु लाल)


उप प्रभागीय, वनाधिकारी, रुड़की  
(वन विभाग प्रतिनिधि)

  
(डा० अजीत सिंह)


सहा० वैज्ञानिक अधिकारी  
यू०के०पी०सी०बी०, रुड़की

  
(सुभाष चन्द्र पुरी)

क्षेत्रीय अधिकारी (प्र०)  
यू०के०पी०सी०बी०, रुड़की



(फैज उल्लाह खान)  
पवर्तन समन्वय एन०एम०सी०जी०,  
नई दिल्ली

  
(विजयनारायण शुक्ल)  
नगर आयुक्त,  
नगर निगम, रुड़की

43

संलग्न-०१

कार्यालय, अधिशासी अभियन्ता, अनुरक्षण शाखा(गंगा)  
उत्तराखण्ड जल संस्थान, जगजीतपुर, हरिद्वार।

अति महत्वपूर्ण

सेवा में,

क्षेत्रीय अधिकारी(प्र०)  
उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड,  
सिंचाई परिकल्प भवन परिसर,  
रुड़की।

UK-1120R  
Diary No. 2815  
File No. 12/12/22  
Date 12/12/22

पत्रांक- 1522/ एन०जी०टी०- वाद / 2022-23

दिनांक- 8-12-22

विषय:- मा० नेशनल ग्रीन ट्रिब्यूनल में योजित वाद संख्या-632/2022 प्रकरण पर रुड़की शहर में  
स्थापित सी०एस०टी०पी० व ड्रेन के संबंध में वांछित सूचना।


महोदय,

उपरोक्त विषयक अपने कार्यालय पत्रांक- यू०के०पी०सी०बी०/आर०ओ०आर०/सा०-147(42)/2022/1151,  
दिनांक-22.11.2022 का संदर्भ ग्रहण करेंगे, जिसमें रुड़की में सोनाली नदी के प्रकरण प्रदूषण व अतिक्रमण संबंधी  
प्रकरण, जो कि मा० एन०जी०टी० में मूल आवेदन संख्या- 632/2022, वी०के० त्यागी बनाम उत्तराखण्ड राज्य व अन्य  
में विचारधीन है, जिस पर मा० एन०जी०टी० द्वारा दिनांक-13.10.2022 के आदेश में गठित समिति द्वारा स्थलीय  
निरीक्षण में इस विभाग से विभिन्न सूचना मांगी गयी है। वांछित सूचना बिंदुवार निम्नवत है-

1. सालियर एस०टी०पी० की क्षमता 33.00 एम०एल०डी० व वर्तमान में उत्प्रवाह के शुद्धिकरण की मात्रा 5 से 6 एम०एल०डी० है।(सुलभ संदर्भ हेतु फ्लो-चार्ट संलग्न।)
2. एस०टी०पी० में संयोजित कुल हाउसहोल्ड की संख्या-11326 है एवं अवशेष हाउसहोल्ड की संख्या-2415 है।
3. रुड़की क्षेत्र में सीवर लाईन, पम्पिंग स्टेशन एवं एस०टी०पी० का निर्माण कार्य परियोजना प्रबन्धक, पी०आई०यू०, उत्तराखण्ड पेयजल निगम, रुड़की द्वारा ए०डी०बी० वित्त सहायतित योजनान्तर्गत किया जा रहा है। उक्त सीवर नेटवर्क का रख-रखाव दिनांक 01-11-2022 से उत्तराखण्ड जल संस्थान द्वारा किया जा रहा है। परियोजना प्रबन्धक, पी०आई०यू० द्वारा मात्र सीवर लाईने बिछायी गयी है, रुड़की क्षेत्र के नालो को एस०टी०पी० में जेड़ने का कार्य कार्यदायी संस्था द्वारा नहीं किया गया है। रुड़की क्षेत्र के समस्त नालो का आई० एण्ड डी० कार्य राज्य स्तरीय निर्माण संस्था उत्तराखण्ड पेयजल निगम के स्तर से किया जाना अपेक्षित है। सीवरेज योजना का संचालन एवं अनुरक्षण का कार्य इस शाखा के दायित्व क्षेत्र में निहित है।
4. बिन्दु सं- 03 के अनुसार।
5. रुड़की शहर से सोनाली नदी में मिलने वाले ड्रेन्स का विवरण एवं उत्प्रवाह दिनांक 29-11-2022 को किये गये निरीक्षण के अनुसार निम्नवत है-
  - (क) आदर्श नगर ड्रेन अपर- 0.21 एम०एल०डी०।
  - (ख) आदर्श नगर ड्रेन लोअर- 0.13 एम०एल०डी०।
  - (ग) धोबीघाट ड्रेन- 0.23 एम०एल०डी०।
  - (घ) सोत मोहल्ला ड्रेन- 0.41 एम०एल०डी०।
  - (ङ) इमली रोड ड्रेन- 0.26 एम०एल०डी०।
  - (च) मच्छी मोहल्ला लोअर ड्रेन- 0.23 एम०एल०डी०।
  - (छ) रामपुर चुंगी ड्रेन- 3.96 एम०एल०डी०।

अतः उपरोक्तानुसार वांछित सूचना संलग्न कर आपको अग्रिम कार्यवाही हेतु प्रेषित किया जा रहा है।

भवदीय



(अजय कुमार)

अधिशासी अभियन्ता

पृष्ठांकन संख्या एवं दिनांक तदैव।

प्रतिलिपि-निम्नलिखित को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. संयुक्त सचिव महोदय, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, देहरादून।
2. जिलाधिकारी महोदय, हरिद्वार।
3. महाप्रबंधक (मु0), उत्तराखण्ड जल संस्थान, जल भवन, नेहरू कॉलोनी, देहरादून को सादर सूचनार्थ।
4. संयुक्त मजिस्ट्रेट, रुड़की, हरिद्वार।
5. अधीक्षण अभियन्ता, उत्तराखण्ड जल संस्थान, पंतद्वीप हरिद्वार।

अधिशाली अभियन्ता



कार्यालय, अधिशासी अभियन्ता, अनुरक्षण शाखा(गंगा)  
उत्तराखण्ड जल संस्थान, जगजीतपुर, हरिद्वार।



पत्रांक 1203 / कार्यालय आदेश / योजना हस्ता / 2022-23 दिनांक 18/10/2022  
कार्यालय ज्ञाप

अपर मुख्य सचिव/अवस्थापना विकास आयुक्त, उत्तराखण्ड शासन, देहरादून के पत्रांक 48481 IV(2)श0वि0-22-07(ADB)/11,टी0सी0, दिनांक 08-07-2022 द्वारा अपर मुख्य सचिव/अवस्थापना विकास आयुक्त की अध्यक्षता में दिनांक 22-06-2022 को आहूत बैठक में दिये गये निर्देशों के अनुपालन में, परियोजना प्रबन्धक, पी0आई0यू0-यूनिट, रुड़की(यू0यू0एस0डी0ए0) के कार्यालय पत्रांक 1189/जनरल वर्क, दिनांक 27-07-2022 एवं उत्तराखण्ड जल संस्थान व पी0आई0यू0-रुड़की के अभियन्ताओं द्वारा दिनांक 24-08-2022, 26-08-2022 एवं 27-08-2022 को रुड़की नगर में ए0डी0वी0 वित्त पोषित परियोजनाओं के अन्तर्गत निर्मित परिसम्पत्तियों का निम्न विवरणानुसार दिनांक 18-10-2022 की अपरान्ह से अधिग्रहण किया जाता है।

क्र०सं०	कार्य का नाम	विवरण	टिप्पणी
1	पैकेज संख्या- WWM01R.K	22.169 कि०मी० सीवर लाईन	-
2	पैकेज संख्या- WWM02R.K	33 एम०एल०डी० एस०टी०पी० सालियर, गणेशपुर एस०पी०एस० एवं माहिग्रान एस०पी०एस०(सिविल इस्ट्रक्चर, पम्पिंग प्लान्ट, मशीनरी आदि)	अनुरक्षण एवं संचालन अनुबन्ध 04/2024 तक
2	पैकेज संख्या- WWM03R.K	36.57 कि०मी० सीवर लाईन	-
3	पैकेज संख्या- WWM04R.K	21.9 कि०मी० सीवर लाईन	-
4	पैकेज संख्या- SRK-03	4229 मीटर सीवर लाईन एवं 11431 सीवर संयोजन	-

नोट-

- कार्यों के साथ कोई भी कर्मचारी(निश्चित/कार्य प्रभारित/संविदा/दैनिक वेतन भोगी) हस्तगत नहीं किया जायेगा।
- 33 एम०एल०डी० एस०टी०पी०, सालियर के दिनांक 31-10-2022 तक अनुरक्षण एवं संचालन का भुगतान अनुबन्धित फर्म को परियोजना प्रबन्धक, पी0आई0यू0-यूनिट, रुड़की द्वारा किया जायेगा। दिनांक 01-11-2022 से उत्तराखण्ड जल संस्थान द्वारा किया जायेगा।
- ए0डी0वी0 द्वारा वित्त पोषित निर्मित योजना का सुचारु संचालन हेतु इस कार्यालय के पत्रांक 1196, दिनांक 18-10-2022 द्वारा रु० 499.67 लाख का प्राक्कलन मुख्यालय को प्रेषित किया गया है। धनावदन के पश्चात संयोजन योजना के सुचारु संचालन हेतु मरम्मत प्रवृत्ति के निर्माण कार्यों का सम्पादन किया जायेगा।
- आवश्यक सामग्री एवं टी० एण्ड पी० सम्बन्धित अपर सहायक अभियन्ता को प्राप्त करानी होगी।
- आगामी छः माह तक योजनाओं के प्रतिग्रस्त होने की स्थिति में कार्यदायी संस्था द्वारा मरम्मत करायी जायेगी।

संलग्नक-यथापरि।

(अजय कुमार)  
अधिशासी अभियन्ता

पृष्ठांक संख्या एवं दिनांक तदैव।

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- कार्यक्रम निदेशक महोदय, यू.यू.एस.डी.ए. 777 सार्विक टवर, राजेन्द्र नगर, देहरादून।
- मुख्य महाप्रबन्धक महोदय, उत्तराखण्ड जल संस्थान, जल भवन नेहरू कालोनी, देहरादून।
- महाप्रबन्धक(गु०), उत्तराखण्ड जल संस्थान, जल भवन नेहरू कालोनी, देहरादून।
- अधीक्षण अभियन्ता, उत्तराखण्ड जल संस्थान, हरिद्वार।
- परियोजना प्रबन्धक, पी0आई0यू0-यूनिट, यू.यू.एस.डी.ए. रुड़की को हस्तान्तरण प्रपत्र की एक प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित।
- सहायक अभियन्ता/अपर सहायक अभियन्ता(गंगा), उत्तराखण्ड जल संस्थान, रुड़की।
- मण्डलीय लेखाकार(गंगा), उत्तराखण्ड जल संस्थान, हरिद्वार।
- प्रबन्धक, सैनर्स, पी0आई0यू0, रुड़की नगर, सालियर रुड़की।
- हस्तान्तरण पत्रावली।

(अजय कुमार)  
अधिशासी अभियन्ता



Office of the Program Director

Uttarakhand Urban Sector Development Agency

(Urban Development Department, Government of Uttarakhand)

Address: - 777, Saatvik Tower, Kaulagarh Road, Rajender Nagar, Dehradun

Telephone +91-135-2753894, Tele-fax +91-135-2754895. Email: uUSDIP@gmail.com

उत्तराखण्ड सरकार

दिनांक 17.11.2022

पत्रांक: यू0यू0एस0डी0ए0/A-44b/1219

सेवा में,

जिलाधिकारी,  
हरिद्वार।

विषय: यू0यू0एस0डी0ए0 द्वारा संचालित पी0आई0यू0-रूडकी कार्यालय बन्द किये जाने के सम्बन्ध में।

महोदय,

अवगत कराना है कि बाह्य सहायित कार्यक्रम (ADB) के अन्तर्गत रूडकी में संचालित पेयजल एवं सीवरेज योजनाओं के क्रियान्वयन हेतु यू0यू0एस0डी0ए0 द्वारा पी0आई0यू0-रूडकी का गठन किया गया। अपर मुख्य सचिव/अवस्थापना विकास आयुक्त, उत्तराखण्ड शासन, देहरादून के पत्रांक-48481/IV(2)-शा0वि0-07(ए0डी0बी0)11 टी0सी0 दिनांक 08.07.2022 के अनुपालन में पी0आई0यू0-रूडकी द्वारा सम्पादित सभी सीवरेज योजनाओं को अधिशासी अभियन्ता, अनुरक्षण शाखा (गंगा), उत्तराखण्ड जल संस्थान, जगजीतपुर, हरिद्वार के कार्यालय ज्ञाप संख्या-1203/कार्या0 आदेश/योजना हस्ता0/2022-23 दिनांक 18.10.2022 द्वारा हस्तांतरित की गयी है, सुलभ संदर्भ हेतु पत्र की प्रति संलग्न। कार्य हस्तांतरण होने के उपरान्त पी0आई0यू0-रूडकी में कार्यरत समस्त अधिकारी/कर्मचारियों की अन्वत्र तैनात की जा चुकी है। अवगतनीय है कि सभी योजनायें उत्तराखण्ड जल संस्थान को हस्तांतरित कर दी गयी हैं, जिस कारण भविष्य में योजनाओं के संचालन से सम्बन्धित पत्राचार एवं आवश्यक कार्यवाही उत्तराखण्ड जल संस्थान के स्तर से सम्पन्न होंगी।

अतः सूचना प्रेषित है।

भवदीय,

(विनय मिश्रा)

अपर कार्यक्रम निदेशक (त0)


प्रतिलिपि: निम्नलिखित को सूचनार्थ प्रेषित।


1. कार्यक्रम निदेशक, यू0यू0एस0डी0ए0 को सादर सूचनार्थ प्रेषित।
2. वरिष्ठ पुलिस अधीक्षक, हरिद्वार।
3. मुख्य विकास अधिकारी, हरिद्वार को सादर सूचनार्थ।
4. संयुक्त मजिस्ट्रेट तहसील रूडकी को
5. नगर आयुक्त, नगर निगम, रूडकी।
6. असिस्टेंट कमिश्नर, वाणिज्य कर विभाग, रूडकी।
7. जिला अर्थ एवं संख्या अधिकारी, हरिद्वार।
8. मुख्य अभियन्ता, सिंचाई विभाग, रूडकी।
9. अधीक्षण अभियन्ता, उत्तराखण्ड जल संस्थान, हरिद्वार।
10. अधिशासी अभियन्ता, अनुरक्षण शाखा (गंगा), उत्तराखण्ड जल संस्थान, जगजीतपुर, हरिद्वार।
11. अधिशासी अभियन्ता, उत्तराखण्ड पेयजल निगम (अमृत), रूडकी।
12. अधिशासी अभियन्ता, सिंचाई विभाग, रूडकी।
13. क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रूडकी।
14. मुख्य पोस्ट मास्टर, पोस्ट ऑफिस, रूडकी।

47

दिनांक 29-11-2022 को निरीक्षण के दौरान रुड़की शहर से सोनाली नदी में मिलने वाले ड्रेन्स का विवरण एवं उत्प्रवाह निम्नवत है।

- (क) आदर्श नगर ड्रेन अपर- 0.21 एम0एल0डी0।  
(ख) आदर्श नगर ड्रेन लोअर- 0.13 एम0एल0डी0।  
(ग) धोबीघाट ड्रेन- 0.23 एम0एल0डी0।  
(घ) सोत मोहल्ला ड्रेन- 0.41 एम0एल0डी0।  
(ङ) इमली रोड ड्रेन- 0.26 एम0एल0डी0।  
(च) मच्छी मोहल्ला लोअर ड्रेन- 0.23 एम0एल0डी0।  
(छ) रामपुर चुंगी ड्रेन- 3.96 एम0एल0डी0।

  
(रामपुर चुंगी)

  
(जुनेद गौड़)  
अपर सहायक अभियन्ता  
रुड़की।

Handwritten: 48

13

48



# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report



94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org

TC-6467  
DRUG LICENCE No. : 1/UA/CTL/2010

Govt. Approved Test House

Sample : 33 MLD STP OUTLET WATER  
 Customer Name : Uttarakhand Pollution Control Board  
 Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
 Roorkee

ULR No. : TC646722600003443F  
 Report No. : DTRLES-191122003  
 Your Ref. : 18/11/2022  
 Sample Qty. : 1 Litre  
 Date of Receipt : 19/11/2022  
 Sampling Procedure : DTRL-SOP-QCC-160

Date of Sampling : 18/11/2022

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

Description : One 33 MLD STP outlet Saliyar water sample was collected by UKPCB officials Dr. Shahida Parveen JRF and Mr. Rahul Negi JLA on 18-11-2022

S.No.	Test Parameters	Results	Test Method
	(I) Chemical Testing (i) - Pollution and Environment		
1.	pH	7.46	APHA 4500 H+B
2.	Total suspended Solids	15 mg/L	APHA 2540 D
3.	Chemical Oxygen Demand	68.2 mg/L	APHA 5220 B
4.	Biochemical Oxygen Demand (for 5 days at 20°C)	14 mg/L	APHA 5210-B
5.	Ammonical Nitrogen (as NH3-N)	5.6 mg/L	APHA 4500 NH3 C
6.	Total Phosphate (as PO4)	1.3 mg/L	APHA 4500 P,D
	(II) Biological Testing (i) Water		
7.	Fecal Coliforms	80 MPN/100ml	IS:1622:1981

Date of Completion : 26/11/2022

Note: Party has asked for the above test only.

05/12/2022  
DATE OF ISSUE

REVIEWED BY

ISSUED BY

- NOTE:
- 1-Sample(s) not drawn by us unless otherwise stated.
  - 2-Total liability of our analytical division is limited to the invoiced amount.
  - 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified
  - 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
  - 5-Result given in report are related to sample tested only.

Page : 1 of 1



Arvind Kharky, JI  
Authorised Signatory  
Devansh Testing and Research Laboratory Pvt. Ltd.



Govt. Approved Test House

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshori Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvttd@gmail.com, Website : www.dtrlab.org



TC-6467  
 DRUG LICENCE No. : 1/UA/CTL/2010

Sample : SURFACE WATER

ULR No. : TC646722600003445F

Customer Name : Uttarakhand Pollution Control Board

Report No. : DTRLES-191122004/A

Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
Roorkee

Your Ref. : 18/11/2022

Sampling Location : River Solani-Saliyar

Sample Qty. : 1 Litre

Date of Sampling : 18/11/2022

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

Description : One Surface water river solani -Saliyar was collected UKPCB officials Dr.Shahida parveen JRF and Mr Rahul Negi JLA on 18-11-2022.

S.No.	Test Parameters	Results	Test Method
1.	Electrical Conductivity	441.5 $\mu$ s/cm	IS :3025(P-14)
2.	Colour	0.6 Hazen	IS :3025(P-4)
3.	Odour	Odourless	IS :3025(P-5)
4.	Dissolved Oxygen	7.2 mg/L	IS :3025(P-38)
5.	SAR	1.84	IS :11624
6.	pH	8.28	IS :3025(P-11)
7.	Total Dissolved solids	264.8 mg/L	IS :3025(P-16)
8.	Total Hardness	231 mg/L	IS :3025(P-21)
9.	Chloride	24 mg/L	IS :3025(P-32)
10.	Sulphates	7.4 mg/L	IS :3025(P-24)
11.	Nitrate as NO <sub>3</sub>	6.8 mg/L	IS :3025(P-34)
12.	Fluoride (as F)	1.8 mg/L	APHA 4500 23rd F-B,D 23rd Edition
13.	Total Alkalinity	214.2 mg/L	IS :3025 (P-23)
14.	Bio Chemical Oxygen Demand(For 3 days at 27°C)	3 mg/L	IS :3025 (P-44,2019)
15.	Calcium Hardness	154 mg/L	IS :3025 (P-40)

Date of Completion : 26/11/2022

05/12/2022

DATE OF ISSUE

REVIEWED BY

ISSUED BY

#### NOTE:

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.

Page : 1 of 2



Arvind Kharkwal

Authorised Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.



Govt. Approved Test House

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtriplvtltd@gmail.com, Website : www.dtrilab.org



TC-6467  
 DRUG LICENCE No. : 1/UA/CTL/2010

Sample : SURFACE WATER

Customer Name : Uttarakhand Pollution Control Board  
 Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
 Roorkee

Sampling Location : River Solani-Saliyar  
 Date of Sampling : 18/11/2022

ULR No. : TC646722600003445F

Report No. : DTRLES-191122004/A

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
16.	Magnesium Hardness	77 mg/L	IS :3025 (P-46)
17.	Fecal Coliforms	40 MPN /100ml	IS 1622
18.	Fecal Streptococcus	35 MPN /100ml	IS 1622
19.	Total Coliforms	60 MPN /100ml	IS 1622

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

ISSUED BY

#### NOTE:

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.

Page : 2 of 2



Arvind Kharkwal

Authorised Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.

51



# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL\*/2010

Sample : SURFACE WATER

Customer Name : Uttarakhand Pollution Control Board  
 Customer : (Irrigation Design Building Campus) Roorkee(U.K)  
 Address : Roorkee

Report No. : DTRL-191122004/N

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Sampling Location : River Solani-Saliyar

Date of Sampling : 18/11/2022

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
1.	Temperature	22.3°C	APHA 2550 23rd Edn -B
2.	Phosphate	0.8 mg/L	IS :3025(P-31)
3.	Nitrite	3.2 mg/L	APHA 4500 23rd Edn. NO2-B
4.	Sodium	10 mg/L	APHA 3500 23rd Edn. Na-B
5.	Potassium	6.5 mg/L	APHA 3500 23rd Edn. K-B
6.	Chemical Oxygen Demand	10 mg/L	IS 3025 (P-58)

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

ISSUED BY

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.

Page : 1 of 1

Arvind Kharkwal

Authorized Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.

52



# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report



94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org

TC-6467

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL/2010

Sample : SURFACE WATER

ULR No. : TC64672260003446F

Customer Name : Uttarakhand Pollution Control Board

Report No. : DTRLES-191122006/A

Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
Roorkee

Your Ref. : 18/11/2022

Sampling Location : River Solani after Confluence of STP drain, at

Sample Qty. : 1 Litre

Date of Sampling : 18/11/2022

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

Description : One Surface water river solani D/S river sonali after Confluence of STP drain, at Village-Ibrahimpur was collected UKPCB officials Dr. Shahida parveen JRF and Mr Rahul Negi JLA on 18-11-2022.

S.No.	Test Parameters	Results	Test Method
1.	Electrical Conductivity	538.5 $\mu$ s/cm	IS :3025(P-14)
2.	Colour	0.7 Hazen	IS :3025(P-4)
3.	Odour	Odourless	IS :3025(P-5)
4.	Dissolved Oxygen	4.5 mg/L	IS :3025(P-38)
5.	SAR	1.56	IS :11624
6.	pH	7.79	IS :3025(P-11)
7.	Total Dissolved solids	323.2 mg/L	IS :3025(P-16)
8.	Total Hardness	236.3 mg/L	IS :3025(P-21)
9.	Chloride	38 mg/L	IS :3025(P-32)
10.	Sulphates	9.3 mg/L	IS :3025(P-24)
11.	Nitrate as NO <sub>3</sub>	7.4 mg/L	IS :3025(P-34)
12.	Fluoride (as F)	2.1 mg/L	APHA 4500 23rd F-B,D 23rd Edition
13.	Total Alkalinity	224.4 mg/L	IS :3025 (P-23)
14.	Bio Chemical Oxygen Demand(For 3 days at 27°C)	8 mg/L	IS :3025 (P-44,2019)

Date of Completion : 26/11/2022

05/12/2022  
DATE OF ISSUE
  
REVIEWED BY

  
ISSUED BY

## NOTE:

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.

Page : 1 of 2



Arvind Kharkwal  
 Authorised Signatory  
 Devansh Testing and Research Laboratory Pvt. Ltd

53

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org



TC-6467

DRUG LICENCE No. : 1/UA/CTL\*/2010

Govt. Approved Test House

Sample : SURFACE WATER

ULR No. : TC646722600003446F

Customer Name : Uttarakhand Pollution Control Board

Report No. : DTRLES-191122006/A

Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
Roorkee

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Sampling Location : River Solani after Confluence of STP drain, at

Date of Receipt : 19/11/2022

Date of Sampling : 18/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
15.	Calcium Hardness	157.7 mg/L	IS :3025 (P-40)
16.	Magnesium Hardness	78.6 mg/L	IS :3025 (P-46)
17.	Fecal Coliforms	90 MPN /100ml	IS 1622
18.	Fecal Streptococcus	40 MPN /100ml	IS 1622
19.	Total Coliforms	110 MPN /100ml	IS 1622

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022

DATE OF ISSUE

REVIEWED BY

ISSUED BY

## NOTE:

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.

Page : 2 of 2

Arvind Kharkwal

Authorised Signatory

Testing and Research Laboratory Pvt. Ltd.



# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvttd@gmail.com, Website : www.dtrlab.org

DRUG LICENCE No. : 1/UA/CTL/2010

Govt. Approved Test House

Sample : SURFACE WATER

Customer Name : Uttarakhand Pollution Control Board  
 Customer : (Irrigation Design Building Campus) Roorkee(U.K)  
 Address : Roorkee

Report No. : DTRLES-191122006/N

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Sampling Location : River Solani after Confluence of STP drain,at

Date of Sampling : 18/11/2022

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
1.	Temperature	22.4°C	APHA 2550 23rd Edn -B
2.	Phosphate	0.82 mg/L	IS :3025(P-31)
3.	Nitrite	3.4 mg/L	APHA 4500 23rd Edn. NO2-B
4.	Sodium	8.5 mg/L	APHA 3500 23rd Edn. Na-B
5.	Potassium	3.2 mg/L	APHA 3500 23rd Edn. K-B
6.	Chemical Oxygen Demand	30 mg/L	IS 3025(P-58)

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022

DATE OF ISSUE

REVIEWED BY

Page : 1 of 1

ISSUED BY

Arvind Kharkwal

Authorised Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.



# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtripltd@gmail.com, Website : www.dtrlab.org



TC-6467

DRUG LICENCE No. : 1/UA/CTL\*/2010

Govt. Approved Test House

Sample : SURFACE WATER  
 Customer Name : Uttarakhand Pollution Control Board  
 Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
 Roorkee  
 Sampling Location : D/S River Solani Near Adarsh Nagar  
 Date of Sampling : 18/11/2022  
 ULR No. : TC646722600003444F  
 Report No. : DTRLES-191122005/A  
 Your Ref. : 18/11/2022  
 Sample Qty. : 1 Litre  
 Date of Receipt : 19/11/2022  
 Sampling Procedure : DTRL-SOP-QCC-160  
 Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

Description : One Surface water river solani D/S river solani near adarsh nagar was collected UKPCB officials Dr. Shahida parveen JRF and Mr Rahul Negi JLA on 18-11-2022.

S.No.	Test Parameters	Results	Test Method
1.	Electrical Conductivity	713.6 $\mu$ s/cm	IS :3025(P-14)
2.	Colour	0.6 Hazen	IS :3025(P-4)
3.	Odour	Odourless	IS :3025(P-5)
4.	Dissolved Oxygen	1.0 mg/L	IS :3025(P-38)
5.	SAR	1.4	IS :11624
6.	pH	8.26	IS :3025(P-11)
7.	Total Dissolved solids	428.2 mg/L	IS :3025(P-16)
8.	Total Hardness	278.3 mg/L	IS :3025(P-21)
9.	Chloride	42 mg/L	IS :3025(P-32)
10.	Sulphates	17 mg/L	IS :3025(P-24)
11.	Nitrate as NO <sub>3</sub>	11.5 mg/L	IS :3025(P-34)
12.	Fluoride (as F)	3.2 mg/L	APHA 4500 23rd F-B,D 23rd Edition
13.	Total Alkalinity	306 mg/L	IS :3025 (P-23)
14.	Bio Chemical Oxygen Demand(For 3 days at 27°C)	35 mg/L	IS :3025 (P-44,2019)
15.	Calcium Hardness	185.7 mg/L	IS :3025 (P-40)

Date of Completion : 26/11/2022

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

ISSUED BY

Page : 1 of 2

Arvind Kharkwai

Authorised Signatory  
 Testing and Research Laboratory Pvt. Ltd.

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.



56



# Devansh Testing & Research Laboratory Pvt. Ltd

## Test Report



94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org

TC-6467

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL\*/2010

Sample : SURFACE WATER

ULR No. : TC646722600003444F

Customer Name : Uttarakhand Pollution Control Board

Report No. : DTRLES-191122005/A

Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
 Roorkee

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Sampling Location : D/S River Solani Near Adarsh Nagar

Date of Receipt : 19/11/2022

Date of Sampling : 18/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
16.	Magnesium Hardness	92.6 mg/L	IS :3025 (P-46)
17.	Fecal Coliforms	50 MPN /100ml	IS 1622
18.	Fecal Streptococcus	30 MPN /100ml	IS 1622
19.	Total Coliforms	90 MPN /100ml	IS 1622

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

ISSUED BY

Page : 2 of 2

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.



Arvind Kharkwal  
 Authorised Signatory  
 Devansh Testing and Research Laboratory Pvt. Ltd

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshari Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL\*/2010

Sample : SURFACE WATER

Customer Name : Uttarakhand Pollution Control Board  
 Customer Address : (Irrigation Design Building Campus) Roorkee(U.K)  
 Roorkee

Report No. : DTRLES-191122005/N

Your Ref. : 18/11/2022

Sample Qty. : 1 Litre

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Sampling Location : D/S River Solani Near Adarsh Nagar

Date of Sampling : 18/11/2022

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
1.	Temperature	22.2°C	APHA 2550 23rd Edn -B
2.	Phosphate	1 mg/L	IS :3025(P-31)
3.	Nitrite	4.8 mg/L	APHA 4500 23rd Edn. NO2-B
4.	Sodium	6.5 mg/L	APHA 3500 23rd Edn. Na-B
5.	Potassium	2.4 mg/L	APHA 3500 23rd Edn. K-B
6.	Chemical Oxygen Demand	142 mg/L	IS 3025(P-58)

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

Page : 1 of 1

ISSUED BY

Arvind Kharkwal

Authorised Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.



## Test Report

94, Shiv Ganga Industrial Estate, Lakeshori Bhagwanpur, Roorkee - 247661 (UK)  
Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org



TC-6467

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL/2010

Sample : SURFACE WATER (Solani River)      ULR No. : TC646722600003447F  
Customer Name : Uttarakhand Pollution Control Board      Report No. : DTRLES-191122007/A  
Customer : (Irrigation Design Building Campus) Roorkee(U.K)      Your Ref. : 19/11/2022  
Address : Roorkee      Sample Qty. : 1 Litre  
Sampling Location : U/S of Village Kuan Khara      Date of Receipt : 19/11/2022  
Date of Sampling : 19/11/2022      Sampling Procedure : DTRL-SOP-QCC-160  
Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

Description : One Surface water river sonali U/S of Village Kuan Khara was collected UKPCB officials Dr. Shahida parveen JRF and Mr Rahul Negi JLA on 19/11/2022.

S.No.	Test Parameters	Results	Test Method
1.	Electrical Conductivity	746.2s/cm	IS :3025(P-14)
2.	Colour	Colourless	IS :3025(P-4)
3.	Odour	Odourless	IS :3025(P-5)
4.	Dissolved Oxygen	7.3mg/L	IS :3025(P-38)
5.	SAR	2.24	IS :11624
6.	pH	8.12	IS :3025(P-11)
7.	Total Dissolved solids	447.8 mg/L	IS :3025(P-16)
8.	Total Hardness	267.8 mg/L	IS :3025(P-21)
9.	Chloride	34 mg/L	IS :3025(P-32)
10.	Sulphates	13.0 mg/L	IS :3025(P-24)
11.	Nitrate as NO3	8.8 mg/L	IS :3025(P-34)
12.	Fluoride (as F)	1.9 mg/L	APHA 4500 23rd F-B,D 23rd Edition
13.	Total Alkalinity	249 mg/L	IS :3025 (P-23)
14.	Bio Chemical Oxygen Demand(For 3 days at 27°C)	3.0 mg/L	IS :3025 (P-44,2019)
15.	Calcium Hardness	162.7 mg/L	IS :3025 (P-40)

Date of Completion : 26/11/2022

05/12/2022  
DATE OF ISSUE

REVIEWED BY

ISSUED BY

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.

Page : 1 of 2

Arvind Kharkwal

Authorised Signatory  
Devansh Testing and Research Laboratory Pvt. Ltd.

59

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshori Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtrlpvtltd@gmail.com, Website : www.dtrlab.org



TC-6467

DRUG LICENCE No. : 1/UA/CTL\*/2010

Govt. Approved Test House

Sample : SURFACE WATER (Solani River) ULR No. : TC646722600003447F  
 Customer Name : Uttarakhand Pollution Control Board Report No. : DTRLES-191122007/A  
 Customer : (Irrigation Design Building Campus) Roorkee(U.K) Your Ref. : 19/11/2022  
 Address : Roorkee Sample Qty. : 1 Litre  
 Sampling Location : U/S of Village Kuan Khera Date of Receipt : 19/11/2022  
 Date of Sampling : 19/11/2022 Sampling Procedure : DTRL-SOP-QCC-160


Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
16.	Magnesium Hardness	105.1 mg/L	IS :3025 (P-46)
17.	Fecal Coliforms	50 MPN /100ml	IS 1622
18.	Fecal Streptococcus	40 MPN /100ml	IS 1622
19.	Total Coliforms	70 MPN /100ml	IS 1622

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
DATE OF ISSUE
  
 REVIEWED BY

  
 ISSUED BY

## NOTE:

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.

Page : 2 of 2



Arvind Kharkwal  
 Authorised Signatory  
 Devansh Testing and Research Laboratory Pvt. Ltd.

# Devansh Testing & Research Laboratory Pvt. Ltd.

## Test Report

94, Shiv Ganga Industrial Estate, Lakeshori Bhagwanpur, Roorkee - 247661 (UK)  
 Contact No. : 01332-235415, 7060134448, E-mail : dtriplvtltd@gmail.com, Website : www.dtrlab.org

Govt. Approved Test House

DRUG LICENCE No. : 1/UA/CTL\*/2010

Sample : SURFACE WATER (Solani River)

Customer Name : Uttarakhand Pollution Control Board  
 Customer : (Irrigation Design Building Campus) Roorkee(U.K)  
 Address : Roorkee

Report No. : DTRLES-191122007/N

Your Ref. : 19/11/2022

Sample Qty. : 1 Litre

Date of Receipt : 19/11/2022

Sampling Procedure : DTRL-SOP-QCC-160

Sampling Location : U/S of Village Kuan Khera

Date of Sampling : 19/11/2022

Date of Test Performance Initiated : 19/11/2022

### RESULTS OF ANALYSIS

S.No.	Test Parameters	Results	Test Method
1.	Temperature	22.1c	APHA 2550 23rd Edn -B
2.	Phosphate	0.93 mg/L	IS :3025(P-31)
3.	Nitrite	4.2 mg/L	APHA 4500 23rd Edn. NO2-B
4.	Sodium	14.8 mg/L	APHA 3500 23rd Edn. Na-B
5.	Potassium	8.6 mg/L	APHA 3500 23rd Edn. K-B
6.	Chemical Oxygen Demand	10 mg/L	IS 3025 (P-58)

Date of Completion : 26/11/2022

Note :- Party asked for the above tests only.

05/12/2022  
 DATE OF ISSUE

REVIEWED BY

Page : 1 of 1

ISSUED BY

Arvind Kharkwal

Authorised Signatory

Devansh Testing and Research Laboratory Pvt. Ltd.

**NOTE:**

- 1-Sample(s) not drawn by us unless otherwise stated.
- 2-Total liability of our analytical division is limited to the invoiced amount.
- 3-Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
- 4-Test certificate in full or parts shall not be used for promotional or publicity purposes.
- 5-Result given in report are related to sample tested only.



**UTTARAKHAND POLLUTION CONTROL BOARD**

Irrigation Design Building Campus, Roorkee-247667

उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड

सिवाई परिकल्प भवन परिसर, रुड़की-247667

Regional Laboratory Roorkee

**Water Quality of Report D/s River Solani near U/s of Village Kuankhera, Haridwar.**

Month	Colour	Odour	Temperature (°C)	pH	TDS (mg/l)	EC (µS/cm )	DO (mg/l)	Chloride (mg/l)	Hardness (mg/l)	Calcium Hardness (mg/l)	Magnesium Hardness (mg/l)	Alkalinity (mg/l)	BOD (mg/l)	COD (mg/l)	TC (MPN/100 ml)	FC (MPN/100 ml)	FS (MPN/100 ml)	Nitrate-N (mg/l)	Nitrite-N(mg/l)	Sulphate (mg/l)	Phosphate (mg/l)	Fluoride (mg/l)	Sodium (mg/l)	Potassium (mg/l)	SAR
5-Sep-22	Turbid	Odourless	27	7.4	392	613	7.9	20	125	68	57	216	2.8	14	120	49	20	0.98	0.76	25.50	1.20	0.52	11.4	3.1	0.44
3-Oct-22	Turbid	Odourless	24.8	8.3	434	678	7.8	18	56	36	20	258	1.2	8	120	70	27	0.55	0.29	21.4	0.51	0.51	14.6	4.3	0.84
2-Nov-22	Colourless	Odourless	23.1	7.6	205	320	6.4	25	91	50	41	240	2.6	9	94	39	21	0.59	0.18	44.88	1.49	0.39	29.9	7.4	1.36

*Shalida Parmer*

62

सं.प्र.सं. 05

कार्यालय अधिशासी अभियन्ता,  
उत्तरी खण्ड गंगा नहर, रुड़की।

पत्रांक 738 /उखगनरु/राजस्व अनु0/

दिनांक 06/12/2022

विषय:-NGT Original Application N0 632/2022 V.K.Tyagi Versus State of Uttrakhand के सम्बन्ध में रुड़की में सोलानी नदी की जमीन पर मिलीभगत कर खेती करने एवं पानी के बहाव को अवरुद्ध करने और पानी को प्रदूषित करने के संबंध में।

सन्दर्भ:- आपका पत्रांक 735पी0ए0-2022 दिनांक 21.11.2022

क्षेत्रीय अधिकारी, प्रदूषण नियन्त्रण बोर्ड, सिंचाई परिकल्प संगठन बिल्डिंग रुड़की जनपद हरिद्वार,उत्तराखण्ड

उपरोक्त विषयक एवं सन्दर्भित पत्र का अवलोकन करने का कष्ट करे। जिसके द्वारा NGT Original Application N0 632/2022 V.K.Tyagi Versus State of Uttrakhand के सम्बन्ध में रुड़की में सोलानी नदी की जमीन पर मिलीभगत कर खेती करने एवं पानी के बहाव को अवरुद्ध करने और पानी को प्रदूषित करने के संबंध में बिन्दुवार आख्या क्षेत्रीय अधिकारी, प्रदूषण नियन्त्रण बोर्ड, सिंचाई परिकल्प संगठन बिल्डिंग रुड़की को उपलब्ध कराये जाने की वांछना की गई है, बिन्दुवार वांछित आख्या निम्न प्रकार है:-

01. रामपुर से लेकर रुड़की-हरिद्वार राष्ट्रीय राजमार्ग के पुल तक कृषको को कृषि कार्य हेतु पट्टे पर आवंटित भूमि की सूची खसरा सं० एवं क्षेत्रफल सहित संलग्न है।
02. रामपुर से रुड़की में सोलानी नदी के मध्य अवैध रूप से कास्त व्यक्तियों के विरुद्ध एफ०आई०आर० दर्ज करने हेतु सूची क्षेत्रीय सींचपर्यवेक्षक रुड़की द्वारा प्रभारी निरीक्षक कोतवाली सिविल लाईन रुड़की को प्रेषित की गई है। छायाप्रति संलग्न है।
03. रामपुर से खंजरपुर तक सोलानी नदी में सुरक्षात्मक दृष्टि से निर्मित संरचनाये बंधे स्पर, स्टड आदि पूर्व से निर्मित है उनका रख-रखाव,देख-रेख एवं मरम्मत का कार्य सिंचाई खण्ड रुड़की जनपद हरिद्वार उत्तराखण्ड द्वारा किया जा रहा है। अवैध रूप से कोई स्थाई संरचनाये नहीं है।
04. सोलानी नदी में वर्ष 1993, 1996,1999,2000,2008,2013 एवं 2021 में बाढ आई है। सोलानी नदी में कृषि कार्य से बाढ की स्थिति उत्पन्न नहीं हुई है।

आख्या सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

संलग्नक:- उपरोक्तानुसार।

(०६/१२)

UK Pcb/ROR

Diary No.....2816.....

File No.....

Date.....07/12/2022.....

05/12/22

अधिशासी अभियन्ता,  
उत्तरी खण्ड गंगा नहर,

रुड़की

पत्रांक /उखगनरु/तदिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. ज्वाइन्ट मजिस्ट्रेट रुड़की को उनके सन्दर्भित पत्र के सन्दर्भ में।
2. सहायक अभियन्ता-तृतीय एवं उपराजस्व अधिकारी उत्तरी खण्ड गंगा नहर रुड़की को उनके द्वारा प्रेषित आख्या के सन्दर्भ में।

160  
7

अधिशासी अभियन्ता,  
उत्तरी खण्ड गंगा नहर,  
रुड़की

## ग्राम 63 रामपुर

(७८)

क्र. सं.	नाम	पिता का नाम	ग्राम	खसरा नं०	रकबा हे० अ०
1.	श्री जाकिर पुत्र शरीफ	शरीफ	रामपुर	157	0.666
2.	" अरौक कुमार	सोमपाल	"	300, 318 मि०	0.410
3.	" सोमपाल	नन्धू	"	392	0.819
4.	" अतर सिंह	फूल सिंह	"	315	0.430
5.	" मनफूल	सुंदर	"	315	0.430
6.	" सुरेशपाल	सुमेर चन्द	"	392	0.553
7.	" मौ० हसन	याज़दीन	"	396	0.819
8.	" आलम	अकबर	"	395, 401, 419, 445 मि०	0.277
9.	" असलम	अकबर	"	397, 401, 409	0.236
10.	" चिउमन	जुम्मा	"	283, 291 मि०	0.492
11.	" मौ० शमी	मौ० यासीन	"	293, 295	0.768
12.	" मुस्तकीम	महबूब	"	157 158 मि०	0.819
13.	" रिमासत	रहम इलाही	"	393, 394 मि०	0.318
14.	" इकबाल	अहसान	"	393, 394, 395 मि०	0.328
15.	" अशरफ	अल्ला मौ०	"	394, 395	0.256
16.	" तालिब	अरतार	"	393, 394 मि०	0.307
17.	" मन्जरा	हसमत	"	157	0.512
18.	श्रीमती कबूली	फूल सिंह	"	299, 300, 301 मि०	1.065
19.	श्री रामशूलक उर्फ बाबूखो	रसीद	"	157	0.819
20.	" ज्ञानपाल	तुंगल	"	157	0.656
21.	" महेंद्र	मनफूल	"	157	0.420
22.	" दिलशाद अली	रसीद	"	157	0.615
23.	" कृष्णपाल	सुमेर चन्द	"	34	0.410
24.	" देशराज	लाल	"	396, 157	0.410
25.	" मान सिंह	मंगलू	"	157	0.410
26.	" भारत भूषण	सोमपाल	"	156	0.594
27.	" विक्रम	तुंगल	"	39, 40 मि०	0.410
28.	" प्रीतम	कालू	"	157	0.410
29.	" अजब सिंह	पल्ला	"	37, 38 39 मि०	0.410
30.	" जाकिर	शरीफ	"	157	0.359
31.	" दिलशाद अली	शमशाद	"	157	0.594
32.	" सुरतार अहमद	सलीम अहमद	"	157	0.410

जिलेदार आराजी प्र

## 64 ग्राम- रामपुर

(07)

क्र. सं.	नाम	पिता का नाम	ग्राम	खसरा नं०	रकबा (हेक्टर)
33.	श्री सकुद	अशरफ	रामपुर	223	0.318
34.	" खालिद	इस्लाम	"	156, 157, 155	0.410
35.	" मौ० इनाम	मजाजुदीन	राजपुर	157	0.410
36.	" मौ० शमीम	फल्हू	"	157	0.410
37.	" ओमवीर	भुरखराम	"	157	0.410
38.	" जमशेद	रहमद्दलाही	"	157	0.410
39.	" इरफान अली	दासीदा	"	157	0.410
40.	" अरशद	शमशाद	"	157	0.410
41.	" इ-६	बोना	"	124, 157, मि०	0.410
42.	" रिफाकत	सईद अहमद	"	157	0.410

नोट :- कृषक पर्यवेदारे द्वारा अपने कृषि पत्रे में गेहूँ, जन्ना व मटर की फसल रखा है।

जिलेदार अशफाक प्रथम  
उत्तर अण्ड गंगा नहर

65  
ग्राम - अरुकी

8

नाम	पिता का नाम	ग्राम	खसरा नं	रकबा (हेक्टर)	
1. परमानन्द	नानक चन्द	अरुकी	254	(.543)	
2. चन्द पाव	रामदास	"	253	(.410)	
3. सुगत/द्वन्द्व/सन्धपाल	द्वन्द्व	"	263	(.205)	
4. श्रीमति/पाल्पा देवी	महेन्द्र कुमार	"	263	(.205)	
5. मंगलान दास	देव चन्द	"	284	(.819)	
6. शिवकुमार	जगदीश	"	272, 278	(1.280, .645)	
7. श्रीमती	जगदीश	"	272, 278	(.635)	
8. प्रियंका कुमार	मरत शर्मा	"	281	(.205)	
9. गोविन्द	राजकुमार	"	711	(.410)	रकबा नहीं है
10. विशोक कुमार	चन्द खान	"	711	(.410)	रकबा नहीं है
11. तरुण कुमार	परमानन्द	"	711	(.410)	रकबा नहीं है
12. तुलसी प	परमानन्द	"	711	(.410)	रकबा नहीं है
13. शिरोज खान		"	711	(.410)	रकबा नहीं है
14. इरफान	मीर हसन	"	711	(.410)	रकबा नहीं है
15. शकील अहमद	सुल्तान अहमद	"	711	(.410)	रकबा नहीं है

नोट :- कृषक परदेदारों द्वारा अपने कृषि परदे में जोई, गन्ना व मटर की फसल बो रक्वी है

जिलाधिकारी आरुकी प्रखण्ड  
उत्तरी खण्ड मंगल नहर अरुकी

25/11/2021

क्र.सं.	नाम	पिता का नाम	ग्राम	खसरा नं०	रकबा (को)मी
३३	सतवीर	राम सिंह	मेहवड कला	२६३, २६५	(.६५७)
३४	मंगला	खल्लू	रुडकी	२४५	(.५१०)
३५	ममारतमणि	अजल सिंह	"	२४५	(.५४१)
३६	अमोव लुकार	धीरवल सिंह	"	२४५	(.५१०)
३७	इमरान	अंगनी	"	२४५	(.६६६)
३८	विलास	बलीराम	रुडकी	२६२, २६३	(.५४१)
३९	बिजेन्द्र	हरपाल	"	२५३	(.६१५)
४०	सौरभ सिंह	बल सिंह	"	२५५	(.३०७)
४१	ललित	बलुल सिंह	"	२७६, २७७	(.६०२)
४२	प्रवीण लुकार	रहतूलाल	"	२६३	(.५३३)
४३	अरुण लुकार	राम चन्द	"	२६२, २६३	(३६५)
४४	श्रीमति मल्लाखिनी	पत्नी श्री मुनैत	"	५१६, ५१७, ५१९	(.६५५)
४५	अनुरानी	राम चन्द	"	२६२, २६३	(.५१०)
४६	विजय लुकार	जय प्रकाश	"	२५३	(.५१०)
४७	श्रीमति अनिता	पत्नी मंगला	"	२६२, २६३	(.५१०)
४८	पवन लुकार	धरवीर	"	२६२, २६३	(.५५०)
४९	राशिद	जवाहरिभ	"	२५३	(.५१०)
५०	जगराम	जी-सुखा	"	२४५	(.५१०)
५१	श्रीमति बाली	मामराम	"	२४५	(.५१०)
५२	राजदुलारी	खेमचन्द	"	२४५	(.५१०)
५३	बिजेन्द्र लुकार	जगराम	"	२४५	(.५१०)
५४	नन्द विशौर	दुर्गा प्रसाद	"	२४५	(.५१०)
५५	शरामत	अखतर	"	२५५	(.५१०)
५६	तादिर	भारतीन	"	२५५	(.५१०)
५७	इसलाम	मासूम अली	"	२५५	(.५१०)
५८	मिलीक मात	सुरज आन	"	२६२, २६३	(.५१०)
५९	राजलुकार	मूलचन्द	"	२४५	(.५१०)
६०	राजेश लुकार	धरम	"	२६२, २६३	(.५१०)
६१	लोकेश लुकार	जगराम	"	२६२, २६३	(.५१०)
६२	श्रीमति मिनाक्षी	अरवती लुकार	"	२६२, २६३	(.५१०)
६३	सईद अहमद	आरिफ	"	२५३	(.५१०)
६४	अरुण	आरिफ	"	२४५, २९७	(.५१०)

जिलेदार आरिफ प्रथम  
जिलेदार आरिफ प्रथम  
उत्तरा खण्ड अजमेर नहर रुडकी

पत्रांक: श्रीमो  
सेवा में

दिनांक: 5/11/2020

श्री मान प्रमारी निरिक्षक  
बोतवाली सिविल लाइन  
अडकी (हरिद्वार)

विषय: कदवा अडकी के अलग से सोलानी नदी में बिना  
विभागीय मूनि अनुमति के कदवा खोने हेतु जुलाई  
विशे जाने के सम्बन्ध में।

महोदय  
उपरोक्त विषय के सम्बन्ध में निवेदन है कि  
कदवा अडकी के अलग से सोलानी नदी में बिना  
विभागीय अनुमति के कदवा खोने हेतु जुलाई कदवा  
है इन सभी अवैध जुलाई करने वाले कारवायों की  
सूची प्राचीन पत्र के साथ संलग्न है।  
इस सभी लोगों को कई बार मॉरिखल अप से मना भी  
किया गया है लोग मना भी करते हैं एवं लडाई, झगडा/क्रि  
करने पर उत्तारक होते हैं ये लोग स्थानीय होने का दावा  
उठाते हैं ये लोग कहते हैं यहाँ हमारा पहा स्वीकृत है लेकिन  
बिना भी व्यक्ति द्वारा स्वीकृति पत्र नही दिखाया गया।  
अतः आपसे निवेदन है कि इन सभी अवैध अप से विभागीय  
मूमि पर कारवाय करने वाले लोगों के विरुद्ध P.I.R. दर्ज  
करने की कृपा करें।  
कदवा हेतु सम्बन्ध।

जिलेदार अलेख प्रकाश  
उत्तरी बण्ड गंवा बहर कदवा

- प्रति लिपि: श्रीमान लक्ष्मण कृष्ण शर्मा उ.अ.ग. नहर अडकी
- श्रीमान उपराजेश्वर मधियाली उत्तरी बण्ड गंवा बहर कदवा
- श्रीमान जिलेदार प्रथम भासजी प्रथम अडकी

दिलेश कुमार  
सी.च.प.वेदांक

पत्रांक: 31/10/63

दिनांक: 16/10/63

3

विषय: कास्बा रुडकी के अन्तर्गत सोलानी नदी में विना विभागीय अनुमति के फसल बोने हेतु जुलाई किम्वे जाने के सम्बन्ध में श्रीमान जिलादार आरजे पथम, उत्तरी खण्ड गंगानहर, रुडकी

प्रहोदय, आपको उक्त विषयक सन्दर्भित पत्र के क्रम में अवगत कराया है कि कास्बा रुडकी के अन्तर्गत सोलानी नदी में सूची में उल्लेखित व्यक्तियों द्वारा विना विभागीय अनुमति के फसल बोने हेतु जुलाई की गयी है जिन्हें आपके पर रोका गया है परन्तु इनके द्वारा फसल बोने का प्रयास किया जा रहा है, जिसकी सूचना कृपया सिविल लाइन रुडकी को भी दी जा रही है। अतः आप से अनुरोध है कि इस सम्बन्ध में आप भी अपने स्तर से आवश्यक कार्यवाही हेतु सेवा में प्रेषित है।

क्र. सं.	नाम काग्र	परगना / तहसील / जनपद	नाम और कुमलनता का नाम व पता (सर्वश्री)	बसरा नम्बर	रकबा (हैक्टर)	जिन्स	अवधि
1.	रुडकी	रुडकी/रुडकी हरिद्वार	इमरान उर्फ हुड्डा मीर हसन, निवासी मौ माही जान इमली रोड रुडकी जनपद हरिद्वार	254	0.410	जुलाई की गयी है।	पूरतल व विचारणीय है।
2.	"	"	फैजान 50 मीर हसन निवासी उपरखाना नुसार	254	0.410	"	अवधि
3.	"	"	इरफान 50 मीर हसन निवासी उपरखाना नुसार	254	0.240	"	"
4.	"	"	मैहरान 50 मीर हसन निवासी उपरखाना नुसार	254 284	0.410	"	"
5.	"	"	श्रीमती सरोज देवी व श्री सुरेश सिंह निवासी उपरखाना नुसार	254 284	0.410	"	पूरतल व विचारणीय है।
6.	"	"	मोगरज 50/1 धर्म सिंह नि. नं. 87 ता. रुडकी	284	0.410	"	"
7.	"	"	शे. हे. कुमार 50 ललित कुमार नि. उपरखाना नुसार	284	0.510	"	अवधि
8.	"	"	विश्वेन्द्र कुमार 50 भरतार सिंह निवासी इमली रोड रुडकी जनपद हरिद्वार	284	0.810	"	पूरतल व विचारणीय है।
9.	"	"	कन्हैया 50/2 अरुण नि. व. प. म. क. जानी रुडकी जनपद हरिद्वार	284	0.350	"	अवधि
10.	"	"	श्री केशव 50 राज कुमार नि. नं. 163 रुडकी रोड रुडकी जनपद हरिद्वार	711	0.410	पांच सप्ताह के लिए अर्थात् 5 सप्ताह तक अनुमति प्रदान की जा रही है।	अतिरिक्त अवधि नहीं है।
11.	"	"	अशोक कुमार 50/2 नुमान नि. नं. 20 जयपाली गली, 87 ता. रुडकी जनपद हरिद्वार	711	0.410	निर्देशों के अन्तर्गत पांच सप्ताह के लिए अनुमति प्रदान की जा रही है।	अतिरिक्त अवधि नहीं है।

अतिरिक्त अवधि नहीं है।  
अतिरिक्त अवधि नहीं है।

क्र.सं.	3	4	5	6	7	8
	रुडकी/रुडकी	अमनपुरी ड. हरनन्द पुरी नि.प.सं. 692 न्यु आदमी नगर रुडकी जनपद - हरियाणा	711	0.100	जुआ डी.डी. जमीनी	भूखण्ड है
		आजिम ड. मुसा निवासी रामपुर रुडकी जनपद - हरियाणा	253	1.00		भूखण्ड है पुरवा के विचार है।
		नरनकुमार ड. नवी प्रभा नन्द निवासी मा.प. 174 वेहना नगर रुडकी जनपद - हरियाणा	711	2.00		पांचवर्षी के लिए अनुपाई की व पर इनके नाम आवंटित किया गया है एक पताली परटेनी अवधि समाप्त है चुकी है
		कुलदीप ड. प्रमानन्द निवासी - उपरोक्त नुसा	711	2.00		
		पिरेलमान नि.सौ. सोहन रुडकी जनपद हरियाणा	711	2.00		
		इफान ड. मीरहान निवासी मा.प. 174 रुडकी जनपद - हरियाणा	711	2.00		
		शमील अहमद ड. व मुलहान अहमद निवासी भारत नगर लन्दा रोड रुडकी जनपद - हरियाणा	711	2.00		

भूखण्ड हय  
लिख गया है।

अतिरिक्त हय लिख गया है।

भूखण्ड हय लिख गया है।

श्री चण्ड प्रवेशक रुडकी क्षेत्र

प्रति लापि:

- श्री मा.प. 174 रुडकी के भूमि मालक श्री.पं. उल्लरी खण्ड गंगम नहर रुडकी -
- श्री मा.प. 174 रुडकी के भूमि मालक श्री.पं. उल्लरी खण्ड गंगम नहर रुडकी -

श्री.प. 174 रुडकी

जिलेदार आराजी प्रथम  
उपर्युक्त गंगा नहर रुडकी

क्र.सं.	नाम/शुद्ध	परवाना/लक्ष्य/नियम	अभिगम्यता/व्यक्ति/व्यक्ति (श्री)	खसरा नं.	रकबा (है.)	दिश	मन्थविषय
1.	रुडकी	रुडकी/हरिद्वार	इमरान गुड्ड / भीरद्वार माहीशुद्ध, इमलीरोड	254	0.410	जुलै कीर्ण	
2.	"	"	ध्यान / भीरद्वार निवासी - उपरोक्तानुसार	254	0.410	- " -	
3.	"	"	इरफान / भीरद्वार निवासी - उपरोक्तानुसार	254	0.240	- " -	
4.	"	"	मैदरखान / भीरद्वार निवासी - उपरोक्त	254/ 284	0.410	- " -	
5.	"	"	श्री मति सरोज देवी निवासी - उपरोक्त	254/ 284	0.410	- " -	
6.	"	"	श्री गणेश / धूमलिते निवासी - उपरोक्त	284	0.410	- " -	
7.	"	"	श्री हित रण / ललित निवासी - उपरोक्त	284	0.510	- " -	
8.	"	"	विरेन्द्र / अरुण सिंह निवासी - इमली रोड-29	284	0.810	- " -	
9.	"	"	अ-ईया / इन्दर निवासी - लक्ष्मी नगर	284	0.350	- " -	
10.	"	"	बालकृष्ण / रुडकी अमनपुत्री / इरफान उरी निवासी - उपरोक्त	711	0.100	- " -	
11.	"	"	आलित / मूलतः	253	0.810	इरफान	
13.	"	"	परमानन्द / नानकपुत्र निवासी - 174, नेदरनगर रुडकी -	254/ 711	1.410	"	

जिलेदार, अरुण नदी प्रयम  
रुडकी, अरुण नदी नगर रुडकी

30/11/22



मुख्यालय  
उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड  
"गौरा देवी पर्यावरण भवन"

46बी, आई.टी. पार्क, सहस्त्रधारा रोड़, देहरादून-248001  
कार्यालय दूरभाष सं०:-2976157, 2976158, 2607092

ANNEXURE-2



36

पत्रांक: यूकेपीसीबी/एच.ओ./सा.-183-631/2023/16116,  
ई-मेल/स्पीड पोस्ट

दिनांक - 17, 01.2023

एन0जी0टी0 मैटर

सेवा में,

प्रबन्ध निदेशक,  
उत्तराखण्ड पेयजल निगम,  
मोहनी रोड, देहरादून।

विषय:- मा0 नैशनल ग्रीन ट्रिब्यूनल में योजित वाद सं0-632/2022 श्री वी0के0 त्यागी बनाम उत्तराखण्ड राज्य के सम्बन्ध में पारित आदेश दिनांक 13.10.2022 के अनुक्रम में गठित संयुक्त जांच कमेटी की जांच आख्या के सम्बन्ध में।

महोदय,

उपरोक्त विषयक मा0 नैशनल ग्रीन ट्रिब्यूनल, नई दिल्ली के आदेश दिनांक 13.10.2022 के Para 4 में निम्न निर्देश दिये गए हैं:-

4. In case the Joint Committee observe any violation of consent conditions/environmental norms, then it shall forward a copy of its report to:-

(i) The concerned persons to enable them to comply with the recommendations in the report of the Joint Committee or file objections against the observations/recommendations contained in the same and file their response before this Tribunal as desired, **within one month from the date of receipt of a copy of the report of the Joint Committee**, by e-mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF; and

(ii) the concerned Authorities including **State PCB and Deputy Commissioner, Haridwar** to enable them to take appropriate remedial action, in accordance with Statutory provisions mandating them to take remedial action for prevention, control and abatement of environmental pollution/degradation and for protection and improvement of environment, by giving notice to/hearing the concerned persons who are found to have made the encroachments and following due process of law and they shall submit their action taken reports separately, **within one month from the date of receipt of a copy of the report of the Joint Committee**, by e-mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

मा0 एन0जी0टी0 द्वारा गठित संयुक्त जांच कमेटी की जांच आख्या इस कार्यालय को दिनांक 24.12.2022 को प्राप्त हुई है। जिसके बिन्दु संख्या 3 एवं 4 में वर्णित आई0 एण्ड डी0 कार्य राज्य स्तरीय निर्माण संस्था, उत्तराखण्ड पेयजल निगम द्वारा किये जाने हैं।

अतः इस सम्बन्ध में संयुक्त जांच कमेटी की आख्या संलग्न कर इस आशय से प्रेषित की जा रही है कि मा0 एन0जी0टी0 के आदेशों का अनुपालन करते हुए कृत कार्यवाही से इस कार्यालय को अवगत कराने का कष्ट करें।

संलग्नक:-यथोपरि।

भवदीय

  
(एस0के0 पटनायक)  
सदस्य सचिव





**मुख्यालय**  
**उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड**  
**“गौरा देवी पर्यावरण भवन”**  
 46बी, आई.टी. पार्क, सहस्त्रधारा रोड़, देहरादून-248001  
 कार्यालय दूरभाष सं०:-2976157, 2976158, 2607092

ANNEXURE-3



पत्रांक: यूकेपीसीबी/एच.ओ./सा.-183-631/2023/1644,  
 ई-मेल/स्पीड पोस्ट

दिनांक - 17.01.2023

एन0जी0टी0 मैटर

सेवा में,

जिलाधिकारी,  
 जिला कलैक्ट्रेट, रोशनाबाद,  
 जिला हरिद्वार।

विषय:- मा0 नैशनल ग्रीन ट्रिब्यूनल में योजित वाद सं0-632/2022 श्री वी0के0 त्यागी बनाम उत्तराखण्ड राज्य के सम्बन्ध में पारित आदेश दिनांक 13.10.2022 के अनुक्रम में गठित संयुक्त जांच कमेटी की जांच आख्या के सम्बन्ध में।

महोदय,

उपरोक्त विषयक मा0 नैशनल ग्रीन ट्रिब्यूनल, नई दिल्ली के आदेश दिनांक 13.10.2022 के Para 4 में निम्न निर्देश दिये गए हैं:-

4. In case the Joint Committee observe any violation of consent conditions/ environmental norms, then it shall forward a copy of its report to:-

i) The concerned persons to enable them to comply with the recommendations in the report of the Joint Committee or file objections against the observations/recommendations contained in the same and file their response before this Tribunal as desired, **within one month from the date of receipt of a copy of the report of the Joint Committee**, by e-mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF; and

ii) the concerned Authorities including **State PCB and Deputy Commissioner, Haridwar** to enable them to take appropriate remedial action, in accordance with Statutory provisions mandating them to take remedial action for prevention, control and abatement of environmental pollution/degradation and for protection and improvement of environment, by giving notice to/hearing the concerned persons who are found to have made the encroachments and following due process of law and they shall submit their action taken reports separately, **within one month from the date of receipt of a copy of the report of the Joint Committee**, by e-mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

मा0 एन0जी0टी0 द्वारा गठित संयुक्त जांच कमेटी की जांच आख्या इस कार्यालय को दिनांक 24.12.2022 को प्राप्त हुई है। जिसके बिन्दु संख्या 7 में कार्यालय अधिशासी अभियन्ता, उपरी खण्ड गंगा नहर, रुड़की द्वारा अवगत कराया गया कि रामपुर (रुड़की के अपस्ट्रीम) से रुड़की-हरिद्वार राजमार्ग पुल तक कृषकों को कृषि कार्य हेतु पट्टे आवंटित किये गये हैं। रामपुर से रुड़की में सोनाली नदी के मध्य अवैध रूप से कास्तकारी कर रहे व्यक्तियों के विरुद्ध कोतवाली सिविल लाईन, रुड़की में एफ0आई0आर0 दर्ज की गई है। यद्यपि वर्तमान में 18 अवैध रूप से कास्तकारी कर रहे 05 व्यक्तियों द्वारा अतिक्रमण हटा दिया गया है।

73<sub>2-</sub>

अतः इस सम्बन्ध में संयुक्त जांच कमेटी की आख्या संलग्न कर इस आशय से प्रेषित की जा रही है कि मा० एन०जी०टी० के आदेशों का अनुपालन करते हुए कृत कार्यवाही से इस कार्यालय को अवगत कराने का कष्ट करें।

संलग्नक:—यथोपरि।

भवदीय

(एस०के० पटनायक)

सदस्य सचिव

प्रतिलिपि:—निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. नगर आयुक्त, रुड़की।
2. अधिशासी अभियन्ता, उपरी खण्ड गंगा नहर, रुड़की।

सदस्य सचिव

ए. के. पटनायक