

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**Original Application No. 310/2022**

**WITH  
M.A. No. 59/2024**

**In  
Original Application No. 56/2024**

**IN THE MATTER OF:**

**Kamlesh Singh** .....Applicant  
Verses

**State of Uttar Pradesh** ....Respondent(s)  
With

**Saurabh Tiwari** ....Applicant  
Versus

**Union of India & Ors.** ....Respondent(s)

<b>Sr. No.</b>	<b>PARTICULARS</b>	<b>PAGE NOS.</b>
1	Action Taken Report on behalf of Uttar Pradesh Pollution Control Board in Compliance to Order Dated 23.12.2024 passed by this Hon'ble Tribunal.	1-8
2	<b>Annexure No. 1:</b> The photographs of river water sampling.	9-74
3	<b>Annexure No. 2:</b> The photographs of STP and Geo-tubes sampling.	75-150
4	<b>Annexure No. 3:</b> The copies of analysis reports of MNNIT.	151-155
5	<b>Annexure No. 4:</b> The copy of letter dated 28.01.2025 alongwith test reports filed before this Hon'ble Tribunal.	156-231

6	<b>Annexure No. 5:</b> The copy of letter dated 11.02.2025 from UPPCB to Municipal Commissioner, Nagar Nigam, Prayagraj.	232
7	<b>Annexure No. 6:</b> The copy of letter dated 11.02.2025 from UPPCB to Municipal Commissioner, Nagar Nigam, Prayagraj, Project Manager, Ganga Pollution Control Unit, U.P. Jal Nigam (Rural), Prayagraj and Executive Engineer, U.P. Jal Nigam (Urban), Prayagraj.	233
8	<b>Annexure No. 7:</b> The copy of letter dated 17.02.2025.	234
9	<b>Annexure No. 8:</b> The copy of letter dated 15.02.2025 along with Test Report of Treated effluent of STP's and OCEMS Test Report of 07 Geotubes Site.	235-543
10	<b>Annexure No. 9:</b> The copy of letter dated 11.02.2025 and 15.02.2024 from Board to Project Manager, Ganga Pollution Control Unit, U.P. Jal Nigam (Rural), Prayagraj and Executive Engineer, U.P. Jal Nigam (Urban), Prayagraj.	544 - 547

Uttar Pradesh Pollution Control Board

Through

Amit Shukla, Advocate  
D-54, Sector 48, Noida - 201303  
Mo. Nos. 9999933220; 9999333220  
Email: amit.shukla@lexweb.in

Place: Delhi

Date: 18.02.2025

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI

M. A. No. 26/2025

In

Original Application No. 310/2022

WITH

Original Application No. 56/2024



IN THE MATTER OF:

Kamlesh Singh

....Applicant

Verses

State of Uttar Pradesh

....Respondent(s)

With

Saurabh Tiwari

....Applicant

Versus

Union of India & Ors.

....Respondent(s)

ACTION TAKEN REPORT ON BEHALF OF THE UTTAR  
PRADESH POLLUTION CONTROL BOARD IN COMPLIANCE  
TO THE ORDER DATED 23.12.2024 PASSED BY THIS HON'BLE  
NATIONAL GREEN TRIBUNAL, PRINCIPAL BENCH, NEW  
DELHI

I, Dr. Suresh Chandra Shukla, aged about 59 years, S/o Late Raj Nath Shukla presently posted as Regional Officer, Uttar Pradesh Pollution Control Board (hereinafter referred to as UPPCB), Prayagraj do hereby solemnly affirm and state on oath as under:



1. That in the official capacity mentioned above, I am acquainted with the facts and circumstances of the case and as such I am competent and authorized to swear this affidavit.
2. That this Hon'ble Tribunal vide its order dated 23.12.2024 has passed the following direction:

*"19. Hence, we dispose of the MA and OA with the following directions:-*

- i) *During the Maha Kumbh in order to have a better monitoring mechanism and to ensure that on account of the unwanted flow of untreated sewage in river Ganga and Yamuna, the pilgrims who come for holy bath may not suffer, the CPCB and UP PCB will increase their monitoring points and frequency of monitoring on river Ganga and Yamuna.*
- ii) *The CPCB and UP PCB will take the water samples from river Ganga and Yamuna from the points atleast twice a week at regular intervals by avoiding duplicacy of sample on the same day and will display the sample analysis report on the website of UP PCB and CPCB. The report will also include performance of STPs and geotubes.*
- iii) *Periodic samples will be collected by UP PCB and CPCB at the outlet of STPs and advanced oxidation ponds and the analytical reports be uploaded on website of PCB and CPCB. Apart from the above, the online monitoring data will also be uploaded.*
- iv) *The sample analysis report will be sent by CPCB and UP PCB during the Mela fortnightly to the Registrar General of the Tribunal so that in case of need, the matter can be listed for consideration again.*
- v) *The solid waste generated during the event will be managed as per the prescribed Rules relating to its management and disposal.*
- vi) *It has been pointed out that the Magh Mela will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase footfall. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river*



*Ganga and Yamuna. The UP PCB and CPCB shall ensure that the river water quality at all times is drinking water/bathing water quality.*

- vii) During the Maha Kumbh and after the Maha Kumbh is over, the authorities will take steps for effective disposal of the sludge generated in the STPs and deposited in geo-tubes by following the requisite environmental norms and for the same, performance report shall be filed.*
- viii) In addition to submitting the sample analysis report as directed in para (iv) above, the CPCB and UPPCB will submit comprehensive action taken report before the Registrar General of the Tribunal by 31.01.2025 and 28.02.2025 disclosing the status of compliance.*

20. *The MA and OA are accordingly disposed of.\**

3. That in order to ensure the compliance of the above said direction the Board has increased its monitoring to 6 sampling points on river Ganga and Yamuna in Prayagraj and water samples is being collected and analyzed from these sampling points twice in a week and the sampling reports are being regularly uploaded on the website of UPPCB.

The photographs of river water sampling are being annexed herewith and marked as **Annexure No.1**.

4. That to ensure compliance with direction No. 19 (ii), UPPCB is collecting and analyzing water samples from 6 sampling points on river Ganga and Yamuna in Prayagraj and the sampling reports are being uploaded twice in a week on the website of U.P. Pollution Control Board. The access link of water quality reports is <https://uppcb.up.gov.in/en/article/water-quality-of-river-ganga-and-yamuna-in-prayagraj>. The water quality monitoring data of Dissolved Oxygen (DO), Biochemical Oxygen Demand (BOD) and Fecal Coliform (FC) indicates that water quality of River Ganga and Yamuna in Prayagraj is achieving the norms of Primary



*[Signature]*

Water Quality Criteria for Bathing water except at River Ganga D/s Shastri bridge, Prayagraj where there is a slight increase in data of BOD (3.1 to 3.2 mg/l) & FC (4600-3300 MPN/100 ml).

It is submitted that a coercive measure shall be taken against the concerned for the violation of environmental norms as per law.

5. That to ensure compliance with direction No. 19 (iii), the Board is collecting and analyzing samples of outlet of STPs and Geo-tubes in Prayagraj on periodic basis and the sampling reports are being uploaded on the website of Board. The access link of STPs and Geo tube analysis reports is <https://uppcb.up.gov.in/en/article/monitoring-of-stp-in-prayagraj>.

As per the analysis reports of STPs and Geo-tubes, the parameters are found conforming to the prescribed norms.


The photographs of STP and Geo-tubes sampling are being annexed herewith and marked as **Annexure No.2**.

Apart from it U.P. Jal Nigam (Rural) Prayagraj has also conducted the monitoring of STPs through Third Party i.e. Motilal Nehru National Institute of Technology (MNNIT) Prayagraj.

As per the analysis reports of MNNIT, the parameters are conforming to the prescribed norms. The copies of analysis reports of MNNIT are annexed herewith and marked as **Annexure No.3**.

6. That it is submitted that to ensure compliance with direction No. 19 (iv), the Board has sent the sample analysis reports of river water quality and STPs of Prayagraj to the Registrar General of the Tribunal vide its letter dated 28.01.2025.

The copy of letter dated 28.01.2025 is annexed herewith and marked as **Annexure No.4**.




7. That it is submitted that to ensure compliance with direction No. 19 (v), UPPCB has sent letter dated 11.02.2025 to Municipal Commissioner, Nagar Nigam, Prayagraj to provide the details regarding the management of solid waste generated during the event and its disposal as per the prescribed Rules.

The copy of letter dated 11.02.2025 is annexed herewith and marked as **Annexure No.5**.

8. That to ensure compliance with direction No. 19 (vi), UPPCB has sent letter dated 11.02.2025 to Municipal Commissioner, Nagar Nigam, Prayagraj, Project Manager, Ganga Pollution Control Unit, U.P. Jal Nigam (Rural), Prayagraj & Executive Engineer, U.P. Jal Nigam (Urban), Prayagraj to ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna.

The copy of letter dated 11.02.2025 is annexed herewith and marked as **Annexure No.6**.



That the Environment Engineer, Nagar Nigam, Prayagraj vide his letter dated 17.02.2025 has informed that the Prayagraj Municipal Commissioner hired three agencies to ensure 100% garbage collection in Municipal area during the Maha Kumbh Mela 2025 and on major bathing dates. Daily door-to-door garbage collection is being carried out by these agencies. Additionally, around 8,000 Safai Mitras have been deployed at the ward level for road and drain cleaning. The cleaning of roads and drains is being conducted daily by the Safai Mitras, with regular monitoring in place to prevent any solid waste from entering the Ganga and Yamuna

5

rivers. The waste collected in the city and Mela area is transported to MSW Plant at Baswar. After the transportation of Solid waste, the processing and disposal of waste are carried out daily using scientific methods. The copy of letter dated 17.02.2025 is annexed herewith and marked as **Annexure No.7.**

10. That the Executive Engineer, U.P Jal Nigam (Urban), Prayagraj vide its letter dated 15.02.2025 has informed that in Nagar Nigam Prayagraj, there are total 81 drains out of which 54 drains are tapped to existing 10STPs, 03 Drains have Zero dry weather flow, 02 Drains organic load is very less and are being treated through Bioremediation method by Nagar Nigam, Prayagraj and for remaining 22 Drains, treatment is being done by Geosynthetic Dewatering tubes filtration followed by Advanced Oxidation Process under Namami Gange Programme. Hence, no untreated/Polluted sewage is directly being discharged in River Ganga or River Yamuna through drains. The copy of letter dated 15.02.2025 along with Test Report of Treated effluent of STP's and OCEMS Test Report of 07 Geotubes Site is annexed herewith and marked as **Annexure No.8.**



11. That to ensure compliance with direction no. 19 (vii), the Board has sent letter dated 11.02.2025 to Project Manager, Ganga Pollution Control Unit, U.P. Jal Nigam (Rural), Prayagraj and Executive Engineer, U.P. Jal Nigam (Urban), Prayagraj to take steps for effective disposal of the sludge generated in the STPs and deposited in Geo-tubes by following the requisite environmental norms and file the performance report for the same.

The copy of letter dated 11.02.2025 is annexed herewith and marked as **Annexure No.9**.

12. That the Executive Engineer, U.P Jal Nigam (Urban), Prayagraj vide his letter dated 15.02.2025 has informed that till date all the Sludge is being accumulated in the Geo-tubes only and Sludge extraction will be done, once the Geo-tubes are fully filled.

The copy of letter dated 15.02.2025 is annexed herewith and marked as **Annexure No.10**.

13. That the present litigation is not an adversarial litigation and the answering respondent will not leave any stone unturned to get the order of this Hon'ble Tribunal complied in its true letter and spirit as regards to the direction passed by this Hon'ble Tribunal. It is further stated that the delay in filing the comprehensive action taken report is neither deliberate nor intentional and the deponent is tendering an unconditional apology for the same.

13. That the Annexure annexed to the present accompanying Affidavit are true copy of their respective originals.

14. That the present Action Taken Report on behalf of the U.P. Pollution Control Board is being submitted before this Hon'ble Tribunal for kind perusal and consideration.



  
DEPONENT

VERIFICATION:

Verified at Prayagraj on this the 18<sup>th</sup> day of February, 2025 that the contents of above affidavit are true and correct to my knowledge based on records and information received and believed to be true, no part of it is false and nothing material has been concealed therefrom.

DEPONENT



...  
place at ...  
identified by ...  
Advocate the Contents of the document  
has been explained to the ... was  
admit the to be correct  
and the documents is attached

Signature/T.I.  
Identified  
Advocate

Kamlesh Lakshmi Ujha  
Advocate Notary  
18/2/25



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna upstream near water-Intake, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



Latitude: 25.427803  
Longitude: 81.874193  
Elevation: 34.34±5 m  
Accuracy: 27.0 m  
Time: 01-20-2025 10:55  
Note: River Yamuna at Saraswati Ghat, Prayagraj



Latitude: 25.428002  
Longitude: 81.873294  
Altitude: -27.6±7 m  
Accuracy: 3.8 m  
Time: 01-20-2025 10:58  
Note: River Yamuna at Saraswati Ghat, Prayagraj

**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



River Ganga U/s Fatehpur Ghat, Prayagraj



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**




**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**




**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**




**River Yamuna U/s Water Intake, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



**D/s of River Ganga Near Shastri Bridge, Prayagraj**



**River Yamuna at Saraswati Ghat, Prayagraj**



**River Ganga at Sangam, Prayagraj**



**D/s of River Ganga at Chhatnag Ghat, Prayagraj**



**River Ganga U/s Fatehpur Ghat, Prayagraj**



**River Yamuna U/s Water Intake, Prayagraj**



16 MLD STP Jhunshi, Prayagraj



14 MLD STP Phaphamau, Prayagraj



**60MLD STP Rajapur, Prayagraj**



**29MLD STP Salori, Prayagraj**




**14 MLD STP Salori, Prayagraj**



25MLD STP Kodra, Prayagraj



50MLD STP Numayadahi, Prayagraj



**80MLD STP Naini, Prayagraj**



42MLD STP Naini, Prayagraj



**10MLD Ponghat, Prayagraj**



**29MLD STP, Salori, Prayagraj**



**14 MLD STP, Salori, Prayagraj**



**80 MLD STP, Naini, Prayagraj**



42 MLD STP, Naini, Prayagraj



16 MLD STP, Jhunshi, Prayagraj



25 MLD STP Kodra, Prayagraj



**60MLD, STP Rajapur, Prayagraj**



**50 MLD STP Numayadahi, Prayagraj**



**10MLD Ponghat STP Prayagraj**



**14MLD, STP Phaphamau, Prayagraj**




**Geo Tube Treatment, Jondhwal Drain, Prayagraj**



**Geo Tube Treatment Shivkuti Drain, Prayagraj**



**Salori Drain Geo tube Treatment**



**ADA Colony Geotube, Prayagraj**



**Sasur Khaderi Geotube, Prayagraj**



Latitude: 25.494747  
Longitude: 81.847671  
Elevation: 112.07±15 m  
Accuracy: 8.7 m  
Time: 12-01-2025 12:27  
Note: Rajapur Geotube: prayagraj

Powered by InstaCam

**Rajapur Geotube, Prayagraj**



Latitude: 25.49166  
Longitude: 81.830364  
Elevation: 105.84±101 m  
Accuracy: 79.8 m  
Time: 12-01-2025 12:52  
Note: Sadar bazar Geotube prayagraj

Powered by InstaCam

**Sadar Bazar, Geotube, Prayagraj**



**42 MLD, STP Naini, Prayagraj**



**80 MLD, STP Naini, Prayagraj**



**25 MLD, STP Kodra, Prayagraj**



**10 MLD, STP Ponghat, Prayagraj**



**60 MLD, STP Rajapur, Prayagraj**



**14 MLD, STP Phaphamau, Prayagraj**



**50 MLD, STP Numayadahi, Prayagraj**



**16 MLD, STP Jhunshi, Prayagraj**



**29 MLD, STP Salori, Prayagraj**



**14 MLD, STP Salori, Prayagraj**



**ADA Colony Geotube, Prayagraj**



**Salori Geotube, Prayagraj**



**Shivkuti Geotube, Prayagraj**



**Rajapur Geotube, Prayagraj**



**Sader Bazar Geotube, Prayagraj**



**Sasur Khaderi Geotube, Prayagraj**



50 MLD, Numayadahi STP, Prayagraj



80 MLD Naini STP, Prayagraj



**14 MLD, Phaphamau STP, Prayagraj**



42 MLD, Naini STP, Prayagraj



60 MLD Rajapur STP, Prayagraj



**14 MLD, Salori STP, Prayagraj**



**29 MLD, Salori STP, Prayagraj**



16 MLD, Jhunsi STP, Prayagraj



25 MLD Kodra STP, Prayagraj



**10MLD, Ponghat STP, Prayagraj**



**Salori Geotube, Prayagraj**



**Rajapur Geotube, Prayagraj**



**Jondhwal Geotube, Prayagraj**



**ADA Colony Geotube, Prayagraj**



**Shivkuti Geotube, Prayagraj**



**Sadar Bazar, Geotube, Prayagraj**



**Sasur Khaderi, Geotube, Prayagraj**




**10 MLD Ponghat STP Prayagraj**



**14 MLD Phaphamau STP Prayagraj**



**25 MLD Kodra STP, Prayagraj**



**60 MLD Rajapur STP, Prayagraj**



**14 MLD Salori STP, Prayagraj**



**42 MLD Naini STP, Prayagraj**



**50 MLD Numayadahi STP, Prayagraj**



**80 MLD Naini STP, Prayagraj**



**29 MLD Salori STP, Prayagraj**



**16 MLD Jhunsi, Prayagraj**



**Sadar Bazar Geotube, Prayagraj**



**Rajapur Geotube, Prayagraj**



**Sasur Khaderi Geotube, Prayagraj**



**ADA Geotube, Prayagraj**



**Jondhwal Geotube, Prayagraj**



**Shivkuti Geotube, Prayagraj**



**Salori Geotube, Prayagraj**



**ENVIRONMENTAL ENGINEERING LABORATORY**  
Department of Civil Engineering  
Motilal Nehru National Institute of Technology Allahabad  
Prayagraj-211004

### TEST REPORT

1. Name & Address of the Client : परिगोजना प्रसंगक, उत्तर प्रदेश जल निगम (ग्रामीण), प्रयागराज
2. Client Reference No. : 1753/आकलन/47 दिनांक / dated: 03/12/24
3. Type of Sample(s) : Treated sewage sample
4. Sample Identification : Treated sewage sample
5. Mode of Receipt of Sample : Sample collected by MNNIT on 19.12.2024
6. Name of Project : Testing of sewage samples
7. Test Method : Standard Methods for the examination of Water and Wastewater (APHA, 2017)
8. Test Period : 19.12.2024 to 25.12.2024
9. Consultancy No. : 416, dated: 06.12.2024

### Testing Results

S. No.	Sample ID	Parameters				
		pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	FC MPN/100 mL
1	Numayadahi STP	7.92	19.2	43.3	20	580
2	Ponghat STP	7.9	14.8	27.3	20	480
3	Kodra STP	7.6	20	40	20	360
4	Naini-2 STP	7.75	25.2	42	40	410
5	Naini-1 STP	7.35	27	35.7	20	480
6	Salori-1 STP	7.39	24.4	38.7	20	690
7	Salori-2 STP	7.4	25.8	43.7	40	820
8	Rajapur STP	7.57	19.8	37	20	690
9	Phaphamau STP	7.61	20.6	37.7	20	480
10	Jhunsi STP	7.65	26.4	43	20	690

*Ashutosh*  
02/01/25  
(Ashutosh Kumar Chaurasia)  
Senior Technician  
Environmental Engineering Lab

*Dinesh Solanki*  
02/01/25  
(Dinesh Solanki)  
Testing Personnel

*Binit Kumar*  
02.01.2025  
(Binit Kumar)  
Co-PI

*Kanika Saxena*  
2/1/25  
(Kanika Saxena)  
PI & O.C., Environmental Engineering Lab

Notes: (1) The test results refer only to the samples received in the Lab.  
(2) Any discrepancy in test results should be reported within 15 days.  
(3) This report should not be used/reproduced wholly or in parts for any advertising media.




### TEST REPORT


1. Name & Address of the Client : परियोजना प्रबंधक, उत्तर प्रदेश जल निगम (गामीण), प्रयागराज
2. Client Reference No. : 1753/प्रकल्पन/17 दिनांक / dated: 03/12/24
3. Type of Sample(s) : Treated sewage sample
4. Sample Identification : Treated sewage sample
5. Mode of Receipt of Sample : Sample collected by MNIT on 27.12.2024
6. Name of Project : Testing of sewage samples
7. Test Method : Standard Methods for the examination of Water and Wastewater (APHA, 2017)
8. Test Period : 27.12.2024 to 01.01.2025
9. Consultancy No. : 416, dated: 06.12.2024

### Testing Results

S. No.	Sample ID	Parameters				
		pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	FC MPN/100 mL
1	Numayadahi STP	7.55	18	38	40	300
2	Ponghat STP	7.57	22	42	40	580
3	Kodra STP	7.5	18	42	40	350
4	Naini-2 STP	7.7	14	30	20	690
5	Naini-1 STP	7.5	18	38	40	580
6	Salori-1 STP	7.55	28	48	40	690
7	Salori-2 STP	7.6	15	28	40	500
8	Rajapur STP	7.75	16	32	30	500
9	Phaphamau STP	7.7	19	36	40	170
10	Jhunsi STP	7.6	21	40	30	900

  
02/01/25  
(Ashutosh Kumar Chaurasia)  
Senior Technician  
Environmental Engineering Lab

  
02/01/25  
(Dinesh Solanki)  
Testing Personnel

  
02.01.2025  
(Binil Kumar)  
Co-PI

  
2/1/25  
(Kanika Saxena)  
PI & O.C., Environmental Engineering Lab

Notes: (1) The test results refer only to the samples received in the Lab.  
(2) Any discrepancy in test results should be reported within 15 days.  
(3) This report should not be used, reproduced, or sold in any form for any advertising media.



### TEST REPORT

1. Name & Address of the Client : परियोजना प्रबंधक, उत्तर प्रदेश जल निगम (यागीण), प्रयागराज
2. Client Reference No. : 1753 प्राकल्पन/47 दिनांक / dated: 03/12/24
3. Type of Sample(s) : Treated sewage sample
4. Sample Identification : Treated sewage sample
5. Mode of Receipt of Sample : Sample collected by MNNIT on 03.12.2025 <sup>B</sup>
6. Name of Project : Testing of sewage samples
7. Test Method : Standard Methods for the examination of Water and Wastewater (APHA, 2017)
8. Test Period : 03.01.2024 to 08.01.2025
9. Consultancy No. : 416, dated: 06.12.2024

### Testing Results

S. No.	Sample ID	Parameters				
		pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	FC MPN/100 mL
1	Numayadahi STP	7.9	13	25	20	360
2	Ponghat STP	7.56	12	28	30	480
3	Kodra STP	7.65	19	45	30	410
4	Naini-2 STP	7.82	14	26	30	690
5	Naini-1 STP	7.5	17	38	20	360
6	Salori-1 STP <sup>(29)</sup> <sub>(12)</sub>	7.63	29	45	20	690
7	Salori-2 STP <sup>(14)</sup> <sub>(10)</sub>	7.33	11	21	40	360
8	Rajapur STP	7.7	20	43	20	480
9	Phaphamau STP	7.65	13	25	20	690
10	Jhansi STP	7.88	12	24	20	220

*Ashutosh*  
12/01/25

(Ashutosh Kumar Chaurasia)  
Senior Technician  
Environmental Engineering Lab

*Binit Kumar*  
13/01/2025  
(Binit Kumar)  
Co-PI

*Kanika Saxena*  
13/01/25  
(Kanika Saxena)  
PI & O.C., Environmental Engineering Lab

- Notes:
- (1) The test results refer only to the samples received in the Lab.
  - (2) Any discrepancy in test results should be reported within 15 days.
  - (3) This report should not be used/ reproduced wholly or in parts for any advertising media.



### TEST REPORT

1. Name & Address of the Client : परियोजना प्रबंधक, उत्तर प्रदेश जल निगम (ग्रामीण), प्रयागराज
2. Client Reference No. : 1753/ प्राकल्पन/47 दिनांक / dated: 03/12/24
3. Type of Sample(s) : Treated sewage sample
4. Sample Identification : Treated sewage sample
5. Mode of Receipt of Sample : Sample collected by MNNIT on 10.01.2025
6. Name of Project : Testing of sewage samples
7. Test Method : Standard Methods for the examination of Water and Wastewater (APHA, 2017)
8. Test Period : 10.01.2025 to 15.01.2025
9. Consultancy No. : 416, dated: 06.12.2024

### Testing Results

S. No.	Sample ID	Parameters				
		pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	FC MPN/100 mL
1	Numayadahi STP 50 MLD	7.82	18	40	20	426
2	Ponghat STP 10 MLD	7.78	18	39	30	360
3	Kodra STP 25 MLD	7.45	20	50	30	220
4	Naini-2 STP 42 MLD	7.5	16	36	40	480
5	Naini-1 STP 80 MLD	7.33	19	40	30	410
6	Salori-1 STP 29 MLD	7.51	20	36	30	360
7	Salori-2 STP 14 MLD	7.48	22	40	40	690
8	Rajapur STP 60 MLD	7.63	12	24	20	360
9	Phaphamau STP 14 MLD	7.68	25	48	30	220
10	Jhunsi STP 14 MLD	7.8	14	24	40	250

*Ashutosh*  
18/01/25  
(Ashutosh Kumar Chaurasia)  
Senior Technician  
Environmental Engineering Lab

*Binit*  
16.01.2025  
(Binit Kumar)  
Co-PI

*Kanika Saxena*  
16/01/25  
(Kanika Saxena)  
PI & O.C., Environmental Engineering Lab

- Notes:**
- (1) The test results refer only to the samples received in the Lab
  - (2) Any discrepancy in test results should be reported within 15 days.
  - (3) This report should not be used/reproduced wholly or in parts for any advertising media.



**ENVIRONMENTAL ENGINEERING LABORATORY**  
Department of Civil Engineering  
Motilal Nehru National Institute of Technology Allahabad  
Prayagraj-211004

### TEST REPORT

1. Name & Address of the Client : मरियोजना प्रबंधक, उत्तर प्रदेश जल निगम (गामीण), प्रयागराज
2. Client Reference No. : 1753/ प्राकलन/47 दिनांक / dated: 03/12/24
3. Type of Sample(s) : Treated sewage sample
4. Sample Identification : Treated sewage sample
5. Mode of Receipt of Sample : Sample collected by MNIT on 24.01.2025 and 25.01.25
6. Name of Project : Testing of sewage samples
7. Test Method : Standard Methods for the examination of Water and Wastewater (APHA, 2017)
8. Test Period : 25.01.2025 to 29.01.2025
9. Consultancy No. : 416, dated: 06.12.2024

### Testing Results

S. No.	Sample ID	Parameters				
		pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	FC MPN/100 mL
1	Numayadahi STP 50 MLD	7.63	20	48	30	222
2	Ponghat STP 10 MLD	7.41	29	48	40	222
3	Kodra STP 25 MLD	7.49	19	44	30	109
4	Naini-2 STP 42 MLD	7.47	10	24	40	222
5	Naini-1 STP 80 MLD	7.29	11	24	50	345
6	Salori-1 STP 29 MLD	7.65	28	48	50	346
7	Salori-2 STP 14 MLD	7.42	12	26	20	425
8	Rajapur STP 60 MLD	7.61	29	49	40	543
9	Phaphamau STP 14 MLD	7.63	9	20	30	212
10	Jhunsi STP 14 MLD	7.30	13	28	50	425

*Ashutosh Kumar Chaurasia*  
30/01/25  
(Ashutosh Kumar Chaurasia)  
Senior Technician  
Environmental Engineering Lab

*Dinesh Solanki*  
30/01/2025  
Dinesh Solanki  
(Testing personnel)

*Binit Kumar*  
30/01/25  
(Binit Kumar)  
Co-PI

*Kanika Saxena*  
30/01/25  
(Kanika Saxena)  
PI & O.C., Environmental Engineering Lab

- Notes:**
- (1) The test results refer only to the samples received in the Lab.
  - (2) Any discrepancy in test results should be reported within 15 days.
  - (3) This report should not be used/ reproduced wholly or in parts for any advertising media.



1243  
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
UTTAR PRADESH POLLUTION CONTROL BOARD



संदर्भ संख्या H/23346 /CPCB/CL/744/1183/07/2025

दिनांक: 28-1-25

To,

**Registrar General**  
National Green Tribunal,  
Faridkot House, Copernicus Marg,  
New Delhi - 110 001  
Telephone : 011-23043528

**Sub: Status of Sample Analysis Report from the Outlet of STPs, Geo-Tubes & River Ganga and Yamuna at Prayagraj during Mahakumbh-2025.**

Sir,

Kindly refer to the order dated 23.12.2024 passed by the Hon'ble National Green Tribunal in M.A. No.- 59/2024 in O.A. No.- 310/2022 Kamlesh Singh Vs State of Uttar Pradesh. The relevant portion of the said order is reproduced as under:

".....  
19.....

iv. *The sample analysis report will be sent by CPCB and UP PCB during the Mela fortnightly to the Registrar General of the Tribunal so that in case of need, the matter can be listed for consideration again.*"

This is to inform you that undersigned in compliance of the said order, submitting the analysis report of Outlet of STPs, Geo-Tubes & River Ganga and Yamuna at Prayagraj during Mahakumbh-2025.

The copy of analysis report of is annexed herewith for your kind perusal and consideration.

**Encl- As above.**

Yours Sincerely,

  
**Incharge Central Laboratory**

**Water Quality of River Ganga & Yamuna at different Sampling Points in Prayagraj**

Sl. No.	Date	Sampling Locations																											
		River Ganga Upstream Near Fatehpur Ghat, Prayagraj							River Ganga Downstream near Shashtri Bridge, Prayagraj							River Ganga at Sangam, Prayagraj							River Ganga Downstream after confluence with River Yamuna near Chhatnag Ghat, Prayagraj						
		Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml	Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml	Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml	Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml
1	09.01.2025	15	8.10	8.7	2.9	8.0	3900	2700	20	8.04	8.4	3.2	10.0	4300	4000	20	8.01	8.5	3.0	10.0	4000	2200	20	8.02	8.5	3.1	10.0	4100	2500
2	12.01.2025	15	8.10	8.7	2.8	8.0	3400	2200	20	8.03	8.5	3.1	12.0	4900	5300	20	8.04	8.6	2.9	10.0	4900	2200	20	8.03	8.6	3.0	11.0	4600	2300
3	16.01.2025	15	8.02	9.0	2.9	8.2	3400	2200	20	7.94	8.8	3.1	12.3	4700	4200	20	7.93	8.7	3.0	10.8	4500	2000	20	7.91	8.9	3.0	11.2	3900	2100
4	20.01.2025	20	8.10	8.8	2.9	8.3	3900	3400	20	8.09	8.7	3.1	12.4	4900	3300	20	8.08	8.8	3.0	11.2	4600	2300	20	8.06	8.9	3.0	11.4	4700	2300
5	22.01.2025	15	8.11	9.1	2.9	8.3	3900	2400	20	8.08	9.0	3.1	12.4	4700	3300	20	8.05	8.9	3.0	11.3	4000	2100	20	8.04	9.1	3.0	11.0	4400	2300

Sl. No.	Date	River Yamuna at Saraswati Ghat							River Yamuna Upstream near raw water intake well point of Jal-Kal, Nagar Nigam, Karelabagh, Prayagraj						
		Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml	Colour (Ptarm)	pH	DO (mg/L)	B.O.D. (mg/L)	C.O.D. (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml
1	09.01.2025	15	8.02	8.6	3.1	10.0	3300	2700	15	8.04	8.7	2.7	8.0	3200	2200
2	12.01.2025	15	8.01	8.7	3.0	10.0	3400	2500	15	8.03	8.8	2.8	8.0	3000	2300
3	16.01.2025	15	7.95	9.0	2.9	10.1	3300	2400	15	8.02	9.1	2.8	8.2	3200	2900
4	20.01.2025	15	8.02	9.3	3.0	10.6	3500	3400	15	8.10	9.4	2.8	8.4	3300	2300
5	22.01.2025	15	8.07	9.3	2.9	10.2	3500	3400	15	8.03	9.4	2.7	8.0	3000	2100



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY (SURFACE WATER)**

Ref no-29959183/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: Ganga D/S (A/C with Yamuna) near Chhatnaag Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.02	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4100	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2500	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 3023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.5	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1) The results in the Test Report refers only to the items tested. 2) The report shall not be regarded correct in full, without the written permission of Chemistry. 3) The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 12:55:20 +05'30'

SURESH CHANDRA SHUKLA  
 Regionl Officer

Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 14:13:44 +05'30'



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaa Vikas Pariksha Colony, Jhansi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29958967/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga Downstream near Shashtri Bridge
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	8.04	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221: 24th Ed. : 2023	MPN/100 ml	6300	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221: 24th Ed. : 2023	MPN/100 ml	4600	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.2	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O., APHA 24th Ed. 4500-OB Indometric Method 2023	mg/l	8.4	0.2 -14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report are only for the items tested. 2. The report will not be signed/validated in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 13:24:33 +05:30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 13:24:45 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29959128/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga at Sangam
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analyte Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	8.01	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 34th Ed. : 2023	MPN/100 ml	4000	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.5	0.2-14.0 mg/l

\*Non-NABL Parameters

Note : 1. The results in this Test Report should only be used as an estimate. 2. The results shall not be reported except in full, without the written permission of Ministry. 3. The test report pertains to the sample as analyzed in Lab.

Remark: \* - NA

Analysed by  
 [Dr Anup Kumar Gupta (JRF),  
 Bhoj Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16  
 13:22:55 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16  
 13:23:45+05'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avat Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29959141/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Yamuna at Sarawati Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.02	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2700	<1.8 MPN/100 ml & above
BOI, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.6	0.2-14.0 mg/l

\*Non-NALL Parameters.

Note : The results in the Test Report valid only for the stated period. 2. The report shall not be reproduced except in full, without the written permission of the agency. 3. The test report pertains to the sample as received in Lab.

Remark: - NA

Analysed by  
 [Bholy Yadav (JRF), Dr Anup Kumar  
 Gupta (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 12:58:40 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 12:58:11 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT - WATER LABORATORY (SURFACE WATER)**

Ref no-29958952/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga Upstream Near Fatehpur Ghat, Prayagraj
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	8.10	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2700	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Note-NABL Permission.

Note : 1. The results in the Test Report refer only to the items tested. 2. The report shall not be regarded except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 14:05:11 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 14:05:25 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT- WATER LABORATORY(SURFACE WATER)**

Ref no-29959161/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: Yamuna at US Water Intake
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 09/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 09/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.04	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3200	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS:3025 ( Part 44): 1993 Bio 2023	mg/l	2.7	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB (odometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Non-NAHL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except by SWL without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:® - NA

Analysed by  
 [Bholu Yadav (JRF), Dr Anup Kumar  
 Gupta (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 12:57:33 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 13:17:32 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29990297/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga Upstream Near Fatehpur Ghat, Prayagraj
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.10	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3400	<1.8 MPN/100 ml & above
Focal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.8	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by  
  
 Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 12:07:33 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 18:07:23 +05'30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29990309/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga D/s near Shastri Bridge, Prayagraj
- 2- District: Prayagraj
- 3- Address: Ganga
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA & Satya Prakash Chaudhary
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.03	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	12	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.5	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

**Analysed by**  
[Ankita Mishra (JRF), Bholy Yadav (JRF)]

**Authorized by**  
Ramjas Prasad (SA)

**Ramjas Prasad**  
Digitally signed by Ramjas Prasad  
Date: 2025.01.16 12:46:23 +05'30'

**SURESH CHANDRA SHUKLA**  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.16 12:59:58 +05'30'

**Regional Officer**



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29990329/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga at Sangam
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA & Satya Prakash Chaudhary JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.04	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4000	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.6	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items listed. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas  
 Prasad  
Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 12:43:29 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 12:44:16 +05'30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29983325/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: River Ganga at Downstream Chhatnaag Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Rajesh Kumar SA, Sandeep Giri JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.03	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4600	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.6	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except as full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Bholy Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 12:54:58 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 11:01:21 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Date: 16/01/2025

Ref no-29983345/Allahabad/2025

- 1- Sample Location: River Yamuna at Saraswati Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Rajesh Kumar SA, Sandeep Giri JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	8.01	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3400	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2700	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 12:53:11 +05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 13:03:06 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-29983378/Allahabad/2025

Date:16/01/2025

- 1- Sample Location: Yamuna at U/S Water Intake
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Rajesh Kumar SA, Sandeep Giri JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerrican, DO Bottle, MPN Bottle.
- 9- Date of Sample Collection : 12/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 12/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.03	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.8	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.8	0.2-14.0 mg/l

\*Non-NABL Parameters:

Note : 1. The results in the Test Report relate only to the items stated. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
[Bholu Yadav (JRF), Ankita Mishra (JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.16 12:50:51 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.16 12:01:45 +05'30'  
Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30031150/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: Yamuna at U/S Water Intake
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	8.02	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. ; 2023	MPN/100 ml	3200	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. ; 2023	MPN/100 ml	2000	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.8	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.2	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.1	0.2-14.0 mg/l

\*Non-NABL Parameters:

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Bholu Yadav (JRF), Firdaus Jahan  
 (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas  
 Prasad

Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.20  
 10:51:29 +0530'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.20  
 11:04:11 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30031223/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: Ganga D/S (A/C with Yamuna) near Chhatraag Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	7.91	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11.2	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.9	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items listed. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received to Lab.

Remark:\* - NA

Analysed by  
 [Bholy Yadav (JRF), Firdaus Jahan  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA) Ramjas Prasad

Digitally signed  
 By Ramjas Prasad  
 Date: 2025.01.20  
 10:30:47 +05:30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.20  
 11:15:15 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30030976/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: River Ganga Downstream near Shashtri Bridge
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	7.94	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4700	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	12.3	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.8	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items stated. 2. The report shall not be reproduced-entire or in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
[Bholy Yadav (JRF), Ankita Mishra (JRF)]

Authorized by  
Ramjas Prasad (SA)

Digitally signed by  
Ramjas Prasad  
Date: 2025.01.20  
10:54:20 +0530

SURESH  
CHANDRA  
SHUKLA

Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.20  
10:54:20 +0530

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30031040/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: River Ganga at Sangam
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	7.93	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4500	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10.8	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Non-NABL Parameter.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Bholy Yadav (JRF), Ankita Mishra (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed  
 by Ramjas Prasad  
 DN: cn=Ramjas Prasad, o=Regional Laboratory Prayagraj, ou=Uttar Pradesh Pollution Control Board, email=ramjas.prasad@uppcb.gov.in, c=IN

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.20  
 10:14:24 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30031072/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: River Yamuna at Saraswati Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	7.95	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10.1	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.0	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Bholy Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by  
 Ramjas Prasad (SA) **Ramjas Prasad**

Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.20  
 10:53:10 +05'30'

SURESH Digitally signed by  
 CHANDRA SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.20  
 11:03:47 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30030922/Allahabad/2025

Date:20/01/2025

- 1- Sample Location: River Ganga Upstream near Fatehpur Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 liter Jerrican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 16/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 16/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B; 2023	-	8.02	02-12
Colour, APHA 24th Ed. 2120B; 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3400	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.2	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.0	0.2-14.0 mg/l

\*Non-NABL Parameters

Note : 1 The results in the Test Report relate only to the items stated. 2. The report shall not be reproduced-usage is full, without the written permission of laboratory. 3. The report applies to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 (Bholy Yadav (JRF), Ankita Mishra (JRF))

Authorized by  
 Ramjas Prasad (SA) Ramjas Prasad  
Digitally signed by Ramjas Prasad  
 Date: 2025.01.20  
 10:58:27 +05:30

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.20  
 11:16:28 +05:30  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086125/Allahabad/2025

Date:24/01/2025

- 1- Sample Location: Yamuna at U/S Water Intake
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.10	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.8	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.4	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.4	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: \* - NA

Analysed by  
 [Bholu Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by

Ramjas Prasad (SA) Sanjay Prasad

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.24 13:19:25 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086030/Allahabad/2025

Date:24/01/2025

- 1- Sample Location: River Ganga Upstream near Fatehpur Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.10	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.3	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.8	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items listed. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholu Yadav  
 (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.24  
 13:17:13 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Vojna No.-3 Avast Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086236/Allahabad/2025

Date:23/01/2025

- 1- Sample Location: River Yamuna at Saraswati Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.02	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3500	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10.6	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.3	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items named. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. This test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
[Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.23 18:24:46 +05:30

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.24 13:14:46 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086230/Allahabad/2025

Date:23/01/2025

- 1- Sample Location: River Ganga at Sangam
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	8.08	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4600	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11.2	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.8	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
[Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.23 18:58:13 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.24 13:11:54 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086208/Allahabad/2025

Date:23/01/2025

- 1- Sample Location: River Ganga Downstream near Shashtri Bridge
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.09	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	12.4	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.7	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
[Bholy Yadav (JRF), Ankita Mishra (JRF)]

Authorized by  
Ramjas Prasad (SA) **Ramjas Prasad**  
Digitally signed by Ramjas Prasad  
Date: 2025.01.23  
18:37:56 +05:30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.24  
13:07:52 +05:30'

Regional Officer

**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30086188/Allahabad/2025

Date:23/01/2025

- 1- Sample Location: Ganga D/S (A/C with Yamuna) near Chhatnaag Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Alok Pandey , LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 20/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 20/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.06	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4700	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11.4	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.9	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
 Date: 2025.01.23  
 12:49:01 +05:30

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.24  
 13:05:29 +05:30  
 Regional Officer



REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD  
Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



TEST REPORT: WATER LABORATORY(SURFACE WATER)

Ref no-30144374/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: Yamuna at U/S Water Intake
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Boule and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.03	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3200	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.7	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.0	4.0 -1000 mg/l
D.O., APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.4	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: \* - NA

Analysed by  
[Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed  
by Ramjas Prasad  
Date: 2025.01.26  
12:12:01 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
DN: cn=SURESH  
CHANDRA SHUKLA

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30143600/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: River Yamuna at Saraswati Ghat
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA.
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.07	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3500	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0-1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	10.2	4.0-1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.3	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The user report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 By Ramjas Prasad  
 Date: 2025.01.26  
 12:01:52 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Deputy Officer  
 SURFACE WATER  
 ANALYSIS  
 Cell: 93522126  
 93522126

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30144498/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: Ganga D/S (A/C with Yamuna) near Chhatnang Ghati
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Rajesh Kumar, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed. 4500-B: 2023	-	8.04	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4600	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0-1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11	4.0-1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.1	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the tests stated. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.26  
 12:06:47 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.26  
 12:24:50 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30143585/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: River Ganga at Sangam
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ramjas Prasad, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	8.05	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4000	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.0	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	11.3	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	8.9	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report refers only to the items tested. 2. The report shall not be reproduced-whole or in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

**Analysed by**  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

**Authorized by**  
 Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.26 12:07:47 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30144514/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: River Ganga Downstream near Shashtri Bridge
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Rajesh Kumar, SA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt in Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.08	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	20	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4700	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3300	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	3.1	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	12.4	4.0 -1000 mg/l
D.O., APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.0	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Firdaus Jahan (JRF), Bholy Yadav  
 (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas  
 Prasad

Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.26  
 12:06:26 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.26  
 12:25:40 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WATER LABORATORY(SURFACE WATER)**

Ref no-30144358/Allahabad/2025

Date:26/01/2025

- 1- Sample Location: River Ganga Upstream Near Fatehpur Ghat, Prayagraj
- 2- District: Prayagraj
- 3- Address: Prayagraj
- 4- Sample Source: River
- 5- Type of sample : Surface Water
- 6- Sample Collected By : Ram Sahay Gautam, LA
- 7- Odour : None
- 8- Quantity and Packing : 2 Liter Jerican, DO Bottle and MPN Bottle
- 9- Date of Sample Collection : 22/01/2025
- 10- Analysis Indented by : RO Allahabad
- 11- Date of sample receipt In Lab : 22/01/2025

Parameter	Unit	Results	Detection Range
pH, APHA24th Ed.4500-B: 2023	-	8.11	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	15	5-10000 Hazen
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	3900	<1.8 MPN/100 ml & above
Fecal Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	2.9	1.0 -1000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	8.3	4.0 -1000 mg/l
D.O. , APHA 24th Ed. 4500-OB Iodometric Method 2023	mg/l	9.1	0.2-14.0 mg/l

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:\* - NA

Analysed by  
 [Ankita Mishra (JRF), Bholu Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.26  
 12:10:54 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.26  
 14:27:11 +05'30'

Regional Officer

**Water Quality of STPs at Prayagraj**

Sl. No	Sampling Locations	pH	B.O.D. (mg/l)	C.O.D (mg/l)	TSS (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml	pH	B.O.D. (mg/l)	C.O.D (mg/l)	TSS	T.C. MPN/100 ml	F.C. MPN/100 ml	pH	B.O.D. (mg/l)	C.O.D (mg/l)	TSS (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml
		07.01.2025						12.01.2025						21.01.2025					
		1	14 MLD STP Salori, Allahapur, Prayagraj	7.54	21.2	80.0	72.0	930	450	6.93	16.0	64.0	66.0	1100	450	7.34	18.0	68.0	64.0
2	25 MLD STP Kodra, Prayagraj	7.64	25.4	144.0	84.0	1400	610	7.29	28.0	128.0	86.0	1700	780	7.58	28.0	120.0	80.0	2000	780
3	50 MLD STP Numayadahi, Prayagraj	7.65	27.2	100.0	86.0	1400	780	7.31	26.0	92.0	82.0	2100	920	7.44	28.0	100.0	76.0	2000	780
4	29 MLD STP Salori, Bakahi Bundh, Prayagraj	7.62	23.8	86.0	84.0	2400	780	7.20	26.0	80.0	78.0	1400	610	7.42	27.0	96.0	76.0	2400	930
5	80 MLD STP, Mahewa Patti, Purab, Prayagraj	7.67	27.4	108.0	92.0	2100	780	7.18	28.0	96.0	80.0	1700	680	7.31	28.0	104.0	86.0	2100	920
6	42 MLD STP Naini, Near Arai Ghat Naini, Prayagraj	7.66	24.4	92.0	84.0	1700	680	7.36	24.0	88.0	78.0	2400	930	7.5	27.0	82.0	76.0	1700	680
7	14 MLD STP Phaphamau, Phaphamau Chauraha, Prayagraj	7.56	25.6	88.0	82.0	1100	450	7.27	27.0	84.0	88.0	940	490	7.66	25.0	96.0	78.0	1300	790
8	10 MLD STP Ponghat, Prayagraj	7.58	26.0	92.0	78.0	940	330	7.53	25.0	80.0	72.0	920	450	7.72	24.0	84.0	70.0	1200	680
9	16 MLD STP Bhoi, Near Chhatmag Ghat, Prayagraj	7.58	28.2	104.0	92.0	1200	680	7.62	28.0	92.0	88.0	1200	680	7.70	26.0	88.0	82.0	1400	920
10	60 MLD STP Rajapur, Prayagraj	7.68	26.8	104.0	88.0	2200	930	7.03	28.0	112.0	92.0	1600	920	7.46	29.0	116.0	86.0	2200	930

**Water Quality of Geotube at Prayagraj**

Sl. No	Sampling Locations	Date	pH	B.O.D. (mg/l)	C.O.D (mg/l)	TSS (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml
1	Geotube Salori Drain, Prayagraj, Salori Prayagraj	12.01.2025	7.15	28.0	112.0	84.0	2400	930
2	Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj		7.44	27.0	90.0	82.0	2000	680
3	Geotube Sadar Bazar Drain Prayagraj, Sadar Bazar Prayagraj		7.40	25.0	96.0	78.0	1700	780
4	Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj		7.24	29.0	128.0	96.0	2200	940
5	Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj		7.53	29.0	114.0	90.0	2100	780
6	Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj		7.18	27.0	104.0	88.0	2600	920

Sl. No	Sampling Locations	Date	pH	B.O.D. (mg/l)	C.O.D (mg/l)	TSS (mg/l)	T.C. MPN/100 ml	F.C. MPN/100 ml
1	Geotube Salori Drain, Prayagraj, Salori Prayagraj	21.01.2025	7.40	29.0	116.0	88.0	2600	930
2	Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj		7.64	26.0	96.0	84.0	2000	680
3	Geotube Sadar Bazar Drain Prayagraj, Sadar Bazar Prayagraj		7.67	25.0	104.0	80.0	1700	680
4	Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj		7.45	28.0	124.0	90.0	2100	920
5	Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj		7.31	28.0	108.0	92.0	2000	780
6	Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj		7.39	26.0	112.0	86.0	2400	920



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940595/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 14 MLD STP SALORI , SALORI BADHA ALLAHAPUR PRAYAGRAJ
- 2- Address of Industry: SALORI BADHA ALLAHAPUR
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam I.A & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.54	6.5-9.0	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	72	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	930	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part-44): 1993 Bro 2023	mg/l	21.2	30 mg/L	1.0-50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	80	--	5.0-100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants in effluent (Schedule-VI), The Environment (Protection) Rules,1986 source: [www.uppcb.nic.in/GeneralStandards.pdf](http://www.uppcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items listed. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 15:02:55 +05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 15:02:13 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29948568/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Saty Prakash JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.64	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	610	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25.4	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	144	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epch.nic.in/GeneralStandards.pdf](http://www.epch.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report are only as the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 15:04:38+05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 13:04:57+05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940630/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHL PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHL ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.65	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C 153025 ( Part 44): 1993 Bio 2023	mg/l	27.2	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	100	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.mn.in/GeneralStandards.pdf](http://www.epcb.mn.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 11:49:25 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 11:49:36 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940614/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 29 mld Salari STP, Bakshi Bundh, Prayagraj.
- 2- Address of Industry: 29 mld Salari STP, Bakshi Bundh, Allahabad.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.62	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1995 B10 2023	mg/l	23.8	30 mg/L	1.0-50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0-100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 15:01:23 +0530'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 15:01:40 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940645/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahawa Patti, Purab, Prayagraj
- 2- Address of Industry: Mahawa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Initiated by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.67	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103- 105 °C 2023	mg/l	92	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	—	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C 15 3025 ( Part 44): 1993 Bio 2023	mg/l	27.4	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	108	—	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.mn.in/GeneralStandards.pdf](http://www.epcb.mn.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
 Date: 2025.01.16  
 14:45:44 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16  
 14:45:58 +05'30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949100/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 42 MLD STP Naini, Near Arai Ghat Naini Prayagraj
- 2- Address of Industry: Near Arai Ghat Naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Initiated by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.66	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24.4	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters:

Note: 1. The results in the Test Report relate only to the items listed. 2. The signee shall not be responsible except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received at Lab.

Remark: NA

Analyzed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
Digitally signed  
by Ramjas Prasad  
Date: 2025.01.16  
14:22:10 +0530'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.16  
14:23:34 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949094/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau/Chauraha Prayagraj
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.56	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25.6	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per (A Effluent (Subedule-VI), The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report are only in the given format. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analyzed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 14:42:00 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 14:42:14 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vajra No.-3 Anus Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940542/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 10 MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Saty Prakash JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	940	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	330	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26.0	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.mca.gov.in/GeneralStandards.pdf](http://www.epcb.mca.gov.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note - 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reprinted except in full, without the written permission of Substation. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 15:08:05 +05:30

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 15:08:17 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949097/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 16 MLD STP Jhusi, Near Chhatnag Ghat Prayagraj
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C 153025 ( Part 44): 1993 Bio 2023	mg/l	28.2	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules,1986 source: [www.epcb.mn.in/GeneralStandards.pdf](http://www.epcb.mn.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the data listed. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed  
by Ramjas Prasad  
Date: 2025.01.16  
14:23:36 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.16  
16:24:11 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Date: 16/01/2025

Ref No: 29940678/Allahabad/2025

- 1- Name of Industry: 60 MLD STP Rajapur Prayagraj
- 2- Address of Industry: 60 mld Rajapur s.t.p. mehdauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.68	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26.8	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample(s) received in Lab.

Remarks: Nil

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 14:44:16 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 14:44:29 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vajna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987894/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 14 MLD STP SALORI, SALORI BADHA ALLAHAPUR PRAYAGRAJ
- 2- Address of Industry: SALORI BADHA ALLAHAPUR
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Ramul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	6.93	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	66	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	1100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	16	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	64	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NAHL Parameters

Note: 1. The results in the Test Report (where only) is for the test result. 2. The report shall not be reproduced except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received at Lab.

Remarks: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) Digitally signed  
by Ramjas Prasad  
Date: 2025.01.17  
16:04:22 +05'30'

SURESH Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.17  
17:09:01 +05'30'  
 CHANDRA  
 SHUKLA

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991423/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.29	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	128	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally Signed  
 by Ramjas Prasad  
 Date: 2025.01.17  
 16:13:33 +03'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally Signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 16:38:57 +03:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991389/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHI, PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar ABE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.31	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are in part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analyzed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Digitally signed  
 by Ramjas  
 Prasad  
 Date: 2025.01.17  
 16:17:29 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 17:09:17 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987863/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 29 mld Salori STP, Bakshi Bundh, Prayagraj
- 2- Address of Industry: 29 mld Salori STP, Bakshi Bundh, Allahabad.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Ratul Kumar J.E.
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle.
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.20	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	610	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	80	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters

Note - 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17 17:03:08 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17 17:02:26 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987792/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahewa Patti, Purab
- 2- Address of Industry: Mahewa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.18	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of the laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Abhishek Kumar Singh(JRF), Bholy  
Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17  
17:07:38 +05'30'

**SURESH CHANDRA SHUKLA**  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17  
17:10:19 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29989637/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 42 MLD STP Naini-2 Prayagraj, Near Arail Ghat Naini
- 2- Address of Industry: Near Arail Ghat Naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Rahul Kumar JE
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.36	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note - 1 The results in the Test Report holds only to the items tested. 2 The report shall not be reproduced or copy in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Biholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17 18:23:43 +05:30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17 18:41:18 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991507/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.27	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	940	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	490	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	84	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.uppcb.nic.in/GeneralStandards.pdf](http://www.uppcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report valid only for the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analyzed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 16:10:19 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.17 16:42:19 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avaz Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991464/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 10 MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.53	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	72	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	920	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	80	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the mass tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analyzed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Digitally signed  
by Ramjas Prasad  
Date: 2025.01.17  
16:11:37 +05:30

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.17  
17:09:28 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avaz Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29989571/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 16 MLD STP Jhosi, Near Chhatnag Ghat
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Rahul Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.62	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the item tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-  
 [Sanjeev Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.17  
 16:35:11 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 15:39:27 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Axis Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991356/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 60 MLD STP Rajapur Prayagraj
- 2- Address of Industry: 60 mld Rajapur s.t.p. ,mchidauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odeurless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.03	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5120 B Open Reflux Method 2023	mg/l	112	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per Part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note: 1. The analysis is the Test Report refer only to the report itself. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: Nil

Analyzed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 16:21:18 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.17 16:42:42 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avasth Vihar Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29985169/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: Geotube Salori Drain, Prayagraj, Salori Prayagraj
- 2- Address of Industry: Salori Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Shri Rahul Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.15		02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 18:09:11 +0530'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.17 18:09:21 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29985193/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj
- 2- Address of Industry: Jondhwal Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Shri Rahul Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.44	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	90	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Digitally signed  
 by Ramjas  
 Prasad  
 Date: 2025.01.17  
 18:11:25 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 18:11:47 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vaidya No.-3, Asha Vikas Purvichal Colony, Distt. Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 20086340/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: Gicotebe Sadar Bazar Ghosi Prayagraj, Sadar Bazar Prayagraj
- 2- Address of Industry: Sadar Bazar Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Gicotebe
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kamal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter, Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B, 2023	-	7.40	6.5-9.0	02-12
Suspended Solids / APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C, 2023	mg/l	78	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 20 °C IS 5024 ( Part 44) 1993 Iso 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 available at: [www.epcb.gov.in/GeneralStandards.pdf](http://www.epcb.gov.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NGL Parameters

Note: (1) The client is the Test Requester and is to be held liable. (2) The client must not be responsible for any delay in the written permission of laboratory. (3) The final report pertains to the sample as received at Lab.

Remark: Nil

Analysed by:  
[Abhishek Kumar Singh(JRF), Bholy Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17  
19:28:11 +05:30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17  
18:28:40 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yajna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29986437/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj
- 2- Address of Industry: Rajapur Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar, AEE & Satish Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.24	6.5-9.0	03-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	96	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	940	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS: 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	128	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as per-A. Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in this Test Report refer only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholu Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17  
18:43:28 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.17  
18:43:42 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987349/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj
- 2- Address of Industry: Shivkuti Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Shri Rahul Kumar JE
- 7- Colour and Odour: Colorless Oderless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.53	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	90	100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	114	-	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986  
 source: [www.spch.nic.in/GeneralStandards.pdf](http://www.spch.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters

Note: 1. The results in the Test Report refer only to the items listed. 2. The report shall not be reproduced/used in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Sandeep Giri(JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 18:18:42 +05:30

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.17 18:18:57 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Date: 17/01/2025

Ref No: 29986407/Allahabad/2025

- 1- Name of Industry: Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj
- 2- Address of Industry: ADA Colony Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.18	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103- 105 °C 2023	mg/l	88	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per: A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters:

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas  
 Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.17  
 18:30:22 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 18:30:57 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115682/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: Geotube Sadar Bazar Drain Prayagraj, Sadar Bazar Prayagraj
- 2- Address of Industry: Sadar Bazar Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Kaushal Kumar AEE & Sri Sateesh Kumar JE
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.67	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report valid only in the stated context. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the samples as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

Rajesh Singh  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28  
 17:18:20 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 17:18:33 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115709/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj
- 2- Address of Industry: Shivkuti Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.31	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	108	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Kumar (SA)

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115723/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: Geotube Salori Drain, Prayagraj, Salori Prayagraj
- 2- Address of Industry: Salori Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.40	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in this Test Report shall only in the form stated; 2. This report shall not be reproduced except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Dr Anup Kumar Gupta (JRF)]

Authorized by  
 Rajesh Kumar (SA)

**Rajesh  
 Singh**

Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 17:10:58 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 17:11:12 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115664/Allahabad/2025

Date:28/01/2025

- 1- **Name of Industry:** Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj
- 2- **Address of Industry:** Rajapur Prayagraj
- 3- **District:** Prayagraj
- 4- **Description about sampling point:** Outlet of Geotube
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- **Colour and Odour:** Colorless Odorless
- 8- **Quantity and Packing:** 2 Liter Jerrican, MPN Bottle
- 9- **Date of Sample Collection:** 21/01/2025
- 10- **Analysis Indented by:** RO Allahabad
- 11- **Date of sample receipt in Lab:** 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B; 2023	-	7.45	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	90	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44); 1993 Bio 2023	mg/l	28	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	124	--	5.0 -100000 mg/l

Reference:- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced or copied in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

Rajesh Singh  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 17:22:42 +05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 17:22:53 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115645/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj
- 2- Address of Industry: Jondhwal Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.64	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44); 1993 Bio 2023	mg/l	26	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI): The Environment (Protection) Rules,1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report refer only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh  
Singh

Digitally signed  
by Rajesh Singh  
Date: 2025.01.28  
17:25:19 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.28  
17:25:31 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30115631/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj
- 2- Address of Industry: ADA Colony Prayagraj
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of Geotube
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Suteesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.39	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D: Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The report in the Test Report is for only to the item tested; 2. The report shall not be reproduced except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
 [Bholu Yadav (JRF), Sandeep Giri(JRF)]

Authorized by  
 Rajesh Kumar (SA) **Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 17:27:45 +05:30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 17:27:57 +05:30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avus Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30140118/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 42 MLD STP Naini, Near Arail Ghat Naini Prayagraj
- 2- Address of Industry: naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar ABE & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jenicon, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.50	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	82	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf) Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
Date: 2025.01.28  
16:17:32 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.28  
16:17:29 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ  
UTTAR PRADESH POLLUTION CONTROL BOARD**  
Sector-10, Yojna No.-3 Avias Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121569/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ranjas Prasad SA & Subhash Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican. MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	120	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report reliability in the limits stated. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Dr Anup Kumar Gupta (JRF),  
Bholy Yadav (JRF)]

Authorized by  
Rajesh Kumar (SA)

**Rajesh Singh**  
Digitally signed  
by Rajesh Singh  
Date:  
2025.01.28  
16:27:10 +05'30'

**SURESH CHANDRA SHUKLA**  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.28  
16:27:24 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121613/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: 16 MLD STP JHUSI, NEAR CHHATANAG GHAT PRAYAGRAJ
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ramjas Prasad SA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.70	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986  
 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report are only for the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bhoj Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

**Rajesh  
 Singh**  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:30:00 +05'30'

**SURESH  
 CHANDRA  
 SHUKLA**  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:30:13 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121583/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHI, PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.
- 3- District: Prityagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ranjas Prasad SA & Ashu Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA, 24th Ed. 4500B: 2023	-	7.44	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	100	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*New-NABL Parameters.

Note - 1. The results in the Test Report relate only to the items stated. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
Date: 2025.01.28  
16:28:46 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.28  
16:29:00 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30133819/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahewa Patti, Purab
- 2- Address of Industry: Mahewa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.31	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note : 1. The results in the Test Report valid only to the items tested. 2. This report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA) **Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28  
 16:31:51 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28  
 16:32:05 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yajna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121652/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Srij Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.66	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023.	mg/l	78	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1300	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note: 1. The results in the Test Report refers only to the items tested. 2. The report shall not be reproduced/ copied in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

**Analysed by-**  
 [Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]

**Authorized by**  
 Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 16:20:17 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 16:20:35 +05'30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121541/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 10 MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ranjnas Prasad SA & Ashut Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.72	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	70	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	84	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report refer only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh  
Singh  
Digitally signed  
by Rajesh Singh  
Date: 2025.01.28  
16:25:38 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.28  
16:25:52 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117264/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 60 mld S.T.P. Rajapur Allahabad, 60 mld Rajapur s.t.p. ,mehdauri, Allahabad
- 2- Address of Industry: 60 mld Rajapur s.t.p. ,mehdauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.48	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NAHL Parameters.

Note : 1. The results in the Test Report pertain only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:36:16 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:36:37 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117241/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 14 MLD UPJN SALORI, 14 MLD STP SALORI, PRAYAGRAJ
- 2- Address of Industry: 14 MLD STP SALORI, PRAYAGRAJ
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.34	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	64	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	18	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	68	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested. 2. This report shall not be reproduced except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

**Analysed by-**  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

**Authorized by**  
 Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:33:45 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:33:58 +05'30'

**Regional Officer**



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117230/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 29 MLD UPIN SALORI, 29 MLD SALORI STP, BUXI BANDH, PRAYAGRAJ, ALLAHABAD, 211006
- 2- Address of Industry: 29 MLD SALORI STP, BUXI BANDH, PRAYAGRAJ, ALLAHABAD, 211006
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.42	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note - 1. The results in the Test Report mine only in the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
**[Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]**

Authorized by  
**Rajesh Kumar (SA)**

**Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 16:32:27 +05'30'

**SURESH CHANDRA SHUKLA**

Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 16:32:42 +05'30'

Regional Officer



# क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

## REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD



आवास विकास परिषद कालोनी, सेक्टर-10, योजना संख्या-3, झुंसी, प्रयागराज- 211019

Email-roprayagraj@uppcb.in

पत्रांक 601443 / NOT OA NO. 310/2022/2025

दिनांक 11/01/2025

सेवा में,

नगर आयुक्त,  
नगर निगम, प्रयागराज।

अतिआवश्यक/महत्वपूर्ण  
मा0 एन0जी0टी0 प्रकरण  
ई-मेल द्वारा

विषय:- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में पारित आदेश दिनांक- 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में अगवत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में दिनांक 23.12.2024 को आदेश पारित किया गया है, जिसकी प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित है। मा0 अधिकरण द्वारा पारित आदेश दिनांक 23.12.2024 में बिन्दु संख्या-19 (v) में निम्नवत् निर्देश दिया गया है :-

"..... (v). The solid waste generated during the event will be managed as per the prescribed Rules relating to its management and disposal....."

अतः अनुरोध है कि मा0 अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (v) पर की गयी कार्यवाही के सम्बन्ध में आख्या इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे रिस्पांस रिपोर्ट मा0 अधिकरण में दाखिल कराया जा सके।

संलग्नक-उपरोक्तानुसार।

भवदीय,

11/1/25  
(डॉ० एस०सी० शुक्ला)  
क्षेत्रीय अधिकारी

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. सदस्य सचिव महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. मुख्य विधि अधिकारी (प्रभारी), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

11/1/25  
क्षेत्रीय अधिकारी

# क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

## REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD



आवास विकास परिषद कालोनी, सेक्टर-10, योजना संख्या-3, झूँसी, प्रयागराज- 211019

Email-ropprayagraj@uppcb.in

पत्रांक 001442 / NOT ON NO. 310 / 2022 / 2025

दिनांक 11/01/2025

अतिआवश्यक / महत्वपूर्ण  
मा० एन०जी०टी० प्रकरण  
ई-मेल द्वारा

सेवा में,

- |   |  |  |
|---|--|--|
| 1. नगर आयुक्त,<br>नगर निगम, प्रयागराज<br>E-mail osnagarnigam@rediffmail.com | 2. परियोजना प्रबंधक,<br>गंगा प्रदूषण नियंत्रण इकाई,<br>उ०प्र० जल निगम (ग्रामीण), प्रयागराज<br>E-mail :pm1ganga.allahabad@gmail.com | 3. अधिशासी अभियन्ता,<br>उ०प्र० जल निगम (नगरीय)<br>प्रयागराज<br>E-mail :eecdalld@rediffmail.com |
|---|--|--|

**विषय:-** मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक- 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में अगवत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में दिनांक 23.12.2024 को आदेश पारित किया गया है, जिसकी प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित है। मा० अधिकरण द्वारा पारित आदेश दिनांक 23.12.2024 में बिन्दु संख्या-19 (vi) में निम्नवत् निर्देश दिया गया है :-

".....(vi). It has been pointed out that the Magh Mela will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase footfall. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna. The UP PCB and CPCB shall ensure that the river water quality at all times is drinking water/bathing water quality....."

अतः अनुरोध है कि मा० अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vi) पर की गयी कार्यवाही के सम्बन्ध में आख्या इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे रिस्पॉंस रिपोर्ट मा० अधिकरण में दाखिल कराया जा सके।

संलग्नक-उपरोक्तानुसार।

भवदीय,  
(डॉ० एस०सी० शुक्ला)  
क्षेत्रीय अधिकारी  
o/c

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. मुख्य विधि अधिकारी (प्रभारी), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

11/1/25  
क्षेत्रीय अधिकारी  
o/c

**कार्यालय : पर्यावरण अभियन्ता, नगर निगम, प्रयागराज।**

पत्रांक : 27/पर्या0/2024-25

दिनांक:- 17 फरवरी, 2025

सेवा में,

क्षेत्रीय अधिकारी,

क्षेत्रीय कार्यालय उ०प्र० प्रदूषण नियंत्रण बोर्ड,

आवास विकास परिषद कालोनी,

सेक्टर-10, योजना संख्या-3 झुंसी, प्रयागराज।

**विषय : मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक-23.12.2024 के अनुपालन के सम्बन्ध में।**


महोदय

कृपया उपर्युक्त विषयक स्वकीय कार्यालय पत्र सं०-GO11442/NGT OA No 310/2022/2025 दिनांक 11.02.2025 का सन्दर्भ ग्रहण करने का कष्ट करें जिसके द्वारा मा० अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vi) पर की जा रही कार्यवाही के सम्बन्ध में आख्या चाही गयी है।

उक्त के सम्बन्ध में अवगत कराना है कि बिन्दु संख्या-19 (vi) में उल्लेखित बिन्दुओं में नगर निगम प्रयागराज से सम्बन्धित आख्या निम्नानुसार है :-

क्र० सं०	वांछित बिन्दु	आख्या
(vi)-	It has been pointed out that the Magh Mela will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase footfall. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna. The UP PCB and CPCB shall ensure that the river water quality at all times is drinking water/bathing water quality....."	<p>The Prayagraj Municipal Corporation hired three agencies to ensure 100% garbage collection in Municipal area during the Maha Kumbh Mela 2025 and on major bathing dates. Daily door-to-door garbage collection is being carried out by these agencies. Additionally, around 8,000 Safai Mitras have been deployed at the ward level for road and drain cleaning.</p> <p>The cleaning of roads and drains is being conducted daily by the Safai Mitras, with regular monitoring in place to prevent any solid waste from entering the Ganga and Yamuna rivers.</p> <p>The waste Collected in the city and Mela area is transported to MSW Plant at Baswar. After the transportation of Solid waste, the processing and disposal of waste are carried out daily using scientific methods.</p>

अतः उपरोक्तानुसार मा० अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vi) के सम्बन्ध में नगर निगम प्रयागराज से सम्बन्धित बिन्दु पर आख्या सूचनार्थ प्रेषित है। कृपया तदनुसार अवगत होने का कष्ट करें।

  
(उत्तम कुमार वर्मा)

संख्या एवं दिनांक तदैव।

प्रतिलिपि : निम्नलिखित को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. नगर आयुक्त महोदय।
2. अपर नगर आयुक्त-डी महोदय।
3. मुख्य अभियन्ता महोदय।

/ पर्यावरण अभियन्ता



# उत्तर प्रदेश जल निगम (नगरीय)

कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड (प्रथम),

13 यमुना बैंक रोड, कीडगंज, प्रयागराज-211003

Email - ecdalld@rediffmail.com



पत्रांक :- 212

/ नाला शोधन-महाकुम्भ 2025

/ 18

दिनांक: 15/02/2025

सेवा में,

क्षेत्रीय अधिकारी,  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
प्रयागराज।

**विषय:-** मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विध एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक अपने पत्रांक GO1442/NGT OA No. 310/2022/2025 दिनांक 11.02.2025 का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विध एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 को पारित आदेश के बिन्दु संख्या 19(vi) पर की गयी कार्यवाही के सम्बन्ध में आख्या उपलब्ध कराने का अनुरोध किया गया है। आपके उक्त सन्दर्भित पत्र के क्रम में वांछित आख्या निम्नवत है:-

क्र०सं०	बिन्दु	आख्या
1.	"....(vi). It has been pointed out that the Magh Meia will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase football. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna. The UPPCB and CPCB shall ensure that the river water quality at all times is drinking water/bathing water quality...."	In Nagar Nigam Prayagraj, there are total 81 drains out of which 54 drains are tapped to existing 10 Nos. STP, 03 Nos. Drains have Zero dry weather flow, 02 Nos. Drains organic load is very less & are being treated through Bioremediation method by Nagar Nigam Prayagraj and for remaining 22 Nos. Drains Treatment is being done by Geosynthetic Dewatering tubes filtration followed by Advanced Oxidation Process under Namami Gange Programme. Hence, No untreated/Polluted sewage is directly being discharged in River Ganga or River Yamuna through drains. The copy of Test Report of Treated effluent of STP's & OCEMS Test Report of 07 Nos. Geotubes Site is enclosed with this letter.

**संलग्नक:-** उपरोक्तानुसार।

निवदीय  
15/02/25  
(आशुतोष यादव)  
अधिशासी अभियन्ता

पृ०सं०/दिनांक--यथोपरि।

**प्रतिलिपि-** निम्नलिखित को सूचानार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. मुख्य अभियन्ता (प्रया०क्ष०), उ०प्र० जल निगम (नगरीय), प्रयागराज।
2. अधीक्षण अभियन्ता, निर्माण मण्डल, उ०प्र० जल निगम (नगरीय), प्रयागराज।
3. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० नियंत्रण बोर्ड, लखनऊ।

अधिशासी अभियन्ता



# उत्तर प्रदेश जल निगम (नगरीय)

कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड (प्रथम),

13 यमुना बैंक रोड, कीडगंज, प्रयागराज-211003

Email - eecdalld@rediffmail.com



पत्रांक :- 212

/ नाला शोधन-महाकुम्भ 2025

/ 18

दिनांक: 15/02/2025

सेवा में,

क्षेत्रीय अधिकारी,  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
प्रयागराज।

**विषय:-** मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक अपने पत्रांक GO1442/NGT OA No. 310/2022/2025 दिनांक 11.02.2025 का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 को पारित आदेश के बिन्दु संख्या 19(vi) पर ली गयी कार्यवाही के सम्बन्ध में आख्या उपलब्ध कराने का अनुरोध किया गया है। आपके उक्त सन्दर्भित पत्र के क्रम में वांछित आख्या निम्नवत है-

क्र०सं०	बिन्दु	आख्या
1.	"....(vi). It has been pointed out that the Magh Mela will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase football. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna. The UPPCB and CPCB shal ensure that the river water quality at all times is drinking water/ bathing water quality...."	In Nagar Nigam Prayagraj, there are total 81 drains out of which 54 drains are tapped to existing 10 Nos. STP, 03 Nos. Drains have Zero dry weather flow, 02 Nos. Drains organic load is very less & are being treated through Bioremediation method by Nagar Nigam Prayagraj and for remaining 22 Nos. Drains Treatment is being done by Geosynthetic Dewatering tubes filtration followed by Advanced Oxidation Process under Namami Gange Programme. Hence, No untreated/Polluted sewage is directly being discharged in River Ganga or River Yamuna through drains. The copy of Test Report of Treated effluent of STP's & GCEMS Test Report of 07 Nos. Geotubes Site is enclosed with this letter.

**संलग्नक:-** उपरोक्तानुसार।

भवदीय

(आसुतोष यादव)  
अधिशासी अभियन्ता

पृ०सं०/दिनांक-यथोपरि।

प्रतिलिपि- निम्नलिखित को सूचानार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. मुख्य अभियन्ता (प्रयागक्षेत्र), उ०प्र० जल निगम (नगरीय), प्रयागराज।
2. अधीक्षण अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), प्रयागराज।
3. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० नियंत्रण बोर्ड, लखनऊ।

15/02/25  
अधिशासी अभियन्ता

# क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

## REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD



आवास विकास परिषद कालोनी, रोपट्टर-10, योजना संख्या-3, झूँली, प्रयागराज- 211019

Email-roprayagraj@uppcb.in

पत्रांक 06/1442 / NOT ON NO. 310 / 2022 / 2025

दिनांक 11/02/2025

अतिआवश्यक / महत्वपूर्ण  
मा0 एन0सी0टी0 प्रकरण  
ई-मेल द्वारा

सेवा में,

1. नगर आयुक्त,  
नगर निगम, प्रयागराज  
E-mail: osnagarnigam@rediffmail.com

2. परियोजना प्रबंधक,  
गंगा प्रदूषण नियंत्रण इकाई,  
उ0प्र0 जल निगम (ग्रामीण), प्रयागराज  
E-mail: pm1ganga.allahabad@gmail.com

3. अधिशासी अभियन्ता,  
उ0प्र0 जल निगम (नगरीय),  
प्रयागराज  
E-mail: eecdslid@rediffmail.com

विषय:- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विध एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में पारित आदेश दिनांक- 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में अगवत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विध एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में दिनांक 23.12.2024 को आदेश पारित किया गया है, जिसकी प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित है। मा0 अधिकरण द्वारा पारित आदेश दिनांक 23.12.2024 में बिन्दु संख्या-19 (vi) में निम्नवत् निर्देश दिया गया है :-

".....(vi). It has been pointed out that the Magh Mela will continue from 12.01.2025 till 26.02.2025 for about 45 days and there will be six important bathing days. The regulatory agencies will strengthen the management system and be more prompt in ensuring the compliance, especially during the days of increase footfall. The authorities will ensure that no untreated sewage and solid waste from any of the drains in Prayagraj is discharged in river Ganga and Yamuna. The UP PCB and CPCB shall ensure that the river water quality at all times is drinking water/bathing water quality....."

अतः अनुरोध है कि मा0 अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vi) पर की गयी कार्यवाही के सम्बन्ध में आख्या इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे रिस्पॉंस रिपोर्ट मा0 अधिकरण में दाखिल कराया जा सके।

संलग्नक-उपरोक्तानुसार।

भवदीय,  
(डॉ० एस०सी० शुक्ला)  
क्षेत्रीय अधिकारी  
0/c

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. सदस्य सचिव महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. मुख्य विधि अधिकारी (प्रभारी), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

11/11/25  
क्षेत्रीय अधिकारी  
0/c



## Water Quality Report: Salori Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:03 AM	28.67	76.86	6.9	7.74	45.64
21/01/25, 12:08 AM	28.69	77.09	6.91	7.75	45.64
21/01/25, 12:13 AM	28.68	77.14	6.91	7.75	45.59
21/01/25, 12:18 AM	28.69	77.23	6.92	7.75	45.63
21/01/25, 12:23 AM	28.67	77.3	6.91	7.75	45.63
21/01/25, 12:28 AM	28.65	77.25	6.91	7.75	45.62
21/01/25, 12:33 AM	28.62	77.25	6.91	7.75	45.57
21/01/25, 12:38 AM	28.64	77.39	6.92	7.76	45.57
21/01/25, 12:43 AM	28.66	77.32	6.91	7.76	45.61
21/01/25, 12:48 AM	28.66	77.1	6.9	7.76	45.64
21/01/25, 12:53 AM	28.68	76.96	6.9	7.76	45.69
21/01/25, 12:58 AM	28.68	77.19	6.9	7.76	45.74
21/01/25, 01:03 AM	28.69	77.29	6.9	7.76	45.78
21/01/25, 01:08 AM	28.66	77.32	6.89	7.76	45.83
21/01/25, 01:13 AM	28.66	77.5	6.88	7.76	45.78
21/01/25, 01:18 AM	28.63	77.42	6.88	7.76	45.76
21/01/25, 01:23 AM	28.64	77.29	6.88	7.75	45.76
21/01/25, 01:28 AM	28.67	77.4	6.89	7.76	45.73
21/01/25, 01:33 AM	28.65	77.63	6.89	7.76	45.7
21/01/25, 01:38 AM	28.67	77.69	6.88	7.77	45.64
21/01/25, 01:43 AM	28.66	77.67	6.89	7.76	45.64
21/01/25, 01:48 AM	28.69	77.84	6.87	7.76	45.7
21/01/25, 01:53 AM	28.69	78.03	6.88	7.77	45.68
21/01/25, 01:58 AM	28.68	78.07	6.89	7.77	45.66
21/01/25, 02:03 AM	28.71	77.95	6.9	7.77	45.62
21/01/25, 02:08 AM	28.74	77.74	6.89	7.77	45.57
21/01/25, 02:13 AM	28.78	77.79	6.89	7.76	45.57
21/01/25, 02:18 AM	28.78	77.66	6.88	7.76	45.55
21/01/25, 02:23 AM	28.76	77.88	6.87	7.75	45.55
21/01/25, 02:28 AM	28.74	77.68	6.87	7.75	45.6
21/01/25, 02:33 AM	28.73	77.53	6.86	7.75	45.54

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:38 AM	28.77	77.3	6.87	7.74	45.55
21/01/25, 02:43 AM	28.74	77.27	6.86	7.74	45.59
21/01/25, 02:48 AM	28.72	77.37	6.85	7.75	45.61
21/01/25, 02:53 AM	28.69	77.27	6.84	7.74	45.55
21/01/25, 02:58 AM	28.69	77.24	6.84	7.74	45.56
21/01/25, 03:03 AM	28.72	77.08	6.85	7.74	45.54
21/01/25, 03:08 AM	28.76	77.29	6.85	7.74	45.6
21/01/25, 03:13 AM	28.73	77.39	6.87	7.74	45.56
21/01/25, 03:18 AM	28.75	77.59	6.87	7.74	45.54
21/01/25, 03:23 AM	28.75	77.67	6.87	7.73	45.5
21/01/25, 03:28 AM	28.77	77.45	6.88	7.73	45.53
21/01/25, 03:33 AM	28.76	77.36	6.89	7.74	45.53
21/01/25, 03:38 AM	28.74	77.27	6.89	7.74	45.55
21/01/25, 03:43 AM	28.73	77.26	6.89	7.74	45.54
21/01/25, 03:48 AM	28.76	77.35	6.91	7.74	45.53
21/01/25, 03:53 AM	28.76	77.37	6.91	7.73	45.55
21/01/25, 03:58 AM	28.74	77.21	6.91	7.73	45.5
21/01/25, 04:03 AM	28.73	77.11	6.91	7.73	45.52
21/01/25, 04:08 AM	28.72	76.98	6.91	7.73	45.51
21/01/25, 04:13 AM	28.73	77.18	6.92	7.73	45.48
21/01/25, 04:18 AM	28.76	77.03	6.93	7.73	45.47
21/01/25, 04:23 AM	28.76	76.99	6.93	7.73	45.5
21/01/25, 04:28 AM	28.76	77.22	6.94	7.73	45.48
21/01/25, 04:33 AM	28.76	77.17	6.94	7.73	45.5
21/01/25, 04:38 AM	28.73	77.12	6.94	7.73	45.55
21/01/25, 04:43 AM	28.69	76.9	6.94	7.72	45.49
21/01/25, 04:48 AM	28.72	76.66	6.94	7.72	45.43
21/01/25, 04:53 AM	28.71	76.62	6.94	7.73	45.48
21/01/25, 04:58 AM	28.69	76.57	6.93	7.73	45.48
21/01/25, 05:03 AM	28.65	76.58	6.94	7.73	45.45
21/01/25, 05:08 AM	28.69	76.45	6.93	7.73	45.46
21/01/25, 05:13 AM	28.66	76.28	6.92	7.73	45.41
21/01/25, 05:18 AM	28.64	76.42	6.93	7.73	45.44
21/01/25, 05:23 AM	28.67	76.38	6.92	7.73	45.47

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:28 AM	28.66	76.25	6.93	7.73	45.47
21/01/25, 05:33 AM	28.64	76.03	6.93	7.73	45.46
21/01/25, 05:38 AM	28.67	76.16	6.93	7.73	45.43
21/01/25, 05:43 AM	28.7	76.15	6.93	7.73	45.47
21/01/25, 05:48 AM	28.7	75.95	6.93	7.73	45.41
21/01/25, 05:53 AM	28.71	75.78	6.94	7.73	45.4
21/01/25, 05:58 AM	28.75	75.59	6.94	7.73	45.45
21/01/25, 06:03 AM	28.74	75.36	6.94	7.73	45.42
21/01/25, 06:08 AM	28.76	75.43	6.94	7.73	45.46
21/01/25, 06:13 AM	28.77	75.42	6.94	7.73	45.43
21/01/25, 06:18 AM	28.75	75.37	6.95	7.74	45.46
21/01/25, 06:23 AM	28.71	75.44	6.94	7.74	45.45
21/01/25, 06:28 AM	28.73	75.58	6.95	7.74	45.39
21/01/25, 06:33 AM	28.74	75.64	6.95	7.74	45.4
21/01/25, 06:38 AM	28.75	75.66	6.95	7.74	45.42
21/01/25, 06:43 AM	28.75	75.8	6.97	7.73	45.45
21/01/25, 06:48 AM	28.78	75.55	6.97	7.73	45.47
21/01/25, 06:53 AM	28.74	75.67	6.97	7.74	45.46
21/01/25, 06:58 AM	28.72	75.63	6.98	7.73	45.41
21/01/25, 07:03 AM	28.7	75.52	6.97	7.73	45.4
21/01/25, 07:08 AM	28.68	75.28	6.97	7.73	45.38
21/01/25, 07:13 AM	28.71	75.26	6.97	7.73	45.36
21/01/25, 07:18 AM	28.69	75.3	6.96	7.73	45.36
21/01/25, 07:23 AM	28.67	75.47	6.97	7.73	45.41
21/01/25, 07:28 AM	28.69	75.52	6.96	7.73	45.38
21/01/25, 07:33 AM	27.14	79.68	6.99	7.6	48.4
21/01/25, 07:58 AM	27.22	79.72	6.99	7.6	48.48
21/01/25, 08:23 AM	27.28	79.58	6.96	7.6	48.46
21/01/25, 08:48 AM	27.27	79.63	6.96	7.6	48.43
21/01/25, 08:53 AM	27.29	79.61	6.95	7.6	48.47
21/01/25, 08:58 AM	27.31	79.39	6.94	7.6	48.5
21/01/25, 09:03 AM	27.27	79.58	6.93	7.6	48.46
21/01/25, 09:08 AM	27.29	79.53	6.92	7.6	48.4
21/01/25, 09:13 AM	27.26	79.52	6.92	7.6	48.42

TIME	BOD	COD	DO	pH	TSS
21/01/25, 09:18 AM	27.23	79.46	6.92	7.6	48.46
21/01/25, 09:23 AM	27.22	79.6	6.93	7.61	48.5
21/01/25, 09:28 AM	27.21	79.71	6.93	7.61	48.5
21/01/25, 09:33 AM	27.22	79.67	6.94	7.61	48.5
21/01/25, 09:38 AM	27.26	79.46	6.92	7.61	48.5
21/01/25, 09:43 AM	27.27	79.33	6.93	7.6	48.46
21/01/25, 09:48 AM	27.28	79.18	6.92	7.6	48.44
21/01/25, 09:53 AM	27.3	79.11	6.91	7.61	48.39
21/01/25, 09:58 AM	27.29	78.88	6.92	7.61	48.37
21/01/25, 10:03 AM	27.3	78.73	6.92	7.61	48.31
21/01/25, 10:08 AM	27.33	78.94	6.93	7.6	48.26
21/01/25, 10:13 AM	27.29	79.05	6.92	7.6	48.21
21/01/25, 10:18 AM	27.3	79.23	6.93	7.6	48.23
21/01/25, 10:23 AM	27.3	79.46	6.92	7.6	48.25
21/01/25, 10:28 AM	27.29	79.54	6.93	7.6	48.28
21/01/25, 10:33 AM	27.26	79.66	6.93	7.6	48.33
21/01/25, 10:38 AM	27.29	79.84	6.93	7.6	48.33
21/01/25, 10:43 AM	27.3	79.69	6.93	7.6	48.36
21/01/25, 10:48 AM	27.33	79.75	6.92	7.6	48.4
21/01/25, 10:53 AM	27.3	79.52	6.93	7.6	48.43
21/01/25, 10:58 AM	27.26	79.55	6.94	7.6	48.43
21/01/25, 11:03 AM	27.24	79.39	6.94	7.6	48.45
21/01/25, 11:08 AM	27.21	79.2	6.95	7.6	48.47
21/01/25, 11:13 AM	27.21	79.08	6.95	7.6	48.41
21/01/25, 11:18 AM	27.2	79.07	6.94	7.6	48.37
21/01/25, 11:23 AM	27.23	79.05	6.93	7.6	48.41
21/01/25, 11:28 AM	27.22	79.16	6.95	7.6	48.43
21/01/25, 11:33 AM	27.19	78.99	6.94	7.6	48.49
21/01/25, 11:38 AM	27.16	79.11	6.93	7.6	48.44
21/01/25, 11:43 AM	27.15	79.29	6.93	7.61	48.4
21/01/25, 11:48 AM	27.12	79.12	6.93	7.61	48.34
21/01/25, 11:53 AM	27.12	79.33	6.92	7.61	48.33
21/01/25, 11:58 AM	27.14	79.18	6.91	7.61	48.3
21/01/25, 12:03 PM	27.17	79.15	6.91	7.61	48.3

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:08 PM	27.13	79.36	6.9	7.62	48.29
21/01/25, 12:13 PM	27.16	79.19	6.89	7.61	48.24
21/01/25, 12:18 PM	27.14	79.11	6.9	7.61	48.26
21/01/25, 12:23 PM	27.15	78.98	6.89	7.62	48.2
21/01/25, 12:28 PM	27.16	78.99	6.89	7.62	48.21
21/01/25, 12:33 PM	27.13	79.07	6.88	7.62	48.26
21/01/25, 12:38 PM	27.15	79	6.89	7.62	48.32
21/01/25, 12:43 PM	27.16	78.9	6.88	7.62	48.33
21/01/25, 12:48 PM	27.14	79.09	6.89	7.63	48.31
21/01/25, 12:53 PM	27.12	79.06	6.89	7.62	48.26
21/01/25, 12:58 PM	27.14	79.26	6.89	7.62	48.31
21/01/25, 01:03 PM	27.15	79.1	6.91	7.62	48.3
21/01/25, 01:08 PM	27.16	79.07	6.89	7.62	48.24
21/01/25, 01:13 PM	27.17	79.07	6.89	7.62	48.31
21/01/25, 01:18 PM	27.15	79.11	6.87	7.62	48.31
21/01/25, 01:23 PM	27.18	79.34	6.86	7.62	48.32
21/01/25, 01:28 PM	27.18	79.27	6.85	7.61	48.34
21/01/25, 01:33 PM	27.16	79.38	6.86	7.61	48.28
21/01/25, 01:36 PM	28.51	85.85	6.68	7.9	45.91
21/01/25, 01:41 PM	28.5	85.86	6.67	7.9	45.85
21/01/25, 01:45 PM	27.31	78.84	6.62	7.87	45.45
21/01/25, 01:50 PM	28.34	78.17	6.71	7.76	47.54
21/01/25, 01:54 PM	28.4	82.05	7.06	7.7	44.93
21/01/25, 01:59 PM	28.39	82.12	7.06	7.7	44.94
21/01/25, 02:02 PM	27.41	82.71	6.94	7.71	45.67
21/01/25, 02:07 PM	27.45	82.68	6.94	7.71	45.63
21/01/25, 02:12 PM	27.49	82.92	6.93	7.72	45.58
21/01/25, 02:13 PM	27.36	84.51	6.32	7.78	48.38
21/01/25, 02:18 PM	27.33	84.4	6.32	7.78	48.36
21/01/25, 02:23 PM	27.31	84.25	6.31	7.77	48.33
21/01/25, 02:28 PM	27.32	84.07	6.3	7.78	48.32
21/01/25, 02:31 PM	28.63	85.21	6.82	7.85	47.37
21/01/25, 02:36 PM	28.62	85.3	6.82	7.84	47.34
21/01/25, 02:41 PM	28.63	85.35	6.83	7.84	47.35

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:46 PM	28.6	85.41	6.82	7.84	47.39
21/01/25, 02:51 PM	28.59	85.36	6.81	7.84	47.36
21/01/25, 02:56 PM	28.58	85.28	6.82	7.84	47.31
21/01/25, 03:01 PM	28.61	85.1	6.82	7.84	47.3
21/01/25, 03:06 PM	28.58	85.06	6.83	7.84	47.25
21/01/25, 03:11 PM	28.59	85.1	6.82	7.85	47.19
21/01/25, 03:16 PM	28.6	85.22	6.84	7.84	47.13
21/01/25, 03:21 PM	28.6	85.32	6.84	7.84	47.16
21/01/25, 03:26 PM	28.6	85.15	6.83	7.84	47.2
21/01/25, 03:31 PM	28.59	85.38	6.83	7.84	47.19
21/01/25, 03:36 PM	28.57	85.24	6.84	7.84	47.22
21/01/25, 03:41 PM	28.53	85.23	6.83	7.84	47.26
21/01/25, 03:46 PM	28.55	85	6.82	7.83	47.26
21/01/25, 03:51 PM	28.58	84.91	6.82	7.83	47.22
21/01/25, 03:56 PM	28.55	85.1	6.82	7.83	47.24
21/01/25, 04:01 PM	28.56	84.92	6.83	7.83	47.28
21/01/25, 04:06 PM	28.56	84.93	6.83	7.83	47.27
21/01/25, 04:11 PM	28.55	84.95	6.84	7.84	47.23
21/01/25, 04:16 PM	28.58	85.04	6.83	7.83	47.17
21/01/25, 04:21 PM	28.6	84.99	6.83	7.84	47.18
21/01/25, 04:26 PM	28.58	84.89	6.82	7.83	47.19
21/01/25, 04:31 PM	28.54	84.87	6.81	7.83	47.25
21/01/25, 04:36 PM	28.55	84.83	6.81	7.83	47.31
21/01/25, 04:41 PM	28.52	84.97	6.8	7.83	47.37
21/01/25, 04:46 PM	28.52	85.1	6.81	7.83	47.33
21/01/25, 04:51 PM	28.49	85.25	6.81	7.83	47.32
21/01/25, 04:56 PM	28.46	85.18	6.79	7.84	47.28
21/01/25, 05:01 PM	28.46	85.09	6.78	7.84	47.34
21/01/25, 05:06 PM	28.49	84.93	6.79	7.84	47.29
21/01/25, 05:11 PM	28.52	84.88	6.78	7.84	47.25
21/01/25, 05:16 PM	28.56	84.68	6.78	7.84	47.21
21/01/25, 05:21 PM	28.54	84.56	6.78	7.84	47.23
21/01/25, 05:26 PM	28.56	84.79	6.78	7.84	47.29
21/01/25, 05:31 PM	28.53	84.58	6.78	7.84	47.33

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:36 PM	28.52	84.44	6.78	7.84	47.3
21/01/25, 05:41 PM	28.5	84.54	6.78	7.84	47.36
21/01/25, 05:46 PM	28.5	84.61	6.77	7.84	47.35
21/01/25, 05:51 PM	28.47	84.66	6.78	7.84	47.41
21/01/25, 05:56 PM	28.46	84.51	6.78	7.84	47.43
21/01/25, 06:01 PM	28.45	84.27	6.76	7.84	47.41
21/01/25, 06:06 PM	28.48	84.27	6.77	7.84	47.47
21/01/25, 06:11 PM	28.49	84.3	6.77	7.84	47.44
21/01/25, 06:16 PM	28.52	84.41	6.78	7.84	47.43
21/01/25, 06:21 PM	28.48	84.53	6.77	7.83	47.38
21/01/25, 06:26 PM	28.47	84.75	6.77	7.83	47.34
21/01/25, 06:31 PM	28.47	84.93	6.77	7.84	47.39
21/01/25, 06:36 PM	28.44	85.12	6.77	7.84	47.45
21/01/25, 06:41 PM	28.46	85	6.78	7.83	47.4
21/01/25, 06:46 PM	28.44	85.15	6.78	7.83	47.47
21/01/25, 06:51 PM	28.42	85.25	6.78	7.83	47.45
21/01/25, 06:56 PM	28.45	85.09	6.79	7.83	47.4
21/01/25, 07:01 PM	28.44	84.99	6.79	7.83	47.44
21/01/25, 07:06 PM	28.41	85.11	6.8	7.83	47.45
21/01/25, 07:11 PM	28.4	85.2	6.8	7.82	47.48
21/01/25, 07:16 PM	28.42	85.11	6.81	7.83	47.44
21/01/25, 07:21 PM	28.39	85.12	6.81	7.83	47.38
21/01/25, 07:26 PM	28.42	85.05	6.81	7.83	47.42
21/01/25, 07:31 PM	28.39	84.9	6.81	7.83	47.38
21/01/25, 07:36 PM	28.42	84.9	6.81	7.83	47.32
21/01/25, 07:41 PM	28.39	84.67	6.81	7.82	47.33
21/01/25, 07:46 PM	28.38	84.64	6.81	7.83	47.33
21/01/25, 07:51 PM	28.42	84.44	6.81	7.82	47.34
21/01/25, 07:56 PM	28.43	84.67	6.82	7.82	47.39
21/01/25, 08:01 PM	28.45	84.52	6.83	7.82	47.33
21/01/25, 08:06 PM	28.48	84.53	6.85	7.82	47.35
21/01/25, 08:11 PM	28.46	84.63	6.85	7.81	47.3
21/01/25, 08:16 PM	28.5	84.76	6.86	7.81	47.34
21/01/25, 08:21 PM	28.53	84.78	6.86	7.81	47.34

TIME	BOD	COD	DO	pH	TSS
21/01/25, 08:26 PM	28.5	84.97	6.86	7.81	47.37
21/01/25, 08:31 PM	28.48	84.76	6.86	7.81	47.35
21/01/25, 08:36 PM	28.46	84.88	6.85	7.82	47.3
21/01/25, 08:41 PM	28.45	84.97	6.86	7.81	47.32
21/01/25, 08:46 PM	28.46	84.75	6.85	7.82	47.32
21/01/25, 08:51 PM	28.43	84.58	6.84	7.82	47.35
21/01/25, 08:56 PM	28.47	84.43	6.83	7.81	47.3
21/01/25, 09:01 PM	28.47	84.52	6.83	7.82	47.29
21/01/25, 09:06 PM	28.47	84.76	6.84	7.82	47.23
21/01/25, 09:11 PM	28.45	84.81	6.85	7.82	47.18
21/01/25, 09:16 PM	28.44	85.03	6.84	7.81	47.15
21/01/25, 09:21 PM	28.45	84.93	6.83	7.82	47.14
21/01/25, 09:26 PM	28.42	84.93	6.84	7.81	47.17
21/01/25, 09:31 PM	28.44	85.16	6.84	7.81	47.2
21/01/25, 09:36 PM	28.45	85.09	6.85	7.81	47.23
21/01/25, 09:41 PM	28.42	85	6.85	7.81	47.19
21/01/25, 09:46 PM	28.44	84.85	6.85	7.81	47.21
21/01/25, 09:51 PM	28.42	84.96	6.84	7.81	47.18
21/01/25, 09:56 PM	28.41	84.76	6.84	7.81	47.12
21/01/25, 10:01 PM	28.45	84.98	6.83	7.81	47.15
21/01/25, 10:06 PM	28.43	85.09	6.84	7.81	47.13
21/01/25, 10:11 PM	28.41	85.05	6.85	7.81	47.14
21/01/25, 10:16 PM	28.43	84.86	6.85	7.81	47.19
21/01/25, 10:21 PM	28.45	84.83	6.85	7.81	47.15
21/01/25, 10:26 PM	28.41	84.76	6.84	7.81	47.1
21/01/25, 10:31 PM	28.38	84.94	6.84	7.81	47.05
21/01/25, 10:36 PM	28.39	84.95	6.85	7.81	47.03
21/01/25, 10:41 PM	28.36	85.15	6.86	7.81	46.97
21/01/25, 10:46 PM	28.35	85.23	6.86	7.81	47.01
21/01/25, 10:51 PM	28.33	85.37	6.85	7.81	47.01
21/01/25, 10:56 PM	28.3	85.37	6.84	7.82	46.99
21/01/25, 11:01 PM	28.27	85.26	6.85	7.81	46.94
21/01/25, 11:06 PM	28.26	85.13	6.86	7.81	46.95
21/01/25, 11:11 PM	28.23	85.23	6.87	7.81	46.94

TIME	BOD	COD	DO	pH	TSS
21/01/25, 11:16 PM	28.21	85.04	6.87	7.81	46.87
21/01/25, 11:21 PM	28.17	85.12	6.88	7.81	46.86
21/01/25, 11:26 PM	28.2	85.09	6.87	7.81	46.82
21/01/25, 11:31 PM	28.2	84.98	6.87	7.81	46.82
21/01/25, 11:36 PM	28.17	84.81	6.85	7.81	46.88
21/01/25, 11:41 PM	28.19	84.73	6.85	7.8	46.84
21/01/25, 11:46 PM	28.17	84.88	6.84	7.8	46.85
21/01/25, 11:51 PM	28.17	85.07	6.84	7.8	46.91
21/01/25, 11:56 PM	28.17	85.01	6.83	7.8	46.93



## Water Quality Report: Salori Drain

TIME	BOD	COD	DO	pH	TSS
11/02/25, 12:02 AM	27.07	89.33	6.76	7.86	47.91
11/02/25, 12:07 AM	27.14	89.41	6.72	7.86	47.96
11/02/25, 12:12 AM	27.08	89.58	6.71	7.87	48.06
11/02/25, 12:17 AM	27.15	89.74	6.74	7.89	48.06
11/02/25, 12:22 AM	27.09	89.66	6.71	7.91	48.01
11/02/25, 12:27 AM	27.05	89.74	6.68	7.92	48
11/02/25, 12:32 AM	27.03	89.6	6.64	7.92	47.97
11/02/25, 12:37 AM	27.11	89.75	6.66	7.91	48.03
11/02/25, 12:42 AM	27.14	89.92	6.62	7.9	48
11/02/25, 12:47 AM	27.09	90.15	6.6	7.89	48
11/02/25, 12:52 AM	27.04	89.93	6.59	7.89	47.97
11/02/25, 12:57 AM	27.01	90.02	6.57	7.89	48
11/02/25, 01:02 AM	26.94	90.12	6.6	7.87	48.08
11/02/25, 01:07 AM	26.92	90.08	6.64	7.86	48.01
11/02/25, 01:12 AM	26.88	90.31	6.64	7.87	48.03
11/02/25, 01:17 AM	26.9	90.13	6.63	7.85	47.99
11/02/25, 01:22 AM	26.93	90.01	6.66	7.86	48.02
11/02/25, 01:27 AM	26.98	90.1	6.64	7.85	47.98
11/02/25, 01:32 AM	26.93	90.03	6.67	7.83	47.99
11/02/25, 01:37 AM	26.97	90.03	6.63	7.82	47.96
11/02/25, 01:42 AM	26.95	90.21	6.61	7.82	47.94
11/02/25, 01:47 AM	27.02	90.01	6.63	7.82	48.04
11/02/25, 01:52 AM	26.98	90.1	6.67	7.83	48.09
11/02/25, 01:57 AM	26.99	90.05	6.65	7.84	48.06
11/02/25, 02:02 AM	26.98	90.11	6.67	7.83	48
11/02/25, 02:07 AM	26.94	90.05	6.65	7.85	47.92
11/02/25, 02:12 AM	26.91	90.25	6.63	7.84	47.86
11/02/25, 02:17 AM	26.98	90.33	6.63	7.85	47.76
11/02/25, 02:22 AM	27	90.18	6.66	7.83	47.83
11/02/25, 02:27 AM	27.02	89.98	6.68	7.83	47.9
11/02/25, 02:32 AM	27.04	90.16	6.66	7.81	47.8

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:37 AM	27.07	90.28	6.69	7.8	47.72
11/02/25, 02:42 AM	27.11	90.38	6.68	7.79	47.74
11/02/25, 02:47 AM	27.1	90.14	6.67	7.81	47.64
11/02/25, 02:52 AM	27.14	89.98	6.66	7.82	47.65
11/02/25, 02:57 AM	27.11	89.9	6.68	7.81	47.68
11/02/25, 03:02 AM	27.18	89.86	6.66	7.79	47.64
11/02/25, 03:07 AM	27.17	90.08	6.66	7.8	47.62
11/02/25, 03:12 AM	27.21	90.03	6.63	7.79	47.56
11/02/25, 03:17 AM	27.16	90.21	6.62	7.78	47.58
11/02/25, 03:22 AM	27.19	90.01	6.65	7.76	47.62
11/02/25, 03:27 AM	27.27	90.05	6.67	7.77	47.64
11/02/25, 03:32 AM	27.32	90.22	6.69	7.76	47.71
11/02/25, 03:37 AM	27.3	90.18	6.69	7.77	47.78
11/02/25, 03:42 AM	27.33	90.3	6.68	7.78	47.82
11/02/25, 03:47 AM	27.27	90.18	6.67	7.79	47.74
11/02/25, 03:52 AM	27.21	90.26	6.67	7.79	47.68
11/02/25, 03:57 AM	27.25	90.35	6.69	7.77	47.69
11/02/25, 04:02 AM	27.21	90.55	6.66	7.77	47.7
11/02/25, 04:07 AM	27.21	90.5	6.65	7.76	47.73
11/02/25, 04:12 AM	27.17	90.32	6.66	7.77	47.73
11/02/25, 04:17 AM	27.21	90.34	6.66	7.76	47.8
11/02/25, 04:22 AM	27.14	90.53	6.63	7.76	47.71
11/02/25, 04:27 AM	27.09	90.34	6.66	7.78	47.66
11/02/25, 04:32 AM	27.01	90.24	6.64	7.76	47.75
11/02/25, 04:37 AM	27.04	90.43	6.64	7.77	47.8
11/02/25, 04:42 AM	27.05	90.37	6.67	7.79	47.71
11/02/25, 04:47 AM	26.99	90.47	6.68	7.8	47.81
11/02/25, 04:52 AM	26.99	90.37	6.65	7.81	47.72
11/02/25, 04:57 AM	26.95	90.46	6.65	7.8	47.81
11/02/25, 05:02 AM	26.96	90.54	6.64	7.81	47.73
11/02/25, 05:07 AM	26.91	90.47	6.67	7.79	47.8
11/02/25, 05:12 AM	26.85	90.68	6.64	7.77	47.88
11/02/25, 05:17 AM	26.83	90.71	6.66	7.76	47.88
11/02/25, 05:22 AM	26.89	90.62	6.66	7.74	47.8

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:27 AM	26.89	90.46	6.66	7.72	47.73
11/02/25, 05:32 AM	26.88	90.44	6.68	7.74	47.73
11/02/25, 05:37 AM	26.91	90.47	6.65	7.74	47.81
11/02/25, 05:42 AM	26.86	90.64	6.66	7.72	47.87
11/02/25, 05:47 AM	26.85	90.45	6.63	7.73	47.86
11/02/25, 05:52 AM	26.85	90.41	6.61	7.74	47.82
11/02/25, 05:57 AM	26.78	90.51	6.61	7.74	47.89
11/02/25, 06:02 AM	26.76	90.71	6.64	7.76	47.8
11/02/25, 06:07 AM	26.7	90.86	6.6	7.75	47.75
11/02/25, 06:12 AM	26.64	90.86	6.57	7.76	47.8
11/02/25, 06:17 AM	26.58	90.64	6.57	7.75	47.9
11/02/25, 06:22 AM	26.58	90.58	6.56	7.75	47.87
11/02/25, 06:27 AM	26.59	90.55	6.55	7.75	47.88
11/02/25, 06:32 AM	26.6	90.5	6.56	7.76	47.82
11/02/25, 06:37 AM	26.62	90.28	6.55	7.75	47.74
11/02/25, 06:42 AM	26.55	90.25	6.58	7.75	47.74
11/02/25, 06:47 AM	26.53	90.41	6.56	7.74	47.65
11/02/25, 06:52 AM	26.46	90.19	6.59	7.72	47.65
11/02/25, 06:57 AM	26.4	90.08	6.58	7.72	47.59
11/02/25, 07:02 AM	26.32	90.07	6.58	7.72	47.58
11/02/25, 07:07 AM	26.36	90.13	6.61	7.71	47.63
11/02/25, 07:12 AM	26.38	89.98	6.61	7.7	47.61
11/02/25, 07:17 AM	26.39	90.07	6.64	7.68	47.62
11/02/25, 07:22 AM	26.41	90.11	6.62	7.7	47.58
11/02/25, 07:28 AM	26.39	90.1	6.61	7.7	47.56
11/02/25, 07:33 AM	26.34	90.05	6.61	7.69	47.56
11/02/25, 07:38 AM	26.36	90.01	6.64	7.67	47.49
11/02/25, 07:43 AM	26.39	90.18	6.65	7.66	47.41
11/02/25, 07:48 AM	26.38	90.23	6.62	7.64	47.42
11/02/25, 07:53 AM	26.34	90.43	6.63	7.63	47.51
11/02/25, 07:58 AM	26.32	90.66	6.61	7.66	47.45
11/02/25, 08:03 AM	26.3	90.57	6.6	7.64	47.47
11/02/25, 08:08 AM	26.28	90.34	6.61	7.63	47.54
11/02/25, 08:13 AM	26.24	90.32	6.6	7.65	47.55

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:18 AM	26.18	90.16	6.63	7.63	47.44
11/02/25, 08:23 AM	26.19	90.39	6.63	7.62	47.41
11/02/25, 08:28 AM	26.14	90.16	6.62	7.62	47.47
11/02/25, 08:33 AM	26.13	90.08	6.58	7.62	47.5
11/02/25, 08:38 AM	26.15	90.2	6.61	7.61	47.42
11/02/25, 08:43 AM	26.22	90.35	6.59	7.59	47.37
11/02/25, 08:48 AM	26.25	90.17	6.61	7.59	47.39
11/02/25, 08:53 AM	26.25	90.2	6.64	7.59	47.3
11/02/25, 08:58 AM	26.19	90.35	6.63	7.6	47.22
11/02/25, 09:03 AM	26.18	90.55	6.66	7.59	47.2
11/02/25, 09:08 AM	26.17	90.72	6.68	7.58	47.27
11/02/25, 09:13 AM	26.22	90.92	6.71	7.57	47.34
11/02/25, 09:18 AM	26.17	90.75	6.68	7.55	47.25
11/02/25, 09:23 AM	26.24	90.67	6.67	7.57	47.35
11/02/25, 09:28 AM	26.27	90.53	6.64	7.55	47.24
11/02/25, 09:33 AM	26.28	90.42	6.68	7.55	47.2
11/02/25, 09:38 AM	26.35	90.34	6.69	7.55	47.15
11/02/25, 09:43 AM	26.32	90.15	6.67	7.55	47.09
11/02/25, 09:48 AM	26.35	90.03	6.64	7.55	47.17
11/02/25, 09:53 AM	26.29	90.07	6.63	7.55	47.15
11/02/25, 09:58 AM	26.24	90.09	6.66	7.55	47.19
11/02/25, 10:03 AM	26.17	90.04	6.69	7.56	47.19
11/02/25, 10:08 AM	26.2	89.84	6.69	7.58	47.25
11/02/25, 10:13 AM	26.13	89.88	6.66	7.57	47.19
11/02/25, 10:18 AM	26.17	90.01	6.66	7.57	47.27
11/02/25, 10:23 AM	26.22	90.08	6.68	7.56	47.27
11/02/25, 10:28 AM	26.28	90.26	6.71	7.57	47.25
11/02/25, 10:33 AM	26.29	90.43	6.68	7.59	47.32
11/02/25, 10:38 AM	26.35	90.57	6.68	7.57	47.22
11/02/25, 10:43 AM	26.33	90.43	6.65	7.57	47.25
11/02/25, 10:48 AM	26.28	90.43	6.63	7.57	47.18
11/02/25, 10:53 AM	26.29	90.5	6.65	7.55	47.26
11/02/25, 10:58 AM	26.21	90.63	6.62	7.53	47.17
11/02/25, 11:03 AM	26.22	90.78	6.6	7.54	47.14

TIME	BOD	COD	DO	pH	TSS
11/02/25, 11:08 AM	26.21	90.65	6.63	7.55	47.16
11/02/25, 11:13 AM	26.27	90.82	6.65	7.54	47.23
11/02/25, 11:18 AM	26.25	90.71	6.63	7.55	47.24
11/02/25, 11:23 AM	26.3	90.79	6.6	7.55	47.22
11/02/25, 11:28 AM	26.36	90.95	6.61	7.56	47.19
11/02/25, 11:33 AM	26.43	90.87	6.63	7.56	47.14
11/02/25, 11:38 AM	26.43	90.64	6.62	7.58	47.05
11/02/25, 11:43 AM	26.46	90.49	6.64	7.58	46.97
11/02/25, 11:48 AM	26.42	90.55	6.65	7.58	47.04
11/02/25, 11:53 AM	26.48	90.59	6.67	7.56	47.05
11/02/25, 11:58 AM	26.5	90.49	6.65	7.56	47.09
11/02/25, 12:03 PM	26.43	90.34	6.67	7.58	47.07
11/02/25, 12:08 PM	26.45	90.56	6.67	7.59	47.03
11/02/25, 12:13 PM	26.45	90.75	6.66	7.58	47.08
11/02/25, 12:18 PM	26.52	90.67	6.69	7.57	47.16
11/02/25, 12:23 PM	26.56	90.43	6.72	7.56	47.15
11/02/25, 12:28 PM	26.62	90.32	6.73	7.58	47.14
11/02/25, 12:33 PM	26.55	90.39	6.73	7.56	47.06
11/02/25, 12:38 PM	26.58	90.45	6.76	7.57	47.07
11/02/25, 12:43 PM	26.59	90.47	6.72	7.59	47.01
11/02/25, 12:48 PM	26.58	90.42	6.75	7.61	47.04
11/02/25, 12:53 PM	26.59	90.35	6.74	7.62	47.09
11/02/25, 12:58 PM	26.52	90.4	6.77	7.62	47.11
11/02/25, 01:03 PM	26.53	90.25	6.78	7.62	47.05
11/02/25, 01:08 PM	26.53	90.48	6.79	7.61	47.02
11/02/25, 01:13 PM	26.48	90.37	6.83	7.61	47.08
11/02/25, 01:18 PM	26.55	90.45	6.82	7.61	47.01
11/02/25, 01:23 PM	26.5	90.66	6.79	7.59	47.06
11/02/25, 01:28 PM	26.42	90.64	6.82	7.59	46.98
11/02/25, 01:33 PM	26.49	90.84	6.81	7.6	46.98
11/02/25, 01:38 PM	26.57	90.68	6.79	7.62	46.99
11/02/25, 01:43 PM	26.59	90.83	6.77	7.61	46.99
11/02/25, 01:48 PM	26.53	90.94	6.78	7.62	46.93
11/02/25, 01:53 PM	26.49	90.96	6.77	7.61	47

TIME	BOD	COD	DO	pH	TSS
11/02/25, 01:58 PM	26.48	91.17	6.77	7.61	46.91
11/02/25, 02:03 PM	26.5	91.22	6.74	7.6	46.88
11/02/25, 02:08 PM	26.58	91.37	6.76	7.62	46.95
11/02/25, 02:13 PM	26.51	91.33	6.75	7.63	46.93
11/02/25, 02:18 PM	26.5	91.5	6.77	7.65	46.95
11/02/25, 02:23 PM	26.56	91.56	6.75	7.63	46.97
11/02/25, 02:28 PM	26.54	91.41	6.75	7.64	46.96
11/02/25, 02:33 PM	26.47	91.25	6.74	7.62	46.88
11/02/25, 02:38 PM	26.53	91.23	6.74	7.63	46.87
11/02/25, 02:43 PM	26.56	91.22	6.72	7.63	46.8
11/02/25, 02:48 PM	26.61	91.06	6.75	7.65	46.9
11/02/25, 02:53 PM	26.61	91.22	6.78	7.64	46.82
11/02/25, 02:58 PM	26.61	91.37	6.76	7.64	46.8
11/02/25, 03:03 PM	26.6	91.21	6.75	7.62	46.76
11/02/25, 03:08 PM	26.61	91.16	6.77	7.64	46.77
11/02/25, 03:13 PM	26.68	90.98	6.79	7.65	46.86
11/02/25, 03:18 PM	26.71	91.11	6.75	7.65	46.88
11/02/25, 03:23 PM	26.68	90.93	6.76	7.65	46.92
11/02/25, 03:28 PM	26.65	90.95	6.8	7.64	47.02
11/02/25, 03:33 PM	26.69	91.12	6.78	7.64	47.1
11/02/25, 03:38 PM	26.75	91.33	6.75	7.64	47.07
11/02/25, 03:43 PM	26.72	91.55	6.74	7.62	47.01
11/02/25, 03:48 PM	26.73	91.34	6.77	7.61	47.09
11/02/25, 03:53 PM	26.78	91.27	6.75	7.61	47.15
11/02/25, 03:58 PM	26.83	91.08	6.73	7.61	47.08
11/02/25, 04:03 PM	26.79	91.11	6.7	7.63	47.11
11/02/25, 04:08 PM	26.85	91.23	6.69	7.63	47.07
11/02/25, 04:13 PM	26.89	91.22	6.67	7.62	47.14
11/02/25, 04:18 PM	26.84	91.03	6.69	7.63	47.19
11/02/25, 04:23 PM	26.86	91.04	6.71	7.62	47.16
11/02/25, 04:28 PM	26.86	90.82	6.7	7.61	47.22
11/02/25, 04:33 PM	26.91	90.72	6.72	7.63	47.12
11/02/25, 04:38 PM	26.86	90.56	6.72	7.62	47.16
11/02/25, 04:43 PM	26.89	90.37	6.74	7.64	47.1

TIME	BOD	COD	DO	pH	TSS
11/02/25, 04:48 PM	26.92	90.3	6.75	7.62	47.09
11/02/25, 04:53 PM	26.92	90.17	6.74	7.63	47.05
11/02/25, 04:58 PM	26.95	90.1	6.75	7.62	47.14
11/02/25, 05:03 PM	26.88	90.29	6.78	7.62	47.23
11/02/25, 05:08 PM	26.81	90.18	6.75	7.6	47.27
11/02/25, 05:13 PM	26.77	90.11	6.73	7.58	47.18
11/02/25, 05:18 PM	26.8	90.32	6.72	7.56	47.17
11/02/25, 05:23 PM	26.8	90.1	6.73	7.57	47.11
11/02/25, 05:28 PM	26.82	90.07	6.75	7.55	47.03
11/02/25, 05:33 PM	26.85	90.29	6.74	7.54	47.11
11/02/25, 05:38 PM	26.86	90.2	6.75	7.56	47.08
11/02/25, 05:43 PM	26.87	90.03	6.77	7.54	47.12
11/02/25, 05:48 PM	26.92	89.92	6.79	7.54	47.19
11/02/25, 05:53 PM	26.87	89.74	6.76	7.52	47.14
11/02/25, 05:58 PM	26.94	89.84	6.74	7.51	47.1
11/02/25, 06:03 PM	27	89.91	6.74	7.51	47.06
11/02/25, 06:08 PM	27.05	89.86	6.75	7.51	47.15
11/02/25, 06:13 PM	27.05	89.89	6.75	7.53	47.15
11/02/25, 06:18 PM	27.11	89.91	6.74	7.51	47.06
11/02/25, 06:23 PM	27.07	90.05	6.73	7.5	46.98
11/02/25, 06:28 PM	27.01	90.18	6.74	7.48	46.97
11/02/25, 06:33 PM	26.95	89.96	6.75	7.47	46.9
11/02/25, 06:38 PM	26.92	89.88	6.77	7.45	46.92
11/02/25, 06:43 PM	26.86	90.01	6.8	7.47	46.93
11/02/25, 06:48 PM	26.9	90.18	6.79	7.49	46.88
11/02/25, 06:53 PM	26.88	90.02	6.82	7.48	46.94
11/02/25, 06:58 PM	26.87	89.95	6.81	7.47	46.84
11/02/25, 07:03 PM	26.85	90.04	6.79	7.47	46.93
11/02/25, 07:08 PM	26.85	90.2	6.77	7.46	47.03
11/02/25, 07:13 PM	27.1	90.71	6.69	7.45	47.4
11/02/25, 07:18 PM	28.68	93.26	6.26	7.43	49.35
11/02/25, 07:23 PM	30.41	95.98	5.8	7.43	51.38
11/02/25, 07:28 PM	30.68	98.8	5.34	7.42	53.37
11/02/25, 07:33 PM	30.67	101.44	4.92	7.4	54.17

TIME	BOD	COD	DO	pH	TSS
11/02/25, 07:38 PM	30.68	103.67	4.47	7.41	54.15
11/02/25, 07:43 PM	30.67	103.71	4.39	7.43	54.13
11/02/25, 07:48 PM	30.69	103.75	4.37	7.41	54.11
11/02/25, 07:53 PM	30.68	103.75	4.35	7.4	54.09
11/02/25, 07:58 PM	30.68	103.83	4.33	7.41	54.08
11/02/25, 08:03 PM	30.71	103.75	4.34	7.39	54.03
11/02/25, 08:08 PM	30.72	103.69	4.35	7.39	53.96
11/02/25, 08:13 PM	30.71	103.69	4.33	7.4	54
11/02/25, 08:18 PM	30.72	103.66	4.34	7.41	53.97
11/02/25, 08:23 PM	30.68	103.66	4.32	7.41	54.04
11/02/25, 08:28 PM	30.48	102.98	4.32	7.4	54.02
11/02/25, 08:33 PM	29.19	99.58	4.32	7.39	54
11/02/25, 08:38 PM	27.99	96.13	4.41	7.41	53.62
11/02/25, 08:43 PM	28.02	96.04	4.86	7.42	51.69
11/02/25, 08:48 PM	27.99	95.98	5.33	7.44	49.87
11/02/25, 08:53 PM	27.93	95.87	5.81	7.45	47.92
11/02/25, 08:58 PM	27.91	96.05	5.82	7.45	47.82
11/02/25, 09:03 PM	27.92	95.84	5.79	7.44	47.84
11/02/25, 09:08 PM	27.95	96.02	5.79	7.44	47.82
11/02/25, 09:13 PM	27.87	96.04	5.77	7.43	47.82
11/02/25, 09:18 PM	27.86	96.18	5.81	7.42	47.79
11/02/25, 09:23 PM	27.85	96.02	5.79	7.44	47.79
11/02/25, 09:28 PM	27.77	95.98	5.76	7.45	47.86
11/02/25, 09:33 PM	27.7	95.82	5.74	7.45	47.95
11/02/25, 09:38 PM	27.68	95.7	5.72	7.43	47.85
11/02/25, 09:43 PM	27.6	95.63	5.71	7.43	47.8
11/02/25, 09:48 PM	27.64	95.78	5.68	7.44	47.83
11/02/25, 09:53 PM	27.71	95.94	5.68	7.44	47.83
11/02/25, 09:58 PM	27.66	95.92	5.66	7.43	47.92
11/02/25, 10:03 PM	27.68	95.88	5.64	7.44	47.94
11/02/25, 10:08 PM	27.76	95.65	5.62	7.44	47.98
11/02/25, 10:13 PM	27.72	95.87	5.59	7.44	48.01
11/02/25, 10:18 PM	27.8	95.94	5.59	7.45	48.05
11/02/25, 10:23 PM	27.82	96.14	5.59	7.43	48.03

TIME	BOD	COD	DO	pH	TSS
11/02/25, 10:28 PM	27.82	95.99	5.57	7.43	47.97
11/02/25, 10:33 PM	27.78	95.9	5.58	7.43	48.06
11/02/25, 10:38 PM	27.8	95.99	5.6	7.44	47.96
11/02/25, 10:43 PM	27.75	95.86	5.62	7.46	47.97
11/02/25, 10:48 PM	27.74	95.71	5.59	7.47	48
11/02/25, 10:53 PM	27.81	95.61	5.56	7.47	47.98
11/02/25, 10:58 PM	27.86	95.66	5.55	7.49	47.96
11/02/25, 11:03 PM	27.92	95.8	5.56	7.47	47.97
11/02/25, 11:08 PM	27.93	95.84	5.53	7.47	47.96
11/02/25, 11:13 PM	27.86	95.98	5.54	7.47	47.99
11/02/25, 11:18 PM	27.92	96.06	5.56	7.46	48.04
11/02/25, 11:23 PM	27.85	95.94	5.56	7.48	47.94
11/02/25, 11:28 PM	27.79	95.91	5.55	7.48	48.02
11/02/25, 11:33 PM	27.75	96.11	5.53	7.47	47.92
11/02/25, 11:38 PM	27.78	95.97	5.51	7.46	47.85
11/02/25, 11:43 PM	27.84	95.74	5.54	7.48	47.88
11/02/25, 11:48 PM	27.77	95.76	5.58	7.5	47.97
11/02/25, 11:53 PM	27.72	95.89	5.55	7.52	47.89
11/02/25, 11:58 PM	27.71	95.98	5.54	7.51	47.86



## Water Quality Report: Salori Drain

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:03 AM	26.51	95.07	6.7	8.17	45.96
04/02/25, 12:08 AM	26.44	94.93	6.68	8.17	45.99
04/02/25, 12:13 AM	26.4	94.85	6.69	8.17	45.95
04/02/25, 12:18 AM	26.38	94.65	6.66	8.15	45.99
04/02/25, 12:23 AM	26.35	94.43	6.68	8.14	46.07
04/02/25, 12:28 AM	26.32	94.61	6.65	8.16	46
04/02/25, 12:33 AM	26.33	94.58	6.67	8.15	46.02
04/02/25, 12:38 AM	26.26	94.54	6.67	8.17	45.98
04/02/25, 12:43 AM	26.24	94.37	6.67	8.15	45.95
04/02/25, 12:48 AM	26.17	94.21	6.68	8.14	45.93
04/02/25, 12:53 AM	26.15	94.31	6.66	8.16	45.96
04/02/25, 12:58 AM	26.21	94.19	6.63	8.17	45.9
04/02/25, 01:03 AM	26.24	93.99	6.64	8.19	45.94
04/02/25, 01:08 AM	26.17	94.01	6.67	8.19	45.88
04/02/25, 01:13 AM	26.2	93.87	6.65	8.17	45.87
04/02/25, 01:18 AM	26.24	93.94	6.69	8.16	45.92
04/02/25, 01:24 AM	26.3	93.9	6.68	8.16	45.99
04/02/25, 01:28 AM	26.23	94.09	6.65	8.17	46.02
04/02/25, 01:33 AM	26.2	94.05	6.68	8.18	46.02
04/02/25, 01:38 AM	26.2	93.9	6.65	8.18	45.99
04/02/25, 01:43 AM	26.28	93.91	6.64	8.2	45.94
04/02/25, 01:48 AM	26.3	93.89	6.64	8.21	45.92
04/02/25, 01:53 AM	26.37	93.77	6.67	8.22	45.85
04/02/25, 01:58 AM	26.39	93.75	6.67	8.2	45.75
04/02/25, 02:03 AM	26.44	93.65	6.67	8.19	45.84
04/02/25, 02:08 AM	26.41	93.59	6.66	8.18	45.83
04/02/25, 02:13 AM	26.44	93.57	6.64	8.19	45.93
04/02/25, 02:19 AM	26.5	93.56	6.66	8.18	45.89
04/02/25, 02:24 AM	26.54	93.78	6.65	8.17	45.85
04/02/25, 02:29 AM	26.53	93.91	6.65	8.18	45.93
04/02/25, 02:34 AM	26.54	94.06	6.64	8.18	45.83

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:39 AM	26.5	94	6.61	8.16	45.82
04/02/25, 02:44 AM	26.46	94.11	6.61	8.15	45.8
04/02/25, 02:49 AM	26.5	93.92	6.63	8.14	45.82
04/02/25, 02:54 AM	26.47	93.96	6.62	8.15	45.79
04/02/25, 02:59 AM	26.45	93.76	6.62	8.17	45.84
04/02/25, 03:04 AM	26.38	93.57	6.61	8.19	45.82
04/02/25, 03:09 AM	26.34	93.35	6.64	8.2	45.84
04/02/25, 03:14 AM	26.36	93.14	6.6	8.19	45.79
04/02/25, 03:19 AM	26.29	93.18	6.64	8.18	45.85
04/02/25, 03:24 AM	26.33	93.12	6.61	8.17	45.91
04/02/25, 03:29 AM	26.37	93.32	6.63	8.17	45.93
04/02/25, 03:34 AM	26.38	93.31	6.63	8.15	45.88
04/02/25, 03:39 AM	26.46	93.21	6.63	8.16	45.98
04/02/25, 03:44 AM	26.51	93.04	6.62	8.18	46.07
04/02/25, 03:49 AM	26.52	92.99	6.64	8.18	46.16
04/02/25, 03:54 AM	26.54	93.11	6.66	8.2	46.09
04/02/25, 03:59 AM	26.57	93.14	6.65	8.19	46.02
04/02/25, 04:04 AM	26.63	92.91	6.62	8.19	46
04/02/25, 04:09 AM	26.67	93.07	6.62	8.18	45.91
04/02/25, 04:14 AM	26.65	93.06	6.62	8.19	46.01
04/02/25, 04:19 AM	26.59	92.84	6.6	8.21	46.05
04/02/25, 04:24 AM	26.63	92.95	6.63	8.2	45.97
04/02/25, 04:29 AM	26.66	92.89	6.64	8.23	45.93
04/02/25, 04:34 AM	26.59	92.71	6.66	8.23	45.84
04/02/25, 04:39 AM	26.55	92.56	6.68	8.25	45.84
04/02/25, 04:44 AM	26.56	92.42	6.64	8.24	45.79
04/02/25, 04:49 AM	26.61	92.23	6.63	8.25	45.86
04/02/25, 04:54 AM	26.61	92.4	6.6	8.27	45.91
04/02/25, 04:59 AM	26.54	92.26	6.62	8.25	45.94
04/02/25, 05:04 AM	26.51	92.08	6.61	8.25	45.88
04/02/25, 05:09 AM	26.44	92.12	6.58	8.24	45.82
04/02/25, 05:14 AM	26.44	92.17	6.57	8.25	45.77
04/02/25, 05:19 AM	26.38	91.99	6.57	8.27	45.77
04/02/25, 05:24 AM	26.46	92.18	6.55	8.25	45.8

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:29 AM	26.47	92.36	6.56	8.24	45.7
04/02/25, 05:34 AM	26.49	92.51	6.57	8.22	45.67
04/02/25, 05:39 AM	26.46	92.32	6.6	8.21	45.77
04/02/25, 05:44 AM	26.52	92.47	6.57	8.21	45.86
04/02/25, 05:49 AM	26.47	92.38	6.57	8.2	45.88
04/02/25, 05:54 AM	26.44	92.59	6.58	8.21	45.92
04/02/25, 05:59 AM	26.38	92.53	6.62	8.2	45.87
04/02/25, 06:04 AM	26.35	92.54	6.63	8.19	45.9
04/02/25, 06:29 AM	26.24	92.08	6.65	8.17	45.97
04/02/25, 06:34 AM	26.22	92.09	6.65	8.19	45.92
04/02/25, 06:39 AM	26.19	91.98	6.64	8.19	45.82
04/02/25, 06:44 AM	26.25	92	6.65	8.21	45.84
04/02/25, 06:49 AM	26.28	92.22	6.68	8.19	45.79
04/02/25, 06:54 AM	26.23	92.24	6.66	8.17	45.88
04/02/25, 06:59 AM	26.3	92.41	6.68	8.18	45.81
04/02/25, 07:04 AM	26.33	92.43	6.72	8.18	45.76
04/02/25, 07:09 AM	26.27	92.29	6.72	8.17	45.82
04/02/25, 07:14 AM	26.34	92.4	6.69	8.18	45.76
04/02/25, 07:19 AM	26.32	92.57	6.69	8.17	45.74
04/02/25, 07:24 AM	26.32	92.47	6.7	8.18	45.77
04/02/25, 07:29 AM	26.38	92.42	6.68	8.18	45.79
04/02/25, 07:34 AM	26.32	92.21	6.69	8.2	45.89
04/02/25, 07:39 AM	26.33	92.38	6.69	8.19	45.94
04/02/25, 07:44 AM	26.39	92.53	6.72	8.21	45.88
04/02/25, 07:49 AM	26.38	92.61	6.73	8.21	45.95
04/02/25, 07:54 AM	26.45	92.69	6.74	8.22	45.9
04/02/25, 07:59 AM	26.45	92.57	6.73	8.21	45.88
04/02/25, 08:04 AM	26.49	92.76	6.76	8.21	45.95
04/02/25, 08:09 AM	26.46	92.86	6.76	8.23	45.92
04/02/25, 08:14 AM	26.41	92.95	6.77	8.24	45.94
04/02/25, 08:19 AM	26.48	93.07	6.74	8.21	46
04/02/25, 08:24 AM	26.53	93.12	6.76	8.19	45.93
04/02/25, 08:29 AM	26.5	93.27	6.75	8.17	45.88
04/02/25, 08:34 AM	26.49	93.5	6.73	8.15	45.86

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:39 AM	26.51	93.67	6.71	8.15	45.81
04/02/25, 08:44 AM	26.49	93.59	6.68	8.17	45.75
04/02/25, 08:49 AM	26.47	93.7	6.71	8.15	45.77
04/02/25, 08:54 AM	26.39	93.66	6.73	8.13	45.8
04/02/25, 08:59 AM	26.46	93.48	6.72	8.11	45.8
04/02/25, 09:04 AM	26.41	93.46	6.73	8.12	45.86
04/02/25, 09:09 AM	26.36	93.66	6.76	8.12	45.94
04/02/25, 09:14 AM	26.34	93.56	6.73	8.13	45.99
04/02/25, 09:19 AM	26.42	93.48	6.75	8.14	45.93
04/02/25, 09:24 AM	26.41	93.42	6.75	8.13	45.91
04/02/25, 09:29 AM	26.38	93.52	6.74	8.11	45.87
04/02/25, 09:34 AM	26.41	93.4	6.76	8.11	45.84
04/02/25, 09:39 AM	26.42	93.23	6.73	8.1	45.88
04/02/25, 09:44 AM	26.43	93.28	6.75	8.11	45.79
04/02/25, 09:49 AM	26.37	93.29	6.78	8.1	45.78
04/02/25, 09:54 AM	26.38	93.42	6.78	8.1	45.72
04/02/25, 09:59 AM	26.38	93.27	6.79	8.08	45.71
04/02/25, 10:04 AM	26.39	93.33	6.82	8.08	45.7
04/02/25, 10:09 AM	26.41	93.46	6.81	8.09	45.6
04/02/25, 10:14 AM	26.36	93.6	6.84	8.08	45.58
04/02/25, 10:19 AM	26.37	93.81	6.86	8.08	45.64
04/02/25, 10:24 AM	26.34	93.59	6.83	8.08	45.63
04/02/25, 10:29 AM	26.37	93.45	6.85	8.09	45.61
04/02/25, 10:34 AM	26.36	93.38	6.83	8.09	45.7
04/02/25, 10:39 AM	26.37	93.38	6.86	8.1	45.76
04/02/25, 10:44 AM	26.37	93.45	6.85	8.09	45.66
04/02/25, 10:49 AM	26.42	93.55	6.85	8.09	45.69
04/02/25, 10:54 AM	26.47	93.53	6.88	8.09	45.7
04/02/25, 10:59 AM	26.44	93.58	6.89	8.07	45.7
04/02/25, 11:04 AM	26.37	93.44	6.86	8.08	45.72
04/02/25, 11:09 AM	26.36	93.4	6.89	8.09	45.71
04/02/25, 11:14 AM	26.39	93.21	6.9	8.08	45.79
04/02/25, 11:19 AM	26.35	93.17	6.92	8.06	45.85
04/02/25, 11:24 AM	26.32	93.07	6.9	8.04	45.84

TIME	BOD	COD	DO	pH	TSS
04/02/25, 11:29 AM	26.35	92.91	6.86	8.02	45.91
04/02/25, 11:34 AM	26.36	93.14	6.84	8.02	45.91
04/02/25, 11:39 AM	26.39	92.96	6.84	8	45.85
04/02/25, 11:44 AM	26.38	92.85	6.82	8	45.81
04/02/25, 11:49 AM	26.38	92.96	6.8	7.99	45.79
04/02/25, 11:54 AM	26.36	92.73	6.8	7.98	45.81
04/02/25, 11:59 AM	26.3	92.76	6.83	7.96	45.73
04/02/25, 12:04 PM	26.34	92.78	6.81	7.95	45.83
04/02/25, 12:09 PM	26.38	92.56	6.8	7.96	45.81
04/02/25, 12:14 PM	26.38	92.63	6.79	7.97	45.89
04/02/25, 12:19 PM	26.44	92.56	6.77	7.99	45.85
04/02/25, 12:24 PM	26.49	92.59	6.79	8	45.85
04/02/25, 12:29 PM	26.5	92.4	6.76	8.01	45.76
04/02/25, 12:34 PM	26.53	92.21	6.74	8.03	45.87
04/02/25, 12:39 PM	26.59	92.05	6.72	8.01	45.93
04/02/25, 12:44 PM	26.6	92.09	6.7	8.03	45.84
04/02/25, 12:49 PM	26.65	91.97	6.72	8.01	45.87
04/02/25, 12:54 PM	26.57	92.09	6.71	8.02	45.83
04/02/25, 12:59 PM	26.63	92.24	6.7	8.02	45.8
04/02/25, 01:04 PM	26.63	92.33	6.71	8.01	45.86
04/02/25, 01:09 PM	26.7	92.2	6.73	8.03	45.83
04/02/25, 01:14 PM	26.77	92.28	6.73	8.03	45.9
04/02/25, 01:19 PM	26.74	92.49	6.76	8.02	45.88
04/02/25, 01:24 PM	26.81	92.38	6.74	8	45.84
04/02/25, 01:29 PM	26.81	92.38	6.72	8.01	45.85
04/02/25, 01:34 PM	26.83	92.55	6.71	8.02	45.75
04/02/25, 01:39 PM	26.76	92.4	6.69	8.03	45.71
04/02/25, 01:44 PM	26.74	92.25	6.71	8.02	45.79
04/02/25, 01:49 PM	26.72	92.11	6.73	8.01	45.8
04/02/25, 01:54 PM	26.71	92.03	6.69	8.02	45.81
04/02/25, 01:59 PM	26.74	92.25	6.72	8.04	45.87
04/02/25, 02:04 PM	26.79	92.1	6.72	8.06	45.9
04/02/25, 02:09 PM	26.86	92.29	6.71	8.04	45.82
04/02/25, 02:14 PM	26.91	92.42	6.67	8.05	45.9

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:19 PM	26.89	92.23	6.69	8.03	46
04/02/25, 02:24 PM	26.96	92.06	6.68	8.03	46.05
04/02/25, 02:29 PM	27.03	92.02	6.67	8.03	46.12
04/02/25, 02:34 PM	26.95	91.8	6.68	8.01	46.17
04/02/25, 02:39 PM	26.94	91.84	6.7	7.99	46.19
04/02/25, 02:44 PM	26.94	91.73	6.72	8	46.09
04/02/25, 02:49 PM	26.98	91.88	6.72	8	46.03
04/02/25, 02:54 PM	26.91	91.81	6.69	8	45.94
04/02/25, 02:59 PM	26.95	92.01	6.72	7.99	45.92
04/02/25, 03:04 PM	26.92	92.11	6.71	7.99	45.91
04/02/25, 03:09 PM	26.88	92.21	6.7	7.97	45.99
04/02/25, 03:15 PM	26.82	92.1	6.7	7.99	46.08
04/02/25, 03:20 PM	26.87	91.96	6.71	8.01	46.12
04/02/25, 03:25 PM	26.81	91.74	6.68	8	46.15
04/02/25, 03:30 PM	26.79	91.95	6.66	7.98	46.19
04/02/25, 03:35 PM	26.78	92.11	6.69	7.98	46.19
04/02/25, 03:40 PM	26.82	92.17	6.66	7.96	46.27
04/02/25, 03:45 PM	26.81	92.15	6.68	7.94	46.26
04/02/25, 03:50 PM	26.85	92	6.65	7.92	46.35
04/02/25, 03:55 PM	26.91	92.23	6.64	7.94	46.26
04/02/25, 04:00 PM	26.91	92.07	6.62	7.93	46.26
04/02/25, 04:05 PM	26.96	92.03	6.59	7.92	46.25
04/02/25, 04:10 PM	27.01	92.22	6.62	7.91	46.29
04/02/25, 04:15 PM	27.03	92.23	6.62	7.89	46.32
04/02/25, 04:20 PM	27.06	92.38	6.62	7.9	46.36
04/02/25, 04:25 PM	27.08	92.46	6.62	7.91	46.37
04/02/25, 04:30 PM	27.08	92.43	6.66	7.91	46.39
04/02/25, 04:35 PM	27.13	92.3	6.65	7.91	46.44
04/02/25, 04:40 PM	27.06	92.34	6.62	7.91	46.51
04/02/25, 04:45 PM	27.02	92.28	6.62	7.91	46.47
04/02/25, 04:50 PM	27.09	92.33	6.62	7.9	46.4
04/02/25, 04:55 PM	27.01	92.3	6.65	7.89	46.33
04/02/25, 05:00 PM	26.95	92.15	6.65	7.89	46.27
04/02/25, 05:05 PM	26.99	92.23	6.63	7.9	46.29

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:10 PM	26.93	92.03	6.66	7.91	46.27
04/02/25, 05:15 PM	26.92	92.21	6.68	7.91	46.29
04/02/25, 05:20 PM	26.94	92.26	6.68	7.9	46.32
04/02/25, 05:25 PM	27.01	92.14	6.68	7.9	46.36
04/02/25, 05:30 PM	27.08	92.28	6.68	7.88	46.39
04/02/25, 05:35 PM	27.02	92.19	6.65	7.89	46.31
04/02/25, 05:40 PM	27.04	92.04	6.62	7.91	46.23
04/02/25, 05:45 PM	27.04	92.13	6.61	7.9	46.26
04/02/25, 05:50 PM	27.07	91.97	6.63	7.89	46.2
04/02/25, 05:55 PM	27.11	91.85	6.66	7.9	46.13
04/02/25, 06:00 PM	27.11	91.94	6.69	7.9	46.07
04/02/25, 06:05 PM	27.14	91.73	6.72	7.9	45.99
04/02/25, 06:10 PM	27.08	91.93	6.72	7.88	45.95
04/02/25, 06:15 PM	27.09	92.01	6.74	7.88	45.98
04/02/25, 06:20 PM	27.03	91.8	6.74	7.86	45.92
04/02/25, 06:25 PM	27	91.87	6.77	7.88	45.97
04/02/25, 06:30 PM	26.99	92.1	6.8	7.86	45.91
04/02/25, 06:35 PM	26.99	92	6.82	7.85	46.01
04/02/25, 06:40 PM	27.05	91.96	6.85	7.83	45.98
04/02/25, 06:45 PM	26.99	92.08	6.88	7.84	45.96
04/02/25, 06:50 PM	27.02	91.87	6.88	7.85	45.87
04/02/25, 06:55 PM	26.97	91.7	6.91	7.85	45.95
04/02/25, 07:00 PM	27.02	91.78	6.88	7.85	46.04
04/02/25, 07:05 PM	26.98	91.66	6.89	7.86	46.03
04/02/25, 07:10 PM	26.92	91.61	6.88	7.84	46.05
04/02/25, 07:15 PM	26.89	91.72	6.87	7.84	46.02
04/02/25, 07:20 PM	26.84	91.81	6.87	7.82	46.04
04/02/25, 07:25 PM	26.81	92.02	6.85	7.81	46.07
04/02/25, 07:30 PM	26.74	92.22	6.83	7.79	46.16
04/02/25, 07:35 PM	26.81	92.05	6.85	7.79	46.12
04/02/25, 07:40 PM	26.84	91.86	6.84	7.79	46.12
04/02/25, 07:45 PM	26.84	91.64	6.87	7.78	46.05
04/02/25, 07:50 PM	26.8	91.65	6.85	7.78	46.13
04/02/25, 07:55 PM	26.8	91.54	6.89	7.79	46.18

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:00 PM	26.75	91.62	6.89	7.81	46.08
04/02/25, 08:05 PM	26.73	91.82	6.88	7.8	46.1
04/02/25, 08:10 PM	26.77	92	6.84	7.79	46.14
04/02/25, 08:15 PM	26.7	91.94	6.87	7.8	46.15
04/02/25, 08:20 PM	26.68	91.96	6.89	7.81	46.14
04/02/25, 08:25 PM	26.66	92.02	6.87	7.82	46.12
04/02/25, 08:30 PM	26.73	91.94	6.88	7.83	46.21
04/02/25, 08:35 PM	26.7	92.1	6.86	7.81	46.23
04/02/25, 08:40 PM	26.76	92.07	6.87	7.82	46.33
04/02/25, 08:45 PM	26.76	92.16	6.85	7.8	46.29
04/02/25, 08:50 PM	26.75	91.99	6.84	7.81	46.33
04/02/25, 08:55 PM	26.72	91.87	6.83	7.83	46.27
04/02/25, 09:00 PM	26.74	91.96	6.84	7.84	46.23
04/02/25, 09:05 PM	26.76	92.18	6.84	7.85	46.24
04/02/25, 09:10 PM	26.72	92.26	6.82	7.87	46.16
04/02/25, 09:15 PM	26.75	92.46	6.79	7.85	46.22
04/02/25, 09:20 PM	26.79	92.52	6.79	7.85	46.14
04/02/25, 09:25 PM	26.79	92.66	6.79	7.85	46.05
04/02/25, 09:30 PM	26.75	92.6	6.81	7.86	45.96
04/02/25, 09:35 PM	26.71	92.83	6.8	7.86	46
04/02/25, 09:40 PM	26.64	93	6.82	7.85	45.92
04/02/25, 09:45 PM	26.65	92.94	6.82	7.84	45.89
04/02/25, 09:50 PM	26.7	92.99	6.79	7.84	45.97
04/02/25, 09:55 PM	26.72	92.96	6.77	7.82	45.96
04/02/25, 10:00 PM	26.8	92.81	6.74	7.83	45.88
04/02/25, 10:05 PM	26.77	92.83	6.76	7.85	45.92
04/02/25, 10:10 PM	26.85	92.87	6.76	7.83	45.96
04/02/25, 10:15 PM	26.8	92.84	6.75	7.81	46.07
04/02/25, 10:20 PM	26.74	93.03	6.76	7.82	46.12
04/02/25, 10:25 PM	26.8	93.07	6.76	7.81	46.18
04/02/25, 10:30 PM	26.74	93.09	6.79	7.79	46.17
04/02/25, 10:35 PM	26.76	92.86	6.78	7.78	46.14
04/02/25, 10:40 PM	26.7	93.02	6.79	7.77	46.2
04/02/25, 10:45 PM	26.7	92.84	6.76	7.77	46.28

TIME	BOD	COD	DO	pH	TSS
04/02/25, 10:50 PM	26.67	92.61	6.74	7.79	46.32
04/02/25, 10:55 PM	26.73	92.65	6.77	7.81	46.3
04/02/25, 11:00 PM	26.73	92.57	6.8	7.81	46.35
04/02/25, 11:05 PM	26.75	92.74	6.82	7.82	46.31
04/02/25, 11:10 PM	26.82	92.91	6.83	7.83	46.26
04/02/25, 11:15 PM	26.76	92.97	6.86	7.82	46.32
04/02/25, 11:20 PM	26.74	92.93	6.87	7.8	46.24
04/02/25, 11:25 PM	26.76	92.91	6.84	7.78	46.18
04/02/25, 11:30 PM	26.71	92.84	6.82	7.79	46.17
04/02/25, 11:35 PM	26.71	92.85	6.81	7.79	46.26
04/02/25, 11:40 PM	26.67	92.88	6.83	7.81	46.34
04/02/25, 11:45 PM	26.71	92.91	6.86	7.81	46.34
04/02/25, 11:50 PM	26.75	92.83	6.87	7.83	46.34
04/02/25, 11:55 PM	26.74	92.66	6.87	7.84	46.24



## Water Quality Report: Salori Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:03 AM	26.53	95.38	6.1	7.86	45.95
28/01/25, 12:08 AM	26.6	95.5	6.1	7.86	45.95
28/01/25, 12:13 AM	26.62	95.28	6.08	7.84	45.9
28/01/25, 12:18 AM	26.57	95.25	6.11	7.83	45.89
28/01/25, 12:23 AM	26.51	95.07	6.09	7.84	45.87
28/01/25, 12:28 AM	26.46	95.01	6.09	7.85	45.91
28/01/25, 12:33 AM	26.45	95.08	6.07	7.86	45.87
28/01/25, 12:38 AM	26.41	95.26	6.08	7.84	45.91
28/01/25, 12:43 AM	26.36	95.29	6.11	7.84	45.84
28/01/25, 12:48 AM	26.41	95.2	6.12	7.86	45.89
28/01/25, 12:53 AM	26.43	95	6.15	7.84	45.81
28/01/25, 12:58 AM	26.48	95.15	6.15	7.85	45.79
28/01/25, 01:03 AM	26.5	94.92	6.13	7.84	45.72
28/01/25, 01:08 AM	26.55	95.06	6.15	7.86	45.68
28/01/25, 01:13 AM	26.62	95.06	6.14	7.88	45.69
28/01/25, 01:18 AM	26.58	95.16	6.16	7.87	45.66
28/01/25, 01:23 AM	26.6	95.21	6.17	7.89	45.61
28/01/25, 01:28 AM	26.63	94.98	6.15	7.88	45.65
28/01/25, 01:33 AM	26.55	94.91	6.15	7.88	45.64
28/01/25, 01:38 AM	26.53	94.77	6.11	7.88	45.67
28/01/25, 01:43 AM	26.48	94.62	6.13	7.89	45.73
28/01/25, 01:48 AM	26.42	94.45	6.17	7.88	45.72
28/01/25, 01:53 AM	26.47	94.37	6.15	7.91	45.68
28/01/25, 01:59 AM	25.33	94.93	6.58	7.99	45.88
28/01/25, 02:02 AM	25.43	94.62	6.62	8.01	45.78
28/01/25, 02:06 AM	25.47	94.78	6.62	8.01	45.83
28/01/25, 02:11 AM	25.54	94.9	6.59	8.03	45.84
28/01/25, 02:16 AM	25.6	94.79	6.59	8.05	45.83
28/01/25, 02:21 AM	25.64	94.9	6.57	8.03	45.81
28/01/25, 02:27 AM	25.7	94.82	6.55	8.02	45.8
28/01/25, 02:32 AM	25.75	94.92	6.55	8.01	45.83

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:37 AM	25.82	95.15	6.53	8.02	45.82
28/01/25, 02:42 AM	25.77	94.95	6.5	8.04	45.81
28/01/25, 02:47 AM	25.72	94.8	6.54	8.04	45.78
28/01/25, 02:52 AM	25.76	94.66	6.55	8.04	45.72
28/01/25, 02:57 AM	25.74	94.54	6.57	8.05	45.71
28/01/25, 03:02 AM	25.82	94.74	6.6	8.04	45.67
28/01/25, 03:07 AM	25.89	94.93	6.57	8.06	45.7
28/01/25, 03:12 AM	25.91	95.01	6.59	8.05	45.79
28/01/25, 03:17 AM	25.87	94.8	6.57	8.03	45.85
28/01/25, 03:22 AM	25.89	94.8	6.54	8.03	45.9
28/01/25, 03:27 AM	25.82	94.71	6.56	8.02	46
28/01/25, 03:32 AM	25.86	94.56	6.55	8.03	45.93
28/01/25, 03:37 AM	25.93	94.6	6.52	8.04	45.9
28/01/25, 03:42 AM	25.95	94.53	6.53	8.06	46
28/01/25, 03:47 AM	25.89	94.44	6.55	8.04	46.02
28/01/25, 03:52 AM	25.91	94.58	6.53	8.04	45.99
28/01/25, 03:57 AM	25.96	94.57	6.52	8.06	46.05
28/01/25, 04:02 AM	25.9	94.69	6.5	8.07	46.15
28/01/25, 04:07 AM	25.85	94.54	6.49	8.05	46.18
28/01/25, 04:12 AM	25.89	94.52	6.5	8.03	46.18
28/01/25, 04:17 AM	25.89	94.31	6.53	8.03	46.22
28/01/25, 04:22 AM	25.87	94.12	6.56	8.02	46.25
28/01/25, 04:27 AM	25.9	93.96	6.58	8.04	46.25
28/01/25, 04:32 AM	25.95	94	6.57	8.04	46.22
28/01/25, 04:37 AM	25.97	93.9	6.57	8.06	46.19
28/01/25, 04:42 AM	25.94	93.95	6.57	8.07	46.12
28/01/25, 04:47 AM	25.87	94.11	6.55	8.06	46.17
28/01/25, 04:52 AM	25.89	94.17	6.56	8.08	46.24
28/01/25, 04:57 AM	25.93	93.96	6.56	8.07	46.29
28/01/25, 05:02 AM	25.91	93.92	6.54	8.07	46.37
28/01/25, 05:07 AM	25.96	93.77	6.55	8.07	46.32
28/01/25, 05:12 AM	25.96	93.68	6.58	8.07	46.23
28/01/25, 05:17 AM	25.94	93.79	6.58	8.07	46.24
28/01/25, 05:22 AM	26	93.74	6.6	8.08	46.29

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:27 AM	26.02	93.56	6.63	8.08	46.2
28/01/25, 05:32 AM	26.07	93.53	6.66	8.07	46.13
28/01/25, 05:37 AM	26.11	93.38	6.69	8.07	46.18
28/01/25, 05:42 AM	26.15	93.34	6.68	8.05	46.26
28/01/25, 05:47 AM	26.12	93.43	6.69	8.06	46.23
28/01/25, 05:52 AM	26.12	93.39	6.7	8.06	46.23
28/01/25, 05:57 AM	26.1	93.48	6.69	8.07	46.26
28/01/25, 06:02 AM	26.13	93.37	6.7	8.06	46.19
28/01/25, 06:07 AM	26.13	93.59	6.72	8.08	46.14
28/01/25, 06:12 AM	26.07	93.62	6.72	8.06	46.1
28/01/25, 06:17 AM	26.04	93.62	6.72	8.05	46.2
28/01/25, 06:22 AM	26.09	93.81	6.71	8.07	46.1
28/01/25, 06:27 AM	26.12	93.93	6.68	8.06	46.17
28/01/25, 06:32 AM	26.2	94.14	6.72	8.04	46.15
28/01/25, 06:37 AM	26.13	94.26	6.69	8.06	46.05
28/01/25, 06:42 AM	26.2	94.36	6.68	8.07	46.06
28/01/25, 06:47 AM	26.15	94.28	6.67	8.06	46.01
28/01/25, 06:52 AM	26.21	94.33	6.66	8.05	46.04
28/01/25, 06:57 AM	26.17	94.28	6.63	8.07	46.06
28/01/25, 07:02 AM	26.13	94.39	6.65	8.09	45.98
28/01/25, 07:07 AM	26.21	94.28	6.65	8.1	45.98
28/01/25, 07:12 AM	26.17	94.12	6.68	8.1	45.99
28/01/25, 07:17 AM	26.18	94.04	6.68	8.12	46.07
28/01/25, 07:22 AM	26.1	94.21	6.65	8.09	46
28/01/25, 07:27 AM	26.02	94	6.66	8.11	45.96
28/01/25, 07:32 AM	25.97	93.8	6.63	8.09	45.87
28/01/25, 07:37 AM	25.98	94	6.67	8.1	45.91
28/01/25, 07:42 AM	25.97	93.78	6.65	8.11	46
28/01/25, 07:47 AM	26.03	93.73	6.66	8.12	46.07
28/01/25, 07:52 AM	26.04	93.5	6.64	8.11	45.98
28/01/25, 07:57 AM	26.09	93.66	6.65	8.12	46.07
28/01/25, 08:02 AM	26.12	93.78	6.63	8.13	46.1
28/01/25, 08:07 AM	26.06	93.93	6.66	8.14	46.08
28/01/25, 08:12 AM	26.01	93.99	6.66	8.13	46.01

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:17 AM	26.07	94.08	6.63	8.12	46.05
28/01/25, 08:22 AM	26.14	94.15	6.64	8.14	46.04
28/01/25, 08:27 AM	26.16	94.25	6.64	8.13	45.94
28/01/25, 08:32 AM	26.14	94.4	6.66	8.11	45.92
28/01/25, 08:37 AM	26.16	94.22	6.66	8.11	45.95
28/01/25, 08:42 AM	26.14	94.05	6.68	8.13	45.86
28/01/25, 08:47 AM	26.15	93.94	6.68	8.13	45.78
28/01/25, 08:52 AM	26.18	93.87	6.67	8.14	45.8
28/01/25, 08:57 AM	26.23	93.94	6.68	8.14	45.8
28/01/25, 09:02 AM	26.17	93.85	6.71	8.14	45.81
28/01/25, 09:07 AM	26.1	93.75	6.71	8.13	45.9
28/01/25, 09:12 AM	26.17	93.54	6.68	8.11	45.92
28/01/25, 09:17 AM	26.09	93.63	6.66	8.09	45.91
28/01/25, 09:22 AM	26.07	93.5	6.63	8.07	45.81
28/01/25, 09:27 AM	26.11	93.58	6.64	8.05	45.83
28/01/25, 09:32 AM	26.09	93.52	6.66	8.05	45.77
28/01/25, 09:37 AM	26.1	93.64	6.65	8.05	45.72
28/01/25, 09:42 AM	26.18	93.59	6.62	8.07	45.63
28/01/25, 09:47 AM	26.2	93.72	6.64	8.06	45.71
28/01/25, 09:52 AM	26.27	93.81	6.62	8.06	45.75
28/01/25, 09:57 AM	26.23	93.67	6.6	8.03	45.65
28/01/25, 10:22 AM	26.2	93.47	6.6	8.11	45.61
28/01/25, 10:27 AM	26.27	93.54	6.6	8.09	45.54
28/01/25, 10:32 AM	26.26	93.53	6.63	8.1	45.58
28/01/25, 10:37 AM	26.24	93.72	6.65	8.1	45.57
28/01/25, 10:42 AM	26.19	93.6	6.64	8.11	45.52
28/01/25, 10:47 AM	26.11	93.44	6.65	8.11	45.53
28/01/25, 10:52 AM	26.16	93.53	6.66	8.12	45.5
28/01/25, 10:57 AM	26.12	93.5	6.62	8.14	45.45
28/01/25, 11:02 AM	26.09	93.31	6.59	8.13	45.41
28/01/25, 11:07 AM	26.06	93.19	6.6	8.15	45.45
28/01/25, 11:12 AM	26.11	93.03	6.57	8.15	45.52
28/01/25, 11:17 AM	26.13	93.2	6.55	8.14	45.44
28/01/25, 11:22 AM	26.18	93.04	6.57	8.15	45.34

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:27 AM	26.23	93.22	6.55	8.16	45.37
28/01/25, 11:32 AM	26.25	93.4	6.53	8.15	45.47
28/01/25, 11:37 AM	26.32	93.54	6.51	8.13	45.54
28/01/25, 11:42 AM	26.36	93.67	6.52	8.11	45.62
28/01/25, 11:47 AM	26.29	93.62	6.54	8.09	45.68
28/01/25, 11:52 AM	26.31	93.72	6.57	8.08	45.64
28/01/25, 11:57 AM	26.23	93.74	6.59	8.08	45.71
28/01/25, 12:02 PM	26.29	93.96	6.59	8.06	45.69
28/01/25, 12:07 PM	26.29	93.78	6.59	8.06	45.73
28/01/25, 12:12 PM	26.32	93.77	6.6	8.06	45.75
28/01/25, 12:17 PM	26.25	93.77	6.58	8.04	45.78
28/01/25, 12:22 PM	26.26	94	6.54	8.03	45.79
28/01/25, 12:27 PM	26.3	93.97	6.53	8.05	45.84
28/01/25, 12:32 PM	26.23	94.2	6.52	8.02	45.87
28/01/25, 12:37 PM	26.21	94.31	6.51	8.04	45.82
28/01/25, 12:42 PM	26.27	94.39	6.51	8.03	45.74
28/01/25, 12:47 PM	26.28	94.3	6.47	8.01	45.85
28/01/25, 12:52 PM	26.22	94.44	6.44	8.01	45.84
28/01/25, 12:57 PM	26.23	94.5	6.45	8	45.84
28/01/25, 01:02 PM	26.18	94.48	6.44	7.98	45.92
28/01/25, 01:07 PM	26.15	94.44	6.42	8	46
28/01/25, 01:12 PM	26.14	94.39	6.4	8	45.99
28/01/25, 01:17 PM	26.17	94.58	6.43	7.99	45.97
28/01/25, 01:22 PM	26.19	94.55	6.43	7.97	45.93
28/01/25, 01:27 PM	26.2	94.34	6.43	7.99	45.86
28/01/25, 01:32 PM	26.2	94.41	6.45	8	45.95
28/01/25, 01:38 PM	26.26	94.19	6.48	7.99	46.01
28/01/25, 01:43 PM	26.33	94.18	6.49	7.97	45.99
28/01/25, 01:47 PM	26.32	94.26	6.52	7.96	46.06
28/01/25, 01:53 PM	26.27	94.26	6.5	7.98	46.01
28/01/25, 01:58 PM	26.33	94.19	6.5	8	46.05
28/01/25, 02:03 PM	26.4	94.37	6.52	7.99	46.09
28/01/25, 02:28 PM	26.43	94.16	6.48	7.97	46.49
28/01/25, 02:33 PM	26.5	94.2	6.48	7.98	46.49

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:38 PM	26.58	94.04	6.49	8	46.48
28/01/25, 02:43 PM	26.6	93.88	6.46	8.01	46.44
28/01/25, 02:48 PM	26.59	93.91	6.46	8.03	46.45
28/01/25, 02:53 PM	26.62	94.05	6.43	8.04	46.36
28/01/25, 02:58 PM	26.62	94.03	6.43	8.05	46.44
28/01/25, 03:03 PM	26.56	93.83	6.43	8.07	46.47
28/01/25, 03:08 PM	26.63	93.72	6.44	8.07	46.43
28/01/25, 03:13 PM	26.6	93.64	6.46	8.05	46.52
28/01/25, 03:18 PM	26.68	93.52	6.44	8.05	46.46
28/01/25, 03:23 PM	26.68	93.31	6.45	8.04	46.38
28/01/25, 03:28 PM	26.7	93.41	6.47	8.05	46.34
28/01/25, 03:33 PM	26.72	93.45	6.49	8.04	46.3
28/01/25, 03:37 PM	25.42	94.93	6.59	8.01	45.87
28/01/25, 03:41 PM	25.46	95.05	6.6	8	45.95
28/01/25, 03:46 PM	25.49	95.15	6.58	8.02	45.98
28/01/25, 03:51 PM	25.49	95.13	6.57	8.01	46.06
28/01/25, 03:56 PM	25.44	95.31	6.57	7.99	46.13
28/01/25, 04:01 PM	25.51	95.13	6.6	7.99	46.22
28/01/25, 04:06 PM	25.51	95.23	6.61	8	46.16
28/01/25, 04:11 PM	25.51	95.01	6.63	7.99	46.19
28/01/25, 04:16 PM	25.54	95.2	6.64	7.99	46.19
28/01/25, 04:21 PM	25.58	95.36	6.61	7.97	46.28
28/01/25, 04:26 PM	25.58	95.53	6.63	7.98	46.19
28/01/25, 04:31 PM	25.59	95.39	6.67	8	46.16
28/01/25, 04:36 PM	25.6	95.55	6.68	7.99	46.21
28/01/25, 04:41 PM	25.63	95.64	6.65	7.99	46.14
28/01/25, 04:46 PM	25.66	95.75	6.64	7.99	46.04
28/01/25, 04:51 PM	25.68	95.68	6.65	7.99	46.09
28/01/25, 04:56 PM	25.68	95.52	6.63	8.01	46
28/01/25, 05:01 PM	25.75	95.51	6.67	7.99	46.05
28/01/25, 05:06 PM	25.76	95.41	6.68	7.99	46.11
28/01/25, 05:11 PM	25.83	95.44	6.65	8	46.2
28/01/25, 05:16 PM	25.9	95.53	6.64	8.01	46.21
28/01/25, 05:21 PM	25.85	95.38	6.61	8.01	46.28

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:26 PM	25.93	95.33	6.62	8.03	46.27
28/01/25, 05:31 PM	25.91	95.3	6.6	8.01	46.26
28/01/25, 05:36 PM	25.86	95.48	6.61	8.01	46.29
28/01/25, 05:41 PM	25.83	95.6	6.61	8	46.29
28/01/25, 05:46 PM	25.87	95.53	6.61	7.98	46.35
28/01/25, 05:51 PM	25.91	95.66	6.62	7.98	46.27
28/01/25, 05:56 PM	25.98	95.43	6.62	7.98	46.21
28/01/25, 06:01 PM	25.99	95.35	6.63	7.98	46.15
28/01/25, 06:06 PM	26.06	95.49	6.62	8	46.18
28/01/25, 06:11 PM	26.1	95.27	6.62	8	46.17
28/01/25, 06:16 PM	26.11	95.2	6.6	7.99	46.26
28/01/25, 06:21 PM	26.17	95.22	6.61	7.98	46.26
28/01/25, 06:26 PM	26.2	95.29	6.64	7.98	46.25
28/01/25, 06:31 PM	26.22	95.11	6.66	7.96	46.28
28/01/25, 06:36 PM	26.15	95.06	6.67	7.95	46.18
28/01/25, 06:41 PM	26.22	94.84	6.69	7.96	46.21
28/01/25, 06:46 PM	26.21	94.96	6.69	7.96	46.3
28/01/25, 06:51 PM	26.23	95.07	6.66	7.94	46.34
28/01/25, 06:56 PM	26.28	94.94	6.63	7.92	46.27
28/01/25, 07:01 PM	26.28	94.73	6.65	7.93	46.17
28/01/25, 07:06 PM	26.36	94.6	6.67	7.94	46.11
28/01/25, 07:11 PM	26.39	94.6	6.65	7.94	46.07
28/01/25, 07:16 PM	26.39	94.82	6.62	7.94	46.12
28/01/25, 07:21 PM	26.32	94.72	6.65	7.95	46.2
28/01/25, 07:26 PM	26.36	94.62	6.66	7.94	46.27
28/01/25, 07:31 PM	26.38	94.78	6.64	7.93	46.34
28/01/25, 07:36 PM	26.41	94.74	6.63	7.95	46.3
28/01/25, 07:41 PM	26.37	94.66	6.67	7.93	46.36
28/01/25, 07:46 PM	26.44	94.49	6.7	7.93	46.45
28/01/25, 07:51 PM	26.37	94.3	6.73	7.91	46.38
28/01/25, 07:56 PM	26.33	94.28	6.73	7.9	46.45
28/01/25, 08:01 PM	26.3	94.44	6.72	7.91	46.4
28/01/25, 08:06 PM	26.36	94.31	6.74	7.9	46.36
28/01/25, 08:11 PM	26.34	94.23	6.74	7.91	46.29

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:16 PM	26.32	94.08	6.75	7.91	46.23
28/01/25, 08:21 PM	26.32	93.94	6.73	7.92	46.31
28/01/25, 08:26 PM	26.35	94.07	6.72	7.92	46.36
28/01/25, 08:31 PM	26.4	94.05	6.72	7.92	46.4
28/01/25, 08:36 PM	26.39	93.82	6.7	7.94	46.48
28/01/25, 08:41 PM	26.33	93.75	6.73	7.94	46.43
28/01/25, 08:46 PM	26.34	93.89	6.76	7.94	46.4
28/01/25, 08:51 PM	26.33	94.03	6.76	7.95	46.32
28/01/25, 08:56 PM	26.27	94.23	6.74	7.93	46.35
28/01/25, 09:01 PM	26.23	94.34	6.76	7.93	46.39
28/01/25, 09:06 PM	26.21	94.31	6.77	7.94	46.42
28/01/25, 09:11 PM	26.23	94.27	6.8	7.95	46.42
28/01/25, 09:16 PM	26.21	94.32	6.83	7.95	46.5
28/01/25, 09:21 PM	26.24	94.41	6.81	7.94	46.51
28/01/25, 09:26 PM	26.2	94.18	6.8	7.92	46.52
28/01/25, 09:31 PM	26.13	94.26	6.82	7.93	46.57
28/01/25, 09:37 PM	26.08	94.33	6.85	7.94	46.63
28/01/25, 09:42 PM	26.02	94.15	6.83	7.93	46.55
28/01/25, 09:47 PM	26.05	94.37	6.82	7.91	46.49
28/01/25, 09:52 PM	26.1	94.33	6.82	7.9	46.41
28/01/25, 09:57 PM	26.09	94.27	6.81	7.89	46.51
28/01/25, 10:02 PM	26.11	94.25	6.8	7.87	46.5
28/01/25, 10:07 PM	26.13	94.47	6.79	7.85	46.56
28/01/25, 10:12 PM	26.2	94.34	6.79	7.87	46.55
28/01/25, 10:17 PM	26.27	94.56	6.76	7.86	46.5
28/01/25, 10:22 PM	26.22	94.65	6.77	7.84	46.5
28/01/25, 10:27 PM	26.19	94.56	6.77	7.85	46.51
28/01/25, 10:32 PM	26.23	94.4	6.79	7.86	46.53
28/01/25, 10:37 PM	26.3	94.45	6.76	7.87	46.51
28/01/25, 10:42 PM	26.32	94.59	6.78	7.86	46.47
28/01/25, 10:47 PM	26.35	94.66	6.75	7.87	46.42
28/01/25, 10:52 PM	26.35	94.7	6.77	7.88	46.46
28/01/25, 10:57 PM	26.28	94.89	6.78	7.88	46.55
28/01/25, 11:02 PM	26.26	94.73	6.8	7.9	46.56

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:07 PM	26.28	94.87	6.82	7.92	46.49
28/01/25, 11:12 PM	26.33	94.65	6.82	7.94	46.59
28/01/25, 11:17 PM	26.4	94.81	6.8	7.93	46.66
28/01/25, 11:22 PM	26.37	94.64	6.77	7.92	46.64
28/01/25, 11:27 PM	26.35	94.59	6.74	7.91	46.54
28/01/25, 11:32 PM	26.34	94.48	6.74	7.89	46.57
28/01/25, 11:37 PM	26.28	94.49	6.76	7.91	46.54
28/01/25, 11:42 PM	26.21	94.55	6.73	7.91	46.63
28/01/25, 11:47 PM	26.14	94.78	6.75	7.92	46.59
28/01/25, 11:52 PM	26.16	94.74	6.73	7.91	46.51
28/01/25, 11:57 PM	26.17	94.87	6.74	7.89	46.46



## Water Quality Report: Rajapur Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:02 AM	29.48	89.23	5.73	8.27	49.42
21/01/25, 12:07 AM	29.49	89.17	5.72	8.28	49.38
21/01/25, 12:12 AM	29.49	89.07	5.71	8.28	49.39
21/01/25, 12:17 AM	29.47	89.18	5.7	8.28	49.38
21/01/25, 12:22 AM	29.47	89.05	5.69	8.26	49.39
21/01/25, 12:27 AM	29.46	88.96	5.69	8.27	49.39
21/01/25, 12:32 AM	29.46	88.89	5.69	8.28	49.37
21/01/25, 12:37 AM	29.46	88.94	5.69	8.29	49.34
21/01/25, 12:42 AM	29.47	89.01	5.71	8.29	49.38
21/01/25, 12:47 AM	29.45	89.02	5.71	8.28	49.37
21/01/25, 12:52 AM	29.46	88.93	5.72	8.27	49.33
21/01/25, 12:57 AM	29.44	88.93	5.72	8.26	49.31
21/01/25, 01:02 AM	29.43	88.8	5.72	8.26	49.34
21/01/25, 01:07 AM	29.43	88.73	5.73	8.26	49.38
21/01/25, 01:12 AM	29.45	88.63	5.74	8.27	49.35
21/01/25, 01:17 AM	29.46	88.71	5.75	8.28	49.34
21/01/25, 01:22 AM	29.45	88.8	5.74	8.29	49.36
21/01/25, 01:27 AM	29.47	88.8	5.74	8.29	49.35
21/01/25, 01:32 AM	29.48	88.96	5.75	8.27	49.35
21/01/25, 01:37 AM	29.49	88.85	5.75	8.27	49.33
21/01/25, 01:42 AM	29.47	89	5.74	8.27	49.37
21/01/25, 01:47 AM	29.49	89.06	5.74	8.27	49.34
21/01/25, 01:52 AM	29.51	89	5.73	8.28	49.32
21/01/25, 01:57 AM	29.53	88.88	5.74	8.29	49.34
21/01/25, 02:02 AM	29.53	88.75	5.73	8.28	49.31
21/01/25, 02:07 AM	29.54	88.88	5.73	8.29	49.32
21/01/25, 02:12 AM	29.56	88.86	5.74	8.29	49.37
21/01/25, 02:17 AM	29.55	88.76	5.75	8.29	49.35
21/01/25, 02:22 AM	29.55	88.69	5.74	8.28	49.31
21/01/25, 02:27 AM	29.54	88.81	5.74	8.29	49.27
21/01/25, 02:32 AM	29.56	88.72	5.74	8.28	49.28

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:37 AM	29.55	88.88	5.75	8.27	49.24
21/01/25, 02:42 AM	29.55	88.89	5.75	8.26	49.22
21/01/25, 02:47 AM	29.55	88.98	5.74	8.27	49.26
21/01/25, 02:52 AM	29.54	88.93	5.75	8.28	49.31
21/01/25, 02:57 AM	29.55	89.09	5.76	8.27	49.31
21/01/25, 03:02 AM	29.54	89.22	5.77	8.27	49.34
21/01/25, 03:07 AM	29.52	89.38	5.76	8.28	49.34
21/01/25, 03:12 AM	29.5	89.54	5.77	8.29	49.34
21/01/25, 03:17 AM	29.48	89.49	5.78	8.29	49.33
21/01/25, 03:22 AM	29.49	89.33	5.79	8.28	49.34
21/01/25, 03:27 AM	29.5	89.42	5.78	8.29	49.38
21/01/25, 03:32 AM	29.48	89.3	5.77	8.28	49.37
21/01/25, 03:37 AM	29.49	89.16	5.76	8.28	49.4
21/01/25, 03:42 AM	29.51	89.22	5.76	8.27	49.43
21/01/25, 03:47 AM	29.5	89.31	5.76	8.28	49.45
21/01/25, 03:52 AM	29.49	89.43	5.76	8.27	49.43
21/01/25, 03:57 AM	29.49	89.29	5.75	8.28	49.44
21/01/25, 04:02 AM	29.5	89.27	5.74	8.26	49.4
21/01/25, 04:07 AM	29.48	89.45	5.74	8.27	49.37
21/01/25, 04:12 AM	29.5	89.45	5.73	8.26	49.39
21/01/25, 04:17 AM	29.49	89.35	5.74	8.26	49.36
21/01/25, 04:22 AM	29.47	89.21	5.73	8.27	49.36
21/01/25, 04:27 AM	29.45	89.21	5.73	8.27	49.36
21/01/25, 04:32 AM	29.46	89.09	5.74	8.28	49.38
21/01/25, 04:37 AM	29.48	88.99	5.73	8.28	49.39
21/01/25, 04:42 AM	29.46	88.86	5.74	8.29	49.39
21/01/25, 04:47 AM	29.44	88.73	5.75	8.3	49.4
21/01/25, 04:52 AM	29.46	88.9	5.74	8.31	49.42
21/01/25, 04:57 AM	29.46	88.93	5.75	8.3	49.39
21/01/25, 05:02 AM	29.48	89.01	5.75	8.3	49.37
21/01/25, 05:07 AM	29.46	88.86	5.75	8.3	49.34
21/01/25, 05:12 AM	29.47	89.04	5.75	8.29	49.35
21/01/25, 05:17 AM	29.45	88.89	5.74	8.3	49.33
21/01/25, 05:22 AM	29.44	88.87	5.73	8.29	49.33

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:27 AM	29.43	88.82	5.74	8.3	49.29
21/01/25, 05:32 AM	29.41	88.79	5.75	8.31	49.28
21/01/25, 05:37 AM	29.42	88.86	5.75	8.31	49.32
21/01/25, 05:42 AM	29.44	88.77	5.75	8.31	49.31
21/01/25, 05:47 AM	29.44	88.84	5.74	8.31	49.31
21/01/25, 05:52 AM	29.46	88.85	5.75	8.31	49.27
21/01/25, 05:57 AM	29.48	88.97	5.76	8.3	49.23
21/01/25, 06:02 AM	29.45	88.81	5.77	8.31	49.22
21/01/25, 06:07 AM	29.47	88.78	5.76	8.31	49.25
21/01/25, 06:12 AM	29.48	88.79	5.77	8.31	49.21
21/01/25, 06:17 AM	29.46	88.79	5.76	8.32	49.25
21/01/25, 06:22 AM	29.44	88.67	5.77	8.31	49.28
21/01/25, 06:27 AM	29.45	88.57	5.78	8.31	49.29
21/01/25, 06:32 AM	29.45	88.5	5.79	8.32	49.33
21/01/25, 06:37 AM	29.45	88.55	5.78	8.33	49.29
21/01/25, 06:42 AM	29.46	88.45	5.77	8.32	49.32
21/01/25, 06:47 AM	29.49	88.27	5.78	8.32	49.36
21/01/25, 06:52 AM	29.48	88.26	5.79	8.33	49.34
21/01/25, 06:57 AM	29.48	88.4	5.79	8.33	49.31
21/01/25, 07:02 AM	29.46	88.38	5.81	8.33	49.33
21/01/25, 07:07 AM	29.48	88.54	5.81	8.33	49.29
21/01/25, 07:12 AM	29.46	88.46	5.81	8.32	49.3
21/01/25, 07:17 AM	29.46	88.5	5.81	8.32	49.26
21/01/25, 07:22 AM	29.44	88.64	5.82	8.32	49.28
21/01/25, 07:27 AM	29.45	88.66	5.82	8.32	49.28
21/01/25, 07:32 AM	29.45	88.61	5.81	8.32	49.26
21/01/25, 07:37 AM	29.44	88.61	5.82	8.33	49.22
21/01/25, 07:42 AM	29.42	88.73	5.82	8.33	49.19
21/01/25, 07:47 AM	29.4	88.66	5.82	8.33	49.17
21/01/25, 07:52 AM	29.41	88.58	5.82	8.34	49.17
21/01/25, 07:57 AM	29.41	88.67	5.82	8.33	49.17
21/01/25, 08:02 AM	29.43	88.61	5.82	8.32	49.15
21/01/25, 08:07 AM	29.43	88.77	5.83	8.33	49.14
21/01/25, 08:12 AM	29.45	88.58	5.83	8.33	49.17

TIME	BOD	COD	DO	pH	TSS
21/01/25, 08:17 AM	29.43	88.61	5.83	8.34	49.13
21/01/25, 08:22 AM	29.45	88.58	5.83	8.36	49.16
21/01/25, 08:27 AM	29.44	88.68	5.82	8.35	49.2
21/01/25, 08:32 AM	29.43	88.75	5.81	8.36	49.23
21/01/25, 08:37 AM	29.43	88.61	5.82	8.36	49.22
21/01/25, 08:42 AM	29.44	88.58	5.81	8.35	49.22
21/01/25, 08:47 AM	29.43	88.52	5.82	8.36	49.24
21/01/25, 08:52 AM	29.43	88.33	5.82	8.35	49.28
21/01/25, 08:57 AM	29.44	88.27	5.81	8.35	49.31
21/01/25, 09:02 AM	29.44	88.11	5.81	8.34	49.31
21/01/25, 09:07 AM	29.46	88.03	5.81	8.36	49.26
21/01/25, 09:12 AM	29.45	87.93	5.8	8.36	49.31
21/01/25, 09:17 AM	29.45	87.97	5.81	8.37	49.29
21/01/25, 09:22 AM	29.45	88.05	5.82	8.35	49.26
21/01/25, 09:27 AM	29.46	88.09	5.81	8.34	49.23
21/01/25, 09:32 AM	29.47	88.25	5.82	8.34	49.19
21/01/25, 09:37 AM	29.46	88.41	5.82	8.33	49.17
21/01/25, 09:42 AM	29.47	88.56	5.83	8.33	49.12
21/01/25, 09:47 AM	29.47	88.6	5.83	8.32	49.17
21/01/25, 09:52 AM	29.44	88.66	5.83	8.32	49.13
21/01/25, 09:57 AM	29.46	88.81	5.82	8.3	49.16
21/01/25, 10:02 AM	29.45	88.69	5.84	8.31	49.17
21/01/25, 10:07 AM	29.43	88.74	5.84	8.31	49.19
21/01/25, 10:12 AM	29.42	88.86	5.85	8.32	49.23
21/01/25, 10:17 AM	29.42	88.68	5.84	8.33	49.23
21/01/25, 10:22 AM	29.4	88.58	5.83	8.32	49.25
21/01/25, 10:27 AM	29.42	88.53	5.83	8.32	49.22
21/01/25, 10:32 AM	29.44	88.6	5.84	8.33	49.24
21/01/25, 10:37 AM	29.42	88.51	5.85	8.34	49.27
21/01/25, 10:42 AM	29.41	88.35	5.86	8.35	49.28
21/01/25, 10:47 AM	29.4	88.45	5.86	8.36	49.3
21/01/25, 10:52 AM	29.42	88.29	5.86	8.36	49.28
21/01/25, 10:57 AM	29.43	88.36	5.87	8.37	49.32
21/01/25, 11:02 AM	29.42	88.53	5.87	8.38	49.29

TIME	BOD	COD	DO	pH	TSS
21/01/25, 11:07 AM	29.4	88.53	5.87	8.38	49.26
21/01/25, 11:12 AM	29.42	88.4	5.86	8.37	49.23
21/01/25, 11:17 AM	29.4	88.5	5.86	8.37	49.25
21/01/25, 11:22 AM	29.38	88.51	5.86	8.36	49.28
21/01/25, 11:27 AM	29.37	88.48	5.86	8.36	49.26
21/01/25, 11:32 AM	29.35	88.51	5.85	8.36	49.24
21/01/25, 11:37 AM	29.34	88.69	5.86	8.36	49.25
21/01/25, 12:55 PM	29.53	88.91	5.76	8.34	49.14
21/01/25, 12:59 PM	29.51	88.81	5.77	8.34	49.1
21/01/25, 01:04 PM	29.52	88.97	5.77	8.34	49.13
21/01/25, 01:09 PM	29.5	89	5.78	8.34	49.09
21/01/25, 01:14 PM	29.52	88.91	5.77	8.33	49.14
21/01/25, 01:19 PM	29.53	88.87	5.77	8.33	49.17
21/01/25, 01:24 PM	29.55	88.97	5.78	8.33	49.18
21/01/25, 01:29 PM	29.54	88.91	5.77	8.31	49.17
21/01/25, 01:34 PM	29.53	88.89	5.78	8.3	49.16
21/01/25, 01:39 PM	29.54	88.84	5.78	8.29	49.19
21/01/25, 01:44 PM	29.55	89.02	5.79	8.29	49.17
21/01/25, 01:49 PM	29.54	88.91	5.79	8.29	49.14
21/01/25, 01:54 PM	29.53	88.81	5.78	8.3	49.15
21/01/25, 01:59 PM	29.51	88.62	5.78	8.36	49.18
21/01/25, 02:04 PM	29.5	88.64	5.77	8.37	49.19
21/01/25, 02:09 PM	29.48	88.81	5.77	8.37	49.23
21/01/25, 02:14 PM	29.49	88.75	5.76	8.37	49.18
21/01/25, 02:19 PM	29.49	88.64	5.77	8.38	49.19
21/01/25, 02:24 PM	29.47	88.48	5.76	8.37	49.22
21/01/25, 02:29 PM	29.49	88.39	5.76	8.38	49.23
21/01/25, 02:34 PM	29.48	88.56	5.77	8.37	49.24
21/01/25, 02:39 PM	29.47	88.51	5.76	8.38	49.2
21/01/25, 02:44 PM	29.48	88.53	5.77	8.38	49.16
21/01/25, 02:49 PM	29.46	88.61	5.77	8.36	49.13
21/01/25, 02:54 PM	29.48	88.57	5.78	8.35	49.18
21/01/25, 02:59 PM	29.47	88.47	5.78	8.35	49.21
21/01/25, 03:04 PM	29.48	88.34	5.78	8.36	49.21

TIME	BOD	COD	DO	pH	TSS
21/01/25, 03:09 PM	29.46	88.53	5.79	8.34	49.17
21/01/25, 03:14 PM	29.44	88.38	5.8	8.34	49.2
21/01/25, 03:19 PM	29.46	88.21	5.8	8.35	49.19
21/01/25, 03:24 PM	29.45	88.13	5.79	8.34	49.19
21/01/25, 03:29 PM	29.44	88.11	5.79	8.34	49.21
21/01/25, 03:34 PM	29.43	88.06	5.78	8.34	49.18
21/01/25, 03:39 PM	29.43	88.01	5.78	8.35	49.2
21/01/25, 03:44 PM	29.44	87.99	5.79	8.33	49.17
21/01/25, 03:49 PM	29.42	88.05	5.79	8.33	49.22
21/01/25, 03:54 PM	29.43	87.97	5.78	8.34	49.26
21/01/25, 03:59 PM	29.43	87.79	5.78	8.33	49.22
21/01/25, 04:04 PM	29.42	87.68	5.79	8.34	49.18
21/01/25, 04:09 PM	29.41	87.61	5.79	8.35	49.21
21/01/25, 04:14 PM	29.41	87.66	5.79	8.35	49.17
21/01/25, 04:19 PM	29.41	87.66	5.78	8.36	49.21
21/01/25, 04:24 PM	29.42	87.84	5.79	8.36	49.2
21/01/25, 04:29 PM	29.43	87.75	5.78	8.37	49.24
21/01/25, 04:34 PM	29.42	87.85	5.78	8.36	49.27
21/01/25, 04:39 PM	29.4	87.85	5.78	8.37	49.25
21/01/25, 04:44 PM	29.4	87.91	5.77	8.38	49.23
21/01/25, 04:49 PM	29.41	87.82	5.77	8.38	49.2
21/01/25, 04:54 PM	29.42	87.99	5.77	8.37	49.17
21/01/25, 04:59 PM	29.42	87.81	5.77	8.37	49.19
21/01/25, 05:04 PM	29.4	87.62	5.77	8.38	49.16
21/01/25, 05:09 PM	29.4	87.71	5.78	8.38	49.11
21/01/25, 05:14 PM	29.39	87.58	5.77	8.37	49.11
21/01/25, 05:19 PM	29.41	87.5	5.76	8.37	49.11
21/01/25, 05:24 PM	29.39	87.66	5.77	8.38	49.14
21/01/25, 05:29 PM	29.4	87.57	5.77	8.39	49.14
21/01/25, 05:34 PM	29.4	87.46	5.79	8.39	49.09
21/01/25, 05:39 PM	29.39	87.56	5.78	8.38	49.13
21/01/25, 05:44 PM	29.38	87.41	5.77	8.38	49.17
21/01/25, 05:49 PM	29.39	87.43	5.78	8.39	49.19
21/01/25, 05:54 PM	29.41	87.51	5.77	8.38	49.17

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:59 PM	29.41	87.5	5.76	8.38	49.17
21/01/25, 06:04 PM	29.42	87.41	5.77	8.38	49.21
21/01/25, 06:09 PM	29.42	87.41	5.77	8.39	49.23
21/01/25, 06:14 PM	29.43	87.53	5.78	8.38	49.24
21/01/25, 06:19 PM	29.45	87.66	5.76	8.39	49.25
21/01/25, 06:24 PM	29.44	87.67	5.78	8.39	49.24
21/01/25, 06:56 PM	29.51	88.79	5.76	8.34	49.19
21/01/25, 07:00 PM	29.49	88.94	5.77	8.35	49.15
21/01/25, 07:05 PM	29.48	88.95	5.76	8.34	49.14
21/01/25, 07:10 PM	29.5	88.96	5.77	8.35	49.15
21/01/25, 07:15 PM	29.48	89.12	5.77	8.35	49.16
21/01/25, 07:20 PM	29.46	89.14	5.76	8.35	49.19
21/01/25, 07:25 PM	29.47	89.1	5.77	8.36	49.23
21/01/25, 07:30 PM	29.49	89.25	5.77	8.37	49.24
21/01/25, 07:35 PM	29.49	89.33	5.76	8.36	49.2
21/01/25, 07:40 PM	29.48	89.44	5.75	8.37	49.18
21/01/25, 07:45 PM	29.47	89.31	5.75	8.37	49.22
21/01/25, 07:50 PM	29.47	89.45	5.74	8.37	49.21
21/01/25, 07:55 PM	29.49	89.51	5.75	8.38	49.24
21/01/25, 08:00 PM	29.48	89.48	5.74	8.38	49.24
21/01/25, 08:05 PM	29.48	89.65	5.73	8.37	49.25
21/01/25, 08:10 PM	29.47	89.56	5.74	8.37	49.24
21/01/25, 08:15 PM	29.47	89.58	5.74	8.37	49.27
21/01/25, 08:20 PM	29.45	89.43	5.74	8.38	49.28
21/01/25, 08:25 PM	29.44	89.48	5.73	8.39	49.26
21/01/25, 08:30 PM	29.44	89.36	5.74	8.39	49.28
21/01/25, 08:35 PM	29.44	89.33	5.74	8.38	49.29
21/01/25, 08:40 PM	29.45	89.25	5.73	8.38	49.33
21/01/25, 08:45 PM	29.43	89.2	5.74	8.38	49.3
21/01/25, 08:50 PM	29.42	89.12	5.74	8.38	49.35
21/01/25, 08:55 PM	29.42	89.13	5.75	8.39	49.38
21/01/25, 09:00 PM	29.43	88.95	5.74	8.39	49.35
21/01/25, 09:05 PM	29.4	89.1	5.74	8.39	49.36
21/01/25, 09:11 PM	29.39	89.18	5.74	8.39	49.32

TIME	BOD	COD	DO	pH	TSS
21/01/25, 09:16 PM	29.37	89.29	5.75	8.4	49.33
21/01/25, 09:21 PM	29.39	89.28	5.75	8.38	49.37
21/01/25, 09:26 PM	29.38	89.17	5.75	8.37	49.4
21/01/25, 09:31 PM	29.35	89.34	5.74	8.37	49.39
21/01/25, 09:36 PM	29.35	89.38	5.74	8.36	49.35
21/01/25, 09:41 PM	29.37	89.31	5.73	8.35	49.39
21/01/25, 09:46 PM	29.35	89.23	5.74	8.35	49.38
21/01/25, 09:51 PM	29.34	89.08	5.75	8.36	49.43
21/01/25, 09:56 PM	29.33	89.04	5.75	8.37	49.42
21/01/25, 10:01 PM	29.34	88.93	5.74	8.37	49.44
21/01/25, 10:06 PM	29.34	88.9	5.73	8.37	49.45
21/01/25, 10:11 PM	29.35	89	5.74	8.39	49.46
21/01/25, 10:16 PM	29.35	88.84	5.74	8.4	49.5
21/01/25, 10:21 PM	29.35	88.92	5.72	8.4	49.45
21/01/25, 10:26 PM	29.34	88.93	5.74	8.41	49.5
21/01/25, 10:31 PM	29.36	88.86	5.73	8.42	49.48
21/01/25, 10:36 PM	29.34	88.8	5.74	8.43	49.48
21/01/25, 10:41 PM	29.33	88.81	5.73	8.44	49.45
21/01/25, 10:46 PM	29.33	88.69	5.74	8.44	49.49
21/01/25, 10:51 PM	29.34	88.67	5.75	8.44	49.5
21/01/25, 10:56 PM	29.33	88.55	5.74	8.43	49.5
21/01/25, 11:01 PM	29.34	88.6	5.74	8.43	49.46
21/01/25, 11:06 PM	29.34	88.77	5.74	8.43	49.48
21/01/25, 11:11 PM	29.36	88.92	5.74	8.43	49.49
21/01/25, 11:16 PM	29.35	88.78	5.75	8.42	49.47
21/01/25, 11:21 PM	29.34	88.62	5.76	8.43	49.5
21/01/25, 11:26 PM	29.36	88.46	5.76	8.44	49.49
21/01/25, 11:31 PM	29.34	88.31	5.76	8.44	49.48
21/01/25, 11:36 PM	29.34	88.3	5.76	8.44	49.44
21/01/25, 11:41 PM	29.33	88.37	5.76	8.43	49.41
21/01/25, 11:46 PM	29.33	88.32	5.75	8.43	49.38
21/01/25, 11:51 PM	29.32	88.37	5.75	8.43	49.41
21/01/25, 11:56 PM	29.33	88.44	5.76	8.44	49.37



## Water Quality Report: Rajapur Drain

TIME	BOD	COD	DO	pH	TSS
11/02/25, 12:02 AM	24.62	91.47	5.95	7.43	47.81
11/02/25, 12:07 AM	24.69	91.34	5.98	7.44	47.76
11/02/25, 12:12 AM	24.67	91.4	6	7.46	47.67
11/02/25, 12:17 AM	24.67	91.45	5.98	7.47	47.58
11/02/25, 12:22 AM	24.73	91.37	5.95	7.46	47.53
11/02/25, 12:27 AM	24.66	91.42	5.98	7.45	47.45
11/02/25, 12:32 AM	24.72	91.37	6.02	7.43	47.41
11/02/25, 12:37 AM	24.77	91.17	6.04	7.43	47.3
11/02/25, 12:42 AM	24.76	91.3	6.01	7.43	47.24
11/02/25, 12:47 AM	24.82	91.39	5.99	7.41	47.14
11/02/25, 12:52 AM	24.86	91.57	6	7.41	47.16
11/02/25, 12:57 AM	24.86	91.36	6.03	7.41	47.13
11/02/25, 01:02 AM	24.78	91.37	6	7.39	47.04
11/02/25, 01:07 AM	24.87	91.48	6	7.39	47.02
11/02/25, 01:12 AM	24.83	91.55	6.04	7.41	47.06
11/02/25, 01:17 AM	24.79	91.34	6.02	7.43	47.08
11/02/25, 01:22 AM	24.74	91.12	6.02	7.44	47.1
11/02/25, 01:27 AM	24.81	91.21	6	7.44	47.2
11/02/25, 01:32 AM	24.86	91.32	6.02	7.45	47.24
11/02/25, 01:37 AM	24.91	91.32	6.05	7.43	47.24
11/02/25, 01:42 AM	24.97	91.22	6.03	7.41	47.15
11/02/25, 01:47 AM	25.03	91.19	6.04	7.4	47.13
11/02/25, 01:52 AM	24.99	90.96	6.03	7.4	47.18
11/02/25, 01:57 AM	25.04	90.8	6.01	7.4	47.2
11/02/25, 02:02 AM	25.03	90.81	6.04	7.4	47.1
11/02/25, 02:07 AM	25	91	6.07	7.43	47.03
11/02/25, 02:12 AM	25.07	91.17	6.06	7.45	47.08
11/02/25, 02:17 AM	24.99	91.28	6.03	7.44	47.08
11/02/25, 02:22 AM	25.05	91.29	6.03	7.42	47.02
11/02/25, 02:27 AM	25.01	91.1	6.02	7.44	46.94
11/02/25, 02:32 AM	24.95	91.17	5.99	7.44	47.01

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:37 AM	24.97	91.23	5.96	7.47	47.05
11/02/25, 02:42 AM	24.93	91.08	5.99	7.45	46.97
11/02/25, 02:47 AM	24.87	91.16	6	7.44	46.97
11/02/25, 02:52 AM	24.94	91.35	6	7.44	47.06
11/02/25, 02:57 AM	25.02	91.29	5.98	7.43	47.12
11/02/25, 03:02 AM	25.07	91.36	5.97	7.44	47.04
11/02/25, 03:07 AM	25.08	91.35	5.98	7.46	47.13
11/02/25, 03:12 AM	25.03	91.49	6.01	7.44	47.22
11/02/25, 03:17 AM	25.11	91.33	5.98	7.45	47.17
11/02/25, 03:22 AM	25.06	91.21	5.96	7.47	47.2
11/02/25, 03:27 AM	25.09	91.06	5.93	7.48	47.24
11/02/25, 03:32 AM	25.03	91.16	5.94	7.5	47.14
11/02/25, 03:37 AM	25.09	91.15	5.94	7.52	47.09
11/02/25, 03:42 AM	25.13	91.05	5.95	7.51	47.12
11/02/25, 03:47 AM	25.06	91.25	5.92	7.52	47.06
11/02/25, 03:52 AM	25.05	91.44	5.89	7.51	47.03
11/02/25, 03:57 AM	25.12	91.44	5.88	7.51	47.1
11/02/25, 04:02 AM	25.07	91.49	5.86	7.52	47.18
11/02/25, 04:07 AM	25.01	91.34	5.89	7.52	47.14
11/02/25, 04:12 AM	24.97	91.52	5.91	7.5	47.05
11/02/25, 04:17 AM	25.01	91.36	5.89	7.5	47.07
11/02/25, 04:22 AM	24.98	91.4	5.86	7.48	46.99
11/02/25, 04:27 AM	24.91	91.19	5.89	7.49	47.01
11/02/25, 04:32 AM	24.86	91.2	5.92	7.51	47.1
11/02/25, 04:37 AM	24.79	91.36	5.95	7.49	47.06
11/02/25, 04:42 AM	24.85	91.43	5.98	7.47	47.07
11/02/25, 04:47 AM	24.85	91.36	5.97	7.46	47.02
11/02/25, 04:52 AM	24.92	91.25	6	7.46	46.93
11/02/25, 04:57 AM	24.91	91.02	6	7.45	47.01
11/02/25, 05:02 AM	24.91	91.2	6	7.46	47.06
11/02/25, 05:07 AM	24.83	91.32	5.99	7.46	46.97
11/02/25, 05:12 AM	24.85	91.15	5.97	7.47	46.9
11/02/25, 05:17 AM	24.89	91.35	5.98	7.45	46.79
11/02/25, 05:22 AM	24.9	91.31	5.96	7.46	46.86

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:27 AM	24.89	91.5	5.93	7.45	46.88
11/02/25, 05:32 AM	24.82	91.53	5.95	7.45	46.82
11/02/25, 05:37 AM	24.84	91.52	5.92	7.43	46.85
11/02/25, 05:42 AM	24.93	91.57	5.92	7.43	46.83
11/02/25, 05:47 AM	25.01	91.37	5.88	7.44	46.75
11/02/25, 05:52 AM	25.03	91.47	5.9	7.46	46.85
11/02/25, 05:57 AM	25.06	91.5	5.89	7.45	46.85
11/02/25, 06:02 AM	25.07	91.67	5.9	7.46	46.79
11/02/25, 06:07 AM	25.12	91.47	5.88	7.47	46.74
11/02/25, 06:12 AM	25.11	91.65	5.86	7.45	46.84
11/02/25, 06:17 AM	25.14	91.48	5.89	7.47	46.88
11/02/25, 06:22 AM	25.18	91.54	5.92	7.46	46.97
11/02/25, 06:27 AM	25.09	91.66	5.95	7.47	46.95
11/02/25, 06:32 AM	25.07	91.64	5.95	7.45	47.04
11/02/25, 06:37 AM	25.08	91.51	5.97	7.43	47.04
11/02/25, 06:42 AM	25.02	91.69	5.95	7.45	47.08
11/02/25, 06:47 AM	24.95	91.68	5.97	7.46	47.06
11/02/25, 06:52 AM	24.97	91.57	5.98	7.45	46.98
11/02/25, 06:57 AM	24.97	91.46	5.96	7.46	47.07
11/02/25, 07:03 AM	24.96	91.29	5.95	7.44	47
11/02/25, 07:08 AM	24.91	91.51	5.93	7.44	46.91
11/02/25, 07:13 AM	24.85	91.35	5.95	7.45	46.84
11/02/25, 07:18 AM	24.92	91.51	5.95	7.44	46.86
11/02/25, 07:23 AM	24.92	91.48	5.98	7.44	46.82
11/02/25, 07:28 AM	24.98	91.56	6	7.44	46.71
11/02/25, 07:33 AM	25	91.63	6	7.45	46.74
11/02/25, 07:38 AM	25.03	91.61	6	7.44	46.64
11/02/25, 07:43 AM	25.09	91.71	5.97	7.44	46.65
11/02/25, 07:48 AM	25.08	91.84	5.97	7.45	46.58
11/02/25, 07:53 AM	25.12	92.04	5.99	7.47	46.55
11/02/25, 07:58 AM	25.12	91.97	5.98	7.45	46.64
11/02/25, 08:03 AM	25.15	91.99	5.94	7.47	46.54
11/02/25, 08:08 AM	25.17	91.82	5.97	7.48	46.64
11/02/25, 08:13 AM	25.2	91.61	6.01	7.48	46.69

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:18 AM	25.17	91.76	5.98	7.47	46.68
11/02/25, 08:23 AM	25.12	91.72	6	7.47	46.73
11/02/25, 08:28 AM	25.11	91.72	5.97	7.47	46.73
11/02/25, 08:33 AM	25.03	91.74	5.95	7.45	46.78
11/02/25, 08:38 AM	25.06	91.52	5.95	7.44	46.76
11/02/25, 08:43 AM	25.14	91.61	5.97	7.46	46.82
11/02/25, 08:48 AM	25.11	91.47	6	7.46	46.89
11/02/25, 08:53 AM	25.12	91.62	6	7.47	46.79
11/02/25, 08:58 AM	25.03	91.41	5.97	7.48	46.83
11/02/25, 09:03 AM	25.07	91.32	5.98	7.47	46.9
11/02/25, 09:08 AM	25	91.43	5.95	7.46	46.93
11/02/25, 09:13 AM	25.04	91.49	5.96	7.45	47.02
11/02/25, 09:18 AM	25.08	91.62	5.95	7.43	46.98
11/02/25, 09:23 AM	25	91.77	5.99	7.45	46.99
11/02/25, 09:28 AM	24.95	91.7	5.97	7.42	46.93
11/02/25, 09:33 AM	25.01	91.62	5.99	7.42	47.03
11/02/25, 09:38 AM	25.1	91.7	5.99	7.41	47.14
11/02/25, 09:43 AM	25.08	91.54	6.01	7.42	47.22
11/02/25, 09:48 AM	25.02	91.31	6.01	7.4	47.13
11/02/25, 09:53 AM	25.1	91.39	6.02	7.4	47.18
11/02/25, 09:58 AM	25.17	91.28	6.02	7.4	47.2
11/02/25, 10:03 AM	25.11	91.46	5.98	7.4	47.28
11/02/25, 10:08 AM	25.11	91.32	5.98	7.39	47.32
11/02/25, 10:13 AM	25.11	91.49	6	7.37	47.42
11/02/25, 10:18 AM	25.18	91.54	5.98	7.39	47.53
11/02/25, 10:23 AM	25.26	91.52	5.96	7.38	47.56
11/02/25, 10:28 AM	25.17	91.44	5.98	7.37	47.59
11/02/25, 10:33 AM	25.17	91.55	5.99	7.38	47.54
11/02/25, 10:38 AM	25.1	91.44	5.99	7.36	47.45
11/02/25, 10:43 AM	25.12	91.63	5.95	7.36	47.41
11/02/25, 10:48 AM	25.05	91.52	5.94	7.35	47.51
11/02/25, 10:53 AM	25.06	91.34	5.94	7.36	47.51
11/02/25, 10:58 AM	25	91.15	5.91	7.37	47.46
11/02/25, 11:03 AM	25.07	91.24	5.89	7.36	47.44

TIME	BOD	COD	DO	pH	TSS
11/02/25, 11:08 AM	25.1	91.24	5.88	7.37	47.35
11/02/25, 11:13 AM	25.09	91.02	5.86	7.36	47.33
11/02/25, 11:18 AM	25.15	91.05	5.86	7.38	47.44
11/02/25, 11:23 AM	25.19	91.23	5.84	7.39	47.41
11/02/25, 11:28 AM	25.12	91.16	5.85	7.38	47.52
11/02/25, 11:33 AM	25.2	91.03	5.85	7.39	47.42
11/02/25, 11:38 AM	25.2	91.1	5.87	7.37	47.45
11/02/25, 11:43 AM	25.16	91.12	5.91	7.36	47.44
11/02/25, 11:48 AM	25.07	90.96	5.93	7.35	47.49
11/02/25, 11:53 AM	25.02	90.92	5.96	7.35	47.4
11/02/25, 11:58 AM	25.09	90.75	5.97	7.34	47.39
11/02/25, 12:03 PM	25.09	90.73	5.98	7.31	47.41
11/02/25, 12:08 PM	25.02	90.66	5.97	7.29	47.51
11/02/25, 12:13 PM	25	90.75	6	7.28	47.49
11/02/25, 12:18 PM	24.98	90.94	6.01	7.28	47.53
11/02/25, 12:23 PM	24.99	90.73	6	7.27	47.55
11/02/25, 12:28 PM	25.01	90.65	5.99	7.26	47.57
11/02/25, 12:33 PM	24.95	90.83	6	7.25	47.53
11/02/25, 12:38 PM	25.01	90.84	6.03	7.24	47.51
11/02/25, 12:43 PM	25.04	90.62	6.03	7.24	47.52
11/02/25, 12:48 PM	24.97	90.75	6.01	7.26	47.57
11/02/25, 12:53 PM	24.93	90.74	6.01	7.28	47.56
11/02/25, 12:58 PM	24.86	90.56	6.04	7.26	47.49
11/02/25, 01:03 PM	24.77	90.5	6.03	7.27	47.44
11/02/25, 01:08 PM	24.71	90.64	6.03	7.26	47.55
11/02/25, 01:13 PM	24.78	90.85	6.03	7.24	47.44
11/02/25, 01:18 PM	24.7	91.02	6.04	7.23	47.53
11/02/25, 01:23 PM	24.65	90.81	6.04	7.25	47.53
11/02/25, 01:28 PM	24.71	90.97	6.01	7.23	47.61
11/02/25, 01:33 PM	24.72	91.03	6.05	7.23	47.58
11/02/25, 01:38 PM	24.75	91.04	6.02	7.23	47.67
11/02/25, 01:43 PM	24.72	90.95	6.02	7.25	47.65
11/02/25, 01:48 PM	24.76	91.11	6.02	7.24	47.68
11/02/25, 01:53 PM	24.81	91.2	6.05	7.24	47.59

TIME	BOD	COD	DO	pH	TSS
11/02/25, 01:58 PM	24.87	91.26	6.04	7.23	47.56
11/02/25, 02:03 PM	24.93	91.31	6.03	7.21	47.45
11/02/25, 02:08 PM	24.97	91.45	6.01	7.23	47.37
11/02/25, 02:13 PM	25.02	91.32	6.04	7.23	47.29
11/02/25, 02:18 PM	25.03	91.51	6.02	7.22	47.38
11/02/25, 02:23 PM	25.02	91.29	6.03	7.24	47.35
11/02/25, 02:28 PM	24.97	91.51	6.03	7.23	47.38
11/02/25, 02:33 PM	24.97	91.73	6.02	7.24	47.45
11/02/25, 02:38 PM	24.92	91.74	6.03	7.23	47.34
11/02/25, 02:43 PM	24.85	91.52	6.04	7.21	47.32
11/02/25, 02:48 PM	24.83	91.5	6.01	7.22	47.33
11/02/25, 02:53 PM	24.82	91.58	5.99	7.23	47.36
11/02/25, 02:58 PM	24.88	91.59	5.97	7.24	47.31
11/02/25, 03:03 PM	24.92	91.47	5.98	7.22	47.39
11/02/25, 03:08 PM	25	91.61	5.97	7.24	47.31
11/02/25, 03:13 PM	25.06	91.72	5.98	7.23	47.21
11/02/25, 03:18 PM	24.98	91.83	5.98	7.25	47.16
11/02/25, 03:23 PM	25.06	91.88	5.98	7.26	47.08
11/02/25, 03:28 PM	25.35	92.41	5.89	7.28	47.54
11/02/25, 03:33 PM	26.85	95.38	5.44	7.27	49.46
11/02/25, 03:38 PM	28.22	98.49	4.99	7.29	51.32
11/02/25, 03:43 PM	29.69	101.3	4.64	7.27	51.7
11/02/25, 03:48 PM	31.19	102.56	4.65	7.26	51.7
11/02/25, 03:53 PM	32.56	102.61	4.64	7.24	51.66
11/02/25, 03:58 PM	33.16	102.69	4.64	7.25	51.7
11/02/25, 04:03 PM	33.23	102.83	4.65	7.25	51.69
11/02/25, 04:08 PM	33.25	102.95	4.64	7.26	51.7
11/02/25, 04:13 PM	33.22	103	4.66	7.24	51.75
11/02/25, 04:18 PM	33.21	103.09	4.66	7.26	51.69
11/02/25, 04:23 PM	33.24	102.26	4.65	7.26	51.75
11/02/25, 04:28 PM	33.27	98.4	4.7	7.26	51.41
11/02/25, 04:33 PM	32.91	94.73	5.09	7.27	49.69
11/02/25, 04:38 PM	31.14	94.94	5.45	7.28	47.9
11/02/25, 04:43 PM	29.34	95.1	5.84	7.27	46.15

TIME	BOD	COD	DO	pH	TSS
11/02/25, 04:48 PM	27.55	95.19	6.22	7.26	46.25
11/02/25, 04:53 PM	27.61	95.24	6.21	7.26	46.23
11/02/25, 04:58 PM	27.63	95.12	6.23	7.27	46.17
11/02/25, 05:03 PM	27.61	95.06	6.24	7.27	46.21
11/02/25, 05:08 PM	27.61	95.19	6.22	7.28	46.25
11/02/25, 05:13 PM	27.64	95.13	6.22	7.3	46.25
11/02/25, 05:18 PM	27.64	94.99	6.19	7.28	46.17
11/02/25, 05:23 PM	27.64	94.88	6.17	7.29	46.21
11/02/25, 05:28 PM	27.57	94.74	6.2	7.27	46.26
11/02/25, 05:34 PM	27.58	94.71	6.21	7.28	46.32
11/02/25, 05:39 PM	27.56	94.67	6.18	7.29	46.23
11/02/25, 05:44 PM	27.63	94.9	6.15	7.3	46.12
11/02/25, 05:49 PM	27.64	94.91	6.16	7.29	46.17
11/02/25, 05:54 PM	27.56	94.77	6.16	7.27	46.24
11/02/25, 05:59 PM	27.48	94.63	6.14	7.29	46.25
11/02/25, 06:04 PM	27.45	94.53	6.17	7.28	46.24
11/02/25, 06:09 PM	27.42	94.66	6.18	7.28	46.16
11/02/25, 06:14 PM	27.43	94.81	6.15	7.28	46.17
11/02/25, 06:19 PM	27.36	94.72	6.15	7.26	46.18
11/02/25, 06:24 PM	27.38	94.83	6.15	7.25	46.22
11/02/25, 06:29 PM	27.36	94.74	6.13	7.27	46.26
11/02/25, 06:34 PM	27.45	94.69	6.15	7.27	46.37
11/02/25, 06:39 PM	27.46	94.68	6.15	7.28	46.45
11/02/25, 06:44 PM	27.42	94.58	6.13	7.27	46.5
11/02/25, 06:49 PM	27.4	94.38	6.11	7.27	46.55
11/02/25, 06:54 PM	27.39	94.54	6.11	7.26	46.56
11/02/25, 06:59 PM	27.38	94.66	6.12	7.26	46.54
11/02/25, 07:04 PM	27.32	94.52	6.12	7.25	46.61
11/02/25, 07:09 PM	27.28	94.46	6.09	7.23	46.66
11/02/25, 07:14 PM	27.37	94.39	6.07	7.23	46.66
11/02/25, 07:19 PM	27.3	94.39	6.04	7.22	46.76
11/02/25, 07:24 PM	27.25	94.47	6.02	7.22	46.82
11/02/25, 07:29 PM	27.29	94.68	6.05	7.2	46.91
11/02/25, 07:34 PM	27.3	94.56	6.05	7.19	46.84

TIME	BOD	COD	DO	pH	TSS
11/02/25, 07:39 PM	27.26	94.74	6.06	7.18	46.94
11/02/25, 07:44 PM	27.34	94.67	6.03	7.19	46.9
11/02/25, 07:49 PM	27.38	94.59	5.99	7.2	46.8
11/02/25, 07:54 PM	27.4	94.42	6.01	7.2	46.75
11/02/25, 07:59 PM	27.41	94.36	6	7.2	46.69
11/02/25, 08:04 PM	27.38	94.2	6.01	7.22	46.61
11/02/25, 08:09 PM	27.45	94.31	6.02	7.21	46.63
11/02/25, 08:14 PM	27.44	94.41	5.99	7.21	46.55
11/02/25, 08:19 PM	27.52	94.23	5.97	7.23	46.47
11/02/25, 08:24 PM	27.51	94.02	5.95	7.22	46.55
11/02/25, 08:29 PM	27.44	93.91	5.98	7.21	46.61
11/02/25, 08:34 PM	27.43	93.7	6	7.23	46.5
11/02/25, 08:39 PM	27.36	93.81	5.97	7.21	46.59
11/02/25, 08:44 PM	27.45	93.66	5.96	7.22	46.54
11/02/25, 08:49 PM	27.42	93.85	5.97	7.2	46.62
11/02/25, 08:54 PM	27.41	93.92	5.94	7.2	46.65
11/02/25, 08:59 PM	27.35	94.14	5.93	7.19	46.62
11/02/25, 09:04 PM	27.27	94.29	5.95	7.2	46.57
11/02/25, 09:09 PM	27.26	94.36	5.95	7.18	46.68
11/02/25, 09:14 PM	27.28	94.19	5.97	7.2	46.71
11/02/25, 09:19 PM	27.25	94.3	5.94	7.21	46.66
11/02/25, 09:24 PM	27.33	94.21	5.91	7.21	46.73
11/02/25, 09:29 PM	27.24	94.05	5.94	7.21	46.69
11/02/25, 09:34 PM	27.22	94.03	5.96	7.19	46.59
11/02/25, 09:39 PM	27.21	93.98	5.93	7.2	46.67
11/02/25, 09:44 PM	27.17	94.03	5.92	7.18	46.57
11/02/25, 09:49 PM	27.25	94.24	5.94	7.18	46.64
11/02/25, 09:54 PM	27.21	94.22	5.93	7.17	46.6
11/02/25, 09:59 PM	27.22	94.03	5.96	7.16	46.66
11/02/25, 10:04 PM	27.21	93.87	5.93	7.17	46.62
11/02/25, 10:09 PM	27.16	93.96	5.94	7.2	46.53
11/02/25, 10:14 PM	27.24	94	5.97	7.19	46.56
11/02/25, 10:19 PM	27.19	94.09	5.97	7.2	46.49
11/02/25, 10:24 PM	27.17	94.14	5.98	7.21	46.41

TIME	BOD	COD	DO	pH	TSS
11/02/25, 10:29 PM	27.22	93.98	6.01	7.21	46.35
11/02/25, 10:34 PM	27.28	93.97	6	7.19	46.31
11/02/25, 10:39 PM	27.3	93.8	6.03	7.2	46.28
11/02/25, 10:44 PM	27.24	93.67	6.07	7.18	46.19
11/02/25, 10:49 PM	27.18	93.69	6.07	7.17	46.26
11/02/25, 10:54 PM	27.12	93.78	6.09	7.19	46.18
11/02/25, 10:59 PM	27.17	93.96	6.12	7.21	46.12
11/02/25, 11:04 PM	27.23	93.99	6.11	7.2	46.12
11/02/25, 11:09 PM	27.29	94.12	6.11	7.2	46.19
11/02/25, 11:14 PM	27.26	94.22	6.1	7.18	46.28
11/02/25, 11:19 PM	27.28	94.02	6.09	7.19	46.21
11/02/25, 11:24 PM	27.36	94.1	6.12	7.17	46.22
11/02/25, 11:29 PM	27.29	93.99	6.08	7.17	46.16
11/02/25, 11:34 PM	27.24	93.96	6.05	7.16	46.22
11/02/25, 11:39 PM	27.24	94.13	6.06	7.19	46.14
11/02/25, 11:44 PM	27.17	94.33	6.03	7.19	46.17
11/02/25, 11:49 PM	27.12	94.43	6.05	7.2	46.1
11/02/25, 11:54 PM	27.03	94.21	6.01	7.22	46.07
11/02/25, 11:59 PM	27.07	94.27	6.03	7.21	46.13



## Water Quality Report: Rajapur Drain

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:03 AM	25.61	94.56	5.7	7.42	45.6
04/02/25, 12:08 AM	25.68	94.68	5.71	7.42	45.59
04/02/25, 12:13 AM	25.72	94.9	5.69	7.43	45.6
04/02/25, 12:18 AM	25.66	94.92	5.65	7.42	45.62
04/02/25, 12:23 AM	25.66	95.04	5.65	7.41	45.51
04/02/25, 12:28 AM	25.63	94.88	5.68	7.4	45.58
04/02/25, 12:33 AM	25.67	94.84	5.69	7.42	45.56
04/02/25, 12:38 AM	25.69	94.65	5.68	7.42	45.51
04/02/25, 12:43 AM	25.72	94.52	5.65	7.41	45.55
04/02/25, 12:48 AM	25.67	94.36	5.67	7.43	45.66
04/02/25, 12:53 AM	25.72	94.48	5.64	7.42	45.64
04/02/25, 12:58 AM	25.75	94.29	5.61	7.42	45.72
04/02/25, 01:03 AM	25.75	94.27	5.64	7.41	45.69
04/02/25, 01:08 AM	25.79	94.49	5.62	7.4	45.71
04/02/25, 01:13 AM	25.84	94.55	5.62	7.39	45.61
04/02/25, 01:18 AM	25.85	94.6	5.65	7.41	45.52
04/02/25, 01:23 AM	25.92	94.78	5.67	7.4	45.51
04/02/25, 01:28 AM	26	94.91	5.68	7.38	45.61
04/02/25, 01:33 AM	25.98	94.73	5.7	7.38	45.69
04/02/25, 01:38 AM	25.99	94.74	5.67	7.36	45.74
04/02/25, 01:43 AM	25.99	94.64	5.69	7.38	45.69
04/02/25, 01:48 AM	25.94	94.46	5.71	7.39	45.71
04/02/25, 01:53 AM	25.9	94.61	5.73	7.4	45.8
04/02/25, 01:58 AM	25.98	94.53	5.74	7.41	45.79
04/02/25, 02:03 AM	25.96	94.57	5.72	7.43	45.8
04/02/25, 02:08 AM	26.03	94.75	5.73	7.41	45.89
04/02/25, 02:13 AM	26.02	94.54	5.75	7.41	45.86
04/02/25, 02:18 AM	26.06	94.71	5.71	7.42	45.75
04/02/25, 02:23 AM	26.15	94.68	5.71	7.43	45.85
04/02/25, 02:28 AM	26.1	94.56	5.67	7.45	45.89
04/02/25, 02:33 AM	26.15	94.74	5.7	7.47	45.9

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:38 AM	26.18	94.68	5.73	7.46	45.88
04/02/25, 02:43 AM	26.15	94.56	5.73	7.44	45.91
04/02/25, 02:48 AM	26.13	94.66	5.72	7.44	45.94
04/02/25, 02:53 AM	26.19	94.83	5.74	7.45	45.96
04/02/25, 02:58 AM	26.27	94.69	5.74	7.46	45.91
04/02/25, 03:03 AM	26.29	94.86	5.77	7.47	45.99
04/02/25, 03:08 AM	26.35	95.04	5.79	7.45	45.97
04/02/25, 03:13 AM	26.37	95.07	5.81	7.45	45.9
04/02/25, 03:18 AM	26.45	94.85	5.78	7.46	45.82
04/02/25, 03:23 AM	26.4	94.98	5.8	7.44	45.78
04/02/25, 03:28 AM	26.39	94.85	5.77	7.44	45.67
04/02/25, 03:33 AM	26.33	94.93	5.75	7.45	45.61
04/02/25, 03:38 AM	26.42	95.12	5.78	7.45	45.7
04/02/25, 03:43 AM	26.35	95.22	5.79	7.44	45.74
04/02/25, 03:48 AM	26.35	95.4	5.77	7.42	45.73
04/02/25, 03:53 AM	26.29	95.24	5.74	7.44	45.82
04/02/25, 03:58 AM	26.34	95.37	5.72	7.45	45.87
04/02/25, 04:03 AM	26.39	95.43	5.71	7.45	45.92
04/02/25, 04:08 AM	26.46	95.46	5.71	7.45	45.98
04/02/25, 04:13 AM	26.51	95.35	5.72	7.44	45.99
04/02/25, 04:18 AM	26.54	95.48	5.7	7.46	46.05
04/02/25, 04:23 AM	26.51	95.7	5.72	7.45	45.97
04/02/25, 04:28 AM	26.6	95.77	5.74	7.47	45.91
04/02/25, 04:33 AM	26.61	95.94	5.76	7.46	45.92
04/02/25, 04:38 AM	26.56	96.06	5.77	7.47	45.9
04/02/25, 04:43 AM	26.5	96.15	5.75	7.48	45.94
04/02/25, 04:48 AM	26.48	96.15	5.78	7.5	45.88
04/02/25, 04:53 AM	26.53	95.95	5.76	7.52	45.79
04/02/25, 04:59 AM	26.5	95.74	5.76	7.54	45.8
04/02/25, 05:04 AM	26.53	95.72	5.72	7.52	45.79
04/02/25, 05:09 AM	26.48	95.82	5.72	7.53	45.8
04/02/25, 05:14 AM	26.54	95.88	5.75	7.51	45.85
04/02/25, 05:19 AM	26.49	95.82	5.76	7.5	45.75
04/02/25, 05:24 AM	26.56	95.82	5.78	7.5	45.77

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:29 AM	26.53	95.95	5.77	7.48	45.81
04/02/25, 05:34 AM	26.5	95.75	5.74	7.49	45.92
04/02/25, 05:39 AM	26.57	95.67	5.77	7.48	45.81
04/02/25, 05:44 AM	26.52	95.72	5.77	7.47	45.76
04/02/25, 05:49 AM	26.52	95.78	5.75	7.49	45.76
04/02/25, 05:54 AM	26.6	95.56	5.72	7.48	45.8
04/02/25, 05:59 AM	26.61	95.77	5.71	7.46	45.78
04/02/25, 06:04 AM	26.61	95.86	5.7	7.47	45.78
04/02/25, 06:09 AM	26.55	96.05	5.68	7.49	45.73
04/02/25, 06:14 AM	26.51	96.18	5.7	7.52	45.76
04/02/25, 06:19 AM	26.55	96.09	5.73	7.54	45.76
04/02/25, 06:24 AM	26.48	96.01	5.76	7.55	45.77
04/02/25, 06:29 AM	26.52	95.83	5.75	7.56	45.83
04/02/25, 06:34 AM	26.53	96.02	5.79	7.57	45.85
04/02/25, 06:39 AM	26.45	95.96	5.79	7.58	45.85
04/02/25, 06:44 AM	26.41	95.94	5.76	7.56	45.9
04/02/25, 06:49 AM	26.35	96.02	5.76	7.57	45.81
04/02/25, 06:54 AM	26.29	96.03	5.73	7.58	45.8
04/02/25, 06:59 AM	26.35	96.18	5.72	7.58	45.73
04/02/25, 07:04 AM	26.38	96.3	5.71	7.6	45.82
04/02/25, 07:09 AM	26.4	96.43	5.72	7.59	45.76
04/02/25, 07:14 AM	26.45	96.48	5.74	7.6	45.68
04/02/25, 07:19 AM	26.51	96.52	5.74	7.58	45.6
04/02/25, 07:24 AM	26.43	96.71	5.7	7.6	45.49
04/02/25, 07:29 AM	26.44	96.64	5.72	7.6	45.59
04/02/25, 07:34 AM	26.39	96.71	5.69	7.62	45.52
04/02/25, 07:39 AM	26.37	96.61	5.69	7.61	45.52
04/02/25, 07:44 AM	26.32	96.39	5.7	7.6	45.52
04/02/25, 07:49 AM	26.39	96.31	5.69	7.6	45.45
04/02/25, 07:54 AM	26.37	96.22	5.72	7.62	45.38
04/02/25, 07:59 AM	26.34	96.08	5.75	7.63	45.42
04/02/25, 08:04 AM	26.35	96.17	5.73	7.63	45.5
04/02/25, 08:09 AM	26.38	96.05	5.76	7.62	45.6
04/02/25, 08:14 AM	26.46	96.04	5.78	7.64	45.66

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:19 AM	26.52	96.16	5.77	7.62	45.61
04/02/25, 08:24 AM	26.54	95.94	5.78	7.64	45.65
04/02/25, 08:29 AM	26.61	95.97	5.8	7.62	45.6
04/02/25, 08:34 AM	26.64	96.09	5.8	7.61	45.6
04/02/25, 08:39 AM	26.63	96.11	5.81	7.61	45.64
04/02/25, 08:44 AM	26.65	95.99	5.79	7.6	45.61
04/02/25, 08:49 AM	26.59	96.15	5.78	7.58	45.7
04/02/25, 08:54 AM	26.58	96.11	5.75	7.57	45.7
04/02/25, 09:03 AM	24.35	92.77	5.83	7.24	48.55
04/02/25, 09:08 AM	24.43	92.64	5.83	7.25	48.51
04/02/25, 09:13 AM	24.45	92.67	5.8	7.25	48.46
04/02/25, 09:18 AM	24.47	92.7	5.82	7.25	48.49
04/02/25, 09:23 AM	24.46	92.7	5.83	7.23	48.44
04/02/25, 09:28 AM	24.4	92.89	5.83	7.25	48.36
04/02/25, 09:33 AM	24.33	92.82	5.81	7.27	48.37
04/02/25, 09:38 AM	24.38	92.92	5.83	7.28	48.27
04/02/25, 09:43 AM	24.3	92.92	5.85	7.28	48.23
04/02/25, 09:48 AM	24.35	92.76	5.87	7.3	48.28
04/02/25, 09:53 AM	24.3	92.67	5.86	7.31	48.37
04/02/25, 09:58 AM	24.37	92.87	5.87	7.32	48.29
04/02/25, 10:03 AM	24.43	92.9	5.9	7.32	48.31
04/02/25, 10:08 AM	24.47	92.88	5.91	7.33	48.23
04/02/25, 10:13 AM	24.44	92.97	5.93	7.31	48.31
04/02/25, 10:18 AM	24.49	92.89	5.95	7.33	48.23
04/02/25, 10:23 AM	24.42	92.82	5.98	7.34	48.16
04/02/25, 10:28 AM	24.38	92.78	5.98	7.32	48.08
04/02/25, 10:33 AM	24.45	92.74	5.97	7.3	48.04
04/02/25, 10:38 AM	24.53	92.68	5.95	7.31	47.93
04/02/25, 10:43 AM	24.6	92.52	5.98	7.31	48.03
04/02/25, 10:48 AM	24.67	92.3	5.98	7.29	47.93
04/02/25, 10:53 AM	24.72	92.52	5.95	7.27	47.87
04/02/25, 10:58 AM	24.72	92.66	5.95	7.26	47.79
04/02/25, 11:03 AM	24.73	92.49	5.96	7.25	47.89
04/02/25, 11:08 AM	24.72	92.26	5.98	7.28	47.93

TIME	BOD	COD	DO	pH	TSS
04/02/25, 11:13 AM	24.68	92.16	5.97	7.29	47.82
04/02/25, 11:18 AM	24.65	92.08	5.97	7.31	47.75
04/02/25, 11:23 AM	24.72	91.85	5.98	7.32	47.75
04/02/25, 11:28 AM	24.76	92.02	5.95	7.32	47.78
04/02/25, 11:33 AM	24.84	92.13	5.98	7.33	47.87
04/02/25, 11:38 AM	24.83	92.09	6.01	7.33	47.77
04/02/25, 11:43 AM	24.81	91.89	6.04	7.31	47.75
04/02/25, 11:48 AM	24.79	91.82	6.02	7.3	47.77
04/02/25, 11:53 AM	24.73	91.78	6.02	7.28	47.77
04/02/25, 11:58 AM	24.79	91.86	6.04	7.26	47.78
04/02/25, 12:03 PM	24.75	91.84	6.03	7.24	47.81
04/02/25, 12:08 PM	24.7	91.8	6.01	7.24	47.89
04/02/25, 12:13 PM	24.64	91.85	6.01	7.23	47.88
04/02/25, 12:18 PM	24.66	91.79	6.02	7.23	47.91
04/02/25, 12:23 PM	24.58	91.95	6.01	7.24	47.8
04/02/25, 12:28 PM	24.5	92.02	6	7.23	47.83
04/02/25, 12:33 PM	24.58	91.83	6.03	7.23	47.76
04/02/25, 12:38 PM	24.5	91.88	6.02	7.23	47.72
04/02/25, 12:43 PM	24.41	91.87	6.04	7.24	47.76
04/02/25, 12:48 PM	24.41	91.66	6.01	7.23	47.86
04/02/25, 12:53 PM	24.42	91.74	6.05	7.24	47.88
04/02/25, 12:58 PM	24.42	91.72	6.05	7.22	47.84
04/02/25, 01:03 PM	24.5	91.53	6.08	7.23	47.79
04/02/25, 01:08 PM	24.54	91.76	6.1	7.21	47.74
04/02/25, 01:13 PM	24.56	91.77	6.13	7.22	47.67
04/02/25, 01:18 PM	24.59	91.89	6.11	7.24	47.59
04/02/25, 01:23 PM	24.57	91.83	6.11	7.22	47.61
04/02/25, 01:28 PM	24.63	91.95	6.11	7.2	47.69
04/02/25, 01:33 PM	24.56	92.16	6.1	7.21	47.64
04/02/25, 01:38 PM	24.56	92.22	6.11	7.2	47.7
04/02/25, 01:43 PM	24.58	92.29	6.12	7.22	47.67
04/02/25, 01:48 PM	24.59	92.28	6.15	7.2	47.59
04/02/25, 01:53 PM	24.61	92.15	6.13	7.21	47.58
04/02/25, 01:58 PM	24.54	92.22	6.14	7.19	47.68

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:03 PM	24.63	92.25	6.13	7.19	47.76
04/02/25, 02:08 PM	24.65	92.42	6.11	7.17	47.74
04/02/25, 02:13 PM	24.65	92.2	6.14	7.17	47.65
04/02/25, 02:19 PM	24.68	92.32	6.13	7.18	47.59
04/02/25, 02:24 PM	24.66	92.47	6.17	7.17	47.69
04/02/25, 02:29 PM	24.72	92.56	6.14	7.19	47.64
04/02/25, 02:34 PM	24.74	92.61	6.12	7.2	47.74
04/02/25, 02:39 PM	24.76	92.54	6.11	7.2	47.79
04/02/25, 02:44 PM	24.67	92.67	6.11	7.21	47.73
04/02/25, 02:49 PM	24.71	92.85	6.14	7.2	47.65
04/02/25, 02:54 PM	24.73	92.84	6.11	7.19	47.63
04/02/25, 02:59 PM	24.67	92.8	6.12	7.2	47.72
04/02/25, 03:04 PM	24.71	92.69	6.08	7.22	47.79
04/02/25, 03:09 PM	24.74	92.78	6.06	7.2	47.82
04/02/25, 03:14 PM	24.72	92.9	6.08	7.2	47.71
04/02/25, 03:19 PM	24.63	93.02	6.08	7.21	47.71
04/02/25, 03:24 PM	24.65	93.17	6.05	7.19	47.69
04/02/25, 03:29 PM	24.58	93.31	6.08	7.18	47.78
04/02/25, 03:34 PM	24.54	93.35	6.09	7.17	47.69
04/02/25, 03:39 PM	24.46	93.56	6.1	7.18	47.59
04/02/25, 03:44 PM	24.54	93.57	6.13	7.18	47.68
04/02/25, 03:49 PM	24.6	93.61	6.12	7.18	47.72
04/02/25, 03:54 PM	24.56	93.48	6.1	7.2	47.75
04/02/25, 03:59 PM	24.56	93.69	6.1	7.21	47.83
04/02/25, 04:04 PM	24.61	93.84	6.12	7.21	47.76
04/02/25, 04:09 PM	24.61	93.88	6.1	7.23	47.71
04/02/25, 04:14 PM	24.65	93.95	6.14	7.24	47.61
04/02/25, 04:29 PM	24.38	92.87	5.84	7.24	48.55
04/02/25, 04:33 PM	24.43	92.83	5.81	7.25	48.55
04/02/25, 04:38 PM	24.45	92.97	5.82	7.26	48.44
04/02/25, 04:43 PM	24.46	92.92	5.79	7.26	48.39
04/02/25, 04:48 PM	24.51	92.95	5.77	7.27	48.29
04/02/25, 04:55 PM	24.37	92.67	5.8	7.22	48.42
04/02/25, 05:00 PM	24.32	92.74	5.82	7.24	48.33

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:05 PM	24.27	92.85	5.8	7.21	48.37
04/02/25, 05:10 PM	24.35	92.7	5.83	7.23	48.35
04/02/25, 05:15 PM	24.42	92.86	5.82	7.22	48.34
04/02/25, 05:20 PM	24.45	92.95	5.85	7.22	48.33
04/02/25, 05:25 PM	24.47	92.81	5.85	7.2	48.32
04/02/25, 05:30 PM	24.51	92.74	5.83	7.21	48.31
04/02/25, 05:35 PM	24.49	92.74	5.8	7.23	48.25
04/02/25, 05:40 PM	24.51	92.62	5.78	7.23	48.21
04/02/25, 05:45 PM	24.57	92.84	5.77	7.25	48.18
04/02/25, 05:50 PM	24.56	92.77	5.75	7.26	48.28
04/02/25, 05:55 PM	24.55	92.75	5.72	7.27	48.18
04/02/25, 06:00 PM	24.56	92.63	5.75	7.26	48.08
04/02/25, 06:05 PM	24.56	92.5	5.72	7.27	48.03
04/02/25, 06:10 PM	24.64	92.55	5.75	7.25	47.97
04/02/25, 06:15 PM	24.68	92.73	5.77	7.24	47.95
04/02/25, 06:20 PM	24.6	92.91	5.79	7.24	47.88
04/02/25, 06:25 PM	24.58	93.09	5.76	7.22	47.88
04/02/25, 06:30 PM	24.99	93.76	5.78	7.21	48.24
04/02/25, 06:35 PM	26.69	97.06	5.8	7.22	49.93
04/02/25, 06:40 PM	28.45	100.38	5.79	7.23	51.65
04/02/25, 06:45 PM	30.2	103.54	5.81	7.22	53.33
04/02/25, 06:50 PM	31.22	104.11	5.81	7.2	53.96
04/02/25, 06:55 PM	31.28	104.11	5.79	7.22	53.95
04/02/25, 07:00 PM	31.19	104.13	5.79	7.24	53.98
04/02/25, 07:05 PM	31.19	104.07	5.77	7.24	54
04/02/25, 07:10 PM	31.23	104.04	5.81	7.22	53.93
04/02/25, 07:15 PM	31.27	103.96	5.78	7.22	53.97
04/02/25, 07:20 PM	31.32	103.95	5.78	7.22	53.9
04/02/25, 07:25 PM	31.03	103.99	5.77	7.2	53.87
04/02/25, 07:30 PM	29.65	103.32	5.78	7.2	53.86
04/02/25, 07:35 PM	28.42	100.01	5.77	7.19	53.38
04/02/25, 07:40 PM	27.17	97	5.81	7.17	51.19
04/02/25, 07:45 PM	27.22	97.15	5.83	7.17	48.95
04/02/25, 07:50 PM	27.17	97.37	5.84	7.19	46.56

TIME	BOD	COD	DO	pH	TSS
04/02/25, 07:55 PM	27.23	97.39	5.84	7.2	46.66
04/02/25, 08:00 PM	27.19	97.56	5.82	7.18	46.62
04/02/25, 08:05 PM	27.16	97.41	5.8	7.18	46.69
04/02/25, 08:10 PM	27.12	97.4	5.77	7.2	46.78
04/02/25, 08:15 PM	27.13	97.56	5.79	7.19	46.76
04/02/25, 08:20 PM	27.2	97.52	5.76	7.21	46.86
04/02/25, 08:25 PM	27.23	97.49	5.8	7.21	46.85
04/02/25, 08:30 PM	27.21	97.32	5.79	7.21	46.83
04/02/25, 08:35 PM	27.14	97.5	5.79	7.19	46.88
04/02/25, 08:40 PM	27.14	97.41	5.81	7.19	46.85
04/02/25, 08:45 PM	27.05	97.38	5.78	7.18	46.83
04/02/25, 08:50 PM	26.99	97.4	5.76	7.16	46.86
04/02/25, 08:55 PM	27.06	97.4	5.77	7.14	46.85
04/02/25, 09:00 PM	26.98	97.52	5.79	7.13	46.86
04/02/25, 09:05 PM	26.97	97.68	5.78	7.14	46.76
04/02/25, 09:10 PM	26.92	97.83	5.75	7.16	46.79
04/02/25, 09:15 PM	26.95	98	5.76	7.15	46.81
04/02/25, 09:20 PM	27.03	98	5.75	7.15	46.83
04/02/25, 09:25 PM	27.01	98.21	5.78	7.17	46.79
04/02/25, 09:30 PM	26.97	98.16	5.78	7.16	46.74
04/02/25, 09:35 PM	27.04	98.2	5.8	7.16	46.72
04/02/25, 09:40 PM	27.08	97.98	5.83	7.18	46.68
04/02/25, 09:45 PM	27.09	97.83	5.82	7.16	46.68
04/02/25, 09:50 PM	27.17	97.78	5.85	7.14	46.71
04/02/25, 09:55 PM	27.25	97.59	5.84	7.16	46.64
04/02/25, 10:00 PM	27.27	97.46	5.85	7.17	46.67
04/02/25, 10:05 PM	27.2	97.36	5.86	7.17	46.68
04/02/25, 10:10 PM	27.21	97.15	5.87	7.18	46.62
04/02/25, 10:15 PM	27.15	96.95	5.9	7.2	46.58
04/02/25, 10:20 PM	27.19	96.82	5.9	7.18	46.66
04/02/25, 10:25 PM	27.26	96.95	5.88	7.16	46.69
04/02/25, 10:30 PM	27.29	96.73	5.86	7.17	46.63
04/02/25, 10:35 PM	27.3	96.89	5.88	7.18	46.67
04/02/25, 10:40 PM	27.32	96.83	5.86	7.2	46.78

TIME	BOD	COD	DO	pH	TSS
04/02/25, 10:45 PM	27.38	96.94	5.85	7.21	46.88
04/02/25, 10:50 PM	27.4	97.15	5.84	7.2	46.85
04/02/25, 10:55 PM	27.39	97.06	5.81	7.2	46.9
04/02/25, 11:00 PM	27.33	97.22	5.84	7.21	46.97
04/02/25, 11:05 PM	27.33	97.34	5.82	7.2	46.9
04/02/25, 11:10 PM	27.41	97.13	5.79	7.2	46.98
04/02/25, 11:15 PM	27.37	97.01	5.82	7.19	46.88
04/02/25, 11:20 PM	27.36	96.87	5.85	7.17	46.97
04/02/25, 11:25 PM	27.38	96.76	5.81	7.18	46.94
04/02/25, 11:30 PM	27.31	96.6	5.83	7.18	46.84
04/02/25, 11:35 PM	27.22	96.52	5.84	7.16	46.8
04/02/25, 11:40 PM	27.24	96.48	5.82	7.17	46.86
04/02/25, 11:45 PM	27.23	96.43	5.83	7.19	46.77
04/02/25, 11:50 PM	27.14	96.59	5.87	7.21	46.71
04/02/25, 11:55 PM	27.11	96.39	5.86	7.23	46.61



## Water Quality Report: Rajapur Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:03 AM	24.61	93.79	5.59	7.22	47.54
28/01/25, 12:08 AM	24.63	93.95	5.58	7.23	47.65
28/01/25, 12:13 AM	24.68	94.14	5.57	7.25	47.6
28/01/25, 12:18 AM	24.75	94.26	5.57	7.26	47.56
28/01/25, 12:23 AM	24.71	94.22	5.57	7.25	47.63
28/01/25, 12:28 AM	24.77	94.41	5.55	7.24	47.56
28/01/25, 12:33 AM	24.75	94.44	5.53	7.26	47.49
28/01/25, 12:38 AM	24.83	94.22	5.55	7.25	47.45
28/01/25, 12:43 AM	24.81	94.17	5.53	7.25	47.52
28/01/25, 12:48 AM	24.77	94.05	5.5	7.24	47.56
28/01/25, 12:53 AM	24.73	93.9	5.5	7.25	47.53
28/01/25, 12:58 AM	24.72	93.75	5.53	7.27	47.59
28/01/25, 01:03 AM	24.68	93.58	5.56	7.28	47.64
28/01/25, 01:08 AM	24.72	93.45	5.58	7.26	47.56
28/01/25, 01:13 AM	24.72	93.25	5.57	7.28	47.63
28/01/25, 01:18 AM	24.79	93.32	5.56	7.3	47.57
28/01/25, 01:23 AM	24.78	93.34	5.55	7.3	47.62
28/01/25, 01:28 AM	24.81	93.28	5.52	7.31	47.52
28/01/25, 01:33 AM	24.78	93.46	5.54	7.32	47.41
28/01/25, 01:38 AM	24.83	93.66	5.54	7.34	47.46
28/01/25, 01:43 AM	24.87	93.75	5.56	7.33	47.52
28/01/25, 01:48 AM	24.81	93.94	5.6	7.33	47.46
28/01/25, 01:53 AM	24.83	94.05	5.61	7.31	47.39
28/01/25, 01:58 AM	24.87	94.14	5.58	7.32	47.36
28/01/25, 02:03 AM	24.92	94.26	5.58	7.31	47.25
28/01/25, 02:08 AM	24.85	94.24	5.55	7.29	47.35
28/01/25, 02:13 AM	24.87	94.06	5.56	7.3	47.43
28/01/25, 02:18 AM	24.86	94.16	5.53	7.3	47.32
28/01/25, 02:23 AM	24.8	94.36	5.62	7.29	47.3
28/01/25, 02:28 AM	24.83	94.31	5.51	7.27	47.2
28/01/25, 02:33 AM	24.8	94.51	5.53	7.27	47.24

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:38 AM	24.83	94.45	5.53	7.27	47.22
28/01/25, 02:43 AM	24.82	94.55	5.55	7.27	47.21
28/01/25, 02:48 AM	24.74	94.53	5.57	7.28	47.2
28/01/25, 02:53 AM	24.83	94.61	5.6	7.3	47.18
28/01/25, 02:58 AM	24.86	94.61	5.59	7.31	47.24
28/01/25, 03:03 AM	24.79	94.38	5.62	7.29	47.33
28/01/25, 03:08 AM	24.82	94.18	5.61	7.3	47.39
28/01/25, 03:13 AM	24.79	94.24	5.58	7.29	47.45
28/01/25, 03:18 AM	24.85	94.42	5.61	7.27	47.49
28/01/25, 03:23 AM	24.91	94.61	5.63	7.25	47.53
28/01/25, 03:28 AM	24.94	94.6	5.6	7.26	47.63
28/01/25, 03:33 AM	24.97	94.76	5.6	7.27	47.58
28/01/25, 03:38 AM	24.95	94.8	5.58	7.26	47.62
28/01/25, 03:43 AM	24.9	94.58	5.56	7.25	47.65
28/01/25, 03:48 AM	24.91	94.57	5.55	7.23	47.62
28/01/25, 03:53 AM	24.96	94.44	5.52	7.24	47.63
28/01/25, 03:58 AM	24.88	94.47	5.53	7.25	47.65
28/01/25, 04:03 AM	24.89	94.43	5.55	7.23	47.71
28/01/25, 04:08 AM	24.87	94.29	5.58	7.23	47.82
28/01/25, 04:13 AM	24.96	94.14	5.57	7.22	47.91
28/01/25, 04:18 AM	24.98	93.94	5.56	7.23	47.88
28/01/25, 04:23 AM	24.99	94.04	5.56	7.24	47.87
28/01/25, 04:28 AM	24.93	93.83	5.55	7.22	47.97
28/01/25, 04:33 AM	24.92	93.84	5.53	7.22	47.96
28/01/25, 04:38 AM	24.97	93.73	5.5	7.2	47.92
28/01/25, 04:43 AM	24.93	93.67	5.48	7.19	47.87
28/01/25, 04:48 AM	25.01	93.5	5.5	7.19	47.86
28/01/25, 04:53 AM	24.94	93.33	5.49	7.2	47.81
28/01/25, 04:58 AM	24.92	93.28	5.47	7.2	47.8
28/01/25, 05:03 AM	24.93	93.15	5.48	7.21	47.72
28/01/25, 05:08 AM	24.98	93.07	5.5	7.21	47.66
28/01/25, 05:13 AM	24.96	92.92	5.49	7.22	47.59
28/01/25, 05:18 AM	24.96	92.94	5.48	7.24	47.57
28/01/25, 05:23 AM	24.94	93.17	5.48	7.24	47.54

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:28 AM	24.99	93.05	5.52	7.27	47.6
28/01/25, 05:33 AM	25.05	93.25	5.52	7.25	47.57
28/01/25, 05:38 AM	25.04	93.46	5.5	7.26	47.48
28/01/25, 05:43 AM	25.11	93.51	5.47	7.25	47.49
28/01/25, 05:48 AM	25.11	93.53	5.45	7.24	47.56
28/01/25, 05:53 AM	25.13	93.36	5.45	7.24	47.51
28/01/25, 05:59 AM	25.15	93.41	5.46	7.24	47.48
28/01/25, 06:04 AM	25.07	93.58	5.46	7.25	47.54
28/01/25, 06:09 AM	25.02	93.63	5.47	7.26	47.47
28/01/25, 06:14 AM	25.01	93.68	5.46	7.25	47.36
28/01/25, 06:19 AM	25.04	93.72	5.42	7.26	47.28
28/01/25, 06:24 AM	25.13	93.71	5.45	7.28	47.19
28/01/25, 06:29 AM	25.07	93.69	5.43	7.29	47.1
28/01/25, 06:34 AM	25.08	93.85	5.4	7.29	47.04
28/01/25, 06:39 AM	25.07	93.85	5.4	7.27	47.09
28/01/25, 06:44 AM	25.06	93.67	5.44	7.24	47.11
28/01/25, 06:49 AM	25.01	93.5	5.47	7.22	47.07
28/01/25, 06:54 AM	24.98	93.55	5.45	7.2	47
28/01/25, 06:59 AM	25.07	93.56	5.47	7.19	46.95
28/01/25, 07:04 AM	25.11	93.54	5.44	7.21	47.02
28/01/25, 07:09 AM	25.18	93.72	5.47	7.19	46.92
28/01/25, 07:14 AM	25.24	93.86	5.44	7.2	46.82
28/01/25, 07:19 AM	25.19	93.83	5.45	7.19	46.78
28/01/25, 07:24 AM	25.12	93.7	5.48	7.18	46.89
28/01/25, 07:29 AM	25.2	93.5	5.44	7.17	46.95
28/01/25, 07:34 AM	25.17	93.61	5.45	7.18	47.05
28/01/25, 07:39 AM	25.26	93.83	5.42	7.18	47.01
28/01/25, 07:44 AM	25.28	93.94	5.43	7.17	47.09
28/01/25, 07:49 AM	25.33	93.84	5.44	7.16	47
28/01/25, 07:54 AM	25.3	93.71	5.46	7.18	46.99
28/01/25, 07:59 AM	25.38	93.58	5.47	7.17	47.09
28/01/25, 08:04 AM	25.39	93.58	5.48	7.16	46.99
28/01/25, 08:09 AM	25.43	93.61	5.46	7.18	47.05
28/01/25, 08:14 AM	25.46	93.52	5.48	7.19	47.02

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:19 AM	25.38	93.58	5.5	7.19	46.93
28/01/25, 08:24 AM	25.31	93.69	5.49	7.17	46.97
28/01/25, 08:29 AM	25.39	93.81	5.49	7.16	46.99
28/01/25, 08:34 AM	25.31	93.75	5.5	7.15	47.06
28/01/25, 08:39 AM	25.31	93.72	5.48	7.15	47.14
28/01/25, 08:44 AM	25.29	93.56	5.51	7.17	47.09
28/01/25, 08:49 AM	25.34	93.35	5.52	7.17	47.12
28/01/25, 08:54 AM	25.3	93.26	5.52	7.17	47.05
28/01/25, 08:59 AM	25.29	93.08	5.49	7.17	47.09
28/01/25, 09:04 AM	25.32	93.17	5.46	7.19	47.02
28/01/25, 09:09 AM	25.24	93.19	5.46	7.2	47.01
28/01/25, 09:14 AM	25.22	93.38	5.44	7.2	46.95
28/01/25, 09:19 AM	25.21	93.21	5.41	7.2	46.91
28/01/25, 09:24 AM	25.28	93.17	5.41	7.2	46.91
28/01/25, 09:29 AM	25.2	93.13	5.42	7.19	46.96
28/01/25, 09:34 AM	25.17	93.17	5.42	7.21	46.96
28/01/25, 09:39 AM	25.26	92.95	5.45	7.2	46.97
28/01/25, 09:44 AM	25.29	92.76	5.43	7.19	46.91
28/01/25, 09:49 AM	25.22	92.66	5.43	7.19	46.97
28/01/25, 09:54 AM	25.3	92.6	5.43	7.21	46.95
28/01/25, 09:59 AM	25.29	92.64	5.4	7.23	46.96
28/01/25, 10:04 AM	25.22	92.67	5.37	7.25	46.9
28/01/25, 10:09 AM	25.27	92.47	5.34	7.24	46.94
28/01/25, 10:14 AM	25.23	92.32	5.3	7.23	46.98
28/01/25, 10:19 AM	25.14	92.28	5.28	7.26	46.95
28/01/25, 10:24 AM	25.17	92.19	5.26	7.26	46.92
28/01/25, 10:29 AM	25.23	91.98	5.27	7.26	46.83
28/01/25, 10:34 AM	25.2	92.17	5.29	7.28	46.82
28/01/25, 10:39 AM	25.12	92.06	5.32	7.28	46.82
28/01/25, 10:44 AM	25.18	92.23	5.31	7.28	46.74
28/01/25, 10:49 AM	25.11	92.1	5.28	7.27	46.67
28/01/25, 10:54 AM	25.12	92.02	5.24	7.28	46.78
28/01/25, 10:59 AM	25.2	92.11	5.25	7.26	46.89
28/01/25, 11:04 AM	25.16	91.97	5.25	7.25	46.79

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:09 AM	25.23	92.2	5.28	7.26	46.75
28/01/25, 11:14 AM	25.32	92.27	5.29	7.24	46.86
28/01/25, 11:19 AM	25.34	92.3	5.3	7.25	46.96
28/01/25, 11:24 AM	25.34	92.21	5.32	7.27	47.03
28/01/25, 11:29 AM	25.31	92.11	5.35	7.26	47.14
28/01/25, 11:34 AM	25.35	92.07	5.34	7.24	47.12
28/01/25, 11:39 AM	25.28	91.94	5.3	7.23	47.06
28/01/25, 11:44 AM	25.23	92.06	5.27	7.21	47.01
28/01/25, 11:49 AM	25.18	92.14	5.29	7.19	47.08
28/01/25, 11:54 AM	25.25	92.18	5.27	7.17	47.02
28/01/25, 11:59 AM	25.21	92.25	5.28	7.16	46.98
28/01/25, 12:04 PM	25.29	92.47	5.28	7.17	47.04
28/01/25, 12:09 PM	25.32	92.62	5.3	7.17	47.07
28/01/25, 12:14 PM	25.24	92.72	5.32	7.15	47.07
28/01/25, 12:19 PM	25.26	92.75	5.33	7.15	47.1
28/01/25, 12:24 PM	25.29	92.94	5.3	7.15	47.19
28/01/25, 12:29 PM	25.32	92.94	5.29	7.16	47.29
28/01/25, 12:34 PM	25.29	92.8	5.29	7.17	47.31
28/01/25, 12:39 PM	25.36	92.9	5.29	7.18	47.34
28/01/25, 12:44 PM	25.44	92.78	5.27	7.17	47.26
28/01/25, 12:53 PM	24.39	92.62	5.77	7.26	48.44
28/01/25, 01:18 PM	24.42	92.31	5.72	7.28	48.44
28/01/25, 01:43 PM	24.58	92.61	5.71	7.26	48.5
28/01/25, 01:48 PM	24.59	92.69	5.68	7.26	48.44
28/01/25, 01:53 PM	24.61	92.73	5.67	7.27	48.46
28/01/25, 01:58 PM	24.53	92.71	5.67	7.29	48.42
28/01/25, 02:03 PM	24.45	92.85	5.67	7.28	48.39
28/01/25, 02:08 PM	24.38	92.75	5.7	7.29	48.33
28/01/25, 02:13 PM	24.41	92.92	5.68	7.29	48.32
28/01/25, 02:18 PM	24.44	93.08	5.7	7.3	48.24
28/01/25, 02:23 PM	24.46	93.23	5.69	7.3	48.19
28/01/25, 02:28 PM	24.5	93.39	5.69	7.28	48.23
28/01/25, 02:33 PM	24.55	93.39	5.69	7.26	48.17
28/01/25, 02:38 PM	24.52	93.31	5.72	7.26	48.19

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:43 PM	24.57	93.12	5.7	7.26	48.13
28/01/25, 02:48 PM	24.49	92.91	5.67	7.25	48.03
28/01/25, 02:53 PM	24.51	92.7	5.68	7.27	47.94
28/01/25, 02:58 PM	24.54	92.84	5.7	7.29	47.83
28/01/25, 03:03 PM	24.59	92.84	5.73	7.31	47.83
28/01/25, 03:08 PM	24.54	92.84	5.76	7.33	47.83
28/01/25, 03:13 PM	24.53	92.74	5.78	7.33	47.75
28/01/25, 03:18 PM	24.56	92.78	5.75	7.33	47.83
28/01/25, 03:23 PM	24.63	92.71	5.78	7.32	47.77
28/01/25, 03:28 PM	24.67	92.88	5.79	7.34	47.85
28/01/25, 03:33 PM	24.73	92.75	5.78	7.33	47.75
28/01/25, 03:38 PM	24.76	92.62	5.81	7.33	47.7
28/01/25, 03:43 PM	24.84	92.48	5.84	7.34	47.64
28/01/25, 03:48 PM	24.88	92.69	5.83	7.36	47.63
28/01/25, 03:53 PM	24.9	92.49	5.81	7.37	47.67
28/01/25, 03:58 PM	24.93	92.28	5.83	7.35	47.65
28/01/25, 04:03 PM	24.85	92.25	5.83	7.34	47.63
28/01/25, 04:08 PM	24.84	92.15	5.86	7.36	47.59
28/01/25, 04:13 PM	24.88	92.12	5.83	7.38	47.6
28/01/25, 04:18 PM	24.92	92.03	5.8	7.38	47.66
28/01/25, 04:23 PM	24.97	92.12	5.77	7.37	47.64
28/01/25, 04:28 PM	24.93	92.22	5.79	7.37	47.55
28/01/25, 04:33 PM	24.91	92.3	5.79	7.36	47.45
28/01/25, 04:38 PM	24.93	92.38	5.78	7.36	47.43
28/01/25, 04:43 PM	24.84	92.43	5.79	7.36	47.52
28/01/25, 04:48 PM	24.87	92.46	5.78	7.36	47.57
28/01/25, 04:54 PM	24.81	92.54	5.78	7.37	47.57
28/01/25, 04:59 PM	24.75	92.75	5.8	7.39	47.57
28/01/25, 05:04 PM	24.75	92.53	5.83	7.37	47.46
28/01/25, 05:09 PM	24.67	92.63	5.81	7.36	47.51
28/01/25, 05:14 PM	24.68	92.79	5.84	7.37	47.52
28/01/25, 05:19 PM	24.7	92.59	5.84	7.37	47.43
28/01/25, 05:24 PM	24.72	92.76	5.81	7.35	47.5
28/01/25, 05:29 PM	24.66	92.9	5.77	7.33	47.58

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:34 PM	24.69	93.01	5.77	7.34	47.55
28/01/25, 05:39 PM	24.72	92.99	5.78	7.32	47.56
28/01/25, 05:44 PM	24.64	92.8	5.79	7.32	47.54
28/01/25, 05:49 PM	24.64	92.9	5.83	7.31	47.63
28/01/25, 05:54 PM	24.65	92.89	5.84	7.32	47.62
28/01/25, 05:59 PM	24.66	92.69	5.83	7.3	47.71
28/01/25, 06:04 PM	24.57	92.57	5.85	7.28	47.77
28/01/25, 06:09 PM	24.61	92.51	5.88	7.27	47.8
28/01/25, 06:14 PM	24.62	92.62	5.91	7.27	47.75
28/01/25, 06:15 PM	24.38	92.93	5.84	7.22	48.38
28/01/25, 06:20 PM	24.46	92.93	5.84	7.2	48.37
28/01/25, 06:25 PM	24.46	93.13	5.84	7.19	48.38
28/01/25, 06:30 PM	24.51	92.97	5.84	7.22	48.35
28/01/25, 06:35 PM	24.52	92.82	5.83	7.2	48.24
28/01/25, 06:40 PM	24.56	92.74	5.8	7.21	48.18
28/01/25, 06:45 PM	24.57	92.61	5.83	7.23	48.24
28/01/25, 06:50 PM	24.53	92.56	5.85	7.24	48.31
28/01/25, 06:55 PM	24.6	92.43	5.85	7.23	48.22
28/01/25, 07:00 PM	24.67	92.29	5.83	7.22	48.21
28/01/25, 07:05 PM	24.69	92.38	5.82	7.2	48.28
28/01/25, 07:10 PM	24.71	92.57	5.8	7.22	48.23
28/01/25, 07:15 PM	24.72	92.55	5.83	7.24	48.16
28/01/25, 07:20 PM	24.64	92.61	5.85	7.25	48.13
28/01/25, 07:25 PM	24.7	92.75	5.82	7.24	48.07
28/01/25, 07:30 PM	24.72	92.76	5.8	7.25	48.01
28/01/25, 07:35 PM	24.64	92.76	5.76	7.23	47.91
28/01/25, 07:40 PM	24.63	92.71	5.79	7.25	47.85
28/01/25, 07:45 PM	24.66	92.55	5.78	7.24	47.82
28/01/25, 07:50 PM	24.72	92.53	5.79	7.24	47.73
28/01/25, 07:55 PM	24.72	92.72	5.81	7.24	47.66
28/01/25, 08:00 PM	24.75	92.69	5.77	7.21	47.76
28/01/25, 08:05 PM	24.67	92.59	5.77	7.22	47.8
28/01/25, 08:10 PM	24.59	92.52	5.78	7.22	47.89
28/01/25, 08:15 PM	24.62	92.49	5.78	7.22	47.94

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:20 PM	24.71	92.38	5.76	7.23	47.92
28/01/25, 08:25 PM	24.76	92.31	5.77	7.24	47.91
28/01/25, 08:30 PM	24.76	92.45	5.73	7.25	47.86
28/01/25, 08:35 PM	24.76	92.48	5.74	7.25	47.77
28/01/25, 08:40 PM	24.68	92.58	5.72	7.25	47.76
28/01/25, 08:45 PM	24.71	92.68	5.73	7.24	47.77
28/01/25, 08:50 PM	24.68	92.86	5.71	7.22	47.67
28/01/25, 08:55 PM	24.66	92.71	5.69	7.24	47.61
28/01/25, 09:00 PM	24.68	92.81	5.66	7.23	47.68
28/01/25, 09:05 PM	24.76	93.01	5.69	7.22	47.79
28/01/25, 09:10 PM	24.84	92.94	5.72	7.2	47.81
28/01/25, 09:15 PM	24.89	92.99	5.74	7.19	47.7
28/01/25, 09:20 PM	24.94	92.77	5.75	7.16	47.81
28/01/25, 09:25 PM	24.95	92.86	5.72	7.17	47.8
28/01/25, 09:30 PM	24.98	92.65	5.72	7.16	47.9
28/01/25, 09:35 PM	24.91	92.52	5.73	7.18	47.89
28/01/25, 09:40 PM	24.89	92.31	5.69	7.2	47.9
28/01/25, 09:45 PM	24.83	92.09	5.67	7.19	47.98
28/01/25, 09:50 PM	24.78	92.16	5.66	7.21	47.94
28/01/25, 09:55 PM	24.77	92.16	5.66	7.19	47.89
28/01/25, 10:00 PM	24.73	92.04	5.65	7.21	47.83
28/01/25, 10:05 PM	24.71	92.09	5.61	7.23	47.74
28/01/25, 10:10 PM	24.63	91.86	5.59	7.21	47.68
28/01/25, 10:15 PM	24.55	91.97	5.58	7.19	47.76
28/01/25, 10:20 PM	24.56	91.99	5.56	7.17	47.8
28/01/25, 10:25 PM	24.64	91.93	5.58	7.18	47.79
28/01/25, 10:30 PM	24.57	91.94	5.6	7.17	47.89
28/01/25, 10:35 PM	24.63	91.82	5.57	7.18	47.9
28/01/25, 10:40 PM	24.56	91.86	5.61	7.18	47.92
28/01/25, 10:45 PM	24.57	91.99	5.64	7.2	47.83
28/01/25, 10:50 PM	24.57	92.17	5.66	7.22	47.78
28/01/25, 10:55 PM	24.52	91.98	5.63	7.21	47.68
28/01/25, 11:00 PM	24.57	92.18	5.6	7.21	47.62
28/01/25, 11:05 PM	24.56	92.26	5.6	7.23	47.54

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:10 PM	24.62	92.41	5.57	7.24	47.49
28/01/25, 11:15 PM	24.65	92.37	5.56	7.26	47.55
28/01/25, 11:20 PM	24.7	92.24	5.53	7.26	47.53
28/01/25, 11:25 PM	24.76	92.05	5.55	7.25	47.55
28/01/25, 11:30 PM	24.84	92.08	5.55	7.23	47.45
28/01/25, 11:35 PM	24.85	91.95	5.54	7.23	47.43
28/01/25, 11:40 PM	24.78	91.74	5.57	7.24	47.46
28/01/25, 11:46 PM	24.85	91.7	5.6	7.25	47.42
28/01/25, 11:51 PM	24.78	91.67	5.64	7.26	47.41
28/01/25, 11:56 PM	24.77	91.73	5.66	7.28	47.42



## Water Quality Report: Sasur Khedari Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:04 AM	23.94	79.2	5.93	7.81	43.45
21/01/25, 12:09 AM	23.92	79.34	5.94	7.81	43.5
21/01/25, 12:14 AM	23.94	79.4	5.95	7.81	43.45
21/01/25, 12:19 AM	23.98	79.36	5.93	7.81	43.45
21/01/25, 12:24 AM	24	79.24	5.92	7.81	43.49
21/01/25, 12:29 AM	24.01	79.38	5.92	7.81	43.48
21/01/25, 12:34 AM	24.04	79.54	5.93	7.81	43.45
21/01/25, 12:39 AM	24.03	79.69	5.92	7.81	43.47
21/01/25, 12:44 AM	24.05	79.65	5.93	7.82	43.42
21/01/25, 12:49 AM	24.06	79.59	5.91	7.81	43.46
21/01/25, 12:54 AM	24.04	79.42	5.91	7.81	43.46
21/01/25, 12:59 AM	24.02	79.48	5.9	7.81	43.48
21/01/25, 01:04 AM	23.99	79.45	5.92	7.81	43.44
21/01/25, 01:09 AM	23.97	79.42	5.92	7.8	43.43
21/01/25, 01:14 AM	24.01	79.29	5.94	7.81	43.48
21/01/25, 01:19 AM	23.99	79.08	5.94	7.81	43.44
21/01/25, 01:24 AM	23.99	79.21	5.94	7.81	43.46
21/01/25, 01:29 AM	23.99	79.25	5.95	7.82	43.46
21/01/25, 01:34 AM	24.02	79.13	5.96	7.82	43.43
21/01/25, 01:39 AM	24	79.04	5.96	7.81	43.38
21/01/25, 01:44 AM	24.03	79.01	5.97	7.82	43.4
21/01/25, 01:49 AM	24.02	78.93	5.97	7.81	43.43
21/01/25, 02:26 AM	24.01	78.73	5.87	7.81	43.41
21/01/25, 02:50 AM	23.95	78.57	5.9	7.8	43.33
21/01/25, 02:55 AM	23.93	78.65	5.9	7.8	43.33
21/01/25, 03:00 AM	23.93	78.8	5.9	7.8	43.31
21/01/25, 03:05 AM	23.94	78.96	5.92	7.8	43.28
21/01/25, 03:10 AM	23.92	78.75	5.91	7.8	43.25
21/01/25, 03:15 AM	23.95	78.87	5.92	7.8	43.22
21/01/25, 03:20 AM	23.95	79.05	5.93	7.8	43.16
21/01/25, 03:25 AM	23.95	79.2	5.92	7.8	43.15

TIME	BOD	COD	DO	pH	TSS
21/01/25, 03:30 AM	23.94	79.3	5.92	7.8	43.13
21/01/25, 03:35 AM	23.92	79.38	5.94	7.81	43.09
21/01/25, 03:40 AM	23.92	79.45	5.93	7.82	43.09
21/01/25, 03:45 AM	23.91	79.47	5.91	7.82	43.05
21/01/25, 03:50 AM	23.87	79.63	5.92	7.82	43.01
21/01/25, 03:55 AM	23.88	79.76	5.91	7.83	43.06
21/01/25, 04:00 AM	23.9	79.56	5.9	7.83	43.03
21/01/25, 04:05 AM	23.86	79.56	5.9	7.84	43.04
21/01/25, 04:10 AM	23.83	79.69	5.91	7.84	43
21/01/25, 04:15 AM	23.81	79.85	5.89	7.83	43.02
21/01/25, 04:20 AM	23.78	80.03	5.87	7.83	43.06
21/01/25, 04:25 AM	23.77	80.18	5.86	7.83	43.09
21/01/25, 04:30 AM	23.74	79.97	5.85	7.84	43.03
21/01/25, 04:35 AM	23.72	79.79	5.85	7.83	42.99
21/01/25, 04:40 AM	23.69	79.68	5.85	7.83	42.97
21/01/25, 04:45 AM	23.71	79.79	5.85	7.84	43
21/01/25, 04:50 AM	23.69	79.96	5.87	7.84	42.94
21/01/25, 04:55 AM	23.67	80.12	5.87	7.84	42.95
21/01/25, 05:00 AM	23.68	80.08	5.88	7.84	43
21/01/25, 05:05 AM	23.67	80.02	5.89	7.85	43.05
21/01/25, 05:10 AM	23.7	79.8	5.89	7.85	43.01
21/01/25, 05:15 AM	23.66	79.73	5.88	7.85	43.04
21/01/25, 05:20 AM	23.68	79.94	5.87	7.86	43.05
21/01/25, 05:25 AM	23.68	79.75	5.87	7.86	43.09
21/01/25, 05:30 AM	23.68	79.56	5.86	7.86	43.07
21/01/25, 05:35 AM	23.71	79.38	5.85	7.85	43.02
21/01/25, 05:40 AM	23.73	79.55	5.86	7.85	42.97
21/01/25, 05:45 AM	23.7	79.65	5.88	7.86	42.98
21/01/25, 05:50 AM	23.73	79.68	5.86	7.86	43.01
21/01/25, 05:55 AM	23.77	79.48	5.87	7.86	43.04
21/01/25, 06:00 AM	23.78	79.38	5.85	7.86	43
21/01/25, 06:05 AM	23.77	79.5	5.85	7.86	42.95
21/01/25, 06:10 AM	23.81	79.3	5.85	7.86	42.96
21/01/25, 06:15 AM	23.78	79.4	5.86	7.86	42.93

TIME	BOD	COD	DO	pH	TSS
21/01/25, 06:20 AM	23.78	79.32	5.85	7.86	42.92
21/01/25, 06:25 AM	23.8	79.22	5.87	7.86	42.92
21/01/25, 06:30 AM	23.82	79.35	5.87	7.86	42.95
21/01/25, 06:35 AM	23.86	79.38	5.87	7.86	42.91
21/01/25, 06:40 AM	23.89	79.17	5.87	7.86	42.91
21/01/25, 06:45 AM	23.91	79.28	5.85	7.86	42.93
21/01/25, 06:50 AM	23.89	79.46	5.86	7.86	42.94
21/01/25, 06:55 AM	23.93	79.53	5.87	7.85	42.92
21/01/25, 07:00 AM	23.94	79.66	5.86	7.86	42.96
21/01/25, 07:05 AM	23.94	79.69	5.87	7.85	42.95
21/01/25, 07:10 AM	23.92	79.67	5.88	7.86	42.93
21/01/25, 07:15 AM	23.95	79.63	5.87	7.86	42.96
21/01/25, 07:20 AM	23.98	79.84	5.86	7.86	42.96
21/01/25, 07:25 AM	24.02	79.84	5.88	7.85	42.99
21/01/25, 07:30 AM	24	79.85	5.89	7.85	42.99
21/01/25, 07:35 AM	23.96	79.77	5.9	7.85	42.98
21/01/25, 07:40 AM	23.96	79.81	5.89	7.86	43
21/01/25, 07:45 AM	23.98	79.71	5.89	7.85	42.96
21/01/25, 07:50 AM	23.95	79.78	5.88	7.86	42.93
21/01/25, 07:55 AM	23.93	79.83	5.87	7.85	42.94
21/01/25, 08:00 AM	23.96	79.89	5.88	7.85	42.9
21/01/25, 08:05 AM	23.94	79.76	5.86	7.84	42.88
21/01/25, 08:10 AM	23.97	79.82	5.86	7.85	42.88
21/01/25, 08:15 AM	23.96	79.99	5.85	7.84	42.86
21/01/25, 08:20 AM	23.98	79.87	5.83	7.85	42.89
21/01/25, 08:25 AM	23.96	79.83	5.83	7.85	42.94
21/01/25, 08:30 AM	23.92	79.96	5.83	7.85	42.97
21/01/25, 08:35 AM	23.93	79.84	5.84	7.85	43
21/01/25, 08:40 AM	23.92	79.98	5.85	7.85	43.03
21/01/25, 08:45 AM	23.91	80.08	5.85	7.85	43.08
21/01/25, 08:50 AM	23.92	80.09	5.84	7.84	43.06
21/01/25, 08:55 AM	23.96	79.92	5.84	7.84	43.01
21/01/25, 09:00 AM	23.99	79.72	5.84	7.84	43
21/01/25, 09:05 AM	23.96	79.52	5.83	7.85	43.01

TIME	BOD	COD	DO	pH	TSS
21/01/25, 09:10 AM	23.94	79.64	5.81	7.84	43.02
21/01/25, 09:15 AM	23.95	79.82	5.81	7.83	43.03
21/01/25, 09:20 AM	23.96	79.96	5.81	7.84	42.99
21/01/25, 09:25 AM	23.98	80.03	5.82	7.84	42.98
21/01/25, 09:30 AM	23.94	79.85	5.81	7.84	43.
21/01/25, 09:35 AM	23.95	79.71	5.82	7.84	43.02
21/01/25, 09:40 AM	23.96	79.64	5.82	7.85	43.07
21/01/25, 09:45 AM	23.99	79.56	5.83	7.85	43.06
21/01/25, 09:50 AM	23.96	79.64	5.83	7.85	43.04
21/01/25, 09:55 AM	23.93	79.56	5.83	7.85	43.03
21/01/25, 10:00 AM	23.93	79.59	5.83	7.86	43.04
21/01/25, 10:05 AM	23.9	79.69	5.84	7.86	43.06
21/01/25, 10:10 AM	23.88	79.53	5.82	7.87	43.01
21/01/25, 10:15 AM	23.9	79.64	5.8	7.87	43.06
21/01/25, 10:20 AM	23.92	79.46	5.81	7.86	43.08
21/01/25, 10:25 AM	23.92	79.65	5.82	7.86	43.14
21/01/25, 10:30 AM	23.91	79.47	5.83	7.85	43.17
21/01/25, 10:35 AM	23.95	79.65	5.84	7.84	43.23
21/01/25, 10:40 AM	23.98	79.52	5.83	7.84	43.28
21/01/25, 10:45 AM	24.02	79.5	5.83	7.84	43.3
21/01/25, 10:50 AM	23.99	79.46	5.81	7.84	43.29
21/01/25, 10:55 AM	24.01	79.42	5.8	7.85	43.24
21/01/25, 11:00 AM	23.97	79.41	5.78	7.85	43.25
21/01/25, 11:05 AM	23.94	79.27	5.8	7.86	43.29
21/01/25, 11:10 AM	23.91	79.32	5.81	7.85	43.24
21/01/25, 11:15 AM	23.94	79.53	5.79	7.86	43.21
21/01/25, 11:20 AM	23.96	79.51	5.8	7.85	43.15
21/01/25, 11:25 AM	23.99	79.49	5.8	7.86	43.16
21/01/25, 11:30 AM	24.01	79.35	5.81	7.85	43.16
21/01/25, 11:35 AM	24.01	79.29	5.81	7.85	43.11
21/01/25, 11:40 AM	24.03	79.31	5.8	7.86	43.08
21/01/25, 11:45 AM	24.06	79.27	5.78	7.86	43.05
21/01/25, 11:50 AM	24.07	79.31	5.79	7.86	43.03
21/01/25, 11:55 AM	24.07	79.23	5.78	7.86	43.01

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:00 PM	24.09	79.43	5.79	7.85	43.03
21/01/25, 12:05 PM	24.13	79.51	5.78	7.85	43.06
21/01/25, 12:10 PM	24.11	79.35	5.8	7.85	43.01
21/01/25, 12:15 PM	24.12	79.39	5.81	7.85	43
21/01/25, 03:57 PM	23.98	78.93	5.87	7.82	43.38
21/01/25, 04:21 PM	23.93	79.07	5.82	7.81	43.37
21/01/25, 04:46 PM	23.91	79.21	5.83	7.81	43.33
21/01/25, 04:51 PM	23.88	79.21	5.84	7.8	43.35
21/01/25, 04:56 PM	23.91	79.32	5.85	7.81	43.35
21/01/25, 05:01 PM	23.88	79.14	5.83	7.82	43.34
21/01/25, 05:06 PM	23.89	79.2	5.85	7.82	43.35
21/01/25, 05:11 PM	23.91	79.27	5.84	7.81	43.39
21/01/25, 05:16 PM	23.89	79.46	5.85	7.81	43.4
21/01/25, 05:21 PM	23.87	79.36	5.83	7.81	43.38
21/01/25, 05:26 PM	23.89	79.5	5.84	7.81	43.34
21/01/25, 05:31 PM	23.91	79.43	5.84	7.82	43.35
21/01/25, 05:36 PM	23.91	79.41	5.83	7.82	43.3
21/01/25, 05:41 PM	23.9	79.36	5.83	7.83	43.34
21/01/25, 05:46 PM	23.9	79.36	5.85	7.82	43.34
21/01/25, 05:51 PM	23.93	79.18	5.83	7.81	43.35
21/01/25, 05:56 PM	23.95	78.97	5.82	7.82	43.36
21/01/25, 06:01 PM	23.95	78.91	5.84	7.82	43.35
21/01/25, 06:06 PM	23.98	79.1	5.85	7.82	43.32
21/01/25, 06:11 PM	23.99	79.07	5.84	7.81	43.27
21/01/25, 06:16 PM	23.97	78.89	5.86	7.81	43.22
21/01/25, 06:21 PM	23.95	78.72	5.87	7.8	43.27
21/01/25, 06:26 PM	23.93	78.76	5.85	7.8	43.28
21/01/25, 06:31 PM	23.93	78.8	5.84	7.81	43.31
21/01/25, 06:36 PM	23.96	78.92	5.84	7.81	43.31
21/01/25, 06:41 PM	23.92	78.92	5.84	7.8	43.36
21/01/25, 06:46 PM	23.95	78.73	5.83	7.81	43.4
21/01/25, 06:51 PM	23.96	78.59	5.83	7.8	43.35
21/01/25, 06:56 PM	23.98	78.52	5.82	7.8	43.37
21/01/25, 07:01 PM	23.95	78.44	5.81	7.8	43.37

TIME	BOD	COD	DO	pH	TSS
21/01/25, 07:27 PM	24.01	78.82	5.88	7.82	43.47
21/01/25, 07:52 PM	24.08	79.23	5.89	7.82	43.39
21/01/25, 07:57 PM	24.06	79.32	5.89	7.81	43.35
21/01/25, 08:02 PM	24.04	79.54	5.9	7.81	43.38
21/01/25, 08:07 PM	24.02	79.75	5.92	7.81	43.39
21/01/25, 08:12 PM	24.02	79.92	5.94	7.8	43.39
21/01/25, 08:17 PM	24.01	79.95	5.96	7.81	43.37
21/01/25, 08:22 PM	24.02	79.75	5.96	7.8	43.31
21/01/25, 08:27 PM	23.99	79.85	5.97	7.8	43.35
21/01/25, 08:32 PM	23.97	79.86	5.98	7.81	43.29
21/01/25, 08:37 PM	23.93	79.7	5.98	7.82	43.28
21/01/25, 08:42 PM	23.91	79.87	5.98	7.82	43.31
21/01/25, 08:47 PM	23.94	79.75	5.99	7.81	43.27
21/01/25, 08:52 PM	23.9	79.89	6	7.81	43.31
21/01/25, 08:57 PM	23.91	79.87	6	7.81	43.33
21/01/25, 09:02 PM	23.95	79.83	6	7.81	43.38
21/01/25, 09:07 PM	23.96	79.83	6	7.8	43.34
21/01/25, 09:12 PM	23.98	79.67	5.99	7.8	43.33
21/01/25, 09:17 PM	23.96	79.67	5.98	7.81	43.37
21/01/25, 09:22 PM	23.98	79.66	5.99	7.81	43.33
21/01/25, 09:27 PM	24.02	79.48	6	7.81	43.3
21/01/25, 09:32 PM	24.04	79.48	5.99	7.81	43.28
21/01/25, 09:37 PM	24.01	79.69	5.99	7.81	43.32
21/01/25, 09:39 PM	23.99	79	5.88	7.82	43.42
21/01/25, 09:43 PM	24.01	78.98	5.89	7.82	43.43
21/01/25, 09:48 PM	24.04	79.08	5.88	7.82	43.48
21/01/25, 09:53 PM	24.01	79.23	5.89	7.82	43.51
21/01/25, 09:58 PM	23.97	79.05	5.88	7.82	43.47
21/01/25, 10:03 PM	23.96	78.9	5.9	7.82	43.45
21/01/25, 10:08 PM	23.99	79.03	5.89	7.82	43.41
21/01/25, 10:13 PM	24.01	79.03	5.88	7.82	43.38
21/01/25, 10:18 PM	24	78.82	5.89	7.82	43.32
21/01/25, 10:23 PM	23.98	78.72	5.9	7.83	43.36
21/01/25, 10:28 PM	23.95	78.64	5.9	7.83	43.33

TIME	BOD	COD	DO	pH	TSS
21/01/25, 10:33 PM	23.99	78.56	5.91	7.82	43.36
21/01/25, 10:38 PM	24	78.35	5.9	7.82	43.31
21/01/25, 10:43 PM	24.02	78.4	5.89	7.81	43.29
21/01/25, 10:48 PM	24.02	78.23	5.87	7.82	43.3
21/01/25, 10:53 PM	24.01	78.22	5.87	7.82	43.29
21/01/25, 10:58 PM	24.03	78.15	5.88	7.81	43.25
21/01/25, 11:03 PM	24.06	78.09	5.88	7.81	43.3
21/01/25, 11:08 PM	24.02	78.09	5.87	7.8	43.32
21/01/25, 11:13 PM	24.01	77.92	5.88	7.81	43.3
21/01/25, 11:18 PM	23.99	77.86	5.89	7.81	43.27
21/01/25, 11:23 PM	23.96	77.84	5.87	7.8	43.22
21/01/25, 11:28 PM	23.94	77.84	5.88	7.8	43.28
21/01/25, 11:33 PM	23.9	77.99	5.87	7.81	43.23
21/01/25, 11:38 PM	23.91	78.17	5.86	7.81	43.26
21/01/25, 11:43 PM	23.93	78.38	5.85	7.8	43.23
21/01/25, 11:48 PM	23.91	78.23	5.85	7.8	43.17
21/01/25, 11:53 PM	23.95	78.08	5.87	7.8	43.13
21/01/25, 11:58 PM	23.97	77.91	5.88	7.8	43.1



## Water Quality Report: Sasur Khedari Drain

TIME	BOD	COD	DO	pH	TSS
11/02/25, 12:03 AM	25.11	91.84	6.82	7.7	47.96
11/02/25, 12:08 AM	25.11	91.94	6.83	7.69	47.91
11/02/25, 12:13 AM	25.15	92.04	6.87	7.69	48.04
11/02/25, 12:18 AM	25.13	91.92	6.84	7.71	48.03
11/02/25, 12:23 AM	25.18	92.05	6.84	7.69	48.15
11/02/25, 12:28 AM	25.11	91.81	6.82	7.67	48.02
11/02/25, 12:33 AM	25.09	91.89	6.84	7.67	48.05
11/02/25, 12:38 AM	25.16	91.97	6.86	7.67	48.1
11/02/25, 12:43 AM	25.1	91.86	6.86	7.68	48.05
11/02/25, 12:48 AM	25.18	92.07	6.85	7.65	48.18
11/02/25, 12:53 AM	25.09	91.97	6.86	7.65	48.25
11/02/25, 12:58 AM	25.04	92.2	6.9	7.66	48.22
11/02/25, 01:03 AM	25.09	92.29	6.92	7.65	48.29
11/02/25, 01:08 AM	25.03	92.57	6.91	7.66	48.41
11/02/25, 01:13 AM	25.1	92.49	6.94	7.64	48.43
11/02/25, 01:18 AM	25.15	92.71	6.92	7.63	48.31
11/02/25, 01:23 AM	25.18	92.63	6.91	7.62	48.42
11/02/25, 01:28 AM	25.1	92.77	6.9	7.63	48.5
11/02/25, 01:33 AM	25.17	92.84	6.93	7.62	48.51
11/02/25, 01:38 AM	25.27	92.62	6.96	7.62	48.4
11/02/25, 01:43 AM	25.34	92.83	6.93	7.6	48.34
11/02/25, 01:48 AM	25.34	93.09	6.93	7.58	48.43
11/02/25, 01:53 AM	25.26	93.29	6.96	7.6	48.31
11/02/25, 01:58 AM	25.19	93.19	6.95	7.62	48.38
11/02/25, 02:03 AM	25.12	93.02	6.93	7.63	48.38
11/02/25, 02:08 AM	25.05	92.93	6.95	7.65	48.5
11/02/25, 02:13 AM	24.96	92.93	6.92	7.65	48.53
11/02/25, 02:18 AM	24.95	92.82	6.92	7.63	48.56
11/02/25, 02:23 AM	24.94	93	6.91	7.63	48.65
11/02/25, 02:28 AM	25.01	93.04	6.93	7.64	48.73
11/02/25, 02:33 AM	25.1	93.27	6.9	7.66	48.75

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:38 AM	25.1	93.28	6.87	7.66	48.73
11/02/25, 02:43 AM	25.14	93.1	6.9	7.66	48.73
11/02/25, 02:48 AM	25.23	92.98	6.88	7.67	48.64
11/02/25, 02:53 AM	25.13	92.89	6.89	7.66	48.5
11/02/25, 02:58 AM	25.08	93.01	6.91	7.67	48.58
11/02/25, 03:03 AM	25.03	92.84	6.89	7.66	48.52
11/02/25, 03:08 AM	25.09	92.66	6.9	7.66	48.65
11/02/25, 03:13 AM	25.1	92.71	6.91	7.67	48.66
11/02/25, 03:18 AM	25.08	92.93	6.91	7.66	48.68
11/02/25, 03:23 AM	25.03	93	6.91	7.68	48.66
11/02/25, 03:28 AM	24.98	92.92	6.88	7.67	48.57
11/02/25, 03:33 AM	24.9	93.04	6.86	7.66	48.55
11/02/25, 03:38 AM	24.91	93.16	6.84	7.64	48.43
11/02/25, 03:43 AM	24.91	92.9	6.82	7.64	48.3
11/02/25, 03:48 AM	24.82	93.03	6.83	7.63	48.39
11/02/25, 03:53 AM	24.85	93.13	6.84	7.64	48.5
11/02/25, 03:58 AM	24.93	93.22	6.81	7.65	48.6
11/02/25, 04:03 AM	24.95	93.2	6.78	7.64	48.47
11/02/25, 04:08 AM	25.04	93.47	6.8	7.63	48.58
11/02/25, 04:13 AM	25.11	93.33	6.78	7.64	48.52
11/02/25, 04:18 AM	25.05	93.4	6.76	7.64	48.51
11/02/25, 04:23 AM	25.07	93.31	6.79	7.63	48.47
11/02/25, 04:28 AM	24.98	93.2	6.78	7.65	48.57
11/02/25, 04:33 AM	24.94	93.28	6.76	7.65	48.53
11/02/25, 04:38 AM	24.93	93.3	6.74	7.67	48.61
11/02/25, 04:43 AM	24.91	93.15	6.75	7.69	48.74
11/02/25, 04:48 AM	25	93.21	6.75	7.69	48.71
11/02/25, 04:53 AM	24.96	92.94	6.77	7.7	48.79
11/02/25, 04:58 AM	24.88	92.72	6.8	7.71	48.89
11/02/25, 05:03 AM	24.81	92.77	6.81	7.71	48.93
11/02/25, 05:08 AM	24.84	92.87	6.84	7.7	48.87
11/02/25, 05:13 AM	24.93	92.95	6.83	7.68	48.84
11/02/25, 05:18 AM	25.02	93.03	6.8	7.67	48.88
11/02/25, 05:23 AM	25.03	93.25	6.77	7.66	48.9

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:28 AM	25	93.41	6.75	7.64	48.82
11/02/25, 05:33 AM	25.06	93.56	6.77	7.63	48.87
11/02/25, 05:38 AM	25.01	93.64	6.75	7.63	48.86
11/02/25, 05:43 AM	24.99	93.56	6.73	7.64	48.96
11/02/25, 05:48 AM	24.96	93.51	6.71	7.63	49.01
11/02/25, 05:53 AM	24.88	93.55	6.69	7.64	49
11/02/25, 05:58 AM	24.92	93.46	6.71	7.62	49
11/02/25, 06:03 AM	24.85	93.74	6.71	7.61	49.06
11/02/25, 06:08 AM	24.92	93.56	6.69	7.61	48.97
11/02/25, 06:13 AM	24.88	93.51	6.67	7.61	48.92
11/02/25, 06:18 AM	24.96	93.27	6.7	7.6	48.79
11/02/25, 06:23 AM	24.87	93.03	6.73	7.6	48.75
11/02/25, 06:28 AM	24.8	93.03	6.73	7.58	48.74
11/02/25, 06:33 AM	24.89	93.11	6.7	7.59	48.69
11/02/25, 06:38 AM	24.81	93.38	6.72	7.59	48.79
11/02/25, 06:43 AM	24.9	93.47	6.69	7.59	48.66
11/02/25, 06:48 AM	24.91	93.59	6.68	7.6	48.78
11/02/25, 06:53 AM	24.93	93.47	6.7	7.59	48.82
11/02/25, 06:58 AM	24.91	93.71	6.67	7.58	48.86
11/02/25, 07:03 AM	24.98	93.58	6.65	7.57	48.97
11/02/25, 07:08 AM	24.9	93.74	6.67	7.56	49
11/02/25, 07:13 AM	24.88	93.86	6.65	7.57	48.91
11/02/25, 07:18 AM	24.9	93.73	6.63	7.59	48.82
11/02/25, 07:23 AM	24.94	93.71	6.66	7.58	48.94
11/02/25, 07:28 AM	24.9	93.71	6.69	7.56	48.84
11/02/25, 07:33 AM	24.9	93.58	6.68	7.55	48.83
11/02/25, 07:38 AM	24.83	93.4	6.7	7.56	48.72
11/02/25, 07:43 AM	24.92	93.6	6.72	7.56	48.81
11/02/25, 07:48 AM	24.92	93.64	6.72	7.55	48.77
11/02/25, 07:53 AM	24.96	93.91	6.68	7.55	48.76
11/02/25, 07:58 AM	25.04	93.64	6.71	7.53	48.83
11/02/25, 08:03 AM	24.95	93.69	6.69	7.53	48.84
11/02/25, 08:08 AM	24.95	93.77	6.69	7.56	48.79
11/02/25, 08:14 AM	25.03	93.68	6.72	7.53	48.73

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:19 AM	25.03	93.74	6.74	7.54	48.86
11/02/25, 08:24 AM	25	93.87	6.73	7.52	48.85
11/02/25, 08:29 AM	25.1	93.94	6.73	7.51	48.8
11/02/25, 08:34 AM	25.11	94.17	6.71	7.51	48.71
11/02/25, 08:39 AM	25.18	94.14	6.75	7.53	48.83
11/02/25, 08:44 AM	25.27	93.97	6.75	7.53	48.83
11/02/25, 08:49 AM	25.51	94.43	6.67	7.55	49.21
11/02/25, 08:54 AM	26.89	97.23	6.26	7.55	50.95
11/02/25, 08:59 AM	28.26	100.09	5.87	7.56	50.98
11/02/25, 09:04 AM	29.5	102.35	5.47	7.56	51.01
11/02/25, 09:09 AM	30.34	102.34	5.07	7.55	51.03
11/02/25, 09:14 AM	30.34	102.33	4.71	7.55	51.04
11/02/25, 09:19 AM	30.34	102.33	4.47	7.54	51.03
11/02/25, 09:24 AM	30.35	102.3	4.46	7.56	51.02
11/02/25, 09:29 AM	30.35	102.26	4.45	7.56	50.99
11/02/25, 09:34 AM	30.34	102.27	4.45	7.55	50.98
11/02/25, 09:39 AM	30.32	102.19	4.45	7.54	51.02
11/02/25, 09:44 AM	30.34	102.21	4.45	7.53	51.04
11/02/25, 09:49 AM	30.35	101.65	4.46	7.54	51.02
11/02/25, 09:54 AM	30.05	98.96	4.46	7.56	50.58
11/02/25, 09:59 AM	28.64	96.38	4.45	7.56	48.47
11/02/25, 10:04 AM	27.32	93.98	4.45	7.55	48.45
11/02/25, 10:09 AM	27.39	93.98	4.53	7.55	48.54
11/02/25, 10:14 AM	27.33	94.22	4.98	7.54	48.52
11/02/25, 10:19 AM	27.28	94.06	5.44	7.54	48.48
11/02/25, 10:24 AM	27.27	94.18	5.89	7.52	48.54
11/02/25, 10:29 AM	27.32	94.32	5.86	7.52	48.46
11/02/25, 10:34 AM	27.38	94.22	5.83	7.52	48.53
11/02/25, 10:39 AM	27.48	94.27	5.8	7.5	48.66
11/02/25, 10:44 AM	27.51	94.45	5.83	7.49	48.66
11/02/25, 10:49 AM	27.49	94.43	5.84	7.49	48.76
11/02/25, 10:54 AM	27.49	94.43	5.86	7.51	48.7
11/02/25, 10:59 AM	27.43	94.44	5.83	7.54	48.71
11/02/25, 11:04 AM	27.35	94.53	5.85	7.54	48.68

TIME	BOD	COD	DO	pH	TSS
11/02/25, 11:09 AM	27.42	94.6	5.86	7.52	48.65
11/02/25, 11:14 AM	27.46	94.44	5.83	7.53	48.67
11/02/25, 11:19 AM	27.55	94.22	5.83	7.5	48.65
11/02/25, 11:24 AM	27.5	94.47	5.84	7.52	48.61
11/02/25, 11:29 AM	27.53	94.36	5.84	7.52	48.56
11/02/25, 11:34 AM	27.47	94.42	5.83	7.51	48.49
11/02/25, 11:39 AM	27.45	94.2	5.81	7.53	48.52
11/02/25, 11:44 AM	27.4	94.07	5.78	7.56	48.41
11/02/25, 11:49 AM	27.34	94.24	5.77	7.57	48.49
11/02/25, 11:54 AM	27.33	94.24	5.74	7.57	48.49
11/02/25, 11:59 AM	27.32	94.07	5.75	7.56	48.58
11/02/25, 12:04 PM	27.34	94.11	5.79	7.55	48.49
11/02/25, 12:09 PM	27.38	94.26	5.82	7.55	48.52
11/02/25, 12:14 PM	27.4	94.34	5.85	7.53	48.43
11/02/25, 12:19 PM	27.33	94.49	5.84	7.54	48.42
11/02/25, 12:24 PM	27.37	94.39	5.88	7.52	48.37
11/02/25, 12:29 PM	27.39	94.23	5.89	7.5	48.29
11/02/25, 12:34 PM	27.3	94.35	5.91	7.49	48.33
11/02/25, 12:39 PM	27.36	94.27	5.89	7.51	48.3
11/02/25, 12:44 PM	27.45	94.04	5.89	7.49	48.42
11/02/25, 12:49 PM	27.37	93.85	5.89	7.5	48.32
11/02/25, 12:54 PM	27.37	93.58	5.9	7.51	48.31
11/02/25, 12:59 PM	27.31	93.72	5.87	7.51	48.38
11/02/25, 01:04 PM	27.39	93.79	5.88	7.5	48.47
11/02/25, 01:09 PM	27.34	93.6	5.91	7.5	48.41
11/02/25, 01:26 PM	24.8	91.48	6.75	7.76	47.61
11/02/25, 01:30 PM	24.71	91.31	6.77	7.78	47.59
11/02/25, 01:35 PM	24.78	91.44	6.76	7.76	47.59
11/02/25, 01:40 PM	24.78	91.7	6.77	7.78	47.66
11/02/25, 01:45 PM	24.83	91.94	6.78	7.77	47.59
11/02/25, 01:50 PM	24.76	92.17	6.82	7.77	47.5
11/02/25, 01:55 PM	24.81	92.25	6.82	7.79	47.61
11/02/25, 02:00 PM	24.8	92.42	6.82	7.77	47.61
11/02/25, 02:05 PM	24.71	92.56	6.83	7.78	47.56

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:10 PM	24.62	92.71	6.82	7.77	47.67
11/02/25, 02:15 PM	24.69	92.78	6.8	7.75	47.62
11/02/25, 02:20 PM	24.76	92.58	6.77	7.75	47.72
11/02/25, 02:25 PM	24.81	92.8	6.79	7.75	47.68
11/02/25, 02:30 PM	24.76	93.05	6.81	7.73	47.74
11/02/25, 02:35 PM	24.82	92.83	6.79	7.73	47.68
11/02/25, 02:40 PM	24.79	92.69	6.76	7.73	47.66
11/02/25, 02:45 PM	24.72	92.42	6.75	7.72	47.78
11/02/25, 02:50 PM	24.72	92.56	6.77	7.7	47.65
11/02/25, 02:55 PM	24.64	92.51	6.8	7.7	47.76
11/02/25, 03:00 PM	24.66	92.57	6.79	7.7	47.79
11/02/25, 03:05 PM	24.73	92.49	6.77	7.71	47.79
11/02/25, 03:10 PM	24.8	92.23	6.74	7.72	47.67
11/02/25, 03:15 PM	24.72	92.15	6.76	7.74	47.54
11/02/25, 03:20 PM	24.8	92.12	6.74	7.73	47.43
11/02/25, 03:25 PM	24.81	92.22	6.71	7.74	47.51
11/02/25, 03:30 PM	24.74	92.04	6.7	7.72	47.46
11/02/25, 03:35 PM	24.83	92.13	6.73	7.72	47.43
11/02/25, 03:40 PM	24.77	92.27	6.75	7.71	47.53
11/02/25, 03:45 PM	24.72	92.36	6.78	7.73	47.64
11/02/25, 03:50 PM	24.75	92.15	6.78	7.71	47.58
11/02/25, 03:55 PM	24.82	92.25	6.81	7.71	47.63
11/02/25, 04:00 PM	24.76	92.19	6.81	7.71	47.57
11/02/25, 04:08 PM	24.9	91.41	6.76	7.78	47.46
11/02/25, 04:13 PM	24.99	91.5	6.73	7.77	47.53
11/02/25, 04:18 PM	24.93	91.45	6.76	7.76	47.43
11/02/25, 04:23 PM	24.84	91.39	6.73	7.77	47.39
11/02/25, 04:28 PM	24.89	91.47	6.69	7.78	47.36
11/02/25, 04:33 PM	24.85	91.51	6.71	7.79	47.36
11/02/25, 04:38 PM	24.86	91.26	6.7	7.81	47.24
11/02/25, 04:43 PM	24.87	91.08	6.7	7.79	47.24
11/02/25, 04:48 PM	24.91	90.96	6.71	7.78	47.13
11/02/25, 04:53 PM	24.84	90.8	6.69	7.76	47.22
11/02/25, 04:58 PM	24.77	90.79	6.69	7.78	47.24

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:03 PM	24.78	90.82	6.66	7.8	47.14
11/02/25, 05:13 PM	24.81	91.3	6.73	7.77	47.63
11/02/25, 05:17 PM	24.83	91.53	6.74	7.78	47.74
11/02/25, 05:22 PM	24.83	91.44	6.71	7.78	47.84
11/02/25, 05:27 PM	24.84	91.45	6.73	7.76	47.72
11/02/25, 05:32 PM	24.92	91.65	6.7	7.75	47.62
11/02/25, 05:37 PM	24.96	91.82	6.68	7.77	47.7
11/02/25, 05:42 PM	25.03	91.58	6.67	7.79	47.79
11/02/25, 05:47 PM	24.99	91.6	6.65	7.8	47.66
11/02/25, 05:52 PM	25.08	91.87	6.61	7.82	47.77
11/02/25, 05:57 PM	25.04	92.04	6.63	7.81	47.65
11/02/25, 06:02 PM	25.12	91.89	6.65	7.82	47.73
11/02/25, 06:07 PM	25.06	92.04	6.62	7.82	47.71
11/02/25, 06:12 PM	25.14	92.25	6.65	7.8	47.66
11/02/25, 06:17 PM	25.07	92.19	6.68	7.79	47.54
11/02/25, 06:22 PM	25.02	92.09	6.65	7.79	47.5
11/02/25, 06:25 PM	24.81	91.38	6.73	7.76	47.56
11/02/25, 06:30 PM	24.75	91.46	6.74	7.75	47.47
11/02/25, 06:35 PM	24.8	91.48	6.76	7.73	47.43
11/02/25, 06:40 PM	24.88	91.51	6.73	7.74	47.4
11/02/25, 06:45 PM	24.78	91.51	6.73	7.74	47.32
11/02/25, 06:50 PM	24.73	91.78	6.76	7.73	47.43
11/02/25, 06:55 PM	24.82	91.53	6.79	7.72	47.47
11/02/25, 07:00 PM	24.73	91.45	6.77	7.71	47.51
11/02/25, 07:05 PM	24.77	91.2	6.8	7.73	47.45
11/02/25, 07:10 PM	24.87	91.27	6.82	7.74	47.39
11/02/25, 07:15 PM	24.9	91.01	6.82	7.72	47.27
11/02/25, 07:20 PM	24.97	90.99	6.84	7.71	47.27
11/02/25, 07:25 PM	24.94	91.04	6.81	7.72	47.34
11/02/25, 07:30 PM	24.91	91.1	6.78	7.73	47.37
11/02/25, 07:35 PM	25	90.93	6.78	7.73	47.43
11/02/25, 07:40 PM	25.03	90.88	6.77	7.72	47.43
11/02/25, 07:45 PM	25.04	91.03	6.79	7.72	47.3
11/02/25, 07:50 PM	24.94	91.01	6.82	7.71	47.37

TIME	BOD	COD	DO	pH	TSS
11/02/25, 07:55 PM	24.87	91.09	6.84	7.71	47.45
11/02/25, 08:00 PM	24.92	91.01	6.8	7.69	47.5
11/02/25, 08:05 PM	24.93	90.81	6.81	7.7	47.56
11/02/25, 08:10 PM	24.86	90.7	6.81	7.72	47.69
11/02/25, 08:15 PM	24.94	90.87	6.79	7.7	47.81
11/02/25, 08:20 PM	25.04	90.71	6.79	7.71	47.75
11/02/25, 08:25 PM	25.12	90.76	6.81	7.69	47.65
11/02/25, 08:30 PM	25.1	90.92	6.84	7.7	47.73
11/02/25, 08:35 PM	25.08	91.16	6.82	7.68	47.68
11/02/25, 08:40 PM	25.05	90.91	6.79	7.68	47.61
11/02/25, 08:45 PM	25.02	90.64	6.82	7.68	47.72
11/02/25, 08:50 PM	25.04	90.46	6.85	7.69	47.59
11/02/25, 08:55 PM	25.01	90.34	6.88	7.72	47.72
11/02/25, 09:00 PM	25.09	90.42	6.87	7.72	47.67
11/02/25, 09:05 PM	25.02	90.39	6.87	7.72	47.65
11/02/25, 09:10 PM	25.1	90.51	6.87	7.73	47.58
11/02/25, 09:15 PM	25.02	90.33	6.87	7.72	47.55
11/02/25, 09:20 PM	24.97	90.59	6.86	7.7	47.49
11/02/25, 09:25 PM	24.97	90.75	6.83	7.69	47.51
11/02/25, 09:30 PM	25.01	90.65	6.81	7.69	47.45
11/02/25, 09:35 PM	24.92	90.82	6.83	7.67	47.41
11/02/25, 09:40 PM	24.85	90.9	6.84	7.65	47.35
11/02/25, 09:45 PM	24.91	91.09	6.84	7.65	47.25
11/02/25, 09:50 PM	24.9	90.98	6.81	7.67	47.16
11/02/25, 09:55 PM	24.91	91.22	6.79	7.69	47.08
11/02/25, 10:00 PM	24.96	90.98	6.79	7.71	47.16
11/02/25, 10:05 PM	25.05	90.9	6.8	7.72	47.04
11/02/25, 10:10 PM	25.05	91.07	6.82	7.74	47.1
11/02/25, 10:15 PM	25.08	90.82	6.82	7.72	47.12
11/02/25, 10:20 PM	25.07	90.79	6.81	7.73	47.22
11/02/25, 10:25 PM	25.11	90.81	6.81	7.74	47.23
11/02/25, 10:30 PM	25.11	90.8	6.78	7.73	47.1
11/02/25, 10:35 PM	25.09	90.68	6.77	7.72	47.22
11/02/25, 10:40 PM	25.15	90.9	6.78	7.72	47.09

TIME	BOD	COD	DO	pH	TSS
11/02/25, 10:45 PM	25.08	91.1	6.8	7.73	47.07
11/02/25, 10:50 PM	25.07	91.09	6.78	7.72	46.95
11/02/25, 10:55 PM	25.06	91.34	6.81	7.72	47.04
11/02/25, 11:00 PM	24.98	91.48	6.79	7.71	47.16
11/02/25, 11:05 PM	24.92	91.21	6.78	7.7	47.11
11/02/25, 11:10 PM	24.95	91.3	6.74	7.68	47.14
11/02/25, 11:15 PM	24.89	91.16	6.73	7.69	47.15
11/02/25, 11:20 PM	24.87	91	6.74	7.71	47.24
11/02/25, 11:25 PM	24.89	90.82	6.76	7.7	47.3
11/02/25, 11:30 PM	24.96	90.56	6.78	7.72	47.32
11/02/25, 11:35 PM	25.06	90.59	6.75	7.72	47.2
11/02/25, 11:40 PM	25.04	90.71	6.76	7.72	47.13
11/02/25, 11:45 PM	25.07	90.8	6.73	7.73	47.11
11/02/25, 11:50 PM	25.1	90.54	6.69	7.74	47
11/02/25, 11:55 PM	25.02	90.56	6.67	7.75	47.06



## Water Quality Report: Sasur Khedari Drain

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:02 AM	26.94	88.23	6.93	7.83	45.16
04/02/25, 12:07 AM	26.95	88.45	6.95	7.85	45.12
04/02/25, 12:12 AM	27.04	88.57	6.93	7.84	45.15
04/02/25, 12:17 AM	27.07	88.46	6.95	7.82	45.08
04/02/25, 12:22 AM	27.12	88.52	6.95	7.83	45.15
04/02/25, 12:27 AM	27.18	88.51	6.94	7.82	45.24
04/02/25, 12:32 AM	27.19	88.68	6.95	7.84	45.18
04/02/25, 12:37 AM	27.29	88.45	6.93	7.84	45.19
04/02/25, 12:42 AM	27.34	88.41	6.9	7.82	45.07
04/02/25, 12:47 AM	27.32	88.14	6.89	7.81	45.02
04/02/25, 12:52 AM	27.42	87.9	6.91	7.81	45.11
04/02/25, 12:57 AM	27.48	88.13	6.9	7.83	45
04/02/25, 01:02 AM	27.53	88.15	6.93	7.81	44.93
04/02/25, 01:07 AM	27.54	88.15	6.92	7.8	44.85
04/02/25, 01:12 AM	27.49	88.12	6.89	7.8	44.96
04/02/25, 01:17 AM	27.53	87.97	6.86	7.82	44.95
04/02/25, 01:22 AM	27.62	87.78	6.85	7.8	44.89
04/02/25, 01:27 AM	27.59	87.89	6.87	7.79	44.99
04/02/25, 01:32 AM	27.51	87.75	6.84	7.8	45.03
04/02/25, 01:37 AM	27.43	87.92	6.83	7.81	45.11
04/02/25, 01:42 AM	27.51	88.16	6.86	7.82	45.17
04/02/25, 01:47 AM	27.56	87.96	6.86	7.83	45.07
04/02/25, 01:52 AM	27.48	87.73	6.87	7.84	45.14
04/02/25, 01:57 AM	27.45	87.49	6.87	7.82	45.08
04/02/25, 02:02 AM	27.38	87.59	6.9	7.83	45.18
04/02/25, 02:07 AM	27.43	87.57	6.91	7.84	45.19
04/02/25, 02:12 AM	27.42	87.66	6.89	7.83	45.11
04/02/25, 02:17 AM	27.46	87.7	6.9	7.83	45.14
04/02/25, 02:22 AM	27.44	87.43	6.9	7.83	45.14
04/02/25, 02:27 AM	27.45	87.37	6.87	7.83	45.23
04/02/25, 02:32 AM	27.4	87.41	6.84	7.83	45.11

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:37 AM	27.48	87.2	6.87	7.83	45.15
04/02/25, 02:42 AM	27.48	87.28	6.9	7.83	45.25
04/02/25, 02:47 AM	27.39	87.41	6.92	7.81	45.35
04/02/25, 02:52 AM	27.32	87.55	6.9	7.83	45.35
04/02/25, 02:57 AM	27.31	87.34	6.92	7.84	45.27
04/02/25, 03:02 AM	27.3	87.47	6.89	7.82	45.15
04/02/25, 03:07 AM	27.21	87.22	6.89	7.81	45.24
04/02/25, 03:12 AM	27.31	87.1	6.92	7.82	45.23
04/02/25, 03:17 AM	27.4	87.15	6.91	7.83	45.28
04/02/25, 03:22 AM	27.41	86.98	6.9	7.83	45.4
04/02/25, 03:27 AM	27.43	87.04	6.88	7.85	45.41
04/02/25, 03:32 AM	27.41	87.12	6.89	7.87	45.41
04/02/25, 03:37 AM	27.35	87.27	6.93	7.85	45.52
04/02/25, 03:42 AM	27.37	87.4	6.91	7.84	45.65
04/02/25, 04:08 AM	27.41	87.78	6.94	7.79	45.87
04/02/25, 04:13 AM	27.34	87.73	6.96	7.79	45.89
04/02/25, 04:18 AM	27.36	87.72	6.95	7.79	45.81
04/02/25, 04:23 AM	27.32	87.9	6.93	7.79	45.72
04/02/25, 04:28 AM	27.4	87.71	6.93	7.79	45.8
04/02/25, 04:33 AM	27.35	87.43	6.92	7.78	45.84
04/02/25, 04:38 AM	27.38	87.61	6.9	7.8	45.88
04/02/25, 04:43 AM	27.34	87.45	6.91	7.82	45.77
04/02/25, 04:48 AM	27.42	87.37	6.91	7.8	45.84
04/02/25, 04:53 AM	27.49	87.38	6.92	7.79	45.83
04/02/25, 04:58 AM	27.46	87.11	6.93	7.78	45.76
04/02/25, 05:03 AM	27.43	86.84	6.97	7.79	45.69
04/02/25, 05:08 AM	27.35	86.81	6.95	7.78	45.62
04/02/25, 05:13 AM	27.29	86.68	6.95	7.8	45.53
04/02/25, 05:18 AM	27.39	86.59	6.95	7.79	45.66
04/02/25, 05:23 AM	27.37	86.54	6.94	7.8	45.7
04/02/25, 05:28 AM	27.34	86.59	6.94	7.8	45.79
04/02/25, 05:33 AM	27.27	86.36	6.95	7.81	45.67
04/02/25, 05:38 AM	27.21	86.55	6.95	7.82	45.7
04/02/25, 05:43 AM	27.29	86.42	6.93	7.81	45.6

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:48 AM	27.35	86.36	6.96	7.81	45.56
04/02/25, 05:53 AM	27.26	86.23	6.96	7.8	45.45
04/02/25, 05:58 AM	27.23	86.27	6.99	7.8	45.53
04/02/25, 06:03 AM	27.18	86.35	6.97	7.8	45.43
04/02/25, 06:08 AM	27.12	86.26	6.96	7.8	45.53
04/02/25, 06:13 AM	27.18	86.49	6.96	7.79	45.5
04/02/25, 06:18 AM	27.14	86.34	6.99	7.77	45.59
04/02/25, 06:23 AM	27.05	86.23	6.99	7.76	45.6
04/02/25, 06:28 AM	27.13	86	7.02	7.74	45.55
04/02/25, 06:33 AM	24.76	91.09	6.75	7.77	47.5
04/02/25, 06:37 AM	24.8	91.33	6.76	7.79	47.58
04/02/25, 06:42 AM	24.76	91.46	6.73	7.81	47.69
04/02/25, 06:47 AM	24.83	91.56	6.69	7.82	47.66
04/02/25, 06:52 AM	24.78	91.82	6.72	7.79	47.75
04/02/25, 06:57 AM	24.72	91.67	6.76	7.79	47.72
04/02/25, 07:02 AM	24.81	91.91	6.73	7.8	47.61
04/02/25, 07:07 AM	24.75	91.69	6.77	7.8	47.6
04/02/25, 07:12 AM	24.66	91.66	6.79	7.82	47.61
04/02/25, 07:17 AM	24.69	91.49	6.76	7.84	47.57
04/02/25, 07:22 AM	24.77	91.24	6.74	7.86	47.57
04/02/25, 07:27 AM	24.7	91.04	6.71	7.85	47.49
04/02/25, 07:32 AM	24.79	91.05	6.68	7.85	47.48
04/02/25, 07:37 AM	24.87	91.26	6.68	7.84	47.37
04/02/25, 07:42 AM	24.92	91.11	6.65	7.86	47.31
04/02/25, 07:47 AM	25	90.89	6.68	7.87	47.23
04/02/25, 07:52 AM	24.99	91.03	6.65	7.89	47.19
04/02/25, 07:57 AM	24.96	91.05	6.63	7.87	47.16
04/02/25, 08:02 AM	24.87	91.11	6.65	7.87	47.14
04/02/25, 08:07 AM	24.87	91.07	6.65	7.86	47
04/02/25, 08:12 AM	24.82	91.04	6.67	7.87	46.91
04/02/25, 08:17 AM	24.76	90.81	6.65	7.89	46.84
04/02/25, 08:22 AM	24.86	91.02	6.67	7.91	46.79
04/02/25, 08:27 AM	24.86	91.21	6.66	7.89	46.91
04/02/25, 08:32 AM	24.83	91.26	6.65	7.88	46.92

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:37 AM	24.91	91.02	6.64	7.87	47.04
04/02/25, 08:42 AM	24.89	91.19	6.63	7.89	47.14
04/02/25, 08:47 AM	24.9	91.18	6.64	7.9	47.27
04/02/25, 08:52 AM	24.84	91.28	6.65	7.87	47.39
04/02/25, 08:57 AM	24.84	91.26	6.65	7.87	47.5
04/02/25, 09:02 AM	24.81	91.08	6.66	7.87	47.37
04/02/25, 09:09 AM	24.85	91.34	6.73	7.77	47.53
04/02/25, 09:13 AM	24.83	91.26	6.73	7.79	47.59
04/02/25, 09:18 AM	24.87	91.05	6.71	7.8	47.72
04/02/25, 09:23 AM	24.82	91.04	6.72	7.82	47.59
04/02/25, 09:28 AM	24.85	90.88	6.73	7.8	47.54
04/02/25, 09:33 AM	24.94	90.98	6.74	7.79	47.53
04/02/25, 09:38 AM	24.95	91.07	6.72	7.81	47.66
04/02/25, 09:43 AM	25.01	91.28	6.73	7.79	47.78
04/02/25, 09:48 AM	24.95	91.19	6.75	7.79	47.81
04/02/25, 09:53 AM	24.97	91.14	6.75	7.8	47.7
04/02/25, 09:58 AM	25.04	91.27	6.73	7.82	47.62
04/02/25, 10:03 AM	24.99	91.42	6.71	7.83	47.6
04/02/25, 10:08 AM	25.01	91.39	6.73	7.82	47.71
04/02/25, 10:13 AM	25	91.45	6.71	7.8	47.72
04/02/25, 10:18 AM	24.93	91.38	6.75	7.8	47.83
04/02/25, 10:23 AM	25.02	91.25	6.73	7.81	47.82
04/02/25, 10:28 AM	25.08	91.38	6.76	7.79	47.85
04/02/25, 10:33 AM	25.07	91.18	6.79	7.8	47.77
04/02/25, 10:38 AM	25.11	91.16	6.82	7.8	47.72
04/02/25, 10:43 AM	25.15	90.98	6.82	7.79	47.8
04/02/25, 10:48 AM	25.06	91.22	6.81	7.77	47.74
04/02/25, 10:53 AM	25.05	91.21	6.81	7.78	47.78
04/02/25, 11:19 AM	25.11	90.56	6.82	7.79	47.98
04/02/25, 11:44 AM	25.14	90.91	6.86	7.86	48.24
04/02/25, 11:49 AM	25.14	90.97	6.86	7.84	48.2
04/02/25, 11:54 AM	25.2	90.96	6.87	7.85	48.28
04/02/25, 11:59 AM	25.16	90.97	6.83	7.87	48.17
04/02/25, 12:04 PM	25.17	90.75	6.8	7.88	48.1

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:09 PM	25.25	90.9	6.81	7.89	48.09
04/02/25, 12:14 PM	25.3	91.02	6.81	7.88	48.11
04/02/25, 12:19 PM	25.32	91.18	6.82	7.89	48.21
04/02/25, 12:24 PM	25.39	91.3	6.82	7.89	48.21
04/02/25, 12:29 PM	25.48	91.36	6.83	7.89	48.2
04/02/25, 12:34 PM	25.58	91.23	6.84	7.9	48.11
04/02/25, 12:39 PM	25.65	91.29	6.87	7.88	48.07
04/02/25, 12:44 PM	25.67	91.39	6.84	7.86	48.06
04/02/25, 12:49 PM	25.71	91.32	6.83	7.86	48
04/02/25, 12:54 PM	25.79	91.08	6.83	7.88	47.96
04/02/25, 12:59 PM	25.76	91.1	6.82	7.9	47.94
04/02/25, 01:04 PM	25.76	90.92	6.79	7.89	47.95
04/02/25, 01:09 PM	25.82	90.81	6.83	7.88	48.04
04/02/25, 01:14 PM	25.82	90.75	6.86	7.89	47.92
04/02/25, 01:19 PM	25.87	90.97	6.83	7.88	47.99
04/02/25, 01:24 PM	25.86	90.71	6.83	7.88	48.09
04/02/25, 01:29 PM	25.92	90.49	6.84	7.88	48.04
04/02/25, 01:34 PM	26	90.41	6.81	7.89	48.12
04/02/25, 01:39 PM	25.94	90.15	6.8	7.89	48.08
04/02/25, 01:44 PM	25.92	89.89	6.76	7.87	48.17
04/02/25, 01:49 PM	25.96	89.96	6.78	7.88	48.04
04/02/25, 01:54 PM	25.95	89.84	6.81	7.86	47.98
04/02/25, 01:59 PM	25.87	89.85	6.8	7.88	47.9
04/02/25, 02:04 PM	25.96	89.89	6.77	7.86	47.95
04/02/25, 02:09 PM	25.89	90.06	6.79	7.86	48.06
04/02/25, 02:14 PM	25.8	90.06	6.78	7.87	48.18
04/02/25, 02:19 PM	25.71	89.87	6.79	7.89	48.19
04/02/25, 02:24 PM	25.64	89.85	6.77	7.89	48.2
04/02/25, 02:29 PM	25.59	89.68	6.76	7.9	48.23
04/02/25, 02:34 PM	25.61	89.84	6.73	7.92	48.22
04/02/25, 02:39 PM	25.71	89.61	6.71	7.92	48.32
04/02/25, 02:44 PM	25.72	89.68	6.73	7.93	48.32
04/02/25, 02:49 PM	25.64	89.77	6.77	7.91	48.24
04/02/25, 02:54 PM	25.64	89.9	6.8	7.93	48.13

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:59 PM	25.74	89.86	6.77	7.92	48
04/02/25, 03:04 PM	25.81	89.73	6.78	7.9	47.9
04/02/25, 03:09 PM	25.76	89.94	6.75	7.88	47.86
04/02/25, 03:14 PM	25.73	89.67	6.75	7.87	47.79
04/02/25, 03:19 PM	25.64	89.52	6.73	7.87	47.73
04/02/25, 03:24 PM	25.74	89.61	6.71	7.86	47.85
04/02/25, 03:29 PM	25.66	89.7	6.72	7.85	47.74
04/02/25, 03:34 PM	25.64	89.6	6.74	7.86	47.69
04/02/25, 03:39 PM	25.59	89.4	6.78	7.88	47.75
04/02/25, 03:44 PM	25.64	89.28	6.79	7.9	47.68
04/02/25, 03:49 PM	25.62	89.3	6.8	7.88	47.63
04/02/25, 03:54 PM	25.65	89.08	6.77	7.89	47.74
04/02/25, 03:59 PM	25.68	88.81	6.74	7.9	47.7
04/02/25, 04:04 PM	25.68	88.59	6.72	7.9	47.77
04/02/25, 04:09 PM	25.61	88.62	6.74	7.88	47.69
04/02/25, 04:14 PM	25.65	88.7	6.73	7.9	47.66
04/02/25, 04:19 PM	25.62	88.51	6.72	7.91	47.53
04/02/25, 04:24 PM	25.64	88.25	6.74	7.92	47.47
04/02/25, 04:29 PM	25.66	88	6.73	7.9	47.39
04/02/25, 04:34 PM	25.71	87.73	6.71	7.91	47.33
04/02/25, 04:39 PM	25.62	87.73	6.68	7.89	47.42
04/02/25, 04:44 PM	25.71	87.78	6.68	7.9	47.29
04/02/25, 04:49 PM	25.64	87.53	6.7	7.88	47.16
04/02/25, 04:54 PM	25.62	87.31	6.69	7.86	47.19
04/02/25, 04:59 PM	25.57	87.57	6.66	7.85	47.1
04/02/25, 05:04 PM	25.57	87.55	6.69	7.85	47.11
04/02/25, 05:09 PM	25.48	87.4	6.71	7.83	46.98
04/02/25, 05:14 PM	25.41	87.58	6.71	7.83	46.94
04/02/25, 05:19 PM	25.36	87.76	6.7	7.83	47
04/02/25, 05:24 PM	25.44	88.01	6.7	7.85	46.91
04/02/25, 05:29 PM	25.44	88.27	6.71	7.85	46.9
04/02/25, 05:34 PM	25.51	88.13	6.69	7.83	46.89
04/02/25, 05:39 PM	25.44	88.28	6.67	7.85	46.85
04/02/25, 05:44 PM	25.48	88.05	6.65	7.84	46.97

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:49 PM	25.38	87.9	6.63	7.83	47.08
04/02/25, 05:54 PM	25.48	87.68	6.66	7.85	47.12
04/02/25, 05:59 PM	25.42	87.79	6.64	7.83	47.14
04/02/25, 06:04 PM	25.41	87.56	6.62	7.84	47.14
04/02/25, 06:09 PM	25.5	87.39	6.66	7.84	47.14
04/02/25, 06:14 PM	25.46	87.42	6.67	7.84	47.19
04/02/25, 06:19 PM	25.53	87.18	6.67	7.82	47.14
04/02/25, 06:24 PM	25.61	87.37	6.67	7.81	47.08
04/02/25, 06:29 PM	25.62	87.11	6.69	7.8	46.98
04/02/25, 06:34 PM	25.6	86.95	6.67	7.81	46.86
04/02/25, 06:39 PM	25.54	87.06	6.71	7.84	46.86
04/02/25, 06:44 PM	25.46	86.9	6.72	7.82	46.86
04/02/25, 06:49 PM	25.5	87.14	6.74	7.81	46.75
04/02/25, 06:54 PM	25.41	87.36	6.75	7.83	46.78
04/02/25, 06:59 PM	25.32	87.51	6.78	7.81	46.88
04/02/25, 07:04 PM	25.39	87.63	6.75	7.82	46.95
04/02/25, 07:09 PM	25.34	87.9	6.76	7.83	46.86
04/02/25, 07:14 PM	25.29	88.16	6.79	7.84	46.88
04/02/25, 07:19 PM	25.28	88.26	6.81	7.83	46.79
04/02/25, 07:24 PM	25.35	88.05	6.84	7.85	46.7
04/02/25, 07:30 PM	25.29	87.97	6.83	7.87	46.62
04/02/25, 07:35 PM	25.23	88.07	6.81	7.88	46.61
04/02/25, 08:00 PM	25.42	88	6.83	7.83	46.65
04/02/25, 08:05 PM	25.48	87.79	6.85	7.84	46.78
04/02/25, 08:10 PM	25.44	87.7	6.81	7.84	46.8
04/02/25, 08:15 PM	25.53	87.72	6.79	7.84	46.77
04/02/25, 08:20 PM	25.44	87.62	6.8	7.84	46.75
04/02/25, 08:25 PM	25.49	87.61	6.8	7.82	46.74
04/02/25, 08:30 PM	25.47	87.52	6.8	7.82	46.73
04/02/25, 08:35 PM	25.51	87.27	6.79	7.82	46.73
04/02/25, 08:40 PM	25.61	87.21	6.77	7.81	46.69
04/02/25, 08:45 PM	25.67	87.47	6.81	7.83	46.73
04/02/25, 08:50 PM	25.74	87.56	6.81	7.84	46.77
04/02/25, 08:55 PM	25.77	87.84	6.81	7.86	46.9

TIME	BOD	COD	DO	pH	TSS
04/02/25, 09:00 PM	25.82	87.85	6.83	7.87	46.81
04/02/25, 09:05 PM	25.88	87.6	6.8	7.89	46.8
04/02/25, 09:10 PM	25.87	87.68	6.8	7.87	46.81
04/02/25, 09:15 PM	25.79	87.83	6.79	7.87	46.89
04/02/25, 09:20 PM	25.71	87.85	6.79	7.87	46.78
04/02/25, 09:25 PM	25.72	87.84	6.76	7.86	46.88
04/02/25, 09:30 PM	25.64	87.87	6.8	7.84	46.97
04/02/25, 09:35 PM	25.54	88.11	6.77	7.83	47.09
04/02/25, 09:40 PM	25.55	88.01	6.74	7.83	47.17
04/02/25, 09:45 PM	25.55	87.83	6.76	7.85	47.19
04/02/25, 09:50 PM	25.57	87.79	6.78	7.87	47.07
04/02/25, 09:55 PM	25.55	87.95	6.75	7.85	47.03
04/02/25, 10:00 PM	25.46	87.68	6.77	7.85	47.15
04/02/25, 10:05 PM	25.46	87.75	6.73	7.86	47.05
04/02/25, 10:10 PM	25.53	87.83	6.7	7.84	47.17
04/02/25, 10:15 PM	25.5	87.89	6.68	7.84	47.16
04/02/25, 10:20 PM	25.43	87.99	6.7	7.85	47.12
04/02/25, 10:25 PM	25.34	88.24	6.73	7.87	47.22
04/02/25, 10:30 PM	25.29	88.44	6.7	7.89	47.25
04/02/25, 10:35 PM	25.26	88.42	6.73	7.9	47.2
04/02/25, 10:40 PM	25.31	88.18	6.7	7.9	47.24
04/02/25, 10:45 PM	25.38	88.24	6.68	7.9	47.2
04/02/25, 10:50 PM	25.36	88.42	6.68	7.89	47.2
04/02/25, 10:55 PM	25.41	88.44	6.67	7.88	47.31
04/02/25, 11:00 PM	25.42	88.19	6.71	7.87	47.32
04/02/25, 11:05 PM	25.41	88.19	6.69	7.88	47.4
04/02/25, 11:10 PM	25.36	88.01	6.7	7.89	47.37
04/02/25, 11:15 PM	25.46	87.8	6.73	7.89	47.37
04/02/25, 11:20 PM	25.45	87.83	6.75	7.91	47.36
04/02/25, 11:25 PM	25.45	87.6	6.74	7.9	47.23
04/02/25, 11:30 PM	25.52	87.51	6.73	7.92	47.31
04/02/25, 11:35 PM	25.6	87.68	6.75	7.9	47.26
04/02/25, 11:40 PM	25.68	87.87	6.73	7.88	47.26
04/02/25, 11:45 PM	25.59	88.12	6.75	7.89	47.33

TIME	BOD	COD	DO	pH	TSS
04/02/25, 11:50 PM	25.63	88.04	6.77	7.9	47.44
04/02/25, 11:55 PM	25.63	88.2	6.75	7.88	47.53



## Water Quality Report: Sasur Khedari Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:04 AM	24.97	90.56	6.69	7.76	47.44
28/01/25, 12:09 AM	24.98	90.65	6.66	7.76	47.34
28/01/25, 12:14 AM	24.94	90.62	6.62	7.77	47.4
28/01/25, 12:19 AM	25.02	90.76	6.59	7.77	47.28
28/01/25, 12:24 AM	25.02	90.7	6.57	7.78	47.19
28/01/25, 12:29 AM	25.02	90.74	6.55	7.76	47.22
28/01/25, 12:34 AM	24.99	90.54	6.54	7.75	47.09
28/01/25, 12:39 AM	24.92	90.35	6.52	7.76	47.13
28/01/25, 12:44 AM	24.9	90.21	6.49	7.74	47.26
28/01/25, 12:49 AM	24.91	90.35	6.47	7.72	47.2
28/01/25, 12:54 AM	25	90.25	6.5	7.7	47.15
28/01/25, 12:59 AM	24.92	90.03	6.49	7.69	47.07
28/01/25, 01:04 AM	24.93	90.27	6.48	7.69	47.16
28/01/25, 01:09 AM	24.9	90.06	6.46	7.67	47.06
28/01/25, 01:14 AM	24.9	90.32	6.42	7.66	47.01
28/01/25, 01:19 AM	24.88	90.38	6.41	7.66	46.94
28/01/25, 01:24 AM	24.85	90.16	6.43	7.67	46.89
28/01/25, 01:29 AM	24.77	90.13	6.46	7.69	47
28/01/25, 01:34 AM	24.83	90.04	6.46	7.7	47.04
28/01/25, 01:39 AM	24.8	90.06	6.44	7.7	47.08
28/01/25, 01:44 AM	24.8	89.97	6.46	7.72	47.19
28/01/25, 01:49 AM	24.78	90.08	6.49	7.74	47.26
28/01/25, 01:54 AM	24.82	90.21	6.49	7.74	47.38
28/01/25, 01:59 AM	24.87	90.43	6.49	7.76	47.28
28/01/25, 02:04 AM	24.8	90.41	6.48	7.76	47.22
28/01/25, 02:09 AM	24.8	90.67	6.47	7.78	47.24
28/01/25, 02:14 AM	24.82	90.69	6.47	7.77	47.19
28/01/25, 02:19 AM	24.73	90.71	6.5	7.77	47.12
28/01/25, 02:24 AM	24.81	90.96	6.5	7.77	47.12
28/01/25, 02:29 AM	24.8	91.1	6.52	7.77	47.01
28/01/25, 02:34 AM	24.77	91.22	6.54	7.76	47.11

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:39 AM	24.7	91.45	6.58	7.78	47.06
28/01/25, 02:44 AM	24.7	91.38	6.57	7.8	47.14
28/01/25, 02:49 AM	24.68	91.45	6.58	7.79	47.05
28/01/25, 02:54 AM	24.7	91.56	6.6	7.78	46.99
28/01/25, 02:59 AM	24.71	91.57	6.62	7.78	47.1
28/01/25, 03:04 AM	24.65	91.33	6.62	7.8	47.16
28/01/25, 03:09 AM	24.73	91.48	6.6	7.79	47.03
28/01/25, 03:14 AM	24.73	91.58	6.56	7.79	46.98
28/01/25, 03:19 AM	24.71	91.42	6.53	7.78	47
28/01/25, 03:24 AM	24.74	91.38	6.55	7.77	46.93
28/01/25, 03:29 AM	24.82	91.6	6.54	7.78	47.01
28/01/25, 03:34 AM	24.89	91.85	6.63	7.76	47.11
28/01/25, 03:39 AM	24.98	91.89	6.51	7.76	47.1
28/01/25, 03:44 AM	25.06	91.94	6.49	7.76	47.23
28/01/25, 03:49 AM	25.15	91.95	6.51	7.75	47.26
28/01/25, 03:54 AM	25.06	91.92	6.47	7.73	47.14
28/01/25, 03:59 AM	25.1	91.68	6.44	7.72	47.16
28/01/25, 04:04 AM	25.17	91.71	6.47	7.7	47.11
28/01/25, 04:09 AM	25.07	91.62	6.45	7.69	47.01
28/01/25, 04:14 AM	25.14	91.64	6.44	7.69	47.14
28/01/25, 04:19 AM	25.22	91.5	6.47	7.68	47.22
28/01/25, 04:24 AM	25.22	91.28	6.44	7.7	47.17
28/01/25, 04:29 AM	25.29	91.16	6.48	7.7	47.05
28/01/25, 04:34 AM	25.28	90.98	6.44	7.7	47.01
28/01/25, 04:39 AM	25.27	90.89	6.42	7.7	47.1
28/01/25, 04:44 AM	25.3	91.1	6.42	7.7	47.02
28/01/25, 04:49 AM	25.38	91.05	6.42	7.69	46.92
28/01/25, 04:54 AM	25.31	90.92	6.43	7.7	46.86
28/01/25, 04:59 AM	25.27	91.15	6.43	7.72	46.91
28/01/25, 05:04 AM	25.34	90.95	6.46	7.74	46.86
28/01/25, 05:09 AM	25.36	91.12	6.48	7.75	46.74
28/01/25, 05:14 AM	25.27	90.85	6.51	7.75	46.75
28/01/25, 05:19 AM	25.3	90.92	6.53	7.76	46.67
28/01/25, 05:24 AM	25.3	91.09	6.53	7.76	46.63

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:29 AM	25.31	91.23	6.57	7.76	46.71
28/01/25, 05:34 AM	25.24	91.28	6.6	7.78	46.63
28/01/25, 05:39 AM	25.22	91.43	6.57	7.79	46.55
28/01/25, 05:44 AM	25.19	91.38	6.56	7.77	46.66
28/01/25, 05:49 AM	25.28	91.39	6.53	7.78	46.69
28/01/25, 05:54 AM	25.29	91.19	6.5	7.8	46.77
28/01/25, 05:59 AM	25.32	91.03	6.47	7.79	46.85
28/01/25, 06:04 AM	25.26	90.78	6.46	7.78	46.86
28/01/25, 06:09 AM	25.25	90.85	6.46	7.77	46.95
28/01/25, 06:14 AM	25.19	91.06	6.44	7.76	46.89
28/01/25, 06:19 AM	25.2	91.15	6.43	7.75	46.77
28/01/25, 06:24 AM	25.18	91.24	6.46	7.77	46.7
28/01/25, 06:29 AM	25.2	91.09	6.47	7.77	46.58
28/01/25, 06:34 AM	25.28	91.27	6.44	7.76	46.65
28/01/25, 06:39 AM	25.34	91.05	6.42	7.74	46.59
28/01/25, 06:44 AM	25.24	91.09	6.42	7.74	46.58
28/01/25, 06:49 AM	25.28	90.85	6.45	7.76	46.55
28/01/25, 06:54 AM	25.28	90.59	6.42	7.77	46.59
28/01/25, 06:59 AM	25.23	90.63	6.45	7.78	46.71
28/01/25, 07:04 AM	25.27	90.6	6.43	7.77	46.67
28/01/25, 07:09 AM	25.29	90.6	6.46	7.77	46.76
28/01/25, 07:14 AM	25.37	90.41	6.43	7.79	46.66
28/01/25, 07:19 AM	25.37	90.18	6.43	7.78	46.62
28/01/25, 07:24 AM	25.44	90.41	6.47	7.77	46.5
28/01/25, 07:29 AM	25.36	90.37	6.46	7.79	46.56
28/01/25, 07:34 AM	25.27	90.53	6.46	7.8	46.61
28/01/25, 07:39 AM	25.33	90.4	6.46	7.82	46.69
28/01/25, 07:44 AM	25.42	90.14	6.48	7.81	46.59
28/01/25, 07:49 AM	25.35	90.33	6.48	7.8	46.67
28/01/25, 07:54 AM	25.3	90.11	6.46	7.78	46.6
28/01/25, 07:59 AM	25.27	89.93	6.47	7.77	46.56
28/01/25, 08:04 AM	25.23	90.09	6.44	7.78	46.48
28/01/25, 08:09 AM	25.25	90.09	6.43	7.79	46.55
28/01/25, 08:14 AM	25.33	90.22	6.44	7.78	46.43

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:19 AM	25.33	90.35	6.46	7.76	46.4
28/01/25, 08:24 AM	25.33	90.23	6.43	7.76	46.5
28/01/25, 08:29 AM	25.37	90.32	6.4	7.78	46.61
28/01/25, 08:34 AM	25.43	90.56	6.38	7.78	46.48
28/01/25, 08:39 AM	25.38	90.32	6.36	7.77	46.5
28/01/25, 08:44 AM	25.31	90.24	6.34	7.77	46.48
28/01/25, 08:49 AM	25.33	90.21	6.34	7.79	46.46
28/01/25, 08:54 AM	25.41	90.34	6.3	7.8	46.57
28/01/25, 08:59 AM	25.47	90.49	6.31	7.8	46.6
28/01/25, 09:04 AM	25.5	90.47	6.31	7.78	46.59
28/01/25, 09:09 AM	25.46	90.24	6.33	7.76	46.47
28/01/25, 09:14 AM	25.41	90.05	6.3	7.77	46.35
28/01/25, 09:19 AM	25.39	90.08	6.28	7.76	46.37
28/01/25, 09:24 AM	25.44	89.98	6.25	7.74	46.27
28/01/25, 09:29 AM	25.37	90.09	6.28	7.76	46.24
28/01/25, 09:34 AM	25.35	89.97	6.26	7.77	46.14
28/01/25, 09:39 AM	25.45	89.84	6.28	7.77	46.17
28/01/25, 09:44 AM	25.43	89.86	6.26	7.75	46.12
28/01/25, 09:49 AM	25.44	90.11	6.28	7.75	46.13
28/01/25, 09:54 AM	25.37	90.25	6.27	7.73	46.09
28/01/25, 09:59 AM	25.47	90.25	6.27	7.73	46.06
28/01/25, 10:04 AM	25.56	90.45	6.3	7.73	46.18
28/01/25, 10:09 AM	25.62	90.55	6.3	7.71	46.16
28/01/25, 10:14 AM	25.62	90.76	6.3	7.72	46.09
28/01/25, 10:19 AM	25.56	90.66	6.32	7.72	46.21
28/01/25, 10:24 AM	25.51	90.76	6.31	7.73	46.21
28/01/25, 10:29 AM	25.48	90.51	6.3	7.73	46.12
28/01/25, 10:34 AM	25.39	90.67	6.27	7.75	46.02
28/01/25, 10:39 AM	25.37	90.82	6.29	7.76	46.06
28/01/25, 10:44 AM	25.35	90.82	6.25	7.78	46.01
28/01/25, 10:49 AM	25.33	90.98	6.27	7.8	46.04
28/01/25, 10:54 AM	25.29	90.71	6.25	7.8	46.12
28/01/25, 10:59 AM	25.24	90.52	6.26	7.79	46.23
28/01/25, 11:04 AM	25.17	90.55	6.24	7.8	46.33

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:09 AM	25.13	90.5	6.26	7.8	46.38
28/01/25, 11:14 AM	25.14	90.39	6.28	7.81	46.35
28/01/25, 11:19 AM	25.16	90.41	6.26	7.79	46.35
28/01/25, 11:24 AM	25.25	90.44	6.25	7.8	46.3
28/01/25, 11:29 AM	25.29	90.63	6.26	7.81	46.21
28/01/25, 11:34 AM	25.22	90.71	6.23	7.8	46.16
28/01/25, 11:39 AM	25.12	90.62	6.21	7.8	46.21
28/01/25, 11:44 AM	25.09	90.35	6.17	7.79	46.22
28/01/25, 11:49 AM	25.14	90.34	6.14	7.77	46.18
28/01/25, 11:54 AM	25.06	90.47	6.15	7.77	46.24
28/01/25, 11:59 AM	25.1	90.54	6.14	7.78	46.16
28/01/25, 12:04 PM	25.13	90.36	6.16	7.76	46.28
28/01/25, 12:09 PM	25.14	90.4	6.16	7.78	46.26
28/01/25, 12:14 PM	25.12	90.3	6.17	7.8	46.24
28/01/25, 12:19 PM	25.08	90.17	6.17	7.79	46.3
28/01/25, 12:25 PM	25.08	90	6.15	7.77	46.37
28/01/25, 12:39 PM	24.86	91.05	6.72	7.75	47.51
28/01/25, 12:44 PM	24.91	90.87	6.72	7.73	47.51
28/01/25, 12:49 PM	25	90.88	6.7	7.73	47.39
28/01/25, 12:54 PM	24.96	91.08	6.69	7.74	47.31
28/01/25, 12:59 PM	24.85	91.55	6.74	7.78	47.39
28/01/25, 01:03 PM	24.9	91.5	6.73	7.8	47.46
28/01/25, 01:08 PM	24.97	91.51	6.69	7.78	47.37
28/01/25, 01:13 PM	24.95	91.44	6.71	7.76	47.4
28/01/25, 01:18 PM	25.02	91.25	6.71	7.79	47.43
28/01/25, 01:23 PM	25.02	91.47	6.74	7.8	47.43
28/01/25, 01:28 PM	25	91.58	6.73	7.81	47.45
28/01/25, 01:33 PM	25.04	91.67	6.75	7.79	47.5
28/01/25, 01:38 PM	24.95	91.55	6.74	7.81	47.47
28/01/25, 01:43 PM	25.03	91.64	6.71	7.83	47.35
28/01/25, 01:48 PM	25.1	91.67	6.69	7.83	47.26
28/01/25, 01:53 PM	25.06	91.91	6.7	7.85	47.21
28/01/25, 01:58 PM	25.06	91.78	6.68	7.85	47.25
28/01/25, 02:03 PM	24.98	92.04	6.72	7.88	47.3

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:08 PM	24.96	92.1	6.73	7.89	47.34
28/01/25, 02:13 PM	25.03	92.24	6.69	7.87	47.33
28/01/25, 02:18 PM	25	92	6.68	7.89	47.21
28/01/25, 02:23 PM	25.05	92.13	6.68	7.89	47.14
28/01/25, 02:28 PM	25.07	91.97	6.67	7.91	47.2
28/01/25, 02:33 PM	25.1	91.94	6.65	7.91	47.11
28/01/25, 02:38 PM	25.1	91.93	6.67	7.89	47.22
28/01/25, 02:43 PM	25.19	92.13	6.68	7.91	47.2
28/01/25, 02:53 PM	24.76	91.03	6.75	7.78	47.51
28/01/25, 02:58 PM	24.85	91.11	6.76	7.77	47.55
28/01/25, 03:03 PM	24.9	91.16	6.78	7.79	47.68
28/01/25, 03:08 PM	24.92	91.2	6.79	7.81	47.65
28/01/25, 03:13 PM	24.86	90.97	6.82	7.83	47.69
28/01/25, 03:18 PM	24.95	91.09	6.8	7.85	47.73
28/01/25, 03:23 PM	25.03	91.16	6.84	7.86	47.61
28/01/25, 03:28 PM	24.97	91.18	6.82	7.86	47.61
28/01/25, 03:33 PM	24.9	91.42	6.84	7.88	47.68
28/01/25, 03:38 PM	24.87	91.39	6.83	7.89	47.74
28/01/25, 03:43 PM	24.95	91.23	6.85	7.9	47.76
28/01/25, 03:48 PM	24.92	91.15	6.83	7.88	47.75
28/01/25, 03:53 PM	25	90.97	6.83	7.89	47.86
28/01/25, 03:58 PM	25	91.22	6.82	7.91	47.78
28/01/25, 04:03 PM	24.95	91.05	6.8	7.92	47.73
28/01/25, 04:08 PM	24.94	90.79	6.84	7.9	47.66
28/01/25, 04:13 PM	24.97	90.67	6.82	7.91	47.78
28/01/25, 04:20 PM	24.88	91.54	6.73	7.75	47.52
28/01/25, 04:45 PM	25.05	91.56	6.71	7.77	47.51
28/01/25, 04:50 PM	25.02	91.49	6.73	7.75	47.56
28/01/25, 04:55 PM	25.05	91.61	6.75	7.76	47.48
28/01/25, 05:40 PM	25	91.78	6.71	7.82	47.45
28/01/25, 05:45 PM	24.94	91.79	6.71	7.83	47.47
28/01/25, 05:50 PM	25.01	91.79	6.72	7.85	47.5
28/01/25, 05:56 PM	24.99	91.99	6.74	7.83	47.41
28/01/25, 06:01 PM	25.24	92.59	6.72	7.83	47.8

TIME	BOD	COD	DO	pH	TSS
28/01/25, 06:06 PM	26.64	95.46	6.74	7.84	50.03
28/01/25, 06:11 PM	27.98	98.17	6.72	7.84	52.34
28/01/25, 06:16 PM	29.32	100.69	6.69	7.85	53.68
28/01/25, 06:21 PM	30.56	102.45	6.7	7.86	53.57
28/01/25, 06:26 PM	31.28	102.44	6.72	7.86	53.57
28/01/25, 06:31 PM	31.32	102.42	6.7	7.85	53.58
28/01/25, 06:36 PM	31.32	102.39	6.7	7.86	53.57
28/01/25, 06:41 PM	31.35	102.36	6.7	7.84	53.63
28/01/25, 06:46 PM	31.36	101.76	6.71	7.87	53.59
28/01/25, 06:51 PM	31.07	98.17	6.71	7.87	53.23
28/01/25, 06:56 PM	29.84	94.95	6.74	7.87	51.39
28/01/25, 07:01 PM	28.58	94.8	6.73	7.88	49.63
28/01/25, 07:06 PM	27.34	94.96	6.73	7.88	47.92
28/01/25, 07:11 PM	27.38	95.02	6.71	7.89	46.1
28/01/25, 07:16 PM	27.45	94.78	6.71	7.88	45.98
28/01/25, 07:21 PM	27.54	94.7	6.68	7.89	46.06
28/01/25, 07:26 PM	27.61	94.7	6.69	7.87	46.03
28/01/25, 07:31 PM	27.59	94.92	6.66	7.87	46.16
28/01/25, 07:36 PM	27.52	94.75	6.67	7.86	46.03
28/01/25, 07:41 PM	27.61	94.49	6.65	7.84	46
28/01/25, 07:46 PM	27.65	94.39	6.64	7.86	46.07
28/01/25, 07:51 PM	27.66	94.6	6.6	7.85	46.16
28/01/25, 07:56 PM	27.57	94.63	6.59	7.87	46.24
28/01/25, 08:01 PM	27.53	94.87	6.61	7.89	46.3
28/01/25, 08:06 PM	27.53	94.65	6.58	7.89	46.3
28/01/25, 08:11 PM	27.54	94.69	6.55	7.91	46.18
28/01/25, 08:16 PM	27.46	94.58	6.54	7.91	46.2
28/01/25, 08:21 PM	27.36	94.82	6.55	7.92	46.11
28/01/25, 08:26 PM	27.46	94.72	6.55	7.91	46.18
28/01/25, 08:31 PM	27.38	94.98	6.54	7.91	46.11
28/01/25, 08:36 PM	27.46	94.88	6.54	7.9	46.08
28/01/25, 08:41 PM	27.44	94.61	6.56	7.88	46.01
28/01/25, 08:46 PM	27.42	94.7	6.57	7.87	46.14
28/01/25, 08:51 PM	27.41	94.96	6.59	7.88	46.23

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:56 PM	27.36	95.17	6.6	7.86	46.34
28/01/25, 09:01 PM	27.3	95.17	6.63	7.87	46.25
28/01/25, 09:06 PM	27.28	95.03	6.66	7.87	46.32
28/01/25, 09:11 PM	27.28	95.07	6.65	7.85	46.34
28/01/25, 09:16 PM	27.38	95.07	6.64	7.87	46.38
28/01/25, 09:21 PM	27.36	95.14	6.62	7.89	46.34
28/01/25, 09:26 PM	27.42	94.97	6.62	7.88	46.36
28/01/25, 09:31 PM	27.42	95	6.6	7.89	46.36
28/01/25, 09:36 PM	27.47	95.08	6.59	7.9	46.3
28/01/25, 09:41 PM	27.46	94.9	6.62	7.88	46.23
28/01/25, 09:46 PM	27.49	95.14	6.6	7.88	46.12
28/01/25, 09:51 PM	27.56	95.21	6.62	7.89	46.03
28/01/25, 09:56 PM	27.62	95.14	6.61	7.9	46.14
28/01/25, 10:01 PM	27.71	94.89	6.64	7.89	46.27
28/01/25, 10:06 PM	27.68	94.97	6.67	7.9	46.19
28/01/25, 10:11 PM	27.71	94.97	6.71	7.91	46.14
28/01/25, 10:16 PM	27.76	95	6.73	7.92	46.13
28/01/25, 10:21 PM	27.81	95.11	6.77	7.92	46.15
28/01/25, 10:26 PM	27.9	95.37	6.79	7.92	46.18
28/01/25, 10:31 PM	27.86	95.44	6.82	7.91	46.18
28/01/25, 10:36 PM	27.81	95.24	6.85	7.91	46.18
28/01/25, 10:41 PM	27.73	95.29	6.83	7.92	46.2
28/01/25, 10:46 PM	27.74	95.27	6.82	7.92	46.24
28/01/25, 10:51 PM	27.72	95.33	6.84	7.94	46.27
28/01/25, 10:56 PM	27.63	95.13	6.84	7.92	46.35
28/01/25, 11:01 PM	27.55	95.4	6.85	7.9	46.38
28/01/25, 11:06 PM	27.65	95.44	6.84	7.9	46.46
28/01/25, 11:11 PM	27.7	95.55	6.81	7.92	46.4
28/01/25, 11:16 PM	27.62	95.73	6.78	7.93	46.42
28/01/25, 11:21 PM	27.61	95.8	6.77	7.93	46.54
28/01/25, 11:26 PM	27.56	95.94	6.78	7.92	46.56
28/01/25, 11:31 PM	27.49	95.71	6.78	7.9	46.49
28/01/25, 11:36 PM	27.58	95.71	6.76	7.91	46.48
28/01/25, 11:41 PM	27.65	95.68	6.73	7.89	46.42

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:46 PM	27.72	95.8	6.7	7.9	46.45
28/01/25, 11:51 PM	27.73	96	6.68	7.89	46.55
28/01/25, 11:56 PM	27.82	96.18	6.71	7.9	46.53



## Water Quality Report: Sadar Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:00 AM	27.74	81.65	5.25	7.77	47.49
21/01/25, 12:05 AM	27.75	81.57	5.25	7.77	47.5
21/01/25, 12:10 AM	27.74	81.62	5.25	7.78	47.45
21/01/25, 12:15 AM	27.76	81.64	5.25	7.77	47.5
21/01/25, 12:20 AM	27.81	81.67	5.26	7.77	47.47
21/01/25, 12:25 AM	27.81	81.7	5.27	7.78	47.5
21/01/25, 12:30 AM	27.86	81.72	5.29	7.78	47.5
21/01/25, 12:35 AM	27.85	81.59	5.29	7.78	47.5
21/01/25, 12:40 AM	27.81	81.62	5.28	7.78	47.5
21/01/25, 12:45 AM	27.84	81.65	5.27	7.79	47.49
21/01/25, 12:50 AM	27.8	81.54	5.27	7.78	47.5
21/01/25, 12:55 AM	27.81	81.63	5.28	7.78	47.5
21/01/25, 01:00 AM	27.81	81.51	5.29	7.77	47.5
21/01/25, 01:05 AM	27.85	81.58	5.28	7.77	47.47
21/01/25, 01:10 AM	27.8	81.45	5.29	7.77	47.44
21/01/25, 01:15 AM	27.85	81.58	5.3	7.77	47.41
21/01/25, 01:20 AM	27.8	81.62	5.29	7.77	47.39
21/01/25, 01:25 AM	27.84	81.69	5.28	7.77	47.45
21/01/25, 01:30 AM	27.84	81.8	5.28	7.77	47.38
21/01/25, 01:35 AM	27.8	81.79	5.27	7.77	47.43
21/01/25, 01:40 AM	27.81	81.71	5.27	7.78	47.49
21/01/25, 01:45 AM	27.81	81.85	5.26	7.78	47.49
21/01/25, 01:50 AM	27.81	81.8	5.25	7.78	47.5
21/01/25, 01:55 AM	27.85	81.85	5.25	7.78	47.45
21/01/25, 02:00 AM	27.87	81.72	5.26	7.78	47.42
21/01/25, 02:05 AM	27.91	81.57	5.26	7.78	47.48
21/01/25, 02:10 AM	27.87	81.46	5.26	7.79	47.5
21/01/25, 02:15 AM	27.9	81.58	5.26	7.79	47.5
21/01/25, 02:20 AM	27.86	81.73	5.26	7.79	47.44
21/01/25, 02:25 AM	27.9	81.69	5.27	7.79	47.48
21/01/25, 02:30 AM	27.85	81.8	5.27	7.79	47.5

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:35 AM	27.85	81.72	5.26	7.78	47.43
21/01/25, 02:40 AM	27.85	81.77	5.27	7.78	47.46
21/01/25, 02:45 AM	27.8	81.8	5.27	7.78	47.45
21/01/25, 02:50 AM	27.77	81.71	5.26	7.78	47.39
21/01/25, 02:55 AM	27.82	81.76	5.25	7.77	47.45
21/01/25, 03:00 AM	27.83	81.69	5.25	7.77	47.48
21/01/25, 03:05 AM	27.82	81.56	5.26	7.77	47.42
21/01/25, 03:10 AM	27.78	81.46	5.25	7.78	47.4
21/01/25, 03:15 AM	27.78	81.49	5.26	7.78	47.36
21/01/25, 03:20 AM	27.74	81.33	5.25	7.77	47.38
21/01/25, 03:25 AM	27.76	81.42	5.25	7.77	47.42
21/01/25, 03:30 AM	27.79	81.43	5.24	7.77	47.46
21/01/25, 03:35 AM	27.77	81.31	5.25	7.78	47.45
21/01/25, 03:40 AM	27.79	81.19	5.25	7.78	47.41
21/01/25, 03:45 AM	27.78	81.31	5.24	7.79	47.42
21/01/25, 03:50 AM	27.83	81.29	5.24	7.8	47.47
21/01/25, 03:55 AM	27.79	81.38	5.23	7.79	47.5
21/01/25, 04:00 AM	27.81	81.31	5.22	7.8	47.5
21/01/25, 04:05 AM	27.82	81.37	5.23	7.79	47.49
21/01/25, 04:10 AM	27.83	81.5	5.22	7.79	47.5
21/01/25, 04:15 AM	27.83	81.47	5.21	7.79	47.5
21/01/25, 04:20 AM	27.79	81.48	5.2	7.78	47.5
21/01/25, 04:25 AM	27.83	81.59	5.21	7.78	47.46
21/01/25, 04:30 AM	27.84	81.64	5.2	7.78	47.44
21/01/25, 04:35 AM	27.84	81.58	5.2	7.77	47.5
21/01/25, 04:40 AM	27.85	81.73	5.2	7.77	47.5
21/01/25, 05:21 AM	28	81.33	5.2	7.8	47.5
21/01/25, 05:25 AM	27.99	81.34	5.2	7.8	47.43
21/01/25, 05:30 AM	27.97	81.37	5.2	7.8	47.49
21/01/25, 05:39 AM	28	81.14	5.2	7.8	47.49
21/01/25, 06:51 AM	28	81.33	5.2	7.8	47.5
21/01/25, 07:16 AM	27.94	81.07	5.2	7.8	47.36
21/01/25, 07:21 AM	27.91	81.01	5.2	7.8	47.37
21/01/25, 07:26 AM	27.86	81	5.2	7.8	47.37

TIME	BOD	COD	DO	pH	TSS
21/01/25, 07:31 AM	27.83	81.13	5.2	7.8	47.32
21/01/25, 07:36 AM	27.86	81.12	5.2	7.8	47.33
21/01/25, 07:41 AM	27.81	81.27	5.22	7.8	47.32
21/01/25, 07:46 AM	27.77	81.29	5.21	7.79	47.37
21/01/25, 07:51 AM	27.77	81.25	5.22	7.79	47.43
21/01/25, 07:56 AM	27.81	81.32	5.21	7.79	47.48
21/01/25, 08:06 AM	28	81.31	5.2	7.8	47.5
21/01/25, 08:10 AM	27.99	81.45	5.2	7.8	47.45
21/01/25, 08:15 AM	27.94	81.37	5.2	7.8	47.41
21/01/25, 08:20 AM	27.92	81.28	5.2	7.79	47.36
21/01/25, 08:29 AM	28	81.26	5.2	7.8	47.5
21/01/25, 08:34 AM	27.99	81.4	5.2	7.8	47.45
21/01/25, 08:39 AM	28	81.47	5.21	7.8	47.48
21/01/25, 08:44 AM	28	81.47	5.2	7.8	47.43
21/01/25, 08:49 AM	28	81.61	5.21	7.8	47.43
21/01/25, 08:54 AM	27.95	81.66	5.22	7.79	47.36
21/01/25, 08:59 AM	27.93	81.67	5.22	7.79	47.39
21/01/25, 09:04 AM	27.89	81.58	5.21	7.79	47.36
21/01/25, 09:09 AM	27.93	81.6	5.2	7.8	47.29
21/01/25, 09:14 AM	27.89	81.45	5.2	7.8	47.34
21/01/25, 09:19 AM	27.86	81.43	5.2	7.79	47.27
21/01/25, 09:24 AM	27.87	81.51	5.21	7.79	47.25
21/01/25, 09:29 AM	27.87	81.39	5.2	7.79	47.28
21/01/25, 09:34 AM	27.88	81.55	5.21	7.78	47.27
21/01/25, 09:39 AM	27.83	81.68	5.22	7.77	47.32
21/01/25, 09:44 AM	27.87	81.75	5.22	7.78	47.33
21/01/25, 09:49 AM	27.89	81.61	5.23	7.79	47.35
21/01/25, 09:54 AM	27.9	81.6	5.23	7.78	47.4
21/01/25, 09:59 AM	27.89	81.55	5.24	7.79	47.33
21/01/25, 10:04 AM	27.88	81.65	5.25	7.78	47.27
21/01/25, 10:09 AM	27.86	81.61	5.24	7.79	47.3
21/01/25, 10:14 AM	27.85	81.63	5.25	7.79	47.3
21/01/25, 10:19 AM	27.81	81.49	5.24	7.79	47.24
21/01/25, 10:24 AM	27.81	81.45	5.23	7.79	47.24

TIME	BOD	COD	DO	pH	TSS
21/01/25, 10:29 AM	27.77	81.36	5.24	7.79	47.29
21/01/25, 10:34 AM	27.8	81.34	5.25	7.79	47.26
21/01/25, 10:39 AM	27.79	81.31	5.26	7.8	47.3
21/01/25, 10:45 AM	28	81.15	5.2	7.8	47.49
21/01/25, 10:49 AM	28	81.23	5.2	7.8	47.5
21/01/25, 10:54 AM	27.95	81.35	5.21	7.79	47.5
21/01/25, 10:59 AM	27.9	81.39	5.22	7.8	47.5
21/01/25, 11:04 AM	27.86	81.36	5.22	7.8	47.5
21/01/25, 11:09 AM	27.91	81.25	5.23	7.8	47.5
21/01/25, 11:14 AM	27.91	81.25	5.24	7.79	47.47
21/01/25, 11:19 AM	27.92	81.39	5.24	7.8	47.44
21/01/25, 11:24 AM	27.97	81.32	5.24	7.79	47.42
21/01/25, 11:29 AM	27.95	81.35	5.24	7.79	47.43
21/01/25, 11:40 AM	28	81.35	5.2	7.8	47.5
21/01/25, 11:45 AM	27.95	81.28	5.21	7.79	47.5
21/01/25, 11:50 AM	27.91	81.26	5.2	7.8	47.48
21/01/25, 11:56 AM	28	81.27	5.2	7.8	47.49
21/01/25, 12:21 PM	28	80.96	5.21	7.8	47.4
21/01/25, 12:26 PM	27.98	80.99	5.21	7.8	47.34
21/01/25, 12:31 PM	28	81.11	5.21	7.8	47.39
21/01/25, 12:36 PM	28	81	5.2	7.79	47.37
21/01/25, 12:41 PM	28	80.9	5.2	7.79	47.41
21/01/25, 12:46 PM	27.97	81.04	5.21	7.79	47.41
21/01/25, 12:51 PM	27.93	81.14	5.21	7.78	47.43
21/01/25, 12:56 PM	27.95	81.26	5.21	7.79	47.46
21/01/25, 01:01 PM	27.91	81.17	5.21	7.78	47.42
21/01/25, 01:06 PM	27.93	81.1	5.22	7.77	47.42
21/01/25, 01:11 PM	27.88	81.12	5.2	7.78	47.42
21/01/25, 01:16 PM	27.91	81.12	5.21	7.77	47.43
21/01/25, 01:24 PM	28	81.12	5.2	7.8	47.5
21/01/25, 02:30 PM	28	81.19	5.2	7.8	47.5
21/01/25, 03:21 PM	28	81.26	5.2	7.8	47.5
21/01/25, 04:13 PM	28	81.28	5.2	7.8	47.49
21/01/25, 05:29 PM	28	81.14	5.2	7.8	47.5

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:39 PM	28	81.29	5.2	7.8	47.5
21/01/25, 05:43 PM	28	81.4	5.21	7.8	47.5
21/01/25, 05:48 PM	27.97	81.36	5.22	7.8	47.5
21/01/25, 05:53 PM	27.93	81.47	5.23	7.8	47.47
21/01/25, 05:58 PM	27.96	81.32	5.22	7.79	47.5
21/01/25, 06:03 PM	27.97	81.19	5.21	7.8	47.44
21/01/25, 06:08 PM	28	81.28	5.22	7.8	47.46
21/01/25, 06:13 PM	28	81.31	5.23	7.79	47.48
21/01/25, 06:18 PM	28	81.46	5.22	7.79	47.5
21/01/25, 06:23 PM	28	81.46	5.21	7.8	47.5
21/01/25, 06:28 PM	27.98	81.58	5.2	7.79	47.49
21/01/25, 06:33 PM	27.98	81.55	5.2	7.79	47.43
21/01/25, 06:38 PM	28	81.49	5.2	7.79	47.4
21/01/25, 06:43 PM	28	81.35	5.2	7.79	47.38
21/01/25, 06:48 PM	27.98	81.32	5.21	7.8	47.44
21/01/25, 06:53 PM	28	81.3	5.22	7.8	47.41
21/01/25, 06:58 PM	28	81.19	5.22	7.8	47.47
21/01/25, 07:03 PM	27.99	81.07	5.23	7.79	47.5
21/01/25, 07:08 PM	27.99	80.92	5.23	7.79	47.48
21/01/25, 07:13 PM	27.94	81.06	5.22	7.79	47.48
21/01/25, 07:18 PM	27.89	80.96	5.23	7.79	47.5
21/01/25, 07:23 PM	27.88	80.94	5.24	7.79	47.5
21/01/25, 07:28 PM	27.91	80.94	5.24	7.78	47.44
21/01/25, 07:33 PM	27.87	80.82	5.25	7.78	47.5
21/01/25, 07:38 PM	27.9	80.76	5.24	7.77	47.5
21/01/25, 07:43 PM	27.88	80.9	5.24	7.77	47.5
21/01/25, 07:48 PM	27.91	80.84	5.23	7.77	47.44
21/01/25, 07:53 PM	27.91	80.77	5.23	7.77	47.46
21/01/25, 07:58 PM	27.92	80.64	5.24	7.77	47.46
21/01/25, 08:03 PM	27.9	80.68	5.23	7.76	47.5
21/01/25, 08:08 PM	27.85	80.54	5.22	7.77	47.5
21/01/25, 08:13 PM	27.87	80.58	5.22	7.76	47.5
21/01/25, 08:18 PM	27.86	80.51	5.23	7.76	47.5
21/01/25, 08:23 PM	27.9	80.55	5.22	7.75	47.44

TIME	BOD	COD	DO	pH	TSS
21/01/25, 08:28 PM	27.91	80.66	5.21	7.75	47.45
21/01/25, 08:33 PM	27.94	80.79	5.2	7.76	47.44
21/01/25, 08:38 PM	27.9	80.78	5.21	7.75	47.48
21/01/25, 08:43 PM	27.94	80.67	5.2	7.76	47.47
21/01/25, 08:48 PM	27.9	80.66	5.21	7.77	47.42
21/01/25, 08:53 PM	27.86	80.72	5.21	7.77	47.4
21/01/25, 08:58 PM	27.87	80.74	5.2	7.77	47.35
21/01/25, 09:03 PM	27.91	80.79	5.22	7.76	47.3
21/01/25, 09:08 PM	27.96	80.66	5.21	7.77	47.36
21/01/25, 09:13 PM	28	80.68	5.22	7.77	47.32
21/01/25, 09:18 PM	28	80.61	5.21	7.77	47.28
21/01/25, 09:23 PM	28	80.64	5.22	7.77	47.25
21/01/25, 09:28 PM	28	80.61	5.22	7.76	47.22
21/01/25, 09:33 PM	28	80.75	5.22	7.77	47.16
21/01/25, 09:38 PM	27.97	80.84	5.23	7.77	47.21
21/01/25, 09:43 PM	27.99	80.8	5.24	7.77	47.25
21/01/25, 09:48 PM	27.99	80.73	5.25	7.77	47.2
21/01/25, 09:53 PM	27.99	80.6	5.24	7.78	47.2
21/01/25, 09:58 PM	28	80.64	5.23	7.78	47.26
21/01/25, 10:03 PM	27.96	80.5	5.22	7.77	47.26
21/01/25, 10:08 PM	27.95	80.52	5.2	7.78	47.22
21/01/25, 10:13 PM	27.94	80.58	5.21	7.78	47.26
21/01/25, 10:18 PM	27.99	80.68	5.21	7.78	47.28
21/01/25, 10:23 PM	27.98	80.72	5.21	7.77	47.22
21/01/25, 10:28 PM	27.98	80.78	5.21	7.76	47.27
21/01/25, 10:33 PM	28	80.89	5.22	7.76	47.32
21/01/25, 10:38 PM	28	81.02	5.22	7.76	47.28
21/01/25, 10:43 PM	27.99	80.89	5.22	7.75	47.27
21/01/25, 10:48 PM	27.99	80.75	5.22	7.75	47.22
21/01/25, 10:53 PM	28	80.83	5.21	7.76	47.27
21/01/25, 10:58 PM	28	80.85	5.21	7.76	47.23
21/01/25, 11:03 PM	28	80.71	5.21	7.77	47.2
21/01/25, 11:08 PM	28	80.83	5.21	7.77	47.21
21/01/25, 11:13 PM	27.98	80.79	5.2	7.77	47.27

TIME	BOD	COD	DO	pH	TSS
21/01/25, 11:18 PM	27.94	80.76	5.2	7.78	47.28
21/01/25, 11:23 PM	27.89	80.8	5.2	7.77	47.35
21/01/25, 11:28 PM	27.86	80.7	5.2	7.77	47.29
21/01/25, 11:33 PM	27.88	80.78	5.21	7.77	47.3
21/01/25, 11:38 PM	27.86	80.69	5.2	7.77	47.33
21/01/25, 11:43 PM	27.9	80.65	5.21	7.76	47.3
21/01/25, 11:48 PM	27.95	80.57	5.21	7.76	47.31
21/01/25, 11:53 PM	27.93	80.46	5.21	7.77	47.34
21/01/25, 11:58 PM	27.89	80.49	5.23	7.78	47.3



## Water Quality Report: Sadar Drain

TIME	BOD	COD	DO	pH	TSS
11/02/25, 12:01 AM	27.16	96.48	5.79	8.19	44.27
11/02/25, 12:06 AM	27.21	96.66	5.8	8.17	44.36
11/02/25, 12:11 AM	27.25	96.61	5.84	8.15	44.38
11/02/25, 12:16 AM	27.21	96.76	5.82	8.13	44.36
11/02/25, 12:21 AM	27.15	96.98	5.85	8.14	44.27
11/02/25, 12:26 AM	27.13	97.17	5.87	8.15	44.33
11/02/25, 12:31 AM	27.09	97.21	5.83	8.14	44.44
11/02/25, 12:36 AM	27.11	97.43	5.85	8.13	44.5
11/02/25, 12:41 AM	27.12	97.58	5.85	8.13	44.6
11/02/25, 12:46 AM	27.09	97.53	5.84	8.13	44.66
11/02/25, 12:51 AM	27.13	97.49	5.83	8.12	44.71
11/02/25, 12:56 AM	27.19	97.58	5.8	8.11	44.75
11/02/25, 01:01 AM	27.19	97.51	5.77	8.12	44.83
11/02/25, 01:06 AM	27.23	97.48	5.78	8.12	44.83
11/02/25, 01:11 AM	27.18	97.43	5.75	8.1	44.9
11/02/25, 01:16 AM	27.12	97.53	5.76	8.11	44.8
11/02/25, 01:21 AM	27.12	97.52	5.76	8.14	44.7
11/02/25, 01:26 AM	27.11	97.56	5.77	8.13	44.71
11/02/25, 01:31 AM	27.05	97.52	5.75	8.12	44.67
11/02/25, 01:36 AM	27.06	97.32	5.72	8.1	44.63
11/02/25, 01:41 AM	27.07	97.16	5.71	8.09	44.69
11/02/25, 01:46 AM	27.13	97.15	5.69	8.07	44.7
11/02/25, 01:51 AM	27.15	97.23	5.66	8.08	44.75
11/02/25, 01:56 AM	27.1	97.17	5.64	8.09	44.81
11/02/25, 02:01 AM	27.12	96.98	5.62	8.11	44.82
11/02/25, 02:06 AM	27.16	97	5.59	8.1	44.9
11/02/25, 02:11 AM	27.13	97.09	5.58	8.1	45
11/02/25, 02:16 AM	27.16	96.97	5.61	8.11	44.99
11/02/25, 02:21 AM	27.14	97.14	5.59	8.1	45.08
11/02/25, 02:26 AM	27.12	97.22	5.56	8.08	45.08
11/02/25, 02:31 AM	27.12	97.33	5.55	8.08	45.18

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:36 AM	27.09	97.22	5.57	8.1	45.17
11/02/25, 02:41 AM	27.03	97.29	5.59	8.08	45.23
11/02/25, 02:46 AM	27.03	97.12	5.57	8.09	45.13
11/02/25, 02:51 AM	26.98	97.14	5.56	8.07	45.05
11/02/25, 02:56 AM	26.94	97.26	5.53	8.06	45
11/02/25, 03:01 AM	26.94	97.43	5.5	8.08	45
11/02/25, 03:06 AM	26.92	97.47	5.52	8.07	44.96
11/02/25, 03:11 AM	26.96	97.4	5.54	8.08	44.97
11/02/25, 03:16 AM	26.94	97.51	5.51	8.1	45.04
11/02/25, 03:21 AM	26.92	97.51	5.47	8.12	45.08
11/02/25, 03:26 AM	26.94	97.62	5.45	8.15	44.99
11/02/25, 03:31 AM	26.92	97.53	5.46	8.15	44.94
11/02/25, 03:36 AM	26.94	97.43	5.42	8.16	44.97
11/02/25, 03:41 AM	26.98	97.39	5.45	8.15	44.92
11/02/25, 03:46 AM	26.96	97.37	5.46	8.15	44.99
11/02/25, 03:51 AM	26.92	97.22	5.46	8.16	45.09
11/02/25, 03:56 AM	26.97	97.31	5.46	8.13	45.16
11/02/25, 04:01 AM	26.97	97.37	5.43	8.13	45.15
11/02/25, 04:06 AM	26.98	97.27	5.42	8.12	45.19
11/02/25, 04:11 AM	27	97.19	5.4	8.13	45.21
11/02/25, 04:17 AM	26.99	97.22	5.38	8.14	45.18
11/02/25, 04:22 AM	26.99	97.4	5.35	8.17	45.16
11/02/25, 04:27 AM	27	97.45	5.35	8.16	45.09
11/02/25, 04:32 AM	27.01	97.61	5.36	8.14	45.05
11/02/25, 04:37 AM	27.01	97.52	5.4	8.12	45.09
11/02/25, 04:42 AM	26.98	97.43	5.41	8.1	45.07
11/02/25, 04:47 AM	26.94	97.33	5.44	8.08	45.11
11/02/25, 04:52 AM	26.88	97.13	5.41	8.09	45.06
11/02/25, 04:57 AM	26.84	97.19	5.45	8.1	45
11/02/25, 05:02 AM	26.81	97.3	5.46	8.09	45.07
11/02/25, 05:07 AM	26.77	97.42	5.44	8.09	45.08
11/02/25, 05:12 AM	26.76	97.51	5.48	8.07	45.05
11/02/25, 05:17 AM	26.8	97.33	5.48	8.07	45.02
11/02/25, 05:22 AM	26.8	97.27	5.5	8.09	45.03

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:27 AM	26.79	97.44	5.48	8.08	45.08
11/02/25, 05:32 AM	26.79	97.44	5.51	8.09	45
11/02/25, 05:37 AM	26.85	97.48	5.51	8.11	45.05
11/02/25, 05:42 AM	26.85	97.6	5.5	8.08	45.07
11/02/25, 05:47 AM	26.83	97.66	5.51	8.06	45.17
11/02/25, 05:52 AM	26.84	97.56	5.51	8.08	45.22
11/02/25, 05:57 AM	26.8	97.51	5.51	8.08	45.18
11/02/25, 06:02 AM	26.77	97.33	5.55	8.06	45.17
11/02/25, 06:07 AM	26.76	97.4	5.51	8.05	45.22
11/02/25, 06:12 AM	26.78	97.39	5.54	8.05	45.23
11/02/25, 06:17 AM	26.84	97.36	5.54	8.05	45.15
11/02/25, 06:22 AM	26.83	97.57	5.55	8.04	45.07
11/02/25, 06:27 AM	26.88	97.43	5.57	8.05	45
11/02/25, 06:32 AM	26.91	97.48	5.6	8.03	44.92
11/02/25, 06:37 AM	26.95	97.29	5.59	8.05	44.89
11/02/25, 06:42 AM	26.91	97.45	5.61	8.07	44.85
11/02/25, 06:47 AM	26.96	97.48	5.63	8.07	44.93
11/02/25, 06:52 AM	26.97	97.59	5.66	8.06	44.93
11/02/25, 06:57 AM	26.97	97.38	5.68	8.05	44.9
11/02/25, 07:02 AM	27	97.53	5.65	8.04	44.95
11/02/25, 07:07 AM	27	97.51	5.68	8.04	45
11/02/25, 07:12 AM	27.06	97.48	5.69	8.05	45.05
11/02/25, 07:17 AM	27.1	97.63	5.66	8.07	45.15
11/02/25, 07:22 AM	27.08	97.73	5.65	8.07	45.14
11/02/25, 07:27 AM	27.04	97.58	5.64	8.06	45.21
11/02/25, 07:32 AM	26.99	97.76	5.65	8.06	45.3
11/02/25, 07:37 AM	26.96	97.58	5.63	8.08	45.35
11/02/25, 07:42 AM	26.96	97.73	5.65	8.09	45.27
11/02/25, 07:47 AM	26.93	97.51	5.66	8.11	45.34
11/02/25, 07:52 AM	26.96	97.35	5.68	8.12	45.39
11/02/25, 07:57 AM	26.95	97.41	5.7	8.1	45.31
11/02/25, 08:02 AM	26.93	97.27	5.73	8.08	45.28
11/02/25, 08:07 AM	26.93	97.36	5.76	8.11	45.34
11/02/25, 08:12 AM	26.91	97.46	5.75	8.1	45.25

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:17 AM	26.95	97.52	5.74	8.1	45.24
11/02/25, 08:22 AM	26.92	97.48	5.73	8.12	45.21
11/02/25, 08:27 AM	26.96	97.36	5.7	8.14	45.27
11/02/25, 08:32 AM	26.94	97.3	5.7	8.14	45.35
11/02/25, 08:37 AM	26.9	97.12	5.72	8.12	45.32
11/02/25, 08:42 AM	26.89	96.97	5.68	8.11	45.25
11/02/25, 08:47 AM	26.85	96.99	5.7	8.1	45.25
11/02/25, 08:52 AM	26.88	97.07	5.67	8.11	45.2
11/02/25, 08:57 AM	26.83	96.89	5.69	8.12	45.12
11/02/25, 09:02 AM	26.87	97.01	5.73	8.15	45.04
11/02/25, 09:07 AM	26.81	96.84	5.74	8.14	45.13
11/02/25, 09:12 AM	26.81	96.99	5.77	8.16	45.22
11/02/25, 09:17 AM	26.83	97.11	5.8	8.15	45.19
11/02/25, 09:22 AM	26.8	97.22	5.77	8.17	45.24
11/02/25, 09:27 AM	26.77	97.04	5.77	8.15	45.29
11/02/25, 09:32 AM	26.8	97.09	5.8	8.15	45.3
11/02/25, 09:37 AM	26.77	97.21	5.83	8.14	45.3
11/02/25, 09:42 AM	26.72	97.36	5.84	8.15	45.36
11/02/25, 09:47 AM	26.77	97.2	5.84	8.17	45.29
11/02/25, 09:52 AM	26.79	97.42	5.81	8.16	45.37
11/02/25, 09:57 AM	26.79	97.25	5.79	8.16	45.45
11/02/25, 10:02 AM	26.83	97.15	5.8	8.14	45.46
11/02/25, 10:07 AM	26.89	96.93	5.77	8.15	45.39
11/02/25, 10:42 AM	27.23	95.96	5.81	8.22	44.41
11/02/25, 10:47 AM	27.29	96.06	5.78	8.2	44.38
11/02/25, 10:52 AM	27.31	96.18	5.82	8.2	44.47
11/02/25, 10:57 AM	27.29	96.33	5.83	8.22	44.39
11/02/25, 11:02 AM	27.25	96.39	5.81	8.23	44.4
11/02/25, 11:07 AM	27.26	96.59	5.81	8.22	44.42
11/02/25, 11:12 AM	27.27	96.68	5.82	8.2	44.44
11/02/25, 11:17 AM	27.31	96.63	5.8	8.19	44.34
11/02/25, 11:22 AM	27.31	96.5	5.79	8.19	44.24
11/02/25, 11:27 AM	27.25	96.58	5.81	8.2	44.22
11/02/25, 11:32 AM	27.29	96.74	5.8	8.19	44.23

TIME	BOD	COD	DO	pH	TSS
11/02/25, 11:37 AM	27.3	96.6	5.79	8.18	44.29
11/02/25, 11:42 AM	27.28	96.39	5.75	8.19	44.2
11/02/25, 11:47 AM	27.27	96.58	5.78	8.18	44.21
11/02/25, 11:52 AM	27.24	96.41	5.78	8.17	44.21
11/02/25, 12:15 PM	27.27	95.88	5.77	8.18	44.24
11/02/25, 12:20 PM	27.25	95.96	5.77	8.18	44.29
11/02/25, 12:25 PM	27.27	95.97	5.75	8.16	44.2
11/02/25, 12:27 PM	27.24	95.98	5.81	8.22	44.22
11/02/25, 12:32 PM	27.24	96.18	5.83	8.23	44.32
11/02/25, 12:37 PM	27.26	96.1	5.8	8.23	44.42
11/02/25, 12:42 PM	27.23	96.07	5.78	8.24	44.39
11/02/25, 12:47 PM	27.26	96.15	5.75	8.26	44.47
11/02/25, 12:52 PM	27.22	96.05	5.76	8.25	44.53
11/02/25, 12:57 PM	27.5	96.69	5.69	8.24	44.83
11/02/25, 01:02 PM	28.81	99.63	5.29	8.24	46.48
11/02/25, 01:07 PM	29.98	101.38	4.88	8.23	48.07
11/02/25, 01:12 PM	31.23	101.39	4.82	8.24	49.6
11/02/25, 01:17 PM	32.49	101.29	4.82	8.22	51.23
11/02/25, 01:22 PM	32.48	101.27	4.84	8.2	52.53
11/02/25, 01:27 PM	32.51	101.18	4.85	8.19	52.45
11/02/25, 01:32 PM	32.56	101.36	4.87	8.18	52.49
11/02/25, 01:37 PM	32.6	101.24	4.87	8.18	52.47
11/02/25, 01:42 PM	32.65	101.17	4.89	8.19	52.51
11/02/25, 01:47 PM	32.68	100.67	4.94	8.17	52.53
11/02/25, 01:52 PM	32.77	97.94	5.36	8.17	52.57
11/02/25, 01:57 PM	32.55	95.09	5.82	8.16	52.58
11/02/25, 02:02 PM	31.2	95.2	6.31	8.18	52.25
11/02/25, 02:07 PM	29.9	95.06	6.32	8.16	50.41
11/02/25, 02:12 PM	28.5	94.96	6.35	8.16	48.56
11/02/25, 02:17 PM	27.2	94.93	6.38	8.15	48.52
11/02/25, 02:22 PM	27.26	95.01	6.37	8.15	48.61
11/02/25, 02:27 PM	27.27	95.03	6.4	8.13	48.63
11/02/25, 02:32 PM	27.33	94.85	6.39	8.15	48.61
11/02/25, 02:37 PM	27.34	94.97	6.39	8.14	48.68

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:42 PM	27.39	94.83	6.36	8.13	48.67
11/02/25, 02:47 PM	27.37	94.82	6.33	8.11	48.57
11/02/25, 02:52 PM	27.36	94.83	6.34	8.1	48.54
11/02/25, 02:57 PM	27.31	94.68	6.35	8.09	48.51
11/02/25, 03:02 PM	27.33	94.84	6.34	8.1	48.51
11/02/25, 03:07 PM	27.33	94.93	6.33	8.08	48.54
11/02/25, 03:12 PM	27.36	94.88	6.31	8.09	48.45
11/02/25, 03:17 PM	27.31	94.9	6.31	8.11	48.55
11/02/25, 03:22 PM	27.31	95.09	6.32	8.1	48.53
11/02/25, 03:27 PM	27.34	94.88	6.3	8.09	48.57
11/02/25, 03:32 PM	27.34	95.09	6.29	8.08	48.65
11/02/25, 03:37 PM	27.39	95.26	6.25	8.08	48.55
11/02/25, 03:42 PM	27.38	95.15	6.25	8.07	48.47
11/02/25, 03:47 PM	27.41	95.03	6.23	8.06	48.5
11/02/25, 03:52 PM	27.35	95	6.22	8.04	48.51
11/02/25, 03:57 PM	27.32	94.98	6.24	8.03	48.4
11/02/25, 04:02 PM	27.28	95.18	6.23	8.01	48.32
11/02/25, 04:07 PM	27.33	94.99	6.25	8.02	48.32
11/02/25, 04:12 PM	27.37	94.82	6.25	8.04	48.22
11/02/25, 04:17 PM	27.33	94.79	6.25	8.04	48.27
11/02/25, 04:22 PM	27.36	94.65	6.22	8.02	48.2
11/02/25, 04:27 PM	27.36	94.76	6.23	8.01	48.26
11/02/25, 04:32 PM	27.36	94.73	6.25	8.01	48.22
11/02/25, 04:37 PM	27.41	94.64	6.22	7.98	48.14
11/02/25, 04:42 PM	27.35	94.85	6.23	7.97	48.1
11/02/25, 04:47 PM	27.31	94.69	6.22	7.95	48.1
11/02/25, 04:52 PM	27.37	94.78	6.23	7.96	48.09
11/02/25, 04:57 PM	27.33	94.8	6.22	7.95	48.12
11/02/25, 05:02 PM	27.33	94.8	6.2	7.95	48.2
11/02/25, 05:07 PM	27.31	94.58	6.23	7.98	48.23
11/02/25, 05:12 PM	27.27	94.46	6.21	7.96	48.15
11/02/25, 05:17 PM	27.24	94.27	6.21	7.96	48.05
11/02/25, 05:22 PM	27.24	94.25	6.2	7.95	48.13
11/02/25, 05:27 PM	27.25	94.26	6.23	7.97	48.19

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:32 PM	27.3	94.17	6.21	7.94	48.24
11/02/25, 05:37 PM	27.28	94.3	6.17	7.96	48.3
11/02/25, 05:42 PM	27.3	94.43	6.19	7.97	48.38
11/02/25, 05:47 PM	27.29	94.29	6.17	7.99	48.44
11/02/25, 05:52 PM	27.35	94.42	6.14	7.97	48.44
11/02/25, 05:57 PM	27.37	94.48	6.17	7.95	48.45
11/02/25, 06:02 PM	27.35	94.35	6.17	7.93	48.37
11/02/25, 06:07 PM	27.32	94.42	6.19	7.95	48.31
11/02/25, 06:12 PM	27.3	94.59	6.21	7.96	48.29
11/02/25, 06:17 PM	27.31	94.67	6.23	7.98	48.4
11/02/25, 06:22 PM	27.27	94.51	6.24	7.96	48.38
11/02/25, 06:27 PM	27.26	94.66	6.21	7.96	48.28
11/02/25, 06:32 PM	27.31	94.71	6.22	7.94	48.33
11/02/25, 06:37 PM	27.33	94.6	6.18	7.95	48.38
11/02/25, 06:42 PM	27.31	94.5	6.22	7.93	48.37
11/02/25, 06:47 PM	27.26	94.39	6.24	7.92	48.33
11/02/25, 06:52 PM	27.27	94.2	6.25	7.93	48.34
11/02/25, 06:57 PM	27.25	94.22	6.27	7.96	48.33
11/02/25, 07:02 PM	27.22	94.41	6.25	7.95	48.38
11/02/25, 07:07 PM	27.21	94.62	6.21	7.93	48.33
11/02/25, 07:12 PM	27.17	94.55	6.2	7.95	48.27
11/02/25, 07:17 PM	27.23	94.61	6.22	7.96	48.17
11/02/25, 07:22 PM	27.24	94.49	6.23	7.97	48.25
11/02/25, 07:27 PM	27.23	94.55	6.25	7.95	48.35
11/02/25, 07:32 PM	27.26	94.58	6.24	7.97	48.3
11/02/25, 07:37 PM	27.26	94.43	6.25	7.98	48.33
11/02/25, 07:42 PM	27.22	94.27	6.24	7.99	48.28
11/02/25, 07:47 PM	27.23	94.3	6.24	7.99	48.34
11/02/25, 07:52 PM	27.23	94.23	6.22	7.99	48.44
11/02/25, 07:57 PM	27.2	94.02	6.18	7.97	48.33
11/02/25, 08:03 PM	27.15	93.85	6.21	7.97	48.37
11/02/25, 08:25 PM	27.21	95.9	5.77	8.21	44.35
11/02/25, 08:30 PM	27.27	95.97	5.8	8.2	44.38
11/02/25, 08:35 PM	27.22	96.17	5.82	8.18	44.45

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:40 PM	27.16	96.29	5.82	8.2	44.52
11/02/25, 08:45 PM	27.19	96.28	5.83	8.21	44.42
11/02/25, 08:50 PM	27.24	96.33	5.82	8.23	44.37
11/02/25, 08:55 PM	27.26	96.25	5.81	8.22	44.3
11/02/25, 09:20 PM	27.15	96.31	5.87	8.23	44.19
11/02/25, 09:46 PM	27.19	95.76	5.77	8.19	44.19
11/02/25, 10:11 PM	27.17	96.36	5.76	8.18	44.29
11/02/25, 10:16 PM	27.11	96.35	5.75	8.2	44.38
11/02/25, 10:21 PM	27.14	96.36	5.72	8.2	44.36
11/02/25, 10:26 PM	27.16	96.35	5.75	8.18	44.27
11/02/25, 10:31 PM	27.12	96.18	5.73	8.2	44.35
11/02/25, 10:36 PM	27.06	96	5.74	8.18	44.43
11/02/25, 10:41 PM	27.02	95.78	5.71	8.18	44.42
11/02/25, 11:06 PM	27.15	96.1	5.77	8.18	44.46
11/02/25, 11:11 PM	27.13	96.29	5.78	8.19	44.55
11/02/25, 11:16 PM	27.12	96.18	5.8	8.19	44.54
11/02/25, 11:21 PM	27.1	96.18	5.8	8.17	44.53
11/02/25, 11:26 PM	27.15	96.01	5.83	8.16	44.49
11/02/25, 11:31 PM	27.14	96.21	5.8	8.16	44.52
11/02/25, 11:36 PM	27.12	96.3	5.82	8.17	44.57
11/02/25, 11:41 PM	27.08	96.32	5.8	8.18	44.48
11/02/25, 11:46 PM	27.09	96.46	5.77	8.19	44.39
11/02/25, 11:51 PM	27.05	96.49	5.73	8.17	44.35
11/02/25, 11:56 PM	27.04	96.69	5.73	8.15	44.32



## Water Quality Report: Sadar Drain

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:01 AM	27.27	93.94	5.81	8.2	45.36
04/02/25, 12:06 AM	27.24	94.06	5.8	8.22	45.33
04/02/25, 12:11 AM	27.24	94.25	5.82	8.22	45.41
04/02/25, 12:16 AM	27.21	94.17	5.86	8.21	45.43
04/02/25, 12:21 AM	27.19	94.16	5.88	8.23	45.47
04/02/25, 12:26 AM	27.17	94.33	5.91	8.23	45.39
04/02/25, 12:31 AM	27.2	94.3	5.92	8.24	45.4
04/02/25, 12:36 AM	27.24	94.28	5.89	8.26	45.38
04/02/25, 12:41 AM	27.24	94.13	5.92	8.26	45.39
04/02/25, 12:46 AM	27.27	94.13	5.9	8.25	45.39
04/02/25, 12:51 AM	27.22	94.32	5.89	8.24	45.31
04/02/25, 12:56 AM	27.22	94.51	5.9	8.23	45.24
04/02/25, 01:01 AM	27.22	94.51	5.9	8.21	45.29
04/02/25, 01:06 AM	27.25	94.33	5.92	8.19	45.31
04/02/25, 01:11 AM	27.19	94.43	5.89	8.18	45.28
04/02/25, 01:16 AM	27.15	94.32	5.88	8.17	45.33
04/02/25, 01:21 AM	27.17	94.31	5.84	8.15	45.35
04/02/25, 01:26 AM	27.18	94.37	5.85	8.16	45.25
04/02/25, 01:31 AM	27.16	94.18	5.83	8.17	45.23
04/02/25, 01:36 AM	27.2	94.17	5.8	8.16	45.3
04/02/25, 01:41 AM	27.27	94.13	5.82	8.16	45.29
04/02/25, 01:46 AM	27.3	94.34	5.82	8.18	45.27
04/02/25, 01:51 AM	27.35	94.48	5.81	8.18	45.24
04/02/25, 01:56 AM	27.39	94.48	5.79	8.16	45.25
04/02/25, 02:01 AM	27.36	94.45	5.76	8.15	45.26
04/02/25, 02:06 AM	27.33	94.61	5.73	8.17	45.25
04/02/25, 02:11 AM	27.31	94.5	5.71	8.17	45.27
04/02/25, 02:16 AM	27.29	94.65	5.74	8.18	45.25
04/02/25, 02:21 AM	27.35	94.85	5.71	8.16	45.18
04/02/25, 02:26 AM	27.31	94.72	5.71	8.14	45.22
04/02/25, 02:31 AM	27.34	94.79	5.67	8.14	45.23

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:36 AM	27.41	94.68	5.67	8.16	45.25
04/02/25, 02:41 AM	27.39	94.57	5.68	8.14	45.28
04/02/25, 02:46 AM	27.41	94.38	5.67	8.14	45.31
04/02/25, 02:51 AM	27.41	94.28	5.65	8.12	45.34
04/02/25, 02:56 AM	27.38	94.1	5.67	8.13	45.28
04/02/25, 03:01 AM	27.42	94.02	5.7	8.13	45.22
04/02/25, 03:06 AM	27.48	93.87	5.67	8.12	45.18
04/02/25, 03:11 AM	27.53	93.93	5.71	8.1	45.21
04/02/25, 03:16 AM	27.58	93.73	5.68	8.1	45.23
04/02/25, 03:21 AM	27.55	93.88	5.66	8.11	45.17
04/02/25, 03:26 AM	27.58	93.87	5.68	8.09	45.11
04/02/25, 03:31 AM	27.56	93.95	5.65	8.1	45.18
04/02/25, 03:36 AM	27.51	94.09	5.66	8.09	45.25
04/02/25, 03:41 AM	27.55	94.23	5.65	8.08	45.25
04/02/25, 03:46 AM	27.51	94.37	5.67	8.08	45.23
04/02/25, 03:51 AM	27.53	94.29	5.68	8.06	45.25
04/02/25, 03:56 AM	27.52	94.15	5.71	8.04	45.2
04/02/25, 04:01 AM	27.48	94.22	5.72	8.05	45.2
04/02/25, 04:06 AM	27.51	94.32	5.72	8.06	45.16
04/02/25, 04:11 AM	27.52	94.16	5.75	8.05	45.1
04/02/25, 04:16 AM	27.52	93.98	5.73	8.05	45.21
04/02/25, 04:21 AM	27.47	94.08	5.71	8.05	45.16
04/02/25, 04:26 AM	27.53	93.89	5.7	8.04	45.23
04/02/25, 04:31 AM	27.58	94.03	5.71	8.06	45.23
04/02/25, 04:36 AM	27.55	94.15	5.68	8.06	45.23
04/02/25, 04:41 AM	27.53	93.95	5.65	8.06	45.14
04/02/25, 04:46 AM	27.55	93.99	5.64	8.04	45.18
04/02/25, 04:51 AM	27.61	93.98	5.61	8.03	45.1
04/02/25, 04:56 AM	27.66	93.86	5.63	8.02	45.03
04/02/25, 05:01 AM	27.67	94.01	5.6	8.02	45.05
04/02/25, 05:06 AM	27.71	94.18	5.63	8.02	45.05
04/02/25, 05:11 AM	27.71	94.38	5.66	8.01	45.08
04/02/25, 05:16 AM	27.75	94.44	5.67	8.02	45.19
04/02/25, 05:21 AM	27.7	94.58	5.66	8.02	45.21

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:26 AM	27.67	94.4	5.66	8.01	45.29
04/02/25, 05:31 AM	27.71	94.63	5.7	8	45.37
04/02/25, 05:36 AM	27.73	94.43	5.67	7.99	45.29
04/02/25, 05:41 AM	27.74	94.3	5.66	7.99	45.38
04/02/25, 05:46 AM	27.69	94.5	5.68	7.99	45.47
04/02/25, 05:51 AM	27.7	94.66	5.69	8	45.52
04/02/25, 05:56 AM	27.65	94.53	5.7	7.98	45.56
04/02/25, 06:01 AM	27.61	94.62	5.7	7.98	45.46
04/02/25, 06:26 AM	27.53	95.1	5.73	7.96	45.55
04/02/25, 06:31 AM	27.53	95.26	5.74	7.97	45.61
04/02/25, 06:36 AM	27.55	95.39	5.75	7.96	45.57
04/02/25, 06:41 AM	27.58	95.22	5.75	7.96	45.64
04/02/25, 06:46 AM	27.57	95.09	5.76	7.98	45.6
04/02/25, 06:51 AM	27.62	95.11	5.78	7.99	45.57
04/02/25, 06:56 AM	27.64	95.21	5.79	8	45.58
04/02/25, 07:01 AM	27.62	95.18	5.81	8.01	45.58
04/02/25, 07:06 AM	27.58	95.24	5.81	8	45.53
04/02/25, 07:11 AM	27.58	95.24	5.79	7.98	45.45
04/02/25, 07:16 AM	27.61	95.09	5.77	7.96	45.49
04/02/25, 07:21 AM	27.59	94.9	5.73	7.97	45.57
04/02/25, 07:26 AM	27.54	94.71	5.73	7.95	45.56
04/02/25, 07:31 AM	27.53	94.73	5.76	7.95	45.6
04/02/25, 07:36 AM	27.49	94.95	5.74	7.96	45.61
04/02/25, 07:41 AM	27.52	94.97	5.77	7.98	45.6
04/02/25, 07:46 AM	27.46	95.06	5.8	8	45.53
04/02/25, 07:51 AM	27.46	95.11	5.78	7.99	45.54
04/02/25, 07:56 AM	27.42	95.28	5.75	7.98	45.63
04/02/25, 08:01 AM	27.42	95.37	5.73	7.96	45.63
04/02/25, 08:06 AM	27.37	95.18	5.7	7.98	45.56
04/02/25, 08:11 AM	27.33	95.1	5.72	7.97	45.55
04/02/25, 08:16 AM	27.32	95.1	5.75	7.95	45.62
04/02/25, 08:21 AM	27.32	95.13	5.75	7.94	45.53
04/02/25, 08:26 AM	27.33	95.1	5.75	7.96	45.46
04/02/25, 08:31 AM	27.33	95.19	5.75	7.95	45.45

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:36 AM	27.28	95.26	5.74	7.96	45.39
04/02/25, 08:41 AM	27.26	95.42	5.73	7.95	45.4
04/02/25, 08:46 AM	27.31	95.33	5.73	7.94	45.43
04/02/25, 08:51 AM	27.36	95.26	5.77	7.95	45.53
04/02/25, 08:56 AM	27.3	95.32	5.8	7.95	45.51
04/02/25, 09:01 AM	27.26	95.54	5.81	7.97	45.55
04/02/25, 09:06 AM	27.31	95.53	5.78	7.96	45.5
04/02/25, 09:11 AM	27.36	95.35	5.81	7.96	45.39
04/02/25, 09:16 AM	27.4	95.23	5.83	7.94	45.32
04/02/25, 09:21 AM	27.45	95.07	5.82	7.95	45.29
04/02/25, 09:26 AM	27.5	95.06	5.81	7.95	45.26
04/02/25, 09:31 AM	27.5	94.91	5.78	7.97	45.33
04/02/25, 09:36 AM	27.49	95.12	5.77	7.97	45.36
04/02/25, 09:41 AM	27.53	94.9	5.76	7.99	45.31
04/02/25, 09:46 AM	27.58	94.76	5.72	7.97	45.23
04/02/25, 09:51 AM	27.59	94.94	5.7	7.95	45.23
04/02/25, 09:56 AM	27.63	94.74	5.69	7.94	45.23
04/02/25, 10:01 AM	27.59	94.65	5.71	7.95	45.15
04/02/25, 10:06 AM	27.63	94.64	5.74	7.93	45.2
04/02/25, 10:11 AM	27.67	94.82	5.75	7.95	45.14
04/02/25, 10:16 AM	27.72	94.86	5.74	7.96	45.18
04/02/25, 10:42 AM	27.66	95.05	5.71	8	44.91
04/02/25, 10:47 AM	27.62	95.26	5.67	8	44.91
04/02/25, 10:52 AM	27.64	95.38	5.71	7.98	44.89
04/02/25, 10:57 AM	27.67	95.37	5.74	7.99	44.96
04/02/25, 11:02 AM	27.67	95.29	5.7	7.97	45.03
04/02/25, 11:07 AM	27.73	95.3	5.7	7.98	45.02
04/02/25, 11:12 AM	27.69	95.33	5.68	7.98	45.01
04/02/25, 11:17 AM	27.72	95.11	5.68	8	45.1
04/02/25, 11:22 AM	27.69	94.97	5.67	7.98	45.13
04/02/25, 11:27 AM	27.66	94.89	5.68	7.99	45.23
04/02/25, 11:32 AM	27.63	95.1	5.68	7.96	45.15
04/02/25, 11:37 AM	27.57	94.89	5.67	7.98	45.12
04/02/25, 12:20 PM	27.29	95.95	5.76	8.18	44.4

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:22 PM	27.28	96.16	5.73	8.16	44.38
04/02/25, 12:27 PM	27.3	96.32	5.74	8.15	44.35
04/02/25, 12:32 PM	27.36	96.2	5.71	8.15	44.35
04/02/25, 12:37 PM	27.39	96.26	5.7	8.16	44.36
04/02/25, 12:42 PM	27.44	96.05	5.71	8.16	44.27
04/02/25, 12:47 PM	27.45	95.87	5.74	8.16	44.2
04/02/25, 12:52 PM	27.47	95.72	5.72	8.18	44.24
04/02/25, 12:57 PM	27.52	95.81	5.72	8.2	44.31
04/02/25, 01:02 PM	27.57	95.71	5.68	8.19	44.24
04/02/25, 01:07 PM	27.56	95.66	5.66	8.17	44.18
04/02/25, 01:12 PM	27.59	95.71	5.66	8.17	44.24
04/02/25, 01:17 PM	27.6	95.68	5.64	8.19	44.24
04/02/25, 01:22 PM	27.62	95.62	5.66	8.21	44.34
04/02/25, 01:27 PM	27.63	95.5	5.63	8.2	44.27
04/02/25, 01:32 PM	27.67	95.38	5.63	8.2	44.22
04/02/25, 01:37 PM	27.67	95.5	5.65	8.21	44.3
04/02/25, 01:43 PM	27.65	95.71	5.63	8.2	44.36
04/02/25, 01:48 PM	27.66	95.75	5.6	8.21	44.33
04/02/25, 01:53 PM	27.69	95.71	5.6	8.19	44.39
04/02/25, 01:58 PM	27.71	95.76	5.6	8.17	44.47
04/02/25, 02:03 PM	27.74	95.6	5.58	8.19	44.4
04/02/25, 02:08 PM	27.78	95.57	5.58	8.18	44.32
04/02/25, 02:13 PM	27.84	95.64	5.55	8.16	44.28
04/02/25, 02:17 PM	27.26	95.78	5.81	8.2	44.42
04/02/25, 02:21 PM	27.32	95.56	5.78	8.21	44.44
04/02/25, 02:26 PM	27.35	95.67	5.81	8.22	44.53
04/02/25, 02:31 PM	27.38	95.78	5.84	8.23	44.49
04/02/25, 03:11 PM	27.25	95.91	5.76	8.17	44.24
04/02/25, 03:16 PM	27.28	95.75	5.79	8.2	44.18
04/02/25, 03:21 PM	27.23	95.96	5.79	8.2	44.11
04/02/25, 03:26 PM	27.22	95.74	5.8	8.2	44.21
04/02/25, 03:31 PM	27.17	95.62	5.82	8.18	44.28
04/02/25, 03:36 PM	27.19	95.54	5.79	8.17	44.32
04/02/25, 03:41 PM	27.18	95.7	5.77	8.15	44.41

TIME	BOD	COD	DO	pH	TSS
04/02/25, 03:46 PM	27.23	95.77	5.8	8.16	44.34
04/02/25, 03:51 PM	27.27	95.67	5.83	8.18	44.25
04/02/25, 03:56 PM	27.3	95.76	5.8	8.16	44.18
04/02/25, 04:01 PM	27.29	95.74	5.8	8.18	44.27
04/02/25, 04:06 PM	27.25	95.58	5.8	8.19	44.36
04/02/25, 04:11 PM	27.29	95.77	5.79	8.21	44.33
04/02/25, 04:16 PM	27.32	95.86	5.82	8.19	44.43
04/02/25, 04:21 PM	27.36	95.68	5.79	8.18	44.33
04/02/25, 04:26 PM	27.37	95.48	5.77	8.2	44.39
04/02/25, 04:31 PM	27.31	95.57	5.75	8.22	44.41
04/02/25, 04:36 PM	27.36	95.56	5.72	8.23	44.48
04/02/25, 04:41 PM	27.32	95.78	5.72	8.23	44.45
04/02/25, 04:46 PM	27.38	95.95	5.71	8.23	44.5
04/02/25, 04:51 PM	27.33	96.1	5.69	8.24	44.51
04/02/25, 04:56 PM	27.32	96.19	5.7	8.25	44.43
04/02/25, 05:01 PM	27.33	96	5.74	8.25	44.43
04/02/25, 05:06 PM	27.29	95.81	5.73	8.27	44.52
04/02/25, 05:11 PM	27.27	95.68	5.72	8.25	44.46
04/02/25, 05:16 PM	27.21	95.75	5.7	8.24	44.36
04/02/25, 05:21 PM	27.18	95.92	5.7	8.23	44.43
04/02/25, 05:28 PM	27.23	95.8	5.76	8.22	44.25
04/02/25, 05:33 PM	27.2	95.94	5.78	8.21	44.18
04/02/25, 05:38 PM	27.48	96.56	5.7	8.2	44.54
04/02/25, 05:43 PM	28.88	99.43	5.27	8.22	45.98
04/02/25, 05:48 PM	30.13	102.12	4.86	8.21	47.51
04/02/25, 05:53 PM	31.41	102.11	4.44	8.21	49.04
04/02/25, 05:58 PM	31.44	102.24	4.26	8.19	50.62
04/02/25, 06:03 PM	31.49	102.26	4.26	8.19	52.21
04/02/25, 06:08 PM	31.47	102.27	4.27	8.19	53.74
04/02/25, 06:13 PM	31.47	102.3	4.24	8.18	54.7
04/02/25, 06:18 PM	31.48	101.68	4.22	8.18	54.61
04/02/25, 06:23 PM	31.47	98.67	4.23	8.19	54.56
04/02/25, 06:28 PM	31.25	96	4.23	8.21	54.67
04/02/25, 06:33 PM	29.75	96.2	4.33	8.19	54.56

TIME	BOD	COD	DO	pH	TSS
04/02/25, 06:38 PM	28.37	96.14	4.76	8.21	54.11
04/02/25, 06:43 PM	26.88	95.99	5.18	8.22	52.26
04/02/25, 06:48 PM	26.88	95.77	5.59	8.2	50.36
04/02/25, 06:53 PM	26.93	95.59	5.61	8.22	48.52
04/02/25, 06:58 PM	26.94	95.8	5.63	8.22	46.62
04/02/25, 07:03 PM	26.89	95.66	5.61	8.22	46.68
04/02/25, 07:08 PM	26.93	95.61	5.57	8.2	46.76
04/02/25, 07:13 PM	26.96	95.42	5.59	8.18	46.84
04/02/25, 07:18 PM	26.99	95.47	5.59	8.18	46.76
04/02/25, 07:23 PM	26.96	95.39	5.55	8.16	46.65
04/02/25, 07:28 PM	26.96	95.56	5.54	8.16	46.75
04/02/25, 07:33 PM	26.96	95.34	5.52	8.14	46.79
04/02/25, 07:38 PM	27	95.19	5.48	8.12	46.84
04/02/25, 07:43 PM	26.97	95.26	5.49	8.11	46.78
04/02/25, 07:48 PM	26.95	95.31	5.46	8.12	46.81
04/02/25, 07:53 PM	26.91	95.21	5.46	8.13	46.79
04/02/25, 07:58 PM	26.86	95.24	5.45	8.11	46.83
04/02/25, 08:03 PM	26.91	95.04	5.47	8.11	46.79
04/02/25, 08:08 PM	26.91	95.16	5.43	8.11	46.76
04/02/25, 08:13 PM	26.91	95.12	5.45	8.12	46.78
04/02/25, 08:18 PM	26.91	95.1	5.47	8.1	46.69
04/02/25, 08:23 PM	26.97	94.96	5.46	8.08	46.74
04/02/25, 08:28 PM	26.95	94.96	5.48	8.1	46.65
04/02/25, 08:33 PM	26.91	94.84	5.48	8.1	46.58
04/02/25, 08:38 PM	26.9	94.77	5.51	8.08	46.56
04/02/25, 08:43 PM	26.86	94.93	5.51	8.07	46.56
04/02/25, 08:48 PM	26.85	94.81	5.51	8.09	46.63
04/02/25, 08:53 PM	26.87	95	5.51	8.09	46.64
04/02/25, 08:58 PM	26.93	94.99	5.51	8.09	46.61
04/02/25, 09:03 PM	26.89	95.15	5.51	8.09	46.65
04/02/25, 09:08 PM	26.84	95.29	5.5	8.11	46.73
04/02/25, 09:13 PM	26.86	95.08	5.52	8.11	46.8
04/02/25, 09:18 PM	26.9	95.2	5.51	8.09	46.78
04/02/25, 09:23 PM	26.86	95.36	5.54	8.1	46.81

TIME	BOD	COD	DO	pH	TSS
04/02/25, 09:28 PM	26.91	95.46	5.5	8.12	46.71
04/02/25, 09:33 PM	26.86	95.65	5.51	8.13	46.8
04/02/25, 09:38 PM	26.91	95.72	5.49	8.13	46.76
04/02/25, 09:43 PM	26.86	95.5	5.52	8.11	46.74
04/02/25, 09:48 PM	26.86	95.48	5.49	8.12	46.64
04/02/25, 09:53 PM	26.87	95.34	5.49	8.1	46.67
04/02/25, 09:58 PM	26.89	95.14	5.5	8.12	46.72
04/02/25, 10:03 PM	26.9	94.95	5.54	8.11	46.76
04/02/25, 10:08 PM	26.84	95.1	5.54	8.13	46.69
04/02/25, 10:13 PM	26.8	95.18	5.56	8.12	46.72
04/02/25, 10:18 PM	26.83	95.33	5.56	8.1	46.75
04/02/25, 10:23 PM	26.85	95.35	5.68	8.08	46.76
04/02/25, 10:28 PM	26.84	95.47	5.55	8.09	46.79
04/02/25, 10:54 PM	26.74	95.78	5.54	8.09	46.62
04/02/25, 10:59 PM	26.71	95.86	5.57	8.1	46.71
04/02/25, 11:04 PM	26.71	96.05	5.55	8.11	46.62
04/02/25, 11:09 PM	26.76	95.86	5.57	8.11	46.62
04/02/25, 11:14 PM	26.73	96.04	5.58	8.11	46.71
04/02/25, 11:19 PM	26.76	96.22	5.6	8.13	46.71
04/02/25, 11:24 PM	26.8	96.01	5.59	8.13	46.79
04/02/25, 11:29 PM	26.77	96.04	5.57	8.12	46.84
04/02/25, 11:34 PM	26.81	95.85	5.61	8.14	46.81
04/02/25, 11:39 PM	26.8	95.92	5.6	8.14	46.72
04/02/25, 11:44 PM	26.77	96.03	5.66	8.12	46.67
04/02/25, 11:49 PM	26.77	95.98	5.57	8.13	46.65
04/02/25, 11:54 PM	26.73	96.15	5.57	8.12	46.67
04/02/25, 11:59 PM	26.78	95.95	5.6	8.11	46.61



## Water Quality Report: Sadar Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:15 AM	27.24	96.63	5.74	8.13	44.08
28/01/25, 12:20 AM	27.24	96.84	5.77	8.14	44.04
28/01/25, 12:25 AM	27.22	96.88	5.76	8.16	44.01
28/01/25, 12:30 AM	27.22	96.83	5.79	8.15	44.12
28/01/25, 12:35 AM	27.21	96.94	5.8	8.16	44.04
28/01/25, 12:40 AM	27.19	96.83	5.83	8.16	44.11
28/01/25, 12:45 AM	27.19	96.86	5.81	8.14	44.15
28/01/25, 01:10 AM	27.15	96.37	5.8	8.17	44.08
28/01/25, 01:15 AM	27.15	96.5	5.81	8.18	44.01
28/01/25, 01:20 AM	27.16	96.56	5.78	8.2	44.11
28/01/25, 01:25 AM	27.12	96.47	5.81	8.2	44.14
28/01/25, 01:30 AM	27.18	96.4	5.83	8.22	44.11
28/01/25, 01:35 AM	27.13	96.37	5.82	8.21	44.19
28/01/25, 02:21 AM	27.24	96.3	5.83	8.25	44.03
28/01/25, 02:26 AM	27.29	96.41	5.84	8.23	43.99
28/01/25, 02:31 AM	27.31	96.21	5.84	8.23	44.08
28/01/25, 02:36 AM	27.37	96.04	5.83	8.25	44.02
28/01/25, 02:41 AM	27.42	95.99	5.84	8.27	44.09
28/01/25, 02:46 AM	27.43	96.04	5.83	8.29	44.06
28/01/25, 02:51 AM	27.49	95.89	5.8	8.31	44.06
28/01/25, 02:56 AM	27.49	95.91	5.81	8.29	44.01
28/01/25, 03:01 AM	27.51	95.77	5.81	8.29	44.1
28/01/25, 03:06 AM	27.5	95.92	5.85	8.27	44.01
28/01/25, 03:11 AM	27.53	95.96	5.82	8.25	44.08
28/01/25, 03:16 AM	27.53	96.01	5.81	8.24	44.02
28/01/25, 03:21 AM	27.59	96.01	5.81	8.25	44.05
28/01/25, 03:26 AM	27.62	96.06	5.79	8.26	44.05
28/01/25, 03:31 AM	27.6	95.91	5.79	8.24	43.96
28/01/25, 03:36 AM	27.54	95.75	5.81	8.27	44
28/01/25, 03:41 AM	27.51	95.76	5.78	8.25	44.02
28/01/25, 03:46 AM	27.52	95.88	5.76	8.24	43.98

TIME	BOD	COD	DO	pH	TSS
28/01/25, 03:51 AM	27.49	95.93	5.78	8.23	44
28/01/25, 03:56 AM	27.5	95.77	5.79	8.22	43.99
28/01/25, 04:01 AM	27.47	95.94	5.82	8.24	44.07
28/01/25, 04:06 AM	27.48	95.92	5.82	8.24	43.97
28/01/25, 04:11 AM	27.46	96.03	5.81	8.26	43.97
28/01/25, 04:16 AM	27.51	96.19	5.78	8.25	44
28/01/25, 04:21 AM	27.58	95.97	5.77	8.24	43.93
28/01/25, 04:26 AM	27.54	95.89	5.8	8.23	44.02
28/01/25, 04:31 AM	27.53	95.87	5.8	8.21	44.1
28/01/25, 04:56 AM	27.62	96.31	5.78	8.22	44.04
28/01/25, 05:01 AM	27.67	96.53	5.81	8.19	44
28/01/25, 05:06 AM	27.73	96.42	5.83	8.19	43.99
28/01/25, 05:11 AM	27.72	96.3	5.82	8.21	43.94
28/01/25, 05:16 AM	27.75	96.32	5.85	8.21	43.96
28/01/25, 05:21 AM	27.76	96.47	5.86	8.19	43.88
28/01/25, 05:26 AM	27.74	96.33	5.89	8.18	43.78
28/01/25, 05:31 AM	27.78	96.43	5.88	8.15	43.86
28/01/25, 05:36 AM	27.73	96.59	5.87	8.13	43.85
28/01/25, 05:41 AM	27.71	96.62	5.91	8.15	43.87
28/01/25, 05:46 AM	27.73	96.61	5.87	8.17	43.92
28/01/25, 05:51 AM	27.69	96.57	5.88	8.16	43.96
28/01/25, 05:56 AM	27.64	96.6	5.88	8.15	43.88
28/01/25, 06:01 AM	27.6	96.72	5.88	8.14	43.89
28/01/25, 06:06 AM	27.65	96.65	5.86	8.16	43.91
28/01/25, 06:11 AM	27.7	96.77	5.88	8.17	43.86
28/01/25, 06:16 AM	27.65	96.75	5.86	8.16	43.85
28/01/25, 06:21 AM	27.63	96.55	5.83	8.19	43.9
28/01/25, 06:26 AM	27.64	96.77	5.83	8.17	43.93
28/01/25, 06:31 AM	27.66	96.71	5.81	8.18	43.84
28/01/25, 06:36 AM	27.6	96.56	5.77	8.17	43.86
28/01/25, 06:41 AM	27.55	96.63	5.81	8.19	43.86
28/01/25, 06:46 AM	27.58	96.45	5.83	8.19	43.85
28/01/25, 06:51 AM	27.58	96.22	5.81	8.19	43.91
28/01/25, 06:56 AM	27.55	96.39	5.81	8.17	43.87

TIME	BOD	COD	DO	pH	TSS
28/01/25, 07:01 AM	27.59	96.48	5.78	8.15	43.88
28/01/25, 07:06 AM	27.56	96.34	5.82	8.15	43.95
28/01/25, 07:11 AM	27.52	96.17	5.83	8.13	44.04
28/01/25, 07:16 AM	27.55	96.3	5.85	8.12	44.03
28/01/25, 07:21 AM	27.51	96.42	5.86	8.13	43.99
28/01/25, 07:26 AM	27.51	96.44	5.89	8.11	44.08
28/01/25, 07:31 AM	27.55	96.44	5.89	8.14	44.07
28/01/25, 07:36 AM	27.51	96.61	5.92	8.12	44.03
28/01/25, 07:41 AM	27.48	96.61	5.95	8.11	44.04
28/01/25, 07:46 AM	27.45	96.63	5.97	8.12	43.98
28/01/25, 07:51 AM	27.41	96.73	5.95	8.12	44.05
28/01/25, 07:56 AM	27.45	96.52	5.94	8.12	43.95
28/01/25, 08:22 AM	27.4	96.75	5.96	8.1	44.1
28/01/25, 08:27 AM	27.41	96.72	5.95	8.11	44.13
28/01/25, 08:32 AM	27.39	96.91	5.98	8.12	44.06
28/01/25, 08:37 AM	27.4	97	5.97	8.13	44.05
28/01/25, 08:42 AM	27.43	96.99	5.99	8.14	44.01
28/01/25, 08:47 AM	27.48	96.81	6.01	8.14	44.05
28/01/25, 08:52 AM	27.52	97	6.03	8.14	44.15
28/01/25, 08:57 AM	27.57	97.11	6	8.16	44.05
28/01/25, 09:02 AM	27.57	97.06	5.99	8.16	44.1
28/01/25, 09:07 AM	27.62	97.16	6	8.15	44.01
28/01/25, 09:12 AM	27.6	97.26	6.03	8.18	44.06
28/01/25, 09:17 AM	27.59	97.26	6.04	8.16	44.16
28/01/25, 09:22 AM	27.64	97.12	6.02	8.18	44.15
28/01/25, 09:47 AM	27.68	97.02	6	8.18	44.13
28/01/25, 09:52 AM	27.67	96.85	6.01	8.18	44.08
28/01/25, 09:57 AM	27.61	96.71	6.01	8.17	44.1
28/01/25, 10:02 AM	27.58	96.49	6	8.17	44.09
28/01/25, 10:07 AM	27.57	96.59	6.01	8.16	44
28/01/25, 10:12 AM	27.63	96.49	6	8.17	43.92
28/01/25, 10:17 AM	27.6	96.62	6.04	8.16	43.88
28/01/25, 10:22 AM	27.66	96.47	6.07	8.16	43.95
28/01/25, 10:27 AM	27.69	96.32	6.06	8.18	44.05

TIME	BOD	COD	DO	pH	TSS
28/01/25, 10:32 AM	27.65	96.26	6.08	8.19	43.96
28/01/25, 10:37 AM	27.66	96.08	6.05	8.21	44.07
28/01/25, 10:42 AM	27.71	95.92	6.04	8.19	44.06
28/01/25, 10:47 AM	27.69	95.9	6.01	8.17	43.98
28/01/25, 10:52 AM	27.64	96.12	6	8.18	44.04
28/01/25, 11:17 AM	27.63	96.17	6.01	8.13	44.19
28/01/25, 11:22 AM	27.66	95.95	6.01	8.15	44.24
28/01/25, 11:48 AM	27.53	95.3	5.97	8.16	44.42
28/01/25, 11:53 AM	27.55	95.31	5.98	8.15	44.39
28/01/25, 11:58 AM	27.51	95.51	5.95	8.14	44.37
28/01/25, 12:03 PM	27.45	95.7	5.96	8.13	44.28
28/01/25, 12:08 PM	27.46	95.89	5.92	8.12	44.26
28/01/25, 12:13 PM	27.48	95.84	5.95	8.1	44.36
28/01/25, 12:18 PM	27.44	96.06	5.93	8.1	44.45
28/01/25, 12:23 PM	27.45	96.08	5.93	8.09	44.48
28/01/25, 12:28 PM	27.5	96.01	5.94	8.07	44.54
28/01/25, 12:33 PM	27.53	95.98	5.94	8.08	44.6
28/01/25, 12:38 PM	27.48	96.18	5.91	8.1	44.68
28/01/25, 12:43 PM	27.45	96.39	5.92	8.08	44.68
28/01/25, 12:48 PM	27.47	96.23	5.9	8.1	44.71
28/01/25, 12:53 PM	27.48	96.44	5.89	8.09	44.75
28/01/25, 12:58 PM	27.5	96.51	5.88	8.07	44.71
28/01/25, 01:03 PM	27.46	96.38	5.85	8.06	44.63
28/01/25, 01:08 PM	27.46	96.28	5.87	8.05	44.56
28/01/25, 01:13 PM	27.45	96.35	5.84	8.04	44.49
28/01/25, 01:18 PM	27.5	96.46	5.82	8.02	44.57
28/01/25, 01:23 PM	27.52	96.68	5.83	8	44.57
28/01/25, 01:28 PM	27.51	96.63	5.8	8	44.67
28/01/25, 01:33 PM	27.47	96.52	5.77	8	44.59
28/01/25, 01:38 PM	27.5	96.67	5.79	7.99	44.64
28/01/25, 01:43 PM	27.56	96.76	5.76	8	44.71
28/01/25, 01:48 PM	27.6	96.67	5.79	7.99	44.68
28/01/25, 01:53 PM	27.59	96.61	5.81	7.98	44.6
28/01/25, 02:18 PM	27.68	96.23	5.88	7.99	44.82

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:23 PM	27.64	96.13	5.88	8	44.89
28/01/25, 02:28 PM	27.61	96.14	5.89	7.99	44.84
28/01/25, 02:33 PM	27.67	96.29	5.88	8	44.88
28/01/25, 02:38 PM	27.62	96.14	5.87	8.01	44.94
28/01/25, 02:43 PM	27.63	96.17	5.89	8.01	44.99
28/01/25, 02:48 PM	27.58	96.1	5.92	8.01	45.03
28/01/25, 03:13 PM	27.64	96.44	5.9	8.04	45.1
28/01/25, 03:18 PM	27.65	96.27	5.88	8.03	45.07
28/01/25, 03:23 PM	27.67	96.27	5.85	8.04	45.02
28/01/25, 03:28 PM	27.65	96.22	5.82	8.06	45.05
28/01/25, 03:33 PM	27.69	96.08	5.84	8.07	45.04
28/01/25, 03:38 PM	27.65	96.25	5.81	8.07	45.13
28/01/25, 03:43 PM	27.66	96.25	5.82	8.07	45.18
28/01/25, 03:48 PM	27.69	96.1	5.81	8.08	45.17
28/01/25, 03:53 PM	27.66	95.9	5.79	8.06	45.26
28/01/25, 03:58 PM	27.65	96.11	5.76	8.08	45.26
28/01/25, 04:03 PM	27.62	96.17	5.76	8.1	45.16
28/01/25, 04:08 PM	27.56	95.95	5.74	8.1	45.17
28/01/25, 04:13 PM	27.53	95.86	5.71	8.08	45.13
28/01/25, 04:18 PM	27.54	95.81	5.72	8.07	45.23
28/01/25, 04:44 PM	27.64	95.82	5.73	8.03	45.37
28/01/25, 04:49 PM	27.64	95.6	5.74	8.01	45.4
28/01/25, 04:54 PM	27.61	95.58	5.71	8.01	45.44
28/01/25, 04:59 PM	27.59	95.78	5.72	8	45.44
28/01/25, 05:04 PM	27.63	95.72	5.7	8	45.51
28/01/25, 05:09 PM	27.6	95.73	5.68	7.98	45.54
28/01/25, 05:34 PM	27.64	95.84	5.71	7.99	45.65
28/01/25, 05:39 PM	27.61	95.96	5.73	8	45.69
28/01/25, 08:33 PM	27.27	96.11	5.8	8.21	44.36
28/01/25, 08:38 PM	27.3	95.98	5.82	8.21	44.42
28/01/25, 08:43 PM	27.3	96.15	5.85	8.2	44.51
28/01/25, 08:48 PM	27.26	96.16	5.88	8.22	44.49
28/01/25, 08:53 PM	27.24	96.04	5.91	8.22	44.54
28/01/25, 08:58 PM	27.29	96.19	5.93	8.19	44.53

TIME	BOD	COD	DO	pH	TSS
28/01/25, 09:03 PM	27.35	96.04	5.94	8.21	44.63
28/01/25, 09:08 PM	27.39	95.93	5.97	8.2	44.55
28/01/25, 09:13 PM	27.42	95.8	5.96	8.18	44.6
28/01/25, 09:18 PM	27.42	95.71	5.95	8.17	44.63
28/01/25, 09:23 PM	27.36	95.88	5.94	8.17	44.67
28/01/25, 09:28 PM	27.35	95.79	5.93	8.18	44.75
28/01/25, 09:33 PM	27.35	95.91	5.95	8.16	44.82
28/01/25, 09:38 PM	27.29	95.9	5.96	8.14	44.91
28/01/25, 09:43 PM	27.26	95.98	5.94	8.14	44.97
28/01/25, 09:48 PM	27.26	96.04	5.93	8.13	44.93
28/01/25, 09:53 PM	27.28	96.24	5.93	8.15	44.92
28/01/25, 09:58 PM	27.24	96.29	5.96	8.13	44.88
28/01/25, 10:44 PM	27.24	96.31	5.98	8.12	45.22
28/01/25, 10:49 PM	27.28	96.17	6.01	8.11	45.3
28/01/25, 10:54 PM	27.26	96.29	6	8.11	45.34
28/01/25, 10:59 PM	27.22	96.33	5.97	8.1	45.32
28/01/25, 11:04 PM	27.21	96.24	5.98	8.1	45.36
28/01/25, 11:09 PM	27.17	96.42	5.98	8.09	45.43
28/01/25, 11:14 PM	27.14	96.41	5.96	8.09	45.47
28/01/25, 11:19 PM	27.18	96.4	5.93	8.08	45.45
28/01/25, 11:24 PM	27.18	96.6	5.92	8.09	45.38
28/01/25, 11:29 PM	27.2	96.82	5.88	8.07	45.44
28/01/25, 11:34 PM	27.21	96.98	5.91	8.06	45.47
28/01/25, 11:39 PM	27.26	96.83	5.94	8.07	45.55
28/01/25, 11:44 PM	27.21	96.79	5.92	8.08	45.65
28/01/25, 11:49 PM	27.21	96.6	5.91	8.07	45.57
28/01/25, 11:54 PM	27.18	96.57	5.94	8.07	45.47
28/01/25, 11:59 PM	27.2	96.41	5.93	8.07	45.56



## Water Quality Report: Shivkuti Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:04 AM	28.12	91.46	5.35	7.49	47.1
21/01/25, 12:09 AM	28.15	91.38	5.35	7.49	47.07
21/01/25, 12:14 AM	28.17	91.17	5.36	7.49	47.12
21/01/25, 12:19 AM	28.16	91.01	5.36	7.49	47.18
21/01/25, 12:24 AM	28.14	90.71	5.35	7.5	47.23
21/01/25, 12:29 AM	28.11	90.43	5.34	7.49	47.28
21/01/25, 12:34 AM	28.1	90.36	5.34	7.49	47.34
21/01/25, 12:39 AM	28.11	90.02	5.33	7.49	47.39
21/01/25, 12:44 AM	28.13	89.78	5.33	7.49	47.36
21/01/25, 12:49 AM	28.11	89.83	5.34	7.49	47.42
21/01/25, 12:54 AM	28.12	90.24	5.33	7.49	47.4
21/01/25, 12:59 AM	28.09	90.09	5.33	7.49	47.35
21/01/25, 01:04 AM	28.09	90.22	5.32	7.49	47.37
21/01/25, 01:09 AM	28.09	90.23	5.32	7.49	47.35
21/01/25, 01:14 AM	28.06	90.38	5.32	7.48	47.32
21/01/25, 01:19 AM	28.09	90.14	5.33	7.48	47.25
21/01/25, 01:24 AM	28.06	90.39	5.32	7.48	47.22
21/01/25, 01:29 AM	28.09	90.07	5.31	7.49	47.18
21/01/25, 01:34 AM	28.08	90.42	5.31	7.49	47.24
21/01/25, 01:39 AM	28.05	90.69	5.31	7.49	47.26
21/01/25, 01:44 AM	28.05	90.51	5.31	7.49	47.29
21/01/25, 01:49 AM	28.05	90.87	5.31	7.49	47.26
21/01/25, 01:54 AM	28.04	90.51	5.31	7.49	47.21
21/01/25, 01:59 AM	28.06	90.44	5.31	7.5	47.18
21/01/25, 02:04 AM	28.03	90.21	5.3	7.49	47.16
21/01/25, 02:09 AM	28.06	90.17	5.3	7.49	47.15
21/01/25, 02:14 AM	28.06	90.43	5.3	7.49	47.14
21/01/25, 02:19 AM	28.09	90.55	5.31	7.48	47.16
21/01/25, 02:24 AM	28.11	90.49	5.3	7.49	47.18
21/01/25, 02:29 AM	28.14	90.42	5.3	7.48	47.22
21/01/25, 02:34 AM	28.14	90.53	5.3	7.48	47.21

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:39 AM	28.11	90.52	5.31	7.48	47.15
21/01/25, 02:44 AM	28.12	90.38	5.31	7.47	47.1
21/01/25, 02:49 AM	28.13	90.62	5.31	7.47	47.04
21/01/25, 02:54 AM	28.14	90.61	5.31	7.48	47.02
21/01/25, 02:59 AM	28.17	91	5.31	7.48	47.04
21/01/25, 03:04 AM	28.16	91.26	5.3	7.48	47.05
21/01/25, 03:09 AM	28.13	90.85	5.3	7.48	47.02
21/01/25, 03:14 AM	28.14	90.52	5.31	7.48	46.99
21/01/25, 03:19 AM	28.14	90.8	5.32	7.48	47.01
21/01/25, 03:24 AM	28.15	90.76	5.33	7.48	46.95
21/01/25, 03:29 AM	28.14	91.04	5.32	7.48	46.91
21/01/25, 03:34 AM	28.12	91	5.31	7.48	46.92
21/01/25, 03:39 AM	28.1	90.79	5.31	7.48	46.95
21/01/25, 03:44 AM	28.09	90.64	5.32	7.48	46.98
21/01/25, 03:49 AM	28.09	90.54	5.32	7.48	46.94
21/01/25, 03:54 AM	28.1	90.42	5.31	7.48	46.97
21/01/25, 03:59 AM	28.13	90.7	5.32	7.47	46.92
21/01/25, 04:04 AM	28.13	90.95	5.33	7.47	46.86
21/01/25, 04:09 AM	28.14	91.16	5.34	7.47	46.89
21/01/25, 04:14 AM	28.16	91.21	5.33	7.47	46.9
21/01/25, 04:19 AM	28.18	91.27	5.34	7.46	46.86
21/01/25, 04:24 AM	28.17	91.51	5.34	7.46	46.89
21/01/25, 04:29 AM	28.18	91.14	5.35	7.46	46.82
21/01/25, 04:34 AM	28.15	90.96	5.35	7.46	46.82
21/01/25, 04:39 AM	28.15	91.3	5.36	7.45	46.8
21/01/25, 04:44 AM	28.15	91.06	5.35	7.45	46.86
21/01/25, 04:49 AM	28.15	91.15	5.34	7.45	46.87
21/01/25, 04:54 AM	28.12	91.04	5.33	7.45	46.83
21/01/25, 04:59 AM	28.13	91.07	5.33	7.44	46.77
21/01/25, 05:04 AM	28.14	91.05	5.34	7.44	46.71
21/01/25, 05:09 AM	28.11	90.95	5.34	7.43	46.77
21/01/25, 05:14 AM	28.08	91.25	5.35	7.44	46.72
21/01/25, 05:19 AM	28.05	91.24	5.33	7.44	46.68
21/01/25, 05:24 AM	28.06	91.56	5.34	7.43	46.66

TIME	BOD	COD	DO	pH	TSS
21/01/25, 05:29 AM	28.08	91.42	5.34	7.44	46.69
21/01/25, 05:34 AM	28.1	91.37	5.35	7.45	46.65
21/01/25, 05:39 AM	28.11	91.03	5.35	7.44	46.66
21/01/25, 05:44 AM	28.09	91.28	5.34	7.43	46.66
21/01/25, 05:49 AM	28.06	91.46	5.34	7.43	46.62
21/01/25, 05:54 AM	28.05	91.22	5.34	7.44	46.66
21/01/25, 05:59 AM	28.07	91.33	5.35	7.44	46.64
21/01/25, 06:04 AM	28.05	91.4	5.35	7.44	46.65
21/01/25, 06:09 AM	28.03	91.37	5.36	7.44	46.61
21/01/25, 06:14 AM	28.03	91.61	5.37	7.44	46.58
21/01/25, 06:19 AM	28.04	91.72	5.37	7.44	46.58
21/01/25, 06:24 AM	28.06	91.37	5.38	7.44	46.53
21/01/25, 06:29 AM	28.04	91.1	5.38	7.44	46.51
21/01/25, 06:34 AM	28.05	91.03	5.39	7.44	46.47
21/01/25, 06:39 AM	28.04	91.26	5.4	7.44	46.43
21/01/25, 06:44 AM	28.02	91.44	5.39	7.43	46.38
21/01/25, 06:49 AM	28.05	91.22	5.39	7.43	46.43
21/01/25, 06:54 AM	28.07	91.1	5.4	7.44	46.42
21/01/25, 06:59 AM	28.09	91.47	5.39	7.43	46.47
21/01/25, 07:04 AM	28.08	91.34	5.38	7.43	46.44
21/01/25, 07:09 AM	28.1	91.16	5.39	7.42	46.45
21/01/25, 07:14 AM	28.12	91.25	5.39	7.42	46.41
21/01/25, 07:19 AM	28.12	91.63	5.39	7.42	46.4
21/01/25, 07:24 AM	28.15	91.46	5.4	7.42	46.44
21/01/25, 07:29 AM	28.14	91.64	5.41	7.42	46.46
21/01/25, 07:34 AM	28.16	91.99	5.42	7.42	46.41
21/01/25, 07:39 AM	28.19	91.94	5.41	7.41	46.38
21/01/25, 07:44 AM	28.21	91.97	5.41	7.42	46.34
21/01/25, 07:49 AM	28.19	92.03	5.42	7.42	46.38
21/01/25, 07:54 AM	28.19	91.79	5.42	7.41	46.42
21/01/25, 07:59 AM	28.22	92.14	5.42	7.41	46.43
21/01/25, 08:04 AM	28.23	92.02	5.41	7.41	46.46
21/01/25, 08:09 AM	28.23	91.93	5.41	7.42	46.49
21/01/25, 08:14 AM	28.21	92.11	5.41	7.41	46.49

TIME	BOD	COD	DO	pH	TSS
21/01/25, 08:19 AM	28.2	91.79	5.4	7.42	46.49
21/01/25, 08:24 AM	28.17	91.38	5.41	7.42	46.43
21/01/25, 08:29 AM	28.16	91.72	5.41	7.42	46.48
21/01/25, 08:34 AM	28.16	92.08	5.41	7.42	46.47
21/01/25, 08:39 AM	28.19	91.97	5.41	7.42	46.52
21/01/25, 08:44 AM	28.18	91.76	5.42	7.43	46.58
21/01/25, 08:49 AM	28.18	91.77	5.41	7.42	46.62
21/01/25, 08:54 AM	28.18	92.14	5.42	7.42	46.61
21/01/25, 08:59 AM	28.16	91.88	5.41	7.42	46.64
21/01/25, 09:04 AM	28.14	91.86	5.41	7.43	46.58
21/01/25, 09:09 AM	28.16	91.48	5.42	7.43	46.57
21/01/25, 09:16 AM	29.9	84.75	5.74	7.64	47.9
21/01/25, 09:22 AM	29	88.11	5.69	7.64	47.34
21/01/25, 09:26 AM	28.98	87.72	5.69	7.63	47.37
21/01/25, 09:31 AM	29.01	87.89	5.7	7.63	47.33
21/01/25, 09:36 AM	29.02	88.26	5.71	7.62	47.35
21/01/25, 09:41 AM	29.03	88.68	5.7	7.62	47.33
21/01/25, 09:46 AM	29.02	88.65	5.69	7.62	47.3
21/01/25, 09:51 AM	29.05	88.65	5.7	7.63	47.29
21/01/25, 09:56 AM	29.04	88.57	5.7	7.63	47.31
21/01/25, 10:01 AM	29.06	88.85	5.71	7.64	47.25
21/01/25, 10:06 AM	29.08	88.49	5.7	7.63	47.26
21/01/25, 10:11 AM	29.07	88.82	5.7	7.63	47.26
21/01/25, 10:16 AM	29.07	88.46	5.71	7.63	47.31
21/01/25, 10:21 AM	29.09	88.36	5.69	7.62	47.36
21/01/25, 10:26 AM	29.07	88.22	5.69	7.62	47.41
21/01/25, 10:31 AM	29.05	88.53	5.7	7.62	47.46
21/01/25, 10:36 AM	29.05	88.13	5.71	7.62	47.49
21/01/25, 10:41 AM	29.04	87.95	5.7	7.63	47.47
21/01/25, 10:46 AM	29.05	88.24	5.71	7.62	47.49
21/01/25, 10:51 AM	29.06	87.92	5.71	7.62	47.54
21/01/25, 10:56 AM	29.08	88.05	5.7	7.62	47.6
21/01/25, 11:01 AM	29.05	88.1	5.7	7.62	47.66
21/01/25, 11:06 AM	29.04	87.78	5.71	7.62	47.6

TIME	BOD	COD	DO	pH	TSS
21/01/25, 11:11 AM	29.06	88.05	5.72	7.62	47.61
21/01/25, 11:16 AM	29.04	88.42	5.73	7.62	47.58
21/01/25, 11:21 AM	29.04	88.34	5.73	7.63	47.57
21/01/25, 11:26 AM	29.02	88.28	5.73	7.63	47.52
21/01/25, 11:31 AM	29	87.88	5.72	7.62	47.46
21/01/25, 11:36 AM	28.98	87.47	5.73	7.63	47.46
21/01/25, 11:41 AM	28.96	87.74	5.72	7.62	47.45
21/01/25, 11:46 AM	28.96	87.51	5.72	7.61	47.48
21/01/25, 11:51 AM	28.98	87.8	5.71	7.61	47.42
21/01/25, 11:56 AM	29	87.58	5.71	7.61	47.35
21/01/25, 12:01 PM	28.99	87.8	5.72	7.61	47.3
21/01/25, 12:06 PM	29.02	88.08	5.72	7.6	47.29
21/01/25, 12:11 PM	29.03	88.41	5.73	7.61	47.34
21/01/25, 12:16 PM	29.04	88.63	5.72	7.6	47.35
21/01/25, 12:21 PM	29.02	88.7	5.72	7.6	47.39
21/01/25, 12:26 PM	28.99	89	5.72	7.6	47.44
21/01/25, 12:31 PM	29	89.15	5.73	7.6	47.47
21/01/25, 12:36 PM	28.98	89.5	5.73	7.6	47.42
21/01/25, 12:41 PM	29	89.25	5.74	7.59	47.36
21/01/25, 12:46 PM	28.98	89.47	5.73	7.59	47.38
21/01/25, 12:51 PM	28.97	89.82	5.72	7.59	47.39
21/01/25, 12:56 PM	28.96	89.67	5.71	7.59	47.34
21/01/25, 01:01 PM	28.96	89.56	5.71	7.59	47.38
21/01/25, 01:06 PM	28.95	89.29	5.72	7.59	47.36
21/01/25, 01:11 PM	28.94	89.69	5.71	7.58	47.33
21/01/25, 01:16 PM	28.97	89.84	5.71	7.58	47.31
21/01/25, 01:21 PM	29	89.56	5.7	7.58	47.35
21/01/25, 01:26 PM	29	89.54	5.69	7.58	47.42
21/01/25, 01:31 PM	29.03	89.21	5.7	7.57	47.39
21/01/25, 01:36 PM	29.03	88.9	5.71	7.58	47.4
21/01/25, 01:41 PM	29.02	88.74	5.72	7.58	47.46
21/01/25, 01:46 PM	29.02	89.09	5.73	7.59	47.47
21/01/25, 01:51 PM	29.04	89.08	5.73	7.58	47.41
21/01/25, 01:56 PM	29.03	88.86	5.73	7.59	47.45

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:01 PM	29.02	88.77	5.73	7.59	47.4
21/01/25, 02:06 PM	29.04	89.09	5.74	7.59	47.43
21/01/25, 02:11 PM	29.04	88.74	5.75	7.59	47.44
21/01/25, 02:16 PM	29.07	88.74	5.76	7.6	47.47
21/01/25, 02:21 PM	28.99	77.72	5.36	7.34	48.4
21/01/25, 02:26 PM	28.96	78.11	5.36	7.35	48.35
21/01/25, 02:31 PM	28.94	78.07	5.37	7.35	48.33
21/01/25, 02:36 PM	28.92	78.39	5.37	7.34	48.39
21/01/25, 02:38 PM	29.9	86.41	5.65	7.65	45.88
21/01/25, 02:42 PM	29.91	86.52	5.64	7.65	45.83
21/01/25, 02:47 PM	29.91	86.91	5.65	7.65	45.8
21/01/25, 02:52 PM	29.94	86.87	5.65	7.65	45.74
21/01/25, 02:57 PM	29.91	86.49	5.64	7.66	45.72
21/01/25, 03:02 PM	29.92	86.72	5.63	7.65	45.77
21/01/25, 03:07 PM	29.91	86.35	5.63	7.66	45.7
21/01/25, 03:12 PM	29.89	86.29	5.63	7.65	45.68
21/01/25, 03:17 PM	29.87	85.9	5.63	7.65	45.68
21/01/25, 03:22 PM	29.84	85.79	5.62	7.65	45.66
21/01/25, 03:27 PM	29.86	85.72	5.62	7.65	45.67
21/01/25, 03:32 PM	29.85	85.82	5.61	7.64	45.71
21/01/25, 03:37 PM	29.82	85.72	5.62	7.64	45.7
21/01/25, 03:42 PM	29.85	85.7	5.62	7.64	45.74
21/01/25, 03:47 PM	29.82	85.39	5.63	7.64	45.78
21/01/25, 03:52 PM	29.83	85.18	5.63	7.64	45.83
21/01/25, 03:57 PM	29.8	85.55	5.64	7.64	45.77
21/01/25, 04:02 PM	29.81	85.77	5.63	7.64	45.74
21/01/25, 04:07 PM	29.8	86.02	5.62	7.64	45.7
21/01/25, 04:13 PM	29.8	86.25	5.62	7.64	45.72
21/01/25, 04:18 PM	29.84	86.67	5.61	7.65	45.69
21/01/25, 04:23 PM	29.84	86.68	5.61	7.65	45.71
21/01/25, 04:28 PM	29.83	86.52	5.61	7.65	45.66
21/01/25, 04:33 PM	29.82	86.63	5.62	7.66	45.66
21/01/25, 04:38 PM	29.84	86.35	5.61	7.65	45.68
21/01/25, 04:43 PM	29.81	86.33	5.61	7.66	45.69

TIME	BOD	COD	DO	pH	TSS
21/01/25, 04:48 PM	29.79	86.36	5.62	7.66	45.63
21/01/25, 04:53 PM	29.82	86.36	5.62	7.66	45.6
21/01/25, 04:58 PM	29.83	86.05	5.62	7.66	45.59
21/01/25, 05:03 PM	29.81	86.12	5.63	7.66	45.58
21/01/25, 05:08 PM	29.83	86.32	5.64	7.65	45.62
21/01/25, 05:13 PM	29.81	86.19	5.64	7.65	45.67
21/01/25, 05:18 PM	29.79	86.35	5.64	7.65	45.66
21/01/25, 05:23 PM	29.77	86.7	5.64	7.65	45.64
21/01/25, 05:28 PM	29.78	86.52	5.65	7.65	45.59
21/01/25, 05:33 PM	29.75	86.69	5.66	7.65	45.61
21/01/25, 05:38 PM	29.78	86.84	5.66	7.65	45.66
21/01/25, 05:43 PM	29.79	87.15	5.65	7.64	45.72
21/01/25, 05:48 PM	29.76	87.17	5.66	7.64	45.77
21/01/25, 05:53 PM	29.77	87.24	5.65	7.65	45.71
21/01/25, 05:58 PM	29.74	86.83	5.65	7.64	45.68
21/01/25, 06:03 PM	29.75	86.58	5.65	7.65	45.68
21/01/25, 06:08 PM	29.75	86.86	5.66	7.64	45.62
21/01/25, 06:13 PM	29.73	86.77	5.66	7.65	45.59
21/01/25, 06:18 PM	29.71	87.01	5.66	7.65	45.52
21/01/25, 06:23 PM	29.74	87.36	5.64	7.65	45.57
21/01/25, 06:28 PM	29.73	87.51	5.65	7.64	45.62
21/01/25, 06:33 PM	29.74	87.27	5.64	7.64	45.56
21/01/25, 06:35 PM	28.65	78.91	5.76	7.56	46.9
21/01/25, 06:39 PM	28.62	79.08	5.77	7.56	46.95
21/01/25, 06:43 PM	29.78	90.03	5.41	7.67	48.33
21/01/25, 06:48 PM	29.81	89.78	5.4	7.67	48.28
21/01/25, 06:53 PM	29.78	89.38	5.41	7.67	48.29
21/01/25, 06:58 PM	29.75	89.12	5.41	7.67	48.25
21/01/25, 07:03 PM	29.77	89.11	5.4	7.67	48.25
21/01/25, 07:08 PM	29.77	88.99	5.4	7.67	48.21
21/01/25, 07:13 PM	29.8	88.67	5.41	7.67	48.18
21/01/25, 07:17 PM	28.06	79.04	5.55	7.66	47.8
21/01/25, 07:21 PM	28.08	79.2	5.56	7.66	47.79
21/01/25, 07:26 PM	28.1	79.6	5.56	7.66	47.75

TIME	BOD	COD	DO	pH	TSS
21/01/25, 07:31 PM	28.11	79.67	5.55	7.66	47.73
21/01/25, 07:36 PM	28.12	79.56	5.55	7.66	47.77
21/01/25, 07:41 PM	28.11	79.95	5.55	7.65	47.73
21/01/25, 07:46 PM	28.1	79.88	5.55	7.64	47.75
21/01/25, 07:51 PM	28.09	79.85	5.54	7.64	47.81
21/01/25, 07:56 PM	28.1	79.46	5.54	7.65	47.77
21/01/25, 08:00 PM	29.58	83.37	5.9	7.44	48.27
21/01/25, 08:05 PM	29.6	83.76	5.9	7.43	48.27
21/01/25, 08:10 PM	29.59	83.9	5.9	7.43	48.29
21/01/25, 08:15 PM	29.56	84.22	5.91	7.42	48.25
21/01/25, 08:20 PM	29.55	84.39	5.91	7.43	48.27
21/01/25, 08:25 PM	29.56	84.53	5.92	7.43	48.3
21/01/25, 08:30 PM	29.56	84.25	5.91	7.44	48.35
21/01/25, 08:35 PM	29.57	84.44	5.91	7.44	48.42
21/01/25, 08:40 PM	29.57	84.59	5.9	7.44	48.42
21/01/25, 08:45 PM	29.58	84.45	5.9	7.44	48.47
21/01/25, 08:50 PM	29.59	84.33	5.91	7.44	48.41
21/01/25, 08:55 PM	29.57	84.72	5.9	7.44	48.48
21/01/25, 09:00 PM	29.54	84.85	5.9	7.44	48.48
21/01/25, 09:05 PM	29.57	84.89	5.9	7.45	48.53
21/01/25, 09:10 PM	29.56	85.26	5.89	7.45	48.53
21/01/25, 09:15 PM	29.59	85.27	5.89	7.44	48.56
21/01/25, 09:20 PM	29.56	85.25	5.89	7.44	48.53
21/01/25, 09:25 PM	29.59	85.63	5.89	7.44	48.46
21/01/25, 09:30 PM	29.61	86.02	5.89	7.44	48.44
21/01/25, 09:35 PM	29.6	86.09	5.89	7.44	48.39
21/01/25, 09:40 PM	29.59	86.23	5.9	7.44	48.42
21/01/25, 09:45 PM	29.59	86.06	5.9	7.44	48.45
21/01/25, 09:50 PM	28.56	85.25	5.41	7.33	48.99
21/01/25, 09:54 PM	28.55	85.44	5.42	7.33	49.04
21/01/25, 09:57 PM	28.65	92.54	5.44	7.38	47.4
21/01/25, 09:58 PM	28.36	79.93	5.51	7.66	46.8
21/01/25, 10:03 PM	28.34	79.86	5.51	7.66	46.86
21/01/25, 10:08 PM	28.34	79.51	5.51	7.65	46.89

TIME	BOD	COD	DO	pH	TSS
21/01/25, 10:13 PM	28.35	79.34	5.51	7.65	46.86
21/01/25, 10:18 PM	28.35	78.94	5.5	7.66	46.8
21/01/25, 10:23 PM	28.33	79.2	5.51	7.65	46.82
21/01/25, 10:28 PM	28.31	79.4	5.51	7.66	46.82
21/01/25, 10:33 PM	28.29	79.4	5.51	7.65	46.8
21/01/25, 10:38 PM	28.28	79.74	5.52	7.65	46.76
21/01/25, 10:43 PM	28.27	79.62	5.52	7.66	46.73
21/01/25, 10:48 PM	28.24	79.81	5.52	7.66	46.76
21/01/25, 10:53 PM	28.27	79.8	5.52	7.66	46.78
21/01/25, 10:58 PM	28.28	79.8	5.53	7.67	46.75
21/01/25, 11:03 PM	28.27	79.66	5.53	7.67	46.73
21/01/25, 11:08 PM	28.3	79.8	5.54	7.67	46.75
21/01/25, 11:13 PM	28.32	79.57	5.53	7.67	46.76
21/01/25, 11:18 PM	28.28	79.51	5.54	7.68	46.7
21/01/25, 11:23 PM	28.26	79.67	5.54	7.68	46.72
21/01/25, 11:28 PM	28.27	79.41	5.54	7.68	46.66
21/01/25, 11:33 PM	28.27	79.78	5.54	7.68	46.62
21/01/25, 11:38 PM	28.29	79.58	5.54	7.68	46.64
21/01/25, 11:43 PM	28.3	79.56	5.54	7.68	46.62
21/01/25, 11:48 PM	28.29	79.56	5.54	7.68	46.58
21/01/25, 11:53 PM	28.26	79.93	5.53	7.68	46.64
21/01/25, 11:58 PM	28.28	80.24	5.52	7.68	46.68



## Water Quality Report: Shivkuti Drain

TIME	BOD	COD	DO	pH	TSS
11/02/25, 12:03 AM	28.81	91.73	6.16	7.85	48.26
11/02/25, 12:08 AM	28.77	91.82	6.13	7.87	48.28
11/02/25, 12:13 AM	28.7	92.01	6.12	7.85	48.29
11/02/25, 12:18 AM	28.67	91.81	6.09	7.85	48.3
11/02/25, 12:23 AM	28.68	91.79	6.12	7.83	48.38
11/02/25, 12:28 AM	28.75	91.61	6.14	7.81	48.39
11/02/25, 12:33 AM	28.76	91.67	6.12	7.83	48.35
11/02/25, 12:38 AM	28.73	91.76	6.12	7.85	48.37
11/02/25, 12:43 AM	28.73	91.59	6.11	7.84	48.36
11/02/25, 12:48 AM	28.68	91.73	6.09	7.86	48.27
11/02/25, 12:53 AM	28.74	91.73	6.12	7.84	48.34
11/02/25, 12:59 AM	28.68	91.76	6.14	7.83	48.29
11/02/25, 01:04 AM	28.67	91.62	6.14	7.86	48.22
11/02/25, 01:09 AM	28.6	91.81	6.16	7.84	48.24
11/02/25, 01:14 AM	28.54	91.97	6.16	7.82	48.17
11/02/25, 01:19 AM	28.56	92.15	6.16	7.84	48.13
11/02/25, 01:24 AM	28.62	92.11	6.13	7.85	48.16
11/02/25, 01:29 AM	28.56	92.28	6.15	7.84	48.09
11/02/25, 01:34 AM	28.51	92.15	6.13	7.84	48.06
11/02/25, 01:39 AM	28.46	91.97	6.15	7.86	48.12
11/02/25, 01:44 AM	28.4	91.86	6.16	7.85	48.17
11/02/25, 01:49 AM	28.46	91.95	6.16	7.86	48.09
11/02/25, 01:54 AM	28.43	92.13	6.16	7.84	48
11/02/25, 01:59 AM	28.47	92.09	6.13	7.84	48.05
11/02/25, 02:04 AM	28.52	92.08	6.12	7.82	48.02
11/02/25, 02:09 AM	28.49	92.01	6.13	7.81	47.98
11/02/25, 02:14 AM	28.54	91.84	6.13	7.81	47.95
11/02/25, 02:19 AM	28.52	91.68	6.12	7.82	47.9
11/02/25, 02:24 AM	28.54	91.69	6.14	7.8	47.89
11/02/25, 02:29 AM	28.6	91.71	6.16	7.82	47.84
11/02/25, 02:34 AM	28.6	91.81	6.15	7.81	47.76

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:39 AM	28.65	91.64	6.16	7.81	47.75
11/02/25, 02:44 AM	28.7	91.71	6.2	7.8	47.68
11/02/25, 02:49 AM	28.78	91.58	6.2	7.82	47.76
11/02/25, 02:54 AM	28.79	91.71	6.17	7.82	47.79
11/02/25, 02:59 AM	28.74	91.81	6.19	7.81	47.77
11/02/25, 03:04 AM	28.69	91.62	6.23	7.81	47.84
11/02/25, 03:09 AM	28.69	91.62	6.21	7.8	47.84
11/02/25, 03:14 AM	28.68	91.4	6.21	7.82	47.8
11/02/25, 03:19 AM	28.63	91.31	6.2	7.8	47.76
11/02/25, 03:24 AM	28.57	91.53	6.21	7.78	47.76
11/02/25, 03:29 AM	28.57	91.32	6.25	7.78	47.75
11/02/25, 03:34 AM	28.5	91.34	6.25	7.78	47.82
11/02/25, 03:39 AM	28.55	91.28	6.29	7.76	47.82
11/02/25, 03:44 AM	28.48	91.34	6.28	7.77	47.81
11/02/25, 03:49 AM	28.47	91.45	6.27	7.76	47.75
11/02/25, 03:54 AM	28.53	91.49	6.3	7.74	47.7
11/02/25, 03:59 AM	28.51	91.51	6.29	7.76	47.74
11/02/25, 04:04 AM	28.57	91.49	6.32	7.75	47.69
11/02/25, 04:09 AM	28.57	91.53	6.35	7.77	47.67
11/02/25, 04:14 AM	28.59	91.72	6.36	7.77	47.66
11/02/25, 04:19 AM	28.65	91.91	6.35	7.79	47.75
11/02/25, 04:24 AM	28.67	91.92	6.34	7.79	47.74
11/02/25, 04:29 AM	28.62	91.95	6.31	7.78	47.65
11/02/25, 04:34 AM	28.63	91.87	6.3	7.79	47.65
11/02/25, 04:39 AM	28.65	91.79	6.28	7.79	47.56
11/02/25, 04:44 AM	28.66	91.97	6.3	7.79	47.65
11/02/25, 04:49 AM	28.59	91.9	6.31	7.8	47.62
11/02/25, 04:54 AM	28.64	91.9	6.34	7.82	47.65
11/02/25, 04:59 AM	28.58	91.99	6.34	7.84	47.68
11/02/25, 05:04 AM	28.62	91.81	6.35	7.82	47.74
11/02/25, 05:09 AM	28.61	91.92	6.32	7.85	47.83
11/02/25, 05:14 AM	28.65	91.87	6.31	7.84	47.77
11/02/25, 05:19 AM	28.68	91.82	6.34	7.82	47.69
11/02/25, 05:24 AM	28.75	91.66	6.38	7.8	47.65

TIME	BOD	COD	DO	pH	TSS
11/02/25, 05:29 AM	28.69	91.84	6.4	7.79	47.69
11/02/25, 05:34 AM	28.64	91.8	6.42	7.79	47.74
11/02/25, 05:39 AM	28.66	91.67	6.45	7.78	47.83
11/02/25, 05:44 AM	28.65	91.67	6.45	7.78	47.79
11/02/25, 05:49 AM	28.65	91.85	6.42	7.79	47.83
11/02/25, 05:54 AM	28.63	91.69	6.43	7.79	47.75
11/02/25, 05:59 AM	28.61	91.72	6.44	7.77	47.76
11/02/25, 06:04 AM	28.55	91.71	6.42	7.77	47.72
11/02/25, 06:09 AM	28.56	91.53	6.44	7.78	47.64
11/02/25, 06:14 AM	28.54	91.72	6.41	7.79	47.72
11/02/25, 06:19 AM	28.51	91.52	6.4	7.79	47.64
11/02/25, 06:24 AM	28.44	91.42	6.39	7.8	47.56
11/02/25, 06:29 AM	28.42	91.5	6.41	7.81	47.6
11/02/25, 06:34 AM	28.39	91.38	6.38	7.81	47.66
11/02/25, 06:39 AM	28.43	91.21	6.34	7.82	47.74
11/02/25, 06:44 AM	28.47	91.17	6.34	7.84	47.79
11/02/25, 06:49 AM	28.44	91.31	6.34	7.85	47.74
11/02/25, 06:54 AM	28.51	91.52	6.31	7.85	47.71
11/02/25, 06:59 AM	28.49	91.7	6.32	7.83	47.8
11/02/25, 07:04 AM	28.51	91.65	6.33	7.83	47.84
11/02/25, 07:09 AM	28.58	91.78	6.36	7.82	47.87
11/02/25, 07:14 AM	28.57	91.82	6.37	7.83	47.8
11/02/25, 07:19 AM	28.59	91.91	6.37	7.82	47.77
11/02/25, 07:24 AM	28.65	91.81	6.4	7.83	47.85
11/02/25, 07:29 AM	28.65	91.9	6.43	7.84	47.86
11/02/25, 07:34 AM	28.61	91.85	6.4	7.83	47.88
11/02/25, 07:39 AM	28.54	92.03	6.38	7.83	47.87
11/02/25, 07:44 AM	28.52	91.9	6.42	7.83	47.83
11/02/25, 07:49 AM	28.48	92.11	6.42	7.82	47.74
11/02/25, 07:54 AM	28.45	92.17	6.44	7.82	47.69
11/02/25, 07:59 AM	28.49	92.05	6.43	7.8	47.75
11/02/25, 08:04 AM	28.51	91.83	6.47	7.78	47.71
11/02/25, 08:09 AM	28.48	91.78	6.47	7.76	47.75
11/02/25, 08:14 AM	28.45	91.95	6.48	7.77	47.72

TIME	BOD	COD	DO	pH	TSS
11/02/25, 08:19 AM	28.41	92.03	6.5	7.78	47.71
11/02/25, 08:24 AM	28.39	91.98	6.5	7.76	47.73
11/02/25, 08:29 AM	28.38	92.19	6.49	7.76	47.81
11/02/25, 08:34 AM	28.45	92.38	6.49	7.74	47.75
11/02/25, 08:39 AM	28.45	92.32	6.52	7.75	47.77
11/02/25, 08:44 AM	28.42	92.28	6.5	7.74	47.79
11/02/25, 08:49 AM	28.44	92.46	6.47	7.75	47.73
11/02/25, 08:54 AM	28.44	92.51	6.44	7.74	47.7
11/02/25, 08:59 AM	28.46	92.44	6.41	7.73	47.64
11/02/25, 09:04 AM	28.42	92.27	6.38	7.75	47.56
11/02/25, 09:09 AM	28.46	92.18	6.36	7.74	47.65
11/02/25, 09:14 AM	28.49	92.05	6.39	7.74	47.66
11/02/25, 09:19 AM	28.53	92.12	6.41	7.76	47.7
11/02/25, 09:24 AM	28.59	91.93	6.43	7.74	47.66
11/02/25, 09:29 AM	28.63	91.98	6.45	7.75	47.68
11/02/25, 09:34 AM	28.63	91.83	6.42	7.75	47.6
11/02/25, 09:39 AM	28.62	91.87	6.43	7.74	47.51
11/02/25, 09:47 AM	27.43	90.7	6.17	8	48.59
11/02/25, 09:52 AM	27.4	90.73	6.16	7.99	48.61
11/02/25, 09:57 AM	27.46	90.74	6.13	7.97	48.56
11/02/25, 10:02 AM	27.46	90.55	6.16	7.98	48.65
11/02/25, 10:07 AM	27.45	90.35	6.16	7.98	48.63
11/02/25, 10:12 AM	27.41	90.52	6.19	7.97	48.67
11/02/25, 10:17 AM	27.35	90.54	6.23	7.96	48.74
11/02/25, 10:22 AM	27.36	90.51	6.24	7.97	48.72
11/02/25, 10:27 AM	27.34	90.67	6.21	7.95	48.79
11/02/25, 10:32 AM	27.37	90.68	6.21	7.95	48.76
11/02/25, 10:37 AM	27.43	90.58	6.19	7.96	48.74
11/02/25, 10:42 AM	27.37	90.58	6.16	7.98	48.77
11/02/25, 10:47 AM	27.43	90.48	6.15	7.98	48.75
11/02/25, 10:52 AM	27.45	90.42	6.16	7.97	48.7
11/02/25, 10:57 AM	27.52	90.25	6.15	7.96	48.75
11/02/25, 11:02 AM	27.52	90.33	6.14	7.94	48.68
11/02/25, 11:07 AM	27.5	90.31	6.12	7.95	48.68

TIME	BOD	COD	DO	pH	TSS
11/02/25, 11:12 AM	27.52	90.12	6.09	7.97	48.73
11/02/25, 11:17 AM	27.47	90.2	6.07	7.97	48.74
11/02/25, 11:22 AM	27.5	90.35	6.07	7.96	48.77
11/02/25, 11:27 AM	27.45	90.28	6.05	7.95	48.68
11/02/25, 11:32 AM	27.46	90.39	6.02	7.97	48.6
11/02/25, 11:37 AM	27.43	90.56	6	7.97	48.6
11/02/25, 11:42 AM	27.43	90.69	6	7.97	48.66
11/02/25, 11:47 AM	27.5	90.84	6.04	7.97	48.67
11/02/25, 11:52 AM	27.77	91.46	6	7.99	48.69
11/02/25, 11:57 AM	29.1	94.29	6.03	7.97	48.78
11/02/25, 12:02 PM	30.41	97.29	6.06	7.96	48.76
11/02/25, 12:07 PM	31.8	100.33	6.06	7.96	48.74
11/02/25, 12:12 PM	32.29	103.16	6.06	7.95	48.72
11/02/25, 12:17 PM	32.28	106.18	6.08	7.97	48.8
11/02/25, 12:22 PM	32.27	106.19	6.05	7.96	48.81
11/02/25, 12:27 PM	32.25	106.19	6.03	7.94	48.84
11/02/25, 12:32 PM	32.23	106.09	6.01	7.93	48.85
11/02/25, 12:37 PM	32.24	106.06	6.01	7.92	48.86
11/02/25, 12:42 PM	32.23	106.05	5.99	7.92	48.81
11/02/25, 12:47 PM	32.22	106.12	5.98	7.9	48.79
11/02/25, 12:52 PM	32.23	106.11	5.95	7.88	48.72
11/02/25, 12:57 PM	32.19	106.18	5.97	7.87	48.68
11/02/25, 01:02 PM	32.23	105.54	6	7.88	48.59
11/02/25, 01:07 PM	31.98	102.2	5.99	7.86	48.66
11/02/25, 01:12 PM	30.73	99.32	6.02	7.89	48.75
11/02/25, 01:17 PM	29.65	96.21	6.01	7.89	48.67
11/02/25, 01:22 PM	28.46	96.09	6.03	7.89	48.73
11/02/25, 01:27 PM	27.26	96.12	6.07	7.88	48.8
11/02/25, 01:32 PM	27.21	96.2	6.07	7.89	48.75
11/02/25, 01:37 PM	27.21	96.08	6.04	7.86	48.74
11/02/25, 01:42 PM	27.17	96.19	6.03	7.86	48.83
11/02/25, 01:47 PM	27.12	96.18	6.02	7.83	48.77
11/02/25, 01:52 PM	27.07	96.1	6.02	7.85	48.78
11/02/25, 01:57 PM	27.08	96.07	6.02	7.86	48.71

TIME	BOD	COD	DO	pH	TSS
11/02/25, 02:02 PM	27.02	96.25	6.02	7.86	48.76
11/02/25, 02:07 PM	27.05	96.03	6	7.87	48.7
11/02/25, 02:12 PM	27.01	96.24	6.04	7.86	48.78
11/02/25, 02:17 PM	27.07	96.19	6.02	7.88	48.72
11/02/25, 02:22 PM	27.07	96.36	6.03	7.86	48.74
11/02/25, 02:27 PM	27.09	96.54	6.04	7.87	48.78
11/02/25, 02:32 PM	27.12	96.44	6.02	7.89	48.79
11/02/25, 02:37 PM	27.07	96.3	5.99	7.92	48.74
11/02/25, 02:42 PM	27	96.4	5.98	7.93	48.7
11/02/25, 02:47 PM	27.05	96.55	5.96	7.95	48.77
11/02/25, 02:53 PM	27.01	96.68	5.94	7.94	48.72
11/02/25, 02:58 PM	27.07	96.72	5.96	7.92	48.75
11/02/25, 03:03 PM	27.1	96.53	5.96	7.92	48.71
11/02/25, 03:08 PM	27.16	96.54	5.94	7.93	48.75
11/02/25, 03:13 PM	27.09	96.57	5.95	7.92	48.73
11/02/25, 03:18 PM	27.15	96.62	5.95	7.94	48.66
11/02/25, 03:23 PM	27.17	96.8	5.95	7.92	48.71
11/02/25, 03:28 PM	27.23	96.6	5.96	7.94	48.68
11/02/25, 03:33 PM	27.27	96.68	5.94	7.92	48.68
11/02/25, 03:38 PM	27.34	96.67	5.93	7.94	48.64
11/02/25, 03:43 PM	27.33	96.74	5.91	7.93	48.67
11/02/25, 03:48 PM	27.31	96.52	5.89	7.94	48.76
11/02/25, 03:53 PM	27.26	96.58	5.92	7.92	48.67
11/02/25, 03:58 PM	27.3	96.63	5.93	7.92	48.65
11/02/25, 04:03 PM	27.37	96.62	5.94	7.94	48.66
11/02/25, 04:08 PM	27.32	96.59	5.93	7.96	48.74
11/02/25, 04:13 PM	27.39	96.73	5.92	7.95	48.66
11/02/25, 04:18 PM	27.32	96.62	5.91	7.97	48.74
11/02/25, 04:23 PM	27.38	96.69	5.94	7.97	48.67
11/02/25, 04:28 PM	27.44	96.58	5.91	7.97	48.7
11/02/25, 04:33 PM	27.48	96.59	5.93	7.96	48.64
11/02/25, 04:38 PM	27.41	96.52	5.91	7.95	48.69
11/02/25, 04:43 PM	27.46	96.44	5.88	7.94	48.7
11/02/25, 04:48 PM	27.5	96.51	5.86	7.91	48.79

TIME	BOD	COD	DO	pH	TSS
11/02/25, 04:53 PM	27.56	96.58	5.86	7.9	48.82
11/02/25, 04:58 PM	27.58	96.53	5.86	7.91	48.78
11/02/25, 05:03 PM	27.52	96.73	5.88	7.93	48.76
11/02/25, 05:08 PM	27.56	96.7	5.87	7.94	48.68
11/02/25, 05:13 PM	27.49	96.82	5.88	7.94	48.69
11/02/25, 05:18 PM	27.55	96.89	5.87	7.94	48.6
11/02/25, 05:23 PM	27.56	96.7	5.87	7.96	48.54
11/02/25, 05:28 PM	27.56	96.91	5.88	7.94	48.54
11/02/25, 05:33 PM	27.5	97.11	5.89	7.95	48.5
11/02/25, 05:38 PM	27.48	97.31	5.92	7.95	48.49
11/02/25, 05:43 PM	27.42	97.41	5.9	7.96	48.48
11/02/25, 05:48 PM	27.35	97.25	5.91	7.98	48.5
11/02/25, 05:53 PM	27.37	97.19	5.94	7.98	48.46
11/02/25, 05:58 PM	27.39	97.17	5.91	7.98	48.55
11/02/25, 06:03 PM	27.32	97.36	5.92	7.99	48.56
11/02/25, 06:08 PM	27.29	97.43	5.93	7.99	48.53
11/02/25, 06:13 PM	27.25	97.3	5.96	8.	48.47
11/02/25, 06:18 PM	27.2	97.5	5.99	8.02	48.4
11/02/25, 06:23 PM	27.13	97.7	5.98	8.03	48.34
11/02/25, 06:28 PM	27.16	97.66	5.96	8.02	48.38
11/02/25, 06:33 PM	27.16	97.59	5.93	8	48.4
11/02/25, 06:38 PM	27.16	97.41	5.97	8.01	48.38
11/02/25, 06:43 PM	27.2	97.51	5.95	8.03	48.3
11/02/25, 06:48 PM	27.15	97.67	5.98	8.04	48.33
11/02/25, 06:53 PM	27.16	97.8	6.01	8.06	48.41
11/02/25, 06:58 PM	27.21	97.75	6.03	8.07	48.44
11/02/25, 07:03 PM	27.17	97.61	6.01	8.06	48.43
11/02/25, 07:08 PM	27.11	97.81	6.04	8.07	48.44
11/02/25, 07:13 PM	27.18	97.98	6.04	8.08	48.42
11/02/25, 07:18 PM	27.2	98.15	6.08	8.06	48.38
11/02/25, 07:23 PM	27.16	98.21	6.08	8.06	48.37
11/02/25, 07:28 PM	27.15	98.36	6.09	8.05	48.45
11/02/25, 07:33 PM	27.15	98.5	6.07	8.03	48.45
11/02/25, 07:38 PM	27.16	98.48	6.1	8.02	48.45

TIME	BOD	COD	DO	pH	TSS
11/02/25, 07:43 PM	27.22	98.36	6.09	7.99	48.37
11/02/25, 07:48 PM	27.15	98.42	6.11	7.97	48.43
11/02/25, 07:53 PM	27.23	98.27	6.14	7.97	48.48
11/02/25, 07:58 PM	27.17	98.23	6.14	7.99	48.45
11/02/25, 08:03 PM	27.21	98.24	6.13	7.99	48.45
11/02/25, 08:08 PM	27.14	98.16	6.14	8	48.42
11/02/25, 08:13 PM	27.12	98.26	6.14	8.01	48.39
11/02/25, 08:18 PM	27.1	98.17	6.17	8.04	48.47
11/02/25, 08:23 PM	27.08	98.3	6.21	8.03	48.52
11/02/25, 08:28 PM	27.15	98.2	6.21	8.02	48.43
11/02/25, 08:33 PM	27.21	98.32	6.19	8.01	48.37
11/02/25, 08:38 PM	27.26	98.49	6.16	8.01	48.29
11/02/25, 08:43 PM	27.2	98.4	6.15	8.03	48.39
11/02/25, 08:48 PM	27.21	98.24	6.15	8.03	48.4
11/02/25, 08:53 PM	27.24	98.38	6.14	8	48.47
11/02/25, 08:58 PM	27.21	98.41	6.18	8.02	48.42
11/02/25, 09:03 PM	27.23	98.6	6.18	8.01	48.35
11/02/25, 09:08 PM	27.26	98.63	6.22	8.01	48.39
11/02/25, 09:13 PM	27.29	98.81	6.23	8	48.36
11/02/25, 09:18 PM	27.35	98.78	6.26	7.98	48.37
11/02/25, 09:23 PM	27.3	98.92	6.24	7.99	48.35
11/02/25, 09:28 PM	27.31	99.01	6.21	8.01	48.35
11/02/25, 09:33 PM	27.36	98.87	6.22	8.03	48.28
11/02/25, 09:38 PM	27.37	98.67	6.23	8.03	48.31
11/02/25, 09:43 PM	27.44	98.64	6.22	8.05	48.39
11/02/25, 09:48 PM	27.38	98.45	6.21	8.07	48.32
11/02/25, 09:53 PM	27.31	98.4	6.25	8.05	48.25
11/02/25, 09:58 PM	27.24	98.21	6.27	8.07	48.33
11/02/25, 10:03 PM	27.24	98.12	6.28	8.05	48.32
11/02/25, 10:08 PM	27.27	98.32	6.24	8.07	48.39
11/02/25, 10:13 PM	27.32	98.3	6.21	8.06	48.3
11/02/25, 10:18 PM	27.3	98.29	6.2	8.07	48.31
11/02/25, 10:23 PM	27.27	98.15	6.18	8.07	48.33
11/02/25, 10:28 PM	27.21	98.25	6.18	8.06	48.32

TIME	BOD	COD	DO	pH	TSS
11/02/25, 10:33 PM	27.16	98.37	6.19	8.08	48.35
11/02/25, 10:38 PM	27.17	98.41	6.23	8.07	48.37
11/02/25, 10:43 PM	27.15	98.32	6.25	8.05	48.37
11/02/25, 10:48 PM	27.16	98.32	6.23	8.06	48.36
11/02/25, 10:53 PM	27.18	98.27	6.23	8.04	48.41
11/02/25, 10:58 PM	27.19	98.3	6.2	8.03	48.42
11/02/25, 11:03 PM	27.17	98.47	6.18	8.03	48.4
11/02/25, 11:08 PM	27.19	98.53	6.18	8.03	48.42
11/02/25, 11:13 PM	27.26	98.57	6.16	8.04	48.4
11/02/25, 11:18 PM	27.24	98.62	6.2	8.02	48.45
11/02/25, 11:23 PM	27.26	98.71	6.19	8.04	48.39
11/02/25, 11:28 PM	27.22	98.72	6.21	8.06	48.33
11/02/25, 11:33 PM	27.18	98.61	6.2	8.06	48.29
11/02/25, 11:38 PM	27.11	98.45	6.23	8.09	48.2
11/02/25, 11:43 PM	27.07	98.66	6.25	8.08	48.27
11/02/25, 11:48 PM	27.04	98.44	6.24	8.1	48.36
11/02/25, 11:53 PM	27.04	98.48	6.23	8.07	48.31
11/02/25, 11:58 PM	27.01	98.51	6.23	8.05	48.36



## Water Quality Report: Shivkuti Drain

TIME	BOD	COD	DO	pH	TSS
04/02/25, 12:01 AM	28.04	90.12	6.07	7.71	48.46
04/02/25, 12:06 AM	28.05	89.92	6.07	7.7	48.47
04/02/25, 12:11 AM	28.09	90	6.06	7.71	48.52
04/02/25, 12:16 AM	28.03	89.92	6.04	7.72	48.54
04/02/25, 12:21 AM	28.06	90.03	6.03	7.74	48.6
04/02/25, 12:26 AM	28.06	90.13	6.02	7.75	48.6
04/02/25, 12:31 AM	28.12	90.08	5.98	7.76	48.57
04/02/25, 12:36 AM	28.07	90.21	5.96	7.74	48.49
04/02/25, 12:41 AM	28.05	90.36	5.96	7.73	48.43
04/02/25, 12:46 AM	28.07	90.37	5.98	7.72	48.44
04/02/25, 12:51 AM	28.03	90.31	5.98	7.72	48.43
04/02/25, 12:56 AM	28.01	90.52	5.98	7.73	48.4
04/02/25, 01:01 AM	27.94	90.42	5.96	7.73	48.38
04/02/25, 01:06 AM	28.01	90.42	5.95	7.74	48.37
04/02/25, 01:11 AM	28.06	90.38	5.95	7.75	48.44
04/02/25, 01:16 AM	28.06	90.18	5.95	7.74	48.52
04/02/25, 01:21 AM	28.1	90.03	5.97	7.77	48.5
04/02/25, 01:26 AM	28.09	90.11	5.98	7.75	48.44
04/02/25, 01:31 AM	28.06	90.06	5.98	7.73	48.49
04/02/25, 01:36 AM	28.06	90.12	6.01	7.74	48.48
04/02/25, 01:41 AM	28.12	90.34	5.97	7.73	48.45
04/02/25, 01:46 AM	28.16	90.29	6	7.71	48.39
04/02/25, 01:51 AM	28.15	90.24	5.98	7.72	48.48
04/02/25, 01:56 AM	28.16	90.31	5.96	7.73	48.48
04/02/25, 02:01 AM	28.22	90.22	5.96	7.7	48.39
04/02/25, 02:06 AM	28.23	90.39	6	7.72	48.35
04/02/25, 02:11 AM	28.16	90.57	5.99	7.7	48.29
04/02/25, 02:16 AM	28.15	90.71	6.01	7.72	48.32
04/02/25, 02:21 AM	28.12	90.77	6.01	7.71	48.39
04/02/25, 02:26 AM	28.19	90.56	5.98	7.72	48.34
04/02/25, 02:31 AM	28.19	90.47	6.02	7.72	48.43

TIME	BOD	COD	DO	pH	TSS
04/02/25, 02:36 AM	28.2	90.36	6.04	7.74	48.37
04/02/25, 02:41 AM	28.17	90.41	6.01	7.71	48.37
04/02/25, 02:46 AM	28.11	90.54	6.01	7.71	48.42
04/02/25, 02:51 AM	28.07	90.71	6.01	7.73	48.47
04/02/25, 02:56 AM	28.01	90.91	6.04	7.74	48.5
04/02/25, 03:01 AM	28.01	91.02	6.03	7.73	48.52
04/02/25, 03:06 AM	27.99	91.23	6.02	7.71	48.55
04/02/25, 03:11 AM	28	91.25	5.99	7.72	48.58
04/02/25, 03:16 AM	28.06	91.11	5.97	7.7	48.49
04/02/25, 03:21 AM	28.04	90.89	5.97	7.71	48.47
04/02/25, 03:26 AM	28.09	90.93	5.99	7.69	48.55
04/02/25, 03:31 AM	28.08	91.09	6	7.7	48.49
04/02/25, 03:36 AM	28.15	91.28	5.96	7.69	48.57
04/02/25, 03:41 AM	28.14	91.22	5.95	7.71	48.63
04/02/25, 03:46 AM	28.12	91.06	5.94	7.71	48.69
04/02/25, 03:51 AM	28.12	91.16	5.94	7.69	48.72
04/02/25, 03:56 AM	28.09	91.11	5.93	7.69	48.71
04/02/25, 04:01 AM	28.04	91.17	5.96	7.7	48.66
04/02/25, 04:06 AM	28.06	91.11	5.94	7.7	48.64
04/02/25, 04:11 AM	28.06	91.16	5.92	7.7	48.55
04/02/25, 04:16 AM	28.09	91.05	5.93	7.7	48.59
04/02/25, 04:21 AM	28.14	90.94	5.97	7.68	48.66
04/02/25, 04:26 AM	28.13	91.07	5.96	7.7	48.65
04/02/25, 04:31 AM	28.2	90.88	5.99	7.69	48.57
04/02/25, 04:36 AM	28.21	91.06	6.01	7.67	48.56
04/02/25, 04:41 AM	28.28	90.93	6	7.69	48.48
04/02/25, 04:46 AM	28.3	90.85	5.99	7.67	48.51
04/02/25, 04:51 AM	28.34	90.94	6	7.65	48.57
04/02/25, 04:56 AM	28.38	90.73	5.97	7.67	48.59
04/02/25, 05:01 AM	28.37	90.65	5.94	7.67	48.53
04/02/25, 05:06 AM	28.37	90.44	5.92	7.67	48.62
04/02/25, 05:11 AM	28.33	90.32	5.95	7.67	48.59
04/02/25, 05:16 AM	28.39	90.41	5.98	7.68	48.63
04/02/25, 05:21 AM	28.42	90.6	6.01	7.67	48.7

TIME	BOD	COD	DO	pH	TSS
04/02/25, 05:26 AM	28.4	90.75	5.98	7.66	48.64
04/02/25, 05:31 AM	28.36	90.63	5.98	7.65	48.57
04/02/25, 05:36 AM	28.3	90.69	6	7.65	48.56
04/02/25, 05:41 AM	28.36	90.88	5.98	7.63	48.5
04/02/25, 05:46 AM	28.37	90.91	5.95	7.64	48.53
04/02/25, 05:51 AM	28.41	90.83	5.92	7.62	48.56
04/02/25, 05:56 AM	28.38	90.69	5.92	7.61	48.56
04/02/25, 06:01 AM	28.36	90.9	5.92	7.6	48.65
04/02/25, 06:06 AM	28.42	91.09	5.92	7.58	48.68
04/02/25, 06:11 AM	28.47	91.24	5.91	7.59	48.59
04/02/25, 06:16 AM	28.5	91.28	5.94	7.59	48.6
04/02/25, 06:21 AM	28.49	91.23	5.93	7.61	48.61
04/02/25, 06:26 AM	28.48	91.06	5.95	7.6	48.57
04/02/25, 06:31 AM	28.54	90.87	5.99	7.6	48.5
04/02/25, 06:36 AM	28.56	90.77	5.98	7.62	48.43
04/02/25, 06:41 AM	28.5	90.59	5.99	7.63	48.37
04/02/25, 06:46 AM	28.51	90.71	6	7.65	48.4
04/02/25, 06:51 AM	28.51	90.71	6.02	7.65	48.36
04/02/25, 06:56 AM	28.53	90.79	6	7.65	48.28
04/02/25, 07:01 AM	28.53	90.74	6.04	7.65	48.34
04/02/25, 07:06 AM	28.5	90.78	6.07	7.65	48.33
04/02/25, 07:11 AM	28.57	90.76	6.11	7.67	48.35
04/02/25, 07:16 AM	28.62	90.97	6.12	7.65	48.42
04/02/25, 07:21 AM	28.59	90.83	6.08	7.64	48.41
04/02/25, 07:26 AM	28.55	90.71	6.05	7.63	48.48
04/02/25, 07:31 AM	28.59	90.65	6.03	7.63	48.44
04/02/25, 07:36 AM	28.54	90.56	6.02	7.64	48.37
04/02/25, 07:41 AM	28.61	90.78	6.06	7.66	48.34
04/02/25, 07:46 AM	28.56	90.62	6.05	7.67	48.38
04/02/25, 07:51 AM	28.55	90.82	6.05	7.65	48.34
04/02/25, 07:56 AM	28.48	90.86	6.02	7.63	48.39
04/02/25, 08:01 AM	28.53	90.89	6.01	7.61	48.38
04/02/25, 08:07 AM	28.59	90.95	5.98	7.61	48.35
04/02/25, 08:12 AM	28.64	90.8	5.97	7.6	48.34

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:17 AM	28.71	90.93	5.98	7.6	48.43
04/02/25, 08:22 AM	28.65	91.1	5.97	7.59	48.34
04/02/25, 08:27 AM	28.68	90.97	5.99	7.59	48.42
04/02/25, 08:32 AM	28.74	90.85	5.98	7.59	48.37
04/02/25, 08:37 AM	28.8	90.7	5.97	7.61	48.39
04/02/25, 08:42 AM	28.84	90.75	6	7.6	48.39
04/02/25, 08:47 AM	28.81	90.85	6.01	7.61	48.4
04/02/25, 08:52 AM	28.8	90.77	5.97	7.61	48.44
04/02/25, 08:57 AM	28.82	90.81	5.95	7.63	48.44
04/02/25, 09:02 AM	28.88	90.88	5.92	7.61	48.36
04/02/25, 09:07 AM	28.82	90.98	5.89	7.59	48.44
04/02/25, 09:11 AM	27.46	90.63	6.1	8.02	48.53
04/02/25, 09:17 AM	27.45	90.57	6.12	8.01	48.44
04/02/25, 09:21 AM	27.52	90.46	6.14	7.99	48.5
04/02/25, 09:26 AM	27.49	90.4	6.17	7.98	48.56
04/02/25, 09:32 AM	27.56	90.41	6.15	7.98	48.49
04/02/25, 09:37 AM	27.59	90.59	6.18	7.98	48.55
04/02/25, 09:42 AM	27.66	90.72	6.16	7.98	48.64
04/02/25, 09:47 AM	27.73	90.69	6.14	7.98	48.58
04/02/25, 09:52 AM	27.72	90.58	6.12	7.99	48.6
04/02/25, 09:57 AM	27.75	90.55	6.16	8.01	48.68
04/02/25, 10:02 AM	27.71	90.71	6.17	8	48.63
04/02/25, 10:07 AM	27.73	90.5	6.17	7.99	48.54
04/02/25, 10:12 AM	27.8	90.34	6.21	8	48.58
04/02/25, 10:17 AM	27.73	90.43	6.18	8.01	48.53
04/02/25, 10:22 AM	27.71	90.24	6.2	8.01	48.5
04/02/25, 10:27 AM	27.68	90.35	6.22	8.03	48.6
04/02/25, 10:32 AM	27.69	90.36	6.22	8.04	48.56
04/02/25, 10:37 AM	27.66	90.48	6.18	8.06	48.53
04/02/25, 10:42 AM	27.67	90.26	6.18	8.08	48.56
04/02/25, 10:47 AM	27.73	90.47	6.18	8.07	48.53
04/02/25, 10:52 AM	27.69	90.32	6.16	8.06	48.55
04/02/25, 10:57 AM	27.64	90.35	6.14	8.07	48.61
04/02/25, 11:02 AM	27.59	90.47	6.11	8.07	48.6

TIME	BOD	COD	DO	pH	TSS
04/02/25, 11:07 AM	27.52	90.43	6.14	8.05	48.69
04/02/25, 11:12 AM	27.47	90.61	6.15	8.05	48.76
04/02/25, 11:17 AM	27.46	90.5	6.15	8.04	48.74
04/02/25, 11:22 AM	27.51	90.47	6.14	8.04	48.66
04/02/25, 11:27 AM	27.45	90.52	6.15	8.06	48.71
04/02/25, 11:32 AM	27.39	90.62	6.17	8.04	48.79
04/02/25, 11:37 AM	27.34	90.55	6.17	8.02	48.72
04/02/25, 11:42 AM	27.41	90.41	6.17	8.03	48.69
04/02/25, 11:47 AM	27.36	90.47	6.17	8.01	48.69
04/02/25, 11:52 AM	27.43	90.29	6.16	8	48.63
04/02/25, 11:57 AM	27.49	90.41	6.13	8.01	48.7
04/02/25, 12:02 PM	27.76	91.11	6.16	8.01	49.04
04/02/25, 12:07 PM	29.07	94.12	6.14	8	51.07
04/02/25, 12:12 PM	30.28	97.33	6.13	7.99	52.99
04/02/25, 12:17 PM	31.57	100.42	6.15	8.01	53.73
04/02/25, 12:22 PM	31.85	103.57	6.14	8.01	53.69
04/02/25, 12:27 PM	31.85	105.39	6.14	8.02	53.73
04/02/25, 12:32 PM	31.89	105.39	6.1	8.02	53.73
04/02/25, 12:37 PM	31.87	105.34	6.14	8.03	53.76
04/02/25, 12:42 PM	31.89	105.31	6.12	8.02	53.72
04/02/25, 12:47 PM	31.86	105.22	6.16	8.03	53.64
04/02/25, 12:52 PM	31.87	105.31	6.19	8.03	53.67
04/02/25, 12:57 PM	31.88	104.78	6.17	8.06	53.71
04/02/25, 01:02 PM	31.58	101.97	6.13	8.07	53.3
04/02/25, 01:07 PM	30.34	99.19	6.14	8.08	51.58
04/02/25, 01:12 PM	28.93	96.27	6.16	8.09	49.84
04/02/25, 01:17 PM	27.51	96.42	6.12	8.11	48.07
04/02/25, 01:22 PM	27.54	96.21	6.09	8.1	48.07
04/02/25, 01:27 PM	27.6	96.06	6.11	8.1	48.03
04/02/25, 01:32 PM	27.62	96.24	6.14	8.08	48.12
04/02/25, 01:37 PM	27.57	96.07	6.13	8.1	48.19
04/02/25, 01:42 PM	27.6	96.22	6.16	8.09	48.11
04/02/25, 01:47 PM	27.63	96.01	6.13	8.09	48.07
04/02/25, 01:52 PM	27.58	96.02	6.13	8.08	48.04

TIME	BOD	COD	DO	pH	TSS
04/02/25, 01:57 PM	27.62	96.18	6.11	8.09	48.08
04/02/25, 02:02 PM	27.59	96.36	6.13	8.11	48
04/02/25, 02:07 PM	27.62	96.45	6.1	8.1	48.03
04/02/25, 02:12 PM	27.6	96.42	6.13	8.12	47.98
04/02/25, 02:17 PM	27.59	96.56	6.16	8.13	48.03
04/02/25, 02:22 PM	27.53	96.61	6.16	8.13	48.09
04/02/25, 02:27 PM	27.47	96.69	6.15	8.12	48.15
04/02/25, 02:32 PM	27.41	96.77	6.18	8.13	48.09
04/02/25, 02:37 PM	27.4	96.96	6.19	8.13	48.12
04/02/25, 02:42 PM	27.44	97.04	6.18	8.11	48.05
04/02/25, 02:47 PM	27.38	96.88	6.21	8.12	47.96
04/02/25, 02:52 PM	27.42	96.9	6.24	8.14	48.01
04/02/25, 02:57 PM	27.46	96.79	6.22	8.15	48.04
04/02/25, 03:02 PM	27.51	96.63	6.26	8.14	47.95
04/02/25, 03:07 PM	27.51	96.47	6.24	8.16	48.01
04/02/25, 03:12 PM	27.44	96.4	6.21	8.18	47.94
04/02/25, 03:17 PM	27.37	96.28	6.23	8.17	47.94
04/02/25, 03:22 PM	27.44	96.37	6.26	8.19	47.99
04/02/25, 03:27 PM	27.5	96.25	6.23	8.21	48.08
04/02/25, 03:32 PM	27.53	96.32	6.22	8.19	48.02
04/02/25, 03:37 PM	27.49	96.37	6.26	8.19	48.03
04/02/25, 03:42 PM	27.44	96.52	6.26	8.2	48.05
04/02/25, 03:47 PM	27.39	96.43	6.25	8.2	48.02
04/02/25, 03:52 PM	27.44	96.32	6.26	8.18	47.99
04/02/25, 03:57 PM	27.42	96.22	6.23	8.18	47.99
04/02/25, 04:02 PM	27.39	96.41	6.22	8.16	48.05
04/02/25, 04:07 PM	27.35	96.32	6.18	8.14	48.07
04/02/25, 04:12 PM	27.36	96.47	6.21	8.13	48.13
04/02/25, 04:17 PM	27.3	96.59	6.25	8.13	48.19
04/02/25, 04:30 PM	27.41	90.84	6.14	8.01	48.53
04/02/25, 04:34 PM	27.38	90.76	6.15	8.03	48.44
04/02/25, 04:39 PM	27.39	90.55	6.12	8.05	48.35
04/02/25, 04:44 PM	27.42	90.35	6.11	8.06	48.34
04/02/25, 04:49 PM	27.42	90.53	6.08	8.06	48.38

TIME	BOD	COD	DO	pH	TSS
04/02/25, 04:54 PM	27.45	90.72	6.09	8.04	48.41
04/02/25, 04:59 PM	27.47	90.59	6.07	8.05	48.42
04/02/25, 05:04 PM	27.52	90.75	6.08	8.03	48.45
04/02/25, 05:09 PM	27.54	90.68	6.04	8.03	48.45
04/02/25, 05:14 PM	27.51	90.83	6.03	8.03	48.46
04/02/25, 05:19 PM	27.53	90.64	6	8.01	48.46
04/02/25, 05:24 PM	27.51	90.6	6.03	8	48.41
04/02/25, 05:29 PM	27.57	90.58	6	8.03	48.5
04/02/25, 05:34 PM	27.58	90.65	6	8.04	48.5
04/02/25, 05:39 PM	27.59	90.56	6.01	8.04	48.5
04/02/25, 05:44 PM	27.57	90.72	6	8.05	48.42
04/02/25, 05:49 PM	27.53	90.86	5.97	8.07	48.44
04/02/25, 05:54 PM	27.52	90.66	5.95	8.07	48.37
04/02/25, 05:59 PM	27.54	90.83	5.97	8.06	48.38
04/02/25, 06:04 PM	27.55	91.04	5.98	8.07	48.37
04/02/25, 06:09 PM	27.62	91.24	6	8.09	48.41
04/02/25, 06:14 PM	27.66	91.45	5.98	8.07	48.45
04/02/25, 06:19 PM	27.73	91.32	6.01	8.07	48.46
04/02/25, 06:24 PM	27.72	91.2	6.04	8.05	48.39
04/02/25, 06:29 PM	27.76	91.12	6.07	8.07	48.47
04/02/25, 06:34 PM	27.81	90.92	6.09	8.09	48.55
04/02/25, 06:39 PM	27.8	90.77	6.07	8.08	48.59
04/02/25, 07:05 PM	27.72	90.23	6.05	8.05	48.64
04/02/25, 07:10 PM	27.73	90.44	6.02	8.06	48.71
04/02/25, 07:15 PM	27.75	90.29	6.06	8.07	48.71
04/02/25, 07:20 PM	27.78	90.15	6.04	8.07	48.71
04/02/25, 07:25 PM	27.78	90.08	6.03	8.09	48.68
04/02/25, 07:30 PM	27.73	90.2	6	8.1	48.74
04/02/25, 07:35 PM	27.7	90.35	5.98	8.08	48.78
04/02/25, 07:40 PM	27.7	90.42	5.97	8.08	48.86
04/02/25, 07:45 PM	27.68	90.63	5.99	8.06	48.84
04/02/25, 07:50 PM	27.66	90.59	6	8.07	48.82
04/02/25, 07:55 PM	27.61	90.51	5.98	8.09	48.84
04/02/25, 08:00 PM	27.55	90.48	5.95	8.07	48.9

TIME	BOD	COD	DO	pH	TSS
04/02/25, 08:05 PM	27.62	90.48	5.99	8.07	48.82
04/02/25, 08:10 PM	27.62	90.56	5.97	8.07	48.87
04/02/25, 08:15 PM	27.61	90.51	5.96	8.08	48.86
04/02/25, 08:20 PM	27.58	90.38	5.92	8.06	48.78
04/02/25, 08:25 PM	27.51	90.46	5.93	8.06	48.83
04/02/25, 08:30 PM	27.44	90.63	5.9	8.05	48.79
04/02/25, 08:35 PM	27.38	90.55	5.91	8.03	48.72
04/02/25, 08:40 PM	27.32	90.5	5.92	8.03	48.64
04/02/25, 08:45 PM	27.39	90.3	5.92	8.01	48.66
04/02/25, 08:50 PM	27.36	90.46	5.95	8.01	48.66
04/02/25, 08:55 PM	27.32	90.36	5.97	8.03	48.71
04/02/25, 09:00 PM	27.27	90.55	5.95	8.01	48.7
04/02/25, 09:05 PM	27.25	90.63	5.99	8	48.61
04/02/25, 09:10 PM	27.19	90.45	5.95	8.01	48.55
04/02/25, 09:15 PM	27.26	90.57	5.98	8.01	48.55
04/02/25, 09:20 PM	27.2	90.57	5.97	8.02	48.51
04/02/25, 09:25 PM	27.16	90.5	5.97	8.01	48.43
04/02/25, 09:30 PM	27.11	90.45	5.94	8.02	48.41
04/02/25, 09:35 PM	27.08	90.56	5.91	8.02	48.37
04/02/25, 09:40 PM	27.07	90.42	5.94	8.02	48.45
04/02/25, 09:45 PM	27.06	90.28	5.96	8.02	48.43
04/02/25, 09:50 PM	27.04	90.26	5.98	8.03	48.35
04/02/25, 09:55 PM	27.05	90.41	5.98	8.02	48.43
04/02/25, 10:00 PM	27	90.52	5.96	8	48.51
04/02/25, 10:05 PM	27.02	90.63	5.97	7.99	48.58
04/02/25, 10:10 PM	27.06	90.44	5.97	7.97	48.51
04/02/25, 10:15 PM	27.05	90.47	5.97	7.98	48.48
04/02/25, 10:20 PM	27.11	90.33	5.97	7.99	48.39
04/02/25, 10:25 PM	27.09	90.46	5.95	7.99	48.41
04/02/25, 10:30 PM	27.06	90.57	5.96	7.97	48.42
04/02/25, 10:35 PM	27.12	90.52	5.94	7.97	48.44
04/02/25, 10:40 PM	27.07	90.62	5.95	7.98	48.35
04/02/25, 10:45 PM	27.03	90.7	5.96	8	48.32
04/02/25, 10:50 PM	27.01	90.61	5.99	8	48.29

TIME	BOD	COD	DO	pH	TSS
04/02/25, 10:55 PM	27.02	90.67	6.02	7.98	48.29
04/02/25, 11:00 PM	26.96	90.69	6.04	7.99	48.2
04/02/25, 11:05 PM	26.98	90.81	6.03	7.98	48.13
04/02/25, 11:10 PM	27.03	90.99	6.03	7.97	48.14
04/02/25, 11:15 PM	27.04	91.21	6	7.95	48.2
04/02/25, 11:20 PM	27.01	91.22	6	7.93	48.18
04/02/25, 11:25 PM	27	91.01	6.02	7.93	48.23
04/02/25, 11:30 PM	27.06	91.01	6.03	7.94	48.28
04/02/25, 11:35 PM	27.1	91.1	6.01	7.94	48.27
04/02/25, 11:40 PM	27.14	90.99	5.99	7.95	48.32
04/02/25, 11:45 PM	27.18	90.99	5.96	7.96	48.37
04/02/25, 11:50 PM	27.22	91.17	5.98	7.99	48.28
04/02/25, 11:55 PM	27.15	91.38	6	7.99	48.25



## Water Quality Report: Shivkuti Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:00 AM	27.93	90.68	6.03	8.08	48.72
28/01/25, 12:05 AM	27.94	90.85	6.01	8.07	48.75
28/01/25, 12:10 AM	27.97	91.03	6.04	8.06	48.74
28/01/25, 12:15 AM	27.96	90.93	6.01	8.05	48.81
28/01/25, 12:20 AM	27.89	90.72	6	8.05	48.75
28/01/25, 12:25 AM	27.89	90.67	6.03	8.03	48.77
28/01/25, 12:30 AM	27.86	90.65	6.03	8.01	48.76
28/01/25, 12:35 AM	27.84	90.47	6.06	8	48.72
28/01/25, 12:40 AM	27.88	90.42	6.04	8.01	48.72
28/01/25, 12:45 AM	27.93	90.35	6.03	8.04	48.78
28/01/25, 12:50 AM	27.95	90.48	5.99	8.02	48.74
28/01/25, 12:55 AM	27.89	90.44	6	8.03	48.8
28/01/25, 01:00 AM	27.85	90.4	6	8.05	48.81
28/01/25, 01:05 AM	27.81	90.34	6	8.07	48.76
28/01/25, 01:10 AM	27.84	90.45	6.01	8.06	48.69
28/01/25, 01:15 AM	27.8	90.54	6.04	8.04	48.78
28/01/25, 01:20 AM	27.76	90.6	6.03	8.03	48.74
28/01/25, 01:25 AM	27.73	90.65	6.06	8.05	48.81
28/01/25, 01:30 AM	27.67	90.8	6.04	8.07	48.74
28/01/25, 01:35 AM	27.74	90.6	6.04	8.09	48.82
28/01/25, 01:40 AM	27.76	90.74	6.02	8.08	48.88
28/01/25, 01:45 AM	27.78	90.8	6	8.09	48.89
28/01/25, 01:50 AM	27.82	90.71	6.02	8.08	48.89
28/01/25, 01:55 AM	27.85	90.6	6.02	8.08	48.92
28/01/25, 02:00 AM	27.89	90.46	6.02	8.06	49.01
28/01/25, 02:05 AM	27.83	90.67	6.03	8.05	49.06
28/01/25, 02:10 AM	27.87	90.52	6.04	8.07	48.97
28/01/25, 02:15 AM	27.91	90.64	6.01	8.07	48.89
28/01/25, 02:20 AM	27.97	90.73	6.02	8.09	48.88
28/01/25, 02:25 AM	27.95	90.71	6.05	8.11	48.79
28/01/25, 02:30 AM	27.94	90.77	6.08	8.1	48.72

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:35 AM	27.97	90.59	6.07	8.1	48.7
28/01/25, 02:40 AM	27.98	90.52	6.05	8.12	48.62
28/01/25, 02:45 AM	27.92	90.47	6.03	8.12	48.71
28/01/25, 02:50 AM	27.97	90.62	6	8.11	48.71
28/01/25, 02:55 AM	27.94	90.67	6	8.09	48.7
28/01/25, 03:00 AM	27.94	90.57	6.03	8.09	48.77
28/01/25, 03:05 AM	28	90.75	6.03	8.07	48.71
28/01/25, 03:10 AM	28.05	90.74	6.04	8.08	48.8
28/01/25, 03:15 AM	28.07	90.86	6.02	8.07	48.76
28/01/25, 03:20 AM	28.01	90.67	6	8.06	48.71
28/01/25, 03:25 AM	28.02	90.51	5.98	8.06	48.72
28/01/25, 03:30 AM	27.98	90.31	6.01	8.03	48.8
28/01/25, 03:35 AM	28.04	90.26	6.01	8.06	48.76
28/01/25, 03:40 AM	28.07	90.19	6	8.07	48.67
28/01/25, 03:45 AM	28.08	90.01	6	8.07	48.64
28/01/25, 03:50 AM	28.02	89.88	6.02	8.06	48.68
28/01/25, 03:55 AM	28.05	89.89	6.06	8.05	48.63
28/01/25, 04:00 AM	28.04	90.06	6.08	8.04	48.69
28/01/25, 04:05 AM	28.07	90.13	6.07	8.06	48.65
28/01/25, 04:10 AM	28.09	90.19	6.04	8.07	48.73
28/01/25, 04:15 AM	28.07	90.27	6.07	8.05	48.78
28/01/25, 04:20 AM	28.04	90.4	6.07	8.05	48.77
28/01/25, 04:25 AM	28.03	90.53	6.09	8.04	48.74
28/01/25, 04:30 AM	28.02	90.71	6.12	8.04	48.7
28/01/25, 04:35 AM	28.06	90.56	6.09	8.04	48.76
28/01/25, 04:40 AM	28.13	90.7	6.06	8.03	48.81
28/01/25, 04:45 AM	28.13	90.85	6.05	8.06	48.82
28/01/25, 04:50 AM	28.16	90.68	6.07	8.04	48.77
28/01/25, 04:55 AM	28.19	90.88	6.07	8.07	48.82
28/01/25, 05:00 AM	28.19	90.96	6.09	8.07	48.76
28/01/25, 05:05 AM	28.25	91.1	6.12	8.05	48.75
28/01/25, 05:10 AM	28.25	91.2	6.15	8.03	48.82
28/01/25, 05:15 AM	28.28	91.03	6.11	8.05	48.92
28/01/25, 05:20 AM	28.23	90.97	6.1	8.04	48.93

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:25 AM	28.19	90.98	6.09	8.03	48.92
28/01/25, 05:30 AM	28.13	91.06	6.12	8.03	48.96
28/01/25, 05:35 AM	28.12	91.18	6.16	8.04	48.95
28/01/25, 05:40 AM	28.08	91.09	6.14	8.01	48.91
28/01/25, 05:45 AM	28.08	90.97	6.15	7.99	48.86
28/01/25, 05:50 AM	28.13	90.9	6.12	7.98	48.79
28/01/25, 05:55 AM	28.06	90.72	6.11	7.96	48.79
28/01/25, 06:00 AM	28.13	90.89	6.12	7.96	48.71
28/01/25, 06:05 AM	28.15	90.85	6.11	7.96	48.62
28/01/25, 06:10 AM	28.08	90.96	6.1	7.96	48.53
28/01/25, 06:15 AM	28.16	90.8	6.08	7.96	48.46
28/01/25, 06:20 AM	28.19	90.8	6.11	7.98	48.52
28/01/25, 06:25 AM	28.26	90.96	6.14	7.97	48.56
28/01/25, 06:30 AM	28.29	90.95	6.12	7.95	48.47
28/01/25, 06:35 AM	28.29	90.89	6.09	7.94	48.41
28/01/25, 06:40 AM	28.34	90.77	6.12	7.93	48.32
28/01/25, 06:45 AM	28.3	90.6	6.1	7.92	48.3
28/01/25, 06:50 AM	28.28	90.5	6.1	7.92	48.34
28/01/25, 06:55 AM	28.32	90.49	6.13	7.93	48.43
28/01/25, 07:00 AM	28.39	90.7	6.13	7.94	48.49
28/01/25, 07:05 AM	28.37	90.82	6.15	7.94	48.55
28/01/25, 07:10 AM	28.44	91.04	6.12	7.93	48.64
28/01/25, 07:15 AM	28.4	91.02	6.15	7.93	48.65
28/01/25, 07:20 AM	28.4	90.94	6.14	7.96	48.61
28/01/25, 07:25 AM	28.38	91.07	6.17	7.97	48.58
28/01/25, 07:30 AM	28.33	91.1	6.17	7.96	48.5
28/01/25, 07:35 AM	28.28	90.93	6.2	7.94	48.51
28/01/25, 07:40 AM	28.22	90.92	6.21	7.96	48.6
28/01/25, 07:45 AM	28.21	91.11	6.19	7.95	48.6
28/01/25, 07:50 AM	28.15	91.15	6.22	7.93	48.66
28/01/25, 07:55 AM	28.15	91.33	6.22	7.92	48.57
28/01/25, 08:00 AM	28.13	91.44	6.22	7.93	48.64
28/01/25, 08:05 AM	28.06	91.24	6.19	7.95	48.71
28/01/25, 08:10 AM	28.13	91.34	6.19	7.96	48.62

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:15 AM	28.19	91.24	6.22	7.98	48.65
28/01/25, 08:20 AM	28.18	91.43	6.24	7.97	48.61
28/01/25, 08:25 AM	28.24	91.57	6.22	7.98	48.6
28/01/25, 08:30 AM	28.3	91.63	6.2	7.99	48.67
28/01/25, 08:35 AM	28.35	91.47	6.21	7.99	48.68
28/01/25, 08:40 AM	28.29	91.53	6.23	7.99	48.6
28/01/25, 08:45 AM	28.3	91.72	6.23	8.02	48.55
28/01/25, 08:50 AM	28.31	91.56	6.24	8.03	48.51
28/01/25, 08:55 AM	28.35	91.65	6.26	8.05	48.51
28/01/25, 09:00 AM	28.41	91.62	6.24	8.02	48.46
28/01/25, 09:05 AM	28.39	91.42	6.22	8.02	48.46
28/01/25, 09:10 AM	28.45	91.58	6.22	8.04	48.45
28/01/25, 09:15 AM	28.52	91.77	6.19	8.06	48.45
28/01/25, 09:20 AM	28.48	91.84	6.23	8.07	48.52
28/01/25, 09:25 AM	28.5	91.85	6.26	8.06	48.52
28/01/25, 09:30 AM	28.46	92.01	6.22	8.08	48.56
28/01/25, 09:35 AM	28.43	92.04	6.18	8.08	48.56
28/01/25, 09:40 AM	28.49	91.96	6.21	8.08	48.63
28/01/25, 09:46 AM	28.43	92.14	6.18	8.09	48.57
28/01/25, 09:51 AM	28.45	92.02	6.17	8.08	48.49
28/01/25, 09:56 AM	28.45	92.14	6.2	8.06	48.52
28/01/25, 10:01 AM	28.47	92.21	6.21	8.05	48.48
28/01/25, 10:06 AM	28.44	92.25	6.24	8.06	48.47
28/01/25, 10:31 AM	28.39	92.33	6.24	8.02	48.47
28/01/25, 10:36 AM	28.44	92.22	6.27	8.04	48.4
28/01/25, 10:41 AM	28.39	92.36	6.25	8.06	48.45
28/01/25, 10:46 AM	28.34	92.15	6.23	8.06	48.36
28/01/25, 10:51 AM	28.39	92	6.19	8.06	48.4
28/01/25, 10:56 AM	28.36	92	6.16	8.05	48.36
28/01/25, 11:01 AM	28.42	92.15	6.17	8.06	48.36
28/01/25, 11:06 AM	28.45	92.1	6.14	8.07	48.28
28/01/25, 11:33 AM	27.47	90.59	6.12	8.13	48.41
28/01/25, 11:37 AM	27.43	90.73	6.15	8.14	48.41
28/01/25, 11:42 AM	27.45	90.52	6.12	8.15	48.35

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:47 AM	27.41	90.41	6.15	8.17	48.39
28/01/25, 11:52 AM	27.39	90.5	6.13	8.18	48.45
28/01/25, 11:57 AM	27.43	90.6	6.1	8.18	48.36
28/01/25, 12:02 PM	27.4	90.81	6.1	8.18	48.44
28/01/25, 12:07 PM	27.46	90.97	6.1	8.17	48.49
28/01/25, 12:12 PM	27.49	91.03	6.09	8.15	48.41
28/01/25, 12:17 PM	27.53	90.99	6.07	8.17	48.41
28/01/25, 12:22 PM	27.45	90.79	6.06	8.18	48.32
28/01/25, 12:27 PM	27.51	90.96	6.06	8.18	48.41
28/01/25, 12:32 PM	27.55	90.86	6.03	8.2	48.47
28/01/25, 12:37 PM	27.62	90.67	6.04	8.19	48.42
28/01/25, 12:42 PM	27.55	90.6	6.01	8.2	48.37
28/01/25, 12:47 PM	27.56	90.55	6.02	8.2	48.32
28/01/25, 12:52 PM	27.61	90.59	6	8.21	48.4
28/01/25, 12:57 PM	27.59	90.68	6.02	8.21	48.31
28/01/25, 01:02 PM	27.59	90.54	6.03	8.19	48.24
28/01/25, 01:07 PM	27.54	90.49	6.02	8.2	48.21
28/01/25, 01:12 PM	27.55	90.37	6.06	8.17	48.21
28/01/25, 01:17 PM	27.62	90.52	6.04	8.17	48.14
28/01/25, 01:22 PM	27.67	90.55	6.03	8.16	48.12
28/01/25, 01:27 PM	27.67	90.48	6.06	8.17	48.21
28/01/25, 01:32 PM	27.69	90.42	6.06	8.18	48.18
28/01/25, 01:37 PM	27.67	90.35	6.04	8.18	48.14
28/01/25, 01:42 PM	27.61	90.34	6.03	8.2	48.15
28/01/25, 01:47 PM	27.56	90.38	6	8.19	48.13
28/01/25, 01:52 PM	27.62	90.35	5.98	8.17	48.09
28/01/25, 01:57 PM	27.57	90.46	5.97	8.17	48.08
28/01/25, 02:02 PM	27.54	90.31	5.95	8.16	48.02
28/01/25, 02:07 PM	27.52	90.34	5.92	8.16	48.01
28/01/25, 02:12 PM	27.5	90.2	5.93	8.17	47.97
28/01/25, 02:17 PM	27.53	90.34	5.89	8.18	47.89
28/01/25, 02:22 PM	27.52	90.43	5.88	8.17	47.98
28/01/25, 02:27 PM	27.48	90.35	5.85	8.15	48.06
28/01/25, 02:32 PM	27.41	90.29	5.86	8.14	48.02

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:37 PM	27.36	90.49	5.87	8.14	48.08
28/01/25, 02:42 PM	27.39	90.47	5.84	8.13	48.05
28/01/25, 02:47 PM	27.44	90.37	5.86	8.14	48.08
28/01/25, 02:52 PM	27.47	90.19	5.86	8.13	48.15
28/01/25, 02:57 PM	27.43	90.22	5.9	8.11	48.15
28/01/25, 03:02 PM	27.38	90.36	5.89	8.1	48.2
28/01/25, 03:07 PM	27.35	90.4	5.88	8.1	48.21
28/01/25, 03:12 PM	27.35	90.36	5.89	8.08	48.27
28/01/25, 03:17 PM	27.38	90.24	5.89	8.1	48.24
28/01/25, 03:22 PM	27.37	90.41	5.89	8.09	48.32
28/01/25, 03:27 PM	27.42	90.46	5.9	8.11	48.31
28/01/25, 03:32 PM	27.45	90.6	5.93	8.13	48.23
28/01/25, 03:37 PM	27.42	90.54	5.93	8.13	48.17
28/01/25, 03:42 PM	27.35	90.48	5.96	8.12	48.11
28/01/25, 03:47 PM	27.42	90.4	5.92	8.11	48.16
28/01/25, 03:52 PM	27.36	90.56	5.9	8.13	48.19
28/01/25, 03:57 PM	27.37	90.41	5.93	8.15	48.14
28/01/25, 04:02 PM	27.35	90.19	5.93	8.17	48.06
28/01/25, 04:07 PM	27.34	90.22	5.92	8.16	48.13
28/01/25, 04:12 PM	27.39	90.4	5.92	8.16	48.2
28/01/25, 04:17 PM	27.46	90.27	5.94	8.18	48.17
28/01/25, 04:22 PM	27.49	90.21	5.96	8.17	48.14
28/01/25, 04:27 PM	27.48	90.23	5.93	8.18	48.15
28/01/25, 04:32 PM	27.49	90.16	5.9	8.17	48.13
28/01/25, 04:37 PM	27.45	90.05	5.87	8.17	48.22
28/01/25, 04:42 PM	27.5	89.89	5.87	8.19	48.17
28/01/25, 04:47 PM	27.44	90.04	5.86	8.17	48.23
28/01/25, 04:52 PM	27.44	90.18	5.86	8.16	48.3
28/01/25, 04:57 PM	27.5	90.15	5.84	8.15	48.34
28/01/25, 05:02 PM	27.49	90.28	5.82	8.16	48.26
28/01/25, 05:07 PM	27.53	90.25	5.85	8.15	48.33
28/01/25, 05:12 PM	27.57	90.34	5.84	8.15	48.3
28/01/25, 05:17 PM	27.64	90.52	5.84	8.14	48.27
28/01/25, 05:22 PM	27.57	90.46	5.88	8.14	48.33

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:27 PM	27.53	90.33	5.87	8.12	48.26
28/01/25, 05:32 PM	27.55	90.36	5.89	8.12	48.22
28/01/25, 05:37 PM	27.53	90.48	5.89	8.12	48.2
28/01/25, 05:42 PM	27.47	90.29	5.85	8.1	48.2
28/01/25, 05:47 PM	27.52	90.33	5.84	8.12	48.21
28/01/25, 05:52 PM	27.51	90.23	5.83	8.14	48.18
28/01/25, 05:57 PM	27.48	90.1	5.82	8.15	48.15
28/01/25, 06:02 PM	27.46	90.18	5.83	8.16	48.14
28/01/25, 06:07 PM	27.48	90.09	5.82	8.17	48.2
28/01/25, 06:12 PM	27.47	90.23	5.81	8.18	48.21
28/01/25, 06:17 PM	27.5	90.44	5.84	8.2	48.3
28/01/25, 06:22 PM	27.48	90.34	5.82	8.22	48.3
28/01/25, 06:27 PM	27.49	90.53	5.83	8.19	48.26
28/01/25, 06:32 PM	27.49	90.57	5.85	8.17	48.18
28/01/25, 06:37 PM	27.44	90.38	5.88	8.18	48.1
28/01/25, 06:42 PM	27.51	90.44	5.87	8.19	48.1
28/01/25, 06:47 PM	27.55	90.61	5.84	8.21	48.02
28/01/25, 06:52 PM	27.56	90.64	5.84	8.23	48.03
28/01/25, 06:57 PM	27.5	90.74	5.86	8.23	47.95
28/01/25, 07:02 PM	27.5	90.59	5.88	8.2	47.98
28/01/25, 07:07 PM	27.43	90.58	5.88	8.2	47.91
28/01/25, 07:12 PM	27.39	90.47	5.84	8.18	47.9
28/01/25, 07:17 PM	27.39	90.4	5.86	8.17	47.94
28/01/25, 07:22 PM	27.43	90.29	5.86	8.16	47.89
28/01/25, 07:27 PM	27.5	90.18	5.82	8.14	47.95
28/01/25, 07:32 PM	27.52	90.32	5.85	8.14	47.89
28/01/25, 07:37 PM	27.56	90.19	5.84	8.13	47.87
28/01/25, 07:42 PM	27.6	90.04	5.85	8.15	47.8
28/01/25, 07:47 PM	27.6	90.15	5.84	8.14	47.73
28/01/25, 07:52 PM	27.67	90.17	5.86	8.15	47.78
28/01/25, 07:57 PM	27.73	90.26	5.86	8.17	47.72
28/01/25, 08:02 PM	27.67	90.34	5.87	8.17	47.73
28/01/25, 08:07 PM	27.67	90.52	5.83	8.19	47.76
28/01/25, 08:12 PM	27.68	90.6	5.8	8.19	47.76

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:17 PM	27.69	90.57	5.8	8.18	47.76
28/01/25, 08:22 PM	27.65	90.42	5.78	8.19	47.79
28/01/25, 08:27 PM	27.6	90.46	5.78	8.19	47.7
28/01/25, 08:32 PM	27.6	90.63	5.76	8.18	47.64
28/01/25, 08:37 PM	27.58	90.59	5.76	8.2	47.65
28/01/25, 08:42 PM	27.6	90.74	5.77	8.21	47.73
28/01/25, 08:48 PM	27.63	90.64	5.78	8.2	47.78
28/01/25, 08:53 PM	27.57	90.67	5.74	8.19	47.78
28/01/25, 08:58 PM	27.59	90.61	5.72	8.2	47.75
28/01/25, 09:03 PM	27.61	90.62	5.73	8.19	47.67
28/01/25, 09:08 PM	27.61	90.49	5.73	8.18	47.73
28/01/25, 09:13 PM	27.66	90.44	5.76	8.18	47.73
28/01/25, 09:18 PM	27.65	90.3	5.79	8.17	47.81
28/01/25, 09:23 PM	27.65	90.27	5.75	8.18	47.77
28/01/25, 09:28 PM	27.62	90.46	5.79	8.16	47.72
28/01/25, 09:33 PM	27.66	90.67	5.78	8.17	47.66
28/01/25, 09:38 PM	27.71	90.86	5.75	8.16	47.62
28/01/25, 09:43 PM	27.78	90.64	5.72	8.17	47.6
28/01/25, 09:48 PM	27.77	90.75	5.68	8.15	47.54
28/01/25, 09:53 PM	27.72	90.91	5.7	8.13	47.52
28/01/25, 09:58 PM	27.67	91.06	5.67	8.15	47.48
28/01/25, 10:03 PM	27.65	90.87	5.65	8.15	47.4
28/01/25, 10:08 PM	27.68	90.83	5.64	8.13	47.36
28/01/25, 10:13 PM	27.66	90.77	5.67	8.13	47.36
28/01/25, 10:18 PM	27.58	90.83	5.7	8.12	47.39
28/01/25, 10:23 PM	27.52	90.77	5.71	8.1	47.32
28/01/25, 10:28 PM	27.56	90.93	5.73	8.09	47.4
28/01/25, 10:33 PM	27.61	90.91	5.72	8.11	47.44
28/01/25, 10:38 PM	27.66	90.97	5.69	8.11	47.42
28/01/25, 10:43 PM	27.6	90.93	5.71	8.12	47.4
28/01/25, 10:48 PM	27.57	91.06	5.72	8.14	47.38
28/01/25, 10:53 PM	27.6	90.96	5.69	8.14	47.38
28/01/25, 10:58 PM	27.6	90.99	5.73	8.16	47.33
28/01/25, 11:03 PM	27.58	90.92	5.74	8.18	47.25

TIME	BOD	COD	DO	pH	TSS
28/01/25, 11:08 PM	27.64	90.94	5.75	8.18	47.24
28/01/25, 11:13 PM	27.61	91.08	5.71	8.17	47.18
28/01/25, 11:18 PM	27.58	91.18	5.69	8.18	47.23
28/01/25, 11:23 PM	27.61	91.3	5.71	8.16	47.16
28/01/25, 11:28 PM	27.61	91.5	5.71	8.16	47.08
28/01/25, 11:33 PM	27.68	91.58	5.74	8.16	47.01
28/01/25, 11:38 PM	27.71	91.48	5.74	8.16	46.99
28/01/25, 11:43 PM	27.7	91.27	5.72	8.15	46.94
28/01/25, 11:48 PM	27.69	91.14	5.74	8.14	46.94
28/01/25, 11:53 PM	27.64	91.18	5.78	8.16	46.9
28/01/25, 11:58 PM	27.64	91.18	5.76	8.18	46.94



## Water Quality Report: Jodhwal Drain

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:03 AM	29.15	84.77	5.89	7.76	47.38
21/01/25, 12:08 AM	29.14	84.9	5.89	7.77	47.42
21/01/25, 12:13 AM	29.17	85.07	5.9	7.77	47.39
21/01/25, 12:18 AM	29.15	85.14	5.9	7.77	47.36
21/01/25, 12:23 AM	29.12	85.27	5.89	7.78	47.35
21/01/25, 12:28 AM	29.1	85.23	5.9	7.78	47.33
21/01/25, 12:33 AM	29.1	85.2	5.89	7.79	47.32
21/01/25, 12:38 AM	29.12	85.37	5.9	7.79	47.28
21/01/25, 12:43 AM	29.12	85.43	5.9	7.8	47.25
21/01/25, 12:48 AM	29.09	85.41	5.9	7.81	47.29
21/01/25, 12:53 AM	29.06	85.58	5.9	7.81	47.27
21/01/25, 12:58 AM	29.03	85.5	5.9	7.8	47.28
21/01/25, 01:03 AM	29.04	85.63	5.89	7.79	47.24
21/01/25, 01:08 AM	29.03	85.67	5.89	7.8	47.23
21/01/25, 01:13 AM	29.05	85.65	5.89	7.79	47.24
21/01/25, 01:18 AM	29.01	85.49	5.9	7.78	47.2
21/01/25, 01:23 AM	28.98	85.58	5.89	7.77	47.17
21/01/25, 01:28 AM	28.96	85.69	5.89	7.78	47.17
21/01/25, 01:33 AM	28.97	85.78	5.9	7.79	47.21
21/01/25, 01:38 AM	28.95	85.86	5.9	7.8	47.19
21/01/25, 01:43 AM	28.92	86.01	5.89	7.79	47.2
21/01/25, 01:48 AM	28.93	85.89	5.89	7.78	47.22
21/01/25, 01:53 AM	28.93	86	5.89	7.78	47.19
21/01/25, 01:58 AM	28.96	85.83	5.89	7.77	47.18
21/01/25, 02:03 AM	28.92	85.85	5.9	7.78	47.13
21/01/25, 02:08 AM	28.89	85.73	5.89	7.78	47.17
21/01/25, 02:13 AM	28.86	85.57	5.89	7.79	47.21
21/01/25, 02:18 AM	28.85	85.64	5.89	7.78	47.2
21/01/25, 02:23 AM	28.89	85.77	5.89	7.79	47.24
21/01/25, 02:28 AM	28.92	85.73	5.89	7.8	47.27
21/01/25, 02:33 AM	28.9	85.9	5.89	7.81	47.31

TIME	BOD	COD	DO	pH	TSS
21/01/25, 02:38 AM	28.92	86.04	5.89	7.61	47.33
21/01/25, 02:43 AM	28.89	85.89	5.89	7.8	47.37
21/01/25, 02:48 AM	28.89	85.92	5.9	7.8	47.34
21/01/25, 02:53 AM	28.87	85.77	5.9	7.8	47.31
21/01/25, 02:58 AM	28.88	85.88	5.89	7.8	47.32
21/01/25, 03:03 AM	28.89	86.05	5.89	7.78	47.33
21/01/25, 03:08 AM	28.86	86.12	5.89	7.78	47.29
21/01/25, 03:13 AM	28.87	85.95	5.89	7.78	47.32
21/01/25, 03:18 AM	28.88	86.06	5.89	7.76	47.32
21/01/25, 03:23 AM	28.87	85.96	5.89	7.77	47.28
21/01/25, 03:28 AM	28.88	85.82	5.89	7.76	47.24
21/01/25, 03:33 AM	28.86	85.87	5.89	7.75	47.21
21/01/25, 03:38 AM	28.88	86.04	5.88	7.75	47.18
21/01/25, 03:43 AM	28.9	85.91	5.88	7.74	47.15
21/01/25, 03:48 AM	28.94	86.01	5.87	7.74	47.12
21/01/25, 03:53 AM	28.97	86.03	5.88	7.73	47.11
21/01/25, 03:58 AM	28.94	86.07	5.87	7.73	47.11
21/01/25, 04:03 AM	28.96	85.94	5.88	7.72	47.08
21/01/25, 04:08 AM	28.96	85.91	5.88	7.72	47.11
21/01/25, 04:13 AM	28.96	85.81	5.88	7.72	47.11
21/01/25, 04:18 AM	29	85.77	5.88	7.72	47.07
21/01/25, 04:23 AM	28.96	85.79	5.88	7.71	47.1
21/01/25, 04:28 AM	28.94	85.9	5.89	7.7	47.13
21/01/25, 04:33 AM	28.96	85.79	5.89	7.71	47.18
21/01/25, 04:38 AM	28.96	85.87	5.88	7.7	47.15
21/01/25, 04:43 AM	28.99	85.96	5.89	7.69	47.18
21/01/25, 04:48 AM	28.98	85.87	5.88	7.69	47.22
21/01/25, 04:53 AM	28.99	85.81	5.88	7.7	47.18
21/01/25, 04:58 AM	29	86	5.88	7.71	47.16
21/01/25, 05:23 AM	28.96	85.94	5.88	7.72	47.22
21/01/25, 05:48 AM	28.97	85.44	5.89	7.74	47.25
21/01/25, 05:53 AM	29	85.35	5.89	7.73	47.29
21/01/25, 05:58 AM	29	85.2	5.89	7.72	47.26
21/01/25, 06:03 AM	29	85.27	5.89	7.72	47.27

TIME	BOD	COD	DO	pH	TSS
21/01/25, 06:08 AM	28.99	85.14	5.88	7.73	47.27
21/01/25, 06:13 AM	29	85.21	5.88	7.72	47.24
21/01/25, 06:18 AM	28.99	85.25	5.88	7.72	47.2
21/01/25, 06:23 AM	29	85.35	5.89	7.72	47.23
21/01/25, 06:28 AM	29.03	85.28	5.89	7.72	47.26
21/01/25, 06:33 AM	29.05	85.14	5.89	7.72	47.29
21/01/25, 06:38 AM	29.06	85.2	5.89	7.71	47.29
21/01/25, 06:43 AM	29.07	85.22	5.88	7.7	47.26
21/01/25, 06:48 AM	29.1	85.1	5.89	7.7	47.3
21/01/25, 06:53 AM	29.07	84.94	5.89	7.71	47.26
21/01/25, 06:58 AM	29.1	84.92	5.9	7.73	47.28
21/01/25, 07:03 AM	29.07	85.06	5.9	7.72	47.3
21/01/25, 07:08 AM	29.05	84.88	5.89	7.73	47.26
21/01/25, 07:13 AM	29.05	85.03	5.9	7.73	47.25
21/01/25, 07:18 AM	29.03	85.18	5.9	7.73	47.22
21/01/25, 07:23 AM	29	85.12	5.9	7.73	47.18
21/01/25, 07:28 AM	28.98	84.95	5.9	7.72	47.17
21/01/25, 07:33 AM	28.97	84.92	5.9	7.73	47.17
21/01/25, 07:38 AM	28.99	84.75	5.9	7.72	47.19
21/01/25, 07:43 AM	29	84.79	5.9	7.73	47.19
21/01/25, 07:48 AM	29	84.87	5.9	7.73	47.22
21/01/25, 07:53 AM	29.03	85	5.9	7.73	47.26
21/01/25, 07:58 AM	29.04	85.11	5.9	7.74	47.24
21/01/25, 08:03 AM	29.04	85.28	5.9	7.75	47.24
21/01/25, 08:08 AM	29.04	85.22	5.9	7.74	47.23
21/01/25, 08:13 AM	29.08	85.07	5.9	7.74	47.21
21/01/25, 08:18 AM	29.07	84.96	5.9	7.73	47.17
21/01/25, 08:23 AM	29.06	85.05	5.9	7.73	47.21
21/01/25, 08:28 AM	29.03	84.99	5.9	7.74	47.18
21/01/25, 08:33 AM	29.03	84.9	5.9	7.74	47.14
21/01/25, 08:38 AM	29.02	85.04	5.9	7.73	47.14
21/01/25, 08:43 AM	29.03	85.08	5.9	7.75	47.1
21/01/25, 08:48 AM	29	85.03	5.9	7.74	47.14
21/01/25, 08:53 AM	28.98	85.14	5.89	7.73	47.15

TIME	BOD	COD	DO	pH	TSS
21/01/25, 08:58 AM	28.98	85.17	5.89	7.72	47.13
21/01/25, 09:03 AM	28.95	85.07	5.9	7.73	47.12
21/01/25, 09:08 AM	28.94	84.91	5.9	7.72	47.12
21/01/25, 09:13 AM	28.99	85.08	5.81	7.78	47.07
21/01/25, 09:18 AM	28.97	85.03	5.81	7.79	47.06
21/01/25, 09:23 AM	28.95	85.01	5.8	7.78	47.05
21/01/25, 09:28 AM	28.98	84.96	5.81	7.77	47.02
21/01/25, 09:33 AM	28.98	84.86	5.81	7.77	46.99
21/01/25, 09:38 AM	28.95	85.01	5.81	7.78	46.97
21/01/25, 09:43 AM	28.91	85.02	5.81	7.78	46.94
21/01/25, 10:08 AM	28.82	85.07	5.82	7.77	46.94
21/01/25, 10:33 AM	28.79	85.06	5.8	7.79	46.85
21/01/25, 10:42 AM	29	85.12	5.81	7.77	47.15
21/01/25, 10:47 AM	29.03	85.17	5.81	7.77	47.18
21/01/25, 10:51 AM	28.99	85.03	5.81	7.77	47.12
21/01/25, 10:56 AM	28.96	85.06	5.81	7.78	47.13
21/01/25, 11:01 AM	28.93	85.19	5.8	7.77	47.14
21/01/25, 11:06 AM	28.93	85.25	5.8	7.77	47.15
21/01/25, 11:11 AM	28.94	85.1	5.8	7.77	47.15
21/01/25, 11:16 AM	28.94	84.94	5.8	7.79	47.16
21/01/25, 11:21 AM	28.98	84.78	5.8	7.8	47.12
21/01/25, 11:26 AM	28.99	84.89	5.81	7.8	47.14
21/01/25, 11:31 AM	28.97	85.07	5.81	7.8	47.09
21/01/25, 11:36 AM	29	85.17	5.8	7.81	47.08
21/01/25, 11:41 AM	28.98	85.21	5.81	7.81	47.07
21/01/25, 11:46 AM	28.94	85.03	5.82	7.8	47.11
21/01/25, 11:51 AM	28.92	84.85	5.82	7.8	47.13
21/01/25, 11:56 AM	28.91	84.93	5.82	7.79	47.1
21/01/25, 12:01 PM	28.92	84.97	5.82	7.8	47.06
21/01/25, 12:06 PM	28.94	84.9	5.83	7.8	47.07
21/01/25, 12:11 PM	28.94	84.76	5.83	7.81	47.05
21/01/25, 12:16 PM	28.94	84.6	5.83	7.81	47.02
21/01/25, 12:21 PM	28.96	84.77	5.83	7.8	47.03
21/01/25, 12:26 PM	28.96	84.84	5.84	7.8	47.06

TIME	BOD	COD	DO	pH	TSS
21/01/25, 12:31 PM	28.95	84.91	5.83	7.79	47.03
21/01/25, 12:36 PM	28.96	85.03	5.83	7.79	46.99
21/01/25, 12:41 PM	28.93	85.11	5.84	7.8	46.99
21/01/25, 12:46 PM	28.95	85.29	5.84	7.8	47.02
21/01/25, 12:51 PM	28.93	85.32	5.84	7.79	47.06
21/01/25, 12:56 PM	28.93	85.17	5.84	7.78	47.04
21/01/25, 01:01 PM	28.97	85.35	5.84	7.78	47
21/01/25, 01:06 PM	28.98	85.49	5.84	7.79	46.96
21/01/25, 01:11 PM	28.95	85.66	5.85	7.79	46.98
21/01/25, 01:16 PM	28.94	85.49	5.84	7.8	46.94
21/01/25, 01:21 PM	28.96	85.47	5.84	7.79	46.95
21/01/25, 01:26 PM	28.99	85.31	5.84	7.8	46.91
21/01/25, 01:31 PM	28.99	85.2	5.85	7.81	46.93
21/01/25, 01:36 PM	28.96	85.21	5.85	7.8	46.92
21/01/25, 01:41 PM	28.97	85.23	5.84	7.81	46.91
21/01/25, 01:46 PM	28.99	85.34	5.85	7.81	46.87
21/01/25, 01:51 PM	29.01	85.24	5.85	7.82	46.84
21/01/25, 01:56 PM	29.04	85.23	5.85	7.83	46.85
21/01/25, 02:01 PM	29.04	85.34	5.86	7.84	46.88
21/01/25, 02:06 PM	29.01	85.36	5.86	7.85	46.86
21/01/25, 02:11 PM	29	85.39	5.87	7.85	46.87
21/01/25, 02:16 PM	29.03	85.51	5.86	7.86	46.84
21/01/25, 02:22 PM	28.99	85.15	5.82	7.76	47.07
21/01/25, 02:26 PM	29.01	84.96	5.81	7.76	47.08
21/01/25, 02:31 PM	29.04	85.03	5.81	7.77	47.12
21/01/25, 02:36 PM	29.03	84.94	5.81	7.78	47.11
21/01/25, 02:41 PM	29.05	84.94	5.81	7.78	47.09
21/01/25, 02:46 PM	29.08	85.1	5.82	7.79	47.06
21/01/25, 02:51 PM	29.07	84.99	5.81	7.8	47.08
21/01/25, 02:56 PM	29.04	85.08	5.81	7.81	47.12
21/01/25, 03:01 PM	29.04	84.9	5.82	7.83	47.12
21/01/25, 03:06 PM	29.03	85.04	5.81	7.82	47.11
21/01/25, 03:11 PM	29.01	85.13	5.81	7.82	47.08
21/01/25, 03:16 PM	29.01	85.14	5.82	7.82	47.06

TIME	BOD	COD	DO	pH	TSS
21/01/25, 03:21 PM	29.03	85	5.82	7.82	47.05
21/01/25, 03:26 PM	29.03	85.01	5.82	7.83	47.08
21/01/25, 03:31 PM	29.04	84.83	5.81	7.84	47.12
21/01/25, 03:36 PM	29.01	84.87	5.81	7.84	47.13
21/01/25, 03:41 PM	29.01	85.01	5.82	7.84	47.16
21/01/25, 03:46 PM	29.02	84.98	5.82	7.85	47.2
21/01/25, 03:51 PM	28.99	84.84	5.82	7.86	47.21
21/01/25, 03:56 PM	28.97	84.66	5.82	7.86	47.23
21/01/25, 04:01 PM	28.98	84.59	5.82	7.87	47.2
21/01/25, 04:06 PM	29.01	84.41	5.81	7.87	47.16
21/01/25, 04:11 PM	28.98	84.26	5.81	7.86	47.19
21/01/25, 04:16 PM	28.96	84.44	5.81	7.86	47.23
21/01/25, 04:21 PM	28.92	84.31	5.82	7.87	47.28
21/01/25, 04:36 PM	28.97	85.03	5.82	7.76	47.14
21/01/25, 04:41 PM	28.96	85.21	5.81	7.76	47.09
21/01/25, 04:46 PM	28.97	85.25	5.81	7.74	47.12
21/01/25, 04:51 PM	29	85.21	5.81	7.75	47.12
21/01/25, 04:56 PM	29.02	85.27	5.81	7.74	47.07
21/01/25, 05:01 PM	28.99	85.4	5.81	7.75	47.09
21/01/25, 05:06 PM	29.02	85.31	5.81	7.74	47.05
21/01/25, 05:11 PM	29.02	85.17	5.81	7.75	47.02
21/01/25, 05:16 PM	28.99	85.16	5.82	7.75	46.98
21/01/25, 05:21 PM	29	85.19	5.83	7.74	46.95
21/01/25, 05:26 PM	28.97	85.16	5.82	7.75	46.93
21/01/25, 05:31 PM	29.01	85.26	5.82	7.76	46.91
21/01/25, 05:36 PM	29	85.16	5.82	7.76	46.89
21/01/25, 05:41 PM	29.02	85.01	5.82	7.75	46.91
21/01/25, 05:46 PM	29.05	85.09	5.82	7.76	46.94
21/01/25, 05:51 PM	29.03	85.22	5.82	7.77	46.93
21/01/25, 05:56 PM	28.99	85.11	5.82	7.76	46.96
21/01/25, 06:01 PM	29.03	85.1	5.82	7.76	46.92
21/01/25, 06:06 PM	29.01	85.17	5.82	7.77	46.94
21/01/25, 06:11 PM	29.02	85.17	5.82	7.77	46.93
21/01/25, 06:16 PM	29.05	85.21	5.83	7.75	46.94

TIME	BOD	COD	DO	pH	TSS
21/01/25, 06:21 PM	29.07	85.22	5.84	7.75	46.98
21/01/25, 06:26 PM	29.1	85.32	5.84	7.75	47.01
21/01/25, 06:31 PM	29.09	85.32	5.85	7.74	47.01
21/01/25, 06:36 PM	29.11	85.42	5.85	7.75	47.02
21/01/25, 06:41 PM	29.11	85.52	5.85	7.76	47.02
21/01/25, 06:46 PM	29.11	85.54	5.85	7.76	47
21/01/25, 06:51 PM	29.09	85.38	5.85	7.76	46.99
21/01/25, 06:56 PM	29.09	85.48	5.86	7.76	47
21/01/25, 07:01 PM	29.13	85.57	5.85	7.76	47.02
21/01/25, 07:06 PM	29.14	85.39	5.85	7.76	47.04
21/01/25, 07:11 PM	29.11	85.48	5.85	7.75	47.05
21/01/25, 07:16 PM	29.15	85.38	5.85	7.75	47.02
21/01/25, 07:21 PM	29.14	85.46	5.86	7.74	46.99
21/01/25, 07:26 PM	29.14	85.37	5.86	7.75	46.96
21/01/25, 07:31 PM	29.18	85.26	5.85	7.74	46.93
21/01/25, 07:36 PM	29.18	85.22	5.85	7.73	46.96
21/01/25, 07:41 PM	29.19	85.33	5.84	7.72	47
21/01/25, 07:46 PM	29.19	85.48	5.84	7.73	47.01
21/01/25, 07:51 PM	29.21	85.34	5.85	7.73	46.97
21/01/25, 07:56 PM	29.24	85.34	5.84	7.74	46.93
21/01/25, 08:01 PM	29.27	85.45	5.85	7.74	46.89
21/01/25, 08:06 PM	29.29	85.62	5.84	7.74	46.88
21/01/25, 08:11 PM	29.27	85.76	5.85	7.73	46.85
21/01/25, 08:16 PM	29.27	85.67	5.84	7.73	46.86
21/01/25, 08:21 PM	29.24	85.63	5.83	7.74	46.9
21/01/25, 08:26 PM	29.22	85.64	5.84	7.75	46.93
21/01/25, 08:31 PM	29.22	85.78	5.83	7.76	46.97
21/01/25, 08:36 PM	29.19	85.72	5.84	7.75	46.96
21/01/25, 08:41 PM	29.21	85.69	5.83	7.74	46.97
21/01/25, 08:46 PM	29.24	85.84	5.82	7.73	46.93
21/01/25, 08:51 PM	29.27	85.75	5.82	7.73	46.97
21/01/25, 08:56 PM	29.25	85.61	5.82	7.73	46.98
21/01/25, 09:01 PM	29.29	85.48	5.82	7.73	46.94
21/01/25, 09:06 PM	29.3	85.31	5.81	7.73	46.94

TIME	BOD	COD	DO	pH	TSS
21/01/25, 09:11 PM	29.3	85.14	5.81	7.71	46.95
21/01/25, 09:16 PM	29.3	85.17	5.8	7.72	47
21/01/25, 09:21 PM	29.27	85.31	5.81	7.74	47.04
21/01/25, 09:26 PM	29.3	85.17	5.8	7.73	47.08
21/01/25, 09:31 PM	29.27	85.07	5.8	7.72	47.04
21/01/25, 09:36 PM	29.29	84.95	5.8	7.73	47.08
21/01/25, 09:41 PM	29.26	85.11	5.81	7.73	47.11
21/01/25, 09:46 PM	29.26	84.99	5.8	7.74	47.09
21/01/25, 09:51 PM	29.24	85.04	5.81	7.75	47.06
21/01/25, 09:56 PM	29.27	84.9	5.8	7.74	47.08
21/01/25, 10:01 PM	29.3	84.93	5.81	7.73	47.04
21/01/25, 10:06 PM	29.3	84.95	5.81	7.74	47.02
21/01/25, 10:11 PM	29.27	85.05	5.81	7.75	47.06
21/01/25, 10:16 PM	29.24	85.08	5.8	7.75	47.02
21/01/25, 10:21 PM	29.24	85.21	5.8	7.75	47.07
21/01/25, 10:26 PM	29.22	85.09	5.8	7.75	47.11
21/01/25, 10:31 PM	29.19	85.03	5.81	7.75	47.14
21/01/25, 10:36 PM	29.22	85.11	5.81	7.75	47.17
21/01/25, 10:41 PM	29.25	85.02	5.82	7.75	47.14
21/01/25, 10:46 PM	29.24	85.2	5.82	7.75	47.16
21/01/25, 10:51 PM	29.22	85.31	5.82	7.75	47.2
21/01/25, 10:56 PM	29.19	85.39	5.82	7.76	47.23
21/01/25, 11:01 PM	29.15	85.23	5.82	7.76	47.23
21/01/25, 11:06 PM	29.13	85.2	5.82	7.75	47.2
21/01/25, 11:11 PM	29.12	85.33	5.82	7.76	47.23
21/01/25, 11:16 PM	29.1	85.38	5.81	7.75	47.25
21/01/25, 11:21 PM	29.12	85.25	5.82	7.75	47.24
21/01/25, 11:26 PM	29.12	85.2	5.82	7.76	47.22
21/01/25, 11:31 PM	29.09	85.27	5.82	7.77	47.19
21/01/25, 11:36 PM	29.09	85.18	5.82	7.77	47.22
21/01/25, 11:41 PM	29.06	85.29	5.82	7.76	47.23
21/01/25, 11:46 PM	29.09	85.2	5.82	7.76	47.28
21/01/25, 11:51 PM	29.09	85.12	5.82	7.77	47.31
21/01/25, 11:56 PM	29.09	85.17	5.82	7.75	47.32



## Water Quality Report: Jodhwal Drain

TIME	BOD	COD	DO	pH	TSS
12/02/25, 12:01 AM	27.56	91.92	5.57	7.36	46.52
12/02/25, 12:06 AM	27.6	91.96	5.53	7.38	46.52
12/02/25, 12:11 AM	27.53	91.96	5.52	7.36	46.54
12/02/25, 12:16 AM	27.56	92.13	5.49	7.36	46.6
12/02/25, 12:21 AM	27.49	92.33	5.45	7.36	46.62
12/02/25, 12:26 AM	27.47	92.15	5.44	7.36	46.6
12/02/25, 12:31 AM	27.44	92.08	5.47	7.36	46.54
12/02/25, 12:36 AM	27.5	92.03	5.44	7.35	46.54
12/02/25, 12:41 AM	27.53	91.84	5.41	7.34	46.5
12/02/25, 12:46 AM	27.57	92.05	5.41	7.33	46.45
12/02/25, 12:51 AM	27.54	91.98	5.43	7.33	46.39
12/02/25, 12:56 AM	27.47	91.9	5.44	7.33	46.33
12/02/25, 01:01 AM	27.4	91.98	5.4	7.32	46.3
12/02/25, 01:06 AM	27.45	91.77	5.38	7.34	46.25
12/02/25, 01:11 AM	27.49	91.9	5.38	7.32	46.27
12/02/25, 01:16 AM	27.5	91.92	5.39	7.31	46.32
12/02/25, 01:21 AM	27.47	92.12	5.42	7.29	46.36
12/02/25, 01:26 AM	27.46	92.32	5.43	7.29	46.41
12/02/25, 01:31 AM	27.51	92.14	5.46	7.31	46.41
12/02/25, 01:36 AM	27.48	92.04	5.47	7.32	46.35
12/02/25, 01:41 AM	27.48	92.24	5.44	7.33	46.29
12/02/25, 01:46 AM	27.47	92.13	5.4	7.34	46.34
12/02/25, 01:51 AM	27.41	91.93	5.43	7.34	46.33
12/02/25, 01:56 AM	27.37	91.92	5.46	7.36	46.32
12/02/25, 02:01 AM	27.43	92.01	5.47	7.35	46.33
12/02/25, 02:06 AM	27.45	92.21	5.44	7.35	46.31
12/02/25, 02:11 AM	27.48	92.23	5.42	7.35	46.25
12/02/25, 02:16 AM	27.45	92.25	5.46	7.34	46.26
12/02/25, 02:21 AM	27.41	92.13	5.44	7.32	46.29
12/02/25, 02:26 AM	27.47	92.17	5.46	7.31	46.33
12/02/25, 02:31 AM	27.52	92.12	5.5	7.32	46.36

TIME	BOD	COD	DO	pH	TSS
12/02/25, 02:36 AM	27.49	92.23	5.5	7.32	46.42
12/02/25, 02:41 AM	27.47	92.16	5.49	7.33	46.37
12/02/25, 02:46 AM	27.52	92.09	5.52	7.32	46.37
12/02/25, 02:51 AM	27.48	92.02	5.49	7.31	46.31
12/02/25, 02:56 AM	27.42	91.9	5.49	7.29	46.3
12/02/25, 03:01 AM	27.49	91.76	5.46	7.29	46.35
12/02/25, 03:06 AM	27.42	91.78	5.49	7.31	46.41
12/02/25, 03:11 AM	27.44	91.94	5.5	7.28	46.39
12/02/25, 03:16 AM	27.4	91.81	5.5	7.27	46.43
12/02/25, 03:21 AM	27.42	91.81	5.46	7.28	46.44
12/02/25, 03:26 AM	27.37	91.65	5.49	7.3	46.46
12/02/25, 03:31 AM	27.41	91.45	5.49	7.28	46.51
12/02/25, 03:36 AM	27.36	91.46	5.51	7.3	46.49
12/02/25, 03:41 AM	27.41	91.38	5.54	7.28	46.53
12/02/25, 03:46 AM	27.39	91.32	5.52	7.3	46.46
12/02/25, 03:51 AM	27.35	91.24	5.5	7.3	46.44
12/02/25, 03:56 AM	27.41	91.11	5.53	7.3	46.47
12/02/25, 04:01 AM	27.36	91.24	5.51	7.32	46.51
12/02/25, 04:06 AM	27.39	91.22	5.52	7.32	46.47
12/02/25, 04:11 AM	27.44	91.43	5.49	7.33	46.44
12/02/25, 04:16 AM	27.42	91.58	5.46	7.32	46.47
12/02/25, 04:21 AM	27.38	91.74	5.48	7.32	46.41
12/02/25, 04:26 AM	27.31	91.74	5.49	7.29	46.39
12/02/25, 04:31 AM	27.37	91.66	5.5	7.32	46.35
12/02/25, 04:36 AM	27.41	91.51	5.49	7.3	46.35
12/02/25, 04:41 AM	27.44	91.49	5.45	7.27	46.37
12/02/25, 04:46 AM	27.5	91.4	5.48	7.28	46.37
12/02/25, 04:51 AM	27.52	91.56	5.5	7.3	46.42
12/02/25, 04:56 AM	27.52	91.68	5.51	7.28	46.46
12/02/25, 05:01 AM	27.49	91.69	5.49	7.28	46.49
12/02/25, 05:07 AM	27.56	91.76	5.49	7.3	46.49
12/02/25, 05:12 AM	27.53	91.77	5.51	7.3	46.51
12/02/25, 05:17 AM	27.51	91.6	5.51	7.31	46.57
12/02/25, 05:22 AM	27.57	91.75	5.48	7.29	46.6

TIME	BOD	COD	DO	pH	TSS
12/02/25, 05:27 AM	27.57	91.87	5.5	7.29	46.65
12/02/25, 05:32 AM	27.53	91.73	5.49	7.27	46.65
12/02/25, 05:37 AM	27.56	91.71	5.47	7.29	46.69
12/02/25, 05:42 AM	27.5	91.64	5.45	7.29	46.71
12/02/25, 05:47 AM	27.53	91.58	5.44	7.28	46.67
12/02/25, 05:52 AM	27.52	91.73	5.46	7.29	46.68
12/02/25, 05:57 AM	27.45	91.85	5.46	7.29	46.69
12/02/25, 06:02 AM	27.43	91.89	5.44	7.27	46.73
12/02/25, 06:07 AM	27.38	91.77	5.45	7.26	46.78
12/02/25, 06:12 AM	27.45	91.85	5.46	7.26	46.72
12/02/25, 06:17 AM	27.45	91.97	5.48	7.26	46.68
12/02/25, 06:22 AM	27.46	91.98	5.51	7.26	46.73
12/02/25, 06:27 AM	27.39	91.94	5.48	7.24	46.76
12/02/25, 06:32 AM	27.36	91.89	5.49	7.22	46.72
12/02/25, 06:37 AM	27.31	91.74	5.51	7.24	46.76
12/02/25, 06:42 AM	27.37	91.8	5.54	7.26	46.75
12/02/25, 06:47 AM	27.39	91.73	5.57	7.26	46.78
12/02/25, 06:52 AM	27.43	91.9	5.55	7.24	46.85
12/02/25, 06:57 AM	27.43	92.06	5.58	7.22	46.8
12/02/25, 07:02 AM	27.45	92.23	5.56	7.21	46.76
12/02/25, 07:07 AM	27.51	92.29	5.58	7.18	46.7
12/02/25, 07:12 AM	27.46	92.12	5.54	7.18	46.71
12/02/25, 07:17 AM	27.54	92.03	5.52	7.19	46.68
12/02/25, 07:22 AM	27.48	92.11	5.51	7.18	46.66
12/02/25, 07:27 AM	27.5	91.93	5.55	7.2	46.72
12/02/25, 07:32 AM	27.57	91.82	5.54	7.19	46.78
12/02/25, 07:37 AM	27.58	91.69	5.57	7.21	46.79
12/02/25, 07:42 AM	27.55	91.51	5.59	7.23	46.74
12/02/25, 07:47 AM	27.56	91.54	5.58	7.24	46.78
12/02/25, 07:52 AM	27.54	91.35	5.59	7.25	46.78
12/02/25, 07:57 AM	27.59	91.27	5.61	7.23	46.79
12/02/25, 08:02 AM	27.65	91.07	5.58	7.25	46.83
12/02/25, 08:07 AM	27.61	91.2	5.58	7.24	46.8
12/02/25, 08:12 AM	27.64	91.23	5.58	7.22	46.77

TIME	BOD	COD	DO	pH	TSS
12/02/25, 08:17 AM	27.64	91.25	5.6	7.21	46.74
12/02/25, 08:22 AM	27.6	91.19	5.58	7.2	46.77
12/02/25, 08:27 AM	27.56	91.11	5.6	7.17	46.73
12/02/25, 08:32 AM	27.53	91.07	5.62	7.19	46.7
12/02/25, 08:37 AM	27.6	91.05	5.62	7.21	46.76
12/02/25, 08:42 AM	27.65	91.07	5.64	7.19	46.73
12/02/25, 08:47 AM	27.63	91.08	5.62	7.17	46.69
12/02/25, 08:52 AM	27.68	91.01	5.65	7.17	46.62
12/02/25, 08:57 AM	27.61	90.85	5.63	7.19	46.69
12/02/25, 09:02 AM	27.54	90.87	5.65	7.19	46.69
12/02/25, 09:07 AM	27.56	90.69	5.68	7.19	46.7
12/02/25, 09:12 AM	27.63	90.76	5.68	7.18	46.72
12/02/25, 09:37 AM	27.77	90.76	5.73	7.24	46.81
12/02/25, 10:02 AM	27.7	91.3	5.73	7.26	46.77
12/02/25, 10:27 AM	27.61	91.18	5.75	7.29	46.81
12/02/25, 10:32 AM	27.66	91.12	5.75	7.29	46.81
12/02/25, 10:38 AM	27.72	91.31	5.76	7.29	46.86
12/02/25, 10:43 AM	27.77	91.33	5.77	7.3	46.86
12/02/25, 10:48 AM	27.79	91.23	5.78	7.27	46.82
12/02/25, 10:53 AM	27.78	91.23	5.76	7.27	46.78
12/02/25, 10:58 AM	27.85	91.31	5.78	7.29	46.74
12/02/25, 11:03 AM	27.81	91.12	5.81	7.29	46.74
12/02/25, 11:08 AM	27.87	91.28	5.77	7.29	46.71
12/02/25, 11:13 AM	27.9	91.44	5.74	7.29	46.67
12/02/25, 11:18 AM	27.84	91.42	5.71	7.28	46.74
12/02/25, 11:23 AM	27.79	91.28	5.71	7.28	46.72
12/02/25, 11:28 AM	27.78	91.35	5.72	7.29	46.65
12/02/25, 11:33 AM	27.72	91.45	5.75	7.3	46.59
12/02/25, 11:38 AM	27.75	91.27	5.78	7.28	46.66
12/02/25, 11:43 AM	27.7	91.41	5.76	7.31	46.59
12/02/25, 11:48 AM	27.72	91.38	5.76	7.32	46.6
12/02/25, 11:53 AM	27.66	91.47	5.79	7.32	46.59
12/02/25, 11:58 AM	27.7	91.42	5.82	7.32	46.63
12/02/25, 12:03 PM	27.77	91.53	5.79	7.31	46.58

TIME	BOD	COD	DO	pH	TSS
12/02/25, 12:08 PM	27.74	91.45	5.79	7.33	46.61
12/02/25, 12:13 PM	27.7	91.58	5.8	7.31	46.63
12/02/25, 12:18 PM	27.64	91.43	5.8	7.31	46.66
12/02/25, 12:23 PM	27.68	91.3	5.83	7.32	46.68
12/02/25, 12:28 PM	27.75	91.31	5.81	7.31	46.73
12/02/25, 12:33 PM	27.78	91.48	5.8	7.31	46.79
12/02/25, 12:38 PM	27.82	91.48	5.8	7.29	46.82
12/02/25, 12:43 PM	27.84	91.67	5.79	7.31	46.85
12/02/25, 12:48 PM	27.81	91.5	5.79	7.32	46.86
12/02/25, 12:53 PM	27.84	91.61	5.81	7.31	46.83
12/02/25, 12:58 PM	27.89	91.69	5.79	7.29	46.78
12/02/25, 01:03 PM	27.94	91.6	5.75	7.28	46.71
12/02/25, 01:08 PM	27.96	91.49	5.79	7.26	46.75
12/02/25, 01:13 PM	27.97	91.42	5.78	7.28	46.78
12/02/25, 01:18 PM	27.9	91.27	5.74	7.26	46.78
12/02/25, 01:23 PM	27.9	91.43	5.72	7.25	46.75
12/02/25, 01:28 PM	27.84	91.61	5.7	7.25	46.73
12/02/25, 01:33 PM	27.87	91.76	5.73	7.26	46.69
12/02/25, 01:38 PM	27.85	91.79	5.72	7.26	46.64
12/02/25, 02:03 PM	30.63	92.11	5.68	7.26	53.08
12/02/25, 02:22 PM	26.89	96.17	6.64	7.3	47.51
12/02/25, 02:38 PM	26.87	96.06	6.61	7.29	47.5
12/02/25, 02:43 PM	26.87	96.26	6.65	7.29	47.53
12/02/25, 03:08 PM	26.97	96.34	6.72	7.39	47.49
12/02/25, 03:33 PM	26.77	96.47	6.67	7.32	47.51
12/02/25, 03:38 PM	26.74	96.63	6.68	7.3	47.56
12/02/25, 03:43 PM	26.78	96.45	6.71	7.33	47.56
12/02/25, 03:48 PM	26.84	96.44	6.74	7.32	47.52
12/02/25, 03:53 PM	26.79	96.49	6.71	7.3	47.55
12/02/25, 03:58 PM	26.81	96.67	6.72	7.32	47.55
12/02/25, 04:03 PM	26.78	96.59	6.72	7.33	47.49
12/02/25, 04:08 PM	26.76	96.48	6.76	7.33	47.53
12/02/25, 04:13 PM	26.77	96.48	6.73	7.35	47.59
12/02/25, 04:18 PM	26.72	96.6	6.76	7.35	47.56

TIME	BOD	COD	DO	pH	TSS
12/02/25, 04:23 PM	26.79	96.39	6.78	7.35	47.59
12/02/25, 04:28 PM	26.76	96.4	6.8	7.33	47.57
12/02/25, 04:33 PM	26.76	96.53	6.83	7.35	47.63
12/02/25, 04:38 PM	26.7	96.69	6.86	7.33	47.64
12/02/25, 04:43 PM	26.77	96.87	6.84	7.35	47.59
12/02/25, 04:48 PM	26.73	96.77	6.86	7.35	47.56
12/02/25, 04:53 PM	26.73	96.66	6.83	7.34	47.51
12/02/25, 04:58 PM	26.67	96.84	6.83	7.33	47.48
12/02/25, 05:03 PM	26.71	96.98	6.84	7.34	47.49
12/02/25, 05:08 PM	26.77	97.04	6.84	7.34	47.55
12/02/25, 05:33 PM	26.79	96.76	6.83	7.38	47.52
12/02/25, 05:38 PM	26.81	96.69	6.85	7.37	47.47
12/02/25, 05:43 PM	26.74	96.55	6.82	7.39	47.48
12/02/25, 05:48 PM	26.72	96.41	6.82	7.39	47.47
12/02/25, 05:53 PM	26.67	96.43	6.79	7.41	47.44
12/02/25, 05:58 PM	26.73	96.63	6.77	7.43	47.42
12/02/25, 06:03 PM	26.76	96.76	6.74	7.42	47.4
12/02/25, 06:08 PM	26.76	96.82	6.74	7.44	47.37
12/02/25, 06:13 PM	26.73	96.91	6.73	7.42	47.32
12/02/25, 06:18 PM	26.78	97	6.75	7.4	47.37
12/02/25, 06:23 PM	26.83	96.92	6.77	7.42	47.38
12/02/25, 06:30 PM	26.75	96.38	6.62	7.29	47.52
12/02/25, 06:35 PM	26.72	96.18	6.6	7.29	47.48
12/02/25, 06:40 PM	26.78	96.25	6.56	7.3	47.46
12/02/25, 06:45 PM	26.73	96.41	6.53	7.32	47.43
12/02/25, 06:50 PM	26.74	96.25	6.56	7.33	47.37
12/02/25, 06:55 PM	26.73	96.1	6.55	7.33	47.4
12/02/25, 07:00 PM	26.66	96.08	6.56	7.33	47.44
12/02/25, 07:05 PM	26.62	96.19	6.57	7.31	47.47
12/02/25, 07:10 PM	26.55	96.07	6.53	7.32	47.51
12/02/25, 07:15 PM	26.58	95.97	6.57	7.3	47.5
12/02/25, 07:20 PM	26.55	95.84	6.6	7.3	47.47
12/02/25, 07:25 PM	26.56	95.74	6.62	7.28	47.44
12/02/25, 07:30 PM	26.53	95.55	6.6	7.3	47.39

TIME	BOD	COD	DO	pH	TSS
12/02/25, 07:35 PM	26.46	95.76	6.6	7.31	47.4
12/02/25, 07:40 PM	26.49	95.68	6.62	7.32	47.38
12/02/25, 07:45 PM	26.5	95.76	6.65	7.31	47.31
12/02/25, 07:50 PM	26.5	95.56	6.64	7.32	47.28
12/02/25, 07:55 PM	26.43	95.72	6.65	7.34	47.25
12/02/25, 08:00 PM	26.46	95.53	6.63	7.32	47.21
12/02/25, 08:05 PM	26.42	95.52	6.63	7.34	47.16
12/02/25, 08:10 PM	26.41	95.43	6.64	7.35	47.15
12/02/25, 08:15 PM	26.4	95.36	6.62	7.34	47.21
12/02/25, 08:20 PM	26.47	95.53	6.66	7.33	47.26
12/02/25, 08:25 PM	26.54	95.61	6.66	7.34	47.2
12/02/25, 08:30 PM	26.57	95.57	6.66	7.36	47.26
12/02/25, 08:35 PM	26.53	95.47	6.64	7.34	47.3
12/02/25, 08:40 PM	26.47	95.44	6.63	7.36	47.32
12/02/25, 08:45 PM	26.41	95.43	6.6	7.37	47.37
12/02/25, 08:50 PM	26.42	95.23	6.57	7.35	47.34
12/02/25, 08:55 PM	26.49	95.23	6.58	7.36	47.36
12/02/25, 09:00 PM	26.42	95.36	6.58	7.35	47.35
12/02/25, 09:05 PM	26.46	95.39	6.57	7.33	47.38
12/02/25, 09:10 PM	26.53	95.34	6.56	7.33	47.38
12/02/25, 09:15 PM	26.52	95.31	6.56	7.32	47.36
12/02/25, 09:20 PM	26.48	95.14	6.57	7.32	47.3
12/02/25, 09:25 PM	26.49	95.2	6.59	7.35	47.24
12/02/25, 09:30 PM	26.48	95.4	6.56	7.33	47.23
12/02/25, 09:35 PM	26.54	95.27	6.59	7.33	47.16
12/02/25, 09:40 PM	26.57	95.33	6.61	7.34	47.19
12/02/25, 09:45 PM	26.6	95.3	6.61	7.34	47.24
12/02/25, 09:50 PM	26.62	95.41	6.58	7.34	47.21
12/02/25, 09:55 PM	26.62	95.51	6.59	7.36	47.22
12/02/25, 10:00 PM	26.66	95.33	6.6	7.34	47.17
12/02/25, 10:05 PM	26.6	95.34	6.61	7.33	47.23
12/02/25, 10:10 PM	26.6	95.42	6.59	7.32	47.19
12/02/25, 10:15 PM	26.65	95.35	6.6	7.32	47.18
12/02/25, 10:20 PM	26.67	95.47	6.57	7.3	47.19

TIME	BOD	COD	DO	pH	TSS
12/02/25, 10:25 PM	26.64	95.52	6.55	7.3	47.19
12/02/25, 10:30 PM	26.64	95.72	6.51	7.32	47.18
12/02/25, 10:35 PM	26.62	95.63	6.54	7.33	47.23
12/02/25, 10:40 PM	26.59	95.53	6.53	7.31	47.25
12/02/25, 10:45 PM	26.55	95.51	6.51	7.32	47.23
12/02/25, 10:50 PM	26.54	95.62	6.53	7.32	47.17
12/02/25, 10:55 PM	26.56	95.58	6.56	7.31	47.24
12/02/25, 11:00 PM	26.49	95.68	6.53	7.29	47.3
12/02/25, 11:05 PM	26.46	95.71	6.52	7.29	47.23
12/02/25, 11:10 PM	26.44	95.85	6.5	7.29	47.3
12/02/25, 11:15 PM	26.46	96.06	6.5	7.3	47.36
12/02/25, 11:20 PM	26.45	95.97	6.53	7.32	47.38
12/02/25, 11:25 PM	26.51	96.1	6.51	7.32	47.38
12/02/25, 11:30 PM	26.54	96	6.52	7.32	47.37
12/02/25, 11:35 PM	26.49	95.83	6.49	7.3	47.4
12/02/25, 11:40 PM	26.42	95.66	6.51	7.31	47.37
12/02/25, 11:46 PM	26.43	95.58	6.51	7.32	47.34
12/02/25, 11:51 PM	26.43	95.41	6.53	7.32	47.37
12/02/25, 11:56 PM	26.47	95.37	6.5	7.35	47.43



## Water Quality Report: Jodhwal Drain

TIME	BOD	COD	DO	pH	TSS
05/02/25, 12:00 AM	27.43	95.41	6.4	7.34	47.62
05/02/25, 12:05 AM	27.45	95.35	6.43	7.32	47.61
05/02/25, 12:10 AM	27.43	95.5	6.43	7.31	47.58
05/02/25, 12:15 AM	27.46	95.61	6.41	7.31	47.57
05/02/25, 12:20 AM	27.41	95.41	6.41	7.32	47.61
05/02/25, 12:25 AM	27.42	95.59	6.42	7.34	47.58
05/02/25, 12:30 AM	27.44	95.38	6.43	7.36	47.59
05/02/25, 12:35 AM	27.46	95.49	6.42	7.35	47.53
05/02/25, 12:40 AM	27.49	95.38	6.38	7.36	47.46
05/02/25, 12:45 AM	27.44	95.47	6.35	7.34	47.5
05/02/25, 12:50 AM	27.5	95.61	6.38	7.32	47.5
05/02/25, 12:55 AM	27.55	95.57	6.4	7.31	47.52
05/02/25, 01:00 AM	27.55	95.66	6.37	7.33	47.46
05/02/25, 01:05 AM	27.53	95.75	6.36	7.35	47.49
05/02/25, 01:10 AM	27.59	95.92	6.39	7.35	47.53
05/02/25, 01:15 AM	27.61	95.86	6.42	7.33	47.5
05/02/25, 01:20 AM	27.67	95.9	6.45	7.34	47.56
05/02/25, 01:25 AM	27.63	96.03	6.47	7.34	47.52
05/02/25, 01:30 AM	27.61	96.19	6.44	7.35	47.48
05/02/25, 01:35 AM	27.59	96.39	6.44	7.38	47.53
05/02/25, 01:40 AM	27.52	96.25	6.46	7.36	47.58
05/02/25, 01:45 AM	27.58	96.35	6.47	7.38	47.53
05/02/25, 01:50 AM	27.65	96.48	6.47	7.39	47.59
05/02/25, 01:55 AM	27.71	96.64	6.49	7.39	47.61
05/02/25, 02:00 AM	27.74	96.8	6.47	7.37	47.64
05/02/25, 02:05 AM	27.78	96.83	6.51	7.36	47.58
05/02/25, 02:10 AM	27.78	96.96	6.54	7.37	47.56
05/02/25, 02:15 AM	27.82	97.06	6.52	7.34	47.5
05/02/25, 02:20 AM	27.86	96.91	6.5	7.37	47.53
05/02/25, 02:25 AM	27.91	96.82	6.48	7.36	47.59
05/02/25, 02:30 AM	27.9	96.63	6.49	7.35	47.53

TIME	BOD	COD	DO	pH	TSS
05/02/25, 02:35 AM	27.95	96.82	6.5	7.36	47.57
05/02/25, 02:40 AM	27.9	96.9	6.48	7.35	47.51
05/02/25, 02:45 AM	27.84	96.97	6.46	7.33	47.55
05/02/25, 02:50 AM	27.82	96.91	6.42	7.34	47.53
05/02/25, 02:55 AM	27.85	96.92	6.46	7.36	47.54
05/02/25, 03:00 AM	27.8	96.82	6.47	7.38	47.49
05/02/25, 03:05 AM	27.83	96.97	6.49	7.37	47.55
05/02/25, 03:10 AM	27.82	96.77	6.48	7.35	47.48
05/02/25, 03:15 AM	27.76	96.76	6.45	7.34	47.54
05/02/25, 03:20 AM	27.82	96.78	6.44	7.35	47.48
05/02/25, 03:25 AM	27.87	96.71	6.47	7.35	47.51
05/02/25, 03:30 AM	27.8	96.82	6.5	7.35	47.56
05/02/25, 03:35 AM	27.87	96.82	6.49	7.35	47.57
05/02/25, 03:40 AM	27.89	97	6.51	7.33	47.61
05/02/25, 03:45 AM	27.89	97.18	6.53	7.33	47.68
05/02/25, 03:50 AM	27.82	97.26	6.53	7.32	47.72
05/02/25, 03:55 AM	27.83	97.28	6.53	7.32	47.75
05/02/25, 04:00 AM	27.79	97.38	6.51	7.33	47.79
05/02/25, 04:05 AM	27.84	97.19	6.51	7.35	47.79
05/02/25, 04:10 AM	27.79	97.37	6.48	7.35	47.79
05/02/25, 04:15 AM	27.81	97.51	6.5	7.33	47.79
05/02/25, 04:20 AM	27.87	97.35	6.53	7.32	47.76
05/02/25, 04:25 AM	27.93	97.49	6.52	7.34	47.7
05/02/25, 04:30 AM	27.89	97.53	6.5	7.34	47.71
05/02/25, 04:35 AM	27.82	97.73	6.49	7.31	47.66
05/02/25, 04:40 AM	27.87	97.58	6.5	7.32	47.66
05/02/25, 04:45 AM	27.88	97.52	6.54	7.3	47.61
05/02/25, 04:50 AM	27.94	97.38	6.5	7.28	47.57
05/02/25, 04:55 AM	27.87	97.4	6.52	7.3	47.58
05/02/25, 05:00 AM	27.88	97.39	6.53	7.32	47.62
05/02/25, 05:05 AM	27.81	97.6	6.53	7.3	47.63
05/02/25, 05:10 AM	27.82	97.78	6.5	7.29	47.67
05/02/25, 05:15 AM	27.75	97.71	6.53	7.29	47.72
05/02/25, 05:20 AM	27.77	97.89	6.52	7.27	47.72

TIME	BOD	COD	DO	pH	TSS
05/02/25, 05:25 AM	27.79	97.92	6.5	7.29	47.65
05/02/25, 05:30 AM	27.81	97.99	6.49	7.31	47.72
05/02/25, 05:35 AM	27.74	98.05	6.47	7.33	47.71
05/02/25, 05:40 AM	27.7	98.13	6.45	7.33	47.72
05/02/25, 05:45 AM	27.77	98.03	6.44	7.33	47.76
05/02/25, 05:50 AM	27.72	98.01	6.41	7.33	47.7
05/02/25, 05:55 AM	27.75	98.16	6.37	7.31	47.63
05/02/25, 06:00 AM	27.7	98.18	6.34	7.31	47.7
05/02/25, 06:05 AM	27.65	98.1	6.32	7.29	47.63
05/02/25, 06:10 AM	27.7	97.97	6.34	7.31	47.7
05/02/25, 06:15 AM	27.64	97.91	6.35	7.33	47.73
05/02/25, 06:20 AM	27.59	97.9	6.32	7.32	47.77
05/02/25, 06:25 AM	27.65	97.99	6.32	7.33	47.82
05/02/25, 06:30 AM	27.69	97.93	6.29	7.34	47.86
05/02/25, 06:35 AM	27.72	98.04	6.29	7.35	47.84
05/02/25, 06:40 AM	27.73	98.03	6.25	7.37	47.77
05/02/25, 06:45 AM	27.73	98.04	6.24	7.36	47.71
05/02/25, 06:50 AM	27.76	97.86	6.22	7.38	47.69
05/02/25, 06:55 AM	27.82	97.85	6.25	7.39	47.76
05/02/25, 07:00 AM	27.78	97.74	6.26	7.4	47.75
05/02/25, 07:05 AM	27.73	97.91	6.27	7.37	47.8
05/02/25, 07:09 AM	26.81	96.22	6.64	7.3	47.49
05/02/25, 07:14 AM	26.87	96.12	6.65	7.31	47.54
05/02/25, 07:19 AM	26.8	96.24	6.64	7.31	47.56
05/02/25, 07:24 AM	26.87	96.39	6.68	7.31	47.54
05/02/25, 07:29 AM	26.86	96.25	6.64	7.31	47.57
05/02/25, 07:34 AM	26.88	96.07	6.66	7.31	47.55
05/02/25, 07:39 AM	26.82	95.98	6.65	7.28	47.49
05/02/25, 07:44 AM	26.86	95.94	6.64	7.26	47.53
05/02/25, 07:49 AM	26.93	95.82	6.66	7.27	47.6
05/02/25, 07:54 AM	26.88	95.74	6.67	7.27	47.66
05/02/25, 07:59 AM	26.82	95.56	6.71	7.29	47.72
05/02/25, 08:04 AM	26.75	95.45	6.74	7.27	47.77
05/02/25, 08:09 AM	26.78	95.51	6.74	7.29	47.78

TIME	BOD	COD	DO	pH	TSS
05/02/25, 08:14 AM	26.79	95.65	6.77	7.3	47.74
05/02/25, 08:19 AM	26.8	95.44	6.76	7.29	47.69
05/02/25, 08:24 AM	26.75	95.63	6.79	7.28	47.69
05/02/25, 08:29 AM	26.7	95.51	6.79	7.28	47.66
05/02/25, 08:34 AM	26.77	95.35	6.77	7.26	47.65
05/02/25, 08:39 AM	26.71	95.44	6.79	7.28	47.71
05/02/25, 08:44 AM	26.68	95.53	6.78	7.26	47.71
05/02/25, 08:49 AM	26.66	95.72	6.8	7.27	47.76
05/02/25, 08:54 AM	26.64	95.62	6.8	7.29	47.78
05/02/25, 08:59 AM	26.65	95.68	6.76	7.28	47.77
05/02/25, 09:04 AM	26.59	95.52	6.76	7.3	47.83
05/02/25, 09:09 AM	26.56	95.58	6.75	7.31	47.76
05/02/25, 09:14 AM	26.55	95.69	6.78	7.3	47.76
05/02/25, 09:19 AM	26.51	95.78	6.75	7.3	47.8
05/02/25, 09:24 AM	26.45	95.84	6.77	7.28	47.83
05/02/25, 09:29 AM	26.47	95.84	6.77	7.3	47.89
05/02/25, 09:34 AM	26.51	95.84	6.78	7.31	47.92
05/02/25, 09:39 AM	26.51	95.9	6.81	7.33	47.88
05/02/25, 09:44 AM	26.56	95.7	6.81	7.35	47.89
05/02/25, 09:49 AM	26.61	95.7	6.81	7.35	47.88
05/02/25, 09:54 AM	26.56	95.89	6.82	7.33	47.88
05/02/25, 10:09 AM	26.78	96.42	6.6	7.27	47.54
05/02/25, 10:13 AM	26.73	96.55	6.57	7.27	47.58
05/02/25, 10:18 AM	26.71	96.74	6.6	7.27	47.63
05/02/25, 10:23 AM	26.77	96.57	6.57	7.29	47.63
05/02/25, 10:28 AM	26.79	96.62	6.58	7.3	47.61
05/02/25, 10:33 AM	26.84	96.69	6.55	7.32	47.63
05/02/25, 10:38 AM	26.89	96.74	6.53	7.29	47.67
05/02/25, 10:43 AM	26.93	96.62	6.57	7.3	47.73
05/02/25, 10:48 AM	26.95	96.72	6.53	7.31	47.69
05/02/25, 10:53 AM	26.95	96.61	6.55	7.31	47.66
05/02/25, 10:58 AM	26.88	96.57	6.52	7.3	47.67
05/02/25, 11:03 AM	26.92	96.61	6.5	7.28	47.61
05/02/25, 11:29 AM	27.03	96.93	6.44	7.27	47.56

TIME	BOD	COD	DO	pH	TSS
05/02/25, 11:54 AM	27.14	96.92	6.39	7.28	47.53
05/02/25, 12:19 PM	27.18	96.24	6.37	7.26	47.47
05/02/25, 12:24 PM	27.15	96.1	6.33	7.23	47.46
05/02/25, 12:29 PM	27.19	96.28	6.36	7.22	47.48
05/02/25, 12:34 PM	27.2	96.14	6.32	7.21	47.42
05/02/25, 12:39 PM	27.22	96.24	6.33	7.19	47.48
05/02/25, 12:44 PM	27.2	96.34	6.3	7.18	47.5
05/02/25, 12:49 PM	27.24	96.51	6.29	7.17	47.43
05/02/25, 12:54 PM	27.18	96.36	6.31	7.15	47.48
05/02/25, 12:59 PM	27.21	96.42	6.31	7.14	47.47
05/02/25, 01:04 PM	27.18	96.23	6.31	7.14	47.46
05/02/25, 01:09 PM	27.21	96.22	6.28	7.15	47.45
05/02/25, 01:14 PM	27.24	96.39	6.29	7.16	47.43
05/02/25, 01:19 PM	27.24	96.55	6.28	7.15	47.49
05/02/25, 01:24 PM	27.29	96.38	6.31	7.17	47.47
05/02/25, 01:29 PM	27.25	96.44	6.3	7.19	47.5
05/02/25, 01:34 PM	27.24	96.29	6.27	7.16	47.46
05/02/25, 01:39 PM	27.29	96.47	6.24	7.18	47.41
05/02/25, 01:44 PM	27.32	96.62	6.23	7.16	47.36
05/02/25, 01:49 PM	27.29	96.78	6.25	7.17	47.33
05/02/25, 01:54 PM	27.36	96.87	6.22	7.16	47.33
05/02/25, 01:59 PM	27.29	96.76	6.22	7.14	47.34
05/02/25, 02:04 PM	27.3	96.6	6.24	7.15	47.28
05/02/25, 02:09 PM	27.32	96.71	6.24	7.16	47.28
05/02/25, 02:14 PM	27.32	96.88	6.27	7.14	47.32
05/02/25, 02:19 PM	27.32	96.78	6.25	7.15	47.27
05/02/25, 02:24 PM	27.37	96.67	6.24	7.15	47.28
05/02/25, 02:29 PM	27.41	96.8	6.2	7.15	47.22
05/02/25, 02:34 PM	27.39	96.99	6.22	7.16	47.17
05/02/25, 02:39 PM	27.36	96.92	6.23	7.17	47.18
05/02/25, 02:44 PM	27.35	96.97	6.27	7.16	47.21
05/02/25, 02:49 PM	27.39	97.05	6.29	7.18	47.16
05/02/25, 02:54 PM	27.45	97.1	6.31	7.15	47.15
05/02/25, 02:59 PM	27.46	97.2	6.29	7.18	47.21

TIME	BOD	COD	DO	pH	TSS
05/02/25, 03:10 PM	26.81	96.34	6.64	7.27	47.42
05/02/25, 03:14 PM	26.82	96.13	6.66	7.29	47.36
05/02/25, 03:19 PM	26.86	96.16	6.65	7.26	47.49
05/02/25, 03:24 PM	26.82	96.36	6.64	7.28	47.49
05/02/25, 03:29 PM	26.79	96.22	6.61	7.29	47.52
05/02/25, 03:34 PM	26.8	96.18	6.65	7.32	47.55
05/02/25, 03:39 PM	26.75	96.16	6.68	7.33	47.49
05/02/25, 03:44 PM	26.73	96.2	6.7	7.32	47.48
05/02/25, 03:49 PM	26.7	96.17	6.74	7.34	47.54
05/02/25, 03:54 PM	26.68	96.13	6.73	7.33	47.56
05/02/25, 03:59 PM	26.72	96.24	6.72	7.33	47.54
05/02/25, 04:04 PM	26.66	96.12	6.73	7.33	47.51
05/02/25, 04:09 PM	26.68	96.04	6.69	7.34	47.58
05/02/25, 04:14 PM	26.64	95.97	6.66	7.33	47.63
05/02/25, 04:19 PM	26.6	95.85	6.67	7.32	47.65
05/02/25, 04:24 PM	26.56	95.77	6.65	7.3	47.62
05/02/25, 04:29 PM	26.53	95.94	6.64	7.29	47.63
05/02/25, 04:34 PM	26.9	96.14	6.66	7.3	47.51
05/02/25, 04:38 PM	26.94	96.24	6.64	7.33	47.51
05/02/25, 04:43 PM	26.91	96.06	6.66	7.31	47.5
05/02/25, 04:48 PM	26.9	96.04	6.68	7.31	47.51
05/02/25, 04:53 PM	26.86	96.02	6.72	7.31	47.57
05/02/25, 04:58 PM	26.9	95.93	6.75	7.33	47.59
05/02/25, 05:03 PM	26.9	95.98	6.78	7.34	47.54
05/02/25, 05:08 PM	26.89	95.99	6.8	7.35	47.54
05/02/25, 05:14 PM	26.94	96.1	6.77	7.37	47.5
05/02/25, 05:19 PM	26.89	95.92	6.79	7.39	47.44
05/02/25, 05:24 PM	26.92	95.98	6.81	7.38	47.41
05/02/25, 05:29 PM	26.98	96.15	6.77	7.36	47.45
05/02/25, 05:34 PM	27.02	95.97	6.79	7.34	47.43
05/02/25, 05:39 PM	26.95	95.92	6.78	7.35	47.37
05/02/25, 05:44 PM	26.95	95.74	6.75	7.36	47.35
05/02/25, 05:49 PM	26.95	95.74	6.78	7.35	47.39
05/02/25, 05:54 PM	26.9	95.7	6.74	7.36	47.45

TIME	BOD	COD	DO	pH	TSS
05/02/25, 05:59 PM	26.87	95.68	6.71	7.37	47.48
05/02/25, 06:04 PM	26.91	95.68	6.73	7.35	47.42
05/02/25, 06:09 PM	26.85	95.79	6.75	7.33	47.37
05/02/25, 06:34 PM	26.93	95.91	6.74	7.34	47.44
05/02/25, 06:39 PM	26.99	96.06	6.71	7.32	47.39
05/02/25, 06:44 PM	26.94	96.1	6.68	7.34	47.41
05/02/25, 06:49 PM	26.96	95.93	6.7	7.32	47.45
05/02/25, 06:54 PM	26.98	95.78	6.68	7.33	47.44
05/02/25, 06:59 PM	27.03	95.71	6.7	7.31	47.39
05/02/25, 07:04 PM	27.07	95.68	6.72	7.32	47.34
05/02/25, 07:09 PM	27.06	95.5	6.69	7.31	47.35
05/02/25, 07:14 PM	27.09	95.66	6.69	7.32	47.33
05/02/25, 07:19 PM	27.04	95.51	6.68	7.34	47.31
05/02/25, 07:24 PM	26.97	95.37	6.69	7.33	47.37
05/02/25, 07:29 PM	26.93	95.56	6.66	7.31	47.33
05/02/25, 07:34 PM	26.89	95.4	6.68	7.33	47.38
05/02/25, 07:39 PM	26.9	95.41	6.7	7.35	47.42
05/02/25, 07:44 PM	26.94	95.6	6.72	7.36	47.4
05/02/25, 07:49 PM	26.89	95.43	6.7	7.38	47.38
05/02/25, 07:54 PM	26.88	95.44	6.68	7.37	47.44
05/02/25, 07:59 PM	26.9	95.57	6.64	7.36	47.46
05/02/25, 08:04 PM	26.87	95.5	6.6	7.35	47.49
05/02/25, 08:09 PM	26.84	95.67	6.64	7.34	47.51
05/02/25, 08:14 PM	26.83	95.62	6.62	7.35	47.58
05/02/25, 08:19 PM	26.88	95.55	6.65	7.36	47.61
05/02/25, 08:24 PM	26.91	95.52	6.65	7.34	47.58
05/02/25, 08:29 PM	26.9	95.42	6.69	7.32	47.65
05/02/25, 08:34 PM	26.88	95.55	6.69	7.31	47.6
05/02/25, 08:39 PM	26.86	95.53	6.7	7.29	47.65
05/02/25, 08:44 PM	26.87	95.36	6.69	7.3	47.61
05/02/25, 08:49 PM	26.84	95.34	6.69	7.31	47.59
05/02/25, 08:54 PM	26.91	95.15	6.7	7.3	47.64
05/02/25, 08:59 PM	26.88	95.34	6.72	7.31	47.63
05/02/25, 09:04 PM	26.94	95.26	6.73	7.32	47.61

TIME	BOD	COD	DO	pH	TSS
05/02/25, 09:09 PM	26.92	95.43	6.77	7.32	47.68
05/02/25, 09:14 PM	26.9	95.32	6.76	7.33	47.69
05/02/25, 09:19 PM	26.93	95.24	6.73	7.31	47.65
05/02/25, 09:24 PM	26.86	95.45	6.75	7.34	47.58
05/02/25, 09:29 PM	26.88	95.57	6.78	7.33	47.59
05/02/25, 09:34 PM	26.95	95.52	6.81	7.35	47.56
05/02/25, 09:39 PM	26.9	95.56	6.83	7.33	47.6
05/02/25, 09:44 PM	26.88	95.67	6.87	7.33	47.67
05/02/25, 09:49 PM	26.88	95.75	6.9	7.34	47.65
05/02/25, 09:54 PM	26.9	95.59	6.91	7.35	47.66
05/02/25, 09:59 PM	26.92	95.43	6.9	7.35	47.6
05/02/25, 10:04 PM	26.92	95.35	6.94	7.37	47.55
05/02/25, 10:09 PM	26.85	95.33	6.93	7.35	47.58
05/02/25, 10:14 PM	26.85	95.37	6.9	7.37	47.58
05/02/25, 10:19 PM	26.84	95.26	6.89	7.39	47.62
05/02/25, 10:24 PM	26.87	95.37	6.85	7.38	47.68
05/02/25, 10:29 PM	26.88	95.38	6.82	7.38	47.7
05/02/25, 10:34 PM	26.81	95.24	6.84	7.36	47.65
05/02/25, 10:39 PM	26.81	95.19	6.82	7.36	47.62
05/02/25, 10:44 PM	26.75	94.99	6.82	7.38	47.56
05/02/25, 10:49 PM	26.77	94.96	6.8	7.36	47.58
05/02/25, 10:54 PM	26.71	95.05	6.83	7.34	47.58
05/02/25, 10:59 PM	26.77	95.06	6.84	7.35	47.55
05/02/25, 11:04 PM	26.79	94.85	6.82	7.36	47.59
05/02/25, 11:09 PM	26.82	94.85	6.78	7.33	47.63
05/02/25, 11:14 PM	26.87	94.71	6.79	7.35	47.58
05/02/25, 11:19 PM	26.81	94.62	6.77	7.37	47.61
05/02/25, 11:24 PM	26.78	94.44	6.74	7.36	47.63
05/02/25, 11:29 PM	26.81	94.55	6.77	7.34	47.57
05/02/25, 11:34 PM	26.82	94.45	6.75	7.33	47.63
05/02/25, 11:39 PM	26.85	94.24	6.76	7.31	47.68
05/02/25, 11:44 PM	26.89	94.42	6.73	7.33	47.68
05/02/25, 11:49 PM	26.94	94.49	6.75	7.33	47.68
05/02/25, 11:54 PM	26.9	94.55	6.73	7.32	47.68

TIME	BOD	COD	DO	pH	TSS
05/02/25, 11:59 PM	26.94	94.55	6.7	7.32	47.74



## Water Quality Report: Jodhwal Drain

TIME	BOD	COD	DO	pH	TSS
28/01/25, 12:00 AM	27.03	97.32	6.49	7.34	47.22
28/01/25, 12:05 AM	27.06	97.4	6.48	7.34	47.22
28/01/25, 12:10 AM	27.13	97.51	6.49	7.36	47.22
28/01/25, 12:15 AM	27.19	97.36	6.52	7.34	47.23
28/01/25, 12:20 AM	27.23	97.15	6.53	7.35	47.28
28/01/25, 12:25 AM	27.27	97.35	6.5	7.34	47.22
28/01/25, 12:30 AM	27.34	97.28	6.5	7.32	47.18
28/01/25, 12:35 AM	27.39	97.23	6.51	7.33	47.17
28/01/25, 12:40 AM	27.35	97.37	6.53	7.32	47.23
28/01/25, 12:45 AM	27.38	97.41	6.55	7.3	47.26
28/01/25, 12:50 AM	27.32	97.29	6.51	7.32	47.33
28/01/25, 12:55 AM	27.29	97.11	6.53	7.33	47.37
28/01/25, 01:00 AM	27.34	97.27	6.53	7.34	47.41
28/01/25, 01:05 AM	27.29	97.17	6.52	7.33	47.42
28/01/25, 01:10 AM	27.28	97.14	6.5	7.34	47.44
28/01/25, 01:15 AM	27.25	97.04	6.53	7.33	47.43
28/01/25, 01:20 AM	27.21	96.97	6.53	7.31	47.41
28/01/25, 01:25 AM	27.24	96.81	6.52	7.3	47.47
28/01/25, 01:30 AM	27.3	97	6.49	7.31	47.48
28/01/25, 01:35 AM	27.37	97.16	6.46	7.32	47.55
28/01/25, 01:40 AM	27.3	97.15	6.49	7.3	47.49
28/01/25, 01:46 AM	27.28	97.14	6.52	7.28	47.48
28/01/25, 01:51 AM	27.3	97.12	6.5	7.31	47.51
28/01/25, 01:56 AM	27.37	97.16	6.5	7.33	47.55
28/01/25, 02:01 AM	27.36	97.12	6.46	7.34	47.49
28/01/25, 02:06 AM	27.42	97.1	6.45	7.34	47.55
28/01/25, 02:11 AM	27.47	96.91	6.42	7.34	47.57
28/01/25, 02:16 AM	27.39	96.91	6.42	7.34	47.58
28/01/25, 02:21 AM	27.33	97.02	6.41	7.36	47.61
28/01/25, 02:26 AM	27.39	96.84	6.44	7.35	47.63
28/01/25, 02:31 AM	27.39	96.9	6.42	7.37	47.66

TIME	BOD	COD	DO	pH	TSS
28/01/25, 02:36 AM	27.33	97.05	6.46	7.35	47.67
28/01/25, 02:41 AM	27.27	97.25	6.47	7.36	47.67
28/01/25, 02:46 AM	27.21	97.11	6.47	7.35	47.6
28/01/25, 02:51 AM	27.24	97.15	6.5	7.35	47.66
28/01/25, 02:56 AM	27.18	97.29	6.54	7.36	47.66
28/01/25, 03:01 AM	27.16	97.44	6.58	7.37	47.67
28/01/25, 03:06 AM	27.2	97.62	6.57	7.35	47.7
28/01/25, 03:11 AM	27.13	97.55	6.58	7.34	47.73
28/01/25, 03:16 AM	27.2	97.44	6.55	7.32	47.79
28/01/25, 03:21 AM	27.13	97.29	6.56	7.33	47.78
28/01/25, 03:26 AM	27.12	97.24	6.55	7.33	47.8
28/01/25, 03:31 AM	27.2	97.39	6.53	7.31	47.81
28/01/25, 03:36 AM	27.14	97.55	6.51	7.31	47.75
28/01/25, 03:41 AM	27.21	97.71	6.49	7.32	47.77
28/01/25, 03:46 AM	27.15	97.66	6.52	7.3	47.83
28/01/25, 03:51 AM	27.21	97.5	6.52	7.3	47.85
28/01/25, 03:56 AM	27.17	97.61	6.5	7.3	47.86
28/01/25, 04:01 AM	27.15	97.43	6.52	7.28	47.91
28/01/25, 04:06 AM	27.22	97.45	6.51	7.29	47.9
28/01/25, 04:11 AM	27.23	97.43	6.52	7.29	47.84
28/01/25, 04:16 AM	27.26	97.64	6.51	7.3	47.77
28/01/25, 04:21 AM	27.23	97.62	6.52	7.32	47.8
28/01/25, 04:26 AM	27.28	97.54	6.5	7.33	47.77
28/01/25, 04:31 AM	27.26	97.42	6.53	7.32	47.83
28/01/25, 04:36 AM	27.2	97.42	6.53	7.32	47.82
28/01/25, 04:41 AM	27.17	97.58	6.56	7.34	47.8
28/01/25, 04:46 AM	27.21	97.38	6.57	7.35	47.73
28/01/25, 04:51 AM	27.14	97.55	6.53	7.34	47.77
28/01/25, 04:56 AM	27.15	97.37	6.52	7.36	47.83
28/01/25, 05:01 AM	27.09	97.17	6.56	7.39	47.86
28/01/25, 05:06 AM	27.08	97.14	6.55	7.37	47.82
28/01/25, 05:11 AM	27.08	96.93	6.55	7.34	47.77
28/01/25, 05:16 AM	27.1	97.06	6.55	7.34	47.75
28/01/25, 05:21 AM	27.09	97.16	6.55	7.32	47.72

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:26 AM	27.06	97.11	6.57	7.33	47.76
28/01/25, 05:31 AM	27.05	97.16	6.57	7.33	47.71
28/01/25, 05:36 AM	27.05	97.01	6.6	7.35	47.65
28/01/25, 05:41 AM	27.04	96.97	6.64	7.34	47.62
28/01/25, 05:46 AM	27.04	97.08	6.6	7.33	47.57
28/01/25, 05:51 AM	27.06	97.28	6.56	7.33	47.52
28/01/25, 05:56 AM	27	97.38	6.56	7.35	47.49
28/01/25, 06:01 AM	27	97.31	6.56	7.36	47.47
28/01/25, 06:06 AM	26.97	97.29	6.52	7.37	47.43
28/01/25, 06:11 AM	26.98	97.14	6.54	7.36	47.42
28/01/25, 06:16 AM	26.99	97	6.56	7.34	47.49
28/01/25, 06:21 AM	26.95	96.93	6.59	7.34	47.47
28/01/25, 06:26 AM	26.98	96.98	6.62	7.35	47.47
28/01/25, 06:31 AM	27.02	96.82	6.58	7.36	47.44
28/01/25, 06:36 AM	27.06	96.7	6.57	7.34	47.43
28/01/25, 06:41 AM	27.01	96.84	6.57	7.35	47.39
28/01/25, 11:34 AM	26.88	96.03	6.66	7.26	47.46
28/01/25, 11:38 AM	26.88	96	6.66	7.27	47.44
28/01/25, 11:43 AM	26.82	96.12	6.63	7.3	47.39
28/01/25, 11:48 AM	26.89	96.2	6.64	7.28	47.42
28/01/25, 11:53 AM	26.91	96.25	6.68	7.3	47.44
28/01/25, 11:58 AM	26.95	96.33	6.68	7.28	47.46
28/01/25, 12:03 PM	26.9	96.53	6.68	7.28	47.5
28/01/25, 12:08 PM	26.84	96.61	6.66	7.27	47.5
28/01/25, 12:13 PM	26.87	96.45	6.63	7.26	47.57
28/01/25, 12:18 PM	26.81	96.26	6.62	7.26	47.53
28/01/25, 12:23 PM	26.8	96.3	6.62	7.24	47.52
28/01/25, 12:28 PM	26.85	96.17	6.61	7.22	47.54
28/01/25, 12:33 PM	26.88	96.17	6.58	7.24	47.48
28/01/25, 12:38 PM	26.84	96.23	6.61	7.26	47.45
28/01/25, 12:43 PM	26.78	96.13	6.61	7.24	47.5
28/01/25, 12:48 PM	26.76	96.06	6.6	7.25	47.54
28/01/25, 12:53 PM	26.7	96.09	6.6	7.25	47.52
28/01/25, 12:58 PM	26.65	96.28	6.62	7.23	47.54

TIME	BOD	COD	DO	pH	TSS
28/01/25, 01:03 PM	26.69	96.29	6.6	7.21	47.55
28/01/25, 01:08 PM	26.65	96.15	6.59	7.21	47.5
28/01/25, 01:13 PM	26.61	96.23	6.6	7.23	47.5
28/01/25, 01:18 PM	26.57	96.43	6.59	7.21	47.52
28/01/25, 01:29 PM	26.76	96.39	6.68	7.26	47.49
28/01/25, 01:54 PM	26.95	96.1	6.66	7.28	47.51
28/01/25, 02:16 PM	26.81	96.37	6.67	7.27	47.44
28/01/25, 02:40 PM	26.86	96.18	6.65	7.26	47.39
28/01/25, 03:06 PM	26.81	96.41	6.6	7.29	47.43
28/01/25, 03:11 PM	26.74	96.52	6.63	7.28	47.42
28/01/25, 03:16 PM	26.72	96.45	6.6	7.3	47.42
28/01/25, 03:21 PM	26.7	96.59	6.59	7.31	47.48
28/01/25, 03:26 PM	26.73	96.56	6.56	7.3	47.45
28/01/25, 03:31 PM	26.75	96.59	6.59	7.28	47.45
28/01/25, 03:36 PM	26.79	96.5	6.55	7.29	47.42
28/01/25, 03:41 PM	26.79	96.56	6.59	7.3	47.43
28/01/25, 03:46 PM	26.75	96.57	6.59	7.28	47.47
28/01/25, 03:51 PM	26.68	96.77	6.62	7.29	47.47
28/01/25, 03:56 PM	26.73	96.61	6.66	7.28	47.53
28/01/25, 04:01 PM	26.72	96.57	6.66	7.3	47.56
28/01/25, 04:06 PM	26.64	96.66	6.64	7.28	47.51
28/01/25, 04:16 PM	26.75	96.08	6.67	7.26	47.44
28/01/25, 04:41 PM	26.65	95.64	6.69	7.26	47.35
28/01/25, 04:46 PM	26.58	95.84	6.72	7.26	47.31
28/01/25, 04:51 PM	26.62	95.89	6.71	7.28	47.34
28/01/25, 04:56 PM	26.56	95.98	6.75	7.26	47.37
28/01/25, 05:01 PM	26.52	95.96	6.76	7.24	47.34
28/01/25, 05:06 PM	26.52	95.86	6.76	7.26	47.37
28/01/25, 05:11 PM	26.59	95.8	6.77	7.27	47.4
28/01/25, 05:16 PM	26.6	95.88	6.78	7.25	47.34
28/01/25, 05:18 PM	26.76	96.42	6.64	7.31	47.45
28/01/25, 05:22 PM	26.7	96.6	6.61	7.31	47.5
28/01/25, 05:27 PM	26.63	96.65	6.6	7.3	47.46
28/01/25, 05:32 PM	26.56	96.65	6.6	7.28	47.52

TIME	BOD	COD	DO	pH	TSS
28/01/25, 05:37 PM	26.6	96.54	6.61	7.25	47.46
28/01/25, 05:42 PM	26.62	96.6	6.64	7.27	47.48
28/01/25, 05:47 PM	26.56	96.41	6.65	7.28	47.51
28/01/25, 05:52 PM	26.58	96.52	6.61	7.3	47.5
28/01/25, 05:57 PM	26.55	96.46	6.63	7.3	47.54
28/01/25, 06:02 PM	26.47	96.45	6.59	7.32	47.54
28/01/25, 06:07 PM	26.54	96.52	6.58	7.34	47.56
28/01/25, 06:12 PM	26.56	96.69	6.55	7.32	47.5
28/01/25, 06:17 PM	26.57	96.64	6.51	7.3	47.51
28/01/25, 06:22 PM	26.51	96.47	6.49	7.29	47.45
28/01/25, 06:27 PM	26.56	96.58	6.53	7.28	47.49
28/01/25, 06:32 PM	26.59	96.67	6.51	7.28	47.44
28/01/25, 06:37 PM	26.65	96.53	6.5	7.3	47.44
28/01/25, 06:42 PM	26.61	96.55	6.47	7.28	47.43
28/01/25, 06:48 PM	26.86	96.06	6.64	7.26	47.55
28/01/25, 06:52 PM	26.88	96.21	6.6	7.28	47.44
28/01/25, 06:56 PM	26.85	96.33	6.6	7.29	47.4
28/01/25, 07:01 PM	26.79	96.26	6.56	7.29	47.37
28/01/25, 07:06 PM	26.75	96.31	6.54	7.28	47.37
28/01/25, 07:11 PM	26.76	96.44	6.58	7.27	47.34
28/01/25, 07:16 PM	26.69	96.26	6.59	7.27	47.39
28/01/25, 07:21 PM	26.68	96.47	6.56	7.27	47.43
28/01/25, 07:26 PM	26.67	96.66	6.54	7.3	47.47
28/01/25, 07:31 PM	26.73	96.59	6.54	7.31	47.42
28/01/25, 07:36 PM	26.71	96.74	6.53	7.34	47.4
28/01/25, 07:41 PM	26.71	96.67	6.56	7.31	47.37
28/01/25, 07:46 PM	26.74	96.62	6.6	7.29	47.39
28/01/25, 07:51 PM	26.73	96.63	6.63	7.3	47.44
28/01/25, 07:56 PM	26.8	96.79	6.59	7.3	47.41
28/01/25, 08:01 PM	26.84	96.58	6.56	7.31	47.43
28/01/25, 08:06 PM	26.79	96.69	6.54	7.3	47.41
28/01/25, 08:11 PM	26.81	96.56	6.54	7.29	47.37
28/01/25, 08:16 PM	26.81	96.38	6.54	7.27	47.33
28/01/25, 08:21 PM	26.79	96.25	6.51	7.26	47.32

TIME	BOD	COD	DO	pH	TSS
28/01/25, 08:26 PM	26.72	96.26	6.52	7.25	47.36
28/01/25, 08:31 PM	26.67	96.31	6.5	7.23	47.4
28/01/25, 08:36 PM	26.73	96.17	6.49	7.23	47.38
28/01/25, 08:41 PM	26.78	96.27	6.48	7.22	47.41
28/01/25, 08:46 PM	26.82	96.44	6.45	7.22	47.38
28/01/25, 08:51 PM	26.81	96.42	6.45	7.21	47.43
28/01/25, 08:56 PM	26.82	96.28	6.46	7.2	47.42
28/01/25, 09:01 PM	26.81	96.08	6.49	7.21	47.36
28/01/25, 09:06 PM	26.88	95.91	6.49	7.23	47.32
28/01/25, 09:31 PM	26.83	95.87	6.46	7.25	47.3
28/01/25, 09:57 PM	26.84	95.88	6.39	7.26	47.22
28/01/25, 10:22 PM	26.81	95.95	6.42	7.28	46.93
28/01/25, 10:27 PM	26.81	96.13	6.41	7.28	46.87
28/01/25, 10:32 PM	26.74	96.12	6.42	7.3	46.9
28/01/25, 10:37 PM	26.81	95.95	6.41	7.28	46.93
28/01/25, 10:42 PM	26.81	95.94	6.39	7.28	46.89
28/01/25, 10:47 PM	26.84	96.05	6.38	7.29	46.9
28/01/25, 10:52 PM	26.9	96.23	6.38	7.3	46.94
28/01/25, 10:57 PM	26.89	96.35	6.34	7.28	46.9
28/01/25, 11:02 PM	26.87	96.3	6.31	7.26	46.87
28/01/25, 11:07 PM	26.92	96.15	6.34	7.27	46.92
28/01/25, 11:12 PM	26.95	96.07	6.32	7.25	46.91
28/01/25, 11:17 PM	27	95.87	6.31	7.23	46.96
28/01/25, 11:22 PM	26.94	95.85	6.31	7.22	46.97
28/01/25, 11:27 PM	27	96.03	6.33	7.22	46.95
28/01/25, 11:32 PM	27.01	96.19	6.32	7.22	46.93
28/01/25, 11:37 PM	26.95	96.12	6.34	7.2	46.9
28/01/25, 11:42 PM	26.98	96.09	6.36	7.19	46.89
28/01/25, 11:47 PM	27.04	96.19	6.36	7.19	46.9
28/01/25, 11:52 PM	26.99	96.1	6.39	7.19	46.85
28/01/25, 11:57 PM	27	96.02	6.4	7.19	46.81



## Water Quality Report: ADA Drain

TIME	BOD	COD	DO	pH	TSS
15/01/25, 12:01 AM	29.44	82.67	5.25	7.88	49.45
15/01/25, 12:06 AM	29.42	82.6	5.25	7.88	49.45
15/01/25, 12:11 AM	29.42	82.77	5.25	7.88	49.44
15/01/25, 12:16 AM	29.44	82.88	5.26	7.88	49.41
15/01/25, 12:41 AM	29.4	82.85	5.26	7.87	49.36
15/01/25, 12:46 AM	29.4	83.04	5.27	7.87	49.37
15/01/25, 12:51 AM	29.42	83.22	5.27	7.87	49.41
15/01/25, 12:56 AM	29.42	83.06	5.27	7.88	49.42
15/01/25, 01:01 AM	29.39	83.07	5.26	7.89	49.42
15/01/25, 01:06 AM	29.36	83.07	5.26	7.9	49.43
15/01/25, 01:11 AM	29.35	83.23	5.27	7.9	49.42
15/01/25, 01:16 AM	29.34	83.4	5.27	7.9	49.45
15/01/25, 01:21 AM	29.31	83.33	5.28	7.91	49.46
15/01/25, 01:26 AM	29.3	83.41	5.28	7.92	49.48
15/01/25, 01:31 AM	29.32	83.37	5.28	7.92	49.44
15/01/25, 01:36 AM	29.32	83.32	5.27	7.92	49.41
15/01/25, 01:41 AM	29.3	83.33	5.28	7.92	49.43
15/01/25, 01:46 AM	29.29	83.4	5.27	7.92	49.44
15/01/25, 01:51 AM	29.32	83.55	5.27	7.93	49.44
15/01/25, 01:56 AM	29.34	83.48	5.28	7.92	49.42
15/01/25, 02:01 AM	29.36	83.61	5.28	7.92	49.38
15/01/25, 02:06 AM	29.4	83.71	5.29	7.93	49.39
15/01/25, 02:11 AM	29.36	83.82	5.29	7.94	49.42
15/01/25, 02:16 AM	29.35	83.71	5.29	7.94	49.47
15/01/25, 02:21 AM	29.38	83.78	5.28	7.95	49.48
15/01/25, 02:26 AM	29.35	83.82	5.28	7.95	49.44
15/01/25, 02:31 AM	29.31	83.85	5.29	7.95	49.4
15/01/25, 02:36 AM	29.32	83.84	5.29	7.94	49.42
15/01/25, 02:41 AM	29.34	83.92	5.29	7.95	49.46
15/01/25, 02:46 AM	29.33	83.74	5.3	7.95	49.47
15/01/25, 02:51 AM	29.33	83.93	5.3	7.96	49.42

TIME	BOD	COD	DO	pH	TSS
15/01/25, 02:56 AM	29.34	84.12	5.29	7.97	49.46
15/01/25, 03:10 AM	29.59	84.89	5.15	8.15	47.75
15/01/25, 03:15 AM	29.57	85	5.15	8.14	47.71
15/01/25, 03:20 AM	29.56	85	5.15	8.13	47.66
15/01/25, 03:25 AM	29.56	85	5.14	8.14	47.62
15/01/25, 03:30 AM	29.54	85	5.15	8.15	47.64
15/01/25, 03:35 AM	29.52	85	5.15	8.15	47.59
15/01/25, 03:40 AM	29.55	84.93	5.15	8.16	47.6
15/01/25, 03:45 AM	29.58	85	5.14	8.15	47.57
15/01/25, 03:50 AM	29.57	84.93	5.15	8.15	47.54
15/01/25, 03:55 AM	29.54	84.76	5.14	8.14	47.52
15/01/25, 04:00 AM	29.57	84.6	5.15	8.14	47.5
15/01/25, 04:05 AM	29.57	84.41	5.14	8.14	47.54
15/01/25, 04:10 AM	29.53	84.25	5.14	8.13	47.54
15/01/25, 04:15 AM	29.56	84.44	5.14	8.13	47.58
15/01/25, 04:20 AM	29.53	84.5	5.14	8.12	47.53
15/01/25, 04:25 AM	29.53	84.67	5.14	8.12	47.56
15/01/25, 04:30 AM	29.54	84.79	5.14	8.12	47.55
15/01/25, 04:35 AM	29.53	84.93	5.13	8.12	47.57
15/01/25, 04:40 AM	29.54	84.95	5.14	8.12	47.55
15/01/25, 04:45 AM	29.5	84.76	5.13	8.13	47.59
15/01/25, 04:50 AM	29.53	84.56	5.13	8.13	47.6
15/01/25, 04:55 AM	29.5	84.56	5.14	8.13	47.65
15/01/25, 05:00 AM	29.49	84.75	5.14	8.13	47.6
15/01/25, 05:05 AM	29.5	84.83	5.14	8.12	47.57
15/01/25, 05:10 AM	29.49	84.98	5.14	8.11	47.52
15/01/25, 05:15 AM	29.53	85	5.14	8.11	47.55
15/01/25, 05:20 AM	29.53	85	5.14	8.1	47.55
15/01/25, 05:25 AM	29.51	84.98	5.14	8.1	47.58
15/01/25, 05:30 AM	29.54	85	5.13	8.11	47.6
15/01/25, 05:35 AM	29.52	84.89	5.12	8.11	47.64
15/01/25, 05:40 AM	29.55	85	5.12	8.11	47.64
15/01/25, 05:45 AM	29.55	84.87	5.13	8.12	47.67
15/01/25, 05:50 AM	29.53	84.93	5.13	8.12	47.7

TIME	BOD	COD	DO	pH	TSS
15/01/25, 05:55 AM	29.54	84.78	5.12	8.12	47.72
15/01/25, 06:00 AM	29.52	84.89	5.13	8.12	47.67
15/01/25, 06:05 AM	29.51	84.86	5.13	8.11	47.66
15/01/25, 06:10 AM	29.51	84.84	5.13	8.12	47.67
15/01/25, 06:15 AM	29.52	84.95	5.13	8.11	47.7
15/01/25, 06:20 AM	29.5	84.77	5.13	8.11	47.7
15/01/25, 06:25 AM	29.51	84.82	5.12	8.12	47.68
15/01/25, 06:30 AM	29.52	84.89	5.12	8.12	47.64
15/01/25, 06:35 AM	29.52	84.74	5.13	8.12	47.67
15/01/25, 06:40 AM	29.53	84.83	5.13	8.13	47.68
15/01/25, 06:45 AM	29.5	84.9	5.14	8.12	47.64
15/01/25, 06:50 AM	29.46	85	5.13	8.13	47.62
15/01/25, 06:55 AM	29.46	85	5.13	8.12	47.6
15/01/25, 07:00 AM	29.48	84.82	5.13	8.12	47.6
15/01/25, 07:05 AM	29.45	84.99	5.13	8.12	47.64
15/01/25, 07:10 AM	29.48	84.89	5.12	8.12	47.66
15/01/25, 07:15 AM	29.49	84.92	5.12	8.13	47.65
15/01/25, 07:20 AM	29.5	84.85	5.13	8.14	47.66
15/01/25, 07:25 AM	29.52	84.68	5.13	8.13	47.67
15/01/25, 07:30 AM	29.52	84.8	5.13	8.12	47.66
15/01/25, 07:35 AM	29.52	84.74	5.13	8.13	47.67
15/01/25, 07:40 AM	29.49	84.89	5.14	8.12	47.69
15/01/25, 07:45 AM	29.49	84.8	5.15	8.11	47.67
15/01/25, 07:50 AM	29.51	84.77	5.14	8.12	47.66
15/01/25, 07:55 AM	29.5	84.64	5.15	8.12	47.66
15/01/25, 08:00 AM	29.54	84.55	5.16	8.11	47.67
15/01/25, 08:05 AM	29.53	84.51	5.16	8.12	47.64
15/01/25, 08:10 AM	29.52	84.71	5.17	8.13	47.65
15/01/25, 08:15 AM	29.48	84.69	5.17	8.13	47.65
15/01/25, 08:20 AM	29.48	84.79	5.17	8.14	47.66
15/01/25, 08:25 AM	29.46	84.63	5.17	8.13	47.61
15/01/25, 08:30 AM	29.44	84.51	5.17	8.14	47.59
15/01/25, 08:35 AM	29.42	84.61	5.16	8.15	47.58
15/01/25, 08:40 AM	29.46	84.55	5.17	8.16	47.59

TIME	BOD	COD	DO	pH	TSS
15/01/25, 08:45 AM	29.47	84.59	5.18	8.15	47.6
15/01/25, 08:50 AM	29.5	84.49	5.17	8.15	47.6
15/01/25, 08:55 AM	29.54	84.31	5.17	8.15	47.59
15/01/25, 09:00 AM	29.57	84.33	5.17	8.15	47.62
15/01/25, 09:05 AM	29.55	84.43	5.17	8.15	47.6
15/01/25, 09:10 AM	29.55	84.47	5.17	8.15	47.63
15/01/25, 09:15 AM	29.54	84.28	5.17	8.14	47.64
15/01/25, 09:20 AM	29.54	84.22	5.17	8.15	47.62
15/01/25, 09:25 AM	29.57	84.12	5.18	8.15	47.66
15/01/25, 09:30 AM	29.55	84.2	5.18	8.16	47.66
15/01/25, 09:35 AM	29.56	84.12	5.17	8.15	47.62
15/01/25, 09:40 AM	29.56	84.12	5.16	8.15	47.63
15/01/25, 09:45 AM	29.53	84.14	5.15	8.14	47.62
15/01/25, 09:50 AM	29.56	84.29	5.16	8.15	47.58
15/01/25, 09:55 AM	29.53	84.2	5.15	8.14	47.57
15/01/25, 10:00 AM	29.55	84.16	5.16	8.14	47.58
15/01/25, 10:05 AM	29.58	84.14	5.16	8.13	47.6
15/01/25, 10:10 AM	29.61	84.27	5.16	8.14	47.57
15/01/25, 10:15 AM	29.64	84.38	5.16	8.14	47.6
15/01/25, 10:20 AM	29.66	84.36	5.16	8.13	47.61
15/01/25, 10:25 AM	29.65	84.39	5.16	8.12	47.57
15/01/25, 10:30 AM	29.61	84.3	5.16	8.12	47.53
15/01/25, 10:35 AM	29.59	84.42	5.17	8.12	47.49
15/01/25, 10:40 AM	29.62	84.56	5.17	8.12	47.48
15/01/25, 10:45 AM	29.63	84.76	5.18	8.13	47.44
15/01/25, 10:50 AM	29.64	84.76	5.17	8.12	47.43
15/01/25, 10:55 AM	29.63	84.81	5.17	8.11	47.48
15/01/25, 11:00 AM	29.61	84.78	5.17	8.11	47.45
15/01/25, 11:05 AM	29.61	84.68	5.18	8.1	47.44
15/01/25, 11:10 AM	29.65	84.83	5.18	8.11	47.44
15/01/25, 11:15 AM	29.67	85	5.18	8.11	47.46
15/01/25, 11:20 AM	29.66	85	5.17	8.11	47.43
15/01/25, 11:25 AM	29.67	84.98	5.16	8.1	47.4
15/01/25, 11:30 AM	29.69	84.83	5.17	8.1	47.43

TIME	BOD	COD	DO	pH	TSS
15/01/25, 11:35 AM	29.66	84.85	5.17	8.11	47.38
15/01/25, 11:40 AM	29.68	84.74	5.17	8.11	47.35
15/01/25, 11:45 AM	29.69	84.68	5.17	8.12	47.4
15/01/25, 11:50 AM	29.7	84.6	5.17	8.12	47.39
15/01/25, 11:55 AM	29.7	84.45	5.17	8.12	47.36
15/01/25, 12:00 PM	29.73	84.64	5.17	8.12	47.32
15/01/25, 12:05 PM	29.73	84.45	5.16	8.11	47.33
15/01/25, 12:10 PM	29.74	84.5	5.17	8.12	47.31
15/01/25, 12:15 PM	29.74	84.61	5.18	8.13	47.34
15/01/25, 12:20 PM	29.77	84.66	5.18	8.13	47.32
15/01/25, 12:25 PM	29.79	84.51	5.18	8.13	47.34
15/01/25, 12:30 PM	29.76	84.39	5.19	8.14	47.33
15/01/25, 12:35 PM	29.79	84.38	5.19	8.14	47.36
15/01/25, 12:50 PM	29.11	78.93	5.03	7.82	47.44
15/01/25, 01:14 PM	29.12	78.55	5.03	7.83	47.42
15/01/25, 01:19 PM	29.16	78.36	5.02	7.83	47.42
15/01/25, 01:24 PM	29.13	78.42	5.02	7.83	47.46
15/01/25, 01:29 PM	29.11	78.61	5.02	7.84	47.45
15/01/25, 01:34 PM	29.13	78.53	5.01	7.83	47.47
15/01/25, 01:39 PM	29.14	78.68	5	7.82	47.46
15/01/25, 01:44 PM	29.13	78.84	5	7.83	47.41
15/01/25, 01:49 PM	29.13	78.8	5	7.84	47.4
15/01/25, 01:54 PM	29.11	78.91	5	7.85	47.39
15/01/25, 01:59 PM	29.15	78.9	5.01	7.84	47.4
15/01/25, 02:24 PM	29.13	78.89	5	7.83	47.48
15/01/25, 02:29 PM	29.13	78.76	5	7.82	47.51
15/01/25, 02:34 PM	29.13	78.58	5	7.81	47.47
15/01/25, 02:39 PM	29.16	78.62	5.01	7.8	47.46
15/01/25, 02:44 PM	29.2	78.7	5.02	7.8	47.44
15/01/25, 02:49 PM	29.22	78.57	5.02	7.81	47.44
15/01/25, 02:54 PM	29.24	78.58	5.03	7.81	47.44
15/01/25, 02:59 PM	29.21	78.74	5.02	7.8	47.44
15/01/25, 03:04 PM	29.18	78.76	5.02	7.81	47.41
15/01/25, 03:09 PM	29.17	78.95	5.03	7.82	47.38

TIME	BOD	COD	DO	pH	TSS
15/01/25, 03:14 PM	29.14	78.99	5.03	7.81	47.42
15/01/25, 03:19 PM	29.12	79.12	5.03	7.81	47.44
15/01/25, 03:24 PM	29.12	79.11	5.03	7.81	47.42
15/01/25, 03:29 PM	29.13	78.96	5.02	7.81	47.38
15/01/25, 03:34 PM	29.12	78.77	5.02	7.81	47.42
15/01/25, 03:39 PM	29.16	78.91	5.02	7.8	47.39
15/01/25, 03:44 PM	29.13	79.1	5.03	7.81	47.4
15/01/25, 03:49 PM	29.17	79.01	5.03	7.81	47.39
15/01/25, 03:54 PM	29.16	79.18	5.03	7.81	47.37
15/01/25, 03:59 PM	29.18	79.23	5.03	7.81	47.32
15/01/25, 04:04 PM	29.18	79.08	5.04	7.81	47.33
15/01/25, 04:09 PM	29.15	79.23	5.04	7.8	47.34
15/01/25, 04:14 PM	29.18	79.18	5.05	7.81	47.33
15/01/25, 04:19 PM	29.15	79.33	5.05	7.81	47.37
15/01/25, 04:24 PM	29.12	79.14	5.06	7.82	47.34
15/01/25, 04:29 PM	29.11	79.34	5.05	7.83	47.34
15/01/25, 04:34 PM	29.07	79.37	5.05	7.82	47.33
15/01/25, 04:39 PM	29.04	79.4	5.05	7.83	47.36
15/01/25, 04:54 PM	29.7	80.8	5.24	8.26	48.7
15/01/25, 04:59 PM	29.73	80.7	5.25	8.27	48.7
15/01/25, 05:04 PM	29.7	80.79	5.24	8.27	48.71
15/01/25, 05:09 PM	29.7	80.92	5.24	8.28	48.73
15/01/25, 05:14 PM	29.72	80.78	5.25	8.28	48.75
15/01/25, 05:19 PM	29.7	80.7	5.24	8.28	48.78
15/01/25, 05:24 PM	29.67	80.72	5.25	8.29	48.82
15/01/25, 05:29 PM	29.67	80.8	5.25	8.28	48.77
15/01/25, 05:34 PM	29.71	80.81	5.25	8.28	48.74
15/01/25, 05:39 PM	29.74	81	5.25	8.28	48.75
15/01/25, 05:44 PM	29.77	80.95	5.24	8.29	48.77
15/01/25, 05:49 PM	29.74	80.78	5.24	8.29	48.8
15/01/25, 05:54 PM	29.72	80.89	5.24	8.28	48.83
15/01/25, 05:59 PM	29.73	80.88	5.25	8.29	48.81
15/01/25, 06:39 PM	29.83	81.31	5.25	8.27	48.86
15/01/25, 07:04 PM	29.87	81.68	5.26	8.28	48.92

TIME	BOD	COD	DO	pH	TSS
15/01/25, 07:09 PM	29.9	81.82	5.26	8.28	48.97
15/01/25, 07:14 PM	29.9	81.62	5.25	8.29	48.97
15/01/25, 07:19 PM	29.93	81.78	5.25	8.28	48.97
15/01/25, 07:24 PM	29.93	81.79	5.25	8.29	48.94
15/01/25, 07:29 PM	29.9	81.8	5.24	8.28	48.94
15/01/25, 07:34 PM	29.9	81.71	5.25	8.29	48.98
15/01/25, 07:39 PM	29.86	81.54	5.25	8.29	48.98
15/01/25, 07:44 PM	29.88	81.41	5.25	8.29	48.97
15/01/25, 07:49 PM	29.89	81.49	5.25	8.29	49
15/01/25, 07:54 PM	29.89	81.41	5.26	8.29	49.01
15/01/25, 07:59 PM	29.92	81.59	5.25	8.3	48.97
15/01/25, 08:04 PM	29.9	81.63	5.26	8.29	48.93
15/01/25, 08:09 PM	29.88	81.53	5.25	8.29	48.97
15/01/25, 08:14 PM	29.85	81.34	5.24	8.3	48.95
15/01/25, 08:19 PM	29.89	81.44	5.24	8.3	48.99
15/01/25, 08:24 PM	29.85	81.39	5.24	8.29	49.03
15/01/25, 08:29 PM	29.82	81.21	5.25	8.28	49.05
15/01/25, 08:34 PM	29.84	81.27	5.24	8.28	49.05
15/01/25, 08:39 PM	29.88	81.29	5.23	8.29	49.03
15/01/25, 08:44 PM	29.91	81.29	5.24	8.3	49
15/01/25, 08:49 PM	29.88	81.39	5.23	8.3	49.04
15/01/25, 08:54 PM	29.92	81.47	5.24	8.3	49.07
15/01/25, 08:59 PM	29.94	81.43	5.23	8.3	49.04
15/01/25, 09:04 PM	29.92	81.55	5.23	8.3	49.08
15/01/25, 09:09 PM	29.88	81.36	5.23	8.29	49.13
15/01/25, 09:14 PM	29.86	81.45	5.22	8.29	49.08
15/01/25, 09:19 PM	29.85	81.61	5.21	8.29	49.08
15/01/25, 09:24 PM	29.89	81.49	5.22	8.29	49.06
15/01/25, 09:29 PM	29.87	81.62	5.21	8.3	49.04
15/01/25, 09:34 PM	29.86	81.62	5.21	8.29	49.01
15/01/25, 09:39 PM	29.83	81.75	5.21	8.3	49
15/01/25, 09:44 PM	29.81	81.69	5.2	8.3	49.04
15/01/25, 09:49 PM	29.83	81.64	5.2	8.29	49.07
15/01/25, 09:54 PM	29.83	81.67	5.21	8.29	49.11

TIME	BOD	COD	DO	pH	TSS
15/01/25, 09:59 PM	29.82	81.83	5.22	8.29	49.1
15/01/25, 10:04 PM	29.83	81.8	5.21	8.29	49.08
15/01/25, 10:09 PM	29.79	81.76	5.21	8.3	49.05
15/01/25, 10:14 PM	29.79	81.6	5.2	8.3	49.09
15/01/25, 10:19 PM	29.79	81.7	5.2	8.29	49.07
15/01/25, 10:24 PM	29.77	81.8	5.19	8.3	49.04
15/01/25, 10:29 PM	29.75	81.77	5.2	8.29	49.01
15/01/25, 10:34 PM	29.72	81.76	5.2	8.28	48.99
15/01/25, 10:39 PM	29.73	81.93	5.19	8.29	48.99
15/01/25, 10:44 PM	29.7	82.12	5.2	8.28	49.03
15/01/25, 10:49 PM	29.68	82.1	5.19	8.28	48.99
15/01/25, 10:54 PM	29.69	82.29	5.2	8.28	48.95
15/01/25, 10:59 PM	29.67	82.33	5.2	8.27	48.96
15/01/25, 11:04 PM	29.66	82.17	5.21	8.28	49
15/01/25, 11:09 PM	29.64	82.08	5.21	8.28	49.02
15/01/25, 11:14 PM	29.65	82.19	5.22	8.28	49.03
15/01/25, 11:19 PM	29.61	82.07	5.23	8.28	49.01
15/01/25, 11:24 PM	29.65	82.04	5.23	8.29	48.98
15/01/25, 11:29 PM	29.63	82.23	5.24	8.28	48.98
15/01/25, 11:34 PM	29.62	82.05	5.24	8.28	48.94
15/01/25, 11:39 PM	29.6	82.01	5.24	8.28	48.98
15/01/25, 11:44 PM	29.58	81.93	5.25	8.29	48.96
15/01/25, 11:49 PM	29.54	82.11	5.25	8.29	48.99
15/01/25, 11:54 PM	29.53	82.03	5.24	8.28	48.99
15/01/25, 11:59 PM	29.55	81.87	5.25	8.29	48.97



## Water Quality Report: ADA Drain

TIME	BOD	COD	DO	pH	TSS
29/01/25, 12:04 AM	29.18	91.44	6.7	7.86	47.16
29/01/25, 12:09 AM	29.26	91.6	6.67	7.89	47.19
29/01/25, 12:14 AM	29.36	91.56	6.71	7.9	47.27
29/01/25, 12:19 AM	29.34	91.65	6.75	7.92	47.24
29/01/25, 12:24 AM	29.36	91.92	6.75	7.94	47.16
29/01/25, 12:29 AM	29.35	91.83	6.78	7.94	47.23
29/01/25, 12:34 AM	29.4	92.01	6.8	7.94	47.33
29/01/25, 12:39 AM	29.32	92.21	6.76	7.93	47.32
29/01/25, 12:44 AM	29.4	92.49	6.78	7.92	47.33
29/01/25, 12:49 AM	29.4	92.47	6.81	7.93	47.28
29/01/25, 12:54 AM	29.3	92.33	6.84	7.93	47.21
29/01/25, 12:59 AM	29.27	92.51	6.85	7.95	47.13
29/01/25, 01:04 AM	29.21	92.53	6.85	7.95	47.23
29/01/25, 01:09 AM	29.14	92.31	6.87	7.94	47.18
29/01/25, 01:14 AM	29.1	92.11	6.83	7.92	47.25
29/01/25, 01:19 AM	29.01	92.2	6.84	7.91	47.35
29/01/25, 01:24 AM	29.06	92.35	6.84	7.9	47.33
29/01/25, 01:29 AM	29.11	92.41	6.8	7.92	47.37
29/01/25, 01:34 AM	29.12	92.2	6.78	7.93	47.34
29/01/25, 01:39 AM	29.15	92.03	6.79	7.93	47.44
29/01/25, 01:44 AM	29.12	91.99	6.82	7.92	47.37
29/01/25, 01:49 AM	29.09	91.85	6.84	7.93	47.43
29/01/25, 01:54 AM	29.14	91.9	6.82	7.96	47.36
29/01/25, 01:59 AM	29.21	92.06	6.83	7.95	47.35
29/01/25, 02:04 AM	29.27	92.11	6.79	7.98	47.34
29/01/25, 02:09 AM	29.29	92.23	6.78	7.95	47.34
29/01/25, 02:14 AM	29.36	92.09	6.75	7.94	47.23
29/01/25, 02:19 AM	29.33	92.19	6.78	7.94	47.22
29/01/25, 02:24 AM	29.42	92.35	6.75	7.94	47.28
29/01/25, 02:29 AM	29.39	92.39	6.75	7.94	47.18
29/01/25, 02:34 AM	29.44	92.6	6.74	7.96	47.22

TIME	BOD	COD	DO	pH	TSS
29/01/25, 02:39 AM	29.43	92.37	6.72	7.94	47.28
29/01/25, 02:44 AM	29.41	92.35	6.72	7.96	47.26
29/01/25, 02:49 AM	29.33	92.07	6.75	7.95	47.23
29/01/25, 02:54 AM	29.4	92.29	6.78	7.96	47.23
29/01/25, 02:59 AM	29.33	92.19	6.78	7.99	47.23
29/01/25, 03:04 AM	29.32	92.39	6.8	8	47.3
29/01/25, 03:09 AM	29.39	92.62	6.82	7.99	47.27
29/01/25, 03:15 AM	29.41	92.73	6.79	7.99	47.19
29/01/25, 03:20 AM	29.42	92.52	6.76	8.01	47.26
29/01/25, 03:25 AM	29.47	92.53	6.78	8.03	47.22
29/01/25, 03:30 AM	29.44	92.63	6.77	8.05	47.21
29/01/25, 03:35 AM	29.42	92.63	6.75	8.06	47.21
29/01/25, 03:40 AM	29.34	92.77	6.77	8.06	47.23
29/01/25, 03:45 AM	29.43	92.56	6.79	8.04	47.3
29/01/25, 03:50 AM	29.36	92.36	6.78	8.02	47.23
29/01/25, 03:55 AM	29.27	92.55	6.75	8.02	47.13
29/01/25, 04:00 AM	29.18	92.75	6.76	8.02	47.22
29/01/25, 04:05 AM	29.13	92.77	6.74	8	47.25
29/01/25, 04:10 AM	29.05	92.49	6.75	8.01	47.14
29/01/25, 04:15 AM	29.02	92.43	6.72	8	47.03
29/01/25, 04:20 AM	28.95	92.67	6.74	7.98	47.03
29/01/25, 04:25 AM	28.9	92.79	6.73	7.96	46.99
29/01/25, 04:30 AM	28.96	92.73	6.75	7.97	47.03
29/01/25, 04:35 AM	28.88	92.65	6.77	7.98	47
29/01/25, 04:40 AM	28.84	92.66	6.8	7.97	46.91
29/01/25, 04:45 AM	28.76	92.5	6.81	7.97	46.95
29/01/25, 04:50 AM	28.71	92.47	6.77	7.95	46.93
29/01/25, 04:55 AM	28.78	92.5	6.74	7.93	46.91
29/01/25, 05:00 AM	28.81	92.69	6.76	7.95	46.85
29/01/25, 05:05 AM	28.78	92.83	6.79	7.97	46.75
29/01/25, 05:10 AM	28.82	92.98	6.78	7.96	46.73
29/01/25, 05:15 AM	28.84	92.99	6.74	7.96	46.83
29/01/25, 05:20 AM	28.85	92.77	6.78	7.96	46.94
29/01/25, 05:25 AM	28.85	92.53	6.78	7.95	46.86

TIME	BOD	COD	DO	pH	TSS
29/01/25, 05:30 AM	28.81	92.36	6.74	7.94	46.88
29/01/25, 05:35 AM	28.88	92.47	6.7	7.93	46.8
29/01/25, 05:40 AM	28.86	92.38	6.69	7.95	46.85
29/01/25, 05:45 AM	28.8	92.6	6.72	7.93	46.74
29/01/25, 05:50 AM	28.85	92.66	6.69	7.92	46.7
29/01/25, 05:55 AM	28.87	92.78	6.67	7.91	46.77
29/01/25, 06:00 AM	28.91	92.59	6.68	7.9	46.81
29/01/25, 06:05 AM	28.86	92.66	6.68	7.9	46.92
29/01/25, 06:10 AM	28.78	92.82	6.67	7.9	47.03
29/01/25, 06:15 AM	28.86	92.91	6.64	7.89	46.98
29/01/25, 06:20 AM	28.78	92.71	6.64	7.89	46.98
29/01/25, 06:25 AM	28.79	92.7	6.65	7.87	47.03
29/01/25, 06:30 AM	28.87	92.69	6.62	7.86	46.96
29/01/25, 06:35 AM	28.79	92.79	6.58	7.84	47.05
29/01/25, 06:40 AM	28.86	92.51	6.56	7.84	47.03
29/01/25, 06:45 AM	28.81	92.52	6.58	7.83	46.99
29/01/25, 06:50 AM	28.91	92.3	6.62	7.86	46.89
29/01/25, 06:55 AM	28.89	92.06	6.62	7.88	46.93
29/01/25, 07:00 AM	28.8	92.16	6.65	7.86	46.91
29/01/25, 07:05 AM	28.71	91.91	6.66	7.85	46.87
29/01/25, 07:10 AM	28.71	91.84	6.7	7.84	46.79
29/01/25, 07:15 AM	28.72	91.7	6.68	7.82	46.86
29/01/25, 07:20 AM	28.68	91.5	6.65	7.8	46.91
29/01/25, 07:25 AM	28.78	91.32	6.69	7.81	46.79
29/01/25, 07:30 AM	28.83	91.45	6.68	7.83	46.78
29/01/25, 07:35 AM	28.79	91.25	6.67	7.83	46.8
29/01/25, 07:40 AM	28.87	91.43	6.65	7.83	46.69
29/01/25, 07:45 AM	28.8	91.64	6.66	7.82	46.61
29/01/25, 07:50 AM	28.76	91.61	6.64	7.8	46.6
29/01/25, 07:55 AM	28.78	91.77	6.65	7.78	46.7
29/01/25, 08:00 AM	28.73	92.05	6.65	7.77	46.65
29/01/25, 08:05 AM	28.77	91.78	6.62	7.77	46.57
29/01/25, 08:10 AM	28.85	91.62	6.64	7.78	46.56
29/01/25, 08:15 AM	28.91	91.73	6.63	7.76	46.62

TIME	BOD	COD	DO	pH	TSS
29/01/25, 08:20 AM	28.96	91.83	6.65	7.78	46.63
29/01/25, 08:25 AM	29	91.61	6.63	7.8	46.72
29/01/25, 08:30 AM	29.09	91.67	6.62	7.82	46.82
29/01/25, 08:55 AM	28.97	92.34	6.65	7.8	47.1
29/01/25, 09:00 AM	28.91	92.6	6.62	7.78	47.05
29/01/25, 09:05 AM	28.83	92.59	6.6	7.8	47.11
29/01/25, 10:11 AM	28.56	91.87	6.62	7.78	47.15
29/01/25, 10:38 AM	28.35	91.83	6.64	7.8	47.11
29/01/25, 11:02 AM	28.26	91.67	6.59	7.79	47.02
29/01/25, 11:27 AM	27.98	91.6	6.61	7.81	46.8
29/01/25, 12:44 PM	28.59	91.81	6.9	8.08	46.17
29/01/25, 12:48 PM	28.62	92.03	6.93	8.1	46.23
29/01/25, 01:21 PM	28.7	92.21	6.87	8.07	46.19
29/01/25, 01:45 PM	28.6	92.11	6.96	8.08	46.2
29/01/25, 02:11 PM	28.5	91.83	6.93	8.07	46.19
29/01/25, 02:16 PM	28.55	91.7	6.96	8.07	46.2
29/01/25, 02:21 PM	28.5	91.43	6.94	8.05	46.2
29/01/25, 02:26 PM	28.53	91.51	6.94	8.05	46.1
29/01/25, 02:31 PM	28.49	91.63	6.91	8.07	46
29/01/25, 02:36 PM	28.52	91.65	6.94	8.05	45.9
29/01/25, 02:41 PM	28.53	91.62	6.91	8.07	45.83
29/01/25, 02:46 PM	28.47	91.85	6.89	8.09	45.73
29/01/25, 02:51 PM	28.49	92.01	6.88	8.1	45.64
29/01/25, 02:56 PM	28.58	91.97	6.9	8.08	45.7
29/01/25, 03:43 PM	28.62	92.26	6.88	8.08	46.08
29/01/25, 04:08 PM	28.5	92.79	6.91	8.11	46.13
29/01/25, 04:13 PM	28.46	92.99	6.92	8.1	46.2
29/01/25, 04:38 PM	28.59	92.76	6.86	8.12	46.12
29/01/25, 04:43 PM	28.61	92.73	6.84	8.1	46.16
29/01/25, 04:48 PM	28.56	92.86	6.82	8.1	46.08
29/01/25, 04:53 PM	28.52	92.67	6.82	8.09	46.12
29/01/25, 04:58 PM	28.48	92.84	6.81	8.1	46.18
29/01/25, 05:03 PM	28.52	93.1	6.79	8.09	46.3
29/01/25, 05:08 PM	28.49	93.27	6.76	8.08	46.41

TIME	BOD	COD	DO	pH	TSS
29/01/25, 05:13 PM	28.47	93.43	6.74	8.06	46.49
29/01/25, 05:18 PM	28.45	93.39	6.72	8.04	46.58
29/01/25, 05:23 PM	28.46	93.22	6.75	8.06	46.61
29/01/25, 05:28 PM	28.41	93.05	6.73	8.06	46.58
29/01/25, 05:33 PM	28.49	93.13	6.75	8.07	46.62
29/01/25, 05:38 PM	28.46	92.97	6.78	8.05	46.65
29/01/25, 05:43 PM	28.44	92.74	6.79	8.05	46.75
29/01/25, 05:48 PM	28.48	92.89	6.76	8.03	46.79
29/01/25, 05:53 PM	28.57	92.88	6.79	8.04	46.7
29/01/25, 05:58 PM	28.64	92.98	6.77	8.03	46.72
29/01/25, 06:03 PM	28.67	93.15	6.78	8	46.7
29/01/25, 06:08 PM	28.6	93.26	6.75	7.99	46.76
29/01/25, 06:13 PM	28.6	93.41	6.75	7.98	46.69
29/01/25, 06:18 PM	28.66	93.58	6.73	7.98	46.65
29/01/25, 06:23 PM	28.75	93.57	6.75	7.97	46.77
29/01/25, 06:28 PM	28.76	93.45	6.76	7.95	46.88
29/01/25, 06:33 PM	28.68	93.69	6.78	7.95	46.88
29/01/25, 06:38 PM	28.76	93.47	6.78	7.94	46.99
29/01/25, 06:43 PM	28.72	93.61	6.82	7.97	47
29/01/25, 06:48 PM	28.79	93.8	6.78	7.98	47.06
29/01/25, 06:53 PM	28.84	93.82	6.76	7.96	47.16
29/01/25, 06:58 PM	28.92	93.78	6.76	7.94	47.07
29/01/25, 07:03 PM	28.89	93.94	6.8	7.97	46.97
29/01/25, 07:08 PM	28.91	93.81	6.79	7.97	47.03
29/01/25, 07:13 PM	28.83	93.95	6.79	7.99	46.95
29/01/25, 07:18 PM	28.79	93.85	6.77	8	46.88
29/01/25, 07:23 PM	28.78	93.77	6.77	8.02	46.94
29/01/25, 07:28 PM	28.73	93.85	6.77	8	46.98
29/01/25, 07:34 PM	28.81	93.66	6.78	8	46.87
29/01/25, 07:39 PM	28.75	93.5	6.77	7.99	46.9
29/01/25, 07:44 PM	28.66	93.36	6.75	7.97	46.9
29/01/25, 07:49 PM	28.63	93.21	6.74	7.96	46.92
29/01/25, 07:54 PM	28.73	93.25	6.77	7.97	46.9
29/01/25, 07:59 PM	28.81	93.18	6.8	7.97	46.93

TIME	BOD	COD	DO	pH	TSS
29/01/25, 08:04 PM	28.85	93.05	6.8	7.96	46.97
29/01/25, 08:09 PM	28.93	93.26	6.78	7.97	46.98
29/01/25, 08:14 PM	28.96	93.19	6.77	7.94	46.99
29/01/25, 08:19 PM	29.03	93.21	6.81	7.94	46.95
29/01/25, 08:24 PM	29.01	93.08	6.85	7.93	46.84
29/01/25, 08:29 PM	28.95	93.19	6.85	7.92	46.92
29/01/25, 08:34 PM	28.91	93.14	6.88	7.93	46.86
29/01/25, 08:39 PM	28.91	93.35	6.89	7.95	46.81
29/01/25, 08:44 PM	28.82	93.32	6.85	7.95	46.83
29/01/25, 08:49 PM	28.89	93.25	6.83	7.96	46.74
29/01/25, 08:54 PM	28.84	93.38	6.85	7.94	46.85
29/01/25, 08:59 PM	28.84	93.34	6.88	7.91	46.83
29/01/25, 09:04 PM	28.79	93.58	6.86	7.89	46.84
29/01/25, 09:09 PM	28.72	93.52	6.89	7.88	46.82
29/01/25, 09:14 PM	28.67	93.33	6.89	7.86	46.88
29/01/25, 09:19 PM	28.7	93.56	6.86	7.86	46.91
29/01/25, 09:24 PM	28.67	93.31	6.83	7.89	46.98
29/01/25, 09:29 PM	28.69	93.47	6.85	7.86	47.06
29/01/25, 09:34 PM	28.61	93.47	6.88	7.86	47.07
29/01/25, 09:39 PM	28.53	93.57	6.87	7.87	47.03
29/01/25, 09:44 PM	28.51	93.79	6.84	7.85	47.04
29/01/25, 09:49 PM	28.55	93.82	6.87	7.83	47.05
29/01/25, 09:54 PM	28.51	93.69	6.83	7.82	47.11
29/01/25, 09:59 PM	28.56	93.81	6.79	7.82	47.09
29/01/25, 10:04 PM	28.65	93.82	6.8	7.81	47.08
29/01/25, 10:09 PM	28.59	93.7	6.8	7.81	47.16
29/01/25, 10:14 PM	28.52	93.71	6.82	7.81	47.24
29/01/25, 10:19 PM	28.58	93.74	6.82	7.83	47.31
29/01/25, 10:24 PM	28.64	93.81	6.85	7.83	47.35
29/01/25, 10:29 PM	28.65	93.8	6.83	7.84	47.24
29/01/25, 10:34 PM	28.63	93.61	6.83	7.83	47.29
29/01/25, 10:39 PM	28.66	93.58	6.84	7.84	47.2
29/01/25, 10:44 PM	28.71	93.33	6.8	7.86	47.12
29/01/25, 10:49 PM	28.73	93.16	6.78	7.84	47.15

TIME	BOD	COD	DO	pH	TSS
29/01/25, 10:54 PM	28.78	93.14	6.77	7.86	47.11
29/01/25, 10:59 PM	28.83	93.11	6.8	7.86	47.11
29/01/25, 11:04 PM	28.82	93.21	6.81	7.86	47.13
29/01/25, 11:09 PM	28.8	93.47	6.78	7.88	47.08
29/01/25, 11:14 PM	28.75	93.44	6.81	7.88	47.2
29/01/25, 11:19 PM	28.79	93.69	6.8	7.9	47.27
29/01/25, 11:24 PM	28.72	93.71	6.81	7.91	47.25
29/01/25, 11:29 PM	28.8	93.6	6.84	7.92	47.17
29/01/25, 11:34 PM	28.9	93.85	6.88	7.93	47.25
29/01/25, 11:39 PM	28.91	93.72	6.85	7.95	47.34
29/01/25, 11:44 PM	29.01	93.73	6.88	7.93	47.31
29/01/25, 11:49 PM	29.01	93.93	6.88	7.94	47.35
29/01/25, 11:54 PM	28.93	94.03	6.87	7.95	47.35
29/01/25, 11:59 PM	28.99	93.82	6.86	7.96	47.4



## Water Quality Report: ADA Drain

TIME	BOD	COD	DO	pH	TSS
22/01/25, 12:00 AM	29.25	76.07	5.43	8.15	47.52
22/01/25, 12:05 AM	29.22	75.93	5.42	8.16	47.49
22/01/25, 12:10 AM	29.23	76.03	5.42	8.16	47.51
22/01/25, 12:15 AM	29.2	75.89	5.42	8.16	47.54
22/01/25, 12:20 AM	29.16	75.96	5.42	8.16	47.54
22/01/25, 12:25 AM	29.15	75.97	5.41	8.16	47.52
22/01/25, 12:30 AM	29.16	76.07	5.42	8.15	47.55
22/01/25, 12:36 AM	29.12	75.99	5.43	8.16	47.58
22/01/25, 12:41 AM	29.14	75.95	5.43	8.16	47.62
22/01/25, 12:46 AM	29.17	75.9	5.44	8.16	47.65
22/01/25, 12:50 AM	29.14	75.73	5.44	8.15	47.65
22/01/25, 12:55 AM	29.1	75.82	5.43	8.14	47.67
22/01/25, 01:01 AM	29.09	75.87	5.43	8.15	47.62
22/01/25, 01:06 AM	29.11	75.82	5.43	8.15	47.66
22/01/25, 01:11 AM	29.09	75.91	5.42	8.16	47.7
22/01/25, 01:16 AM	29.05	75.81	5.43	8.15	47.71
22/01/25, 01:21 AM	29.09	75.75	5.42	8.15	47.73
22/01/25, 01:26 AM	29.07	75.82	5.42	8.14	47.76
22/01/25, 01:31 AM	29.06	75.74	5.42	8.13	47.79
22/01/25, 01:36 AM	29.06	75.76	5.42	8.13	47.82
22/01/25, 01:41 AM	29.07	75.65	5.43	8.13	47.82
22/01/25, 01:46 AM	29.1	75.83	5.43	8.13	47.81
22/01/25, 01:51 AM	29.11	75.96	5.42	8.14	47.81
22/01/25, 01:56 AM	29.13	76.07	5.42	8.13	47.81
22/01/25, 02:01 AM	29.15	75.97	5.43	8.13	47.85
22/01/25, 02:06 AM	29.12	75.97	5.43	8.13	47.81
22/01/25, 02:11 AM	29.13	75.81	5.42	8.13	47.83
22/01/25, 02:16 AM	29.16	76.01	5.42	8.12	47.8
22/01/25, 02:21 AM	29.13	76.12	5.42	8.12	47.78
22/01/25, 02:26 AM	29.17	76.29	5.42	8.12	47.76
22/01/25, 02:31 AM	29.14	76.18	5.42	8.11	47.72

TIME	BOD	COD	DO	pH	TSS
22/01/25, 02:36 AM	29.15	76.32	5.43	8.1	47.73
22/01/25, 02:41 AM	29.15	76.21	5.42	8.09	47.73
22/01/25, 02:46 AM	29.12	76.37	5.42	8.09	47.76
22/01/25, 02:51 AM	29.12	76.36	5.42	8.09	47.74
22/01/25, 02:56 AM	29.09	76.53	5.42	8.08	47.77
22/01/25, 03:01 AM	29.13	76.7	5.42	8.08	47.74
22/01/25, 03:06 AM	29.12	76.58	5.43	8.09	47.69
22/01/25, 03:11 AM	29.08	76.53	5.42	8.08	47.64
22/01/25, 03:16 AM	29.07	76.4	5.43	8.07	47.65
22/01/25, 03:21 AM	29.06	76.54	5.43	8.07	47.63
22/01/25, 03:26 AM	29.02	76.52	5.42	8.08	47.63
22/01/25, 03:31 AM	29.05	76.58	5.41	8.08	47.61
22/01/25, 03:36 AM	29.06	76.42	5.42	8.08	47.59
22/01/25, 03:41 AM	29.03	76.24	5.43	8.07	47.6
22/01/25, 03:46 AM	29.04	76.1	5.42	8.07	47.56
22/01/25, 03:51 AM	29.06	75.98	5.42	8.07	47.55
22/01/25, 03:56 AM	29.04	75.83	5.41	8.06	47.53
22/01/25, 04:01 AM	29.01	75.85	5.41	8.06	47.5
22/01/25, 04:06 AM	28.97	75.98	5.42	8.06	47.47
22/01/25, 04:11 AM	28.99	75.83	5.42	8.06	47.51
22/01/25, 04:16 AM	29	75.83	5.41	8.07	47.54
22/01/25, 04:21 AM	29.03	75.92	5.42	8.07	47.57
22/01/25, 04:26 AM	29.04	75.95	5.41	8.06	47.61
22/01/25, 04:31 AM	29	75.83	5.41	8.06	47.66
22/01/25, 04:36 AM	29.04	75.92	5.41	8.06	47.65
22/01/25, 04:41 AM	29.01	75.94	5.42	8.05	47.63
22/01/25, 04:46 AM	29.04	75.86	5.43	8.06	47.59
22/01/25, 04:51 AM	29.04	76.04	5.44	8.06	47.62
22/01/25, 04:56 AM	29.07	75.96	5.44	8.07	47.64
22/01/25, 05:01 AM	29.11	75.85	5.43	8.08	47.68
22/01/25, 05:06 AM	29.1	75.8	5.44	8.09	47.63
22/01/25, 05:11 AM	29.1	75.96	5.43	8.08	47.64
22/01/25, 05:16 AM	29.12	75.94	5.44	8.07	47.68
22/01/25, 05:21 AM	29.09	76.05	5.45	8.08	47.73

TIME	BOD	COD	DO	pH	TSS
22/01/25, 05:26 AM	29.06	76.17	5.45	8.08	47.73
22/01/25, 05:31 AM	29.1	76.36	5.46	8.09	47.7
22/01/25, 05:36 AM	29.08	76.25	5.47	8.09	47.66
22/01/25, 05:41 AM	29.11	76.26	5.47	8.08	47.67
22/01/25, 05:46 AM	29.1	76.46	5.47	8.08	47.63
22/01/25, 05:51 AM	29.06	76.28	5.47	8.07	47.62
22/01/25, 05:56 AM	29.05	76.09	5.47	8.07	47.66
22/01/25, 06:01 AM	29.08	75.92	5.46	8.07	47.61
22/01/25, 06:06 AM	29.08	75.86	5.46	8.06	47.59
22/01/25, 06:11 AM	29.11	75.98	5.45	8.05	47.63
22/01/25, 06:16 AM	29.12	75.89	5.45	8.04	47.65
22/01/25, 06:21 AM	29.13	75.82	5.44	8.05	47.67
22/01/25, 06:26 AM	29.17	75.69	5.44	8.05	47.62
22/01/25, 06:31 AM	29.19	75.79	5.44	8.05	47.6
22/01/25, 06:36 AM	29.17	75.83	5.44	8.06	47.56
22/01/25, 06:41 AM	29.2	75.99	5.44	8.06	47.53
22/01/25, 06:46 AM	29.24	76.13	5.44	8.07	47.52
22/01/25, 06:51 AM	29.26	76.2	5.45	8.07	47.5
22/01/25, 06:56 AM	29.27	76.35	5.46	8.07	47.48
22/01/25, 07:01 AM	29.3	76.42	5.47	8.08	47.51
22/01/25, 07:06 AM	29.31	76.33	5.47	8.08	47.46
22/01/25, 07:11 AM	29.34	76.36	5.46	8.07	47.51
22/01/25, 07:16 AM	29.35	76.23	5.46	8.07	47.49
22/01/25, 07:21 AM	29.36	76.08	5.46	8.06	47.53
22/01/25, 07:26 AM	29.32	76.15	5.46	8.05	47.51
22/01/25, 07:31 AM	29.32	76.17	5.46	8.05	47.54
22/01/25, 07:36 AM	29.36	76.33	5.46	8.04	47.57
22/01/25, 07:41 AM	29.33	76.39	5.45	8.04	47.59
22/01/25, 07:46 AM	29.36	76.35	5.45	8.05	47.63
22/01/25, 07:51 AM	29.35	76.49	5.46	8.05	47.58
22/01/25, 07:56 AM	29.33	76.45	5.46	8.05	47.56
22/01/25, 08:01 AM	29.32	76.55	5.47	8.04	47.56
22/01/25, 08:06 AM	29.29	76.37	5.47	8.05	47.57
22/01/25, 08:11 AM	29.3	76.55	5.48	8.04	47.52

TIME	BOD	COD	DO	pH	TSS
22/01/25, 08:16 AM	29.3	76.59	5.47	8.04	47.48
22/01/25, 08:21 AM	29.29	76.54	5.47	8.04	47.45
22/01/25, 08:26 AM	29.29	76.45	5.47	8.05	47.44
22/01/25, 08:31 AM	29.3	76.46	5.47	8.05	47.46
22/01/25, 08:36 AM	29.3	76.27	5.47	8.04	47.48
22/01/25, 08:41 AM	29.28	76.14	5.46	8.04	47.48
22/01/25, 08:46 AM	29.25	76.15	5.46	8.04	47.53
22/01/25, 08:51 AM	29.29	76.05	5.45	8.03	47.53
22/01/25, 08:56 AM	29.27	75.88	5.45	8.04	47.57
22/01/25, 09:01 AM	29.3	75.81	5.45	8.05	47.6
22/01/25, 09:06 AM	29.3	75.78	5.45	8.05	47.63
22/01/25, 09:11 AM	29.27	75.64	5.46	8.05	47.62
22/01/25, 09:16 AM	29.24	75.58	5.45	8.05	47.63
22/01/25, 09:21 AM	29.25	75.55	5.44	8.06	47.63
22/01/25, 09:26 AM	29.22	75.53	5.45	8.05	47.66
22/01/25, 09:31 AM	29.21	75.34	5.44	8.05	47.64
22/01/25, 09:36 AM	29.24	75.49	5.44	8.05	47.64
22/01/25, 09:41 AM	29.26	75.61	5.44	8.06	47.6
22/01/25, 09:46 AM	29.23	75.42	5.43	8.07	47.61
22/01/25, 09:51 AM	29.19	75.54	5.43	8.06	47.65
22/01/25, 09:56 AM	29.16	75.69	5.43	8.07	47.63
22/01/25, 10:01 AM	29.16	75.5	5.43	8.07	47.62
22/01/25, 10:06 AM	29.2	75.33	5.44	8.07	47.66
22/01/25, 10:11 AM	29.22	75.25	5.44	8.08	47.67
22/01/25, 10:16 AM	29.26	75.17	5.44	8.07	47.64
22/01/25, 10:21 AM	29.3	75.21	5.45	8.08	47.67
22/01/25, 10:26 AM	29.26	75.33	5.46	8.07	47.64
22/01/25, 10:31 AM	29.24	75.32	5.46	8.07	47.61
22/01/25, 10:36 AM	29.25	75.5	5.47	8.06	47.6
22/01/25, 10:41 AM	29.24	75.37	5.46	8.06	47.6
22/01/25, 10:46 AM	29.23	75.39	5.47	8.05	47.56
22/01/25, 10:51 AM	29.26	75.44	5.46	8.05	47.53
22/01/25, 10:56 AM	29.3	75.27	5.46	8.04	47.49
22/01/25, 11:01 AM	29.26	75.14	5.45	8.05	47.48

TIME	BOD	COD	DO	pH	TSS
22/01/25, 11:06 AM	29.23	75.27	5.46	8.05	47.48
22/01/25, 11:11 AM	29.24	75.21	5.45	8.05	47.5
22/01/25, 11:16 AM	29.24	75.01	5.45	8.05	47.51
22/01/25, 11:21 AM	29.25	75	5.46	8.05	47.46
22/01/25, 11:26 AM	29.25	75	5.45	8.05	47.49
22/01/25, 11:31 AM	29.28	75.06	5.46	8.06	47.51
22/01/25, 11:36 AM	29.31	75.01	5.45	8.05	47.54
22/01/25, 11:41 AM	29.28	75	5.46	8.05	47.52
22/01/25, 11:46 AM	29.28	75	5.47	8.06	47.48
22/01/25, 11:51 AM	29.29	75	5.47	8.05	47.43
22/01/25, 11:56 AM	29.29	75	5.47	8.06	47.39
22/01/25, 12:01 PM	29.28	75.06	5.46	8.07	47.34
22/01/25, 12:06 PM	29.3	75.19	5.46	8.07	47.36
22/01/25, 12:11 PM	29.29	75.22	5.45	8.07	47.33
22/01/25, 12:16 PM	29.3	75.23	5.45	8.06	47.34
22/01/25, 12:21 PM	29.3	75.23	5.45	8.06	47.36
22/01/25, 12:26 PM	29.29	75.13	5.46	8.07	47.36
22/01/25, 12:31 PM	29.32	75.24	5.46	8.06	47.34
22/01/25, 12:36 PM	29.29	75.23	5.47	8.06	47.35
22/01/25, 12:41 PM	29.28	75.42	5.46	8.07	47.38
22/01/25, 12:46 PM	29.31	75.23	5.46	8.06	47.34
22/01/25, 12:51 PM	29.28	75.17	5.47	8.07	47.3
22/01/25, 12:56 PM	29.29	75.12	5.47	8.07	47.33
22/01/25, 01:01 PM	29.33	75.01	5.48	8.07	47.31
22/01/25, 01:06 PM	29.36	75.01	5.48	8.08	47.28
22/01/25, 01:11 PM	29.38	75.09	5.49	8.07	47.31
22/01/25, 01:16 PM	29.4	75.23	5.49	8.07	47.3
22/01/25, 01:21 PM	29.41	75.2	5.48	8.07	47.31
22/01/25, 01:26 PM	29.41	75.28	5.49	8.07	47.29
22/01/25, 01:31 PM	29.43	75.13	5.49	8.08	47.3
22/01/25, 01:36 PM	29.47	75.05	5.5	8.09	47.26
22/01/25, 01:41 PM	29.46	75.11	5.5	8.09	47.3
22/01/25, 01:46 PM	29.42	75	5.5	8.1	47.28
22/01/25, 01:51 PM	29.43	75	5.5	8.09	47.24

TIME	BOD	COD	DO	pH	TSS
22/01/25, 01:56 PM	29.45	75.15	5.49	8.1	47.26
22/01/25, 02:01 PM	29.47	75.25	5.49	8.09	47.29
22/01/25, 02:06 PM	29.49	75.11	5.49	8.09	47.27
22/01/25, 02:11 PM	29.48	75.04	5.48	8.08	47.29
22/01/25, 02:16 PM	29.47	75	5.47	8.09	47.3
22/01/25, 02:21 PM	29.45	75.18	5.47	8.09	47.32
22/01/25, 02:26 PM	29.42	75.29	5.46	8.09	47.35
22/01/25, 02:31 PM	29.39	75.12	5.46	8.08	47.32
22/01/25, 02:36 PM	29.42	75	5.47	8.08	47.28
22/01/25, 02:41 PM	29.42	75.08	5.47	8.09	47.31
22/01/25, 02:46 PM	29.43	75.08	5.47	8.08	47.33
22/01/25, 02:51 PM	29.45	75	5.47	8.09	47.36
22/01/25, 02:56 PM	29.42	75.02	5.47	8.09	47.32
22/01/25, 03:01 PM	29.41	75	5.46	8.09	47.37
22/01/25, 03:06 PM	29.39	75.08	5.46	8.08	47.35
22/01/25, 03:11 PM	29.4	75	5.47	8.08	47.31
22/01/25, 03:16 PM	29.37	75.1	5.46	8.08	47.35
22/01/25, 03:21 PM	29.34	75.28	5.47	8.09	47.37
22/01/25, 03:26 PM	29.35	75.37	5.47	8.09	47.33
22/01/25, 03:31 PM	29.38	75.48	5.47	8.09	47.3
22/01/25, 03:36 PM	29.39	75.38	5.47	8.08	47.33
22/01/25, 03:41 PM	29.35	75.46	5.47	8.08	47.35
22/01/25, 03:46 PM	29.37	75.39	5.46	8.07	47.36
22/01/25, 03:51 PM	29.38	75.24	5.47	8.07	47.37
22/01/25, 03:56 PM	29.41	75.28	5.46	8.07	47.35
22/01/25, 04:01 PM	29.41	75.27	5.47	8.08	47.3
22/01/25, 04:06 PM	29.42	75.44	5.46	8.07	47.32
22/01/25, 04:11 PM	29.4	75.55	5.47	8.07	47.37
22/01/25, 04:16 PM	29.38	75.4	5.47	8.08	47.37
22/01/25, 04:21 PM	29.35	75.32	5.48	8.08	47.36
22/01/25, 04:26 PM	29.32	75.49	5.49	8.09	47.36
22/01/25, 04:31 PM	29.35	75.69	5.48	8.09	47.33
22/01/25, 04:36 PM	29.34	75.82	5.47	8.08	47.29
22/01/25, 04:41 PM	29.31	75.68	5.46	8.08	47.24

TIME	BOD	COD	DO	pH	TSS
22/01/25, 04:46 PM	29.33	75.76	5.46	8.08	47.25
22/01/25, 04:51 PM	29.33	75.76	5.46	8.08	47.25
22/01/25, 04:56 PM	29.33	75.93	5.45	8.08	47.23
22/01/25, 05:01 PM	29.31	75.75	5.45	8.07	47.24
22/01/25, 05:06 PM	29.35	75.62	5.44	8.07	47.23
22/01/25, 05:11 PM	29.32	75.67	5.45	8.08	47.19
22/01/25, 05:16 PM	29.31	75.51	5.45	8.07	47.15
22/01/25, 05:21 PM	29.32	75.45	5.46	8.08	47.11
22/01/25, 05:26 PM	29.28	75.44	5.47	8.08	47.13
22/01/25, 05:31 PM	29.28	75.52	5.46	8.08	47.17
22/01/25, 05:36 PM	29.3	75.53	5.47	8.09	47.18
22/01/25, 05:41 PM	29.29	75.37	5.47	8.1	47.15
22/01/25, 05:46 PM	29.32	75.41	5.48	8.09	47.15
22/01/25, 05:51 PM	29.36	75.21	5.47	8.09	47.18
22/01/25, 05:56 PM	29.35	75.36	5.47	8.09	47.17
22/01/25, 06:01 PM	29.31	75.4	5.46	8.09	47.2
22/01/25, 06:06 PM	29.28	75.5	5.47	8.08	47.24
22/01/25, 06:11 PM	29.3	75.38	5.47	8.08	47.28
22/01/25, 06:16 PM	29.31	75.51	5.46	8.07	47.25
22/01/25, 06:21 PM	29.29	75.48	5.45	8.08	47.26
22/01/25, 06:26 PM	29.31	75.29	5.45	8.07	47.3
22/01/25, 06:31 PM	29.31	75.34	5.44	8.07	47.3
22/01/25, 06:36 PM	29.31	75.42	5.44	8.07	47.31
22/01/25, 06:41 PM	29.31	75.24	5.44	8.08	47.27
22/01/25, 06:46 PM	29.27	75.34	5.44	8.07	47.31
22/01/25, 06:51 PM	29.31	75.39	5.44	8.07	47.34
22/01/25, 06:56 PM	29.32	75.35	5.43	8.08	47.37
22/01/25, 07:01 PM	29.36	75.3	5.43	8.09	47.38
22/01/25, 07:06 PM	29.39	75.3	5.42	8.1	47.38
22/01/25, 07:11 PM	29.4	75.45	5.43	8.1	47.39
22/01/25, 07:16 PM	29.39	75.48	5.44	8.1	47.36
22/01/25, 07:21 PM	29.38	75.54	5.43	8.09	47.4
22/01/25, 07:26 PM	29.37	75.38	5.43	8.09	47.39
22/01/25, 07:31 PM	29.33	75.23	5.43	8.09	47.4

TIME	BOD	COD	DO	pH	TSS
22/01/25, 07:36 PM	29.36	75.11	5.43	8.09	47.44
22/01/25, 07:41 PM	29.34	75.19	5.43	8.09	47.46
22/01/25, 07:46 PM	29.37	75.15	5.43	8.09	47.48
22/01/25, 07:51 PM	29.36	75.25	5.43	8.08	47.51
22/01/25, 07:56 PM	29.33	75.41	5.43	8.09	47.48
22/01/25, 08:01 PM	29.33	75.41	5.42	8.09	47.53
22/01/25, 08:06 PM	29.35	75.33	5.43	8.08	47.52
22/01/25, 08:11 PM	29.34	75.52	5.44	8.08	47.5
22/01/25, 08:16 PM	29.36	75.33	5.43	8.08	47.53
22/01/25, 08:21 PM	29.39	75.31	5.43	8.09	47.55
22/01/25, 08:26 PM	29.36	75.11	5.43	8.09	47.55
22/01/25, 08:31 PM	29.33	75.14	5.44	8.1	47.57
22/01/25, 08:36 PM	29.3	75.18	5.44	8.11	47.59
22/01/25, 08:41 PM	29.33	75.03	5.44	8.12	47.6
22/01/25, 08:46 PM	29.29	75.14	5.44	8.12	47.57
22/01/25, 08:51 PM	29.25	75	5.44	8.11	47.61
22/01/25, 08:56 PM	29.24	75	5.44	8.11	47.59
22/01/25, 09:01 PM	29.26	75	5.44	8.1	47.56
22/01/25, 09:06 PM	29.24	75.1	5.43	8.09	47.59
22/01/25, 09:11 PM	29.2	75.13	5.43	8.1	47.63
22/01/25, 09:16 PM	29.19	75.3	5.44	8.11	47.63
22/01/25, 09:21 PM	29.16	75.48	5.43	8.11	47.61
22/01/25, 09:26 PM	29.15	75.45	5.44	8.12	47.64
22/01/25, 09:31 PM	29.13	75.44	5.45	8.12	47.59
22/01/25, 09:36 PM	29.09	75.57	5.44	8.11	47.62
22/01/25, 09:41 PM	29.12	75.75	5.45	8.11	47.63
22/01/25, 09:46 PM	29.09	75.8	5.44	8.1	47.64
22/01/25, 09:51 PM	29.08	75.91	5.45	8.11	47.65
22/01/25, 09:56 PM	29.09	75.74	5.45	8.1	47.6
22/01/25, 10:01 PM	29.06	75.84	5.44	8.09	47.61
22/01/25, 10:06 PM	29.07	75.9	5.44	8.08	47.59
22/01/25, 10:11 PM	29.08	76.09	5.45	8.08	47.59
22/01/25, 10:16 PM	29.05	76.2	5.45	8.09	47.55
22/01/25, 10:21 PM	29.05	76.29	5.46	8.09	47.6

TIME	BOD	COD	DO	pH	TSS
22/01/25, 10:26 PM	29.05	76.13	5.46	8.1	47.61
22/01/25, 10:31 PM	29.05	76.27	5.47	8.1	47.62
22/01/25, 10:36 PM	29.07	76.46	5.46	8.09	47.64
22/01/25, 10:41 PM	29.05	76.48	5.46	8.09	47.6
22/01/25, 10:46 PM	29.04	76.57	5.46	8.1	47.58
22/01/25, 10:51 PM	29.04	76.76	5.47	8.1	47.59
22/01/25, 10:56 PM	29	76.91	5.46	8.11	47.58
22/01/25, 11:01 PM	28.99	77.04	5.47	8.11	47.56
22/01/25, 11:06 PM	29.02	76.96	5.47	8.11	47.53
22/01/25, 11:11 PM	29.01	76.92	5.47	8.1	47.57
22/01/25, 11:16 PM	29.02	76.84	5.47	8.11	47.53
22/01/25, 11:21 PM	29.06	76.8	5.47	8.12	47.57
22/01/25, 11:26 PM	29.03	76.6	5.46	8.13	47.58
22/01/25, 11:31 PM	29	76.75	5.45	8.13	47.57
22/01/25, 11:36 PM	29.03	76.59	5.45	8.14	47.53
22/01/25, 11:41 PM	29	76.77	5.45	8.14	47.54
22/01/25, 11:46 PM	28.98	76.95	5.45	8.14	47.58
22/01/25, 11:51 PM	28.95	77.13	5.45	8.14	47.62
22/01/25, 11:56 PM	28.96	77.14	5.45	8.14	47.63



## Water Quality Report: ADA Drain

TIME	BOD	COD	DO	pH	TSS
12/02/25, 12:01 AM	29.1	95.73	6.81	8.06	48.09
12/02/25, 12:06 AM	29.13	95.62	6.83	8.09	48
12/02/25, 12:11 AM	29.08	95.49	6.79	8.1	48.08
12/02/25, 12:36 AM	29.03	94.83	6.8	8.09	48.18
12/02/25, 12:41 AM	29.01	94.96	6.83	8.11	48.16
12/02/25, 12:46 AM	29.02	95.24	6.83	8.12	48.09
12/02/25, 12:51 AM	29.06	95.11	6.81	8.15	47.99
12/02/25, 12:56 AM	29.11	95.34	6.81	8.16	48.01
12/02/25, 01:01 AM	29.19	95.08	6.84	8.15	47.97
12/02/25, 01:06 AM	29.12	95.03	6.85	8.13	47.98
12/02/25, 01:11 AM	29.03	95	6.84	8.13	47.87
12/02/25, 01:16 AM	28.97	95.16	6.8	8.14	47.8
12/02/25, 01:21 AM	29.03	94.94	6.79	8.14	47.9
12/02/25, 01:26 AM	29.05	94.7	6.8	8.13	47.94
12/02/25, 01:31 AM	28.98	94.59	6.78	8.15	48.04
12/02/25, 01:36 AM	28.9	94.55	6.75	8.13	48.06
12/02/25, 01:41 AM	28.82	94.81	6.77	8.11	47.99
12/02/25, 01:46 AM	28.81	94.64	6.8	8.13	47.92
12/02/25, 01:51 AM	28.72	94.4	6.82	8.13	47.95
12/02/25, 01:56 AM	28.68	94.57	6.8	8.12	48.06
12/02/25, 02:01 AM	28.77	94.43	6.82	8.11	47.97
12/02/25, 02:06 AM	28.68	94.38	6.84	8.12	48.06
12/02/25, 02:11 AM	28.6	94.41	6.87	8.1	47.96
12/02/25, 02:16 AM	28.5	94.52	6.84	8.1	47.91
12/02/25, 02:21 AM	28.49	94.28	6.84	8.07	47.86
12/02/25, 02:26 AM	28.53	94.52	6.87	8.09	47.87
12/02/25, 02:31 AM	28.58	94.69	6.84	8.07	47.88
12/02/25, 02:36 AM	28.63	94.87	6.86	8.05	47.95
12/02/25, 02:41 AM	28.6	94.88	6.86	8.05	48.01
12/02/25, 02:46 AM	28.58	94.67	6.83	8.07	47.99
12/02/25, 03:12 AM	28.87	93.7	6.85	7.99	47.85

TIME	BOD	COD	DO	pH	TSS
12/02/25, 03:17 AM	28.86	93.56	6.87	7.97	47.81
12/02/25, 03:22 AM	28.79	93.56	6.87	7.98	47.71
12/02/25, 03:27 AM	28.71	93.34	6.88	7.95	47.69
12/02/25, 03:32 AM	28.8	93.59	6.84	7.94	47.76
12/02/25, 03:37 AM	28.88	93.86	6.87	7.92	47.7
12/02/25, 03:42 AM	28.84	93.92	6.88	7.94	47.72
12/02/25, 03:47 AM	28.87	93.95	6.86	7.93	47.8
12/02/25, 03:52 AM	28.87	94.03	6.88	7.91	47.91
12/02/25, 03:57 AM	28.94	94.2	6.9	7.91	47.93
12/02/25, 04:02 AM	28.88	94.48	6.88	7.92	47.9
12/02/25, 04:07 AM	28.97	94.26	6.89	7.93	47.94
12/02/25, 04:12 AM	28.88	94.04	6.91	7.91	48.01
12/02/25, 04:17 AM	28.91	93.97	6.91	7.94	47.99
12/02/25, 04:22 AM	28.91	93.96	6.91	7.96	47.95
12/02/25, 04:27 AM	28.91	93.7	6.92	7.95	47.99
12/02/25, 04:32 AM	28.85	93.72	6.95	7.97	48.06
12/02/25, 04:37 AM	28.81	93.51	6.98	7.97	48
12/02/25, 04:42 AM	28.89	93.51	6.95	7.98	47.92
12/02/25, 04:47 AM	28.98	93.39	6.94	7.97	48.03
12/02/25, 04:52 AM	28.95	93.24	6.91	7.96	48.08
12/02/25, 04:57 AM	28.95	93.38	6.92	7.97	48.13
12/02/25, 05:02 AM	28.99	93.31	6.88	7.99	48.08
12/02/25, 05:07 AM	29	93.2	6.84	7.99	48.05
12/02/25, 05:12 AM	28.97	93.1	6.86	8.01	48.12
12/02/25, 05:17 AM	28.97	92.9	6.86	8.04	48.17
12/02/25, 05:22 AM	29.04	92.91	6.84	8.02	48.19
12/02/25, 05:27 AM	28.96	92.7	6.85	8.01	48.09
12/02/25, 05:32 AM	29	92.8	6.86	8	48.08
12/02/25, 05:37 AM	29.01	93.08	6.84	7.98	48.04
12/02/25, 05:42 AM	29.05	93.09	6.84	8	47.95
12/02/25, 05:47 AM	29.04	92.99	6.86	8.01	47.88
12/02/25, 05:52 AM	29.09	92.73	6.86	8	47.8
12/02/25, 05:57 AM	29.01	92.78	6.87	8	47.76
12/02/25, 06:02 AM	28.99	93.04	6.87	7.99	47.85

TIME	BOD	COD	DO	pH	TSS
12/02/25, 06:07 AM	28.94	93.26	6.9	7.98	47.89
12/02/25, 06:12 AM	28.87	93.22	6.9	7.97	47.91
12/02/25, 06:17 AM	28.87	93.26	6.92	7.95	47.89
12/02/25, 06:22 AM	28.79	92.98	6.95	7.93	47.99
12/02/25, 06:27 AM	28.76	93.14	6.94	7.94	47.89
12/02/25, 06:32 AM	28.82	93.33	6.97	7.95	47.85
12/02/25, 06:37 AM	28.73	93.25	6.94	7.93	47.96
12/02/25, 06:42 AM	28.8	92.97	6.96	7.94	47.93
12/02/25, 06:47 AM	28.76	92.91	6.95	7.96	47.89
12/02/25, 06:52 AM	28.84	92.72	6.92	7.98	47.88
12/02/25, 06:57 AM	28.86	92.71	6.92	7.99	47.84
12/02/25, 07:02 AM	28.92	92.45	6.89	7.99	47.83
12/02/25, 07:07 AM	28.98	92.51	6.86	7.97	47.73
12/02/25, 07:12 AM	28.92	92.39	6.85	8	47.78
12/02/25, 07:17 AM	28.91	92.36	6.89	7.99	47.79
12/02/25, 07:42 AM	28.99	92.25	6.88	7.97	47.77
12/02/25, 08:07 AM	28.91	91.76	6.85	7.99	47.87
12/02/25, 08:12 AM	28.86	91.63	6.83	7.99	47.97
12/02/25, 08:17 AM	28.94	91.53	6.86	7.99	48.06
12/02/25, 08:22 AM	29	91.3	6.88	8.01	48.11
12/02/25, 08:27 AM	28.97	91.04	6.85	7.99	48.1
12/02/25, 08:32 AM	28.89	90.8	6.89	7.97	48.06
12/02/25, 08:37 AM	28.82	91.07	6.9	7.98	48.16
12/02/25, 08:42 AM	28.83	90.82	6.93	7.99	48.08
12/02/25, 08:47 AM	28.84	90.67	6.89	7.99	48.08
12/02/25, 08:52 AM	28.76	90.46	6.91	7.98	48.07
12/02/25, 08:57 AM	28.78	90.19	6.88	7.98	48.05
12/02/25, 09:02 AM	28.87	90.47	6.91	7.96	48.06
12/02/25, 09:07 AM	28.78	90.49	6.94	7.98	47.96
12/02/25, 09:13 AM	28.74	90.48	6.96	7.99	47.91
12/02/25, 09:38 AM	28.64	90.47	6.86	8	47.94
12/02/25, 10:03 AM	28.71	89.89	6.91	7.95	47.94
12/02/25, 10:28 AM	28.84	90	6.84	7.98	48.09
12/02/25, 10:32 AM	28.54	91.97	6.84	8.11	46.04

TIME	BOD	COD	DO	pH	TSS
12/02/25, 10:37 AM	28.63	92.1	6.81	8.1	46.14
12/02/25, 10:42 AM	28.6	92.04	6.79	8.12	46.12
12/02/25, 10:47 AM	28.51	92.19	6.81	8.1	46.22
12/02/25, 10:52 AM	28.58	92.37	6.81	8.1	46.31
12/02/25, 10:57 AM	28.5	92.26	6.77	8.1	46.2
12/02/25, 11:02 AM	28.56	92.29	6.77	8.08	46.25
12/02/25, 11:07 AM	28.55	92.28	6.8	8.06	46.31
12/02/25, 11:12 AM	28.57	92.16	6.77	8.04	46.21
12/02/25, 11:17 AM	28.65	92.23	6.76	8.07	46.24
12/02/25, 11:22 AM	28.75	92.34	6.8	8.06	46.23
12/02/25, 11:47 AM	28.77	91.86	6.79	8.03	46.16
12/02/25, 11:52 AM	28.72	91.64	6.77	8.04	46.22
12/02/25, 11:57 AM	28.76	91.57	6.81	8.03	46.12
12/02/25, 12:02 PM	28.67	91.45	6.78	8.01	46.03
12/02/25, 12:07 PM	28.68	91.35	6.78	8.03	46.02
12/02/25, 12:12 PM	28.74	91.51	6.74	8.02	46
12/02/25, 12:17 PM	28.77	91.77	6.76	8.05	46.09
12/02/25, 12:22 PM	28.71	92	6.8	8.04	46.19
12/02/25, 12:27 PM	28.79	92.07	6.83	8.06	46.15
12/02/25, 12:32 PM	28.72	92.03	6.81	8.04	46.18
12/02/25, 12:37 PM	28.64	92.22	6.78	8.06	46.19
12/02/25, 12:42 PM	28.72	92.14	6.79	8.06	46.19
12/02/25, 12:47 PM	28.66	92.11	6.81	8.04	46.25
12/02/25, 12:52 PM	28.66	92.33	6.8	8.05	46.32
12/02/25, 12:57 PM	28.58	92.2	6.78	8.04	46.29
12/02/25, 01:02 PM	28.65	92.42	6.79	8.04	46.37
12/02/25, 01:07 PM	28.72	92.63	6.81	8.02	46.39
12/02/25, 01:12 PM	28.67	92.74	6.79	8.04	46.46
12/02/25, 01:17 PM	28.74	92.66	6.81	8.06	46.52
12/02/25, 01:22 PM	28.74	92.43	6.8	8.04	46.56
12/02/25, 01:27 PM	28.8	92.22	6.81	8.03	46.65
12/02/25, 01:32 PM	28.85	92.03	6.85	8	46.65
12/02/25, 01:37 PM	28.89	92.05	6.86	8	46.73
12/02/25, 01:42 PM	28.98	92.22	6.83	7.98	46.78

TIME	BOD	COD	DO	pH	TSS
12/02/25, 01:47 PM	28.99	92.04	6.82	7.98	46.89
12/02/25, 01:52 PM	29.08	92.1	6.85	7.98	46.83
12/02/25, 01:57 PM	29	92.19	6.83	7.98	46.81
12/02/25, 02:02 PM	29.02	92.19	6.81	7.95	46.82
12/02/25, 02:07 PM	29.03	92.18	6.77	7.94	46.88
12/02/25, 02:12 PM	29.08	92.11	6.81	7.92	46.81
12/02/25, 02:38 PM	29.23	92.29	6.85	7.94	46.63
12/02/25, 02:43 PM	29.21	92.25	6.86	7.92	46.53
12/02/25, 02:48 PM	29.28	92.11	6.87	7.94	46.43
12/02/25, 02:53 PM	29.22	92.16	6.9	7.93	46.41
12/02/25, 02:58 PM	29.18	91.92	6.9	7.92	46.53
12/02/25, 03:03 PM	29.22	91.74	6.91	7.93	46.53
12/02/25, 03:08 PM	29.26	91.69	6.94	7.92	46.55
12/02/25, 03:13 PM	29.31	91.63	6.97	7.92	46.57
12/02/25, 03:18 PM	29.24	91.48	6.95	7.92	46.66
12/02/25, 03:23 PM	29.18	91.67	6.98	7.93	46.55
12/02/25, 03:28 PM	29.09	91.73	6.99	7.93	46.65
12/02/25, 03:33 PM	29.11	91.58	6.99	7.92	46.72
12/02/25, 03:38 PM	29.04	91.55	6.98	7.93	46.7
12/02/25, 03:43 PM	28.98	91.67	6.98	7.92	46.81
12/02/25, 03:48 PM	28.93	91.52	6.96	7.91	46.75
12/02/25, 03:53 PM	28.93	91.59	6.92	7.92	46.78
12/02/25, 03:58 PM	28.93	91.45	6.94	7.94	46.71
12/02/25, 04:03 PM	28.96	91.6	6.92	7.93	46.6
12/02/25, 04:08 PM	29	91.6	6.88	7.94	46.63
12/02/25, 04:13 PM	28.94	91.39	6.86	7.93	46.57
12/02/25, 04:18 PM	28.96	91.28	6.86	7.91	46.65
12/02/25, 04:23 PM	28.97	91.12	6.85	7.9	46.62
12/02/25, 04:28 PM	29.06	91.02	6.88	7.9	46.74
12/02/25, 04:33 PM	29.1	91.23	6.87	7.89	46.67
12/02/25, 04:38 PM	29.14	91.44	6.87	7.87	46.64
12/02/25, 04:43 PM	29.18	91.57	6.85	7.86	46.52
12/02/25, 04:48 PM	29.16	91.59	6.86	7.86	46.46
12/02/25, 04:53 PM	29.22	91.6	6.86	7.87	46.38

TIME	BOD	COD	DO	pH	TSS
12/02/25, 04:58 PM	29.16	91.86	6.88	7.88	46.31
12/02/25, 05:03 PM	29.07	91.72	6.89	7.88	46.34
12/02/25, 05:08 PM	29.05	91.91	6.92	7.9	46.36
12/02/25, 05:13 PM	29.06	91.84	6.94	7.9	46.45
12/02/25, 05:18 PM	29.02	91.71	6.97	7.92	46.36
12/02/25, 05:23 PM	29	91.46	7.01	7.91	46.33
12/02/25, 05:28 PM	29.35	92.08	7.03	7.93	46.73
12/02/25, 05:33 PM	30.84	95.29	7.05	7.95	48.97
12/02/25, 05:58 PM	33.67	106.9	6.99	7.95	55.96
12/02/25, 06:23 PM	33.65	106.73	6.94	7.98	55.91
12/02/25, 06:48 PM	28.51	94.6	6.95	7.99	53.53
12/02/25, 06:53 PM	26.93	94.74	6.93	7.97	51.43
12/02/25, 06:58 PM	27.01	94.84	6.92	7.99	49.37
12/02/25, 07:24 PM	26.78	94.21	6.88	8.01	45.38
12/02/25, 07:29 PM	26.72	94.14	6.9	8.03	45.44
12/02/25, 07:34 PM	26.64	93.99	6.91	8.05	45.34
12/02/25, 07:39 PM	26.7	93.91	6.89	8.05	45.26
12/02/25, 07:44 PM	26.73	93.74	6.92	8.06	45.28
12/02/25, 07:49 PM	26.74	93.75	6.89	8.04	45.39
12/02/25, 07:54 PM	26.65	93.76	6.91	8.04	45.49
12/02/25, 07:59 PM	26.71	93.58	6.9	8.04	45.44
12/02/25, 08:04 PM	26.62	93.35	6.87	8.04	45.5
12/02/25, 08:09 PM	26.69	93.31	6.84	8.04	45.51
12/02/25, 08:14 PM	26.75	93.25	6.85	8.06	45.59
12/02/25, 08:19 PM	26.67	93.51	6.83	8.05	45.66
12/02/25, 08:24 PM	26.66	93.44	6.79	8.05	45.56
12/02/25, 08:29 PM	26.68	93.56	6.79	8.04	45.66
12/02/25, 08:34 PM	26.71	93.82	6.78	8.03	45.62
12/02/25, 08:39 PM	26.77	94.04	6.81	8.03	45.64
12/02/25, 08:44 PM	26.83	94.3	6.78	8.01	45.69
12/02/25, 08:49 PM	26.77	94.2	6.79	8	45.69
12/02/25, 08:54 PM	26.73	94.21	6.75	7.98	45.69
12/02/25, 08:59 PM	26.69	94.11	6.75	7.98	45.71
12/02/25, 09:04 PM	26.63	93.84	6.76	7.97	45.6

TIME	BOD	COD	DO	pH	TSS
12/02/25, 09:09 PM	26.57	93.78	6.74	7.99	45.55
12/02/25, 09:14 PM	26.6	94.02	6.70	7.96	45.57
12/02/25, 09:19 PM	26.62	94.05	6.76	7.95	45.62
12/02/25, 09:24 PM	26.57	94.05	6.73	7.93	45.57
12/02/25, 09:29 PM	26.59	94.1	6.73	7.92	45.58
12/02/25, 09:34 PM	26.66	94.26	6.72	7.93	45.67
12/02/25, 09:39 PM	26.62	94.53	6.72	7.93	45.75
12/02/25, 09:44 PM	26.57	94.72	6.72	7.92	45.68
12/02/25, 09:49 PM	26.52	94.72	6.60	7.93	45.73
12/02/25, 09:54 PM	26.5	94.89	6.65	7.92	45.77
12/02/25, 09:59 PM	26.51	94.92	6.67	7.93	45.84
12/02/25, 10:04 PM	26.46	95.17	6.66	7.93	45.86
12/02/25, 10:09 PM	26.39	95.1	6.67	7.92	45.97
12/02/25, 10:14 PM	26.33	95.38	6.65	7.92	45.86
12/02/25, 10:19 PM	26.39	95.18	6.63	7.9	45.76
12/02/25, 10:24 PM	26.36	95.05	6.65	7.91	45.7
12/02/25, 10:29 PM	26.28	95.01	6.61	7.91	45.8
12/02/25, 10:34 PM	26.33	95	6.6	7.91	45.84
12/02/25, 10:39 PM	26.25	94.9	6.57	7.93	45.74
12/02/25, 10:44 PM	26.28	95.02	6.56	7.92	45.85
12/02/25, 10:49 PM	26.28	95.11	6.6	7.93	45.94
12/02/25, 10:54 PM	26.23	95.17	6.58	7.91	45.88
12/02/25, 10:59 PM	26.19	95.39	6.62	7.93	45.96
12/02/25, 11:04 PM	26.25	95.59	6.62	7.94	45.89
12/02/25, 11:09 PM	26.3	95.81	6.59	7.93	45.92
12/02/25, 11:14 PM	26.36	95.71	6.59	7.94	45.96
12/02/25, 11:19 PM	26.27	95.95	6.62	7.96	45.99
12/02/25, 11:24 PM	26.28	95.67	6.59	7.98	46.1
12/02/25, 11:29 PM	26.24	95.64	6.56	8	46.21
12/02/25, 11:34 PM	26.26	95.56	6.54	8.02	46.15
12/02/25, 11:39 PM	26.18	95.72	6.54	8.04	46.17
12/02/25, 11:44 PM	26.2	95.88	6.56	8.04	46.07
12/02/25, 11:49 PM	26.23	95.98	6.55	8.05	46.08
12/02/25, 11:54 PM	26.32	95.81	6.54	8.06	46.07

TIME	BOD	COD	DO	pH	TSS
12/02/25, 11:59 PM	26.37	95.58	6.54	8.05	46.09



## Water Quality Report: ADA Drain

TIME	BOD	COD	DO	pH	TSS
05/02/25, 12:04 AM	28.81	91.98	6.77	8.09	45.84
05/02/25, 12:09 AM	28.72	92.06	6.76	8.1	45.93
05/02/25, 12:14 AM	28.68	92.33	6.78	8.12	45.99
05/02/25, 12:19 AM	28.65	92.61	6.75	8.14	46.05
05/02/25, 12:24 AM	28.59	92.77	6.74	8.13	46.1
05/02/25, 12:29 AM	28.53	92.97	6.7	8.15	46.19
05/02/25, 12:34 AM	28.46	93.16	6.74	8.13	46.23
05/02/25, 12:39 AM	28.51	93	6.77	8.14	46.25
05/02/25, 12:44 AM	28.49	92.85	6.74	8.13	46.2
05/02/25, 12:49 AM	28.53	92.56	6.76	8.1	46.13
05/02/25, 12:54 AM	28.46	92.83	6.78	8.11	46.09
05/02/25, 12:59 AM	28.38	92.59	6.77	8.11	46.15
05/02/25, 01:04 AM	28.34	92.49	6.79	8.1	46.19
05/02/25, 01:09 AM	28.38	92.66	6.75	8.11	46.15
05/02/25, 01:14 AM	28.33	92.9	6.79	8.11	46.1
05/02/25, 01:19 AM	28.25	93.08	6.82	8.12	46.17
05/02/25, 01:24 AM	28.19	92.88	6.84	8.12	46.2
05/02/25, 01:29 AM	28.11	92.62	6.82	8.14	46.31
05/02/25, 01:34 AM	28.18	92.89	6.78	8.13	46.41
05/02/25, 01:39 AM	28.2	92.72	6.79	8.11	46.38
05/02/25, 01:44 AM	28.27	92.92	6.81	8.09	46.36
05/02/25, 01:49 AM	28.22	93.21	6.84	8.1	46.35
05/02/25, 01:54 AM	28.25	93.17	6.84	8.11	46.42
05/02/25, 01:59 AM	28.21	93.23	6.87	8.09	46.53
05/02/25, 02:04 AM	28.2	93.4	6.86	8.09	46.53
05/02/25, 02:29 AM	28.19	93.82	6.91	8.15	46.38
05/02/25, 02:34 AM	28.14	94.04	6.9	8.13	46.36
05/02/25, 02:39 AM	28.13	94.17	6.93	8.14	46.37
05/02/25, 02:44 AM	28.05	94.18	6.9	8.13	46.27
05/02/25, 02:49 AM	27.99	94.01	6.9	8.11	46.33
05/02/25, 02:54 AM	28.05	93.96	6.89	8.09	46.44

TIME	BOD	COD	DO	pH	TSS
05/02/25, 02:59 AM	28.09	93.96	6.9	8.11	46.46
05/02/25, 03:04 AM	28.15	93.95	6.93	8.09	46.42
05/02/25, 03:09 AM	28.23	93.67	6.96	8.11	46.32
05/02/25, 03:14 AM	28.15	93.39	6.93	8.13	46.23
05/02/25, 03:19 AM	28.08	93.53	6.94	8.15	46.17
05/02/25, 03:24 AM	27.99	93.65	6.97	8.14	46.08
05/02/25, 03:29 AM	27.98	93.63	6.98	8.14	46.19
05/02/25, 03:34 AM	28.02	93.64	6.97	8.14	46.22
05/02/25, 03:39 AM	28.1	93.8	6.94	8.13	46.17
05/02/25, 03:44 AM	28.14	93.73	6.96	8.12	46.09
05/02/25, 03:49 AM	28.15	93.77	6.98	8.12	46.02
05/02/25, 03:54 AM	28.09	94.04	6.96	8.12	46.11
05/02/25, 03:59 AM	28.1	93.99	7	8.11	46.11
05/02/25, 04:04 AM	28.1	94.11	7	8.13	46.03
05/02/25, 04:09 AM	28.14	94.14	7.04	8.12	45.92
05/02/25, 04:14 AM	28.23	94.41	7.03	8.14	45.87
05/02/25, 04:19 AM	28.16	94.68	7	8.14	45.88
05/02/25, 04:24 AM	28.16	94.78	6.99	8.14	45.82
05/02/25, 04:29 AM	28.11	94.8	6.96	8.16	45.86
05/02/25, 04:34 AM	28.16	95.03	6.95	8.15	45.86
05/02/25, 04:39 AM	28.24	94.83	6.93	8.14	45.95
05/02/25, 04:44 AM	28.23	94.89	6.95	8.12	45.92
05/02/25, 04:50 AM	28.32	94.82	6.92	8.13	46
05/02/25, 04:55 AM	28.25	94.9	6.89	8.13	46.03
05/02/25, 05:00 AM	28.28	94.76	6.91	8.11	46.04
05/02/25, 05:05 AM	28.31	94.74	6.94	8.12	46.1
05/02/25, 05:10 AM	28.4	94.62	6.91	8.13	46.2
05/02/25, 05:15 AM	28.34	94.57	6.9	8.15	46.13
05/02/25, 05:20 AM	28.37	94.84	6.89	8.15	46.17
05/02/25, 05:25 AM	28.37	94.78	6.92	8.17	46.13
05/02/25, 05:30 AM	28.39	94.51	6.92	8.18	46.21
05/02/25, 05:35 AM	28.39	94.63	6.91	8.17	46.3
05/02/25, 05:40 AM	28.38	94.54	6.91	8.19	46.29
05/02/25, 05:45 AM	28.47	94.57	6.88	8.17	46.24

TIME	BOD	COD	DO	pH	TSS
05/02/25, 05:50 AM	28.56	94.4	6.9	8.16	46.24
05/02/25, 05:55 AM	28.53	94.14	6.91	8.15	46.26
05/02/25, 06:00 AM	28.5	94.27	6.93	8.13	46.32
05/02/25, 06:05 AM	28.55	94.23	6.9	8.14	46.43
05/02/25, 06:10 AM	28.48	94.5	6.89	8.12	46.47
05/02/25, 06:15 AM	28.43	94.32	6.92	8.09	46.39
05/02/25, 06:20 AM	28.5	94.49	6.93	8.08	46.29
05/02/25, 06:25 AM	28.47	94.7	6.92	8.08	46.29
05/02/25, 06:30 AM	28.47	94.51	6.93	8.07	46.33
05/02/25, 06:35 AM	28.4	94.34	6.92	8.06	46.3
05/02/25, 06:40 AM	28.42	94.38	6.95	8.08	46.31
05/02/25, 06:45 AM	28.48	94.65	6.98	8.05	46.41
05/02/25, 06:50 AM	28.43	94.93	6.97	8.03	46.4
05/02/25, 06:55 AM	28.43	94.7	7.01	8.03	46.47
05/02/25, 07:00 AM	28.45	94.64	6.99	8.05	46.5
05/02/25, 07:05 AM	28.54	94.56	6.99	8.05	46.6
05/02/25, 07:10 AM	28.48	94.7	6.96	8.05	46.59
05/02/25, 07:15 AM	28.45	94.53	6.92	8.03	46.54
05/02/25, 07:20 AM	28.37	94.53	6.9	8.02	46.46
05/02/25, 07:25 AM	28.41	94.28	6.87	8	46.41
05/02/25, 07:30 AM	28.42	94.52	6.91	8.01	46.5
05/02/25, 07:35 AM	28.51	94.64	6.9	8.02	46.55
05/02/25, 07:40 AM	28.48	94.79	6.91	8.04	46.6
05/02/25, 07:45 AM	28.45	94.58	6.95	8.04	46.59
05/02/25, 07:50 AM	28.37	94.59	6.93	8.05	46.51
05/02/25, 07:55 AM	28.37	94.67	6.96	8.06	46.47
05/02/25, 08:00 AM	28.4	94.4	6.93	8.06	46.36
05/02/25, 08:05 AM	28.45	94.19	6.92	8.07	46.3
05/02/25, 08:10 AM	28.36	94.28	6.93	8.07	46.33
05/02/25, 08:15 AM	28.29	94.19	6.95	8.05	46.38
05/02/25, 08:20 AM	28.24	93.92	6.93	8.04	46.41
05/02/25, 08:25 AM	28.24	94.13	6.89	8.06	46.33
05/02/25, 08:30 AM	28.3	94.26	6.88	8.05	46.22
05/02/25, 08:35 AM	28.33	94.25	6.87	8.06	46.16

TIME	BOD	COD	DO	pH	TSS
05/02/25, 08:40 AM	28.26	94.4	6.89	8.06	46.13
05/02/25, 08:45 AM	28.29	94.28	6.87	8.04	46.23
05/02/25, 08:50 AM	28.22	94.45	6.9	8.04	46.13
05/02/25, 08:55 AM	28.18	94.73	6.88	8.02	46.06
05/02/25, 09:00 AM	28.23	94.98	6.9	8.03	46.1
05/02/25, 09:05 AM	28.19	94.97	6.93	8.02	46.06
05/02/25, 09:10 AM	28.16	95.16	6.91	8.01	46.08
05/02/25, 09:15 AM	28.17	95.17	6.94	8.01	46.08
05/02/25, 09:20 AM	28.26	95.07	6.96	8.03	46.11
05/02/25, 09:25 AM	28.18	95.16	6.94	8.05	46.18
05/02/25, 09:30 AM	28.11	95.13	6.9	8.05	46.14
05/02/25, 09:35 AM	28.12	94.96	6.91	8.05	46.13
05/02/25, 09:40 AM	28.1	95.22	6.95	8.03	46.03
05/02/25, 09:45 AM	28.18	95.26	6.94	8.01	46.02
05/02/25, 09:50 AM	28.51	95.83	6.93	8.04	46.41
05/02/25, 09:55 AM	30.14	98.91	6.9	8.03	48.57
05/02/25, 10:00 AM	31.63	102.04	6.93	8.03	50.73
05/02/25, 10:05 AM	33.16	105.45	6.9	8.05	52.59
05/02/25, 10:10 AM	33.82	107.33	6.91	8.05	53.86
05/02/25, 10:15 AM	33.81	107.29	6.9	8.05	53.88
05/02/25, 10:20 AM	33.79	107.46	6.91	8.03	53.86
05/02/25, 10:25 AM	33.8	107.36	6.92	8.01	53.81
05/02/25, 10:30 AM	33.81	107.27	6.93	8.01	53.79
05/02/25, 10:35 AM	33.83	107.37	6.9	8	53.8
05/02/25, 10:40 AM	33.84	107.36	6.88	8.02	53.79
05/02/25, 10:45 AM	33.56	106.52	6.88	8.04	53.74
05/02/25, 10:50 AM	32.21	102.66	6.84	8.02	53.76
05/02/25, 10:55 AM	30.97	98.77	6.88	8.03	53.36
05/02/25, 11:00 AM	29.62	94.86	6.89	8.02	51.12
05/02/25, 11:05 AM	28.28	91.07	6.86	8.03	49.08
05/02/25, 11:10 AM	28.26	90.88	6.84	8.01	49
05/02/25, 11:15 AM	28.23	90.94	6.82	7.99	48.94
05/02/25, 11:20 AM	28.32	91.15	6.83	7.99	48.92
05/02/25, 11:25 AM	28.41	90.94	6.84	8.01	48.85

TIME	BOD	COD	DO	pH	TSS
05/02/25, 11:30 AM	28.37	91.01	6.82	7.98	48.79
05/02/25, 11:35 AM	28.31	90.91	6.8	7.96	48.76
05/02/25, 11:40 AM	28.39	91.16	6.78	7.95	48.65
05/02/25, 11:45 AM	28.32	91.06	6.78	7.93	48.66
05/02/25, 11:50 AM	28.27	90.97	6.75	7.94	48.64
05/02/25, 11:55 AM	28.29	90.91	6.71	7.94	48.57
05/02/25, 12:00 PM	28.22	91.11	6.71	7.92	48.57
05/02/25, 12:05 PM	28.15	91.13	6.69	7.93	48.55
05/02/25, 12:10 PM	28.16	91.28	6.68	7.93	48.46
05/02/25, 12:15 PM	28.13	91.48	6.7	7.95	48.43
05/02/25, 12:20 PM	28.07	91.24	6.74	7.97	48.33
05/02/25, 12:25 PM	28.04	91.17	6.76	7.95	48.27
05/02/25, 12:30 PM	28.01	91.25	6.79	7.94	48.32
05/02/25, 12:35 PM	28.02	91.34	6.77	7.93	48.33
05/02/25, 12:40 PM	28.08	91.23	6.8	7.94	48.29
05/02/25, 12:45 PM	27.99	91.25	6.83	7.95	48.25
05/02/25, 12:50 PM	28.06	91.42	6.81	7.93	48.35
05/02/25, 12:55 PM	27.98	91.56	6.84	7.95	48.34
05/02/25, 01:00 PM	28.02	91.74	6.82	7.96	48.25
05/02/25, 01:05 PM	27.99	91.47	6.83	7.98	48.26
05/02/25, 01:10 PM	27.91	91.33	6.86	7.97	48.22
05/02/25, 01:15 PM	27.99	91.25	6.83	7.95	48.16
05/02/25, 01:20 PM	27.92	91.11	6.86	7.93	48.1
05/02/25, 01:25 PM	27.95	91.15	6.85	7.92	48.05
05/02/25, 01:30 PM	27.94	91.13	6.87	7.95	47.99
05/02/25, 01:35 PM	27.99	91.08	6.86	7.96	48.08
05/02/25, 01:40 PM	27.99	91.28	6.87	7.96	48.04
05/02/25, 01:48 PM	28.64	92.33	6.87	8.07	46.05
05/02/25, 01:52 PM	28.7	92.57	6.87	8.09	46.14
05/02/25, 01:57 PM	28.73	92.82	6.85	8.07	46.12
05/02/25, 02:02 PM	28.81	93	6.81	8.04	46.19
05/02/25, 02:05 PM	28.69	91.91	6.87	8.09	46.09
05/02/25, 02:10 PM	28.74	92.03	6.87	8.1	46.12
05/02/25, 02:15 PM	28.75	91.8	6.9	8.08	46.09

TIME	BOD	COD	DO	pH	TSS
05/02/25, 02:20 PM	28.67	91.62	6.89	8.07	46.1
05/02/25, 02:25 PM	28.61	91.73	6.87	8.08	46.06
05/02/25, 02:30 PM	28.54	91.75	6.84	8.09	46.04
05/02/25, 02:35 PM	28.61	91.69	6.84	8.11	46.07
05/02/25, 02:40 PM	28.68	91.74	6.87	8.12	45.97
05/02/25, 02:45 PM	28.72	91.79	6.84	8.11	46.06
05/02/25, 02:50 PM	28.77	91.77	6.86	8.13	46.07
05/02/25, 02:55 PM	28.79	91.87	6.89	8.14	46.12
05/02/25, 03:00 PM	28.78	92	6.9	8.14	46.06
05/02/25, 03:05 PM	28.81	92	6.88	8.13	46.09
05/02/25, 03:10 PM	28.75	91.81	6.86	8.14	46.2
05/02/25, 03:15 PM	28.84	92.07	6.89	8.14	46.21
05/02/25, 03:20 PM	28.94	92.14	6.86	8.14	46.19
05/02/25, 03:25 PM	28.86	92.08	6.83	8.13	46.08
05/02/25, 03:30 PM	28.76	91.89	6.83	8.12	46
05/02/25, 03:35 PM	28.72	92.12	6.84	8.1	46
05/02/25, 03:40 PM	28.72	92.02	6.87	8.08	45.94
05/02/25, 03:45 PM	28.73	92.17	6.84	8.07	45.88
05/02/25, 03:50 PM	28.71	92.18	6.85	8.06	45.9
05/02/25, 03:55 PM	28.69	92.06	6.88	8.05	45.87
05/02/25, 04:00 PM	28.78	91.81	6.85	8.04	45.84
05/02/25, 04:05 PM	28.7	91.55	6.82	8.04	45.77
05/02/25, 04:10 PM	28.73	91.54	6.85	8.07	45.66
05/02/25, 04:15 PM	28.64	91.33	6.87	8.06	45.73
05/02/25, 04:20 PM	28.67	91.45	6.83	8.05	45.74
05/02/25, 04:25 PM	28.72	91.23	6.8	8.06	45.83
05/02/25, 04:30 PM	28.77	91.18	6.8	8.04	45.75
05/02/25, 04:35 PM	28.77	90.96	6.8	8.06	45.77
05/02/25, 04:40 PM	28.7	90.85	6.81	8.06	45.78
05/02/25, 04:45 PM	28.68	90.76	6.82	8.07	45.74
05/02/25, 04:50 PM	28.59	90.61	6.82	8.06	45.69
05/02/25, 04:55 PM	28.53	90.75	6.79	8.08	45.72
05/02/25, 05:00 PM	28.44	90.73	6.8	8.1	45.65
05/02/25, 05:05 PM	28.44	90.59	6.77	8.11	45.58

TIME	BOD	COD	DO	pH	TSS
05/02/25, 05:10 PM	28.49	90.73	6.77	8.11	45.66
05/02/25, 05:15 PM	28.44	90.76	6.77	8.08	45.68
05/02/25, 05:20 PM	28.49	90.71	6.8	8.09	45.62
05/02/25, 05:25 PM	28.57	90.77	6.81	8.07	45.67
05/02/25, 05:30 PM	28.64	90.7	6.82	8.08	45.63
05/02/25, 05:35 PM	28.68	90.59	6.84	8.06	45.52
05/02/25, 05:40 PM	28.63	90.69	6.88	8.04	45.41
05/02/25, 05:45 PM	28.66	90.81	6.87	8.05	45.34
05/02/25, 05:50 PM	28.62	90.63	6.88	8.05	45.45
05/02/25, 05:55 PM	28.59	90.72	6.91	8.05	45.35
05/02/25, 06:00 PM	28.6	90.79	6.95	8.06	45.26
05/02/25, 06:05 PM	28.55	91.06	6.94	8.04	45.17
05/02/25, 06:10 PM	28.54	91.03	6.95	8.02	45.15
05/02/25, 06:15 PM	28.53	91	6.95	8.01	45.17
05/02/25, 06:20 PM	28.48	90.96	6.95	8.03	45.11
05/02/25, 06:25 PM	28.48	91.12	6.97	8.02	45.12
05/02/25, 06:30 PM	28.48	91.14	6.95	8.04	45.18
05/02/25, 06:35 PM	28.54	91.31	6.96	8.03	45.24
05/02/25, 06:40 PM	28.49	91.59	6.93	8.05	45.24
05/02/25, 06:45 PM	28.42	91.75	6.94	8.08	45.2
05/02/25, 06:50 PM	28.43	91.8	6.93	8.09	45.26
05/02/25, 06:55 PM	28.43	92.03	6.93	8.11	45.34
05/02/25, 07:00 PM	28.42	92.25	6.93	8.1	45.33
05/02/25, 07:05 PM	28.38	92.1	6.91	8.1	45.44
05/02/25, 07:10 PM	28.46	92.01	6.88	8.08	45.54
05/02/25, 07:15 PM	28.37	91.82	6.88	8.09	45.53
05/02/25, 07:20 PM	28.43	91.69	6.88	8.07	45.59
05/02/25, 07:25 PM	28.4	91.88	6.9	8.05	45.63
05/02/25, 07:30 PM	28.34	91.94	6.94	8.07	45.62
05/02/25, 07:35 PM	28.43	92.03	6.97	8.06	45.6
05/02/25, 07:40 PM	28.37	91.85	6.98	8.07	45.49
05/02/25, 07:45 PM	28.45	91.82	6.98	8.08	45.59
05/02/25, 07:50 PM	28.51	91.57	6.98	8.09	45.54
05/02/25, 07:55 PM	28.6	91.79	6.97	8.08	45.47

TIME	BOD	COD	DO	pH	TSS
05/02/25, 08:00 PM	28.62	91.8	6.96	8.08	45.47
05/02/25, 08:05 PM	28.7	91.82	6.93	8.09	45.44
05/02/25, 08:10 PM	28.66	91.65	6.95	8.08	45.47
05/02/25, 08:15 PM	28.73	91.89	6.92	8.1	45.48
05/02/25, 08:21 PM	28.66	91.75	6.96	8.11	45.49
05/02/25, 08:26 PM	28.68	91.61	6.93	8.12	45.39
05/02/25, 08:31 PM	28.7	91.57	6.93	8.1	45.39
05/02/25, 08:36 PM	28.64	91.75	6.93	8.1	45.45
05/02/25, 08:41 PM	28.7	91.62	6.95	8.1	45.44
05/02/25, 08:46 PM	28.71	91.68	6.94	8.1	45.47
05/02/25, 08:51 PM	28.71	91.75	6.91	8.1	45.37
05/02/25, 08:56 PM	28.71	91.6	6.95	8.08	45.31
05/02/25, 09:01 PM	28.69	91.42	6.97	8.11	45.39
05/02/25, 09:06 PM	28.62	91.64	6.93	8.12	45.47
05/02/25, 09:11 PM	28.53	91.51	6.94	8.13	45.44
05/02/25, 09:16 PM	28.6	91.54	6.96	8.15	45.39
05/02/25, 09:21 PM	28.53	91.54	6.99	8.17	45.36
05/02/25, 09:26 PM	28.6	91.34	6.96	8.19	45.31
05/02/25, 09:31 PM	28.53	91.42	7	8.2	45.39
05/02/25, 09:36 PM	28.55	91.66	6.99	8.22	45.37
05/02/25, 09:41 PM	28.57	91.79	6.96	8.24	45.29
05/02/25, 09:46 PM	28.61	91.99	6.93	8.24	45.19
05/02/25, 09:51 PM	28.52	92.04	6.93	8.22	45.26
05/02/25, 09:56 PM	28.58	91.94	6.91	8.22	45.23
05/02/25, 10:01 PM	28.53	91.96	6.94	8.21	45.18
05/02/25, 10:06 PM	28.58	92.15	6.93	8.22	45.18
05/02/25, 10:11 PM	28.57	92.01	6.92	8.24	45.1
05/02/25, 10:16 PM	28.54	92.16	6.94	8.24	45.18
05/02/25, 10:21 PM	28.59	92.39	6.9	8.25	45.29
05/02/25, 10:26 PM	28.68	92.34	6.86	8.26	45.26
05/02/25, 10:31 PM	28.65	92.55	6.85	8.25	45.29
05/02/25, 10:36 PM	28.61	92.55	6.84	8.23	45.35
05/02/25, 10:41 PM	28.69	92.72	6.87	8.25	45.38
05/02/25, 10:46 PM	28.78	93	6.85	8.24	45.39

TIME	BOD	COD	DO	pH	TSS
05/02/25, 10:51 PM	28.77	92.88	6.84	8.21	45.42
05/02/25, 10:56 PM	28.81	92.98	6.85	8.21	45.37
05/02/25, 11:01 PM	28.79	93.07	6.82	8.19	45.34
05/02/25, 11:06 PM	28.77	92.94	6.82	8.18	45.25
05/02/25, 11:11 PM	28.86	92.94	6.84	8.16	45.27
05/02/25, 11:16 PM	28.92	92.87	6.88	8.14	45.2
05/02/25, 11:21 PM	28.98	92.8	6.91	8.12	45.22
05/02/25, 11:26 PM	28.92	92.77	6.88	8.1	45.3
05/02/25, 11:31 PM	28.99	92.9	6.86	8.09	45.23
05/02/25, 11:36 PM	29.07	92.99	6.86	8.08	45.14
05/02/25, 11:41 PM	29.04	93.21	6.87	8.08	45.19
05/02/25, 11:46 PM	29.02	92.94	6.85	8.08	45.17
05/02/25, 11:51 PM	29.03	93	6.87	8.06	45.25
05/02/25, 11:56 PM	28.94	93.16	6.87	8.06	45.36



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhushi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987863/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 29 mld Salori STP, Bakshi Bundh, Prayagraj
- 2- Address of Industry: 29 mld Salori STP, Bakshi Bundh, Allahabad.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B; 2023	-	7.20	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	610	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44); 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	80	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A, Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters:

Note: 1. The results in the Test Report relate only to the items tested. 2. This report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17 17:03:00 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17 17:03:00 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987894/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 14 MLD STP SALORI, SALORI BADHA ALLAHAPUR PRAYAGRAJ
- 2- Address of Industry: SALORI BADHA ALLAHAPUR
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	--	6.93	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D-Total Suspended Solids dried at 103-105 °C 2023	mg/l	66	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	16	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	64	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A, Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NAHL Parameters.

Note : 1. This analysis is the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analysed by-  
[Dr Anup Kumar Gupta (JRF),  
Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17  
16:59:22 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17  
17:59:01 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991356/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 60 MLD STP Rajapur Prayagraj
- 2- Address of Industry: 60 mld Rajapur s.t.p. ,mehdauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar JE
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.03	6.5-9.0	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1956 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 16:21:10 +0530'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.17 16:42:42 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991464/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 10.MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.53	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103- 105 °C 2023	mg/l	72	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	920	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	80	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986  
 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report shall only be those issued. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analyzed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Digitally signed  
 by Ramjas  
 Prasad  
 Date: 2025.01.17  
 16:11:37 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 17:09:28 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991389/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHI, PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Sanjay Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.31	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 B/o 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.upcb.nic.in/GeneralStandards.pdf](http://www.upcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note : 1. The results in the Test Report refers only to the items listed. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analyzed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Ramjas Prasad (SA)

Digitally signed  
by Ramjas Prasad  
Date: 2025.01.17  
16:17:29 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.17  
17:08:57 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991507/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.27	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	940	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	490	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	84	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report valid only for the same test(s). 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The user agrees permits to the sample as received in Lab.

Remarks: Nil

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.17 16:10:18 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 16:42:19 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29987792/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahewa Patti, Purab
- 2- Address of Industry: Mahewa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.18	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholu  
 Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas  
 Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.17  
 17:07:34 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by:  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.17  
 17:10:19 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29989637/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 42 MLD STP Naini-2 Prayagraj, Near Arail Ghat Naini
- 2- Address of Industry: Near Arail Ghat Naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla RO & Rahul Kumar JE
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.36	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100ml	<1.8 MPN/100 ml & above.
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
Digitally signed by Ramjas Prasad  
Date: 2025.01.17  
16:25:43 +05:30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.17  
16:41:35 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29991423/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Satish Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.29	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	128	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.uppcb.nic.in/GeneralStandards.pdf](http://www.uppcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
(Digitally signed  
 by Ramjas Prasad  
 Date: 2023.01.17  
 16:13:35 +05'30')

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2023.01.17  
 16:22:17 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29989571/Allahabad/2025

Date: 17/01/2025

- 1- Name of Industry: 16 MLD STP Jhusi, Near Chhatnag Ghat
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Dr S C Shukla R.O & Rabul Kumar J.E
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 12/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 12/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.62	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.zpcb.org.in/GeneralStandards.pdf](http://www.zpcb.org.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items named. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by  
Ramjas Prasad (SA)

Digitally signed  
by Ramjas  
Prasad  
Date: 2025.01.17  
16:35:11 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.17  
16:39:27 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avus Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30140118/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 42 MLD STP Naini, Near Arail Ghat Naini Prayagraj
- 2- Address of Industry: naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar ABE & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jenicon, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.50	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	82	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf) Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
Date: 2025.01.28  
16:17:32 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.28  
16:17:29 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avias Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121569/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ranjnas Prasad SA & Subhash Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican. MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	120	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report reliability in the limits stated. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 16:27:10 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 16:27:24 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121613/Allahabad/2025

Date:28/01/2025

- 1- Name of Industry: 16 MLD STP JHUSI, NEAR CHHATANAG GHAT PRAYAGRAJ
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ramjas Prasad SA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.70	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1600	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference: (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters.

Note: 1. The results in the Test Report are only for the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bhoj Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:30:00 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:30:13 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121583/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHI, PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.
- 3- District: Prityagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ramjas Prasad SA & Ashu Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA, 24th Ed. 4500B: 2023	-	7.44	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2000	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	100	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*New-NABL Parameters.

Note - 1. The results in the Test Report relate only to the items stated. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav (JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
Date: 2025.01.28  
16:28:46 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.01.28  
16:29:00 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30133819/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahewa Patti, Purab
- 2- Address of Industry: Mahewa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Kaushal Kumar AEE & Rahul Kumar J.E
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.31	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note : 1. The results in the Test Report valid only to the items tested. 2. This report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA) **Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28  
 16:31:51 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28  
 16:32:05 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yajna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121652/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Srij Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.66	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023.	mg/l	78	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1300	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose.

\*Non-NABL Parameters:

Note: 1. The results in the Test Report refers only to the items tested. 2. The report shall not be reproduced/ copied in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

**Analysed by-**  
 [Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]

**Authorized by**  
 Rajesh Kumar (SA)

**Rajesh Singh**

Digitally signed by Rajesh Singh  
 Date: 2025.01.28 16:20:17 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 16:20:35 +05'30'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30121541/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 10 MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ranjnas Prasad SA & Ashut Kumar FA
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.72	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	70	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	84	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report refer only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by  
Rajesh Kumar (SA)

Rajesh  
Singh  
Digitally signed  
by Rajesh Singh  
Date: 2025.01.28  
16:25:38 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.28  
16:25:52 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117264/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 60 mld S.T.P. Rajapur Allahabad, 60 mld Rajapur s.t.p. mehdauri, Allahabad
- 2- Address of Industry: 60 mld Rajapur s.t.p. mehdauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.48	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NAHL Parameters.

Note : 1. The results in the Test Report pertain only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Kumar (SA)

**Rajesh Singh**  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:36:16 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:36:37 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhansi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117241/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 14 MLD UPJN SALORI, 14 MLD STP SALORI, PRAYAGRAJ
- 2- Address of Industry: 14 MLD STP SALORI, PRAYAGRAJ
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colorless Odorless
- 8- Quantity and Packing: 2 Liter Jerrican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.34	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	64	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	18	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	68	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested. 2. This report shall not be reproduced except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by  
 Rajesh Kumar (SA)

Rajesh  
 Singh  
 Digitally signed  
 by Rajesh Singh  
 Date: 2025.01.28  
 16:33:45 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.28  
 16:33:58 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 30117230/Allahabad/2025

Date: 28/01/2025

- 1- Name of Industry: 29 MLD UPIN SALORI, 29 MLD SALORI STP, BUXI BANDH, PRAYAGRAJ, ALLAHABAD, 211006
- 2- Address of Industry: 29 MLD SALORI STP, BUXI BANDH, PRAYAGRAJ, ALLAHABAD, 211006
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Sri Sateesh Kumar JE & Sri Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 21/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 21/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.42	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	100 mg/l	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note - 1. The results in the Test Report mine only in the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]

Authorized by  
 Rajesh Kumar (SA)

Rajesh Singh  
 Digitally signed by Rajesh Singh  
 Date: 2025.01.28 16:32:27 +05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.28 16:32:42 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313731/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj

2-Address of Industry: ADA Colony Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.40	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	90	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS. 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Rajesh Singh  
 Rajesh Singh (SA)

Digitally signed  
 by Rajesh Singh  
 Date: 2025.02.07  
 10:22:30 +05:30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.02.07  
 09:31:21 +05:30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313731/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube ADA Colony, Prayagraj, ADA Colony Prayagraj

2-Address of Industry: ADA Colony Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	1700	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.07 10:25:52 +0530'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07 10:25:52 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313781/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj

2-Address of Industry: Jondhwal Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Rahul Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.66	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by

Rajesh Singh (SA) 

SURESH   
 CHANDRA  
 SHUKLA

Regionl Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313781/Allahabad/2025

Date:07/02/2025

- 1-Name of Industry: Geotube Jondhwal Drain Prayagraj, Jondhwal Prayagraj  
 2-Address of Industry: Jondhwal Prayagraj  
 3-District: Prayagraj  
 4-Description about sampling point: Outlet of Geotube  
 5-Type of Sample (Grab/Composite/Integrated): Grab  
 6-Sample Collected By: Sri Rahul Kumar JE  
 7-Colour and Odour: Colorless Odorless  
 8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle  
 9-Date of Sample Collection: 01/02/2025  
 10-Analysis Indented by: RO Allahabad  
 11-Date of sample receipt in Lab: 01/02/2025  
 12-Period of Analysis: 5 Days  
 13-ULR Number: --  
 14-Sampling Plan/Ref. No.: Weekly  
 15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

**Rajesh Singh**  
 Digitally signed by Rajesh Singh  
 Date: 2025.02.07  
 19:23:49 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07  
 19:11:56 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313695/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj

2-Address of Industry: Rajapur Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.53	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	128	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Sandeep  
 Giri(JRF)]

Authorized by

Rajesh Singh (SA) 

SURESH  
 CHANDRA  
 SHUKLA 

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313695/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Rajapur Drain Prayagraj, Rajapur Prayagraj

2-Address of Industry: Rajapur Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2700	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN /100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Bholu Yadav (JRF), Sandeep  
Giri(JRF)]

Authorized by

Rajesh Singh (SA) Digitally signed by Rajesh Singh Date: 2025.02.07 16:29:26 +05'30'

SURESH Digitally signed by SURESH CHANDRA SHUKLA Date: 2025.02.07 16:04:41 +05'30'  
CHANDRA  
SHUKLA

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313764/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Sadar Bazar Drain Prayagraj, Sadar Bazar Prayagraj

2-Address of Industry: Sadar Bazar Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPB Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection &amp; Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.70	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	108	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by

Rajesh Singh (SA) 

SURESH   
 CHANDRA  
 SHUKLA

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313764/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Sadar Bazar Drain Prayagraj, Sadar Bazar Prayagraj

2-Address of Industry: Sadar Bazar Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPB Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples


S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2000	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Rajesh Singh (SA) 

SURESH  
 CHANDRA  
 SHUKLA 

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313798/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Salori Drain, Prayagraj, Salori Prayagraj

2-Address of Industry: Salori Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Rahul Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Ltr. Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.42	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.07 16:28:17 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07 16:28:17 +05'30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313798/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Salori Drain, Prayagraj, Salori Prayagraj

2-Address of Industry: Salori Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Rahul Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Ltr. Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh Singh  
 Digitally signed by Rajesh Singh  
 Date: 2025.02.07 10:38:47 +0530

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07 10:35:40 +0530

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30314270/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Sasur Khaderi Drain Prayagraj, Sasur Khaderi.

2-Address of Industry: Sasur Khaderi

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.36	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	120	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test result pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Sandeep  
 Giri(JRF)]

Authorized by

Rajesh Singh (SA) Digital signed  
by Rajesh Singh  
Date: 2025.02.07  
19:29:52 +05'30'

SURESH Digital signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.02.07  
19:39:36 +05'30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30314270/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Sasur Khaderi Drain Prayagraj, Sasur Khaderi

2-Address of Industry: Sasur Khaderi

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed. : 2023	MPN/100 ml	2300	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Sandeep  
 Giri(JRF)]

Authorized by  
 Rajesh Singh (SA) Singh  
 Digitally signed by Rajesh Singh  
 Date: 2025.02.07  
 16:38:01 +05:30

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07  
 16:38:01 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313816/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj

2-Address of Industry: Shivkuti Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Rahul Kumar JE

7-Colour and Odour: Colorless Blackish

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.36	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	90	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	108	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by

Rajesh Singh (SA)  Rajesh Singh

SURESH   
 CHANDRA  
 SHUKLA

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:07.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:07.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30313816/Allahabad/2025

Date:07/02/2025

1-Name of Industry: Geotube Shivkuti Drain, Prayagraj, Shivkuti Prayagraj

2-Address of Industry: Shivkuti Prayagraj

3-District: Prayagraj

4-Description about sampling point: Outlet of Geotube

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Rahul Kumar JE

7-Colour and Odour: Colorless Blackish

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 01/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 01/02/2025

12-Period of Analysis: 5 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2100	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by  
 Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.07 18:30:41 +05'30'

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.07 18:30:12 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438119/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 16 MLD STP Jhusi, Near Chhatnag Ghat

2-Address of Industry: Near Chhatnag Ghat

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
 Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 09:38:45 +05:30'

SUBMIT  
 CHAMBERA  
 SERINDIA  
 Digitally signed by  
 CHAMBERA  
 Date: 2025.02.17 10:37:27  
 Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438119/Allahabad/2025

Date:17/02/2025

- 1-Name of Industry: 16 MLD STP Jhusi, Near Chhatnag Ghat  
 2-Address of Industry: Near Chhatnag Ghat  
 3-District: Prayagraj  
 4-Description about sampling point: Outlet of STP  
 5-Type of Sample (Grab/Composite/Integrated): Grab  
 6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF  
 7-Colour and Odour: Colourless Odourless  
 8-Quantity and Packing: 2 Liter Jerican, MPN Bottle  
 9-Date of Sample Collection: 13/02/2025  
 10-Analysis Indented by: RO Allahabad  
 11-Date of sample receipt in Lab: 13/02/2025  
 12-Period of Analysis: 4 Days  
 13-ULR Number: --  
 14-Sampling Plan/Ref. No.: Weekly  
 15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2000	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Firdaus Jahan (JRF), Bholy Yadav (JRF)]

Authorized by  
 Rajesh Singh  
 Rajesh Singh (SA)

Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 16:17:50 +05:30

SIRESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by SIRESH  
 CHANDRA SHUKLA  
 Date: 2025.02.17 16:18:00  
 +05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438184/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 25 MLD STP KODRA, 25 MLD STP KODRA ALLAHABAD U.P.

2-Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.61	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	100 mg/L	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/L	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	120	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Rajesh Singh (SA)      Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17 16:41:27 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.17 16:41:27 +05'30'  
 Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438184/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 25 MLD STP KODRA, 25 MLD STP KODRA ALLAHABAD U.P.

2-Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	1600	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh  
Singh

Digitally signed  
by Rajesh Singh  
Date: 2025.02.17  
16:41:39 +05'30'

SURESH  
CHANDRA  
SHUKLA

Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.02.17  
16:41:49 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438143/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 42 MLD STP Naini-2 Prayagraj, Near Arail Ghat Naini

2-Address of Industry: Near Arail Ghat Naini

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analyis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.79	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	---	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by

Rajesh Singh (SA)  Digitally signed by Rajesh Singh  
Date: 2025.02.17 09:37:35 +05'30'

SURESH Digitally signed by SURESH CHANDRA SHUKLA  
Date: 2025.02.17 09:38:01 +05'30'  
 CHANDRA  
 SHUKLA

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438143/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 42 MLD STP Naini-2 Prayagraj, Near Arail Ghat Naini

2-Address of Industry: Near Arail Ghat Naini

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2100	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Firdaus Jahan (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 DN: cn=Rajesh Singh, o=UPPCB, ou=Prayagraj, email=rajesh.singh@uppcb.gov.in

SURESH CHANDRA SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 DN: cn=Suresh Chandra Shukla, o=UPPCB, ou=Prayagraj, email=suresh.shukla@uppcb.gov.in

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438257/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 80 MLD NAINI STP, Mahewa Patti,Purab

2-Address of Industry: Mahewa Patti,Purab

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.48	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	100 mg/L	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28	30 mg/L	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test result pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Abhishek Kumar Singh(JRF)]

Authorized by

Rajesh Singh (SA)  Digitally signed by Rajesh Singh Date: 2025.02.17 16:42:16 +05:30

SURESH CHANDRA SHUKLA Digitally signed by SURESH CHANDRA SHUKLA Date: 2025.02.17 16:42:16 +05:30

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438257/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 80 MLD NAINI STP, Mahewa Patti,Purab

2-Address of Industry: Mahewa Patti,Purab

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2400	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	920	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholy Yadav (JRF), Abhishek  
 Kumar Singh(JRF)]

Authorized by

Rajesh Singh (SA) Digitally signed by Rajesh Singh Date: 2025.02.17 10:42:54 +05'30'

SURESH  
 CHANDRA  
 SHUKLA Digitally signed by SURESH CHANDRA SHUKLA Date: 2025.02.17 10:42:54 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438271/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 50 MLD STP NUMAYADAHI, 50 MLD STP NUMAYADAHI ALLAHABAD U.P.

2-Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.64	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	100 mg/L	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	30 mg/L	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test result pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Rajesh Singh (SA) Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 16:38:19 +05:30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by Suresh Chandra Shukla  
 Date: 2025.02.17  
 16:38:19 +05:30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438271/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 50 MLD STP NUMAYADAHI, 50 MLD STP NUMAYADAHI ALLAHABAD U.P.

2-Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.

3-District: Prayagraj

4-Description about sampling point: Outlet STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2200	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Rajesh Singh (SA)

Rajesh  
 Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 16:02:17 +0530'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.17  
 16:02:34 +0530'  
 Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438076/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha

2-Address of Industry: Phaphamau Chauraha

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE &amp; Sandeep Giri JRF

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analyis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection &amp; Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.52	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA) Singh

Digitally signed  
 by Rajesh Singh  
 Date: 2025.02.17  
 16:42:53 +05:30

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.02.17  
 16:41:15 +05:30

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438076/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha

2-Address of Industry: Phaphamau Chauraha

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	1300	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh Singh  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 16:43:59 +05:30'

SURESH  
 CHANDRA  
 SHUKLA  
Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.17  
 16:43:11 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438163/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 10 MLD STP PONGHAT, 10 MLD STP PONGHAT ALLAHABAD

2-Address of Industry: 10 MLD STP PONGHAT ALLAHABAD

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.69	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	96	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA) 

SURESH  
 CHANDRA  
 SHUKLA 

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438163/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 10 MLD STP PONGHAT, 10 MLD STP PONGHAT ALLAHABAD

2-Address of Industry: 10 MLD STP PONGHAT ALLAHABAD

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Sri Sateesh Kumar JE & Nikhil Shukla LA

7-Colour and Odour: Colourless Odourless

8-Quantity and Packing: 2 Liter Jerican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	1400	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100ml	<1.8 MPN/100 ml & above


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA)   
 Rajesh Singh

SURESH  
 CHANDRA  
 SHUKLA 

Regionl Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438239/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 60 mld S.T.P. Rajapur Allahabad, 60 mld Rajapur s.t.p. ,mehdauri, Allahabad

2-Address of Industry: 60 mld Rajapur s.t.p. ,mehdauri, Allahabad

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analyis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Day

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.65	6.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	29	<30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	124	--	5.0 -100000 mg/l


Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose


Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA) 

SURESH  
 CHANDRA  
 SHUKLA 

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438239/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 60 mld S.T.P. Rajapur Allahabad, 60 mld Rajapur s.t.p. ,mehdauri, Allahabad

2-Address of Industry: 60 mld Rajapur s.t.p. ,mehdauri, Allahabad

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Day

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2700	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Rajesh Singh (SA) **Rajesh Singh**

Digitally signed  
 by Rajesh Singh  
 Date: 2025.02.17  
 16:43:51 +0530'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.02.17  
 16:43:58 +0530'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438206/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 14 mld stp salori allahabad, SALORI BADHA ALLAHAPUR

2-Address of Industry: SALORI BADHA ALLAHAPUR

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.46	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	70	<100 mg/l	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	22	30 mg/l	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	84	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Dr Anup  
 Kumar Gupta (JRF)]

Authorized by

Rajesh Singh (SA) Rajesh Singh

Digitally signed  
by Rajesh Singh  
Date: 2025.02.17  
10:03:46 +05'30'

SURESH  
CHANDRA  
SIRJILA

Digitally signed by  
Suresh Chandra  
Sirjila  
Date: 2025.02.17  
10:03:46 +05'30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438206/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 14 mld stp salori allahabad, SALORI BADHA ALLAHAPUR

2-Address of Industry: SALORI BADHA ALLAHAPUR

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	1700	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	790	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Bholu Yadav (JRF), Dr Anup  
 Kumar Gupta (JRF)]

Authorized by

Rajesh Singh (SA) Singh

Digitally signed  
 by Rajesh Singh  
 Date: 2025.02.17  
 10:00:42+05:30

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.02.17  
 10:00:14+05:30

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438228/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 29 mid Salori STP, 29 mid Salori STP, Bakshi Bundh, Allahabad.

2-Address of Industry: 29 mid Salori STP, Bakshi Bundh, Allahabad.

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analyis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.49	6.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	100 mg/L	10-20000 mg/l
3	BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25	30 mg/L	1.0 -50000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	102	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test result pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by

Rajesh Singh (SA) **Rajesh Singh**  
Digitally signed by Rajesh Singh  
 Date: 2025.02.17  
 16:46:17 +05'30'

SURESH  
 CHANDRIA  
 SHUKLA  
Digitally signed by  
 SURESH CHANDRIA  
 SHUKLA  
 Date: 2025.02.17  
 16:44:46 +05'30'

Regional Officer

UPPCB/CL/7.8.2	Issue No.: 01	Issue Date:17.02.2025	Page No.:Page 1 of 2
Amendment No.:00	Amendment Date.:17.02.2025	Approved by: TM	Issued by: QM



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj

**TEST REPORT: WASTE WATER LABORATORY**

Ref No:30438228/Allahabad/2025

Date:17/02/2025

1-Name of Industry: 29 mld Salori STP, 29 mld Salori STP, Bakshi Bundh, Allahabad.

2-Address of Industry: 29 mld Salori STP, Bakshi Bundh, Allahabad.

3-District: Prayagraj

4-Description about sampling point: Outlet of STP

5-Type of Sample (Grab/Composite/Integrated): Grab

6-Sample Collected By: Rahul Kumar JE & Sandeep Giri JRF

7-Colour and Odour: Colorless Odorless

8-Quantity and Packing: 2 Liter Jerrican, MPN Bottle

9-Date of Sample Collection: 13/02/2025

10-Analysis Indented by: RO Allahabad

11-Date of sample receipt in Lab: 13/02/2025

12-Period of Analysis: 4 Days

13-ULR Number: --

14-Sampling Plan/Ref. No.: Weekly

15-Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Total Coliform, APHA 9221-24th Ed.: 2023	MPN/100-ml	2600	--	<1.8 MPN/100 ml & above
2	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100ml	<1.8 MPN/100 ml & above

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI) The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced, except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by

Rajesh Singh (SA)

Rajesh  
 Singh

Digitally signed  
 by Rajesh Singh  
 Date: 2025.02.17  
 10:44:22 +05:30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.02.17  
 10:44:24 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avaz Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940568/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 25 MLD STP KODRA, PRAYAGRAJ
- 2- Address of Industry: 25 MLD STP KODRA ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Saty Prakash JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.64	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103- 105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	610	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25.4	30 mg/L	1.0 -50000 mg/l
COD, APHA-24th Ed. 5220 B Open Reflux Method 2023	mg/l	144	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are in part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by  
Ramjas Prasad (SA)

Ramjas  
Prasad  
Digitally signed  
by Ramjas Prasad  
Date: 2025.01.16  
15:04:38 +05'30'

SURESH  
CHANDRA  
SHUKLA  
Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.16  
15:04:57 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949097/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 16 MLD STP Jhusi, Near Chhatnag Ghat Prayagraj
- 2- Address of Industry: Near Chhatnag Ghat
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	28.2	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Sandeep Giri(JRF), Bholy Yadav  
 (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 14:23:55 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH-CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 14:24:11 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949100/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 42 MLD STP Naini, Near Arail Ghat Naini Prayagraj
- 2- Address of Industry: Near Arail Ghat Naini
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.66	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed.: 2023	MPN/100 ml	1700	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	680	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	24.4	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items listed. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
[Sandeep Giri(JRF), Bholy Yadav  
(JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas  
Prasad

Digitally signed  
by Ramjas Prasad  
Date: 2025.01.16  
14:22:10 +05:30'

SURESH  
CHANDRA  
SHUKLA

Digitally signed by  
SURESH CHANDRA  
SHUKLA  
Date: 2025.01.16  
14:22:28 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940645/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 80 MLD NAINI STP, Mahewa Patti, Purab Prayagraj
- 2- Address of Industry: Mahewa Patti, Purab
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.67	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	92	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2100	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part-44): 1993 Bio 2023	mg/l	27.4	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	108	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as per-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16  
 14:45:44 +05'30'

SURESH CHANDRA SHUKLA  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16  
 14:45:58 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940630/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 50 MLD STP NUMAYADAHI, PRAYAGRAJ
- 2- Address of Industry: 50 MLD STP NUMAYADAHI ALLAHABAD U.P.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Abhishek Singh JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.65	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	86	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000MPN/100ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	27.2	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	100	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules,1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by:

Ramjas Prasad (SA)

**Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 14:49:25 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 14:49:36 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Vojna No.-3 Avas Vikas Parishad Colony, Jhosi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29949094/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 14 MLD STP Phaphamau, Phaphamau Chauraha Prayagraj
- 2- Address of Industry: Phaphamau Chauraha
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.56	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	1100	--	<1.5 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.5 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25.6	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules,1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholy  
 Yadav (JRF)]

Authorized by  
 Ramjas Prasad (SA)  
 Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 14:42:09 +05'30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 14:42:14 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940542/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 10 MLD STP PONGHAT, PRAYAGRAJ
- 2- Address of Industry: 10 MLD STP PONGHAT ALLAHABAD
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Saty Prakash JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.58	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	940	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	330	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26.0	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	92	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.uppcb.in/GeneralStandards.pdf](http://www.uppcb.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas Prasad  
 Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 15:08:05 +05:30'

SURESH  
 CHANDRA  
 SHUKLA  
 Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 15:08:17 +05:30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avus Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940678/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 60 MLD STP Rajapur Prayagraj
- 2- Address of Industry: 60 mld Rajapur s.l.p. ,mehdauri, Allahabad
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.68	6.5-9.0	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2200	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	930	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	26.8	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	104	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report refers only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remarks: NA

Analysed by-  
 [Abhishek Kumar Singh(JRF), Bholu  
 Yadav (JRF)]

Authorized by

Ramjas Prasad (SA)

Ramjas  
 Prasad  
Digitally signed  
 by Ramjas Prasad  
 Date: 2025.01.16  
 14:44:16 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 14:44:29 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yujna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940595/Allahabad/2025

Date: 16/01/2025

- 1- Name of Industry: 14 MLD STP SALORI, SALORI BADHA ALLAHAPUR PRAYAGRAJ
- 2- Address of Industry: SALORI BADHA ALLAHAPUR
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.54	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	72	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	930	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	450	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	21.2	30 mg/L	1.0-50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflex Method 2023	mg/l	80	--	5.0-100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986  
 source: [www.upcb.nic.in/GeneralStandards.pdf](http://www.upcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-  
 {Dr Anup Kumar Gupta (JRF),  
 Bholy Yadav (JRF)}

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16 15:02:55 +05'30'

**SURESH CHANDRA SHUKLA**  
 Digitally signed by SURESH CHANDRA SHUKLA  
 Date: 2025.01.16 11:03:13 +05'30'

Regional Officer



**REGIONAL LABORATORY PRAYAGRAJ**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Sector-10, Yojna No.-3 Avas Vikas Parishad Colony, Jhusi, Prayagraj



**TEST REPORT: WASTE WATER LABORATORY**

Ref No: 29940614/Allahabad/2025

Date:16/01/2025

- 1- Name of Industry: 29 mld Salori STP, Bakshi Bundh, Prayagraj
- 2- Address of Industry: 29 mld Salori STP, Bakshi Bundh, Allahabad.
- 3- District: Prayagraj
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Sahay Gautam LA & Sandeep Giri JRF
- 7- Colour and Odour: Colourless Odourless
- 8- Quantity and Packing: 2 Liter Jerican, MPN Bottle
- 9- Date of Sample Collection: 07/01/2025
- 10- Analysis Indented by: RO Allahabad
- 11- Date of sample receipt in Lab: 07/01/2025

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.62	6.5-9.0	02-12
Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84	<100 mg/L	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	2400	--	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	<1000 MPN/100 ml	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	23.8	30 mg/L	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88	--	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI), The Environment (Protection) Rules, 1986 source: [www.epcb.nic.in/GeneralStandards.pdf](http://www.epcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: Nil

Analysed by-  
 [Dr Anup Kumar Gupta (JRF),  
 Bholu Yadav (JRF)]

Authorized by

Ramjas Prasad (SA) **Ramjas Prasad**  
 Digitally signed by Ramjas Prasad  
 Date: 2025.01.16  
 15:01:23 +05'30'

SURESH  
 CHANDRA  
 SHUKLA

Digitally signed by  
 SURESH CHANDRA  
 SHUKLA  
 Date: 2025.01.16  
 13:01:40 +05'30'

Regional Officer

# क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

## REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD

आवास विकास परिवर्तन कार्लोनी, सेक्टर-10, योजना संख्या-3, झुंसी, प्रयागराज- 211019

Email-roprayagraj@uppcb.in

पत्रांक 60/1444 / NUTO A. NQ. 310 / 2022 / 2025

दिनांक 11/02/2025

सेवा में,

अतिआवश्यक / महत्वपूर्ण  
मा0 एन0जी0टी0 प्रकारण  
ई-मेल द्वारा

- |   |   |
|---|---|
| 1. परियोजना प्रबंधक,<br>गंगा प्रदूषण नियंत्रण इकाई,<br>उ0प्र0 जल निगम (ग्रामीण), प्रयागराज<br>E-mail : pm1ganga.allahabad@gmail.com | 2. अधिशासी अभियन्ता,<br>उ0प्र0 जल निगम (नगरीय)<br>प्रयागराज<br>E-mail : eecdalld@rediffmail.com |
|---|---|

**विषय:-** मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में पारित आदेश दिनांक- 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में अगवत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 56/2024 में दिनांक 23.12.2024 को आदेश पारित किया गया है, जिसकी प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित है। मा0 अधिकरण द्वारा पारित आदेश दिनांक 23.12.2024 में बिन्दु संख्या-19 (vii) में निम्नवत् निर्देश दिया गया है :-

".....(vii). During the Maha Kumbh and after the Maha Kumbh is over, the authorities will take steps for effective disposal of the sludge generated in the STPs and deposited in geo-tubes by following the requisite environmental norms and for the same, performance report shall be filed....."

अतः अनुरोध है कि मा0 अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vii) पर की गयी कार्यवाही के सम्बन्ध में आख्या इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे रिस्पॉंस रिपोर्ट मा0 अधिकरण में दाखिल कराया जा सके।

संलग्नक-उपरोक्तानुसार।

भवदीय,

11/2/25  
(डॉ0 एस0सी0 शुक्ला)

क्षेत्रीय अधिकारी

0/0

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. सदस्य सचिव महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. मुख्य विधि अधिकारी (प्रनारी), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

11/2/25  
क्षेत्रीय अधिकारी

0/0



उत्तर प्रदेश जल निगम (नगरीय)  
कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड (प्रथम),  
13 यमुना बैंक रोड, कीडगंज, प्रयागराज-211003  
Email - cccdalld@rediffmail.com



पत्रांक :- 211

/ नाला शोधन-महाकुम्भ 2025

/ 17

दिनांक: 15/02/2025

सेवा में,

क्षेत्रीय अधिकारी,  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
प्रयागराज।

विषय:- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक अपने पत्रांक GO1444/NGT OA No. 310/2022/2025 दिनांक 11.02.2025 का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 को पारित आदेश के बिन्दु संख्या 19(vii) पर की गयी कार्यवाही के सम्बन्ध में आख्या उपलब्ध कराने का अनुरोध किया गया है। आपके उक्त सन्दर्भित पत्र के क्रम में वांछित आख्या निम्नवत है:-

क्र०सं०	बिन्दु	आख्या
1.	"....(vii). During the Maha Kumbh and after the Maha Kumbh is over, the authorities will take steps for effective disposal of the sludge generated in the STPs and deposited in geo-tubes by following the requisite environmental norms and for the same, performance report shall be filed....."	U.P. Jal Nigam (Urban) is Maintaining only 01 STP in Nagar Nigam Prayagraj namely 14 MLD STP Salori based on SBR Technology. The sludge generated through this STP is being extracted through Belt Press/Combi Machine and is stored at a designated Place for drying. Thereafter, the sludge is taken away by the farmers for using as manure in agricultural fields. As far as Sludge Generation from Geotubes is concerned, till date all the Sludge is being accumulated in the Geotubes only and Sludge extraction will be done, once the Geotubes are fully filled.

सचदीय  
15/02/25  
(अशुताष यादव)  
अधिशासी अभियन्ता

पृ०सं०/दिनांक-यथोपरि।

प्रतिलिपि- निम्नलिखित को सूचानार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. मुख्य अभियन्ता (प्रयाग०), उ०प्र० जल निगम (नगरीय), प्रयागराज।
2. अधीक्षण अभियन्ता, निर्माण मण्डल, उ०प्र० जल निगम (नगरीय), प्रयागराज।
3. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० नियंत्रण बोर्ड, लखनऊ।

अधिशासी अभियन्ता



# उत्तर प्रदेश जल निगम (नगरीय)

कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड (प्रथम),  
13 यमुना बैंक रोड, कीडगंज, प्रयागराज-211003

Email - eecdalld@rediffmail.com



पत्रांक :- 211 /

नाला शोधन-महाकुम्भ 2025 /

17

दिनांक: 15/02/2025

सेवा में,

क्षेत्रीय अधिकारी,  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
प्रयागराज।

विषय:- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक अपने पत्रांक GO1444/NGT OA No. 310/2022/2025 दिनांक 11.02.2025 का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या 310/2022, कमलेश सिंह बनाम स्टेट ऑफ यू०पी० विथ एम०ए० नं० 59/2024 इन ओ०ए० नं० 56/2024 में पारित आदेश दिनांक 23.12.2024 को पारित आदेश के बिन्दु संख्या 19(vii) पर की गयी कार्यवाही के सम्बन्ध में आख्या उपलब्ध कराने का अनुरोध किया गया है। आपके उक्त सन्दर्भित पत्र के क्रम में वाञ्छित आख्या निम्नवत है:-

क्र०सं०	बिन्दु	आख्या
1.	"...(vii). During the Maha Kumbh and after the Maha Kumbh is over, the authorities will take steps for effective disposal of the sludge generated in the STPs and deposited in geo-tubes by following the requisite environmental norms and for the same, performance report shall be filed...."	U.P. Jal Nigam (Urban) is Maintaining only 01 STP in Nagar Nigam Prayagraj namely 14 MLD STP Salori based on SBR Technology. The sludge generated through this STP is being extracted through Belt Press/Combi Machine and is stored at a designated Place for drying. Thereafter, the sludge is taken away by the farmers for using as manure in agricultural fields. As far as Sludge Generation from Geotubes is concerned, till date all the Sludge is being accumulated in the Geotubes only and Sludge extraction will be done, once the Geotubes are fully filled.

भवदीय

(आशुतोष यादव)  
अधिशासी अभियन्ता

पु०सं०/दिनांक-यथोपरि।

प्रतिलिपि- निम्नलिखित को सूचानार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. मुख्य अभियन्ता (प्रया०क्ष०), उ०प्र० जल निगम (नगरीय), प्रयागराज।
2. अधीक्षण अभियन्ता, निर्माण मण्डल, उ०प्र० जल निगम (नगरीय), प्रयागराज।
3. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० नियंत्रण बोर्ड, लखनऊ।

15/02/25  
अधिशासी अभियन्ता

# क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

## REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD

आवास विकास परिषद कालोनी, सेक्टर-10, योजना संख्या-3, ई.सी. प्रयागराज- 211019

Email-roprayagraj@uppcb.in

पत्रांक 601444 / NPTOA NO. 310 / 2022 / 2025

दिनांक 11/02/2025

सेवा में,

अतिजावश्यक / महत्वपूर्ण  
मा0 एम0जी0टी0 प्रकरण  
ई-मेल द्वारा

- |   |   |
|---|---|
| 1. परियोजना प्रबंधक,<br>गंगा प्रदूषण नियंत्रण इकाई,<br>उ0प्र0 जल निगम (ग्रामीण), प्रयागराज<br>E-mail : pm1ganga.allahabad@gmail.com | 2. अधिशारी अभियन्ता,<br>उ0प्र0 जल निगम (नगरीय)<br>प्रयागराज<br>E-mail : eecdalld@rediffmail.com |
|---|---|

विषय:- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 58/2024 में पारित आदेश दिनांक- 23.12.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त के सम्बन्ध में अगवत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 310/2022 कमलेश सिंह बनाम स्टेट ऑफ यू0पी0 विथ एम0ए0 नं0 59/2024 इन ओ0ए0 नं0 58/2024 में दिनांक 23.12.2024 को आदेश पारित किया गया है, जिसकी प्रति संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित है। मा0 अधिकरण द्वारा पारित आदेश दिनांक 23.12.2024 में बिन्दु संख्या-19 (vii) में निम्नवत् निर्देश दिया गया है :-

".....(vii). During the Maha Kumbh and after the Maha Kumbh is over, the authorities will take steps for effective disposal of the sludge generated in the STPs and deposited in geo-tubes by following the requisite environmental norms and for the same, performance report shall be filed....."

अतः अनुरोध है कि मा0 अधिकरण द्वारा पारित आदेश के बिन्दु संख्या-19 (vii) पर की गयी कार्यवाही के सम्बन्ध में आख्या इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे रिस्थांस रिपोर्ट मा0 अधिकरण में दाखिल कराया जा सके।

संलग्नक-उपरोक्तानुसार।

मददीय,

11/2/25  
(डॉ० एस०सी० शुक्ला)  
क्षेत्रीय अधिकारी

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. सदस्य सचिव महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सावर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. मुख्य विधि अधिकारी (प्रभारी), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

11/2/25  
क्षेत्रीय अधिकारी