

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION NO. 152 OF 2022

IN THE MATTER OF:

GHANSHYAM SINGH PASI

...APPLICANT

VERSUS

STATE OF U.P. & ORS.


...RESPONDENTS

INDEX

S.NO.	PARTICULARS	PAGE NOS.
1.	Additional Affidavit on behalf of M/s Radico Khaitan Limited pursuant to Order dated 19.09.2024 and 18.10.2024	937-945
2.	<u>ANNEXURE 1</u> Copies of the pictures of storage and transportation of fly ash	946
3.	<u>ANNEXURE 2</u> Copies of the latest authorizations certificates for use of above said two boilers issued by the Uttar Pradesh Boiler Inspection Department	947-950
4.	<u>ANNEXURE 3</u> Copy of the month and vendor wise data from January 2024 to October 2024	951
5.	<u>ANNEXURE 4</u> Copies of the pictures of the godowns of the Answering Respondent used for storage of Rice Husk	952-954

6.	<u>ANNEXURE 5</u> Copy of contracts with the contractors	955-960
7.	<u>ANNEXURE 6</u> Details of the practice adopted by the Answering Respondent which is followed by the Contractor while disposing of fly ash	961-962
8.	<u>ANNEXURE 7</u> Details of ash generation and ash disposal from October 2023 to March 2024, and April 2024 to October 2024	963-968
9.	<u>ANNEXURE 8</u> Copy of Test report dated 09.10.2024	969-970
10.	<u>ANNEXURE 9</u> Copies of the few request letters, disposal receipts and Pictures of the land where landfilling for Building construction, Road construction, garden/parking/playground area and industrial filling was done alongwith translation copies	971-979
11.	<u>ANNEXURE 10</u> Copies of the request letters of the villagers, disposal receipts for such villagers and pictures where such fly ash was used for agricultural purposes from October 2023 till January 2024 alongwith translation copies	980-1071
12.	<u>ANNEXURE 11</u> Copies of soil test report(s) of the land where the ash was utilized for agricultural activities alongwith translation copies	1072-1103
13.	<u>ANNEXURE 12</u> Copies of few relevant Bio Compost sample reports submitted to UPPCB	1104-1111
14.	<u>ANNEXURE 13</u> Copies of the pictures of the packaged product	1112-1113

15.	<u>ANNEXURE 14</u> Copy of the letter dated 16.10.2024 alongwith translation copies	1114-1115
16.	Proof of service	1116



[VANITA BHARGAVA]

D/527/1998(R)

KHAITAN & CO

ADVOCATES FOR RADICO KHAITAN LTD

11th FLOOR, ASHOKA ESTATE

24, BARAKHAMBA ROAD

NEW DELHI – 110 001

PHONE NO: + 91 9911180884

Email: vanita.bhargava@khaitanco.com

NEW DELHI

DATED: 20.11.2024

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH AT NEW DELHI

ORIGINAL APPLICATION NO. 152 OF 2022

IN THE MATTER OF:

GHANSHYAM SINGH PASI


...APPLICANT

VERSUS

STATE OF U.P. & ORS.


...RESPONDENTS

ADDITIONAL AFFIDAVIT ON BEHALF OF M/S RADICO
KHAITAN LIMITED (RESPONDENT NO. 3/ PROJECT
PROPONENT) PURSUANT TO ORDER DATED 19.09.2024
AND 18.10.2024




I, Dinesh Gupta, son of Late Shri Ram Karan Gupta, aged about 45 years, working as Sr. Vice President – Legal & Company Secretary with Radico Khaitan Limited. r/o B-1/54, Rajasthali Apartments, Pritampura, Delhi – 110 034, do hereby solemnly affirm and state as under:


1. That I am the authorized signatory of Respondent No. 3 / Project Proponent (“**Answering Respondent**”) and am well conversant with the facts and circumstances of this case and thereby competent and authorized to affirm this affidavit.
2. That I have read and understood the contents of the accompanying Application, which have been prepared under my instructions and say that what is stated therein is true to the best of my knowledge and belief and nothing material has been concealed therefrom.




3. That the present affidavit is being filed in pursuance to and in compliance with the directions of this Hon'ble Tribunal in its order dated 19.09.2024 and 18.10.2024.
4. It is humbly submitted that the submissions made by way of the Affidavit dated 30.09.2023 and the Additional Affidavits dated 22.01.2024 and 28.08.2024 filed by Answering Respondent are not repeated herein for the purpose of brevity and may be treated as part and parcel of the present Additional Affidavit.
5. That in terms of order dated 19.09.2024, the Hon'ble Tribunal directed the Answering Respondent to file the present Additional Affidavit with relevant details on the issue of Fly Ash storage and utilization.
6. At the outset, it is submitted that the Answering Respondent is taking all steps to ensure that Fly Ash generated is stored, transported and disposed of in a manner which does not allow it to get either airborne or mixed with storm water in compliance of environmental norms. It is ensured that fly ash is collected and stored with requisite care and the same is transported in a wetted condition in a covered vehicle. Silo with Bag Filter is used for the purposes of storing the fly ash within the plant to prevent airborne dispersion of the same. From the silo the ash is loaded into covered trollies and transported in a wetted condition while making sure that that ash does not become airborne. Pictures of storage and transportation of fly ash are annexed as ANNEXURE 1, [Pg. 946 to ____].



7. That the unit of the Answering Respondent had 3 Boilers in respect of which the Consent to Operate (CTO) was granted by UPPCB vide Consent Order dated 19.9.2022. However, one Boiler of 26 TPH (Cogen I), has not been in use since February 2023. This Boiler was operated with only Biogas which is not a solid fuel and did not generate any fly ash from the Boiler. The other 2 Boilers i.e., 30 TPH (Cogen II) uses biogas, rice husk, wood chips as fuels and 65 TPH (Cogen III) uses biogas, rice husk, wood chips and coal as fuels. Biogas as a fuel was added in terms CTO amendment letter dated 14.09.2023 for both the boilers. The latest authorizations certificates for use of above said two boilers issued by the Uttar Pradesh Boiler Inspection Department are annexed as ANNEXURE 2. [Pg. 947 to 950].
8. That the maximum solid fuel consumption capacity for above referred Cogen II Boiler is 175 MT per day, and the same for Cogen III Boiler is 350 MT per day. The total consumption of solid fuel at maximum capacity for both Cogen II and Cogen III Boilers is 525 MT per day. Both the Boilers of the Answering Respondent are having facility to use available Biogas, in such case the quantity of solid fuel gets reduced depending upon the used quantity of Biogas as fuel at the relevant time.
9. That the average solid fuel consumption (rice husk and coal) for both Cogen II and Cogen III Boilers is 340 MT per day out of which approx. is 290 MT is Rice Husk (85.3% approx.) and the rest i.e. 50 MT is Coal (14.7% approx.). It is to be noted that the above stated quantity is based on the use of solid fuel only, whereas the use of Biogas reduces the requirement of solid fuel, consequentially, the ash generation. It is further submitted that the use of the coal as fuel in the above stated limited quantity started only from September 2023 prior to which the Answering Respondent was using only rice husk as solid fuel in the boilers.




10. That for the two boilers as enumerated above, the Answering Respondent procures Rice Husk from various suppliers throughout the year as around 30% of the rice mills remain operational throughout the year. To ensure the smooth operation of the plant, unit of the Answering Respondent maintains two-months stock in hand. This helps in preventing any supply chain disruptions and ensures that supply of rice husk as fuel remains available for production operations throughout the year. For the period from 01 January 2024 to 31 October 2024, the Answering Respondent procured Rice Husk from various suppliers. A month and vendor wise data from January 2024 to October 2024 is annexed as **ANNEXURE 3**. [Pg. 951 to ____].
11. That after procurement of Rice Husk the same is stored in the godowns located within the plant before it is used as fuel in the boilers. Three godowns of the Answering Respondent have a total storage capacity of about 10,000 MT. Pictures of the godowns of the Answering Respondent used for storage of Rice Husk are annexed as **ANNEXURE 4**. [Pg. 952 to 954].
12. That the disposal of fly ash is done by contractually engaged agencies for removal of Fly Ash and shifting of the same outside plant premises. Answering Respondent ensures disposal of fly ash through the contractor in a manner having no adverse impact on environment.
13. A copy of contracts with the contractors is annexed as **ANNEXURE 5** [Pg. 955 to 960]. After collecting the Fly Ash from the Unit, the same is supplied by the Contractor on getting written requests from various users. Details of the practice adopted by the Answering Respondent which is followed by the Contractor while disposing of fly ash is annexed as



ANNEXURE 6 [Pg. 961 to 962]. Details of ash generation and ash disposal from October 2023 to March 2024, and April 2024 to October 2024 are annexed as **ANNEXURE 7** [Pg. 963 to 968].


14. It is submitted that Answering Respondent in October 2024 got the sample of fly ash tested from the laboratory approved by Ministry of Environment, Forest and Climate Change. The said report has been submitted to UPPCB as desired by them vide their letter dated 5.11.2024. Copy of Test above report dated 09.10.2024 is annexed as **ANNEXURE 8** [Pg. 969 to 970].
15. That the Answering Respondent from February 2024 onwards has been disposing the fly ash through the Contractor only for the land filling for construction works. Upon receiving the request from the users from different villages/areas, requisite quantity of fly ash is supplied. Few request letters, disposal receipts and Pictures of the land where landfilling for Building construction, Road construction, garden/parking/playground area and industrial filling was done are annexed as **ANNEXURE 9**. [Pg. 971 to 979].
16. It may be stated here that from October 2023 till January 2024, apart from land filling purpose, a limited quantity of fly ash was disposed of for agricultural and bio-composting purposes. Request letters of the villagers, disposal receipts for such villagers and pictures where such fly ash was used for agricultural purposes from October 2023 till January 2024 is annexed as **ANNEXURE 10**. [Pg. 980 to 1071].

17. It is submitted that the disposal of fly ash for the above purposes has not caused any adverse impact on the environment including the land. The same is evident from the soil test report(s) of the land areas where the fly ash was



utilized for agricultural activities. The soil samples were collected by the officials of Agriculture department, State of UP, from those sites where fly ash was used by the respective landowners. As per the certificate given by President, Mruda Parikshan Prayogshala, the use of Fly Ash in agriculture has positive impact. Copies of soil test report(s) of the land where the ash was utilized for agricultural activities is annexed as **ANNEXURE 11**. [Pg. 1072 to 1103].

18. That user of fly ash for Bio composting during the period mentioned above, no adverse impact was caused. Further, it is pertinent to note that the preparation of bio compost was done in compliance of CPCB's SOP for Bio composting operation for Molasses based distilleries which provides for use of *Feedstock as a combination of press mud, yeast sludge and boiler ash in press mud yard...*
19. Further, the Answering Respondent has been submitting its compliance reports to UPPCB including test results of Bio compost sample. For the period between October till December 2023 when Fly Ash was used in preparation of bio-compost, the same have been found to be within prescribed parameters. Copies of few relevant Bio Compost sample reports submitted to UPPCB are annexed as **ANNEXURE 12** [Pg. 1104 to 1111].
20. It is submitted that the Answering Respondent is supplying the Bio compost product to a bio fertilizer company who sells the same in the market. Pictures of the packaged product are annexed as **ANNEXURE 13** [Pg. 1112 to 1113].



21. That apart from the above, for disposal and use of fly ash by the brick manufacturers, the Answering Respondent has also recently contacted a brick manufacturing unit namely M/s Brothers Brick Kiln expressing their interest to supply the Fly Ash generated from its boiler to them for Brick manufacturing. A copy of the letter dated 16.10.2024 is annexed as **ANNEXURE 14** [Pg. 1114 to 1115].
22. Besides the above, it is submitted that Notification dated 31.12.2021 issued by the MoEF &CC and CPCB Guidelines of 2019 are meant for storage and disposal of the fly ash which is generated by the Thermal power plants by using only coal or lignite as fuel unlike the Answering Respondent who uses rice husk as primary fuel. It may be stated that there are no environmental norms or guidelines laid down for storage and disposal of fly ash generated from those industrial units (other than thermal powers plants) which primarily use rick husk as major source of fuel in the boilers and use coal as fuel in very limited quantity. As stated above, out of total quantity of solid fuel used, about 85% is rice husk and it is only about 15% fuel requirement which is met by using coal. The fly ash generated from the combination of rice husk and coal used as fuel in the above proportion significantly different from the fly ash generated from the thermal power plants which use only coal as fuel resulting in generation of fly ash which has very different constituents as compared to those existing in the fly ash generated from the use of rice husk and coal in proportion of 85% - /15% . However, it is pertinent to mention here that the disposal of fly ash by the Answering Respondent has been for purposes which are also permitted under the above notification dated 31.12.2021 meant for only thermal power plants.





23. As per the studies conducted by different institutes and organizations working on the environment subjects, fly ash contains vital nutrients which improve soil structure, water retention, and aeration. It enhances soil fertility and crop productivity when used in controlled manner. It also promotes microbial activity in bio-composting, speeding up decomposition and providing balanced nutrients for plants. CPCB in its Comprehensive Industry Document Series (COINDS/82/2012-13) also advocated the use of rice husk-based fly ash in agriculture, provided it meets quality standards, including low heavy metal content. Silica and potassium content in rice husk ash benefits soil conditioning, improving aeration and water retention, which are critical for crop growth. Silica-based fertilizers are especially beneficial for crops in Uttar Pradesh. Crops like rice, sugarcane, wheat, maize, vegetables, pulses, benefit from improved soil structure, nutrient uptake, and enhanced resistance to stresses. Silica strengthens plant tissues, improves water-use efficiency, and reduces susceptibility to diseases, making it valuable for agricultural sustainability.
24. That the above statements are true and correct based on records maintained by the Answering Respondent in the regular course of its business.
25. The annexures are true copies of their respective originals.



VERIFICATION


I, the Deponent abovenamed do hereby verify that the contents of the foregoing affidavit are true and correct to my knowledge, no part of it is false and nothing material has been concealed therefrom.

Verified at Delhi on this 11 9 NOV 2024 day of November 2024.



DEPONENT

Mandira Chaurhary Adv.
I identified the deponent who
has signed in my presence




ATTESTED

MANISH ARYA
NOTARY PUBLIC, DELHI
GOVT. OF INDIA

11.9 NOV 2024

FLY ASH TROLLEY (COVERED)

Radico
SPIRIT OF EXCELLENCE





Uttar Pradesh Boiler Inspection Department
Certificate for Use of Boiler
 (Regulation 389)

From:
 Dy. Director of Boilers,
 U.P. Kanpur

To,
 The Boiler Owner,
 Registry No: **UP-6304**

M/s Radico Khaitan Ltd.
(A Unit of Rampur Distillery)
Bareilly Road, Rampur
 Date : **25-04-2024**

You are allowed to work the above noted Boiler under the provisions of section 8 of THE BOILER ACT (V of 1923), at the maximum working pressure of **51.0* Kg/cm²** from **25-04-2024** to **24-04-2025**.

* **WP limited to 45.0 kg/cm² at SHOH**

Remarks/Conditions:

1. Boiler to be worked by qualified Boiler Attendants/Boiler Operation Engineer only.

Dy. Director of Boilers, U.P.
 Kanpur

(See Reverse for Conditions)

Instructions to contain spread of COVID-19

1. Use of mask, gloves, helmet, shoes, goggles etc. is mandatory for boiler operation and maintenance staff.
2. Adequate arrangements shall be provided for temperature screening at Boiler premises.
3. Adequate facility for sanitizers/soap shall be made available at Boiler premises.
4. Social distancing to be ensured at boiler premises.
5. Use of Aarogya Setu App is mandatory for all staff working at Boiler premises.
6. Boiler premises shall be sanitized time to time.
7. There should be strict ban on chewing of gutka, tobacco etc. at Boiler premises, also spitting is strictly prohibited and punishable with fine as per government order.
8. Medical Insurance for all staff working at Boiler premises is mandatory.
9. All other instructions/advisories issued from time to time by Central/State Government to contain spread of COVID-19 shall be strictly followed.
10. Intensive communication and training on good hygiene practices shall be taken up.

CONDITIONS
(Reverse of Boiler Certificate)

(1) No structural alteration, addition or renewal shall be made to the boiler otherwise than in accordance with section 12 of the Act.

(2) Under the provisions of Section 8 of the Act this certificate shall cease to be in force:

- (a) on the expiry of the period for which it was granted; or
- (b) when any accident occurs to the boiler; or
- (c) when the boiler is moved the boiler not being vertical boiler the heating surface of which is less than twenty square meter, or a portable or vehicular boiler; or
- (d) save as provided in section 12 of the Act, when any structural alteration, addition or renewal is made in or to the boiler; or
- (e) if the Chief Inspector in any particular case so directs when any structural alteration, addition or renewal is made in or to any steam-pipe attached to the boiler; or
- (f) on the communication to the owner of the boiler of an order of the Chief Inspector or Inspector prohibiting its use on the ground that it or any boiler component attached thereto is in a dangerous condition.

Under Section 10 of the Act, when the period of a certificate relating to a boiler has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the certificate be entitled to use the boiler at the maximum pressure entered in the former certificate, pending the issue of orders on the application but this shall not be deemed to authorize the use of a boiler in any of the cases referred to in clauses (b), (c), (d), (e) and (f) of sub-section (1) of section 8 occurring after the expiry of the period of the certificate.

(3) The boiler shall not be used at a pressure greater than the pressure entered in the certificate as the maximum pressure nor with the safety valve set to a pressure exceeding such maximum pressure.

(4) The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatible with safe working.

(5) Feed & Boiler Water quality to be maintained as per Regulation 626.



Uttar Pradesh Boiler Inspection Department
Certificate for Use of Boiler
 (Regulation 389)

From:

Asst. Director of Boilers,
 U.P. Kanpur

To,

The Boiler Owner

Registry No: **UP-8583**
 M/s Radico Khaitan Ltd
 Rampur

Date : **15-03-2024**

You are allowed to work the above noted Boiler under the provisions of section 8 of THE BOILER ACT (V of 1923), at the maximum working pressure of **67.0*** Kg/cm² from **15-03-2024** to **14-03-2025**.

* Sixty Seven.

Remarks/Conditions:

1. Boiler to be worked by qualified Boiler Attendants/Boiler Operation Engineer only.

Asst. Director of Boilers, U.P.
 Kanpur

(See Reverse for Conditions)

Instructions to contain spread of COVID-19

1. Use of mask, gloves, helmet, shoes, goggles etc. is mandatory for boiler operation and maintenance staff.
2. Adequate arrangements shall be provided for temperature screening at Boiler premises.
3. Adequate facility for sanitizers/soap shall be made available at Boiler premises.
4. Social distancing to be ensured at boiler premises.
5. Use of Aarogya Setu App is mandatory for all staff working at Boiler premises.
6. Boiler premises shall be sanitized time to time.
7. There should be strict ban on chewing of gutka, tobacco etc. at Boiler premises, also spitting is strictly prohibited and punishable with fine as per government order.
8. Medical Insurance for all staff working at Boiler premises is mandatory.
9. All other instructions/advisories issued from time to time by Central/State Government to contain spread of COVID-19 shall be strictly followed.
10. Intensive communication and training on good hygiene practices shall be taken up.

CONDITIONS
(Reverse of Boiler Certificate)

(1) No structural alteration, addition or renewal shall be made to the boiler otherwise than in accordance with section 12 of the Act.

(2) Under the provisions of Section 8 of the Act this certificate shall cease to be in force:

- (a) on the expiry of the period for which it was granted; or
- (b) when any accident occurs to the boiler; or
- (c) when the boiler is moved the boiler not being vertical boiler the heating surface of which is less than twenty square meter, or a portable or vehicular boiler; or
- (d) save as provided in section 12 of the Act, when any structural alteration, addition or renewal is made in or to the boiler; or
- (e) if the Chief Inspector in any particular case so directs when any structural alteration, addition or renewal is made in or to any steam-pipe attached to the boiler; or
- (f) on the communication to the owner of the boiler of an order of the Chief Inspector or Inspector prohibiting its use on the ground that it or any boiler component attached thereto is in a dangerous condition.

Under Section 10 of the Act, when the period of a certificate relating to a boiler has expired, the owner shall, provided that he has applied before the expiry of that period for a renewal of the certificate be entitled to use the boiler at the maximum pressure entered in the former certificate, pending the issue of orders on the application but this shall not be deemed to authorize the use of a boiler in any of the cases referred to in clauses (b), (c), (d), (e) and (f) of sub-section (1) of section 8 occurring after the expiry of the period of the certificate.

(3) The boiler shall not be used at a pressure greater than the pressure entered in the certificate as the maximum pressure nor with the safety valve set to a pressure exceeding such maximum pressure.


(4) The boiler shall not be used otherwise than in a condition which the owner reasonably believes to be compatible with safe working.

(5) Feed & Boiler Water quality to be maintained as per Regulation 626.

ANNEXURE 3

MONTH WISE RICE HUSK PROCUREMENT DETAILS

Period	Jan-24	Feb-24	Mar-24	Apr-24	May-24	Jun-24	Jul-24	Aug-24	Sep-24	Oct-24	Grand Total
Jan 2024 to Oct 2024											
Rice Husk Purchased (MT)	56662	47700	51365	67340	107560	58401	61079	73204	26773	49478	599563





MONTH WISE VENDOR WISE SUMMARY OF RICE HUSK PROCUREMENT FROM JAN 2024 TO OCT 2024 (Qty in MT)

Supplier Name	Jan-24	Feb-24	Mar-24	Apr-24	May-24	Jun-24	Jul-24	Aug-24	Sep-24	Oct-24	Grand Total
A K ENTERPRISES								3441	5981	9707	19129
A M INTERNATIONAL	692	196	462	820	7739	3033	180				13121
CHISHTI TRADERS	3695	5609	5556		9916	4476	1759	1354		1685	34050
JAI GURU ENTERPRISES	0	0	4056	20907	4723				8190	13373	51250
LATEEFI TRADERS	0	0	0		186	1826					2012
R.K.TRADERS	8578	2489	1686	4936	20061	7706	6801	7195	222	3853	63527
NEW ARBAZ TRADERS	1535	1147	782								3463
K.G.N TRADERS	0	2193	1880	8205	7170	7640	12921	9507	2344	5651	57510
SHIV SHAKTI ENTERPRISES	0	0	0		14360	7266	219	9611	5535	2898	39890
SHRI SAI ENTERPRISES	25765	21317	20995	21195	4982	2731	23222	26854	1976	4796	153833
GANPATI ENTERPRISES	0	0	0		10051	4736					14787
BIOFUELS JUNCTION PVT. LTD.	14425	14749	15949	11277	28372	18988	15977	15242	2525	7516	145019
Associated Bagasse Company	1972	0	0								1972
	56662	47700	51365	67340	107560	58401	61079	73204	26773	49478	599563

Rice Husk Storage at Rampur


Radico
SPIRIT OF EXCELLENCE

S. No.	Godown Description	Area (M2)	Usable Height (M)	Rice Husk Storage Capacity
1	Godown 1	3337	12	5606
2	Godown 2	2247	12	3774
3	Godown 3 (Near Boiler)	1180	6	991
Total Storage Capacity (MT)				10372



Rice Husk Storage at Rampur

Radico
SPIRIT OF EXCELLENCE



Rice Husk Storage at Rampur

Radico
SPIRIT OF EXCELLENCE





ANNEXURE-5

EVP(MO)/2024
Jan 01, 2024

M/s Singh Associate
Khasra No. 46, Ward No.11
Dhakia Gulabo Road, Kashipur, Udham Singh Nagar
Uttarakhand - 244713

Kind Attn: Mr. Sanjay Singh & Mr. Virsa Singh.

Sub: Contract-feeding of D - Oiled Paddy Husk, Wooden Chips & Coal and Removal of Ash from our CBL-1 and CBL-2 Boiler.

Dear Sir,

We refer to the discussions you had with us in connection with award of contract relating to feeding of D - Oiled Paddy husk, Wooden Chips & Coal in boiler, Removal of Ash and shifting outside the factory. We are pleased to award the contract to you in line with the settlement arrived at during the course of discussions w.e.f. 1st Jan 2024 for a period ended 31.03.25. The scope of contract, terms and conditions as settled, as detailed herein below: -

1. SCOPE OF WORK:

- a) Feeding of D - Oiled Paddy husk from the D - Oiled Paddy husk, Wooden Chips & Coal yard to boiler.
- b) Removal of Ash from the various boilers.
- c) Shifting of ash outside the factory.

2. RATES OF ABOVE JOBS DONE BY YOU:

- a) Rs. 122.00/- per MT of actual D - Oiled Paddy husk feed, Wooden Chips & Coal.

3. OTHER TERMS AND CONDITIONS:

- a) That you shall on day-to-day basis keep the areas of your operations clean and hygienically fit and you will provide all safety appliance to safe guard your operating personnel engaged in the operation.
- b) That you shall submit to the company the details of workman engaged by you on daily as well as on monthly basis along with the bills. You will have to comply with the company instructions regarding checking of attendance of your workman by company's designated officers.
- c) That you shall arrange to register yourself and obtain necessary license under the provisions of the Contract Labour, (Regulation and Abolition) Act, 1970 and rules made there under failing with all legal consequences will be on your part and company shall not be responsible for it in any manner.
- d) That you shall comply with all rules and regulations of Factories Act ESIC Act, Employees' Provident Fund Act, Workmen Compensation Act, Minimum Wages Act and Payment of Wages Act, ~~in respect of the employees of~~ **Radico Khaitan Limited** who shall be engaged by you under this contract.

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P.)
Tel. : EPABX (0595) 2350801, 2350802, Fax : (0595) 2350009
Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42, 41676718 (Exports)

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L26941UP1983PLC027278





- e) That this contract shall be effective from 1st Jan 2024 to 31st Mar 2025, which can be extended on mutual agreement. During the currency of the contract, it can be revised/terminated by the company without notice to you or assigning any reason thereof. However, the company reserves the right to cancel whole or part of the contract at any time and can award the same to any other agency/agencies without assigning any reason thereof.
- f) In case of D - Oiled Paddy husk, Wooden Chips & Coal feeding bunker gets empty, you will be penalized Rs 50000/- per tripping for the loss of tripping of boiler, turbine and plant.
- g) In the case of company carrying out any modification/modernization/demonstration/alteration etc., due to which there is saving in labour deployment, then your rates will be revised accordingly after Mutual discussion. Presently, you will have to deploy the labour/workmen as per the discussion held with you and agreed upon.
- h) That we can get the bills audited by any agency as deemed fit by the management and if any, discrepancy is found, the same will be recovered/adjusted from the bills even after the expiry of this contract. If there is any willful wrong submission of bills, then not only the amount of difference will be recovered but also an equivalent amount of penalty shall be imposed.
- i) That you shall deposit a sum of Rs. 500,000.00 (Rupees Five Lakh Only) as security, which is refundable on satisfactory completion of the contract. The security will not bear any interest. Violation of any condition of this contract shall entitle the company to forfeit the security, besides recovering the losses sustained by it from your bills.
- j) That in case of any dispute the Court of Jurisdiction shall be the Rampur Court Only.

Please sign and return the duplicate copy of this contract as a token of your acceptance of the terms and conditions of this contract.

Thanking you,



Yours truly,
For **RADICO KHAITAN LIMITED**


(AMAR SINGH)
EVP (MO)



(ALOK AGARWAL)
Sr. Vice President (F&A)



Accepted the terms & conditions of the contract.
For Singh Associate,

 
(Sanjay Singh / Virsa Singh)

CC: VP Engineering (Mech & Cogen) / Sr. GM (HR & Admin)


(Egg + Projects)


01/06/24



Director/2024
Aug 01, 2024

M/s Luxmi Contractor
Village - Titawi,
Muzaffarnagar
Uttar Pradesh - 251306

Kind Attn: Ms. Suman Tomar

Sub: Contract-feeding of D - Oiled Paddy Husk, Wooden Chips & Coal and Removal of Ash from our CBL-1 and CBL-2 Boiler.

Dear Sir,

We refer to the discussions you had with us in connection with award of contract relating to feeding of D - Oiled Paddy husk, Wooden Chips & Coal in boiler, Removal of Ash and shifting outside the factory. We are pleased to award the contract to you in line with the settlement arrived at during the course of discussions w.e.f. 1st Aug 2024 for a period ended 31.07.25. The scope of contract, terms and conditions as settled, as detailed herein below: -

1. SCOPE OF WORK:

- a) Feeding of D - Oiled Paddy husk, Wooden Chips & Coal from yard to boiler.
- b) Removal of Ash from the various boilers.
- c) Shifting of ash outside the factory.

2. RATES OF ABOVE JOBS DONE BY YOU:

- a) Rs. 122.00/- per MT of actual D - Oiled Paddy husk feed, Wooden Chips & Coal.

3. OTHER TERMS AND CONDITIONS:

- a) That you shall on day-to-day basis keep the areas of your operations clean and hygienically fit and you will provide all safety appliance to safeguard your operating personnel engaged in the operation.
- b) That you shall submit to the company the details of workman engaged by you on daily as well as on monthly basis along with the bills. You will have to comply with the company instructions regarding checking of attendance of your workman by company's designated officers.
- c) That you shall arrange to register yourself and obtain necessary license under the provisions of the Contract Labour, (Regulation and Abolition) Act, 1970 and rules made there under failing with all legal consequences will be on your part and company shall not be responsible for it in any manner.
- d) That you shall comply with all rules and regulations of Factories Act ESIC Act, Employees' Provident Fund Act, Workmen Compensation Act, Minimum Wages Act and Payment of Wages Act, in respect of the employees, who shall be engaged by you under this contract.

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Barobilly Road, Rempur-244901 (U.P.)

Tel. : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350009

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel : (91-11) 40875400/444/500/555, Fax : (91-11) 41678841-42, 41676718 (Exports)

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L26941UP1983PLC02727B

- e) That you shall comply with all rules and regulations under UPPCL towards disposal of Ash related matters, failing with all legal consequences will be on your part and company shall not be responsible for it in any manner.
- f) That this contract shall be effective from 1st Aug 2024 to 31st Jul 2025, which can be extended on mutual agreement. During the currency of the contract, it can be revised/terminated by the company without notice to you or assigning any reason thereof. However, the company reserves the right to cancel the whole or part of the contract at any time and can award the same to any other agency/agencies without assigning any reason thereof.
- g) In case of D - Oiled Paddy husk, Wooden Chips & Coal feeding bunker gets empty, you will be penalized Rs 50000/- per tripping for the loss of tripping of boiler, turbine and plant for first two instances and thereafter Rs 100000/- per incidence.
- h) In the case of a company carrying out any modification/modernization/demonstration/alteration etc., due to which there is saving in labour deployment, then your rates will be revised accordingly after Mutual discussion. Presently, you will have to deploy the labour/workmen as per the discussion held with you and agreed upon.
- i) That we can get the bills audited by any agency as deemed fit by the management and if any, discrepancy is found, the same will be recovered/adjusted from the bills even after the expiry of this contract. If there is any willful wrong submission of bills, then not only the amount of difference will be recovered but also an equivalent amount of penalty shall be imposed.
- j) That you shall deposit a sum of Rs. 500,000.00 (Rupees Five Lakh Only) as security, which is refundable on satisfactory completion of the contract. The security will not bear any interest. Violation of any condition of this contract shall entitle the company to forfeit the security, besides recovering the losses sustained by it from your bills.
- k) That in case of any dispute the Court of Jurisdiction shall be the Rampur Court Only.

Please sign and return the duplicate copy of this contract as a token of your acceptance of the terms and conditions of this contract.

Thanking you,

Yours truly,

For **RADICO KHAITAN LIMITED**


(AMAR SINGH)
Director


(ALOK AGARWAL)
Sr. Vice President (F&A)

Accepted the terms & conditions of the contract.
For Luxmi Contractor,

(Suman Tomar)

CC: AVP Engineering (Mech & Cogen) / Sr. GM (HR & Admin) / GM (Materials)

Sr. Vice President(F&A)/2022/638
Dec 01, 2022



M/s K.P.S Associate
MIG-338, Avas Vikas,
Rudrapur, Udham Singh Nagar
Uttarakhand - 263153

Kind Attn: Ms. Kumkum Singh.

Sub: Contract-feeding of D - Oiled Paddy Husk, Wooden Chips & Coal and removal of Ash from our CBL-1 and CBL-2 boiler.

Dear Sir,

We refer to the discussions you had with us in connection with award of contract relating to feeding of D - Oiled Paddy husk, Wooden Chips & Coal in boiler, Removal of Ash and shifting outside the factory. We are pleased to award the contract to you in line with the settlement arrived at during the course of discussions w.e.f. 1st Dec 2022 for a period of one year. The scope of contract, terms and conditions as settled, as detailed herein below: -

1. SCOPE OF WORK:

- a) Feeding of D - Oiled Paddy husk from the D - Oiled Paddy husk, Wooden Chips & Coal yard to boiler.
- b) Removal of Ash from the various boilers.
- c) Shifting of ash outside the factory.

2. RATES OF ABOVE JOBS DONE BY YOU:

- a) Rs. 105.00/- per MT of actual D - Oiled Paddy husk feed, Wooden Chips & Coal.

3. OTHER TERMS AND CONDITIONS:

- a) That you shall on day-to-day basis keep the areas of your operations clean and hygienically fit and you will provide all safety appliance to safe guard your operating personnel engaged in the operation.
- b) That you shall submit to the company the details of workman engaged by you on daily as well as on monthly basis along with the bills. You will have to comply with the company instructions regarding checking of attendance of your workman by company's designated officers.
- c) That you shall arrange to register yourself and obtain necessary license under the provisions of the Contract Labour, (Regulation and Abolition) Act, 1970 and rules made there under failing with all legal consequences will be on your part and company shall not be responsible for it in any manner.
- d) That you shall comply with all rules and regulations of Factorics Act ESIC Act, Employees' Provident Fund Act, Workmen Compensation Act, Minimum Wages Act and Payment of Wages Act, in respect of the employees, who shall be engaged by you under this contract.

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P.)

Tel. : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350000

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,

Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (81-11) 41678841-42, 41676718 [Exports]

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L28941UP1983PLC027278

Kumkum Singh


- e) That this contract shall be effective from 1st Dec 2022 to 30th Nov 2023, which can be extended on mutual agreement. During the currency of the contract, it can be revised/terminated by the company without notice to you or assigning any reason thereof. However, the company reserves the right to cancel whole or part of the contract at any time and can award the same to any other agency/agencies without assigning any reason thereof.
- f) In case of D - Oiled Paddy husk, Wooden Chips & Coal feeding bunker gets empty, you will be penalized Rs 50000/- per tripping for the loss of tripping of boiler, turbine and plant.
- g) In the case of company carrying out any modification/modernization/demonstration/alteration etc., due to which there is saving in labour deployment, then your rates will be revised accordingly after Mutual discussion. Presently, you will have to deploy the labour/workmen as per the discussion held with you and agreed upon.
- h) That we can get the bills audited by any agency as deemed fit by the management and if any, discrepancy is found, the same will be recovered/adjusted from the bills even after the expiry of this contract. If there is any willful wrong submission of bills, then not only the amount of difference will be recovered but also an equivalent amount of penalty shall be imposed.
- i) That you shall deposit a sum of Rs. 500,000.00 (Rupees Five Lakh Only) as security, which is refundable on satisfactory completion of the contract. The security will not bear any interest. Violation of any condition of this contract shall entitle the company to forfeit the security, besides recovering the losses sustained by it from your bills.
- j) That in case of any dispute the Court of Jurisdiction shall be the Rampur Court Only.

Please sign and return the duplicate copy of this contract as a token of your acceptance of the terms and conditions of this contract.


Thanking you,

Yours truly,

For RADICO KHATTAN LIMITED


(Alok Agarwal)
Sr. Vice President (F&A)

Accepted the terms & conditions of the contract.
For K.P.S Associate,


(Kumkum Singh)

CC: EVP (O)/VP Engineering (Mech&Cogen)

ANNEXURE-6**SOP FOR DISPOSAL OF FLY ASH GENERATED FROM BOILER**

1. Daily records for Fuel consumption, Dry Ash Generation, Wet Ash & Dry Ash Dispatched shall be maintained by Cogen team. Records shall be maintained in daily Log Book.
2. Dispatch Slip will be prepared as per below format:

Radico Khaitan Ltd	
Bareilly Road Rampur, U.P. 244901	
Dispatch Slip	
Vehicle No.:	Date :
Material : Ash (Wet)	Time :
First Weight (MT) :	
Second Weight (MT) :	
Net weight Wet Ash (MT) :	
Net weight Dry Ash (MT) :	
Signature	
Issue By	Received By
RKL	M/s KPS, Rudrapur

Note for Point No. 2:

- a. Dispatch Slip will be signed by Cogen Shift In-charge.
 - b. Material will be received by Contractor.
 - c. Carbon copy of Dispatch Slip will be maintained in records by Cogen team.
3. Contractor will get the signed copy of request for from the person who need the ash for construction or low land filling work. Following format will be utilised:

राख अनुरोधकर्ता का नाम व पता :
 राख आपूर्तिकर्ता का नाम व पता : M/s KPS, Rudrapur

विषय: भूमि भराई के लिए राख की निर्वहन के लिए अनुरोध पत्र |

प्रिय,

मैं की ओर से लिख रहा हूँ, और आपसे रेडिको खैतान के

बॉयलर की राख कार्य के लिए आपकी मंजूरी की मांग कर रहे हैं।

मात्रा :

परिवहन का तरीका :

भूमि भराई स्थल का विवरण :

राख अनुरोधकर्ता का नाम व पता :

4. Contractor will supply the Ash (Free of Cost) to the persons who need it for construction work or filling of low line areas. Following format will be utilised:

KPS, Rudrapur	
Bareilly Road Rampur, U.P. 244901	
Free Ash Supply Slip	
Slip No.: ###	
Source of Ash : Radico Khaitan Ltd, Rampur	
Vehicle No.:	Date :
Material : Ash (Wet)	Time :
First Weight (MT) :	
Second Weight (MT) :	
Net weight Wet Ash (MT) :	
Net weight Dry Ash (MT) :	
Signature	
Issue By	Received By
M/s KPS, Rudrapur	

ANNEXURE-7

ASH GENERATION AND DISPOSAL DETAILS FROM OCT 2023 TO OCT 2024

Details From Oct 2023 to Oct 2024

Period	Alcohol Production			Steam Consumed				Total Steam Gen	Solid Fuel Consumption	Ash Generation
	Mol	Grain	Malt	Mol	Grain	Malt	Others		Total	Total
	(BL)	(BL)	(BL)	(MT)	(MT)	(MT)	(MT)	(MT)	(MT)	
Oct 2023 to Mar 2024	19760111	22302473	1414336	74661	84516	9613	75114	243904	46143	6753
Apr 2024 to Oct 2024	12082295	36290271	1563375	50847	158829	10594	83544	303814	70412	11715

Ash Utilisation
Summary

Period	Building Construction	Road-Construction	Garden / Parking / Play Ground	Industrial Filling	Agriculture	Biocompost	Total
Oct 2023 to Mar 2024	6106	0	0	0	380	267	6753
Apr 2024 to Oct 2024	3115	2500	4900	1200	0	0	11715
	9221	2500	4900	1200	380	267	18468



Summary Oct 23 to Oct 24

Fly Ash Generation & Disposal Summary		
Month	Generation	Disposal
Oct-23	1482	1482
Nov-23	1048	1048
Dec-23	1026	1026
Jan-24	1106	1106
Feb-24	883	883
Mar-24	1208	1208
Apr-24	1461	1462
May-24	1537	1527
Jun-24	1718	1718
Jul-24	1903	1903
Aug-24	1900	1936
Sep-24	1683	1656
Oct-24	1513	1513
Total	18468	18468

Ash Disposal Utilisation / Disposal Data		
Period Oct'23 to Oct'24		
Category	Qty	%
Building Construction	9221	50%
Garden / Parking / Play Ground	4900	27%
Road Construction	2500	14%
Industrial Filling	1200	6%
Agriculture	380	2%
Biocompost	267	1%
Total	18468	100%

Ash Disp 2023-24

Fly Ash Generation & Disposal details 2023-24

S. No.	Month	Ash Generation	Disposal quantity
1	Oct-23	1482	1482
2	Nov-23	1048	1048
3	Dec-23	1026	1026
4	Jan-24	1106	1106
5	Feb-24	883	883
6	Mar-24	1208	1208
	Total	6753	6753

Category	
Building Construction	6106
Biocompost	267
Agriculture	380
Total	6753

A Land Filling

S. No.	Name	Village / Location Name	Tehsil	Purpose	Area in SQM	Qty Disposed	Request Later Date	Ash Disposal Start Date	Ash Disposal Completion Date
1	R S Bhatnagar	Tashka	Rampur	Building Construction	6000	1200	11.08.23	1.10.23	29.10.23
2	Rai Singh	Jyohara	Milak	Building Construction	3048	1400	02.10.23	28.10.23	12.12.23
3	Jagatpal	Jyohara	Milak	Building Construction	3996	1332	9.11.23	12.12.23	29.01.24
4	Krishanpal Singh	Raipur	Rampur	Building Construction	3428	1200	21.01.24	29.01.24	06.03.24
5	Seema	Mutyapura	Milak	Building Construction	3428	974	17.02.24	07.03.24	30.03.24
Total (MT)						6106			

Oct-23	Nov-23	Dec-23	Jan-24	Feb-24	Mar-24
1200					
115	1031	254			
		513	819		
			82	883	235
					974
1315	1031	767	901	883	1209

6106

B Biocomposting **Total (MT)** 267 Use of Boiler Ash in Biocompost was started in Oct'23 and continued till Jan'24

Oct-23	Nov-23	Dec-23	Jan-24	Feb-24	Mar-24
42	0	125	100	0	0

267

C Agriculture Used (During Oct'23 to Jan'24)

S. No.	Farmers	Village	District	Area Sq. Mtr	Soil Handled during 1 crop (MT)	Ash Utilised (MT)	Request Letter Date	Start Date	End Date
1	Firoza Begum	Tashka	Rampur	3000	1350	55	15.10.23	16.10.23	17.10.23
2	Mumtaz Khan	Tashka	Rampur	2500	1125	50	11.11.23	14.11.23	31.12.23
3	R S Bhatnagar	Tashka	Rampur	8000	3600	160	10.10.23	30.11.23	03.12.23
4	Saeeda Begum	Tashka	Rampur	3500	1575	70	18.10.23	20.10.23	21.10.23
5	Vikas	Chikti Ramnagar	Rampur	2500	1125	45	25.11.23	01.01.24	31.01.24
Total				19500	8775	380			

Oct-23	Nov-23	Dec-23	Jan-24	Feb-24	Mar-24
55					
	7	43			
	11	90			
			59		
				45	
125	17	133	104	0	0

Total (MT) 6753

1482 1048 1025 1105 883 1209 6753

Ash Gen Disp 2024-24

Fly Ash Generation & Disposal details 2024-25			
S. No.	Month	Ash Generation	Disposal quantity
1	Apr-24	1461	1462
2	May-24	1537	1527
3	Jun-24	1718	1718
4	Jul-24	1903	1903
5	Aug-24	1900	1936
6	Sep-24	1683	1656
7	Oct-24	1513	1513
	Total	11715	11715

Category		%
Building Construction	3115	27%
Road Construction	2500	21%
Garden / Parking / Play Ground	4900	42%
Industrial Filling	1200	10%
Agriculture	0	0%
Biocompost	0	0%
Total	11715	100%

S. No.	Name	Village / Location Name	Tehsil	Purpose	Area in SQM	Qty Disposed	Request Letter Date	Ash Disposal Start Date	Ash Disposal End Date	Apr-24	May-24	Jun-24	Jul-24	Aug-24	Sep-24	Oct-24
1	Sahdev Khan	Tashka	Rampur	Building Construction	4048	513	25.03.24	01.04.24	15.04.24	513						
2	Perfect Test House	Shahzad Nagar	Rampur	Road Construction	10400	2000	01.04.24	15.04.24	19.05.24	949	1051					
3	Karan Singh	Kalyanpur	Rampur	Garden / Parking / Play Ground	1372	1200	10.05.24	19.05.24	12.06.24		476	724				
4	Radhswami	Tashka	Rampur	Building Construction	1395	1106	1.05.24	12.06.24	02.07.24			994	112			
5	Amit	Narayanpur, Chikma	Rampur	Building Construction	340	254	01.07.24	02.07.24	06.07.24					254		
6	Dharampal	Milak Chikna	Rampur	Building Construction	529	254	03.07.24	06.07.24	10.07.24					254		
7	Rakesh	Raipur	Rampur	Building Construction	708	100	04.07.24	10.07.24	12.07.24					100		
8	Hazi Ji	Nasrat Nagar	Rampur	Garden / Parking / Play Ground	505	200	06.07.24	12.07.24	15.07.24					200		
9	BIR Academy	Tashka	Rampur	Garden / Parking / Play Ground	11220	2300	01.07.24	16.07.24	19.08.24					983	1317	
10	Bhura	Champurapura, Pahadi	Rampur	Building Construction	560	400	01.08.24	20.08.24	28.08.24						400	
11	Naresh	Bhamraua Road, Panwaria	Rampur	Garden / Parking / Play Ground	216	200	17.08.24	28.08.24	31.08.24							
12	Babu	Bhamraua Road, Tashka	Rampur	Building Construction	208	200	26.08.24	31.08.24	04.09.24						19	181
13	Parshavnath Plywood	Panwaria	Rampur	Industrial Filling	2925	1200	01.09.24	04.09.24	26.09.24							1200
14	Perfect Test House	Shahzad Nagar	Rampur	Road Construction	10400	500	11.09.24	26.09.24	05.10.24							225
15	Bhagwant Saran	Koyla	Bilaspur	Building Construction	268	120	19.09.24	05.10.24	07.10.24							120
16	Roop Singh	Nankar	Milak	Building Construction	300	168	25.09.24	07.10.24	11.10.24							168
17	Mudit Agrawal	Bagi	Rampur	Garden / Parking / Play Ground	3500	1000	10.10.24	11.10.24	30.10.24							1000
						11715				1462	1527	1718	1903	1936	1656	1513

Ash Disp Slip 23-24

Ash Disposal Slip Details for the Period of Oct-23 to March-24													
Used for Land filling													
S. No.	Name	Oct-23		Nov-23		Dec-23		Jan-24		Feb-24		Mar-24	
		2715 to 2943		2962 to 3200		3201 to 3382		3401 to 3593		3601 to 3757		3801 to 4000	
1	R S Bhatnagar	2715	2813										
		2823	2838										
		2846	2933										
2	Rai Singh	2934	2943										
				2962	3087								
				3089	3198								
						3216	3265						
3	Jagatpal					3266	3373						
								3421	3578				
4	Krishanpal Singh							3579	3593				
										3601	3757		
												3801	3840
5	Seema											3841	4000
Used for Agriculture													
S. No.	Farmers	Oct-23		Nov-23		Dec-23		Jan-24		Feb-24		Mar-24	
		2814 to 2822		3088-3088		3201-3215		3401-3402					
		2839 to 2845		3199-3200		3374-3382		3410-3420					
								3594-3600					
1	Firoza Begum	2814	2822										
2	Saeeda Begum	2839	2845										
3	Mumtaj Khan			3088	3088	3374	3382						
4	R S Bhatnagar			3199	3200								
						3201	3215						
								3410	3420				
5	Vikas							3401	3402				
								3594	3600				

Ash Disp Slip 24-25

Ash Disposal Slip Details for FY 2024-25															
S. No.	Name	April		May(301-582)		June(601-914)		July(915-1200)		August(1-316)		September(317-594)		October(595-837)	
1	Sahdev Khan	53	139												
2	Perfect Test House	140	298												
3	Karan Singh			301	487										
				488	582										
4	Radhswami					601	732								
						733	914								
								915	933						
5	Amit							934	975						
6	Dharampal							976	1018						
7	Rakesh							1019	1035						
8	Hazi Ji							1036	1069						
9	BIR Academy							1070	1200						
										1	212				
10	Bhura									213	277				
11	Naresh									278	312				
12	Babu									313	316				
												317	350		
13	Parshavnath Plywood											351	551		
14	Perfect Test House											552	594		
														595	632
15	Bhagwant Saran													633	653
16	Roop Singh													654	682
17	Mudit Agrawal													683	837



ENVIRONMENTAL AND TECHNICAL RESEARCH CENTRE

Office & Laboratory : 2/261, Vishwas Khand, Gomti Nagar, Lucknow - 226 010 (U.P.)

Email : ETRCLTH@YAHOO.IN, Web.: www.etrcltdia.com

(ISO 9001:2015, ISO 45001:2018 (OH&S) ISO 14001:2015)

An approved laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986



ETRC/PM09/TEST-REP/FT/46

TEST REPORT Ash Analysis

Test Report Ref No.: ETRC/ASH/198/2024	Date of Report: 09/10/2024
Name /Address/Type of Industry	M/s Radico Khaitan Limited Bareilly Road District: Rampur (U.P.) - 244901

SAMPLE DETAILS

1	Sampling Location	Ash Hopper	5	Packing Condition	Sealed
2	Sample Description	Composite Ash (Rice Husk + Coal)	6	Sample Collected By	Industry self
3	Sample received date	05.10.2024	7	Analysis Start Date	05.10.2024
4	Sample Quantity	1.0 kg	8	Analysis End Date	09.10.2024

TEST RESULT

Sr. No.	Test Parameter	Unit	Protocol/Test Method	Result
1	pH	-	IS: 2720 (Part-26): 1987, Reaffirmed: 2021	8.16
2	Moisture	%	IS: 2720 (Part-02): 1973, Reaffirmed: 2020	1.22
3	Calcium	mg/kg	IS: 2720 (Part-23): 1976, Reaffirmed: 2020	416.83
4	Total Nitrogen	%	IS: 14684: 1999, Reaffirmed: 2019	0.0168
5	Total Phosphorus	%	Method Manual of Soil Testing in India	0.00152
6	Total Potassium	%	Method Manual of Soil Testing in India	0.237
7	Arsenic as As	mg/kg	USEPA 3050 B, Revision 2: 1996	3.0
8	Cadmium as Cd	mg/kg	USEPA 3050 B, Revision 2: 1996	BDL
9	Total Chromium as Cr	mg/kg	Method Manual of Soil Testing in India	26.0
10	Copper as Cu	mg/kg	Method Manual of Soil Testing in India	24.0
11	Mercury as Hg	mg/kg	USEPA 3050 B, Revision 2: 1996	BDL
12	Iron as Fe	mg/kg	Method Manual of Soil Testing in India	4100.0
13	Nickel as Ni	mg/kg	USEPA 3050 B, Revision 2: 1996	16.0
14	Lead as Pb	mg/kg	USEPA 3051 A, Revision 1: 2007	23.0
15	Zinc as Zn	mg/kg	Method Manual of Soil Testing in India	52.0

Method Manual of Soil Testing in India (Department of Agriculture and Corporation Ministry of Agriculture, Government of India), 4.6.3 (16b): 2022

..... END OF REPORT.....

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Complain register is available in our laboratory

Authorized Signatory
(Sandeep Kr Verma)
Lab-Incharge



Authorized Signatory
(Ritu Garg)
QM



ENVIRONMENTAL AND TECHNICAL RESEARCH CENTRE

Office & Laboratory : 2/261, Vishwas Khand, Gomti Nagar, Lucknow - 226 010 (U.P.)

Email : ETRCLTH@YAHOO.IN, Web.: www.etrcindia.com

(ISO 9001:2015, ISO 45001:2018 (OH&S) ISO 14001:2015)

An approved laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRC/PM09/TEST-REP/FT/46

TEST REPORT Ash Analysis

Test Report Ref No.: ETRC/ASH/198/2024	Date of Report: 09/10/2024
Name /Address/Type of Industry	M/s Radico Khaitan Limited Bareilly Road District: Rampur (U.P.) - 244901

SAMPLE DETAILS

1	Sampling Location	Ash Hopper	5	Packing Condition	Sealed
2	Sample Description	Composite Ash (Rice Husk + Coal)	6	Sample Collected By	Industry self
3	Sample received date	05.10.2024	7	Analysis Start Date	05.10.2024
4	Sample Quantity	1.0 kg	8	Analysis End Date	09.10.2024

TEST RESULT

Sr. No.	Test Parameter	Unit	Protocol/Test Method	Result
1	Silica	%	Method Manual of Soil Testing in India	87.1
2	C : N Ratio	-	Method Manual of Soil Testing in India	8 : 1


Method Manual of Soil Testing in India (Department of Agriculture and Corporation Ministry of Agriculture, Government of India), 4.6.3 (16b): 2022

..... END OF REPORT

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Complaint register is available in our laboratory


Authorized Signatory
(Sandeep Kr Verma)
Lab-Incharge




Authorized Signatory
(Ritu Garg)
QM

ANNEXURE-9**Summary of Ash Generation & Disposal**

Fly Ash Generation & Disposal Summary		
Month	Generation	Disposal
Oct-23	1482	1482
Nov-23	1048	1048
Dec-23	1026	1026
Jan-24	1106	1106
Feb-24	883	883
Mar-24	1208	1208
Apr-24	1461	1462
May-24	1537	1527
Jun-24	1718	1718
Jul-24	1903	1903
Aug-24	1900	1936
Sep-24	1683	1656
Oct-24	1513	1513
Total	18468	18468


**Ash Disposal Utilisation / Disposal Data
Period Oct'23 to Oct'24****Various Categories**

Category	Qty
Building Construction	9221
Garden / Parking / Play Ground	4900
Road Construction	2500
Industrial Filling	1200
Agriculture	380
Biocompost	267
Total	18468

Building Construction

सख अनुरोधकर्ता का नाम व पता : श्री 01108124
 सख आपूर्तिकर्ता का नाम व पता : Luxmi Con
 विषय : मुनि मत्तई व निर्माण के लिए सख के निवेदन हेतु अनुरोध पत्र।
 मिति Luxmi
 मैं श्री को और से लिख रहा हूँ एवं आपसे दंडिको खेतान को बोधित की
 सख मुनि मत्तई / निर्माण कार्य के लिए मुक्त नै आपूर्ति हेतु आपकी सहयोगी की मांग कर रहा हूँ।
 माता 85
 परिवहन का तरीका हानी
 मुनि मत्तई स्थल का विवरण चामपुरा रामपुर
 सख अनुरोधकर्ता का नाम व पता श्री श्री

Original letter
 Duplicate Pink
 01-11-2024
 श्री
 जय शंकर
 (01108124)
 (01108124)
 (01108124)

LUXMI CONTRACTOR




Original Serial Duplicate Pink

LUXMI CONTRACTOR

Village & Post TITAVI (Muzaffer Nagar) U.P.

Free Ash Supply Slip

S.No.: 215 Slip No.:
 Source of Ash: Radico Khaitan Ltd. Rampur U.P.
 Vehicle No.: UP22R0954 Date: 20/08/24
 Material: Ash (Wet) Time:
 First Weight (MT) 4.8
 Second Weight (MT) 11.36
 Net weight Wet Ash (MT) 6.56

Issue By: रमिज SIGNATURE: रमिज
 LUXMI CONTRACTOR Received By

TranslationAnnexure - 91st page

Name of the Ash Requester : **Bhura**

Name and address of ash supplier : Luxmi Co.

Subject : Request letter for disposal of ash for land filling and construction

Dear Sir/ Ma'am,

Luxmi

I am writing this letter on behalf of Bhura to seek your consent for free supply of Radico Khaitan Boiler Ash for land filling/construction work.

Quantity : 85

Name of transport : Trolley

Details of site of land filling work :- Chamarpura, Rampur

Name and address of the Ash Requester : Bhura, Rampur

Sd/-xxx

Garden / Parking / Play Ground

Original White Duplicate Form

राख अनुसूचकर्ता का नाम व पता : खारन सिंह 10/05/24

राख आपूर्तिकर्ता का नाम व पता : KPS

विषय : भूमि भरवाई व निर्माण के लिए राख के विप्रेतन हेतु अनुसूच पत्र।

सिरे KPS


श्री खारन सिंह की ओर से लिख रहा हूँ एवं आपसे वैदिको खेतान के बोगलर की राख भूमि भरवाई/निर्माण काम के लिए मुला ने आपूर्ति हेतु आपकी सहमति की मांग कर रहा हूँ।

माकः 230

परिवहन का तरीका: दाजी

भूमि भरवाई स्थल का विवरण: कल्याणपुर

राख अनुसूचकर्ता का नाम व पता: खारन सिंह कल्याणपुर रामपुर



Original White Duplicate Form

KPS, ASSOCIATE

Address Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: 488 Slip No.:

Source of Ash: Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 BA 877 Date: 10/11/24

Material : Ash (Wet) Time :

First Weight (MT) : 3.91

Second Weight (MT) : 1.15

Net weight Wet Ash (MT) : 6.75

ISSUE BY: [Signature] SIGNATURE

Received By: [Signature]

LUXMI CONTRACTOR KPS, Rudrapur

2nd page

Name of the Ash Requester : **Karan Singh**

Name and address of ash supplier : KPS

Subject : Request letter for disposal of ash for land filling and construction

Dear Sir/ Ma'am,

KPS

I am writing this letter on behalf of **Karan Singh** to seek your consent for free supply of Radico Khaitan Boiler Ash for land filling/construction work.

Quantity : 230

Name of transport : Trolley


Details of site of land filling work :- Kalyanpur

Name and address of the Ash Requester : Karan Singh
Kanlyan, Rampur

Sd/-xxx

Road Construction

राख अनुसूचीकर्ता का नाम य परतः Perfect Tea House 01/09/24
Original White
Duplicate Pink
 राख अनुसूचीकर्ता का नाम य परतः : KPS
 विषय : भूमि भाई य विभागे के लिए राख के निवेशन हेतु कन्ट्रोल नमः।
 दिनांक : KPS
 मैं Perfect TEA HOUSE को ओर से लिख रहा हूँ एवं अपने रेडिको खेतान के बीचकर को
 राख भूमि भाई/विभागे कार्य के लिए मुजत में अनुमति हेतु अपनी राखपत्रे की मांग कर रहा हूँ।
 पता: A-17
 परिवहन का तरीका: ट्रैक्टर
 भूमि भाई स्थान का विवरण: शहजाद नगर जयपुर
 राख अनुसूचीकर्ता का नाम य परतः Perfect Tea House (218678 नगर जयपुर)



Original White Duplicate Pink
KPS, ASSOCIATE
 Address: Rudrapur (U.K.)
 Fire Ash Supply Slip
 S.No.: 472 Serial No.:
 Source of Ash: Radico Khemlin Ltd, Rampur U.P.
 Vehicle No.: UPC 70817 Date: 18/09/24
 Material: Ash (Ww) Time:
 First Weight (MT) _____
 Second Weight (MT) : 618.4
 Net weight Ww Ash (MT) : 618.7
 Issue By: [Signature] SIGNATURE
 Received By: [Signature]
 LUDHIAN CONTRACTOR

3rd page

1.4.2024

Name of the Ash Requester : **Perfect test House**

Name and address of ash supplier : KPS

Subject : Request letter for disposal of ash for land filling and construction

Dear Sir/ Ma'am,

KPS

I am writing this letter on behalf of **Perfect test House** to seek your consent for free supply of Radico Khaitan Boiler Ash for land filling/construction work.

Quantity : 417

Name of transport : Trolley


Details of site of land filling work :- Shahsad nagar Rampur

Name and address of the Ash Requester : **Perfect test House** Shahsad nagar Rampur

Sd/-xxx

Industrial Filling

राज अनुमोदकता का नाम व पता : साधु मुनी Original Ashes Duplicate Form
 राज्य अनुमोदकता का नाम व पता : अहमदनगर जगिर
 विषय : भूमि भरवाई व निर्माण के लिए राख के निर्वहन हेतु अनुमोद पत्र।
 स्थिति 2.00
 में साधु मुनी की ओर से लिख रहा हूँ एवं आपसे वैदिकको केतान के बीपलर की
 राज्य भूमि भरवाई/निर्माण कार्य के लिए मुझ में आपकी सहायता की मांग कर रहा हूँ।
 मात्रा 2.00
 परिवहन का तरीका राम्प
 भूमि भरवाई स्थल का विवरण: अहमदनगर जगिर
 राज्य अनुमोदकता का नाम व पता: साधु मुनी साधु मुनी



XMI CONTRACTOR
 (Rajag & Patel TITAVI (Muzaffar Nagar) U.P.)
 Free Ash Supply Slip
 S.No. 358 Slip No.: 412/2024
 Source of Ash: Raidas Khaitan Ltd, Rampur U.P.
 Vehicle No.: UPAN 49919 Date: 02/10/24
 Material: Ash (Wet) Time: _____
 First Weight (MT): 4.52
 Second Weight (MT): 10.11
 Net weight Wet Ash (MT): 1.5
 Issue By: [Signature] SIGNATURE
 Received By: [Signature]

4th page

05.09.2024

Name of the Ash Requester : **Sabu Munshi**

Name and address of ash supplier : Luxmi Contractor

Subject : Request letter for disposal of ash for land filling and construction

Dear Sir/ Ma'am,

Luxmi

I am writing this letter on behalf of **Sabu Munshi** to seek your consent for free supply of Radico Khaitan Boiler Ash for land filling/construction work.

Quantity : 417

Name of transport : Trolley

Details of site of land filling work :- Panwadia Fit Ply Rampur

Name and address of the Ash Requester : **Sabu Munshi**
Panwadia Fit Ply Rampur

Sd/-xxx

ANNEXURE-10

Firoza Begam

राख अनुरोधकर्ता का नाम : फ़िरोज़ा बेगम

राख आपूर्तिकर्ता का नाम व पता

विषय : भूमि भरवाई / निर्माण / कृषि कार्य हेतु राख के निर्वहन हेतु अनुरोध पत्र।

प्रिय श्री ... डे. पी. एल. शहीरिषिट

मैं फ़िरोज़ा बेगम आपसे रेडिको खेतान के बायलर की राख भूमि भरवाई / निर्माण / कृषि कार्य हेतु मुफ्त में आपूर्ति हेतु आपकी सहमति की माँग कर रहा हूँ। मैंने पूर्व में भी राख का उपयोग, उपरोक्त कार्य हेतु किया था, जो कि बहुत सफल रहा है। कृपया अति शीघ्र आपूर्ति करवाने का कष्ट करें।

मात्रा : 5

परिवहन का तरीका : ट्रैक्टर द्वारा

भूमि भरवाई / निर्माण / कृषि कार्य के स्थल का विवरण : → ताराका

राख अनुरोधकर्ता का नाम व पता : फ़िरोज़ा बेगम 15.10.23
पत्ता - इम्लोज रजा रवाँ
थाना कुण्डा, रमपुर

TranslationANNEXURE-10

Name of the Ash Requester : **Firoja Begum**

Name and address of ash supplier :

Subject : Request letter for discharge of ash for land filling / construction / agricultural work

Dear Sir/ Ma'am,

Shri K P S Associate

I **Firoza Begum** am seeking your consent to supply Radico Khaitan boiler ash free of cost for **land filling**/construction work/**agricultural work**. I have used ash for the above purpose earlier too and it has been very successful. Please arrange for supply of ash soon.

Quantity : 5

Name of transport : Tractor Trolley

Details of site of land filling / construction / agricultural work :- Taraka

Name and address of the Ash Requester : Firoja Begum
w/o Emtiyaz Raza Khan, Police Station Kunda, Rampur

Approx -30T

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No. 2814

~~KPS Rudrapur~~

Slip No.:

P.18024

Bajum

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP2240913

Date : 16/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.52

Second Weight (MT) : 10.47

Net weight Wet Ash (MT) : 6.02

[Handwritten Signature]

Issue By

SIGNATURE

[Handwritten Signature]

Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2815 ~~Rudrapur~~ Pirozai Begum Slip No.:
~~Rudrapur~~

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 BH8865 Date : 16/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.83

Second Weight (MT) : 10.23

Net weight Wet Ash (MT) : 6.40

[Signature]
Issue By

SIGNATURE

[Signature]
Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2816

Slip No.:

~~2816~~ 18029 Begum

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BA0817 Date : 16/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 3.91

Second Weight (MT) : 10.1

Net weight Wet Ash (MT) : 4.4

20
गौरव

SIGNATURE

Asmode

Issue By

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2817

~~.....~~ Slip No.: Aliza Begum

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854

Date : 16/10/23

Material : Ash (Wet)

Time :

First Weight (MT) :


4.8

Second Weight (MT) :


8.84

Net weight Wet Ash (MT) :

4.04


 Issue By

SIGNATURE


 Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2818

~~Raj Begum~~
Ayoza Begum
Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BB2698

Date : 17/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.3

Net weight Wet Ash (MT) : 6.0

Signature

SIGNATURE

Ashole

Issue By

Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: 2819

~~Rudrapur Begum~~ Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BA0817

Date : 17/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 3.91

Second Weight (MT) : 10.41

Net weight Wet Ash (MT) : 6.5

[Handwritten Signature]

SIGNATURE

[Handwritten Signature]

Issue By

Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: 2820

~~KPS~~ 45029 Begum
Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22AY8917

Date : 17/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.52

Second Weight (MT) : 10.52

Net weight Wet Ash (MT) : 6.0

AD
JIT

Issue By

SIGNATURE

Zameer

Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2821 R ~~.....~~

1182029 Begum
Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BB 2698

Date : 17/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.6

Net weight Wet Ash (MT) : 6.1

[Handwritten signature]

SIGNATURE

Issue By

[Handwritten signature]

Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2822 R. ~~5~~ FiRoza Begum Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BH8865 Date : 17/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.83

Second Weight (MT) : 9.03

Net weight Wet Ash (MT) : 7.2

[Signature]

Issue By

SIGNATURE

Zameel

Received By


M/s KPS, Rudrapur

992



 GPS Map Came

Tashka, Uttar Pradesh, India
Unnamed Road, Tashka, Uttar Pradesh 244901, India
Lat 28.780068°
Long 79.043997°
17/10/24 10:08 AM GMT +05:30



Mumtaj Khan

राख अनुरोधकर्ता का नाम : मुमताज रजा खाँ

राख आपूर्तिकर्ता का नाम व पता : के.पी.सय्या

विषय : भूमि भराई / निर्माण / कृषि कार्य हेतु राख के निर्वहन हेतु अनुरोध पत्र।

प्रिय श्री के.पी.सय्या : साहिब

मैं मुमताज रजा आपसे रेडिको खेतान के बायलर की राख भूमि भराई / निर्माण / कृषि कार्य हेतु मुफ्त में आपूर्ति हेतु आपकी सहमति की माँग कर रहा हूँ। मैंने पूर्व में भी राख का उपयोग, उपरोक्त कार्य हेतु किया था, जो कि बहुत सफल रहा है। कृपया अति शीघ्र आपूर्ति करवाने का कष्ट करें।

मात्रा : 6

परिवहन का तरीका : ट्रैक्टर द्वारा

भूमि भराई / निर्माण / कृषि कार्य के स्थल का विवरण : ताश्का

राख अनुरोधकर्ता का नाम व पता : ^{मुमताज} 30 मयूद रजा खाँ
 राता कुण्डा, रामपुर
 11/11/23

Name of the Ash Requester : **Mumtaj Raza Khan**

Name and address of ash supplier : KP Asso.

Subject : Request letter for discharge of ash for land **filling** / construction / **agricultural** work

Dear Sir/ Ma'am,

Shri K P S Associate

I **Mumtaj Raza** am seeking your consent to supply Radico Khaitan boiler ash free of cost for **land filling**/construction work/**agricultural work**. I have used ash for the above purpose earlier too and it has been very successful. Please arrange for supply of ash soon.

Quantity : 6

Name of transport : Tractor Trolley

Details of site of land filling / construction / agricultural work :- Taraka

Name and address of the Ash Requester : Mumtaj Raja
S/o Masood Khan Emtiyaz Raza Khan, Police Station
Kunda, Rampur

11.11.2023

Approx -28T

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (For Agriculture)

S.No.: 3081 munraj khan. Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BH8865 Date: 13/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.83

Second Weight (MT) : 10.63

Net weight Wet Ash (MT) : 6.8

20/11/23

Issue By

M/s KPS, Rudrapur

SIGNATURE

Rajveer

Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (For Agriculture)

S.No.: 3082 Mumtaj Khan Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP-22AY8917 Date : 13/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.52

Second Weight (MT) : 11.12

Net weight Wet Ash (MT) : 6.6

Dr. D. D. Singh
Issue By

SIGNATURE

Rajveer
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip (For Agriculture)

S.No.: 3083 mumtaj khan. Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22Y0913 Date : 13/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.45

Second Weight (MT) : 4.35

Net weight Wet Ash (MT) : 6.9

[Handwritten Signature]

Issue By

M/s KPS, Rudrapur

SIGNATURE

[Handwritten Signature: Rajveer]

Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (for Agriculture)

S.No.: 3084

mumtaj khan.

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854

Date : 13/11/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.8

Second Weight (MT) : 11.30

Net weight Wet Ash (MT) : 6.5

Jilra

Issue By

SIGNATURE

Rajveer

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3086 Mumtaj Uhan Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 BH 8865 Date : 14/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.83

Second Weight (MT) : 10.13

Net weight Wet Ash (MT) : 6.3

D.M.S.
Issue By

SIGNATURE

Jitender
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip (For Ags/Industrial)

S.No.: 3087 Mumtaj Khan Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854 Date : 14/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.8

Second Weight (MT) : 11.2

Net weight Wet Ash (MT) : 6.4

Dr. M/s
Issue By

SIGNATURE

Jitendra
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (For Agriculture)

S.No.: 3088 Mumtaj Khan. Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 BB 2698 Date : 14/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.5

Second Weight (MT) : 11.3

Net weight Wet Ash (MT) : 6.8

Dr. S. K. Singh

SIGNATURE

Dr. N. K. Singh

Issue By

Received By

M/s KPS, Rudrapur

1004

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (For Agriculture)

S.No.: 3088

mumtaj khan.

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 BB 2698 Date : 14/11/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 11.3

Net weight Wet Ash (MT) : 6.8

[Signature]


SIGNATURE

Issue By


[Signature]

Received By

M/s KPS, Rudrapur



 GPS Map Came



Rampur, Uttar Pradesh, India

Unnamed Road, Shivapuram Colony, Tashka, Rampur, Uttar Pradesh
244901, India

Lat 28.780832°

Long 79.04277°

17/10/24 10:12 AM GMT +05:30

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3374 मुद्रपुर खान Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR 2 R4854 Date : 31/12/23


Material : Ash (Wet)

Time :

First Weight (MT) : 4.8

Second Weight (MT) : 90.8

Net weight Wet Ash (MT) : 5.0


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3375 मुम्बई २०११ Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.


Vehicle No.: UP22BN0817 Date : 31/12/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.91

Second Weight (MT) : 8.91

Net weight Wet Ash (MT) : 5.0


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3376

31/11/14

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 40 913

Date : 31/11/14

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 9.5

Net weight Wet Ash (MT) : 5.0

Jitendra
Issue By

SIGNATURE

Jitendra
Received By

M/s KPS, Rudrapur

1009
KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3377 सुमता Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.


Vehicle No.: UP22AY8917 Date : 31/12/24

Material : Ash (Wet) Time :


First Weight (MT) : 4.52

Second Weight (MT) : 4.62

Net weight Wet Ash (MT) : 5.1


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3378

3378

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22BH 8865

Date : 31/12/24


Material : Ash (Wet)

Time :


First Weight (MT) : 3.83

Second Weight (MT) : 8.83

Net weight Wet Ash (MT) : 5.0


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3379 सुमताज

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22Y0913

Date: 31/12/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : ~~9.5~~ 9.5

Net weight Wet Ash (MT) : 5.0



Issue By

SIGNATURE



Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3380

मुमताज

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 R 4854

Date : 31/12/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.8

Second Weight (MT) : 90.0

Net weight Wet Ash (MT) : 4.2

गौरव
Issue By

SIGNATURE

Amul
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: 3380

मुहताब

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BA0817

Date : 31/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 3.91

Second Weight (MT) : 8.91

Net weight Wet Ash (MT) : 5.0

जौरा
Issue By

SIGNATURE

Amr
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3382

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPRR4854

Date : 31/12/14


Material : Ash (Wet)

Time :

First Weight (MT) : 4.8


Second Weight (MT) : 8.5

Net weight Wet Ash (MT) : 3.7



Issue By


SIGNATURE




Received By

M/s KPS, Rudrapur

1015



 GPS Map Came



Rampur, Uttar Pradesh, India

Unnamed Road, Shivapuram Colony, Tashka, Rampur, Uttar Pradesh
244901, India

Lat 28.780832°

Long 79.04277°

17/10/24 10:12 AM GMT +05:30

R S Bhatnagar

राख अनुरोधकर्ता का नाम श्री राजेन्द्र भटनागर

राख आपूर्तिकर्ता का नाम व पता

विषय : भूमि भरवाई / निर्माण / कृषि कार्य हेतु राख के निर्वहन हेतु अनुरोध पत्र।


प्रिय श्री श्री. जी. एस. शर्मा सिपेट

मैं राजेन्द्र भटनागर आपसे रेडिको खेतान के बायलर की राख भूमि भरवाई / निर्माण / कृषि कार्य हेतु मुफ्त में आपूर्ति हेतु आपकी सहमति की माँग कर रहा हूँ। मैंने पूर्व में भी राख का उपयोग, उपरोक्त कार्य हेतु किया था, जो कि बहुत सफल रहा है। कृपया अति शीघ्र आपूर्ति करवाने का कष्ट करें।

मात्रा : 12

परिवहन का तरीका : ट्रैक्टर द्वारा

भूमि भरवाई / निर्माण / कृषि कार्य के स्थल का विवरण : तारका


10/10/2023

राख अनुरोधकर्ता का नाम व पता : पुत्र हक श्री श्री. एस भटनागर
शिव्या पुरम, रामपुर

Appx :- 65T

Name of the Ash Requester : **Shri Rajendra Bhatnagar**

Name and address of ash supplier :

Subject : Request letter for discharge of ash for **land filling** / construction / **agricultural** work

Dear Sir/ Ma'am,

Shri K P S Associate

I **Rajendra Bhatnagar** am seeking your consent to supply Radico Khaitan boiler ash free of cost for **land filling**/construction work/**agricultural work**. I have used ash for the above purpose earlier too and it has been very successful. Please arrange for supply of ash soon.

Quantity : 12

Name of transport : **Tractor Trolley**

Details of site of land filling / construction / agricultural work :- Taraka

Name and address of the Ash Requester : S/o late Shri B S Bhatnagar Shivapuram, Rampur

Sd./-

10.10.2023

65T

1019

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (Agriculture)

S.No.: 3199 R.S Bhatnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 BH8865 Date : 30/11/23

Material : Ash (Wet) Time :

First Weight (MT) : 3.83

Second Weight (MT) : 9.63

Net weight Wet Ash (MT) : 5.8

30/11/23

SIGNATURE

Abhishek

Issue By

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip (Agriculture)

S.No.: 3200 ~~3111~~

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: RS Bhatnagar Date : 30/11/23

Material : Ash (Wet) UP 22BA0817 Time :

First Weight (MT) : 3.91

Second Weight (MT) : 9.1

Net weight Wet Ash (MT) : 5.1

[Handwritten Signature]

SIGNATURE

Abhishhek

Issue By

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3201 R-S Bhatnagar Agriculture

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 B 2678

Date : 01/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.6

Net weight Wet Ash (MT) : 6.1

[Signature]

SIGNATURE

Issue By

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

Agri culture
Slip No.:

S.No.: 3202

AS Bhatnagar

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR 800817

Date : 01/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.8

Second Weight (MT) : 10.81

Net weight Wet Ash (MT) : 6.01


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3203

Agriculture
Slip No.:

Source of Ash : R.S. Bhatnagar
Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP2240913

Date : 01/12/13

Material : Ash (Wet)

Time :


First Weight (MT) : 4.45

Second Weight (MT) : 10.47

Net weight Wet Ash (MT) : 6.02


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3204 R.S. Bhadrnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR AY 8917 Date : 01/12/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.52

Second Weight (MT) : 10.56

Net weight Wet Ash (MT) : 6.02



Issue By

SIGNATURE



Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 3205

R.S Bhadnagar

Slip No.: Agriculture

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 BB 2698

Date : 01/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 11.34

Net weight Wet Ash (MT) : 6.84



Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.: *3206* *R-S Bhadracharya* Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UPR2BB2648* Date : *02/02/23*

Material : Ash (Wet) Time :

First Weight (MT) : *4.5*

Second Weight (MT) : *10.6*

Net weight Wet Ash (MT) : *6.1*

A
Issue By

SIGNATURE

अमित
Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3207 R-S Bhatnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854 Date : 02/12/13

Material : Ash (Wet)

Time :

First Weight (MT) : 4.2

Second Weight (MT) : 10.82

Net weight Wet Ash (MT) : 6.02


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Agriculture

Free Ash Supply Slip

S.No.: 3208 R-S Bhatnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR 2 BB 2698 Date : 02/12/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.06

Net weight Wet Ash (MT) : 6.1



Issue By

SIGNATURE



Received By

M/s KPS, Rudrapur

ORIGINAL 1029
KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3209

R-S Bhatnagar

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR R4854

Date : 02/12/23

Material : Ash (Wet)

Time :

First Weight (MT) :

4.8

Second Weight (MT) :

10.9

Net weight Wet Ash (MT) :

6.1


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3210

R.S. Bhatnagar

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP2240913

Date: 02/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.45

Second Weight (MT) : 10.47

Net weight Wet Ash (MT) : 6.02


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

1031
KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3211 RS Bhatnagar

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPRAY 8917

Date : 02/12/23

Material : Ash (Wet)

Time :

First Weight (MT) :

4.45

Second Weight (MT) :

10.47

Net weight Wet Ash (MT) :

6.02

A

Issue By

SIGNATURE

अनमाल
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Agriculture

Free Ash Supply Slip

S.No.: 3212 A.S. Bhatnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UPR2BB2698 Date : 03/12/23

Material : Ash (Wet)

Time :


First Weight (MT) : 4.5

Second Weight (MT) : 10.6

Net weight Wet Ash (MT) : 6.1


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3243

R S Bhadragur

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854

Date : 03/12/23

Material : Ash (Wet)

Time :

First Weight (MT) :

4.8

Second Weight (MT) :

10.82

Net weight Wet Ash (MT) :

6.02


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: 3214 R.S. Bhatnagar Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22Y0913

Date : 03/12/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.45

Second Weight (MT) : 10.5

Net weight Wet Ash (MT) : 6.05


Issue By

SIGNATURE


Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

S.No.: *3215 AS Bhadragar* Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22BH8865* Date : *03/12/23*

Material : Ash (Wet)

Time :

First Weight (MT) : *3.83*

Second Weight (MT) : *9.91*

Net weight Wet Ash (MT) : *6.08*

(A)
Issue By

SIGNATURE

अमर
Received By

M/s KPS, Rudrapur

1036

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

Agriculture

S.No.:

R.S Bhatnagar

Slip No.: 34-10

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.:

UP22AY8917

Date :

02/01/24

Material : Ash (Wet)

Time :

First Weight (MT) :

4.52

Second Weight (MT) :

10.32

Net weight Wet Ash (MT) :

5.8

Gourab

Issue By

SIGNATURE

2 Union

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip **Agriculture**

S.No.: **R.S. Bhandnagar** Slip No.: **3411**

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: **UP22BA087** Date : **02/01/24**

Material : Ash (Wet) Time :

First Weight (MT) : **3.91**

Second Weight (MT) : **10.1**

Net weight Wet Ash (MT) : **6.2**

gch
Issue By

SIGNATURE

Manoj
Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.:

RS Bhadnagar

Slip No.: *3412*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22Y0913* Date : *02/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.45*

Second Weight (MT) : *10.45*

Net weight Wet Ash (MT) : *6.0*

gaur

Issue By

SIGNATURE

[Signature]

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

Agriculture

S.No.:

Slip No.:

R.S. Bhadrayan.

3413

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.:

UP22BA0817

Date :

02/01/24

Material : Ash (Wet)

Time :

First Weight (MT) :


3.91

Second Weight (MT) :

9.41

Net weight Wet Ash (MT) :

5.5



Issue By

SIGNATURE



Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.: *R.S. Bhadnagar*

Slip No.: *3414*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22BB2698* Date : *03/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.5*

Second Weight (MT) : *10.6*

Net weight Wet Ash (MT) : *6.1*

Yadav
Issue By

SIGNATURE

Radhesh
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

Agriculture

S.No.:

Slip No.: 34-15

RS Bhadnagar

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22Y0913 Date : 03/01/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.45 -

Second Weight (MT) : 10.35 -

Net weight Wet Ash (MT) : 5.1

Gourav

Issue By

SIGNATURE

9
वरेश

Received By

M/s KPS, Rudrapur

1042

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

Agriculture

S.No.:

R.S. Bhojraj

Slip No.: 3416

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22DH8865 Date: 03/01/24

Material : Ash (Wet)

Time :

First Weight (MT) : 3.83

Second Weight (MT) : 10.03

Net weight Wet Ash (MT) : 6.2

Partap
Issue By

SIGNATURE

Radico
Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.:

Agriculture
Slip No. 3417

Source of Ash : *A S Bhardwaj* Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP 22 AY 8917*

Date : *03/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.52*

Second Weight (MT) : *10.92*

Net weight Wet Ash (MT) : *6.4*

गौरव

SIGNATURE

Ashok

Issue By

Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: R-S Bhalhagori Slip No.: Agst 10/24

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 AV 6917 Date : 03/01/24

Material : Ash (Wet) Time :

First Weight (MT) : 4.52

Second Weight (MT) : 10.92

Net weight Wet Ash (MT) : 6.4

Signature

Issue By

SIGNATURE

Signature

Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.: *RS Bhatnagar*

Slip No.: *3419*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22R4854*

Date : *03/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.8*

Second Weight (MT) : *9.8*

Net weight Wet Ash (MT) : *5.0*

4
21/24

SIGNATURE

Issue By

Harish
Received By

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

AGRICULTURE

S.No.:

R.S. Bhadnagar

Slip No.: 3420

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 22 R 4854

Date : 04/01/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.8

Second Weight (MT) : 10.5

Net weight Wet Ash (MT) : 5.4

Y. D. H.

Issue By


SIGNATURE

ag
04/01/24

Received By

M/s KPS, Rudrapur

1047



 **GPS Map Camera**

Tashka, Uttar Pradesh, India
Unnamed Road, Tashka, Uttar Pradesh 244901, India
Lat 28.783546°
Long 79.043859°

Google

17/10/2024 10:01 AM GMT+05:30

Saeeda Begam

राख अनुरोधकर्ता का नाम : सैयदा बेगम

राख आपूर्तिकर्ता का नाम व पता

विषय : भूमि भराई / निर्माण / कृषि कार्य हेतु राख के निर्वहन हेतु अनुरोध पत्र।

प्रिय श्री डॉ. पी. एस. खोसला सिविल

मैं सैयदा बेगम आपसे रेडिको खेतान के बायलर की राख भूमि भराई / निर्माण / कृषि कार्य हेतु मुफ्त में आपूर्ति हेतु आपकी सहमति की माँग कर रहा हूँ। मैंने पूर्व में भी राख का उपयोग, उपरोक्त कार्य हेतु किया था, जो कि बहुत सफल रहा है। कृपया अति शीघ्र आपूर्ति करवाने का कष्ट करें।

मात्रा : 7

परिवहन का तरीका : ट्रैक्टर द्वारा

भूमि भराई / निर्माण / कृषि कार्य के स्थल का विवरण : तालाबा

राख अनुरोधकर्ता का नाम व पता : पत्नी सुमताज रजा रवा
धाता कुण्डा, रामपुर

Name of the Ash Requester : **Saiyada Begum**

Name and address of ash supplier :

Subject : Request letter for discharge of ash for **land filling** / construction / **agricultural** work

Dear Sir/ Ma'am,

Shri K P S Associate

I **Saiyada Begum** am seeking your consent to supply Radico Khaitan boiler ash free of cost for **land filling**/construction work/**agricultural work**. I have used ash for the above purpose earlier too and it has been very successful. Please arrange for supply of ash soon.

Quantity : 07

Name of transport : **Tractor Trolley**

Details of site of land filling / construction / agricultural work :- Taraka

Name and address of the Ash Requester : W/o Mumtaj Raza Khan PS, Kunda, Rampur

Sd./-

10.10.2023

35T

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2839

Saeeda Begum

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP2240913

Date : 20/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.45

Second Weight (MT) : 10.45

Net weight Wet Ash (MT) : 6.0

[Signature]

Issue By

SIGNATURE

[Signature]

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.. 2840 Saeeda Begum Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BB2698 Date : 20/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.6

Net weight Wet Ash (MT) : 6.1

[Signature]

Issue By

SIGNATURE

[Signature]

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2841 Saeeda Begum Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22R4854 Date : 20/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.8

Second Weight (MT) : 10.9

Net weight Wet Ash (MT) : 6.2

[Signature]

SIGNATURE

[Signature]

Issue By

Received By

M/s KPS, Rudrapur

1054

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2842

Slip No.:

Saeeda Begum

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BA0817

Date : 21/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 3.91

Second Weight (MT) : 9.26

Net weight Wet Ash (MT) : 6.05

[Handwritten Signature]

Issue By

SIGNATURE

[Handwritten Signature]

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No. 2843 Sareeda Begum Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP 224 0913 Date : 21/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.45

Second Weight (MT) : 10.55

Net weight Wet Ash (MT) : 6.1

[Signature]

SIGNATURE

[Signature]

Issue By

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: 2844 Saeeda Begum

Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BB2698

Date : 21/10/23

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.5

Net weight Wet Ash (MT) : 6

Handwritten signature

SIGNATURE

Handwritten signature: Azam

Issue By

Received By

M/s KPS, Rudrapur

1057

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

S.No.: 2845 Seleeda Begum Slip No.:

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22AY8917 Date : 21/10/23

Material : Ash (Wet) Time :

First Weight (MT) : 4.52

Second Weight (MT) : 11.32

Net weight Wet Ash (MT) : 6.8

[Handwritten Signature]

SIGNATURE


[Handwritten Signature]


Issue By


Received By

M/s KPS, Rudrapur

1058



 GPS Map Came



Rampur, Uttar Pradesh, India

Unnamed Road, Shivapuram Colony, Tashka, Rampur, Uttar Pradesh
244901, India

Lat 28.78074°

Long 79.042918°

17/10/24 10:11 AM GMT +05:30

Google

Vikas

राख अनुरोधकर्ता का नाम व पता श्री विकास

राख आपूर्तिकर्ता का नाम व पता — के पी एस एसो.

विषय : भूमि भरवाई / निर्माण / कृषि कार्य हेतु राख के निर्वहन हेतु अनुरोध पत्र।

प्रिय श्री के पी एस एसो.

मैं विकास कुमार स्वयं की ओर से लिख रहा हूँ एवं एवं आपसे रेडिको खेतान के बायलर की राख भूमि भरवाई / निर्माण / कृषि कार्य हेतु मुफ्त में आपूर्ति हेतु आपकी सहमति की माँग कर रहा हूँ। मैंने पूर्व में भी राख का उपयोग, उपरोक्त कार्य हेतु किया था, जो कि बहुत सफल रहा है। कृपया अति शीघ्र आपूर्ति करवाने का कष्ट करें।

मात्रा : 6 से 7 शाली

परिवहन का तरीका : —

भूमि भरवाई / निर्माण / कृषि कार्य के स्थल का विवरण : चिकली रामनगर
रामपुर

विकास
25.11.23

राख अनुरोधकर्ता का नाम व पता : रामपुर

Appendix: - 35T

Name of the Ash Requester : **Shri Vikas**

Name and address of ash supplier : ...K P S Asso.....

Subject : Request letter for discharge of ash for **land filling** / construction / **agricultural** work

Dear Sir/ Ma'am,

Shri K P S Associate

I **Vikas Kumar** am seeking your consent to supply Radico Khaitan boiler ash free of cost for **land filling**/construction work/**agricultural work**. I have used ash for the above purpose earlier too and it has been very successful. Please arrange for supply of ash soon.

Quantity : 06 to 07

Name of transport : **Tractor Trolley**

Details of site of land filling / construction / agricultural work :- Chikari Ramnagar, Rampur

Name and address of the Ash Requester : Vikas, Rampur

Sd./- Vikas

25.11.2023

35T

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip **Agriculture**

S.No.: **विकास**

Slip No.: **3401**

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: **UP22BB2698** Date : **01/01/24**

Material : Ash (Wet)

Time :

First Weight (MT) : **4.5**

Second Weight (MT) : **10.3**

Net weight Wet Ash (MT) : **5.8**

गौरव
Issue By

SIGNATURE

Rajeev
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip *Agriculture*

S.No.:

विकास

Slip No.: *3402*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP 22R 4854* Date : *01/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.8*

Second Weight (MT) : *10.5*

Net weight Wet Ash (MT) : *5.2*

पल्लव

Issue By

SIGNATURE

सुरेश

Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip

S.No.: विनास

Agriculture
Slip No. 3403

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22 Y 0913 Date : 01/01/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.43

Second Weight (MT) : 10.5

Net weight Wet Ash (MT) : 5.7

Issue By
Groufal

SIGNATURE

Received By
31367

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.:

विकास

Slip No.: *3404*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22AY8917* Date: *01/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.52*

Second Weight (MT) : *9.92*

Net weight Wet Ash (MT) : *5.4*

Gourav
Issue By

SIGNATURE

रमिष
Received By

M/s KPS, Rudrapur

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip *Agriculture*

S.No.: *विकास*

Slip No.: *3405*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP 22 BH 8865* Date : *01/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *3.83*

Second Weight (MT) : *9.93*

Net weight Wet Ash (MT) : *6.32*

Partap
Issue By

SIGNATURE

हरिश
Received By

M/s KPS, Rudrapur

1067

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip **Agriculture**

S.No.: **विकास**

Slip No.: **3406**

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: **UP22BA0817** Date : **01/01/24**

Material : Ash (Wet)

Time :

First Weight (MT) : **3.91**

Second Weight (MT) : **9.91**

Net weight Wet Ash (MT) : **6.0**

गौरव
Issue By

SIGNATURE

M/s KPS, Rudrapur

हामिद
Received By

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip

Agriculture

Slip No.: 3407

S.No.: विकास

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: UP22BB2698 Date: 01/01/24

Material : Ash (Wet)

Time :

First Weight (MT) : 4.5

Second Weight (MT) : 10.5

Net weight Wet Ash (MT) : 6.0

Yellu
Issue By

SIGNATURE

Bablu
Received By

M/s KPS, Rudrapur

KPS, ASSOCIATE

Address..... Rudrapur (U.K.)

Free Ash Supply Slip *Agriculture*

S.No.: *विकास*

Slip No. *3408*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22R4854* Date : *02/01/24*

Material : Ash (Wet) Time :

First Weight (MT) : *4.8*

Second Weight (MT) : *10.2*

Net weight Wet Ash (MT) : *5.4*

Gourav
Issue By

SIGNATURE

अब्दुल
Received By

1070

Original White Duplicate Pink

KPS, ASSOCIATE

Address..... Rudrapur (U.K.).....

Free Ash Supply Slip *Agriculture*

S.No.: *खिनास*

Slip No.: *3409*

Source of Ash : Radico Khaitan Ltd, Rampur U.P.

Vehicle No.: *UP22Y0913* Date : *02/01/24*

Material : Ash (Wet)

Time :

First Weight (MT) : *4.43*

Second Weight (MT) : *10.53*

Net weight Wet Ash (MT) : *6.1*

प्रताप

Issue By

SIGNATURE

[Signature]

Received By

M/s KPS, Rudrapur

1071

GPS M
Camera L

Unnamed Road, Chikti Ram Nagar, Uttar Pradesh 244901, India

Latitude

23.720796666666667°

Longitude

78.99857°

Local Time 11:38:42 AM

GMT 06:08:42 AM

Altitude 185 meters

Thursday, 17.10.2024

मृदा परीक्षण रिपोर्ट पत्र

सेवा में,
रेडिको खेतान लिमिटेड

अवगत करना है की आपके द्वारा दिए गए पत्रांक दिनांक 08/11/2024 के संदर्भ मे 5 प्लॉट से सयुक्त रूप से मृदा नमूने लिए गए जिनका परीक्षण हो गया है जिनमे कृषि करने हेतु (12 पैरामीटर) पोषक तत्वों की मात्रा उपलब्ध हैं। चावल भूसी की राख का प्रयोग कृषि पर सकारात्मक प्रभाव है।

रिपोर्ट संलग्न हैं।

भवदीय
Ranjit
18/11/2024
अध्यक्ष

मृदा परीक्षण प्रयोगशाला,
रामपुर।

1073

Transfession

Ameswara-11

Report Letter of Soil Testing

To,

RadicoKhaitan Limited

This is to inform you that, with reference to your letter dated 08/11/2024, soil samples were collectively taken from 5 plots and have been tested. The results indicate the presence of essential nutrients (12 parameters) required for agriculture. The use of rice husk ash has shown a positive impact on agricultural activities.

The report is enclosed.



Yours sincerely,

18/11/2024

Chairman,

Soil Testing Laboratory,


Rampur

कृषि एवं सहकारिता विभाग
 कृषि एवं किसान कल्याण मंत्रालय
 भारत सरकार

कृषि विभाग, उत्तर प्रदेश

मृदा स्वास्थ्य कार्ड



मृदा स्वास्थ्य कार्ड संख्या: 77

किसान का नाम श्री. राजेश कुमार


वैधता 2024 से 2024 तक

द्वितीयक एवं सूक्ष्म पोषक तत्वों संबंधी सिफारिशें

क्रमांक	पैरामीटर	मृदा परीक्षण के आधार पर संस्तुति
1	सल्फर (S)	
2	जिंक (Zn)	
3	बोरॉन (B)	
4	ऑयरेन (Fe)	
5	मैगनीज (Mn)	
6	कॉपर (Cu)	

General Recommendations

1	जैविक खाद	
2	जैव उर्वरक	
3	चूना / जिप्सम	



International Year of Soils 2015

Healthy Soils for a Healthy Life

मृदा स्वास्थ्य कार्ड		प्रयोगशाला का नाम	जलपट कृषि मृदा परीक्षण प्रयोगशाला रायपुर			
किसान का विवरण		मृदा परीक्षण परिणाम				
नाम	श्री. राजेश कुमार	क्रमांक	पैरामीटर	परिणाम	इकाई	आकलन/श्रेणी
पता	रायपुर	1	पी एच (pH)	6.9		सामान्य
ग्राम	रायपुर	2	ई सी (EC)	0.284	dS/m	सामान्य
उप-जिला/तहसील	रायपुर	3	जीविक कार्बन (OC)	0.81	%	उच्च
जिला	रायपुर	4	उपलब्ध नाइट्रोजन (N)	18.2	kg/ha	मध्यम
पिन कोड		5	उपलब्ध फॉस्फोरस (P)	35.84	kg/ha	उच्च
आधार संख्या		6	उपलब्ध पोटैशियम (K)	285.2	kg/ha	उच्च
मोबाइल संख्या	9012794786	7	उपलब्ध सल्फर (S)	8.895	PPM	उच्च
मृदा नमूना विवरण		8	उपलब्ध जिंक (Zn)	0.71	PPM	पूरवर्ति
मृदा नमूना संख्या	77	9	उपलब्ध बोरॉन (B)	0.393	PPM	पूरवर्ति
नमूना एकत्र करने की तिथि		10	उपलब्ध ऑयरेन (Fe)	4.13	PPM	उच्च
सर्व संख्या/ग्रिड सं.		11	उपलब्ध मैगनीज (Mn)	3.51	PPM	पूरवर्ति
खसरा संख्या/		12	उपलब्ध कॉपर (Cu)	0.32	PPM	पूरवर्ति
खेत का क्षेत्रफल						
भू-स्थिति (GPS)	अक्षांश: देशांतर :					
सिंचित भूमि/वर्षा सिंचित भूमि						


संदर्भ उपज के लिए उर्वरक सिफारिशें (जैविक खाद के साथ)

क्रमांक	फसल व किस्म	संदर्भ उपज	एन.पी.के. के लिए उर्वरक संयोजन-1		एन.पी.के. के लिए उर्वरक संयोजन-2	
			उर्वरक का नाम	मात्रा किग्रा.	उर्वरक का नाम	मात्रा किग्रा.
1						
2						
3						
4						
5						
6						

कृपया अधिक जानकारी हेतु किसान कॉल सेंटर के नि:शुल्क हॉट लाईन नं. 1800-180-1551 पर सम्पर्क करें।

विशेष जानकारी हेतु कृषि विभाग के स्थानीय कर्मचारी/अधिकारी से सम्पर्क करें अथवा कृषि विभाग की वेबसाइट agriculture.up.nic.in देखें।

प्रकाशक : ब्यूरो, कृषि विभाग, 9, विश्वविद्यालय मार्ग, लखनऊ


 हस्ताक्षर
 अध्यक्ष प्रयोगशाला

1075

1

Satyamev Jayate

Department of Agriculture & Cooperation Agriculture Department, Uttar Pradesh

Ministry of Agriculture & Farmers Welfare

Government of India

Soil Health Card

Soil Health Card Number: 77

Farmer's Name: Firoza Begam w/o xx

Validity:2024 to 2024

Soil Health Card

Farmer's Details

Name	Firoza Begam
Address	Tashka
Village	Tashka
Sub-District/Tehsil	Sadar
District	Rampur
Pin Code	

1076

Aadhar No.			
Mobile No.		9012794786	
Soil Sample Details			
Soil Sample Number		77	
Date of Sample Collection			
Survey Number/Grid No.			
Khasra Number			
Field Area			
Land Location (GPS)	Latitude:	Longitude:	
Irrigated Land / Rainfed Land			

Name of the Laboratory	District-Level Soil Testing Laboratory, Rampur			
Soil Testing Results				
S. No.	Parameter	Result	Unit	Assessment/Category
1.	pH	6.9		Normal
2.	EC	0.284	xx	Normal
3.	Organic Carbon (OC)	0.81	%	High

4.	Available Nitrogen (N)	182.25	Kg/ha	Medium
5.	Available Phosphorus (P)	35.84	Kg/ha	High
6.	Available Potassium (K)	285.2	Kg/ha	High
7.	Available Sulfur (S)	8.835	PPM	Low
8.	Available Zinc (Zn)	0.71	PPM	Sufficient
9.	Available Boron (B)	0.393	PPM	Sufficient
10.	Available Iron (Fe)	9.13	PPM	Low
11.	Available Manganese (Mn)	3.51	PPM	Sufficient
12.	Available Copper (Cu)	0.32	PPM	Sufficient

Recommendations regarding Secondary and Micronutrients

S. No.	Parameter	Recommendations Based on Soil Testing
1.	Sulfur (S)	
2.	Zinc (Zn)	
3.	Boron (B)	
4.	Iron (Fe)	
5.	Manganese (Mn)	
6.	Copper (Cu)	

1078

General Recommendations		
1.	Organic Fertilizer	
2.	Bio Fertilizers	
3.	Lime / Gypsum	

International Year of Soils 2015
Healthy Soils for a Healthy Life

Fertilizer Recommendations for Reference Crop (with Organic Fertilizer)						
S. No.	Crop and Variety	Reference Crop	Fertilizer Combination for N.P.K. - 1		Fertilizer Combination for N.P.K. - 2	
			Fertilizer Name	Quantity (kg)	Fertilizer Name	Quantity (kg)
1.						
2.						
3.						
4.						
5.						
6.						

1079

For more information, please contact the Farmer Call Center at the toll-free number 1800-180-1551.

For specific information, please contact the local staff/officials of the Agriculture Department or visit the Agriculture Department's website at agriculture.up.nic.in.

Publisher: Bureau, Agriculture Department, 9, University Road, Lucknow.

Signature

Chairman, Laboratory

कृषि एवं सहकारिता विभाग
कृषि एवं किसान कल्याण मंत्रालय
भारत सरकार

कृषि विभाग, उत्तर प्रदेश

मृदा स्वास्थ्य कार्ड

मृदा स्वास्थ्य कार्ड संख्या: 78

किसान का नाम: मुमताज खां 8/0 मसूदा रस्ता खेत
वैधता: 2024 से 2025 तक


द्वितीयक एवं सूक्ष्म पोषक तत्वों संबंधी सिफारिशें

क्रमांक	पैरामीटर	मृदा परीक्षण के आधार पर संस्तुति
1	सल्फर (S)	
2	जिंक (Zn)	
3	बोरॉन (B)	
4	ऑयरेन (Fe)	
5	मैगनीज (Mn)	
6	कॉपर (Cu)	

General Recommendations

1	जैविक खाद	
2	जैव उर्वरक	
3	चूना / जिप्सम	

International Year of Soils 2015



Healthy Soils for a Healthy Life

मृदा स्वास्थ्य कार्ड

किसान का विवरण

नाम	मुमताज खां
पता	राजपुरा
ग्राम	राजपुरा
उप-जिला/तहसील	राजपुरा
जिला	राजपुरा
पिन कोड	
आधार संख्या	
मोबाइल संख्या	9012794786

मृदा नमूना विवरण

मृदा नमूना संख्या	78
नमूना एकत्र करने की तिथि	
सर्व संख्या/शिड सं.	
खसरा संख्या/	
खेत का क्षेत्रफल	
भू-स्थिति (GPS) अक्षांश:	देशांतर :
सिंचित भूमि/वर्षा सिंचित भूमि	

प्रयोगशाला का नाम: राजपुरा

मृदा परीक्षण परिणाम

क्रमांक	पैरामीटर	परिणाम	इकाई	आकलन/श्रेणी
1	पी एच (pH)	7.7		सामान्य
2	ई सी (EC)	0.266	dSm ⁻¹	सामान्य
3	जीविक कार्बन (OC)	0.92	%	उत्तम
4	उपलब्ध नाइट्रोजन (N)	807	kg/m ²	समय
5	उपलब्ध फॉस्फोरस (P)	35.84	kg/m ²	उत्तम
6	उपलब्ध पोटैशियम (K)	296.8	kg/m ²	उत्तम
7	उपलब्ध सल्फर (S)	2.908	ppm	कम
8	उपलब्ध जिंक (Zn)	0.64	ppm	पर्याप्त
9	उपलब्ध बोरॉन (B)	0.430	ppm	पर्याप्त
10	उपलब्ध ऑयरेन (Fe)	5.63	ppm	पर्याप्त
11	उपलब्ध मैगनीज (Mn)	4.13	ppm	पर्याप्त
12	उपलब्ध कॉपर (Cu)	0.35	ppm	पर्याप्त

संदर्भ उपज के लिए उर्वरक सिफारिशें (जैविक खाद के साथ)

क्रमांक	फसल व किस्म	संदर्भ उपज	एन.पी.के. के लिए उर्वरक संयोजन-1		एन.पी.के. के लिए उर्वरक संयोजन-2	
			उर्वरक का नाम	मात्रा किग्रा.	उर्वरक का नाम	मात्रा किग्रा.
1						
2						
3						
4						
5						
6						

कृपया अधिक जानकारी हेतु किसान कॉल सेंटर के नि:शुल्क हॉट लाइन नं. 1800-180-1551 पर सम्पर्क करें।

विशेष जानकारी हेतु कृषि विभाग के स्थानीय कर्मचारी/अधिकारी से सम्पर्क करें अथवा कृषि विभाग की वेबसाइट agriculture.up.nic.in देखें।

प्रकाशक : ब्यूरो, कृषि विभाग, 9, विश्वविद्यालय मार्ग, लखनऊ

हस्ताक्षर
अध्यक्ष प्रयोगशाला

1081

2

SatyamevJayate

Department of Agriculture & Cooperation Agriculture Department, Uttar Pradesh
Ministry of Agriculture & Farmers Welfare
Government of India

Soil Health Card

Soil Health Card Number: 78

Farmer's Name: Mumtaz Khan s/o xx Khan

Validity:2024 to 2025

Soil Health Card	
Farmer's Details	
Name	Mumtaz Khan
Address	Tashka
Village	Tashka

1082

Sub-District/Tehsil	Sadar		
District	Rampur		
Pin Code			
Aadhar No.			
Mobile No.	9012794786		
Soil Sample Details			
Soil Sample Number	78		
Date of Sample Collection			
Survey Number/Grid No.			
Khasra Number			
Field Area			
Land Location (GPS)	Latitude:	Longitude:	
Irrigated Land / Rainfed Land			

Name of the Laboratory	District-Level Soil Testing Laboratory, Rampur			
Soil Testing Results				
S. No.	Parameter	Result	Unit	Assessment/Category

1.	pH	7.7		Normal
2.	EC	0.266	xx	Normal
3.	Organic Carbon (OC)	0.92	%	High
4.	Available Nitrogen (N)	207	Kg/ha	Medium
5.	Available Phosphorus (P)	35.84	Kg/ha	High
6.	Available Potassium (K)	296.8	Kg/ha	High
7.	Available Sulfur (S)	8.908	PPM	Low
8.	Available Zinc (Zn)	0.64	PPM	Sufficient
9.	Available Boron (B)	0.430	PPM	Sufficient
10.	Available Iron (Fe)	5.63	PPM	Sufficient
11.	Available Manganese (Mn)	4.13	PPM	Sufficient
12.	Available Copper (Cu)	0.35	PPM	Sufficient

Recommendations regarding Secondary and Micronutrients

S. No.	Parameter	Recommendations Based on Soil Testing
1.	Sulfur (S)	
2.	Zinc (Zn)	
3.	Boron (B)	

1084

4.	Iron (Fe)	
5.	Manganese (Mn)	
6.	Copper (Cu)	
General Recommendations		
1.	Organic Fertilizer	
2.	Bio Fertilizers	
3.	Lime / Gypsum	

International Year of Soils 2015
 Healthy Soils for a Healthy Life

Fertilizer Recommendations for Reference Crop (with Organic Fertilizer)						
S. No.	Crop and Variety	Reference Crop	Fertilizer Combination for N.P.K. - 1		Fertilizer Combination for N.P.K. - 2	
			Fertilizer Name	Quantity (kg)	Fertilizer Name	Quantity (kg)
1.						
2.						
3.						

1085

4.						
5.						
6.						



For more information, please contact the Farmer Call Center at the toll-free number 1800-180-1551.

For specific information, please contact the local staff/officials of the Agriculture Department or visit the Agriculture Department's website at agriculture.up.nic.in.

Publisher: Bureau, Agriculture Department, 9, University Road, Lucknow.

Signature


Chairman, Laboratory

कृषि एवं सहकारिता विभाग
 कृषि एवं किसान कल्याण मंत्रालय
 भारत सरकार

कृषि विभाग, उत्तर प्रदेश

मृदा स्वास्थ्य कार्ड



मृदा स्वास्थ्य कार्ड संख्या: 79

किसान का नाम संशुदा बेजल 10/8 सुआंतख


वैधता 2024 से 25 तक

द्वितीयक एवं सूक्ष्म पोषक तत्वों संबंधी सिफारिशें

क्रमांक	पैरामीटर	मृदा परीक्षण के आधार पर संस्तुति
1	सल्फर (S)	
2	जिंक (Zn)	
3	बोरॉन (B)	
4	ऑयरन (Fe)	
5	मैंगनीज (Mn)	
6	कॉपर (Cu)	

General Recommendations

1	जैविक खाद
2	जैव उर्वरक
3	चूना / जिप्सम

International Year of Soils 2015
 
 Healthy Soils for a Healthy Life

मृदा स्वास्थ्य कार्ड		प्रयोगशाला का नाम	मृदा परीक्षण परिणाम		
किसान की विवरण		उत्पाद <u>कृषि</u> मृदा परीक्षण प्रयोगशाला			
नाम	<u>संशुदा बेजल</u>	का नाम	<u>रामपुर</u>		
पता	<u>1/200</u>	क्रमांक	पैरामीटर	परिणाम	इकाई
ग्राम	<u>1/200</u>	1	पी एच (pH)	<u>7.2</u>	आकलन/श्रेणी
उप-जिला/तहसील	<u>बेदर</u>	2	ई सी (EC)	<u>0.234</u>	<u>दुर्गम</u>
जिला	<u>रामपुर</u>	3	जीविक कार्बन (OC)	<u>0.77</u>	<u>%</u>
पिन कोड		4	उपलब्ध नाइट्रोजन (N)	<u>173.25</u>	<u>kg/ha</u>
आधार संख्या		5	उपलब्ध फास्फोरस (P)	<u>26.3</u>	<u>kg/ha</u>
मोबाइल संख्या	<u>9012794786</u>	6	उपलब्ध पोटैशियम (K)	<u>296.4</u>	<u>kg/ha</u>
मृदा नमूना विवरण		7	उपलब्ध सल्फर (S)	<u>0.630</u>	<u>ppm</u>
मृदा नमूना संख्या	<u>79</u>	8	उपलब्ध जिंक (Zn)	<u>0.55</u>	<u>ppm</u>
नमूना एकत्र करने की तिथि		9	उपलब्ध बोरॉन (B)	<u>0.468</u>	<u>ppm</u>
सर्व संख्या/घिड सं.		10	उपलब्ध ऑयरन (Fe)	<u>6.06</u>	<u>ppm</u>
खसरा संख्या/खेत का क्षेत्रफल		11	उपलब्ध मैंगनीज (Mn)	<u>2.94</u>	<u>ppm</u>
भू-स्थिति (GPS)	अक्षांश: देशांतर :	12	उपलब्ध कॉपर (Cu)	<u>0.41</u>	<u>ppm</u>
सिंचित भूमि/वर्षा सिंचित भूमि					


संदर्भ उपज के लिए उर्वरक सिफारिशें (जैविक खाद के साथ)

क्रमांक	फसल व किस्म	संदर्भ उपज	एन.पी.के. के लिए उर्वरक संयोजन-1		एन.पी.के. के लिए उर्वरक संयोजन-2	
			उर्वरक का नाम	मात्रा किग्रा.	उर्वरक का नाम	मात्रा किग्रा.
1						
2						
3						
4						
5						
6						

कृपया अधिक जानकारी हेतु किसान कॉल सेंटर के निःशुल्क टॉल फ्री नं. 1800-180-1551 पर सम्पर्क करें।

विशेष जानकारी हेतु कृषि विभाग के स्थानीय कर्मचारी/अधिकारी से सम्पर्क करें अथवा कृषि विभाग की वेबसाइट agriculture.up.nic.in देखें।

प्रकाशक : ब्यूरो, कृषि विभाग, 9, विश्वविद्यालय मार्ग, लखनऊ


 हस्ताक्षर
 अध्यक्ष प्रयोगशाला

1087

3

SatyamevJayate

Department of Agriculture & Cooperation Agriculture Department, Uttar Pradesh

Ministry of Agriculture & Farmers Welfare

Government of India

Soil Health Card

Soil Health Card Number: 79

Farmer's Name: Syeda Begumw/o Mumtaz Raza Khan

Validity:2024 to 2025

Soil Health Card

Farmer's Details

Name	Syeda Begum
Address	Tashka
Village	Tashka

1088

Sub-District/Tehsil	Sadar		
District	Rampur		
Pin Code			
Aadhar No.			
Mobile No.	9012794786		
Soil Sample Details			
Soil Sample Number	79		
Date of Sample Collection			
Survey Number/Grid No.			
Khasra Number			
Field Area			
Land Location (GPS)	Latitude:	Longitude:	
Irrigated Land / Rainfed Land			

Name of the Laboratory	District-Level Soil Testing Laboratory, Rampur			
Soil Testing Results				
S. No.	Parameter	Result	Unit	Assessment/Category

1.	pH	7.2		Normal
2.	EC	0.234	xx	Normal
3.	Organic Carbon (OC)	0.77	%	High
4.	Available Nitrogen (N)	173.25	Kg/ha	Medium
5.	Available Phosphorus (P)	26.8	Kg/ha	High
6.	Available Potassium (K)	296.4	Kg/ha	High
7.	Available Sulfur (S)	8.630	PPM	Low
8.	Available Zinc (Zn)	0.55	PPM	Low
9.	Available Boron (B)	0.468	PPM	Sufficient
10.	Available Iron (Fe)	6.06	PPM	Sufficient
11.	Available Manganese (Mn)	2.94	PPM	Sufficient
12.	Available Copper (Cu)	0.41	PPM	Sufficient

Recommendations regarding Secondary and Micronutrients

S. No.	Parameter	Recommendations Based on Soil Testing
1.	Sulfur (S)	
2.	Zinc (Zn)	
3.	Boron (B)	

1090

4.	Iron (Fe)	
5.	Manganese (Mn)	
6.	Copper (Cu)	
General Recommendations		
1.	Organic Fertilizer	
2.	Bio Fertilizers	
3.	Lime / Gypsum	

International Year of Soils 2015
 Healthy Soils for a Healthy Life

Fertilizer Recommendations for Reference Crop (with Organic Fertilizer)						
S. No.	Crop and Variety	Reference Crop	Fertilizer Combination for N.P.K. - 1		Fertilizer Combination for N.P.K. - 2	
			Fertilizer Name	Quantity (kg)	Fertilizer Name	Quantity (kg)
1.						
2.						
3.						

4.						
5.						
6.						

For more information, please contact the Farmer Call Center at the toll-free number 1800-180-1551.

For specific information, please contact the local staff/officials of the Agriculture Department or visit the Agriculture Department's website at agriculture.up.nic.in.

Publisher: Bureau, Agriculture Department, 9, University Road, Lucknow.

Signature
Chairman, Laboratory

कृषि एवं सहकारिता विभाग
कृषि एवं किसान कल्याण मंत्रालय
भारत सरकार

कृषि विभाग, उत्तर प्रदेश

मृदा स्वास्थ्य कार्ड

मृदा स्वास्थ्य कार्ड संख्या: 81

किसान का नाम: **विष्णु शर्मा**
वैधता: **2024** से **2025** तक

द्वितीयक एवं सुदृढ पोषक तत्वों संबंधी सिफारिशें

क्रमांक	पैरामीटर	मृदा परीक्षण के आधार पर संस्तुति
1	सल्फर (S)	
2	जिंक (Zn)	
3	बोरॉन (B)	
4	ऑयरेन (Fe)	
5	मैगनीज (Mn)	
6	कॉपर (Cu)	

General Recommendations

1	जैविक खाद
2	जैव उर्वरक
3	चूना / जिप्सम

International Year of Soils 2015

Healthy Soils for a Healthy Life

मृदा स्वास्थ्य कार्ड

प्रयोगशाला का नाम: **जलपद स्तरीय मृदा परीक्षण प्रयोगशाला**
राजगुरु

किसान का विवरण

नाम: **विष्णु शर्मा**

पता: **राजगुरु**

ग्राम: **राजगुरु**

उप-जिला/तहसील: **राजगुरु**

जिला: **राजगुरु**

पिन कोड: **राजगुरु**

आधार संख्या: **राजगुरु**

मोबाइल संख्या: **9761937222**

मृदा नमूना विवरण

मृदा नमूना संख्या: **राजगुरु**

नमूना एकत्र करने की तिथि: **राजगुरु**

सर्व संख्या/ग्रिड सं.: **राजगुरु**

खसरा संख्या/ **राजगुरु**

खेत का क्षेत्रफल: **राजगुरु**

भू-स्थिति (GPS) अक्षांश: **राजगुरु** देशांतर: **राजगुरु**

सिंचित भूमि/वर्षा सिंचित भूमि: **राजगुरु**

मृदा परीक्षण परिणाम

क्रमांक	पैरामीटर	परिणाम	इकाई	आकलन/श्रेणी
1	पी एच (pH)	6.8		सामान्य
2	ई सी (EC)	0.174	dsm ⁻¹	सामान्य
3	जीविक कार्बन (OC)	0.70	%	मध्यम
4	उपलब्ध नाइट्रोजन (N)	157.5	kg/ha	मध्यम
5	उपलब्ध फास्फोरस (P)	86.88	kg/ha	उच्च
6	उपलब्ध पोटेशियम (K)	808.8	kg/ha	मध्यम
7	उपलब्ध सल्फर (S)	7.315	ppm	कम
8	उपलब्ध जिंक (Zn)	0.54	ppm	कम
9	उपलब्ध बोरॉन (B)	0.319	ppm	कम
10	उपलब्ध ऑयरेन (Fe)	4.57	ppm	कम
11	उपलब्ध मैगनीज (Mn)	3.05	ppm	कम
12	उपलब्ध कॉपर (Cu)	0.53	ppm	कम

संदर्भ उपज के लिए उर्वरक सिफारिशें (जैविक खाद के साथ)

क्रमांक	फसल व किरम	संदर्भ उपज	एन.पी.के. के लिए उर्वरक संयोजन-1		एन.पी.के. के लिए उर्वरक संयोजन-2	
			उर्वरक का नाम	मात्रा किग्रा.	उर्वरक का नाम	मात्रा किग्रा.
1						
2						
3						
4						
5						
6						

कृपया अधिक जानकारी हेतु किसान कॉल सेंटर के निःशुल्क हॉट लीन नं. 1800-180-1551 पर सम्पर्क करें।

विशेष जानकारी हेतु कृषि विभाग के स्थानीय कर्मचारी/अधिकारी से सम्पर्क करें अथवा कृषि विभाग की वेबसाइट agriculture.up.nic.in देखें।

प्रकाशक : ब्यूरो, कृषि विभाग, 9, विश्वविद्यालय मार्ग, लखनऊ

हरस्ताक्षर
अध्यक्ष प्रयोगशाला

1093

4

SatyamevJayate

Department of Agriculture & Cooperation Agriculture Department, Uttar Pradesh

Ministry of Agriculture & Farmers Welfare

Government of India

Soil Health Card

Soil Health Card Number: 81

Farmer's Name: Vikash s/o S.B. Saxena

Validity:2024 to 2025

Soil Health Card

Farmer's Details

Name	Vikash
Address	
Village	

1094

Sub-District/Tehsil	Sadar		
District	Rampur		
Pin Code			
Aadhar No.			
Mobile No.	9761937222		
Soil Sample Details			
Soil Sample Number			
Date of Sample Collection			
Survey Number/Grid No.			
Khasra Number			
Field Area			
Land Location (GPS)	Latitude:	Longitude:	
Irrigated Land / Rainfed Land			

Name of the Laboratory	District-Level Soil Testing Laboratory, Rampur
------------------------	--

Soil Testing Results				
S. No.	Parameter	Result	Unit	Assessment/Category

1.	pH	6.9		Normal
2.	EC	0.174	xx	Normal
3.	Organic Carbon (OC)	0.70	%	Medium
4.	Available Nitrogen (N)	157.5	Kg/ha	Medium
5.	Available Phosphorus (P)	26.88	Kg/ha	High
6.	Available Potassium (K)	268.8	Kg/ha	Medium
7.	Available Sulfur (S)	7.315	PPM	Low
8.	Available Zinc (Zn)	0.54	PPM	Low
9.	Available Boron (B)	0.319	PPM	Sufficient
10.	Available Iron (Fe)	4.57	PPM	Sufficient
11.	Available Manganese (Mn)	3.05	PPM	Sufficient
12.	Available Copper (Cu)	0.53	PPM	Sufficient

Recommendations regarding Secondary and Micronutrients

S. No.	Parameter	Recommendations Based on Soil Testing
1.	Sulfur (S)	
2.	Zinc (Zn)	
3.	Boron (B)	

4.	Iron (Fe)	
5.	Manganese (Mn)	
6.	Copper (Cu)	
General Recommendations		
1.	Organic Fertilizer	
2.	Bio Fertilizers	
3.	Lime / Gypsum	

International Year of Soils 2015
 Healthy Soils for a Healthy Life

Fertilizer Recommendations for Reference Crop (with Organic Fertilizer)						
S. No.	Crop and Variety	Reference Crop	Fertilizer Combination for N.P.K. - 1		Fertilizer Combination for N.P.K. - 2	
			Fertilizer Name	Quantity (kg)	Fertilizer Name	Quantity (kg)
1.						
2.						
3.						

4.						
5.						
6.						

For more information, please contact the Farmer Call Center at the toll-free number 1800-180-1551.

For specific information, please contact the local staff/officials of the Agriculture Department or visit the Agriculture Department's website at agriculture.up.nic.in.

Publisher: Bureau, Agriculture Department, 9, University Road, Lucknow.

Signature

Chairman, Laboratory

कृषि एवं सहकारिता विभाग
कृषि एवं किसान कल्याण मंत्रालय
भारत सरकार

कृषि विभाग, उत्तर प्रदेश

मृदा स्वास्थ्य कार्ड

मृदा स्वास्थ्य कार्ड संख्या: 80

किसान का नाम R.S. मजूमदार
वैधता 2024 से 2025 तक


द्वितीयक एवं सूक्ष्म पोषक तत्वों संबंधी सिफारिशें

क्रमांक	पैरामीटर	मृदा परीक्षण के आधार पर संस्तुति
1	सल्फर (S)	
2	जिंक (Zn)	
3	बोरॉन (B)	
4	ऑयन (Fe)	
5	मैंगनीज (Mn)	
6	कॉपर (Cu)	

General Recommendations

1	जैविक खाद
2	जैव उर्वरक
3	चूना / जिप्सम

International Year of Soils 2015



Healthy Soils for a Healthy Life

मृदा स्वास्थ्य कार्ड

प्रयोगशाला का नाम जगत प्रदीप कृषि मृदा परीक्षण-पुणे शाला
रायपुर

किसान का विवरण

नाम R.S. मजूमदार
पता रायपुर
ग्राम रायपुर
उप-जिला/तहसील रायपुर
जिला रायपुर
पिन कोड
आधार संख्या
मोबाइल संख्या 9917536000

मृदा नमूना विवरण

मृदा नमूना संख्या
नमूना एकत्र करने की तिथि
सर्व संख्या/ग्रिड सं.
खसरा संख्या/
खेत का क्षेत्रफल
भू-स्थिति (GPS) अक्षांश: देशांतर :
सिंचित भूमि/वर्षा सिंचित भूमि


मृदा परीक्षण परिणाम

क्रमांक	पैरामीटर	परिणाम	इकाई	आकलन/श्रेणी
1	पी एच (pH)	6.8		सामान्य
2	ई सी (EC)	0.126	ds/m ²	सामान्य
3	जीविक कार्बन (OC)	0.85	%	उच्च
4	उपलब्ध नाइट्रोजन (N)	191.25	kg/ha	मध्यम
5	उपलब्ध फास्फोरस (P)	81.96	kg/ha	उच्च
6	उपलब्ध पोटैशियम (K)	891.2	kg/ha	उच्च
7	उपलब्ध सल्फर (S)	7.588	ppm	कम
8	उपलब्ध जिंक (Zn)	0.47	ppm	कम
9	उपलब्ध बोरॉन (B)	0.443	ppm	पर्याप्त
10	उपलब्ध ऑयन (Fe)	5.76	ppm	पर्याप्त
11	उपलब्ध मैंगनीज (Mn)	8.92	ppm	पर्याप्त
12	उपलब्ध कॉपर (Cu)	0.72	ppm	पर्याप्त

संदर्भ उपज के लिए उर्वरक सिफारिशें (जैविक खाद के साथ)

क्रमांक	फसल व किस्म	संदर्भ उपज	एन.पी.के. के लिए उर्वरक संयोजन-1		एन.पी.के. के लिए उर्वरक संयोजन-2	
			उर्वरक का नाम	मात्रा किग्रा.	उर्वरक का नाम	मात्रा किग्रा.
1						
2						
3						
4						
5						
6						

कृपया अधिक जानकारी हेतु किसान कॉल सेंटर के निःशुल्क टोल फ्री नं. 1800-180-1551 पर सम्पर्क करें।
विशेष जानकारी हेतु कृषि विभाग के स्थानीय कर्मचारी/अधिकारी से सम्पर्क करें अथवा कृषि विभाग की वेबसाइट agriculture.up.nic.in देखें।
प्रकाशक : थ्यूरो, कृषि विभाग, 9, विश्वविद्यालय मार्ग, लखनऊ


हस्ताक्षर
अध्यक्ष प्रयोगशाला

1099

5

SatyamevJayate

Department of Agriculture & Cooperation Agriculture Department, Uttar Pradesh

Ministry of Agriculture & Farmers Welfare

Government of India

Soil Health Card

Soil Health Card Number: 80

Farmer's Name: R.S. Bhatnagar

Validity:2024 to 2025

Soil Health Card

Farmer's Details

Name	R.S. Bhatnagar
Address	Tashka
Village	Tashka
Sub-District/Tehsil	Sadar

1100

District	Rampur		
Pin Code			
Aadhar No.			
Mobile No.	9917536000		
Soil Sample Details			
Soil Sample Number			
Date of Sample Collection			
Survey Number/Grid No.			
Khasra Number			
Field Area			
Land Location (GPS)	Latitude:	Longitude:	
Irrigated Land / Rainfed Land			

Name of the Laboratory	District-Level Soil Testing Laboratory, Rampur			
Soil Testing Results				
S. No.	Parameter	Result	Unit	Assessment/Category
1.	pH	6.8		Normal

1101

2.	EC	0.126	xx	Normal
3.	Organic Carbon (OC)	0.85	%	High
4.	Available Nitrogen (N)	191.25	Kg/ha	Medium
5.	Available Phosphorus (P)	31.36	Kg/ha	High
6.	Available Potassium (K)	291.2	Kg/ha	High
7.	Available Sulfur (S)	7.588	PPM	Low
8.	Available Zinc (Zn)	0.47	PPM	Low
9.	Available Boron (B)	0.449	PPM	Sufficient
10.	Available Iron (Fe)	5.76	PPM	Sufficient
11.	Available Manganese (Mn)	2.92	PPM	Sufficient
12.	Available Copper (Cu)	0.72	PPM	Sufficient

Recommendations regarding Secondary and Micronutrients

S. No.	Parameter	Recommendations Based on Soil Testing
1.	Sulfur (S)	
2.	Zinc (Zn)	
3.	Boron (B)	
4.	Iron (Fe)	

1102

5.	Manganese (Mn)	
6.	Copper (Cu)	
General Recommendations		
1.	Organic Fertilizer	
2.	Bio Fertilizers	
3.	Lime / Gypsum	

International Year of Soils 2015
 Healthy Soils for a Healthy Life

Fertilizer Recommendations for Reference Crop (with Organic Fertilizer)						
S. No.	Crop and Variety	Reference Crop	Fertilizer Combination for N.P.K. - 1		Fertilizer Combination for N.P.K. - 2	
			Fertilizer Name	Quantity (kg)	Fertilizer Name	Quantity (kg)
1.						
2.						
3.						
4.						

1103

5.						
6.						

For more information, please contact the Farmer Call Center at the toll-free number 1800-180-1551.

For specific information, please contact the local staff/officials of the Agriculture Department or visit the Agriculture Department's website at agriculture.up.nic.in.

Publisher: Bureau, Agriculture Department, 9, University Road, Lucknow.

Signature

Chairman, Laboratory



RKL / SR. VP(P)/ 679

06.10.2023

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
Delhi- 110032

SUB.: - Details of Grain, Molasses & Malt Alcohol Production, spent wash generation, Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost and Up Stream & Down Stream analysis report Sep.-2023

Dear Sir,

In compliance of CPCB Directives vide letter no. B-190198 / NGBRA (RG) / CPCB / Distillery / 21 / 2016-17 dated 2nd June, 2017, Please find enclosed under cover of this letter details of , Alcohol production , spent wash generation , Details of MEE operations , mass flow meter reading connected with CPCB server , Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost, Up Stream & Down Stream analysis report for the month of Sep.-2023 for our unit Radico Khaitan Ltd., Rampur. We understand the same is in line with your requirement.

Kindly acknowledge the receipt.

Thanking you,
With regards,

For RADICO KHAITAN LIMITED, RAMPUR

Devendra Singh
Senior Vice President (P)

- CC:-
1. Member Secretary, U.P. Pollution Control Board, Building No TC-12V, Pick Up Bhawan, Vibhuti Khand, Gomati Nagar, LUCKNOW – 226010
 2. Regional Officer, UPPCB, 1-A/ INS-1, Avas Vikas Colony Buddhi vihar, Delhi Road - Moradabad U.P
 3. NGRBA Cell CPCB, Water Quality Management-II Division, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Shahdara, Delhi - 110032

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P)

Tel : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350009

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,

Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42, 41676718 (Exports)

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L26941UP1983PLC027278



GLOBAL ENVIRO Laboratories

PLOT NO. 4, KHASRA NO. 45, OPPOSITE SHREE MANAN DHAM TEMPLE,
8TH K.M. MILE STONE, INDUSTRIAL AREA, MEERUT ROAD, GHAZIABAD -201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116
E-mail : global_enviro@rediffmail.com, globalenvirolab@gmail.com

TEST REPORT

ISSUED TO	:	M/S. RADICO KHAITAN LTD. BAREILLY ROAD, RAMPUR, UTTAR PRADESH, INDIA.
Sample Identification No.	:	OM-230914/001
Test Report No.	:	GEL-2309/6858
Date of Issue	:	19.09.2023
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-01/OM
Type of Sample	:	ORAGNIC MANURE
Sampling Date	:	14.09.2023
Sampling by	:	GEL STAFF
Date of Sample Receipt	:	14.09.2023
Sample Condition	:	SEALED
Analysis Duration	:	14.09.2023 To 18.09.2023

ORGANIC MANURE SAMPLE ANALYSIS RESULTS

S.No.	PARAMETER	Unit	Results	STANDARD as per Fertilizer (Control) Order 1985(4th amended, Dt. 10.10.2015)
1	Moisture	% by weight	24.5	30-40
2	Particle Size (% materials pass through 4.0mm IS Sieve)	%	92.8	(minimum 90% materials pass through 4.0 mm IS Sieve)
3	Bulk Density	g/m ³	0.875	< 1.0
4	Total Viable Count (N,P,K and Zn bacteria)	count	5.79 10 ⁷	5.0 x 10 ⁶ (within 3 month from date of manufacture)
5	Total Organic Carbon (TOC)	% by weight	18	14.0 (minimum)
6	Total Nitrogen (as N)	% by weight	1.2	0.8 (minimum)
7	Total Phosphates (as P ₂ O ₅)	% by weight	1.5	0.5 (minimum)
8	Total Potash(as K ₂ O)	% by weight	2.8	0.8 (minimum)
9	NPK Nutrients(Total of N, P ₂ O ₅ , and K ₂ O)	% by weight	4.8	Should not be less than 3 %
10	C: N Ratio	-	18.5:1	< 18
11	pH	-	7.40	6.5-8.0
12	Conductivity	dSm-1	2.7	Not more than 4.0
13	Arsenic (as As ₂ O ₃)	mg/kg	BDL (DL=0.2)	10.00 (maximum)
14	Cadmium (as Cd)	mg/kg	BDL (DL=0.02)	5.00 (maximum)
15	Chromium(as Cr)	mg/kg	BDL (DL=0.05)	50.00 (maximum)
16	Copper (as Cu)	mg/kg	16	300.00 (maximum)
17	Mercury (as Hg)	mg/kg	BDL (DL=0.01)	0.15 (maximum)
18	Nickel (as Ni)	mg/kg	4	50.00 (maximum)
19	Lead (as Pb)	mg/kg	BDL (DL=0.02)	100.00 (maximum)
20	Zinc (as Zn)	mg/kg	58	1000.00 (maximum)


(Checked By)

INTEKHAB KHAN (Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after 15 days of sampling.
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

Global Enviro Laboratories
SHIKHA BHATIYA
(Authorized Signatory)
Ghaziabad

END OF REPORT



(Accept)

RSL SRVPD/016

Radico

08.11.2023

The Chairman,
Central Pollution Control Board,
Paryesh Bhawan, East Arjun Nagar,
Delhi - 110032

Subject: Details of Grain, Molasses & Malt Alcohol Production, spent wash generation, Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost and Up Stream & Down Stream analysis report Oct.-2023

Dear Sir,

In compliance of CPCB Directives vide letter no. B-190198 / NGBRA (RG) / CPCB / Distillery 21-2016-17 dated 2nd June, 2017. Please find enclosed under cover of this letter details of Alcohol production, spent wash generation, Details of MEE operations, mass flow meter reading connected with CPCB server, Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost, Up Stream & Down Stream analysis report for the month of Oct.-2023 for our unit Radico Khaitan Ltd., Rampur. We understand the same is in line with your requirement.

Kindly acknowledge the receipt.

Thanking you,
With regards,

For RADICO KHAITAN LIMITED, RAMPUR

Devendra Singh
Senior Vice President (P)

CC:- 1. Member Secretary, U.P. Pollution Control Board, Building No. TC-12V, Picket Up Bhawan, Vibhuti Khand, Gomati Nagar, Lucknow - 226010

2. Regional Officer, UPPCB, 1-A/INS-1, Avas Vikas Colony Buddhi vihar, Delhi Road - Moradabad U.P

3. NGRBA Cell CPCB, Water Quality Management-II Division, Central Pollution Control Board, Paryesh Bhawan, East Arjun Nagar, Shahdara, Delhi - 110032

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Head Office - Bareilly Road, Rampur - 244901 (UP)

tel : 05202 472004-472000/555 Fax : (0520) 2350009

Head Office - Plot No. 13 Block B-1 Mohan Co op Industrial Area,

Maharaja Road, New Delhi - 110044

tel : (01 11) 41675400/4167500/555 Fax : (01 11) 41675611-32 41675718 (export)

e-mail : info@radico.com

website : www.radico.com

REG. NO. 126841UP/1993/1/02/270



JOIN HANDS TO SAVE ENVIRONMENT

PLOT NO. 4, KHASRA NO. 45, OPPOSITE SHREE MANAN DHAM TEMPLE,
8TH K.M. MILE STONE, INDUSTRIAL AREA, MEERUT ROAD, GHAZIABAD -201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116
E-mail : global_enviro@rediffmail.com, globalenvirolab@gmail.com
MoEF&CC Recognized Environmental Laboratory

TEST REPORT

ISSUED TO	:	M/S. RADICO KHAITAN LTD. BAREILLY ROAD, RAMPUR, UTTAR PRADESH, INDIA.
Sample Identification No.	:	OM-231014/001
Test Report No.	:	GEL-2310/7382
Date of Issue	:	19.10.2023
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-01/OM
Type of Sample	:	ORGANIC MANURE
Sampling Date	:	14.10.2023
Sampling by	:	GEL STAFF
Date of Sample Receipt	:	14.10.2023
Sample Condition	:	SEALED
Analysis Duration	:	14.10.2023 To 19.10.2023

ORGANIC MANURE SAMPLE ANALYSIS RESULTS

S.No.	PARAMETER	Unit	Results	STANDARD as per Fertilizer (Control) Order, 1985(4th amended, Dt. 10.10.2015)
1	Moisture	% by weight	24.8	30-40
2	Particle Size (% materials pass through 4.0mm IS Sieve)	%	91.6	(minimum 90% materials pass through 4.0 mm IS Sieve)
3	Bulk Density	g/m ³	0.825	< 1.0
4	Total Viable Count (N,P,K and Zn bacteria)	count	4.12 x 10 ⁷	5.0 x 10 ⁶ (within 3 month from date of manufacture)
5	Total Organic Carbon (TOC)	% by weight	16	14.0 (minimum)
6	Total Nitrogen (as N)	% by weight	1.6	0.8 (minimum)
7	Total Phosphates (as P ₂ O ₅)	% by weight	1.2	0.5 (minimum)
8	Total Potash (as K ₂ O)	% by weight	1.8	0.8 (minimum)
9	NPK Nutrients (Total of N, P ₂ O ₅ , and K ₂ O)	% by weight	4.6	Should not be less than 3 %
10	C: N Ratio	-	10:1	< 18
11	pH	-	7.15	6.5-8.0
12	Conductivity	dSm-1	2.9	Not more than 4.0
13	Arsenic (as As ₂ O ₃)	mg/kg	BDL (DL=0.2)	10.00 (maximum)
14	Cadmium (as Cd)	mg/kg	BDL (DL=0.02)	5.00 (maximum)
15	Chromium (as Cr)	mg/kg	BDL (DL=0.05)	50.00 (maximum)
16	Copper (as Cu)	mg/kg	21	300.00 (maximum)
17	Mercury (as Hg)	mg/kg	BDL (DL=0.01)	0.15 (maximum)
18	Nickel (as Ni)	mg/kg	6	50.00 (maximum)
19	Lead (as Pb)	mg/kg	BDL (DL=0.02)	100.00 (maximum)
20	Zinc (as Zn)	mg/kg	626	1000.00 (maximum)


(Checked By)

INTEKHAB KHAN (Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after 15 days of sampling.
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

END OF REPORT

SHIKHA BHATIYA
(Authorized Signatory)



(Office copy)

RKL / SR. VP(P)/ 690



07.12.2023

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
Delhi- 110032

SUB.: - Details of Grain, Molasses & Malt Alcohol Production, spent wash generation, Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost and Up Stream & Down Stream analysis report Nov.-2023


Dear Sir,

In compliance of CPCB Directives vide letter no. B-190198 / NGBRA (RG) / CPCB / Distillery / 21 / 2016-17 dated 2nd June. 2017, Please find enclosed under cover of this letter details of , Alcohol production , spent wash generation , Details of MEE operations , mass flow meter reading connected with CPCB server , Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost, Up Stream & Down Stream analysis report for the month of Nov.-2023 for our unit Radico Khaitan Ltd., Rampur. We understand the same is in line with your requirement.

Kindly acknowledge the receipt.

Thanking you,
With regards,

For RADICO KHAITAN LIMITED, RAMPUR


Devendra Singh
Senior Vice President (P)

- CC:-
1. Member Secretary, U.P. Pollution Control Board, Building No TC-12V, Pick Up Bhawan, Vibhuti Khand, Gomati Nagar, LUCKNOW – 226010
 2. Regional Officer, UPPCB, 1-A/ INS-1, Avasth Vikas Colony Buddhi vihar, Delhi Road - Moradabad U.P
 3. NGRBA Cell CPCB, Water Quality Management-II Division, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Shahdara, Delhi - 110032

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P.)

Tel. : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350009

Head Office : Plot No J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42, 41676718 (Exports)

e-mail : info@radico.co.in

website : www.radicoKhaitan.com

CIN No. L26941UP1983PLC027278



1109 GLOBAL ENVIRO Laboratories

PLOT NO. 4, KHASRA NO. 45, OPPOSITE SHREE MANAN DHAM TEMPLE,
8TH K.M. MILE STONE, INDUSTRIAL AREA, MEERUT ROAD, GHAZIABAD -201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116
E-mail : global_enviro@rediffmail.com, globalenvirolab@gmail.com
MoEF&CC Recognized Environmental Laboratory

TEST REPORT

ISSUED TO	:	M/S. RADICO KHAITAN LTD. BAREILLY ROAD, RAMPUR, UTTAR PRADESH, INDIA.
Sample Identification No.	:	OM-231118/001
Test Report No.	:	GEL-2311/8390
Date of Issue	:	28.11.2023
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-01/OM
Type of Sample	:	ORGANIC MANURE
Sampling Date	:	18.11.2023
Sampling by	:	GEL STAFF
Date of Sample Receipt	:	18.11.2023
Sample Condition	:	SEALED
Analysis Duration	:	18.11.2023 To 23.11.2023

ORGANIC MANURE SAMPLE ANALYSIS RESULTS

S.No.	PARAMETER	Unit	Results	STANDARD as per Fertilizer (Control) Order 1985(4th amended, Dt. 10.10.2015)
1	Moisture	% by weight	24.2	30-40
2	Particle Size (% materials pass through 4.0mm IS Sieve)	%	92.3	(minimum 90% materials pass through 4.0 mm IS Sieve)
3	Bulk Density	g/m ³	0.845	< 1.0
4	Total Viable Count (N,P,K and Zn bacteria)	count	3.60 x 10 ⁷	5.0 x 10 ⁶ (within 3 month from date of manufacture)
5	Total Organic Carbon (TOC)	% by weight	18	14.0 (minimum)
6	Total Nitrogen (as N)	% by weight	1.4	0.8 (minimum)
7	Total Phosphates (as P ₂ O ₅)	% by weight	1.3	0.5 (minimum)
8	Total Potash(as K ₂ O)	% by weight	1.6	0.8 (minimum)
9	NPK Nutrients(Total of N, P ₂ O ₅ , and K ₂ O)	% by weight	4.3	Should not be less than 3 %
10	C: N Ratio	-	12.8:1	< 18
11	pH	-	7.12	6.5-8.0
12	Conductivity	dSm-1	3.2	Not more than 4.0
13	Arsenic (as As ₂ O ₃)	mg/kg	BDL (DL=0.2)	10.00 (maximum)
14	Cadmium (as Cd)	mg/kg	BDL (DL=0.02)	5.00 (maximum)
15	Chromium(as Cr)	mg/kg	BDL (DL=0.05)	50.00 (maximum)
16	Copper (as Cu)	mg/kg	24	300.00 (maximum)
17	Mercury (as Hg)	mg/kg	BDL (DL=0.01)	0.15 (maximum)
18	Nickel (as Ni)	mg/kg	8	50.00 (maximum)
19	Lead (as Pb)	mg/kg	BDL (DL=0.02)	100.00 (maximum)
20	Zinc (as Zn)	mg/kg	610	1000.00 (maximum)

(Checked By)

INTEKHAB KHAN (Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after 15 days of sampling.
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.

ARVIND KUMAR
(Authorized Signatory)

END OF REPORT



RKL / SR. VP(P)/ 763,

09.01.2024

To,

The Chairman,
Central Pollution Control Board,
Parivesh Bhawan, East Arjun Nagar,
Delhi- 110032

SUB.: - Details of Grain, Molasses & Malt Alcohol Production, spent wash generation, Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost and Up Stream & Down Stream analysis report Dec.-2023

Dear Sir,

In compliance of CPCB Directives vide letter no . B-190198 / NGBRA (RG) / CPCB / Distillery / 21 / 2016-17 dated 2nd June. 2017, Please find enclosed under cover of this letter details of , Alcohol production , spent wash generation , Details of MEE operations , mass flow meter reading connected with CPCB server , Press Mud Procurement, Sale of Bio-Compost, Quality of Bio-Compost, Up Stream & Down Stream analysis report for the month of Dec.-2023 for our unit Radico Khaitan Ltd., Rampur. We understand the same is in line with your requirement.

Kindly acknowledge the receipt.

Thanking you,
With regards,

For RADICO KHAITAN LIMITED, RAMPUR

Devendra Singh
Senior Vice President (P)

CC:- 1. Member Secretary, U.P.Pollution Control Board, Building No TC-12V, Pick Up Bhawan, Vibhuti Khand , Gomati Nagar , LUCKNOW – 226010

2. Regional Officer, UPPCB, 1-A/ INS-1, Avas Vikas Colony Buddhi vihar, Delhi Road - Moradabad U.P

3. NGRBA Cell CPCB, Water Quality Management-II Division, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Shahdara, Delhi - 110032

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P.)

Tel. : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350009

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,

Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42, 41676718. (Exports)

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L26941UP1983PLC027278



GLOBAL ENVIRO Laboratories

PLOT NO. 4, KHASRA NO. 45, OPPOSITE SHREE MANAN DHAM TEMPLE,
8TH K.M. MILE STONE, INDUSTRIAL AREA, MEERUT ROAD, GHAZIABAD -201003 (U.P.)
MOBILE : +91-9810317145, +91-8826028116
E-mail : global_enviro@rediffmail.com, globalenvirolab@gmail.com
MoEF&CC Recognized Environmental Laboratory

TEST REPORT

ISSUED TO	:	M/S. RADICO KHAITAN LTD. BAREILLY ROAD, RAMPUR, UTAR PRADESH, INDIA.
Sample Identification No.	:	OM-231223/001
Test Report No.	:	GEL-2312/9805
Date of Issue	:	28.12.2023
Testing Location	:	PERMANENT FACILITY
Sampling Method	:	GEL/SOP-01/OM
Type of Sample	:	ORGANIC MANURE
Sampling Date	:	23.12.2023
Sampling by	:	GEL STAFF
Date of Sample Receipt	:	23.12.2023
Sample Condition	:	SEALED
Analysis Duration	:	23.12.2023 To 27.12.2023

ORGANIC MANURE SAMPLE ANALYSIS RESULTS

S.No.	PARAMETER	Unit	Results	STANDARD as per Fertilizer (Control) Order 1985(4th amended, Dt. 10.10.2015)
1	Moisture	% by weight	22.5	30-40
2	Particle Size (% materials pass through 4.0mm IS Sieve)	%	90.5	(minimum 90% materials pass through 4.0 mm IS Sieve)
3	Bulk Density	g/m ³	0.847	< 1.0
4	Total Viable Count (N,P,K and Zn bacteria)	count	3.67 x 10 ⁷	5.0 x 10 ⁶ (Within 3 month from date of manufacture)
5	Total Organic Carbon (TOC)	% by weight	16	14.0 (minimum)
6	Total Nitrogen (as N)	% by weight	1.5	0.8 (minimum)
7	Total Phosphates (as P ₂ O ₅)	% by weight	1.2	0.5 (minimum)
8	Total Potash (as K ₂ O)	% by weight	1.5	0.8 (minimum)
9	NPK Nutrients (Total of N, P ₂ O ₅ , and K ₂ O)	% by weight	4.2	Should not be less than 3%
10	C: N Ratio	-	10.6:1	< 18
11	pH	-	7.16	6.5-8.0
12	Conductivity	dSm-1	3.5	Not more than 4.0
13	Arsenic (as As ₂ O ₃)	mg/kg	BDL (DL=0.2)	10.00 (maximum)
14	Cadmium (as Cd)	mg/kg	BDL (DL=0.02)	5.00 (maximum)
15	Chromium (as Cr)	mg/kg	BDL (DL=0.05)	50.00 (maximum)
16	Copper (as Cu)	mg/kg	26	300.00 (maximum)
17	Mercury (as Hg)	mg/kg	BDL (DL=0.01)	0.15 (maximum)
18	Nickel (as Ni)	mg/kg	9	50.00 (maximum)
19	Lead (as Pb)	mg/kg	BDL (DL=0.02)	100.00 (maximum)
20	Zinc (as Zn)	mg/kg	612	1000.00 (maximum)


(Checked By)

INTEKHAB KHAN (Technical Manager)

- Note:
1. The results listed refer only to the tested samples and applicable parameters.
 2. The samples will be destroyed after 15 days of sampling.
 3. This report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
 4. Subject to Ghaziabad Jurisdiction only.


SHIKHA BHATIYA
(Authorized Signatory)



END OF REPORT

1112

16-10-2024

ANNEXURE- 13







मैसेर्स ब्रदर्स ब्रिक क्लिन

दिनांक : 16.10.2024

ग्राम -लाला नगला ;तहसील -बिलासपुर

जनपद- रामपुर (उत्तर प्रदेश)

विषय- रेडिको खेतान रामपुर द्वारा आपके भट्टे को फलाई ऐश सप्लाई के सम्बन्ध में !


महोदय ,

जैसा के आपको विदित है की रेडिको खेतान लिमिटेड ,रामपुर शहर में स्थापित डिस्टिलरी है। हमारी डिस्टिलरी में प्लांट चलने के लिए बायलर लगाए गए है। हमारे बायलर से निकलने वाली फलाई ऐश को हम आपके भट्टे में प्रयोग हेतु सप्लाई करना चाहते है।

टेलीफोन पर हुई वार्ता के क्रम में कृपया इस फलाई ऐश को आपके द्वारा लिए जाने के सम्बन्ध में आपकी शर्ता एवं आवश्यक विमर्श हेतु हमें सूचित करने का कष्ट करे।

धन्यवाद,

कृते रेडिको खेतान लिमिटेड ,


प्राधिकृत अधिकारी

Radico Khaitan Limited

ISO 9001 : 2015 & 22000 : 2018 Certified Company

Regd. Office : Bareilly Road, Rampur-244901 (U.P.)

Tel. : EPABX (0595) 2350601, 2350602, Fax : (0595) 2350009

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42, 41676718 (Exports)

e-mail : info@radico.co.in

website : www.radico.khaitan.com

CIN No. L26941UP1983PLC027278

1115

Translation

Annexure-14

Radico

M/s Brothers Brick Kiln

Date: 16.10.2024

Village – Lala Nagla; Tehsil - Bilaspur

District - Rampur (Uttar Pradesh)

Subject: Regarding the Supply of Fly Ash to Your Brick Kiln by RadicoKhaitan, Rampur

Sir,

As you are aware, Radico Khaitan Limited is an established distillery located in the city of Rampur. Boilers have been installed in our distillery to operate the plant. We intend to supply the fly ash generated from our boilers for use in your brick kiln.

In continuation of our telephonic conversation, kindly inform us about your terms and any necessary discussions regarding the procurement of this fly ash by you.

Thank you,

For Radico Khaitan Limited,

Authorized Officer

Radico Khaitan Limited

ISO 9001: 2015 & 22000: 2018 Certified Company

Regd. Office: Bareilly Road, Rampur-244901 (U.P.)

Tel.: EPABX (0595) 2350601, 2350602, Fax: (0595) 2350009

Head Office: Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel: (91-11) 40975400/444/500/555,

Fax: (91-11) 41678841-42, 41676718 (Exports)

e-mail: info@radico.co.in

website: www.radicokhaitan.com

CIN No. L26941UP1983PLC027278

Deepak Singh

From: Deepak Singh
Sent: 20 November 2024 11:37
To: Consultant Judicial-NGT(P.B.); pradeepmisra@yahoo.com; balendushekhar@gmail.com; gigicgeorge.adv42@yahoo.in
Cc: Nandita Chauhan; Tijil Thakur; Sushil Dogra
Subject: NGT | OA No. 152 of 2022 | Ghanshyam Singh Pasi versus State of U.P & Ors.
Attachments: addi affidavit.pdf; APPLICATION.pdf

Dear Sir/Madam

Please find attached Additional Affidavit alongwith application for exemption that is being filed on behalf of Project Proponent/ Respondent (Radico Khaitan Private Limited) in OA 152 of 2022.

Please acknowledge the receipt.

Regards
Deepak Singh
Court Clerk
KHAITAN & CO
9911180884