

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH AT NEW DELHI**

ORIGINAL APPLICATION NO. 28 OF 2026

IN THE MATTER OF:

Mohid Shah

.... Applicant

Versus

Union of India & Ors.

.... Respondents

INDEX

SLNo.	PARTICULARS	PAGES
1.	Affidavit On Behalf of Respondentuttar Pradesh Pollution Control Board	1-8
2.	<u>ANNEXURE-1</u> True copy of the said affidavit	9-12
3.	<u>ANNEXURE-2</u> Copy of the refusal dated 18.07.2025 alongwith the copy of the recording on the portal	13-16
4.	<u>ANNEXURE-3</u> A true copy of the prescribed guideline	17-22
5.	<u>ANNEXURE-4</u> A true copy of the no objection certificate issued by the Divisional Director, Social Forestry Division, Saharanpur	23
6.	<u>ANNEXURE-5</u> A true copy of the report regarding the distance issued by the Irrigation Construction Division, Saharanpur	24-25
7.	<u>ANNEXURE-6</u> A true copy of the report of Lekhpal	26-27
8.	<u>ANNEXURE-7</u> A true copy of the license issued by the District Magistrate, Saharanpur	28
9.	<u>ANNEXURE-8</u> A true copy of the license issued by the District Magistrate, Saharanpur	29

10.	<u>Vakalatnama</u>	30
-----	--------------------	----

NEW DELHI
DATED: 10.04.2026



(PRADEEP MISRA & DALEEP DHYANI)

Counsel for U.P. Pollution Control Board

138, New Lawyers Chamber,

Supreme Court of India,

New Delhi-110001

(M.) 9810252518

Email: pradeepmisra@yahoo.com

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

ORIGINAL APPLICATION NO. 28 OF 2026

IN THE MATTER OF:

Mohid Shah

.... Applicant

Versus


Union of India & Ors.

.... Respondents

**AFFIDAVIT ON BEHALF OF THE UTTAR PRADESH
POLLUTION CONTROL BOARD**


I, Yogender Kumar aged about 50 years, S/o Shri Pyare Lal presently posted as Regional Officer, Uttar Pradesh Pollution Control Board (hereinafter referred to as UPPCB), Saharanpur do hereby solemnly affirm and state on oath as under:

1. That in the official capacity mentioned above, I am acquainted with the facts and circumstances of the case and as such I am competent and authorized to swear this affidavit on behalf of U.P. Pollution Control Board.
2. That by this Original Application (OA), the applicant has alleged that respondent no.7, stone crusher, is operating in violation of the sitting criteria and also it has operated previously without the requisite consent. The applicant has further alleged that the respondent no.7, stone crusher, has been set up in close proximity to the existing Mango, Guava



and Amla orchards at Village Nityanandpur, Tehsil Behat, District Saharanpur, Uttar Pradesh.

3. That the present matter was taken up before this Hon'ble Tribunal on 20.01.2026, upon considering the seriousness of the matter, this Hon'ble Tribunal was pleased to direct the respondents to file their replies by issuing the notice.
4. That it is most respectfully submitted that as per the office records, M/s Avisena Stones and Minerals Pvt. Ltd., situated at Khasra Nos. 42/1M, 43M, 44M, 38/2, 42/2, and 41, Village-Nityanandpur, Tehsil-Behat, District-Saharanpur, has been established since year 2011. The aforementioned stone crusher unit was previously a screening unit; upon its site being found to be in compliance with the Board's standards, the UPPCB has issued the initial 'Consent for Operation' under the Water and Air Acts—vide Reference No. 297/Consent (Water)/Order/2013 dated 31.05.2013 and Reference No. 468/Consent (Air)/Order/2013 dated 31.05.2013, respectively—the validity of which extended up to 31.12.2013.
5. That in light of the establishment of a stone crusher unit within the industrial premises, the aforementioned unit submitted an application for seeking a 'No Objection Certificate' (NOC) for expansion. Subsequently, as the said stone crusher unit was found to be in conformity with the prescribed guidelines, the UPPCB has issued a 'Consent for



Establishment' vide its letter Reference No. F30624/C-3/NOC-447/Saha/2013 dated 20.09.2013.

6. That it is further submitted that the industry utilizes River Bed Material as raw material—at a rate of 600 metric tonnes per day to produce Stone Grits, Dust, Gravel, and Coarse Sand, with a total output of 600 metric tonnes per day.
7. That the consent from the UPPCB was being obtained for the operation of the aforementioned stone crusher; the details of the Consent Orders issued by the Board are as follows:



- Consent for operation was issued vide State Board Reference No. 297(2)/Consent(Water)/Order/2014 dated 07.04.2014 and State Board Reference No. 498(2)/Consent(Air)/Order/2014 dated 07.04.2014, the validity period of which extended up to 31.12.2014.
- Consent for operation was issued vide State Board Reference No. 312/Consent(Water)/Order/528/15 dated 15.05.2015 and State Board Reference No. 440/Consent(Air)/Order/548/15 dated 15.05.2015, the validity period of which extended up to 31.12.2015.
- To the industry, vide Board Reference No.—49579/UPPCB/Saharanpur(UPPCBRO)/CTO/water/SAHARANPUR/2019 Date: 19-02-2019 and Board's reference no. 49576/UPPCB/Saharanpur (UPPCBRO)/CTO/air/SAHARANPUR/2019 Date: 19-02-2019 consent for operation was issued, the validity of which extended up to July 31, 2020.


- Consent to Operate was issued to the industry vide the Board's Reference No. —159741/UPPCB/Saharanpur (UPPCBRO)/ CTO/ both/ SAHARANPUR/2022 Date: 14-07-2022, the validity of which extended up to July 31, 2023.
- Currently, Consent to Operate has been issued to the industry vide the Board's Reference No. 246934/UPPCB/ Saharanpur(UPPCBRO)/CTO/both/SAHARANPUR/2025 Date: 04-08-2025, the validity of which extends up to July 31, 2028.



8. That the stone crusher has filed an affidavit before the Regional Officer, U.P. Pollution Control Board, Saharanpur stating that his stone crusher is closed on 2023 as no OTP has been granted. It was further stated in the said affidavit that he will start the operation of the stone crusher only after getting necessary permission. True copy of the said affidavit is being enclosed herewith and marked as **Annexure-1**.
9. That the stone crusher has applied consolidated consent to operate and authorization under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 and authorization under the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.
10. That on 04.07.2025 certain documents have been called from the project proponent. Thereafter on 18.07.2025 it is recorded that the Applicant Project Proponent has not

submitted reply of online query, hence Regional Officer recommended to reject the consent application. Thereafter, on 18.07.2025 itself the consent was refused. Copy of the refusal dated 18.07.2025 alongwith the copy of the recording on the portal is being enclosed herewith and marked as **Annexure-2**

11. That as per the office records, the prescribed guidelines applicable to the aforementioned stone crusher—issued by the UPPCB vide Letter No. G-07673/32/2010/2 dated 19.01.2010 (as amended on 19.04.2011)—contained the following key provision regarding the distance between a stone crusher and an orchard:



“The minimum distance between an orchard and a stone crusher, screening plant, or pulverizer unit shall be 1,500 meters in the East-West direction and 500 meters in the North-South direction. Here, ‘orchard’ refers to an orchard or a composite nursery having a minimum area of 2.5 acres and containing at least 100 fruit-bearing trees (Mango/Mixed). Furthermore, the guidelines of the District Council or the restrictions imposed by the local authority, whichever are more stringent—shall also apply.” (Annexure-1)

A true copy of the prescribed guideline is being annexed herewith and marked as **Annexure-3**.

12. That in consonance with the aforementioned prevailing guidelines, an inspection of the subject stone crusher was conducted on 29.05.2013 by the officials of UPPCB. During the inspection, the inspecting officials observed—in accordance with the prescribed guidelines regarding the distance from an orchard—that “there are no orchards meeting the prescribed standards within a distance of 1.5 km in the East-West direction and 500 meters in the North-South direction.” Subsequently, upon finding the said stone crusher to be in compliance with the prescribed guidelines, a report containing recommendations was forwarded to the Board Headquarters; thereafter, in the year 2013, the Board Headquarters issued the ‘Consent for Establishment’ to the unit.




13. That in accordance with the prescribed guidelines, and prior to its establishment, the aforementioned stone crusher unit has obtained a No Objection Certificate (NOC) regarding the distance from the nearest Reserved Forest from the Divisional Director, Social Forestry Division, Saharanpur, as well as a report regarding the distance from the nearest river from the Office of the Executive Engineer, Irrigation Construction Division, Saharanpur. Furthermore, a report concerning the distances from residential areas, religious sites, schools, and district-level roads has been submitted by the Lekhpal.

A true copy of the no objection certificate issued by the Divisional Director, Social Forestry Division, Saharanpur is being annexed herewith and marked as **Annexure-4**.

A true copy of the report regarding the distance issued by the Irrigation Construction Division, Saharanpur is being annexed herewith and marked as **Annexure-5**.

A true copy of the report of Lekhpal is being annexed herewith and marked as **Annexure-6**.

14. That all air pollution control systems within the industry have been established in strict compliance with the "Environmental Guidelines for Stone Crushing Units, June 2023"—issued by the Central Pollution Control Board, Delhi, regarding the establishment and operation of stone crusher units as well as the new guidelines notified by the State Board on February 10, 2022, pertaining to stone crusher units.



15. The industry has been issued a license for the storage of mined material vide Letter No. NOC/ST/2024/6/ 24/373067, dated April 17, 2025, issued by the Office of the District Magistrate, Saharanpur (Mining Section); the validity of this license extends up to April 16, 2028.

A true copy of the license issued by the District Magistrate, Saharanpur is being annexed herewith and marked as **Annexure-7**.

16. The industry has also obtained a Registration Certificate for groundwater extraction from the Groundwater Department, Uttar Pradesh.


A true copy of the license issued by the District Magistrate, Saharanpur is being annexed herewith and marked as **Annexure-8.**


17. That the present affidavit is being submitted before this Hon'ble Tribunal for kind perusal and consideration.


DEPONENT

VERIFICATION:

Verified at Saharanpur on this the 9th day of April, 2026 that the contents of above affidavit are true and correct to my knowledge based on records and information received and believed to be true, no part of it is false and nothing material has been concealed therefrom.



IDENTIFIED BY

KALEEM AHMAD
Advocate
Reg. No.-10533/01
Ch.-63, Civil Court, SRE
Mob.-9359206239


DEPONENT

8701014

This affidavit made before me on 9/4/2026
to my office 9/4/2026
By Shri. Kabeem Ahmad / Kabeem Ahmad
who is identified by Shri. Kabeem Ahmad
The contents of the affidavit have been explained to the deponent who has
declared that the contents are true and correct
to the best of his knowledge and belief
9/4/2026



उत्तर प्रदेश UTTAR PRADESH

GB 558831



शपथ पत्र

समक्ष :- क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, सहारनपुर

शपथ पत्र ओर से - मौ० आमिर पुत्र शाहकत अली, आधार कार्ड नं०-8523 4168
0178 निवासी खामपुर, मु०नगर फर्म मैसर्स अविसेना स्टोन्स एण्ड मिनरल्स प्रा०लि० ग्राम
नित्यानन्दपुर, तहसील-बेहट, जनपद-सहारनपुर जो कि एक स्टोन क्रेशर इकाई का
डायरेक्टर हूँ एवं शपथ पत्र प्रस्तुत करने हेतु अधिकृत हूँ।

शपथकर्ता शपथपूर्वक घोषणा करता है कि :-


MohdAs

क्रमांक 12 दिनांक 29/6/24
 स्टांप का रूप 100
 (शब्दों और अंकों में)
 खरीदार का नाम व पिता का नाम रुक्मिणी देवी श्रीमती
 पत्राधार का पूरा पता 28
 लेखपत्र का प्रकार 28
 स्टांप विक्रेता का नाम संजय कुमार शर्मा
 ला० नं० 14 ला० अर्वाध 2026 एक विंघमान
 स्टांप विक्रेता का स्थान कलेक्ट्रेट कम्पाउण्ड समस्तपुर

1. यह कि मेरा उपरोक्त नाम व पता सब सच व सही है। कोई तथ्य छिपाया नहीं गया है।
2. यह कि उक्त फर्म मैसर्स अविसेना स्टोन्स एण्ड मिनरल्स प्रा०लि०, ग्राम-नित्यानन्दपुर, तहसील-बेहट, जनपद-सहारनपुर पर स्थापना हेतु राज्य बोर्ड से अनापत्ति प्रमाण पत्र दिनांक-20.09.2013 प्राप्त किया गया है।
3. यह कि फर्म में कच्चे माल के रूप में स्टोन बोल्टर का प्रयोग कर कौरसेण्ड, बोल्टर, ग्रेट, डस्ट व बजरी 600 मी०टन/दिन का उत्पादन किया जाता है।
4. यह कि स्टोन क्रेशर के संचालन हेतु उ०प्र० प्रदूषण नियंत्रण बोर्ड से वर्ष 31.07.2023 तक की विधिमान्य जल एवं वायु सहमति प्राप्त है।
5. यह कि स्टोन क्रेशर का संचालन विगत वर्ष 2023 से पूर्णतः बन्द है। वर्ष 2023 के पश्चात निजी कारणों से स्टोन क्रेशर का संचालन नहीं किया गया है। स्टोन क्रेशर की ओ०टी०पी० भी वर्ष 2023 से बन्द है।
6. यह कि शपथकर्ता द्वारा स्टोन क्रेशर की मरम्मत का कार्य पूर्ण कर लिया गया है। मरम्मत का कार्य पूर्ण कर समस्त सम्बन्धित विभागों की सहमति/अनुज्ञा प्राप्त करने के पश्चात स्टोन क्रेशर का संचालन का कार्य किया जाना प्रस्तावित है।
7. यह कि फर्म द्वारा सहमति की समस्त शर्तों का पूर्णतः अनुपालन किया जा रहा है।
8. यह कि स्टोन क्रेशर की प्लान्ट मशीनरी को पूर्ण रूप से कवर्ड किया गया है, वाईब्रेट्री स्क्रीन को टीन शैड की चादरों से कवर्ड किया गया है, स्टोन क्रेशर परिसर में आर०सी०सी० रोड़ का निर्माण किया गया है। वाटर रिसाईकिलिंग टैंक का निर्माण तथा विन्ड ब्रेकिंग वॉल में सुधार का कार्य किया जा रहा है।
9. यह कि मेरे द्वारा स्टोन क्रेशर परिसर के चारों ओर एक माह के अन्दर 33 प्रतिशत भू-भाग पर नये पौधों का सघन वृक्षारोपण किया जायेगा।
10. यह कि मेरे फर्म द्वारा मा० राष्ट्रीय अधिकरण में कोई वाद दाखिल नहीं किया गया है, मेरे स्तर से कोई वाद विचाराधीन नहीं है।
11. यह कि मेरे फर्म के विरुद्ध खनन विभाग, राजस्व विभाग, आदि से राजस्व का बकाया नहीं है तथा कोई भी रिकवरी शेष नहीं है।
12. यह कि मेरे फर्म के विरुद्ध अवैध रूप से संचालन लोडिंग आदि से सम्बन्धित कोई मुकदमा पंजीकृत नहीं है।
13. यह कि मेरे द्वारा भण्डारण का लाईसेन्स जिला प्रशासन से प्राप्त किया गया है। मेरे द्वारा कार्यालय जिलाधिकारी, खनन विभाग, सहारनपुर की उपविधियों/नियमों/आदेशों के अनुसार ही कच्चे माल कच्चे माल की आपूर्ति की जायेगी।

Mundano

Mundano



14. यह कि स्टोन क्रेशर में लगभग 09 किली०/दिन जल खपत अधिकतम की जाती है। भू-गर्भ जल दोहन के सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से अनापत्ति प्रमाण पत्र प्राप्त किया गया है।

15. यह कि फर्म का संचालन पर्यावरणीय दृष्टिकोण से निम्न बिन्दुओं का अनुपालन सुनिश्चित कराये जाने के पश्चात ही किया जायेगा।

- Unit shall provide proper and clear name plate showing name and address of the unit.
- Properly enclosed all the equipments in Jaw Crusher Granulator, Vibratory Screen and Rotopactor by shed made of tin sheets.
- Provide properly designed spray facility at raw material feeding point and product delivery point of each of all equipment for dust suppression.
- All the final delivery conveyer belts should be covered and provided with spray facility for dust suppression.
- Properly designed chutes should be provided for discharge of product. Discharge point of all chutes should be lower than height of wind breaking wall.
- Wind breaking wall should be provided in front of all the final product discharge points.
- The unit shall provided water recycling arrangements for reuse of water used in the screening plant.
- The unit shall provide the proper for regular cleaning and wetting of the ground with in the premises.
- Flow meter should be provided to measure the daily water consumption and daily water consumption record for screening, spraying and ground wetting shall be maintained.
- Proper stack facility and acoustic enclosure should be provided at DG Set.
- R.C.C. road should be provided from product discharge point to product loading point.
- The unit shall get permission from Central Ground Water Board/U.P. Ground Water Department.
- Diesel consumption record should be maintained.
- The unit shall get the stocks holding license.
- The unit should submit agreement which shall clearly indicate the quantity of raw material that will be supplied by the mine lease holder to the stone crusher unit, and with valid environmental Clearance and Permission from District Collector of mine lease holder.
- Plants should be provided to the green belt.

16. यह कि मेरे द्वारा प्रस्तुत सूचनाओं में यदि भविष्य में कोई असत्यता पायी जाती है तो मा० सर्वोच्च न्यायालय/मा० उच्च न्यायालय/मा० एन०जी०टी०/केन्द्रीय प्रदूषण नियंत्रण बोर्ड तथा उ०प्र० प्रदूषण नियंत्रण बोर्ड आदि द्वारा की गई कोई भी कार्यवाही मुझे बिना किसी आपत्ति के स्वीकार्य होगी।


उपरोक्त पैरा नं०-1 से पैरा नं०-16 तक कथन मेरे निजी ज्ञान एवं विश्वास में सब सच व सही है। कोई भी तथ्य छिपाया नहीं गया है। ईश्वर सत्य बोलने में मेरी मदद करे।

दिनांक -

Mohd Arif

शपथकर्ता

शपथकर्ता



Identified By

**Industry Name : AVICENNA
STONES AND MINERALS PRIVATE LIMITED** **Category Name : ORANGE**

**Address : VILLAGE
NITYANANDPUR TEHSIL BEHAT
DISTRICT SAHARANPUR U.P.
247121,SAHARANPUR,247121** **District Name :
SAHARANPUR**

Consent Type : CTO

**Application Date :
04/07/2025**

Date Time: 04-07-2025 12:51

Note By: RO(UPPCB277)

Forwarded To: AEE

Activity: Forward

Description: pl inspect and submit the report within prescribed time

Date Time: 04-07-2025 06:08

Note By: AEE(UPPCB280)

Forwarded To: RO

Activity: Forward

Description: The following important documents/information are required from the applicant: 1. The point wise compliance report of CTE/previous CTO. 2. The latest audited balance sheet for assessment of air and water consent fee . 3. The copy of valid stock license for raw material issued by mining department. 4. The copy of NOC of UPGWD . 5. The compliance report of letter issued by this office for compliance of CPCB guidelines issued for stone crushers. 6. The copy of GST certificate. 7. The status of green belt development. 8. The status of show cause notice/closure order issued by UPPCB (if any). 9. The distance verification certificate from nearest orchard obtained from district horticulture department. The above documents shall be submitted within 3 days.

Date Time: 04-07-2025 06:09

Note By: RO(UPPCB277)

Forwarded To: AEE

Activity: Forward

Description: The following important documents/information are required from the applicant: 1. The point wise compliance report of CTE/previous CTO. 2. The latest audited balance sheet for assessment of air and water consent fee . 3. The copy of valid stock license for raw material issued by mining department. 4. The copy of NOC of UPGWD . 5. The compliance report of letter issued by this office for compliance of CPCB guidelines issued for stone crushers. 6. The copy of GST certificate. 7. The status of green belt development. 8. The status of show cause notice/closure order issued by UPPCB (if any). 9. The distance verification certificate from nearest orchard obtained from district horticulture department. The above documents shall be submitted within 3 days.

Activity: Clarification

Description: The following important documents/information are required

14
 from the applicant: 1. The point wise compliance report of CTE/previous CTO. 2. The latest audited balance sheet for assessment of air and water consent fee . 3. The copy of valid stock license for raw material issued by mining department. 4. The copy of NOC of UPGWD . 5. The compliance report of letter issued by this office for compliance of CPCB guidelines issued for stone crushers. 6. The copy of GST certificate. 7. The status of green belt development. 8. The status of show cause notice/closure order issued by UPPCB (if any). 9. The distance verification certificate from nearest orchard obtained from district horticulture department. The above documents shall be submitted within 3 days.

Date Time: 18-07-2025 06:19

Note By: AEE(UPPCB280)

Forwarded To: RO

Activity: Forward

Description: The applicant has not submitted the reply of online query till now therefore it is recommended to refuse the application.

Date Time: 18-07-2025 06:33

Note By: RO(UPPCB277)

Forwarded To: RO

Activity: Forward

Description:

Date Time: 18-07-2025 06:34

Note By: RO(UPPCB277)

Forwarded To: RO

Activity: Forward

Description:

Activity: Reject

Description: Refused



UTTAR PRADESH POLLUTION CONTROL BOARD

Building.No. TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226 010
Telephone: +91-522-2720831, 2720681, 2720691 (Fax): +91-522-2720764

Category : ORANGE

Application Id : 32600199

Ref No. -

Dated : 18/07/2025

**243758/UPPCB/Saharanpur(UPPCBRO)/CTO/both/SAHARANPUR/
2025**

To ,

M/S RAVINDER PAL SINGH
AVICENNA STONES AND MINERALS PRIVATE LIMITED
VILLAGE NITYANANDPUR TEHSIL BEHAT DISTRICT SAHARANPUR U.P
247121,SAHARANPUR,247121
SAHARANPUR

Sub : Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) Application under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules , 2016.

Kindly refer to your Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) application dated 04/07/2025 and received on 04/07/2025 under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Your application and the information submitted by you have been examined and your consent application is hereby refused due to following reason.

Reasons :-

The applicant has not submitted the reply of clarification till now.

The Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) Application under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules , 2016 is hereby refused. Further, you are hereby informed to comply with the mandatory provisions of Water Act 1974, Air Act 1981 and HWM Rules 2016

This order is issued with the approval of competent authority.

Yogender Kumar

Digitally signed by Yogender
Kumar
Date: 2025.07.18 18:31:17 +05'30'



मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाकीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 विलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |

पृष्ठ 17
17/11/10

42

उ० प्र० प्रदूषण नियंत्रण बोर्ड,
पिकप भवन, तृतीय तल, बी-ब्लॉक, विभूति खण्ड,
गोमती नगर, लखनऊ।

संख्या-007673/32/2010/2

दिनांक- 19-1-2010

मुख्य पर्यावरण अधिकारी
वृत्त-3

कृपया दिनांक- 29 दिसम्बर, 2006 को सम्पन्न 20 वीं बैठक की कार्यसूची संख्या- 20.06 में प्रस्तुत विषय " प्रदेश में स्टोन कशर, स्क्रीनिंग प्लान्ट एवं पत्कराइजर इकाईयों के संबंध में और अधिक प्रभावी कार्यवाही हेतु गाइड लाइस बनाए जाने संबंधी प्रस्ताव (छाया प्रति संलग्न) पर बोर्ड द्वारा निम्नलिखित निर्णय लिया गया:-

"बोर्ड द्वारा प्रस्तुत प्रस्ताव को अनुमोदित किया गया। साथ ही निर्देश दिए गए कि इस संबंध में वन विभाग की गाइड लाइन को भी संज्ञान में लिया जाय।"

अतः बोर्ड द्वारा लिए गए उक्त निर्णयानुसार अग्रिम कार्यवाही सुनिश्चित कर कृत कार्यवाही से अवगत कराने का कष्ट करें। -

संलग्नक:- यथोपरि।

(~~डा० सी० एस० भट्ट~~)
सदस्य-सचिव।

कार्य सूची संख्या:— 80.06

विषय — प्रदेश में स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों के सम्बन्ध में और अधिक प्रभावी कार्यवाही हेतु गाइड लाइंस बनाए जाने के लिए प्रस्ताव

जनपद सहारनपुर, उत्तराखण्ड एवं हरियाणा राज्य की सीमा से लगा हुआ स्थित है। हरियाणा राज्य में स्टोन क्रशिंग इकाइयों की बंदी के कारण कई नई स्टोन क्रशिंग इकाइयाँ/हरियाणा राज्य से विस्थापित होकर यमुना नदी के किनारे-किनारे झुण्ड के रूप में स्थापित हो रही हैं। गत एक वर्ष में लगभग 50 नई इकाइयों के प्रस्ताव प्राप्त हुए हैं। हरियाणा राज्य में स्टोन क्रशिंग इकाइयों पर रोक लगी होने के कारण इस संख्या में और वृद्धि सम्भावित है। प्रश्नगत क्षेत्रों के अंतर्राज्यीय सीमा से लगे होने, राजाजी नेशनल पार्क के निकट होने से यदि प्रारम्भ में ही रोक नहीं लगाई गई तो जनपद सहारनपुर में पर्यावरणीय असंतुलन की समस्या से नकारा नहीं जा सकता है। यहाँ यह उल्लेखनीय है कि स्टोन क्रशिंग इकाइयों की स्थापना के संबंध में अधिनियम के अंतर्गत अधिसूचित गाइड लाइंस नहीं हैं। बोर्ड द्वारा पर्यावरण विभाग, उ०प्र० शासन द्वारा जारी शासनादेश संख्या 1146/45-3(26) प्रा०नि०/86 दिनांक 23.04.87 के अनुसार कार्यवाही की जा रही थी जिसके अनुसार मुख्यतः मुख्य मार्ग से दूरी 500 मी०, मुख्य आबादी से दूरी 1 किमी० तथा दो स्टोन क्रशिंग इकाइयों के बीच की दूरी 400 मी० से कम नहीं होनी चाहिए। दो स्टोन क्रशिंग इकाइयों के बीच की दूरी 400 मी० का पालन करने पर इन इकाइयों का विस्तार और अधिक क्षेत्र में होगा। स्टोन क्रशिंग इकाइयों को स्टोन उपलब्ध कराने वाले स्क्रीनिंग प्लाण्ट (वाटर वाशिंग) के लिए भी स्थल स्थापना संबंधी नीति बनाई जानी आवश्यक है।

राज्य उत्तराखण्ड द्वारा उत्तराखण्ड स्टोन क्रशर, स्क्रीनिंग प्लाण्ट एवं पल्वराइजर अनुज्ञा नीति, 2008 बनाई गई है। (प्रति संलग्न) हरियाणा राज्य सरकार द्वारा अधिसूचना दिनांक 18.12.97 जारी की गई है। (प्रति संलग्न) हरियाणा राज्य की गाइड लाइंस में आबादी एवं सड़क से दूरी के मानक उ०प्र० राज्य की वर्तमान नीति से मिलते-जुलते हैं। हरियाणा राज्य की गाइड लाइंस में दो स्टोन क्रशर के बीच की दूरी निर्धारित नहीं है। उत्तराखण्ड की गाइड लाइंस में स्टोन क्रशर/स्क्रीनिंग प्लाण्ट की चारदीवारी से न्यूनतम 50 मीटर दूरी पर दूसरे प्लाण्ट की स्थापना के मानक निर्धारित हैं।

उपरोक्त को दृष्टिगत रखते हुए प्रदेश में पर्यावरणीय दृष्टि से संतुलित विकास एवं पर्यावरण संरक्षण के उद्देश्य से प्रदेश में स्टोन क्रशर, स्क्रीनिंग प्लाण्ट एवं पल्वराइजर इकाइयों हेतु संलग्नानुसार गाइड लाइन तैयार की गयी है।

उ०प्र० प्रदूषण नियंत्रण बोर्ड,
पिछम भवन, तृतीय तल, वी-ब्लॉक, वि०पी० खण्ड,
गोमती नगर, लखनऊ।

संख्या- 10595/32/2010-11/36

दिनांक- 19 अक्टूबर 2011

श्री० प्रभात चरण शर्मा,
मुख्य पर्यावरण अधिकारी,
वृत्त-3

दिनांक- 23 फरवरी, 2011 को सम्पन्न 23 वी बैठक की कार्यसूची संख्या- 2309 फा
बोर्ड के समक्ष " प्रदेश में स्टोन कशर स्किनिंग प्लांट एवं पत्थराइजर इकाईयों के संवंध में बोर्ड
की 20 वी बैठक में अनुमोदित गाईड लाइन में संशोधन " संबंधी प्रस्तुत प्रस्ताव, जिसकी छाया
प्रति संलग्न है, पर बोर्ड द्वारा विस्तृत चर्चा के उपरान्त निम्नलिखित प्राविधानों को गाईड लाइन में
समावेशित किए जाने के निर्णय लिए गए:-

1. बाग से स्टोन कशर, स्किनिंग प्लांट एवं पत्थराइजर इकाईयों की न्यूनतम दूरी पूर्व-
पश्चिम 1500 मी० एवं उत्तर-दक्षिण में 500 मी० होनी चाहिए। यहाँ बाग से दायरे
एक बाग/ संयुक्त नर्सरी से है, जिसका क्षेत्रफल कम से कम 2.5 एकड़ का हो तथा
जिसमें कम से कम 100 फलदार वृक्ष (आम/ मिश्रित) लगे हों। साथ ही जिला परिषद
की गाईड लाइन्स अथवा स्थानीय प्राधिकरण के प्रतिबन्ध जो भी अधिक हों लागू होंगे।
2. उत्तर प्रदेश में अभी तक इको-सेन्सिटिव जोन घोषित नहीं हुए हैं। मा० सर्वोच्च न्यायालय
के जो 2002 के आदेश थे, उसमें नेशनल पार्क एवं सेन्चुरी के 50 कि०मी० क्षेत्र को इको
-सेन्सिटिव जोन घोषित करने की बात कही गई थी। फारेस्ट कन्जर्वेशन एक्ट, 1980
के अन्तर्गत अत्याची कशर एवं स्कीनिंग प्लांट हेतु (एजेन्डर के पृष्ठ-22) गाईड
लाइन्स निर्धारित की गई है, जो अत्याची स्टोन कशर हेतु अंगीकृत किया गया।

साथ ही मा० सर्वोच्च न्यायालय द्वारा रिट याचिका संख्या- 2309 के
946-9600 इन डक्यूमेंट्स 0202 आफ 9894 में दिनांक- 08-12-2006 को भारत सरकार
के अनुसार राष्ट्रीय उद्यान एवं अन्य प्राणि विहार तथा वन क्षेत्र से 09 कि०मी० की दूरी को
अफटी जोन माना गया है व इस अफटी जोन के अन्दर स्टोन कशर, स्किनिंग प्लांट एवं
पत्थराइजर इकाईयों की स्थापना प्रतिबन्धित है। अतः इकाईयों को अंगीकृत किया जाय।
यह भी उल्लेख किया जाय कि इस संवंध में वन विभाग द्वारा लगाया गया प्रतिबन्ध
लागू होगा तथा नियमानुसार वन विभाग की अनुमति भी केस टू केस स्टोन कशर हेतु
प्राप्त करनी होगी।

3. मा० सर्वोच्च न्यायालय द्वारा रिट. पिटीशन सं० 460 of 2004 in the matter of Goe
foundation Vs Union of India में दिनांक- 04-12-2006 को भारत सरकार
के अनुसार नेशनल पार्क/ वाइल्ड लाइफ सेन्चुरी से 50 कि०मी० की दूरी को इकाई
सेन्सिटिव जोन निर्धारित करने के निर्देश दिए हैं, जिसके अनुपालन में पर्यावरण एवं वन
नृत्रालय, भारत सरकार के पत्र दिनांक- 02-12-2009 द्वारा भारत सरकार ने नेशनल

14
दिनांक
25/11

उपरान्तानुसार अग्निशमनवादी सुनिश्चित करने का कठक है-
70 अधिकारी वृत्त 1, 2, 3, 4, 5, 6, 7, 8, 9

20.11.11
मुख्य पर्यावरण अधिकारी
(वृत्त-3)

कार्यरत स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों के सम्बन्ध में गाइड लाइन्स

1. धूल के कणों का उत्सर्जन रोकने की विधि (Dust Extractors) या धूल के कणों को हवा में उड़ने से रोकने की विधि (Water Sprinklers) का प्रभावी उपयोग स्टोन क्रशर/स्क्रीनिंग प्लान्ट द्वारा करना होगा।
2. हवा के बहाव को रोकने हेतु दीवारों का निर्माण (Wind Breaking Wall) सभी धूल उत्सर्जन स्थानों पर करनी होगी।
3. स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों के अंदर के सभी मार्ग पक्के करने होंगे।
4. स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों की सीमा के अंदर सम्पूर्ण क्षेत्र में धूल को हटाने की व्यवस्था तथा भूमि पर पानी का नियमित छिड़काव किए जाने की व्यवस्था करनी होगी जिससे कि धूल व कण हवा में न उड़ सकें।
5. स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों के चारों तरफ कम से कम 33 प्रतिशत भू-भाग धूल वाले कणों को रोकने वाली प्रजातियों के पेड़ की हरित पट्टी का विकास कर उसको संरक्षित करने होगा तथा यह कार्यवाही अनुज्ञा प्राप्त करने के साथ ही प्रारम्भ करनी होगी।
6. धूल एवं ध्वनि प्रदूषण के नियंत्रण में उपयोग होने वाली विधियों एवं उपकरण इकाई मालिक द्वारा अपने स्वयं के खर्चे पर स्थापित करने होंगे। धूल एवं ध्वनि प्रदूषण के नियंत्रण विधियों को स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों में अनवरत कार्यरत रखने की जिम्मेदारी स्टोन क्रशर/स्क्रीनिंग प्लान्ट स्वामी की होगी।

स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों की पुनर्स्थापना

स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों से समस्या को देखते हुए स्थल से उपरोक्त वर्णित निर्धारित दूरियों के सापेक्ष जिनके स्थल मानक के अनुसार नहीं है, को एक साल के अन्दर नए स्थान पर पुनर्स्थापित करने के संबंध में कार्यवाही करनी होगी।

प्रदेश में स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों के सम्बन्ध में और अ
प्रभावी कार्यवाही हेतु गाइड लाइंस बनाए जाने के लिए प्रस्ताव

नई इकाइयों की स्थल के संबंध में गाइड लाइंस।

उपरोक्त परिप्रेक्ष्य में पर्यावरणीय दृष्टि से संतुलित विकास एवं पर्यावरण संरक्षण के उद्देश्य से प्रदेश में स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों की स्थापना के लिए निम्नलिखित गाइड लाइंस प्रस्त हैं:-

1. राष्ट्रीय/राज्यमार्ग की चौड़ाई के मध्य से कम से कम 500 मीटर तथा अन्य मार्ग की चौड़ाई के मध्य 300 मीटर दूर स्टोन क्रशर/स्क्रीनिंग प्लान्ट की स्थापना अनिवार्य है।
2. आवादी/सार्वजनिक स्थल/विद्यालय/अस्पताल/प्रमुख धार्मिक स्थल से न्यूनतम दूरी 1 किमी० होना चाहिए।
3. राष्ट्रीय संरक्षित वन क्षेत्र/सैंचुरी पार्क/आरचर्ड से दूरी 3 किमी० होनी चाहिए।
4. नदी से अवैध खनन को रोकने के लिए स्टोन क्रशर/स्क्रीनिंग प्लान्ट के नदी फ्लड जोन एरिया से कम से कम 500 मीटर दूर होना चाहिए, जिससे कि स्टोन क्रशर, स्क्रीनिंग प्लान्ट एवं पल्वराइजर इकाइयों द्वारा खनिज अवैध रूप से प्राप्त कर अथवा अवैध खनन कर उपयोग किये जाने की संभावना न हो। इस सत्यापन जिला प्रशासन के संबंधित अधिकारी (जेष्ठ खान अधिकारी अथवा खान अधिकारी/ जिलाधिकारी द्वारा प्राधिकृत किये गये अधिकारी) द्वारा किया जायेगा।
5. स्टोन क्रशर/स्क्रीनिंग प्लान्ट में मुख्य प्लान्ट एवं मशीनरी चार दिवारी से न्यूनतम 50 मीटर दूर स्थापित करना, वायु प्रदूषण नियन्त्रण हेतु नियमानुसार उपयुक्त व्यवस्था, अन्दर के सभी मार्ग पक्का करने, प्रतिशत भू-भाग पर सघन वृक्षारोपण करने, सम्पूर्ण क्षेत्र में धूल को हटाने की व्यवस्था, भूमि पर पानी छिड़काव, कच्चे माल एवं उत्पाद के भण्डारण करने के लिये पर्याप्त भूमि की व्यवस्था आवश्यक होगी। उ मुख्य प्लान्ट को स्थापित करने के लिये न्यूनतम 1 हैक्टेयर भूमि आवश्यक होगी।
6. स्टोन क्रशर/स्क्रीनिंग प्लान्ट की स्थापना हेतु पर्यावरणीय दृष्टि से अनापत्ति से पूर्व प्रस्तावित इकाई के कच्चे माल की उपलब्धता के संबंध में खान विभाग के सक्षम अधिकारी से अनापत्ति/क्लीयरेन्स प्राप्त व प्रस्तुत करना अनिवार्य होगा।

अतएव, बोर्ड के समक्ष प्रस्ताव है कि :-

प्रदेश में पर्यावरणीय दृष्टि से संतुलित विकास एवं पर्यावरण संरक्षण के उद्देश्य से प्रदेश में स्टोन क्रशर क्रैनिंग प्लांट एवं पल्वराइजर इकाइयों हेतु प्रस्तावित गाइड लाइन का अवलोकन कर अनुमोदन प्रदान कर-
चाहेंगे।

पत्रांक /

दिनांक सहारनपुर अप्रैल 26 2013

सेवा में,

अपर जिलाधिकारी, (वि० / रा०)
सहारनपुर।

1732

Adm. file
कृपया कार्य कर आवश्यक कार्यवाही करने का कष्ट करे।
[Signature]
जिलाधिकारी (आगत पत्रिका)
सहारनपुर
27/4

विषय - स्टोन केशर की अनापत्ति प्रमाण पत्र के संबंध में।

सन्दर्भ - आपका पत्रांक 728/एए०टी० दिनांक 27-9-2013

महोदय,

उपरोक्त सन्दर्भित पत्र के साथ संलग्न अधिशासी अभियन्ता निर्माण खण्ड सहारनपुर के पत्रांक 4444/मि०नि०ख०म०/ स्टोन केशर/दिनांक 23.11.2012 के अन्तर्गत मै० अविसेना स्टोन मिनिरल्स प्रा० ग्राम नित्यानन्दपुर (रायपुर) तहसील बेहट जनपद सहारनपुर जो सामाजिक वानिकी प्रभाग सहारनपुर के अन्तर्गत आता है, कि जांच क्षेत्रीय वनाधिकारी बेहट व शिवालिक वन प्रभाग के प्रतिनिधि तथा उ०प्र० प्रदूषण नियन्त्रण बोर्ड के प्रतिनिधि से कराई गई उनकी रिपोर्ट के आधार पर सूचना निम्नवत प्रेषित है।

क्र०सं०	स्टोन केशर का नाम व स्थल	जी०पी०एस० रीडिंग	निकटतम आरक्षित वन क्षेत्र का जी०पी०एस० रीडिंग	निकटतम आरक्षित वन क्षेत्र से दूरी(किमी में)	अभ्युक्ति
1	2	3	4	5	6
1	मै० अविसेना स्टोन मिनिरल्स प्रा० ग्राम नित्यानन्दपुर (रायपुर) तहसील बेहट जनपद सहारनपुर	N-30° 14'58.6 " E-077° 33'38.1"	N-30° 10'00.7 " E-077° 36'54.2"	10.94	मगनपुरा के मुनारा सं० 908 से दूरी

1-- उपरोक्त स्टोन केशर सहारनपुर जनपद के वन क्षेत्र में नहीं है।

2-- अन्य राज्यों के राष्ट्रीय उद्यान, अभ्यारण्य, तथा उत्तराखण्ड में स्थित राजाजी राष्ट्रीय उद्यान, हरियाणा में स्थित कलेसर अभ्यारण्य की वास्तविक सीमायें ज्ञात न होने के कारण उनकी निकटतम सीमा स्टोन केशरों की दूरी दे पाना संभव नहीं है।

भवदीय

प्रभागीय निदेशक,
सामाजिक वानिकी प्रभाग,
सहारनपुर।

4-11-2013 Ref.

पत्रांक 5239

दिनांकित

14/2013

प्रतिलिपि जिलाधिकारी, सहारनपुर को सूचनार्थ एवं कार्यावाही हेतु प्रेषित।

प्रभागीय निदेशक,
सामाजिक वानिकी प्रभाग,
सहारनपुर।

Annexure - 5

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, सहारनपुर ।

संख्या: 444/सि०नि०ख०/स्टोन केशर,

दिनांक : नवम्बर 22, 2012

विषय:- स्टोन केशरों के सम्बन्ध में ।

अपर जिलाधिकारी (वित्त एवं राजस्व) सहारनपुर ।

कृपया उपरोक्त विषयक अपने कार्यालय के पत्र संख्या: 478/एस०टी० दिनांक 20.10.2012 का अवलोकन करने की कृपा करें। उक्त के सम्बन्ध में अवगत कराना है कि निम्नलिखित स्टोन केशर्स की आख्या सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है ।

स्टोन केशर की सूची जिनकी दूरी नदी से 500 मीटर से अधिक है :

क्र०सं०	स्टोन केशर का नाम व पता
1.	श्री० अविसेना स्टोन मिनरल्स प्रा०लि० ग्राम नित्वान्दपुर रायपुर। तहसील बेहट जनपद सहारनपुर

संलग्न: रिपोर्ट ।

भवदीय,

(एम०पी०एस०वर्मा)
अधिशासी अभियन्ता

संख्या: /सि०नि०ख०/दिनांक :


प्रतिलिपि जिलाधिकारी महोदय सहारनपुर को सूचनार्थ प्रेषित है ।

(एम०पी०एस०वर्मा)
अधिशासी अभियन्ता

अपर जिलाधिकारी (वित्त एवं राजस्व) सहारनपुर

क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, सहारनपुर के पत्रांक: 472/मा0 सर्वोच्च न्यायालय/2012 दिनांक 23.08.2012 का अवलोकन करने का कष्ट करें। इस सम्बन्ध में निवेदन किया है कि आपके पत्र संख्या: 476/एस0टी0 दिनांक 20.10.2012 में उल्लिखित स्टोन केशर पंजीकरण संख्या:..... खसरा संख्या:..... पर अंकित स्टोन केशर मै0 अविसेना स्टोन मिनरल्स प्रा0लि0, ग्राम नित्यानन्दपुर रायपुर। तहसील बेहट, जनपद सहारनपुर यमुना नदी के बाँधी ओर स्थित है। दिनांक 15.08.2006 को तकनीकी सलाहकार समिति की 141 वीं बैठक के सिन्दु-ग व्दास नदी एवं नाले को परिभाषित किये जाने हेतु निर्धारित मानक के अनुसार बाधशाहीबाग राव प्रश्नगत नाले की श्रेणी में आता है एवं केशर नाले के बहाव क्षेत्र के बाहर स्थित है तथा यमुना नदी के वर्तमान में फ्लड जोन से 500 मीटर से कहीं अधिक दूरी पर स्थित है। प्रदूषण विभाग की गाईड लाईन्स के अनुसार नदी से अवैध खनन रोकने के लिए स्टोन केशर / स्कीनिंग प्लान्ट नदी फ्लड जोन एरिया से कम से कम 500 मीटर दूर होना चाहिए।

आशा है आपकी सेवा में अग्रिम आवश्यक कार्यवाही हेतु प्रेषित है।


 अधिशक्ती अभियन्ता
 सिंचाई निर्माण खण्ड
 सहारनपुर।

सकां प्र. पत्र श्री अब्दुल वाजिद हुजायौं अहमद

मिथानी जागाद्वारे से ग्राम मैथानन्दपुर मु प्रगना के जागाद्वारे
बेहट जिला सहरनपुर के खेतों 42/1⁵, 43⁵, 44⁵, 45⁵
39/2, 42/2, 40/2, 41 तथा खेतों 45⁵ में काका 0 सुत 1-721 ए.
392, 1-464, 1-825, 1-882 तथा खेतों 45⁵ में काका 0 सुत 1-721 ए.
सुत का है, से खेत क्षेत्र स्थापित कारण बाधत है।
शुके का सुत है। इसी प्रमाण पर हरे जाके काठमा विगत है

1- स्थापित शक्ति की डक कमबेयर से ग्राम की सुरक्ष आबादी 500
से आयेक है।

2- स्थापित शक्ति की डा कमबेयर से ग्राम की सामान्य लक्ष्य
प्र 0 सुरक्ष 650 मीटर से आयेक है।

3- स्थापित शक्ति से जिला स्तरीय मार्ग (मीरपुर गन्डवड एथकी सु
मार्ग) से लडाक 1.5 कि०मी० तथा राजकीय मार्ग - बलारोवा मार्ग से
6-5 कि०मी० का लडाक है।

आपका डा डेस्क सेवा से प्रेषित।
11/01/13

सप्रेमिण



नीचे बायबल संकेत
श्रीमान जी

24
11-01-13
/ सचिवदार
बेहट (सहरनपुर)

नजारी मय्या 2100 निचयानडुय मुठ पणग को जाना 2 लडील के 22


जिला सहरनपुर गावत एन 50 42/5, 435, 445, 455
38/2, 39/2, 40/2, 41

कुल क्षेत्रफल 1-721 4/10



समयवधि

34
11-01-13
TB


 11/01/13
 TB



कार्यालय जिलाधिकारी, Saharanpur

(मनन-अनुभाग)

प्रपत्र - अ

खनिजों के मण्डारण हेतु अनुज्ञप्ति
(नियम - 6 देखिये)



MINES & MITRA

दिनांक: 17-04-2025

संख्या: NOC/ST/2024/6/24/373067

आवेदक एवं अवधि

अनुज्ञप्तिधारी का नाम	MS AVICENNA STONES AND MINERALS PRIVATE LIMITED DIRECTOR MOHD AMIR	अनुज्ञप्तिधारी का पता	ALI KHAMPUR MUZAFFARNAGAR UTTAR PRADESH 251307
अनुज्ञा की अवधि	अवधि 17-04-2025 से 16-04-2028 तक	मण्डारण का प्रयोजन	

मण्डारण के लिए अनुज्ञा प्राप्त उपखनिज का विवरण

नाम	मात्रा
Sand Stone Quartzite Ballast Gitti	7000.00 घन मी०
Stone Dust	7000.00 घन मी०
Ordinary sand Category I	7000.00 घन मी०
Sand or Bajri or Boulder RBM	29000.00 घन मी०
कुल	50000.00 घन मी०

खनिज मण्डारण की अनुज्ञप्ति हेतु उपयोग होने वाली भूमि की अवस्थिति

जनपद	तहसील	ग्राम / नगर	मोहल्ला	अवस्थिति(गाटा संख्या/ क्षेत्रफल)
Saharanpur	Behat	नित्यानन्दपुर मुस्तचम - 108925	VILL NITYANANDPUR TEHSIL BEHAT DISTT SAHARANPUR	38/2 39/2 42/2 Total Area 1.457 hectare

आवेदक द्वारा अनुलग्न-1 की शर्तों का अनुपालन किया जाना अनिवार्य होगा।

अनुलग्नक-1

सहमति पत्र की शर्तें निम्नवत हैं।

1. उपखनिजों का भण्डारण बैच अभिवहन पत्र EMM-11 के आधार पर ही किया जायेगा।
2. भण्डारण स्थल में उपखनिज नाने एवं ते जाने हेतु केवल एक ही रास्ता (गेट) होगा जहाँ सभी वाहनों के आवागमन को रिकार्डिंग हेतु सी0सी0टी0सी0 कैमरा लगाया जायेगा। कैमरे की रिकार्डिंग कम्प्यूटेराइज्ड होगी एवं जिसमें भण्डारण स्थल में आने-जाने वाले वाहनों का रिकार्ड सुरक्षित रखा जायेगा एवं जॉब द्वारा अभिनियोजित किया जायेगा तथा उगकी रिकार्डिंग कम से कम 30 दिन तक सुरक्षित रखनी होगी।
3. भण्डारण स्थल में कच्चे मान लाने एवं तैयार मान ले जाने वाले वाहनों का इलेक्ट्रॉनिक वेट मशीन से वेट किया जायेगा तथा कम्प्यूटेराइज्ड डाटा सुरक्षित रखा जायेगा।
4. ओवर लोडिंग पर प्रभावी नियंत्रण हेतु भण्डारणकर्ता द्वारा निर्याती स्थल पर लौच मशीन सहायक निदेशालय में स्थापित कमाण्ड सेंटर में प्रयुक्त आर्टिफिशियल इन्टेलीजेंस युक्त मापनवेग में इन्टीग्रेट करेगा, इन्टीग्रेशन के तौल मशीन में निम्न Features का होना अनिवार्य है।
5. The weigh bridge device should use the MQTT protocol to transmit data.
6. The weigh bridge device should transmit data over the internet to IOT infrastructure in cloud.
7. भण्डारण स्थल में खनिजों का परिवहन प्रपत्र 'सी'/'ई' प्रपत्र भी में अभिवहन पत्र जारी किये बिना किसी अन्य स्थान को नहीं करेगा।
8. किसी सार्वजनिक सड़क, रेलमार्ग या किसी सार्वजनिक परिसर में 50 मीटर के भीतर किसी खनिज का भण्डारण नहीं करेगा।
9. अनुज्ञेतिधारी हर समय त्रय किये गये, भण्डारित किये गये, या प्रेषित किये गये खनिजों का ठीक एवं बोध्यम्य लेखाजोखा प्रपत्र 'घ' में रखेगा।
10. खनिज के भण्डारण हेतु अनुज्ञेतिधारी स्वयं द्वारा भण्डारित और परिवहन किये गये खनिजों के ठीक-ठीक लेखों की एक प्रति प्रत्येक प्रभाग में जिम्ताधिकारी को प्रपत्र 'ड' में प्रस्तुत करेगा।
11. सरकार की किसी प्रकार की देवदारी की प्रतिपूर्ति अनुज्ञेतिधारक द्वारा की जायेगी।
12. अनुज्ञेतिधारक द्वारा खनिजों का भण्डारण इस प्रकार किया जायेगा कि उसका Angle of Slope 45 डिग्री से अधिक न हो।
13. अनुज्ञेतिधारी का भण्डारण स्थल पर प्रमुखता से विन्नय मूल्य प्रदर्शित करना होगा।
14. नमूने रिपोर्ट, विवरणियाँ और रजिस्टर अनुज्ञेतिधारी द्वारा अनुरक्षित किये जायेंगे और कारबार-स्थल पर रखे जायेंगे तथा निरीक्षणकर्ता अधिकारी को उपलब्ध कराये जायेंगे।
15. अनुज्ञेतिधारी खनिजों को भण्डारित करते हुए अथवा उन्हें प्रसंस्करण संयंत्र या सज्जीकरण संयंत्र या कारखाना में उपयोग करते समय पर्यावरण को प्रदूषित नहीं करेगा।
16. अनुज्ञेतिधारी को खान निदेशालय के निरीक्षणकर्ता अधिकारियों को खनिज स्टॉक का गत्यापन करने और नमूना तथा अभिलेखों का उद्धरण ग्रहण करने हेतु भण्डार, कारखाना, प्रसंस्करण संयंत्र तथा संयंत्र का निरीक्षण करने देना होगा।
17. भण्डारण स्थल पर वाहनों के आने एवं निर्याती का एक ही मार्ग होगा।
18. मा10 उच्च न्यायालय/मा10 उच्चतम न्यायालय/मा10 राष्ट्रीय हरित अधिकरण/शासन द्वारा समय-समय पर दिये गये आदेशों का अनुपालन अनुज्ञेतिधारक द्वारा किया जाना आवश्यक होगा।
19. उ0प्र0 प्रदूषण नियंत्रण बोर्ड, सहायनपुर से CTE व CTO प्राप्त होने के उपरान्त ही स्टोन क्रेशर में उपखनिज की निर्याती करायी जाएगी।
20. उ0प्र0 खनिज (अंधेरा खनन, परिवहन एवं भण्डारण का निवारण) नियमावली 2018 के नियम-6 में उल्लिखित प्रायिधानों के अन्तर्गत 03 (तीन) वर्षों की अवधि हेतु उक्त भण्डारण नियमावली के नियम 11, 12 व 13 में उल्लिखित मुसंगत शर्तों में उल्लिखित मुसंगत शर्तों का अनुपालन किया जाना अनिवार्य होगा।
21. आवेदनकर्ता के शपथ पत्र दिनांक 07.01.2025 के अनुसार आवेदनकर्ता के विरुद्ध भविष्य में कोई माननीय सर्वोच्च न्यायालय, माननीय उच्च न्यायालय, माननीय आयुक्त सहायनपुर मण्डल सहायनपुर एवं जिला प्रशासन द्वारा जो भी निर्णय/आदेश पारित किया जाएगा, वो आवेदनकर्ता को सर्वसम्मति से मान्य होगा।



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 3 (B)

[See Rule 8(1)]

Certificate of Registration of User for Abstraction of Ground Water

(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

Registration No.: 202207001208

Name of the Owner	MOHD AMIR	Company Name	Ms AVICENNA
Designation	PARTNER	कंपनी का नाम	STONES & MINERALS PRIVATE LIMITED
Company Address	VILLAGE NITYANANDPUR MUST, TEHSIL BEHAT	Authorization Letter	Download
Address of the Applicant	KHASRA NO. - 40/2, 41, 38/2, 39/2, 42/2, 42/1M, 43M, 44 AND 45M, VILLAGE NITYANANDPUR MUST, TEHSIL BEHAT, SAHARANPUR, U.P	Application Form Serial No.	SRNP0722RIN0109
Date of Submission	25/07/2022	Specimen Signature	
Location Particulars			
District	Saharanpur	Block	SADHULI KADEEM
Plot No./Qasra No.	VILLAGE NITYANANDPUR MUST, TEHSIL BEHAT	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	15/01/2019	Depth of the Well (In meter)	76.00
Type of Well	Tube Well/Boring	Assembly Size(For Tube Well)	
Purpose of well	Industrial	H.P. of the Pump	15.00
Strainer Position (For Tube Well)		Rate of Withdrawal (m³/hr.)	9.00
Type of Pump Used	Submersible	Date of Energization (In Case of Electric Pump)	24/01/2019
Operational Device	Electric Motor		

BEFORE THE NATIONAL GREEN TRIBUNAL, NEW DELHI

Appeal/OA NO. 28 OF 2026

In re:

MOHID SHAHPlaintiff /Appellants/
Petitioner/ComplainantVERSUS
UNION OF INDIA & ORS.Defendant/Respondent/
Accused

KNOW ALL to whom these present shall come that I/We
Anuj Kumar chaubey the above named Law officer
do hereby appoint (herein after called the advocate/s) to be my/our Advocate in the above
noted case & authorize :-

**Mr. Pradeep Misra, Mr. Daleep Dhyani, Advocates,
138, New Lawyers Chamber, Supreme Court of India,
New Delhi, Ph. :011-23070011, Mob. 9810252518, 9811070721**

To act, appear and plead in the above-noted case in this Court or in any other Court in which the same may be tried or heard and also in the appellate Court including High Court subject to payment of fees separately for each Court by me/ us.

To sign, file verify and present pleadings, appeals cross objections or petitions for execution review, revision, withdrawal, compromise or other petitions or affidavits or other documents as may be deemed necessary or proper for the prosecution of the said case in all its stages.

To file and take back documents to admit and/or deny the documents of opposite party.

To withdraw or compromise the said case or submit to arbitration any differences or disputes that may arise touching or in any manner relating to the said case.

To take execution proceedings.

To deposit, draw and receive money, cheques, cash and grant receipts thereof and to do all other acts and things which may be necessary to be done for the progress and in the course of the prosecution of the said case.

To appoint and instruct any other Legal Practitioner, authorizing him to exercise the power and authority hereby conferred upon the Advocate whenever he may think it to do so and to sign the Power of Attorney on my/our behalf.

AND I/We the undersigned do hereby agree to ratify and confirm all acts done by the Advocate or his substitute in the matter as my/our own acts, as if done by me/us to all intents and purposes.

AND I/We undertake that I / we or my /our duly authorized agent would appear in the Court on all hearings and will inform the Advocates for appearance when the case is called.

AND I /we undersigned do hereby agree not to hold the advocate or his substitute responsible for the result of the said case. The adjournment costs whenever ordered by the Court shall be of the Advocate which he shall receive and retain himself.

AND I /we the undersigned do hereby agree that in the event of the whole or part of the fee agreed by me/us to be paid to the Advocate remaining unpaid he shall be entitled to withdraw from the prosecution of the said case until the same is paid up. The fee settled is only for the above case and above Court. I/We hereby agree that once the fee is paid, I/we will not be entitled for the refund of the same in any case whatsoever. If the case lasts for more than three years, the advocate shall be entitled for additional fee equivalent to half of the agreed fee for every addition three years or part thereof.

IN WITNESS WHEREOF I/We do hereunto set my /our hand to these presents the contents of which have been understood by me/us on this 09 day of 04.2026

Ac (subject to the terms of fees.

(PRADEEP MISRA)(DALEEP DHYANI)
Advocate Advocate (D/435/01)

Client
Anuj Kumar Chaubey
Law Officer-I
U.P. Pollution Control Board
Lucknow

