

|

**BEFORE THE NATIONAL GREEN TRIBUNAL WESTERN ZONE  
BENCH, PUNE**

ORIGINAL APPLICATION NO.50 OF 2023 (WZ)

Shahu Shivaji Mokashi

}

.... Applicant

Versus

M/s Appasaheb Nalawade Gadhinglaj Taluka

Sahakari Sakhar Karkhana Ltd. & Ors.

}

.... Respondents

**INDEX**

Serial No.	Annexure	Particulars of Document	Page Nos. From	To
1		Index	1	
2		Affidavit in Compliance of the Order passed by Hon'ble NGT (WZ) dated 19.09.2024	184	194
3	Annexure-R-1	Consent Renewal granted to Distillery by Letter dated 19.03.2020 valid up to 31.08.2024	195	202
4	Annexure-R-2	Consent Renewal granted to Sugar Industry dated 27.12.2019 valid up to 31.07.2023	203	210
5	Annexure-R-3	Consent Renewal granted to Sugar Industry dated 10.05.2014 valid up to 31.07.2024	211	223
6	Annexure-R-4	Proposed Directions issued by MPCB dated 01.08.2022	224	225
7	Annexure-R-5	Reply dated 09.08.2022 to the Proposed Direction dated 01.08.2022.	226	226
8	Annexure-R-6	Interim Direction issued by MPCB dated 17.11.2022	227	227

No. Of Corrections  
on this page- *MS*

	Annexure-R-7	Compliance reported by R.No.1 Letter dated 26-08-2023 to the interim Directions dated 17.11.2022 issued to MPCB	228	229
10	Annexure-R-8	Final Manufacturing Reports for the Season 2021-22.	230	239
11	Annexure-R-9	Final Manufacturing Reports for the Season 2023-24.	240	250
12	Annexure-R-10	Statements of Online Monitoring Reports which were connected to the MPCB-Server for the Period 2021-22	251	341
13	Annexure-R-11	Statements of Online Monitoring Reports which were connected to the MPCB-Server for the Period 2023-24	542	586
14	Annexure-R-12	Photographs showing the scrapping of alleged Lagoons of R. No.1 as directed by MPCB	587	588

Pune

Date – 28.11.2024

FOR APPLICANT

No. Of Corrections  
on this page - *Nil*

**BEFORE THE NATIONAL GREEN TRIBUNAL WESTERN ZONE  
BENCH, PUNE**

ORIGINAL APPLICATION NO.50 OF 2023 (WZ)

Shahu Shivaji Mokashi } ... Applicant

Versus

M/s Appasaheb Nalawade Gadhinglaj Taluka

Sahakari Sakhar Karkhana Ltd. & Ors. } ....Respondents

**Affidavit on behalf of R.N.1 in 50 of 2023 in compliance of Order dated  
19.09.2024**

I, Sunilkumar Annaso Mane, Distillery Manager of M/s Appasaheb Nalawade Gadhinglaj Taluka SSK Ltd., the Respondent No.1 at this moment filing this affidavit in compliance of the Order passed by this Hon'ble Tribunal dated 19.09.2024. I crave leave to file an additional affidavit as and when necessary. I shall not be deemed to admit anything save except whatever is specifically stated hereunder-

This Hon'ble Tribunal vide its Order dated 19<sup>th</sup> September 2024 directed the R.N.1 to file on record a clear reply about the compliance of the Proposed & Interim Directions as well as steps taken for compliance as mentioned in (a) to (f) of Para-4 of the Order dated 19-09-2024 along with the compliance of the Proposed Directions and also Interim Directions. Respondent No.1 would like to submit the compliance of order dated 19-09-2024 as below:

**1) Statutory Permissions (Consent/s) obtained by Distillery & Sugar Units**

- a) I say and submit that the MPCB has granted Consent Renewal to Distillery by Letter dated 19.03.2020 for a period up to 31.08.2024. A copy of the said Consent to Operate dated 19.03.2020 is enclosed and marked as an Annexure R-1.
- b) I further say and submit that the MPCB has granted Consent Renewal to the sugar industry by letter dated 27.12.2019 valid up to 31.07.2023 and



further renewal thereof up to 31.07.2024 by letter dated 10.05.2024 after observing the compliance of various conditions imposed in the earlier Consent to Operate and also Directions issued by the MPCB from time to time. The copies of both the Renewal dated 27.05.2019 and 10.05.2024 are enclosed and marked as Annexure R-2 and R-3 respectively.

I say and submit that the sugar industry has provided full-fledge ETP consisting of Bar Screen, Oil and Grease Trap, Equalization Tank, Aeration Tank, Clarifier 1 and 2, Treated Water Sump (15 days storage tank), Sludge Drying Beds, and Emergency Holding Tank, etc. (Pages-54) of Action Taken Report submitted before Principal Bench, New Delhi in OA No. 180/2022 filed by Shahu Mokashi). Respondent No.1 would like to submit the following comments and compliances about the points raised in the Action Taken Committee Report (Prepared by MPCB) on pages 11 to 40 as under-

- 1.1) This report specifically admits that there has been a Treated Water Sump (15-days storage tank). The only physical observation that needs to be considered is about ETP – Equipment was not in working conditions. The committee conducted its meeting on 31.05.2022 at Deputy Commissioner Office, Belgavi and decided to carry out inspection on 06.06.2022 (Page No.-12 of Maharashtra JC Report) on both the dates, the R. No. 1 (Sugar and Distillery) were not in operation because Sugar Industry season over on 22.02.2022. Therefore, the ETP – Equipment were not in operation.
- 1.2) Similarly, as far as the physical observation about the removal of the bypass line provided for effluent, trade effluent stored in the unlined lagoon near ETP, may join nallah leading to Hiranyakeshi River during the rainy season, were the apprehensions but not actual damage caused to the environment because both the sugar and distillery were not in operation at the time of visit of Committee and after the Visit of the Committee for the season 2022-23.
- 1.3) Regarding the agriculture management plan, Respondent No.1 has already submitted the compliance report in its reply to the proposed direction and thereafter only valid Consent to Operate was granted up to 31/08/2024.

I say and submit that Respondent No.2 had issued the Proposed Directions dated 1.08.2022 to the Sugar Industry for the upgradation to be done of ETP and compliance of the CREP-Guidelines, Removal of Bypass, Providing of Complete Agriculture Management Plan for utilization of treated effluent

No. Of Corrections  
on this page- 4



before starting the crushing season, by disposal of trade effluent in the unlined lagoons and not to start manufacturing activity till then, etc. These Directions dated 1.08.2022 have been issued based on a visit and inspection dated 06.06.2022 carried out by the MPCB when the Sugar & Distillery Units were not in operation on account of the season being over. A copy of the said Proposed Directions dated 01.08.2022 is enclosed herewith and marked as Annexure R-4.

- 1.4) The industry (Respondent No.1) had replied to the said directions on 9.08.2022 communicating the steps taken by it for compliance as under –
- a) The crushing season ended on 22.02.2022 and the Respondent No.1 has dismantled the motor pump and related pipelines set for overhauling. Therefore, ETP plant equipment is not in working condition.
  - b) There is no bypass arrangement in ETP and the pipelines observed during the visit have been removed.
  - c) The contract has been given to dispose of the lagoon near ETP within 30 days.
  - d) 15-days storage tanks have already been provided for the last 3 years as per CREP Norms and it is in operation continuously. Two number of lagoons are concrete lagoons in our distillery section to settle the sludge from Spentwash. The stored rainwater is lifted to a concrete pit in the compost yard. Necessary pipelines for agriculture irrigation have been provided. No treated effluent is utilized by surface drain leading to nallah as per the instruction given in the visit of the Joint Committee.

The copy of the said reply dated 09.08.2022 is enclosed and marked as Annexure R-5, which is self-explanatory. Thus, it can be seen that there was no bypass arrangement from ETP. It was just pipelines observed during the visit and those were removed as directed during its visit dated 06.06.2022. Further, whatever effluent is stated to be stored in unlined lagoons near the ETP, the contract was given to dispose of it within 30 days' time and it has not met Hiranyakeshi River, only apprehension was expressed by the Joint Committee. Similarly, 15 days of storage tanks were already in existence as per CREP norms and two numbers of lagoons have been concrete lagoons for the distillery section to settle the sludge from Spentwash. The stored rainwater is lifted to a concrete pit in the compost yard. Necessary pipelines

No.Of Corrections  
on this page- *my*

for agriculture irrigation have been provided. Therefore, as such no specific violation was brought on record to show that it has caused any damage to the environment.

**2) Compliance with Interim Directions issued by the MPCB –**

- 2.1) I say & submit that Respondent No.2 had extended a personal hearing on 3.11.2022 with regard to the proposed direction dated 01.08.2022 and then Interim Directions dated 17.11.2022 were issued to scrap two unlined lagoons near the compost yard before starting the distillery, not to store the effluent in an unscientific manner and avoid any type of trade effluent discharge into nearby nallah, to operate ETP round O'clock, to achieve 100% utilization of effluent of distillery unit, remove/scrap all bypass arrangement from the lowest slop of compost yard and not to start any manufacturing activity till compliance of above conditions. A copy of the said Interim Direction dated 17.11.2022 is enclosed and marked as an Annexure R-6.
- 2.2) Thereafter, Respondent No.1 has not operated the sugar and distillery unit for the season 2022-23. The interim directions are issued based on the observations made covered under the Proposed Directions issued by the MPCB and therefore, the interim directions are issued imposing the conditions to comply with whatever non-compliances had been shown in the Proposed Directions, for which, the Respondent No.1 had already reported compliances in its Reply dated 09.08.2022. The Compliances were again reported by Letter dated 26-08-2023 in Reply to the Interim Directions dated 17-11-2022 which were issued in continuation of the Proposed Directions dated 01-08-2022 on the same points mentioned in the Visit & Inspection Report dated 06-06-2022. A copy of the said Letter dated 26-08-2023 is again enclosed for ready reference & marked as Annexure-R-7 (Earlier Pages-156 & 157 of the Affidavit dated 28<sup>th</sup> December 2023 at Annexure-K.)

**3) Comments on compliance of Joint Committee Report (Belgavi) submitted with compliance of Hon'ble Tribunal Order dated 19.09.2024 with MPCB JVS and online monitoring reports.**

No.Of Corrections  
on this page- 03

3.1) Joint Committee Report (Action Taken Report in the earlier OA No. 180 of 2022) (Action taken by KSPCB at Page No. 48 to 74) filed before Hon'ble NGT, (SZ) Bench at Chennai- Hon'ble NGT (SZ) Bench, Chennai which had taken cognizance of non-compliance of Shri. Hiranyakeshi SSK Ltd., Sankheshwar, Tal- Hukkeri, Dist. Belagavi, in Karnataka State for letting out its molasses in the waters of Hiranyakeshi River causing great loss not only to persons living on the bank of the river but also to all those who are depending on the said water for their agricultural purposes, cattle, and so on. The photographs of dead fishes were taken into consideration and therefore, the Research Coordinator of Hon'ble NGT as per Rule 9, Form 4 of NGT Act, 2010 took cognizance for further necessary directions. At this point, nowhere the present Respondent No.1 (M/s Appasaheb Nalawade GTSSK Ltd., Gadhinglaj, Kolhapur) involved in the observations of the Research Coordinator examination. There are 2 Joint Committee Reports – A) Joint Committee Report of Maharashtra (Page 11 to 40) and B) Joint Committee Report of Karnataka (Page 48 to 74) as under –

A) In the First Joint Committee Report submitted in the earlier OA No.180 of 2022 filed by Shahu Shivaji Mokashi Vs. State of Maharashtra related to the pollution caused by M/s Shri. Hiranyakeshi SSK Ltd., Sankheshwar, Tal- Hukkeri, Dist. Belagavi, nowhere the name of M/s Appasaheb Nalawade GTSSK Ltd. Gadhinglaj, Kolhapur, only the non-compliance of M/s Shri. Hiranyakeshi SSK Ltd., Sankheshwar, Tal-Hukkeri, Dist. Belagavi has been taken into consideration. The Report is at 48 to 74 of the paper books.

It is the Applicant who has tried his level best to make M/s Appasaheb Nalawade GTSSK Ltd. Gadhinglaj, Kolhapur, a Respondent No.1 not only in the present matter but also the OA No. 180 of 2022 filed before Hon'ble NGT (SZ) Bench, Chennai. Present Matter is re-numbered as OA No. 50 of 2023 (WZ).

B) Joint Committee Report of Karnataka (Page 48 to 74) - At the same time, Respondent No.1 had been also made respondent before the Hon'ble NGT Chennai Bench. Now Respondent No.1's name has been deleted by Hon'ble NGT, (SZ) Bench at Chennai. Therefore, the Joint Committee Report in the form of Action Taken by KSPCB (48-74) Appasaheb Nalawade

No. Of Corrections  
on this page- 11



GTSSK Ltd., Kolhapur nowhere made Respondent No.1 responsible for the pollution of Hiranyakeshi River in the Karnataka State Pollution Control Board Report.

The following are the points raised in the Joint Committee Report of Maharashtra.

Joint Committee Report (Action Taken Report prepared by MPCB for submission to PB New Delhi- Pages 11 to 40) MPCB had constituted a Committee by Letter dated 20.05.2022 and submitted its report on pages 11-40. (Annexure-I). The Committee visited along with the Regional Officer, KSPCB on 06.06.2022 and submitted its report along with the Reports of the District Superintendent, Agriculture Officer, Kolhapur, (Annexure-II) and Assistant Commissioner of Fisheries, Technical Officer, Kolhapur (Annexure-III). The following are the comments of Respondent No.1 on Annexure -I, II, and III respectively-

3.1.1) Comments of Respondent No.1 on Annexure-I to the Joint Committee Report –


a) The Joint Committee specifically noted during the inspection on 22.02.2022 that the existing ETP - Equipment was not in working condition.

b) The Joint Committee informed Appasaheb Nalawade SSK-Representative that the bypass line provided for the effluent to be removed.

c) The Committee further observed that unlined lagoons (2) were provided as 12-day storage tanks and filled up with tread effluent mixed with rainwater. Respondent No.1 was informed to abandon it.

d) No proper agriculture management plan was observed for the utilization of treated effluent and therefore, treated effluent joining surface drain leading to the nallah and Hiranyakeshi River. The R.N.1 has appointed Dr. B.A. Chougule, Agricultural Expert to prepare Agriculture Management Plan by its Letter dated 27-12-2023 & following it strictly. (Page-138 of Affidavit dated 28-12-2023 at Annexure-H.)

e) After going through the details of the sample collected on 06.06.2022 by the Joint Committee of MPCB, it is observed that Sr. No. 05, 06, 07, 08, and 13 are the only 5 samples collected from Appasaheb Nalawade



GTSSK Ltd., R. No. 1. It is further observed that Sr. No. 05, 06, 07, and 08, where the parameters are found to be exceeding for DO and BOD. Therefore, the EDC can be imposed for results of 06.06.2022 and any other dates for which, the MPCB brought on record exceeding results and not for all the days shown in the year 2021-22 and 2023-24.

The Committee specifically noted that the proposed directions were issued on 29.12.2017 in the past, which are not filed by the MPCB & also are not available with Respondent No.1. In fact, no EDC was calculated for the said period. Hence the said Proposed Directions or non-compliances referred in the Joint Committee Report or Application cannot be taken into consideration. R.N.1 had already given a reply to the Proposed Direction/Directions issued by the MPCB dated 01.08.2022 (Annexure-B, at page no.44 of MPCB Affidavit in OA No.180 of 2022) vide letter dated 09.08.2022, giving all the details in respect of steps taken to comply with the proposed directions dated 01.08.2022.

Therefore, the violation period is restricted to the visit dated 06.06.2022 till the compliance is secured on 09.08.2022 when by specific reply, Respondent No.1 communicated steps taken for compliance of points raised in the proposed directions dated 01.08.2022 and reply dated 09.08.2024. After instructions about not operating the sugar and distillery until compliances are secured, Respondent No.1 did not operate the sugar and distillery unit for the season 2022-23.

Hence, no EDC was imposed for the said period. MPCB has not shown any specific non-compliances duly supported by JVS and other reports on analysis showing particular damage caused to the environment for the period for which EDC has been imposed/proposed during the period 2021-22 (55 days), 2023-24 (72 days). Unless strict proof of causing damage for 55 days in 2021-22 and 72 days in 2023-24 violation is given, the imposition of EDC is totally unwarranted and needs to be reviewed for the period is restricted to the visit dated 06.06.2022 till the compliance is secured on 09.08.2022 excluding the closure of sugar and distillery units. Respondent No.1 communicated steps taken for compliance of points raised in the proposed directions dated 01.08.2022 and reply dated 09.08.2022 & after the Sugar-Season for



2021-22 is over on 22-02-2022 as per the Final Manufacturing Report for the Season 2021-22.


Thereafter immediately after the visit of the Joint Committee of the MPCB on 06-06-2022, Sugar & Distillery Units were not operated till the Season for 2023-24 permission was granted after compliance with the Renewal of Consent dated 05-10-2023. The EDC imposed for the period is not supported by the monitoring reports for the days for which EDC has been imposed. The copies of the Final Manufacturing Reports for the Season 2021-22 & also for the year 2023-24 are enclosed & marked as Annexures- R-8 & R-9 respectively. The R. N.1 has already filed the Letter dated 20-04-2023 about the No Crushing was done for the Season 2022-23 at Pages-132 to 134 to the Affidavit dated 28-12-2023 filed in compliance of the Order dated 22-09-2023.

3.1.2) Annexure-II (MPCB Report) – The report of District Superintendent, Agriculture Officer, Kolhapur - The District Superintending Agriculture Officer, Kolhapur gave his report on Pages 28 to 37 of Maharashtra Report. It has been concluded that the Water Quality of Village Terani and village Dundage is suitable for agriculture with proper precaution. It is also stated that the water quality of village Manwade and village Channekuppei is moderate for the use of agriculture in Taluka Gadhinglaj, Dist. Kolhapur (Page 28 of Maharashtra Joint Committee Report)

3.1.3) Annexure – III – Assistant Commissioner of Fisheries (Technical), Kolhapur Office Report (Pages 38 to 40 MPCB) – The report states that as per their record for the year 2016-17 to 2022-23, no complaint has been received in respect of Hiranyakeshi River pollution (Page 38 of Joint Committee Report MPCB).

Under the above circumstances, no substantive documentary evidence including exceeding JVS results, pollution of Agricultural Land or Fishkill has been so far brought on record to impose EDC for the period 2021-22 (55 days) and 2023-24 (72 days) except the period of specific non-compliance duly supported by JVS results for the period restricted to the visit dated 06.06.2022 till the compliance is secured on 09.08.2022 excluding off-season of the Sugar & Distillery Industries is

No. Of Corrections  
on this page- *ms*




over, when the R.N.1 was not operated. Respondent No.1 communicated steps taken for compliance of points raised in the proposed directions dated 01.08.2022 and reply dated 09.08.2024. The EDC for Sugar Industry has been calculated for all 55 days for 2021-22 and all 72 days for 2023-24, which is incorrect because no results of exceeding parameters have been brought on record to show that for all 127 days, the Sugar-Unit was discharging polluted effluent and causing damage to the environment.


Similarly, the Distillery has been shown to be operated for 40 days during 2021-22 and not operated during 2022-23 and 2023-24. The EDC have been calculated for all 40 days without bringing on record violation for all 40 days in respect of discharge of polluted effluent and causing damage to the environment, which is also not supported by the Analytical Reports.

**4. Substantive Documentary Evidence on behalf of R.No.1 – Respondent No.1 has already submitted substantive documents about the steps taken on the points raised in the proposed directions, interim directions issued by the MPCB on the basis of non-compliance shown in the Joint Committee Report as under-**

- 4.1) By reply dated 09.08.2022, the compliances of proposed directions had been reported to the interim direction once again vide Letter dated 26.08.2023, which is already enclosed at Annexure- R-7 of this affidavit.
- 4.2) The online monitoring record of Sugar Industry for the above period of 127 days does not show exceeding online monitoring reports of Sugar Industry, which are also connected to MPCB server and therefore, at the most the MPCB can assess EDC only for the exceeding online results of Sugar Industry and those MPCB results of joint vigilance sampling for which days the results are exceeding as per JVS- Analytical results. The Available Statements of Online Monitoring Reports which were connected to the MPCB-Server for the Period 2021-22 & 2023-24 for which period the EDC is assessed are enclosed & marked as an Annexure- R- 10 & 11 respectively. In the matter of OA No. 69 of 2022 (WZ), MPCB had made available Online Average Monitoring Report for the period for which the Sugar Factory was in operation. In the present case,



- the R.No. 1 tried to get Online Average Monitoring Report for the period for which the Sugar Factory was in operation from MPCB Office. However, it was not made available. Therefore, it is prayed that the MPCB (SRO/RO, Kolhapur) may kindly be directed to file it on record before this Hon'ble Tribunal.
- 4.3) The compliance of interim directions was earlier reported on 09.08.2022 in reply to the proposed directions and also subsequently reported on 26.08.2023 by the MD of R. No. 1. These points are in respect of scrapping of 2 online lagoons, not to store effluent in unscientific manner and allow discharge into nallah, to operate ETP round 'O'clock and remove all visible bypass arrangement, where no discharge or bypass was there. These are all visual observations regarding the instructions given in the visit and proposed directions followed by interim directions and not supported by any specific damage to the environment. In fact, two earlier unlined lagoons have been scraped and removed long back. The Photographs showing the scrapping of those alleged Lagoons are once again enclosed for ready reference and marked as an Annexure- R-12 collectively. These photographs are earlier are also enclosed at Pages-135-136 at Annexure-F to the Affidavit dated 28-12-2023 filed by the R.N.1 in compliance of the Order dated 22-09-2023.
- 4.4) The R.N.1 had also given an Undertakings on behalf of the Sugar & Distillery Industries about not to start manufacturing activities without compliances secured, which are already attached to the Affidavit dated 28-12-2023 filed by the R.N.1 in compliance of the Order dated 22-09-2023 at Annexures – I collectively (Pages 139 to 147)
- 4.5) After compliances duly verified by the MPCB, further Renewal of Consent to Operate dated 10.05.2024 to Sugar-Industry for a period up to 31.07.2024 is granted.
- 4.6) MPCB after verifying the above compliances, has granted renewal of consent to Sugar Industry dated 10.05.2024 which is at Annexure R -2 and 3. Hence, the compliance is already verified and then only renewal of consent to Sugar Industry has been granted.
5. Under the above circumstances, the R. No.1 has taken abundant precaution to comply with all visual observations and never used bypass arrangements, which was shown during the visit and inspection of Joint Committee and MPCB only with



some pipelines which are also removed and never used as a bypass. Similarly, since beginning there has been 15 days storage arrangement as per CREP-Guidelines to ensure during rainy season that effluent not required for irrigation is stored properly. The R. No.1 has already enclosed the photographs of unlined empty lagoons duly scrapped and disposal of effluent traces accumulated there in (Page 135 and 136 of affidavit dated 28.12.2023)

6. Hence, the EDC should be restricted to the days of monitoring results which are found to be exceeding as per either Joint Committee Visit & Sampling, MPCB-Results of Monitoring & Online-Monitoring Results of R.N.1 for the dates for which both the Sugar & Distillery Units of R.No.1's Manufacturing Plants were in operation and not for all 127 days for Sugar-Industry & all 40 days for the Distillery shown by the MPCB without supporting Analytical Results for all days for which EDC being assessed. It is therefore prayed that the EDC may kindly be directed to be reviewed strictly to the days for which results of sample-analytical reports are supported by such specific exceeding reports only.

Dated this 28<sup>th</sup> day of November 2024 at Kolhapur.

R. Gadwaj Dist-  
R

For Respondent No.1

(Sunilkumar A. Mane)

Distillery Manager

#### VERIFICATION

I, Sunilkumar A. Mane, Distillery In-Charge of the R.N.1 with effect from this season of 2024-25 states that the contents of paragraphs 1 to 6 above are true & correct on the basis of record of the above matter has been made available to me. All Annexures are True Office-Copies.

No. Of Corrections  
on this page

01/11/24 ps

For R.N.1

(Sunilkumar A. Mane)

IDENTIFIED BY

*(Signature)*  
Adv. S. B. Patil  
of Gadhingraj

I SOLEMNLY affirm that

by *Shri. Sunil Kumar*  
who is identified before me

by *Adv. S. B. Patil*  
whom I personally know

This *30* day of *NOV* 20*24*

*A. mane of Ghorane*  
of *Gadhingraj*

*(Signature)*  
*Patil*

**BALASAHEB B. PATIL**  
Advocate & Notary  
'Krishana' Vakil Colony, Dr Rajendra  
Prasad Road, GADHINGRAJ  
Dist. Kolhapur-416502  
Ph.(02327) 225501 M-9822118537  
**30 NOV 2024**

No. Of Corrections  
on this page- *Nil*

Notary Regl. Sr. No *3803*  
*2024*



This Document Contains  
Page No. *184 to 588*



**MAHARASHTRA POLLUTION CONTROL BOARD**

Tel: 24010437/24020781/24014701  
Fax: 24024068 /24023515  
Website: <http://mpcb.gov.in>  
E-mail: [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai - 400 022

RED/LSI

Date: 19/03/2020

Consent No : Format 1.0/BO/JD(WPC)/UAN No. 76367/R/CC-260300 1415

To,  
M/s Appasaheb Nalawade G. T. S. S. K. Ltd.,  
Harali coll with Brisk Facilities Pvt. Ltd.,  
Sugar Division, S No/Plot No, 434 A,  
Harali, Tal: Gadhinglaj, Dist.: Kolhapur

Sub : Consent to Renewal of Distillery Unit (Molasses Base) under RED category  
Ref : 1. Consent to operate granted by Board vide no.Format1.0/BO/JD(WPC)  
/KP/R/ CC-1704000253, Dated 06.04.2017.  
2. Minutes of Consent Committee meeting held on 06.02.2020

Your application Vide UAN No.76367dated 06/07/2019.

For: Renewal of consent of Distillery Unit (Molasses Base) under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 31.08.2019 to 31.08.2024.
2. The total capital investment of the Distillery Unit is Rs.3.77 Crs (CI of the sugar Unit is Rs. 26.29 Crs. as per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -


Sr. No.	Product / By-Product Name	Maximum Quantity
1.	Industrial Alcohol	720 MT/M
2.	Fusel Oil	1.5 MT/M

(Distillery Capacity shall not exceed 25 KLPD and the operation of distillery should be restricted to 270 days in a year and that it will not operate during rainy season.)

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge CMD)	Standards to be achieved	Disposal
1.	Trade effluent (Spent wash)	300.00	As per Schedule -I	Bio-Composting
2.	Domestic effluent	08.00	As per Schedule -I	On land for irrigation

No.Of Corrections  
on this page-



5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
	Steam is taken from the boiler of Sugar unit		

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Disposal
1	Distillation Residue	20.3	5	MT/M	Composting

7. Non-Hazardous Solid Wastes

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
NIL					

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1.	75000/-	5452634 (RTGS)	24.07.2019	Kolhapur Dist. Central Co-Op Bank Ltd

Copy to:

- Regional Officer Kolhapur and Sub-Regional Officer Kolhapur I. -They are directed to ensure the compliance of the consent conditions & to carry out monthly monitoring of pollution control system.
- Chief Accounts Officer, MPCB, Mumbai.
- CC desk for record & website updation purposes.

No. Of Corrections  
on this page- *ML*

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

D) Terms & Conditions for compliance of Water Pollution Control

- A) You have provided comprehensive treatment consisting of Reboiler.  
B) To achieve zero discharge of effluent you have provided RO followed by bio composting on 4 Acres of land. The arrangement shall be leaked proof and no effluent or leakages/seepages shall find its way into environment thereby causing pollution of surface/ground/generated water

1) Conditions for Aerobic Composting:

- i. The spent wash should be stored in impervious tanks. The spent wash tanks should have proper lining with HDPE and should be kept in proper condition to prevent ground water pollution. As per the CPCB recommendation and undertaking given by the company, storage should not exceed 30 days capacity.
- ii. Applicant shall ensure availability of adequate filler material such as press mud, bagasses, and agricultural, biological waste as required for effective composting system.
- iii. Composted material shall meet the following specifications—

Moisture	...	30 to 35%
C/N	...	Below 17
Nitrogen	...	1.5 to 2%
Phosphorous	...	1.5 to 2%
Potassium	...	3 to 4%
- iv. The composting site shall be prepared as per the guideline enclosed. Composting shall be such that it includes mechanical mixing and spraying of spent wash along with mechanical aeration to ensure thorough composting. Hand/ manual spraying of spent wash shall not be permitted.
- v. The compost leachate (1 gr. of compost mixed with 100 ml. of distilled water and filtered) Filterate shall conform to the following limit.

pH	Between	7.5 to 8.0
BOD 3 days 27 Deg. C.	Not to exceed	30 mg/L.
- vi. A pucca leak proof guard pond of 30 days holding capacity as per (i) above shall cope up with the effluent discharge during short term process disturbances. In case of prolonged disturbance in effluent treatment and disposal system, distillery shall be shut down and shall not be restarted without rectifying the system.
- vii. The composting site/pits shall be made leak proof by proper lining. A catch drain shall be provided around the composting site to collect the storage pond for application on compost depots. Arrangements for overturning of compost material in windrows and spraying of spent wash shall be made to ensure appropriate aeration and uniform distribution of spent wash.
- viii. In case of composting in open fields, the application of spent wash shall stop by end of April, so that compost is ready and the site is cleared of the composted manure before monsoon (i.e. 31st May). The manure shall be collected and stored on a raised platform with suitable rain cover so that the compost manure is not washed away by rain/runoff.
- ix. Characteristic of soil, ground water and effect on crop yield should be monitored in the area where compost is used as manure and results thereof shall be compiled and reported in the Environment statement to be submitted every year.
- x. The test wells shall be provided around the compost site for ground water monitoring. The well water quality has to be maintained at 2006 level.

No. Of Corrections  
on this page- 0



xii. Top pullover impervious sheets shall be provided for entire compost yard, press mud and compost storage so as to cover the same during untimely rains and idles period.

xiii. The operation of distillery should be restricted to 270 days in a year and that it will not operate during rainy season.

**2] CONDITIONS FOR MOLASSES STORAGE:**

- i) The molasses shall be properly collected and stored in steel tanks which shall be absolutely leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
- ii) The capacity of tanks for storage of molasses shall be such that at no time the molasses shall be required to be stored in kutchha pits. Adequate space storage capacity shall be available to take care of bumper production of sugar, non-lifting of molasses etc.
- iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
- iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board, intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
- v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tones shall be displayed prominently near the tank.
- vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".
- vii) The industry should monitor effluent quality regularly.

3) The Industry shall create Environment Cell By appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable

5) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

6) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

No. Of Corrections  
on this page- 0



**II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended**

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	65.00
2.	Domestic purpose	12.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	265.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	----

*[Handwritten signature]*

*[Faint watermark: Maharashtra Pollution Control Board]*

No. Of Corrections on this page- *0*



**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control**

As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	APC System	Height in meter	Type of Fuel	Quantity	S %	SO <sub>2</sub> Kg/ Day
1.	Boiler	Fly Ash Arrester	45	Bagasse	48 MT/M	0.2%	6.4

- The applicant shall operate and maintain above mentioned air pollution control system, to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or crection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III**

**Details of Bank Guarantees**

Specific conditions (Distillery unit) with Bank Guarantees along with time bound program for compliance.

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Renewal	10 Lakh (Extend the validity of existing BG)	Within 15 days	O & M of pollution control system & compliance of consent conditions	31.08.2024	31.12.2024

*[Handwritten signature]*

No. Of Corrections on this page - *0*



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body, In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 8) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M.H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

No. Of Corrections  
on this page- 0



16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- 17) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

18) The industry should not cause any nuisance in surrounding area.

19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20) The applicant shall maintain good housekeeping.

21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.

22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).

26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

No. Of Corrections  
on this page - 02



**MAHARASHTRA POLLUTION CONTROL BOARD**

Tel: 24010437/24020781/24014701  
Fax: 24024068 /24023515  
Website: <http://mpcb.gov.in>  
E-mail: [jdwater@mpcb.gov.in](mailto:jdwater@mpcb.gov.in)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
Opp. PVR Cinema,  
Near Sion Circle, Sion (E)  
Mumbai - 400 022

Red/LSI

Date: 27/12/2019

Consent No: BO/JD(WPC)/RO-K/UAN No.52090 & 76106/R/CC-1912000936

To,  
M/s. Appasaheb Nalawade G.T.S.S.K.LTD.  
(Sugar Unit), S. No. 424 A, 457, Harali,  
Tal: Gadhinglaj, Dist.: Kolhapur.

Subject : Renewal of Consent to Operate for Sugar unit under RED category.

Ref : 1. Consent to Operate granted by the Board vide no. BO/JD (WPC)/  
UAN No. 0000039068/R/CC-1801001146, Dated. 30.01.2018.  
2. Minutes of C.C meeting held on 26.11.2019.

Your application: MPCB-CONSENT-0000052090 & 76106, Dated: 07.07.2018 & 03/07/2019.

For: Renewal of Consent to Operate for Sugar unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous & Other Wastes (M&TM) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period from 31.07.2018 to 31.07.2023
- The actual capital investment of the industry is Rs. 26.29 Cr.  
(As per C. A. Certificate submitted by industry)
- The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/M
1	Sugar	10000
2	Molasses	3400
3	Press Mud	3500
4	Bagasse	28000

(The cane crushing Capacity of Sugar Industry shall not exceed 2000 TCD)

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	200	As per Schedule -I	On land for irrigation
2.	Domestic effluent	80	As per Schedule -I	On land for irrigation

- Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler I & II	1	As per Schedule - II
2.	Boiler III & IV	1	As per Schedule - II
2.	DG Set (2 X 160 KVA)	2	As per Schedule - II

M/s. Appasaheb Nalawade G.T.S.S.K.LTD. UAN No. 52090 & 76106

Page 1 of 3

No. Of Corrections on this page - 1



**6. Conditions under Hazardous & Other Wastes (M & T M) Rules, 2016 for treatment and disposal of hazardous waste:**

Sr. No.	Type of Waste	Category	Quantity	UOM	Disposal
1	Used /Spent Oil	5.1	0.50	MT/M	Reuse in own boiler as fuel
2	ETP Sludge from waste water treatment	34.3	400	MT/M	Used As manure

**7. Non-Hazardous Solid Wastes:**

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	Boiler Ash	10.0	MT/M	-	Sale to Bricks manufacturers or compost filter material

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. Industry shall comply the directions issued by CPCB for online monitoring system.
11. This Consent is issued without prejudice to the directions issued and being issued by CPCB.
12. As per minutes of 8<sup>th</sup> CC meeting 26/11/2019, it was decided to, forfeit the 50 % Bank Guarantee of Rs. 05 Lakhs submitted towards O & M for achieving consented standards of Effluent as JVS are exceeding Consented standards & top up Rs 2.5 Lakhs to make it total Rs 05 Lakhs towards O & M of pollution Control Systems.

For and on behalf of the  
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)  
Member Secretary

Received Consent fee of-

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	Rs.75,000/-	7612476	31.08.2018	RTGS (Kolhapur Dist Central Co-Op Bank Ltd.
2	Rs 3,00,000/-	5452633	24.07.2019	RTGS (Kolhapur Dist Central Co-Op Bank Ltd.

Copy to:

1. Regional Officer - MPCB Kolhapur - - He is directed to forfeit the 50% existing BG of Rs. 05 Laes towards O & M of pollution Control Systems
2. Sub-Regional Officer - Ahmednagar, MPCB, - He is directed ensure the compliance of the consent conditions
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

No.Of Corrections  
on this page- *02*



Schedule-I

**D) Terms & Conditions for compliance of Water Pollution Control**

- 1) A] As per your application, you have provided Effluent Treatment Plant (ETP) with the design capacity of 500 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	pH	5.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
04	Sulphate	1000
05	Suspended Solids	100
06	COI	250
07	Chloride	600
08	Total Dissolved Solids	2100

- C] The treated effluent 200 CMD shall be disposed on land for irrigation on 194 Acres of own land /as per the bilateral agreement with farmers.

**D] CREP conditions for Sugar Factory**

- i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- ii. Waste water generation shall be reduced to 100 litres per tone of cane crushed.
- iii. Industry shall achieve zero discharge into in land surface water bodies.
- iv. 15 days storage capacity tank shall be provided for treated effluent to take care of no demand for irrigation.

- E] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse other material

- 2) A] As per your consent application, for the 80 CMD sewage generation you have provided the Septic tank and Soak Pit.


- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

- |     |                  |               |     |       |
|-----|------------------|---------------|-----|-------|
| (1) | Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27°C  | Not to exceed | 100 | mg/l. |

- C] The treated sewage shall be disposed on land for gardening/irrigation.

- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.

No. Of Corrections on this page *MS*



The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

5) **CONDITIONS FOR MOLASSES STORAGE:**

- (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
- (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
- (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
- (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board atleast 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
- (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
- (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.

**II) Conditions under Water (Prevention & Control of Pollution) CPSS Act, 1977 as amended**

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD).
1.	Industrial Cooling, boiler feed etc.,	180.00
2.	Domestic purpose	100.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	400.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

No. Of Corrections on this page *one*



Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	APC System	Height in meter	Type of Fuel	Quantity	S %	SO <sub>2</sub> Kg/ Day
1.	Boiler No. I & II	Multicyclone type of dust collector	40	Bagasse	840 MT/D	0.2%	3360
2.	Boiler No. III & IV	Multicyclone type of dust collector					
3.	DG Sets (2 X 160 KVA)	---	6*	HSD	100 lit/Hr.	1.0%	33.6

\* - Above roof level.

2. The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

No.Of Corrections  
on this page- 2/4



**Schedule-III**  
**Details of Bank Guarantees**

**Proposed Bank Guarantee:**

Sr. No	BG Guarantee Amount	Submission Period	Consent conditions	Compliance period	Validity
1	Rs. 5 lakhs (top up with Rs 2.5 Lakhs to make it total Rs 05 Lakhs )	15 days	O & M for achieving consented standards of Effluent	31.07.2023	30.11.2023
2	Rs. 2 lakhs	15 days	To provide the Wet scrubber within 3 months	31.03.2020	30.11.2023

**Note:** As per minutes of 8<sup>th</sup> CC meeting 26/11/2019, it was decided to, forfeit the 50 % Bank Guarantee of Rs. 05 Lakhs submitted towards O & M for achieving consented standards of Effluent as JVS are exceeding Consented standards & top up with Rs 2.5 Lakhs to make it total Rs 05 Lakhs towards O & M of pollution Control Systems.

No. Of Corrections  
on this page *02*




Schedule-IV

**General Conditions**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H& OW (M&TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) **Conditions for D.G. Set**
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting

No. Of Corrections  
on this page- *MJ*



- the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- e) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
  - 17) The industry should not cause any nuisance in surrounding area.
  - 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 19) The applicant shall maintain good housekeeping.
  - 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
  - 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
  - 25) The industry shall submit official e mail address and any change will be duly informed to the MPCB.
  - 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
  - 27) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
  - 28) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

No. Of Corrections  
on this page- *Nil*

—0000—

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
 Fax: 24023516  
 Website: <http://mpcb.gov.in>  
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd and  
 4th floor, Opp. Cine Planet  
 Cinema, Near Sion Circle, Sion  
 (E), Mumbai-400022

No:- Format1.0/CC/UAN No.MPCB-  
 CONSENT-0000179379/CR/2405001028

Date: 10/05/2024

To,  
 M/s. Appasaheb Nalawade Gadhinglaj T.S.S.K.Ltd;  
 S. No. 424A/457,Harali Br.  
 Tal. Gadhinglaj, Dist. Kolhapur.



**Sub: Renewal of Consent to Operate for 2000 TCD Sugar unit in RED Category.**

- Ref:**
1. Your application no. MPCB-CONSENT-0000179379 dtd. 01/09/2023.
  2. Minutes of 1st Consent Committee Meeting of 2024-25 dtd. 18/04/2024.

Your application No.MPCB-CONSENT-0000179379 Dated 01.09.2023

For: Grant of Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Consent to Renewal is granted upto: 31.07.2024**
2. **The capital investment of the industry is Rs.83.57 Crs. (As per C.A Certificate submitted by industry).**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
1	White Sugar	10000	MT/M
2	Bagasse	28000	MT/M
3	Molasse	3400	MT/M
4	Pressmud	3500	MT/M

3. **The Cane crushing capacity of Sugar unit shall not exceed 2000 TCD.**
4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted in CMD	Standards to	Disposal
1.	Trade effluent	200	As per Schedule -I	On land for gardening
2.	Domestic effluent	50	As per Schedule - I	On land for gardening

No.Of Corrections  
 on this page- *003*

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S1 & S2	4 Boilers	2	As per Schedule -II
S3	DG Set (2 x 160 KVA)	2	As per Schedule -II

(As per previous consent of existing unit)

6. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	ETP Sludge	400	MT/M	NA	Use as Manure
2	Boiler Ash	10	MT/M	NA	Sale to Bricks Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity & UoM	Treatment	Disposal
1	5.1 Used or spent oil	5.1	0.5 MT/M	NA	Authorized Reprocessors

The applicant shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.

a. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDF, in compliance of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and keep proper manifest thereof.

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall connect online CMS data as per CPCB guidelines to CPCB & MPCB Servers.
11. Industry shall stop production activity voluntarily in case of failure of operation and maintenance of the ETP system as preventive measures.
12. Industry shall not start unit without installation of wet scrubber to the Boiler & submit wet scrubber installation progress report to Board.
13. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
14. NA



*Avinash*


b601765f  
d5403edc  
068e4128  
cc8d7530  
d6ba6a09  
b0ece521  
c7c4048c  
b28532c2

Signed by: Dr. Avinash Dhakne  
Member Secretary  
For and on behalf of,  
Maharashtra Pollution Control Board  
ms@mpcb.gov.in  
2024-05-10 15:49:57 IST


Received Consent fee of -

No. Of Corrections  
on this page- *0*

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-JVS_DR-140823003	31/08/2023	NEFT
	204795.00	MPCB-DR-22253	26/10/2023	RTGS



No. Of Corrections  
on this page- *NR*



**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur  
They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



No. Of Corrections  
on this page - *nm*

## SCHEDULE-I

**Terms & conditions for compliance of Water Pollution Control:**

1) A] As per your application, you have Provided Effluent Treatment Plant (ETP) of designed capacity of 500.00 CMD consisting of Primary, Secondary for the treatment of 200.00 CMD industrial effluent.

B] Industry shall provide CPU for recycle/reuse of treated effluent.

C] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	5.5-9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27 <sup>o</sup> C)	100
(4)	Sulphate	1000
(5)	Suspended Solids	100
(6)	COD	250
(7)	Chloride	600
(8)	Total Dissolved Solids	2100

D] The treated effluent 0.00 CMD shall be disposed on land for irrigation on 0.00 hectares of own land /as per the bilateral agreement with farmers. In no any case treated/untreated effluent shall find its way outside the factory premises directly or indirectly.

E] Industry shall operate Online Continuous Emission Monitoring System (OCEMS) and shall transmit Online Continuous Emission Monitoring System (OCEMS) data to Board's server directly through the data logger without any intermediate server.


F] Trade effluent of 0.00 CMD generated from Co-gen shall be 100% recycle in process.

**G] CREP conditions for Sugar Factory**

- Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- Waste water generation shall be reduced to 100 liters per tone of cane crushed.
- Industry shall achieve zero discharge into in land surface water bodies.
- 15 days' storage capacity tank shall be provided for treated effluent to take care during no demand for irrigation.

H] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse and other material.

No. Of Corrections  
on this page- *Nil*



- 1] The unit shall operate ETP even after completion of the crushing season so that any effluent generated during washing & maintenance activity is to be discharged after proper treatment.
- 2] The unit shall optimize water use in industrial process & maintain records.



No.Of Corrections  
on this page- *nm*

2) A] As per your application, you have provided septic tank and soak pit for the treatment of 50 CMD sewage.


B] The applicant shall operate sewage treatment system to treat sewage so as to achieve the following standards/ prescribed under EP Act 1986 and rules made under time to time, whichever is stringent.

1	Suspended Solids	Not to exceed	100 mg/l
2	BOD 3 days (27°C)	Not to exceed	100 mg/l

C] The treated sewage shall be 100% reused/recycled for gardening purpose within premise. In no any case, sewage shall find its way outside Company's premises.

- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 5) CONDITIONS FOR MOLASSES STORAGE:
  - (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
  - (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
  - (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
  - (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
  - (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
  - (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".
- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 7) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

No. Of Corrections  
on this page- *Nil*



8) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

9) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters, and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	180.00
2.	Domestic purpose	100.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	400.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening	0

10) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



No. Of Corrections  
on this page- *NA*

## SCHEDULE-II

**Terms & conditions for compliance of Air Pollution Control:**

1) As per your application, you have provided the Air pollution control (APC) system and erected following stack(s) and observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO <sub>2</sub>
1	Boiler (30 TPH & 20 TPH)	Wet Scrubber	40	Bagasse	40000 Kg/Hr	0.20	3360.00
2	Boiler (10 TPH & 20 TPH)	Wet Scrubber	40	Bagasse	40000 Kg/Hr	0.20	3360.00
3	DG Sets (2 x x160 KVA)	Stack	6	HSD	100 Ltr/Hr	1.00	33.60

(As per previous consent of existing unit)

2) **The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.**

1 The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

2 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------------	---------------	------------------------

3 The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.


4 The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5 Industry should not use auxiliary fuel more than 15 % (as per amendment in EIA Notification 2009, power plant upto 15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt.) as co-gen capacity is below 15 MW.

3) **The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.**

4) **The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).**

No. Of Corrections  
on this page- *Nil*




**SCHEDULE-III**  
**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R	Rs. 10 Lakhs	15 Days	Compliance of Consent conditions	31/07/2024	31/11/2024

**BG Forfeiture History**

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						



No.Of Corrections  
on this page- *None*

**SCHEDULE-IV****General Conditions:**

- 1 The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3 Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.
- 4 The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5 The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6 The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 7 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 8 The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 9 The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10 The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 11 The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 12 If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.

No. Of Corrections  
on this page- *MM*

13 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

14 The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.

15 Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

16 Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

17 Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

18. Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.

d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f) D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.


19 The industry should not cause any nuisance in surrounding area.

20 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

21 The applicant shall maintain good housekeeping.

22 The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

No.Of Corrections  
on this page- *MS*



- 23 The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24 The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25 The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

---

This certificate is digitally & electronically signed.

---



No.Of Corrections  
on this page- *NA*

**235**  
**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
 2660448  
 Fax No. (0231) 2652952  
 E-mail: rpkolhapur@mpcb.gov.in



Udyog Bhavan,  
 Near Collector Office,  
 Kolhapur - 416 003.  
 Website: http://mpcb.mah.nic.in

No. MPCB/RO/KOP/IPD/22020/0001

Date 01/08/2022

To,  
 M/s. Appasaheb Nalawade G.T.S.S.K.Ltd., Harali,  
 Collaboration with Brisk Facilities Pvt. Ltd.,  
 ( Distillery Division) A/p. Harali,  
 Tal. Gadhinglaj, Dist. Kolhapur.

Sub: Directions under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Consent granted by the Board .  
 2. NGT Original Application No. 180 of 2022 of Shahu Shivaji Mokashi Vs State of Maharashtra & Others.  
 3. Constitution of a committee vide letter No. MPCB/JD (WPC)A3-220520-FTS-0112, dated: 20-05-2022.  
 4. Visit of Committee to your unit dated 06.06.2022.  
 5. Order passed by Hon'ble NGT dated 08.07.2022

WHEREAS, you are operating your unit in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management & TM) Rules, 2008 as amended 2016.

AND WHEREAS, it is obligatory on your part to provide adequate water and air pollution control devices and adequate health and safety & accidental precautionary measures and to operate it round o'clock so as to prevent any sort of pollution in the surrounding area and to achieve the standards laid down under the provisions of Environment (Protection) Act, 1986.

AND WHEREAS, Board Officials along with the committee constituted under the NGT Original Application No. 180 of 2022, visited your unit on 06/06/2022 for investigation and observed following non compliances.

1. You have provided three lagoons at compost yard and your industry representative was informed to abandon the existing two unlined lagoons near the compost yard.
2. You have provided two numbers of unlined lagoons for the storage of effluent in the compost yard premises.
3. During visit it was noticed that you have stored trade waste in unlined lagoon near the compost yard and overflow of the same may join nalla leading to Hiranyakeshi river during the rainy season.
4. The physical observations shows that effluent treatment plant equipment's were not in working condition.
5. You have provided the bypass arrangements from the lowest slope in to nearby nalla which further leads to river Hiranyakeshi.
6. You have not provided scientific agriculture management plan for utilization of treated trade effluent and hence the treated trade effluent joins surface drain leading to nalla and Hiranyakeshi river.

*[Signature]*

No. Of Corrections  
 on this page- *[Signature]*

During visit Sri. Siddaram Bhima Dhanagari resident of Harali village informed that during the crushing season the effluent is being discharged into the drain leading to the nalla and finally it joins the Hiranyakeshi river.


AND WHEREAS, after examining the record of your case, reports of officers of the Board & making necessary enquiries, I am satisfied that you are causing Environmental Pollution problems in the surrounding area and knowingly & wilfully causing grave injury to the environment thereby violating various Environment enactments.

NOW THEREFORE, in exercise of the powers conferred on the undersigned by the Board under section 33A of the by the Water (Prevention & Control of Pollution) Act, 1974 and section 31A of Air (Prevention & Control of Pollution) Act, 1981 it is proposed to issue the following directions (for avoidance of doubt, the directions include closure, prohibition or regulation of your activities).

1) Why this office shall not initiate legal actions against you. ?

You are directed to file your reply to these directions if any, within seven days from the receipt of this notice, failing which Board shall consider issuance of appropriate further legal action as may be deemed fit in your case, which may please be noted.

FOR AND ON BEHALF OF THE BOARD



(J.S. Salunkhe)  
Regional Officer,  
M.P.C. Board, Kolhapur

Copy submitted for information.

- 1) Member Secretary, M.P.C. B, Mumbai.
- 2) Joint Director (Water Pollution Control) Mumbai.

Copy to:

Sub-Regional Officer, M.P.C. Board, Kolhapur

- He is directed to serve the directions to the above industry and submit the compliance Report along with clear cut remarks accordingly.


3 AUG 2022

आवक क्र. 305 दिनांक  
कार्यवाहीसाठी/बोर्ड मिटींगमुळे करण्यात आलेली  
अभिप्राय द्यावा/पत्र व्यवहाराचे कार्यवाहीसाठी  
चर्चा करावी/फाईल/माहिती द्यावी.

Sec.	C.E.	P.O.
C.A.	C.C.V.	D.L.
C.A.O.	C.D.O.	L.O.
C.L.E.	H.T.K.	S.K.
S.O.	G.K.	M.D.
C.I.	V.L.	C.Y.S.

कार्यवाही संचालक

No. Of Corrections  
on this page - 0



MPCB/256/2022-23

9/08/2022

To  
The Regional Officer,  
Maharashtra Pollution Control Board,  
Udyog Bhavan,  
Near Collector Office,  
Kolhapur.

Subject : Regarding compliance of Visit Report. (Sugar Division)  
Ref. : Your letter No. MPCB/RO/KOP/PD/2208010002 dtd. 01/08/2022

Respected Sir,

As per subject and reference cited above we have inline with compliance of the directions as per your visit dtd. 06/06/2022 for investigation observation of non compliances, we wish to clarify the directions as given below,

1. Our crushing ended on dtd. 24/02/2022 so, we dismantled the motor, pump and related pipelines sets for overhauling. Therefore ETP plant equipments seems not in working condition.
2. There is no any bypass arrangement in our ETP. The pipelines seen by you and your team are removed as per your instructions on site.
3. We had given contract to dispose the lagoon near ETP. It will disposed within 30 days.
4. We have already 15 days storage tank for last 3 years as per CREP Norms and it is in operation continuously. The 2 nos. of lagoon are concrete lagoon for distillery section to settle the sludge from spentwash. And the stored rain water is lifted to concrete pit in compost yard.
5. We have provided necessary pipelines for agriculture irrigation. No treated effluent is utilized by surface drain leading to nala as per instructions at visit.

Hence, as your instructions and directions are taken on high risk. So, we humbly request your good self to consider our case sympathetically and oblige.

Thanking You,

Yours faithfully,

*[Signature]*  
Managing Director,  
Appasaheb Nalawade G.T.S.S.K.Ltd., Harali,  
Tal. Gadhinglaj, Dist. Kolhapur.

Copy to :

1. The Sub Regional Officer,  
Maharashtra Pollution Control Board,  
Udyog Bhavan, Near Collector Office, Kolhapur.

MAHARASHTRA POLLUTION CONTROL BOARD Annexure R-6  
REGIONAL OFFICE, KOLHAPUR.

<p>Tel No. (0231) 2652952, 2660448 Fax No. (0231) 2652952. E-mail: rokolhapur@yahoo.com</p>	 <p>"Your Service is Our Duty"</p>	<p>Udyog Bhavan, Near Collector Office, Kolhapur - 416 003. Website: http://mpcb.mah.nic.in</p>
---	---	---

No. MPCB/RO/KOPI/DI/2211170002

Date: 17/11/2022.

To,  
M/s. Appasaheb Nalawade Gadhinglaj Taluka SSK Ltd.,  
(Distillery Division), A/p-Harali,  
Tal. Gadhinglaj, Dist. Kolhapur.

**Sub:** Interim Directions under section 33 A of the Water  
(Prevention & Control of Pollution) Act, 1974 and rule made  
thereunder.


**Ref:** 1. NGT Original Application No. 180 of 2022 of Shahu Shivaji  
Mokashi Vs State of Maharashtra & Others  
2. Proposed Directions vide letter dated 01.08.2022.  
3. Personal hearing extended to you by the undersigned on  
03.11.2022.

As per NGT matter (NGT OA No. 180 of 2022) Proposed Directions issued to the industry on 01.08.2022 followed by the personal hearing extended on 03.11.2022. And following are the Interim directions issued u/s 33 A of the Water (Prevention & Control of Pollution) Act, 1974 & rule made thereunder.

1. You shall scrap the two unlined lagoons near the compost yard before starting the distillery.
2. You shall not store the effluent in unscientific way & avoid any type of trade effluent discharge into near by nalla which further leads to Hiranyakeshi River.
3. You shall operate all effluent treatment plant equipment's round O' clock, so that to achieve 100% utilization of effluent of distillery units.
4. You shall remove/scrap all bypass arrangements from the lowest slope of the compost yard which further leads to Hiranyakeshi River.
5. As per the information from the industry representative, the election of the body members will be conducted & decision regarding upgradation & compliance of the directions will be taken after the formation of body & chamber.
6. You are instructed not to start any manufacturing activity till the compliance of above points as well as directed to submit the undertaking as an assurance within one week for the same.

In case you fail to comply with the above interim directions, the Board will have no option but to issue final directions as may deem fit in your case, which may please be noted.

FOR & ON BEHALF  
OF THE BOARD

  
(J. S. Salunkhe)

Regional Officer, Kolhapur

**Copy submitted for favour of information:**

Member Secretary, MPC Board, Mumbai.

**Copy f.w.cs. for information to:**

1. Regional Officer (HQ), MPC Board, Mumbai.

**Copy to:**

1. Sub-Regional Officer, M.P.C. Board, Kolhapur.

- He is directed to submit the compliance report from time to time & keep vigil.

No. Of Corrections  
on this page- 



APPASAHEB NALAWADE GADHINGLAJ TALUKA  
SAHAKARI SAKHAR KARKHANA LTD, HARLI

Tal. Gadhinglaj- 416 502, Dist. Kolhapur (Maharashtra)

Ref. No. Dist 1475/2023-24

Date:

06/08/2023



To,  
The Regional Officer,  
Maharashtra Pollution Control Board,  
Udyog Bhavan, Near Collector Office,  
Kolhapur.

Subject : Interim Directions under section 33 A of the water (Prevention & Control of Pollution) Act 1974 and rule made there under.  
(Distillery Division)


Ref. No. : Your letter No. MPCB/RO/KOP/PD/221170002 Dtd. 17/11/2022.

Respected Sir,

As per subject cited above, we have inline with compliance of the directions by NGT and your referred letters. We have already complied as per directions and fulfilled the requirement as per CREP Norms as below

Sr. No.	Points	Observations and Remarks	Compliance
1	You shall scrap the two unlined lagoons near the compost yard before starting the distillery.	We had scrapped the two unlined lagoons near the compost yard.	Complied
2	You shall not store the effluent in unscientific way & avoid any type of trade effluent discharge into near by nalla which further leads to Hiranyakeshi River.	We had made all statutory arrangements for not to store the effluent in unscientific way and avoid any of trade effluent discharge into any nalla which leads to Hiranyakeshi River.	Complied
3	You shall operate all effluent treatment plant equipments round 'O' clock, so that to achieve 100% utilization of effluent of distillery unit.	Our MEE plant is fully overhauled and ready for effluent treatment 100% result. We are taking all precautions to utilize 100% of effluent of distillery unit before starting of season.	Complied
4	You shall remove/scrap all bypass arrangements from the lowest slope of the compost yard which further leads to Hiranyakeshi River.	There are no any bypass arrangements from the lowest slope of the compost yard.	Complied
5	As per the information from the industry representative, the election of the body members will be conducted & decision	Our karkhana election are over and the new body is formed. Decision regarding up gradation	If any query arise we will full fill before starting of

No. Of Corrections  
on this page- 0



	regarding upgradation & compliance of directions will be taken after the formation of body & Chairman.	and compliance of direction lead by your office are in progress for completion.	
6	You are instructed not to start any manufacturing activity till the compliance of above points as well as directed to submit the undertaking as an assurance within one week for the same.	We had already submitted the undertaking as per your direction. The manufacturing activity will be started after compliance and visit of your officials.	Complied

Till today our karkhara has not started. We have already complied the directions lead by you and as per undertaking given by us. Unknowingly any query arises we will fulfill the directions before starting the crushing season.

Hence, we humbly request your good self to consider our case sympathetically and oblige.

Thanking You,

Yours faithfully,

Managing Director,  
Appasaheb Nalawade G.T.S.S.K.Ltd., Harali,  
Tal. Gadhingla, Dist. Kolhapur.


Copy to :  
The Sub Regional Officer,  
Maharashtra Pollution Control Board,  
Udyog Bhavan, Near Collector Office, Kolhapur.

✓ Distery / Master

TRUE COPY

MANAGING DIRECTOR  
Appasaheb Nalawade G.T.S.S.K.Ltd Harali

No. Of Corrections  
on this page- 2



PHONE (0232) 250317  
250518  
250300  
FAX (0232) 250314

**APPASAHEB NALAWADE GADHINGLAJ TALUKA  
SAHAKARI SAKHAR KARKHANA LTD., HARALI  
TALUKA : GADHINGLAJ, DISTRICT : KOLHAPUR ( MAHARASHTRA )**

Ref. No. MFG/1242/2021-2022

BOOK-POST

Date - 21-03-2022

TO,

**SUBJECT: FINAL MANUFACTURING REPORT IN THE  
FORM R.T.8 (C) FOR THE SEASON 2021-2022**

Dear Sir,

Please find enclosed herewith the FINAL MANUFACTURING REPORT IN THE FORM R.T.8 (C) for the season 2021-2022 for your information.

Kindly acknowledge,

Thanking you.

Yours Faithfully,

(M. S. Magdant)

I.C. Managing Director

Appasaheb Nalawade Gad. T. S. S. K. Ltd., Harali

No. Of Corrections  
on this page - 1

Central Excise Series No. 76  
Range - Gadhinglaj  
Circle - Kolhapur

Central Excise Series  
FORM R.T.8 (C)  
(For Central Sugar Factories)

## Final Manufacturing Report For The Season 2021-2022

Name and address of the factory

Appasaheb Nalawade Gadhinglaj Taluka Sahakari  
Sakhar Karkhana Ltd., Harali, Tal. Gadhinglaj, Dist.  
Kolhapur Collaboration with Brisk Facilities (Sugar Division)  
Pvt. Ltd.

Registration number of the factory

KPR / PRG (A) - 6 (S) dated 12-02-1971

Clarification process

Double Sulphitation


Sr. No	Particulars	This Season 2021-2022	Last Season 2020-2021
1.	<b>TIME ACCOUNT</b>		
	1) Date of Start	30-12-21 At 10.00 a.m.	3-11-20 At 11.00 a.m.
	2) Date of Finish	22-2-22 At 6.00 p.m.	9-3-21 At 11.00 a.m.
	3) Gross Season (Days) (1 f)	55	127
	4) Duration of Season (Days) (1 g)	31.27	130.55
	5) Total Hours Actual Crushing	688.00	2872.00
	6) Total Hours Lost	625.00	152.00
	a) Cane Shortage	494.00	24.00
	b) Mechanical	108.00	79.00
	c) Electrical	-	-
	d) Process	-	-
	e) General Cleaning	-	-
	f) Miscellaneous	23.00	49.00
	g) Rain	-	-
2.	<b>CANE CRUSHED ( QTLS )</b>		
	1) Own Estate Cane	-	64.5
	2) Members Cane	3,39,172.72	23,08,058.4
	3) Non Members Cane	3,53,196.38	10,86,087.0
	4) Other than rail Cane	-	-
	5) Total	6,92,370.00	33,94,210.0
3.	<b>JUICE AND ADDED WATER</b>		
	1) Average gross mixed juice % cane	92.05	93.5
	2) Correction % mixed juice	0.42	0.2
	3) Average net mixed juice % cane	91.63	93.3
	4) Total net mixed juice obtained (Qtls.)	6,34,394.60	31,75,519
	5) Average added water % cane	20.75	23

No. Of Corrections  
on this page - 0



Particulars.	This Season 2021-2022	Last Season 2020-2021
1) Total Sugar bagged (Qtls.)	76,800.00	3,42,850.00
a) White	-	63,340.00
b) Raw	*200.00	*1430.00
c) Brown /B.L.S.S	77,000.00	4,07,620.00
2) Total Sugar Quantity ( Qtls. )		
3) Sugar in Process if any ( Qtls. )	77,000.00	4,07,620.00
4) Total Sugar made ( Q'tls. )		
5) Sugar recovered from previous season's remelted sugar or other sources ( Qtls. )		
6) Total net sugar made ( Qtls. )	77,000.00	4,07,620.00
<b>5. MOLASSES</b>		
1) Total molasses sent out (Qtls.)	23,793.30	1,17,054.00
2) Molasses in process if any (Qtls.)		
3) Total molasses produced (Qtls.)	23,793.30	1,17,054.00
4) Molasses recovered from previous season's process if any (Qtls.)		
5) Molasses recovered from previous season's remelted sugar or other sources (Qtls.)		
6) Total net molasses produced (Qtls.)	23,793.30	1,17,054.00
<b>6. RECOVERY % CANE</b>		
1) Average recovery of sugar % cane	11.12	12.01
2) Average production of final molasses % cane	3.44	3.45
<b>7. BAGASSE % CANE (c)</b>	28.10	29.16
Filter cake % cane	3.59	3.69
<b>8. STORE USED</b>		
1) Coal % cane	-	-
a) Trial	-	-
b) Season	-	-
2) Fire wood % cane	-	-
a) Trial	-	-
b) Season	0.280	0.065
3) Other fuel % cane (Furnace oil)	-	-
a) Trial	-	-
b) Season	-	-
4) Coke (b) % cane	-	-
5) Lime % cane	0.166	0.109
a) Process	0.126	0.069
b) Spray pond + F.T.P.	0.040	0.040
6) Sulphur % cane	0.007	0.030
7) Lubricants		
a) Grease	0.071	0.005
b) Oils	0.465	0.004
	Kgs / 100 qtls. of cane	
	Ltrs / 100 qtls. of cane	

No. Of Corrections  
on this page- *2*




Particulars		This Season 2021-2022	Last Season 2020-2021
8) Filter cloth	Mts. /100 qtls. of cane	-	-
9) a) A type jute bags	Nos / 100 qtls. of cane	-	-
b) p.p. bags 50kg	Nos / 100 qtls. of cane	22.86	24.74
10) Process Chemicals			
1. a) Orthophosphoric acid	Kgs /100 qtls. of cane	0.147	0.003
b) Alizerine	Kgs /100 qtls. of cane	0.029	0.024
2. Mill sanitation	Kgs /100 qtls. of cane	0.289	0.095
3. Antiscalent	Kgs /100 qtls. of cane	0.029	0.005
4. Flocculants	Kgs /100 qtls. of cane	-	-
5. colour precipitent	Kgs /100 qtls. of cane	0.051	0.021
11) Cleaning Chemicals			
1. Washing soda	Kgs / 100 qtls. of cane	0.060	0.018
2. Caustic soda	Kgs / 100 qtls. of cane	-	0.121
3. Scale softner	Kgs / 100 qtls. of cane	0.087	0.128
<b>9. ANALYSIS</b>			
Cane	Sugar %	13.27	13.89
	Fibre %	13.24	13.50
Primary juice	Sugar %	18.26	17.61
	Brix %	21.14	20.08
	Purity	86.38	87.70
Mixed Juice	Sugar %	13.72	14.00
	Brix %	16.13	16.32
	Purity	85.06	85.78
Last Mill Juice	Sugar %	4.62	5.37
	Brix %	5.86	6.71
	Purity	78.84	80.03
Clarified Juice	Sugar %	15.12	14.60
	Brix %	17.68	16.92
	Purity	85.52	86.29
Filter press Juice	Sugar %	-	-
	Brix %	-	-
	Purity	-	-
Unsulphured Syrup	Sugar %	46.95	47.34
	Brix %	55.04	55.01
	Purity	85.30	86.06
Sulphured Syrup	Sugar %	47.70	48.10
	Brix %	55.64	55.62
	Purity	85.73	86.48
A Massecuite	Brix %	91.73	91.78
	Purity	89.47	89.62
B Massecuite	Brix %	95.15	95.86
	Purity	78.16	78.20
B Massecuite	Brix %	-	-
	Purity	-	-
C Massecuite	Brix %	99.62	98.50
	Purity	60.99	62.17

No. Of Corrections  
on this page- *nm*



Particulars		This Season 2021-2022	Last Season 2020-2021
<b>MOLASSES (C)</b>			
A Heavy	Brix %	80.82	78.62
	Purity	79.35	77.93
A Light	Brix %	78.08	75.88
	Purity	89.25	90.31
B Heavy	Brix %	83.32	82.00
	Purity	60.56	59.83
B Light	Brix %	-	-
	Purity	-	-
B <sub>1</sub> Heavy	Brix %	-	-
	Purity	-	-
C Light	Brix %	82.43	80.70
	Purity	67.72	67.29
D Light	Brix %	-	-
	Purity	-	-
<b>SUGAR (Average) (d)</b>			
White Sugar	Sugar %	99.8	99.8
	Moist. %	0.04	0.04
Raw Sugar	Sugar %	-	99.41
	Moist. %	-	0.095
	R.S. %	-	-
	Ash %	-	-
<b>END PRODUCT</b>			
Brown Sugar	Sugar %	-	-
	Brix %	-	-
	Purity	-	-
Final Molasses	Sugar %	33.84	27.59
	Brix %	89.52	88.53
	Purity	37.30	31.16
Bagasse	Sugar %	2.80	2.73
	Moist. %	50.31	50.28
	Fibre %	46.14	46.30
Filter Cake	Sugar %	2.05	1.79
Boiler Feed Water	PH	Above 8.5	Above 8.5
	Temp.	Above 98 <sup>o</sup> c	Above 98 <sup>o</sup> c
Clear Juice	PH	6.9	6.9
	Temp.	Above 95 <sup>o</sup> c	Above 95 <sup>o</sup> c
<b>10. EFFICIENCY FIGURES</b>			
1) Mill extraction		93.99	94.27
2) Reduced Mill extraction		94.37	94.76
3) Boiling house extraction		88.30	91.54
4) Reduced Boiling house extraction (Ratio)		88.25	91.08
5) Overall extraction		82.99	86.30
6) Reduced overall extraction (Ratio)		83.28	86.31

No. Of Corrections  
on this page *PM*




Particulars	This Season		Last Season	
	2021	2022	2020-2021	
11. SUGAR BALANCE (CANE = 100)				
1) Sugar in cane		13.37		13.89
2) Sugar in mixed juice		12.27		13.10
3) Sugar in bagasse		0.80		0.79
4) Sugar in filter cake		0.07		0.07
5) Sugar in final Molasses		1.16		0.95
6) Sugar in Sugar		11.10		11.99
7) Sugar undetermined		0.24		0.09
8) Total Losses (in bagasse, filter cake, final Molasses & undetermined)		2.27		1.90
12. AREA AND YIELD OF CANE				
1) Total area of farm (hect.)		7,200.00		7,187.00
2) Area under cane (hect.)		1,154.00		0.20
3) Production of cane (qtls.)		6,92,370.00		33,94,110.00
4) Average yield per hect. (qtls.)		600.00		621.00
5) Average Variety				
a) Plant		CO-92005		CO-92005
		CO-86032		CO-86032
		CO-265		CO-265
		10001		10001
		VSI-8005		VSI-8005
		VSI-3102		VSI-3102
b) Adsal				
c) Ratoon				

We hereby declare that the figures given in this return are complete and true to the best of our Knowledge and belief.

(R.R. Panari)  
Production Manager

(M.S. Magdum)  
DC Managing Director

No. Of Corrections  
on this page - 0




- a) Out station cane is the cane weighed and purchased at Centre other than at the factory gate
- b) For carbonation factories only
- c) In case three massécuite System brix and Purities of C Heavy and D Light Molasses are not to be given.
- d) Sugar means direct "Pol"
- e) Gross season days means the total number of days from the date of start to date of close both days inclusive.
- f) Duration of the season, this calculated by dividing the hours of actual crushing by 22.

**Remark:**

20 Qtls of B.I.S.S. produced at the end of season 2021-2022 is included in sugar production as it contains more than 90% sucrose.

Particulars	Quantity (Qtls)	Av.Sugar (Qtls)	Av.Molasses (Qtls)
Brown sugar	-	-	-

No. Of Corrections  
on this page- *MS*




APPASAHEB NALAWADE GADHINGLAJ TALUKA SAHAK  
SAKHAR KARKHANA LTD., HARALI

ADDITIONAL INFORMATION FOR R.T.8 ( C ) 2021-2022


Sr. No.	Particulars	This Season 2021-2022	Last Season 2020-2021
1.	Mill Extraction	93.99	94.27
2.	Reduced Mill Extraction	94.37	94.76
3.	Boiling House Extraction	88.30	91.54
4.	Reduced Boiling House Extraction		
	i. Gundu Rao	88.25	91.08
	ii. Noel Deer	88.24	90.99
5.	Overall Extraction	82.99	86.30
6.	Reduced Overall Extraction		
	i. Gundu Rao	83.28	86.51
	ii. Noel Deer	83.27	86.22
7.	Added Water % Fibre	156.59	170.95
8.	Added Water Extracted in MJ % Added Water in cane	104.65	75.91
9.	Undiluted Juice Lost % Fibre	36.40	36.79
10.	Virtual Purity of Final Molasses	39.98	37.80
11.	Molasses produced actual / Theoretical	90.43	101.52
12.	Crushing Rate / 24 Hours ( M.T. )		
	i. Including Stoppages	1265.52	2693.76
	ii. Excluding Stoppages	2415.36	2830.72
13.	Crushing Rate / 22 Hours ( M.T. )		
	i. Including Stoppages	1160.06	2469.28
	ii. Excluding Stoppages	2214.08	2599.96
14.	Sanctioned Capacity	2500.00	2500.00
15.	Hours Lost % Hours available		
	Cane shortage % Hrs available	37.62	0.79
	Mechanical % Hrs available	8.23	2.61
	Electrical % Hrs available	-	-
	Process % Hrs available	-	-
	Gen.Clean. % Hrs available	-	-
	Miscellaneous % Hrs available	1.75	1.62
	Rain	-	-
	Total	47.60	5.02
16.	Capacity Utilization of the plant		
	i) On the basis of Actual Days	46.16	97.99
	ii) On the basis of Actual crushing		
	i) Incl. Stoppages	50.62	107.75
	ii) Excl. Stoppages	96.61	113.47
17.	E.R.Q.V.		
	i. M.L.P.E.	97.15	95.77
	ii. T.M.L.P.E.	83.74	83.92

No. Of Corrections  
on this page - 2



Particulars		2021-2022	2020-2021
	Factor	4.23	4.15
	Masseccuite % cane		
	Masseccuite	23.24	26.39
	Masseccuite	11.62	12.71
	Masseccuite		
	Masseccuite	8.65	7.05
	<b>Total</b>	<b>43.51</b>	<b>46.02</b>
20	<b>Seed purity</b>		
	1) B seed purity	97.06	97.18
	2) C seed purity	93.12	93.31
	3) CIW sugar purity	84.15	83.57
21	<b>Bagasse data(MT)</b>		
	1) bagasse sold before start of the season	-	-
	2) Opening balance at the start of the season	7,094	39,654
	3) Production	19,872,387	98,969,160
	4) Purchased	875,425	-
	5) Total available bagasse (2+3+4)	20,754,906	99,008,814
	6) Fuel for boilers of the sugar mill	19,970,731	77,377,563
	7) Saved (5-6)	784,175	21,631,251
	8) Used for the paper plant	-	-
	9) Used for ancillary unit	526,448	6,072,437
	10) Burned	-	800,000
	11) Baled bagasse sold	-	10,707,800
	12) Loose bagasse sold	-	4,051,014
	13) Closing balance at the closure of the season	-	6.37
	14) Bagasse saved % cane	-	0.082
	15) Extra fuel in terms of Std. bagasse % cane	0.351	0.079
22	<b>Electricity Generation</b>		
	1) Units Generated by T.G. Set	17,16,100	67,65,300
	2) Units Generated by D.G. set	4,200	5,400
	3) Units Purchased from M.S.E.B.	11,605	1,22,376
	4) Total Units Generated	17,20,300	67,70,800
	<b>Electricity consumption (kWH)</b>		
	1) Sugar factory	17,25,490	63,91,000
	2) Distillery Plant+Evaporation plant	42,000	4,14,000
	3) Office & Colony	64,200	88,136
	4) Any Other	-	-
	5) Electricity consumption KWh/ton of cane	24.92	18.83
	<b>Co Generation</b>		
	1) Co Generation of surplus electricity (No.)	-	-
	2) Unit supplied to the state Grid season	-	-
	<b>Steam Generation</b>		
	1) Live Steam Production	38,500	2,04,216
	2) Pressure (Kg/cm <sup>2</sup> )	21	21
	3) Temperature (°C)	340	340
	<b>Steam Consumption % cane</b>		
	1) Power house	30	38
	2) Mill house & cane preparation	12	14
	3) Bleeding	6	6
	4) Misce	3	3
	5) By product	-	-
	6) Total steam Consumption % cane	51	59

No. Of Corrections  
on this page **10**



Sugar Grade

Grades	2021-2022		2020-2021	
	Qtls.	Qtls.	Qtls.	%
L: 30				
M: 30	8,060	10.47	20,300	4.96
S: 30	65,799	85.44	3,18,350	78.10
Sr: 30	2,950	3.83	4,200	1.03
<b>Total (White)</b>	<b>76,800</b>		<b>3,42,850</b>	
Raw Sugar			60,340	15.54
BROWN BISS	200	0.26	1,430	0.35
<b>Total</b>	<b>77,000</b>	<b>100.00</b>	<b>4,07,620</b>	<b>100.00</b>

1) Name and address of Managing Agent

Co-Operative

2) Secretary

M.S. Magdum

3) Production Manager

R.R. Panari

4) Chief Engineer


P.J. Desai


5) Chief Agricultural Officer

P.P. Dhadke

6) Finance Manager


B.R. Redekar

  
( R.R. Panari )  
Production Manager

  
(M.S. Magdum)  
I/C Managing Director

No. Of Corrections  
on this page- 





Annexure R-9

E-Mail: [gtsskltd@rediffmail.com](mailto:gtsskltd@rediffmail.com)

**APPASAHEB NALAWADE GADHINGLAJ TALUKA SAHAKARI  
SAKHAR KARKHANA LTD., HARALI**

**TALUKA: GADHINGLAJ, DIST: KOLHAPUR (MAHARASHTRA)**

Ref.No. BFPL/MFG/32 /2023-24

Date: 10/04/2024

To,

Subject: Final Manufacturing Report in the Form R.T.8(C ) for the Season 2023-24.

Dear Sir,

Please Find enclosed herewith the "FINAL MANUFACTURING REPORT" in the form R.T.8 (C ) for the Season 2023-24 for your information.

Kindly acknowledge,

Thanking you,

Yours Faithfully,

Managing Director

Appasaheb Nalawade Gad. T. S.S.K. Ltd., Harali

No. Of Corrections  
on this page- *mg*



## Central Excise Series No. 76

Range: Gadhinglaj

Form RE.T.8 (C)

Circle: Kolhapur

(For Central Sugar Factories)

## Final Manufacturing Report For The Season 2023-24


Name and address of the factory : Appasaheb Nalawade Gadhinglaj Taluka  
Sahakari Sakhar Karkhana Ltd., Harali, Tal.  
Gadhinglaj, Dist . Kolhapur

Registration No. of the factory : KPR / PG (A)-6 (S) dated : 12-02-1971

Clarification Process : Double Sulphitaion

Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
1.	<b>TIME ACCOUNT</b>		
	1) Date of Start	22.12.2023 at 12:00 AM	0.00
	2) Date of Finish	02.03.2024 at 04:00 AM	0.00
	3) Gross Season(Days) (f)	72.00	0.00
	4) Duration of Season (Days) (g)	67.15	0.00
	5) Total Hours Actual Crushing	1477:15	0.00
	6) Total Hours Lost	238:45	0.00
	a) Cane Shortage	128:45	0.00
	b) Mechanical	81:30	0.00
	c) Electrical	14:30	0.00
	d) Process	01:00	0.00
	e) Boiler	2:00	0.00
	f) Power Plant	11:00	0.00
	g) Miscellaneous	0:00	0.00
2.	<b>CANE CRUSHED (QTLs)</b>		
	1) Own Estate Cane	0.00	0.00
	2) Members Cane	801981.94	0.00
	3) Non Members Cane	582833.10	0.00
	4) Other than rail Cane	0.00	0.00
	5) Total	1384815.04	0.00
3.	<b>JUICE AND ADDED WATER</b>		
	1) Average gross mixed juice % cane	101.013	0.00
	2) Correction % mixed Juice	0.50	0.00
	3) Average net mixed juice % Cane	100.513	0.00
	4) Total net juice obtained (Qtls.)	1391925.40	0.00
	5) Average added water % Cane	29.39	0.00


No. Of Corrections  
on this page- *Nil*




No. Of Corrections  
on this page- *002*



Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
4.	<b>SUGAR</b>		
	1) Total Sugar bagged(Nos.)		
	a) White (50 Kg.)	343560.00	0.00
	b) BISS	0.00	0.00
	c) Raw	0.00	0.00
	d) Brown (50 Kg.)	0.00	0.00
	2) Total Sugar Quantity ( Qtls.)	171780.00	0.00
	3) Sugar in Process if any (Qtls.)	0.00	0.00
	4) Total Sugar made (Qtls.)	171780.00	0.00
	5) Sugar recovered from previous seasons remelted or other sources (Qtls.)	0.00	0.00
	6) Total net Sugar made (Qtls.)	171780.00	0.00
5.	<b>Molasses</b>		
	1) Total molasses sent out (Qtls.)	61200.00	0.00
	2) Molasses in Process if any (Qtls.)	0.00	0.00
	3) Total molasses Produced (Qtls.)	61200.00	0.00
	4) Molasses recovered from previous seasons process if any (Qtls.)	0.00	0.00
	5) Molasses recovered from previous seasons remelted sugar or other sources(Qtls.)	0.00	0.00
	6) Total net molasses Produced(Qtls.)	61200.00	0.00
6.	<b>RECOVERY % CANE</b>		
	1) Average Recovery of Sugar % Cane	12.405	0.00
	2) Average Produced of Final molasses % Cane	4.42	0.00
7.	<b>BAGASE % CANE (e)</b>	28.37	0.00
	Filter Cake % Cane	4.20	0.00
8.	<b>STORE USED</b>		
	1) Coal % Cane		
	a) Trial	0.00	0.00
	b) Season	0.00	0.00
	2) Fire wood % Cane		
	a) Trial	0.00	0.00
	b) Season	0.083	0.00
	3) Other fuel % Cane (Furnace oil)		
	a) Trail	0.00	0.00
	b) Season	0.00	0.00
	4) Lime % Cane		
	a) Process	0.130	0.00
	b) Spray Pond		
	c) Effluent Treatment	0.012	0.00
	Total	0.142	0.00
	5) Sulphure % Cane	0.051	0.00
	6) Lubricants		
	a) Grease	Kgs/100 qtls.of Cane	0.121
	b) Oils	Ltre/ 100 qtls of Cane	0.678




Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
	7) PP Bags 50 kg Nos./ 100 qtls.of Cane	25.419	0.00
	8) Process Chemicals		
	1. Orthophosphoric acid Kgs/100 qtls. Of Cane	0.103	0.00
	2. Mill Sanitation Kgs/100 qtls. Of Cane	0.087	0.00
	3. Anti scalent Kgs/100 qtls. Of Cane	0.065	0.00
	4. Viscosity Reducer Kgs/100 qtls. Of Cane	0.004	0.00
	5. Flocculants Kgs/100 qtls. Of Cane	0.036	0.00
	6. Colour precipitant Kgs/100 qtls. Of Cane	0.076	0.00
	7. Turkey red Oil Kgs/100 qtls. Of Cane	0.083	0.00
	9) Cleaning Chemicals		
	1. Washing Soda Kgs/100 qtls. Of Cane	0.027	0.00
	2. Caustic Soda Kgs/100 qtls. Of Cane	0.161	0.00
	3. Scale softner Kgs/100 qtls. Of Cane	0.173	0.00
9.	<b>ANALYSIS</b>		
	Cane		
	Sugar %	14.577	0.00
	Fibre %	13.266	0.00
	Primary juice		
	Sugar %	17.54	0.00
	Brix %	20.46	0.00
	Purity	85.73	0.00
	Mixed juice		
	Sugar %	13.68	0.00
	Brix %	16.22	0.00
	Purity	84.38	0.00
	Last Mill juice		
	Sugar %	2.77	0.00
	Brix %	3.51	0.00
	Purity	78.92	0.00
	Clarified juice		
	Sugar %	13.88	0.00
	Brix %	16.35	0.00
	Purity	84.89	0.00
	Filter press juice		
	Sugar %	0.00	0.00
	Brix %	0.00	0.00
	Purity	0.00	0.00
	Unsulphured Syrup		
	Sugar %	47.67	0.00
	Brix %	56.10	0.00
	Purity	84.97	0.00
	Sulphured Syrup		
	Sugar %	48.37	0.00
	Brix %	56.87	0.00
	Purity	85.05	0.00
	A Masecuite		
	Brix %	91.25	0.00
	Purity	89.38	0.00
	B Masecuite		
	Brix %	95.20	0.00
	Purity	75.80	0.00
	C Masecuite		
	Brix %	98.80	0.00
	Purity	57.60	0.00



Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
	<b>MOLASSES ( C )</b>		
	A Heavy	Brix % 78.40 Purity 75.20	0.00 0.00
	A Light	Brix % 75.40 Purity 90.80	0.00 0.00
	B Heavy	Brix % 84.20 Purity 56.53	0.00 0.00
	B Light	Brix % - Purity -	0.00 0.00
	B1 Heavy	Brix % - Purity -	0.00 0.00
	C Light	Brix % 78.70 Purity 61.88	0.00 0.00
	<b>SUGAR (Average) (d)</b>		
	White Sugar	Sugar % 99.80 Moisture % 0.04	0.00 0.00
	Raw Sugar	Sugar % -- Moisture % -- R.S % -- Ash % --	0.00 0.00 0.00 0.00
	<b>END PRODUCT</b>		
	Brown Sugar	Sugar % -- Brix % -- Purity --	0.00 0.00 0.00
	Final Molasses	Sugar % 28.75 Brix % 85.50 Purity 33.63	0.00 0.00 0.00
	Bagasse	Sugar % 2.90 Moisture % 49.52 Fibre % 46.76	0.00 0.00 0.00
	Filter Cake	Sugar % 1.82	0.00
	Boiler Feed Water	pH above 9.05 Temperature above 98	0.00 0.00
	Clear Juice	pH -- Temperature 98	0.00 0.00
<b>10.</b>	<b>EFFICIENCY FIGURES</b>		
	1) Mill Extraction	94.35	0.00
	2) Reduced Mill Extraction	94.72	0.00
	3) Boiling House Extraction	90.01	0.00
	4) Reduced Boiling House Extraction (Rao)	90.01	0.00
	5) Overall Extraction	84.93	0.00
	6) Reduced overall Extraction (Rao)	85.27	0.00

No. Of Corrections  
on this page - 0



Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
11.	<b>SUGAR BALANCE(CANE =100)</b>		
	1) Sugar in Cane	14.577	0.00
	2) Sugar in mixed juice	13.754	0.00
	3) Sugar in Bagasse	0.823	0.00
	4) Sugar in filter Cake	0.076	0.00
	5) Sugar in Final Molasses	1.271	0.00
	6) Sugar in Sugar	12.380	0.00
	7) Sugar Undetermined	0.03	0.00
	8) <b>Total Losses</b> (in Bagasse,Filter Cake,Final Molasses, Undetermined)	2.20	0.00
12.	<b>AREA AND YIELD OF CANE</b>		
	1) Total area of farm (hect.)	--	--
	2) Area under Cane (hect.)	--	--
	3) Production of Cane (qtls.)	--	--
	4) Average yield per hect. (qtls.)	--	--
	5) Average Variety		
		CO-86032	--
		CO-92005	--
		CO-265	--
		CO-671	--
		CO-8014	--
		CO-7704	--
		CO-7219	--
		CO-8021	--
		CO-88121	--
		CO-740	--
		CO-98071	--
		CO-10001	--
		CO-8005	--
		Adhar-2	--
	a) Plant	--	--
	b) Adsali	--	--
	c) Ratoon	--	--

We hereby declare that the figures given in this return are complete and true to the best of our knowledge and belief.

*Ravindra*  
Lab Incharge

*[Signature]*  
Chief Chemist

*[Signature]*  
Managing Director

No. Of Corrections  
on this page- *nm*

**Notes:**

- a) Out Station cane is the cane weighed and purchased at center other than at the factory gate,
- b) For carbonation factories only.
- c) In case three massecuite system brix and purities of C Heavy and D Light Molasses are not to be given.
- d) Sugar means direct 'Pol'.
- e) Gross season days means the total number of days from the date of start to date of close both days inclusive.
- f) Duration of the season, this calculated by dividing the hours of actual crushing by 22.

Return in this form must be prepared for the entire working season of the factory and must be submitted to the authorities specified below. So as to reach them not later than thirty days after the date on which working season closes.

- 1) Central excise authorities concerned.
- 2) Directorate of sugar and Vanaspati.
- 3) National Sugar Institute, Kanpur.
- 4) Directorate of Economics and Statistics.


No. Of Corrections  
on this page- *ABLS*

**APPASAHEB NALAWADE GADHINGLAJ TALUKA SAHAKARI  
SAKHAR KARKHANA LTD., HARALI**

TALUKA: GADHINGLAJ, DISTRICT: KOLHAPUR (MAHARASHTRA)


**ADDITIONAL INFORMATION FOR RT 8 (C) 2023-2024 SEASON**

Sr. No.	Particulars	This Season 2023-24	Last Season 2022-23
1.	Mill Extraction	94.35	0.00
2.	Reduced Mill Extraction	94.72	0.00
3.	Boiling House Extraction	90.01	0.00
4.	Reduced Boiling House Extraction		
	i) Gundu Rao	90.01	0.00
	ii) Noel Deer	90.48	0.00
5.	Overall Extraction	84.93	0.00
6.	Reduced Overall Extraction		
	i) Gundu Rao	85.27	0.00
	ii) Noel Deer	85.70	0.00
7.	Added Water % Fibre	221.56	0.00
8.	Added Water Extracted in MJ % Added Water in Cane	70.92	0.00
9.	Undiluted Juice Lost % Fibre	38.43	0.00
10.	Virtual Purity of final Molasses	35.05	0.00
11.	Molasses Produced actual / Theoretical	101.54	0.00
12.	Crushing Rate / 24 Hours (MTS.)		
	i) Including Stoppages	1936.80	0.00
	ii) Excluding Stoppages	2249.83	0.00
13.	Crushing Rate / 22 Hours (MTS.)		
	i) Including Stoppages	1777.48	0.00
	ii) Excluding Stoppages	2062.34	0.00
14.	Sanctioned Capacity	2500.00	0.00
15.	Hours Lost % Hours available		
	Cane Shortage	7.50	0.00
	Mechanical	4.75	0.00
	Electrical	0.84	0.00
	Process	0.06	0.00
	Boiler	0.12	0.00
	Power Plant	0.64	0.00
	Miscellaneous	0.00	0.00
	Total	13.91	0.00
16.	Capacity Utilization		
	Including Stoppages	77.47	0.00
	Excluding Stoppages	89.99	0.00
17.	ERQV		
	i) Mixed Juice / Primary Juice	97.05	0.00
	ii) LMJ / Primary Juice	85.11	0.00



No.	Particulars	This Season 2023-24	Last Season 2022-23
18.	Clarification Factor	2.49	0.00
19.	Masseccuite % Cane		
	A Masseccuite	31.41	0.00
	B Masseccuite	14.01	0.00
	C Masseccuite	7.77	0.00
	Total	53.19	0.00
20.	Seed Purity		
	1) B Seed purity	95.60	0.00
	2) C Seed purity	92.65	0.00
	3) CFW Sugar purity	82.45	0.00
21.	Bagasse data (MT)		
	1) Bagasse sold before start of the season	0.00	0.00
	2) Opening balance at the start of the season	0.00	0.00
	3) Production	39289.50	0.00
	4) Purchased	1505.00	0.00
	5) Total available bagasse (2+3+4)	40794.50	0.00
	6) Fuel for boiler of the sugar Mill	39999.50	0.00
	7) Saved (5-6)	795.00	0.00
	8) Closing balance at the closure of the season	795.00	0.00
	9) Extra fuel in terms of Std. Bagasse % cane	0.00	0.00
22.	Electricity Generation		
	1) Units Generated by TG Set	3021550	0.00
	2) Units Generated by DG Set	66720	0.00
	3) Units Purchased from MSEB	73315	0.00
	4) Total Units Generated	3088270	0.00
23.	Electricity Consumption (KWH)		
	1) Sugar Factory	3148270	0.00
	2) Distillery Plant	0.00	0.00
	3) Office & Colony	13315	0.00
	4) Any Other	0.00	0.00
	5) Electricity Consumption KW/Ton of Cane	22.73	0.00
24.	Co Generation		
	1) Co Generation of Surplus electricity (No)	0.00	0.00
	2) Unit Supplied to the state Grid Season	0.00	0.00
25.	Steam Generation		
	1) Live Steam Production	84000.00	0.00
	2) Pressure (kg/cm <sup>2</sup> )	21	0.00
	3) Temperature (°C)	340	0.00
26.	Steam Consumption % Cane		
	1) Power House	44.76	0.00
	2) Mill House & Cane preparation	7.00	0.00
	3) Bleeding	2.00	0.00
	4) Misce.	1.5	0.00
	5) By Product	0.00	0.00
	6) Total Steam Consumption % Cane	55.26	0.00
	7) Total Steam used for Sugar Production % Cane	53.76	0.00

No. Of Corrections  
on this page- *NM*



## 27. Sugar Grade:

Grades	2023-2024		2022-2023	
	Qtls.	%	Qtls.	%
L : 30	0.00	0.00	0.00	0.00
M : 30	10510.00	6.12	0.00	0.00
S1 : 30	138880.00	80.85	0.00	0.00
S2:30	22390.00	13.03	0.00	0.00
Raw Sugar	0.00	0.00	0.00	0.00
BROWN SUGAR /BISS	0.00	0.00	0.00	0.00
Total	171780.00	100.00	0.00	0.00

- 1) Name and Address of Managing Agent : Co – Operative
- 2) Secretary : Shri Mansingrao Anantrao Desai
- 3) Chief Chemist : Shri Ganesh Dadu Patil
- 4) Assistant General Manager (Tech.) : Shri Maruti Pandurang Chavan
- 5) Chief Accountant : Shri Bapusaheb R.Redekar
- 6) Chief Agricultural Officer : Shri Laxman Bhairu Desai

*Rawal*  
Lab Incharge

*Patil*  
Chief Chemist

*[Signature]*  
Managing Director

No. Of Corrections  
on this page - *Nil*

Appasaheb Nalawade (Gadhinglaj taluka) SSK Ltd.  
05MH092\_ETP\_Appasaheb Nalawade\_Kolhapur

From: 2022-01-01 00:00:00 To: 2022-12-31 23:59:00

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 10:20	7.01	37.99	129.16	37.45	48.8
11-Jan-2022 10:22	7.01	37.82	129.22	37.48	48.4
11-Jan-2022 10:24	7.01	38.48	128.91	37.44	48.9
11-Jan-2022 10:26	7.01	39.85	128.55	37.27	0.6
11-Jan-2022 10:28	7.01	41.78	127.74	36.99	0.7
11-Jan-2022 10:30	7.01	42.87	125.85	36.28	0.6
11-Jan-2022 10:35	7.01	40.58	127.07	36.78	0.6
11-Jan-2022 10:40	7.01	38.99	128.42	37.19	0.7
11-Jan-2022 10:45	7.01	37.91	129.38	37.49	0.6
11-Jan-2022 10:50	7.01	36.98	130.43	37.78	0.6
11-Jan-2022 10:55	7.01	36.32	131.33	38.03	0.7
11-Jan-2022 11:00	7.01	35.55	132.22	38.22	0.6
11-Jan-2022 11:05	7.01	34.22	133.47	38.51	0.6
11-Jan-2022 11:10	7.01	33.11	134.34	38.76	0.7
11-Jan-2022 11:15	7.01	31.92	135.53	39.05	0.6
11-Jan-2022 11:20	7.01	30.8	136.34	39.24	0.6
11-Jan-2022 11:25	7.01	29.49	137.67	39.56	0.6
11-Jan-2022 11:30	7.01	28.02	139.19	39.8	0.6
11-Jan-2022 11:35	7.01	28.14	141.6	40.05	74.3
11-Jan-2022 11:40	7.01	24.81	142.47	40.43	50.1
11-Jan-2022 11:45	7.01	23.52	143.11	40.73	48.7
11-Jan-2022 11:50	7.01	22.8	143.46	40.9	49.2
11-Jan-2022 11:55	7.01	21.85	144.14	41	49.3
11-Jan-2022 12:00	7.01	22.83	143.5	40.69	49

No. Of Corrections  
on this page- 104

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 12:05	7.01	21.12	148.83	41.6	49
11-Jan-2022 12:10	7.01	19.65	149.71	41.79	48.8
11-Jan-2022 12:15	7.01	18.98	151.98	41.89	48.7
11-Jan-2022 12:20	7.01	16.89	153.94	42.29	48.9
11-Jan-2022 12:25	7.01	13.86	155.95	43.03	49.3
11-Jan-2022 12:30	7.01	10.06	158.29	43.74	49.1
11-Jan-2022 12:35	7.01	7.89	160.16	44.25	49.3
11-Jan-2022 12:40	7.01	5.21	162.27	44.61	49
11-Jan-2022 12:45	7.01	3.97	164.66	44.78	48.9
11-Jan-2022 12:50	7.01	0.97	166.98	45.26	49
11-Jan-2022 12:55	7.01	0.75	168.88	45.67	48.8
11-Jan-2022 13:00	7.01	0	170.63	44.94	48.6
11-Jan-2022 13:05	7.01	0	172.03	45.36	48.9
11-Jan-2022 13:10	7.01		173.88	45.77	49.6
11-Jan-2022 13:15	7.01		175.77	46.42	48.1
11-Jan-2022 13:20	7.01		175.92	46.7	48.5
11-Jan-2022 13:25	7.01		176.49	47.21	46.6
11-Jan-2022 13:30	7.01		177.18	47.55	48.1
11-Jan-2022 13:35	7.01		178.38	46.44	48.1
11-Jan-2022 13:40	7.01		180.76	47.07	47.8
11-Jan-2022 13:45	7.01		182.39	47.73	48.6
11-Jan-2022 13:50	7.01		186.46	48.08	48.7
11-Jan-2022 13:55	7.01		186.03	48.45	48.8
11-Jan-2022 14:00	7.01		186.63	48.83	48.2
11-Jan-2022 14:05	7.01		187.67	49.35	48.2
11-Jan-2022 14:10	7.01		188.54	49.3	47.2
11-Jan-2022 14:15	7.01		189.07	49.7	48.3

No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 14:20	7.01		190.31	50.22	47.8
11-Jan-2022 14:25	7.01		191.33	50.62	46.5
11-Jan-2022 14:30	7.01		191.27	51.01	48.8
11-Jan-2022 14:35	7.01		185.55	50.95	48
11-Jan-2022 14:40	7.01		187.07	51.6	48.5
11-Jan-2022 14:45	7.01		188.73	51.98	48.5
11-Jan-2022 14:50	7.01		191.87	52.51	48
11-Jan-2022 14:55	7.01			52.73	48.9
11-Jan-2022 15:00	7.01			53.37	49.3
11-Jan-2022 15:05	7.01			54.07	49.2
11-Jan-2022 15:10	7.01			54.71	0.7
11-Jan-2022 15:15	7.01			55.02	0.6
11-Jan-2022 15:20	7.01			55.25	0.7
11-Jan-2022 15:25	7.01			55.7	0.7
11-Jan-2022 15:30	7.01			56.43	0.6
11-Jan-2022 15:35	7.01			56.53	0.6
11-Jan-2022 15:40	7.01			56.91	0.7
11-Jan-2022 15:45	7.01			56.56	0.7
11-Jan-2022 15:50	7.01			56.55	0.6
11-Jan-2022 15:55	7.01			56.8	0.5
11-Jan-2022 16:00	7.01			55.11	0.8
11-Jan-2022 16:05	7.01			56.27	0.6
11-Jan-2022 16:10	7.01			56.81	1.8
11-Jan-2022 16:15	7.01			56.89	0.7
11-Jan-2022 16:20	7.01			57.63	0.6
11-Jan-2022 16:25	7.01			57.85	0.5
11-Jan-2022 16:30	7.01			57.18	0.6

No. Of Corrections  
on this page- *2022*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 16:35	7.01			56.7	0.6
11-Jan-2022 16:40	7.01			56.94	0.9
11-Jan-2022 16:45	7.01			57.2	0.5
11-Jan-2022 16:50	7.01			56.72	0.6
11-Jan-2022 16:55	7.01			57.22	0.5
11-Jan-2022 17:00	7.01			57.47	0.5
11-Jan-2022 17:05	7.01			57.68	0.6
11-Jan-2022 17:10	7.01			57.61	0.5
11-Jan-2022 17:15	7.01			57.92	0.5
11-Jan-2022 17:20	7.01			58.06	0.7
11-Jan-2022 17:25	7.01			58.52	0.5
11-Jan-2022 17:30	7.01			58.57	0.6
11-Jan-2022 17:35	7.01			58.7	0.7
11-Jan-2022 17:40	7.01			58.31	0.5
11-Jan-2022 17:45	7.01			58.74	0.6
11-Jan-2022 17:50	7.01			58.85	44.9
11-Jan-2022 17:55	7.01			59.4	42.7
11-Jan-2022 18:00	7.01			59.69	42.6
11-Jan-2022 18:05	7.01			60.31	43
11-Jan-2022 18:10	7.01			60.5	44.3
11-Jan-2022 18:15	7.01			60.45	42.7
11-Jan-2022 18:20	7.01			60.72	43.3
11-Jan-2022 18:25	7.01			60.87	43.8
11-Jan-2022 18:30	7.01			61.06	45.2
11-Jan-2022 18:35	7.01			60.59	43.8
11-Jan-2022 18:40	7.01			60.62	43.9
11-Jan-2022 18:45	7.01			59.86	43.4

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 18:50	7.01			60.39	42.6
11-Jan-2022 18:55	7.01			60.83	43.1
11-Jan-2022 19:00	7.01			61.15	43.7
11-Jan-2022 19:05	7.01			61.38	42.1
11-Jan-2022 19:10	7.01			61.78	42.9
11-Jan-2022 19:15	7.01			62.31	0.5
11-Jan-2022 19:20	7.01			62.68	0.5
11-Jan-2022 19:25	7.01			62.66	0.4
11-Jan-2022 19:30	7.01			62.76	0.5
11-Jan-2022 19:35	7.01			62.78	0.6
11-Jan-2022 19:40	7.01			62.86	0.5
11-Jan-2022 19:45	7.01			62.95	0.5
11-Jan-2022 19:50	7.01			62.02	0.5
11-Jan-2022 19:55	7.01			61.99	0.4
11-Jan-2022 20:00	7.01			61.95	0.5
11-Jan-2022 20:05	7.01			60.03	0.4
11-Jan-2022 20:10	7.01			60.26	0.6
11-Jan-2022 20:15	7.01			60.64	0.6
11-Jan-2022 20:20	7.01			60.79	0.7
11-Jan-2022 20:25	7.01			61.01	0.5
11-Jan-2022 20:30	7.01			61.28	0.5
11-Jan-2022 20:35	7.01			61.38	0.5
11-Jan-2022 20:40	7.01			61.44	0.5
11-Jan-2022 20:45	7.01			61.72	0.5
11-Jan-2022 20:50	7.01			61.91	0.6
11-Jan-2022 20:55	7.01			61.91	0.6
11-Jan-2022 21:00	7.01			61.62	0.4


No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 21:05	7.01			62.21	50.6
11-Jan-2022 21:10	7.01			62.54	47.7
11-Jan-2022 21:15	7.01			62.75	48.6
11-Jan-2022 21:20	7.01			62.9	47.9
11-Jan-2022 21:25	7.01			62.95	49
11-Jan-2022 21:30	7.01			63.12	50.9
11-Jan-2022 21:35	7.01			62.7	50.9
11-Jan-2022 21:40	7.01			63.06	50.2
11-Jan-2022 21:45	7.01			62.92	50.3
11-Jan-2022 21:50	7.01			60.85	50.1
11-Jan-2022 21:55	7.01			61.72	49.8
11-Jan-2022 22:00	7.01			62.18	49.3
11-Jan-2022 22:05	7.01			62.56	48.4
11-Jan-2022 22:10	7.01			62.8	49.5
11-Jan-2022 22:15	7.01			62.86	50.2
11-Jan-2022 22:20	7.01			63.13	50.4
11-Jan-2022 22:25	7.01			63.26	49.9
11-Jan-2022 22:30	7.01			63.69	49.4
11-Jan-2022 22:35	7.01			63.97	49.6
11-Jan-2022 22:40	7.01			63.68	49.8
11-Jan-2022 22:45	7.01			63.42	49
11-Jan-2022 22:50	7.01			63.61	0.4
11-Jan-2022 22:55	7.01			63.12	0.4
11-Jan-2022 23:00	7.01			63.34	0.5
11-Jan-2022 23:05	7.01			64.79	0.5
11-Jan-2022 23:10	7.01			64.12	0.5
11-Jan-2022 23:15	7.01			64.6	0.5

No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Jan-2022 23:20	7.01			64.91	0.6
11-Jan-2022 23:25	7.01			65.18	0.5
11-Jan-2022 23:30	7.01			65.45	0.5
11-Jan-2022 23:35	7.01			65.64	0.4
11-Jan-2022 23:40	7.01			65.58	0.4
11-Jan-2022 23:45	7.01			65.7	0.4
11-Jan-2022 23:50	7.01			65.31	0.4
11-Jan-2022 23:55	7.01			65.5	0.4
12-Jan-2022 00:00	7.01			64.12	0.5
12-Jan-2022 00:05	7.01			64.39	0.5
12-Jan-2022 00:10	7.01			63.78	0.5
12-Jan-2022 00:15	7.01			63.41	0.5
12-Jan-2022 00:20	7.01			63.76	0.4
12-Jan-2022 00:25	7.01			64.11	0.5
12-Jan-2022 00:30	7.01			64.36	82.4
12-Jan-2022 00:35	7.01			64.72	50.2
12-Jan-2022 00:40	7.01			65.22	48.6
12-Jan-2022 00:45	7.01			65.78	50.1
12-Jan-2022 00:50	7.01			66.02	49.6
12-Jan-2022 00:55	7.01			66.21	48
12-Jan-2022 01:00	7.01				49.8
12-Jan-2022 01:05	7.01				47.3
12-Jan-2022 01:10	7.01				48.9
12-Jan-2022 01:15	7.01				50.5
12-Jan-2022 01:20	7.01				50
12-Jan-2022 01:25	7.01				49
12-Jan-2022 01:30	7.01				49.4

No. Of Corrections  
on this page- *nm*



Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 01:35	7.01				47.4
12-Jan-2022 01:40	7.01				47.2
12-Jan-2022 01:45	7.01				47.5
12-Jan-2022 01:50	7.01				46.6
12-Jan-2022 01:55	7.01				0.4
12-Jan-2022 02:00	7.01				0.4
12-Jan-2022 02:05	7.01				0.5
12-Jan-2022 02:10	7.01				0.4
12-Jan-2022 02:15	7.01				0.4
12-Jan-2022 02:20	7.01				0.5
12-Jan-2022 02:25	7.01				0.4
12-Jan-2022 02:30	7.01				0.5
12-Jan-2022 02:35	7.01				0.5
12-Jan-2022 02:40	7.01				0.5
12-Jan-2022 02:45	7.01				51.7
12-Jan-2022 02:50	7.01				48.1
12-Jan-2022 02:55	7.01				48.1
12-Jan-2022 03:00	7.01				47.5
12-Jan-2022 03:05	7.01				46.6
12-Jan-2022 03:10	7.01				45
12-Jan-2022 03:15	7.01				45.8
12-Jan-2022 03:20	7.01				45.5
12-Jan-2022 03:25	7.01				0.4
12-Jan-2022 03:30	7.01				0.4
12-Jan-2022 03:35	7.01				0.4
12-Jan-2022 03:40	7.01				0.4
12-Jan-2022 03:45	7.01				0.4

No. Of Corrections on this page- *Nil*



Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 03:50	7.01				0.4
12-Jan-2022 03:55	7.01				0.4
12-Jan-2022 04:00	7.01				0.4
12-Jan-2022 04:05	7.01				0.5
12-Jan-2022 04:10	7.01				0.5
12-Jan-2022 04:15	7.01				0.5
12-Jan-2022 04:20	7.01				0.5
12-Jan-2022 04:25	7.01				0.4
12-Jan-2022 04:30	7.01				0.5
12-Jan-2022 04:35	7.01				51.7
12-Jan-2022 04:40	7.01				46.8
12-Jan-2022 04:45	7.01				46.8
12-Jan-2022 04:50	7.01				47.1
12-Jan-2022 04:55	7.01				46.6
12-Jan-2022 05:00	7.01				46.8
12-Jan-2022 05:05	7.01				47.3
12-Jan-2022 05:10	7.01				45.7
12-Jan-2022 05:15	7.01				46.5
12-Jan-2022 05:20	7.01				47
12-Jan-2022 05:25	7.01				46.1
12-Jan-2022 05:30	7.01				46.2
12-Jan-2022 05:35	7.01				46.4
12-Jan-2022 05:40	7.01				46.2
12-Jan-2022 05:45	7.01				45.2
12-Jan-2022 05:50	7.01				45.5
12-Jan-2022 05:55	7.01				0.4
12-Jan-2022 06:00	7.01				0.4

No. Of Corrections on this page- *nm*

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 06:05	7.01				0.4
12-Jan-2022 06:10	7.01				0.4
12-Jan-2022 06:15	7.01				0.4
12-Jan-2022 06:20	7.01				0.4
12-Jan-2022 06:25	7.01				0.4
12-Jan-2022 06:30	7.01				0.4
12-Jan-2022 06:35	7.01				0.5
12-Jan-2022 06:40	7.01				0.4
12-Jan-2022 06:45	7.01				0.4
12-Jan-2022 06:50	7.01				0.4
12-Jan-2022 06:55	7.01				0.4
12-Jan-2022 07:00	7.01				0.4
12-Jan-2022 07:05	7.01				0.4
12-Jan-2022 07:10	7.01				0.4
12-Jan-2022 07:15	7.01				0.4
12-Jan-2022 07:20	7.01				0.4
12-Jan-2022 07:25	7.01				0.4
12-Jan-2022 07:30	7.01				0.4
12-Jan-2022 07:35	7.01				0.4
12-Jan-2022 07:40	7.01				0.4
12-Jan-2022 07:45	7.01				0.4
12-Jan-2022 07:50	7.01				0.4
12-Jan-2022 07:55	7.01				0.5
12-Jan-2022 08:00	7.01				46.4
12-Jan-2022 08:05	7.01				42.7
12-Jan-2022 08:10	7.01				42.1
12-Jan-2022 08:15	7.01				40.8

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 08:20	7.01				41.4
12-Jan-2022 08:25	7.01				40.1
12-Jan-2022 08:30	7.01				40.1
12-Jan-2022 08:35	7.01				41.4
12-Jan-2022 08:40	7.01				38.3
12-Jan-2022 08:45	7.01				40.6
12-Jan-2022 08:50	7.01				39.8
12-Jan-2022 08:55	7.01				40
12-Jan-2022 09:00	7.01				40
12-Jan-2022 09:05	7.01				38.6
12-Jan-2022 09:10	7.01				39.7
12-Jan-2022 09:15	7.01				38.9
12-Jan-2022 09:20	7.01				37.6
12-Jan-2022 09:25	7.01				38.1
12-Jan-2022 09:30	7.01				39.4
12-Jan-2022 09:35	7.01				38.4
12-Jan-2022 09:40	7.01				38.8
12-Jan-2022 09:45	7.01				38.5
12-Jan-2022 09:50	7.01				37.8
12-Jan-2022 09:55	7.01				39.7
12-Jan-2022 10:00	7.01				39.5
12-Jan-2022 10:05	7.01				40.2
12-Jan-2022 10:10	7.01				39.3
12-Jan-2022 10:15	7.01				38.8
12-Jan-2022 10:20	7.01				39.3
12-Jan-2022 10:25	7.01				37.7
12-Jan-2022 10:30	7.01				38.1

No.Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 10:35	7.01				37.1
12-Jan-2022 10:40	7.01				35.3
12-Jan-2022 10:45	7.01				0.4
12-Jan-2022 10:50	7.01				0.4
12-Jan-2022 10:55	7.01				0.6
12-Jan-2022 11:00	7.01				0.5
12-Jan-2022 11:05	7.01				0.5
12-Jan-2022 11:10	7.01				0.6
12-Jan-2022 11:15	7.01				0.6
12-Jan-2022 11:20	7.01				0.5
12-Jan-2022 11:25	7.01				0.6
12-Jan-2022 11:30	7.01				0.6
12-Jan-2022 11:35	7.01				0.5
12-Jan-2022 11:40	7.01				0.7
12-Jan-2022 11:45	7.01				0.6
12-Jan-2022 11:50	7.01				0.6
12-Jan-2022 11:55	7.01				0.6
12-Jan-2022 12:00	7.01				0.6
12-Jan-2022 12:05	7.01				0.7
12-Jan-2022 12:10	7.01				0.7
12-Jan-2022 12:15	7.01				0.7
12-Jan-2022 12:20	7.01				0.7
12-Jan-2022 12:25	7.01				0.7
12-Jan-2022 12:30	7.01				0.6
12-Jan-2022 12:35	7.01				0.7
12-Jan-2022 12:40	7.01				0.5
12-Jan-2022 12:45	7.01				0.6

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 12:50	7.01				0.7
12-Jan-2022 12:55	7.01				0.7
12-Jan-2022 13:00	7.01				0.7
12-Jan-2022 13:05	7.01				0.6
12-Jan-2022 13:10	7.01				0.7
12-Jan-2022 13:15	7.01				0.6
12-Jan-2022 13:20	7.01				0.6
12-Jan-2022 13:25	7.01				0.5
12-Jan-2022 13:30	7.01				0.7
12-Jan-2022 13:35	7.01				0.7
12-Jan-2022 13:40	7.01				0.6
12-Jan-2022 13:45	7.01				0.7
12-Jan-2022 13:50	7.01				36.6
12-Jan-2022 13:55	7.01				36.1
12-Jan-2022 14:00	7.01				35.4
12-Jan-2022 14:05	7.01				36.1
12-Jan-2022 14:10	7.01				33.5
12-Jan-2022 14:15	7.01				34.4
12-Jan-2022 14:20	7.01				33.4
12-Jan-2022 14:25	7.01				35.4
12-Jan-2022 14:30	7.01				35.1
12-Jan-2022 14:35	7.01				35.7
12-Jan-2022 14:40	7.01				36.4
12-Jan-2022 14:45	7.01				41.1
12-Jan-2022 14:50	7.01				42.1
12-Jan-2022 15:00	7.01				40.9
12-Jan-2022 15:05	7.01				41.5

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 15:10	7.01				41.5
12-Jan-2022 15:15	7.01				43.4
12-Jan-2022 15:20	7.01				42.5
12-Jan-2022 15:25	7.01				41.4
12-Jan-2022 15:30	7.01				41.5
12-Jan-2022 15:35	7.01				42.2
12-Jan-2022 15:40	7.01				43.3
12-Jan-2022 15:45	7.01				42.2
12-Jan-2022 15:50	7.01				41.4
12-Jan-2022 15:55	7.01				0.5
12-Jan-2022 16:00	7.01				45.4
12-Jan-2022 16:05	7.01				45.4
12-Jan-2022 16:10	7.01				46.3
12-Jan-2022 16:15	7.01				45.7
12-Jan-2022 16:20	7.01				45.2
12-Jan-2022 16:25	7.01				45.6
12-Jan-2022 16:30	7.01				44.6
12-Jan-2022 16:35	7.01				46
12-Jan-2022 16:40	7.01				45.6
12-Jan-2022 16:45	7.01				45.1
12-Jan-2022 16:50	7.01				45.7
12-Jan-2022 16:55	7.01				44.9
12-Jan-2022 17:00	7.01				45
12-Jan-2022 17:05	7.01				46.2
12-Jan-2022 17:10	7.01				45.2
12-Jan-2022 17:15	7.01				43.8
12-Jan-2022 17:20	7.01				44.8

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 17:25	7.01				44.6
12-Jan-2022 17:30	7.01				43.5
12-Jan-2022 17:35	7.01				45.2
12-Jan-2022 17:40	7.01				44.2
12-Jan-2022 17:45	7.01				43.4
12-Jan-2022 17:50	7.01				45.6
12-Jan-2022 17:55	7.01				45.2
12-Jan-2022 18:00	7.01				46.3
12-Jan-2022 18:05	7.01				47
12-Jan-2022 18:10	7.01				46.9
12-Jan-2022 18:15	7.01				46.1
12-Jan-2022 18:20	7.01				46.3
12-Jan-2022 18:25	7.01				47
12-Jan-2022 18:30	7.01				46
12-Jan-2022 18:35	7.01				46.3
12-Jan-2022 18:40	7.01				46.7
12-Jan-2022 18:45	7.01				46.6
12-Jan-2022 18:50	7.01				45.8
12-Jan-2022 18:55	7.01				45.2
12-Jan-2022 19:00	7.01				43.6
12-Jan-2022 19:05	7.01				42.6
12-Jan-2022 19:10	7.01				44.9
12-Jan-2022 19:15	7.01				45.3
12-Jan-2022 19:20	7.01				46.4
12-Jan-2022 19:25	7.01				45.6
12-Jan-2022 19:30	7.01				0.5
12-Jan-2022 19:35	7.01				0.5


Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 19:40	7.01				0.5
12-Jan-2022 19:45	7.01				0.5
12-Jan-2022 19:50	7.01				0.5
12-Jan-2022 19:55	7.01				0.5
12-Jan-2022 20:00	7.01				0.5
12-Jan-2022 20:05	7.01				0.5
12-Jan-2022 20:10	7.01				0.6
12-Jan-2022 20:15	7.01				0.5
12-Jan-2022 20:20	7.01				0.5
12-Jan-2022 20:25	7.01				0.6
12-Jan-2022 20:30	7.01				0.5
12-Jan-2022 20:35	7.01				0.5
12-Jan-2022 20:40	7.01				0.6
12-Jan-2022 20:45	7.01				0.6
12-Jan-2022 20:50	7.01				0.5
12-Jan-2022 20:55	7.01				0.5
12-Jan-2022 21:00	7.01				0.5
12-Jan-2022 21:05	7.01				45.1
12-Jan-2022 21:10	7.01				43.4
12-Jan-2022 21:15	7.01				42.9
12-Jan-2022 21:20	7.01				43.3
12-Jan-2022 21:25	7.01				43
12-Jan-2022 21:30	7.01				42.5
12-Jan-2022 21:35	7.01				41.8
12-Jan-2022 21:40	7.01				42.5
12-Jan-2022 21:45	7.01				42.5
12-Jan-2022 21:50	7.01				0.5

Timestamp	pH	BOD	COD	TSS	FLOW
12-Jan-2022 21:55	7.01				0.5
12-Jan-2022 22:00	7.01				0.4
12-Jan-2022 22:05	7.01				0.5
12-Jan-2022 22:10	7.01				0.5
12-Jan-2022 22:15	7.01				0.5
12-Jan-2022 22:20	7.01				0.5
12-Jan-2022 22:25	7.01				0.5
12-Jan-2022 22:30	7.01				0.5
12-Jan-2022 22:35	7.01				0.5
12-Jan-2022 22:40	7.01				0.4
12-Jan-2022 22:45	7.01				0.4
12-Jan-2022 22:50	7.01				46.6
12-Jan-2022 22:55	7.01				44.1
12-Jan-2022 23:00	7.01				43
12-Jan-2022 23:05	7.01				43.7
12-Jan-2022 23:10	7.01				43.4
12-Jan-2022 23:15	7.01				43.9
12-Jan-2022 23:20	7.01				40.2
12-Jan-2022 23:25	7.01				40.4
12-Jan-2022 23:30	7.01				41
12-Jan-2022 23:35	7.01				40.5
12-Jan-2022 23:40	7.01				40
12-Jan-2022 23:45	7.01				40.5
12-Jan-2022 23:50	7.01				40.4
12-Jan-2022 23:55	7.01				45.7
13-Jan-2022 00:00	7.01				44.6
13-Jan-2022 00:05	7.01				44.1

NO. OF Corrections  
on this page- *ms*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 00:10	7.01				45.1
13-Jan-2022 00:15	7.01				44.6
13-Jan-2022 00:20	7.01				44.5
13-Jan-2022 00:25	7.01				45
13-Jan-2022 00:30	7.01				44.3
13-Jan-2022 00:35	7.01				44.4
13-Jan-2022 00:40	7.01				44
13-Jan-2022 00:45	7.01				44.5
13-Jan-2022 00:50	7.01				44
13-Jan-2022 00:55	7.01				44
13-Jan-2022 01:00	7.01				44.5
13-Jan-2022 01:05	7.01				44.1
13-Jan-2022 01:10	7.01				44
13-Jan-2022 01:15	7.01				44.5
13-Jan-2022 01:20	7.01				43.8
13-Jan-2022 01:25	7.01				42.9
13-Jan-2022 01:30	7.01				44
13-Jan-2022 01:35	7.01				44.5
13-Jan-2022 01:40	7.01				44.3
13-Jan-2022 01:45	7.01				44.5
13-Jan-2022 01:50	7.01				43.7
13-Jan-2022 01:55	7.01				43.3
13-Jan-2022 02:00	7.01				42.7
13-Jan-2022 02:05	7.01				41.8
13-Jan-2022 02:10	7.01				43.9
13-Jan-2022 02:15	7.01				43.8
13-Jan-2022 02:20	7.01				43.3

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 02:25	7.01				43.4
13-Jan-2022 02:30	7.01				43.8
13-Jan-2022 02:35	7.01				41.3
13-Jan-2022 02:40	7.01				42.3
13-Jan-2022 02:45	7.01				40.4
13-Jan-2022 02:50	7.01				41.9
13-Jan-2022 02:55	7.01				41.5
13-Jan-2022 03:00	7.01				42.1
13-Jan-2022 03:05	7.01				43.1
13-Jan-2022 03:10	7.01				42.3
13-Jan-2022 03:15	7.01				41.9
13-Jan-2022 03:20	7.01				42.5
13-Jan-2022 03:25	7.01				42.1
13-Jan-2022 03:30	7.01				41.6
13-Jan-2022 03:35	7.01				42.4
13-Jan-2022 03:40	7.01				0.5
13-Jan-2022 03:45	7.01				0.5
13-Jan-2022 03:50	7.01				0.5
13-Jan-2022 03:55	7.01				0.5
13-Jan-2022 04:00	7.01				0.5
13-Jan-2022 04:05	7.01				0.5
13-Jan-2022 04:10	7.01				0.5
13-Jan-2022 04:15	7.01				0.5
13-Jan-2022 04:20	7.01				0.4
13-Jan-2022 04:25	7.01				0.5
13-Jan-2022 04:30	7.01				0.4
13-Jan-2022 04:35	7.01				0.4



Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 04:40	7.01				0.5
13-Jan-2022 04:45	7.01				0.4
13-Jan-2022 04:50	7.01				0.4
13-Jan-2022 04:55	7.01				0.4
13-Jan-2022 05:00	7.01				0.3
13-Jan-2022 05:05	7.01				0.4
13-Jan-2022 05:10	7.01				0.4
13-Jan-2022 05:15	7.01				0.4
13-Jan-2022 05:20	7.01				0.4
13-Jan-2022 05:25	7.01				0.4
13-Jan-2022 05:30	7.01				0.4
13-Jan-2022 05:35	7.01				0.4
13-Jan-2022 05:40	7.01				0.4
13-Jan-2022 05:45	7.01				0.3
13-Jan-2022 05:50	7.01				0.5
13-Jan-2022 05:55	7.01				0.5
13-Jan-2022 06:00	7.01				0.5
13-Jan-2022 06:05	7.01				0.5
13-Jan-2022 06:10	7.01				0.4
13-Jan-2022 06:15	7.01				0.5
13-Jan-2022 06:20	7.01				0.4
13-Jan-2022 06:25	7.01				0.4
13-Jan-2022 06:30	7.01				0.4
13-Jan-2022 06:35	7.01				0.4
13-Jan-2022 06:40	7.01				0.5
13-Jan-2022 06:45	7.01				0.4
13-Jan-2022 06:50	7.01				0.4

No. Of Corrections on this page- *N/A*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 06:55	7.01				0.5
13-Jan-2022 07:00	7.01				0.4
13-Jan-2022 07:05	7.01				0.4
13-Jan-2022 07:10	7.01				0.5
13-Jan-2022 07:15	7.01				0.5
13-Jan-2022 07:20	7.01				0.4
13-Jan-2022 07:25	7.01				64
13-Jan-2022 07:30	7.01				44.9
13-Jan-2022 07:35	7.01				42.5
13-Jan-2022 07:40	7.01				44.5
13-Jan-2022 07:45	7.01				44.8
13-Jan-2022 07:50	7.01				43.8
13-Jan-2022 07:55	7.01				44.1
13-Jan-2022 08:00	7.01				43
13-Jan-2022 08:05	7.01				44
13-Jan-2022 08:10	7.01				43.7
13-Jan-2022 08:15	7.01				43.4
13-Jan-2022 08:20	7.01				43.9
13-Jan-2022 08:25	7.01				43
13-Jan-2022 08:30	7.01				42.9
13-Jan-2022 08:35	7.01				43.3
13-Jan-2022 08:40	7.01				42.6
13-Jan-2022 08:45	7.01				43.4
13-Jan-2022 08:50	7.01				42.8
13-Jan-2022 08:55	7.01				41.9
13-Jan-2022 09:00	7.01				43.2
13-Jan-2022 09:05	7.01				42.6

No. Of Corrections  
on this page- *24/18*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 09:10	7.01				41.3
13-Jan-2022 09:15	7.01				42.6
13-Jan-2022 09:20	7.01				42.6
13-Jan-2022 09:25	7.01				43.3
13-Jan-2022 09:30	7.01				43.8
13-Jan-2022 09:35	7.01				43.1
13-Jan-2022 09:40	7.01				43.7
13-Jan-2022 09:45	7.01				43.7
13-Jan-2022 09:50	7.01				42.7
13-Jan-2022 09:55	7.01				43.4
13-Jan-2022 10:00	7.01				43.5
13-Jan-2022 10:05	7.01				41.7
13-Jan-2022 10:10	7.01				42.9
13-Jan-2022 10:15	7.01				43.7
13-Jan-2022 10:20	7.01				43
13-Jan-2022 10:25	7.01				42.3
13-Jan-2022 10:30	7.01				43.2
13-Jan-2022 10:35	7.01				43
13-Jan-2022 10:40	7.01				41.9
13-Jan-2022 10:45	7.01				42.5
13-Jan-2022 10:50	7.01				43.5
13-Jan-2022 10:55	7.01				42.8
13-Jan-2022 11:00	7.01				42.1
13-Jan-2022 11:05	7.01				43
13-Jan-2022 11:10	7.01				44.4
13-Jan-2022 11:15	7.01				44.2
13-Jan-2022 11:20	7.01				43.7

No. Of Corrections  
on this page- *my*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 11:25	7.01				44.1
13-Jan-2022 11:30	7.01				44.1
13-Jan-2022 11:35	7.01				43.3
13-Jan-2022 11:40	7.01				44.5
13-Jan-2022 11:45	7.01				44.5
13-Jan-2022 11:50	7.01				45.3
13-Jan-2022 11:55	7.01				44.9
13-Jan-2022 12:00	7.01				44.4
13-Jan-2022 12:05	7.01				44.5
13-Jan-2022 12:10	7.01				44.4
13-Jan-2022 12:15	7.01				0.7
13-Jan-2022 12:20	7.01				0.7
13-Jan-2022 12:25	7.01				0.7
13-Jan-2022 12:30	7.01				0.7
13-Jan-2022 12:35	7.01				0.7
13-Jan-2022 12:40	7.01				49.3
13-Jan-2022 12:45	7.01				45.4
13-Jan-2022 12:50	7.01				44.2
13-Jan-2022 12:55	7.01				44
13-Jan-2022 13:00	7.01				44.8
13-Jan-2022 13:05	7.01				43.7
13-Jan-2022 13:10	7.01				43.4
13-Jan-2022 13:15	7.01				43.3
13-Jan-2022 13:20	7.01				44
13-Jan-2022 13:25	7.01				42.6
13-Jan-2022 13:30	7.01				43.7
13-Jan-2022 13:35	7.01				45.3

No. Of Corrections  
on this page- 018

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 13:40	7.01				44.9
13-Jan-2022 13:45	7.01				0.5
13-Jan-2022 13:50	7.01				0.6
13-Jan-2022 13:55	7.01	95.93	183.27		0.5
13-Jan-2022 14:00	7.01	91.4	177.33		0.5
13-Jan-2022 14:05	7.01	102.56	191.98		0.6
13-Jan-2022 14:10	7.01	83.44	166.87		0.7
13-Jan-2022 14:15	7.01	92.8	179.15		0.6
13-Jan-2022 14:20	7.01				0.5
13-Jan-2022 14:25	7.01				0.6
13-Jan-2022 14:30	7.01				0.5
13-Jan-2022 14:35	7.01				47.2
13-Jan-2022 14:40	7.01				45.2
13-Jan-2022 14:50	7.01				44.5
13-Jan-2022 14:55	7.01	47.74	120	33.68	43.5
13-Jan-2022 15:00	7.01	47.74	120	33.79	45
13-Jan-2022 15:05	7.01	47.74	120	33.78	43.5
13-Jan-2022 15:10	7.01	47.74	120	33.73	43.1
13-Jan-2022 15:15	7.01			50.42	43.9
13-Jan-2022 15:20	7.01	47.74	120	33.78	44.6
13-Jan-2022 15:25	7.01	47.74	120	34.57	42.7
13-Jan-2022 15:30	7.01	47.74	120	34.26	42.3
13-Jan-2022 15:35	7.01	47.74	120	34.13	43.1
13-Jan-2022 15:40	7.01	47.74	120	34.07	0.5
13-Jan-2022 15:45	7.01	47.74	120	34.02	0.5
13-Jan-2022 15:50	7.01	47.74	120	34	0.5
13-Jan-2022 15:55	7.01	47.74	120	34	0.6

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 16:00	7.01	47.74	120	34	0.7
13-Jan-2022 16:05	7.01	47.74	120	34.02	0.6
13-Jan-2022 16:10	7.01	47.74	120	34.05	0.5
13-Jan-2022 16:15	7.01	47.74	120	34.07	0.5
13-Jan-2022 16:20	7.01	47.74	120	34.09	0.7
13-Jan-2022 16:25	7.01	47.74	120	34.11	0.6
13-Jan-2022 16:30	7.01	47.74	120	34.13	0.7
13-Jan-2022 16:35	7.01	47.74	120	34.14	0.6
13-Jan-2022 16:40	7.01	47.74	120	34.16	0.6
13-Jan-2022 16:45	7.01	47.74	120	34.18	0.5
13-Jan-2022 16:50	7.01	47.74	120	34.2	0.6
13-Jan-2022 16:55	7.01	47.74	120	34.2	0.6
13-Jan-2022 17:00	7.01	47.74	120	34.22	0.6
13-Jan-2022 17:05	7.01	47.74	120	34.24	0.7
13-Jan-2022 17:10	7.01	47.74	120	34.25	47.4
13-Jan-2022 17:15	7.01	47.74	120	34.27	44.6
13-Jan-2022 17:20	7.01	47.74	120	34.28	43.7
13-Jan-2022 17:25	7.01	47.74	120	34.3	43.6
13-Jan-2022 17:30	7.01	47.74	120	34.32	44
13-Jan-2022 17:35	7.01	47.74	120	34.33	43.3
13-Jan-2022 17:40	7.01	47.74	120	34.33	44.2
13-Jan-2022 17:45	7.01	47.74	120	34.34	43.5
13-Jan-2022 17:50	7.01	47.74	120	34.36	42.8
13-Jan-2022 17:55	7.01	47.74	120	34.37	43.3
13-Jan-2022 18:00	7.01	47.74	120	34.38	44
13-Jan-2022 18:05	7.01	47.74	120	34.38	43.3
13-Jan-2022 18:10	7.01	47.74	120	34.4	43.3

No. Of Corrections  
on this page- *WJ*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 18:15	7.01	47.74	120	34.4	44.2
13-Jan-2022 18:20	7.01	47.74	120	34.41	44.4
13-Jan-2022 18:25	7.01	47.74	120	34.41	43.1
13-Jan-2022 18:30	7.01	47.74	120	34.42	43.7
13-Jan-2022 18:35	7.01	47.74	120	34.43	44.1
13-Jan-2022 18:40	7.01	47.74	120	34.43	43.5
13-Jan-2022 18:45	7.01	47.74	120	34.43	42.9
13-Jan-2022 18:50	7.01	47.74	120	34.44	43.8
13-Jan-2022 18:55	7.01	47.74	120	34.45	43.3
13-Jan-2022 19:00	7.01	47.74	120	34.44	42.3
13-Jan-2022 19:05	7.01	47.74	120	34.45	41.9
13-Jan-2022 19:10	7.01	47.74	120	34.45	43.3
13-Jan-2022 19:15	7.01	47.74	120	34.45	42.4
13-Jan-2022 19:20	7.01	47.74	120	34.46	41.7
13-Jan-2022 19:25	7.01	47.74	120	34.46	42.2
13-Jan-2022 19:30	7.01	47.74	120	34.46	43.8
13-Jan-2022 19:35	7.01	47.74	120	34.47	43.2
13-Jan-2022 19:40	7.01	47.74	120	34.47	44.2
13-Jan-2022 19:45	7.01	47.74	120	34.48	45
13-Jan-2022 19:50	7.01	47.74	120	34.48	44.2
13-Jan-2022 19:55	7.01	47.74	120	34.48	0.6
13-Jan-2022 20:00	7.01	47.74	120	34.48	0.5
13-Jan-2022 20:05	7.01	47.74	120	34.47	0.5
13-Jan-2022 20:10	7.01	47.74	120	34.47	0.6
13-Jan-2022 20:15	7.01	47.74	120	34.48	0.5
13-Jan-2022 20:20	7.01	47.74	120	34.48	0.6
13-Jan-2022 20:25	7.01	47.74	120	34.48	0.5

No. Of Corrections  
on this page- 10/1

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 20:30	7.01	47.74	120	34.47	0.6
13-Jan-2022 20:35	7.01	47.74	120	34.47	0.7
13-Jan-2022 20:40	7.01	47.74	120	34.47	0.5
13-Jan-2022 20:45	7.01	47.74	120	34.48	0.5
13-Jan-2022 20:50	7.01	47.74	120	34.47	0.5
13-Jan-2022 20:55	7.01	47.74	120	34.47	0.6
13-Jan-2022 21:00	7.01	47.74	120	34.47	0.6
13-Jan-2022 21:05	7.01	47.74	120	34.46	0.6
13-Jan-2022 21:10	7.01	47.74	120	34.45	0.5
13-Jan-2022 21:15	7.01	47.74	120	34.46	0.5
13-Jan-2022 21:20	7.01	47.74	120	34.45	0.5
13-Jan-2022 21:25	7.01	47.74	120	34.45	0.5
13-Jan-2022 21:30	7.01	47.74	120	34.45	0.5
13-Jan-2022 21:35	7.01	47.74	120	34.45	0.4
13-Jan-2022 21:40	7.01	47.74	120	34.44	0.5
13-Jan-2022 21:45	7.01	47.74	120	34.45	0.5
13-Jan-2022 21:50	7.01	47.74	120	34.45	0.4
13-Jan-2022 21:55	7.01	47.74	120	34.45	0.4
13-Jan-2022 22:00	7.01	47.74	120	34.44	0.6
13-Jan-2022 22:05	7.01	47.74	120	34.45	0.4
13-Jan-2022 22:10	7.01	47.74	120	34.45	0.5
13-Jan-2022 22:15	7.01	47.74	120	34.45	0.5
13-Jan-2022 22:20	7.01	47.74	120	34.45	0.6
13-Jan-2022 22:25	7.01	47.74	120	34.45	0.5
13-Jan-2022 22:30	7.01	47.74	120	34.45	0.5
13-Jan-2022 22:35	7.01	47.74	120	34.45	0.6
13-Jan-2022 22:40	7.01	47.74	120	34.45	0.6

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Jan-2022 22:45	7.01	47.74	120	34.48	0.5
13-Jan-2022 22:50	7.01			34.6	46.5
13-Jan-2022 22:55	7.01			34.7	43.7
13-Jan-2022 23:00	7.01			34.75	43.4
13-Jan-2022 23:05	7.01			34.73	43.5
13-Jan-2022 23:10	7.01			34.75	44.3
13-Jan-2022 23:15	7.01			34.76	44.3
13-Jan-2022 23:20	7.01			34.79	43.4
13-Jan-2022 23:25	7.01			34.8	42.4
13-Jan-2022 23:30	7.01	47.74	120	34.78	43.5
13-Jan-2022 23:35	7.01			34.8	42.9
13-Jan-2022 23:40	7.01			34.83	43.4
13-Jan-2022 23:45	7.01			34.74	42.3
13-Jan-2022 23:50	7.01			34.79	43.5
13-Jan-2022 23:55	7.01			34.72	42.9
14-Jan-2022 00:00	7.01			34.81	43.8
14-Jan-2022 00:05	7.01			34.75	43.8
14-Jan-2022 00:10	7.01			34.72	42.7
14-Jan-2022 00:15	7.01			34.71	43.5
14-Jan-2022 00:20	7.01			34.63	43.4
14-Jan-2022 00:25	7.01				42.9
14-Jan-2022 00:30	7.01			34.74	43.4
14-Jan-2022 00:35	7.01			34.62	43.4
14-Jan-2022 00:40	7.01	47.74	120	34.57	41.9
14-Jan-2022 00:45	7.01				43.3
14-Jan-2022 00:50	7.01			34.6	43.4
14-Jan-2022 00:55	7.01			34.77	43.4

No. Of Corrections  
on this page - *NAJ*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 01:00	7.01			34.76	43.7
14-Jan-2022 01:05	7.01				42.6
14-Jan-2022 01:10	7.01			34.78	42.5
14-Jan-2022 01:15	7.01			34.68	43.1
14-Jan-2022 01:20	7.01	47.74	120	34.52	43.8
14-Jan-2022 01:25	7.01	47.74	120	34.52	42.9
14-Jan-2022 01:30	7.01	47.74	120	34.53	43.4
14-Jan-2022 01:35	7.01	47.74	120	34.53	42.2
14-Jan-2022 01:40	7.01	47.74	120	34.53	44.2
14-Jan-2022 01:45	7.01	47.74	120	34.53	43.9
14-Jan-2022 01:50	7.01	47.74	120	34.52	43.9
14-Jan-2022 01:55	7.01	47.74	120	34.52	42.6
14-Jan-2022 02:00	7.01	47.74	120	34.53	41.4
14-Jan-2022 02:05	7.01	47.74	120	34.52	43.5
14-Jan-2022 02:10	7.01	47.74	120	34.53	43.1
14-Jan-2022 02:15	7.01	47.74	120	34.52	42.3
14-Jan-2022 02:20	7.01	47.74	120	34.52	42.3
14-Jan-2022 02:25	7.01	47.74	120	34.53	41.8
14-Jan-2022 02:30	7.01	47.74	120	34.52	42.3
14-Jan-2022 02:35	7.01	47.74	120	34.53	42.1
14-Jan-2022 02:40	7.01	47.74	120	34.52	41.8
14-Jan-2022 02:45	7.01	47.74	120	34.53	42.3
14-Jan-2022 02:50	7.01	47.74	120	34.53	42.9
14-Jan-2022 02:55	7.01	47.74	120	34.53	42.3
14-Jan-2022 03:00	7.01	47.74	120	34.54	43.2
14-Jan-2022 03:05	7.01	47.74	120	34.54	44.3
14-Jan-2022 03:10	7.01			34.77	43

No. Of Corrections  
on this page- *ms*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 03:15	7.01			34.94	42.5
14-Jan-2022 03:20	7.01			35	43
14-Jan-2022 03:25	7.01			35.22	42.2
14-Jan-2022 03:30	7.01				42.2
14-Jan-2022 03:35	7.01				0.5
14-Jan-2022 03:40	7.01				0.4
14-Jan-2022 03:45	7.01			35.18	0.5
14-Jan-2022 03:50	7.01				0.5
14-Jan-2022 03:55	7.01			35.19	0.5
14-Jan-2022 04:00	7.01			35.12	0.5
14-Jan-2022 04:05	7.01			35.09	0.5
14-Jan-2022 04:10	7.01			35.26	0.5
14-Jan-2022 04:15	7.01			35.08	0.5
14-Jan-2022 04:20	7.01			35.21	0.5
14-Jan-2022 04:25	7.01			35.09	0.5
14-Jan-2022 04:30	7.01			35.13	0.5
14-Jan-2022 04:35	7.01			34.93	0.5
14-Jan-2022 04:40	7.01			35.17	0.5
14-Jan-2022 04:45	7.01			35.27	0.5
14-Jan-2022 04:50	7.01			35.4	0.5
14-Jan-2022 04:55	7.01			35.37	0.4
14-Jan-2022 05:00	7.01			35.2	0.5
14-Jan-2022 05:05	7.01			35.04	0.4
14-Jan-2022 05:10	7.01			35.23	0.5
14-Jan-2022 05:15	7.01			35.1	0.4
14-Jan-2022 05:20	7.01			35.31	0.4
14-Jan-2022 05:25	7.01			35.26	0.5

Timestamp	pH	BOD	DO	TSS	FLOW
14-Jan-2022 05:30	7.01			35.29	0.4
14-Jan-2022 05:35	7.01			35.19	0.5
14-Jan-2022 05:40	7.01			35.24	0.5
14-Jan-2022 05:45	7.01				0.4
14-Jan-2022 05:50	7.01			35.18	0.4
14-Jan-2022 05:55	7.01			35.2	0.4
14-Jan-2022 06:00	7.01			35.23	0.5
14-Jan-2022 06:05	7.01			35.09	0.5
14-Jan-2022 06:10	7.01			35.05	0.5
14-Jan-2022 06:15	7.01			35.25	0.4
14-Jan-2022 06:20	7.01			35.04	0.5
14-Jan-2022 06:25	7.01			35.05	0.5
14-Jan-2022 06:30	7.01			35.05	0.5
14-Jan-2022 06:35	7.01			35.1	0.4
14-Jan-2022 06:40	7.01			34.99	0.5
14-Jan-2022 06:45	7.01			35.08	47.1
14-Jan-2022 06:50	7.01			35.07	43.4
14-Jan-2022 06:55	7.01			35.08	44.3
14-Jan-2022 07:00	7.01			35.09	45.9
14-Jan-2022 07:05	7.01			34.9	43.3
14-Jan-2022 07:10	7.01	47.54	120	35.01	44.2
14-Jan-2022 07:15	7.01	47.22	120	35.06	45.8
14-Jan-2022 07:20	7.01	47.27	120	35.04	45.4
14-Jan-2022 07:25	7.01			35.06	44.3
14-Jan-2022 07:30	7.01	47.57	120	35.03	46.1
14-Jan-2022 07:35	7.01	47.74	120	34.97	44.8
14-Jan-2022 07:40	7.01			34.94	46.2

No. Of Corrections  
on this page- *MM*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 07:45	7.01	47.74	120	34.9	45.6
14-Jan-2022 07:50	7.01			35.24	44.7
14-Jan-2022 07:55	7.01			35.23	47.3
14-Jan-2022 08:00	7.01			35.22	46.7
14-Jan-2022 08:05	7.01			35.18	46.3
14-Jan-2022 08:10	7.01			35.28	46.1
14-Jan-2022 08:15	7.01			35.16	46.2
14-Jan-2022 08:20	7.01			35.14	46.9
14-Jan-2022 08:25	7.01			35.18	46.9
14-Jan-2022 08:30	7.01			35.16	45.2
14-Jan-2022 08:35	7.01			35.14	45.9
14-Jan-2022 08:40	7.01			35.09	46.4
14-Jan-2022 08:45	7.01			35.13	46.8
14-Jan-2022 08:50	7.01			34.99	45.7
14-Jan-2022 08:55	7.01			35.04	45.6
14-Jan-2022 09:00	7.01			35.05	45
14-Jan-2022 09:05	7.01			34.96	44.6
14-Jan-2022 09:10	7.01			34.94	46.9
14-Jan-2022 09:15	7.01			34.99	46.7
14-Jan-2022 09:20	7.01			34.96	46.6
14-Jan-2022 09:25	7.01			35.02	0.5
14-Jan-2022 09:30	7.01			34.8	0.5
14-Jan-2022 09:35	7.01			34.9	0.5
14-Jan-2022 09:40	7.01			35.09	0.5
14-Jan-2022 09:45	7.01				0.6
14-Jan-2022 09:50	7.01				0.5
14-Jan-2022 09:55	7.01				0.5

Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 10:00	7.01			35.02	0.5
14-Jan-2022 10:05	7.01			35.06	0.6
14-Jan-2022 10:10	7.01			35.06	48.7
14-Jan-2022 10:15	7.01			35.1	46.5
14-Jan-2022 10:20	7.01			35.06	46.9
14-Jan-2022 10:25	7.01			35.11	45.7
14-Jan-2022 10:30	7.01			35.04	46.4
14-Jan-2022 10:35	7.01			35.13	45.4
14-Jan-2022 10:40	7.01			35.22	43
14-Jan-2022 10:45	7.01			35.12	43.6
14-Jan-2022 10:50	7.01			35.15	46.2
14-Jan-2022 10:55	7.01			35.23	46.3
14-Jan-2022 11:00	7.01			35.25	45.3
14-Jan-2022 11:05	7.01			35.23	46.4
14-Jan-2022 11:10	7.01			35.35	46.4
14-Jan-2022 11:15	7.01			35.29	46.1
14-Jan-2022 11:20	7.01			35.37	45.9
14-Jan-2022 11:25	7.01			35.28	0.5
14-Jan-2022 11:30	7.01			35.36	0.6
14-Jan-2022 11:35	7.01			35.33	0.6
14-Jan-2022 11:40	7.01			35.34	0.5
14-Jan-2022 11:45	7.01			35.38	0.6
14-Jan-2022 11:50	7.01			35.39	0.7
14-Jan-2022 11:55	7.01			35.42	0.7
14-Jan-2022 12:00	7.01			35.39	0.7
14-Jan-2022 12:05	7.01			35.45	0.7
14-Jan-2022 12:10	7.01			35.53	0.7


Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 12:15	7.01			35.56	0.7
14-Jan-2022 12:20	7.01			35.51	0.7
14-Jan-2022 12:25	7.01			35.53	0.6
14-Jan-2022 12:30	7.01			35.55	0.7
14-Jan-2022 12:35	7.01			35.63	52.1
14-Jan-2022 12:40	7.01			35.66	46.5
14-Jan-2022 12:45	7.01			35.63	45.6
14-Jan-2022 12:50	7.01			35.78	45.5
14-Jan-2022 12:55	7.01			35.67	43
14-Jan-2022 13:00	7.01			35.72	45.2
14-Jan-2022 13:05	7.01			35.77	45.1
14-Jan-2022 13:10	7.01			35.82	43.7
14-Jan-2022 13:15	7.01			35.77	45.4
14-Jan-2022 13:20	7.01			35.78	45.7
14-Jan-2022 13:25	7.01			35.85	46.1
14-Jan-2022 13:30	7.01			35.89	45.3
14-Jan-2022 13:35	7.01			35.89	45.8
14-Jan-2022 13:40	7.01			35.97	44.5
14-Jan-2022 13:45	7.01			36.07	45.8
14-Jan-2022 13:50	7.01			36.01	45.2
14-Jan-2022 13:55	7.01			35.97	0.5
14-Jan-2022 14:00	7.01			36.08	0.6
14-Jan-2022 14:05	7.01			36.06	0.6
14-Jan-2022 14:10	7.01			36.09	0.7
14-Jan-2022 14:15	7.01			36.05	0.6
14-Jan-2022 14:20	7.01			36.21	52.5
14-Jan-2022 14:25	7.01			36.04	46.1

Timestamp	pH	BOD	COD	TSS	FLOW
14-Jan-2022 14:30	7.01			36.09	46.1
14-Jan-2022 14:35	7.01			36.16	45.3
14-Jan-2022 14:40	7.01	41.74	120	36.13	44.9
14-Jan-2022 14:45	7.01			36.16	45.6
14-Jan-2022 14:50	7.01	41.03	120	36.16	45.5
14-Jan-2022 14:55	7.01			36.09	0.4
26-Jan-2022 13:10	6.88	47.59	120	33.78	42.1
26-Jan-2022 13:15	6.88	47.58	120	33.8	42.2
26-Jan-2022 13:20	6.88	47.57	120	33.84	41.9
26-Jan-2022 13:25	6.88	47.57	120	33.89	42.1
26-Jan-2022 13:30	6.88	47.56	120	33.93	42.6
26-Jan-2022 13:35	6.88	47.56	120	33.96	42.2
26-Jan-2022 13:40	6.88	47.55	120	34.01	41.6
26-Jan-2022 13:45	6.88	47.55	120	34.06	41.9
26-Jan-2022 13:50	6.88	47.54	120	34.1	40.6
26-Jan-2022 13:55	6.88	47.54	120	34.13	41.5
26-Jan-2022 14:00	6.87	47.53	120	34.17	40.6
26-Jan-2022 14:05	6.87	47.53	120	34.22	41
26-Jan-2022 14:10	6.87	47.52	120	34.27	39.9
26-Jan-2022 14:15	6.87	47.52	120	34.34	41.3
26-Jan-2022 14:20	6.87			34.53	40.4
26-Jan-2022 14:25	6.87			34.85	40.9
26-Jan-2022 14:30	6.87			34.98	40.5
26-Jan-2022 14:35	6.87			35.04	40
26-Jan-2022 14:40	6.87	43.4	120	35.07	40.5
26-Jan-2022 14:45	6.87			35.06	40
26-Jan-2022 14:50	6.87			35.14	40.7

No. Of Corrections  
on this page- NB


Timestamp	pH	BOD	BOD	TSS	FLOW
26-Jan-2022 14:55	6.87			35.13	38.5
26-Jan-2022 15:00	6.87			35.27	41.4
26-Jan-2022 15:05	6.87			35.38	41
26-Jan-2022 15:10	6.87			35.45	41.4
26-Jan-2022 15:15	6.87	40.53	120	35.52	40.5
26-Jan-2022 15:20	6.86	40.77	120	35.53	41.2
26-Jan-2022 15:25	6.86			35.66	40.4
26-Jan-2022 15:30	6.86			35.66	41.2
26-Jan-2022 15:35	6.86	39.03	120	35.86	41.3
26-Jan-2022 15:40	6.86	38.73	120	35.93	40
26-Jan-2022 15:45	6.86	38.31	120	36	40.6
26-Jan-2022 15:50	6.86			35.99	41.1
26-Jan-2022 15:55	6.86			35.99	41.4
26-Jan-2022 16:00	6.86			36.01	41.6
26-Jan-2022 16:05	6.86	39.19	120	36.01	41
26-Jan-2022 16:10	6.86			35.99	41
26-Jan-2022 16:15	6.86			36.09	40.4
26-Jan-2022 16:20	6.85			36.07	41.1
26-Jan-2022 16:25	6.85	37.38	120	36.24	43
26-Jan-2022 16:30	6.85			36.25	42.3
26-Jan-2022 16:35	6.85			36.31	42.3
26-Jan-2022 16:40	6.85	37.76	120	36.3	42.4
26-Jan-2022 16:45	6.85	37.62	120	36.34	41.5
26-Jan-2022 16:50	6.85	36.81	120	36.37	39.7
26-Jan-2022 16:55	6.85			36.38	41.4
26-Jan-2022 17:00	6.85			36.46	40.2
26-Jan-2022 17:05	6.85	36.28	120	36.5	40.6

Timestamp	pH	BOD	COD	T	FLOW
26-Jan-2022 17:10	6.84	36.53	120	36.53	40.6
26-Jan-2022 17:15	6.84	35.85	120	36.56	39.7
26-Jan-2022 17:20	6.84			36.41	39.3
26-Jan-2022 17:25	6.84			36.47	0.5
26-Jan-2022 17:30	6.84			36.47	44.1
26-Jan-2022 17:35	6.84			36.5	44.1
26-Jan-2022 17:40	6.84	36.26	120	36.55	44.4
26-Jan-2022 17:45	6.84			36.54	45.4
26-Jan-2022 17:50	6.84	36.66	120	36.54	42.4
26-Jan-2022 17:55	6.84			36.58	43.2
26-Jan-2022 18:00	6.84	36.31	120	36.59	43.4
26-Jan-2022 18:05	6.83	35.42	120	36.65	41.9
26-Jan-2022 18:10	6.83			36.7	42.3
26-Jan-2022 18:15	6.83			36.59	43.4
26-Jan-2022 18:20	6.83			36.76	44.2
26-Jan-2022 18:25	6.83	35.61	120	36.76	45.4
26-Jan-2022 18:30	6.83	35.38	120	36.75	45
26-Jan-2022 18:35	6.83			36.77	44.9
26-Jan-2022 18:40	6.83			36.81	43.1
26-Jan-2022 18:45	6.83			36.8	43
26-Jan-2022 18:50	6.83	34.37	120	36.88	43.1
26-Jan-2022 18:55	6.83			36.8	43.3
26-Jan-2022 19:00	6.83			36.71	42.1
26-Jan-2022 19:05	6.83			36.74	42.7
26-Jan-2022 19:10	6.83			36.75	43.1
26-Jan-2022 19:15	6.83	35.1	120	36.74	42.5
26-Jan-2022 19:20	6.83	34.47	120	36.59	44.5



Timestamp	pH	BOD	DO	TSS	FLOW
26-Jan-2022 19:25	6.82	34.88	120	36.71	43.7
26-Jan-2022 19:30	6.82			36.6	43.7
26-Jan-2022 19:35	6.82			36.59	44.8
26-Jan-2022 19:40	6.82	33.79	120	36.89	44.4
26-Jan-2022 19:45	6.82			36.8	0.6
26-Jan-2022 19:50	6.82	34.1	120	36.85	0.5
26-Jan-2022 19:55	6.82			36.74	0.5
26-Jan-2022 20:00	6.82			36.79	0.5
26-Jan-2022 20:05	6.82	35.24	120	36.66	0.5
26-Jan-2022 20:10	6.82			36.59	0.4
26-Jan-2022 20:15	6.82			36.52	0.5
26-Jan-2022 20:20	6.82			36.49	0.5
26-Jan-2022 20:25	6.82	36.53	120	36.41	0.5
26-Jan-2022 20:30	6.82	34.29	120	36.71	0.5
26-Jan-2022 20:35	6.82			36.6	0.4
26-Jan-2022 20:40	6.82	35	120	36.56	0.5
26-Jan-2022 20:45	6.82	36.36	120	36.41	0.5
26-Jan-2022 20:50	6.82			36.52	0.5
26-Jan-2022 20:55	6.82			36.47	0.5
26-Jan-2022 21:00	6.82	35	120	36.5	0.5
26-Jan-2022 21:05	6.82	35.18	120	36.47	0.5
26-Jan-2022 21:10	6.82	35.62	120	36.44	0.5
26-Jan-2022 21:15	6.82			36.39	0.4
26-Jan-2022 21:20	6.82	35.71	120	36.39	0.5
26-Jan-2022 21:25	6.82	35.45	120	36.38	0.5
26-Jan-2022 21:30	6.82	35.25	120	36.34	0.4
26-Jan-2022 21:35	6.81	35.77	120	36.28	0.5

No. Of Corrections on this page- *MLL*



Timestamp	pH	BOD	DO	TS	FLOW
26-Jan-2022 21:40	6.82	35.92	120	36.24	0.5
26-Jan-2022 21:45	6.81	35.69	120	36.25	0.6
26-Jan-2022 21:50	6.81	36.12	120	36.19	0.5
26-Jan-2022 21:55	6.81	36.39	120	36.13	0.5
26-Jan-2022 22:00	6.81			35.98	0.5
26-Jan-2022 22:05	6.81			35.81	0.5
26-Jan-2022 22:10	6.82			35.9	0.4
26-Jan-2022 22:15	6.81			35.76	0.5
26-Jan-2022 22:20	6.81			35.73	0.4
26-Jan-2022 22:25	6.81	38.74	120	35.82	45.8
26-Jan-2022 22:30	6.81			35.66	44.4
26-Jan-2022 22:35	6.81			35.74	44.2
26-Jan-2022 22:40	6.81			35.8	43.1
26-Jan-2022 22:45	6.81	36.99	120	35.78	42.2
26-Jan-2022 22:50	6.81	37.18	120	35.78	0.5
26-Jan-2022 22:55	6.81			35.69	0.5
26-Jan-2022 23:00	6.81	37.88	120	35.71	0.4
26-Jan-2022 23:05	6.81	37.41	120	35.78	85.7
26-Jan-2022 23:10	6.81	37.91	120	35.78	81.9
26-Jan-2022 23:15	6.81			35.63	78
26-Jan-2022 23:20	6.81	37.99	120	35.69	78.3
26-Jan-2022 23:25	6.81			35.56	79.9
26-Jan-2022 23:30	6.82			35.48	77.1
26-Jan-2022 23:35	6.82	37.4	120	35.72	77.5
26-Jan-2022 23:40	6.82			35.64	76.1
26-Jan-2022 23:45	6.82				74.6
26-Jan-2022 23:50	6.82			35.48	72.9

Timestamp	pH	BOD	COD	TSS	FLOW
26-Jan-2022 23:55	6.82			35.5	73.4
27-Jan-2022 00:00	6.82			35.48	73.3
27-Jan-2022 00:05	6.82	38.66	120	35.52	73.2
27-Jan-2022 00:10	6.82			35.34	72.4
27-Jan-2022 00:15	6.82	40.37	120	35.29	72.9
27-Jan-2022 00:20	6.82	41.82	120	35.16	71.8
27-Jan-2022 00:25	6.82			35	72.3
27-Jan-2022 00:30	6.82			35.37	71.2
27-Jan-2022 00:35	6.82			35.17	70.7
27-Jan-2022 00:40	6.82			35.26	70.7
27-Jan-2022 00:45	6.82	39.03	120	35.43	71.8
27-Jan-2022 00:50	6.82			35.44	71.4
27-Jan-2022 00:55	6.82			35.5	70.2
27-Jan-2022 01:00	6.82	38.94	120	35.47	70.1
27-Jan-2022 01:05	6.82			35.44	69.8
27-Jan-2022 01:10	6.82			35.41	69.8
27-Jan-2022 01:15	6.82			35.49	69.2
27-Jan-2022 01:20	6.82			35.42	69.4
27-Jan-2022 01:25	6.82				68.8
27-Jan-2022 01:30	6.82			35.55	60.6
27-Jan-2022 01:35	6.82			35.47	56
27-Jan-2022 01:40	6.83			35.45	55.9
27-Jan-2022 01:45	6.83			35.54	55.7
27-Jan-2022 01:50	6.83			35.66	54.2
27-Jan-2022 01:55	6.83			35.54	55.3
27-Jan-2022 02:00	6.83	38.15	120	35.59	55.1
27-Jan-2022 02:05	6.83			35.58	53.8

No. Of Corrections  
on this page- *NAB*

Timestamp	pH	BOD	DO	TEMP	FLOW
27-Jan-2022 02:10	6.83			35.48	53.2
27-Jan-2022 02:15	6.83	39.25	120	35.44	51
27-Jan-2022 02:20	6.83			35.52	50
27-Jan-2022 02:25	6.83			35.48	48.9
27-Jan-2022 02:30	6.83			35.42	48.6
27-Jan-2022 02:35	6.83			35.51	48.4
27-Jan-2022 02:40	6.83			35.52	48.4
27-Jan-2022 02:45	6.84	37.91	120	35.53	47.9
27-Jan-2022 02:50	6.84			35.61	47
27-Jan-2022 02:55	6.84			35.52	47.3
27-Jan-2022 03:00	6.84	37.71	120	35.61	47.3
27-Jan-2022 03:05	6.84	37.85	120	35.58	47.5
27-Jan-2022 03:10	6.84	38.09	120	35.59	47
27-Jan-2022 03:15	6.84			35.52	47
27-Jan-2022 03:20	6.84	38.38	120	35.48	47.4
27-Jan-2022 03:25	6.84	37.58	120	35.6	47.2
27-Jan-2022 03:30	6.84			35.7	43
27-Jan-2022 03:35	6.84			35.62	30
27-Jan-2022 03:40	6.84	37.36	120	35.6	26.7
27-Jan-2022 03:45	6.85	37.15	120	35.64	28.8
27-Jan-2022 03:50	6.85	38.4	120	35.51	0.4
27-Jan-2022 03:55	6.85	37.4	120	35.54	0.4
27-Jan-2022 04:00	6.85			35.55	0.4
27-Jan-2022 04:05	6.85			35.64	0.4
27-Jan-2022 04:10	6.85			35.73	0.5
27-Jan-2022 04:15	6.85			35.64	0.5
27-Jan-2022 04:20	6.85	38.64	120	35.52	30.9

Timestamp	pH	BOD	DO	SS	FLOW
27-Jan-2022 04:25	6.85	36.65	120	35.68	81.4
27-Jan-2022 04:30	6.85	36.28	120	35.82	76
27-Jan-2022 04:35	6.85	37.26	120	35.63	74
27-Jan-2022 04:40	6.85	36.71	120	35.65	71
27-Jan-2022 04:45	6.86	36.86	120	35.63	70.6
27-Jan-2022 04:50	6.86			35.63	71.6
27-Jan-2022 04:55	6.86	36.98	120	35.61	71.4
27-Jan-2022 05:00	6.86	36.77	120	35.63	71.1
27-Jan-2022 05:05	6.86	37.35	120	35.62	70.7
27-Jan-2022 05:10	6.86	36.72	120	35.66	70
27-Jan-2022 05:15	6.86			35.68	69
27-Jan-2022 05:20	6.86	36.81	120	35.67	62.4
27-Jan-2022 05:25	6.86			35.73	55.3
27-Jan-2022 05:30	6.86	35.93	120	35.78	56.2
27-Jan-2022 05:35	6.87	36.26	120	35.69	54.2
27-Jan-2022 05:40	6.87			35.76	53.6
27-Jan-2022 05:45	6.87	36.66	120	35.66	51.2
27-Jan-2022 05:50	6.87	35.74	120	35.77	51.1
27-Jan-2022 05:55	6.87	35.62	120	35.78	50.1
27-Jan-2022 06:00	6.87	35.65	120	35.77	50.2
27-Jan-2022 06:05	6.87	35.91	120	35.73	47.5
27-Jan-2022 06:10	6.87	34.63	120	35.93	46.1
27-Jan-2022 06:15	6.87	34.82	120	35.91	42.5
27-Jan-2022 06:20	6.87	34.98	120	35.9	45.1
27-Jan-2022 06:25	6.88	34.84	120	35.89	44.4
27-Jan-2022 06:30	6.88			35.8	45
27-Jan-2022 06:35	6.88			35.55	44.6

No. Of Corrections  
on this page- *MD*

Timestamp	pH	BOD	DO	TEMP	FLOW
27-Jan-2022 06:40	6.88	35.03	120	35.91	44.4
27-Jan-2022 06:45	6.88			35.67	45.2
27-Jan-2022 06:50	6.88			35.48	43.7
27-Jan-2022 06:55	6.88	34.65	120	35.91	43.8
27-Jan-2022 07:00	6.88	33.93	120	35.93	45
27-Jan-2022 07:05	6.88			35.6	47.6
27-Jan-2022 07:10	6.88			35.65	48.5
27-Jan-2022 07:15	6.88			35.71	48.8
27-Jan-2022 07:20	6.89			35.72	47.3
27-Jan-2022 07:25	6.89			35.68	43.1
27-Jan-2022 07:30	6.89			35.75	41.8
27-Jan-2022 07:35	6.89	36.54	120	35.67	39.5
27-Jan-2022 07:40	6.89				37.5
27-Jan-2022 07:45	6.89	37.16	120	35.66	36.2
27-Jan-2022 07:50	6.89			35.11	35.9
27-Jan-2022 07:55	6.89			35.3	34.1
27-Jan-2022 08:00	6.89			35.22	33.7
27-Jan-2022 08:05	6.89			35.32	32
27-Jan-2022 08:10	6.9			35.4	16.6
27-Jan-2022 08:15	6.9	39	120	35.39	0.5
27-Jan-2022 08:20	6.9			35.4	0.4
27-Jan-2022 08:25	6.9			35.38	0.5
27-Jan-2022 08:30	6.9			35.46	43.6
27-Jan-2022 08:35	6.9			35.51	43.2
27-Jan-2022 08:40	6.9			35.46	39
27-Jan-2022 08:45	6.9			35.4	37.5
27-Jan-2022 08:50	6.91			35.41	39.8

Timestamp	pH	BOD	COD	TSS	FLOW
27-Jan-2022 08:55	6.91	38.94	120	35.35	41.7
27-Jan-2022 09:00	6.91	38.74	120	35.39	42.1
27-Jan-2022 09:05	6.91			35.29	42.7
27-Jan-2022 09:10	6.91	39.06	120	35.32	43.1
27-Jan-2022 09:15	6.91	39.09	120	35.33	40.9
27-Jan-2022 09:20	6.91	39.01	120	35.34	38.6
27-Jan-2022 09:25	6.91			35.3	40.2
27-Jan-2022 09:30	6.91			35.32	40.2
27-Jan-2022 09:35	6.92	39.15	120	35.3	33.7
27-Jan-2022 09:40	6.92	39.2	120	35.32	33
27-Jan-2022 09:45	6.92			35.31	34.3
27-Jan-2022 09:50	6.92	40.21	120	35.24	34.8
27-Jan-2022 09:55	6.92	39.62	120	35.3	34.1
27-Jan-2022 10:00	6.92	39.28	120	35.3	34.6
27-Jan-2022 10:05	6.92			35.22	33.9
27-Jan-2022 10:10	6.92			35.31	33.8
27-Jan-2022 10:15	6.92			35.22	35.1
27-Jan-2022 10:20	6.92	39.61	120	35.25	36.3
27-Jan-2022 10:25	6.92	38.85	120	35.36	35.6
27-Jan-2022 10:30	6.92			35.27	35.8
27-Jan-2022 10:35	6.92			35.18	36.2
27-Jan-2022 10:40	6.92			35.27	37.5
27-Jan-2022 10:45	6.92			35.15	36.8
27-Jan-2022 10:50	6.92			35.16	37.7
27-Jan-2022 10:55	6.92	40.75	120	35.15	37.7
27-Jan-2022 11:00	6.92			35.18	36.5
27-Jan-2022 11:05	6.92			35.17	36.2

No. Of Corrections  
on this page- *ND*


Times:amp	pH	BOD	COD	TSS	FLOW
27-Jan-2022 11:10	6.92			35.23	36.1
27-Jan-2022 11:15	6.92			35.2	35.1
27-Jan-2022 11:20	6.92			35.05	35
27-Jan-2022 11:25	6.92			35.36	33.9
27-Jan-2022 11:30	6.92			35.4	33.1
27-Jan-2022 11:35	6.92	38.81	120	35.35	33.1
27-Jan-2022 11:40	6.92	38.07	120	35.43	32.5
27-Jan-2022 11:45	6.92			35.49	33.2
27-Jan-2022 11:50	6.92	37.69	120	35.52	32.7
27-Jan-2022 11:55	6.92			35.4	32.2
27-Jan-2022 12:00	6.92			35.48	32.5
27-Jan-2022 12:05	6.92			35.43	36.8
27-Jan-2022 12:10	6.92	37.16	120	35.53	37.2
27-Jan-2022 12:15	6.92			35.51	37.4
27-Jan-2022 12:20	6.92	37.02	120	35.62	0.6
27-Jan-2022 12:25	6.92	36.56	120	35.68	47.1
27-Jan-2022 12:30	6.92			35.68	45.8
27-Jan-2022 12:35	6.92	36.54	120	35.72	45.8
27-Jan-2022 12:40	6.92			35.82	45.5
27-Jan-2022 12:45	6.92			35.85	45.3
27-Jan-2022 12:50	6.92			35.95	44.3
27-Jan-2022 13:00	6.92	34.93	120	35.02	43.1
27-Jan-2022 13:05	6.91	40.31	147.4	38	41.2
27-Jan-2022 13:10	6.92	20.42	135.75	39.02	41
27-Jan-2022 13:15	6.91	20.88	150.82	40.01	39.1
27-Jan-2022 13:20	6.91	5.39	145.55	41.09	39.9
27-Jan-2022 13:25	6.91			41.76	39.7

No. Of Corrections  
on this page- *MAD*

Timestamp	pH	BOD	DO	TSS	FLOW
27-Jan-2022 13:30	6.91		131.4	42.12	38.9
27-Jan-2022 13:35	6.91	0	149.99	42.12	0.4
27-Jan-2022 13:40	6.91	0	148.69	42.29	0.5
27-Jan-2022 13:45	6.91			42.78	0.5
27-Jan-2022 13:50	6.91			42.45	0.4
27-Jan-2022 13:55	6.91			42.79	0.4
27-Jan-2022 14:00	6.91			42.75	0.4
27-Jan-2022 14:05	6.91			42.74	0.6
27-Jan-2022 14:10	6.91			43.04	0.6
27-Jan-2022 14:15	6.91			42.99	0.5
27-Jan-2022 14:20	6.91			43.18	0.5
27-Jan-2022 14:25	6.91	10.67	181.86	43.14	0.6
27-Jan-2022 14:30	6.91			43.13	0.5
27-Jan-2022 14:35	6.9			43.48	0.5
27-Jan-2022 14:40	6.9		154.87	43.47	0.5
27-Jan-2022 14:45	6.9			43.64	0.5
27-Jan-2022 14:50	6.9			43.61	0.4
27-Jan-2022 14:55	6.9			43.53	46.6
27-Jan-2022 15:00	6.9		144.9	43.92	43
27-Jan-2022 15:05	6.9		146.75	44.06	40.1
27-Jan-2022 15:10	6.9		132.11	44.58	40.4
27-Jan-2022 15:15	6.9			45.31	40.5
27-Jan-2022 15:20	6.9		146.65	44.45	42.1
27-Jan-2022 15:25	6.9		155.62	44.72	42.6
27-Jan-2022 15:30	6.89			45.12	41.8
27-Jan-2022 15:35	6.89			45.2	0.4
27-Jan-2022 15:40	6.89			45.17	0.5

Timestamp	pH	BOD	COD	TSS	FLOW
27-Jan-2022 15:45	6.89		140.39	45.37	0.5
27-Jan-2022 15:50	6.89			45.75	0.5
27-Jan-2022 15:55	6.89			45.53	0.4
27-Jan-2022 16:00	6.89			45.49	0.4
27-Jan-2022 16:05	6.89		148.1	45.75	0.5
27-Jan-2022 16:10	6.89			46.11	43.5
27-Jan-2022 16:15	6.89			45.88	39.7
27-Jan-2022 16:20	6.89			46.35	41.1
27-Jan-2022 16:25	6.89			46.45	39.2
27-Jan-2022 16:30	6.88			46.18	37.9
27-Jan-2022 16:35	6.88		163.94	46.37	38
27-Jan-2022 16:40	6.88			46.25	39.5
27-Jan-2022 16:45	6.88			46.38	40.2
27-Jan-2022 16:50	6.88		143.27	47.24	40.7
27-Jan-2022 18:55	6.81			49	39.4
27-Jan-2022 19:00	6.81			49.28	38.7
27-Jan-2022 19:05	6.81			49.65	39.4
27-Jan-2022 19:10	6.81			49.88	40.2
27-Jan-2022 19:15	6.81			50.01	39
27-Jan-2022 19:20	6.81			50.17	37.5
27-Jan-2022 19:25	6.81			50.24	38
27-Jan-2022 19:30	6.81			50.26	38.9
27-Jan-2022 19:35	6.81			50.26	39.4
27-Jan-2022 19:40	6.81			50.33	38.6
27-Jan-2022 19:45	6.81			52.1	38.7
27-Jan-2022 19:50	6.81			51.32	37.8
27-Jan-2022 19:55	6.81			51.96	36.9


No. Of Corrections  
on this page- *NDP*



Timestamp	pH	BOD	CO <sub>2</sub>	TS	FLOW
27-Jan-2022 20:00	6.81			52.5	35.1
27-Jan-2022 20:05	6.81			51.5a	36.2
27-Jan-2022 20:10	6.81			52.51	34.9
27-Jan-2022 20:15	6.81			53.15	36.4
27-Jan-2022 20:20	6.81			51.26	36.8
27-Jan-2022 20:25	6.81			52.83	36.3
27-Jan-2022 20:30	6.81			52.35	36.4
27-Jan-2022 20:35	6.81			52.34	35.1
27-Jan-2022 20:40	6.81			53.19	38.3
27-Jan-2022 20:45	6.81			53.42	37.1
27-Jan-2022 20:50	6.81			53.94	35.4
27-Jan-2022 20:55	6.81			52.31	37.8
27-Jan-2022 21:00	6.81			53.7	38.6
27-Jan-2022 21:05	6.81			53.61	38.2
27-Jan-2022 21:10	6.82			54.18	36.1
27-Jan-2022 21:15	6.82			55.86	35.5
27-Jan-2022 21:20	6.81			53.62	33.6
27-Jan-2022 21:25	6.82			52.9	33.9
27-Jan-2022 21:30	6.82			52.81	34.2
27-Jan-2022 21:35	6.81			53.42	35.2
27-Jan-2022 21:40	6.81	132.21		54.66	37
27-Jan-2022 21:45	6.83	141.81		54.77	34.6
27-Jan-2022 21:50	6.83	163.63		55.12	38.3
27-Jan-2022 21:55	6.83	152.88		55.04	39
27-Jan-2022 22:00	6.83	145.46		55	36.5
27-Jan-2022 22:05	6.83	152.24		55.02	35.5
27-Jan-2022 22:10	6.83	151.21		55.21	36.8

No. Of Corrections on this page- *NA*

Timestamp	pH	BOD	DO	TEMP	FLOW
27-Jan-2022 22:15	6.83	151.47	55.49		36.3
27-Jan-2022 22:20	6.83	146.71	55.32		38.1
27-Jan-2022 22:25	6.83	150.85	54.77		38.1
27-Jan-2022 22:30	6.83		55.93		37.5
27-Jan-2022 22:35	6.83	155.38	53.49		37.5
27-Jan-2022 22:40	6.83		55.36		38
27-Jan-2022 22:45	6.83	145.79	55.63		35.8
27-Jan-2022 22:50	6.83		54.88		35.5
27-Jan-2022 22:55	6.83		55.75		36.6
27-Jan-2022 23:00	6.83	148.98	57.11		36.6
27-Jan-2022 23:05	6.83	150	56.68		36.9
27-Jan-2022 23:10	6.83		55.58		38.1
27-Jan-2022 23:15	6.83		56.16		37.5
27-Jan-2022 23:20	6.83	157.85	55.53		35.8
27-Jan-2022 23:25	6.83	185.56	55.69		36.2
27-Jan-2022 23:30	6.82		55.73		37.1
27-Jan-2022 23:35	6.82	141.81	55.54		38.3
27-Jan-2022 23:40	6.82	166.67	55.8		36.6
27-Jan-2022 23:45	6.82	156.69	55.67		35.1
27-Jan-2022 23:50	6.82		55.85		36.4
27-Jan-2022 23:55	6.82	168.05	56.13		37.5
28-Jan-2022 00:00	6.82		56.45		36.8
28-Jan-2022 00:05	6.82		56.68		36.6
28-Jan-2022 00:10	6.82	150.67	56.82		36.9
28-Jan-2022 00:15	6.82	151.5	57.02		35.9
28-Jan-2022 00:20	6.82	144.63	54.13		35.3
28-Jan-2022 00:25	6.82	164.87	55.58		37.9



No. Of Corrections on this page *NRJ*

Timestamp	pH	BOD	COD	TSS	FLOW
28-Jan-2022 00:30	6.82		147.71	56.95	36.5
28-Jan-2022 00:35	6.82			56.69	37.2
28-Jan-2022 00:40	6.82			56.41	37.2
28-Jan-2022 00:45	6.82			57.87	37.1
28-Jan-2022 00:50	6.82			56.09	35.4
28-Jan-2022 00:55	6.82			58.26	35.8
28-Jan-2022 01:00	6.82		157.73	56.74	36.5
28-Jan-2022 01:05	6.82			58.69	35.8
28-Jan-2022 01:10	6.82		145.87	56.74	37
28-Jan-2022 01:15	6.82		140.07	57.38	36.9
28-Jan-2022 01:20	6.82		155.59	56.32	35.5
28-Jan-2022 01:25	6.82			56.59	34.8
28-Jan-2022 01:30	6.82	71	150.54	56.95	36.6
28-Jan-2022 01:35	6.82		150.4	56.58	36.5
28-Jan-2022 01:40	6.82		167.59	57.88	35.2
28-Jan-2022 01:45	6.82			56.39	35.4
28-Jan-2022 01:50	6.82		143.88	56.98	35
28-Jan-2022 01:55	6.82		152.96	57.92	36.1
28-Jan-2022 02:00	6.82		153.16	57.59	35.7
28-Jan-2022 02:05	6.82			58.79	36.2
28-Jan-2022 02:10	6.82	73	153.16	56.88	36.9
28-Jan-2022 02:15	6.82		146.69	57.01	35
28-Jan-2022 02:20	6.82		150.32	57.64	34.6
28-Jan-2022 02:25	6.82			56.68	35.9
28-Jan-2022 02:30	6.82			57.9	35.2
28-Jan-2022 02:35	6.82		151.93	56.97	34.6
28-Jan-2022 02:40	6.82		148.18	58.11	35.3

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	DO	TSS	FLOW
28-Jan-2022 02:45	6.82			59.81	36.1
28-Jan-2022 02:50	6.82	101.69	190.84	57.76	34.8
28-Jan-2022 02:55	6.82		159.54	60.37	35
28-Jan-2022 03:00	6.82		140.74	58.52	0.4
28-Jan-2022 03:05	6.82	72.62	152.67	58.57	0.4
28-Jan-2022 03:10	6.82	91.48	177.43	58.2	0.4
28-Jan-2022 03:15	6.82		141.7	58.52	0.4
28-Jan-2022 03:20	6.82	72.91	153.05	58.9	0.4
28-Jan-2022 03:25	6.82		144.35	58	0.4
28-Jan-2022 03:30	6.82		173.68	58.78	0.4
28-Jan-2022 03:35	6.82			58.53	0.4
28-Jan-2022 03:40	6.82	78.14	159.92	58.92	0.4
28-Jan-2022 03:45	6.82			60.28	0.4
28-Jan-2022 03:50	6.82		154.1	59.47	0.4
28-Jan-2022 03:55	6.81	70.26	149.57	58.27	0.4
28-Jan-2022 04:00	6.81		162.25	57.8	0.4
28-Jan-2022 04:05	6.81		164.45	58.01	0.3
28-Jan-2022 04:10	6.81			58.92	0.4
28-Jan-2022 04:15	6.81			59.44	0.3
28-Jan-2022 04:20	6.81	71.37	151.03	59.22	0.4
28-Jan-2022 04:25	6.81		164.47	58.85	0.4
28-Jan-2022 04:30	6.81	75	155.79	59.2	0.4
28-Jan-2022 04:35	6.81			58.59	0.4
28-Jan-2022 04:40	6.81			58.78	0.4
28-Jan-2022 04:45	6.81	88.52	173.54	57.74	0.4
28-Jan-2022 04:50	6.81	64.3	141.75	59.3	0.4
28-Jan-2022 04:55	6.81	68.92	147.81	58.15	0.4

No. Of Corrections  
on this page *mll*



Timestamp	pH	BOD	COD	TSS	FLOW
28-Jan-2022 05:00	6.81	69.92	149.12	59.32	0.4
28-Jan-2022 05:05	6.81	62.82	139.81	58.74	0.4
28-Jan-2022 05:10	6.81			58.88	0.4
28-Jan-2022 05:15	6.81			58.26	0.4
28-Jan-2022 05:20	6.81	71.94	151.77	59	0.4
28-Jan-2022 05:25	6.81		166.21	58.56	0.4
28-Jan-2022 05:30	6.81		141.82	59.34	0.4
28-Jan-2022 05:35	6.81			58.28	0.4
28-Jan-2022 05:40	6.81		148.18	59.95	0.4
28-Jan-2022 05:45	6.81	67.63	146.12	59.15	0.3
28-Jan-2022 05:50	6.81	76.28	157.48	59.97	0.4
28-Jan-2022 05:55	6.81	73.54	153.87	58.91	0.4
28-Jan-2022 06:00	6.81		149.77	60.7	0.4
28-Jan-2022 06:05	6.81			59.36	0.3
28-Jan-2022 06:10	6.81			57.07	0.4
28-Jan-2022 06:15	6.81		163.42	59.4	0.4
28-Jan-2022 06:20	6.81		140.56	59.43	0.4
28-Jan-2022 06:25	6.81	88.68	173.76	59.05	0.4
28-Jan-2022 06:30	6.81			59.35	0.4
28-Jan-2022 06:35	6.81	67.69	146.2	59.45	0.4
28-Jan-2022 06:40	6.81		156.39	57.88	0.4
28-Jan-2022 06:45	6.81	71.8	151.59	60.31	32.6
28-Jan-2022 06:50	6.81	71.18	150.78	59.77	33.1
28-Jan-2022 06:55	6.81			59.91	32.8
28-Jan-2022 07:00	6.81			58.74	34
28-Jan-2022 07:05	6.81			61.42	33
28-Jan-2022 07:10	6.81		158.04	59.39	34.5

No. Of Corrections on this page- *12*

Timestamp	pH	BOD	DO	SS	FLOW
28-Jan-2022 07:15	6.81		159.62	60.32	34.3
28-Jan-2022 07:20	6.81	71.34	150.99	60.12	34.9
28-Jan-2022 07:25	6.81		150.62	59.97	34.7
28-Jan-2022 07:30	6.81			61.71	33.7
28-Jan-2022 07:35	6.81	69.05	147.99	60.19	32.9
28-Jan-2022 07:40	6.81			59.69	32.4
28-Jan-2022 07:45	6.81	74.52	155.17	60.83	33.3
28-Jan-2022 07:50	6.81	68.12	146.77	61.02	31.7
28-Jan-2022 07:55	6.81		158.3	61.66	30.3
28-Jan-2022 08:00	6.81			62.17	0.3
28-Jan-2022 08:05	6.81		144.68	61.61	45.6
28-Jan-2022 08:10	6.81			62.85	44.1
28-Jan-2022 08:15	6.81	66.88	145.14	62.38	42.4
28-Jan-2022 08:20	6.81	68.71	147.54	62.14	43.1
28-Jan-2022 08:25	6.81		157.74	61.53	43.5
28-Jan-2022 08:30	6.81	87.91	172.75	62.06	43.8
28-Jan-2022 08:35	6.81		144.98	59.99	43.4
28-Jan-2022 08:40	6.81	86.98	171.52	61.73	41.5
28-Jan-2022 08:45	6.81	66.69	144.88	61.86	42.6
28-Jan-2022 08:50	6.81	69.79	148.96	61.62	42.5
28-Jan-2022 08:55	6.81			60.8	43.1
28-Jan-2022 09:00	6.81			64.22	42.3
28-Jan-2022 09:05	6.81			62.71	42.1
28-Jan-2022 09:10	6.81			62.13	42.6
28-Jan-2022 09:15	6.81			61.61	43.1
28-Jan-2022 09:20	6.81	68.2	146.87	60.82	43
28-Jan-2022 09:25	6.81			62.96	43

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	DO	SS	FLOW
28-Jan-2022 09:30	6.81	73.7	154.09	62.71	43.2
28-Jan-2022 09:35	6.81			62.46	42.7
28-Jan-2022 09:40	6.81			63.38	41.7
28-Jan-2022 09:45	6.81			63.95	42.1
28-Jan-2022 09:50	6.81		143.64	61.5	0.4
28-Jan-2022 09:55	6.81		152.17	61.71	0
28-Jan-2022 10:00	6.81		149.43	63.16	0.4
28-Jan-2022 10:05	6.81			63.24	0.4
28-Jan-2022 10:10	6.81	84.22	167.9	62.62	0.4
28-Jan-2022 10:15	6.8			62.11	0.4
28-Jan-2022 10:20	6.8		174.1	62.99	0.4
28-Jan-2022 10:25	6.8	63.19	140.29	61.48	0.4
28-Jan-2022 10:30	6.8		139.71	64.27	0.4
28-Jan-2022 10:35	6.8	88.61	173.67	63.79	0.4
28-Jan-2022 10:40	6.8	64.99	142.65	62.07	0.4
28-Jan-2022 10:45	6.8	76.28	157.47	61.5	0.4
28-Jan-2022 10:50	6.8			61.41	0.5
28-Jan-2022 10:55	6.8	74.01	154.49	62.39	0.4
28-Jan-2022 11:00	6.8			58.23	0.4
28-Jan-2022 11:05	6.8			62.42	0.4
28-Jan-2022 11:10	6.8			63.62	0.4
28-Jan-2022 11:15	6.8		148.52	62.61	0.4
28-Jan-2022 11:20	6.8	77.57	159.17	64.38	0.4
28-Jan-2022 11:25	6.8			62.02	0.5
28-Jan-2022 11:30	6.8			62.77	0.5
28-Jan-2022 11:35	6.8	60.32	136.52	59.14	0.5
28-Jan-2022 11:40	6.8	61.71	138.34	62.46	0.5

NO. Of Corrections  
on this page- *NOV*

Timestamp	pH	BOD	COU	TSS	FLOW
28-Jan-2022 11:45	6.8		147.22	63.24	0.5
28-Jan-2022 11:50	6.8	74.18	154.71	63.22	0.5
28-Jan-2022 11:55	6.8			64.06	0.5
28-Jan-2022 12:00	6.8			63.7	0.5
28-Jan-2022 12:05	6.8	81.41	164.21	63.92	0.5
28-Jan-2022 12:10	6.8	76	157.11	62.45	0.5
28-Jan-2022 12:15	6.8			63.98	0.5
28-Jan-2022 12:20	6.8			65.94	0.5
28-Jan-2022 12:25	6.8			60.42	0.4
28-Jan-2022 12:30	6.8			60.98	0.5
28-Jan-2022 12:35	6.8				0.5
28-Jan-2022 12:40	6.8	73.31	153.58	65.28	0.5
28-Jan-2022 12:45	6.8	86.03	170.27	64.24	0.5
28-Jan-2022 12:50	6.8			64.87	0.5
28-Jan-2022 12:55	6.8	75.37	156.27		0.5
28-Jan-2022 13:00	6.8			65.11	0.5
28-Jan-2022 13:05	6.8		137.42	64.25	0.5
28-Jan-2022 13:10	6.8	66.62	144.79	65.02	0.5
28-Jan-2022 13:15	6.8	78.92	160.94	65.63	0.5
28-Jan-2022 13:20	6.8	68.74	147.58	66.05	0.5
28-Jan-2022 13:25	6.8	70.28	149.59		0.5
28-Jan-2022 13:30	6.8			62.12	0.5
28-Jan-2022 13:35	6.8			63.29	0.5
28-Jan-2022 13:40	6.8	58.45	142.59		0.5
28-Jan-2022 13:45	6.8	73.78	154.2	64.47	0.5
28-Jan-2022 13:50	6.8			61.26	0.5
28-Jan-2022 13:55	6.8			63.53	0.5


No. Of Corrections  
on this page - *na*

Timestamp	pH	BOD	DO	TSS	FLOW
28-Jan-2022 14:00	6.8			65.08	0.5
28-Jan-2022 14:05	6.8			64.78	61.9
28-Jan-2022 14:10	6.8				61.3
28-Jan-2022 14:15	6.8				61.5
28-Jan-2022 14:20	6.8	73.35	153.62	64.92	59.1
28-Jan-2022 14:25	6.8	68.8	147.65	65.91	58.4
28-Jan-2022 14:30	6.8		147.99	64.11	58.4
28-Jan-2022 14:35	6.8	58.72	134.41		57.4
28-Jan-2022 14:40	6.8	67.48	145.92	66.27	56.8
28-Jan-2022 14:45	6.8				56.5
28-Jan-2022 14:50	6.8	68.12	154.19		57.1
28-Jan-2022 14:55	6.8	67.64	146.14	64.46	56.9
28-Jan-2022 15:00	6.8			64.86	87
28-Jan-2022 15:05	6.8	68.32	147.02		87.9
28-Jan-2022 15:10	6.8				81.9
28-Jan-2022 15:15	6.8				83
28-Jan-2022 15:20	6.8	71.02	150.57	65.56	84.6
28-Jan-2022 15:25	6.8	65.07	142.75	64.88	80.2
28-Jan-2022 15:30	6.8			59.9	78.7
28-Jan-2022 15:35	6.8	74.41	155.02		75.6
28-Jan-2022 15:40	6.8	55.81	138.95		76
28-Jan-2022 15:45	6.8	62.65	139.57		69
28-Jan-2022 15:50	6.8			62.94	69.2
28-Jan-2022 15:55	6.8	62.47	139.34		67.3
28-Jan-2022 16:00	6.8		144.59	62.83	66.9
28-Jan-2022 16:05	6.8	66.7	153.06		66.9
28-Jan-2022 16:10	6.8				66.8

No. Of Corrections on this page- *MS*

Timestamp	pH	BOD	DO	SS	FLOW
28-Jan-2022 16:15	6.8	99.74	188.27	65.56	66.9
28-Jan-2022 16:20	6.8			65.03	66.5
28-Jan-2022 16:25	6.8	64.48	141.99	63.03	67.2
28-Jan-2022 16:30	6.8	67.35	145.75		66.6
28-Jan-2022 16:35	6.8	77.87	159.56		62.5
28-Jan-2022 16:40	6.8	62.69	148.13		63.2
28-Jan-2022 16:45	6.8	63.32	140.46	65.01	0.6
28-Jan-2022 16:50	6.8	67.35	145.74		0.5
28-Jan-2022 16:55	6.8	82.17	165.19		0.5
28-Jan-2022 17:00	6.8		146.74	64.79	0.5
28-Jan-2022 17:05	6.8	56.9	132.03	64.71	0.5
28-Jan-2022 17:10	6.8	76.95	158.35		0.5
28-Jan-2022 17:15	6.8				0.5
28-Jan-2022 17:20	6.8				0.5
28-Jan-2022 17:25	6.8			64.95	0.5
28-Jan-2022 17:30	6.8				0.5
28-Jan-2022 17:35	6.8				0.5
28-Jan-2022 17:40	6.8	65.38	151.31		0.5
28-Jan-2022 17:45	6.8	59.03	134.83	65.9	0.5
28-Jan-2022 17:50	6.8	59.03	143.36		0.5
28-Jan-2022 17:55	6.8				0.5
28-Jan-2022 18:00	6.8		150.31	66.07	0.5
28-Jan-2022 18:05	6.8			62.34	0.5
28-Jan-2022 18:10	6.8				84.8
28-Jan-2022 18:15	6.8	64.7	149.31		85.7
28-Jan-2022 18:20	6.8			65.36	85.3
28-Jan-2022 18:25	6.8		141.26	65.53	84.9

No. Of Corrections  
on this page- *NAJ*



Timestamp	pH	BOD	TOD	TSS	FLOW
28-Jan-2022 18:30	6.8			64.72	83.1
28-Jan-2022 18:35	6.8				81.9
28-Jan-2022 18:40	6.8	63.43	140.6		82.3
28-Jan-2022 18:45	6.8	74.73	155.44	65.87	0.5
28-Jan-2022 18:50	6.8	71.11	150.69		0.5
28-Jan-2022 18:55	6.8			65.52	0.5
28-Jan-2022 19:00	6.8	58.83	134.57	65.03	0.5
28-Jan-2022 19:05	6.8		151.57	65.37	0.5
28-Jan-2022 19:10	6.8	80.02	162.39	64.01	0.5
28-Jan-2022 19:15	6.8			62.06	0.5
28-Jan-2022 19:20	6.8				0.5
28-Jan-2022 19:25	6.8	66.24	144.29	64.77	0.5
28-Jan-2022 19:30	6.8				0.5
28-Jan-2022 19:35	6.8				0.5
28-Jan-2022 19:40	6.8				0.4
28-Jan-2022 19:45	6.8				0.5
28-Jan-2022 19:50	6.8			66.22	0.5
28-Jan-2022 19:55	6.8	73.63	153.99		0.4
28-Jan-2022 20:00	6.8				0.5
28-Jan-2022 20:05	6.8			66.28	0.4
28-Jan-2022 20:10	6.8			64.12	0.5
28-Jan-2022 20:15	6.8			63.58	0.4
28-Jan-2022 20:20	6.8			66.2	0.5
28-Jan-2022 20:25	6.8				0.5
28-Jan-2022 20:30	6.8	69.08	148.02	66.18	0.4
28-Jan-2022 20:35	6.8	67.04	145.35	65.3	0.5
28-Jan-2022 20:40	6.8				0.5

No. Of Corrections on this page- *ms*

Timestamp	pH	BOD	DO	SS	FLOW
28-Jan-2022 20:45	6.8	66.52	144.66		0.4
28-Jan-2022 20:50	6.8	56.93	132.06		0.4
28-Jan-2022 20:55	6.8	76.94	158.33		0.5
28-Jan-2022 21:00	6.8	81.02	163.69		0.4
28-Jan-2022 21:05	6.8			62.33	50.6
28-Jan-2022 21:10	6.8	97.91	185.86		49.6
28-Jan-2022 21:15	6.8				49.1
28-Jan-2022 21:20	6.8	58.14	133.65		49.1
28-Jan-2022 21:25	6.8	66.25	144.3		49.2
28-Jan-2022 21:30	6.8			63.79	49.2
28-Jan-2022 21:35	6.8			65.97	48.9
28-Jan-2022 21:40	6.8			62.76	48.6
28-Jan-2022 21:45	6.8	70.39	149.73		48.6
28-Jan-2022 21:50	6.8				48.1
28-Jan-2022 21:55	6.8	60.18	136.33		48.4
28-Jan-2022 22:00	6.8			64.61	47.3
28-Jan-2022 22:05	6.8	69.55	148.63		47.6
28-Jan-2022 22:10	6.8		138.56	65.95	47.2
28-Jan-2022 22:15	6.8			65.72	47.2
28-Jan-2022 22:20	6.8			65.68	46.9
28-Jan-2022 22:25	6.8				46.2
28-Jan-2022 22:30	6.8			65.29	45.7
28-Jan-2022 22:35	6.8	81.8	164.73	66.39	45.7
28-Jan-2022 22:40	6.8		154.78	65.89	46.2
28-Jan-2022 22:45	6.8				45.8
28-Jan-2022 22:50	6.8	76.02	157.13		45.8
28-Jan-2022 22:55	6.8				45.6

No. Of Corrections-  
on this page- *NY*

Timestamp	pH	BOD	TSS	FLOW	
28-Jan-2022 23:00	6.8		64.07	45.5	
28-Jan-2022 23:05	6.8	103.28	192.92	45.5	
28-Jan-2022 23:10	6.8	96.46	183.96	45.8	
28-Jan-2022 23:15	6.8	86.55	170.96	45.6	
28-Jan-2022 23:20	6.8	65.08	142.76	45.2	
28-Jan-2022 23:25	6.8	65	142.66	45.4	
28-Jan-2022 23:30	6.8			45.3	
28-Jan-2022 23:35	6.8			45.3	
28-Jan-2022 23:40	6.8			45.2	
28-Jan-2022 23:45	6.8	86.08	170.34	45	
28-Jan-2022 23:50	6.8	83.43	166.86	63.9	45.2
28-Jan-2022 23:55	6.8			44.9	
29-Jan-2022 00:00	6.8		65.8	44.2	
29-Jan-2022 00:05	6.8		63.68	44.4	
29-Jan-2022 00:10	6.8			44.5	
29-Jan-2022 00:15	6.8			44.8	
29-Jan-2022 00:20	6.8	78.08	167.2	45	
29-Jan-2022 00:25	6.8		63.88	44.7	
29-Jan-2022 00:30	6.8		64.4	44.5	
29-Jan-2022 00:35	6.8		64.21	44.7	
29-Jan-2022 00:40	6.8		62.59	44.6	
29-Jan-2022 00:45	6.8			44.5	
29-Jan-2022 00:50	6.8	70	149.23	44.2	
29-Jan-2022 00:55	6.8	71.86	151.67	65.29	44.6
29-Jan-2022 01:00	6.8			44.5	
29-Jan-2022 01:05	6.8	73.95	154.41	44.7	
29-Jan-2022 01:10	6.8		151.17	63.17	44.6

No. Of Corrections  
on this page - *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
29-Jan-2022 01:15	6.8			63.19	44.9
29-Jan-2022 01:20	6.8			65.68	45.6
29-Jan-2022 01:25	6.8				45.3
29-Jan-2022 01:30	6.8			62.9	45.3
29-Jan-2022 01:35	6.8				44.8
29-Jan-2022 01:40	6.8			64.81	45.4
29-Jan-2022 01:45	6.8				45.3
29-Jan-2022 01:50	6.8				45.4
29-Jan-2022 01:55	6.8	83.64	167.14		45.3
29-Jan-2022 02:00	6.8				45.5
29-Jan-2022 02:05	6.8			64.53	45.3
29-Jan-2022 02:10	6.8				44.4
29-Jan-2022 02:15	6.8				44.4
29-Jan-2022 02:20	6.8	70.28	157		43.4
29-Jan-2022 02:25	6.8				43.8
29-Jan-2022 02:30	6.8	73.96	154.43		44
29-Jan-2022 02:35	6.8	68.77	147.61		44.2
29-Jan-2022 02:40	6.8			63.49	44.6
29-Jan-2022 02:45	6.8	57.03	140.34		44
29-Jan-2022 02:50	6.8	59.69	135.69		44.5
29-Jan-2022 02:55	6.8	78.04	159.78		44.4
29-Jan-2022 03:00	6.8				44.4
29-Jan-2022 03:05	6.8				44.6
29-Jan-2022 03:10	6.8				44.4
29-Jan-2022 03:15	6.8	70.45	149.82		44.8
29-Jan-2022 03:20	6.8				0.4
29-Jan-2022 03:25	6.8				0.3

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
29-Jan-2022 03:30	6.8	67.41	145.83		0.4
29-Jan-2022 03:35	6.8	70.06	149.3		0.4
29-Jan-2022 03:40	6.8	61.85	138.52		0.4
29-Jan-2022 03:45	6.8	63.35	140.5		0.4
29-Jan-2022 03:50	6.8				0.4
29-Jan-2022 03:55	6.8	81.29	154.06	64.39	0.4
29-Jan-2022 04:00	6.8				0.4
29-Jan-2022 04:05	6.8	82.3	165.37		0.4
29-Jan-2022 04:10	6.8	72.14	152.03		0.3
29-Jan-2022 04:15	6.8	66.41	144.51		0.4
29-Jan-2022 04:20	6.8	75.19	156.05	65.5	0.3
29-Jan-2022 04:25	6.8				0.4
29-Jan-2022 04:30	6.8			65.15	0.4
29-Jan-2022 04:35	6.8	89.43	174.74	65.56	0.4
29-Jan-2022 04:40	6.8				0.4
29-Jan-2022 04:45	6.8	73.04	153.22		0.4
29-Jan-2022 04:50	6.8				0.4
29-Jan-2022 04:55	6.8				0.3
29-Jan-2022 05:00	6.8	65.93	143.88		0.4
29-Jan-2022 05:05	6.8				0.4
29-Jan-2022 05:10	6.8	91.84	177.89		0.4
29-Jan-2022 05:15	6.8	67.88	155.22		0.4
29-Jan-2022 05:20	6.8				0.4
29-Jan-2022 05:25	6.8	72.12	152.01		0.4
29-Jan-2022 05:30	6.8				0.4
29-Jan-2022 05:35	6.8	63.38	148.96		0.4
29-Jan-2022 05:40	6.8	69	147.91	64.95	0.4

Timestamp	pH	BOC	Col	FLOW
29-Jan-2022 05:45	6.8			0.4
29-Jan-2022 05:50	6.8	81.03	172.42	0.4
29-Jan-2022 05:55	6.8			0.4
29-Jan-2022 06:00	6.8			0.4
29-Jan-2022 06:05	6.8	80.11	162.5	0.4
29-Jan-2022 06:10	6.8	82.77	165.99	0.4
29-Jan-2022 06:15	6.8			0.4
29-Jan-2022 06:20	6.8			0.4
29-Jan-2022 06:25	6.8		63.25	0.4
29-Jan-2022 06:30	6.8			0.4
29-Jan-2022 06:35	6.8			0.4
29-Jan-2022 06:40	6.8			0.4
29-Jan-2022 06:45	6.8	66.48	144.6	0.4
29-Jan-2022 06:50	6.8		63.59	0.4
29-Jan-2022 06:55	6.8	74.5	155.13	0.4
29-Jan-2022 07:00	6.8			0.5
29-Jan-2022 07:05	6.8			41.4
29-Jan-2022 07:10	6.8	63.77	149.79	37.7
29-Jan-2022 07:15	6.8			0.3
29-Jan-2022 07:20	6.8	69.94	149.15	0.4
29-Jan-2022 07:25	6.8			0.3
29-Jan-2022 07:30	6.8			81
29-Jan-2022 07:35	6.8	70.01	149.24	76.5
29-Jan-2022 07:40	6.8	65.03	142.7	75.4
29-Jan-2022 07:45	6.8	67.48	145.91	72.7
29-Jan-2022 07:50	6.8	76.86	158.23	70.5
29-Jan-2022 07:55	6.8	71.33	150.97	69.6


Timestamp	pH	BOD	COD	TS	FLOW
29-Jan-2022 08:00	6.8	64.41	141.89		69.1
29-Jan-2022 08:05	6.8	83.48	166.92		69.8
29-Jan-2022 08:10	6.8	78.14	159.91		67.1
29-Jan-2022 08:15	6.8	86.41	170.76		64.4
29-Jan-2022 08:20	6.8				60.4
29-Jan-2022 08:25	6.8				44
29-Jan-2022 08:30	6.8	63.16	140.24		71.7
29-Jan-2022 08:35	6.8	83.63	167.11		70.9
29-Jan-2022 08:40	6.8				70
29-Jan-2022 08:45	6.8				69
29-Jan-2022 08:50	6.8	59.33	143.94		68
29-Jan-2022 08:55	6.8	73.25	153.49		68.2
29-Jan-2022 09:00	6.8	68.37	147.08		67.5
29-Jan-2022 09:05	6.8				67.1
29-Jan-2022 09:10	6.8	77.36	158.89		66.7
29-Jan-2022 09:15	6.8				65.7
29-Jan-2022 09:20	6.8	77.59	159.19		65.3
29-Jan-2022 09:25	6.8	78.66	160.59		64.1
29-Jan-2022 09:30	6.8	79.89	162.21		62.9
29-Jan-2022 09:35	6.8	63.4	140.56		61.5
29-Jan-2022 09:40	6.8				60.7
29-Jan-2022 09:45	6.8	75.89	165.39		60
29-Jan-2022 09:50	6.8	66.78	153.12		59.9
29-Jan-2022 09:55	6.8	77.87	159.55		59.2
29-Jan-2022 10:00	6.8	81.27	164.02		58.7
29-Jan-2022 10:05	6.8	79.82	162.12		56.7
29-Jan-2022 10:10	6.8	71.57	151.29		0.5

No. Of Corrections  
on this page- *001*




Timeslamp	pH	BOD	COD	TSS	FLOW
29-Jan-2022 10:15	6.8	68.88	155.51		0.5
29-Jan-2022 10:20	6.8	95.53	190.41		0.4
29-Jan-2022 10:25	6.8	64.04	141.4		0.5
29-Jan-2022 10:30	6.8		167.06	65.09	0.5
29-Jan-2022 10:35	6.8				0.4
29-Jan-2022 10:40	6.8	62.58	147.93		0.5
29-Jan-2022 10:45	6.8				0.5
29-Jan-2022 10:50	6.8	75.96	157.05	63.83	0.4
29-Jan-2022 10:55	6.8				0.5
29-Jan-2022 11:00	6.8			65.22	0.4
29-Jan-2022 11:05	6.8				0.4
29-Jan-2022 11:10	6.8	71.53	151.24		0.5
29-Jan-2022 11:15	6.8				0.5
29-Jan-2022 11:20	6.8	82.02	165.01		0.5
29-Jan-2022 11:25	6.8				0.5
29-Jan-2022 11:30	6.8	81.9	164.84		46.6
29-Jan-2022 11:35	6.8				0.5
29-Jan-2022 11:40	6.8	70.12	149.38		0.5
29-Jan-2022 11:45	6.8				0.5
29-Jan-2022 11:50	6.8	71.89	151.7		0.5
29-Jan-2022 11:55	6.8	76.14	157.29		0.5
29-Jan-2022 12:00	6.8				0.5
29-Jan-2022 12:05	6.8	82.9	174.72		0.4
29-Jan-2022 12:10	6.8	72.33	152.29		0.5
29-Jan-2022 12:25	6.8				0.5
29-Jan-2022 12:30	6.8	69.49	156.02		0.5
29-Jan-2022 12:35	6.8				0.5

No. Of Corrections on this page- *NY*




Timestamp	pH	BOD	COD	TSS	FLOW
29-Jan-2022 12:40	6.8				0.5
29-Jan-2022 12:45	6.8	70.54	149.93		0.5
29-Jan-2022 12:50	6.8				0.5
29-Jan-2022 12:55	6.8				0.5
29-Jan-2022 13:00	6.8				0.7
29-Jan-2022 13:05	6.8			65.03	0.5
29-Jan-2022 13:10	6.8				0.5
29-Jan-2022 13:15	6.8				0.5
29-Jan-2022 13:20	6.8				0.5
29-Jan-2022 13:25	6.8	84.2	167.87		0.5
29-Jan-2022 13:30	6.8				49.6
29-Jan-2022 13:35	6.8				48.5
29-Jan-2022 13:40	6.8				48
29-Jan-2022 13:45	6.8				48.1
29-Jan-2022 13:50	6.8				47.8
29-Jan-2022 13:55	6.8				47.6
29-Jan-2022 14:00	6.8				48.1
29-Jan-2022 14:05	6.8				48
29-Jan-2022 14:10	6.8				0.5
29-Jan-2022 14:15	6.8			65.93	0.5
29-Jan-2022 14:20	6.8				0.6
30-Jan-2022 08:30	7.5				85.4
30-Jan-2022 08:35	7.5				86.5
30-Jan-2022 08:40	7.5				85.8
30-Jan-2022 08:45	7.5				85.3
30-Jan-2022 08:50	7.5				83.4
30-Jan-2022 08:55	7.5				83.1

No. Of Corrections  
on this page- *05*




Timestamp	pH	BOD	COD	DO	FLOW
30-Jan-2022 09:00	7.5				80.2
30-Jan-2022 09:05	7.5				76.7
30-Jan-2022 09:10	7.5				77.1
30-Jan-2022 09:15	7.5				75.8
30-Jan-2022 09:20	7.5				75.4
30-Jan-2022 09:25	7.5				71.1
30-Jan-2022 09:30	7.5				70.7
30-Jan-2022 09:35	7.5	92.4	178.64		71.1
30-Jan-2022 09:40	7.5				70.2
30-Jan-2022 09:45	7.5				70.6
30-Jan-2022 09:50	7.5				70
30-Jan-2022 09:55	7.5			60.53	69.6
30-Jan-2022 10:00	7.5				68.6
30-Jan-2022 10:05	7.5			63.19	65.3
30-Jan-2022 10:10	7.5				64.6
30-Jan-2022 10:15	7.5				64.7
30-Jan-2022 10:20	7.5			65.86	63.7
30-Jan-2022 10:25	7.5				63.2
30-Jan-2022 10:30	7.5				62.4
30-Jan-2022 10:35	7.5				59.6
30-Jan-2022 10:40	7.5				0.5
30-Jan-2022 10:45	7.5				0.5
30-Jan-2022 10:50	7.5			65.92	0.5
30-Jan-2022 10:55	7.5				0.5
30-Jan-2022 11:00	7.5				0.5
30-Jan-2022 11:05	7.5	63.73	148.28		0.5
30-Jan-2022 11:10	7.5				0.5

No. Of Corrections on this page- *ms*




Time Stamp	pH	BOC	COD	TSS	FLOW
30-Jan-2022 11:15	7.5				0.5
30-Jan-2022 11:20	7.5				0.6
30-Jan-2022 11:25	7.5				0.5
30-Jan-2022 11:30	7.5				0.5
30-Jan-2022 11:35	7.5				0.5
30-Jan-2022 11:40	7.5	62.83	139.81		0.5
30-Jan-2022 11:45	7.5				0.5
30-Jan-2022 11:50	7.5				0.5
30-Jan-2022 11:55	7.5	68.37	147.09		0.5
30-Jan-2022 12:00	7.5				0.5
30-Jan-2022 12:05	7.5				0.5
30-Jan-2022 12:10	7.5				0.6
30-Jan-2022 12:15	7.5	74.96	155.74		0.6
30-Jan-2022 12:20	7.5	62.04	138.77		0.6
30-Jan-2022 12:25	7.5			65.89	0.5
30-Jan-2022 12:30	7.5				0.5
30-Jan-2022 12:35	7.5				0.5
30-Jan-2022 12:40	7.5				0.6
30-Jan-2022 12:45	7.5				0.6
30-Jan-2022 12:50	7.5	66.69	144.88		0.6
30-Jan-2022 12:55	7.5				0.6
30-Jan-2022 13:00	7.5				0.6
30-Jan-2022 13:05	7.5				0.6
30-Jan-2022 13:10	7.5				0.5
30-Jan-2022 13:15	7.5				0.7
30-Jan-2022 13:20	7.5				0.5
30-Jan-2022 13:25	7.5	63.44	140.61		0.7

No. Of Corrections on this page- *NA*




Timestamp	pH	BOC	COI	FLOW
30-Jan-2022 13:30	7.5			0.6
30-Jan-2022 13:35	7.5			0.6
30-Jan-2022 13:40	7.5	74.79	155.51	0.5
30-Jan-2022 13:45	7.5			0.6
30-Jan-2022 13:50	7.5			0.6
30-Jan-2022 13:55	7.5		65.16	0.6
30-Jan-2022 14:00	7.5			0.6
30-Jan-2022 14:05	7.5			0.6
30-Jan-2022 14:10	7.5			0.6
30-Jan-2022 14:15	7.5			0.5
30-Jan-2022 14:20	7.5			0.6
30-Jan-2022 14:25	7.5	66.31	144.37	0.6
30-Jan-2022 14:30	7.5	62.79	139.76	0.6
30-Jan-2022 14:35	7.5	61.98	138.69	0.6
30-Jan-2022 14:40	7.5			0.7
30-Jan-2022 14:45	7.49			0.6
30-Jan-2022 14:50	7.49			0.7
30-Jan-2022 14:55	7.48			0.6
30-Jan-2022 15:00	7.48			0.6
30-Jan-2022 15:05	7.48			0.6
30-Jan-2022 15:10	7.47			0.6
30-Jan-2022 15:15	7.47			0.6
30-Jan-2022 15:20	7.46			0.6
30-Jan-2022 15:25	7.46			0.6
30-Jan-2022 15:30	7.45			0.7
30-Jan-2022 15:35	7.45			0.6
30-Jan-2022 15:40	7.45			26.7



Timestamp	pH	BOD	COD	TSS	FLOW
30-Jan-2022 15:45	7.44				54.5
30-Jan-2022 15:50	7.44				56.8
30-Jan-2022 15:55	7.43	75.69	156.7		62.1
30-Jan-2022 16:00	7.43	70.3	149.62		60.3
30-Jan-2022 16:05	7.43	67.84	146.38		60.5
30-Jan-2022 16:10	7.42	66.26	152.6		59.9
30-Jan-2022 16:15	7.42				60
30-Jan-2022 16:20	7.41				0.6
30-Jan-2022 16:25	7.41				0.6
30-Jan-2022 16:30	7.41				0.6
30-Jan-2022 16:35	7.4				0.6
30-Jan-2022 16:40	7.4				0.5
30-Jan-2022 16:45	7.4				0.6
30-Jan-2022 16:50	7.39				0.6
30-Jan-2022 16:55	7.39				0.5
30-Jan-2022 17:00	7.39				0.6
30-Jan-2022 17:05	7.38				0.6
30-Jan-2022 17:10	7.38				0.6
30-Jan-2022 17:15	7.38				0.6
30-Jan-2022 17:20	7.37				0.6
30-Jan-2022 17:30	6.82	67.8	146.33		0.1
30-Jan-2022 17:40	6.82				0.5
30-Jan-2022 17:45	6.82	62.84	148.41		0.5
30-Jan-2022 17:50	6.82				0.5
30-Jan-2022 17:55	6.82				0.6
30-Jan-2022 18:00	6.82	74.09	162.81		0.5
30-Jan-2022 18:05	6.81				0.5

No. Of Corrections on this page- *NAJ*




Timestamp	pH	BOD	CO <sub>2</sub>	TSS	FLOW
30-Jan-2022 18:10	6.81				0.5
30-Jan-2022 18:15	6.81				0.6
30-Jan-2022 18:20	6.81				0.5
30-Jan-2022 18:25	6.81	72.9		153.03	0.5
30-Jan-2022 18:30	6.81	77.21		166.61	0.5
30-Jan-2022 18:35	6.81				0.5
30-Jan-2022 18:40	6.81				0.5
30-Jan-2022 18:45	6.81				0.5
30-Jan-2022 18:50	6.8				0.6
30-Jan-2022 18:55	6.8				0.5
30-Jan-2022 19:00	6.8				0.5
30-Jan-2022 19:05	6.8				0.5
30-Jan-2022 19:10	6.8				0.5
30-Jan-2022 19:15	6.8	73.62		153.98	0.5
30-Jan-2022 19:20	6.8				0.5
30-Jan-2022 19:25	6.8				0.5
30-Jan-2022 19:30	6.8				0.5
30-Jan-2022 19:35	6.8				0.5
30-Jan-2022 19:40	6.8				0.5
30-Jan-2022 19:45	6.8			63.03	0.5
30-Jan-2022 19:50	6.8			62.75	0.5
30-Jan-2022 19:55	6.8			62.74	0.5
30-Jan-2022 20:00	6.8				0.5
30-Jan-2022 20:05	6.8				0.5
30-Jan-2022 20:10	6.8	65.37		143.14	0.5
30-Jan-2022 20:15	6.8				0.5
30-Jan-2022 20:20	6.8			65.03	0.5

No. Of Corrections on this page- *MSD*

Timestamp	pH	BOD	COD	TSS	FLOW
30-Jan-2022 20:25	6.8				0.5
30-Jan-2022 20:30	6.8			65.68	0.5
30-Jan-2022 20:35	6.8			66.28	0.5
30-Jan-2022 20:40	6.8				63.5
30-Jan-2022 20:45	6.8				63
30-Jan-2022 20:50	6.8	61.41	137.95	64.99	64.2
30-Jan-2022 20:55	6.8				64.5
30-Jan-2022 21:00	6.8				62
30-Jan-2022 21:05	6.8				62
30-Jan-2022 21:10	6.8				61.6
30-Jan-2022 21:15	6.8				0.5
30-Jan-2022 21:20	6.8				0.5
30-Jan-2022 21:25	6.8				0.5
30-Jan-2022 21:30	6.8				0.5
30-Jan-2022 21:35	6.8				0.5
30-Jan-2022 21:40	6.8				0.5
30-Jan-2022 21:45	6.8	63.7	140.95		0.5
30-Jan-2022 21:50	6.8				0.5
30-Jan-2022 21:55	6.8				0.5
30-Jan-2022 22:00	6.8	64.13	141.52		0.5
30-Jan-2022 22:05	6.8				0.5
30-Jan-2022 22:10	6.8				0.5
30-Jan-2022 22:15	6.8				0.5
30-Jan-2022 22:20	6.8				0.5
30-Jan-2022 22:25	6.8				0.5
30-Jan-2022 22:30	6.8				0.5
30-Jan-2022 22:35	6.8				57.2

No. Of Corrections  
on this page- *M/S*



Timestamp	pH	BOD	DO	TSS	FLOW
30-Jan-2022 22:40	6.8	66.05	144.04		56.4
30-Jan-2022 22:45	6.8	66.4	158.25		56.6
30-Jan-2022 22:50	6.8				55.1
30-Jan-2022 22:55	6.8				53.3
30-Jan-2022 23:00	6.8		142.61	65.34	0.4
30-Jan-2022 23:05	6.8	70.16	149.44		0.5
30-Jan-2022 23:10	6.8	71.01	150.54		0.5
30-Jan-2022 23:15	6.8	71.18	150.77		0.4
30-Jan-2022 23:20	6.8	71.31	150.95	63.48	0.4
30-Jan-2022 23:25	6.8	59.06	143.52		0.5
30-Jan-2022 23:30	6.8	76.22	157.39		0.4
30-Jan-2022 23:35	6.8	69.89	149.08		0.4
30-Jan-2022 23:40	6.8	59.32	135.2		0.4
30-Jan-2022 23:45	6.8				0.5
30-Jan-2022 23:50	6.8	69.13	148.08		0.5
30-Jan-2022 23:55	6.8		141.07	66.08	0.4
31-Jan-2022 00:00	6.8				0.5
31-Jan-2022 00:05	6.8				0.4
31-Jan-2022 00:10	6.8	60.65	136.95		0.4
31-Jan-2022 00:15	6.8				0.4
31-Jan-2022 00:20	6.8				0.4
31-Jan-2022 00:25	6.8	68.84	147.7		0.5
31-Jan-2022 00:30	6.8				0.4
31-Jan-2022 00:35	6.8			61.42	0.4
31-Jan-2022 00:40	6.8				0.4
31-Jan-2022 00:45	6.8				0.4
31-Jan-2022 00:50	6.8	82.16	165.19		0.4

No. Of Corrections  
on this page - *mas*

Timestamp	pH	DO	ORP	TEMP	FLOW
31-Jan-2022 00:55	6.8				0.4
31-Jan-2022 01:00	6.8			65.24	0.4
31-Jan-2022 01:05	6.8				0.5
31-Jan-2022 01:10	6.8				0.4
31-Jan-2022 01:15	6.8				0.4
31-Jan-2022 01:20	6.8			65.53	0.4
31-Jan-2022 01:25	6.8	81.13	163.84		0.4
31-Jan-2022 01:30	6.8				0.5
31-Jan-2022 01:35	6.8	84.7	168.52		0.4
31-Jan-2022 01:40	6.8	71.1	150.66		0.4
31-Jan-2022 01:45	6.8				0.4
31-Jan-2022 01:50	6.8	68.46	155.52		0.4
31-Jan-2022 01:55	6.8				0.4
31-Jan-2022 02:00	6.8				0.4
31-Jan-2022 02:05	6.8	67.19	145.53		0.4
31-Jan-2022 02:10	6.8	61.66	138.27		0.5
31-Jan-2022 02:15	6.8	61.66	138.28		0.4
31-Jan-2022 02:20	6.8				0.4
31-Jan-2022 02:25	6.8				0.4
31-Jan-2022 02:30	6.8	67.76	146.29		0.4
31-Jan-2022 02:35	6.8	101.25	190.25		0.4
31-Jan-2022 02:40	6.8			61.03	0.4
31-Jan-2022 02:45	6.8				0.4
31-Jan-2022 02:50	6.8	76.69	158.01		0.4
31-Jan-2022 02:55	6.8	63.61	149.39		0.5
31-Jan-2022 03:00	6.8	70.05	149.29		0.4
31-Jan-2022 03:05	6.8	62.45	147.95		0.4


No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	DO	FS	FLOW
31-Jan-2022 03:10	6.8				0.4
31-Jan-2022 03:15	6.8				0.4
31-Jan-2022 03:20	6.8				0.4
31-Jan-2022 03:25	6.8	72.2	160.67		0.4
31-Jan-2022 03:30	6.8				0.4
31-Jan-2022 03:35	6.8	67.51	153.69		0.4
31-Jan-2022 03:40	6.8	87.54	172.25		0.4
31-Jan-2022 03:45	6.8	68.31	147		0.4
31-Jan-2022 03:50	6.8	78.74	160.7		0.4
31-Jan-2022 03:55	6.8	64.8	142.4		0.5
31-Jan-2022 04:00	6.8	67.38	145.78		0.5
31-Jan-2022 04:05	6.8	63.38	140.53		0.4
31-Jan-2022 04:10	6.8				0.4
31-Jan-2022 04:15	6.8	71.97	151.81		0.4
31-Jan-2022 04:20	6.8	67.66	146.16		0.5
31-Jan-2022 04:25	6.8	55.52	138.41		0.4
31-Jan-2022 04:30	6.8	65.17	142.88		0.4
31-Jan-2022 04:35	6.8	81.63	164.5		0.5
31-Jan-2022 04:40	6.8				0.4
31-Jan-2022 04:45	6.8	79.75	162.02		0.4
31-Jan-2022 04:50	6.8	82.99	166.28		0.4
31-Jan-2022 04:55	6.8	82.53	165.68		0.4
31-Jan-2022 05:00	6.8	74.37	154.96		0.4
31-Jan-2022 05:05	6.8	84.53	168.31		0.4
31-Jan-2022 05:10	6.8	61.13	145.8		0.4
31-Jan-2022 05:15	6.8	70.76	150.22		0.4
31-Jan-2022 05:20	6.8	72.65	152.7		0.4

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	DO	TSS	FLOW
31-Jan-2022 05:25	6.8	74.51	155.15		0.4
31-Jan-2022 05:30	6.8	69.07	148		0.4
31-Jan-2022 05:35	6.8	65.14	142.84		0.4
31-Jan-2022 05:40	6.8	73.45	153.76		0.4
31-Jan-2022 05:45	6.8	70.6	150		0.3
31-Jan-2022 05:50	6.8	91.66	177.66		0.4
31-Jan-2022 05:55	6.8	81.98	164.96		0.4
31-Jan-2022 06:00	6.8	64.7	142.27		0.4
31-Jan-2022 06:05	6.8	81.72	164.62		0.4
31-Jan-2022 06:10	6.8	79.87	162.19		0.4
31-Jan-2022 06:15	6.8	74.79	155.52		0.4
31-Jan-2022 06:20	6.8	67.93	146.51		0.4
31-Jan-2022 06:25	6.8	60.52	136.78		0.4
31-Jan-2022 06:30	6.8	61.59	138.18		0.4
31-Jan-2022 06:35	6.8	78.22	160.02		0.4
31-Jan-2022 06:40	6.8	100.7	189.53		0.4
31-Jan-2022 06:45	6.8	76.46	157.71		0.4
31-Jan-2022 06:50	6.8	76.36	157.57		0.4
31-Jan-2022 06:55	6.8	71.87	151.68		0.4
31-Jan-2022 07:00	6.8	85.9	178.89		0.4
31-Jan-2022 07:05	6.8	70.53	149.92		0.4
31-Jan-2022 07:15	6.8				0.4
31-Jan-2022 07:20	6.8				0.4
31-Jan-2022 07:25	6.8	67.01	145.29		0.4
31-Jan-2022 07:30	6.8	61.38	145.89		0.4
31-Jan-2022 07:35	6.8	70.49	149.87		0.4
31-Jan-2022 07:40	6.8	83.49	166.94		0.4

No. Of Corrections  
on this page- *NGU*



Timestamp	pH	BOD	COI	TSS	FLOW
31-Jan-2022 07:45	6.8	57.65	141.26		0.4
31-Jan-2022 07:50	6.8	83.3	175.4		0.4
31-Jan-2022 07:55	6.8	65.46	143.26		0.4
31-Jan-2022 08:00	6.8				0.4
31-Jan-2022 08:05	6.8				0.4
31-Jan-2022 08:10	6.8				0.4
31-Jan-2022 08:15	6.8	64.12	141.5		0.4
31-Jan-2022 08:20	6.8	54.51	137.52		0.4
31-Jan-2022 08:25	6.8	81.42	164.22		0.4
31-Jan-2022 08:30	6.8	78.41	160.26		0.4
31-Jan-2022 08:35	6.8	74.89	155.64		0.4
31-Jan-2022 08:40	6.8	69.56	148.64		0.4
31-Jan-2022 08:45	6.8	61.59	145.98		0.4
31-Jan-2022 08:50	6.8	63.98	141.32		0.4
31-Jan-2022 08:55	6.8				0.4
31-Jan-2022 09:00	6.8				0.4
31-Jan-2022 09:05	6.8	75.78	156.81		0.4
31-Jan-2022 09:10	6.8				0.4
31-Jan-2022 09:15	6.8	83.63	167.12		0.4
31-Jan-2022 09:20	6.8	84.09	167.73		0.5
31-Jan-2022 09:25	6.8	75.14	155.98		0.5
31-Jan-2022 09:30	6.8	70.97	150.49		0.4
31-Jan-2022 09:35	6.8	102.1	191.37		0.4
31-Jan-2022 09:40	6.8	68.37	147.08		0.5
31-Jan-2022 09:45	6.8				0.4
31-Jan-2022 09:50	6.8				0.5
31-Jan-2022 09:55	6.8				0.5


No. Of Corrections on this page- *NVS*

Timestamp	pH	Flow	Flow	Flow
31-Jan-2022 10:00	6.8	67	145.29	0.5
31-Jan-2022 10:05	6.8	59.13	142.8	0.4
31-Jan-2022 10:10	6.8	69.9	149.1	65.36 0.4
31-Jan-2022 10:15	6.8			0.4
31-Jan-2022 10:20	6.8	60.33	136.53	0.5
31-Jan-2022 10:25	6.8	70.39	149.74	0.5
31-Jan-2022 10:30	6.8			0.6
31-Jan-2022 10:35	6.8		64.25	0.5
31-Jan-2022 10:40	6.8			0.5
31-Jan-2022 10:45	6.8			0.5
31-Jan-2022 10:50	6.8	64.61	142.15	0.5
31-Jan-2022 10:55	6.8	59.16	143.71	0.5
31-Jan-2022 11:00	6.8			0.5
31-Jan-2022 11:05	6.8	75.42	163.96	0.5
31-Jan-2022 11:10	6.8			0.5
31-Jan-2022 11:15	6.8			0.5
31-Jan-2022 11:20	6.8	59.55	135.5	0.4
31-Jan-2022 11:25	6.8		61.21	0.5
31-Jan-2022 11:30	6.8			0.5
31-Jan-2022 11:35	6.8			0.5
31-Jan-2022 11:40	6.8			0.5
31-Jan-2022 11:45	6.8			0.5
31-Jan-2022 11:50	6.8	64.02	141.37	0.5
31-Jan-2022 11:55	6.8	73.29	153.54	0.5
31-Jan-2022 12:00	6.8			0.5
31-Jan-2022 12:05	6.8	69.1	148.04	0.5
31-Jan-2022 12:10	6.8			0.5

Timestamp	pH	ROD	CLD	SS	FLOW
31-Jan-2022 12:15	6.8	59.86	135.9		0.5
31-Jan-2022 12:20	6.8				0.5
31-Jan-2022 12:25	6.8				0.6
31-Jan-2022 12:30	6.8				0.6
31-Jan-2022 12:35	6.8				0.5
31-Jan-2022 12:40	6.8				0.5
31-Jan-2022 12:45	6.8	63.78	141.06		0.6
31-Jan-2022 12:50	6.8				0.5
31-Jan-2022 12:55	6.8	82.53	165.67		0.6
31-Jan-2022 13:00	6.8	58.06	141.88		0.5
31-Jan-2022 13:05	6.8				0.6
31-Jan-2022 13:10	6.8	78.33	168.24		0.5
31-Jan-2022 13:15	6.8	97.66	185.54		0.6
31-Jan-2022 13:20	6.8				0.6
31-Jan-2022 13:25	6.8				0.6
31-Jan-2022 13:30	6.8				0.5
31-Jan-2022 13:35	6.8				0.7
31-Jan-2022 13:40	6.8				0.5
31-Jan-2022 13:45	6.8				0.5
31-Jan-2022 13:50	6.8				52.1
31-Jan-2022 13:55	6.8	68.73	147.55		51.6
31-Jan-2022 14:00	6.8	74.84	155.58		52.2
31-Jan-2022 14:05	6.8				51.8
31-Jan-2022 14:10	6.8			64.98	51.8
31-Jan-2022 14:15	6.8				51.9
31-Jan-2022 14:20	6.8				0.5
31-Jan-2022 14:25	6.8				0.6

No. Of Corrections on this page *0018*


Timestamp	pH	Temp	DO	FLOW
31-Jan-2022 14:30	6.8			0.6
31-Jan-2022 14:35	6.8			0.6
31-Jan-2022 14:40	6.8			0.5
31-Jan-2022 14:45	6.8			0.6
31-Jan-2022 14:50	6.8			0.6
31-Jan-2022 14:55	6.8	76.46	157.7	0.6
31-Jan-2022 15:00	6.8			0.6
31-Jan-2022 15:05	6.8		66.27	0.5
31-Jan-2022 15:10	6.8			0.6
31-Jan-2022 15:15	6.8			0.6
31-Jan-2022 15:20	6.8			0.6
31-Jan-2022 15:25	6.8			0.5
31-Jan-2022 15:30	6.8			0.6
31-Jan-2022 15:35	6.8	77.79	159.45	0.6
31-Jan-2022 15:40	6.8	73.3	153.55	0.5
31-Jan-2022 15:45	6.8			0.6
31-Jan-2022 15:50	6.8			0.6
31-Jan-2022 15:55	6.8			0.6
31-Jan-2022 16:00	6.8			0.6
31-Jan-2022 16:05	6.8			0.7
31-Jan-2022 16:10	6.8			0.5
31-Jan-2022 16:15	6.8			0.6
31-Jan-2022 16:20	6.8			0.5
31-Jan-2022 16:25	6.8	72.83	152.94	55.6
31-Jan-2022 16:30	6.8			56.6
31-Jan-2022 16:35	6.8			56.8
31-Jan-2022 16:40	6.8			56.7



No. Of Corrections  
on this page- *03*


Timestamp	pH	DO	Sal	FLOW
31-Jan-2022 16:45	6.8	69.65	148.77	57.3
31-Jan-2022 16:50	6.8			58.5
31-Jan-2022 16:55	6.8	65.25	151.68	58.7
31-Jan-2022 17:00	6.8	76.08	157.2	56.8
31-Jan-2022 17:05	6.8	64.77	142.35	0.5
31-Jan-2022 17:10	6.8	63.58	140.8	0.5
31-Jan-2022 17:15	6.8			0.6
31-Jan-2022 17:20	6.8	85.72	169.86	0.6
31-Jan-2022 17:25	6.8	66.71	144.9	0.5
31-Jan-2022 17:30	6.8	67.54	145.99	0.5
31-Jan-2022 17:35	6.8	60.31	136.5	0.6
31-Jan-2022 17:40	6.8	72.13	152.03	0.5
31-Jan-2022 17:45	6.8	72.71	152.79	0.6
31-Jan-2022 17:50	6.8	69.59	148.68	0.5
31-Jan-2022 17:55	6.8	68.33	147.02	0.5
31-Jan-2022 18:00	6.8			0.5
31-Jan-2022 18:05	6.8	67.69	146.19	0.5
31-Jan-2022 18:10	6.8			0.5
31-Jan-2022 18:15	6.8	83.62	167.11	0.5
31-Jan-2022 18:20	6.8	73.28	153.53	0.5
31-Jan-2022 18:25	6.8			58.4
31-Jan-2022 18:30	6.8			58.7
31-Jan-2022 18:35	6.8	65.31	151.68	0.5
31-Jan-2022 18:40	6.8	58.13	141.91	0.6
31-Jan-2022 18:45	6.8			0.5
31-Jan-2022 18:50	6.8	62.99	147.57	0.5
31-Jan-2022 18:55	6.8			0.5

No. Of Corrections  
on this page- *NO*




Timestamp	pH			FLOW
31-Jan-2022 19:00	6.8			0.5
31-Jan-2022 19:05	6.8	64.26	141.66	0.5
31-Jan-2022 19:10	6.8	56.64	139.9	0.5
31-Jan-2022 19:15	6.8			0.5
31-Jan-2022 19:20	6.8			0.5
31-Jan-2022 19:25	6.8			0.5
31-Jan-2022 19:30	6.8	67.23	154.34	0.5
31-Jan-2022 19:35	6.8			0.5
31-Jan-2022 19:40	6.8			0.5
31-Jan-2022 19:45	6.8			0.5
31-Jan-2022 19:50	6.8			0.5
31-Jan-2022 19:55	6.8			0.5
31-Jan-2022 20:00	6.8			0.5
31-Jan-2022 20:05	6.8			0.5
31-Jan-2022 20:10	6.8			0.5
31-Jan-2022 20:15	6.8			0.5
31-Jan-2022 20:20	6.8	81.56	164.4	0.5
31-Jan-2022 20:25	6.8			0.5
31-Jan-2022 20:30	6.8			0.5
31-Jan-2022 20:35	6.8	61.21	146.26	0.5
31-Jan-2022 20:40	6.8	58.43	142.11	0.5
31-Jan-2022 20:45	6.8	66.32	153.15	0.5
31-Jan-2022 20:50	6.8			0.5
31-Jan-2022 20:55	6.8			47.2
31-Jan-2022 21:00	6.8	68.18	146.84	41.4
31-Jan-2022 21:05	6.8			39.8
31-Jan-2022 21:10	6.8			39.9

No. Of Corrections  
on this page- *0/0*




Timestamp	pH	DO	TEMP	FLOW
31-Jan-2022 21:15	6.8		61.69	40.3
31-Jan-2022 21:20	6.8			40.4
31-Jan-2022 21:25	6.8			40.3
31-Jan-2022 21:30	6.8	70.64	158.43	0.4
31-Jan-2022 21:35	6.8			0.5
31-Jan-2022 21:40	6.8			0.5
31-Jan-2022 21:45	6.8			0.5
31-Jan-2022 21:50	6.8	70.48	149.85	0.5
31-Jan-2022 21:55	6.8	75.07	155.88	0.5
31-Jan-2022 22:00	6.8			0.5
31-Jan-2022 22:05	6.8			0.5
31-Jan-2022 22:10	6.8			0.5
31-Jan-2022 22:15	6.8	59.34	144.07	0.4
31-Jan-2022 22:20	6.8			0.5
31-Jan-2022 22:25	6.8			0.5
31-Jan-2022 22:30	6.8		64.51	0.4
31-Jan-2022 22:35	6.8			0.5
31-Jan-2022 22:40	6.8	72.88	151.76	46
31-Jan-2022 22:45	6.8			42.5
31-Jan-2022 22:50	6.8	67.39	145.79	41.3
31-Jan-2022 22:55	6.8			41.7
31-Jan-2022 23:00	6.8	73.33	153.59	41.4
31-Jan-2022 23:05	6.8	71.81	151.6	41.4
31-Jan-2022 23:10	6.8	67.72	146.22	42
31-Jan-2022 23:15	6.8			41.3
31-Jan-2022 23:20	6.8	67.55	145	41.8
31-Jan-2022 23:25	6.8	63.51	149.1	41.7

No. Of Corrections on this page- *NSH*




Timestamp	pH	Flow	FLOW	
31-Jan-2022 23:30	6.8	78.51	157.62	0.5
31-Jan-2022 23:35	6.8	71.09	150.65	0.4
31-Jan-2022 23:40	6.8		63.3	0.5
31-Jan-2022 23:45	6.8	62.96	139.98	0.4
31-Jan-2022 23:50	6.8			0.4
31-Jan-2022 23:55	6.8			0.4
01-Feb-2022 00:00	6.8	66.34	144.42	0.4
01-Feb-2022 00:05	6.8			0.5
01-Feb-2022 00:10	6.8	72.38	152.34	0.5
01-Feb-2022 00:15	6.8			0.4
01-Feb-2022 00:20	6.8	75.69	156.69	0.4
01-Feb-2022 00:25	6.8	83.21	166.56	0.4
01-Feb-2022 00:30	6.8	65.76	143.65	0.5
01-Feb-2022 00:35	6.8			0.5
01-Feb-2022 00:40	6.8			0.4
01-Feb-2022 00:45	6.8	69.27	148.27	0.4
01-Feb-2022 00:50	6.8	79.47	161.68	0.4
01-Feb-2022 00:55	6.8	66.62	152.3	0.5
01-Feb-2022 01:00	6.8	75.95	156.25	0.5
01-Feb-2022 01:05	6.8			0.4
01-Feb-2022 01:10	6.8	65.31	143.06	0.4
01-Feb-2022 01:15	6.8	63.66	140.9	0.5
01-Feb-2022 01:20	6.8			0.5
01-Feb-2022 01:25	6.8	82.7	165.9	0.4
01-Feb-2022 01:30	6.8	76.05	157.17	0.4
01-Feb-2022 01:35	6.8			0.4
01-Feb-2022 01:40	6.8	83.21	166.57	0.4

No. Of Corrections on this page- *mb*




Timestamp	pH	BOD	DO	TEMP	FLOW
01-Feb-2022 01:45	6.8	73.12	153.32		0.5
01-Feb-2022 01:50	6.8				0.4
01-Feb-2022 01:55	6.8	62.36	139.2		0.5
01-Feb-2022 02:00	6.8				0.4
01-Feb-2022 02:05	6.8				0.5
01-Feb-2022 02:10	6.8	80.56	163.09		0.4
01-Feb-2022 02:15	6.8				0.4
01-Feb-2022 02:20	6.8				0.5
01-Feb-2022 02:25	6.8			66.29	0.4
01-Feb-2022 02:30	6.8				0.4
01-Feb-2022 02:35	6.8				0.4
01-Feb-2022 02:40	6.8				0.5
01-Feb-2022 02:45	6.8				0.4
01-Feb-2022 02:50	6.8			63.41	0.4
01-Feb-2022 02:55	6.8				0.5
01-Feb-2022 03:00	6.8				0.3
01-Feb-2022 03:05	6.8				0.4
01-Feb-2022 03:10	6.8			64.53	0.4
01-Feb-2022 03:15	6.8				45.2
01-Feb-2022 03:20	6.8				42.6
01-Feb-2022 03:25	6.8			66.09	42.2
01-Feb-2022 03:30	6.8			62.07	0.4
01-Feb-2022 03:35	6.8				0.4
01-Feb-2022 03:40	6.8	79.01	161.05		0.5
01-Feb-2022 03:45	6.8	73.47	153.78	65.96	0.4
01-Feb-2022 03:50	6.8				0.4
01-Feb-2022 03:55	6.8				0.4

No. Of Corrections on this page- *nil*



Timestamp	pH	DO	Temp	Flow	
01-Feb-2022 04:00	6.8			0.4	
01-Feb-2022 04:05	6.8			0.4	
01-Feb-2022 04:10	6.8			0.4	
01-Feb-2022 04:15	6.8			0.4	
01-Feb-2022 04:20	6.8			0.5	
01-Feb-2022 04:25	6.8		65.51	0.4	
01-Feb-2022 04:30	6.8			0.4	
01-Feb-2022 04:35	6.8	93.66	180.29	0.4	
01-Feb-2022 04:40	6.8			0.4	
01-Feb-2022 04:45	6.8		65.58	0.4	
01-Feb-2022 04:50	6.8			0.4	
01-Feb-2022 04:55	6.8			0.4	
01-Feb-2022 05:00	6.8			0.4	
01-Feb-2022 05:05	6.8	76.32	157.52	0.4	
01-Feb-2022 05:10	6.8			0.4	
01-Feb-2022 05:15	6.8			0.4	
01-Feb-2022 05:20	6.8	70.18	149.46	0.4	
01-Feb-2022 05:25	6.8			0.4	
01-Feb-2022 05:30	6.8		153.05	62.73	0.3
01-Feb-2022 05:35	6.8			69.5	0.3
01-Feb-2022 05:40	6.8				0.4
01-Feb-2022 05:45	6.8	69.33	148.35		0.2
01-Feb-2022 05:50	6.8				0.4
01-Feb-2022 05:55	6.8				0.4
01-Feb-2022 06:00	6.8			69.2	0.4
01-Feb-2022 06:05	6.8				0.4
01-Feb-2022 06:10	6.8			62.92	0.4


No. Of Corrections on this page- 10/3



Timestamp	pH	SD	OD	TSS	FLOW
01-Feb-2022 06:15	6.8				0.4
01-Feb-2022 06:20	6.8				0.3
01-Feb-2022 06:25	6.8			66.22	0.4
01-Feb-2022 06:30	6.8			64.51	0.4
01-Feb-2022 06:35	6.8				0.4
01-Feb-2022 06:40	6.8	66.78	153.76		0.4
01-Feb-2022 06:45	6.8				0.4
01-Feb-2022 06:50	6.8				0.4
01-Feb-2022 06:55	6.8				0.4
01-Feb-2022 07:00	6.8			64.77	0.4
01-Feb-2022 07:05	6.8				0.3
01-Feb-2022 07:10	6.8	75.23	156.09		0.3
01-Feb-2022 07:15	6.8	59.9	144.36		0.3
01-Feb-2022 07:20	6.8				0.4
01-Feb-2022 07:25	6.8				0.2
01-Feb-2022 07:30	6.8				0.4
01-Feb-2022 07:35	6.8				0.4
01-Feb-2022 07:40	6.8			65.51	0.3
01-Feb-2022 07:45	6.8				0.4
01-Feb-2022 07:50	6.8				0.4
01-Feb-2022 07:55	6.8				0.4
01-Feb-2022 08:00	6.8				0.4
01-Feb-2022 08:05	6.8				0.4
01-Feb-2022 08:10	6.8				0.3
01-Feb-2022 08:15	6.8			63.51	0.3
01-Feb-2022 08:20	6.8	97.44	185.25		0.4
01-Feb-2022 08:25	6.8	60.43	136.65		0.4


No. Of Corrections on this page- *MS*






Timestamp	pH	Temp	DO	FLOW
01-Feb-2022 10:45	6.8			46.1
01-Feb-2022 10:50	6.8			43.6
01-Feb-2022 10:55	6.8	61.94	135.64	43.2
01-Feb-2022 11:00	6.8			43.1
01-Feb-2022 11:05	6.8			43.3
01-Feb-2022 11:10	6.8			43.3
01-Feb-2022 11:15	6.8		65.63	43.3
01-Feb-2022 11:20	6.8			43.4
01-Feb-2022 11:25	6.8			43.1
01-Feb-2022 11:30	6.8			43.4
01-Feb-2022 11:35	6.8			0.5
01-Feb-2022 11:40	6.8			0.5
01-Feb-2022 11:45	6.8			0.5
01-Feb-2022 11:50	6.8			0.5
01-Feb-2022 11:55	6.8		66.2	0.5
01-Feb-2022 12:00	6.8			0.6
01-Feb-2022 12:05	6.8	66.99	153.63	0.4
01-Feb-2022 12:10	6.8	64.03	149.76	0.5
01-Feb-2022 12:15	6.8			0.5
01-Feb-2022 12:20	6.8			0.5
01-Feb-2022 12:25	6.8			0.5
01-Feb-2022 12:30	6.8			0.5
01-Feb-2022 12:35	6.8			0.5
01-Feb-2022 12:40	6.8	62.72	147.8	0.5
01-Feb-2022 12:45	6.8			0.5
01-Feb-2022 12:50	6.8			0.5
01-Feb-2022 12:55	6.8			0.6

No. Of Corrections on this page- *NJD*



Timestamp	pH	Flow	Flow
01-Feb-2022 13:00	6.8	65.33	0.5
01-Feb-2022 13:05	6.8		0.5
01-Feb-2022 13:10	6.8		0.5
01-Feb-2022 13:15	6.8		0.5
01-Feb-2022 13:20	6.8		0.6
01-Feb-2022 13:25	6.8		0.6
01-Feb-2022 13:30	6.8		0.5
01-Feb-2022 13:35	6.8	73.79	154.2
01-Feb-2022 13:40	6.8		0.6
01-Feb-2022 13:45	6.8		0.5
01-Feb-2022 13:50	6.8		0.6
01-Feb-2022 13:55	6.8		0.5
01-Feb-2022 14:00	6.8		0.6
01-Feb-2022 14:05	6.8	58.43	142.06
01-Feb-2022 14:10	6.8		0.6
01-Feb-2022 14:15	6.8		0.6
01-Feb-2022 14:20	6.8		0.7
01-Feb-2022 14:25	6.8	69.79	148.95
01-Feb-2022 14:30	6.8		0.6
01-Feb-2022 14:35	6.8		66.22
01-Feb-2022 14:40	6.8		0.6
01-Feb-2022 14:45	6.8		0.6
01-Feb-2022 14:50	6.8	74.61	155.27
01-Feb-2022 14:55	6.8		0.6
01-Feb-2022 15:00	6.8	68.31	154.62
01-Feb-2022 15:05	6.8		66.06
01-Feb-2022 15:10	6.8		0.5

No. Of Corrections on this page- *ms*



Timestamp	pH	BOD	DO	FLOW
01-Feb-2022 15:15	6.8			64.43
01-Feb-2022 15:20	6.8			
01-Feb-2022 15:25	6.8	80.11	162.49	
01-Feb-2022 15:30	6.8	56.82	139.72	
01-Feb-2022 15:35	6.8	61.74	147.11	
01-Feb-2022 15:40	6.8			63.03
01-Feb-2022 15:45	6.8			
01-Feb-2022 15:50	6.8			
01-Feb-2022 15:55	6.8			
01-Feb-2022 16:00	6.8			
01-Feb-2022 16:05	6.8			64.04
01-Feb-2022 16:10	6.8			
01-Feb-2022 16:15	6.8			62.89
01-Feb-2022 16:20	6.8	70.43	149.79	
01-Feb-2022 16:25	6.8	63.02	140.06	
01-Feb-2022 16:30	6.8			
01-Feb-2022 16:35	6.8			
01-Feb-2022 16:40	6.8			
01-Feb-2022 16:45	6.8			
01-Feb-2022 16:50	6.8			
01-Feb-2022 16:55	6.8			
01-Feb-2022 17:00	6.8			
01-Feb-2022 17:05	6.8			
01-Feb-2022 17:10	6.8			
01-Feb-2022 17:15	6.8	72.16	152.06	
01-Feb-2022 17:20	6.8			
01-Feb-2022 17:25	6.8			

No. Of Corrections  
on this page- *NOVA*

Timestamp	pH	BOD	COD	TSS	FLOW
01-Feb-2022 17:30	6.8				46.3
01-Feb-2022 17:35	6.8			63.43	44.2
01-Feb-2022 17:40	6.8			65.89	44.2
01-Feb-2022 17:45	6.8			64.38	44.3
01-Feb-2022 17:50	6.8				44
01-Feb-2022 17:55	6.8				43.9
01-Feb-2022 18:00	6.8				44.1
01-Feb-2022 18:05	6.8				0.5
01-Feb-2022 18:10	6.8				0.5
01-Feb-2022 18:15	6.8	71.48	151.16		0.5
01-Feb-2022 18:20	6.8				0.5
01-Feb-2022 18:25	6.8	56.8	131.9		0.4
01-Feb-2022 18:30	6.8				0
01-Feb-2022 18:35	6.8				0.5
01-Feb-2022 18:40	6.8	68.97	147.87		0.5
01-Feb-2022 18:45	6.8				0.5
01-Feb-2022 18:50	6.8				0.5
01-Feb-2022 18:55	6.8				0.5
01-Feb-2022 19:00	6.8				0.5
01-Feb-2022 19:05	6.8	61.38	137.91		0.5
01-Feb-2022 19:10	6.8	53.28	135.33		0.5
01-Feb-2022 19:15	6.8				0.5
01-Feb-2022 19:20	6.8			66.02	0.5
01-Feb-2022 19:25	6.8				0.4
01-Feb-2022 19:30	6.8				0.4
01-Feb-2022 19:35	6.8				0.5
01-Feb-2022 19:40	6.8				0.4

No. Of Corrections  
on this page- *nil*

Timestamp	pH	BOD	COD	TSS	FLOW
01-Feb-2022 19:45	6.8				0.4
01-Feb-2022 19:50	6.8				0.5
01-Feb-2022 19:55	6.8			66.01	0.5
01-Feb-2022 20:00	6.8				0.4
01-Feb-2022 20:05	6.8				0.4
01-Feb-2022 20:10	6.8				0.5
01-Feb-2022 20:15	6.8				0.4
01-Feb-2022 20:20	6.8				0.4
01-Feb-2022 20:25	6.8				0.5
01-Feb-2022 20:30	6.8	67.57	146.03		0.4
01-Feb-2022 20:35	6.8	63.43	140.59		0.4
01-Feb-2022 20:40	6.8				0.4
01-Feb-2022 20:45	6.8				0.4
01-Feb-2022 20:50	6.8				47.3
01-Feb-2022 20:55	6.8				45
01-Feb-2022 21:00	6.8			66.03	44.6
01-Feb-2022 21:05	6.8	72.9	153.03		44.1
01-Feb-2022 21:10	6.8		137.49	64.7	44.3
01-Feb-2022 21:15	6.8				44.4
01-Feb-2022 21:20	6.8				44.1
01-Feb-2022 21:25	6.8				44
01-Feb-2022 21:30	6.8			65.92	0.4
01-Feb-2022 21:35	6.8				0.4
01-Feb-2022 21:40	6.8	78.27	160.08		0.4
01-Feb-2022 21:45	6.8				0.4
01-Feb-2022 21:50	6.8				0.4
01-Feb-2022 21:55	6.8				0.4

Timestamp	pH	BOD	COD	TSS	FLOW
01-Feb-2022 22:00	6.8				0.4
01-Feb-2022 22:05	6.8				0.4
01-Feb-2022 22:10	6.8				0.4
01-Feb-2022 22:15	6.8				0.4
01-Feb-2022 22:20	6.8				0.4
01-Feb-2022 22:25	6.8				0.4
01-Feb-2022 22:30	6.8				0.4
01-Feb-2022 22:35	6.8			64.25	0.4
01-Feb-2022 22:40	6.8				0.4
01-Feb-2022 22:45	6.8				0.4
01-Feb-2022 22:50	6.8			62.14	0.4
01-Feb-2022 22:55	6.8				0.4
01-Feb-2022 23:00	6.8				0.4
01-Feb-2022 23:05	6.8				0.4
01-Feb-2022 23:10	6.8	70	157.22		0.4
01-Feb-2022 23:15	6.8				0.3
01-Feb-2022 23:20	6.8			63.84	0.4
01-Feb-2022 23:25	6.8				0.4
01-Feb-2022 23:30	6.8				0.4
01-Feb-2022 23:35	6.8	65.34	150.93		0.4
01-Feb-2022 23:40	6.8				0.4
01-Feb-2022 23:45	6.8				0.4
01-Feb-2022 23:50	6.8				0.4
01-Feb-2022 23:55	6.8	53.1	135.36		0.4
02-Feb-2022 00:00	6.8				0.4
02-Feb-2022 00:05	6.8				0.4
02-Feb-2022 00:10	6.8			64.67	0.4

No. Of Corrections  
on this page- *NDL*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 00:15	6.8				0.4
02-Feb-2022 00:20	6.8			65.58	0.4
02-Feb-2022 00:25	6.8				0.4
02-Feb-2022 00:30	6.8				0.4
02-Feb-2022 00:35	6.8			64.08	0.4
02-Feb-2022 00:40	6.8				0.4
02-Feb-2022 00:45	6.8				0.4
02-Feb-2022 00:50	6.8			60.74	0.4
02-Feb-2022 00:55	6.8			65.75	0.4
02-Feb-2022 01:00	6.8				0.4
02-Feb-2022 01:05	6.8				0.4
02-Feb-2022 01:10	6.8				0.4
02-Feb-2022 01:15	6.8	60.48	144.55		0.4
02-Feb-2022 01:20	6.8				0.4
02-Feb-2022 01:25	6.8				0.4
02-Feb-2022 01:30	6.8				0.4
02-Feb-2022 01:35	6.8				0.4
02-Feb-2022 01:40	6.8				0.4
02-Feb-2022 01:45	6.8			64.5	0.4
02-Feb-2022 01:50	6.8				0.4
02-Feb-2022 01:55	6.8				0.4
02-Feb-2022 02:00	6.8				0.4
02-Feb-2022 02:05	6.8			64.77	0.4
02-Feb-2022 02:10	6.8			64.62	0.4
02-Feb-2022 02:15	6.8			61.46	0.4
02-Feb-2022 02:20	6.8				0.4
02-Feb-2022 02:25	6.8			65.46	0.3

No. Of Corrections  
on this page-

*MS*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 02:30	6.8				0.4
02-Feb-2022 02:35	6.8			63.24	0.4
02-Feb-2022 02:40	6.8				0.4
02-Feb-2022 02:45	6.8			60.78	0.4
02-Feb-2022 02:50	6.8				0.4
02-Feb-2022 02:55	6.8	68.97	147.87		0.4
02-Feb-2022 03:00	6.8	63.71	140.97	62.96	0.4
02-Feb-2022 03:05	6.8				0.4
02-Feb-2022 03:10	6.8				0.3
02-Feb-2022 03:15	6.8	61.39	145.62		0.4
02-Feb-2022 03:20	6.8				0.4
02-Feb-2022 03:25	6.8				0.4
02-Feb-2022 03:30	6.8				0.4
02-Feb-2022 03:35	6.8				0.4
02-Feb-2022 03:40	6.8				0.4
02-Feb-2022 03:45	6.8				0.4
02-Feb-2022 03:50	6.8				0.4
02-Feb-2022 03:55	6.8				0.4
02-Feb-2022 04:00	6.8			65.13	0.4
02-Feb-2022 04:05	6.8			66.01	0.3
02-Feb-2022 04:10	6.8	95.29	182.42		0.4
02-Feb-2022 04:15	6.8	62.63	147.59		0.4
02-Feb-2022 04:20	6.8			64.73	0.3
02-Feb-2022 04:25	6.8			63.76	0.4
02-Feb-2022 04:30	6.8	68.16	154.9		0.4
02-Feb-2022 04:35	6.8	67.13	145.45		0.4
02-Feb-2022 04:40	6.8				0.3

No. Of Corrections  
on this page- *MVA*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 04:45	6.8				0.4
02-Feb-2022 04:50	6.8	56.48	139.5		0.4
02-Feb-2022 04:55	6.8	76.08	157.21	63.38	0.4
02-Feb-2022 05:00	6.8				0.4
02-Feb-2022 05:05	6.8				0.4
02-Feb-2022 05:10	6.8			64.22	0.4
02-Feb-2022 05:15	6.8				0.4
02-Feb-2022 05:20	6.8				0.4
02-Feb-2022 05:25	6.8	65.78	143.69		0.3
02-Feb-2022 05:30	6.8				0.4
02-Feb-2022 05:35	6.8			61.84	0.4
02-Feb-2022 05:40	6.8				0.4
02-Feb-2022 05:45	6.8				0.4
02-Feb-2022 05:50	6.8			64.93	0.4
02-Feb-2022 05:55	6.8			63.65	0.4
02-Feb-2022 06:00	6.8			64.36	0.4
02-Feb-2022 06:05	6.8				0.3
02-Feb-2022 06:10	6.8				0.3
02-Feb-2022 06:15	6.8				0.3
02-Feb-2022 06:20	6.8				0.4
02-Feb-2022 06:25	6.8				0.3
02-Feb-2022 06:30	6.8			63.64	0.4
02-Feb-2022 06:35	6.8				0.4
02-Feb-2022 06:40	6.8				0.4
02-Feb-2022 06:45	6.8	78.1	159.86		0.3
02-Feb-2022 06:50	6.8		160.72	64.71	0.3
02-Feb-2022 06:55	6.8				0.3

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 07:00	6.8			64.62	0.3
02-Feb-2022 07:05	6.8			66.19	0.3
02-Feb-2022 07:10	6.8				0.3
02-Feb-2022 07:15	6.8				0.3
02-Feb-2022 07:20	6.8				0.2
02-Feb-2022 07:25	6.8			65.91	0.3
02-Feb-2022 07:30	6.8				0.2
02-Feb-2022 07:35	6.8				0.2
02-Feb-2022 07:40	6.8				0.2
02-Feb-2022 07:45	6.8	62.48	148.02		0.2
02-Feb-2022 07:50	6.8	87.92	172.75		0.3
02-Feb-2022 07:55	6.8	71.67	151.41		0.4
02-Feb-2022 08:00	6.8		145.69	65.71	0.3
02-Feb-2022 08:05	6.8				0.4
02-Feb-2022 08:10	6.8	79.75	162.02		0.3
02-Feb-2022 08:15	6.8	73.81	154.22		0.4
02-Feb-2022 08:20	6.8	76.7	158.03	66.09	0.4
02-Feb-2022 08:25	6.8				0.4
02-Feb-2022 08:30	6.8	71.45	151.13		0.4
02-Feb-2022 08:35	6.8				0.4
02-Feb-2022 08:40	6.8			61.95	0.4
02-Feb-2022 08:45	6.8			64.62	0.4
02-Feb-2022 08:50	6.8	66.37	144.46	62.21	0.4
02-Feb-2022 08:55	6.8				0.4
02-Feb-2022 09:00	6.8				0.4
02-Feb-2022 09:05	6.8				0.4
02-Feb-2022 09:10	6.8				0.4

No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 09:15	6.8				0.4
02-Feb-2022 09:20	6.8				0.4
02-Feb-2022 09:25	6.8			63.99	0.4
02-Feb-2022 09:30	6.8			64.14	0.4
02-Feb-2022 09:35	6.8				0.4
02-Feb-2022 09:40	6.8				0.4
02-Feb-2022 09:45	6.8			66.29	0.4
02-Feb-2022 09:50	6.8				0.4
02-Feb-2022 09:55	6.8	60.05	136.16		0.4
02-Feb-2022 10:00	6.8	68.3	155.35		0.4
02-Feb-2022 10:05	6.8				0.4
02-Feb-2022 10:10	6.8			63.22	0.4
02-Feb-2022 10:15	6.8				0.5
02-Feb-2022 10:20	6.8			65.71	0.4
02-Feb-2022 10:25	6.8	67.96	146.56	64.97	0.4
02-Feb-2022 10:30	6.8				0.5
02-Feb-2022 10:35	6.8				0.5
02-Feb-2022 10:40	6.8	63.75	141.02		0.4
02-Feb-2022 10:45	6.8	63.54	140.74		0.4
02-Feb-2022 10:50	6.8				0.5
02-Feb-2022 10:55	6.8				0.5
02-Feb-2022 11:00	6.8				0.5
02-Feb-2022 11:05	6.8				0.5
02-Feb-2022 11:10	6.8				0.5
02-Feb-2022 11:15	6.8				0.4
02-Feb-2022 11:20	6.8	62.99	140.02		0.5
02-Feb-2022 11:25	6.8				0.5

No. Of Corrections  
on this page- *MB*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 11:30	6.8				0.4
02-Feb-2022 11:35	6.8				0.5
02-Feb-2022 11:40	6.8				0.5
02-Feb-2022 11:45	6.8				0.5
02-Feb-2022 11:50	6.8				0.5
02-Feb-2022 11:55	6.8				0.5
02-Feb-2022 12:00	6.8				0.5
02-Feb-2022 12:05	6.8				0.5
02-Feb-2022 12:10	6.8	78.39	160.25		0.5
02-Feb-2022 12:15	6.8			63.48	0.5
02-Feb-2022 12:20	6.8				0.5
02-Feb-2022 12:25	6.8				0.5
02-Feb-2022 12:30	6.8				0.6
02-Feb-2022 12:35	6.8				0.5
02-Feb-2022 12:40	6.8				0.5
02-Feb-2022 12:45	6.8				0.5
02-Feb-2022 12:50	6.8				0.6
02-Feb-2022 12:55	6.8			66.24	0.5
02-Feb-2022 13:00	6.8	60.62	145.46		0.5
02-Feb-2022 13:05	6.8				0.5
02-Feb-2022 13:10	6.8	73.35	153.63		0.6
02-Feb-2022 13:15	6.8	62.38	139.22		0.5
02-Feb-2022 13:20	6.8	80.84	163.46		0.5
02-Feb-2022 13:25	6.8	63.99	141.33		0.5
02-Feb-2022 13:30	6.8				0.5
02-Feb-2022 13:35	6.8				0.5
02-Feb-2022 13:40	6.8				0.5

No. Of Corrections  
on this page- *MS*


Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 13:45	6.8	61.27	137.76		0.5
02-Feb-2022 13:50	6.8				0.5
02-Feb-2022 13:55	6.8	72.87	152.99		0.5
02-Feb-2022 14:00	6.8	69.69	157.61		0.5
02-Feb-2022 14:05	6.8				0.5
02-Feb-2022 14:10	6.8				0.5
02-Feb-2022 14:15	6.8	63.95	141.29		0.6
02-Feb-2022 14:20	6.8	73.31	153.57		0.5
02-Feb-2022 14:25	6.8				0.6
02-Feb-2022 14:30	6.8	72.04	151.9		0.5
02-Feb-2022 14:35	6.8				0.5
02-Feb-2022 14:40	6.8	67.9	146.46		0.5
02-Feb-2022 14:45	6.8	68.62	147.41		0.5
02-Feb-2022 14:50	6.8	66.12	144.13		0.5
02-Feb-2022 14:55	6.8	61.8	147.11		0.5
02-Feb-2022 15:00	6.8	62.91	139.91		0.6
02-Feb-2022 15:05	6.8				0.6
02-Feb-2022 15:10	6.8				0.5
02-Feb-2022 15:15	6.8				0.5
02-Feb-2022 15:20	6.8				0.5
02-Feb-2022 15:25	6.8				0.6
02-Feb-2022 15:30	6.8				0.5
02-Feb-2022 15:35	6.8				0.5
02-Feb-2022 15:40	6.8	67.18	151.36		0.6
02-Feb-2022 15:45	6.8				0.5
02-Feb-2022 15:50	6.8				0.6
02-Feb-2022 15:55	6.8				0.6

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 16:00	6.8				0.6
02-Feb-2022 16:05	6.8	68.03	146.63		0.5
02-Feb-2022 16:10	6.8	58.53	134.17		0.6
02-Feb-2022 16:15	6.8				0.6
02-Feb-2022 16:20	6.8	70.41	149.76		0.5
02-Feb-2022 16:25	6.8	66.32	144.4		0.5
02-Feb-2022 16:30	6.8	67.45	154.58		0.5
02-Feb-2022 16:35	6.8			65.88	0.5
02-Feb-2022 16:40	6.8				46.2
02-Feb-2022 16:45	6.8				44.7
02-Feb-2022 16:50	6.8				44.2
02-Feb-2022 16:55	6.8				44.5
02-Feb-2022 17:00	6.8				44.5
02-Feb-2022 17:05	6.8			65.76	44.2
02-Feb-2022 17:10	6.8				44.5
02-Feb-2022 17:15	6.8				44.4
02-Feb-2022 17:20	6.8	74.47	155.1		44.6
02-Feb-2022 17:25	6.8	67.44	145.86		43.9
02-Feb-2022 17:30	6.8	64.55	142.06		43.8
02-Feb-2022 17:35	6.8				43.7
02-Feb-2022 17:40	6.8				0.5
02-Feb-2022 17:45	6.8				0.5
02-Feb-2022 17:50	6.8				0.5
02-Feb-2022 17:55	6.8	62.49	147.63		0.5
02-Feb-2022 18:00	6.8				0.5
02-Feb-2022 18:05	6.8				0.4
02-Feb-2022 18:10	6.8	57.53	132.85		0.5

No. Of Corrections  
on this page- 

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 18:15	6.8	69.91	149.11		0.5
02-Feb-2022 18:20	6.8				48.1
02-Feb-2022 18:25	6.8	63.68	140.92		44.9
02-Feb-2022 18:30	6.8	64.02	150.12		17.3
02-Feb-2022 18:35	6.8	94.9	181.91		47.1
02-Feb-2022 18:40	6.8			65.59	0.4
02-Feb-2022 18:45	6.8	58.73	134.42		0.4
02-Feb-2022 18:50	6.8				0.4
02-Feb-2022 18:55	6.8				0.4
02-Feb-2022 19:00	6.8	77.69	159.31		0.5
02-Feb-2022 19:05	6.8	73.98	163.13		0.4
02-Feb-2022 19:10	6.8	61.49	146.82		0.4
02-Feb-2022 19:15	6.8	67.44	145.87		0.4
02-Feb-2022 19:20	6.8	76.52	157.79		0.4
02-Feb-2022 19:25	6.8				0.4
02-Feb-2022 19:30	6.8				0.4
02-Feb-2022 19:35	6.8			62.51	0.4
02-Feb-2022 19:45	6.8				0.2
02-Feb-2022 19:50	6.8	70.39	149.73		0.3
02-Feb-2022 19:55	6.8				0.3
02-Feb-2022 20:00	6.8				0.4
02-Feb-2022 20:05	6.8	64.06	148.77		0.3
02-Feb-2022 20:10	6.8				0.3
02-Feb-2022 20:15	6.8	74.34	154.92		0.3
02-Feb-2022 20:20	6.8	61.03	137.44		0.4
02-Feb-2022 20:25	6.8				0.4
02-Feb-2022 20:30	6.8			61.76	0.4

No. Of Corrections  
on this page- *MLB*



Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 20:35	6.8				0.4
02-Feb-2022 20:40	6.8				0.4
02-Feb-2022 20:45	6.8				0.3
02-Feb-2022 20:50	6.8				0.3
02-Feb-2022 20:55	6.8				0.3
02-Feb-2022 21:00	6.8	75.33	156.22		0.3
02-Feb-2022 21:05	6.8	68.27	154.82		0.3
02-Feb-2022 21:10	6.8				0.3
02-Feb-2022 21:15	6.8			64.61	0.3
02-Feb-2022 21:20	6.8				0.4
02-Feb-2022 21:25	6.8			62.87	0.3
02-Feb-2022 21:30	6.8				0.4
02-Feb-2022 21:35	6.8				0.3
02-Feb-2022 21:40	6.8				0.4
02-Feb-2022 21:45	6.8	63.94	141.27		0.4
02-Feb-2022 21:50	6.8				0.4
02-Feb-2022 21:55	6.8	59.66	135.65		0.4
02-Feb-2022 22:00	6.8				0.2
02-Feb-2022 22:05	6.8				0.3
02-Feb-2022 22:10	6.8			62.09	0.3
02-Feb-2022 22:15	6.8				0.3
02-Feb-2022 22:20	6.8				0.3
02-Feb-2022 22:25	6.8				0.3
02-Feb-2022 22:30	6.8	61.24	137.72		0.2
02-Feb-2022 22:35	6.8	74.07	163.2		0.3
02-Feb-2022 22:40	6.8				0.3
02-Feb-2022 22:45	6.8				0.3

No. Of Corrections on this page- *001*

Timestamp	pH	BOD	COD	TSS	FLOW
02-Feb-2022 22:50	6.8				0.3
02-Feb-2022 22:55	6.8				0.3
02-Feb-2022 23:00	6.8				0.3
02-Feb-2022 23:05	6.8				0.3
02-Feb-2022 23:10	6.8				0.4
02-Feb-2022 23:15	6.8				0.4
02-Feb-2022 23:20	6.8				0.3
02-Feb-2022 23:25	6.8				0.4
02-Feb-2022 23:30	6.8			62.57	0.3
02-Feb-2022 23:35	6.8			63.89	0.3
02-Feb-2022 23:40	6.8			65.94	0.3
02-Feb-2022 23:45	6.8	72.6	152.65	64.76	0.4
02-Feb-2022 23:50	6.8				0.3
02-Feb-2022 23:55	6.8				0.3
03-Feb-2022 00:00	6.8				0.3
03-Feb-2022 00:05	6.8	81.64	173.17		0.3
03-Feb-2022 00:10	6.8				0.3
03-Feb-2022 00:15	6.8	60.23	136.39		0.3
03-Feb-2022 00:20	6.8				0.3
03-Feb-2022 00:25	6.8				0.3
03-Feb-2022 00:30	6.8	69.39	156.71		0.3
03-Feb-2022 00:35	6.8				0.2
03-Feb-2022 00:40	6.8				0.2
03-Feb-2022 00:45	6.8	73.09	153.28		0.2
03-Feb-2022 00:50	6.8	72.76	152.85		0.2
03-Feb-2022 00:55	6.8	80.14	162.53		0.2
03-Feb-2022 01:00	6.8				0.3

No. Of Corrections  
on this page-

NOV

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 01:05	6.8	67.23	145.58		0.2
03-Feb-2022 01:10	6.8				0.2
03-Feb-2022 01:15	6.8			63.02	0.3
03-Feb-2022 01:20	6.8			65.03	0.3
03-Feb-2022 01:25	6.8				0.2
03-Feb-2022 01:30	6.8				0.2
03-Feb-2022 01:35	6.8				0.2
03-Feb-2022 01:40	6.8				0.2
03-Feb-2022 01:45	6.8			65.86	0.2
03-Feb-2022 01:50	6.8				0.3
03-Feb-2022 01:55	6.8			65.14	0.2
03-Feb-2022 02:00	6.8			63.85	0.2
03-Feb-2022 02:05	6.8	62.41	139.25		0.3
03-Feb-2022 02:10	6.8				0.3
03-Feb-2022 02:15	6.8				0.4
03-Feb-2022 02:20	6.8	59.05	134.85		0.2
03-Feb-2022 02:25	6.8			64.93	0.3
03-Feb-2022 02:30	6.8			65.78	0.3
03-Feb-2022 02:35	6.8				0.3
03-Feb-2022 02:40	6.8	64.09	149.93		0.3
03-Feb-2022 02:45	6.8				0.3
03-Feb-2022 02:50	6.8				0.2
03-Feb-2022 02:55	6.8				0.2
03-Feb-2022 03:00	6.8	68.1	146.72		0.3
03-Feb-2022 03:05	6.8			65.33	0.3
03-Feb-2022 03:10	6.8				0.2
03-Feb-2022 03:15	6.8			65.83	0.3

No. Of Corrections  
on this page- *MDS*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 03:20	6.8			63.99	0.2
03-Feb-2022 03:25	6.8				0.3
03-Feb-2022 03:30	6.8				0.2
03-Feb-2022 03:35	6.8			59.25	0.3
03-Feb-2022 03:40	6.8				0.2
03-Feb-2022 03:45	6.8				0.2
03-Feb-2022 03:50	6.8			63.86	0.3
03-Feb-2022 03:55	6.8			64.84	0.3
03-Feb-2022 04:00	6.8	57.44	140.16		0.3
03-Feb-2022 04:05	6.8	72.33	152.28		0.3
03-Feb-2022 04:10	6.8				0.2
03-Feb-2022 04:15	6.8	65.5	143.32		0.2
03-Feb-2022 04:20	6.8				0.2
03-Feb-2022 04:25	6.8	63.05	140.1		0.2
03-Feb-2022 04:30	6.8	66.88	145.13		0.3
03-Feb-2022 04:35	6.8				0.2
03-Feb-2022 04:40	6.8	55.09	136.7		0.2
03-Feb-2022 04:45	6.8			65.74	0.2
03-Feb-2022 04:50	6.8				0.3
03-Feb-2022 04:55	6.8				0.2
03-Feb-2022 05:00	6.8	77.21	158.69		0.2
03-Feb-2022 05:05	6.8	70.58	158.11		0.3
03-Feb-2022 05:10	6.8				0.2
03-Feb-2022 05:15	6.8	71.62	159.85		0.3
03-Feb-2022 05:20	6.8	67.51	154.63		0.2
03-Feb-2022 05:25	6.8				0.3
03-Feb-2022 05:30	6.8				0.3

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 05:35	6.8				0.2
03-Feb-2022 05:40	6.8	74.43	155.04		0.2
03-Feb-2022 05:45	6.8				0.2
03-Feb-2022 05:50	6.8	74.72	155.42		0.2
03-Feb-2022 05:55	6.8	77.36	167.18		0.2
03-Feb-2022 06:00	6.8				0.2
03-Feb-2022 06:05	6.8				0.2
03-Feb-2022 06:10	6.8	67.03	145.33		0.3
03-Feb-2022 06:15	6.8				0.3
03-Feb-2022 06:20	6.8	71.39	151.05		0.2
03-Feb-2022 06:25	6.8				0.3
03-Feb-2022 06:30	6.8	70.55	149.94		0.2
03-Feb-2022 06:35	6.8	77.8	159.47		0.3
03-Feb-2022 06:40	6.8	59.62	144.01		0.3
03-Feb-2022 06:45	6.8				0.2
03-Feb-2022 06:50	6.8				0.4
03-Feb-2022 06:55	6.8				0.3
03-Feb-2022 07:00	6.8	78.78	160.76	65.78	0.2
03-Feb-2022 07:05	6.8	68.22	146.89		0.2
03-Feb-2022 07:10	6.8	76.74	158.07		0.2
03-Feb-2022 07:15	6.8				0.3
03-Feb-2022 07:20	6.8				0.4
03-Feb-2022 07:25	6.8	61.83	138.5		0.3
03-Feb-2022 07:30	6.8	66.32	144.39		0.3
03-Feb-2022 07:35	6.8				0.4
03-Feb-2022 07:40	6.8				0.3
03-Feb-2022 07:45	6.8				0.3

No. Of Corrections  
on this page- 10/12

# 370

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 07:50	6.8	64.52	150.04		0.2
03-Feb-2022 07:55	6.8			64.68	0.2
03-Feb-2022 08:00	6.8				0.3
03-Feb-2022 08:05	6.8	64.2	141.61		0.3
03-Feb-2022 08:10	6.8				0.3
03-Feb-2022 08:15	6.8	64.39	150.35		0.3
03-Feb-2022 08:20	6.8			61.8	0.3
03-Feb-2022 08:25	6.8				0.3
03-Feb-2022 08:30	6.8	70.73	150.18		0.3
03-Feb-2022 08:35	6.8				0.4
03-Feb-2022 08:40	6.8			65.82	0.3
03-Feb-2022 08:45	6.8	95.02	190.46		0.3
03-Feb-2022 08:50	6.8				0.4
03-Feb-2022 08:55	6.8				0.3
03-Feb-2022 09:00	6.8				0.2
03-Feb-2022 09:05	6.8				0.2
03-Feb-2022 09:10	6.8				0.2
03-Feb-2022 09:15	6.8				0.3
03-Feb-2022 09:20	6.8				0.3
03-Feb-2022 09:25	6.8				0.3
03-Feb-2022 09:30	6.8				0.2
03-Feb-2022 09:35	6.8				0.3
03-Feb-2022 09:40	6.8				0.2
03-Feb-2022 09:45	6.8	71.72	151.47		0.3
03-Feb-2022 09:50	6.8	67.58	146.04		0.4
03-Feb-2022 09:55	6.8				0.3
03-Feb-2022 10:00	6.8				71.6

No. Of Corrections  
on this page- *MS*

# 371

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 10:05	6.8	77.6	159.2		47.2
03-Feb-2022 10:10	6.8				45.8
03-Feb-2022 10:15	6.8	58.01	141.84		45.7
03-Feb-2022 10:20	6.8				46.1
03-Feb-2022 10:25	6.8				45.1
03-Feb-2022 10:30	6.8				45.5
03-Feb-2022 10:35	6.8	61.43	137.97		44.7
03-Feb-2022 10:40	6.8	70.64	158.35		45.7
03-Feb-2022 10:45	6.8				45.2
03-Feb-2022 10:50	6.8				45.8
03-Feb-2022 10:55	6.8				45.8
03-Feb-2022 11:00	6.8				46.1
03-Feb-2022 11:05	6.8	64.69	142.25		44.5
03-Feb-2022 11:10	6.8				0.3
03-Feb-2022 11:15	6.8			62.99	0.3
03-Feb-2022 11:20	6.8				0.4
03-Feb-2022 11:25	6.8				0.4
03-Feb-2022 11:30	6.8				0.4
03-Feb-2022 11:35	6.8				0.4
03-Feb-2022 11:40	6.8				0.4
03-Feb-2022 11:45	6.8				0.4
03-Feb-2022 11:50	6.8	56.54	139.9		0.4
03-Feb-2022 11:55	6.8	80.75	163.34		0.5
03-Feb-2022 12:00	6.8	58.9	134.65		0.4
03-Feb-2022 12:05	6.8				0.4
03-Feb-2022 12:10	6.8	64.96	142.6		0.4
03-Feb-2022 12:15	6.8			61.84	0.4

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 12:20	6.8			64.19	0.5
03-Feb-2022 12:25	6.8				0.5
03-Feb-2022 12:30	6.8				75.2
03-Feb-2022 12:35	6.8				46.4
03-Feb-2022 12:40	6.8				44.3
03-Feb-2022 12:45	6.8				45.1
03-Feb-2022 12:50	6.8				44.9
03-Feb-2022 12:55	6.8				45.4
03-Feb-2022 13:00	6.8				44.4
03-Feb-2022 13:05	6.8	61.85	147.33		0.4
03-Feb-2022 13:10	6.8				0.4
03-Feb-2022 13:15	6.8			64.52	0.4
03-Feb-2022 13:20	6.8				0.5
03-Feb-2022 13:25	6.8			60.49	0.5
03-Feb-2022 13:30	6.8				0.5
03-Feb-2022 13:35	6.8				0.5
03-Feb-2022 13:40	6.8				0.5
03-Feb-2022 13:45	6.8			59.52	0.5
03-Feb-2022 13:50	6.8				0.5
03-Feb-2022 13:55	6.8		148.63	65.27	0.5
03-Feb-2022 14:00	6.8				0.4
03-Feb-2022 14:05	6.8				0.5
03-Feb-2022 14:10	6.8				0.5
03-Feb-2022 14:40	6.81	72.29	152.24		47.4
03-Feb-2022 14:45	6.81	65.8	151.45		46.4
03-Feb-2022 14:50	6.81	75.22	156.09	63.21	45.1
03-Feb-2022 14:55	6.81	66.57	152.84		45.9

No. Of Corrections  
on this page- *my*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 15:00	6.81				46.5
03-Feb-2022 15:05	6.81		158.55	64.67	47.2
03-Feb-2022 15:10	6.81	64	141.35		0.4
03-Feb-2022 15:15	6.81	69.09	148.03		0.4
03-Feb-2022 15:20	6.81	79.54	161.75		0.4
03-Feb-2022 15:25	6.81				0.4
03-Feb-2022 15:30	6.8	76.61	157.91		0.5
03-Feb-2022 15:35	6.8				0.4
03-Feb-2022 15:40	6.8			64.52	0.4
03-Feb-2022 15:45	6.8	74.68	155.37		0.4
03-Feb-2022 15:50	6.8				0.4
03-Feb-2022 15:55	6.8				0.5
03-Feb-2022 16:00	6.8				0.4
03-Feb-2022 16:05	6.8				0.5
03-Feb-2022 16:10	6.8	64.33	141.78		0.5
03-Feb-2022 16:15	6.8	61.65	145.48		0.4
03-Feb-2022 16:20	6.8				0.4
03-Feb-2022 16:25	6.8				0.4
03-Feb-2022 16:30	6.8			64.3	52.4
03-Feb-2022 16:35	6.8				47.3
03-Feb-2022 16:40	6.8	71.23	150.83		47.2
03-Feb-2022 16:45	6.8	68.41	147.13		46.3
03-Feb-2022 16:50	6.8	63.13	148.87		47
03-Feb-2022 16:55	6.8				47.3
03-Feb-2022 17:00	6.8				45.4
03-Feb-2022 17:05	6.8				45.7
03-Feb-2022 17:10	6.8	57.19	141.09		46.7

No. Of Corrections  
on this page- *NGV*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 17:15	6.8	71.77	151.54		46.5
03-Feb-2022 17:20	6.8	67.18	154.19		47.1
03-Feb-2022 17:25	6.8				46.2
03-Feb-2022 17:30	6.8	71.92	151.74		44.4
03-Feb-2022 17:35	6.8				0.4
03-Feb-2022 17:40	6.8	84.4	168.12		0.4
03-Feb-2022 17:45	6.8	71.75	151.52		0.4
03-Feb-2022 17:50	6.8				0.3
03-Feb-2022 17:55	6.8				0.4
03-Feb-2022 18:00	6.8	70.86	150.36		0.4
03-Feb-2022 18:05	6.8	73.07	153.25		51.2
03-Feb-2022 18:10	6.8	76.3	157.5		47.2
03-Feb-2022 18:15	6.8		153.65	65.64	46.5
03-Feb-2022 18:20	6.8				47.5
03-Feb-2022 18:25	6.8				48
03-Feb-2022 18:30	6.8				47.4
03-Feb-2022 18:35	6.8				46
03-Feb-2022 18:40	6.8	63.89	141.21	66.19	0.2
03-Feb-2022 18:45	6.8				0.6
03-Feb-2022 18:50	6.8				0.4
03-Feb-2022 18:55	6.8				0.4
03-Feb-2022 19:00	6.8	64.08	149.17		0.4
03-Feb-2022 19:05	6.8	69.4	155.53		0.4
03-Feb-2022 19:10	6.8	71.9	151.72	64.13	0.4
03-Feb-2022 19:15	6.8	66.91	145.17		0.4
03-Feb-2022 19:20	6.8	66.72	144.92		0.4
03-Feb-2022 19:25	6.8			63.9	0.4

No. Of Corrections  
on this page- *mbs*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 19:30	6.8		148.19	65.39	0.4
03-Feb-2022 19:35	6.8			66.08	0.4
03-Feb-2022 19:40	6.8			66.15	0.4
03-Feb-2022 19:45	6.8	71	150.53		0.3
03-Feb-2022 19:50	6.8				0.5
03-Feb-2022 19:55	6.8	65.23	142.96		0.3
03-Feb-2022 20:00	6.8	67.35	145.74		0.4
03-Feb-2022 20:05	6.8				0.3
03-Feb-2022 20:10	6.8	71.37	151.02		0.4
03-Feb-2022 20:15	6.8	70.95	157.83		0.4
03-Feb-2022 20:20	6.8	67.92	146.5		0.4
03-Feb-2022 20:25	6.8	79.06	161.12		0.4
03-Feb-2022 20:30	6.8	73.91	154.36		0.4
03-Feb-2022 20:35	6.8	73.86	154.29		0.4
03-Feb-2022 20:40	6.8	67.31	145.7		0.4
03-Feb-2022 20:45	6.8		140.8	66.15	0.4
03-Feb-2022 20:50	6.8				0.3
03-Feb-2022 20:55	6.8	68.18	146.83		0.3
03-Feb-2022 21:00	6.8			60.62	0.2
03-Feb-2022 21:05	6.8				0.2
03-Feb-2022 21:10	6.8	83.98	167.58		0.4
03-Feb-2022 21:15	6.8	66.37	144.46		0.3
03-Feb-2022 21:20	6.8	63.34	149.16		0.3
03-Feb-2022 21:25	6.8				0.4
03-Feb-2022 21:30	6.8	77.47	159.03		0.3
03-Feb-2022 21:35	6.8	60.39	136.6		0.2
03-Feb-2022 21:40	6.8			65.59	0.4

No. Of Corrections  
on this page- *10/2*

Timestamp	pH	BOD	COD	TSS	FLOW
03-Feb-2022 21:45	6.8				50.9
03-Feb-2022 21:50	6.8				47.8
03-Feb-2022 21:55	6.8				46.9
03-Feb-2022 22:00	6.8	67.24	145.6		46
03-Feb-2022 22:05	6.8	68.1	146.73		47.5
03-Feb-2022 22:10	6.8	75.02	155.81		46.6
03-Feb-2022 22:15	6.8				46.2
03-Feb-2022 22:20	6.8				46.1
03-Feb-2022 22:25	6.8			63.55	46.4
03-Feb-2022 22:30	6.8				0.3
03-Feb-2022 22:35	6.8				0.3
03-Feb-2022 22:40	6.8			61.92	0.3
03-Feb-2022 22:45	6.8	78.6	168.56		0.4
03-Feb-2022 22:50	6.8	71.81	151.6		0.3
03-Feb-2022 22:55	6.8				0.3
03-Feb-2022 23:00	6.8				0.3
03-Feb-2022 23:05	6.8				0.4
03-Feb-2022 23:10	6.8	74.73	155.43		0.4
03-Feb-2022 23:15	6.8	69.42	148.46		0.4
03-Feb-2022 23:20	6.8	67.2	145.54		0.3
03-Feb-2022 23:25	6.8	75.94	157.02		0.3
03-Feb-2022 23:30	6.8	68.01	146.61		0.3
03-Feb-2022 23:35	6.8	72.62	152.66		0.3
03-Feb-2022 23:40	6.8	64.74	142.31		0.3
03-Feb-2022 23:45	6.8				0.4
03-Feb-2022 23:50	6.8	66.32	144.39		0.3
03-Feb-2022 23:55	6.8	86.57	170.97		0.4

No. Of Corrections  
on this page- *NO*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 00:00	6.8				0.3
04-Feb-2022 00:05	6.8				0.3
04-Feb-2022 00:10	6.8				0.4
04-Feb-2022 00:15	6.8	73.27	153.51		0.4
04-Feb-2022 00:20	6.8				0.3
04-Feb-2022 00:25	6.8				0.3
04-Feb-2022 00:30	6.8				0.3
04-Feb-2022 00:35	6.8	82.83	166.06		0.4
04-Feb-2022 00:40	6.8	79.15	161.24		0.4
04-Feb-2022 00:45	6.8	98.24	186.3		0.4
04-Feb-2022 00:50	6.8				0.3
04-Feb-2022 00:55	6.8	74.95	155.72		0.2
04-Feb-2022 01:00	6.8				0.3
04-Feb-2022 01:05	6.8			66.29	0.4
04-Feb-2022 01:10	6.8	74.44	155.06		0.3
04-Feb-2022 01:15	6.8	78.72	169.45		0.3
04-Feb-2022 01:20	6.8				0.2
04-Feb-2022 01:25	6.8				0.2
04-Feb-2022 01:30	6.8	89.89	175.34		0.2
04-Feb-2022 01:35	6.8	70.57	158.77		0.3
04-Feb-2022 01:40	6.8	67.91	146.47		0.3
04-Feb-2022 01:45	6.8	83.16	166.5		0.4
04-Feb-2022 01:50	6.8	62.04	147.54		0.3
04-Feb-2022 01:55	6.8				0.3
04-Feb-2022 02:00	6.8				0.2
04-Feb-2022 02:05	6.8				0.2
04-Feb-2022 02:10	6.8	68.95	147.85		0.3

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 02:15	6.8			62.52	0.4
04-Feb-2022 02:20	6.8				0.3
04-Feb-2022 02:25	6.8				0.3
04-Feb-2022 02:30	6.8	83.73	167.26		0.3
04-Feb-2022 02:35	6.8	66.02	143.99		0.3
04-Feb-2022 02:40	6.8		153.96	64.84	0.3
04-Feb-2022 02:45	6.8	71.83	151.63		0.3
04-Feb-2022 02:50	6.8	78.92	160.94		0.3
04-Feb-2022 02:55	6.8	64.47	150.26		0.2
04-Feb-2022 03:00	6.8				0.2
04-Feb-2022 03:05	6.8				0.3
04-Feb-2022 03:10	6.8			65.61	0.3
04-Feb-2022 03:15	6.8	85.64	169.75		0.3
04-Feb-2022 03:20	6.8				0.3
04-Feb-2022 03:25	6.8	62.02	147.39		0.3
04-Feb-2022 03:30	6.8	67.17	145.5		0.3
04-Feb-2022 03:35	6.8	63.96	141.29		0.2
04-Feb-2022 03:40	6.8	71.09	158.28		0.2
04-Feb-2022 03:45	6.8	66.77	144.98		0.2
04-Feb-2022 03:50	6.8				0.3
04-Feb-2022 03:55	6.8	73.38	153.66		0.4
04-Feb-2022 04:00	6.8	81.93	164.9	64.39	0.4
04-Feb-2022 04:05	6.8	65.19	142.91		0.4
04-Feb-2022 04:10	6.8	55.27	138.59		0.3
04-Feb-2022 04:15	6.8				0.2
04-Feb-2022 04:20	6.8	70.73	150.18		0.3
04-Feb-2022 04:25	6.8	68.27	155.57		0.2

No. Of Corrections  
on this page- *MDA*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 04:30	6.8	81.98	164.96		0.2
04-Feb-2022 04:35	6.8				0.2
04-Feb-2022 04:40	6.8	56.55	140.05		0.2
04-Feb-2022 04:45	6.8				0.3
04-Feb-2022 04:50	6.8				0.2
04-Feb-2022 04:55	6.8				0.2
04-Feb-2022 05:00	6.8	96.21	183.63		0.2
04-Feb-2022 05:05	6.8				0.2
04-Feb-2022 05:10	6.8	79.14	161.22		0.3
04-Feb-2022 05:15	6.8				0.2
04-Feb-2022 05:20	6.8				0.2
04-Feb-2022 05:25	6.8				0.3
04-Feb-2022 05:30	6.8	59.3	143.62		0.3
04-Feb-2022 05:35	6.8				0.3
04-Feb-2022 05:40	6.8				0.3
04-Feb-2022 05:45	6.8	74.05	154.54		0.2
04-Feb-2022 05:50	6.8	59.98	136.07		0.3
04-Feb-2022 05:55	6.8	71.67	151.41		0.4
04-Feb-2022 06:00	6.8				0.3
04-Feb-2022 06:05	6.8				0.2
04-Feb-2022 06:10	6.8	61.33	146.56		0.2
04-Feb-2022 06:15	6.8	80.06	162.44		0.3
04-Feb-2022 06:20	6.8	63.86	141.16		0.3
04-Feb-2022 06:25	6.8	72.72	152.79		0.2
04-Feb-2022 06:30	6.8	73.82	154.24		0.2
04-Feb-2022 06:35	6.8				0.3
04-Feb-2022 06:40	6.8	65.79	143.7		0.4

No. Of Corrections  
on this page- *ny*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 06:45	6.8	74.27	154.83		0.2
04-Feb-2022 06:50	6.8	88.48	173.48		0.3
04-Feb-2022 06:55	6.8	73.48	153.79		0.3
04-Feb-2022 07:00	6.8	75.56	156.52		0.3
04-Feb-2022 07:05	6.8	79.68	161.93		0.3
04-Feb-2022 07:10	6.8				0.2
04-Feb-2022 07:15	6.8				0.2
04-Feb-2022 07:20	6.8	79.02	161.06		0.3
04-Feb-2022 07:25	6.8				0.4
04-Feb-2022 07:30	6.8	78.2	159.98		0.4
04-Feb-2022 07:35	6.8	101.85	191.04		0.3
04-Feb-2022 07:40	6.8	73.14	153.35		0.3
04-Feb-2022 07:45	6.8				0.4
04-Feb-2022 07:50	6.8				0.4
04-Feb-2022 07:55	6.8				0.3
04-Feb-2022 08:00	6.8				0.3
04-Feb-2022 08:05	6.8	74.81	155.54		0.4
04-Feb-2022 08:10	6.8			66.1	0.3
04-Feb-2022 08:15	6.8				0.4
04-Feb-2022 08:20	6.8			63.66	0.3
04-Feb-2022 08:25	6.8				0.3
04-Feb-2022 08:30	6.8			65.88	0.3
04-Feb-2022 08:35	6.8				0.3
04-Feb-2022 08:40	6.8			63.51	0.4
04-Feb-2022 08:45	6.8				0.4
04-Feb-2022 08:50	6.8				0.3
04-Feb-2022 09:35	6.81				0.2

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 09:40	6.81				0.3
04-Feb-2022 09:45	6.81				0.3
04-Feb-2022 09:50	6.81	55.83	139.19		0.2
04-Feb-2022 09:55	6.81			62.48	0.3
04-Feb-2022 10:00	6.81			64.06	56.3
04-Feb-2022 10:05	6.81				48.2
04-Feb-2022 10:10	6.81				47.1
04-Feb-2022 10:15	6.81	98.63	186.82		46.6
04-Feb-2022 10:20	6.81	70.62	158.44		47.3
04-Feb-2022 10:25	6.81			65.94	47.4
04-Feb-2022 10:30	6.81				0.3
04-Feb-2022 10:35	6.81			62.61	0.4
04-Feb-2022 10:40	6.81	75.99	157.09		0.4
04-Feb-2022 10:45	6.81	68.2	146.86		0.4
04-Feb-2022 10:50	6.81				0.4
04-Feb-2022 10:55	6.81	73.93	154.38		0.4
04-Feb-2022 11:00	6.81	69.2	148.17		0.3
04-Feb-2022 11:05	6.81	78.14	159.92		0.4
04-Feb-2022 11:10	6.81				0.4
04-Feb-2022 11:15	6.81				0.4
04-Feb-2022 11:20	6.81				0.4
04-Feb-2022 11:25	6.81	71.69	159.47		0.4
04-Feb-2022 11:30	6.81				0.4
04-Feb-2022 11:35	6.81				0.4
04-Feb-2022 11:40	6.81	58.17	133.69		0.4
04-Feb-2022 11:45	6.81	75.31	156.2		0.4
04-Feb-2022 11:50	6.81	68.63	147.43		0.4

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 11:55	6.81	70.92	150.43		0.5
04-Feb-2022 12:00	6.81				0.4
04-Feb-2022 12:05	6.81	61.12	145.86		0.4
04-Feb-2022 12:10	6.81	74.38	154.97		0.4
04-Feb-2022 12:15	6.81				0.5
04-Feb-2022 12:20	6.81				0.4
04-Feb-2022 12:25	6.81	74.06	154.56		0.4
04-Feb-2022 12:30	6.81	80.24	162.67		0.5
04-Feb-2022 12:35	6.81	92.95	187.76		0.4
04-Feb-2022 12:40	6.81	69	155.22		0.4
04-Feb-2022 12:45	6.81	86.84	171.34		52.9
04-Feb-2022 12:50	6.81	78.36	160.2		47.9
04-Feb-2022 12:55	6.81				46.6
04-Feb-2022 13:00	6.81				46.6
04-Feb-2022 13:05	6.81	62.34	147.5		46.7
04-Feb-2022 13:10	6.8	73.48	153.8		46.6
04-Feb-2022 13:15	6.8	76.57	157.85		46.9
04-Feb-2022 13:20	6.8			65.13	47
04-Feb-2022 13:25	6.8			66.06	46.5
04-Feb-2022 13:30	6.8	71.88	151.69		46.8
04-Feb-2022 13:35	6.8				46.8
04-Feb-2022 13:40	6.8			65.01	46
04-Feb-2022 13:45	6.8				46.5
04-Feb-2022 13:50	6.8				45.6
04-Feb-2022 13:55	6.8				0
04-Feb-2022 14:00	6.8				42.2
04-Feb-2022 14:05	6.8				0.4

No. Of Corrections  
on this page - *NY*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 14:10	6.8				0.4
04-Feb-2022 14:15	6.8	61.11	137.55		0.4
04-Feb-2022 14:20	6.8	64.13	141.52		0.4
04-Feb-2022 14:25	6.8				0.4
04-Feb-2022 14:30	6.8			65.67	0.5
04-Feb-2022 14:35	6.8			65.1	0.4
04-Feb-2022 14:40	6.8			65.88	0.4
04-Feb-2022 14:45	6.8		155.18	66.26	0.4
04-Feb-2022 14:50	6.8	84.43	168.17		0.5
04-Feb-2022 14:55	6.8				0.4
04-Feb-2022 15:00	6.8	54.08	136.68		0.5
04-Feb-2022 15:05	6.8				0.4
04-Feb-2022 15:10	6.8	63.55	149.08		0.5
04-Feb-2022 15:15	6.8				0.5
04-Feb-2022 15:20	6.8	83.54	167		0.5
04-Feb-2022 15:25	6.8	61.99	138.71		0.5
04-Feb-2022 15:30	6.8	55.82	130.6		0.5
04-Feb-2022 15:35	6.8	65.4	151.26		0.4
04-Feb-2022 15:40	6.8				0.5
04-Feb-2022 15:45	6.8				0.4
04-Feb-2022 15:50	6.8				0.4
04-Feb-2022 15:55	6.8	62.82	139.8		0.4
04-Feb-2022 16:00	6.8				0.4
04-Feb-2022 16:05	6.8	66.37	144.46		0.4
04-Feb-2022 16:10	6.8			65.78	0.4
04-Feb-2022 16:15	6.8	61.71	138.34		0.4
04-Feb-2022 16:20	6.8				0.4

No. Of Corrections  
on this page- *NU*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 16:25	6.8				0.4
04-Feb-2022 16:30	6.8	70.68	150.11		0.4
04-Feb-2022 16:35	6.8	68.03	146.64		0.4
04-Feb-2022 16:40	6.8				0.4
04-Feb-2022 16:45	6.8	58.77	142.96		0.4
04-Feb-2022 16:50	6.8	78.26	160.07		0.4
04-Feb-2022 16:55	6.8	71.15	159.16		0.4
04-Feb-2022 17:00	6.8	79.09	161.16		0.4
04-Feb-2022 17:05	6.8	74.63	155.3		0.4
04-Feb-2022 17:10	6.8				47.5
04-Feb-2022 17:15	6.8				46.6
04-Feb-2022 17:20	6.8		139.27	65.33	46.3
04-Feb-2022 17:25	6.8	74.97	155.74		47
04-Feb-2022 17:30	6.8	51.53	133.3		0.5
04-Feb-2022 17:35	6.8				0.4
04-Feb-2022 17:40	6.8	73.91	154.36		0.4
04-Feb-2022 17:45	6.8	71.52	151.22		0.4
04-Feb-2022 17:50	6.8	70.28	149.59		0.4
04-Feb-2022 17:55	6.8				0.4
04-Feb-2022 18:00	6.8			65.05	0.4
04-Feb-2022 18:05	6.8				0.4
04-Feb-2022 18:10	6.8	77.12	158.57		50.4
04-Feb-2022 18:15	6.8				48
04-Feb-2022 18:20	6.8				55.7
04-Feb-2022 18:25	6.8	63.31	148.97		0.3
04-Feb-2022 18:30	6.8			64.33	0.4
04-Feb-2022 18:35	6.8				0.4

No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 18:40	6.8	77.38	158.91		0.3
04-Feb-2022 18:45	6.8				0.4
04-Feb-2022 18:50	6.8				0.3
04-Feb-2022 18:55	6.8				50
04-Feb-2022 19:00	6.8	71.66	159.63		0.4
04-Feb-2022 19:05	6.8		163.99	66	45.4
04-Feb-2022 19:10	6.8				0.4
04-Feb-2022 19:15	6.8	56.62	139.79		0.4
04-Feb-2022 19:20	6.8				0.4
04-Feb-2022 19:25	6.8			63.29	0.3
04-Feb-2022 19:30	6.8				0.3
04-Feb-2022 19:35	6.8				0.3
04-Feb-2022 19:40	6.8				0.3
04-Feb-2022 19:45	6.8				0.3
04-Feb-2022 19:50	6.8	67.2	145.55		0.4
04-Feb-2022 19:55	6.8			64.52	0.3
04-Feb-2022 20:00	6.8	67.47	153.11		0.4
04-Feb-2022 20:05	6.8				0.3
04-Feb-2022 20:10	6.8			66.14	0.3
04-Feb-2022 20:15	6.8	80.38	171.15		0.3
04-Feb-2022 20:20	6.8				0.3
04-Feb-2022 20:25	6.8	66.22	144.26		0.3
04-Feb-2022 20:30	6.8	75.47	165.12		0.4
04-Feb-2022 20:35	6.8	71.69	151.44	63	0.2
04-Feb-2022 20:40	6.8				0.4
04-Feb-2022 20:45	6.8			66.16	0.3
04-Feb-2022 20:50	6.8				0.3

No. Of Corrections  
on this page- 205

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 20:55	6.8				0.3
04-Feb-2022 21:00	6.8			65.5	0.3
04-Feb-2022 21:05	6.8	66.6	153.52		0.3
04-Feb-2022 21:10	6.8			63.42	0.3
04-Feb-2022 21:15	6.8	68.93	147.81		0.2
04-Feb-2022 21:20	6.8			65.88	0.2
04-Feb-2022 21:25	6.8			60.72	0.3
04-Feb-2022 21:30	6.8				0.2
04-Feb-2022 21:35	6.8	54.42	135.16		0.2
04-Feb-2022 21:40	6.8				0.3
04-Feb-2022 21:45	6.8	67.85	146.4		0.2
04-Feb-2022 21:50	6.8	69	156.25		0.3
04-Feb-2022 21:55	6.8	82.22	165.27		54.4
04-Feb-2022 22:00	6.8	62.84	148.08		48.9
04-Feb-2022 22:05	6.8	77.75	168.21		48.2
04-Feb-2022 22:10	6.8	55.01	138		47.8
04-Feb-2022 22:15	6.8				48
04-Feb-2022 22:20	6.8	61.23	137.71		48.5
04-Feb-2022 22:25	6.8				48.8
04-Feb-2022 22:30	6.8	65.63	143.48		48.9
04-Feb-2022 22:35	6.8				47
04-Feb-2022 22:40	6.8	69.51	156.18		47.6
04-Feb-2022 22:45	6.8			65.51	47.8
04-Feb-2022 22:50	6.8	65.07	142.75		48
04-Feb-2022 22:55	6.8				46.8
04-Feb-2022 23:00	6.8				0.2
04-Feb-2022 23:05	6.8			63.04	0.4

No. Of Corrections  
on this page- *ND*

Timestamp	pH	BOD	COD	TSS	FLOW
04-Feb-2022 23:10	6.8			63.02	0.3
04-Feb-2022 23:15	6.8			64.76	0.3
04-Feb-2022 23:20	6.8	65.82	150.84		0.3
04-Feb-2022 23:25	6.8	62.36	147.26		0.4
04-Feb-2022 23:30	6.8	60.73	137.06		0.3
04-Feb-2022 23:35	6.8				0.2
04-Feb-2022 23:40	6.8	78.01	159.74		0.2
04-Feb-2022 23:45	6.8			62.81	0.2
04-Feb-2022 23:50	6.8				0.2
04-Feb-2022 23:55	6.8	72.76	152.84		0.3
05-Feb-2022 00:00	6.8				0.2
05-Feb-2022 00:05	6.8				0.3
05-Feb-2022 00:10	6.8	76.86	158.23		0.3
05-Feb-2022 00:15	6.8				0.2
05-Feb-2022 00:20	6.8				0.2
05-Feb-2022 00:25	6.8	70.06	149.31		0.2
05-Feb-2022 00:30	6.8				0.2
05-Feb-2022 00:35	6.8				0.3
05-Feb-2022 00:40	6.8			64.92	0.4
05-Feb-2022 00:45	6.8	66.27	144.33		0.3
05-Feb-2022 00:50	6.8				0.3
05-Feb-2022 00:55	6.8				0.3
05-Feb-2022 01:00	6.8	56.53	138.45		0.3
05-Feb-2022 01:05	6.8				0.2
05-Feb-2022 01:10	6.8	66.54	151.68		0.2
05-Feb-2022 01:15	6.8			63.81	0.3
05-Feb-2022 01:20	6.8				0.2


No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 01:25	6.8				0.3
05-Feb-2022 01:30	6.8			64.2	0.4
05-Feb-2022 01:35	6.8				0.4
05-Feb-2022 01:40	6.8	65.79	152.42		0.3
05-Feb-2022 01:45	6.8				0.4
05-Feb-2022 01:50	6.8	65.79	143.69		0.4
05-Feb-2022 01:55	6.8				0.4
05-Feb-2022 02:00	6.8	73.49	153.81		0.4
05-Feb-2022 02:05	6.8	65.44	143.24		0.3
05-Feb-2022 02:10	6.8	66.41	144.51		0.4
05-Feb-2022 02:15	6.8				0.3
05-Feb-2022 02:20	6.8	60.81	145.55		0.4
05-Feb-2022 02:25	6.8	61.71	147.09		0.4
05-Feb-2022 02:30	6.8	63.55	148.81		0.4
05-Feb-2022 02:35	6.8			66.26	0.3
05-Feb-2022 02:40	6.8	65.82	152.46		0.3
05-Feb-2022 02:45	6.8				0.4
05-Feb-2022 02:50	6.8	78.21	160.01		0.4
05-Feb-2022 02:55	6.8				0.4
05-Feb-2022 03:00	6.8				0.4
05-Feb-2022 03:05	6.8				0.4
05-Feb-2022 03:10	6.8				0.4
05-Feb-2022 03:15	6.8				0.4
05-Feb-2022 03:20	6.8		155.9	63.6	0.4
05-Feb-2022 03:25	6.8				0.4
05-Feb-2022 03:30	6.8			64.52	0.4
05-Feb-2022 03:35	6.8				0.3

No. Of Corrections  
on this page- 204


Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 03:40	6.8				0.4
05-Feb-2022 03:45	6.8	82.08	165.09		0.3
05-Feb-2022 03:50	6.8	86.14	170.41		0.4
05-Feb-2022 03:55	6.8	73.15	153.36		0.3
05-Feb-2022 04:00	6.8	69.04	147.96		0.4
05-Feb-2022 04:05	6.8	78.95	160.97		0.4
05-Feb-2022 04:10	6.8	92.26	178.45		0.3
05-Feb-2022 04:15	6.8	78.33	160.15		0.3
05-Feb-2022 04:20	6.8	85.42	169.46		0.4
05-Feb-2022 04:25	6.8	72.71	152.78		0.3
05-Feb-2022 04:30	6.8	91.95	178.05		0.3
05-Feb-2022 04:35	6.8	73.7	154.08		0.3
05-Feb-2022 04:40	6.8	80.34	162.79		0.3
05-Feb-2022 04:45	6.8	84.13	167.77		0.2
05-Feb-2022 04:50	6.8	82.23	165.29		0.3
05-Feb-2022 04:55	6.8	80.04	162.4		0.3
05-Feb-2022 05:00	6.8	91.84	177.89		0.3
05-Feb-2022 05:05	6.8	81.01	163.68		0.2
05-Feb-2022 05:10	6.8	86.14	170.42		0.2
05-Feb-2022 05:15	6.8	81.61	164.47		0.3
05-Feb-2022 05:20	6.8	80.6	163.14		0.4
05-Feb-2022 05:25	6.8	78.1	159.85		0.3
05-Feb-2022 05:30	6.8	87.71	172.48		0.3
05-Feb-2022 05:35	6.8	83.9	167.47		0.3
05-Feb-2022 05:40	6.8	93.41	179.96		0.4
05-Feb-2022 05:45	6.8	71.95	151.78		0.3
05-Feb-2022 05:50	6.8	75.92	157		0.3

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 05:55	6.8	73.86	154.29		0.3
05-Feb-2022 06:00	6.8	76.31	157.51		0.3
05-Feb-2022 06:05	6.8	65.66	151.8		0.3
05-Feb-2022 06:10	6.8				0.3
05-Feb-2022 06:15	6.8	71.35	151		0.3
05-Feb-2022 06:20	6.8	68.12	154.87		0.3
05-Feb-2022 06:25	6.8				0.4
05-Feb-2022 06:30	6.8	58.1	142.38		0.3
05-Feb-2022 06:35	6.8				0.2
05-Feb-2022 06:40	6.8				0.3
05-Feb-2022 06:45	6.8	63.49	148.52		0.3
05-Feb-2022 06:50	6.8				0.3
05-Feb-2022 06:55	6.8	70.99	150.53		0.3
05-Feb-2022 07:00	6.8				0.2
05-Feb-2022 07:05	6.8				0.4
05-Feb-2022 07:10	6.8				0.4
05-Feb-2022 07:15	6.8	73.14	153.35		0.2
05-Feb-2022 07:20	6.8				0.3
05-Feb-2022 07:25	6.8	88.95	174.11		0.3
05-Feb-2022 07:30	6.8	78.56	160.47		0.2
05-Feb-2022 07:35	6.8				0.3
05-Feb-2022 07:40	6.8			65.59	0.2
05-Feb-2022 07:45	6.8			64.54	0.2
05-Feb-2022 07:50	6.8	64.62	150.1		0.2
05-Feb-2022 07:55	6.8				0.2
05-Feb-2022 08:05	6.8			64.04	0.3
05-Feb-2022 08:10	6.8				0.3



No. Of Corrections on this page- *NSD*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 08:15	6.8				0.4
05-Feb-2022 08:20	6.8				0.3
05-Feb-2022 08:25	6.8	75.04	155.84		0.3
05-Feb-2022 08:35	6.8				52.5
05-Feb-2022 08:40	6.8	60.79	145.93		50.2
05-Feb-2022 08:45	6.8				50.1
05-Feb-2022 08:50	6.8				50.1
05-Feb-2022 08:55	6.8	69.1	156.63		50.2
05-Feb-2022 09:00	6.8			63.44	51.2
05-Feb-2022 09:05	6.8				50.9
05-Feb-2022 09:10	6.8				50.5
05-Feb-2022 09:15	6.8			66.05	0.4
05-Feb-2022 09:20	6.8				0.4
05-Feb-2022 09:25	6.8	86.58	170.99		0.4
05-Feb-2022 09:30	6.8	79.16	161.25		0.4
05-Feb-2022 09:35	6.8				0.4
05-Feb-2022 09:40	6.8	66.62	144.78		0.4
05-Feb-2022 09:45	6.8				0.4
05-Feb-2022 09:50	6.8				0.4
05-Feb-2022 09:55	6.8			65.27	0.4
05-Feb-2022 10:00	6.8				0.4
05-Feb-2022 10:05	6.8				0.4
05-Feb-2022 10:10	6.8				0.4
05-Feb-2022 10:15	6.8	79.62	161.85		0.4
05-Feb-2022 10:20	6.8				0.4
05-Feb-2022 10:25	6.8				57.7
05-Feb-2022 10:30	6.8				52.1



No. Of Corrections on this page- *NOV*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 10:35	6.8				51.3
05-Feb-2022 10:40	6.8				50.9
05-Feb-2022 10:45	6.8				51
05-Feb-2022 10:50	6.8				51
05-Feb-2022 10:55	6.8				51
05-Feb-2022 11:00	6.8			65.06	50.8
05-Feb-2022 11:05	6.8				51.2
05-Feb-2022 11:10	6.8				51
05-Feb-2022 11:15	6.8				50.9
05-Feb-2022 11:20	6.8			63.37	0.4
05-Feb-2022 11:25	6.8				0.4
05-Feb-2022 11:30	6.8				0.4
05-Feb-2022 11:35	6.8				0.4
05-Feb-2022 11:40	6.8				0.4
05-Feb-2022 11:45	6.8				0.4
05-Feb-2022 11:50	6.8			63.14	0.4
05-Feb-2022 11:55	6.8			60.97	0.5
05-Feb-2022 12:00	6.8				0.4
05-Feb-2022 12:05	6.8				0.5
05-Feb-2022 12:10	6.8				0.5
05-Feb-2022 12:15	6.8				0.4
05-Feb-2022 12:20	6.8			61.7	0.5
05-Feb-2022 12:25	6.8			66.11	0.5
05-Feb-2022 12:30	6.8			60.8	0.5
05-Feb-2022 12:35	6.8				0.5
05-Feb-2022 12:40	6.8				0.5
05-Feb-2022 12:45	6.8				52.8

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 12:50	6.8				50.5
05-Feb-2022 12:55	6.8			52.55	50.9
05-Feb-2022 13:00	6.8			53.22	50.9
05-Feb-2022 13:05	6.8			54.35	50.6
05-Feb-2022 13:10	6.8			55.36	50.5
05-Feb-2022 13:15	6.8			56.57	50.5
05-Feb-2022 13:20	6.8			56.36	50.8
05-Feb-2022 13:25	6.8			57.68	50.7
05-Feb-2022 13:30	6.8				50.6
05-Feb-2022 13:35	6.8			56.33	50.3
05-Feb-2022 13:40	6.8			58.51	0.5
05-Feb-2022 13:45	6.8			58.16	0.5
05-Feb-2022 13:50	6.8			58.84	0.5
05-Feb-2022 13:55	6.8			59.21	0.5
05-Feb-2022 14:00	6.8			55.91	0.5
05-Feb-2022 14:05	6.8			58.12	0.5
05-Feb-2022 14:10	6.8			57.21	0.5
05-Feb-2022 14:15	6.8			56.5	0.5
05-Feb-2022 14:20	6.8			55.58	0.5
05-Feb-2022 14:25	6.8			57.48	0.5
05-Feb-2022 14:30	6.8			55.48	0.6
05-Feb-2022 14:35	6.8	144.04		58.32	0.5
05-Feb-2022 14:40	6.8	142.34		55.98	0.5
05-Feb-2022 14:45	6.8	137.93		56.49	0.5
05-Feb-2022 14:50	6.8			57.6	0.5
05-Feb-2022 14:55	6.8	138.81		55.51	53
05-Feb-2022 15:00	6.8	139.71		56.92	51.8

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 15:05	6.8		147.3	56.87	51.4
05-Feb-2022 15:10	6.8			59.32	0.4
05-Feb-2022 15:15	6.8			58.33	0.5
05-Feb-2022 15:20	6.8			58.26	0.5
05-Feb-2022 15:25	6.8			60.82	0.4
05-Feb-2022 15:30	6.8			58.26	0.5
05-Feb-2022 15:35	6.8			58.48	0.5
05-Feb-2022 15:40	6.8			59.35	0.5
05-Feb-2022 15:45	6.8			58.9	0.5
05-Feb-2022 15:50	6.8			60.03	0.5
05-Feb-2022 15:55	6.8		162.67	58.04	0.5
05-Feb-2022 16:00	6.8			58.14	0.5
05-Feb-2022 16:05	6.8			58.38	0.5
05-Feb-2022 16:10	6.8			58.42	0.5
05-Feb-2022 16:15	6.8			58.02	0.5
05-Feb-2022 16:20	6.8		148.51	60.61	0.5
05-Feb-2022 16:25	6.8				0.5
05-Feb-2022 16:30	6.8			59.95	0.5
05-Feb-2022 16:35	6.8			56.04	0.5
05-Feb-2022 16:40	6.8			57.11	0.4
05-Feb-2022 16:45	6.8			57.47	0.5
05-Feb-2022 16:50	6.8		137.12	56.9	0.5
05-Feb-2022 16:55	6.8				0.5
05-Feb-2022 17:00	6.8		135.38	57.79	0.5
05-Feb-2022 17:05	6.8			55.28	0.5
05-Feb-2022 17:10	6.8			54.43	0.4
05-Feb-2022 17:15	6.8	70.52	156.76		0.5

No. Of Corrections  
on this page- *NOV*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 17:20	6.8			56.4	0.5
05-Feb-2022 17:25	6.8		147.6	56.8	52.9
05-Feb-2022 17:30	6.8		129.83	54.74	51.6
05-Feb-2022 17:35	6.8			38.2	51.2
05-Feb-2022 17:40	6.8			41.47	51
05-Feb-2022 17:45	6.8			44.01	0.4
05-Feb-2022 17:50	6.8			44.83	0.5
05-Feb-2022 17:55	6.8		126.62	44.36	0.4
05-Feb-2022 18:00	6.8			44.01	0.4
05-Feb-2022 18:05	6.8		127.14	43.71	0.4
05-Feb-2022 18:10	6.8			43.57	0.4
05-Feb-2022 18:15	6.8		121.08	43.38	0.5
05-Feb-2022 18:20	6.8				0.4
05-Feb-2022 18:25	6.8			43.18	0.4
05-Feb-2022 18:30	6.8			42.88	0.4
05-Feb-2022 18:35	6.8			43.6	0.4
05-Feb-2022 18:40	6.8			43.01	0.4
05-Feb-2022 18:45	6.8			43.45	0.4
05-Feb-2022 18:50	6.8			43.23	0.4
05-Feb-2022 18:55	6.8			43.22	0.4
05-Feb-2022 19:00	6.8			43.32	0.4
05-Feb-2022 19:05	6.8			43.48	0.4
05-Feb-2022 19:10	6.8			43.84	0.4
05-Feb-2022 19:15	6.8		123.75	43.44	0.4
05-Feb-2022 19:20	6.8			42.91	0.4
05-Feb-2022 19:25	6.8			43.2	0.4
05-Feb-2022 19:30	6.8			43	0.4

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 19:35	6.8			43.43	0.3
05-Feb-2022 19:40	6.8			43.46	0.4
05-Feb-2022 19:45	6.8			43.53	0.4
05-Feb-2022 19:50	6.8	127.72		43.3	0.4
05-Feb-2022 19:55	6.8			43.48	0.4
05-Feb-2022 20:00	6.8			43.56	0.4
05-Feb-2022 20:05	6.8			43.35	0.4
05-Feb-2022 20:10	6.8			43.71	0.4
05-Feb-2022 20:15	6.8			43.16	0.4
05-Feb-2022 20:20	6.8			43.53	0.4
05-Feb-2022 20:25	6.8			43.3	0.3
05-Feb-2022 20:30	6.8			43.66	0.4
05-Feb-2022 20:35	6.8			43.41	0.4
05-Feb-2022 20:40	6.8			43.47	0.4
05-Feb-2022 20:45	6.8			43.33	0.4
05-Feb-2022 20:50	6.8			43.64	0.4
05-Feb-2022 20:55	6.8			43.53	0.4
05-Feb-2022 21:00	6.8			43.62	0.4
05-Feb-2022 21:05	6.8			43.49	0.4
05-Feb-2022 21:10	6.8			43.36	0.4
05-Feb-2022 21:15	6.8			43.5	0.4
05-Feb-2022 21:20	6.8			43.49	0.4
05-Feb-2022 21:25	6.8	142.75		43.7	0.3
05-Feb-2022 21:30	6.8			43.88	0.4
05-Feb-2022 21:35	6.8			43.58	0.3
05-Feb-2022 21:40	6.8			43.81	0.4
05-Feb-2022 21:45	6.8	137.16		43.46	0.4

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
05-Feb-2022 21:50	6.8			43.23	0.3
05-Feb-2022 21:55	6.8		135.47	43.85	0.4
05-Feb-2022 22:00	6.8			44.02	0.4
05-Feb-2022 22:05	6.8		136.07	44.03	0.4
05-Feb-2022 22:10	6.8			44.12	0.4
05-Feb-2022 22:15	6.8			44.07	0.4
05-Feb-2022 22:20	6.8			44.29	0.4
05-Feb-2022 22:25	6.8			44.65	0.3
05-Feb-2022 22:30	6.8			44.31	0.4
05-Feb-2022 22:35	6.8			44.35	0.4
05-Feb-2022 22:40	6.8			44.55	0.4
05-Feb-2022 22:45	6.8			44.77	0.4
05-Feb-2022 22:50	6.8				0.3
05-Feb-2022 22:55	6.8			44.47	0.4
05-Feb-2022 23:00	6.8				0.4
05-Feb-2022 23:05	6.8			44.61	0.4
05-Feb-2022 23:10	6.8			44.09	0.4
05-Feb-2022 23:15	6.8		135.57	44.9	0.4
05-Feb-2022 23:20	6.8			44.71	0.3
05-Feb-2022 23:25	6.8			44.99	0.4
05-Feb-2022 23:30	6.8			44.73	0.4
05-Feb-2022 23:35	6.8		140.24	44.91	0.3
05-Feb-2022 23:40	6.8			44.73	0.4
05-Feb-2022 23:45	6.8			44.92	0.3
05-Feb-2022 23:50	6.8			45.18	0.3
05-Feb-2022 23:55	6.8			45.17	0.4
06-Feb-2022 00:00	6.8		139.8	45.06	0.4

No. Of Corrections  
on this page- *ms*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 00:05	6.8			45.28	0.4
06-Feb-2022 00:10	6.8			45.47	0.4
06-Feb-2022 00:15	6.8				0.4
06-Feb-2022 00:20	6.8		154.24	45.33	0.3
06-Feb-2022 00:25	6.8			45.18	0.4
06-Feb-2022 00:30	6.8			45.32	0.3
06-Feb-2022 00:35	6.8			45.28	0.4
06-Feb-2022 00:40	6.8			45.9	0.4
06-Feb-2022 00:45	6.8			45.57	0.3
06-Feb-2022 00:50	6.8			45.26	0.3
06-Feb-2022 00:55	6.8		146.93	45.81	0.4
06-Feb-2022 01:00	6.8		143.3	45.62	0.3
06-Feb-2022 01:05	6.8			46.42	0.3
06-Feb-2022 01:10	6.8		152.35	45.85	0.3
06-Feb-2022 01:15	6.8			46	0.4
06-Feb-2022 01:20	6.8			45.76	0.4
06-Feb-2022 01:25	6.8		151.43	45.9	0.4
06-Feb-2022 01:30	6.8			45.8	0.4
06-Feb-2022 01:35	6.8			45.94	0.3
06-Feb-2022 01:40	6.8			45.9	0.3
06-Feb-2022 01:45	6.8			46.11	0.4
06-Feb-2022 01:50	6.8			46.36	0.3
06-Feb-2022 01:55	6.8			46.6	0.4
06-Feb-2022 02:00	6.8		152.56	46.39	0.3
06-Feb-2022 02:05	6.8		155.19	46.56	0.3
06-Feb-2022 02:10	6.8			46.62	0.4
06-Feb-2022 02:15	6.8			46.48	0.3


No. Of Corrections  
on this page- 

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 02:20	6.8			46.63	0.3
06-Feb-2022 02:25	6.8			46.91	0.3
06-Feb-2022 02:30	6.8			46.79	0.3
06-Feb-2022 02:35	6.8		141.04	45.91	0.4
06-Feb-2022 02:40	6.8				0.3
06-Feb-2022 02:45	6.8			46.86	0.3
06-Feb-2022 02:50	6.8			46.73	0.4
06-Feb-2022 02:55	6.8			47.17	0.3
06-Feb-2022 03:00	6.8			46.74	0.4
06-Feb-2022 03:05	6.8		145.47	46.6	0.3
06-Feb-2022 03:10	6.8			46.81	0.3
06-Feb-2022 03:15	6.8			46.4	0.3
06-Feb-2022 03:20	6.8			47.67	0.3
06-Feb-2022 03:25	6.8			46.63	0.3
06-Feb-2022 03:30	6.8			47.2	0.3
06-Feb-2022 03:35	6.8			47.16	0.3
06-Feb-2022 03:40	6.8			47.02	0.3
06-Feb-2022 03:45	6.8		161.46	46.88	0.4
06-Feb-2022 03:50	6.8		160.96	46.64	0.4
06-Feb-2022 03:55	6.8		140.06	46.77	0.3
06-Feb-2022 04:00	6.8			47	0.3
06-Feb-2022 04:05	6.8		137.47	46.96	0.2
06-Feb-2022 04:10	6.8			47.2	0.2
06-Feb-2022 04:15	6.8			46.97	0.3
06-Feb-2022 04:20	6.8			47.48	0.3
06-Feb-2022 04:25	6.8		145.44	47.39	0.3
06-Feb-2022 04:30	6.8			47.73	0.3

No. Of Corrections  
on this page- *now*

# 400

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 04:35	6.8		147	47.77	0.3
06-Feb-2022 04:40	6.8		142.43	47.48	0.2
06-Feb-2022 04:45	6.8			47.48	0.3
06-Feb-2022 04:50	6.8			48.07	0.3
06-Feb-2022 04:55	6.8		173.38	47.62	0.4
06-Feb-2022 05:00	6.8		149.44	48.16	0.3
06-Feb-2022 05:05	6.8		128.99	47.45	0.3
06-Feb-2022 05:10	6.8			47.8	0.3
06-Feb-2022 05:15	6.8			47.35	0.3
06-Feb-2022 05:20	6.8			47.2	0.3
06-Feb-2022 05:25	6.8		132.9	47.64	0.3
06-Feb-2022 05:30	6.8			47.46	0.3
06-Feb-2022 05:35	6.8			47.62	0.3
06-Feb-2022 05:40	6.8			47.65	0.3
06-Feb-2022 05:45	6.8		162.75	47.43	0.3
06-Feb-2022 05:50	6.8			47.3	0.2
06-Feb-2022 05:55	6.8			47.99	0.3
06-Feb-2022 06:00	6.8			47.1	0.3
06-Feb-2022 06:05	6.8		141.02	47.51	0.4
06-Feb-2022 06:10	6.8			47.96	0.3
06-Feb-2022 06:15	6.8				0.3
06-Feb-2022 06:20	6.8			47.59	0.3
06-Feb-2022 06:25	6.8			47.91	0.3
06-Feb-2022 06:30	6.8			47.96	0.3
06-Feb-2022 06:35	6.8		153.6	47.52	0.4
06-Feb-2022 06:40	6.8			48.05	0.3
06-Feb-2022 06:45	6.8			47.84	0.3



No. Of Corrections  
on this page- *AKS*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 06:50	6.8			48.09	0.3
06-Feb-2022 06:55	6.8			48.06	0.3
06-Feb-2022 07:00	6.8			47.89	0.4
06-Feb-2022 07:05	6.8			47.55	0.2
06-Feb-2022 07:10	6.8	147.55		48.05	0.3
06-Feb-2022 07:15	6.8	159.75		47.84	0.4
06-Feb-2022 07:20	6.8	157.23		48.1	0.4
06-Feb-2022 07:25	6.8	140.38		48.2	0.3
06-Feb-2022 07:30	6.8	157.26		47.97	0.3
06-Feb-2022 07:35	6.8			47.99	0.3
06-Feb-2022 07:40	6.8			47.97	0.3
06-Feb-2022 07:45	6.8			48.17	0.2
06-Feb-2022 07:50	6.8			48.11	0.4
06-Feb-2022 07:55	6.8			47.62	0.3
06-Feb-2022 08:00	6.8	168.77		48.24	0.4
06-Feb-2022 08:05	6.8	140.75		48.1	0.4
06-Feb-2022 08:10	6.8			48.28	0.2
06-Feb-2022 08:15	6.8			48.4	0
06-Feb-2022 08:20	6.8			48.11	0
06-Feb-2022 08:25	6.8			48.09	0
06-Feb-2022 08:30	6.8	139.09		48.44	0
06-Feb-2022 08:35	6.8			48.26	0
06-Feb-2022 08:40	6.8	148.75		48.03	0
06-Feb-2022 08:45	6.8	149.95		48.38	0
06-Feb-2022 08:50	6.8	148.73		48.52	0
06-Feb-2022 08:55	6.8	151.47		48.09	0
06-Feb-2022 09:00	6.8			48.79	0

No. Of Corrections  
on this page- *ND*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 09:05	6.8		152.16	48.68	0
06-Feb-2022 09:10	6.8		148.74	48.73	0
06-Feb-2022 09:15	6.8			48.58	0
06-Feb-2022 09:20	6.8			48.34	0
06-Feb-2022 09:25	6.8			48.69	0
06-Feb-2022 09:30	6.8			48.29	0
06-Feb-2022 09:35	6.8			48.78	0
06-Feb-2022 09:40	6.8			48.73	0
06-Feb-2022 09:45	6.8		152.09	48.68	0
06-Feb-2022 09:50	6.8			48.07	0
06-Feb-2022 09:55	6.8	65.57	143.41	48.42	0
06-Feb-2022 10:00	6.8		141.57	48.57	0
06-Feb-2022 10:05	6.8		166.4	48.44	0.1
06-Feb-2022 10:10	6.8			48.32	0.1
06-Feb-2022 10:15	6.8		145.51	48.65	0.2
06-Feb-2022 10:20	6.8			48.44	0.2
06-Feb-2022 10:25	6.8		154.06	48.52	0.2
06-Feb-2022 10:30	6.8		163.75	48.57	0.2
06-Feb-2022 10:35	6.8		152.87	48.66	0.3
06-Feb-2022 10:40	6.8		154.26	49.01	0.4
06-Feb-2022 10:45	6.8		152.48	49.01	0.4
06-Feb-2022 10:50	6.8		141.49	49	0.4
06-Feb-2022 10:55	6.8		170.13	48.96	0.4
06-Feb-2022 11:00	6.8		145.49	49.02	0.4
06-Feb-2022 11:05	6.8			49.12	59.9
06-Feb-2022 11:10	6.8		156.32	49.17	51.3
06-Feb-2022 11:15	6.8			48.76	50.4

No. Of Corrections  
on this page- *NY*


Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 11:20	6.8			49.48	51
06-Feb-2022 11:25	6.8			49.52	1.9
06-Feb-2022 11:30	6.8			50.63	0.4
06-Feb-2022 11:35	6.8				0.4
06-Feb-2022 11:40	6.8			49.38	0.4
06-Feb-2022 11:45	6.8			49.68	0.4
06-Feb-2022 11:50	6.8			49.86	0.4
06-Feb-2022 11:55	6.8			49.28	0.4
06-Feb-2022 12:00	6.8			49.5	0.5
06-Feb-2022 12:05	6.8			49.29	0.4
06-Feb-2022 12:10	6.8			49.36	0.4
06-Feb-2022 12:15	6.8			49.77	0.4
06-Feb-2022 12:20	6.8		141.99	49.32	0.4
06-Feb-2022 12:25	6.8			49.7	0.5
06-Feb-2022 12:30	6.8		134.39	49.4	0.4
06-Feb-2022 12:35	6.8		148.42	49.34	0.5
06-Feb-2022 12:40	6.8		153.06	49.82	0.4
06-Feb-2022 12:45	6.8			49.86	0.5
06-Feb-2022 12:50	6.8		149.26	49.81	0.4
06-Feb-2022 12:55	6.8	78.28	160.09		21.9
06-Feb-2022 13:00	6.8		139.12	49.67	24.2
06-Feb-2022 13:05	6.8				25
06-Feb-2022 13:10	6.8			49.59	25.5
06-Feb-2022 13:15	6.8		132.27	49.47	24.8
06-Feb-2022 13:20	6.8		149.45	49.02	24.5
06-Feb-2022 13:25	6.8			49.6	24.4
06-Feb-2022 13:30	6.8		143.75	49.55	24.5

No. Of Corrections  
on this page- *NGU*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 13:35	6.8			49.11	24.6
06-Feb-2022 13:40	6.8			48.71	24.9
06-Feb-2022 13:45	6.8		139.64	49.3	25
06-Feb-2022 13:50	6.8		170.61	49.48	25
06-Feb-2022 13:55	6.8			48.88	25
06-Feb-2022 14:00	6.8			49.49	24.8
06-Feb-2022 14:05	6.8			49.52	25.2
06-Feb-2022 14:10	6.8			49.64	25.2
06-Feb-2022 14:15	6.8		145.19	49.69	25.1
06-Feb-2022 14:20	6.8		152.04	49.35	25.4
06-Feb-2022 14:25	6.8			49.31	25.2
06-Feb-2022 14:30	6.8		150.51	49.03	25.2
06-Feb-2022 14:35	6.8			49.62	25.2
06-Feb-2022 14:40	6.8		133.12	50.04	25.7
06-Feb-2022 14:45	6.8		147.52	49.79	26
06-Feb-2022 14:50	6.8			48.9	26.2
06-Feb-2022 14:55	6.8			49.7	25.5
06-Feb-2022 15:00	6.8	58.43	139.52		24.8
06-Feb-2022 15:05	6.8		146.88	50.28	0.4
06-Feb-2022 15:10	6.8		141.79	49.78	51.3
06-Feb-2022 15:15	6.8		164.12	50.2	0.4
06-Feb-2022 15:20	6.8		151.19	50.2	0.5
06-Feb-2022 15:25	6.8		162.78	49.87	0.4
06-Feb-2022 15:30	6.8		148.74	50.55	0.5
06-Feb-2022 15:35	6.8		136.62	50.37	0.5
06-Feb-2022 15:40	6.8			50.58	0.5
06-Feb-2022 15:45	6.8		165.86	50.33	0.5

No. Of Corrections  
on this page- *my*

# 405



Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 15:50	6.8		160.74	50.92	0.4
06-Feb-2022 15:55	6.8			50.96	0.4
06-Feb-2022 16:00	6.8		156.57	50.54	0.5
06-Feb-2022 16:05	6.8			50.29	0.4
06-Feb-2022 16:10	6.8		147.46	50.4	0.4
06-Feb-2022 16:15	6.8		139.77	50.63	0.5
06-Feb-2022 16:20	6.8		136.13	50.66	0.4
06-Feb-2022 16:25	6.8			50.18	0.4
06-Feb-2022 16:30	6.8		150.93	50.53	0.4
06-Feb-2022 16:35	6.8			50.5	0.5
06-Feb-2022 16:40	6.8		149.17	50.72	0.5
06-Feb-2022 16:45	6.8		160.75	50.53	0.4
06-Feb-2022 16:50	6.8		164.43	50.74	0.4
06-Feb-2022 16:55	6.8		145.91	50.59	0.4
06-Feb-2022 17:00	6.8		156.25	50.71	0.3
06-Feb-2022 17:05	6.8		143.04	50.55	0.4
06-Feb-2022 17:10	6.8		147.7	50.69	52.7
06-Feb-2022 17:15	6.8		147.15	49.79	49.8
06-Feb-2022 17:20	6.8			51.17	49.8
06-Feb-2022 17:25	6.8		147.19	50.44	51
06-Feb-2022 17:30	6.8		155.17	50.88	50.9
06-Feb-2022 17:35	6.8		163.33	51.09	49.7
06-Feb-2022 17:40	6.8		149.94	51.06	48.5
06-Feb-2022 17:45	6.8		153.9	51.28	50.4
06-Feb-2022 17:50	6.8			51.39	50.5
06-Feb-2022 17:55	6.8			51.9	48.7
06-Feb-2022 18:00	6.8			51.88	47.4

No. Of Corrections on this page- *NLS*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 18:05	6.8		137.53	51.91	47.6
06-Feb-2022 18:10	6.8			53.32	50.2
06-Feb-2022 18:15	6.8	0.8176	151.62	52.26	51.3
06-Feb-2022 18:20	6.8		182.11	52.36	51
06-Feb-2022 18:25	6.8		143.22	52.35	50.3
06-Feb-2022 18:30	6.8		141.11	52.23	49.2
06-Feb-2022 18:35	6.8			51.59	49.1
06-Feb-2022 18:40	6.8			52.09	48.1
06-Feb-2022 18:45	6.8		153.44	52.52	0.4
06-Feb-2022 18:50	6.8			52.31	0.4
06-Feb-2022 18:55	6.8		144.78	52.5	0.2
06-Feb-2022 19:00	6.8		164.65	51.91	0.4
06-Feb-2022 19:05	6.8		142.39	52.39	0.4
06-Feb-2022 19:10	6.8				0.4
06-Feb-2022 19:15	6.8			52.23	0.4
06-Feb-2022 19:20	6.8			51.1	0.4
06-Feb-2022 19:25	6.8		167.73	53.75	0.3
06-Feb-2022 19:30	6.8		142.17	52.6	0.3
06-Feb-2022 19:35	6.8			52.68	0.4
06-Feb-2022 19:40	6.8		142.97	52.77	0.3
06-Feb-2022 19:45	6.8		166.14	52.92	0.4
06-Feb-2022 19:50	6.8		152.03	52.63	0.2
06-Feb-2022 19:55	6.8			52.9	0.3
06-Feb-2022 20:00	6.8			52.61	0.3
06-Feb-2022 20:05	6.8		145.78	52.23	0.4
06-Feb-2022 20:10	6.8		138.47	53.01	0.4
06-Feb-2022 20:15	6.8		171.06	52.31	0.3


Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 20:20	6.8		142.31	52.96	0.2
06-Feb-2022 20:25	6.8			52.98	0.3
06-Feb-2022 20:30	6.8		156.14	52.69	0.4
06-Feb-2022 20:35	6.8		141.79	53.18	0.3
06-Feb-2022 20:40	6.8			52.94	0.3
06-Feb-2022 20:45	6.8			52.73	0.3
06-Feb-2022 20:50	6.8			53.37	0.2
06-Feb-2022 20:55	6.8		152.45	52.98	0.3
06-Feb-2022 21:00	6.8			52.83	0.3
06-Feb-2022 21:05	6.8			53.02	0.4
06-Feb-2022 21:10	6.8			53.69	0.4
06-Feb-2022 21:15	6.8		137.91	53.15	54.5
06-Feb-2022 21:20	6.8		149.64	53.09	51.7
06-Feb-2022 21:25	6.8		146.78	52.64	49.7
06-Feb-2022 21:30	6.8		138.19	52.7	49.8
06-Feb-2022 21:35	6.8		146.26	52.64	50.6
06-Feb-2022 21:40	6.8			52.38	49.9
06-Feb-2022 21:45	6.8			53.75	49.8
06-Feb-2022 21:50	6.8		158.12	53.18	50
06-Feb-2022 21:55	6.8		158.23	53.66	50.1
06-Feb-2022 22:00	6.8			53.69	48
06-Feb-2022 22:05	6.8			53.23	48.2
06-Feb-2022 22:10	6.8		157.12	53.92	0.3
06-Feb-2022 22:15	6.8		144.78	54.09	0.2
06-Feb-2022 22:20	6.8		141.79	54.01	0.3
06-Feb-2022 22:25	6.8		155.12	54	0.4
06-Feb-2022 22:30	6.8		163.18	53.62	0.4

No. Of Corrections  
on this page- *MAJ*

Timestamp	pH	BOD	COD	TSS	FLOW
06-Feb-2022 22:35	6.8			53.21	0.4
06-Feb-2022 22:40	6.8		186.4	54.52	0.3
06-Feb-2022 22:45	6.8		164.57	53.83	0.3
06-Feb-2022 22:50	6.8		164.66	53.74	0.3
06-Feb-2022 22:55	6.8			52.45	0.3
06-Feb-2022 23:00	6.8			53.71	0.4
06-Feb-2022 23:05	6.8		148.94	54.02	0.4
06-Feb-2022 23:10	6.8		139.18	53.55	0.3
06-Feb-2022 23:15	6.8			53.47	0.3
06-Feb-2022 23:20	6.8			54.33	0.2
06-Feb-2022 23:25	6.8			54.23	0.3
06-Feb-2022 23:30	6.8		146.87	53.17	0.3
06-Feb-2022 23:35	6.8		146.81	53.47	0.4
06-Feb-2022 23:40	6.8		169.78	53.43	0.3
06-Feb-2022 23:45	6.8		169.78	53.22	0.3
06-Feb-2022 23:50	6.8		156.57	53.66	0.4
06-Feb-2022 23:55	6.8			54.21	0.4
07-Feb-2022 00:00	6.8		149.29	53.27	0.3
07-Feb-2022 00:05	6.8			53.31	0.3
07-Feb-2022 00:10	6.8		151.9	52.94	0.3
07-Feb-2022 00:15	6.8		144.26	53.48	0.4
07-Feb-2022 00:20	6.8		144.19	52.51	0.4
07-Feb-2022 00:25	6.8		150.44	53.83	0.4
07-Feb-2022 00:30	6.8		166.17	54.4	0.4
07-Feb-2022 00:35	6.8			53.3	0.3
07-Feb-2022 00:40	6.8		152.01	53.63	0.4
07-Feb-2022 00:45	6.8		150.99	53.63	0.3

No. Of Corrections  
on this page- *WOL*


Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 00:50	6.8			54.17	0.4
07-Feb-2022 00:55	6.8			53.41	0.4
07-Feb-2022 01:00	6.8		142.18	52.92	0.4
07-Feb-2022 01:05	6.8			54.45	0.4
07-Feb-2022 01:10	6.8		156.85	54.11	0.4
07-Feb-2022 01:15	6.8		152.88	53.87	0.4
07-Feb-2022 01:20	6.8		149.02	53.48	0.2
07-Feb-2022 01:25	6.8		135.62	54.34	0.3
07-Feb-2022 01:30	6.8			53.87	0.3
07-Feb-2022 01:35	6.8		154.07	53.91	0.4
07-Feb-2022 01:40	6.8			53.73	0.3
07-Feb-2022 01:45	6.8		163.02	53.69	0.4
07-Feb-2022 01:50	6.8		153.54	54.09	0.4
07-Feb-2022 01:55	6.8			54.29	0.2
07-Feb-2022 02:00	6.8		140.46	54.01	0.2
07-Feb-2022 02:05	6.8			56.01	0.3
07-Feb-2022 02:10	6.8			55.15	0.3
07-Feb-2022 02:15	6.8		159.59	53.7	0.4
07-Feb-2022 02:20	6.8		168.06	54.23	0.4
07-Feb-2022 02:25	6.8		150.97	54.07	0.2
07-Feb-2022 02:30	6.8		139.74	54.07	0.4
07-Feb-2022 02:35	6.8		138.32	55.56	0.2
07-Feb-2022 02:40	6.8		160.97	54.09	0.4
07-Feb-2022 02:50	6.8		148.66	54.61	0.4
07-Feb-2022 09:25	7.5		149.62	55.14	0.2
07-Feb-2022 09:30	7.5		146.95	54.54	0.2
07-Feb-2022 09:35	7.5		150.44	55.55	0.2



No. Of Corrections on this page- *NLM*

# 410

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 09:40	7.5		147.68	55.23	0.2
07-Feb-2022 09:45	7.5		156.76	54.84	0.2
07-Feb-2022 09:50	7.5		147.55	54.92	0.2
07-Feb-2022 09:55	7.49		146.76	55.16	0.3
07-Feb-2022 10:00	7.43			56.1	0.3
07-Feb-2022 10:05	7.38		142.82	55	0.3
07-Feb-2022 10:10	7.35			56.28	0.4
07-Feb-2022 10:15	7.32		153.67	56.73	53.9
07-Feb-2022 10:20	7.29			56.78	51.7
07-Feb-2022 10:25	7.27			56.64	0.4
07-Feb-2022 10:30	7.25			56.41	90.5
07-Feb-2022 10:35	7.23			57.43	91.4
07-Feb-2022 10:40	7.22		155.55	56.86	91.1
07-Feb-2022 10:45	7.21			58.05	90.6
07-Feb-2022 10:50	7.2			57.24	90
07-Feb-2022 10:55	7.2			56.08	89.7
07-Feb-2022 11:00	7.2			56.8	89.7
07-Feb-2022 11:05	7.19			55.22	89.8
07-Feb-2022 11:10	7.19			58.97	89.8
07-Feb-2022 11:15	7.19			59.24	88.6
07-Feb-2022 11:20	7.19			57.46	89.1
07-Feb-2022 11:25	7.19		189.48	56.53	88
07-Feb-2022 11:30	7.19		169.91	56.24	87.8
07-Feb-2022 11:35	7.19		164.87	56.41	88.1
07-Feb-2022 11:40	7.19		149.28	56.42	0.4
07-Feb-2022 11:45	7.19			56.68	0.4
07-Feb-2022 11:50	7.19			56.29	0.5



No. Of Corrections on this page- *NU*

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 11:55	7.19		176.12	56.18	0.5
07-Feb-2022 12:00	7.19		167.76	56.2	0.5
07-Feb-2022 12:05	7.18		165.4	55.99	0.4
07-Feb-2022 12:10	7.18			56.31	0.5
07-Feb-2022 12:15	7.18		169.76	55.99	0.4
07-Feb-2022 12:20	7.18		156.88	55.95	0.5
07-Feb-2022 12:25	7.18			56.85	0.5
07-Feb-2022 12:30	7.18			55.37	0.5
07-Feb-2022 12:35	7.18			54.49	0.5
07-Feb-2022 12:40	7.18			55.82	0.5
07-Feb-2022 12:45	7.18			56.77	0.5
07-Feb-2022 12:50	7.18			57.2	0.5
07-Feb-2022 12:55	7.18			56.19	0.5
07-Feb-2022 13:00	7.17			58.9	0.5
07-Feb-2022 13:05	7.17			58.11	0.4
07-Feb-2022 13:10	7.17			59.52	0.5
07-Feb-2022 13:15	7.17				0.5
07-Feb-2022 13:20	7.17			56.43	0.5
07-Feb-2022 13:25	7.17			58.16	0.5
07-Feb-2022 13:30	7.16				0.5
07-Feb-2022 13:35	7.16			57.93	0.5
07-Feb-2022 13:40	7.16			57.9	0.5
07-Feb-2022 13:45	7.16		149.97	57.67	0.5
07-Feb-2022 13:50	7.16			56.61	0.5
07-Feb-2022 13:55	7.16			56.16	0.5
07-Feb-2022 14:00	7.15			55.6	0.5
07-Feb-2022 14:05	7.15		147.91	57.54	0.5

No. Of Corrections  
on this page- *nm*

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 14:10	7.15			56.16	0.5
07-Feb-2022 14:15	7.15		152.63	57.22	0.5
07-Feb-2022 14:20	7.15			58.06	0.5
07-Feb-2022 14:25	7.14			58.87	0.5
07-Feb-2022 14:30	7.14	74.95	155.72	56.18	0.5
07-Feb-2022 14:35	7.14			58.6	0.5
07-Feb-2022 14:40	7.14		149.14	57.44	0.5
07-Feb-2022 14:45	7.14			57.48	0.5
07-Feb-2022 14:50	7.13			58.19	0.5
07-Feb-2022 14:55	7.13		150.06	57.62	0.5
07-Feb-2022 15:00	7.13			56.96	0.5
07-Feb-2022 15:05	7.13		144.51	57.09	0.5
07-Feb-2022 15:10	7.13			57.98	0.5
07-Feb-2022 15:15	7.12			56.73	0.5
07-Feb-2022 15:20	7.12		180.92	58.17	0.5
07-Feb-2022 15:25	7.12			56.02	0.5
07-Feb-2022 15:30	7.12			55.54	0.5
07-Feb-2022 15:35	7.11			55.21	0.5
07-Feb-2022 15:40	7.11			55.96	0.5
07-Feb-2022 15:45	7.11			56.95	0.5
07-Feb-2022 15:50	7.11		140.6	57.02	0.5
07-Feb-2022 15:55	7.1		152.75	56.9	0.5
07-Feb-2022 16:00	7.1			57.13	0.5
07-Feb-2022 16:05	7.1			57.83	0.5
07-Feb-2022 16:10	7.1		149.84	56.09	0.5
07-Feb-2022 16:15	7.1			56.24	0.5
07-Feb-2022 16:20	7.09			58.91	0.5

# 413

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 16:25	7.09		149.07	57.93	0.5
07-Feb-2022 16:30	7.09			57.25	0.5
07-Feb-2022 16:35	7.09		157.99	58.38	0
07-Feb-2022 16:40	7.08		140.67	58.36	0
07-Feb-2022 16:45	7.08			58.35	0
07-Feb-2022 16:50	7.08			59.3	0
07-Feb-2022 16:55	7.08			57.56	0
07-Feb-2022 17:00	7.08		162.07	58.3	0
07-Feb-2022 17:05	7.07			56.9	0
07-Feb-2022 17:10	7.07		150.86	57.73	0
07-Feb-2022 17:15	7.07			57.65	0
07-Feb-2022 17:20	7.07		138.84	59.33	0
07-Feb-2022 17:25	7.06		145.26	57.92	0
07-Feb-2022 17:30	7.06		167.91	57.16	0
07-Feb-2022 17:35	7.06			57.73	0
07-Feb-2022 17:40	7.06		146.08	56.1	0
07-Feb-2022 17:45	7.06			57.88	0
07-Feb-2022 17:50	7.05			57.31	0
07-Feb-2022 17:55	7.05		160.35	58.35	0
07-Feb-2022 18:00	7.05		147.26	58.4	0
07-Feb-2022 18:05	7.05		147.39	58.92	0
07-Feb-2022 18:10	7.05			58.07	0
07-Feb-2022 18:15	7.05		152.75	58.45	0
07-Feb-2022 18:20	7.04		144.39	59.45	0
07-Feb-2022 18:25	7.04		149.15	60.16	0
07-Feb-2022 18:30	7.04			58.45	0
07-Feb-2022 18:35	7.04			59.33	0

No.Of Corrections  
on this page- 009

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 18:40	7.04			59.56	0
07-Feb-2022 18:45	7.04		142.07	59.71	0
07-Feb-2022 18:50	7.03		147.48	58.56	0
07-Feb-2022 18:55	7.03			59.28	0
07-Feb-2022 19:00	7.03		149.88	58.19	0
07-Feb-2022 19:05	7.03			57.86	0
07-Feb-2022 19:10	7.03			58.3	0
07-Feb-2022 19:15	7.03			57.91	0
07-Feb-2022 19:20	7.03			59.36	0
07-Feb-2022 19:25	7.03			59.7	0
07-Feb-2022 19:30	7.03		140.98	58.16	0
07-Feb-2022 19:35	7.02		155.32	59.16	0
07-Feb-2022 19:40	7.02			60.68	0
07-Feb-2022 19:45	7.02			57.33	0
07-Feb-2022 19:50	7.02			58.63	0
07-Feb-2022 19:55	7.02			58.24	0
07-Feb-2022 20:00	7.02			58.28	0
07-Feb-2022 20:05	7.02		134.08	59.5	0
07-Feb-2022 20:10	7.02			58.69	0
07-Feb-2022 20:15	7.02		146.76	57.6	0
07-Feb-2022 20:20	7.01			59.23	0
07-Feb-2022 20:25	7.02			60.19	0.2
07-Feb-2022 20:30	7.01			60.86	0.2
07-Feb-2022 20:35	7.01			56.69	0.2
07-Feb-2022 20:40	7.01			62.76	0.2
07-Feb-2022 20:45	7.01		167.1	58.08	0.3
07-Feb-2022 20:50	7.01			58.32	0.2

# 415

Timestamp	pH	BOD	COD	TSS	FLOW
07-Feb-2022 20:55	7.01	73.23	153.47	60.33	0.2
07-Feb-2022 22:35	7				0.4
08-Feb-2022 00:25	6.8			59.12	0.3
08-Feb-2022 02:10	6.8	75.47	156.42	58.63	0.3
08-Feb-2022 03:55	6.8			59.65	0.4
08-Feb-2022 05:40	6.8		147.5	60.04	0.3
08-Feb-2022 07:25	6.8			64.01	0.2
08-Feb-2022 09:10	6.81			62.27	0.3
08-Feb-2022 10:55	6.81		161.37	62.38	88.1
08-Feb-2022 12:40	6.8			59.25	0.5
08-Feb-2022 14:25	6.8	88.22	173.15	62.34	0.5
08-Feb-2022 14:30	6.8		160.89	61.75	0.5
08-Feb-2022 14:35	6.8	68.59	147.38	63.71	0.5
08-Feb-2022 14:40	6.8				0.4
08-Feb-2022 14:45	6.8			62.46	0.5
08-Feb-2022 14:50	6.8	60.98	144.89		89.3
08-Feb-2022 14:55	6.8			61.65	88.9
08-Feb-2022 15:00	6.8				88.1
08-Feb-2022 15:05	6.8			63.21	87.6
08-Feb-2022 15:10	6.8	71.99	151.84	64.31	0.5
08-Feb-2022 15:15	6.8			63.65	0.5
08-Feb-2022 15:20	6.8	64.94	142.59	63.2	0.4
08-Feb-2022 15:25	6.8		159.96	62	0.5
08-Feb-2022 15:30	6.8			61.43	0.4
08-Feb-2022 15:35	6.8			60.71	0.4
08-Feb-2022 15:40	6.8			64.8	0.4
08-Feb-2022 15:45	6.8		144.41	63.8	0.4

No. Of Corrections  
on this page - 0

Timestamp	pH	BOD	COD	TSS	FLOW
08-Feb-2022 15:50	6.8			64.72	0.5
08-Feb-2022 15:55	6.8			65.08	0.4
08-Feb-2022 18:15	6.81			59.37	88.5
08-Feb-2022 18:20	6.81			61.52	88.6
08-Feb-2022 18:25	6.81				87.9
08-Feb-2022 18:30	6.81			65.67	86.8
08-Feb-2022 18:35	6.81				85.9
08-Feb-2022 18:40	6.81			64.34	82.5
08-Feb-2022 18:45	6.81			62.04	82.4
08-Feb-2022 18:50	6.81			63.05	2.3
08-Feb-2022 18:55	6.81			66.01	0.4
08-Feb-2022 19:00	6.81			63.18	0.3
08-Feb-2022 19:05	6.81			63.18	0.4
08-Feb-2022 19:10	6.81			58.47	0.4
08-Feb-2022 19:15	6.8			64.54	0.4
08-Feb-2022 19:20	6.8			62.89	0.4
08-Feb-2022 19:25	6.8			61.98	0.4
08-Feb-2022 19:30	6.8	67.67	146.17	58.59	0.4
08-Feb-2022 19:35	6.8			63.67	0.4
08-Feb-2022 19:40	6.8			59.74	0.4
08-Feb-2022 19:45	6.8			64.58	0.4
08-Feb-2022 19:50	6.8		146.55	60.66	0.4
08-Feb-2022 19:55	6.8	75.45	156.38		0.4
08-Feb-2022 20:00	6.8			65.33	0.4
08-Feb-2022 20:05	6.8			64.56	0.4
08-Feb-2022 20:10	6.8			66.05	0.4
08-Feb-2022 20:15	6.8		149.39	63.29	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
08-Feb-2022 20:20	6.8				0.4
08-Feb-2022 20:25	6.8			59.19	0.3
08-Feb-2022 20:30	6.8			62.77	0.4
08-Feb-2022 20:35	6.8			63.94	0.3
08-Feb-2022 20:40	6.8			64.41	0.4
08-Feb-2022 20:45	6.8			60.72	0.4
08-Feb-2022 20:50	6.8		147.15	65.89	0.4
08-Feb-2022 20:55	6.8			63.9	0.3
08-Feb-2022 21:00	6.8			63.07	0.4
08-Feb-2022 21:05	6.8			64.01	0.4
08-Feb-2022 21:10	6.8			60.12	0.4
08-Feb-2022 21:15	6.8		139.37	65.47	0.4
08-Feb-2022 21:20	6.8			63.03	0.4
08-Feb-2022 21:25	6.8				0.4
08-Feb-2022 21:30	6.8		139.38	61.2	0.3
08-Feb-2022 21:35	6.8			62.53	0.3
08-Feb-2022 21:40	6.8	72.75	152.83		0.4
08-Feb-2022 21:45	6.8	61.49	146.53		0.4
08-Feb-2022 21:50	6.8	64.03	141.39		0.4
08-Feb-2022 21:55	6.8			63.29	0.3
08-Feb-2022 22:00	6.8			59.86	0.4
08-Feb-2022 22:05	6.8			60.2	0.3
08-Feb-2022 22:10	6.8	58.38	133.97	64.26	0.3
08-Feb-2022 22:15	6.8	71.26	150.88	66.13	0.4
08-Feb-2022 22:20	6.8	71.25	150.87	64.75	0.4
08-Feb-2022 22:25	6.8				0.3
08-Feb-2022 22:30	6.8		145.24	64.89	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
08-Feb-2022 22:35	6.8			63.73	0.3
08-Feb-2022 22:40	6.8			65.92	0.2
08-Feb-2022 22:45	6.8				0.3
08-Feb-2022 22:50	6.8	82.36	165.46	65.24	0.3
08-Feb-2022 22:55	6.8			64.19	0.3
08-Feb-2022 23:00	6.8				0.3
08-Feb-2022 23:05	6.8	59.77	135.79		0.4
08-Feb-2022 23:10	6.8		152.42	65.15	0.4
08-Feb-2022 23:15	6.8	83.91	167.49		0.3
08-Feb-2022 23:20	6.8				0.4
08-Feb-2022 23:25	6.8				0.4
08-Feb-2022 23:30	6.8			65.7	0.3
08-Feb-2022 23:35	6.8		136.7	64.99	0.4
08-Feb-2022 23:40	6.8			65.22	0.3
08-Feb-2022 23:45	6.8			64.95	0.3
08-Feb-2022 23:50	6.8			64.68	0.4
08-Feb-2022 23:55	6.8			62.83	0.3
09-Feb-2022 00:00	6.8			64.98	0.4
09-Feb-2022 00:05	6.8			61.29	0.3
09-Feb-2022 00:10	6.8				0.4
09-Feb-2022 00:15	6.8				0.3
09-Feb-2022 00:20	6.8		143.98	62.83	0.4
09-Feb-2022 00:25	6.8			65.59	0.4
09-Feb-2022 00:30	6.8			64	0.3
09-Feb-2022 00:35	6.8				0.3
09-Feb-2022 00:40	6.8		134.14	64.13	0.3
09-Feb-2022 00:45	6.8			66.14	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 00:50	6.8				0.3
09-Feb-2022 00:55	6.8	58.71	134.41	60.95	0.4
09-Feb-2022 01:00	6.8		148.15	62.15	0.2
09-Feb-2022 01:05	6.8	68.66	147.47	65.28	0.4
09-Feb-2022 01:10	6.8				0.3
09-Feb-2022 01:15	6.8			65.48	0.2
09-Feb-2022 01:20	6.8			59.66	0.4
09-Feb-2022 01:25	6.8			64.74	0.3
09-Feb-2022 01:30	6.8			63.78	0.3
09-Feb-2022 01:35	6.8				0.4
09-Feb-2022 01:40	6.8	74.96	155.74	63.41	0.3
09-Feb-2022 01:45	6.8				0.3
09-Feb-2022 01:50	6.8	58.27	141.79		0.3
09-Feb-2022 01:55	6.8			64.22	0.4
09-Feb-2022 02:00	6.8		166.16	64.11	0.3
09-Feb-2022 02:05	6.8				0.3
09-Feb-2022 02:10	6.8			65.55	0.4
09-Feb-2022 02:15	6.8			61.26	0.3
09-Feb-2022 02:20	6.8	56.03	138.75		0.4
09-Feb-2022 02:25	6.8		174.49	64.74	0.3
09-Feb-2022 02:30	6.8				0.3
09-Feb-2022 02:35	6.8	67.23	153.66		0.4
09-Feb-2022 02:40	6.8	62.26	147.4		0.3
09-Feb-2022 02:45	6.8				0.2
09-Feb-2022 02:50	6.8	61.02	145.39		0.4
09-Feb-2022 02:55	6.8				0.4
09-Feb-2022 03:00	6.8	58.11	140.88		0.4

No. Of Corrections  
on this page- 104

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 03:05	6.8	73.59	153.94	62.39	0.3
09-Feb-2022 03:10	6.8				0.3
09-Feb-2022 03:15	6.8	56.23	139.6		0.4
09-Feb-2022 03:20	6.8	77.23	167.34		0.4
09-Feb-2022 03:25	6.8				0.4
09-Feb-2022 03:30	6.8				0.3
09-Feb-2022 03:35	6.8	62.62	139.55	64.29	0.4
09-Feb-2022 03:40	6.8			63.32	0.3
09-Feb-2022 03:45	6.8	60.05	144.48		0.4
09-Feb-2022 03:50	6.8				0.2
09-Feb-2022 03:55	6.8				0.3
09-Feb-2022 04:00	6.8	74.69	164.13		0.3
09-Feb-2022 04:05	6.8				0.3
09-Feb-2022 04:10	6.8	60.43	136.66		0.3
09-Feb-2022 04:15	6.8		133.06	62.52	0.4
09-Feb-2022 04:20	6.8			62.27	0.3
09-Feb-2022 04:25	6.8		155.92	64.15	0.2
09-Feb-2022 04:30	6.8				0.3
09-Feb-2022 04:35	6.8	70.73	150.19	60.28	0.2
09-Feb-2022 04:40	6.8	77.48	159.05	63.26	0.4
09-Feb-2022 04:45	6.8	74.84	155.58		0.3
09-Feb-2022 04:50	6.8	62.83	147.95		0.3
09-Feb-2022 04:55	6.8	71.98	151.82		0.3
09-Feb-2022 05:00	6.8			65.9	0.4
09-Feb-2022 05:05	6.8	61.13	137.59	66.28	0.3
09-Feb-2022 05:10	6.8	65.97	143.94		0.3
09-Feb-2022 05:15	6.8	70.92	159.1		0.3

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 05:20	6.8	67.39	145.79		0.3
09-Feb-2022 05:25	6.8				0.3
09-Feb-2022 05:30	6.8				0.3
09-Feb-2022 05:35	6.8	54.12	137.07		0.3
09-Feb-2022 05:40	6.8	69.36	148.39		0.3
09-Feb-2022 05:45	6.8	67.54	146		0.2
09-Feb-2022 05:50	6.8	66.73	144.93		0.4
09-Feb-2022 05:55	6.8	75.41	156.33		0.3
09-Feb-2022 06:00	6.8	74.33	154.91		0.3
09-Feb-2022 06:05	6.8				0.4
09-Feb-2022 06:10	6.8	64.26	150.32		0.3
09-Feb-2022 06:15	6.8	62.58	139.49	66.2	0.3
09-Feb-2022 06:20	6.8		151.12	63.23	0.2
09-Feb-2022 06:25	6.8	71.42	157.48		0.4
09-Feb-2022 06:30	6.8			65.58	0.2
09-Feb-2022 06:35	6.8			65.51	0.2
09-Feb-2022 06:40	6.8				0.3
09-Feb-2022 06:45	6.8	54.34	136.68		0.2
09-Feb-2022 06:50	6.8		149.72	63.78	0.3
09-Feb-2022 06:55	6.8	65.83	143.74		0.3
09-Feb-2022 07:00	6.8		159.09	66.06	0.3
09-Feb-2022 07:05	6.8	71.46	151.14		0.3
09-Feb-2022 07:10	6.8			63.3	0.2
09-Feb-2022 07:15	6.8	70.17	149.45		0.3
09-Feb-2022 07:20	6.8	68.86	147.73		0.4
09-Feb-2022 07:25	6.8				0.3
09-Feb-2022 07:30	6.8	67.7	146.2		0.3

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 07:35	6.8			64.2	0.3
09-Feb-2022 07:40	6.8	64.51	142.01		0.2
09-Feb-2022 07:45	6.8	71.86	151.66		0.3
09-Feb-2022 07:50	6.8			65.34	0.3
09-Feb-2022 07:55	6.8	60.77	137.11		0.3
09-Feb-2022 08:00	6.8		147.98	64.64	0.3
09-Feb-2022 08:05	6.8	80.97	163.62		0.3
09-Feb-2022 08:10	6.8	66.67	144.86	66.1	0.3
09-Feb-2022 08:15	6.8				0.3
09-Feb-2022 08:20	6.8	68.23	155.12		0.3
09-Feb-2022 08:25	6.8		146.36	63.01	0.3
09-Feb-2022 08:30	6.8	69.75	148.9	63.82	0.4
09-Feb-2022 08:35	6.8				0.3
09-Feb-2022 08:40	6.8				0.4
09-Feb-2022 08:45	6.8	64.16	141.55		0.3
09-Feb-2022 08:50	6.8	77.58	159.18	65.82	0.4
09-Feb-2022 08:55	6.8	59.78	135.8		0.4
09-Feb-2022 09:00	6.8	61.3	146.31		0.4
09-Feb-2022 09:05	6.8				0.3
09-Feb-2022 09:10	6.8	68.28	146.97		0.4
09-Feb-2022 09:15	6.8	67.34	154.1		0.4
09-Feb-2022 09:20	6.8		145.27	65.55	0.4
09-Feb-2022 09:25	6.8	62.53	139.42		0.4
09-Feb-2022 09:30	6.8	69.72	148.86	65.98	0.3
09-Feb-2022 09:35	6.8	62.13	138.89		0.4
09-Feb-2022 09:40	6.8				0.4
09-Feb-2022 09:45	6.8				0.4

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 09:50	6.8	71.99	151.83		0.3
09-Feb-2022 09:55	6.8	68.56	147.33		0.3
09-Feb-2022 10:00	6.8	60.59	145.53		0.4
09-Feb-2022 10:05	6.8	70.18	149.46		0.4
09-Feb-2022 10:10	6.8	69.92	149.12		0.4
09-Feb-2022 11:25	6.81			63.92	0.2
09-Feb-2022 13:15	6.81				0.4
09-Feb-2022 13:20	6.81				0.4
09-Feb-2022 13:25	6.81	60.59	136.86		0.4
09-Feb-2022 13:30	6.81	67.53	145.99		0.4
09-Feb-2022 13:35	6.81	64.48	150.38		0.4
09-Feb-2022 13:40	6.81				0.5
09-Feb-2022 13:45	6.81				0.5
09-Feb-2022 13:50	6.81	62.97	139.99		0.5
09-Feb-2022 13:55	6.8	63.1	148.2		0.5
09-Feb-2022 14:00	6.8	77.91	168.06		0.4
09-Feb-2022 14:05	6.8				0.4
09-Feb-2022 14:10	6.8				0.4
09-Feb-2022 14:15	6.8				0.5
09-Feb-2022 14:20	6.8			64.58	0.4
09-Feb-2022 14:25	6.8				0.4
09-Feb-2022 14:30	6.8			62.73	0.4
09-Feb-2022 14:35	6.8	88.29	173.23		0.4
09-Feb-2022 14:40	6.8				0.4
09-Feb-2022 14:45	6.8				0.4
09-Feb-2022 14:50	6.8	63.56	148.77		0.4
09-Feb-2022 14:55	6.8	69.5	148.56		0.4

No. Of Corrections  
on this page- *NY*

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 15:00	6.8				0.4
09-Feb-2022 15:05	6.8			61.52	0.5
09-Feb-2022 15:10	6.8				0.4
09-Feb-2022 15:15	6.8			64.75	0.4
09-Feb-2022 15:20	6.8				0.4
09-Feb-2022 15:25	6.8				0.4
09-Feb-2022 15:30	6.8	61.22	137.69		0.4
09-Feb-2022 15:35	6.8				0.4
09-Feb-2022 15:40	6.8				0.3
09-Feb-2022 15:45	6.8				0.4
09-Feb-2022 15:50	6.8	73.66	154.02		0.4
09-Feb-2022 15:55	6.8	62.31	139.13		0.4
09-Feb-2022 16:00	6.8			66.01	0.4
09-Feb-2022 16:05	6.8				0.4
09-Feb-2022 16:10	6.8				0.4
09-Feb-2022 16:15	6.8				0.4
09-Feb-2022 16:20	6.8			61.61	0.4
09-Feb-2022 16:25	6.8				0.3
09-Feb-2022 16:30	6.8				0.4
09-Feb-2022 16:35	6.8				0.4
09-Feb-2022 16:40	6.8			61.88	0.4
09-Feb-2022 16:45	6.8				0.4
09-Feb-2022 16:50	6.8			66.02	0.4
09-Feb-2022 16:55	6.8			65.28	0.3
09-Feb-2022 17:00	6.8				0.4
09-Feb-2022 17:05	6.8				0.4
09-Feb-2022 17:10	6.8				0.4

No. Of Corrections  
on this page *104*

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 17:15	6.8				0.3
09-Feb-2022 17:20	6.8			64.34	0.3
09-Feb-2022 17:25	6.8				0.3
09-Feb-2022 17:30	6.8	63.6	140.82		0.3
09-Feb-2022 17:35	6.8	59.79	143.84		0.3
09-Feb-2022 17:40	6.8			64.21	0.2
09-Feb-2022 17:45	6.8				0.2
09-Feb-2022 17:50	6.8				0.2
09-Feb-2022 17:55	6.8				0.2
09-Feb-2022 18:00	6.8	65.98	143.94		0.2
09-Feb-2022 18:05	6.8	60.05	144.73		0.3
09-Feb-2022 18:10	6.8	76.69	158		0.3
09-Feb-2022 18:15	6.8				0.3
09-Feb-2022 18:20	6.8	75.1	155.92		0.3
09-Feb-2022 18:25	6.8		149.54	64.68	0.2
09-Feb-2022 18:30	6.8	83.93	167.51		0.2
09-Feb-2022 18:35	6.8	69.43	148.48		0.2
09-Feb-2022 18:40	6.8				0.2
09-Feb-2022 18:45	6.8				0.2
09-Feb-2022 18:50	6.8	78.08	159.83		0.2
09-Feb-2022 18:55	6.8			66.22	0.2
09-Feb-2022 19:00	6.8			64.03	0.2
09-Feb-2022 19:05	6.8			64.32	0.2
09-Feb-2022 19:10	6.8			64.29	0.2
09-Feb-2022 19:15	6.8	65.01	142.67		0.2
09-Feb-2022 19:20	6.8				0.2
09-Feb-2022 19:25	6.8			62.03	0.2

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 19:30	6.8				0.1
09-Feb-2022 19:35	6.8				0.2
09-Feb-2022 19:40	6.8				0.2
09-Feb-2022 19:45	6.8				0.2
09-Feb-2022 19:50	6.8				0.2
09-Feb-2022 19:55	6.8	63.59	148.44		0.2
09-Feb-2022 20:00	6.8	72.98	153.13		0.2
09-Feb-2022 20:05	6.8				0.3
09-Feb-2022 20:10	6.8				0.3
09-Feb-2022 20:15	6.8	66.3	144.37		0.2
09-Feb-2022 20:20	6.8	70.11	157.93		0.3
09-Feb-2022 20:25	6.8			60.27	0.3
09-Feb-2022 20:30	6.8	79.55	169.93		0.2
09-Feb-2022 20:35	6.8			66.19	0.2
09-Feb-2022 20:40	6.8	57.86	141.7		0.3
09-Feb-2022 20:45	6.8				0.2
09-Feb-2022 20:50	6.8	61.22	137.7		0.2
09-Feb-2022 20:55	6.8	63.96	149.1		0.3
09-Feb-2022 21:00	6.8				0.3
09-Feb-2022 21:05	6.8				0.2
09-Feb-2022 21:10	6.8	69.46	148.51		0.2
09-Feb-2022 21:15	6.8	71.74	151.51		0.2
09-Feb-2022 21:20	6.8	80.36	162.82		0.2
09-Feb-2022 21:25	6.8			64.06	0.2
09-Feb-2022 21:30	6.8				0.2
09-Feb-2022 21:35	6.8	68.1	146.73		0.3
09-Feb-2022 21:40	6.8				0.2

No. Of Corrections  
on this page *NS*

Timestamp	pH	BOD	COD	TSS	FLOW
09-Feb-2022 21:45	6.8				0.2
09-Feb-2022 21:50	6.8	67.8	154.72		0.2
09-Feb-2022 21:55	6.8	59.67	135.66		0.2
09-Feb-2022 22:00	6.8				0.2
09-Feb-2022 22:05	6.8	64.19	141.59		0.2
09-Feb-2022 22:10	6.8		138.06	62.51	0.2
09-Feb-2022 22:15	6.8	71.02	150.56		0.2
09-Feb-2022 22:20	6.8	67.25	145.61		0.2
09-Feb-2022 22:25	6.8	59.35	144.05		0.3
09-Feb-2022 22:30	6.8				0.2
09-Feb-2022 22:35	6.8	68.68	147.49		0.2
09-Feb-2022 22:40	6.8				0.2
09-Feb-2022 22:45	6.8				0.3
09-Feb-2022 22:50	6.8	56.99	140.77		0.2
09-Feb-2022 22:55	6.8				0.3
09-Feb-2022 23:00	6.8	61.98	147.37		0.2
09-Feb-2022 23:05	6.8			65.37	0.2
09-Feb-2022 23:10	6.8				0.2
09-Feb-2022 23:15	6.8	62.62	147.96		0.2
09-Feb-2022 23:20	6.8				0.2
09-Feb-2022 23:25	6.8	66.17	144.2		0.2
09-Feb-2022 23:30	6.8				0.2
09-Feb-2022 23:35	6.8				0.2
09-Feb-2022 23:40	6.8	87.71	181.2		0.2
09-Feb-2022 23:45	6.8				0.2
09-Feb-2022 23:50	6.8				0.3
09-Feb-2022 23:55	6.8	77.21	158.69		0.2

No. Of Corrections  
on this page- *NM*

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 00:00	6.8				0.2
10-Feb-2022 00:05	6.8				0.2
10-Feb-2022 00:10	6.8				0.2
10-Feb-2022 00:15	6.8				0.2
10-Feb-2022 00:25	6.8	65.78	151.9		0.1
10-Feb-2022 00:30	6.8				0.2
10-Feb-2022 00:35	6.8				0.2
10-Feb-2022 00:40	6.8			65.38	0.2
10-Feb-2022 00:45	6.8			62.03	0.2
10-Feb-2022 00:50	6.8			63.2	0.2
10-Feb-2022 00:55	6.8				0.2
10-Feb-2022 09:45	7.5			64.97	0.1
10-Feb-2022 09:50	7.5				86.3
10-Feb-2022 09:55	7.5				84.1
10-Feb-2022 10:00	7.5	75.78	165.03		82.2
10-Feb-2022 10:05	7.5	66.31	144.38		81.8
10-Feb-2022 10:10	7.5				80.8
10-Feb-2022 10:15	7.5			64.83	79
10-Feb-2022 10:20	7.5				76.8
10-Feb-2022 10:25	7.5				76.6
10-Feb-2022 10:30	7.5	74.74	155.44		77.8
10-Feb-2022 10:35	7.5				76.7
10-Feb-2022 10:40	7.5	77.73	159.38		65
10-Feb-2022 10:45	7.5				0.4
10-Feb-2022 10:50	7.5		140.62	64.39	0.4
10-Feb-2022 10:55	7.5	67.19	153.97		0.4
10-Feb-2022 11:00	7.5				0.4

No. Of Corrections  
on this page= *msj*

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 11:05	7.5				0.4
10-Feb-2022 11:10	7.5				0.3
10-Feb-2022 11:15	7.5				0.4
10-Feb-2022 11:20	7.5				0.4
10-Feb-2022 11:25	7.5				0.4
10-Feb-2022 11:30	7.5			65.96	0.5
10-Feb-2022 11:35	7.5			61.61	0.5
10-Feb-2022 11:40	7.5			65.79	0.4
10-Feb-2022 11:45	7.5				0.4
10-Feb-2022 11:50	7.5			65.02	0.4
10-Feb-2022 11:55	7.5			65.74	0.5
10-Feb-2022 12:00	7.5			61.14	0.4
10-Feb-2022 12:05	7.5			62.91	0.5
10-Feb-2022 12:10	7.5				0.4
10-Feb-2022 12:15	7.5			65.32	0.4
10-Feb-2022 12:20	7.5				0.4
10-Feb-2022 12:25	7.5			63.42	0.4
10-Feb-2022 12:30	7.5	76.02	157.13		0.4
10-Feb-2022 12:35	7.5				0.4
10-Feb-2022 12:40	7.5			65.92	0.4
10-Feb-2022 12:45	7.5			64.92	0.5
10-Feb-2022 12:50	7.5				0.4
10-Feb-2022 12:55	7.5	61.82	146.35		0.4
10-Feb-2022 13:00	7.5			64.99	0.5
10-Feb-2022 13:05	7.5			63.32	0.5
10-Feb-2022 13:10	7.5				0.5
10-Feb-2022 13:15	7.5			65.52	0.5

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 13:20	7.5				0.5
10-Feb-2022 13:25	7.5				0.4
10-Feb-2022 13:30	7.5				0.4
10-Feb-2022 13:35	7.5	84.86	177.33		0.5
10-Feb-2022 13:40	7.5	68.16	146.81		0.5
10-Feb-2022 13:45	7.5	64.28	141.71		0.5
10-Feb-2022 13:50	7.5				0.5
10-Feb-2022 13:55	7.5	73.84	154.27		0.5
10-Feb-2022 14:00	7.5		159.8	61.48	0.5
10-Feb-2022 14:05	7.5				0.4
10-Feb-2022 14:10	7.5	74.67	155.35		0.4
10-Feb-2022 14:15	7.5	56.22	139.13		0.5
10-Feb-2022 14:20	7.5		147	63.29	0.4
10-Feb-2022 14:25	7.5				0.4
10-Feb-2022 14:30	7.5				0.5
10-Feb-2022 14:35	7.5				0.5
10-Feb-2022 14:40	7.5	82.29	173.98		0.5
10-Feb-2022 14:45	7.5	71.17	150.75		0.5
10-Feb-2022 14:50	7.5			64.96	0.5
10-Feb-2022 14:55	7.5	71.36	151		0.5
10-Feb-2022 15:00	7.5				0.5
10-Feb-2022 15:05	7.5				0.5
10-Feb-2022 15:10	7.5			61.02	0.5
10-Feb-2022 15:15	7.5			65.1	0.5
10-Feb-2022 15:20	7.5				0.4
10-Feb-2022 15:25	7.5				0.5
10-Feb-2022 15:30	7.5	76.12	157.25		0.5

No. Of Corrections  
on this page- NA

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 15:35	7.5				0.5
10-Feb-2022 15:40	7.5				0.5
10-Feb-2022 15:45	7.5	71.12	150.69		0.5
10-Feb-2022 15:50	7.5	62.56	148.15		0.4
10-Feb-2022 15:55	7.5				0.4
10-Feb-2022 16:00	7.5				0.5
10-Feb-2022 16:05	7.5	72.06	151.93		0.4
10-Feb-2022 16:10	7.5	62.14	147.61		0.5
10-Feb-2022 16:15	7.5				0.4
10-Feb-2022 16:20	7.5				0.4
10-Feb-2022 16:25	7.5				0.5
10-Feb-2022 16:30	7.5			64.29	0.5
10-Feb-2022 16:35	7.5				0.5
10-Feb-2022 16:40	7.5			63.85	0.5
10-Feb-2022 16:45	7.5	70.62	150.04	62.73	0.5
10-Feb-2022 16:50	7.5			63.82	0.4
10-Feb-2022 16:55	7.5			66.1	0.5
10-Feb-2022 17:00	7.5			63.08	0.5
10-Feb-2022 17:05	7.5	76.2	157.37	66.05	0.5
10-Feb-2022 17:10	7.5				0.4
10-Feb-2022 17:15	7.5				0.4
10-Feb-2022 17:20	7.5				0.4
10-Feb-2022 17:25	7.5			61.73	0.5
10-Feb-2022 17:30	7.5			63.81	0.4
10-Feb-2022 17:35	7.5	67.38	145.79	58.37	0.5
10-Feb-2022 17:40	7.5			64.86	0.4
10-Feb-2022 17:45	7.5		134.21	63.8	0.5

No. Of Corrections  
on this page- 20

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 17:50	7.5			64.8	0.5
10-Feb-2022 17:55	7.5	68.04	146.65		0.5
10-Feb-2022 18:00	7.5				0.5
10-Feb-2022 18:05	7.5				0.4
10-Feb-2022 18:10	7.5			63.93	0.4
10-Feb-2022 18:15	7.5				0.4
10-Feb-2022 18:20	7.5			65.5	0.5
10-Feb-2022 18:25	7.5	64.81	142.4		0.4
10-Feb-2022 18:30	7.5				0.4
10-Feb-2022 18:35	7.5	99.47	187.92		0.3
10-Feb-2022 18:40	7.5	76.25	157.43		0.4
10-Feb-2022 18:45	7.5	80.3	171.17		0.4
10-Feb-2022 18:50	7.5				0.4
10-Feb-2022 18:55	7.5	79.62	161.85		0.4
10-Feb-2022 19:00	7.5	78.67	160.61		0.4
10-Feb-2022 19:05	7.5	67.8	146.34		0.4
10-Feb-2022 19:10	7.5				0.4
10-Feb-2022 19:15	7.5				0.4
10-Feb-2022 19:20	7.5				0.4
10-Feb-2022 19:25	7.5			63.3	0.4
10-Feb-2022 19:30	7.5				0.4
10-Feb-2022 19:35	7.5			64.16	0.4
10-Feb-2022 19:40	7.5	71.75	151.52		0.4
10-Feb-2022 19:45	7.5	57.78	141.52		0.4
10-Feb-2022 19:50	7.5				0.4
10-Feb-2022 19:55	7.5				0.4
10-Feb-2022 20:00	7.5	72.78	152.87		0.4

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 20:05	7.5	65.04	142.72		0.4
10-Feb-2022 20:10	7.5				0.4
10-Feb-2022 20:15	7.5				0.4
10-Feb-2022 20:20	7.5				0.4
10-Feb-2022 20:25	7.5	80.15	162.55		0.4
10-Feb-2022 20:30	7.5	69.3	148.31		0.4
10-Feb-2022 20:35	7.5			58.66	0.4
10-Feb-2022 20:40	7.5				0.3
10-Feb-2022 20:45	7.5				0.4
10-Feb-2022 20:50	7.5	71.49	157.86		0.4
10-Feb-2022 20:55	7.5			59.42	0.3
10-Feb-2022 21:00	7.5			60.97	0.4
10-Feb-2022 21:05	7.5			59.8	0.3
10-Feb-2022 21:10	7.5				0.4
10-Feb-2022 21:15	7.5				0.4
10-Feb-2022 21:20	7.5				0.4
10-Feb-2022 21:25	7.5				0.4
10-Feb-2022 21:30	7.5				0.3
10-Feb-2022 21:35	7.5				0.3
10-Feb-2022 21:40	7.5				0.4
10-Feb-2022 21:45	7.5	74.28	163.02		0.3
10-Feb-2022 21:50	7.5			63.1	0.4
10-Feb-2022 21:55	7.5	55.76	139.33		0.4
10-Feb-2022 22:00	7.5				0.3
10-Feb-2022 22:05	7.5			65.04	0.4
10-Feb-2022 22:10	7.5			65.31	0.3
10-Feb-2022 22:15	7.5				0.4

Timestamp	pH	BOD	COD	TSS	FLOW
10-Feb-2022 22:20	7.5				0.4
10-Feb-2022 22:25	7.5			60.38	0.4
10-Feb-2022 22:30	7.5				0.3
10-Feb-2022 22:35	7.5			65.16	0.3
10-Feb-2022 22:40	7.5			64.42	0.3
10-Feb-2022 22:45	7.5			62.33	0.3
10-Feb-2022 22:50	7.5				0.4
10-Feb-2022 22:55	7.5				0.4
10-Feb-2022 23:00	7.5				0.3
10-Feb-2022 23:05	7.5				0.3
10-Feb-2022 23:10	7.5				0.4
10-Feb-2022 23:15	7.5	70.44	149.81	66.21	0.4
10-Feb-2022 23:20	7.5				0.3
10-Feb-2022 23:25	7.5		139.44	65.19	0.4
10-Feb-2022 23:30	7.5	66.25	144.29		0.3
10-Feb-2022 23:35	7.5				0.4
10-Feb-2022 23:40	7.5				0.3
10-Feb-2022 23:45	7.5				0.4
10-Feb-2022 23:50	7.5	64.34	141.8	64.25	0.3
10-Feb-2022 23:55	7.5				0.4
11-Feb-2022 00:00	7.5				0.3
11-Feb-2022 00:05	7.5	65.56	143.39		0.3
11-Feb-2022 00:10	7.5	79.6	161.84	65.72	0.3
11-Feb-2022 00:15	7.5				0.3
11-Feb-2022 00:20	7.5	58.31	141.78		0.2
11-Feb-2022 00:25	7.5				0.3
11-Feb-2022 00:30	7.5				0.3

No. Of Corrections  
on this page- *ms*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 00:35	7.5	67	145.29		0.2
11-Feb-2022 00:40	7.5	65.58	143.43		0.4
11-Feb-2022 00:45	7.5	69.76	148.91	65.5	0.3
11-Feb-2022 00:50	7.5	78.71	160.66		0.3
11-Feb-2022 00:55	7.5	63.98	141.31		0.2
11-Feb-2022 01:00	7.5	86.77	171.24		0.3
11-Feb-2022 01:05	7.5				0.3
11-Feb-2022 01:10	7.5	74.68	155.37		0.3
11-Feb-2022 01:15	7.5	92.98	179.39		0.2
11-Feb-2022 01:20	7.5	73.69	154.06		0.3
11-Feb-2022 01:25	7.5	79.95	162.28		0.3
11-Feb-2022 01:30	7.5	76.92	158.3		0.3
11-Feb-2022 01:35	7.5	78.11	159.87		0.3
11-Feb-2022 01:40	7.5				0.2
11-Feb-2022 01:45	7.5	77.01	158.42		0.2
11-Feb-2022 01:50	7.5	74.41	155.01		0.3
11-Feb-2022 01:55	7.5				0.3
11-Feb-2022 02:00	7.5	86.59	179.28		0.3
11-Feb-2022 02:05	7.5	80.41	162.89		0.3
11-Feb-2022 02:10	7.5				0.2
11-Feb-2022 02:15	7.5				0.3
11-Feb-2022 02:20	7.5	81.19	172.51		0.3
11-Feb-2022 02:25	7.5	82.02	165		0.4
11-Feb-2022 02:30	7.5				0.4
11-Feb-2022 02:35	7.5	55.49	138.9		0.3
11-Feb-2022 02:40	7.5	76.72	158.05		0.3
11-Feb-2022 02:45	7.5				0.3

No. Of Corrections  
on this page- 110

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 02:50	7.5	71.16	159.17		0.3
11-Feb-2022 02:55	7.5	70.87	150.36		0.3
11-Feb-2022 03:00	7.5				0.3
11-Feb-2022 03:05	7.5	61.81	138.47		0.4
11-Feb-2022 03:10	7.5				0.3
11-Feb-2022 03:15	7.5	65.46	143.26		0.4
11-Feb-2022 03:20	7.5	74.89	155.64		0.3
11-Feb-2022 03:25	7.49				0.2
11-Feb-2022 03:30	7.49				0.2
11-Feb-2022 03:35	7.49	67.77	146.3		0.3
11-Feb-2022 03:40	7.49	68.5	147.26		0.3
11-Feb-2022 03:45	7.49	82.71	165.91		0.3
11-Feb-2022 03:50	7.49			62.87	0.3
11-Feb-2022 03:55	7.49				0.3
11-Feb-2022 04:00	7.48				0.3
11-Feb-2022 04:05	7.48	63.31	140.44		0.2
11-Feb-2022 04:10	7.48				0.3
11-Feb-2022 04:15	7.48	69.81	148.98		0.3
11-Feb-2022 04:20	7.48	63.74	141.01		0.3
11-Feb-2022 04:25	7.48				0.2
11-Feb-2022 04:30	7.48	65.37	143.14		0.4
11-Feb-2022 04:35	7.48	65.84	143.76		0.3
11-Feb-2022 04:40	7.47	60.87	137.24		0.3
11-Feb-2022 04:45	7.47	57.59	141.66		0.3
11-Feb-2022 04:50	7.47				0.2
11-Feb-2022 04:55	7.47	70.33	149.65		0.3
11-Feb-2022 05:00	7.47				0.2

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 05:05	7.47				0.2
11-Feb-2022 05:10	7.47				0.2
11-Feb-2022 05:15	7.47	66.67	144.85		0.2
11-Feb-2022 05:20	7.46	73.61	153.97		0.2
11-Feb-2022 05:25	7.46	67.14	145.47		0.3
11-Feb-2022 05:30	7.46	69.41	148.45		0.3
11-Feb-2022 05:35	7.46	64.7	142.27		0.3
11-Feb-2022 05:40	7.46	82.04	165.03		0.2
11-Feb-2022 05:45	7.46	85.43	169.48		0.2
11-Feb-2022 05:50	7.46	78.75	160.72		0.2
11-Feb-2022 05:55	7.46	74.52	155.16		0.2
11-Feb-2022 06:00	7.46	71.89	151.71		0.3
11-Feb-2022 06:05	7.46	76.88	158.26		0.2
11-Feb-2022 06:10	7.45	71.07	150.62		0.3
11-Feb-2022 06:15	7.45				0.3
11-Feb-2022 06:20	7.45				0.3
11-Feb-2022 06:25	7.45				0.2
11-Feb-2022 06:30	7.45	64.72	142.29		0.3
11-Feb-2022 06:35	7.45				0.2
11-Feb-2022 06:40	7.45	82.23	165.28		0.3
11-Feb-2022 06:45	7.45	72.06	151.93		0.2
11-Feb-2022 06:50	7.45	90.63	176.31		0.3
11-Feb-2022 06:55	7.44	81.09	163.78		0.3
11-Feb-2022 07:00	7.44	96.29	183.74		0.3
11-Feb-2022 07:05	7.44	85.3	169.32		0.3
11-Feb-2022 07:10	7.44	59.76	144.16		0.2
11-Feb-2022 07:15	7.44	84.18	167.84		0.3

No. Of Corrections  
on this page- *NAJ*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 07:20	7.44	56.36	139.45		0.3
11-Feb-2022 07:25	7.44				0.3
11-Feb-2022 07:30	7.44			66.08	0.3
11-Feb-2022 07:35	7.44			62.2	0.2
11-Feb-2022 07:40	7.44	74.54	155.19		0.2
11-Feb-2022 07:45	7.43	98.03	186.03		0.3
11-Feb-2022 07:50	7.43	80.97	163.63		0.4
11-Feb-2022 07:55	7.43	76.83	166.51		0.3
11-Feb-2022 08:00	7.43	80.26	162.7		0.3
11-Feb-2022 08:05	7.43				0.3
11-Feb-2022 08:10	7.43				0.2
11-Feb-2022 08:15	7.43				0.3
11-Feb-2022 08:20	7.43				0.4
11-Feb-2022 08:25	7.43				0.3
11-Feb-2022 08:30	7.43				0.4
11-Feb-2022 08:35	7.43	77.97	159.68		0.4
11-Feb-2022 08:40	7.42	70.94	150.46		0.2
11-Feb-2022 08:45	7.42	78.53	160.43		0.2
11-Feb-2022 08:50	7.42				0.3
11-Feb-2022 08:55	7.42	71.92	151.74		0.3
11-Feb-2022 09:00	7.42				0.3
11-Feb-2022 09:05	7.42				53
11-Feb-2022 09:10	7.42	70.35	149.68		50.5
11-Feb-2022 09:15	7.42				50.4
11-Feb-2022 09:20	7.41				50.2
11-Feb-2022 09:25	7.41	70.18	149.46		50.6
11-Feb-2022 09:30	7.41	81.39	164.18		50.5

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 09:35	7.41				50.4
11-Feb-2022 09:40	7.41	89	174.18	61.8	50.4
11-Feb-2022 09:45	7.41	61.38	137.91	66.12	50
11-Feb-2022 09:50	7.41				0.3
11-Feb-2022 09:55	7.41	81.72	164.62		0.4
11-Feb-2022 10:00	7.4			65.46	0.3
11-Feb-2022 10:05	7.4				0.4
11-Feb-2022 10:10	7.4	62.32	139.14	60.96	0.4
11-Feb-2022 10:15	7.4	67.86	154.53		0.4
11-Feb-2022 10:20	7.4	94.92	181.94		0.4
11-Feb-2022 10:25	7.4				0.3
11-Feb-2022 10:30	7.4				0.4
11-Feb-2022 10:35	7.4				0.4
11-Feb-2022 10:40	7.39	71.19	159.08		0.4
11-Feb-2022 10:45	7.39				0.3
11-Feb-2022 10:50	7.39	66.48	144.6	64.41	0.4
11-Feb-2022 10:55	7.39	89.7	175.09		0.4
11-Feb-2022 11:00	7.39			64.39	0.4
11-Feb-2022 11:05	7.39				0.4
11-Feb-2022 11:10	7.38	80.7	163.27		0.4
11-Feb-2022 11:15	7.38				0.4
11-Feb-2022 11:20	7.38				0.4
11-Feb-2022 11:25	7.38			66.11	0.4
11-Feb-2022 11:30	7.38	67.1	153.09		0.4
11-Feb-2022 11:35	7.38				0.4
11-Feb-2022 11:40	7.37	71.01	150.55		0.4
11-Feb-2022 11:45	7.37	67.84	146.39		0.4

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 11:50	7.37	72.86	152.98		0.4
11-Feb-2022 11:55	7.37	80.9	163.54		0.4
11-Feb-2022 12:00	7.37	73.08	153.26		0.4
11-Feb-2022 12:05	7.36			62.15	0.4
11-Feb-2022 12:10	7.36	59.2	135.04		0.4
11-Feb-2022 12:15	7.36				0.4
11-Feb-2022 12:20	7.36				0.4
11-Feb-2022 12:25	7.36				0.5
11-Feb-2022 12:30	7.36				0.4
11-Feb-2022 12:35	7.35				0.4
11-Feb-2022 12:40	7.35				0.4
11-Feb-2022 12:45	7.35				0.4
11-Feb-2022 12:50	7.35				0.4
11-Feb-2022 12:55	7.34	65.61	150.5		0.4
11-Feb-2022 13:00	7.34				0.4
11-Feb-2022 13:05	7.34				0.4
11-Feb-2022 13:10	7.34	70.03	156.79		0.4
11-Feb-2022 13:15	7.34				0.5
11-Feb-2022 13:20	7.33				0.4
11-Feb-2022 13:25	7.33				0.4
11-Feb-2022 13:30	7.33	65.04	142.72	61.05	0.4
11-Feb-2022 13:35	7.33				0.4
11-Feb-2022 13:40	7.32			64.96	0.4
11-Feb-2022 13:45	7.32				0.4
11-Feb-2022 13:50	7.32			65.07	0.5
11-Feb-2022 13:55	7.32				0.4
11-Feb-2022 14:05	6.81			63.86	0.3

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 14:10	6.81			61.85	0.4
11-Feb-2022 14:15	6.81		142.89	64.93	0.4
11-Feb-2022 14:20	6.81			65.53	0.4
11-Feb-2022 14:25	6.81	69.48	148.54		0.5
11-Feb-2022 14:30	6.81				0.4
11-Feb-2022 14:35	6.81				0.5
11-Feb-2022 14:40	6.8			63.48	0.4
11-Feb-2022 14:45	6.8				0.4
11-Feb-2022 14:50	6.8				0.4
11-Feb-2022 14:55	6.8				0.5
11-Feb-2022 15:00	6.8				0.5
11-Feb-2022 15:05	6.8				0.5
11-Feb-2022 15:10	6.8				0.4
11-Feb-2022 15:15	6.8				0.4
11-Feb-2022 15:20	6.8				0.4
11-Feb-2022 15:25	6.8	79.98	162.33		0.4
11-Feb-2022 15:30	6.8	77.11	158.56		0.5
11-Feb-2022 15:35	6.8	74.6	155.26		0.4
11-Feb-2022 15:40	6.8				0.5
11-Feb-2022 15:45	6.8	85.43	169.48		0.4
11-Feb-2022 15:50	6.8				0.4
11-Feb-2022 15:55	6.8				0.4
11-Feb-2022 16:00	6.8				0.5
11-Feb-2022 16:05	6.8				0.4
11-Feb-2022 16:10	6.8	66.75	144.96		0.4
11-Feb-2022 16:15	6.8	71.8	151.58		0.4
11-Feb-2022 16:20	6.8				0.4

No. Of Corrections  
on this page- *NA*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 16:25	6.8				0.5
11-Feb-2022 16:30	6.8			65.79	0.4
11-Feb-2022 16:35	6.8				0.4
11-Feb-2022 16:40	6.8				0.4
11-Feb-2022 16:45	6.8	76.61	157.91		0.5
11-Feb-2022 16:50	6.8				0.4
11-Feb-2022 16:55	6.8			64.1	0.4
11-Feb-2022 17:00	6.8		135.23	59.38	0.4
11-Feb-2022 17:05	6.8				0.5
11-Feb-2022 17:10	6.8				0.4
11-Feb-2022 17:15	6.8				0.5
11-Feb-2022 17:20	6.8				0.4
11-Feb-2022 17:25	6.8	81.14	163.84		0.4
11-Feb-2022 17:30	6.8				0.4
11-Feb-2022 17:35	6.8	65.24	149.9		0.4
11-Feb-2022 17:40	6.8	97.09	184.79		0.4
11-Feb-2022 17:45	6.8	78.6	160.52		0.4
11-Feb-2022 17:50	6.8	101.91	191.12		0.4
11-Feb-2022 17:55	6.8			61.06	0.4
11-Feb-2022 18:00	6.8	56.72	140.57		0.4
11-Feb-2022 18:05	6.8	70.22	149.51		0.5
11-Feb-2022 18:10	6.8				0.4
11-Feb-2022 18:15	6.8	69.02	147.94		0.4
11-Feb-2022 18:20	6.8		149.38	64.47	0.4
11-Feb-2022 18:25	6.8	65.36	149.43		0.4
11-Feb-2022 18:30	6.8				0.4
11-Feb-2022 18:35	6.8	90.52	176.17		0.4

No. Of Corrections  
on this page- *na*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 18:40	6.8				0.4
11-Feb-2022 18:45	6.8				0.4
11-Feb-2022 18:50	6.8				0.4
11-Feb-2022 18:55	6.8				0.4
11-Feb-2022 19:00	6.8	93.34	179.87		0.4
11-Feb-2022 19:05	6.8				0.4
11-Feb-2022 19:10	6.8	69.45	148.5		0.4
11-Feb-2022 19:15	6.8	57.69	141.25		0.4
11-Feb-2022 19:20	6.8	78.85	160.84		0.4
11-Feb-2022 19:25	6.8				0.3
11-Feb-2022 19:30	6.8				0.4
11-Feb-2022 19:35	6.8				0.3
11-Feb-2022 19:40	6.8				0.3
11-Feb-2022 19:45	6.8			59.52	0.4
11-Feb-2022 19:50	6.8	60.22	144.5		0.3
11-Feb-2022 19:55	6.8				0.4
11-Feb-2022 20:00	6.8				0.4
11-Feb-2022 20:05	6.8			63.55	0.4
11-Feb-2022 20:10	6.8				0.4
11-Feb-2022 20:15	6.8	65.31	143.07		0.4
11-Feb-2022 20:20	6.8	92.88	179.26		0.4
11-Feb-2022 20:25	6.8				0.3
11-Feb-2022 20:30	6.8				0.4
11-Feb-2022 20:35	6.8				0.3
11-Feb-2022 20:40	6.8	74.46	155.08		0.2
11-Feb-2022 20:45	6.8				0.3
11-Feb-2022 20:50	6.8				0.4

No. Of Corrections  
on this page - *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 20:55	6.8				0.3
11-Feb-2022 21:00	6.8				0.4
11-Feb-2022 21:05	6.8	61.38	137.91		0.4
11-Feb-2022 21:10	6.8			64.89	0.3
11-Feb-2022 21:15	6.8				0.4
11-Feb-2022 21:20	6.8				0.3
11-Feb-2022 21:25	6.8				0.3
11-Feb-2022 21:30	6.8			65.18	0.4
11-Feb-2022 21:35	6.8			65.27	0.4
11-Feb-2022 21:40	6.8				0.4
11-Feb-2022 21:45	6.8	82.01	164.99	61.26	0.4
11-Feb-2022 21:50	6.8			63.36	0.3
11-Feb-2022 21:55	6.8			64.56	0.3
11-Feb-2022 22:00	6.8			64.7	0.4
11-Feb-2022 22:05	6.8				0.3
11-Feb-2022 22:10	6.8				0.4
11-Feb-2022 22:15	6.8				0.3
11-Feb-2022 22:20	6.8	72.92	153.06		0.3
11-Feb-2022 22:25	6.8				0.3
11-Feb-2022 22:30	6.8				0.2
11-Feb-2022 22:35	6.8				0.3
11-Feb-2022 22:40	6.8				0.4
11-Feb-2022 22:45	6.8	60.54	136.8		0.3
11-Feb-2022 22:50	6.8				0.3
11-Feb-2022 22:55	6.8				0.3
11-Feb-2022 23:00	6.8				0.3
11-Feb-2022 23:05	6.8				0.3

No. Of Corrections  
on this page - 2

Timestamp	pH	BOD	COD	TSS	FLOW
11-Feb-2022 23:10	6.8	71.14	150.73		0.3
11-Feb-2022 23:15	6.8				0.3
11-Feb-2022 23:20	6.8				0.3
11-Feb-2022 23:25	6.8				0.2
11-Feb-2022 23:30	6.8	71.41	151.08		0.3
11-Feb-2022 23:35	6.8	68.38	147.09		0.2
11-Feb-2022 23:40	6.8				0.3
11-Feb-2022 23:45	6.8				0.3
11-Feb-2022 23:50	6.8		142.56	65.74	0.3
11-Feb-2022 23:55	6.8				0.3
12-Feb-2022 00:00	6.8				0.2
12-Feb-2022 00:05	6.8				0.3
12-Feb-2022 00:10	6.8				0.4
12-Feb-2022 00:15	6.8	59.46	135.39		0.3
12-Feb-2022 00:20	6.8	76.79	166.8		0.3
12-Feb-2022 00:25	6.8				0.2
12-Feb-2022 00:30	6.8				0.2
12-Feb-2022 00:35	6.8	59.76	135.77		0.3
12-Feb-2022 00:40	6.8				0.3
12-Feb-2022 00:45	6.8				0.3
12-Feb-2022 00:50	6.8				0.2
12-Feb-2022 00:55	6.8				0.2
12-Feb-2022 01:00	6.8			65.23	0.3
12-Feb-2022 01:05	6.8		141.04	65.19	0.2
12-Feb-2022 01:10	6.8				0.2
12-Feb-2022 01:15	6.8	57.74	140.38		0.2
12-Feb-2022 01:20	6.8	70.29	149.6		0.2

No. Of Corrections  
on this page - 114

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 01:25	6.8				0.3
12-Feb-2022 01:30	6.8	64.4	141.88		0.2
12-Feb-2022 01:35	6.8	52.4	134.1		0.2
12-Feb-2022 01:40	6.8	69.81	148.97		0.3
12-Feb-2022 01:45	6.8			64.29	0.3
12-Feb-2022 01:50	6.8				0.2
12-Feb-2022 01:55	6.8			63.19	0.2
12-Feb-2022 02:00	6.8				0.2
12-Feb-2022 02:05	6.8				0.2
12-Feb-2022 02:10	6.8				0.3
12-Feb-2022 02:15	6.8				0.2
12-Feb-2022 02:20	6.8				0.3
12-Feb-2022 02:25	6.8			62.92	0.3
12-Feb-2022 02:30	6.8				0.3
12-Feb-2022 02:35	6.8	79.37	161.53		0.2
12-Feb-2022 02:40	6.8				0.3
12-Feb-2022 02:45	6.8				0.3
12-Feb-2022 02:50	6.8				0.3
12-Feb-2022 02:55	6.8				0.3
12-Feb-2022 03:00	6.8				0.3
12-Feb-2022 03:05	6.8				0.3
12-Feb-2022 03:10	6.8				0.3
12-Feb-2022 03:15	6.8				0.2
12-Feb-2022 03:20	6.8				0.2
12-Feb-2022 03:25	6.8				0.2
12-Feb-2022 03:30	6.8	67.58	146.04		0.2
12-Feb-2022 03:35	6.8				0.2

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 03:40	6.8				0.3
12-Feb-2022 03:45	6.8				0.2
12-Feb-2022 03:50	6.8				0.2
12-Feb-2022 03:55	6.8	64.6	142.14		0.3
12-Feb-2022 04:00	6.8				0.3
12-Feb-2022 04:05	6.8				0.3
12-Feb-2022 04:10	6.8				0.3
12-Feb-2022 04:15	6.8				0.2
12-Feb-2022 04:20	6.8				0.2
12-Feb-2022 04:25	6.8	86.86	171.36		0.2
12-Feb-2022 04:30	6.8				0.2
12-Feb-2022 04:35	6.8	67.62	154.38		0.2
12-Feb-2022 04:40	6.8				0.2
12-Feb-2022 04:45	6.8				0.2
12-Feb-2022 04:50	6.8	75.21	156.06		0.3
12-Feb-2022 04:55	6.8	68.34	147.05		0.2
12-Feb-2022 05:00	6.8				0.2
12-Feb-2022 05:05	6.8				0.2
12-Feb-2022 05:10	6.8				0.2
12-Feb-2022 05:15	6.8				0.2
12-Feb-2022 05:20	6.8				0.2
12-Feb-2022 05:25	6.8				0.2
12-Feb-2022 05:30	6.8				0.2
12-Feb-2022 05:35	6.8				0.2
12-Feb-2022 05:40	6.8			65.44	0.2
12-Feb-2022 05:45	6.8	73.33	162.06		0.2
12-Feb-2022 05:50	6.8				0.2

No. Of Corrections  
on this page *WJ*

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 05:55	6.8	76.99	158.4		0.2
12-Feb-2022 06:00	6.8				0.2
12-Feb-2022 06:05	6.8				0.2
12-Feb-2022 06:10	6.8	77.03	158.45		0.2
12-Feb-2022 06:15	6.8				0.4
12-Feb-2022 06:20	6.8				0.2
12-Feb-2022 06:25	6.8				0.2
12-Feb-2022 06:30	6.8	71.16	150.74		0.2
12-Feb-2022 06:35	6.8				0.2
12-Feb-2022 06:40	6.8				0.2
12-Feb-2022 06:45	6.8	77.87	159.56		0.2
12-Feb-2022 06:50	6.8				0.3
12-Feb-2022 06:55	6.8		154.19	64.19	0.3
12-Feb-2022 07:00	6.8		144.07	65.52	0.2
12-Feb-2022 07:05	6.8			65.19	0.2
12-Feb-2022 07:10	6.8			65.48	0.2
12-Feb-2022 07:15	6.8	75.29	156.17		0.4
12-Feb-2022 07:20	6.8				0.2
12-Feb-2022 07:25	6.8			64.36	0.2
12-Feb-2022 07:30	6.8	76.14	157.28		0.2
12-Feb-2022 07:35	6.8			60.05	0.2
12-Feb-2022 07:40	6.8				0.2
12-Feb-2022 07:45	6.8				0.2
12-Feb-2022 07:50	6.8				0.2
12-Feb-2022 07:55	6.8				0.2
12-Feb-2022 08:00	6.8	67.15	152.96		0.3
12-Feb-2022 08:05	6.8	76.55	157.82		0.2

No. Of Corrections  
on this page- *MLP*

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 08:10	6.8				0.2
12-Feb-2022 08:15	6.8				0.2
12-Feb-2022 08:20	6.8				0.2
12-Feb-2022 08:25	6.8	66.81	145.05	62.01	0.2
12-Feb-2022 08:30	6.8				0.2
12-Feb-2022 08:35	6.8				0.3
12-Feb-2022 08:40	6.8				0.3
12-Feb-2022 08:45	6.8	68.16	146.81		0.3
12-Feb-2022 09:05	6.8	94.7	181.65		0.2
12-Feb-2022 09:10	6.8	65.48	143.29		0.3
12-Feb-2022 09:15	6.8	53.6	136.3		0.2
12-Feb-2022 09:20	6.8			62.9	0.3
12-Feb-2022 09:25	6.8	68.84	147.7		0.3
12-Feb-2022 09:30	6.8	78.73	168.93		0.3
12-Feb-2022 09:35	6.8				0.4
12-Feb-2022 09:40	6.8			59.41	0.3
12-Feb-2022 09:45	6.8				0.3
12-Feb-2022 09:50	6.8	59.23	135.08		0.4
12-Feb-2022 09:55	6.8				0.3
12-Feb-2022 10:00	6.8			65.38	0.4
12-Feb-2022 10:05	6.8				0.4
12-Feb-2022 10:10	6.8				0.4
12-Feb-2022 10:15	6.8				0.3
12-Feb-2022 10:20	6.8	85.71	169.85		0.4
12-Feb-2022 10:25	6.8	81.69	164.57		0.4
12-Feb-2022 10:30	6.8				0.3
12-Feb-2022 10:35	6.8			63.71	0.3

No. Of Corrections  
on this page- 118

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 10:40	6.8	85.42	169.47		0.4
12-Feb-2022 10:45	6.8			63.39	0.3
12-Feb-2022 10:50	6.8	82	164.97		0.3
12-Feb-2022 11:00	6.8			64.46	0.2
12-Feb-2022 11:05	6.8	94.85	181.85		0.2
12-Feb-2022 11:10	6.8	70.23	149.53		0.3
12-Feb-2022 11:15	6.8	72.76	152.84		0.2
12-Feb-2022 11:20	6.8				0.3
12-Feb-2022 11:25	6.8	76.95	158.35		0.2
12-Feb-2022 11:30	6.8	79.69	161.94		0.3
12-Feb-2022 11:35	6.8			64.38	0.2
12-Feb-2022 11:40	6.8	62.01	138.73		0.3
12-Feb-2022 11:45	6.8	63.88	141.19		0.2
12-Feb-2022 11:50	6.8				0.3
12-Feb-2022 11:55	6.8				0.3
12-Feb-2022 12:00	6.8	67.51	145.96		0.3
12-Feb-2022 12:05	6.8	91.03	176.84		0.2
12-Feb-2022 12:10	6.8	85.58	169.68		0.3
12-Feb-2022 12:15	6.8				0.3
12-Feb-2022 12:20	6.8	96.74	184.33		0.3
12-Feb-2022 12:25	6.8	75.39	164.15		0.2
12-Feb-2022 12:30	6.8	79.99	162.34		0.3
12-Feb-2022 12:35	6.8	79.03	161.07		0.3
12-Feb-2022 12:40	6.8	79.05	161.1		0.4
12-Feb-2022 12:45	6.8	76.31	157.5		0.3
12-Feb-2022 12:50	6.8	85.54	169.63		0.3
12-Feb-2022 12:55	6.8	89.68	175.07		0.4

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 13:00	6.8				0.4
12-Feb-2022 13:05	6.8	74.53	155.17		0.4
12-Feb-2022 13:10	6.8	94.14	180.92		0.4
12-Feb-2022 13:15	6.8	74.28	154.84		0.3
12-Feb-2022 13:20	6.8	77.11	158.55		0.2
12-Feb-2022 13:25	6.8	103.08	192.66		0.3
12-Feb-2022 13:30	6.8	72.53	152.55		0.3
12-Feb-2022 13:35	6.8	77.52	159.1		0.4
12-Feb-2022 13:40	6.8	83.46	166.9		0.4
12-Feb-2022 13:45	6.8	71.49	151.18		0.3
12-Feb-2022 13:50	6.8				0.4
12-Feb-2022 13:55	6.8	73.02	153.19		0.4
12-Feb-2022 14:00	6.8	78.25	160.06		0.3
12-Feb-2022 14:05	6.8				0.3
12-Feb-2022 14:10	6.8	63.73	148.5		0.3
12-Feb-2022 14:15	6.8				0.3
12-Feb-2022 14:20	6.8				0.3
12-Feb-2022 14:25	6.8				0.4
12-Feb-2022 14:30	6.8				0.3
12-Feb-2022 14:35	6.8				0.4
12-Feb-2022 14:40	6.8	60.86	137.22		0.3
12-Feb-2022 14:45	6.8	60.88	137.25		0.3
12-Feb-2022 14:50	6.8	68.87	156.53		0.4
12-Feb-2022 14:55	6.8	59.96	144.04		0.3
12-Feb-2022 15:00	6.8		174.95	64.07	0.3
12-Feb-2022 15:05	6.8				0.4
12-Feb-2022 15:10	6.8				0.4

No. Of Corrections  
on this page- *NAJ*

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 15:15	6.8	58.62	134.28		0.3
12-Feb-2022 15:20	6.8				0
12-Feb-2022 15:25	6.8		139.78	64.62	0.3
12-Feb-2022 15:30	6.8	84.66	168.47		0.2
12-Feb-2022 15:35	6.8	77.64	159.25		0.3
12-Feb-2022 15:40	6.8	65.56	143.39		0.3
12-Feb-2022 15:45	6.8	69.37	148.39		0.4
12-Feb-2022 15:50	6.8	77.89	159.58		0.3
12-Feb-2022 15:55	6.8	73.74	154.13		0.3
12-Feb-2022 16:00	6.8	65.94	152.25		0.3
12-Feb-2022 16:05	6.8	80.57	171.87		0.3
12-Feb-2022 16:10	6.8	69.27	148.27		0.2
12-Feb-2022 16:15	6.8			65.42	0.4
12-Feb-2022 16:20	6.8				0.4
12-Feb-2022 16:25	6.8	65.53	143.36		52.4
12-Feb-2022 16:30	6.8	65.3	150.97		49.3
12-Feb-2022 16:35	6.8				48.8
12-Feb-2022 16:40	6.8	57.48	141.08		48.2
12-Feb-2022 16:45	6.8				48.1
12-Feb-2022 16:50	6.8				48.3
12-Feb-2022 16:55	6.8				48.5
12-Feb-2022 17:00	6.8				48.4
12-Feb-2022 17:05	6.8			65.53	48
12-Feb-2022 17:10	6.8				48.4
12-Feb-2022 17:15	6.8				48
12-Feb-2022 17:20	6.8				48.7
12-Feb-2022 17:25	6.8				45.8

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 17:30	6.8				48.3
12-Feb-2022 17:35	6.8			65.04	48.4
12-Feb-2022 17:40	6.8	94.16	188.56		48.4
12-Feb-2022 17:45	6.8				47.4
12-Feb-2022 17:50	6.8				47.7
12-Feb-2022 17:55	6.8	71.22	150.82		48.6
12-Feb-2022 18:00	6.8	81.95	173.57		47.3
12-Feb-2022 18:05	6.8		173.04	65.67	0.3
12-Feb-2022 18:10	6.8	66.08	144.08		0.3
12-Feb-2022 18:15	6.8			65.89	0.4
12-Feb-2022 18:20	6.8	62.89	148.54		0.4
12-Feb-2022 18:25	6.8			65.6	0.4
12-Feb-2022 18:30	6.8				0.3
12-Feb-2022 18:35	6.8	69.95	149.17	61.56	0.3
12-Feb-2022 18:40	6.8	81.52	164.36	66	0.2
12-Feb-2022 18:45	6.8	78.66	160.59		0.2
12-Feb-2022 18:50	6.8	71.15	158.7		0.2
12-Feb-2022 18:55	6.8				0.3
12-Feb-2022 19:00	6.8			65.93	0.2
12-Feb-2022 19:05	6.8			65.79	0.2
12-Feb-2022 19:10	6.8				0.4
12-Feb-2022 19:15	6.8			61.82	0.2
12-Feb-2022 19:20	6.8				0.2
12-Feb-2022 19:25	6.8				0.2
12-Feb-2022 19:30	6.8				0.2
12-Feb-2022 19:35	6.8				0.2
12-Feb-2022 19:40	6.8			64.03	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 19:45	6.8	76.1	165.5		0.2
12-Feb-2022 19:50	6.8				0.3
12-Feb-2022 19:55	6.8			64.12	0.3
12-Feb-2022 20:00	6.8				0.3
12-Feb-2022 20:05	6.8			61.2	0.3
12-Feb-2022 20:10	6.8	61.71	138.34		0.3
12-Feb-2022 20:15	6.8	69.72	148.86		0.2
12-Feb-2022 20:20	6.8				0.2
12-Feb-2022 20:25	6.8				0.2
12-Feb-2022 20:30	6.8				0.3
12-Feb-2022 20:35	6.8			64.76	0.3
12-Feb-2022 20:40	6.8				0.2
12-Feb-2022 20:45	6.8				48.8
12-Feb-2022 20:50	6.8				48.9
12-Feb-2022 20:55	6.8				48.9
12-Feb-2022 21:00	6.8				50.3
12-Feb-2022 21:05	6.8				49.6
12-Feb-2022 21:10	6.8			65.07	49.7
12-Feb-2022 21:15	6.8	69.42	148.47		48.9
12-Feb-2022 21:20	6.8	65.14	142.85		49
12-Feb-2022 21:25	6.8	69.17	148.14		49
12-Feb-2022 21:30	6.8			64.94	48.9
12-Feb-2022 21:35	6.8			64.38	48.1
12-Feb-2022 21:40	6.8	56.55	140.33		44.8
12-Feb-2022 21:45	6.8				44.5
12-Feb-2022 21:50	6.8				0.2
12-Feb-2022 21:55	6.8	76.2	157.38	65.06	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
12-Feb-2022 22:00	6.8				0.2
12-Feb-2022 22:05	6.8				0.2
12-Feb-2022 22:10	6.8				0.3
12-Feb-2022 22:15	6.8		143.24	66.23	0.3
12-Feb-2022 22:20	6.8				0.2
12-Feb-2022 22:25	6.8	68.05	154.85		0.2
12-Feb-2022 22:35	6.8			64.74	0.2
12-Feb-2022 22:40	6.8	65.24	142.97		0.2
12-Feb-2022 22:45	6.8				0.2
12-Feb-2022 22:50	6.8				0.2
12-Feb-2022 22:55	6.8				0.2
12-Feb-2022 23:00	6.8				0.2
12-Feb-2022 23:05	6.8				0.4
12-Feb-2022 23:10	6.8				0.3
12-Feb-2022 23:15	6.8	72.75	152.84		0.3
12-Feb-2022 23:20	6.8			63.2	0.3
12-Feb-2022 23:25	6.8	60.3	144.94		0.2
12-Feb-2022 23:30	6.8				0.2
12-Feb-2022 23:35	6.8				0.3
12-Feb-2022 23:40	6.8				0.4
12-Feb-2022 23:45	6.8				0.2
12-Feb-2022 23:55	6.8	72.43	152.42		0.3
13-Feb-2022 00:00	6.8	69.34	148.35		0.4
13-Feb-2022 00:05	6.8	67.59	146.06		0.3
13-Feb-2022 00:10	6.8	73.29	153.54		0.3
13-Feb-2022 00:15	6.8			60.29	0.3
13-Feb-2022 00:20	6.8				0.3

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 00:25	6.8				0.3
13-Feb-2022 00:30	6.8	65.07	150.97		0.4
13-Feb-2022 00:35	6.8	66.62	144.78		0.3
13-Feb-2022 00:40	6.8	69.57	148.66		0.3
13-Feb-2022 00:45	6.8				0.2
13-Feb-2022 00:50	6.8	61.3	144.97		0.4
13-Feb-2022 00:55	6.8	72.48	152.48		0.3
13-Feb-2022 01:00	6.8	72.43	152.42		0.3
13-Feb-2022 01:05	6.8			62.66	0.3
13-Feb-2022 01:10	6.8			64.27	0.4
13-Feb-2022 01:15	6.8			62.05	0.3
13-Feb-2022 01:20	6.8				0.4
13-Feb-2022 01:25	6.8	54.58	137.78		0.3
13-Feb-2022 01:30	6.8			63.58	0.4
13-Feb-2022 01:35	6.8	66.5	144.63		0.3
13-Feb-2022 01:40	6.8	61.02	145.79		0.3
13-Feb-2022 01:45	6.8			64.45	0.4
13-Feb-2022 01:50	6.8				0.4
13-Feb-2022 01:55	6.8				0.3
13-Feb-2022 02:00	6.8	60.41	145		0.3
13-Feb-2022 02:05	6.8	85.51	169.59		0.3
13-Feb-2022 02:10	6.8	61.7	138.32		0.3
13-Feb-2022 02:15	6.8				0.3
13-Feb-2022 02:20	6.8				0.2
13-Feb-2022 02:25	6.8				0.2
13-Feb-2022 02:30	6.8				0.3
13-Feb-2022 02:35	6.8				0.3

No. Of Corrections  
on this page- *MS*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 02:40	6.8				0.3
13-Feb-2022 02:45	6.8				0.2
13-Feb-2022 02:50	6.8			63.73	0.2
13-Feb-2022 02:55	6.8	61.32	137.83	66.18	0.3
13-Feb-2022 03:00	6.8			64.41	0.2
13-Feb-2022 03:05	6.8			61.43	0.2
13-Feb-2022 03:10	6.8				0.3
13-Feb-2022 03:15	6.8	63.84	141.14	63.58	0.3
13-Feb-2022 03:20	6.8			60.57	0.2
13-Feb-2022 03:25	6.8				0.3
13-Feb-2022 03:30	6.8				0.2
13-Feb-2022 03:35	6.8	69.89	149.08		0.2
13-Feb-2022 03:40	6.8				49.7
13-Feb-2022 03:45	6.8				48.6
13-Feb-2022 03:50	6.8				48.1
13-Feb-2022 03:55	6.8	62.33	139.15		48.4
13-Feb-2022 04:00	6.8				48.7
13-Feb-2022 04:05	6.8				48.4
13-Feb-2022 04:10	6.8				0.2
13-Feb-2022 04:15	6.8			64.63	0.2
13-Feb-2022 04:20	6.8				0.2
13-Feb-2022 04:25	6.8				0.3
13-Feb-2022 04:30	6.8			64.74	0.2
13-Feb-2022 04:35	6.8	67.13	145.45		0.3
13-Feb-2022 04:40	6.8				0.3
13-Feb-2022 04:45	6.8	60.29	144.85		23.1
13-Feb-2022 04:50	6.8	59.3	143.19		22.6

No. Of Corrections  
on this page- *ny*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 04:55	6.8			62.58	25
13-Feb-2022 05:00	6.8				24.2
13-Feb-2022 05:05	6.8	70	149.22		24.4
13-Feb-2022 05:10	6.8	67.03	153.51		23.9
13-Feb-2022 05:15	6.8				24.4
13-Feb-2022 05:20	6.8	72.78	161.11		23.9
13-Feb-2022 05:25	6.8				23.9
13-Feb-2022 05:30	6.8			62.49	23.6
13-Feb-2022 05:35	6.8			64.92	23.5
13-Feb-2022 05:40	6.8				23.9
13-Feb-2022 05:45	6.8				24.6
13-Feb-2022 05:50	6.8				24.7
13-Feb-2022 05:55	6.8				25
13-Feb-2022 06:00	6.8	72.84	161.27		24.3
13-Feb-2022 06:05	6.8				24.2
13-Feb-2022 06:10	6.8	73.21	153.43		23.5
13-Feb-2022 06:15	6.8			62.52	24.3
13-Feb-2022 06:20	6.8	70.06	149.31	66.12	24.2
13-Feb-2022 06:25	6.8				24.5
13-Feb-2022 06:30	6.8	66.32	144.39		24.8
13-Feb-2022 06:35	6.8				24.7
13-Feb-2022 06:40	6.8				24.8
13-Feb-2022 06:45	6.8				24.5
13-Feb-2022 06:50	6.8				23.8
13-Feb-2022 06:55	6.8			64	24
13-Feb-2022 07:00	6.8				24.3
13-Feb-2022 07:05	6.8				23.8

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 07:10	6.8				23.9
13-Feb-2022 07:15	6.8				24.1
13-Feb-2022 07:20	6.8	66.24	144.29		23.4
13-Feb-2022 07:25	6.8				23.7
13-Feb-2022 07:30	6.8	79.09	161.16		23.6
13-Feb-2022 07:35	6.8	80.31	162.76		23.4
13-Feb-2022 07:40	6.8	71.86	151.66		23.5
13-Feb-2022 07:45	6.8	96.41	183.9	65.2	24.4
13-Feb-2022 07:50	6.8				23.3
13-Feb-2022 07:55	6.8				23.9
13-Feb-2022 08:00	6.8				23.9
13-Feb-2022 08:05	6.8				24
13-Feb-2022 08:10	6.8	70.85	150.34		23.8
13-Feb-2022 08:15	6.8				23.7
13-Feb-2022 08:20	6.8				23.8
13-Feb-2022 08:25	6.8	74.09	154.6		48.5
13-Feb-2022 08:30	6.8	65.94	143.89		48.3
13-Feb-2022 08:35	6.8	82.65	165.84		48.2
13-Feb-2022 08:40	6.8			62.76	0.3
13-Feb-2022 08:45	6.8				0.2
13-Feb-2022 08:50	6.8	71.67	159.99		0.3
13-Feb-2022 08:55	6.8			63.96	0.3
13-Feb-2022 09:00	6.8				0.2
13-Feb-2022 09:05	6.8				0.4
13-Feb-2022 09:10	6.8				0.4
13-Feb-2022 09:15	6.8	59.89	143.9		0.3
13-Feb-2022 09:20	6.8	66.8	145.02		0.3

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 09:25	6.8				0.4
13-Feb-2022 09:30	6.8				53.6
13-Feb-2022 09:35	6.8				47.6
13-Feb-2022 09:40	6.8				47.9
13-Feb-2022 09:45	6.8	79.39	161.55		47.6
13-Feb-2022 09:50	6.8				47.5
13-Feb-2022 09:55	6.8				47.6
13-Feb-2022 10:00	6.8	56.32	139.63		47.6
13-Feb-2022 10:05	6.8				47.2
13-Feb-2022 10:10	6.8				46.8
13-Feb-2022 10:15	6.8				47.3
13-Feb-2022 10:20	6.8				46.8
13-Feb-2022 10:25	6.8				45.4
13-Feb-2022 10:30	6.8				36.8
13-Feb-2022 10:35	6.8				48.2
13-Feb-2022 10:40	6.8				0.4
13-Feb-2022 10:45	6.8	68.72	154.68		0.3
13-Feb-2022 10:50	6.8				0.5
13-Feb-2022 10:55	6.8	60.45	145.17		0.4
13-Feb-2022 11:00	6.8				0.4
13-Feb-2022 11:05	6.8				0.4
13-Feb-2022 11:10	6.8				0.4
13-Feb-2022 11:15	6.8				0.4
13-Feb-2022 11:20	6.8	61.79	138.44		0.4
13-Feb-2022 11:25	6.8	70.65	150.08		0.4
13-Feb-2022 11:30	6.8	78.76	167.59		0.4
13-Feb-2022 11:35	6.8			63.41	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 11:40	6.8	70.53	149.92		0.4
13-Feb-2022 11:45	6.8				0.4
13-Feb-2022 11:50	6.8				0.4
13-Feb-2022 11:55	6.8	64.95	142.6		0.5
13-Feb-2022 12:00	6.8				0.4
13-Feb-2022 12:05	6.8	63.64	140.87		0.4
13-Feb-2022 12:10	6.8				0.4
13-Feb-2022 12:15	6.8				0.4
13-Feb-2022 12:20	6.8	68.14	146.79		0.5
13-Feb-2022 12:25	6.8	75.94	157.02		0.4
13-Feb-2022 12:30	6.8				0.5
13-Feb-2022 12:35	6.8				0.5
13-Feb-2022 12:40	6.8				0.4
13-Feb-2022 12:45	6.8			64.18	0.4
13-Feb-2022 12:50	6.8	89.96	175.43		0.4
13-Feb-2022 12:55	6.8	61.5	138.06		0.5
13-Feb-2022 13:00	6.8	70.2	149.49		0.4
13-Feb-2022 13:05	6.8				0.4
13-Feb-2022 13:10	6.8	72.31	152.26	63.3	0.4
13-Feb-2022 13:15	6.8	72.48	160.47		0.5
13-Feb-2022 13:20	6.8	79.64	161.88		0.5
13-Feb-2022 13:25	6.8	69.14	148.1		0.5
13-Feb-2022 13:30	6.8				0.5
13-Feb-2022 13:35	6.8				0.5
13-Feb-2022 13:40	6.8			65.86	0.5
13-Feb-2022 13:45	6.8				0.5
13-Feb-2022 13:50	6.8				0.5

No. Of Corrections  
on this page- *MM*


Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 13:55	6.8				0.4
13-Feb-2022 14:00	6.8			61.23	0.5
13-Feb-2022 14:05	6.8			64.45	0.4
13-Feb-2022 14:10	6.8				0.5
13-Feb-2022 14:15	6.8				0.5
13-Feb-2022 14:20	6.8			65.46	0.5
13-Feb-2022 14:25	6.8				0.5
13-Feb-2022 14:30	6.8			63.47	0.4
13-Feb-2022 14:35	6.8		148.91	65.83	0.5
13-Feb-2022 14:40	6.8				0.5
13-Feb-2022 14:45	6.8			65.5	0.5
13-Feb-2022 14:50	6.8				0.5
13-Feb-2022 14:55	6.8	66.22	152.75		0.4
13-Feb-2022 15:00	6.8				0.5
13-Feb-2022 15:05	6.8				0.5
13-Feb-2022 15:10	6.8				0.5
13-Feb-2022 15:15	6.8				0.4
13-Feb-2022 15:20	6.8	68.12	146.75		0.5
13-Feb-2022 15:25	6.8				0.5
13-Feb-2022 15:30	6.8				0.5
13-Feb-2022 15:35	6.8				0.5
13-Feb-2022 15:40	6.8	74.15	154.68		0.5
13-Feb-2022 15:45	6.8				0.5
13-Feb-2022 15:50	6.8				0.5
13-Feb-2022 15:55	6.8				0.5
13-Feb-2022 16:00	6.8				0.4
13-Feb-2022 16:05	6.8				0.5



Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 18:25	6.8				0.4
13-Feb-2022 18:30	6.8				0.4
13-Feb-2022 18:35	6.8			62.48	0.4
13-Feb-2022 18:40	6.8	76.72	158.05		0.4
13-Feb-2022 18:45	6.8				0.4
13-Feb-2022 18:50	6.8				0.4
13-Feb-2022 18:55	6.8				0.4
13-Feb-2022 19:00	6.8				0.4
13-Feb-2022 19:05	6.8				0.4
13-Feb-2022 19:10	6.8				0.4
13-Feb-2022 19:15	6.8				0.4
13-Feb-2022 19:20	6.8				0.4
13-Feb-2022 19:25	6.8	86.1	170.36		0.4
13-Feb-2022 19:30	6.8				0
13-Feb-2022 19:35	6.8				0
13-Feb-2022 19:40	6.8				0
13-Feb-2022 19:45	6.8	78.42	160.28		0
13-Feb-2022 19:50	6.8				0
13-Feb-2022 19:55	6.8				0
13-Feb-2022 20:00	6.8				0
13-Feb-2022 20:05	6.8	68.81	155.23		0
13-Feb-2022 20:10	6.8			66.22	0
13-Feb-2022 20:15	6.8	55.54	138.86		0
13-Feb-2022 20:20	6.8	85.85	170.04		0
13-Feb-2022 20:25	6.8				0
13-Feb-2022 20:30	6.8	75.03	164.17		0
13-Feb-2022 20:35	6.8				0

No. Of Corrections  
on this page- *ML*

Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 20:40	6.8	70.47	149.84		0
13-Feb-2022 20:45	6.8	91.33	177.23		0
13-Feb-2022 20:50	6.8	87.28	171.9		0
13-Feb-2022 20:55	6.8		147.56	64.74	0
13-Feb-2022 21:00	6.8	66.82	145.05		0
13-Feb-2022 21:05	6.8	79.98	170.41		0
13-Feb-2022 21:10	6.8	70.89	158.81		0
13-Feb-2022 21:15	6.8				0
13-Feb-2022 21:20	6.8	58.83	142.4		0
13-Feb-2022 21:25	6.8		145.12	61.11	0
13-Feb-2022 21:30	6.8		140.45	63.7	0
13-Feb-2022 21:35	6.8				0
13-Feb-2022 21:40	6.8				0
13-Feb-2022 21:45	6.8				0
13-Feb-2022 21:50	6.8				0
13-Feb-2022 21:55	6.8			62.34	0
13-Feb-2022 22:00	6.8			64.24	0
13-Feb-2022 22:05	6.8				0
13-Feb-2022 22:10	6.8				0
13-Feb-2022 22:15	6.8				0
13-Feb-2022 22:20	6.8				0
13-Feb-2022 22:25	6.8				0
13-Feb-2022 22:30	6.8				0
13-Feb-2022 22:35	6.8			64.3	0
13-Feb-2022 22:40	6.8	67.82	146.36		0
13-Feb-2022 22:45	6.8			62.04	0
13-Feb-2022 22:50	6.8				0




Timestamp	pH	BOD	COD	TSS	FLOW
13-Feb-2022 22:55	6.8				0
13-Feb-2022 23:00	6.8				0
13-Feb-2022 23:05	6.8				0
13-Feb-2022 23:10	6.8				0
13-Feb-2022 23:15	6.8				0
13-Feb-2022 23:20	6.8				0
13-Feb-2022 23:25	6.8		156.03	63.34	0
13-Feb-2022 23:30	6.8				0
13-Feb-2022 23:35	6.8				0
13-Feb-2022 23:40	6.8			63.66	0
13-Feb-2022 23:45	6.8				0
13-Feb-2022 23:50	6.8				0
13-Feb-2022 23:55	6.8				0
14-Feb-2022 00:00	6.8				0
14-Feb-2022 00:05	6.8	70.21	149.49		0
14-Feb-2022 00:10	6.8	56.05	139.35		0
14-Feb-2022 00:15	6.8	69.64	148.76		0
14-Feb-2022 00:20	6.8	94.4	181.26	65.12	0
14-Feb-2022 00:25	6.8				0
14-Feb-2022 00:30	6.8	63.74	141.01		0
14-Feb-2022 00:35	6.8			61.08	0
14-Feb-2022 00:40	6.8	63.95	149.18		0
14-Feb-2022 00:45	6.8				0
14-Feb-2022 00:50	6.8				0
14-Feb-2022 00:55	6.8				0
14-Feb-2022 01:00	6.8	66.75	152.8		0
14-Feb-2022 01:05	6.8				0

No. Of Corrections on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 01:10	6.8			65.24	0
14-Feb-2022 01:15	6.8				0
14-Feb-2022 01:20	6.8				0
14-Feb-2022 01:25	6.8	80.33	171.07		0
14-Feb-2022 01:30	6.8	69.84	149.01		0
14-Feb-2022 01:35	6.8				0
14-Feb-2022 01:40	6.8			61.77	0
14-Feb-2022 01:45	6.8				0
14-Feb-2022 01:50	6.8			63.67	0
14-Feb-2022 01:55	6.8			61.58	0
14-Feb-2022 02:00	6.8	68	146.59		0
14-Feb-2022 02:05	6.8				0
14-Feb-2022 02:10	6.8	68.89	147.76		0
14-Feb-2022 02:15	6.8	66.31	152.85		0
14-Feb-2022 02:20	6.8				0
14-Feb-2022 02:25	6.8				0
14-Feb-2022 02:30	6.8	62.89	139.89		0
14-Feb-2022 02:35	6.8				0
14-Feb-2022 02:40	6.8				0
14-Feb-2022 02:45	6.8				0
14-Feb-2022 02:50	6.8	80.41	162.9		0
14-Feb-2022 02:55	6.8	78.9	160.91		0
14-Feb-2022 03:00	6.8	66.4	152.85		0
14-Feb-2022 03:05	6.8				0
14-Feb-2022 03:10	6.8	62.93	139.95	64.69	0
14-Feb-2022 03:15	6.8				0
14-Feb-2022 03:20	6.8	71.07	158.86		0

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 03:25	6.8				0
14-Feb-2022 03:30	6.8	69.41	148.45		0
14-Feb-2022 03:35	6.8	70.13	149.39		0
14-Feb-2022 03:40	6.8				0
14-Feb-2022 03:45	6.8				0
14-Feb-2022 03:50	6.8	68.15	146.79		0
14-Feb-2022 03:55	6.8				0
14-Feb-2022 04:00	6.8	67.18	145.52		0
14-Feb-2022 04:05	6.8				0
14-Feb-2022 04:10	6.8	73.38	162.29		0
14-Feb-2022 04:15	6.8				0
14-Feb-2022 04:20	6.8	62.86	147.81		0
14-Feb-2022 04:25	6.8	66.63	144.8		0
14-Feb-2022 04:30	6.8	71.36	151		0
14-Feb-2022 04:35	6.8				0
14-Feb-2022 04:40	6.8	85.13	169.09		0
14-Feb-2022 04:45	6.8				0
14-Feb-2022 04:50	6.8				0
14-Feb-2022 04:55	6.8	64.25	141.67		0
14-Feb-2022 05:00	6.8				0
14-Feb-2022 05:05	6.8	58.33	142.1		0
14-Feb-2022 05:10	6.8				0
14-Feb-2022 05:15	6.8	69.78	156.81		0
14-Feb-2022 05:20	6.8				0
14-Feb-2022 05:25	6.8	59	143.25		0
14-Feb-2022 05:30	6.8				0
14-Feb-2022 05:35	6.8				0



No. Of Corrections on this page - *MM*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 05:40	6.8	74.71	155.41		0
14-Feb-2022 05:45	6.8				0
14-Feb-2022 05:50	6.8	78.76	160.73		0
14-Feb-2022 05:55	6.8	72.35	152.3		0
14-Feb-2022 06:00	6.8	95.73	183.01		0
14-Feb-2022 06:05	6.8	88.58	173.62		0
14-Feb-2022 06:10	6.8				0
14-Feb-2022 06:15	6.8	64.91	150.98		0
14-Feb-2022 06:20	6.8	73.26	153.5		0
14-Feb-2022 06:25	6.8	77.12	158.57		0
14-Feb-2022 06:30	6.8	72.99	153.15		0
14-Feb-2022 06:35	6.8	89.42	174.72		0
14-Feb-2022 06:40	6.8	85.75	169.91		0
14-Feb-2022 06:45	6.8	63.88	141.18		0
14-Feb-2022 06:50	6.8	68.24	146.91		0
14-Feb-2022 06:55	6.8	64.07	141.44		0
14-Feb-2022 07:00	6.8	71.51	159.66		0
14-Feb-2022 07:05	6.8				0
14-Feb-2022 07:10	6.8	58.27	142.2		0
14-Feb-2022 07:15	6.8	75.46	156.4		0
14-Feb-2022 07:20	6.8				0
14-Feb-2022 07:25	6.8	96.17	183.58		0
14-Feb-2022 07:30	6.8				0
14-Feb-2022 07:35	6.8				0
14-Feb-2022 07:40	6.8	70.4	149.75		0
14-Feb-2022 07:45	6.8	86	170.23		0
14-Feb-2022 07:50	6.8				0

No. Of Corrections  
on this page *nmj*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 07:55	6.8	74.94	155.7		0
14-Feb-2022 08:00	6.8	80.38	162.85		0
14-Feb-2022 08:05	6.8	65.24	142.97		0
14-Feb-2022 08:10	6.8	54.97	138.02		0
14-Feb-2022 08:15	6.8	62.43	148.04		0
14-Feb-2022 08:20	6.8				0
14-Feb-2022 08:25	6.8				0
14-Feb-2022 08:30	6.8				0
14-Feb-2022 08:35	6.8	66.93	145.19		0
14-Feb-2022 08:40	6.8	75.93	157.01		0
14-Feb-2022 08:45	6.8				0
14-Feb-2022 08:50	6.8	67.32	145.71		0
14-Feb-2022 08:55	6.8				0
14-Feb-2022 09:00	6.8	70.95	150.47		0
14-Feb-2022 09:05	6.8				0
14-Feb-2022 09:10	6.8	72.17	152.08		0
14-Feb-2022 09:15	6.8				0
14-Feb-2022 09:20	6.8				0
14-Feb-2022 09:25	6.8				0
14-Feb-2022 09:30	6.8	59.68	135.68		0
14-Feb-2022 09:35	6.8				48.4
14-Feb-2022 09:40	6.8				47.9
14-Feb-2022 18:15	6.81	47.41	120	33.22	0.2
14-Feb-2022 18:20	6.81	47.42	120	33.22	0.3
14-Feb-2022 18:25	6.81	47.41	120	33.22	0.3
14-Feb-2022 18:40	6.8	47.39	120	33.22	0.3
14-Feb-2022 18:45	6.8	47.38	120	33.22	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 18:50	6.8	47.37	120	33.22	0.4
14-Feb-2022 18:55	6.8	47.37	120	33.22	0.4
14-Feb-2022 19:00	6.8	47.37	120	33.22	0.3
14-Feb-2022 19:05	6.8	47.35	120	33.22	0.4
14-Feb-2022 19:10	6.8	47.35	120	33.22	0.4
14-Feb-2022 19:15	6.8	47.34	120	33.22	0.3
14-Feb-2022 19:20	6.8	47.34	120	33.22	0.4
14-Feb-2022 19:25	6.8	47.33	120	33.22	0.4
14-Feb-2022 19:30	6.8	47.33	120	33.22	0.4
14-Feb-2022 19:35	6.8			33.52	0.4
14-Feb-2022 19:40	6.8			34	0.4
14-Feb-2022 19:45	6.8			33.94	0.4
14-Feb-2022 19:50	6.8			33.99	0.4
14-Feb-2022 19:55	6.8	47.01	120	34.21	0.4
14-Feb-2022 20:00	6.8			34.24	0.4
14-Feb-2022 20:05	6.8			34.31	0.4
14-Feb-2022 20:10	6.8	46.94	120	34.35	0.4
14-Feb-2022 20:15	6.8	46.96	120	34.28	0.3
14-Feb-2022 20:20	6.8			34.18	0.4
14-Feb-2022 20:25	6.8			34.21	0.3
14-Feb-2022 20:30	6.8			34.05	0.3
14-Feb-2022 20:35	6.8	47	120	34.12	0.4
14-Feb-2022 20:40	6.8			34.11	0.4
14-Feb-2022 20:45	6.8			34.2	0.4
14-Feb-2022 20:50	6.8			34.14	0.4
14-Feb-2022 20:55	6.8	47.03	120	34.13	0.4
14-Feb-2022 21:00	6.8	47.02	120	34.04	0.4

No. Of Corrections  
on this page- *M/S*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 21:05	6.8			34.08	0.4
14-Feb-2022 21:10	6.8	47.02	120	34.15	0.3
14-Feb-2022 21:15	6.8	46.98	120	34.23	0.4
14-Feb-2022 21:20	6.8	46.97	120	34.24	0.4
14-Feb-2022 21:25	6.8	46.95	120	34.36	0.4
14-Feb-2022 21:30	6.8	46.93	120	34.41	0.4
14-Feb-2022 21:35	6.8	46.92	120	34.38	0.4
14-Feb-2022 21:40	6.8	46.93	120	34.29	0.4
14-Feb-2022 21:45	6.8	46.91	120	34.39	0.3
14-Feb-2022 21:50	6.8	46.94	120	34.45	0.4
14-Feb-2022 21:55	6.8	46.91	120	34.45	0.3
14-Feb-2022 22:00	6.8	46.92	120	34.43	0.4
14-Feb-2022 22:05	6.8			34.19	0.3
14-Feb-2022 22:10	6.8	46.97	120	34.15	0.4
14-Feb-2022 22:15	6.8			34.21	0.3
14-Feb-2022 22:20	6.8	46.96	120	34.29	0.4
14-Feb-2022 22:25	6.8	46.94	120	34.28	0.3
14-Feb-2022 22:30	6.8	47.01	120	34.15	0.4
14-Feb-2022 22:35	6.8			34.14	0.4
14-Feb-2022 22:40	6.8			34.21	0.3
14-Feb-2022 22:45	6.8			33.97	0.4
14-Feb-2022 22:50	6.8	47.03	120	34.04	0.3
14-Feb-2022 22:55	6.8			33.97	0.3
14-Feb-2022 23:00	6.8			34.19	0.3
14-Feb-2022 23:05	6.8			34.45	0.3
14-Feb-2022 23:10	6.8			34.43	0.3
14-Feb-2022 23:15	6.8			34.56	0.3

No. Of Corrections  
on this page- *MY*

Timestamp	pH	BOD	COD	TSS	FLOW
14-Feb-2022 23:20	6.8	45.19	120	34.79	0.4
14-Feb-2022 23:25	6.8	37.91	120	35.02	0.4
14-Feb-2022 23:30	6.8			34.88	0.4
14-Feb-2022 23:35	6.8			34.88	0.4
14-Feb-2022 23:40	6.8	38.19	120	34.98	0.3
14-Feb-2022 23:45	6.8			35.09	0.3
14-Feb-2022 23:50	6.8			35	0.4
14-Feb-2022 23:55	6.8			34.94	0.4
15-Feb-2022 00:00	6.8			35	0.3
15-Feb-2022 00:05	6.8	40.02	120	34.88	0.2
15-Feb-2022 00:10	6.8	38.01	120	34.99	0.3
15-Feb-2022 00:15	6.8			34.95	0.3
15-Feb-2022 00:20	6.8			34.77	0.3
15-Feb-2022 00:25	6.8	36.54	120	35.08	0.4
15-Feb-2022 00:30	6.8	35.07	120	35.2	0.2
15-Feb-2022 00:35	6.8	34.48	120	35.27	0.3
15-Feb-2022 00:40	6.8	34.12	120	35.26	0.3
15-Feb-2022 00:45	6.8			35.01	0.3
15-Feb-2022 00:50	6.8			35.07	0.3
15-Feb-2022 00:55	6.8			34.9	0.2
15-Feb-2022 01:00	6.8	33.96	120	35.3	0.3
15-Feb-2022 01:05	6.8			35.23	0.3
15-Feb-2022 01:10	6.8			35.28	0.2
15-Feb-2022 01:15	6.8			35.16	0.3
15-Feb-2022 01:20	6.8			35.16	0.3
15-Feb-2022 01:25	6.8	33.52	120	35.33	0.4
15-Feb-2022 01:30	6.8			35.41	0.3

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 01:35	6.8			35.33	0.2
15-Feb-2022 01:40	6.8	32.1	120	35.43	0.3
15-Feb-2022 01:45	6.8			35.35	0.3
15-Feb-2022 01:50	6.8			35.68	0.3
15-Feb-2022 01:55	6.8			35.41	0.3
15-Feb-2022 02:00	6.8	29.16	120	35.76	0.3
15-Feb-2022 02:05	6.8			35.23	0.2
15-Feb-2022 02:10	6.8			35.09	0.3
15-Feb-2022 02:15	6.8	31.95	120	35.53	0.3
15-Feb-2022 02:20	6.8			35.34	0.2
15-Feb-2022 02:25	6.8				0.3
15-Feb-2022 02:30	6.8	27.78	120	35.91	0.3
15-Feb-2022 02:35	6.8			35.91	0.2
15-Feb-2022 02:40	6.8			35.97	0.3
15-Feb-2022 02:45	6.8	27.47	120	35.95	0.3
15-Feb-2022 02:50	6.8	28.59	120	35.84	0.3
15-Feb-2022 02:55	6.8	47.74	120	35.42	0.4
15-Feb-2022 03:00	6.8			35.55	0.4
15-Feb-2022 03:05	6.8	31.59	120	35.56	0.3
15-Feb-2022 03:10	6.8	29.92	120	35.77	0.3
15-Feb-2022 03:15	6.8			35.34	0.2
15-Feb-2022 03:20	6.8	29.69	120	35.7	0.3
15-Feb-2022 03:25	6.8			35.33	0.3
15-Feb-2022 03:30	6.8	32.29	120	35.44	0.3
15-Feb-2022 03:35	6.8	30.38	120	35.69	0.3
15-Feb-2022 03:40	6.8			35.49	0.3
15-Feb-2022 03:45	6.8			35.62	0.3

No. Of Corrections  
on this page- 

# 475

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 03:50	6.8			35.45	0.2
15-Feb-2022 03:55	6.8	29.53	120	35.79	0.3
15-Feb-2022 04:00	6.8	27.98	120	35.95	0.3
15-Feb-2022 04:05	6.8	28.27	120	35.92	0.2
15-Feb-2022 04:10	6.8			35.64	0.3
15-Feb-2022 04:15	6.8	29.94	120	35.73	0.3
15-Feb-2022 04:20	6.8	29.12	120	35.81	0.2
15-Feb-2022 04:25	6.8	28.41	120	35.93	0.4
15-Feb-2022 04:30	6.8	28.23	120	35.93	0.3
15-Feb-2022 04:35	6.8			34.95	0.4
15-Feb-2022 04:40	6.8				0.3
15-Feb-2022 04:45	6.8				0.3
15-Feb-2022 04:50	6.8			35.52	0.2
15-Feb-2022 04:55	6.8				0.3
15-Feb-2022 05:00	6.8			35.83	0.3
15-Feb-2022 05:05	6.8				0.3
15-Feb-2022 05:10	6.8	27.22	120	35.99	0.3
15-Feb-2022 05:15	6.8			35.91	0.3
15-Feb-2022 05:20	6.8			35.84	0.3
15-Feb-2022 05:25	6.8			35.89	0.3
15-Feb-2022 05:30	6.8	27.8	120	35.96	0.3
15-Feb-2022 05:35	6.8			35.73	0.3
15-Feb-2022 05:40	6.8	46.6	120		0.2
15-Feb-2022 05:45	6.8				0.3
15-Feb-2022 05:50	6.8			36.11	0.4
15-Feb-2022 05:55	6.8	27.43	120	35.98	0.3
15-Feb-2022 06:00	6.8	27.9	120	35.95	0.3


No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 06:05	6.8	27.11	120	36.11	0.4
15-Feb-2022 06:10	6.8			36.19	0.3
15-Feb-2022 06:15	6.8	26.4	120	36.16	0.3
15-Feb-2022 06:20	6.8	26.75	120	36.08	0.3
15-Feb-2022 06:25	6.8			36.3	0.3
15-Feb-2022 06:30	6.8			35.85	0.3
15-Feb-2022 06:35	6.8	26.96	120	36.04	0.4
15-Feb-2022 06:40	6.8			35.96	0.2
15-Feb-2022 06:45	6.8			35.83	0.2
15-Feb-2022 06:50	6.8	27.83	120	35.98	0.3
15-Feb-2022 06:55	6.8			35.96	0.2
15-Feb-2022 07:00	6.8			35.95	0.2
15-Feb-2022 07:05	6.8	27.02	120	36.08	0.2
15-Feb-2022 07:10	6.8	29.35	120	35.81	0.2
15-Feb-2022 07:15	6.8	28.82	120	35.89	0.3
15-Feb-2022 07:20	6.8			35.48	0.3
15-Feb-2022 07:25	6.8			35.46	0.3
15-Feb-2022 07:30	6.8			35.23	0.2
15-Feb-2022 07:35	6.8			35.24	0.4
15-Feb-2022 07:40	6.8	35.65	120	35.19	0.3
15-Feb-2022 07:45	6.8			35.38	0.2
15-Feb-2022 07:50	6.8			35.02	0.3
15-Feb-2022 07:55	6.8			34.99	0.2
15-Feb-2022 08:00	6.8			35.01	0.3
15-Feb-2022 08:05	6.8	41.49	120	34.85	0.3
15-Feb-2022 08:10	6.8	38.9	120	34.98	0.2
15-Feb-2022 08:15	6.8	46.91	120	34.69	0.3

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 08:20	6.8	46.89	120	34.69	30.1
15-Feb-2022 08:25	6.8			34.63	30.2
15-Feb-2022 08:30	6.8			34.77	31.8
15-Feb-2022 08:35	6.8	46.88	120	34.7	31.9
15-Feb-2022 08:40	6.8			34.77	31.9
15-Feb-2022 08:45	6.8			34.81	30.8
15-Feb-2022 08:50	6.8	46.89	120	34.69	31.3
15-Feb-2022 08:55	6.8	42.43	120	34.82	31
15-Feb-2022 09:00	6.8	41.18	120	34.87	33.1
15-Feb-2022 09:05	6.8	46.91	120	34.68	30.7
15-Feb-2022 09:10	6.8			34.72	30.6
15-Feb-2022 09:15	6.8	46.94	120	34.53	30.6
15-Feb-2022 09:20	6.8			34.52	30.1
15-Feb-2022 09:25	6.8	46.96	120	34.49	30.5
15-Feb-2022 09:30	6.8	46.95	120	34.42	30.2
15-Feb-2022 09:35	6.8	46.96	120	34.43	30.3
15-Feb-2022 09:40	6.8	46.9	120	34.59	30.5
15-Feb-2022 09:45	6.8	46.98	120	34.32	29.9
15-Feb-2022 09:50	6.8	46.87	120	34.77	30.3
15-Feb-2022 09:55	6.8			34.58	31.5
15-Feb-2022 10:00	6.8			34.62	31.2
15-Feb-2022 10:05	6.8			34.63	31.1
15-Feb-2022 10:10	6.8				31
15-Feb-2022 10:15	6.8			34.63	29.9
15-Feb-2022 10:20	6.8	47.74	120		11.1
15-Feb-2022 10:25	6.8			34.63	0.5
15-Feb-2022 10:30	6.8			34.54	41

No. Of Corrections  
on this page



Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 12:50	6.8			35.22	0.5
15-Feb-2022 12:55	6.8			35.19	0.5
15-Feb-2022 13:00	6.8	35.12	120	35.36	0.4
15-Feb-2022 13:05	6.8				0.4
15-Feb-2022 13:10	6.8	34.43	120	35.41	0.4
15-Feb-2022 13:15	6.8			35.47	0.4
15-Feb-2022 13:20	6.8	33.52	120	35.5	0.5
15-Feb-2022 13:25	6.8				0.5
15-Feb-2022 13:30	6.8	34.36	120	35.42	0.5
15-Feb-2022 13:35	6.8	34.21	120	35.5	0.4
15-Feb-2022 13:40	6.8			35.65	0.5
15-Feb-2022 13:45	6.8				0.4
15-Feb-2022 13:50	6.8				0.5
15-Feb-2022 13:55	6.8				0.4
15-Feb-2022 14:00	6.8			35.26	0.5
15-Feb-2022 14:05	6.8				0.4
15-Feb-2022 14:10	6.8				0.5
15-Feb-2022 14:15	6.8			35.36	0.5
15-Feb-2022 14:20	6.8				0.4
15-Feb-2022 14:25	6.8			35.25	0.4
15-Feb-2022 14:30	6.8				0.4
15-Feb-2022 14:35	6.8				0.5
15-Feb-2022 14:40	6.8			35.33	0.5
15-Feb-2022 14:45	6.8				0.5
15-Feb-2022 14:50	6.8	47.2	120	34.25	0.4
15-Feb-2022 14:55	6.8			35.35	0.5
15-Feb-2022 15:00	6.8	47.74	120		0.4

No. Of Corrections on this page- *my*

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 15:05	6.8				0.5
15-Feb-2022 15:10	6.8	46.92	120		0.5
15-Feb-2022 15:15	6.8			35.06	0.5
15-Feb-2022 15:20	6.8			35.11	0.5
15-Feb-2022 15:25	6.8	47.74	120	34.86	0.5
15-Feb-2022 15:30	6.8				0.5
15-Feb-2022 15:35	6.8			34.81	0.4
15-Feb-2022 15:40	6.8			34.97	0.5
15-Feb-2022 15:45	6.8				0.4
15-Feb-2022 15:50	6.8				0.4
15-Feb-2022 15:55	6.8	47.17	120	34.3	0.4
15-Feb-2022 16:00	6.8	47.17	120	34.17	0.4
15-Feb-2022 16:05	6.8	47.17	120	34.17	0.4
15-Feb-2022 16:10	6.8			35.25	0.5
15-Feb-2022 16:15	6.8				0.5
15-Feb-2022 16:20	6.8	47.09	120	34.25	0.4
15-Feb-2022 16:25	6.8	47.12	120	34.17	0.5
15-Feb-2022 16:30	6.8	47.11	120	34.12	0.5
15-Feb-2022 16:35	6.8	47.14	120	34.09	0.5
15-Feb-2022 16:40	6.8	47.16	120	34.03	0.5
15-Feb-2022 16:45	6.8			34.02	0.5
15-Feb-2022 16:50	6.8			34.29	0.4
15-Feb-2022 16:55	6.8				0.4
15-Feb-2022 17:00	6.8			34.59	0.4
15-Feb-2022 17:05	6.8			34.66	0.4
15-Feb-2022 17:10	6.8				0.4
15-Feb-2022 17:15	6.8			34.63	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 17:20	6.8	47.23	120	33.57	0.4
15-Feb-2022 17:25	6.8			34.27	0.4
15-Feb-2022 17:30	6.8				0.5
15-Feb-2022 17:35	6.8	46.97	120	34.41	0.4
15-Feb-2022 17:40	6.8			33.67	0.4
15-Feb-2022 17:45	6.8				0.4
15-Feb-2022 17:50	6.8			34.52	0.4
15-Feb-2022 17:55	6.8			33.97	0.4
15-Feb-2022 18:00	6.8			34.1	0.4
15-Feb-2022 18:05	6.8	47.09	120	33.95	0.4
15-Feb-2022 18:10	6.8			34.07	0.4
15-Feb-2022 18:15	6.8			34.06	0.4
15-Feb-2022 18:20	6.8			33.62	0.4
15-Feb-2022 18:25	6.8			34.04	0.4
15-Feb-2022 18:30	6.8	47.18	120	33.7	0.4
15-Feb-2022 18:35	6.8	47.17	120	33.66	0.3
15-Feb-2022 18:40	6.8	47.18	120	33.63	0.4
15-Feb-2022 18:45	6.8	47.2	120	33.63	0.4
15-Feb-2022 18:50	6.8	47.19	120	33.66	0.4
15-Feb-2022 18:55	6.8	47.17	120	33.76	0.4
15-Feb-2022 19:00	6.8	47.14	120	33.8	0.4
15-Feb-2022 19:05	6.8	47.13	120	33.77	0.4
15-Feb-2022 19:10	6.8	47.18	120	33.69	0.4
15-Feb-2022 19:15	6.8	47.16	120	33.76	0.4
15-Feb-2022 19:20	6.8	47.14	120	33.73	0.4
15-Feb-2022 19:25	6.8	47.18	120	33.63	0.4
15-Feb-2022 19:30	6.8	47.06	120	34.09	0.4

No. Of Corrections  
on this page *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
15-Feb-2022 19:35	6.8	47.1	120	33.9	0.4
15-Feb-2022 19:40	6.8	47.1	120	33.94	0.4
15-Feb-2022 19:45	6.8	47.1	120	33.98	0.4
15-Feb-2022 19:50	6.8			34.16	0.4
15-Feb-2022 19:55	6.8			33.9	0.4
15-Feb-2022 20:00	6.8			34.12	0.4
15-Feb-2022 20:05	6.8			34.46	0.3
15-Feb-2022 20:10	6.8	46.94	120	34.61	0.4
15-Feb-2022 20:15	6.8			34.58	0.4
15-Feb-2022 20:20	6.8			34.51	0.3
15-Feb-2022 20:25	6.8	46.97	120	34.4	0.4
15-Feb-2022 20:30	6.8			34.27	0.3
15-Feb-2022 20:35	6.8	47.02	120	34.33	0.4
15-Feb-2022 20:40	6.8			34.39	0.4
15-Feb-2022 20:45	6.8			34.62	0.3
15-Feb-2022 20:50	6.8			34.52	0.4
15-Feb-2022 20:55	6.8			34.65	0.4
15-Feb-2022 21:00	6.8			34.64	0.3
15-Feb-2022 21:05	6.8	46.93	120	34.67	0.3
15-Feb-2022 21:10	6.8			34.69	0.3
15-Feb-2022 21:15	6.8	46.88	120	34.73	0.4
15-Feb-2022 21:20	6.8			34.75	0.4
15-Feb-2022 21:25	6.8			34.7	0.4
15-Feb-2022 21:30	6.8			34.63	0.3
15-Feb-2022 21:35	6.8	46.97	120	34.49	0.3
15-Feb-2022 21:40	6.8			34.54	0.4
15-Feb-2022 21:45	6.8			34.59	0.3

Timestamp	PH	BOD	COD	TSS	FLOW
15-Feb-2022 21:50	6.8			34.35	0.3
15-Feb-2022 21:55	6.8	47.18	120	33.69	0.2
15-Feb-2022 22:00	6.8	47.02	120	34.32	0.4
15-Feb-2022 22:05	6.8			34.49	0.3
15-Feb-2022 22:10	6.8	47	120	34.29	0.3
15-Feb-2022 22:15	6.8	46.97	120	34.36	0.3
15-Feb-2022 22:20	6.8			34.34	0.3
15-Feb-2022 22:25	6.8			34.2	0.3
15-Feb-2022 22:30	6.8			34.37	0.3
15-Feb-2022 22:35	6.8			34.47	0.3
15-Feb-2022 22:40	6.8			34.43	0.3
15-Feb-2022 22:45	6.8	47	120	34.4	0.3
15-Feb-2022 22:50	6.8	46.98	120	34.47	0.3
15-Feb-2022 22:55	6.8	47.05	120	34.18	0.3
15-Feb-2022 23:00	6.8	47.14	120	33.91	0.3
15-Feb-2022 23:05	6.8	47.1	120	34.04	0.4
15-Feb-2022 23:10	6.8	47.05	120	34.19	0.3
15-Feb-2022 23:15	6.8	47.04	120	34.26	0.3
15-Feb-2022 23:20	6.8	47.05	120	34.29	0.3
15-Feb-2022 23:25	6.8			34.41	0.3
15-Feb-2022 23:30	6.8				0.4
15-Feb-2022 23:35	6.8			34.73	0.3
15-Feb-2022 23:40	6.8			34.51	0.3
15-Feb-2022 23:45	6.8	46.98	120	34.47	0.4
15-Feb-2022 23:50	6.8			34.45	0.3
15-Feb-2022 23:55	6.8	47	120	34.54	0.4
16-Feb-2022 00:00	6.8	46.95	120	34.56	0.3

No. Of Corrections  
on this page- 0/1

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 00:05	6.8			34.66	0.2
16-Feb-2022 00:10	6.8	46.95	120	34.63	0.3
16-Feb-2022 00:15	6.8	46.99	120	34.45	0.2
16-Feb-2022 00:20	6.8			34.34	0.2
16-Feb-2022 00:25	6.8			34.26	0.3
16-Feb-2022 00:30	6.8			34.18	0.3
16-Feb-2022 00:35	6.8	47.07	120	34.26	0.3
16-Feb-2022 00:40	6.8			34.38	0.2
16-Feb-2022 00:45	6.8	47.03	120	34.4	0.2
16-Feb-2022 00:50	6.8	47.04	120	34.35	0.2
16-Feb-2022 00:55	6.8	47.04	120	34.34	0.2
16-Feb-2022 01:00	6.8	47.06	120	34.3	0.2
16-Feb-2022 01:05	6.8			34.23	0.3
16-Feb-2022 01:10	6.8			34.27	0.2
16-Feb-2022 01:15	6.8	47.08	120	34.24	0.2
16-Feb-2022 01:20	6.8			34.29	0.3
16-Feb-2022 01:25	6.8	47.07	120	34.24	0.2
16-Feb-2022 01:30	6.8	47.05	120	34.32	0.2
16-Feb-2022 01:35	6.8	47.07	120	34.3	0.2
16-Feb-2022 01:40	6.8	47.12	120	34.28	0.3
16-Feb-2022 01:45	6.8			34.25	0.2
16-Feb-2022 01:50	6.8	47.03	120	34.53	0.3
16-Feb-2022 01:55	6.8	47.09	120	34.22	0.2
16-Feb-2022 02:00	6.8	47.09	120	34.3	0.2
16-Feb-2022 02:05	6.8	47.04	120	34.38	0.2
16-Feb-2022 02:10	6.8	47.01	120	34.5	0.3
16-Feb-2022 02:15	6.8	47	120	34.64	0.2

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 02:20	6.8	47.02	120	34.61	0.2
16-Feb-2022 02:25	6.8	46.99	120	34.65	0.2
16-Feb-2022 02:30	6.8			34.62	0.2
16-Feb-2022 02:35	6.8	47.01	120	34.56	0.2
16-Feb-2022 02:40	6.8			34.65	0.2
16-Feb-2022 02:45	6.8	46.97	120	34.72	0.2
16-Feb-2022 02:50	6.8			34.64	0.2
16-Feb-2022 02:55	6.8			34.7	0.2
16-Feb-2022 03:00	6.8			34.69	0.2
16-Feb-2022 03:05	6.8	46.99	120	34.65	0.2
16-Feb-2022 03:10	6.8	47	120	34.7	0.2
16-Feb-2022 03:15	6.8			34.65	0.2
16-Feb-2022 03:20	6.8	46.98	120	34.77	0.2
16-Feb-2022 03:25	6.8			34.63	0.2
16-Feb-2022 03:30	6.8			34.77	0.2
16-Feb-2022 03:35	6.8			34.73	0.2
16-Feb-2022 03:40	6.8				0.3
16-Feb-2022 03:45	6.8			34.54	0.2
16-Feb-2022 03:50	6.8			34.63	0.2
16-Feb-2022 03:55	6.8	47.01	120	34.73	0.3
16-Feb-2022 04:00	6.8	46.99	120	34.7	0.3
16-Feb-2022 04:05	6.8	47.01	120	34.7	0.2
16-Feb-2022 04:10	6.8			34.7	0.2
16-Feb-2022 04:15	6.8			34.66	0.3
16-Feb-2022 04:20	6.8			34.79	0.2
16-Feb-2022 04:25	6.8	47.01	120	34.74	0.2
16-Feb-2022 04:30	6.8			34.62	0.2

No. Of Corrections  
on this page- 104

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 04:35	6.8	47.05	120	34.59	0.2
16-Feb-2022 04:40	6.8	47.05	120	34.58	0.3
16-Feb-2022 04:45	6.8	47.05	120	34.55	0.3
16-Feb-2022 04:50	6.8	47.04	120	34.59	0.3
16-Feb-2022 04:55	6.8	47.06	120	34.52	0.2
16-Feb-2022 05:00	6.8			34.63	0.2
16-Feb-2022 05:05	6.8	47.03	120	34.61	0.3
16-Feb-2022 05:10	6.8	47.01	120	34.6	0.2
16-Feb-2022 05:15	6.8	47.12	120	34.29	0.2
16-Feb-2022 05:20	6.8			34.41	0.2
16-Feb-2022 05:25	6.8			34.15	0.2
16-Feb-2022 05:30	6.8	47.13	120	34.28	0.2
16-Feb-2022 05:35	6.8	47.08	120	34.42	0.2
16-Feb-2022 05:40	6.8	47.08	120	34.48	0.2
16-Feb-2022 05:45	6.8	47.02	120	34.59	0.3
16-Feb-2022 05:50	6.8			34.59	0.2
16-Feb-2022 05:55	6.8	47.03	120	34.63	0.2
16-Feb-2022 06:00	6.8	47.02	120	34.65	0.2
16-Feb-2022 06:05	6.8	47.05	120	34.55	0.2
16-Feb-2022 06:10	6.8	47.06	120	34.55	0.2
16-Feb-2022 06:15	6.8	47.08	120	34.44	0.2
16-Feb-2022 06:20	6.8	47.03	120	34.63	0.2
16-Feb-2022 06:25	6.8			34.49	0.2
16-Feb-2022 06:30	6.8			34.63	0.2
16-Feb-2022 06:35	6.8	46.99	120	34.78	0.2
16-Feb-2022 06:40	6.8				0.2
16-Feb-2022 06:45	6.8			34.69	0.2

No. Of Corrections  
on this page- 10

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 06:50	6.8	47.01	120	34.63	0.2
16-Feb-2022 06:55	6.8			34.7	0.3
16-Feb-2022 07:00	6.8			34.74	0.2
16-Feb-2022 07:05	6.8			34.81	0.2
16-Feb-2022 07:10	6.8	44.97	120	34.8	0.3
16-Feb-2022 07:15	6.8			34.84	0.2
16-Feb-2022 07:20	6.8				0.3
16-Feb-2022 07:25	6.8	37.01	120	35.24	0.2
16-Feb-2022 07:30	6.8			35.23	0.3
16-Feb-2022 07:35	6.8				0.2
16-Feb-2022 07:40	6.8	37.62	120	35.15	0.2
16-Feb-2022 07:45	6.8			34.43	0.2
16-Feb-2022 07:50	6.8			34.28	0.2
16-Feb-2022 07:55	6.8			33.84	0.2
16-Feb-2022 08:00	6.8	47.2	120	33.97	0.2
16-Feb-2022 08:05	6.8			33.86	0.2
16-Feb-2022 08:10	6.8			33.9	0.3
16-Feb-2022 08:15	6.8	47.33	120	33.62	0.3
16-Feb-2022 08:20	6.8	47.2	120	34	0.3
16-Feb-2022 08:25	6.8			33.84	0.3
16-Feb-2022 08:30	6.8	47.27	120	33.76	0.3
16-Feb-2022 08:35	6.8			33.71	0.2
16-Feb-2022 08:40	6.8			33.87	0.3
16-Feb-2022 08:45	6.8			33.73	0.3
16-Feb-2022 08:50	6.8				0.3
16-Feb-2022 08:55	6.8				0.3
16-Feb-2022 09:00	6.8			33.82	0.3

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 09:05	6.8				0.3
16-Feb-2022 09:10	6.8			33.98	0.3
16-Feb-2022 09:15	6.8				0.3
16-Feb-2022 09:20	6.8				0.4
16-Feb-2022 09:25	6.8				0.3
16-Feb-2022 09:30	6.8				0.4
16-Feb-2022 09:35	6.8				0.4
16-Feb-2022 09:40	6.8				0.4
16-Feb-2022 09:45	6.8				0.4
16-Feb-2022 09:50	6.8			33.88	0.4
16-Feb-2022 09:55	6.8	47.74	120		0.3
16-Feb-2022 10:00	6.8				0.4
16-Feb-2022 10:05	6.8				0.4
16-Feb-2022 10:10	6.8				0.4
16-Feb-2022 10:15	6.8				0.4
16-Feb-2022 10:20	6.8				0.4
16-Feb-2022 10:25	6.8			33.98	0.4
16-Feb-2022 10:30	6.8			33.92	0.3
16-Feb-2022 10:35	6.8			33.89	0.3
16-Feb-2022 10:40	6.8			34.11	0.3
16-Feb-2022 10:45	6.8			34.13	0.3
16-Feb-2022 10:50	6.8			34.17	0.4
16-Feb-2022 10:55	6.8			34.09	0.4
16-Feb-2022 11:00	6.8			34.1	0.4
16-Feb-2022 11:05	6.8	47.15	120	34.25	0.4
16-Feb-2022 11:10	6.8			34.05	0.4
16-Feb-2022 11:15	6.8				0.4

No. Of Corrections  
on this page *mg*

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 11:20	6.8			34.09	0.4
16-Feb-2022 11:25	6.8	47.17	120	34.18	0.4
16-Feb-2022 11:30	6.8			34.13	0.4
16-Feb-2022 11:35	6.8	47.15	120	34.16	0.4
16-Feb-2022 11:40	6.8			34.23	0.4
16-Feb-2022 11:45	6.8	47.18	120	34.21	0.4
16-Feb-2022 11:50	6.8			34.21	0.4
16-Feb-2022 11:55	6.8			34.05	0.4
16-Feb-2022 12:00	6.8			33.98	0.4
16-Feb-2022 12:05	6.8	47.08	120	34.51	0.4
16-Feb-2022 12:10	6.8	47.09	120	34.52	0.4
16-Feb-2022 12:15	6.8			34.27	0.4
16-Feb-2022 12:20	6.8			34.36	0.4
16-Feb-2022 12:25	6.8	47.12	120	34.5	0.4
16-Feb-2022 12:30	6.8			34.48	0.4
16-Feb-2022 12:35	6.8			34.5	0.4
16-Feb-2022 12:40	6.8			34.58	0.4
16-Feb-2022 12:45	6.8			34.67	0.4
16-Feb-2022 12:50	6.8	47.07	120	34.69	0.4
16-Feb-2022 12:55	6.8	47.05	120	34.78	0.5
16-Feb-2022 13:00	6.8			34.81	0.4
16-Feb-2022 13:05	6.8			34.77	51.4
16-Feb-2022 13:10	6.8			34.84	49.3
16-Feb-2022 13:15	6.8	41.87	120	34.91	49.4
16-Feb-2022 13:20	6.8			35.01	48.9
16-Feb-2022 13:25	6.8	40	120	35.07	49
16-Feb-2022 13:30	6.8			35.05	48.8

No. Of Corrections  
on this page- *MA*

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 13:35	6.8				48.9
16-Feb-2022 13:40	6.8			35.2	48.6
16-Feb-2022 13:45	6.8			34.99	48.9
16-Feb-2022 13:50	6.8			35.11	48.5
16-Feb-2022 13:55	6.8			35.27	48.8
16-Feb-2022 14:00	6.8	36.93	120	35.37	48.9
16-Feb-2022 14:05	6.8			35.25	48.8
16-Feb-2022 14:10	6.8				48.3
16-Feb-2022 14:15	6.8			34.15	48.4
16-Feb-2022 14:20	6.8	39.53	120	35.13	48.6
16-Feb-2022 14:25	6.8			35.03	48.6
16-Feb-2022 14:30	6.8	42.02	120	34.93	48.4
16-Feb-2022 14:35	6.8			35.1	48.8
16-Feb-2022 14:40	6.8	40.82	120	35.02	48.4
16-Feb-2022 14:45	6.8	40.41	120	35.09	48.5
16-Feb-2022 14:50	6.8				48.2
16-Feb-2022 14:55	6.8	47.24	120	34.49	48.1
16-Feb-2022 15:00	6.8	47.23	120	34.53	48.5
16-Feb-2022 15:05	6.8	47.22	120	34.56	48.2
16-Feb-2022 15:10	6.8	47.2	120	34.64	48.1
16-Feb-2022 15:15	6.8	47.22	120	34.58	48.1
16-Feb-2022 15:20	6.8	47.2	120	34.6	48.1
16-Feb-2022 15:25	6.8	47.24	120	34.48	47.8
16-Feb-2022 15:30	6.8	47.24	120	34.49	48.2
16-Feb-2022 15:35	6.8	47.24	120	34.49	48.1
16-Feb-2022 15:40	6.8	47.24	120	34.53	48.1
16-Feb-2022 15:45	6.8	47.23	120	34.5	48.2

No. Of Corrections  
on this page- *mg*

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 15:50	6.8	40.98	120	35.02	48.1
16-Feb-2022 16:00	6.8			34.54	49.3
16-Feb-2022 16:05	6.8	47.26	120	34.42	48.5
16-Feb-2022 16:10	6.8			34.41	48.6
16-Feb-2022 16:15	6.8	47.25	120	34.41	49
16-Feb-2022 16:20	6.8	47.23	120	34.43	48.8
16-Feb-2022 16:25	6.8	47.27	120	34.32	48.6
16-Feb-2022 16:30	6.8	47.24	120	34.4	48.6
16-Feb-2022 16:35	6.8	47.27	120	34.22	48.4
16-Feb-2022 16:40	6.8	47.27	120	34.22	0.4
16-Feb-2022 16:45	6.8	47.27	120	34.19	0.4
16-Feb-2022 16:50	6.8	47.31	120	34.07	0.4
16-Feb-2022 16:55	6.8	47.29	120	34.05	0.5
16-Feb-2022 17:00	6.8	47.31	120	33.99	0.4
16-Feb-2022 17:05	6.94	47.29	120	33.97	0.4
16-Feb-2022 17:10	6.94	47.29	120	33.98	0.4
16-Feb-2022 17:15	6.94	47.3	120	33.91	0.4
16-Feb-2022 17:20	6.94	47.3	120	33.88	0.5
16-Feb-2022 17:25	6.93	47.3	120	33.85	0.4
16-Feb-2022 17:30	6.93	47.34	120	33.82	0.4
16-Feb-2022 17:35	6.93	47.33	120	33.76	0.4
16-Feb-2022 17:40	6.93	47.34	120	33.68	0.4
16-Feb-2022 17:45	6.93	47.34	120	33.7	0.4
16-Feb-2022 17:50	6.93	47.35	120	33.69	0.4
16-Feb-2022 17:55	6.93	47.35	120	33.66	0.5
16-Feb-2022 18:00	6.93	47.31	120	33.7	0.4
16-Feb-2022 18:05	6.92	47.33	120	33.67	0.4

No. Of Corrections  
on this page- *my*

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 18:10	6.92	47.35	120	33.62	0.4
16-Feb-2022 18:15	6.92	47.34	120	33.6	0.4
16-Feb-2022 18:20	6.92			33.55	0.4
16-Feb-2022 18:25	6.92			33.67	0.4
16-Feb-2022 18:30	6.92	47.41	120	33.38	0.4
16-Feb-2022 18:35	6.92	47.4	120	33.4	0.4
16-Feb-2022 18:40	6.92	47.4	120	33.41	0.4
16-Feb-2022 18:45	6.91	47.39	120	33.4	0.4
16-Feb-2022 18:50	6.91	47.38	120	33.44	0.4
16-Feb-2022 18:55	6.91	47.41	120	33.4	0.4
16-Feb-2022 19:00	6.91	47.38	120	33.4	0.4
16-Feb-2022 19:05	6.91	47.38	120	33.37	0.4
16-Feb-2022 19:10	6.91	47.4	120	33.36	0.4
16-Feb-2022 19:15	6.91	47.4	120	33.35	0.4
16-Feb-2022 19:20	6.91			33.5	0.4
16-Feb-2022 19:25	6.91			33.47	0.4
16-Feb-2022 19:30	6.91	47.36	120	33.47	0.4
16-Feb-2022 19:35	6.9	47.36	120	33.47	0.4
16-Feb-2022 19:40	6.9	47.35	120	33.48	0.4
16-Feb-2022 19:45	6.9			33.4	0.4
16-Feb-2022 19:50	6.9	47.41	120	33.36	0.4
16-Feb-2022 19:55	6.9	47.4	120	33.34	0.4
16-Feb-2022 20:00	6.9	47.4	120	33.34	0.4
16-Feb-2022 20:05	6.9	47.4	120	33.37	0.4
16-Feb-2022 20:10	6.9	47.4	120	33.36	0.4
16-Feb-2022 20:15	6.9	47.39	120	33.34	0.4
16-Feb-2022 20:20	6.9	47.41	120	33.27	0.4

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 20:25	6.9	47.44	120	33.27	0.4
16-Feb-2022 20:30	6.9	47.44	120	33.24	0.3
16-Feb-2022 20:35	6.9	47.43	120	33.23	0.3
16-Feb-2022 20:40	6.9	47.44	120	33.24	0.4
16-Feb-2022 20:45	6.89	47.44	120	33.22	0.4
16-Feb-2022 20:50	6.89	47.43	120	33.25	0.3
16-Feb-2022 20:55	6.89	47.44	120	33.24	0.4
16-Feb-2022 21:00	6.89	47.44	120	33.22	0.3
16-Feb-2022 21:05	6.89	47.45	120	33.22	0.4
16-Feb-2022 21:10	6.89	47.44	120	33.23	0.4
16-Feb-2022 21:15	6.89	47.44	120	33.24	0.3
16-Feb-2022 21:20	6.89			33.24	0.4
16-Feb-2022 21:25	6.89	47.44	120	33.22	0.3
16-Feb-2022 21:30	6.89	47.43	120	33.28	0.4
16-Feb-2022 21:35	6.89	47.43	120	33.26	0.3
16-Feb-2022 21:40	6.89	47.44	120	33.22	0.2
16-Feb-2022 21:45	6.89	47.45	120	33.22	0.2
16-Feb-2022 21:50	6.89	47.46	120	33.22	0.4
16-Feb-2022 21:55	6.89	47.44	120	33.23	0.3
16-Feb-2022 22:00	6.89	47.44	120	33.23	0.3
16-Feb-2022 22:05	6.88	47.42	120	33.4	0.4
16-Feb-2022 22:10	6.88	47.46	120	33.22	0.3
16-Feb-2022 22:15	6.88	47.45	120	33.22	0.3
16-Feb-2022 22:20	6.88	47.43	120	33.24	0.3
16-Feb-2022 22:25	6.88	47.37	120	33.63	0.2
16-Feb-2022 22:30	6.88	47.31	120	33.51	0.3
16-Feb-2022 22:35	6.88			33.58	0.2

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
16-Feb-2022 22:40	6.88	47.32	120	33.58	0.3
16-Feb-2022 22:45	6.88			33.56	0.3
16-Feb-2022 22:50	6.88			33.49	0.3
16-Feb-2022 22:55	6.88			33.72	0.4
16-Feb-2022 23:00	6.88	47.31	120	33.59	0.3
16-Feb-2022 23:05	6.88			33.62	0.3
16-Feb-2022 23:10	6.88			33.58	0.3
16-Feb-2022 23:15	6.88			33.84	0.3
16-Feb-2022 23:20	6.88	47.23	120	33.83	0.2
16-Feb-2022 23:25	6.88	47.27	120	33.78	0.3
16-Feb-2022 23:30	6.88			33.6	0.4
16-Feb-2022 23:35	6.88			33.4	0.3
16-Feb-2022 23:40	6.88	47.42	120	33.22	0.3
16-Feb-2022 23:45	6.88			33.62	0.3
16-Feb-2022 23:50	6.88			33.64	0.2
16-Feb-2022 23:55	6.88	47.32	120	33.57	0.2
17-Feb-2022 00:00	6.88			33.24	0.3
17-Feb-2022 00:05	6.88	47.28	120	33.67	0.3
17-Feb-2022 00:10	6.88	47.29	120	33.73	0.3
17-Feb-2022 00:15	6.88	47.42	120	33.28	0.3
17-Feb-2022 00:20	6.88	47.35	120	33.58	0.2
17-Feb-2022 00:25	6.87			33.22	0.4
17-Feb-2022 00:30	6.87	47.31	120	33.68	0.3
17-Feb-2022 00:35	6.87			33.3	0.2
17-Feb-2022 00:40	6.87	47.47	120	33.22	0.3
17-Feb-2022 00:45	6.87	47.47	120	33.22	0.3
17-Feb-2022 00:50	6.87	47.47	120	33.22	0.3

No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 00:55	6.87	47.45	120	33.22	0.2
17-Feb-2022 01:00	6.87	47.46	120	33.22	0.2
17-Feb-2022 01:05	6.87	47.46	120	33.22	0.3
17-Feb-2022 01:10	6.87	47.44	120	33.25	0.3
17-Feb-2022 01:15	6.87	47.45	120	33.22	0.2
17-Feb-2022 01:20	6.87			33.47	0.3
17-Feb-2022 01:25	6.87			33.61	0.2
17-Feb-2022 01:30	6.87			33.66	0.2
17-Feb-2022 01:35	6.87			33.79	0.2
17-Feb-2022 01:40	6.87			33.87	0.3
17-Feb-2022 01:45	6.87			33.8	0.2
17-Feb-2022 01:50	6.87	47.28	120	33.72	0.3
17-Feb-2022 01:55	6.87	47.46	120	33.22	0.3
17-Feb-2022 02:00	6.87	47.48	120	33.22	0.3
17-Feb-2022 02:05	6.87			33.36	0.2
17-Feb-2022 02:10	6.87			33.22	0.2
17-Feb-2022 02:15	6.87				0.3
17-Feb-2022 02:20	6.87	47.41	120	33.28	0.2
17-Feb-2022 02:25	6.87			33.28	0.2
17-Feb-2022 02:30	6.87			33.45	0.2
17-Feb-2022 02:35	6.87				0.2
17-Feb-2022 02:40	6.87	47.47	120	33.22	0.2
17-Feb-2022 02:45	6.87	47.47	120	33.22	0.2
17-Feb-2022 02:50	6.87	47.46	120	33.22	0.2
17-Feb-2022 02:55	6.87	47.48	120	33.22	0.2
17-Feb-2022 03:00	6.87	47.49	120	33.22	0.3
17-Feb-2022 03:05	6.87	47.48	120	33.22	0.2

No. Of Corrections  
on this page- *nil*

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 03:10	6.87	47.51	120	33.22	0.2
17-Feb-2022 03:15	6.87	47.47	120	33.22	0.2
17-Feb-2022 03:20	6.87	47.47	120	33.22	0.3
17-Feb-2022 03:25	6.87	47.43	120	33.22	0.2
17-Feb-2022 03:30	6.87	47.35	120	33.46	0.3
17-Feb-2022 03:35	6.87			33.49	0.3
17-Feb-2022 03:40	6.87			33.47	0.3
17-Feb-2022 03:45	6.87	47.44	120	33.32	0.2
17-Feb-2022 03:50	6.87			33.56	0.3
17-Feb-2022 03:55	6.87			33.23	0.3
17-Feb-2022 04:00	6.87	47.5	120	33.22	0.3
17-Feb-2022 04:05	6.87	47.49	120	33.22	0.2
17-Feb-2022 04:10	6.87	47.47	120	33.22	0.2
17-Feb-2022 04:15	6.87	47.48	120	33.22	0.3
17-Feb-2022 04:20	6.86	47.48	120	33.22	0.2
17-Feb-2022 04:25	6.86	47.48	120	33.22	0.2
17-Feb-2022 04:30	6.87	47.48	120	33.22	0.3
17-Feb-2022 04:35	6.86			33.24	0.2
17-Feb-2022 04:40	6.86			33.22	0.3
17-Feb-2022 04:45	6.86			33.22	0.3
17-Feb-2022 04:50	6.86	47.46	120	33.22	0.2
17-Feb-2022 04:55	6.86			33.24	0.2
17-Feb-2022 05:00	6.86			33.73	0.3
17-Feb-2022 05:05	6.86	47.46	120	33.22	0.3
17-Feb-2022 05:10	6.86	47.45	120	33.22	0.2
17-Feb-2022 05:15	6.86			33.26	0.3
17-Feb-2022 05:20	6.86	47.49	120	33.22	0.3

No. Of Corrections  
on this page- *0*

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 05:25	6.86	47.49	120	33.22	0.3
17-Feb-2022 05:30	6.86	47.48	120	33.22	0.3
17-Feb-2022 05:35	6.86	47.48	120	33.22	0.3
17-Feb-2022 05:40	6.86			33.28	0.2
17-Feb-2022 05:45	6.86	47.35	120	33.45	0.2
17-Feb-2022 05:50	6.86	47.34	120	33.54	0.2
17-Feb-2022 05:55	6.86			33.53	0.3
17-Feb-2022 06:00	6.86			33.56	0.2
17-Feb-2022 06:05	6.86	47.46	120	33.22	0.2
17-Feb-2022 06:10	6.86	47.45	120	33.22	0.2
17-Feb-2022 06:15	6.86	47.39	120	33.45	0.3
17-Feb-2022 06:20	6.86	47.47	120	33.22	0.2
17-Feb-2022 06:25	6.86			33.22	0.3
17-Feb-2022 06:30	6.86	47.48	120	33.22	0.2
17-Feb-2022 06:35	6.86			33.22	0.3
17-Feb-2022 06:40	6.86	47.47	120	33.22	0.3
17-Feb-2022 06:45	6.86	47.49	120	33.22	0.2
17-Feb-2022 06:50	6.86	47.47	120	33.22	0.2
17-Feb-2022 06:55	6.86	47.37	120	33.39	0.3
17-Feb-2022 07:00	6.86	47.35	120	33.48	0.3
17-Feb-2022 07:05	6.86	47.49	120	33.22	0.2
17-Feb-2022 07:10	6.86	47.47	120	33.22	0.3
17-Feb-2022 07:15	6.86	47.38	120	33.44	0.2
17-Feb-2022 07:20	6.86	47.49	120	33.22	0.2
17-Feb-2022 07:25	6.86			33.55	0.2
17-Feb-2022 07:30	6.86			33.51	0.3
17-Feb-2022 07:35	6.86	47.45	120	33.22	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 07:40	6.86			33.5	0.3
17-Feb-2022 07:45	6.86	47.47	120	33.22	0.3
17-Feb-2022 07:50	6.86			33.22	0.3
17-Feb-2022 15:55	6.81	47.55	120	33.49	0.2
17-Feb-2022 16:00	6.81	47.55	120	33.38	0.2
17-Feb-2022 16:05	6.81	47.55	120	33.36	0.3
17-Feb-2022 16:10	6.81	47.55	120	33.35	0.2
17-Feb-2022 16:15	6.81	47.55	120	33.34	0.3
17-Feb-2022 16:20	6.81	47.55	120	33.37	0.4
17-Feb-2022 16:25	6.81	47.55	120	33.39	0.4
17-Feb-2022 16:30	6.81	47.54	120	33.4	0.4
17-Feb-2022 16:35	6.81	47.54	120	33.41	0.4
17-Feb-2022 16:40	6.81	47.54	120	33.42	0.4
17-Feb-2022 16:45	6.81	47.54	120	33.44	0.4
17-Feb-2022 16:50	6.81	47.54	120	33.45	0.4
17-Feb-2022 16:55	6.81	47.53	120	33.46	0.4
17-Feb-2022 17:00	6.81	47.53	120	33.48	0.3
17-Feb-2022 17:05	6.81	47.53	120	33.5	0.4
17-Feb-2022 17:10	6.81	47.53	120	33.5	0.4
17-Feb-2022 17:15	6.8	47.53	120	33.51	0.4
17-Feb-2022 17:20	6.8	47.53	120	33.53	0.4
17-Feb-2022 17:25	6.8	47.52	120	33.54	0.4
17-Feb-2022 17:30	6.8	47.53	120	33.55	0.4
17-Feb-2022 17:35	6.8	47.53	120	33.56	0.3
17-Feb-2022 17:40	6.8	47.53	120	33.56	0.3
17-Feb-2022 17:45	6.8	47.53	120	33.55	0.4
17-Feb-2022 17:50	6.8	47.53	120	33.56	0.4

No. Of Corrections  
on this page- *MRS*

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 17:55	6.8	47.53	120	33.56	0.3
17-Feb-2022 18:00	6.8	47.53	120	33.54	0.3
17-Feb-2022 18:05	6.8	47.53	120	33.51	0.3
17-Feb-2022 18:10	6.8	47.53	120	33.55	0.4
17-Feb-2022 18:15	6.8	47.54	120	33.43	0.2
17-Feb-2022 18:20	6.8	47.55	120	33.38	0.3
17-Feb-2022 18:25	6.8	47.55	120	33.31	0.3
17-Feb-2022 18:30	6.8	47.56	120	33.24	0.3
17-Feb-2022 18:35	6.8	47.57	120	33.22	0.3
17-Feb-2022 18:40	6.8	47.57	120	33.22	0.4
17-Feb-2022 18:45	6.8	47.58	120	33.22	43.8
17-Feb-2022 18:50	6.8	47.59	120	33.22	41.1
17-Feb-2022 18:55	6.8	47.6	120	33.22	43.6
17-Feb-2022 19:00	6.8	47.6	120	33.22	42.2
17-Feb-2022 19:05	6.8	47.6	120	33.22	41.4
17-Feb-2022 19:10	6.8	47.61	120	33.22	41.7
17-Feb-2022 19:15	6.8	47.62	120	33.22	0.2
17-Feb-2022 19:20	6.8	47.62	120	33.22	0.2
17-Feb-2022 19:25	6.8	47.62	120	33.22	0.2
17-Feb-2022 19:30	6.8	47.63	120	33.22	0.2
17-Feb-2022 19:35	6.8	47.61	120	33.22	0.3
17-Feb-2022 19:40	6.8	47.63	120	33.22	0.2
17-Feb-2022 19:45	6.8	47.63	120	33.22	0.2
17-Feb-2022 19:50	6.8	47.62	120	33.22	0.3
17-Feb-2022 19:55	6.8	47.62	120	33.22	0.2
17-Feb-2022 20:00	6.8	47.64	120	33.22	0.2
17-Feb-2022 20:05	6.8	47.61	120	33.22	0.2

No. Of Corrections  
on this page - 1

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 20:10	6.8	47.65	120	33.22	0.2
17-Feb-2022 20:15	6.8	47.65	120	33.22	0.2
17-Feb-2022 20:20	6.8	47.67	120	33.22	0.3
17-Feb-2022 20:25	6.8	47.62	120	33.22	0.2
17-Feb-2022 20:30	6.8	47.67	120	33.22	0.2
17-Feb-2022 20:35	6.8	47.67	120	33.22	0.2
17-Feb-2022 20:40	6.8	47.68	120	33.22	0.2
17-Feb-2022 20:45	6.8	47.68	120	33.22	0.2
17-Feb-2022 20:50	6.8	47.68	120	33.22	0.2
17-Feb-2022 20:55	6.8	47.67	120	33.22	0.3
17-Feb-2022 21:00	6.8	47.68	120	33.22	0.2
17-Feb-2022 21:05	6.8	47.69	120	33.22	0.2
17-Feb-2022 21:10	6.8	47.69	120	33.22	0.2
17-Feb-2022 21:15	6.8	47.69	120	33.22	0.2
17-Feb-2022 21:20	6.8	47.7	120	33.22	0.2
17-Feb-2022 21:25	6.8	47.7	120	33.22	40
17-Feb-2022 21:30	6.8	47.7	120	33.22	40.5
17-Feb-2022 21:35	6.8	47.7	120	33.22	40.4
17-Feb-2022 21:40	6.8	47.7	120	33.22	39.4
17-Feb-2022 21:45	6.8	47.68	120	33.22	40.3
17-Feb-2022 21:50	6.8	47.68	120	33.22	39.2
17-Feb-2022 21:55	6.8	47.68	120	33.22	38.4
17-Feb-2022 22:00	6.8	47.68	120	33.22	39.1
17-Feb-2022 22:05	6.8	47.68	120	33.22	37.9
17-Feb-2022 22:10	6.8	47.68	120	33.22	39.9
17-Feb-2022 22:15	6.8	47.68	120	33.22	39.3
17-Feb-2022 22:20	6.8	47.69	120	33.22	39.3

No. Of Corrections  
on this page- 

Timestamp	pH	BOD	COD	TSS	FLOW
17-Feb-2022 22:25	6.8	47.69	120	33.22	39.5
17-Feb-2022 22:30	6.8	47.7	120	33.22	40.4
17-Feb-2022 22:35	6.8	47.7	120	33.22	0.2
17-Feb-2022 22:40	6.8	47.7	120	33.22	0.2
17-Feb-2022 22:45	6.8	47.71	120	33.22	0.2
17-Feb-2022 22:50	6.8	47.71	120	33.22	0.2
17-Feb-2022 22:55	6.8	47.7	120	33.22	0.2
17-Feb-2022 23:00	6.8	47.71	120	33.22	0.2
17-Feb-2022 23:05	6.8			33.22	0.2
17-Feb-2022 23:10	6.8			33.22	0.2
17-Feb-2022 23:15	6.8			33.22	0.2
17-Feb-2022 23:20	6.8	47.6	120	33.22	0.2
17-Feb-2022 23:25	6.8	47.62	120	33.22	0.1
17-Feb-2022 23:30	6.8	47.51	120	33.22	0.1
17-Feb-2022 23:35	6.8	47.5	120	33.22	0.2
17-Feb-2022 23:40	6.8			33.22	0.2
17-Feb-2022 23:45	6.8	47.51	120	33.22	0.2
17-Feb-2022 23:50	6.8	47.43	120	33.26	0.1
17-Feb-2022 23:55	6.8			33.26	0.1
18-Feb-2022 00:05	6.8	47.55	120	33.22	0.1
18-Feb-2022 00:10	6.8	47.56	120	33.22	0.1
18-Feb-2022 00:15	6.8			33.22	0.2
18-Feb-2022 00:20	6.8	47.62	120	33.22	0.2
18-Feb-2022 00:25	6.8	47.59	120	33.22	0.2
18-Feb-2022 00:30	6.8	47.6	120	33.22	0.2
18-Feb-2022 00:35	6.8	47.62	120	33.22	0.1
18-Feb-2022 00:40	6.8	47.62	120	33.22	0.2

No. Of Corrections  
on this page-

Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 00:45	6.8			33.22	0.2
18-Feb-2022 00:50	6.8	47.61	120	33.22	0.1
18-Feb-2022 00:55	6.8	47.58	120	33.22	0.2
18-Feb-2022 01:00	6.8			33.22	0.2
18-Feb-2022 01:05	6.8			33.22	0.2
18-Feb-2022 01:10	6.8	47.42	120	33.22	0.1
18-Feb-2022 01:15	6.8			33.44	0.2
18-Feb-2022 01:20	6.8			33.22	0.1
18-Feb-2022 01:25	6.8			33.38	0.2
18-Feb-2022 01:30	6.8			33.33	0.2
18-Feb-2022 01:35	6.8			33.31	0.2
18-Feb-2022 01:40	6.8	47.46	120	33.22	14.3
18-Feb-2022 01:45	6.8	47.44	120	33.22	8.1
18-Feb-2022 01:50	6.8	47.47	120	33.22	6.8
18-Feb-2022 01:55	6.8			33.24	7.6
18-Feb-2022 02:00	6.8			33.22	6.9
18-Feb-2022 02:05	6.8	47.39	120	33.22	6.6
18-Feb-2022 02:10	6.8			33.24	6.1
18-Feb-2022 02:15	6.8	47.46	120	33.22	5.1
18-Feb-2022 02:20	6.8			33.22	4
18-Feb-2022 02:25	6.8			33.22	1.8
18-Feb-2022 02:30	6.8			33.23	2.1
18-Feb-2022 02:35	6.8			33.23	2.1
18-Feb-2022 02:40	6.8			33.73	1.9
18-Feb-2022 02:45	6.8			33.76	0.3
18-Feb-2022 02:50	6.8			33.79	0.1
18-Feb-2022 02:55	6.8			33.46	0.1


No. Of Corrections  
on this page

Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 03:00	6.8			33.35	0.1
18-Feb-2022 03:05	6.8			33.22	0
18-Feb-2022 03:10	6.8			33.22	0.1
18-Feb-2022 03:15	6.8			33.22	0.1
18-Feb-2022 03:20	6.8			33.22	0.2
18-Feb-2022 03:25	6.8			33.22	0.1
18-Feb-2022 03:30	6.8			33.22	0.1
18-Feb-2022 03:35	6.8			33.22	0.1
18-Feb-2022 03:40	6.8			33.22	0.1
18-Feb-2022 03:45	6.8	47.52	120	33.22	0.2
18-Feb-2022 03:50	6.8	47.55	120	33.22	0.1
18-Feb-2022 03:55	6.8			33.22	0.1
18-Feb-2022 04:00	6.8			33.22	0.1
18-Feb-2022 04:05	6.8			33.22	0.1
18-Feb-2022 04:10	6.8	47.46	120		0.2
18-Feb-2022 04:15	6.8	47.44	120	33.22	0.1
18-Feb-2022 04:20	6.8			33.37	0.1
18-Feb-2022 04:25	6.8	47.4	120	33.33	0.1
18-Feb-2022 04:30	6.8	47.4	120	33.28	43.4
18-Feb-2022 04:35	6.8			33.36	37.5
18-Feb-2022 04:40	6.8			33.27	36.5
18-Feb-2022 04:45	6.8			33.24	35.3
18-Feb-2022 04:50	6.8	47.41	120	33.22	32.6
18-Feb-2022 04:55	6.8			33.22	29
18-Feb-2022 05:00	6.8			33.22	27.8
18-Feb-2022 05:05	6.8	47.51	120	33.22	24
18-Feb-2022 05:10	6.8			33.22	18.3

No.Of Corrections  
on this page- 

Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 05:15	6.8			33.29	19.4
18-Feb-2022 05:20	6.8			33.27	17.1
18-Feb-2022 05:25	6.8			33.26	13.3
18-Feb-2022 05:30	6.8			33.39	11.2
18-Feb-2022 05:35	6.8			33.51	9.9
18-Feb-2022 05:40	6.8			33.52	5.1
18-Feb-2022 05:45	6.8	47.35	120	33.53	4.6
18-Feb-2022 05:50	6.8			33.47	3.3
18-Feb-2022 05:55	6.8			33.37	1.4
18-Feb-2022 06:00	6.8			33.43	1.9
18-Feb-2022 06:05	6.8			33.41	1.6
18-Feb-2022 06:10	6.8			33.22	1.3
18-Feb-2022 06:15	6.8			33.22	0.7
18-Feb-2022 06:20	6.8			33.22	0.8
18-Feb-2022 06:25	6.8			33.48	0.2
18-Feb-2022 06:30	6.8	47.74	120	33.22	0.2
18-Feb-2022 06:35	6.8			33.22	0.1
18-Feb-2022 06:40	6.8	47.51	120	33.22	0.2
18-Feb-2022 06:45	6.8	47.45	120	33.22	0.1
18-Feb-2022 06:50	6.8			33.22	0.1
18-Feb-2022 06:55	6.8			33.27	0
18-Feb-2022 07:00	6.8			33.22	5.9
18-Feb-2022 07:05	6.8			33.56	13.9
18-Feb-2022 07:10	6.8			33.32	0.9
18-Feb-2022 07:15	6.8	47.38	120	33.46	13.7
18-Feb-2022 07:20	6.8			33.45	43.7
18-Feb-2022 07:25	6.8			33.37	22.8

No. Of Corrections  
on this page- 




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 07:30	6.8	47.46	120	33.22	31.5
18-Feb-2022 07:35	6.8			33.22	18
18-Feb-2022 07:40	6.8	47.43	120	33.22	0
18-Feb-2022 07:45	6.8	47.47	120	33.22	0.1
18-Feb-2022 07:50	6.8	47.48	120	33.22	0.1
18-Feb-2022 07:55	6.8			33.22	0.1
18-Feb-2022 08:00	6.8	47.55	120	33.22	0.1
18-Feb-2022 08:05	6.8	47.74	120	33.22	0.1
18-Feb-2022 08:10	6.8			33.22	0.1
18-Feb-2022 08:15	6.8			33.22	0.1
18-Feb-2022 08:20	6.8	47.69	120	33.22	0.1
18-Feb-2022 08:25	6.8	47.65	120	33.22	0.1
18-Feb-2022 08:30	6.8	47.63	120	33.22	0.2
18-Feb-2022 08:35	6.8			33.22	0.2
18-Feb-2022 08:45	6.8			33.22	0.2
18-Feb-2022 08:50	6.8			33.22	0.2
18-Feb-2022 08:55	6.8			33.22	24.2
18-Feb-2022 09:00	6.8			33.22	0.2
18-Feb-2022 09:05	6.8			33.22	0.2
18-Feb-2022 09:10	6.8			33.22	0.2
18-Feb-2022 09:15	6.8			33.22	0.2
18-Feb-2022 09:25	6.8			33.22	0.2
18-Feb-2022 09:30	6.8	47.6	120	33.22	0.2
18-Feb-2022 09:35	6.8			33.22	0.2
18-Feb-2022 09:40	6.8	47.58	120	33.22	0.2
18-Feb-2022 09:45	6.8			33.22	0.2
18-Feb-2022 09:50	6.8			33.22	0.2

No. Of Corrections on this page- *MKS*


Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 09:55	6.8			33.22	0.2
18-Feb-2022 10:00	6.8			33.22	0.2
18-Feb-2022 10:05	6.8	47.66	120	33.22	0.2
18-Feb-2022 10:10	6.8	47.59	120	33.22	0.3
18-Feb-2022 10:15	6.8			33.32	0.2
18-Feb-2022 10:20	6.8			33.22	0.2
18-Feb-2022 10:25	6.8			33.22	0.3
18-Feb-2022 10:30	6.8	47.64	120	33.22	0.2
18-Feb-2022 10:35	6.8			33.22	0.2
18-Feb-2022 10:40	6.8			33.22	0.2
18-Feb-2022 10:45	6.8	47.71	120	33.22	0.3
18-Feb-2022 10:55	6.8			33.22	0.2
18-Feb-2022 11:00	6.8			33.22	0.2
18-Feb-2022 11:05	6.8	47.74	120	33.22	0.3
18-Feb-2022 11:10	6.8	47.73	120	33.22	0.2
18-Feb-2022 11:15	6.8			33.22	0.2
18-Feb-2022 11:20	6.8			33.22	0.2
18-Feb-2022 11:25	6.8	47.7	120	33.22	0.2
18-Feb-2022 11:30	6.8	47.69	120	33.22	0.3
18-Feb-2022 11:35	6.8			33.22	0.2
18-Feb-2022 11:40	6.8			33.22	0.2
18-Feb-2022 11:45	6.8	47.7	120	33.22	0.3
18-Feb-2022 11:50	6.8	47.66	120	33.24	0.2
18-Feb-2022 11:55	6.8			33.28	0.3
18-Feb-2022 12:00	6.8	47.63	120	33.3	0.2
18-Feb-2022 12:05	6.8	47.64	120	33.27	0.3
18-Feb-2022 12:10	6.8			33.3	0.4

No. Of Corrections  
on this page- *NTS*




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 12:15	6.8			33.4	0.3
18-Feb-2022 12:20	6.8			33.42	0.2
18-Feb-2022 12:25	6.8	47.6	120	33.35	0.4
18-Feb-2022 12:30	6.8	47.61	120	33.39	0.3
18-Feb-2022 12:35	6.8			33.33	0.4
18-Feb-2022 12:40	6.8	47.61	120	33.44	0.4
18-Feb-2022 12:45	6.8			33.33	0.4
18-Feb-2022 12:50	6.8			33.6	0.4
18-Feb-2022 12:55	6.8			33.57	0.4
18-Feb-2022 13:00	6.8			33.62	0.3
18-Feb-2022 13:05	6.8	47.62	120	33.54	0.4
18-Feb-2022 13:10	6.8			33.65	0.4
18-Feb-2022 13:15	6.8	47.53	120	33.76	0.4
18-Feb-2022 13:25	6.8			33.8	0.4
18-Feb-2022 13:30	6.8			33.76	0.4
18-Feb-2022 13:35	6.8			33.96	0.4
18-Feb-2022 13:40	6.8			34.01	0.4
18-Feb-2022 13:45	6.8	47.56	120	33.98	0.4
18-Feb-2022 13:50	6.8	47.56	120	33.96	41.5
18-Feb-2022 13:55	6.8			34.03	39.1
18-Feb-2022 14:00	6.8	47.54	120	33.97	38
18-Feb-2022 14:05	6.8			34.01	34.7
18-Feb-2022 14:10	6.8	47.55	120	34.08	30.8
18-Feb-2022 14:15	6.8	47.54	120	34.02	29.2
18-Feb-2022 14:20	6.8			34	27.6
18-Feb-2022 14:25	6.8			33.93	75.5
18-Feb-2022 14:30	6.8			34.09	51.3

No. Of Corrections on this page- *MR*




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 14:35	6.8			34.3	41.1
18-Feb-2022 14:40	6.8			34.37	36.9
18-Feb-2022 14:45	6.8	47.58	120	34.21	36.9
18-Feb-2022 14:50	6.8	47.58	120	34.41	35.5
18-Feb-2022 14:55	6.8			34.25	34.5
18-Feb-2022 15:00	6.8	47.5	120	34.54	33.7
18-Feb-2022 15:05	6.8			34.47	0.4
18-Feb-2022 15:10	6.8	47.54	120	34.53	0.4
18-Feb-2022 15:15	6.8			34.44	0.4
18-Feb-2022 15:20	6.8			34.4	0.4
18-Feb-2022 15:25	6.8	47.55	120	34.55	0.4
18-Feb-2022 15:30	6.8			34.51	0.4
18-Feb-2022 15:35	6.8	47.5	120	34.66	0.4
18-Feb-2022 15:40	6.8			34.59	0.4
18-Feb-2022 15:45	6.8			34.65	0.4
18-Feb-2022 15:50	6.8			34.54	0.4
18-Feb-2022 15:55	6.8	47.51	120	34.72	0.4
18-Feb-2022 16:00	6.8			34.73	0.4
18-Feb-2022 16:05	6.8	47.64	120	34.39	0.4
18-Feb-2022 16:10	6.8			34.54	0.4
18-Feb-2022 16:15	6.8			34.55	0.4
18-Feb-2022 16:20	6.8	47.56	120	34.51	0.4
18-Feb-2022 16:25	6.8	47.5	120	34.66	0.4
18-Feb-2022 16:30	6.8			34.56	0.4
18-Feb-2022 16:35	6.8			34.5	0.4
18-Feb-2022 16:40	6.8			34.66	0.3
18-Feb-2022 16:45	6.8	47.5	120	34.67	0.4

No. Of Corrections on this page- *Nil*




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 16:50	6.8	47.5	120	34.75	0.4
18-Feb-2022 16:55	6.8			34.77	0.4
18-Feb-2022 17:00	6.8			34.54	0.4
18-Feb-2022 17:05	6.8	47.74	120	33.83	0.3
18-Feb-2022 17:10	6.8			34.54	0.3
18-Feb-2022 17:15	6.8			34.49	0.4
18-Feb-2022 17:20	6.8			34.38	0.4
18-Feb-2022 17:25	6.8	47.52	120	34.22	0.4
18-Feb-2022 17:30	6.8	47.44	120	34.3	0.4
18-Feb-2022 17:35	6.8			34.25	0.4
18-Feb-2022 17:40	6.8			33.97	0.4
18-Feb-2022 17:45	6.8	47.43	120	34.03	0.3
18-Feb-2022 17:50	6.8				0.4
18-Feb-2022 17:55	6.8			33.82	0.4
18-Feb-2022 18:00	6.8			33.82	56.5
18-Feb-2022 18:05	6.8	47.45	120		54.5
18-Feb-2022 18:10	6.8			33.64	47.5
18-Feb-2022 18:15	6.8			33.4	48.6
18-Feb-2022 18:20	6.8			33.53	46.7
18-Feb-2022 18:25	6.8			33.61	45.8
18-Feb-2022 18:30	6.8			33.31	45.2
18-Feb-2022 18:35	6.8			33.41	44.4
18-Feb-2022 18:40	6.8			33.6	44.6
18-Feb-2022 18:45	6.8				43.7
18-Feb-2022 18:50	6.8	47.74	120	33.22	43.7
18-Feb-2022 18:55	6.8			33.22	42.9
18-Feb-2022 19:00	6.8			33.22	42.2

No. Of Corrections on this page- *2/2*




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 19:05	6.8	47.74	120	33.22	43.3
18-Feb-2022 19:10	6.8			33.22	41.9
18-Feb-2022 19:15	6.8				42.2
18-Feb-2022 19:20	6.8			33.26	0.2
18-Feb-2022 19:25	6.8			33.22	0.4
18-Feb-2022 19:30	6.8				0.3
18-Feb-2022 19:35	6.8			33.47	0.3
18-Feb-2022 19:40	6.8			33.22	0.4
18-Feb-2022 19:45	6.8			33.22	0.3
18-Feb-2022 19:50	6.8	47.74	120	33.22	0.3
18-Feb-2022 19:55	6.8			33.22	0.4
18-Feb-2022 20:00	6.8			33.22	0.2
18-Feb-2022 20:05	6.8			33.22	0.3
18-Feb-2022 20:10	6.8			33.22	0.3
18-Feb-2022 20:15	6.8	47.74	120	33.22	0.2
18-Feb-2022 20:20	6.8	47.71	120	33.22	0.2
18-Feb-2022 20:25	6.8	47.74	120	33.22	0.3
18-Feb-2022 20:30	6.8	47.63	120	33.22	0.3
18-Feb-2022 20:35	6.8			33.22	0.2
18-Feb-2022 20:40	6.8	47.65	120	33.22	0.3
18-Feb-2022 20:45	6.8			33.22	0.3
18-Feb-2022 20:50	6.8	47.65	120	33.22	0.2
18-Feb-2022 20:55	6.8	47.59	120	33.22	0.3
18-Feb-2022 21:00	6.8	47.66	120	33.22	0.2
18-Feb-2022 21:05	6.8	47.66	120	33.22	0.2
18-Feb-2022 21:10	6.8	47.63	120	33.22	0.3
18-Feb-2022 21:15	6.8	47.63	120	33.22	0.3

No. Of Corrections  
on this page- *Nil*



Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 21:20	6.8	47.65	120	33.22	0.3
18-Feb-2022 21:25	6.8			33.22	0.3
18-Feb-2022 21:30	6.8			33.23	0.2
18-Feb-2022 21:35	6.8			33.22	0.2
18-Feb-2022 21:40	6.8			33.22	0.3
18-Feb-2022 21:45	6.8			33.22	0.3
18-Feb-2022 21:50	6.8			33.22	0.3
18-Feb-2022 21:55	6.8	47.56	120	33.22	0.3
18-Feb-2022 22:00	6.8			33.22	0.3
18-Feb-2022 22:05	6.8			33.22	0.2
18-Feb-2022 22:10	6.8			33.22	0.3
18-Feb-2022 22:15	6.8	47.73	120	33.22	0.2
18-Feb-2022 22:20	6.8			33.22	0.2
18-Feb-2022 22:25	6.8			33.22	0.3
18-Feb-2022 22:30	6.8			33.22	0.2
18-Feb-2022 22:35	6.8	47.74	120	33.22	0.3
18-Feb-2022 22:40	6.8	47.74	120	33.22	0.2
18-Feb-2022 22:45	6.8			33.22	48.3
18-Feb-2022 22:50	6.8	47.74	120	33.22	44.4
18-Feb-2022 22:55	6.8	47.74	120	33.22	43.4
18-Feb-2022 23:00	6.8	47.74	120	33.22	43.7
18-Feb-2022 23:05	6.8			33.22	43.8
18-Feb-2022 23:10	6.8	47.74	120	33.22	43.7
18-Feb-2022 23:15	6.8	47.65	120	33.22	43.7
18-Feb-2022 23:20	6.8	47.69	120	33.22	43.2
18-Feb-2022 23:25	6.8	47.67	120	33.22	44
18-Feb-2022 23:30	6.8			33.22	44

No. Of Corrections on this page- *ny*




Timestamp	pH	BOD	COD	TSS	FLOW
18-Feb-2022 23:35	6.8	47.65	120	33.22	43.8
18-Feb-2022 23:40	6.8	47.64	120	33.22	44.1
18-Feb-2022 23:45	6.8	47.68	120	33.22	0.2
18-Feb-2022 23:50	6.8	47.66	120	33.22	0.3
18-Feb-2022 23:55	6.8			33.22	0.2
19-Feb-2022 00:00	6.8	47.65	120	33.22	0.2
19-Feb-2022 00:05	6.8			33.22	0.2
19-Feb-2022 00:10	6.8			33.22	0.2
19-Feb-2022 00:15	6.8			33.22	0.2
19-Feb-2022 00:20	6.8			33.22	0.2
19-Feb-2022 00:25	6.8	47.74	120	33.22	0.3
19-Feb-2022 00:30	6.8	47.71	120	33.22	0.2
19-Feb-2022 00:35	6.8			33.22	0.2
19-Feb-2022 00:40	6.8	47.7	120	33.22	0.2
19-Feb-2022 00:45	6.8			33.22	0.4
19-Feb-2022 00:50	6.8			33.22	0.2
19-Feb-2022 00:55	6.8			33.22	0.2
19-Feb-2022 01:00	6.8			33.22	0.2
19-Feb-2022 01:05	6.8			33.22	0.2
19-Feb-2022 01:10	6.8			33.22	0.2
19-Feb-2022 01:15	6.8	47.61	120	33.22	0.2
19-Feb-2022 01:20	6.8			33.22	0.2
19-Feb-2022 01:25	6.8	47.66	120	33.22	0.2
19-Feb-2022 01:30	6.8			33.22	0.2
19-Feb-2022 01:35	6.8	47.62	120	33.22	0.2
19-Feb-2022 01:40	6.8	47.56	120	33.23	0.2
19-Feb-2022 01:45	6.8	47.61	120	33.22	0.2

No. Of Corrections on this page- *nu*

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 01:50	6.8	47.62	120	33.22	0.2
19-Feb-2022 01:55	6.8	47.64	120	33.22	0.3
19-Feb-2022 02:00	6.8	47.65	120	33.22	0.3
19-Feb-2022 02:05	6.8	47.63	120	33.22	0.2
19-Feb-2022 02:10	6.8			33.22	0.3
19-Feb-2022 02:15	6.8	47.62	120	33.22	0.3
19-Feb-2022 02:20	6.8			33.22	0.2
19-Feb-2022 02:25	6.8			33.22	0.2
19-Feb-2022 02:30	6.8	47.6	120	33.24	0.2
19-Feb-2022 02:35	6.8	47.61	120	33.22	0.2
19-Feb-2022 02:40	6.8	47.59	120	33.25	0.2
19-Feb-2022 02:45	6.8	47.58	120	33.3	0.2
19-Feb-2022 02:50	6.8	47.6	120	33.29	0.2
19-Feb-2022 02:55	6.8	47.55	120	33.41	0.2
19-Feb-2022 03:00	6.8	47.53	120	33.4	0.2
19-Feb-2022 03:05	6.8	47.54	120	33.44	0.2
19-Feb-2022 03:10	6.8	47.5	120	33.45	0.3
19-Feb-2022 03:15	6.8	47.52	120	33.43	0.2
19-Feb-2022 03:20	6.8	47.57	120	33.34	0.3
19-Feb-2022 03:25	6.8			34.05	0.2
19-Feb-2022 03:30	6.8			33.93	0.2
19-Feb-2022 03:35	6.8			33.79	0.2
19-Feb-2022 03:40	6.8			33.91	0.3
19-Feb-2022 03:45	6.8			33.84	0.2
19-Feb-2022 03:50	6.8			33.82	0.2
19-Feb-2022 03:55	6.8			33.81	0.2
19-Feb-2022 04:00	6.8			33.8	0.2

No. Of Corrections  
on this page- 110



Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 04:05	6.8				0.2
19-Feb-2022 04:10	6.8			33.53	0.2
19-Feb-2022 04:15	6.8			33.56	0.2
19-Feb-2022 04:20	6.8			33.52	0.2
19-Feb-2022 04:25	6.8			33.55	0.2
19-Feb-2022 04:30	6.8			33.45	0.2
19-Feb-2022 04:35	6.8	47.55	120	33.54	0.2
19-Feb-2022 04:40	6.8	47.51	120	33.52	0.2
19-Feb-2022 04:45	6.8			33.48	0.2
19-Feb-2022 04:50	6.8	47.49	120	33.56	0.3
19-Feb-2022 04:55	6.8			33.57	0.2
19-Feb-2022 05:00	6.8			33.45	0.3
19-Feb-2022 05:05	6.8			33.44	0.2
19-Feb-2022 05:10	6.8			33.6	0.2
19-Feb-2022 05:15	6.8			33.53	0.2
19-Feb-2022 05:20	6.8			33.67	0.2
19-Feb-2022 05:25	6.8	47.49	120	33.55	0.2
19-Feb-2022 05:30	6.8			33.47	0.2
19-Feb-2022 05:35	6.8			33.42	0.2
19-Feb-2022 05:40	6.8	47.49	120	33.61	0.3
19-Feb-2022 05:45	6.8			33.52	0.2
19-Feb-2022 05:50	6.8	47.51	120	33.53	0.2
19-Feb-2022 05:55	6.8			33.56	0.2
19-Feb-2022 06:00	6.8	47.49	120	33.56	0.2
19-Feb-2022 06:05	6.8			33.63	0.2
19-Feb-2022 06:10	6.8			33.61	0.2
19-Feb-2022 06:15	6.8			33.66	0.2

No. Of Corrections on this page - *MD*

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 06:20	6.8			33.74	0.2
19-Feb-2022 06:25	6.8	47.46	120	33.77	0.2
19-Feb-2022 06:30	6.8	47.49	120	33.63	0.2
19-Feb-2022 06:35	6.8	47.5	120	33.66	0.3
19-Feb-2022 06:40	6.8	47.51	120	33.62	0.2
19-Feb-2022 06:45	6.8	47.47	120	33.73	0.3
19-Feb-2022 06:50	6.8	47.49	120	33.73	0.2
19-Feb-2022 06:55	6.8	47.51	120	33.72	0.2
19-Feb-2022 07:00	6.8	47.52	120	33.56	0.2
19-Feb-2022 07:05	6.8	47.49	120	33.72	0.2
19-Feb-2022 07:10	6.8			33.66	0.2
19-Feb-2022 07:15	6.8	47.58	120	33.48	0.2
19-Feb-2022 07:20	6.8	47.58	120	33.52	0.2
19-Feb-2022 07:25	6.8	47.58	120	33.47	0.3
19-Feb-2022 07:30	6.8	47.59	120	33.38	0.2
19-Feb-2022 07:35	6.8	47.58	120	33.43	0.3
19-Feb-2022 07:40	6.8	47.51	120	33.62	0.2
19-Feb-2022 07:45	6.8			33.44	0.2
19-Feb-2022 07:50	6.8	47.58	120	33.49	0.3
19-Feb-2022 07:55	6.8			33.48	0.2
19-Feb-2022 08:00	6.8	47.59	120	33.41	0.3
19-Feb-2022 08:05	6.8	47.57	120	33.42	0.2
19-Feb-2022 08:10	6.8			33.58	0.3
19-Feb-2022 08:15	6.8	47.55	120	33.45	0.2
19-Feb-2022 08:20	6.8			33.46	0.2
19-Feb-2022 08:25	6.8			33.56	0.3
19-Feb-2022 08:30	6.8	47.53	120	33.59	37.1

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 08:35	6.8	47.54	120	33.6	0
19-Feb-2022 08:40	6.8	47.55	120	33.54	0
19-Feb-2022 08:45	6.8	47.47	120	33.71	0
19-Feb-2022 08:50	6.8			33.61	0
19-Feb-2022 08:55	6.8	47.51	120	33.67	0
19-Feb-2022 09:00	6.8			33.61	0.2
19-Feb-2022 09:05	6.8	47.51	120	33.63	0.2
19-Feb-2022 09:10	6.8			33.73	0.2
19-Feb-2022 09:15	6.8	47.5	120	33.72	0.2
19-Feb-2022 09:20	6.8	47.54	120	33.67	0.2
19-Feb-2022 09:25	6.8	47.5	120	33.76	0.2
19-Feb-2022 09:30	6.8			33.71	0.2
19-Feb-2022 09:35	6.8			33.73	0.2
19-Feb-2022 09:40	6.8			33.73	0.2
19-Feb-2022 09:45	6.8			33.7	0.2
19-Feb-2022 09:50	6.8			33.78	0.3
19-Feb-2022 09:55	6.8			33.78	0.2
19-Feb-2022 10:00	6.8			33.74	0.3
19-Feb-2022 10:05	6.8	47.5	120	33.74	0.2
19-Feb-2022 10:10	6.8	47.51	120	33.74	0.4
19-Feb-2022 10:15	6.8	47.53	120	33.73	0.3
19-Feb-2022 10:20	6.8			33.74	0.3
19-Feb-2022 10:25	6.8	47.49	120	33.8	0.3
19-Feb-2022 10:30	6.8			33.78	0.3
19-Feb-2022 10:35	6.8	47.51	120	33.75	0.3
19-Feb-2022 10:40	6.8			33.7	0.2
19-Feb-2022 10:45	6.8	47.52	120	33.63	0.3

No. Of Corrections  
on this page- *NK*

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 10:50	6.8			33.76	0.4
19-Feb-2022 10:55	6.8			33.71	0.3
19-Feb-2022 11:00	6.8			33.76	0.4
19-Feb-2022 11:05	6.8			33.78	0.4
19-Feb-2022 11:10	6.8	47.49	120	33.79	0.4
19-Feb-2022 11:15	6.8			33.81	0.4
19-Feb-2022 11:20	6.8	47.47	120	33.83	0.4
19-Feb-2022 11:25	6.8	47.46	120	33.84	0.3
19-Feb-2022 11:30	6.8	47.48	120	33.82	0.3
19-Feb-2022 11:35	6.8	47.44	120	33.87	0.4
19-Feb-2022 11:40	6.8	47.44	120	33.87	0.4
19-Feb-2022 11:45	6.8	47.43	120	33.89	0.4
19-Feb-2022 11:50	6.8	47.45	120	33.88	0.4
19-Feb-2022 11:55	6.8	47.46	120	33.86	0.4
19-Feb-2022 12:00	6.8			33.84	0.4
19-Feb-2022 12:05	6.8			33.82	0.4
19-Feb-2022 12:10	6.8			33.77	0.4
19-Feb-2022 12:15	6.8			33.69	48.6
19-Feb-2022 12:20	6.8			33.73	46.1
19-Feb-2022 12:25	6.8	47.54	120	33.57	0.4
19-Feb-2022 12:30	6.8			33.42	0.4
19-Feb-2022 12:35	6.8			33.22	0.4
19-Feb-2022 12:40	6.8	47.62	120	33.34	0.5
19-Feb-2022 12:45	6.8			33.47	0.4
19-Feb-2022 12:50	6.8			33.41	0.4
19-Feb-2022 12:55	6.8			33.83	0.5
19-Feb-2022 13:00	6.8			33.83	0.5

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 13:05	6.8			33.82	0.4
19-Feb-2022 13:10	6.8			33.73	0.4
19-Feb-2022 13:15	6.8			33.83	0.4
19-Feb-2022 13:20	6.8			33.59	0.4
19-Feb-2022 13:25	6.8			33.67	0.5
19-Feb-2022 13:30	6.8			33.72	0.4
19-Feb-2022 13:35	6.8			34.04	0.5
19-Feb-2022 13:40	6.8	47.62	120	33.99	0.4
19-Feb-2022 13:45	6.8			33.94	0.4
19-Feb-2022 13:50	6.8			34.23	0.4
19-Feb-2022 13:55	6.8	47.59	120	34.2	0.5
19-Feb-2022 14:00	6.8			34.5	0.5
19-Feb-2022 14:05	6.8			34.21	0.5
19-Feb-2022 14:10	6.8			34.57	0.4
19-Feb-2022 14:15	6.8			34.7	0.4
19-Feb-2022 14:20	6.8			34.53	0.5
19-Feb-2022 14:25	6.8			34.37	0.5
19-Feb-2022 14:30	6.8	47.6	120	34.51	0.5
19-Feb-2022 14:35	6.8	47.74	120	33.69	0.4
19-Feb-2022 14:40	6.8	47.7	120	34.52	0.4
19-Feb-2022 14:45	6.8			34.29	0.5
19-Feb-2022 14:50	6.8			34.43	0.4
19-Feb-2022 14:55	6.8			34.84	0.5
19-Feb-2022 15:00	6.8	47.59	120	34.68	0.5
19-Feb-2022 15:05	6.8			34.71	0.5
19-Feb-2022 15:10	6.8			34.79	0.5
19-Feb-2022 15:20	6.8			34.58	0.5

No. Of Corrections  
on this page- *MM*

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 15:25	6.8			35.1	0.4
19-Feb-2022 15:30	6.8				0.4
19-Feb-2022 15:35	6.8			35.16	0.5
19-Feb-2022 15:40	6.8			35.09	0.4
19-Feb-2022 15:45	6.8			35.17	0.5
19-Feb-2022 15:50	6.8	45.3	120	35.26	0.4
19-Feb-2022 15:55	6.8			35.22	0.5
19-Feb-2022 16:00	6.8			35.3	0.5
19-Feb-2022 16:05	6.8			35.23	0.4
19-Feb-2022 16:10	6.8	43.94	120	35.37	0.4
19-Feb-2022 16:15	6.8			35.12	0.4
19-Feb-2022 16:20	7.09	45.37	120	35.1	0.4
19-Feb-2022 16:25	7.09			35.14	0.4
19-Feb-2022 16:30	7.09	44.48	120	35.33	0.5
19-Feb-2022 16:35	7.08	44.25	120	35.39	0.5
19-Feb-2022 16:40	7.08			35.42	0.4
19-Feb-2022 16:45	7.08			35.48	0.5
19-Feb-2022 16:50	7.08			35.45	0.5
19-Feb-2022 16:55	7.07			35.85	0.4
19-Feb-2022 17:00	7.07			35.62	0.4
19-Feb-2022 17:05	7.07			35.5	0.5
19-Feb-2022 17:10	7.07			35.55	0.4
19-Feb-2022 17:15	7.06			35.54	0.4
19-Feb-2022 17:20	7.06	43.86	120	35.4	0.4
19-Feb-2022 17:25	7.06	47.74	120	34.52	0.4
19-Feb-2022 17:30	7.06	47.74	120	34.24	0.4
19-Feb-2022 17:35	7.05	47.74	120	34.01	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 17:40	7.05	47.67	120	34.51	0.4
19-Feb-2022 17:45	7.05			34.41	0.4
19-Feb-2022 17:50	7.05			34.3	0.4
19-Feb-2022 17:55	7.05	47.71	120	34.11	0.4
19-Feb-2022 18:00	7.04			33.79	0.4
19-Feb-2022 18:05	7.04			33.77	0.4
19-Feb-2022 18:10	7.04			33.89	0.4
19-Feb-2022 18:15	7.04			33.77	0.4
19-Feb-2022 18:20	7.04			33.94	0.4
19-Feb-2022 18:25	7.04			33.71	0.4
19-Feb-2022 18:30	7.03	47.73	120	33.7	0.4
19-Feb-2022 18:35	7.03			33.34	0.4
19-Feb-2022 18:40	7.03			33.56	0.4
19-Feb-2022 18:45	7.03			33.52	0.4
19-Feb-2022 18:50	7.03			33.27	0.4
19-Feb-2022 18:55	7.03			33.29	0.4
19-Feb-2022 19:00	7.03			33.22	0.4
19-Feb-2022 19:05	7.02			33.22	0.4
19-Feb-2022 19:10	7.02	47.74	120	33.22	0.4
19-Feb-2022 19:15	7.02			33.22	0.3
19-Feb-2022 19:20	7.02			33.22	0.4
19-Feb-2022 19:25	7.02			33.22	0.3
19-Feb-2022 19:30	7.02			33.22	0.3
19-Feb-2022 19:35	7.02	47.74	120	33.22	0.4
19-Feb-2022 19:40	7.01			33.22	0.4
19-Feb-2022 19:45	7.01			33.22	0.2
19-Feb-2022 19:50	7.01			33.22	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 19:55	7.01			33.22	0.3
19-Feb-2022 20:00	7.01	47.74	120	33.22	0.3
19-Feb-2022 20:05	7.01	47.74	120	33.22	0.4
19-Feb-2022 20:10	7.01	47.74	120	33.22	0.3
19-Feb-2022 20:15	7.01	47.74	120	33.22	0.4
19-Feb-2022 20:20	7.01			33.22	0.3
19-Feb-2022 20:25	7	47.74	120	33.22	0.4
19-Feb-2022 20:30	7	47.74	120	33.22	0.3
19-Feb-2022 20:35	7	47.74	120	33.22	0.3
19-Feb-2022 20:40	7	47.74	120	33.22	0.3
19-Feb-2022 20:45	7	47.74	120	33.22	0.2
19-Feb-2022 20:50	7	47.74	120	33.22	0.4
19-Feb-2022 20:55	7			33.22	0.3
19-Feb-2022 21:00	7	47.74	120	33.22	0.3
19-Feb-2022 21:05	7	47.74	120	33.22	0.3
19-Feb-2022 21:10	7	47.74	120	33.22	0.4
19-Feb-2022 21:15	7			33.22	0.3
19-Feb-2022 21:20	6.99			33.22	0.3
19-Feb-2022 21:25	6.99			33.22	0.4
19-Feb-2022 21:30	6.99	47.74	120	33.22	0.3
19-Feb-2022 21:35	6.99			33.22	0.2
19-Feb-2022 21:40	6.99				0.3
19-Feb-2022 21:45	6.99			33.22	0.3
19-Feb-2022 21:50	6.99			33.22	0.3
19-Feb-2022 21:55	6.99			33.22	0.3
19-Feb-2022 22:00	6.99			33.22	0.3
19-Feb-2022 22:05	6.99			33.22	0.2

Timestamp	pH	BOD	COD	TSS	FLOW
19-Feb-2022 22:10	6.98			33.22	0.3
19-Feb-2022 22:15	6.98			33.22	0.3
19-Feb-2022 22:20	6.98			33.22	52.2
19-Feb-2022 22:25	6.98			33.22	53.4
19-Feb-2022 22:30	6.98				48.8
19-Feb-2022 22:35	6.98			33.22	47.8
19-Feb-2022 22:40	6.98			33.22	48.1
19-Feb-2022 22:45	6.98			33.22	48.3
19-Feb-2022 22:50	6.98	47.74	120	33.22	47.8
19-Feb-2022 22:55	6.98	47.74	120	33.22	29.5
19-Feb-2022 23:00	6.98			33.22	0.3
19-Feb-2022 23:05	6.98	47.74	120	33.22	0.4
19-Feb-2022 23:10	6.98			33.22	0.3
19-Feb-2022 23:15	6.98	47.74	120	33.22	0.3
19-Feb-2022 23:20	6.98			33.22	0.3
19-Feb-2022 23:25	6.97			33.22	0.3
19-Feb-2022 23:30	6.97	47.74	120	33.22	0.2
19-Feb-2022 23:35	6.97	47.74	120	33.22	0.3
19-Feb-2022 23:40	6.97			33.22	0.3
19-Feb-2022 23:45	6.97			33.22	0.2
19-Feb-2022 23:50	6.97	47.74	120	33.22	0.3
19-Feb-2022 23:55	6.97			33.22	0.3
20-Feb-2022 00:00	6.97			33.22	0.3
20-Feb-2022 00:05	6.97			33.22	0.3
20-Feb-2022 00:10	6.97	47.74	120	33.22	0.3
20-Feb-2022 00:15	6.97	47.74	120	33.22	0.2
20-Feb-2022 00:20	6.97	47.74	120	33.22	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 00:25	6.97			33.22	0.2
20-Feb-2022 00:30	6.97	47.74	120	33.22	0.3
20-Feb-2022 00:35	6.97	47.74	120	33.22	0.2
20-Feb-2022 00:40	6.97	47.74	120	33.22	0.2
20-Feb-2022 00:45	6.97	47.74	120	33.22	0.3
20-Feb-2022 00:50	6.97	47.74	120	33.22	0.2
20-Feb-2022 00:55	6.96			33.22	0.2
20-Feb-2022 01:00	6.96	47.74	120	33.22	0.2
20-Feb-2022 01:05	6.96			33.22	0.2
20-Feb-2022 01:10	6.96			33.22	0.2
20-Feb-2022 01:15	6.96	47.74	120	33.22	0.2
20-Feb-2022 01:20	6.96			33.22	0.3
20-Feb-2022 01:25	6.96	47.74	120	33.22	0.2
20-Feb-2022 01:30	6.96			33.22	0.2
20-Feb-2022 01:35	6.96	47.68	120	33.26	0.2
20-Feb-2022 01:40	6.96			33.22	0.2
20-Feb-2022 01:45	6.96			33.22	0.3
20-Feb-2022 01:50	6.96				0.3
20-Feb-2022 01:55	6.96			33.44	0.3
20-Feb-2022 02:00	6.96			33.22	0.2
20-Feb-2022 02:05	6.96			33.22	0.2
20-Feb-2022 02:10	6.96			33.22	0.2
20-Feb-2022 02:15	6.96			33.22	0.2
20-Feb-2022 02:20	6.96				0.2
20-Feb-2022 02:25	6.96			33.27	0.2
20-Feb-2022 02:30	6.96			33.22	0.3
20-Feb-2022 02:35	6.95			33.38	0.2

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 02:40	6.95			33.35	0.2
20-Feb-2022 02:45	6.95			33.47	0.2
20-Feb-2022 02:50	6.95			33.33	0.2
20-Feb-2022 02:55	6.95			33.22	0.2
20-Feb-2022 03:00	6.95	47.59	120	33.5	0.2
20-Feb-2022 03:05	6.95			33.42	0.2
20-Feb-2022 03:10	6.95			33.42	0.2
20-Feb-2022 03:15	6.95			33.22	0.3
20-Feb-2022 03:20	6.95			33.34	0.2
20-Feb-2022 03:25	6.95			33.45	0.2
20-Feb-2022 03:30	6.95	47.57	120	33.45	0.2
20-Feb-2022 03:35	6.95			33.58	0.3
20-Feb-2022 03:40	6.95			33.47	0.3
20-Feb-2022 03:45	6.95			33.57	0.3
20-Feb-2022 03:50	6.95			33.43	0.3
20-Feb-2022 03:55	6.95	47.56	120	33.54	0.2
20-Feb-2022 04:00	6.95			33.25	0.3
20-Feb-2022 04:05	6.95			33.37	0.2
20-Feb-2022 04:10	6.95	47.34	120	33.93	0.2
20-Feb-2022 04:15	6.95	47.35	120	33.84	0.2
20-Feb-2022 04:20	6.95			33.76	0.2
20-Feb-2022 04:25	6.95	47.39	120	33.77	0.2
20-Feb-2022 04:30	6.95	47.45	120	33.74	0.2
20-Feb-2022 04:35	6.95			33.72	0.3
20-Feb-2022 04:40	6.95	47.41	120	33.76	0.2
20-Feb-2022 04:45	6.95			33.87	0.2
20-Feb-2022 04:50	6.95			33.8	0.2

No. Of Corrections  
on this page- 10/2

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 04:55	6.94	47.4	120	33.8	0.2
20-Feb-2022 05:00	6.94			33.75	0.3
20-Feb-2022 05:05	6.94			33.89	0.2
20-Feb-2022 05:10	6.94			34.12	0.2
20-Feb-2022 05:15	6.94			34.13	0.3
20-Feb-2022 05:20	6.94	47.26	120	34.13	0.2
20-Feb-2022 05:25	6.94	47.3	120	34.14	0.3
20-Feb-2022 05:30	6.94	47.3	120	34.14	0.2
20-Feb-2022 05:35	6.94			34.23	0.3
20-Feb-2022 05:40	6.94			34.12	0.2
20-Feb-2022 05:45	6.94	47.26	120	34.3	0.2
20-Feb-2022 05:50	6.94	47.29	120	34.13	0.2
20-Feb-2022 05:55	6.94	47.28	120	34.21	0.2
20-Feb-2022 06:00	6.94	47.26	120	34.2	0.2
20-Feb-2022 06:05	6.94			34.16	0.2
20-Feb-2022 06:10	6.94	47.29	120	34.12	0.2
20-Feb-2022 06:15	6.94	47.27	120	34.13	0.2
20-Feb-2022 06:20	6.94			34.15	0.3
20-Feb-2022 06:25	6.94	47.24	120	34.19	0.2
20-Feb-2022 06:30	6.94			34.08	0.2
20-Feb-2022 06:35	6.94			33.93	0.2
20-Feb-2022 06:40	6.94	47.3	120	33.94	0.2
20-Feb-2022 06:45	6.94	47.34	120	33.91	0.2
20-Feb-2022 06:50	6.94	47.3	120	34.04	0.2
20-Feb-2022 06:55	6.94	47.33	120	33.92	0.2
20-Feb-2022 07:00	6.94			33.99	0.2
20-Feb-2022 07:05	6.94			34.03	0.2

No. Of Corrections  
on this page 11

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 07:10	6.94			33.95	0.3
20-Feb-2022 07:15	6.94	47.32	120	33.91	0.2
20-Feb-2022 07:20	6.94	47.31	120	33.84	0.2
20-Feb-2022 07:25	6.94			33.94	0.2
20-Feb-2022 07:30	6.94			33.7	0.2
20-Feb-2022 07:35	6.94			33.8	0.3
20-Feb-2022 07:40	6.94			33.59	0.2
20-Feb-2022 07:45	6.94			33.72	0.2
20-Feb-2022 07:50	6.94			33.59	0.2
20-Feb-2022 07:55	6.94	47.36	120	33.78	0.2
20-Feb-2022 08:00	6.94			33.74	0.2
20-Feb-2022 08:05	6.94	47.34	120	33.88	0.3
20-Feb-2022 08:10	6.94	47.36	120	33.85	0.2
20-Feb-2022 08:15	6.94	47.31	120	33.96	0.3
20-Feb-2022 08:20	6.94	47.35	120	33.86	0.2
20-Feb-2022 08:25	6.93			33.86	0.3
20-Feb-2022 08:30	6.93	47.35	120	33.73	0.2
20-Feb-2022 08:35	6.93	47.34	120	33.79	0.3
20-Feb-2022 08:40	6.93	47.36	120	33.8	0.3
20-Feb-2022 08:45	6.93			33.76	0.3
20-Feb-2022 08:50	6.93	47.39	120	33.67	0.3
20-Feb-2022 08:55	6.93			33.37	0.4
20-Feb-2022 09:00	6.93	47.48	120	33.4	0.4
20-Feb-2022 09:05	6.93	47.52	120	33.36	0.2
20-Feb-2022 09:10	6.93			33.31	0.3
20-Feb-2022 09:15	6.93	47.48	120	33.4	0.3
20-Feb-2022 09:20	6.93			33.8	0.3

No. Of Corrections  
on this page-104

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 09:25	6.93			33.22	0.4
20-Feb-2022 09:30	6.93			33.38	0.3
20-Feb-2022 09:35	6.93	47.58	120	33.22	0.3
20-Feb-2022 09:40	6.93			33.22	0.4
20-Feb-2022 09:45	6.93	47.6	120	33.22	0.3
20-Feb-2022 09:50	6.93	47.67	120	33.22	0.3
20-Feb-2022 09:55	6.93	47.72	120	33.22	0.3
20-Feb-2022 10:00	6.93			33.22	0.4
20-Feb-2022 10:05	6.93	47.59	120	33.22	0.4
20-Feb-2022 10:10	6.93			33.22	0.3
20-Feb-2022 10:15	6.93			33.22	0.4
20-Feb-2022 10:20	6.93			33.22	0.4
20-Feb-2022 10:25	6.93	47.71	120	33.22	0.4
20-Feb-2022 10:30	6.93			33.22	0.3
20-Feb-2022 10:35	6.93	47.52	120	33.28	0.4
20-Feb-2022 10:40	6.93	47.52	120	33.28	0.4
20-Feb-2022 10:45	6.93	47.54	120	33.28	0.4
20-Feb-2022 10:50	6.93			33.37	0.4
20-Feb-2022 10:55	6.93			33.44	0.4
20-Feb-2022 11:00	6.93			33.47	0.4
20-Feb-2022 11:05	6.93			33.6	0.4
20-Feb-2022 11:10	6.93			33.42	0.4
20-Feb-2022 11:15	6.92			33.46	0.4
20-Feb-2022 11:20	6.92			33.52	0.4
20-Feb-2022 11:25	6.92			33.57	0.4
20-Feb-2022 11:30	6.92			33.34	0.4
20-Feb-2022 11:35	6.92			33.42	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 11:40	6.92	47.38	120	33.62	0.4
20-Feb-2022 11:45	6.92			33.48	0.4
20-Feb-2022 11:50	6.92	47.43	120	33.35	0.4
20-Feb-2022 11:55	6.92			33.24	0.4
20-Feb-2022 12:00	6.92			33.22	0.4
20-Feb-2022 12:05	6.92			33.31	0.4
20-Feb-2022 12:10	6.92	47.47	120	33.22	0.4
20-Feb-2022 12:15	6.92			33.3	0.5
20-Feb-2022 12:20	6.91	47.44	120	33.3	0.4
20-Feb-2022 12:25	6.91			33.35	0.4
20-Feb-2022 12:30	6.91			33.22	0.4
20-Feb-2022 12:35	6.91			33.22	0.4
20-Feb-2022 12:40	6.91			33.27	0.4
20-Feb-2022 12:45	6.91	47.41	120	33.35	0.4
20-Feb-2022 12:50	6.91			33.22	0.4
20-Feb-2022 12:55	6.91			33.54	0.5
20-Feb-2022 13:00	6.91			33.44	0.4
20-Feb-2022 13:05	6.91			33.5	0.4
20-Feb-2022 13:10	6.9			33.3	0.5
20-Feb-2022 13:15	6.9			33.95	0.5
20-Feb-2022 13:20	6.9			34.08	0.5
20-Feb-2022 13:25	6.9			33.98	0.4
20-Feb-2022 13:30	6.9	47.33	120	34.03	0.4
20-Feb-2022 13:35	6.9	47.38	120	34.04	0.5
20-Feb-2022 13:40	6.9			33.95	0.5
20-Feb-2022 13:45	6.9	47.34	120	34	0.5
20-Feb-2022 13:50	6.89			34.04	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 13:55	6.89	47.35	120	33.96	0.4
20-Feb-2022 14:00	6.89			33.85	0.5
20-Feb-2022 14:05	6.89	47.48	120	33.86	0.4
20-Feb-2022 14:10	6.89			37	0.5
20-Feb-2022 14:15	6.89	41.97	120	35.24	0.4
20-Feb-2022 14:20	6.88			35.24	0.5
20-Feb-2022 14:25	6.88			35.37	0.4
20-Feb-2022 14:30	6.88			35.45	0.4
20-Feb-2022 14:35	6.88			35.86	0.5
20-Feb-2022 14:40	6.88			35.81	0.4
20-Feb-2022 14:45	6.88	38.39	120	35.88	0.5
20-Feb-2022 14:50	6.88	38.05	120	36.11	0.5
20-Feb-2022 14:55	6.87			35.99	0.5
20-Feb-2022 15:00	6.87			36.23	0.5
20-Feb-2022 15:05	6.87			36.48	0.5
20-Feb-2022 15:10	6.87	33.34	120	36.76	0.5
20-Feb-2022 15:15	6.87			36.62	0.5
20-Feb-2022 15:20	6.87	32.23	120	36.91	0.5
20-Feb-2022 15:25	6.86	34.31	120	36.34	0.5
20-Feb-2022 15:30	6.86	33.57	120	36.41	0.4
20-Feb-2022 15:35	6.86			36.25	0.5
20-Feb-2022 15:40	6.86			36.43	0.4
20-Feb-2022 15:45	6.86			36.23	0.4
20-Feb-2022 15:50	6.86	36.23	120	36.01	0.4
20-Feb-2022 15:55	6.85			36.54	0.4
20-Feb-2022 16:00	6.85			36.53	0.5
20-Feb-2022 16:05	6.85			36.33	0.4

No. Of Corrections  
on this page- *ND*

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 16:10	6.85			36.32	0.5
20-Feb-2022 16:15	6.85	34.36	120	36.64	0.4
20-Feb-2022 16:20	6.84			36.2	0.4
20-Feb-2022 16:25	6.84			36.28	0.4
20-Feb-2022 16:30	6.84	34.66	120	36.31	0.4
20-Feb-2022 16:35	6.84			36.26	0.4
20-Feb-2022 16:40	6.84			36.05	0.4
20-Feb-2022 16:45	6.84			36.08	0.4
20-Feb-2022 16:50	6.83			36.06	0.4
20-Feb-2022 16:55	6.83			35.66	0.4
20-Feb-2022 17:00	6.83			35.61	0.4
20-Feb-2022 17:05	6.83			35.4	0.4
20-Feb-2022 17:10	6.83				0.4
20-Feb-2022 17:15	6.83	39.03	120	35.13	0.4
20-Feb-2022 17:20	6.83			35.09	0.4
20-Feb-2022 17:25	6.82			34.91	0.4
20-Feb-2022 17:30	6.82			34.98	0.4
20-Feb-2022 17:35	6.82			34.95	0.4
20-Feb-2022 17:40	6.82	47.04	120	34.55	0.4
20-Feb-2022 17:45	6.82	46.96	120	34.51	0.4
20-Feb-2022 17:50	6.82	46.92	120	34.43	0.4
20-Feb-2022 17:55	6.82	46.89	120	34.45	0.5
20-Feb-2022 18:00	6.82			34.48	0.4
20-Feb-2022 18:05	6.81			34.36	0.4
20-Feb-2022 18:10	6.81			34.43	0.4
20-Feb-2022 18:55	6.8			34.07	0.3
20-Feb-2022 19:00	6.8	47.56	120	34.11	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 19:05	6.8			34.05	0.4
20-Feb-2022 19:10	6.8			34.03	0.4
20-Feb-2022 19:15	6.8			33.98	0.3
20-Feb-2022 19:20	6.8			33.95	0.4
20-Feb-2022 19:25	6.8			33.83	0.4
20-Feb-2022 19:30	6.8			33.81	0.3
20-Feb-2022 19:35	6.8			33.72	0.4
20-Feb-2022 19:40	6.8	47.74	120	33.6	0.3
20-Feb-2022 19:45	6.8			33.59	0.4
20-Feb-2022 19:50	6.8	47.72	120	33.57	0.3
20-Feb-2022 19:55	6.8			33.63	0.4
20-Feb-2022 20:00	6.8	47.73	120	33.55	0.3
20-Feb-2022 20:05	6.8			33.54	0.3
20-Feb-2022 20:10	6.8	47.74	120	33.55	0.4
20-Feb-2022 20:15	6.8			33.6	0.3
20-Feb-2022 20:20	6.8	47.74	120	33.4	0.3
20-Feb-2022 20:25	6.8	47.74	120	33.22	0.3
20-Feb-2022 20:30	6.8	47.74	120	33.29	0.3
20-Feb-2022 20:35	6.8			33.63	0.3
20-Feb-2022 20:40	6.8			33.63	0.3
20-Feb-2022 20:45	6.8			33.63	0.3
20-Feb-2022 20:50	6.8			34.07	0.2
20-Feb-2022 20:55	6.8			33.95	0.3
20-Feb-2022 21:00	6.8			33.9	0.3
20-Feb-2022 21:05	6.8			33.82	0.4
20-Feb-2022 21:10	6.8			33.61	0.3
20-Feb-2022 21:15	6.8			33.77	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 21:20	6.8			33.73	0.2
20-Feb-2022 21:25	6.8	47.63	120	33.74	0.3
20-Feb-2022 21:30	6.8			33.63	0.3
20-Feb-2022 21:35	6.8	47.65	120	33.62	0.2
20-Feb-2022 21:40	6.8			33.74	0.3
20-Feb-2022 21:45	6.8			33.86	0.2
20-Feb-2022 21:50	6.8	47.55	120	33.81	0.4
20-Feb-2022 21:55	6.8			33.83	0.4
20-Feb-2022 22:00	6.8			33.98	0.3
20-Feb-2022 22:05	6.8			33.73	0.2
20-Feb-2022 22:10	6.8	47.71	120	33.6	0.3
20-Feb-2022 22:15	6.8	47.52	120	33.91	0.3
20-Feb-2022 22:20	6.8	47.51	120	34.1	0.3
20-Feb-2022 22:25	6.8	47.49	120	34.05	0.2
20-Feb-2022 22:30	6.8			33.97	0.3
20-Feb-2022 22:35	6.8	47.48	120	33.98	0.2
20-Feb-2022 22:40	6.8	47.54	120	34.01	0.2
20-Feb-2022 22:45	6.8			34.66	0.2
20-Feb-2022 22:50	6.8	44.43	120	35.04	0.2
20-Feb-2022 22:55	6.8			35.01	0.2
20-Feb-2022 23:00	6.8			35.09	0.3
20-Feb-2022 23:05	6.8	44.1	120	35.12	0.3
20-Feb-2022 23:10	6.8			35.16	0.3
20-Feb-2022 23:15	6.8	43.6	120	35.2	0.3
20-Feb-2022 23:20	6.8	43.29	120	35.19	0.2
20-Feb-2022 23:25	6.8			35.18	0.3
20-Feb-2022 23:30	6.8			35.2	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
20-Feb-2022 23:35	6.8			35.14	0.2
20-Feb-2022 23:40	6.8	43.68	120	35.16	0.2
20-Feb-2022 23:45	6.8	42.73	120	35.35	0.4
20-Feb-2022 23:50	6.8			35.34	0.2
20-Feb-2022 23:55	6.8	43.33	120	35.2	0.2
21-Feb-2022 00:00	6.8	42.58	120	35.29	0.2
21-Feb-2022 00:05	6.8	43.01	120	35.24	0.2
21-Feb-2022 00:10	6.8			35.21	0.2
21-Feb-2022 00:15	6.8			35.25	0.3
21-Feb-2022 00:20	6.8			35.14	0.2
21-Feb-2022 00:25	6.8			35.18	0.2
21-Feb-2022 00:30	6.8	43.26	120	35.28	0.2
21-Feb-2022 00:35	6.8	43.97	120	35.09	0.3
21-Feb-2022 00:40	6.8			35.11	0.2
21-Feb-2022 00:45	6.8	43.48	120	35.17	0.2
21-Feb-2022 00:50	6.8	43.28	120	35.23	0.2
21-Feb-2022 00:55	6.8	43.08	120	35.39	0.2
21-Feb-2022 01:00	6.8			35.15	0.2
21-Feb-2022 01:05	6.8			35.08	0.2
21-Feb-2022 01:10	6.8			35.16	0.2
21-Feb-2022 01:15	6.8			35.2	0.2
21-Feb-2022 01:20	6.8	43.52	120	35.13	0.3
21-Feb-2022 01:25	6.8	44.16	120	35.05	0.2
21-Feb-2022 01:30	6.8	44.55	120	35	0.2
21-Feb-2022 01:35	6.8			34.65	0.2
21-Feb-2022 01:40	6.8	47.49	120	34.67	0.2
21-Feb-2022 01:45	6.8			35.02	0.2

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 01:50	6.8			35.07	0.2
21-Feb-2022 01:55	6.8			35.14	0.2
21-Feb-2022 02:00	6.8			34.95	0.3
21-Feb-2022 02:05	6.8	44.25	120	35.05	0.1
21-Feb-2022 02:10	6.8			34.91	0.2
21-Feb-2022 02:15	6.8			35	0.2
21-Feb-2022 02:20	6.8			35.21	0.2
21-Feb-2022 02:25	6.8	44.26	120	35.05	0.2
21-Feb-2022 02:30	6.8	44.41	120	35.02	0.3
21-Feb-2022 02:35	6.8			34.99	0.2
21-Feb-2022 02:40	6.8			35.01	0.2
21-Feb-2022 02:45	6.8			35.06	0.2
21-Feb-2022 02:50	6.8			35.07	0.2
21-Feb-2022 02:55	6.8			35.34	0.2
21-Feb-2022 03:00	6.8	43.08	120	35.2	0.2
21-Feb-2022 03:05	6.8	42.75	120	35.27	0.2
21-Feb-2022 03:10	6.8	42.75	120	35.27	0.2
21-Feb-2022 03:15	6.8			35.36	0.2
21-Feb-2022 03:20	6.8	43.27	120	35.18	0.2
21-Feb-2022 03:25	6.8			35.08	0.2
21-Feb-2022 03:30	6.8	44.47	120	35.08	0.2
21-Feb-2022 03:35	6.8			35.08	0.2
21-Feb-2022 03:40	6.8			34.98	0.2
21-Feb-2022 03:45	6.8	43.55	120	35.12	0.2
21-Feb-2022 03:50	6.8	46.14	120	34.83	0.2
21-Feb-2022 03:55	6.8	47.47	120		0.2
21-Feb-2022 04:00	6.8			35.22	0.2

No. Of Corrections  
on this page- 1/1

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 04:05	6.8			35.3	0.2
21-Feb-2022 04:10	6.8	41.69	120	35.46	0.2
21-Feb-2022 04:15	6.8	42.48	120	35.27	0.2
21-Feb-2022 04:20	6.8	47.74	120	35.25	0.2
21-Feb-2022 04:25	6.8	42.46	120	35.26	0.2
21-Feb-2022 04:30	6.8	42.35	120	35.26	0.1
21-Feb-2022 04:35	6.8			35.4	0.2
21-Feb-2022 04:40	6.8	42.86	120	35.37	0.2
21-Feb-2022 04:45	6.8	43.55	120	35.26	0.2
21-Feb-2022 04:50	6.8			35.4	0.2
21-Feb-2022 04:55	6.8			35.47	0.2
21-Feb-2022 05:00	6.8	41.79	120	35.5	0.2
21-Feb-2022 05:05	6.8	41.94	120	35.46	0.2
21-Feb-2022 05:10	6.8	41.59	120	35.52	0.2
21-Feb-2022 05:15	6.8	41.48	120	35.56	0.2
21-Feb-2022 05:20	6.8			35.52	0.2
21-Feb-2022 05:25	6.8	42.17	120	35.45	0.2
21-Feb-2022 05:30	6.8	42.28	120	35.44	0.2
21-Feb-2022 05:35	6.8	42.99	120	35.34	0.2
21-Feb-2022 05:40	6.8			35.39	0.2
21-Feb-2022 05:45	6.8			35.5	0.2
21-Feb-2022 05:50	6.8	41.65	120	35.58	0.2
21-Feb-2022 05:55	6.8	44.16	120	35.17	0.2
21-Feb-2022 06:00	6.8			35.56	0.2
21-Feb-2022 06:05	6.8	40.74	120	35.64	0.2
21-Feb-2022 06:10	6.8	41.39	120	35.53	0.2
21-Feb-2022 06:15	6.8			35.55	0.2

No. Of Corrections  
on this page- *2*

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 06:20	6.8			35.6	0.2
21-Feb-2022 06:25	6.8	40.8	120	35.56	0.2
21-Feb-2022 06:30	6.8	47.29	120		0.2
21-Feb-2022 06:35	6.8			35.62	0.2
21-Feb-2022 06:40	6.8	40.7	120	35.58	0.2
21-Feb-2022 06:45	6.8	40.1	120	35.64	0.2
21-Feb-2022 06:50	6.8	47.26	120		0.2
21-Feb-2022 06:55	6.8	40.73	120	35.61	0.2
21-Feb-2022 07:00	6.8	41.51	120	35.52	0.2
21-Feb-2022 07:05	6.8	40.13	120	35.67	0.2
21-Feb-2022 07:10	6.8	41.1	120	35.5	0.2
21-Feb-2022 07:15	6.8	42.05	120	35.46	0.2
21-Feb-2022 07:20	6.8	41.04	120	35.65	0.3
21-Feb-2022 07:25	6.8	40.78	120	35.64	0.2
21-Feb-2022 07:30	6.8			35.57	0.2
21-Feb-2022 07:35	6.8	40.94	120	35.6	0.2
21-Feb-2022 07:40	6.8			35.42	0.2
21-Feb-2022 07:45	6.8	43.16	120	35.19	0.2
21-Feb-2022 07:50	6.8	45.34	120	34.98	0.2
21-Feb-2022 07:55	6.8	43.9	120	35.14	0.2
21-Feb-2022 08:00	6.8	41.12	120	35.57	0.2
21-Feb-2022 08:05	6.8	43.59	120	35.25	0.2
21-Feb-2022 08:10	6.8	43.52	120	35.17	0.2
21-Feb-2022 08:15	6.8	40.72	120	35.65	0.2
21-Feb-2022 08:20	6.8	41.9	120	35.54	0.2
21-Feb-2022 08:25	6.8	41.08	120	35.58	0.2
21-Feb-2022 08:30	6.8			35.52	0.2

No. Of Corrections  
on this page- 101

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 08:35	6.8	44.43	120	35.1	0.2
21-Feb-2022 08:40	6.8			34.97	0.2
21-Feb-2022 08:45	6.8	41.6	120	35.53	0.3
21-Feb-2022 08:50	6.8	41.46	120	35.55	0.3
21-Feb-2022 08:55	6.8	41.96	120	35.53	0.3
21-Feb-2022 09:00	6.8			35.35	0.3
21-Feb-2022 09:05	6.8	45.82	120	34.87	0.3
21-Feb-2022 09:10	6.8	44.93	120	34.99	0.3
21-Feb-2022 09:15	6.8			35.36	0.3
21-Feb-2022 09:20	6.8	45.79	120	34.87	0.3
21-Feb-2022 09:25	6.8	46.03	120	34.85	0.3
21-Feb-2022 09:30	6.8			35.09	0.2
21-Feb-2022 09:35	6.8	43.97	120	35.04	0.3
21-Feb-2022 09:40	6.8	44.06	120	35.02	0.3
21-Feb-2022 09:45	6.8	42.68	120	35.39	0.3
21-Feb-2022 09:50	6.8	40.76	120	35.8	0.4
21-Feb-2022 09:55	6.8			35.57	0.3
21-Feb-2022 10:00	6.8			35.61	0.3
21-Feb-2022 10:05	6.8			35.42	0.3
21-Feb-2022 10:10	6.8	43.51	120	35.37	0.3
21-Feb-2022 10:15	6.8	43.17	120	35.43	0.3
21-Feb-2022 10:20	6.8	43.89	120	35.1	0.4
21-Feb-2022 10:25	6.8			35.08	0.3
21-Feb-2022 10:30	6.8			34.82	0.3
21-Feb-2022 10:35	6.8			35.06	0.3
21-Feb-2022 10:40	6.8			34.82	0.4
21-Feb-2022 10:45	6.8	43.55	120	34.99	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 10:50	6.8	43.62	120	35.09	0.4
21-Feb-2022 10:55	6.8	44.95	120	34.9	0.3
21-Feb-2022 11:00	6.8			34.9	0.3
21-Feb-2022 11:05	6.8	47.25	120	34.76	0.4
21-Feb-2022 11:10	6.8	46.99	120	34.65	0.4
21-Feb-2022 11:15	6.8			34.67	0.3
21-Feb-2022 11:20	6.8			34.34	0.4
21-Feb-2022 11:25	6.8			34.7	55.3
21-Feb-2022 11:30	6.8			34.61	48.1
21-Feb-2022 11:35	6.8			34.67	47.8
21-Feb-2022 11:40	6.8			34.68	47.9
21-Feb-2022 11:45	6.8			34.54	47.7
21-Feb-2022 11:50	6.8			34.52	47.2
21-Feb-2022 11:55	6.8	47.15	120	34.48	47.8
21-Feb-2022 12:00	6.8			34.24	48.2
21-Feb-2022 12:05	6.8	47.18	120	34.29	47.7
21-Feb-2022 12:10	6.8	47.13	120	34.47	47.6
21-Feb-2022 12:15	6.8	47.17	120	34.43	46.6
21-Feb-2022 12:20	6.8			34.28	46.6
21-Feb-2022 12:25	6.8	47.22	120		46.4
21-Feb-2022 12:30	6.8				46.6
21-Feb-2022 12:35	6.8			33.22	46.5
21-Feb-2022 12:40	6.8			33.22	46.8
21-Feb-2022 12:45	6.8			33.22	46.4
21-Feb-2022 12:50	6.8			33.22	46.7
21-Feb-2022 12:55	6.8			33.22	46.7
21-Feb-2022 13:00	6.8			33.22	47.2

No. Of Corrections  
on this page- 11/2

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 13:05	6.8			44.33	46.6
21-Feb-2022 13:15	6.8		143.68	59.18	0.4
21-Feb-2022 13:20	6.8			56.75	0.4
21-Feb-2022 13:25	6.8			58.84	0.4
21-Feb-2022 13:30	6.8		162.62	59.05	0.4
21-Feb-2022 13:35	6.8		142.27	44.45	52
21-Feb-2022 13:40	6.8			46.4	48.8
21-Feb-2022 13:45	6.8			46.06	47.6
21-Feb-2022 13:50	6.8			45.06	48
21-Feb-2022 13:55	6.8			44.78	48.1
21-Feb-2022 14:00	6.8			43.96	48.2
21-Feb-2022 14:05	6.8		138.77	43.85	47.9
21-Feb-2022 14:10	6.8			44.37	48.1
21-Feb-2022 14:15	6.8			44.76	47.7
21-Feb-2022 14:20	6.8			45.96	47.7
21-Feb-2022 14:25	6.8			46.66	47.9
21-Feb-2022 14:30	6.8		151.78	45.54	47.7
21-Feb-2022 14:35	6.8			45.92	47.4
21-Feb-2022 14:40	6.8			44.43	47.2
21-Feb-2022 14:45	6.8			44.9	47.3
21-Feb-2022 14:50	6.8			45.13	0.5
21-Feb-2022 14:55	6.8		138.11	45.39	0.4
21-Feb-2022 15:00	6.8			45.65	0.4
21-Feb-2022 15:05	6.8			46.44	0.5
21-Feb-2022 15:10	6.8			45.73	0.5
21-Feb-2022 15:15	6.8			46.27	0.5
21-Feb-2022 15:20	6.8			45.95	0.5

No. Of Corrections  
on this page- *ny*

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 15:25	6.8		138.94	46.35	0.4
21-Feb-2022 15:30	6.8		143.45	46.37	0.4
21-Feb-2022 15:35	6.8		146.53	46.87	0.4
21-Feb-2022 15:40	6.8			47.71	0.4
21-Feb-2022 15:45	6.8		138.38	47.08	0.4
21-Feb-2022 15:50	6.8			47.11	0.4
21-Feb-2022 15:55	6.8			47.07	0.4
21-Feb-2022 16:00	6.8		154.16	47.97	0.5
21-Feb-2022 16:05	6.8		155.77	47.99	0.4
21-Feb-2022 16:10	6.8			48.02	0.4
21-Feb-2022 16:15	6.8			48.1	0.4
21-Feb-2022 16:20	6.8			48.66	0.4
21-Feb-2022 16:25	6.8			48.82	0.4
21-Feb-2022 16:30	6.8			49.01	0.4
21-Feb-2022 16:35	6.8			49.62	0.4
21-Feb-2022 16:40	6.8			49.65	0.4
21-Feb-2022 16:45	6.8		148.49	49.69	0.4
21-Feb-2022 16:50	6.8			49.86	0.4
21-Feb-2022 16:55	6.8			49.69	0.4
21-Feb-2022 17:00	6.8			49.67	0.4
21-Feb-2022 17:05	6.8		138.92	50.02	0.5
21-Feb-2022 17:10	6.8			50.35	0.4
21-Feb-2022 17:15	6.8		181.34	51.3	0.4
21-Feb-2022 17:20	6.8		138.25	52.55	0.4
21-Feb-2022 17:25	6.8				0.4
21-Feb-2022 17:30	6.8			52.34	0.4
21-Feb-2022 17:35	6.8		152.8	52.04	0.4

No. Of Corrections  
on this page- *Nil*

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 17:40	6.8			52.47	0.4
21-Feb-2022 17:45	6.8		143	52.1	0.4
21-Feb-2022 17:50	6.8			52.85	0.4
21-Feb-2022 17:55	6.8			52.08	0.4
21-Feb-2022 18:00	6.8			51.14	0.4
21-Feb-2022 18:05	6.8			53.21	0.4
21-Feb-2022 18:10	6.8			51.86	0.3
21-Feb-2022 18:15	6.8			54.02	0.4
21-Feb-2022 18:20	6.8			53.32	0.4
21-Feb-2022 18:25	6.8			53.52	0.4
21-Feb-2022 18:30	6.8			54.29	0.4
21-Feb-2022 18:35	6.8			55.52	0.3
21-Feb-2022 18:40	6.8		150.14	54.47	0.4
21-Feb-2022 18:45	6.8		136.8	54.33	0.3
21-Feb-2022 18:50	6.8			54.5	0.3
21-Feb-2022 18:55	6.8			54.29	0.3
21-Feb-2022 19:00	6.8			54.92	0.3
21-Feb-2022 19:05	6.8			54.57	0.4
21-Feb-2022 19:10	6.8			54.86	0.4
21-Feb-2022 19:15	6.8			55.75	0.4
21-Feb-2022 19:20	6.8			55.12	0.3
21-Feb-2022 19:25	6.8			55.47	0.3
21-Feb-2022 19:30	6.8			55.17	0.4
21-Feb-2022 19:35	6.8	61.55	138.13	55.02	0.4
21-Feb-2022 19:40	6.8		139.11	56.47	0.3
21-Feb-2022 19:45	6.8		141.71	56.46	0.4
21-Feb-2022 19:50	6.8			55.95	0.3

No. Of Corrections  
on this page- *ml*

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 19:55	6.8			56.05	0.3
21-Feb-2022 20:00	6.8			55.53	0.3
21-Feb-2022 20:05	6.8			56.88	0.3
21-Feb-2022 20:10	6.8			56.79	0.3
21-Feb-2022 20:15	6.8			57.07	0.2
21-Feb-2022 20:20	6.8			56.43	0.4
21-Feb-2022 20:25	6.8			56.78	0.3
21-Feb-2022 20:30	6.8		145.35	56.25	0.3
21-Feb-2022 20:35	6.8			56.86	0.3
21-Feb-2022 20:40	6.8		151.1	57.79	0.4
21-Feb-2022 20:45	6.8			56.93	0.3
21-Feb-2022 20:50	6.8			55.59	0.4
21-Feb-2022 20:55	6.8			58.41	0.4
21-Feb-2022 21:00	6.8			56.13	0.3
21-Feb-2022 21:05	6.8	86.66	171.1	59.05	0.2
21-Feb-2022 21:10	6.8			57.6	0.3
21-Feb-2022 21:15	6.8		150	58.59	0.2
21-Feb-2022 21:20	6.8			58.58	0.2
21-Feb-2022 21:25	6.8		155.07	59.34	0.3
21-Feb-2022 21:30	6.8			59.39	0.3
21-Feb-2022 21:35	6.8		142.78	59.23	0.3
21-Feb-2022 21:40	6.8	61.84	138.52	60.47	0.3
21-Feb-2022 21:45	6.8			59.85	0.3
21-Feb-2022 21:50	6.8	65.79	143.7	60.65	0.3
21-Feb-2022 21:55	6.8	68.9	147.78	57.96	0.2
21-Feb-2022 22:00	6.8	72.83	152.94	60.6	0.3
21-Feb-2022 22:05	6.8		143.5	61.59	0.2

Timestamp	pH	BOD	COD	TSS	FLOW
21-Feb-2022 22:10	6.8	80.78	163.38	60.81	0.3
21-Feb-2022 22:15	6.8	61.47	138.03	61.45	0.2
21-Feb-2022 22:20	6.8	63.51	140.7	59.84	0.3
21-Feb-2022 22:25	6.8	73.65	154.02	60.38	0.2
21-Feb-2022 22:30	6.8			62.62	0.2
21-Feb-2022 22:35	6.8	80.45	162.95	60.48	0.3
21-Feb-2022 22:40	6.8			61.47	0.4
21-Feb-2022 22:45	6.8			62.83	0.3
21-Feb-2022 22:50	6.8	65.48	143.29	62.39	0.4
21-Feb-2022 22:55	6.8			62.08	0.3
21-Feb-2022 23:00	6.8	64.5	142.01	61.25	0.3
21-Feb-2022 23:05	6.8			61.6	0.3
21-Feb-2022 23:10	6.8		146.07	63.16	0.2
21-Feb-2022 23:15	6.8			62.12	0.3
21-Feb-2022 23:20	6.8	69.74	148.89	61.05	0.3
21-Feb-2022 23:25	6.8		152.25	59.43	0.2
21-Feb-2022 23:30	6.8	69.32	148.34	63.81	0.2
21-Feb-2022 23:35	6.8	82.56	165.72	62.7	0.3
21-Feb-2022 23:40	6.8			63.58	0.2
21-Feb-2022 23:45	6.8	59.04	134.85	64.95	0.2
21-Feb-2022 23:50	6.8	62.06	138.8	63.61	0.2
21-Feb-2022 23:55	6.8		157.69	63.74	0.3
22-Feb-2022 00:00	6.8			61.62	0.2
22-Feb-2022 00:05	6.8			65.44	0.2
22-Feb-2022 00:10	6.8	77.31	158.83	64.44	0.2
22-Feb-2022 00:15	6.8	63.62	140.86	63.06	0.2
22-Feb-2022 00:20	6.8	64.27	141.7	63.82	0.2

No. Of Corrections  
on this page- 3

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 00:25	6.8	74.87	155.63	64.27	0.2
22-Feb-2022 00:30	6.8	74.03	154.52	63.78	0.2
22-Feb-2022 00:35	6.8	72.36	152.33	65.16	0.2
22-Feb-2022 00:40	6.8	88.72	173.81	65.44	0.2
22-Feb-2022 00:45	6.8	84.98	168.89		0.2
22-Feb-2022 00:50	6.8	82.29	165.36	65.73	0.2
22-Feb-2022 00:55	6.8	77.26	158.76	65.45	0.2
22-Feb-2022 01:00	6.8	74.22	154.78	65.05	0.2
22-Feb-2022 01:05	6.8	77.4	158.94		0.2
22-Feb-2022 01:10	6.8	75.44	156.37	66.14	0.2
22-Feb-2022 01:15	6.8	76.14	157.3	65.74	0.2
22-Feb-2022 01:20	6.8	70.83	150.32	65.83	0.2
22-Feb-2022 01:25	6.8	83.89	167.47	65.32	0.2
22-Feb-2022 01:30	6.8	80.92	163.55		0.2
22-Feb-2022 01:35	6.8	74.88	155.64	65.42	0.2
22-Feb-2022 01:40	6.8	74.64	155.32		0.2
22-Feb-2022 01:45	6.8	76.81	158.17	64.06	0.2
22-Feb-2022 01:50	6.8	80.69	163.26	63.93	0.2
22-Feb-2022 01:55	6.8	61.98	146.99		0.3
22-Feb-2022 02:00	6.8	72.71	152.79	66.06	0.2
22-Feb-2022 02:05	6.8			65.47	0.2
22-Feb-2022 02:10	6.8	93.44	180	66.1	0.2
22-Feb-2022 02:15	6.8			64.63	0.2
22-Feb-2022 02:20	6.8	75.88	156.94	62.84	0.2
22-Feb-2022 02:25	6.8				0.2
22-Feb-2022 02:30	6.8				0.2
22-Feb-2022 02:35	6.8	64.29	141.73		0.2

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 02:40	6.8	71.79	151.58		0.2
22-Feb-2022 02:45	6.8				0.2
22-Feb-2022 02:50	6.8	60.45	136.69		0.2
22-Feb-2022 02:55	6.8	70.04	149.28		0.2
22-Feb-2022 03:00	6.8				0.2
22-Feb-2022 03:05	6.8	64.18	150.37		0.2
22-Feb-2022 03:10	6.8	74.91	155.67		0.2
22-Feb-2022 03:15	6.8	67.31	154.47		0.2
22-Feb-2022 03:20	6.8		144.26	62.69	0.1
22-Feb-2022 03:25	6.8	76.89	158.27		0.2
22-Feb-2022 03:30	6.8	82.92	166.19		0.2
22-Feb-2022 03:35	6.8	73.25	153.49		0.2
22-Feb-2022 03:40	6.8	69.94	157.84		0.2
22-Feb-2022 03:45	6.8	76.06	157.18		0.2
22-Feb-2022 03:50	6.8				0.2
22-Feb-2022 03:55	6.8				0.2
22-Feb-2022 04:00	6.8				0.2
22-Feb-2022 04:05	6.8	67.78	146.31		0.2
22-Feb-2022 04:10	6.8				0.2
22-Feb-2022 04:15	6.8	72.02	151.87		0.2
22-Feb-2022 04:20	6.8	71.35	151		0.2
22-Feb-2022 04:25	6.8	74.16	154.69		0.2
22-Feb-2022 04:30	6.8				0.2
22-Feb-2022 04:35	6.8	93.1	179.55		0.2
22-Feb-2022 04:40	6.8	65.97	152.16		0.2
22-Feb-2022 04:45	6.8				0.2
22-Feb-2022 04:50	6.8	75.42	156.34	62.2	0.2

No. Of Corrections  
on this page- 10

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 04:55	6.8			62.65	0.2
22-Feb-2022 05:00	6.8	69.9	149.09		0.1
22-Feb-2022 05:05	6.8	75.64	156.63		0.2
22-Feb-2022 05:10	6.8	68.7	147.52		0.2
22-Feb-2022 05:15	6.8	70.83	150.32	63.6	0.2
22-Feb-2022 05:20	6.8	70.94	150.45		0.2
22-Feb-2022 05:25	6.8			65.61	0.2
22-Feb-2022 05:30	6.8	84.11	167.75		0.2
22-Feb-2022 05:35	6.8				0.2
22-Feb-2022 05:40	6.8	63.2	148.79		0.2
22-Feb-2022 05:45	6.8	66.14	144.15		0.2
22-Feb-2022 05:50	6.8				0.2
22-Feb-2022 05:55	6.8			65.75	0.2
22-Feb-2022 06:00	6.8	79.98	162.32		0.2
22-Feb-2022 06:05	6.8				0.2
22-Feb-2022 06:10	6.8	76.67	157.98		0.2
22-Feb-2022 06:15	6.8	53.62	136.13		0.2
22-Feb-2022 06:20	6.8				0.2
22-Feb-2022 06:25	6.8				0.2
22-Feb-2022 06:30	6.8	70.65	150.08	64	0.3
22-Feb-2022 06:35	6.8				0.2
22-Feb-2022 06:40	6.8	67.73	146.24		0.2
22-Feb-2022 06:45	6.8	73.74	154.14		0.2
22-Feb-2022 06:50	6.8				0.2
22-Feb-2022 06:55	6.8				0.2
22-Feb-2022 07:00	6.8	83.41	166.82		0.2
22-Feb-2022 07:05	6.8				0.1

No. Of Corrections  
on this page- *none*

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 07:10	6.8				0.2
22-Feb-2022 07:45	6.8				0.1
22-Feb-2022 07:50	6.8				0.2
22-Feb-2022 07:55	6.8				0.2
22-Feb-2022 08:00	6.8				0.2
22-Feb-2022 08:05	6.8				0.2
22-Feb-2022 08:10	6.8				0.2
22-Feb-2022 08:15	6.8				0.2
22-Feb-2022 08:20	6.8			65.99	0.2
22-Feb-2022 08:25	6.8				0.2
22-Feb-2022 08:30	6.8				0.2
22-Feb-2022 11:35	6.81				0.2
22-Feb-2022 11:40	6.82				0.2
22-Feb-2022 11:45	6.82				0.2
22-Feb-2022 11:50	6.82				0.2
22-Feb-2022 11:55	6.82				0.2
22-Feb-2022 12:00	6.82	79.41	161.58		0.3
22-Feb-2022 12:05	6.82				0.3
22-Feb-2022 12:10	6.82	65.98	143.95		0.3
22-Feb-2022 12:15	6.82			64.23	0.4
22-Feb-2022 12:20	6.82				0.4
22-Feb-2022 12:25	6.82				0.4
22-Feb-2022 12:30	6.82				0.4
22-Feb-2022 12:35	6.82				0.3
22-Feb-2022 12:40	6.82	59.95	136.03		0.4
22-Feb-2022 12:45	6.81	66.34	152.21		0.4
22-Feb-2022 12:50	6.81	82.45	165.58		0.4

No. Of Corrections  
on this page- *my*

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 12:55	6.81	70.23	149.52		0.4
22-Feb-2022 13:00	6.81	67.81	154.38		0.4
22-Feb-2022 13:05	6.81				0.4
22-Feb-2022 13:10	6.81			65.42	0.4
22-Feb-2022 13:15	6.81	71.4	151.06		0.4
22-Feb-2022 13:20	6.81	79.04	161.09		0.4
22-Feb-2022 13:25	6.81	76.59	166.3		0.4
22-Feb-2022 13:30	6.81	69.39	148.42		0.4
22-Feb-2022 13:35	6.81	57.63	140.9		0.4
22-Feb-2022 13:40	6.8			65.31	0.3
22-Feb-2022 13:45	6.8	81.89	164.84		0.4
22-Feb-2022 13:50	6.8			40.93	0.4
22-Feb-2022 13:55	6.8	9.82	145.24	41.02	0.3
22-Feb-2022 14:00	6.8	13.8	151.03	41.07	0.4
22-Feb-2022 14:05	6.8	18.76	160.48	41.2	0.4
22-Feb-2022 14:10	6.8	13.4	151.54	41.25	0.4
22-Feb-2022 14:15	6.8			41.01	0.4
22-Feb-2022 14:20	6.8			41.2	0.4
22-Feb-2022 14:25	6.8			41.32	0.4
22-Feb-2022 14:30	6.8	0	140.34	41.46	0.3
22-Feb-2022 14:35	6.8			41.87	0.4
22-Feb-2022 14:40	6.8	19.08	172.42	41.98	0.4
22-Feb-2022 14:45	6.8			42.02	0.4
22-Feb-2022 14:50	6.8	0	143.28	42.03	0.4
22-Feb-2022 14:55	6.8			42.26	0.4
22-Feb-2022 15:00	6.8	0	147.47	42.44	0.4
22-Feb-2022 15:05	6.8	4.49	157.84	42.22	0.4

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 15:10	6.8		147.76	43.16	0.4
22-Feb-2022 15:15	6.8			42.88	0.4
22-Feb-2022 15:20	6.8			43.17	0.4
22-Feb-2022 15:25	6.8			43.66	0.4
22-Feb-2022 15:30	6.8			43.48	0.4
22-Feb-2022 15:35	6.8			43.41	0.4
22-Feb-2022 15:40	6.8			43.39	0.4
22-Feb-2022 15:45	6.8			44.02	0.4
22-Feb-2022 15:50	6.8			43.65	0.4
22-Feb-2022 15:55	6.8		162.16	43.92	0.4
22-Feb-2022 16:00	6.8			43.76	0.4
22-Feb-2022 16:05	6.8		147.6	43.59	0.4
22-Feb-2022 16:10	6.8		135.9	43.7	0.4
22-Feb-2022 16:15	6.8		164.33	43.87	0.4
22-Feb-2022 16:20	6.8		148.99	44.16	0.4
22-Feb-2022 16:25	6.8			43.87	0.4
22-Feb-2022 16:30	6.8		138.8	44	0.4
22-Feb-2022 16:35	6.8			44.38	0.4
22-Feb-2022 16:40	6.8		149.71	44.38	0.4
22-Feb-2022 16:45	6.8		142.55	44.68	0.2
22-Feb-2022 16:50	6.8			44.61	0.4
22-Feb-2022 16:55	6.8			44.68	0.4
22-Feb-2022 17:00	6.8			44.97	0.4
22-Feb-2022 17:05	6.8			44.86	0.4
22-Feb-2022 17:10	6.8			45.12	0.3
22-Feb-2022 17:15	6.8		153.86	45.2	0.3
22-Feb-2022 17:20	6.8			45.49	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 17:25	6.8		141.53	45.67	0.4
22-Feb-2022 17:30	6.8			45.6	0.3
22-Feb-2022 17:35	6.8		152.57	45.8	0.3
22-Feb-2022 17:40	6.8		167.06	45.69	0.3
22-Feb-2022 17:45	6.8		136.91	45.67	0.4
22-Feb-2022 17:50	6.8		144.05	45.58	0.4
22-Feb-2022 17:55	6.8		141.98	45.81	0.4
22-Feb-2022 18:00	6.8			45.95	0.4
22-Feb-2022 18:05	6.8			45.59	0.4
22-Feb-2022 18:15	6.8			46.04	0.4
22-Feb-2022 18:20	6.8		158.68	46.47	0.2
22-Feb-2022 18:25	6.8		163.09	46.77	0.3
22-Feb-2022 18:30	6.8			46.49	0.3
22-Feb-2022 18:35	6.8		159.22	46.83	0.3
22-Feb-2022 18:40	6.8			47.06	0.4
22-Feb-2022 18:45	6.8			47.35	0.3
22-Feb-2022 18:50	6.8		144.63	47.28	0.4
22-Feb-2022 18:55	6.8		142.97	47.27	0.4
22-Feb-2022 19:00	6.8			47.2	0.4
22-Feb-2022 19:05	6.8		136.85	47.37	0.3
22-Feb-2022 19:10	6.8			47.5	0.4
22-Feb-2022 19:15	6.8			47.99	0.4
22-Feb-2022 19:20	6.8		137.49	47.66	0.3
22-Feb-2022 19:25	6.8			47.73	0.3
22-Feb-2022 19:30	6.8		155.77	47.91	0.4
22-Feb-2022 19:35	6.8			47.61	0.3
22-Feb-2022 19:40	6.8		143.97	48.43	0.3

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 19:45	6.8			47.83	0.4
22-Feb-2022 19:50	6.8			48.11	0.3
22-Feb-2022 19:55	6.8		155.88	48.37	0.3
22-Feb-2022 20:00	6.8		147.23	48.36	0.2
22-Feb-2022 20:05	6.8			48.14	0.2
22-Feb-2022 20:10	6.8		156.01	48.74	0.3
22-Feb-2022 20:15	6.8			48.6	0.4
22-Feb-2022 20:20	6.8		164.29	48.39	0.4
22-Feb-2022 20:25	6.8			49.34	0.4
22-Feb-2022 20:30	6.8		147.65	49.09	0.3
22-Feb-2022 20:35	6.8		150.67	49.33	0.3
22-Feb-2022 20:40	6.8		165.93	49.76	0.3
22-Feb-2022 20:45	6.8		142.62	49.16	0.2
22-Feb-2022 20:50	6.8			49.07	0.4
22-Feb-2022 20:55	6.8		146.77	49.45	0.3
22-Feb-2022 21:00	6.8		134.36	49.06	0.2
22-Feb-2022 21:05	6.8			49.47	0.2
22-Feb-2022 21:10	6.8			50.6	0.3
22-Feb-2022 21:15	6.8		152.66	49.27	0.3
22-Feb-2022 21:20	6.8		144.84	49.64	0.2
22-Feb-2022 21:25	6.8			50.8	0.2
22-Feb-2022 21:30	6.8		142.92	50.4	0.2
22-Feb-2022 21:35	6.8		140.69	50.79	0.2
22-Feb-2022 21:40	6.8			50.68	0.2
22-Feb-2022 21:45	6.8			50.6	0.2
22-Feb-2022 21:50	6.8			50.41	0.2
22-Feb-2022 21:55	6.8			51.15	0.2

No. Of Corrections  
on this page - 118

Timestamp	pH	BOD	COD	TSS	FLOW
22-Feb-2022 22:00	6.8			51.18	50.2
22-Feb-2022 22:05	6.8			51.74	45.4
22-Feb-2022 22:10	6.8			50.97	45
22-Feb-2022 22:15	6.8	147.07		51.4	44.9
22-Feb-2022 22:20	6.8			50.12	45.2
22-Feb-2022 22:25	6.8			51	45
22-Feb-2022 22:30	6.8			52.1	45
22-Feb-2022 22:35	6.8	163.63		51.91	44.3
22-Feb-2022 22:40	6.8	140.77		52.13	43.5
22-Feb-2022 22:45	6.8	150.89		51.96	44.1
22-Feb-2022 22:50	6.8	167.9		52.3	0.2
22-Feb-2022 22:55	6.8	143.36		52.9	0.2
22-Feb-2022 23:00	6.8	185.46		52.93	0.2
22-Feb-2022 23:05	6.8	146.54		52.51	0.2
22-Feb-2022 23:10	6.8	162.7		52.67	0.3
22-Feb-2022 23:15	6.8			53.29	0.2
22-Feb-2022 23:20	6.8			52.48	0.2
22-Feb-2022 23:25	6.8	153.26		52.16	0.2
22-Feb-2022 23:30	6.8			51.77	0.2
22-Feb-2022 23:35	6.8			53.38	0.2
22-Feb-2022 23:40	6.8				0.2
22-Feb-2022 23:45	6.8			52.12	0.2
22-Feb-2022 23:50	6.8			52.79	0.2
22-Feb-2022 23:55	6.8	145.22		53.18	0.1
23-Feb-2022 00:00	6.8			53.47	0.2
23-Feb-2022 00:05	6.8			52.53	0.2
23-Feb-2022 00:10	6.8	142.8		53.16	0.2

No. Of Corrections  
on this page- *MS*

Appasaheb Nalawade (Gadhinglaj taluka) SSK Ltd.  
05MH092\_ETP\_Appasaheb Nalawade\_Kolhapur

From: 2023-12-01 02:40:00 To: 2024-02-25 08:40:00

Timestamp	BOD	COD	TSS	FLOW	pH
01-Feb-2024 15:30	35.62	120	30.84	6.37	
01-Feb-2024 15:45	0.47	2.75	16.59	44.5	
01-Feb-2024 16:00	1.64	1.64	0.01	43.4	
01-Feb-2024 16:15					
01-Feb-2024 16:30				43.54	7.21
01-Feb-2024 16:45	3.07	77.34	73.32	43.36	7.26
01-Feb-2024 17:00	51.98	103.06	37.94	43.2	6.78
01-Feb-2024 17:15	61.65	122.91	45.53	43.72	6.8
01-Feb-2024 17:30	61.7	122.99	45.54	43.26	6.8
01-Feb-2024 17:45	61.75	123.06	45.65	0.19	6.79
01-Feb-2024 18:00	61.81	123.15	45.52	0.16	6.88
01-Feb-2024 18:15	61.76	123.43	45.56	0.25	7
01-Feb-2024 18:30	61.86	123.28	45.53	22.18	7.06
01-Feb-2024 18:45	61.96	123.48	45.67	39.03	7.06
01-Feb-2024 19:00	61.89	123.41	45.58	39.03	7.05
01-Feb-2024 19:15	61.95	123.39	45.52	39.44	7.04
01-Feb-2024 19:30	61.96	123.4	45.52	39.26	6.96
01-Feb-2024 19:45	61.95	123.4	45.53	37.72	6.87
01-Feb-2024 20:00	62	123.44	45.49	38.06	6.88
01-Feb-2024 20:15	62.02	123.46	45.55	37.83	6.88
01-Feb-2024 20:30	61.88	123.5	45.66	38.47	6.94
01-Feb-2024 20:45	61.78	123.44	45.66	38.58	7
01-Feb-2024 21:00	61.92	123.57	45.54	38.03	7.02
01-Feb-2024 21:15	61.97	123.59	45.58	38.06	7.05

No. Of Corrections  
on this page- *ny*

Timestamp	BOD	COD	TSS	FLOW	pH
01-Feb-2024 21:30	61.96	123.6	45.68	38.32	7.1
01-Feb-2024 21:45	61.99	123.68	45.57	36.8	7.15
01-Feb-2024 22:00	61.98	123.67	45.58	38.44	7.18
01-Feb-2024 22:15	61.97	123.66	45.55	37.89	7.18
01-Feb-2024 22:30	61.87	123.74	45.62	37.11	7.2
01-Feb-2024 22:45	61.94	123.67	45.6	38.46	7.22
01-Feb-2024 23:00	61.9	123.69	45.6	38.09	7.26
01-Feb-2024 23:15	61.87	123.71	45.63	37.49	7.31
01-Feb-2024 23:30	61.83	123.68	45.58	36.57	7.31
01-Feb-2024 23:45	61.86	123.69	45.59	36.06	7.26
02-Feb-2024 00:00	61.84	123.7	45.6	37.38	7.21
02-Feb-2024 00:15	61.85	123.73	45.6	37.55	7.21
02-Feb-2024 00:30	61.78	123.71	45.61	37.03	7.25
02-Feb-2024 00:45	61.73	123.67	45.56	36.35	7.18
02-Feb-2024 01:00	61.7	123.78	45.62	36.88	6.92
02-Feb-2024 01:15	61.66	123.66	45.68	38.69	6.74
02-Feb-2024 01:30	61.68	123.72	45.6	35.8	6.76
02-Feb-2024 01:45	61.67	123.7	45.62	37.66	6.87
02-Feb-2024 02:00	61.67	123.7	45.63	36.24	7.04
02-Feb-2024 02:15	61.62	123.72	45.59	37.43	7.12
02-Feb-2024 02:30	61.67	123.72	45.64	36.8	7.09
02-Feb-2024 02:45	61.66	123.67	45.59	36.46	7.08
02-Feb-2024 03:00	61.68	123.74	45.62	36.86	7.11
02-Feb-2024 03:15	61.66	123.77	45.63	36.4	7.13
02-Feb-2024 03:30	61.67	123.73	45.64	36.63	7.13
02-Feb-2024 03:45	61.62	123.69	45.62	34.8	7.11
02-Feb-2024 04:00	61.62	123.74	45.66	36.63	7.01

No. Of Corrections  
on this page- *NU*

Timestamp	BOD	COD	TSS	FLOW	pH
02-Feb-2024 04:15	61.65	123.75	45.67	35.43	6.67
02-Feb-2024 04:30	61.56	123.68	45.68	36.03	6.38
02-Feb-2024 04:45	61.58	123.65	45.66	36.29	6.41
02-Feb-2024 05:00	61.68	123.78	45.64	36.09	6.52
02-Feb-2024 05:15	61.55	123.69	45.74	36.46	6.63
02-Feb-2024 05:30	61.64	123.84	45.68	36.32	6.69
02-Feb-2024 05:45	61.65	123.74	45.66	35.09	6.69
02-Feb-2024 06:00	61.64	123.74	45.62	35.49	6.68
02-Feb-2024 06:15	61.43	123.76	46.22	34.97	6.55
02-Feb-2024 06:30	61.58	123.66	45.7	35.72	6.38
02-Feb-2024 06:45	61.53	123.62	45.71	34.57	6.43
02-Feb-2024 07:00	61.39	123.5	45.75	34.89	6.54
02-Feb-2024 07:15	61.57	123.61	45.64	35.54	6.52
02-Feb-2024 07:30	61.54	123.68	45.68	35.4	6.48
02-Feb-2024 07:45	61.57	123.79	45.84	34.97	6.47
02-Feb-2024 08:00	61.57	123.68	45.68	34.72	6.48
02-Feb-2024 08:15	61.43	123.59	45.7	34.91	6.5
02-Feb-2024 08:30	61.54	123.6	45.7	36.75	6.46
02-Feb-2024 08:45	61.57	123.62	45.67	36.12	6.43
02-Feb-2024 09:00	61.54	123.63	45.68	37.06	6.46
02-Feb-2024 09:15	61.61	123.63	45.67	34.74	6.49
02-Feb-2024 09:30	61.66	123.74	45.69	35.26	6.5
02-Feb-2024 09:45	61.61	123.67	45.67	35.2	6.51
02-Feb-2024 10:00	61.58	123.62	45.66	35	6.5
02-Feb-2024 10:15	61.61	123.69	45.67	35.2	6.49
02-Feb-2024 10:30	61.59	123.69	45.74	35.29	6.52
02-Feb-2024 10:45	61.62	123.79	45.69	36	6.69

No. Of Corrections  
on this page- *2*

Timestamp	BOD	COD	TSS	FLOW	pH
09-Feb-2024 18:30	63.48	126.04	45.55	39.01	7.18
09-Feb-2024 18:45	63.55	126.18	45.44	37.95	7.19
09-Feb-2024 19:00	63.45	125.76	45.42	40.35	7.19
09-Feb-2024 19:15	63.58	125.83	45.46	39.55	7.17
09-Feb-2024 19:30	63.5	125.96	45.47	39.81	7.2
09-Feb-2024 19:45	63.64	125.92	45.38	38.86	7.23
09-Feb-2024 20:00	63.62	125.89	45.3	39.18	7.19
09-Feb-2024 20:15	63.47	126.24	45.46	39.61	7.12
09-Feb-2024 20:30	63.72	126.31	45.38	40.43	7.12
09-Feb-2024 20:45	63.75	126.34	46.18	40.29	7.12
09-Feb-2024 21:00	63.56	125.92	45.44	40.33	7.12
09-Feb-2024 21:15	64.19	126.75	45.38	40.41	7.15
09-Feb-2024 21:30	63.45	126.04	45.5	40.52	7.18
09-Feb-2024 21:45	63.61	125.87	45.48	38.46	7.17
09-Feb-2024 22:00	63.4	126.02	45.54	38.98	7.2
09-Feb-2024 22:15	63.65	126.06	45.51	38.86	7.22
09-Feb-2024 22:30	63.62	126.24	45.43	40.29	7.22
09-Feb-2024 22:45	63.64	125.96	45.52	40.41	7.2
09-Feb-2024 23:00	63.69	125.99	45.46	39.72	7.18
09-Feb-2024 23:15	63.64	126	45.61	40.47	7.18
09-Feb-2024 23:30	63.84	126.38	45.5	40.92	7.21
09-Feb-2024 23:45	63.72	126.47	45.59	40.18	7.21
10-Feb-2024 00:00	63.81	126.25	45.49	39.38	7.21
10-Feb-2024 00:15	63.6	126.3	45.49	40.8	7.25
10-Feb-2024 00:30	63.48	126.2	45.63	40	7.21
10-Feb-2024 00:45	63.69	126.25	45.54	39.03	7.15
10-Feb-2024 01:00	63.55	126.02	45.48	40.63	7.09

No. Of Corrections  
on this page- Nil

Timestamp	BOD	COD	TSS	FLOW	pH
10-Feb-2024 01:15	64.04	126.56	45.54	40.01	7.06
10-Feb-2024 01:30	63.64	126.42	45.94	39.18	7.12
10-Feb-2024 01:45	63.46	126.07	45.52	38.23	7.12
10-Feb-2024 02:00	63.64	126.34	45.6	40.54	7.08
10-Feb-2024 02:15	63.88	126.49	45.59	39.84	7.08
10-Feb-2024 02:30	63.77	126.38	45.66	39.98	7.06
10-Feb-2024 02:45	63.76	126.33	45.56	40.12	7.1
10-Feb-2024 03:00	63.7	126.3	45.56	38.92	7.19
10-Feb-2024 03:15	63.3	126.55	45.59	40.92	7.21
10-Feb-2024 03:30	63.6	126.16	45.62	39.18	7.28
10-Feb-2024 03:45	63.49	126.13	45.53	38.86	7.47
10-Feb-2024 04:00	63.61	126.2	45.6	39.83	7.62
10-Feb-2024 04:15	63.62	126.36	45.54	40.06	7.67
10-Feb-2024 04:30	63.85	126.66	45.6	38.98	7.79
10-Feb-2024 04:45	63.6	126.43	45.84	40.41	7.88
10-Feb-2024 05:00	63.64	126.5	45.56	40.8	7.82
10-Feb-2024 05:15	63.86	126.53	45.64	40.06	7.64
10-Feb-2024 05:30	63.81	126.52	45.69	40.69	7.64
10-Feb-2024 05:45	63.63	126.29	45.73	39.84	7.72
10-Feb-2024 06:00	63.7	126.3	45.66	40.61	7.49
10-Feb-2024 06:15	64	126.56	45.65	40.12	7.43
10-Feb-2024 06:30	63.46	126.38	45.99	40.44	7.6
10-Feb-2024 06:45	63.77	126.45	45.55	40.52	7.75
10-Feb-2024 07:00	63.28	126.52	45.64	42.92	7.92
10-Feb-2024 07:15	63.74	126.77	45.67	43.44	8
10-Feb-2024 07:30	63.68	126.48	45.72	40.41	7.95
10-Feb-2024 07:45	63.83	126.37	45.52	38.58	7.89

No. Of Corrections  
on this page- *20*

Timestamp	BOD	COD	TSS	FLOW	pH
10-Feb-2024 08:00	63.66	126.27	45.66	39.47	7.74
10-Feb-2024 08:15	63.3	126.12	45.69	40.01	7.63
10-Feb-2024 08:30	63.4	126.66	46.04	38.06	7.8
10-Feb-2024 08:45	63.74	126.81	45.93	36.8	7.97
10-Feb-2024 09:00	63.68	126.97	45.82	39.35	8
10-Feb-2024 09:15	63.33	127.11	45.73	37.2	8.01
10-Feb-2024 09:30	64.02	127.16	45.84	37.69	7.95
10-Feb-2024 09:45	64.4	127.49	45.57	37.89	7.91
10-Feb-2024 10:00	63.91	127.24	45.76	37.97	7.95
10-Feb-2024 10:15	63.87	127.15	45.82	40.29	8.03
10-Feb-2024 10:30	64.58	128.2	45.84	19.4	8.07
10-Feb-2024 10:45	64.18	128.12	45.85	39.26	8.06
10-Feb-2024 11:00	63.57	127.17	45.82	38.44	8.07
10-Feb-2024 11:15	64.32	129.11	46.17	39.09	8.11
10-Feb-2024 11:30	65.4	131.02	46.38	38.61	8.09
10-Feb-2024 11:45	63.83	129.24	46.25	39.09	8.06
10-Feb-2024 12:00	64.04	129.54	46.25	38.98	8.05
10-Feb-2024 12:15	65.08	130.57	46.69	39.72	8.08
10-Feb-2024 12:30	64.7	129.88	46.32	38.98	8.06
10-Feb-2024 12:45	64.89	130.35	46.14	38.52	8
10-Feb-2024 13:00	65.66	132.17	46.77	38.2	7.99
10-Feb-2024 13:15	64.47	130.26	46.37	37.2	8.02
10-Feb-2024 13:30	64.51	130.05	46.4	38.38	8.06
10-Feb-2024 13:45	64.48	130.14	46.33	36.63	8.03
10-Feb-2024 14:00	65.62	131.25	45.86	37.49	8.04
10-Feb-2024 14:15	64.9	130.02	46.17	38.46	8.08
10-Feb-2024 14:30	65.01	130.44	46.08	38.29	8.12

Timestamp	BOD	COD	TSS	FLOW	pH
14-Feb-2024 13:15	61.55	124.6	46.82	39.32	6.95
14-Feb-2024 13:30	61.64	124.43	46.74	38.47	7
14-Feb-2024 13:45	61.65	124.44	46.84	37.43	7.03
14-Feb-2024 14:00	61.58	124.38	46.79	38.18	7.04
14-Feb-2024 14:15	61.78	124.47	46.71	36.12	7.03
14-Feb-2024 14:30	61.66	124.36	46.68	38.32	7.04
14-Feb-2024 14:45	60.65	124.86	47.09	38.58	7.1
14-Feb-2024 15:00	61.7	124.4	46.72	38.44	7.12
14-Feb-2024 15:15	61.8	124.38	46.67	38.06	7.06
14-Feb-2024 15:30	61.7	124.32	46.68	37.94	7.04
14-Feb-2024 15:45	61.74	124.3	46.68	31.31	7.06
14-Feb-2024 16:00	61.66	124.03	46.66	31.94	7.18
14-Feb-2024 16:15	61.8	124.05	46.52	29.48	7.3
14-Feb-2024 16:30	61.66	123.62	46.51	38.85	7.32
14-Feb-2024 16:45	61.48	123.79	46.53	0.31	7.37
14-Feb-2024 17:00	61.44	123.68	46.58	18.67	7.43
14-Feb-2024 17:15	61.67	123.72	46.64	38.29	7.44
14-Feb-2024 17:30	61.58	123.94	46.7	38.86	7.4
14-Feb-2024 17:45	61.68	123.67	46.55	37.83	7.39
14-Feb-2024 18:00	61.44	123.85	46.64	43.18	7.42
14-Feb-2024 18:15	61.75	124.05	46.53	41.55	7.48
14-Feb-2024 18:30	61.52	123.73	46.58	42.04	7.57
14-Feb-2024 18:45	61.57	123.57	46.61	42.69	7.6
14-Feb-2024 19:00	61.6	123.68	46.66	41.86	7.53
14-Feb-2024 19:15	61.58	123.74	46.54	40.92	7.49
14-Feb-2024 19:30	61.5	123.54	46.62	32.46	7.54
14-Feb-2024 19:45	61.63	123.67	46.56	32.97	7.62

No. Of Corrections  
on this page- *ms*

Timestamp	BOD	COD	TSS	FLOW	pH
14-Feb-2024 20:00	61.24	123.68	46.63	32.97	7.76
14-Feb-2024 20:15	61.46	123.78	46.65	31.82	7.89
14-Feb-2024 20:30	61.49	123.72	46.61	32.11	7.98
14-Feb-2024 20:45	62.01	124.37	46.6	32	8.01
14-Feb-2024 21:00	61.37	123.63	46.72	32.02	7.98
14-Feb-2024 21:15	61.38	123.41	46.61	32.45	7.92
14-Feb-2024 21:30	61.24	123.9	46.7	30.31	7.76
14-Feb-2024 21:45	61.31	123.34	46.58	30.85	7.63
14-Feb-2024 22:00	61.52	123.44	46.64	30.74	7.39
14-Feb-2024 22:15	61.68	123.68	46.67	29.31	7.22
14-Feb-2024 22:30	61.34	123.56	46.68	30.02	7.38
14-Feb-2024 22:45	61.41	123.48	46.7	28.39	7.46
14-Feb-2024 23:00	61.5	123.54	46.7	34.62	7.54
14-Feb-2024 23:15	60.97	123.62	46.67	41.95	7.61
14-Feb-2024 23:30	61.46	123.44	46.66	39.4	7.56
14-Feb-2024 23:45	61.25	123.41	46.74	37.83	7.53
15-Feb-2024 00:00	61.55	123.48	46.66	39.44	7.57
15-Feb-2024 00:15	61.38	123.42	46.63	39.09	7.6
15-Feb-2024 00:30	61.37	123.5	46.67	40.52	7.52
15-Feb-2024 00:45	61.42	123.38	46.66	39.84	7.45
15-Feb-2024 01:00	61.06	123.36	46.64	40.26	7.4
15-Feb-2024 01:15	61.48	123.31	46.64	39.78	7.24
15-Feb-2024 01:30	61.2	123.35	46.71	39.2	7.12
15-Feb-2024 01:45	61.7	123.69	46.63	37.15	7.1
15-Feb-2024 02:00	61.44	123.32	46.8	39.44	7.11
15-Feb-2024 02:15	61.55	123.52	46.65	37.32	7.1
15-Feb-2024 02:30	61.33	123.26	46.64	38.55	7.05

Timestamp	BOD	COD	TSS	FLOW	pH
15-Feb-2024 02:45	61.2	123.75	46.7	41.32	7.02
15-Feb-2024 03:00	61.38	123.46	46.7	39.2	7.06
15-Feb-2024 03:15	61.37	123.21	46.66	40.29	7.1
15-Feb-2024 03:30	61.34	123.23	46.76	39.2	7.17
15-Feb-2024 03:45	61.21	123.52	46.92	39.89	7.38
15-Feb-2024 04:00	61.37	123.27	46.69	37.89	7.52
15-Feb-2024 04:15	61.29	123.26	46.67	39.03	7.43
15-Feb-2024 04:30	61.31	123.24	46.67	39.4	7.44
15-Feb-2024 04:45	61.39	123.32	46.7	39.21	7.61
15-Feb-2024 05:00	61.22	123.31	46.69	39.75	7.73
15-Feb-2024 05:15	61.41	123.32	46.69	40.12	7.71
15-Feb-2024 05:30	61.24	123.28	46.82	38.26	7.54
15-Feb-2024 05:45	61.39	123.3	46.74	37.03	7.41
15-Feb-2024 06:00	61.17	123.1	46.72	38.24	7.32
15-Feb-2024 06:15	61.28	123.36	47.3	38.81	7.26
15-Feb-2024 06:30	61.21	123.21	46.72	39.4	7.46
15-Feb-2024 06:45	61.1	123.1	46.74	38.12	7.66
15-Feb-2024 07:00	61.23	123.08	46.7	40.26	7.76
15-Feb-2024 07:15	61.34	123.47	46.71	40.12	7.82
15-Feb-2024 07:30	61.2	123.82	46.78	38.75	7.82
15-Feb-2024 07:45	61.15	123.42	46.71	39.21	7.64
15-Feb-2024 08:00	61.05	123.19	46.68	40.78	7.41
15-Feb-2024 08:15	61.23	123.19	46.72	40.47	7.35
15-Feb-2024 08:30	60.93	123.22	47.28	21.22	7.26
15-Feb-2024 08:45	60.89	123.03	46.7	0.02	7.09
15-Feb-2024 09:00	61.26	123.1	46.73	0.02	7.06
15-Feb-2024 09:15	61.18	123.27	46.66	0.02	7.17

No. Of Corrections  
on this page - 204

Timestamp	BOD	COD	TSS	FLOW	pH
15-Feb-2024 09:30	61.17	123.2	46.69	36.32	7.3
15-Feb-2024 09:45	61.13	123.12	46.71	35.54	7.3
15-Feb-2024 10:00	61.37	123.11	46.66	36.06	7.24
15-Feb-2024 10:15	61.44	123.22	46.72	35.66	7.22
15-Feb-2024 10:30	61.38	123.26	46.78	42.44	7.3
15-Feb-2024 10:45	61.58	123.48	46.73	32.45	7.42
15-Feb-2024 11:00	61.38	123.17	46.64	35.37	7.49
15-Feb-2024 11:15	61.33	123	46.65	36.75	7.55
15-Feb-2024 11:30	61.24	123.18	46.72	35.54	7.59
15-Feb-2024 11:45	61.48	123.31	46.64	40.01	7.6
15-Feb-2024 12:00	61.49	123.28	46.88	41.15	7.63
15-Feb-2024 12:15	61.39	123.09	46.68	42.52	7.67
15-Feb-2024 12:30	61.73	124	46.61	41.72	7.68
15-Feb-2024 12:45	61.52	123.02	46.58	39.03	7.7
15-Feb-2024 13:00	61.55	123.19	46.61	36.43	7.71
15-Feb-2024 13:15	61.58	123.25	46.57	41.15	7.71
15-Feb-2024 13:30	61.58	123.1	46.58	43.26	7.66
15-Feb-2024 13:45	61.24	123.12	46.6	43.09	7.48
15-Feb-2024 14:00	61.61	123.18	46.54	18.89	7.32
15-Feb-2024 14:15	61.62	123.25	46.61	37.09	7.38
15-Feb-2024 14:30	61.54	123.22	46.56	37.09	7.68
15-Feb-2024 14:45	61.54	123.08	46.73	36.86	7.87
15-Feb-2024 15:00	61.5	123.06	46.78	36.11	7.78
15-Feb-2024 15:15	61.45	123.14	46.57	36.57	7.57
15-Feb-2024 15:30	61.48	123.13	46.54	35.17	7.58
15-Feb-2024 15:45	61.44	123.9	46.71	36.63	7.75
15-Feb-2024 16:00	61.44	123.13	46.58	36.63	7.77

No. Of Corrections  
on this page- 2

Timestamp	BOD	COD	TSS	FLOW	pH
15-Feb-2024 16:15	61.64	123.03	46.44	35.2	7.77
15-Feb-2024 16:30	60.68	123.52	46.66	37.78	7.8
15-Feb-2024 16:45	61.45	123.14	46.52	37.55	7.87
15-Feb-2024 17:00	61.66	122.94	46.47	37	7.98
15-Feb-2024 17:15	61.6	123.1	46.49	35.89	8.07
15-Feb-2024 17:30	61.61	123.08	46.46	37.06	8.14
15-Feb-2024 17:45	61.52	123.05	46.57	37.03	8.22
15-Feb-2024 18:00	61.34	123.06	46.72	36.94	8.21
15-Feb-2024 18:15	61.66	122.96	46.49	36.35	8.12
15-Feb-2024 18:30	61.5	123.04	46.48	18.8	8.02
15-Feb-2024 18:45	61.61	122.9	46.57	0.02	7.94
15-Feb-2024 19:00	61.72	123	46.47	0	7.92
15-Feb-2024 19:15	61.69	122.97	46.41	0.02	7.92
15-Feb-2024 19:30	61.62	122.88	46.5	43.26	7.94
15-Feb-2024 19:45	61.78	123.21	46.48	41.6	7.96
15-Feb-2024 20:00	61.64	122.9	46.51	41.86	7.9
15-Feb-2024 20:15	61.18	123.05	46.56	38.98	7.9
15-Feb-2024 20:30	61.64	123.04	46.53	41.89	8
15-Feb-2024 20:45	61.47	122.9	46.5	39.32	8.03
15-Feb-2024 21:00	61.6	123.01	46.62	41.9	8
15-Feb-2024 21:15	61.5	122.89	46.62	41.78	8.04
15-Feb-2024 21:30	61.5	122.84	46.5	39.49	8.09
15-Feb-2024 21:45	61.63	122.87	46.5	40.8	8.16
15-Feb-2024 22:00	61.7	123.04	46.54	38.94	8.21
15-Feb-2024 22:15	61.57	122.9	46.36	40.8	8.21
15-Feb-2024 22:30	61.58	122.9	46.48	40.95	8.2
15-Feb-2024 22:45	61.58	123.12	46.54	40.12	8.22

Timestamp	BOD	COD	TSS	FLOW	pH
15-Feb-2024 23:00	61.44	123.08	46.56	40.72	8.24
15-Feb-2024 23:15	61.62	122.87	46.49	40.58	8.2
15-Feb-2024 23:30	61.57	122.79	46.59	40.35	8.14
15-Feb-2024 23:45	61.45	122.83	46.52	40.35	7.99
16-Feb-2024 00:00	61.53	123	47	40.49	7.98
16-Feb-2024 00:15	61.43	122.86	46.53	40.35	8.15
16-Feb-2024 00:30	61.56	122.86	46.55	40.15	8.15
16-Feb-2024 00:45	61.36	122.78	46.58	39.26	8.08
16-Feb-2024 01:00	61.46	122.9	46.62	37.98	8.14
16-Feb-2024 01:15	61.45	122.6	46.58	36	8.2
16-Feb-2024 01:30	61.24	123.19	46.62	38.44	8.23
16-Feb-2024 01:45	61.44	122.91	46.69	39.55	8.25
16-Feb-2024 02:00	61.37	123.22	46.57	38.72	8.26
16-Feb-2024 02:15	61.46	122.97	46.59	39.84	8.26
16-Feb-2024 02:30	61.42	122.83	46.62	40.09	8.16
16-Feb-2024 02:45	61.44	122.67	46.58	38.46	8.09
16-Feb-2024 03:00	61.42	122.78	47	40.2	8.15
16-Feb-2024 03:15	61.44	122.69	46.56	41.09	8.2
16-Feb-2024 03:30	61.32	122.64	46.54	40.15	8.14
16-Feb-2024 03:45	61.32	122.68	46.58	38.86	7.98
16-Feb-2024 04:00	61.35	122.76	46.6	37.69	7.64
16-Feb-2024 04:15	60.88	122.9	47.03	34.17	7.37
16-Feb-2024 04:30	61.52	123.15	46.6	35.48	7.24
16-Feb-2024 04:45	61.32	122.66	46.59	32.97	7.12
16-Feb-2024 05:00	61.32	122.84	46.68	35.46	7.08
16-Feb-2024 05:15	61.27	122.65	46.57	31.6	7.04
16-Feb-2024 05:30	61.33	122.71	46.63	35.14	7.21

No. Of Corrections  
on this page: *NKS*

Timestamp	BOD	COD	TSS	FLOW	pH
16-Feb-2024 05:45	60.27	122.66	46.65	34.57	7.55
16-Feb-2024 06:00	61.28	122.74	46.61	34.11	7.62
16-Feb-2024 06:15	61.3	122.78	46.7	36.23	7.44
16-Feb-2024 06:30	61.32	122.68	46.66	34.83	7.18
16-Feb-2024 06:45	61.22	122.63	46.64	35.66	7.01
16-Feb-2024 07:00	61.32	122.68	46.6	33.31	7.14
16-Feb-2024 07:15	61.32	122.65	46.6	35.6	7.41
16-Feb-2024 07:30	61.28	122.78	46.68	34.52	7.64
16-Feb-2024 07:45	61.41	122.87	46.67	35.77	7.78
16-Feb-2024 08:00	61.26	122.78	46.74	33.94	7.83
16-Feb-2024 08:15	61.22	122.74	46.62	34.74	7.82
16-Feb-2024 08:30	61.2	122.62	46.65	17.77	7.85
16-Feb-2024 08:45	61.19	122.54	46.64	35.26	7.89
16-Feb-2024 09:00	61.28	122.68	46.94	35.6	7.88
16-Feb-2024 09:15	61.55	122.99	46.62	35.2	7.84
16-Feb-2024 09:30	61.34	122.68	46.68	33.52	7.82
16-Feb-2024 09:45	61.11	122.61	46.67	36.17	7.82
16-Feb-2024 10:00	58.12	123.58	46.7	0.14	7.83
16-Feb-2024 10:15	61.33	122.63	46.6	0.25	7.91
16-Feb-2024 10:30	61.36	122.84	46.58	35.94	7.97
16-Feb-2024 10:45	61.17	122.69	47.22	34.4	7.96
16-Feb-2024 11:00	61.34	122.74	46.64	35.88	7.92
16-Feb-2024 11:15	60.89	122.55	46.84	34.8	7.86
16-Feb-2024 11:30	61.3	122.66	46.6	37.44	7.84
16-Feb-2024 11:45	61.35	122.98	46.6	36.27	7.3
16-Feb-2024 12:00	61.27	123.33	46.72	35.17	7.8
16-Feb-2024 12:15				34.98	10

NO. OF CORRECTIONS  
on this page *nil*

Timestamp	BOD	COD	TSS	FLOW	pH
16-Feb-2024 12:30	61.79	124.13	46.6	34.86	7.34
16-Feb-2024 12:45	52.45	125.9	50.35	35.1	7.23
16-Feb-2024 13:00	54.73	133.16	48.59	34.9	6.69
16-Feb-2024 13:15	54.8	133.1	48.54	34.66	4.77
16-Feb-2024 13:30					
16-Feb-2024 13:45	61.63	123.25	46.56	36	7.05
16-Feb-2024 14:00	61.78	123.48	46.54	35.14	7.46
16-Feb-2024 14:15	61.57	123.16	46.49	34.86	7.56
16-Feb-2024 14:30	61.88	123.3	46.47	34.89	7.64
16-Feb-2024 14:45	61.64	123.17	46.48	35.26	7.71
16-Feb-2024 15:00	61.6	123.21	46.44	34.37	7.76
16-Feb-2024 15:15	61.39	123.24	46.46	35.54	7.8
16-Feb-2024 15:30	61.72	123.16	46.4	36.32	7.82
16-Feb-2024 15:45	61.5	123.16	46.42	0.08	7.83
16-Feb-2024 16:00	61.39	123.23	46.41	0.22	7.71
16-Feb-2024 16:15	61.74	123.65	46.39	0.36	7.66
16-Feb-2024 16:30	61.82	123.16	46.36	0.25	7.7
16-Feb-2024 16:45	61.62	123.05	46.4	0.31	7.73
16-Feb-2024 17:00	61.68	123.02	46.28	0.28	7.74
16-Feb-2024 17:15	61.83	123.18	46.31	0.25	7.75
16-Feb-2024 17:30	61.57	122.98	46.34	34.98	7.75
16-Feb-2024 17:45	61.72	123.01	46.26	42.46	7.75
16-Feb-2024 18:00	61.72	123	46.22	40.69	7.75
16-Feb-2024 18:15	61.71	123	46.24	38.69	7.76
16-Feb-2024 18:30	61.66	122.92	46.24	39.72	7.76
16-Feb-2024 18:45	61.81	123.14	46.23	38.81	7.76
16-Feb-2024 19:00	61.62	122.85	46.23	41.01	7.76

No. Of Corrections  
on this page- Nil

Timestamp	BOD	COD	TSS	FLOW	pH
16-Feb-2024 19:15	61.6	122.83	46.25	40.97	7.77
16-Feb-2024 19:30	61.72	123.01	46.3	40.86	7.77
16-Feb-2024 19:45	61.57	122.78	46.26	38.58	7.78
16-Feb-2024 20:00	61.6	122.83	46.28	40.89	7.78
16-Feb-2024 20:15	61.6	122.83	46.29	38.41	7.79
16-Feb-2024 20:30	61.57	122.8	46.26	20.66	7.8
16-Feb-2024 20:45	61.61	122.84	46.28	37.83	7.8
16-Feb-2024 21:00	61.64	122.88	46.3	39.75	7.82
16-Feb-2024 21:15	61.47	122.8	46.39	39.09	7.83
16-Feb-2024 21:30	61.53	122.73	46.31	18.72	7.86
16-Feb-2024 21:45	61.51	122.7	46.35	0	7.9
16-Feb-2024 22:00	61.56	122.76	46.35	0	7.96
16-Feb-2024 22:15	61.57	122.79	46.46	0.08	8
16-Feb-2024 22:30	61.5	122.8	46.44	0.01	8.05
16-Feb-2024 22:45	61.52	122.71	46.36	0	8.09
16-Feb-2024 23:00	61.6	122.84	46.4	0.02	8.13
16-Feb-2024 23:15	61.47	122.63	46.35	0	8.16
16-Feb-2024 23:30	61.47	122.64	46.42	0.01	8.18
16-Feb-2024 23:45	61.5	122.67	46.49	74.9	8.21
17-Feb-2024 00:00	61.55	122.76	46.46	39.95	8.24
17-Feb-2024 00:15	61.6	122.83	46.45	40.58	8.26
17-Feb-2024 00:30	61.32	123.34	46.53	39.52	8.27
17-Feb-2024 00:45	61.34	122.72	46.71	39.55	8.29
17-Feb-2024 01:00	61.24	122.74	46.62	40.15	8.3
17-Feb-2024 01:15	61.42	122.56	46.38	40.47	8.32
17-Feb-2024 01:30	61.44	122.62	46.47	39.35	8.34
17-Feb-2024 01:45	61.59	122.81	46.44	39.55	8.35

No. Of Corrections  
on this page- *ny*

Timestamp	BOD	COD	TSS	FLOW	pH
17-Feb-2024 02:00	61.46	122.62	46.49	39.66	8.36
17-Feb-2024 02:15	61.4	122.52	46.44	40.29	8.38
17-Feb-2024 02:30	61.94	123.54	46.62	40.17	8.41
17-Feb-2024 02:45	61.43	122.57	46.46	40.97	8.42
17-Feb-2024 03:00	61.48	122.7	46.48	40.98	8.43
17-Feb-2024 03:15	61.41	122.55	46.5	39.09	8.45
17-Feb-2024 03:30	61.24	122.55	46.58	39.78	8.46
17-Feb-2024 03:45	61.24	122.89	46.48	31.94	8.49
17-Feb-2024 04:00	61.06	122.46	46.68	35.63	8.5
17-Feb-2024 04:15	61.43	122.57	46.46	33.88	8.52
17-Feb-2024 04:30	61.37	122.5	46.5	0.11	8.54
17-Feb-2024 04:45	60.71	130.66	47.12	0.14	8.56
17-Feb-2024 05:00	61.58	122.8	46.5	0.14	8.59
17-Feb-2024 05:15	61.43	122.58	46.53	0.14	8.6
17-Feb-2024 05:30	61.3	122.48	46.53	0.11	8.62
17-Feb-2024 05:45	61.46	122.62	46.55	0.02	8.64
17-Feb-2024 06:00	61.2	122.53	46.5	0.11	8.66
17-Feb-2024 06:15	59.04	122.39	46.71	0.19	8.67
17-Feb-2024 06:30	61.22	122.41	46.54	0.11	8.68
17-Feb-2024 06:45	61.27	122.36	46.62	0.14	8.7
17-Feb-2024 07:00	61.3	122.38	46.58	18.24	8.72
17-Feb-2024 07:15	61.3	122.7	46.53	38.46	6.82
17-Feb-2024 07:30	61.31	122.72	46.54	35.66	6.93
17-Feb-2024 07:45	61.22	122.42	46.53	36.17	7.01
17-Feb-2024 08:00	61.3	122.58	46.54	34.94	7.08
17-Feb-2024 08:15	61.12	122.34	46.53	35.03	7.14
17-Feb-2024 08:30	61.28	122.5	46.58	16.54	7.2

No. Of Corrections  
on this page- *mg*

Timestamp	BOD	COD	TSS	FLOW	pH
17-Feb-2024 08:45	61.28	122.49	46.74	35.37	7.23
17-Feb-2024 09:00	61.38	122.51	46.52	36.52	7.27
17-Feb-2024 09:15	61.25	122.37	46.49	33.08	7.29
17-Feb-2024 09:30	61.3	122.42	46.74	35.23	7.32
17-Feb-2024 09:45	61.29	122.37	46.49	33.03	7.33
17-Feb-2024 10:00	61.28	122.34	46.56	35.94	7.36
17-Feb-2024 10:15	61.24	122.51	46.51	35.03	7.36
17-Feb-2024 10:30	61.22	122.34	46.48	35.61	6.22
17-Feb-2024 10:45					
17-Feb-2024 11:00	61.24	122.61	46.5	34.42	7.4
17-Feb-2024 11:15	61.34	122.43	46.38	35.77	7.49
17-Feb-2024 11:30	61.3	122.36	46.4	34.54	7.57
17-Feb-2024 11:45	61.23	122.27	46.36	33.37	7.65
17-Feb-2024 12:00	60.94	122.46	46.48	35.17	7.74
17-Feb-2024 12:15	61.26	122.31	46.37	35.89	7.83
17-Feb-2024 12:30	61.32	122.41	46.38	34.63	7.92
17-Feb-2024 12:45	61.62	122.87	46.38	34.57	8.01
17-Feb-2024 13:00	61.17	122.49	46.36	34.62	8.1
17-Feb-2024 13:15	61.23	122.26	46.35	33.43	7.55
17-Feb-2024 13:30	61.18	122.35	46.29	34.06	7.78
17-Feb-2024 13:45	61.29	122.35	46.27	34.34	7.97
17-Feb-2024 14:00	61.32	122.4	46.3	34.08	8.14
17-Feb-2024 14:15	61.27	122.33	46.22	30.22	8.29
17-Feb-2024 14:30	61.28	122.35	46.24	33.66	8.41
17-Feb-2024 14:45	61.27	122.32	46.12	33.94	8.52
17-Feb-2024 15:00	61.24	122.29	46.24	33.06	8.47
17-Feb-2024 15:15	61.23	122.26	46.12	32.63	8.46

No. Of Corrections  
on this page- *ny*

Timestamp	BOD	COD	TSS	FLOW	pH
17-Feb-2024 15:30	61.46	122.62	46.08	30.16	8.57
17-Feb-2024 15:45	61.14	122.13	46.07	30.91	8.64
17-Feb-2024 16:00	61.2	122.22	46	15.11	8.68
17-Feb-2024 16:15	61.17	122.17	45.95	28.05	8.69
17-Feb-2024 16:30	61.16	122.16	45.98	27.99	8.7
17-Feb-2024 16:45	61.35	122.45	45.95	25.47	8.7
17-Feb-2024 17:00	60.25	122.38	45.98	25.9	8.7
17-Feb-2024 17:15	61.67	122.93	46	25.53	8.7
17-Feb-2024 17:30	61.14	122.14	45.86	25.19	8.7
17-Feb-2024 17:45	61.16	122.16	46.01	25.13	8.7
17-Feb-2024 18:00	61.28	122.34	45.82	25.02	8.71
17-Feb-2024 18:15	61.06	122.01	45.81	24.11	8.71
17-Feb-2024 18:30	61.64	122.94	45.9	23.79	8.72
17-Feb-2024 18:45	60.89	121.76	45.84	25.36	8.72
17-Feb-2024 19:00	61.06	122.02	45.89	25.56	8.73
17-Feb-2024 19:15	61.52	123.25	46.29	24.91	8.73
17-Feb-2024 19:30	61.1	122.07	45.93	25.39	8.74
17-Feb-2024 19:45	61.12	122.1	45.93	28.73	8.74
17-Feb-2024 20:00	61.04	121.98	46.16	28.82	8.75
17-Feb-2024 20:15	61.22	122.26	46.03	28.73	8.75
17-Feb-2024 20:30	61.1	122.06	45.98	18.7	8.76
17-Feb-2024 20:45	61.06	122	45.95	37.09	8.77
17-Feb-2024 21:00	61.15	122.15	46	36.23	8.77
17-Feb-2024 21:15	61.12	122.1	46.1	36.29	8.79
17-Feb-2024 21:30	61.06	122.02	46.03	36.03	8.8
17-Feb-2024 21:45	61.05	122	46.07	35.72	8.83
17-Feb-2024 22:00	61.11	122.09	46.08	35.86	8.86

No. Of Corrections  
on this page- *Nil*

Timestamp	BOD	COD	TSS	FLOW	pH
17-Feb-2024 22:15	61.06	122.01	46.13	35.54	8.91
17-Feb-2024 22:30	61.07	122.02	46.12	37.06	8.96
17-Feb-2024 22:45	62.1	123.58	46.23	35.03	9.01
17-Feb-2024 23:00	61.07	122.03	46.09	35.06	9.06
17-Feb-2024 23:15	61.02	121.94	46.14	33.31	9.1
17-Feb-2024 23:30	61.4	122.52	46.18	35.54	9.13
17-Feb-2024 23:45	61.08	122.05	46.23	32.17	9.16
18-Feb-2024 00:00	61.12	122.1	46.29	34.6	9.18
18-Feb-2024 00:15	61.07	122.02	46.23	34.11	9.21
18-Feb-2024 00:30	61.04	121.97	46.3	33.06	9.23
18-Feb-2024 00:45	61.05	121.99	46.25	33.2	9.26
18-Feb-2024 01:00	62.08	123.55	46.39	34.06	9.27
18-Feb-2024 01:15	61.02	121.94	46.29	35.32	9.3
18-Feb-2024 01:30	61.15	122.14	46.49	32.74	9.32
18-Feb-2024 01:45	61.28	122.34	46.33	33.77	9.33
18-Feb-2024 02:00	60.9	122	46.42	32.92	9.34
18-Feb-2024 02:15	61.33	122.42	46.87	31.82	9.37
18-Feb-2024 02:30	61.06	122	46.26	32.45	9.39
18-Feb-2024 02:45	61	121.91	46.34	33.43	9.4
18-Feb-2024 03:00	61.1	122.09	46.29	33.03	9.41
18-Feb-2024 03:15	60.97	121.87	46.54	31.37	9.43
18-Feb-2024 03:30	61.1	122.06	46.31	32.68	9.44
18-Feb-2024 03:45	61.09	122.06	46.31	32.05	9.47
18-Feb-2024 04:00	61.02	121.94	46.36	28.6	9.48
18-Feb-2024 04:15	60.97	121.87	46.3	29.19	9.5
18-Feb-2024 04:30	61.11	122.1	46.34	26.73	9.52
18-Feb-2024 04:45	61.02	121.95	46.4	27.3	9.54

No. Of Corrections  
on this page- 0

Timestamp	BOD	COD	TSS	FLOW	pH
18-Feb-2024 05:00	61.22	123.76	46.56	27.73	9.56
18-Feb-2024 05:15	60.98	121.89	46.34	29.71	9.57
18-Feb-2024 05:30	60.92	121.79	46.32	27.53	9.59
18-Feb-2024 05:45	60.98	121.89	46.36	29.54	9.61
18-Feb-2024 06:00	61.02	121.95	46.36	28.14	9.62
18-Feb-2024 06:15	61	121.93	46.41	29.88	9.64
18-Feb-2024 06:30	61.18	122.2	46.51	28.62	9.65
18-Feb-2024 06:45	60.95	121.84	46.33	27.3	9.66
18-Feb-2024 07:00	60.96	121.85	46.4	29.34	9.68
18-Feb-2024 07:15	61.08	122.04	46.36	26.67	9.69
18-Feb-2024 07:30	61.02	121.96	46.36	28.82	9.7
18-Feb-2024 07:45	60.15	122.58	47.07	28.16	9.71
18-Feb-2024 08:00	61.09	122.12	46.36	28.39	9.72
18-Feb-2024 08:15	60.89	121.97	46.37	27.76	9.72
18-Feb-2024 08:30	60.99	121.9	46.37	28.14	9.71
18-Feb-2024 08:45	60.96	121.86	46.39	29.19	9.7
18-Feb-2024 09:00	60.78	122.04	46.42	28.9	9.68
18-Feb-2024 09:15	60.99	121.9	46.36	29.65	9.67
18-Feb-2024 09:30	60.49	121.85	46.39	29.08	9.64
18-Feb-2024 09:45	60.93	121.82	46.42	27.76	9.62
18-Feb-2024 10:00	61	121.92	46.3	28.25	9.59
18-Feb-2024 10:15	60.92	121.79	46.35	30.22	9.56
18-Feb-2024 10:30	60.9	121.76	46.45	27.14	9.52
18-Feb-2024 10:45	60.95	121.84	46.28	26.39	9.48
18-Feb-2024 11:00	60.93	121.82	46.31	29.76	9.43
18-Feb-2024 11:15	60.94	121.83	46.27	28.85	9.4
18-Feb-2024 11:30	60.98	121.9	46.38	27.7	9.36

No. Of Corrections  
on this page- 00

Timestamp	BOD	COD	TSS	FLOW	pH
18-Feb-2024 11:45	60.89	121.76	46.2	27.76	9.31
18-Feb-2024 12:00	60.99	121.9	46.2	27.93	9.26
18-Feb-2024 12:15	61.11	122.09	46.2	28.79	9.22
18-Feb-2024 12:30	60.9	121.78	46.19	26.73	9.19
18-Feb-2024 12:45	61.22	122.25	46.18	28.16	9.15
18-Feb-2024 13:00	60.94	121.83	46.14	25.28	9.12
18-Feb-2024 13:15	61.21	122.23	46.13	27.59	9.09
18-Feb-2024 13:30	60.96	121.86	46.16	26.56	9.06
18-Feb-2024 13:45	60.87	121.72	46.2	26.45	9.04
18-Feb-2024 14:00	60.92	121.8	46.62	26.88	9.02
18-Feb-2024 14:15	60.91	121.79	46.12	27.25	9.01
18-Feb-2024 14:30	60.82	121.66	45.98	24.73	9
18-Feb-2024 14:45	60.88	121.74	46.05	26.79	8.99
18-Feb-2024 15:00	60.88	123.02	46.78	26.53	8.98
18-Feb-2024 15:15	60.83	121.67	45.79	23.59	8.97
18-Feb-2024 15:30	60.86	121.71	45.8	26.22	8.95
18-Feb-2024 15:45	60.86	121.71	45.79	26.45	8.93
18-Feb-2024 16:00	60.86	121.72	45.8	25.68	8.89
18-Feb-2024 16:15	60.85	121.69	45.76	25.99	8.85
18-Feb-2024 16:30	60.84	121.68	45.7	24.48	8.83
18-Feb-2024 16:45	60.82	121.65	45.65	0	9.11
18-Feb-2024 17:00	60.84	121.69	45.71	0	8.97
18-Feb-2024 17:15	60.92	121.79	45.85	40.58	9.2
18-Feb-2024 17:30	60.84	121.67	45.64	23.5	9.02
18-Feb-2024 17:45	60.8	121.62	45.71	0	9.31
18-Feb-2024 18:00	60.82	121.65	45.65	28.2	9.1
18-Feb-2024 18:15	60.78	121.58	45.65	23.25	8.98

No. Of Corrections  
on this page- 0/5

Timestamp	BOD	COD	TSS	FLOW	pH
18-Feb-2024 18:30	60.78	121.59	45.83	23.65	8.91
18-Feb-2024 18:45	60.79	121.6	45.66	23.82	8.87
18-Feb-2024 19:00	61.01	121.94	45.78	24.9	8.84
18-Feb-2024 19:15	60.95	121.84	45.69	22.45	8.83
18-Feb-2024 19:30	60.82	121.66	45.76	24.38	8.82
18-Feb-2024 19:45	60.79	121.59	45.81	25.7	8.82
18-Feb-2024 20:00	60.8	121.62	45.84	27.9	8.82
18-Feb-2024 20:15	60.79	121.6	45.79	26.85	8.82
18-Feb-2024 20:30	60.84	121.67	45.84	28.02	8.82
18-Feb-2024 20:45	60.82	121.65	45.83	25.99	8.82
18-Feb-2024 21:00	60.84	121.67	45.87	27.42	8.83
18-Feb-2024 21:15	60.85	121.69	45.94	27.53	8.84
18-Feb-2024 21:30	60.86	121.72	45.95	27.74	8.84
18-Feb-2024 21:45	60.82	121.64	45.97	24.96	8.87
18-Feb-2024 22:00	60.84	121.67	45.98	25.42	8.9
18-Feb-2024 22:15	61.37	122.48	45.98	25.93	8.93
18-Feb-2024 22:30	60.86	121.7	45.96	26.42	8.97
18-Feb-2024 22:45	60.85	121.69	46.06	25.82	9.01
18-Feb-2024 23:00	61.06	122	46	25.62	9.04
18-Feb-2024 23:15	60.79	121.6	45.99	25.13	9.08
18-Feb-2024 23:30	60.81	121.63	46.04	23.1	9.11
18-Feb-2024 23:45	60.9	121.77	46.04	25.53	9.14
19-Feb-2024 00:00	60.82	121.64	46.06	23.93	9.16
19-Feb-2024 00:15	60.75	121.54	46.12	21.82	9.18
19-Feb-2024 00:30	60.86	121.71	46.14	23.3	9.2
19-Feb-2024 00:45	60.84	121.68	46.05	21.87	9.22
19-Feb-2024 01:00	60.82	121.66	46.15	18.18	9.24

No. Of Corrections  
on this page- *Nil*

Timestamp	BOD	COD	TSS	FLOW	pH
19-Feb-2024 01:15	60.87	121.72	46.07	18.5	9.25
19-Feb-2024 01:30	60.88	121.74	46.2	16.95	9.27
19-Feb-2024 01:45	60.82	121.65	46.16	12.26	9.29
19-Feb-2024 02:00	60.83	121.66	46.19	15.38	9.3
19-Feb-2024 02:15	60.79	121.6	46.19	11.8	9.32
19-Feb-2024 02:30	60.86	121.72	46.28	13.7	9.34
19-Feb-2024 02:45	60.85	121.69	46.22	14.89	9.34
19-Feb-2024 03:00	60.85	121.7	46.18	11.26	9.36
19-Feb-2024 03:15	60.9	121.77	46.18	11.23	9.38
19-Feb-2024 03:30	60.87	121.72	46.16	12.26	9.4
19-Feb-2024 03:45	60.81	121.63	46.2	11.12	9.41
19-Feb-2024 04:00	60.82	121.66	46.24	6.43	9.41
19-Feb-2024 04:15	60.8	121.62	46.3	6.37	9.43
19-Feb-2024 04:30	60.81	121.63	46.22	6.68	9.44
19-Feb-2024 04:45	60.8	121.62	46.2	6.03	9.46
19-Feb-2024 05:00	60.78	121.58	46.28	17.3	9.48
19-Feb-2024 05:15	60.77	121.57	46.21	28.62	9.49
19-Feb-2024 05:30	60.8	121.62	46.42	28.82	9.5
19-Feb-2024 05:45	60.87	121.73	46.32	30.97	9.52
19-Feb-2024 06:00	60.78	121.58	46.24	29.31	9.54
19-Feb-2024 06:15	60.81	121.64	46.32	31.25	9.55
19-Feb-2024 06:30	60.8	121.62	46.26	28.54	9.57
19-Feb-2024 06:45	60.81	121.64	46.61	29.02	9.57
19-Feb-2024 07:00	60.97	121.88	46.58	29.76	9.59
19-Feb-2024 07:15	60.83	121.67	46.32	28.56	9.6
19-Feb-2024 07:30	60.83	121.66	46.52	30.88	9.61
19-Feb-2024 07:45	60.78	121.59	46.33	30.45	9.61

No. Of Corrections  
on this page- NIL

Timestamp	BOD	COD	TSS	FLOW	pH
19-Feb-2024 08:00	57.63	122.64	47.08	30.56	9.62
19-Feb-2024 08:15	60.74	121.52	46.39	28.22	9.62
19-Feb-2024 08:30	60.78	121.59	46.33	29.4	9.61
19-Feb-2024 08:45	60.76	121.56	46.27	29.71	9.61
19-Feb-2024 09:00	60.78	121.59	46.32	30.2	9.59
19-Feb-2024 09:15	60.79	121.61	46.23	29.36	9.58
19-Feb-2024 09:30	60.86	121.7	46.29	30.9	9.57
19-Feb-2024 09:45	60.76	121.56	46.2	29.94	9.54
19-Feb-2024 10:00	60.76	121.56	46.26	33.57	9.52
19-Feb-2024 10:15					
19-Feb-2024 10:30	60.82	121.66	46.28	29.8	9.44
19-Feb-2024 10:45	60.89	121.75	46.29	28.22	9.34
19-Feb-2024 11:00	61	121.92	46.44	28.28	9.26
19-Feb-2024 11:15	60.82	121.64	46.36	26.67	9.19
19-Feb-2024 11:30	60.83	121.66	46.35	26.4	9.14
19-Feb-2024 11:45	61.25	122.3	46.32	24.79	9.1
19-Feb-2024 12:00	60.86	121.71	46.38	23.85	9.1
19-Feb-2024 12:15	60.95	121.84	46.23	35.32	9.1
19-Feb-2024 12:30	60.77	122.1	46.36	36.61	9.07
19-Feb-2024 12:45	61.1	122.07	46.58	36.52	9.07
19-Feb-2024 13:00	60.98	121.88	46.45	36.12	9.06
19-Feb-2024 13:15	60.93	121.82	46.31	36.52	9.04
19-Feb-2024 13:30	60.82	121.86	46.51	35.94	9.06
19-Feb-2024 13:45	60.92	121.8	47.51	36	9.07
19-Feb-2024 14:00	60.9	121.78	46.52	35.83	9.08
19-Feb-2024 14:15	60.76	121.93	46.87	35.49	9.09
19-Feb-2024 14:30	60.92	121.78	46.53	35	9.07

No. Of Corrections  
on this page- *nm*

Timestamp	BOD	COD	TSS	FLOW	pH
19-Feb-2024 14:45	61.04	121.97	46.62	34.23	8.94
19-Feb-2024 15:00	60.99	121.9	46.3	35.8	8.97
19-Feb-2024 15:15	61.06	122	46.21	35.77	9
19-Feb-2024 15:30	60.91	121.78	46.06	35.8	9.02
19-Feb-2024 15:45	61.07	122.03	46.04	35.03	9.01
19-Feb-2024 16:00	60.56	122.93	46.08	35.28	9
19-Feb-2024 16:15	61.08	122.04	46.19	32.74	8.99
19-Feb-2024 16:30	60.92	121.8	46.05	35.52	8.98
19-Feb-2024 16:45	60.87	121.72	45.97	35.72	8.97
19-Feb-2024 17:00	60.96	121.86	46	34.57	8.97
19-Feb-2024 17:15	60.89	121.75	45.96	34.91	8.97
19-Feb-2024 17:30	61.06	122	45.98	34.83	8.98
19-Feb-2024 17:45	60.89	121.76	46.05	34.97	8.99
19-Feb-2024 18:00	61.09	122.06	46.02	33.2	9.02
19-Feb-2024 18:15	60.88	121.74	45.97	34.74	9.05
19-Feb-2024 18:30	60.93	121.82	46	33.25	9.07
19-Feb-2024 18:45	60.96	121.85	46.11	35.49	9.08
19-Feb-2024 19:00	60.97	121.94	46.13	33.14	9.12
19-Feb-2024 19:15	60.98	121.89	46.11	35.54	9.15
19-Feb-2024 19:30	60.88	121.73	46.06	35.03	9.18
19-Feb-2024 19:45	60.93	121.82	46.13	34.69	9.21
19-Feb-2024 20:00	60.96	121.86	46.11	37	9.21
19-Feb-2024 20:15	61.29	122.36	46.11	40.12	9.21
19-Feb-2024 20:30	60.96	121.86	46.12	40.18	9.23
19-Feb-2024 20:45	60.89	121.75	46.15	37.2	9.23
19-Feb-2024 21:00	60.92	121.81	46.16	39.89	9.25
19-Feb-2024 21:15	60.78	122	46.19	40.63	9.27

No. Of Corrections  
on this page- *None*

Timestamp	BOD	COD	TSS	FLOW	pH
19-Feb-2024 21:30	60.89	121.74	46.18	39.06	9.27
19-Feb-2024 21:45	61.16	122.16	46.16	39.44	9.28
19-Feb-2024 22:00	60.97	121.88	46.22	37.34	9.29
19-Feb-2024 22:15	60.91	121.78	46.17	39.55	9.3
19-Feb-2024 22:30	60.92	121.8	46.2	38.58	9.34
19-Feb-2024 22:45	60.91	121.79	46.2	38.86	9.35
19-Feb-2024 23:00	60.94	121.82	46.3	38.58	9.38
19-Feb-2024 23:15	61.02	121.95	46.21	39.03	9.4
19-Feb-2024 23:30	60.97	121.87	46.41	38.75	9.43
19-Feb-2024 23:45	60.95	121.85	46.25	39.32	9.44
20-Feb-2024 00:00	60.92	121.8	46.22	38.32	9.45
20-Feb-2024 00:15	60.97	121.87	46.23	39.61	9.46
20-Feb-2024 00:30	60.9	121.76	46.32	38.32	9.49
20-Feb-2024 00:45	61.06	122.01	46.87	38.23	9.51
20-Feb-2024 01:00	61.02	121.95	46.28	37.61	9.52
20-Feb-2024 01:15	60.85	121.7	46.29	36.29	9.54
20-Feb-2024 01:30	60.9	121.77	46.54	18.18	9.55
20-Feb-2024 01:45	59.41	122.71	46.65	0.14	9.57
20-Feb-2024 02:00	61.21	122.24	46.3	0.04	9.59
20-Feb-2024 02:15	61	121.93	46.62	0.08	9.6
20-Feb-2024 02:30	60.9	121.76	46.35	0.05	9.62
20-Feb-2024 02:45	60.85	121.7	46.36	0.14	9.65
20-Feb-2024 03:00	60.9	121.77	46.35	0.11	9.68
20-Feb-2024 03:15	61.13	122.12	46.46	0.08	9.69
20-Feb-2024 03:30	60.59	121.92	46.51	0.08	9.7
20-Feb-2024 03:45	60.85	121.69	46.31	0.08	9.7
20-Feb-2024 04:00	61.12	122.11	46.39	0.05	9.73

Timestamp	BOD	COD	TSS	FLOW	pH
20-Feb-2024 04:15	60.88	121.74	46.42	27.99	9.74
20-Feb-2024 04:30	61	121.91	46.45	27.3	9.76
20-Feb-2024 04:45	60.94	121.83	46.41	27.53	9.8
20-Feb-2024 05:00	60.95	121.84	46.36	18.44	9.81
20-Feb-2024 05:15	60.83	121.67	46.46	17.24	9.81
20-Feb-2024 05:30	60.88	121.73	46.36	14.12	9.84
20-Feb-2024 05:45	61.01	121.93	46.37	12.2	9.84
20-Feb-2024 06:00	60.94	121.83	46.98	11.86	9.84
20-Feb-2024 06:15	60.83	121.66	46.39	12.37	9.87
20-Feb-2024 06:30	61.1	122.12	46.42	9.38	9.88
20-Feb-2024 06:45	60.87	121.72	46.41	9.35	9.88
20-Feb-2024 07:00	60.96	121.87	46.76	36.94	9.89
20-Feb-2024 07:15	60.84	121.68	46.42	37.38	9.9
20-Feb-2024 07:30	60.97	121.88	46.43	35.37	9.91
20-Feb-2024 07:45	60.86	121.71	46.45	38.35	9.89
20-Feb-2024 08:00	60.84	121.86	46.5	35.66	9.86
20-Feb-2024 08:15	60.82	121.65	46.56	38.29	9.83
20-Feb-2024 08:30	60.86	121.71	46.43	36.34	9.78
20-Feb-2024 08:45	61.01	121.93	46.41	36.23	9.74
20-Feb-2024 09:00	60.97	121.88	46.44	35.92	9.68
20-Feb-2024 09:15	60.81	121.63	46.37	36.4	9.62
20-Feb-2024 09:30	60.9	121.77	46.4	35.92	9.54
20-Feb-2024 09:45	60.94	121.83	46.44	34.29	9.47
20-Feb-2024 10:00	60.88	121.74	46.45	34.46	9.41
20-Feb-2024 10:15	60.89	121.75	46.4	33.31	9.34
20-Feb-2024 10:30	60.92	121.8	46.36	35.74	9.22
20-Feb-2024 10:45	60.88	121.74	46.89	33.77	9.19

Timestamp	BOD	COD	TSS	FLOW	pH
20-Feb-2024 11:00	60.87	121.72	46.36	34.32	9.17
20-Feb-2024 11:15	60.85	121.69	46.34	31.48	9.15
20-Feb-2024 11:30	60.94	121.84	46.32	34.14	9.11
20-Feb-2024 11:45	60.8	121.61	46.29	35.2	9.11
20-Feb-2024 12:00	60.34	121.83	46.4	34.69	9.09
20-Feb-2024 12:15	60.98	121.89	46.52	35.2	9.08
20-Feb-2024 12:30	60.92	121.8	46.32	34.14	9.09
20-Feb-2024 12:45	60.87	121.73	46.35	34.86	9.07
20-Feb-2024 13:00	61.01	121.94	46.3	34.48	9.06
20-Feb-2024 13:15	60.84	121.67	46.23	34.91	9.04
20-Feb-2024 13:30	60.93	121.81	46.24	34.94	9.03
20-Feb-2024 13:45	60.9	121.76	46.22	35.09	9.02
20-Feb-2024 14:00	60.94	121.82	46.23	35.08	9.03
20-Feb-2024 14:15	61.48	122.65	46.16	33.94	9.06
20-Feb-2024 14:30	60.86	121.7	46.2	33.92	9.06
20-Feb-2024 14:45	61.12	122.11	46.15	35.03	9.06
20-Feb-2024 15:00	60.86	121.7	46.1	33.39	9.07
20-Feb-2024 15:15	61.07	122.03	46.16	35.14	9.08
20-Feb-2024 15:30	60.92	121.79	46.22	32.97	9.04
20-Feb-2024 15:45	60.87	121.73	46.13	33.6	9.04
20-Feb-2024 16:00	61.07	122.04	46.08	32.86	9.04
20-Feb-2024 16:15					
20-Feb-2024 16:30	60.85	121.92	46.07	33.63	9.04
20-Feb-2024 16:45	60.86	121.71	46.03	33.14	9.04
20-Feb-2024 17:00	60.86	121.72	46.15	33.34	9.05
20-Feb-2024 17:15	60.87	121.72	46.02	32.97	9.06
20-Feb-2024 17:30	60.86	121.71	46.01	33.46	9.07

Timestamp	BOD	COD	TSS	FLOW	pH
20-Feb-2024 17:45	60.87	121.72	46.12	34.34	9.09
20-Feb-2024 18:00	61.07	122.02	46.04	34	9.14
20-Feb-2024 18:15	60.91	121.79	46.02	33.83	9.16
20-Feb-2024 18:30	60.84	121.68	46.27	33.46	9.2
20-Feb-2024 18:45	60.89	121.76	46.08	35.14	9.21
20-Feb-2024 19:00	60.94	121.82	46.12	33.32	9.24
20-Feb-2024 19:15	60.9	121.77	46.11	35.32	9.24
20-Feb-2024 19:30	60.88	121.72	46.08	33.77	9.27
20-Feb-2024 19:45	58.72	122.37	46.21	38.52	9.28
20-Feb-2024 20:00	60.89	121.74	46.11	39.47	9.28
20-Feb-2024 20:15	60.9	121.77	46.81	39.55	9.29
20-Feb-2024 20:30	59.75	122.28	46.45	40.06	9.33
20-Feb-2024 20:45	61.11	122.08	46.22	37.32	9.33
20-Feb-2024 21:00	61.25	122.3	46.18	39.26	9.34
20-Feb-2024 21:15	60.72	121.99	46.45	37.72	9.33
20-Feb-2024 21:30	60.83	122.54	46.48	38.06	9.33
20-Feb-2024 21:45	60.85	121.69	46.29	38	9.34
20-Feb-2024 22:00	60.94	121.82	46.23	39.72	9.37
20-Feb-2024 22:15	61	121.92	46.34	37.83	9.4
20-Feb-2024 22:30	60.96	121.86	46.46	37.89	9.42
20-Feb-2024 22:45	61.12	122.1	46.25	38.06	9.44
20-Feb-2024 23:00	60.92	121.8	46.3	38.55	9.47
20-Feb-2024 23:15	60.9	121.76	46.54	39.95	9.49
20-Feb-2024 23:30	60.91	121.78	46.34	38.03	9.53
20-Feb-2024 23:45	60.98	121.89	46.36	37.89	9.56
21-Feb-2024 00:00	60.95	121.84	46.49	39.03	9.59
21-Feb-2024 00:15	60.92	121.79	46.31	40.69	9.61

No. Of Corrections  
on this page- *0/2*

Timestamp	BOD	COD	TSS	FLOW	pH
21-Feb-2024 00:30	60.89	121.76	46.44	37.09	9.63
21-Feb-2024 00:45	61.05	121.99	46.3	39.26	9.67
21-Feb-2024 01:00	60.61	121.72	46.28	37.58	9.7
21-Feb-2024 01:15	60.92	121.79	46.46	37.66	9.72
21-Feb-2024 01:30	60.89	121.76	46.34	37.8	9.75
21-Feb-2024 01:45	60.84	121.68	46.35	36.69	9.77
21-Feb-2024 02:00	61.05	121.99	46.53	0.02	9.78
21-Feb-2024 02:15	61.09	122.05	46.42	0.08	9.82
21-Feb-2024 02:30	60.86	121.71	46.43	0.07	9.84
21-Feb-2024 02:45	60.82	121.65	46.5	0.08	9.87
21-Feb-2024 03:00	61	121.92	46.41	0.01	9.89
21-Feb-2024 03:15	60.88	121.73	46.41	0.02	9.9
21-Feb-2024 03:30	61.06	122.02	46.39	0.05	9.91
21-Feb-2024 03:45	61.09	122.05	46.73	37.95	9.94
21-Feb-2024 04:00	61.07	122.02	46.4	38.47	9.97
21-Feb-2024 04:15	60.98	121.89	46.71	37.38	9.99
21-Feb-2024 04:30	60.92	121.8	46.45	37.95	10
21-Feb-2024 04:45	60.92	121.8	46.39	38.06	10.01
21-Feb-2024 05:00	60.91	121.78	46.7	37.72	10.04
21-Feb-2024 05:15	60.89	121.76	46.41	37.6	10.08
21-Feb-2024 05:30	60.89	121.76	46.44	37.83	10.09
21-Feb-2024 05:45	60.87	121.72	46.43	39.89	10.11
21-Feb-2024 06:00	60.86	121.7	46.46	36.38	10.1
21-Feb-2024 06:15	60.92	121.79	46.44	36.06	10.13
21-Feb-2024 06:30	60.9	121.88	46.58	37.32	10.16
21-Feb-2024 06:45	61	121.92	46.49	36.92	10.19
21-Feb-2024 07:00	61.18	122.19	46.58	0.01	10.21

No. Of Corrections  
on this page- *ny*

Timestamp	BOD	COD	TSS	FLOW	pH
21-Feb-2024 07:15	60.83	121.66	46.46	0.02	10.22
21-Feb-2024 07:30	60.87	121.73	46.48	0.05	10.23
21-Feb-2024 07:45	60.8	121.62	46.44	0	10.21
21-Feb-2024 08:00	61.03	121.96	46.62	0.04	10.17
21-Feb-2024 08:15	60.41	122.13	47.16	0.08	10.1
21-Feb-2024 08:30	60.82	121.66	46.44	31.14	10
21-Feb-2024 08:45	61.21	122.24	46.57	29.48	9.9
21-Feb-2024 09:00	60.82	121.64	46.45	27.96	9.79
21-Feb-2024 09:15	60.8	121.62	46.44	27.59	9.7
21-Feb-2024 09:30	60.88	121.74	46.57	26.62	9.65
21-Feb-2024 09:45	60.84	121.68	46.44	25.59	9.54
21-Feb-2024 10:00	60.84	121.68	46.42	25.44	9.48
21-Feb-2024 10:15	60.8	121.62	46.42	24.56	9.39
21-Feb-2024 10:30	60.92	121.79	46.52	23.96	9.34
21-Feb-2024 10:45	60.83	121.67	46.39	23.99	9.29
21-Feb-2024 11:00	61.4	122.54	46.4	23.99	9.25
21-Feb-2024 11:15	60.8	121.61	46.37	21.36	9.2
21-Feb-2024 11:30	61.01	121.94	46.42	21.24	9.17
21-Feb-2024 11:45	60.83	121.66	46.39	19.53	9.13
21-Feb-2024 12:00	60.82	121.9	46.38	18.84	8.88
21-Feb-2024 12:15	60.89	121.75	46.63	17.93	8.4
21-Feb-2024 12:30	61.08	122.07	46.34	25.94	7.32
21-Feb-2024 12:45	60.83	121.67	46.4	0	7.62
21-Feb-2024 13:00	60.94	121.83	46.26	13.07	7.88
21-Feb-2024 13:15	60.89	121.75	46.28	13.69	7.78
21-Feb-2024 13:30	60.92	121.8	46.25	9.38	8.04
21-Feb-2024 13:45	60.99	121.91	46.34	8.32	8.27

No. Of Corrections  
on this page- *Nil*

Timestamp	BOD	COD	TSS	FLOW	pH
21-Feb-2024 14:00	60.87	121.72	46.2	5.88	8.43
21-Feb-2024 14:15	60.47	122.28	46.22	0	7.87
21-Feb-2024 14:30	60.94	121.84	46.21	15.28	8.26
21-Feb-2024 14:45	60.84	121.68	46.07	64.83	7.33
21-Feb-2024 15:00	60.9	121.76	46.17	60.14	7.44
21-Feb-2024 15:15	61.1	122.07	46.18	58.02	7.86
21-Feb-2024 15:30	60.7	121.99	46.12	56.36	8.12
21-Feb-2024 15:45	60.91	121.79	46.07	32.05	8.26
21-Feb-2024 16:00	60.86	121.72	46.03	33	8.15
21-Feb-2024 16:15	60.88	121.73	46.1	33.88	8.21
21-Feb-2024 16:30	60.17	121.86	46.18	33.46	8.42
21-Feb-2024 16:45	60.9	121.77	46.11	33.48	8.58
21-Feb-2024 17:00	61	121.9	46	37.52	8.59
21-Feb-2024 17:15	60.88	121.73	45.98	36.8	8.34
21-Feb-2024 17:30	61.03	121.96	46.24	36.89	8.53
21-Feb-2024 17:45	60.85	121.69	45.97	36.8	8.67
21-Feb-2024 18:00	60.85	121.7	45.99	36.03	8.79
21-Feb-2024 18:15	60.93	121.81	46	37.15	8.9
21-Feb-2024 18:30	60.96	121.85	46.15	36.8	8.97
21-Feb-2024 18:45	61.16	122.16	46.47	36.17	9.04
21-Feb-2024 19:00	61.5	122.68	46.04	36.89	9.09
21-Feb-2024 19:15	60.9	121.76	46.21	36.46	9.12
21-Feb-2024 19:30	61.12	122.11	46.37	36.86	9.16
21-Feb-2024 19:45	60.9	121.76	46.99	36.52	9.18
21-Feb-2024 20:00	60.84	121.68	46.08	36.78	9.2
21-Feb-2024 20:15	61.08	122.04	46.26	36.75	9.23
21-Feb-2024 20:30	61.06	122.02	46.12	36.34	9.25

Timestamp	BOD	COD	TSS	FLOW	pH
21-Feb-2024 20:45	60.86	121.71	46.12	36.23	9.27
21-Feb-2024 21:00	60.9	121.76	46.6	36.49	9.29
21-Feb-2024 21:15	61.09	122.06	46.32	36.23	9.32
21-Feb-2024 21:30	60.94	121.84	46.41	36.03	9.34
21-Feb-2024 21:45	60.85	121.69	46.24	35.14	9.36
21-Feb-2024 22:00	60.92	121.81	46.28	34.17	9.4
21-Feb-2024 22:15	61.15	122.14	46.19	33.83	9.44
21-Feb-2024 22:30	60.9	121.76	46.29	32.56	9.48
21-Feb-2024 22:45	60.86	121.71	46.24	33.26	9.54
21-Feb-2024 23:00	60.89	121.76	46.24	34.57	9.58
21-Feb-2024 23:15	61.79	123.11	46.26	35.32	9.61
21-Feb-2024 23:30	61.09	122.05	46.3	34.28	9.63
21-Feb-2024 23:45	60.91	121.93	46.32	34.86	9.65
22-Feb-2024 00:00	60.84	121.68	46.9	34.37	9.66
22-Feb-2024 00:15	60.88	121.74	46.34	34.34	9.68
22-Feb-2024 00:30	60.87	121.72	46.38	33.11	9.7
22-Feb-2024 00:45	60.99	121.9	46.61	31.88	9.7
22-Feb-2024 01:00	60.82	121.66	46.3	34.2	9.74
22-Feb-2024 01:15	60.88	121.74	46.33	32.85	9.78
22-Feb-2024 01:30	60.8	121.62	46.32	34.43	9.82
22-Feb-2024 01:45	60.9	121.77	46.42	34.57	9.84
22-Feb-2024 02:00	60.89	121.76	46.37	33.94	9.85
22-Feb-2024 02:15	60.78	121.58	46.34	34.29	9.87
22-Feb-2024 02:30	60.36	121.84	46.65	33.63	9.86
22-Feb-2024 02:45	60.81	121.64	46.4	34.11	9.87
22-Feb-2024 03:00	60.8	121.63	46.38	34.46	9.9
22-Feb-2024 03:15	60.9	121.76	46.37	32.51	9.94

No. Of Corrections  
on this page- *MSD*

Timestamp	BOD	COD	TSS	FLOW	pH
22-Feb-2024 03:30	60.61	121.8	46.62	0	9.94
22-Feb-2024 03:45	60.96	121.86	46.4	0	9.98
22-Feb-2024 04:00	60.63	121.8	46.43	0	10.02
22-Feb-2024 04:15	60.95	121.84	46.5	0	10.04
22-Feb-2024 04:30	60.88	121.74	46.6	0	10.06
22-Feb-2024 04:45	60.77	121.57	46.41	0	10.07
22-Feb-2024 05:00	60.89	121.74	46.4	0	10.09
22-Feb-2024 05:15	61.01	121.93	46.4	0	10.12
22-Feb-2024 05:30	60.33	121.92	46.49	0	10.16
22-Feb-2024 05:45	60.86	121.7	46.41	28.96	10.2
22-Feb-2024 06:00	60.94	122.12	46.52	30.71	10.23
22-Feb-2024 06:15	60.77	121.57	46.42	31.37	10.25
22-Feb-2024 06:30	60.88	121.89	46.52	30.2	10.26
22-Feb-2024 06:45	60.8	121.61	46.46	32.57	10.3
22-Feb-2024 07:00	60.9	121.76	46.5	30.94	10.32
22-Feb-2024 07:15	60.86	121.71	46.46	28.39	10.33
22-Feb-2024 07:30	61.04	121.98	46.46	16.37	10.09
22-Feb-2024 07:45	60.85	121.69	46.48	29.99	10.09
22-Feb-2024 08:00	60.91	121.78	46.62	31.94	10.05
22-Feb-2024 08:15	59.93	122.24	48.54	31.31	9.98
22-Feb-2024 08:30	60.89	121.74	46.42	34	9.9
22-Feb-2024 08:45	60.81	121.63	46.42	0	9.8
22-Feb-2024 09:00	60.89	121.76	46.52	37.24	9.7
22-Feb-2024 09:15	60.84	121.68	46.62	39.15	9.6
22-Feb-2024 09:30	61.69	122.96	46.46	37.78	9.52
22-Feb-2024 09:45	60.55	121.63	46.62	38.06	9.66
22-Feb-2024 10:00	59.52	122.66	46.8	35.34	9.65

No. Of Corrections  
on this page- 012

Timestamp	BOD	COD	TSS	FLOW	pH
22-Feb-2024 10:15	60.34	121.82	46.69	36.35	9.62
22-Feb-2024 10:30	60.7	121.83	46.56	16.74	9.59
22-Feb-2024 10:45	60.43	122.62	46.72	0	9.55
22-Feb-2024 11:00	60.74	122.56	46.69	16.92	9.51
22-Feb-2024 11:15	59.8	122.5	46.85	32.8	9.47
22-Feb-2024 11:30	60.77	122.08	46.68	32.36	9.43
22-Feb-2024 11:45	60.2	122.32	46.75	30.34	9.39
22-Feb-2024 12:00	60.14	122.22	47.08	30.22	9.34
22-Feb-2024 12:15	59.68	122.7	46.7	31.94	9.31
22-Feb-2024 12:30	60.76	122.54	46.78	30.11	9.27
22-Feb-2024 12:45	60.24	122.27	46.68	29.59	9.23
22-Feb-2024 13:00	60.52	122.58	47.03	30.36	9.2
22-Feb-2024 13:15	60.72	122.3	46.58	30.68	9.16
22-Feb-2024 13:30	60.84	122.19	46.74	27.88	9.12
22-Feb-2024 13:45	60.77	122.54	46.58	28.73	9.09
22-Feb-2024 14:00	60.86	122.42	46.59	27.65	9.06
22-Feb-2024 14:15	60.35	122.2	46.65	27.99	9.04
22-Feb-2024 14:30	60.68	122.33	46.63	27.82	9.01
22-Feb-2024 14:45	60.44	122.21	46.67	24.39	8.99
22-Feb-2024 15:00	61.18	122.91	46.62	26.62	8.98
22-Feb-2024 15:15	60.89	122.22	46.58	24.22	8.97
22-Feb-2024 15:30	60.92	122.15	46.57	25.79	8.98
22-Feb-2024 15:45	60.91	122.61	46.69	24.85	8.99
22-Feb-2024 16:00	60.88	122.56	46.84	12.8	8.93
22-Feb-2024 16:15	60.9	122.61	46.61	41.55	8.96
22-Feb-2024 16:30	60.94	122.36	46.66	29.65	8.89
22-Feb-2024 16:45	60.75	122.13	46.63	35.72	8.85

No. Of Corrections  
on this page- *nil*

Timestamp	BOD	COD	TSS	FLOW	pH
22-Feb-2024 17:00	60.94	122.24	46.72	33.4	8.89
22-Feb-2024 17:15	60.95	122.46	46.56	32.28	8.93
22-Feb-2024 17:30	60.94	123.27	46.7	33.57	8.96
22-Feb-2024 17:45	61.12	122.21	46.6	32	8.99
22-Feb-2024 18:00	60.64	122.84	46.6	36.43	9.02
22-Feb-2024 18:15	60.52	122.72	46.53	33.37	9.05
22-Feb-2024 18:30	60.52	123.1	48.86	35.15	9.07
22-Feb-2024 18:45	60.97	122.46	46.58	35.37	9.1
22-Feb-2024 19:00	61.15	122.31	46.5	34.2	9.11
22-Feb-2024 19:15	61.25	122.31	46.5	35.49	9.13
22-Feb-2024 19:30	60.66	122.31	46.62	35.43	9.14
22-Feb-2024 19:45	61.15	122.3	46.63	34.91	9.15
22-Feb-2024 20:00	60.92	122.16	46.52	39.09	9.16
22-Feb-2024 20:15	61.1	122.94	46.83	40.8	9.18
22-Feb-2024 20:30	60.9	122.31	46.5	40.92	9.18
22-Feb-2024 20:45	61.1	122.3	47.14	41.95	9.2
22-Feb-2024 21:00	61.02	122.45	46.51	39.41	9.2
22-Feb-2024 21:15	60.92	122.54	46.52	38.92	9.22
22-Feb-2024 21:30	60.54	122.23	46.49	41.12	9.23
22-Feb-2024 21:45	60.96	122.12	46.47	39.21	9.24
22-Feb-2024 22:00	60.72	122.6	46.54	40.06	9.25
22-Feb-2024 22:15	61.09	122.06	46.38	40.35	9.26
22-Feb-2024 22:30	60.29	122.55	46.58	38.09	9.27
22-Feb-2024 22:45	61.07	122.02	46.43	38.23	9.29
22-Feb-2024 23:00	60.94	122.04	46.47	40.86	9.3
22-Feb-2024 23:15	60.99	122.08	46.57	37.09	9.32
22-Feb-2024 23:30	61.08	122.2	46.47	40.61	9.33

No. Of Corrections  
on this page- *NSK*

Timestamp	BOD	COD	TSS	FLOW	pH
22-Feb-2024 23:45	60.96	123.09	46.9	37.78	9.35
23-Feb-2024 00:00	61.06	122.58	46.62	39.9	9.36
23-Feb-2024 00:15	60.3	122.29	46.45	0	9.37
23-Feb-2024 00:30	61.12	122.16	46.48	0	9.39
23-Feb-2024 00:45	61.05	122.27	46.44	0	9.41
23-Feb-2024 01:00	59.57	122.28	46.82	0	9.43
23-Feb-2024 01:15	60.7	122.14	46.53	0	9.44
23-Feb-2024 01:30	60.84	121.85	46.44	0	9.45
23-Feb-2024 01:45	59.95	122	46.48	0	9.47
23-Feb-2024 02:00	60.88	121.9	46.56	0	9.5
23-Feb-2024 02:15	60.84	122	46.6	0	9.51
23-Feb-2024 02:30	60.85	121.88	46.56	0	9.52
23-Feb-2024 02:45	60.88	122.05	46.54	0	9.54
23-Feb-2024 03:00	60.84	122.15	46.66	0	9.56
23-Feb-2024 03:15	60.92	122.22	46.64	0	9.58
23-Feb-2024 03:30	60.9	121.9	46.56	0	9.59
23-Feb-2024 03:45	60.54	121.93	46.52	41.03	9.61
23-Feb-2024 04:00	60.56	121.99	46.68	38.38	9.62
23-Feb-2024 04:15	60.93	121.81	46.49	40.75	9.64
23-Feb-2024 04:30	60.83	122.02	46.52	38.17	9.66
23-Feb-2024 04:45	61.1	122.14	46.52	39.89	9.68
23-Feb-2024 05:00	60.9	121.91	46.49	40.55	9.7
23-Feb-2024 05:15	60.9	121.91	46.64	40.58	9.72
23-Feb-2024 05:30	60.77	122.02	46.61	39.58	9.74
23-Feb-2024 05:45	60.53	121.89	46.56	38.46	9.76
23-Feb-2024 06:00	60.82	121.91	46.58	37.61	9.77
23-Feb-2024 06:15	61.09	122.39	46.72	37.15	9.79

No. Of Corrections  
on this page- *2*

Timestamp	BOD	COD	TSS	FLOW	pH
23-Feb-2024 06:30	60.85	122	46.62	39.09	9.8
23-Feb-2024 06:45	60.42	122.03	46.59	36.35	9.82
23-Feb-2024 07:00	60.78	122.07	46.56	39.06	9.84
23-Feb-2024 07:15	61.29	122.35	46.67	38.23	9.85
23-Feb-2024 07:30	60.68	122	46.68	37.52	9.86
23-Feb-2024 07:45	60.81	121.74	46.52	40.41	9.86
23-Feb-2024 08:00	60.9	121.88	46.7	37.29	9.86
23-Feb-2024 08:15	60.85	121.88	46.54	34.91	9.84
23-Feb-2024 08:30	60.56	121.79	46.84	35.49	9.82
23-Feb-2024 08:45	61.21	122.24	46.61	35.32	9.79
23-Feb-2024 09:00	60.3	121.87	46.61	33.06	9.76
23-Feb-2024 09:15	60.47	122.07	46.55	36	9.56
23-Feb-2024 09:30	60.6	121.9	46.6	34.88	9.52
23-Feb-2024 09:45	60.98	121.89	46.72	34.4	9.48
23-Feb-2024 10:00	60.87	121.72	46.48	33.94	9.44
23-Feb-2024 10:15	61.46	122.7	47.22	34.74	9.41
23-Feb-2024 10:30	60.77	121.88	46.47	34.17	9.38
23-Feb-2024 10:45	60.86	121.71	46.47	36	9.36
23-Feb-2024 11:00	60.73	122.21	46.76	34.54	9.33
23-Feb-2024 11:15	60.88	121.74	46.51	32	9.3
23-Feb-2024 11:30	60.82	121.78	46.46	33.68	9.28
23-Feb-2024 11:45	60.87	121.86	46.48	34.97	9.26
23-Feb-2024 12:00	60.86	121.7	46.74	35.6	9.23
23-Feb-2024 12:15	60.87	121.72	46.72	34.8	9.2
23-Feb-2024 12:30	60.48	121.74	46.56	35.66	9.18
23-Feb-2024 12:45	60.62	121.71	46.52	34.74	9.15
23-Feb-2024 13:00	60.75	121.92	46.48	35.54	9.12

No. Of Corrections  
on this page- *me*

Timestamp	BOD	COD	TSS	FLOW	pH
23-Feb-2024 13:15	60.91	121.78	46.43	34.29	9.1
23-Feb-2024 13:30	60.96	122.1	46.48	33.92	9.08
23-Feb-2024 13:45	60.86	121.7	46.41	35.94	9.06
23-Feb-2024 14:00	60.92	121.8	46.44	34.88	9.05
23-Feb-2024 14:15	60.93	121.82	46.45	36	9.02
23-Feb-2024 14:30	61.04	121.98	46.54	15.68	9
23-Feb-2024 14:45	60.79	121.6	46.36	31.08	9
23-Feb-2024 15:00	60.88	121.74	46.42	32.06	9
23-Feb-2024 15:15	60.89	121.76	46.42	31.48	9.01
23-Feb-2024 15:30	60.82	121.65	46.34	31.54	9.02
23-Feb-2024 15:45	60.88	121.74	46.5	32.2	9.03
23-Feb-2024 16:00					
23-Feb-2024 16:15					
23-Feb-2024 16:30	60.29	121.98	47.26	30.26	4.94
23-Feb-2024 16:45	60.83	122.03	46.46	30.08	0
23-Feb-2024 17:00	61.02	122.22	46.44	30.56	8.61
23-Feb-2024 17:15	60.92	122.37	46.6	25.39	7.11
23-Feb-2024 17:30	60.97	122.5	46.77	27.43	7.68
23-Feb-2024 17:45	60.74	122.46	46.56	27.18	7.61
23-Feb-2024 18:00	61.02	122.63	46.73	27.18	7.61
23-Feb-2024 18:15	61	122.3	46.49	27.09	7.58
23-Feb-2024 18:30	61.08	122.15	46.56	27.07	7.58
23-Feb-2024 18:45	60.65	122.02	46.52	26.96	7.55
23-Feb-2024 19:00	60.99	122.72	46.84	27.04	7.57
23-Feb-2024 19:15	60.75	122.12	46.48	27.11	7.59
23-Feb-2024 19:30	61.23	122.85	46.76	27.04	7.57
23-Feb-2024 19:45	61.05	122.18	46.5	27.16	7.6

No. Of Corrections  
on this page- 10

Timestamp	BOD	COD	TSS	FLOW	pH
23-Feb-2024 20:00	60.87	122.22	46.7	27.1	7.59
23-Feb-2024 20:15	61.14	122.67	46.77	27.02	7.57
23-Feb-2024 20:30	60.93	122.03	46.53	27.06	7.58
23-Feb-2024 20:45	60.68	122.22	46.64	27.11	7.59
23-Feb-2024 21:00	61.19	122.86	46.58	27.04	7.57
23-Feb-2024 21:15	61.03	122.38	46.71	27.09	7.59
23-Feb-2024 21:30	61.28	122.57	46.65	27.14	7.6
23-Feb-2024 21:45	60.56	122.2	46.75	27.07	7.58
23-Feb-2024 22:00	60.52	122.28	46.73	26.98	7.56
23-Feb-2024 22:15	60.59	121.96	46.72	27.06	7.58
23-Feb-2024 22:30	60.92	122.17	46.66	25.96	7.27
23-Feb-2024 22:45	60.87	122.06	46.54	25	7
23-Feb-2024 23:00	60.94	122.08	46.55	25	7
23-Feb-2024 23:15	60.94	121.94	46.94	25	7
23-Feb-2024 23:30	60.82	122.33	46.54	25	7
23-Feb-2024 23:45	60.6	121.95	46.56	25	7
24-Feb-2024 00:00	60.85	122.08	46.64	25	7
24-Feb-2024 00:15	60.87	122.04	46.59	25	7
24-Feb-2024 00:30	60.51	122.12	46.59	25	7
24-Feb-2024 00:45	60.97	122.1	46.75	25	7
24-Feb-2024 01:00	60.88	121.97	46.53	25	7
24-Feb-2024 01:15	60.51	122.24	46.78	25	7
24-Feb-2024 01:30	60.44	122.28	46.64	25	7
24-Feb-2024 01:45	60.83	122.04	46.51	25	7
24-Feb-2024 02:00	60.92	122.38	46.58	25	7
24-Feb-2024 02:15	60.2	122	46.79	25	7
24-Feb-2024 02:30	60.61	122.07	46.74	25	7

No.Of Corrections  
on this page- *NLU*

Timestamp	BOD	COD	TSS	FLOW	pH
24-Feb-2024 02:45	60.63	121.9	46.66	25	7
24-Feb-2024 03:00	60.82	122.05	46.56	25	7
24-Feb-2024 03:15	60	122.05	46.58	25	7
24-Feb-2024 03:30	60.8	122.14	46.62	25	7
24-Feb-2024 03:45	60.98	121.88	46.51	27.18	7.61
24-Feb-2024 04:00	60.84	122.02	46.72	27.22	7.62
24-Feb-2024 04:15	59.59	122.29	46.62	27.27	7.64
24-Feb-2024 04:30	60.77	121.99	46.68	27.16	7.6
24-Feb-2024 04:45	59.97	121.84	46.61	27.15	7.6
24-Feb-2024 05:00	60.76	121.88	46.6	27.18	7.62
24-Feb-2024 05:15	58.41	122.19	47.11	27.16	7.61
24-Feb-2024 05:30	60.92	122.02	46.67	27.23	7.62
24-Feb-2024 05:45	60.84	121.91	46.55	27.24	7.63
24-Feb-2024 06:00	60.82	121.82	46.57	27.18	7.61
24-Feb-2024 06:15	60.36	122.29	46.61	27.27	7.64
24-Feb-2024 06:30	60.77	121.88	46.68	27.24	7.62
24-Feb-2024 06:45	60.67	121.82	46.79	27.08	7.58
24-Feb-2024 07:00	60.71	121.78	46.62	27.19	7.61
24-Feb-2024 07:15	60.51	121.89	47.11	27.16	7.6
24-Feb-2024 07:30	60.94	121.94	46.74	27.26	7.63
24-Feb-2024 07:45	60.75	121.91	46.66	27.25	7.63
24-Feb-2024 08:00	60.85	122.07	46.6	27.19	7.61
24-Feb-2024 08:15	60.68	121.92	46.62	27.31	7.65
24-Feb-2024 08:30	60.4	122.06	46.94	27.25	7.63
24-Feb-2024 08:45	60.78	121.77	46.59	27.2	7.62
24-Feb-2024 09:00	60.67	121.76	46.68	27.21	7.62
24-Feb-2024 09:15	60.32	122.16	46.68	27.21	7.62

No. Of Correction  
on this page- 10/11

Timestamp	BOD	COD	TSS	FLOW	pH
24-Feb-2024 09:30	60.78	121.92	46.66	26.9	7.54
24-Feb-2024 09:45	60.72	122.04	46.79	26.86	7.52
24-Feb-2024 10:00	60.66	121.9	46.6	26.9	7.53
24-Feb-2024 10:15	60.51	121.85	46.81	26.75	7.49
24-Feb-2024 10:30	60.67	121.82	46.66	26.84	7.52
24-Feb-2024 10:45	60.89	121.9	46.54	26.89	7.53
24-Feb-2024 11:00	60.46	121.86	46.57	26.84	7.52
24-Feb-2024 11:15	60.77	121.86	46.53	26.9	7.53
24-Feb-2024 11:30	60.96	122.06	46.58	26.88	7.52
24-Feb-2024 11:45	60.62	122.12	46.81	26.84	7.52
24-Feb-2024 12:00	61.11	122.18	46.58	26.84	7.52
24-Feb-2024 12:15	60.78	121.87	46.5	26.89	7.53
24-Feb-2024 12:30	60.72	121.98	46.53	26.87	7.52
24-Feb-2024 12:45	60.92	121.8	46.5	26.86	7.52
24-Feb-2024 13:00	60.92	121.79	46.5	26.86	7.52
24-Feb-2024 13:15	60.95	121.99	46.66	26.86	7.52
24-Feb-2024 13:30	60.93	121.82	46.54	26.86	7.52
24-Feb-2024 13:45	61.02	121.95	46.44	26.87	7.52
24-Feb-2024 14:00	60.95	121.85	46.58	26.83	7.51
24-Feb-2024 14:15	61.07	122.04	46.51	26.85	7.52
24-Feb-2024 14:30	61.14	122.14	46.42	26.82	7.51
24-Feb-2024 14:45	60.92	121.81	46.53	26.75	7.49
24-Feb-2024 15:00	60.9	121.94	46.44	26.81	7.5
24-Feb-2024 15:15	59.77	121.93	46.62	26.75	7.49
24-Feb-2024 15:30	60.84	122.09	47.06	26.8	7.5
24-Feb-2024 15:45	60.2	121.87	46.42	26.7	7.48
24-Feb-2024 16:00	60.77	122.05	46.5	26.76	7.5

No. Of Corrections  
on this page- *ms*

Timestamp	BOD	COD	TSS	FLOW	pH
24-Feb-2024 16:15	61.02	121.95	46.54	26.8	7.5
24-Feb-2024 16:30	60.98	122.09	46.68	26.8	7.5
24-Feb-2024 16:45	60.83	121.66	46.37	26.82	7.51
24-Feb-2024 17:00	61.09	122.06	46.44	26.72	7.48
24-Feb-2024 17:15	60.86	121.71	46.27	26.77	7.5
24-Feb-2024 17:30	60.86	121.7	46.33	27.05	7.58
24-Feb-2024 17:45	60.96	121.86	46.64	25	7
24-Feb-2024 18:00	61.08	122.04	46.48	27.32	7.66
24-Feb-2024 18:15	60.98	121.89	46.33	27.14	7.6
24-Feb-2024 18:30	61	121.92	46.67	27.24	7.63
24-Feb-2024 18:45	61.06	122.01	46.48	27.22	7.62
24-Feb-2024 19:00	60.18	122.09	46.75	27.23	7.62
24-Feb-2024 19:15	61.07	122.03	46.4	27.18	7.61
24-Feb-2024 19:30	61	121.92	46.4	27.24	7.62
24-Feb-2024 19:45	61.01	121.93	46.4	27.19	7.61
24-Feb-2024 20:00	60.92	121.8	46.42	27.22	7.62
24-Feb-2024 20:15	61.09	122.05	46.4	25	7
24-Feb-2024 20:30	61.06	122.01	46.43	25	7
24-Feb-2024 20:45	61.07	122.02	46.51	25	7
24-Feb-2024 21:00	60.92	121.8	46.4	25	7
24-Feb-2024 21:15	60.95	121.85	46.44	25	7
24-Feb-2024 21:30	60.86	121.72	46.39	25	7
24-Feb-2024 21:45	60.97	121.87	46.38	25	7
24-Feb-2024 22:00	60.97	121.88	46.41	25	7
24-Feb-2024 22:15	60.9	121.76	46.43	25	7
24-Feb-2024 22:30	60.86	121.72	46.52	25	7
24-Feb-2024 22:45	60.75	121.71	46.47	25	7

No. Of Corrections  
on this page- *N/A*

Timestamp	BOD	COD	TSS	FLOW	pH
24-Feb-2024 23:00	61.06	122.18	46.5	25	7
24-Feb-2024 23:15	60.42	121.79	46.42	25	7
24-Feb-2024 23:30	61.38	122.49	46.49	27.34	7.65
24-Feb-2024 23:45	60.7	121.63	46.47	27.3	7.64
25-Feb-2024 00:00	60.72	121.72	46.44	27.32	7.65
25-Feb-2024 00:15	60.97	121.87	46.45	27.2	7.62
25-Feb-2024 00:30	60.68	121.7	46.52	27.24	7.62
25-Feb-2024 00:45	60.89	121.75	46.44	27.24	7.63
25-Feb-2024 01:00	60.84	122.24	46.57	27.38	7.67
25-Feb-2024 01:15	60.84	121.94	46.6	27.22	7.62
25-Feb-2024 01:30	61.22	122.24	46.53	27.44	7.68
25-Feb-2024 01:45	60.87	121.72	46.5	27.42	7.68
25-Feb-2024 02:00	60.99	121.9	46.57	27.36	7.66
25-Feb-2024 02:15	60.62	121.78	46.47	27.39	7.67
25-Feb-2024 02:30	61.02	122.08	46.54	27.32	7.64
25-Feb-2024 02:45	60.92	121.8	46.55	27.35	7.66
25-Feb-2024 03:00	60.84	121.68	46.5	27.36	7.66
25-Feb-2024 03:15	60.78	121.59	46.5	27.26	7.63
25-Feb-2024 03:30	60.75	121.8	46.54	27.2	7.62
25-Feb-2024 03:45	60.59	121.72	46.54	27.28	7.64
25-Feb-2024 04:00	60.54	121.85	46.56	27.37	7.66
25-Feb-2024 04:15	60.99	121.9	46.49	27.12	7.59
25-Feb-2024 04:30	60.78	121.7	46.7	27.18	7.61
25-Feb-2024 04:45	60.81	121.63	46.46	27.29	7.64
25-Feb-2024 05:00	60.78	121.62	46.54	27.14	7.6
25-Feb-2024 05:15	60.89	121.75	46.55	27.22	7.62
25-Feb-2024 05:30	60.87	121.72	46.51	27.22	7.62

No. Of Correction  
on this page

Timestamp	BOD	COD	TSS	FLOW	pH
25-Feb-2024 05:45	60.88	121.74	46.58	27.22	7.62
25-Feb-2024 06:00	59.14	122.52	46.74	27.14	7.6
25-Feb-2024 06:15	60.85	121.69	46.51	27.15	7.6
25-Feb-2024 06:30	60.78	121.6	46.53	27.16	7.61
25-Feb-2024 06:45	60.34	121.73	46.67	25	7
25-Feb-2024 07:00	60.58	121.6	46.67	25	7
25-Feb-2024 07:15	60.85	121.69	46.48	25	7
25-Feb-2024 07:30	60.86	121.76	46.59	25	7
25-Feb-2024 07:45	60.8	121.62	46.57	25	7
25-Feb-2024 08:00	60.81	121.84	46.54	25	7
25-Feb-2024 08:15	60.75	121.55	46.59	25	7
25-Feb-2024 08:30	60.69	121.5	46.5	25	7

No. Of Corrections  
on this page- *NS*



Photographs of Empty Unlined Lagoons duly scrapped & Disposal of Effluents traces accumulated therein.



TRUE COPY

*[Signature]*  
 MANAGING DIRECTOR  
 Nalwade G.T.S.S.K.Ltd:Harali

No. Of Corrections  
 on this page- *MS*

