

प्रेषक,

जिलाधिकारी,
कानपुर नगर।

सेवा में,

रजिस्ट्रार,
माननीय राष्ट्रीय हरित अधिकरण,
नई दिल्ली।

पत्रांक : 796/21-147/24

दिनांक : 12/08/2024

विषय :-माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Original Application No.985/2019 In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh WITH Original Application No.986/2019 In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur Nagar, Uttar Pradesh With Original Application No.528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godhrauli village" दिनांक 13.05.2024 में पारित आदेश के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक के सम्बन्ध में अवगत कराना है कि माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली के द्वारा ओ0ए0 संख्या Original Application No.985/2019 In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh WITH Original Application No.986/2019 In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur Nagar, Uttar Pradesh With Original Application No.528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godhrauli village" में पारित आदेश दिनांक 13.05.2024 के अनुपालन में आयोजित स्वास्थ्य शिवर की रिपोर्ट पत्र संख्या मु0चि0अ0/का0न0/एन0जी0टी0/2024-25/6725, दिनांक 03.08.2024 के द्वारा प्रेषित की गयी है, जिसमें जनपद-कानपुर नगर के जूही बबूरिया (राखी मण्डी), रुमा ट्रीटमेन्ट स्टोरेज डिस्पोजल फैसिलिटी, पनकी औद्योगिक क्षेत्र, जाजमऊ औद्योगिक क्षेत्र, नौरैय्या खेड़ा, तेजाब मिल कैम्पस, अनवरगंज के क्षेत्र में स्वास्थ्य शिवर आयोजित कर रिपोर्ट सम्बन्धित प्रभारी चिकित्सा अधिकारी द्वारा सत्यापित कर मुख्य चिकित्सा अधिकारी, कानपुर नगर को प्रस्तुत की गयी है, जोकि सादर अवलोकनार्थ संलग्न है।

अतः अनुरोध है कि कृपया मुख्य चिकित्सा अधिकारी, कानपुर नगर द्वारा प्रभारी चिकित्सा अधिकारी द्वारा प्राप्त सत्यापित स्वास्थ्य सर्वे एवं स्वास्थ्य शिवर की रिपोर्ट माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली की पीठ के समक्ष अग्रतर निर्देशार्थ/आदेशार्थ प्रस्तुत करने का कष्ट करें।

संलग्नक:-उपरोक्तानुसार।

भवदीय
जिलाधिकारी
कानपुर नगर


संख्या व दिनांक तद्।

प्रतिलिपि :-

1. स्थायी अधिवक्ता, मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
2. सदस्य सचिव, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, टी0सी0-12 वी, विभूति खण्ड, गोमती नगर, लखनऊ को मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के पारित आदेश दिनांक 13.05.2024 के क्रम में अनुपालनार्थ।
3. मुख्य विकास अधिकारी, कानपुर नगर को मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के पारित आदेश दिनांक 13.05.2024 के क्रम में अनुपालनार्थ।
4. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, 5243, सद्भावना नगर, आवास विकास फेज-3, कल्यानपुर, कानपुर नगर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

जिलाधिकारी
कानपुर नगर

2411



उत्तर प्रदेश UTTAR PRADESH

95AE 220061



IN THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH, DELHI

Original Application No. 985/2019

In Re: Water Pollution by Tanneries at Jajmau Kanpur Uttar Pradesh

WITH

Original Application No. 986/2019

In Re: Water Pollution at Rania Kanpur Dehat & Rakhi Mandi Kanpur Nagar Uttar Pradesh

WITH

Original Application No. 528/2023

News report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godhrauli village"

IN THE MATTER OF;

Ms.Katyayni, Adv. (Amicus Curiae in OA Nos. 985 & 986 of 2019).....Applicant

-Versus-

State of UP & OthersRespondents

2412

1913

10

कार्यांक सं०.....
 स्टाम्प विभाग की क्रि.....
 स्टाम्प क्र०.....
 स्टाम्प मिति.....
 स्टाम्प की म.....

12/8/24

श्री फेरूक गुल्लू निवासी 3712294124

श्री. अरु मिश्रा
 सा. नं०-4818 का की कृपया 31-3-
 110 लाल बिरहा, कानपुर नगर

41-40 Acc ✓


AFFIDAVIT OF DISTRICT MAGISTRATE, KANPUR NAGAR, UTTAR PRADESH IN COMPLIANCE WITH
THE ORDER DATED 13.05.2024.

I, Sri Rakesh Kumar Singh, aged about 58 years, Son of Sri Bhulan Singh, at present working as District Magistrate, Kanpur, District: Kanpur Nagar, do hereby solemnly affirm and state an oath as under: that I am posted as stated above and well conversant with the facts of the present case and as such competent to swear this affidavit before this Tribunal:-

- 1) That the accompanying affidavit has been drafted by our counsel upon my instructions.
- 2) That the contents of the accompanying affidavit are true and correct and the knowledge has been derived from official records and nothing material has been concealed there from.
- 3) That in compliance of the order dated 13.05.2024, the deponent sought the action taken report (ATR) from the Chief Medical Officer, Kanpur and in pursuance thereof the Action Taken Report has been submitted by the Chief Medical Officer, Kanpur before the deponent vide letter dated 03.08.2024. True Copy of the Action Taken Report dated 03.08.2024 has been annexed herein as ANNEXURE R1
- 4) That the contents of paragraphs 1 to 3, of the action taken report (ATR) are true to the own knowledge of the deponent.
- 5) I state that everything stated above has been stated by me in my official capacity on and derived from the official records and I state that nothing material has been concealed therefrom.




DEPONENT

Compliance report of District Administration, Kanpur Nagar in pursuant to Hon'bleNGT order dated 13.05.2024 in the matter of Original Application No.985/2019 In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh WITH Original Application No.986/2019 In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur Nagar, Uttar Pradesh With Original Application No.528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godhrauli village".

1.0 ORDER OF THE HON'BLE TRIBUNAL:

That Hon'ble Tribunal took up the matter on 13.05.2024 and passed certain directions vide orders dated 13.05.2024. The relevant portion of the directions is reproduced below:

".....3. One report along with covering letter of the District Magistrate, Kanpur Dehat dated 02.05.2024 has been filed but the report filed along with covering letter is not by the District Magistrate but by a Committee of Regional Officer, UPPCB, Kanpur Dehat and Deputy Commissioner, District Industries and Entrepreneurship Promotion Centre, Kanpur Dehat. As per the direction of the Tribunal, the report was required to be filed by the District Magistrate.


4. Learned Amicus Curiae appearing in the matter has also expressed surprise on such a report which states that during inspection no contaminated dump was found which could cause any groundwater contamination or create health hazard. In view of the material which is available on record, we find it difficult to accept such a report.

5. Learned Counsel appearing for the State of UP has submitted that the District Magistrate had directly filed that report without sharing it with her.

6. We are of the view that if a party is represented through an Advocate, then all the filing should be done through the Advocate and if the party himself chooses to file the material, then he/she should personally appear before the Tribunal and apprise the Tribunal/defend the case. Thus, in future if any such reports are directly filed by the District Magistrates without routing it through the Counsel, then they will be required to personally appear in the matter and assist the Tribunal.

7. Learned Amicus Curiae has referred to the submission filed on 09.05.2024 and has pointed out that the entire history of the contamination, especially chromium contamination in that area has been traced out. She has also referred to the chart on page no. 2292 indicating the level of chromium and mercury found in the blood of inhabitants of RakhiMandi and Rania, Kanpur. She has given an example of a female child aged about 13 years at sl. no. 34 in that table on page no. 2293 wherein the chromium contents were found to be 58.250 ng/ml and has submitted that such high chromium content has created health hazards. She has also submitted that this is only a small sample, if the health survey of all the residents of the area is conducted the results will be found to be shocking. She has pointed the survey result of 44 persons of RakhiMandi and 40 of Rania, Kanpur in respect of chromium and mercury in the blood and has submitted that this report is with the State Government, therefore, the State is now required to disclose as to what health facilities or aid have been extended to these affected persons.

8. In the next report, the State will give status of affected persons in Rania, Kanpur Dehat and RakhiMandi, Kanpur Nagar and the health facilities/aid extended to them. We make it



clear that if District Magistrate, Kanpur Dehat or any other District Magistrate wishes to directly file the report before the Tribunal, then he will personally appear before the Tribunal and appraise the Tribunal about the report. The next report will be filed by all the concerned District Magistrates in the form of their own affidavit. Let the same be filed within a period of six weeks by email at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

9. List on 14.08.2024."

2.0 BACKGROUND :

That it is submitted that in compliance of Hon'ble NGT order dated 04.03.2024 a joint committee constituted by District Magistrate of Kanpur Nagar vide letter reference no. 60/ST-2024/24 dated 18.04.2024. In compliance to said orders of the Hon'ble NGT dated 04.03.2024, a joint team of officials from District Administration, District Industry Centre and UPPCB Kanpur Nagar visited the following areas in the district regarding dumping of all kind of Hazardous Wastes at Kanpur Nagar, UP & its surrounding areas on 29.04.2024 :-

1. Juhi Baburia (Rakhi Mandi), Kanpur.
2. Ruma Treatment Storage and Disposal Facility Kanpur.
3. Panki Industrial Area, Kanpur.
4. Jajmau Industrial Area, Kanpur.
5. Nauraiya Kheda, Kanpur.
6. Tezab Mill Campus, Anwarganj, Kanpur.

During survey, samples of soil and ground water were collected at different locations, no Hazardous waste of any kind was found at these places. According to the soil and ground water analysis report, chromium was not found in the soil and arsenic, lead, copper, chromium were not found in the underground water. Committee's inspection report and Lab analysis results is attached herewith and marked as **Annexure No. I**.

3.0 Present Health surveys regarding dumping of Hazardous Wastes at Kanpur Nagar, UP :

In compliance to said orders of the Hon'ble NGT dated 13.05.2024, District Magistrate of Kanpur Nagar vide letter reference no. 365/ST-2024/SA-147/24 dated 27.05.2024 was instructed Chief Medical Officer – Kanpur to conduct health survey at the sites of Juhi Baburia (Rakhi Mandi), Ruma Treatment Storage Disposal Facility, Panki Industrial Area, Jajmau Industrial Area, Nauraiya Kheda, Tezab Mill Campus, Anwarganj in district Kanpur Nagar to assess the harmful effects on the health of the people around the dumping of identified Hazardous Wastes sites. Copy of the DM office Letter is appended as **Annexure II**.

Accordingly, the Chief Medical Officer, Kanpur Nagar vide letter no. C.M.O/N.U.H.M./Health Camp/2024-25/4357 dated 24.07.2024 was directed to Medical Superintendent, Community Health Center Sarsaul, Kanpur Nagar and In-charge Medical Officer, N.P.R. Center - Anwarganj, Geeta Nagar, Saraymeeta, Chacha Nehru and Jajmau N.U.H.M. to organize outreach health camps among the concerned local residents. The In-charge Medical Officers Kanpur Nagar has conducted the Health surveys/health camps and submitted the Action Taken Report through reference 6th cited.



Sr. No.	Identified Hazardous Wastes Site	Name of Health survey Camp Site	The Organized Centre the Camp	Date of conducted Health Camp	Total No. of Patient utilised Camp(nos.)
1	JuhiBaburia (RakhiMandi), Kanpur.	RakhiMandi	N.P. Health CenterChacha Nehru and Anwarganj	28.06.2024, 04.07.2024, 07.07.2024	375
2	Ruma Treatment Storage and Disposal Facility Kanpur.	Ruma Treatment Storage and Disposal Facility	Community Health CenterSarsaul	03.08.2024	43
3	Panki Industrial Area, Kanpur.	Panki Industrial Area	N.P. Health CenterGeeta Nagar	31.07.2024	93
4	Jajmau Industrial Area, Kanpur.	Jajmau Industrial Area	N.P. Health CenterJajmau	02.07.2024, 05.07.2024, 09.07.2024	992
5	NauraiyaKheda, Kanpur.	NauraiyaKheda	N.P. Health CenterSarayMeeta	31.07.2024	92
6	Tezab Mill Campus, Anwarganj, Kanpur.	Tezab Mill Campus	N.P. Health CenterAnwarganj	31.07.2024	110


Findings:

The verified action taken report of health survey and health camp at the said mentioned places was sent by the concerned In-charge Medical Officer to the Chief Medical Officer, Kanpur Nagar through letter number Mu.Chi.A./Ka.N./NGT/2024-25/6725 dated 03.08.2024. True Copy of the Action Taken Report dated 03.08.2024 has been annexed herein as **Annexure III**.

➤ **JuhiBaburia (RakhiMandi), Kanpur: -**

The Health camp was conducted dated 28-06-2024, dated 04-07-2024 and dated 07-07-2024 by N.P. Health CenterChacha Nehru and Anwarganj. 375 patients have utilised these services at camp. out of these 68 patients have come with skin problems, 07 patients have come with Lung diseases, 24 patients have come with Liver diseases, 03 patients have come with Anemia diseases and 273 patients with other general illness. In-charge Medical Officer N.P. D.T.C/U.P.H.C, Anwarganj vide letter no. RakhiMandi /2024-25/ dated 10.07.2024 reported A.C.M.O, NUHM, Kanpur Nagar that No person was found suffering from serious disease in the said survey and health camp. Apart from this, in the list provided by the Hon'ble NGT Court, traces of chromium and mercury were found in the blood of 44 persons, out of which only 16 persons were found there residing at the time of survey of A.N.M and Asha, All 16 persons were completely healthy. Copy of the In-charge Medical Officer N.P. D.T.C/U.P.H.C, Anwarganj Letter is appended as **Annexure IV**.

➤ **Ruma Treatment Storage and Disposal Facility Kanpur: -**



The Health camp was conducted dated 03.08.2024 by In-charge Medical Officer, Community Health Center Sarsaul. 43 patients have utilised these services at camp. out of these 02 patients have come with skin problems, 01 patients have come with Gastro diseases, 01 patients have come with Liver diseases, 02 patients have come with Anemia diseases and 02 patients with other general illness.

➤ **Panki Industrial Area, Kanpur :-**

The Health camp was conducted dated 31.07.2024 by In-charge Medical Officer, N.P. Health Center Geeta Nagar. 93 patients have utilised these services at camp. out of these 02 patients have come with skin problems, 02 patients have come with Gastro diseases, 02 patients have come with Liver diseases, 05 patients have come with Hypertension diseases and 76 patients with other general illness.

➤ **Jajmau Industrial Area, Kanpur :-**

The Health camp was conducted dated 02-07-2024, dated 05-07-2024 and dated 09-07-2024. 992 patients have utilised these services at camp. out of these 530 patients have come with skin problems, 42 patients have come with Lung diseases, 120 patients have come with Liver diseases, 02 patients have come with Anemia diseases, 05 patients have come with urine/kidney diseases and 293 patients with other general illness. In-charge Medical Officer N.P.H.C, Jajmau vide letter no. Jajmau/2024-25/ dated 12.07.2024 reported A.C.M.O, NUHM, Kanpur Nagar that No person was found suffering from serious disease in the said health camp. Copy of the In-charge Medical Officer N.P.H.C, Jajmau Letter is appended as Annexure V.


➤ **Nauraiya Kheda, Kanpur :-**

The Health camp was conducted dated 31.07.2024 by In-charge Medical Officer, N.P. Health Center Saray Meeta. 92 patients have utilised these services at camp. out of these 35 patients have come with skin problems, 07 patients have come with Gastro diseases, 08 patients have come with Liver diseases, 10 patients have come with Respiratory diseases, 08 patients have come with Diabetes diseases, 01 patients have come with Anemia diseases, 03 patients have come with Hypertension diseases and 20 patients with other general illness.

➤ **Tezab Mill Campus, Anwarganj, Kanpur :-**

The Health camp was conducted dated 31.07.2024 by In-charge Medical Officer, DTC Anwarganj. 110 patients have utilised these services at camp. out of these 19 patients have come with skin problems, 01 patients have come with Gastro diseases, 02 patients have come with Respiratory diseases, 04 patients have come with Diabetes diseases, 03 patients have come with Hypertension diseases and 81 patients with other general illness.

The above compliance report is being placed for consideration of this Hon'ble.



Kanpur
Dated :

[Signature]
DEPONENT

sworn before me on this day of ...
by Shri. *Rakesh Kumar Singh*
Contents of this affidavit have been
read over and explained to the duty
identified as ...
[Signature]
A.K. Tiwari (Advocate)
12/07/24



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093044/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Rakhi mandi
- 2- Address: Rakhi Mandi
- 3- Distirct: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analysis Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.22	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1341.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	20.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	864.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	566.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	83.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	85.92	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	43.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	608.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
 [Dr Mamta Pandey(SA), Arti
 Gupta(SA)]

Authorized by
 VINAY Digitally signed by
 VINAY DUBEY
 Date: 2024.05.13
 17:18:47 +05'30'
 Vinay Dubey (ASO)

RAM
 KARAN Digitally signed
 by RAM KARAN
 Date: 2024.05.13
 17:18:58 +05'30'
 Chief Environmental Officer
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093161/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Rooma Storage
- 2- Address: Rooma
- 3- Distret: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.12	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1570.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1082.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	620.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	62.72	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	112.58	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	280.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	455.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
 [Jyoti Tiwari (SA), Dr Alka Singh
 (SA)]

Authorized by
 VINAY
 DUBEY
 Vinay Dubey (ASO)

RAM
 KARAN
 Chief Environmental Officer
 Central Laboratory

Digitally signed by
 RAM KARAN
 Date: 2024.05.13
 16:16:05 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093352/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Panki Industrial Area
- 2- Address: Panki Industrial Area
- 3- Distirct: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.46	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	846.4	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	544.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	244.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	40.0	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	34.56	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	62.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	396.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
**[Dr Mamta Pandey(SA), Arti
 Gupta(SA)]**

Authorized by
VINAY
 DUBEY
 Vinay Dubey (ASO)

Digitally signed by
 VINAY DUBEY
 Date: 2024.05.13
 17:20:25 +05'30'

RAM
KARAN
 Chief Environmental Officer
 Central Laboratory

Digitally signed
 by RAM KARAN
 Date: 2024.05.13
 17:20:45 +05'30'



2421

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093345/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Jajmau Industrial Area
- 2- Address: Jajmau Industrial Area
- 3- Distirct: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.92	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1934.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	20.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1202.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	773.2	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	208.0	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	60.8	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	590.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	520.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note - 1 The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Rajesh
Agarwal (SA)]

Authorized by
VINAY Digitally signed by
VINAY DUBEY
DUBEY Date: 2024.05.13
16:23:44 +05:30
Vinay Dubey (ASO)

RAM Digitally signed
by RAM KARAN
KARAN Date: 2024.05.13
16:23:54 +05:30
Chief Environmental Officer
Central Laboratory



2422

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093323/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: nauriyakheda
- 2- Address: nauriyakheda
- 3- Distret: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.88	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	2957.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1840.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	1140.4	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	193.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	157.8	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	550.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	810.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Rajesh
Agarwal (SA)]

Authorized by
VINAY
DUBEY
Vinay Dubey (ASO)
Digitally signed by
VINAY DUBEY
Date: 2024.05.13
16:19:22 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory
Digitally signed
by RAM KARAN
Date: 2024.05.13
16:19:31 +05'30'

2423



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093175/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Tejabmill Anwarganj
- 2- Address: anwarganj
- 3- Distirct: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analyis Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.98	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1418.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	16.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	896.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	494.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	99.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	59.778	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	318.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	797.6	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Jyoti Tiwari (SA), Dr Alka Singh
(SA)]

Authorized by
VINAY
DUBHEY
Date: 2024.05.13
16:18:17 +05'30'
Vinay Dubey (ASO)

RAM
KARAN
Chief Environmental Officer
Central Laboratory
Digitally signed
by RAM KARAN
Date: 2024.05.13
16:18:26 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26314603/Kanpur Nagar/2024

Date: 22/05/2024

1. Name and Address of Industry : Rakhi mandi
2. Address of Industry : Rakhi mandi
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample (Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.3349	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1 The results in the Test Report relate only to the items tested. 2 The report shall not be reproduced-except in full, without the written permission of laboratory. 3 The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey (SA)]

Authorized by
VINAY
DUBEY
Vinay Dubey (ASO)

Digitally signed by
VINAY DUBEY
Date: 2024.05.22
15:41:07 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed
by RAM KARAN
Date: 2024.05.22
15:41:25 +05'30'

2425



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT : SOLID SAMPLE

Ref No: 26313229/Kanpur Nagar/2024

Date:21/05/2024

- Name and Address of Industry :** ROOMA POLLUTION CONTROL ASSOCIATION, CETP ROOMA KANPUR,KANPUR NAGAR
- Address of Industry :** CETP ROOMA, KANPUR,KANPUR NAGAR
- District :** Kanpur nagar
- Sampling Point :** SOIL
- Type of Sample(Grab/Integrated) :** Grab
- Sample Collected By :** Saurabh Haris, JRF
- Quantity & Packing (PVC) :** 1 KG PVC PACKET
- Date of Sample Collection :** 29/04/2024
- Analysis Indented by :** RO Kanpur Nagar
- Sample receipt in Laboratory :** 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.1014	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311 Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1 The results in the Test Report relate only to the items tested 2 The report shall not be reproduced-except in full, without the written permission of Laboratory 3 The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
VINAY
DUBEY
Vinay Dubey (ASO)

Digitally signed by
VINAY DUBEY
Date: 2024.05.21
17:29:21 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed
by RAM KARAN
Date: 2024.05.21
17:29:31 +05'30'



2426
CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26312096/Kanpur Nagar/2024

Date: 22/05/2024

1. Name and Address of Industry : Panki Industrial Area
2. Address of Industry : Saraimeeta
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.2791	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
VINAY Digitally signed
by VINAY DUBEY
Date: 2024.05.22
15:39:24 +05:30
Vinay Dubey (ASO)

RAM Digitally signed
by RAM KARAN
Date: 2024.05.22
15:39:40 +05:30
KARAN
Chief Environmental Officer
Central Laboratory

2427



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26313170/Kanpur Nagar/2024

Date: 22/05/2024

1. Name and Address of Industry : Jajmau industrial area
2. Address of Industry : Jajmau
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.2233	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1. The results in the Test Report relate only to the items tested 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
VINAY
DUBHEY
Vinay Dubey (ASO)

Digitally signed
by VINAY DUBHEY
Date: 2024.05.22
15:40:17 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed
by RAM KARAN
Date: 2024.05.22
15:40:33 +05'30'

2428



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT : SOLID SAMPLE

Ref No: 26314637/Kanpur Nagar/2024

Date:21/05/2024

1. Name and Address of Industry : Nauraiya Kheda
2. Address of Industry : Nauraiya kheda
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.1578	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	..	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	..	0.01 to 1000 mg/l

Reference: (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey (SA)]

Authorized by
VINAY
DUBHEY
Vinay Dubey (ASO)

Digitally signed
by VINAY DUBEY
Date: 2024.05.21
17:29:52 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed by
RAM KARAN
Date: 2024.05.21
17:30:05 +05'30'

2429



**CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD**
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow.

TEST REPORT : SOLID SAMPLE

Ref No: 26312113/Kanpur Nagar/2024

Date: 21/05/2024

1. Name and Address of Industry : Tejabmill, Anwarganj
2. Address of Industry : Anwarganj
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample (Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.0451	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	0.0158	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1) EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2) 3500-Cr-B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1. The results in the Test Report relate only to the items tested 2. The report shall not be reproduced-except in full, without the written permission of laboratory 3. The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by

VINAY
Digitally signed by
VINAY DUBEY
Date: 2024.05.21
17:26:55 +05'30'
DUBEY
Vinay Dubey (ASO)

RAM
Digitally signed by
RAM KARAN
Date: 2024.05.21
17:27:07 +05'30'
KARAN
Chief Environmental Officer
Central Laboratory

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 985/2019 In Re: Water Pollution by Tanneris at Jajmau, Kanpur Uttar Pradesh WITH OA No. 986/2019 In Re : Water Pollution at Rania Kanpur Dehat & Rakhi Mandi Kanpur Uttar Pradesh With OA No. 528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godharauli village के अन्तर्गत पारित आदेश दिनांक 04.03.2024 द्वारा प्राप्त निर्देशों के अनुपालन में जनपद कानपुर नगर में हैजार्डस वेस्ट डम्प साइटों का चिन्हांकन कर निरीक्षण आख्या :-

उपर्युक्त विषयक माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 985/2019 In Re: Water Pollution by Tanneris at Jajmau, Kanpur Uttar Pradesh WITH OA No. 986/2019 In Re : Water Pollution at Rania Kanpur Dehat & Rakhi Mandi Kanpur Uttar Pradesh With OA No. 528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godharauli village के अन्तर्गत पारित आदेश दिनांक 04.03.2024 के अंश निम्नवत् हैं :-

"Learned Amicus has submitted that the survey should be conducted by the District Magistrate, Kanpur Nagar, Kanpur Dehat and Fatehpur to find out the other areas where all kinds of hazardous waste have been dumped and which are creating health hazard and contaminating the ground water. We are of the view that this exercise should be carried out by concerned three District Magistrates and the report should be submitted before the Tribunal at least one week before the next date of hearing."

उक्त आदेश दिनांक 04.03.2024 के अनुपालन में बोर्ड मुख्यालय के पत्रांक संख्या H08251/C-2/NGT-46/24, दिनांक 13.03.2024 द्वारा प्राप्त निर्देशों एवं कार्यालय जिला मजिस्ट्रेट, कानपुर नगर के आदेश संख्या 60/एसटी-2024/24, दिनांक 18.04.2024 के अनुपालन में जनपद कानपुर नगर में हैजार्डस वेस्ट डम्प साइटों का चिन्हांकन कर गठित कमेटी द्वारा दिनांक 29.04.2024 को निरीक्षण/सर्वेक्षण किया गया तथा जनपद कानपुर शहर के जूही बबूरिया (राखी मण्डी), रुमा ट्रीटमेन्ट स्टोरेज डिस्पोजल फैसेलिटी, पनकी औद्योगिक क्षेत्र, जाजमऊ औद्योगिक क्षेत्र, नौरैया खेड़ा, तेजाब मिल कैम्पस, अनवरगंज के स्थलों के गठित समिति के सदस्यों द्वारा निरीक्षण/सर्वेक्षण के समय भू-मृदा एवं भू-गर्भ जल के नमूने एकत्रण का कार्य किया गया है। कृत कार्यवाही की जीपीएस फोटोग्राफ निम्नवत् है:-

Jain

[Signature]

[Signature]

[Signature]

[Signature]

S. No.	Contaminated Site Name & Address	Photograph on Inspection time	Latitude & Longitude	Remark
1.	Juhi Baburaiya (Rakhi Mandi), Kanpur		Latitude-26.445555 Longitude- 80.324424	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.
2.	Rooma. Treatment Storage Disposal Facility, Kanpur		Latitude-26.354585 Longitude- 80.451718	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.

Jaiswal



[Handwritten signature]

A. K. Singh
30/4/2024

[Handwritten signature]

[Handwritten signature]

<p>3.</p>	<p>Panki Industrial Area, Kanpur</p>		<p>Latitude-26.460122 Longitude- 80.226575</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>
<p>4.</p>	<p>Jajmau Industrial Area, Kanpur</p>		<p>Latitude-26.409029 Longitude-80.444322</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>
<p>5.</p>	<p>Nauriaya Kheda, Kanpur</p>		<p>Latitude-26.449242 Longitude- 80.266354</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>

Jain

[Handwritten signature]

[Handwritten signature]

6.	Tejab Mill Campus. Anwarganj, Kanpur		Latitude-26.454613 Longitude- 80.326684	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.
----	---	--	--	--

निरीक्षण/सर्वेक्षण के समय एकत्रित भू-मृदा एवं भू-गर्भ जल के नमूनों की विश्लेषण आख्यायें अपेक्षित हैं। उक्त संयुक्त आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत हैं।

Jain
02.05.2024

(सौरभ हैरिस)
जे०आर०एफ०,
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
कानपुर नगर।

02.05.24

(फरेश कुमार)
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
कानपुर नगर।

02.05.2024
(अविरल सिंह)
हाइड्रोलॉजिस्ट
भूगर्भ जल विभाग,
कानपुर नगर।

(सुधीर कुमार श्रीवास्तव)
उपायुक्त
जिला उद्योग एवं उद्यम प्रोत्साहन
केन्द्र,
कानपुर नगर।

अपर नगर मजिस्ट्रेट
(द्वितीय)
कानपुर नगर।

पत्रांक 365/एसटी-2024/स्था-147/24

दिनांक 27-5-2024

मुख्य चिकित्सा अधिकारी,
कानपुर नगर।

विषय-जनपद-कानपुर नगर के जूही सबरिया (राखी मण्डी), रूमा ट्रीटमेन्ट स्टोरेज डिस्पोजल फैसिलिटी, पनकी औद्योगिक क्षेत्र, जाजगऊ औद्योगिक क्षेत्र, नोरेग्या खेडा, तेजान गित कैंगरा, अनवरगंज के स्थलों पर स्वास्थ्य सर्वेक्षण (Health Survey) कराये जाने के सम्बन्ध में।

उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा OA No. 985/2019 In Re : Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh With OA No. 986/2019 In Re : Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur Nagar, Uttar Pradesh में पारित आदेश दिनांक 04-03-2024 (सायापति सलग्न) के मुख्य अंश निम्नवत् हैं-

".....3. One report along with covering letter of the District Magistrate, Kanpur Dehat dated 02.05.2024 has been filed but the report filed along with covering letter is not by the District Magistrate but by a Committee of Regional Officer, UPPCB, Kanpur Dehat and Deputy Commissioner, District Industries and Entrepreneurship Promotion Centre, Kanpur Dehat. As per the direction of the Tribunal, the report was required to be filed by the District Magistrate.

4. Learned Amicus Curiae appearing in the matter has also expressed surprise on such a report which states that during inspection no contaminated dump was found which could cause any groundwater contamination or create health hazard. In view of the material which is available on record, we find it difficult to accept such a report.

5. Learned Counsel appearing for the State of UP has submitted that the District Magistrate had directly filed that report without sharing it with her.


6. We are of the view that if a party is represented through an Advocate, then all the filing should be done through the Advocate and if the party himself chooses to file the material, then he/she should personally appear before the Tribunal and apprise the Tribunal/defend the case. Thus, in future if any such reports are directly filed by the District Magistrates without routing it through the Counsel, then they will be required to personally appear in the matter and assist the Tribunal.

7. Learned Amicus Curiae has referred to the submission filed on 09.05.2024 and has pointed out that the entire history of the contamination, especially chromium contamination in that area has been traced out. She has also referred to the chart on page no. 2292 indicating the level of chromium and mercury found in the blood of inhabitants of Rakhi Mandi and Rania, Kanpur. She has given an example of a female child aged about 13 years at sl. no. 34 in that table on page no. 2293 wherein the chromium contents were found to be 58.250 ng/ml and has submitted that such high chromium content has created health hazards. She has also submitted that this is only a small sample, if the health survey of all the residents of the area is conducted the results will be found to be shocking. She has pointed the survey result of 44 persons of Rakhi Mandi and 40 of Rania, Kanpur in respect of chromium and mercury in the blood and has submitted that this report is with the State Government, therefore, the State is now required to disclose as to what health facilities or aid have been extended to these affected persons.

8. In the next report, the State will give status of affected persons in Rania, Kanpur Dehat and Rakhi Mandi, Kanpur Nagar and the health facilities/aid extended to them. We make it clear that if District Magistrate, Kanpur Dehat or any other District Magistrate wishes to directly file the report before the Tribunal, then he will personally appear before the Tribunal and appraise the Tribunal about the report. The next report will be filed by all the concerned District Magistrates in the form of their own affidavit. Let the same be filed within a period of six weeks by email at judicial-ncr@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

9. List on 14.08.2024."

उक्त पारित आदेश दिनांक 04-03-2024 के अनुपालन में जनमद-कानपुर नगर के जूही नगरिया (राखी मण्डी), रुमा ट्रीटमेंट स्टोरेज डिस्पोजल फैसिलिटी, पनकी औद्योगिक क्षेत्र, जाजमऊ औद्योगिक क्षेत्र, नौरैया खेडा, तेजाब मिल कैम्पस, अनवरगंज के स्थानिक निवासियों का स्वास्थ्य सर्वेक्षण (Health Survey) कराते हुए अनुपालन आख्या क्षेत्रीय अधिकारी, UOPO प्रदूषण बोर्ड, कानपुर नगर के माध्यम से अधोहस्ताक्षरी को प्रेषित किया जाना सुनिश्चित करें।


(राकेश कुमार-सिंह)
जिलाधिकारी,
कानपुर नगर।

प्रतिलिपि:—निम्नलिखित को सूचनाार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित—

1. मुख्य विकास अधिकारी, कानपुर नगर।
2. क्षेत्रीय अधिकारी, UOPO प्रदूषण नियंत्रण बोर्ड, कानपुर नगर।


जिलाधिकारी,
कानपुर नगर।

प्रेषक,

मुख्य चिकित्सा अधिकारी,
कानपुर नगर।

सेवा में,

अपर निदेशक,
चिकित्सा स्वास्थ्य एवं परिवार कल्याण,
कानपुर मण्डल, कानपुर।

पत्रांक:- मु0चि0अ0/का0न0/एन0जी0टी0/2024-25/6725

दिनांक:-03/08/24


विषय:- जनपद कानपुर नगर के जूही बबूरिया (राखी मण्डी), तेजाब मिल कैम्पस अनवरगंज, पनकी इन्ड्रस्टियल एरिया एवं नौरैया खेड़ा में आयोजित स्वास्थ्य शिविर की रिपोर्ट प्रेषित किये जाने विषयक।

महोदय,

उपरोक्त विषयक, जिलाधिकारी, कानपुर नगर के पत्र संख्या 365/एसटी-2024/सा-147/29 दिनांक 27/05/2024 के क्रम में एवं मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा OA No. 985/2019 In Re : Water Pollution by Tanneries at Jajmau, Kanpur Uttar Pradesh With OA No. 986/2019 In Re : Water Pollution at Rania, Kanpur Dehat & Rakhi Mnadi, Kanpur Nagar, Uttar Pradesh में पारित आदेश दिनांक 04.03.2024 के अनुपालन में जूही बबूरिया (राखी मण्डी), तेजाब मिल कैम्पस अनवरगंज, पनकी इन्ड्रस्टियल एरिया एवं नौरैया खेड़ा के क्षेत्र में स्वास्थ्य शिविर आयोजित कराया गया। जिसकी रिपोर्ट सम्बन्धित प्रभारी चिकित्सा अधिकारी द्वारा सत्यापित कर अधोहस्ताक्षरी को प्रेषित की गयी है। उक्त रिपोर्ट को संकलित कर अग्रिम कार्यवाही हेतु आपके समक्ष प्रस्तुत है। उक्त के अतिरिक्त अधोहस्ताक्षरी के पत्र संख्या मु0चि0अ0/का0न0/एन0जी0टी0/2024-25/6550 दिनांक 30.07.2024 के द्वारा राखी मण्डी एवं जाजमऊ के स्थलों पर स्वास्थ्य सर्वेक्षण एवं स्वास्थ्य शिविर की सूचना/रिपोर्ट आपको प्रेषित की गयी है।

संलग्नक:- उपरोक्तानुसार।

भवदीय



मुख्य चिकित्सा अधिकारी

कानपुर नगर

तददिनांक।

पत्रांक:- मु0चि0अ0/का0न0/एन0जी0टी0/2024-25/

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. निदेशक (स्वास्थ्य), चिकित्सा एवं स्वास्थ्य सेवाएं, उ0प्र0, लखनऊ।
2. जिलाधिकारी, कानपुर नगर।
3. मुख्य विकास अधिकारी, कानपुर नगर।
4. अपर मुख्य चिकित्सा अधिकारी, एन0यू0एच0एम0, कानपुर नगर।
5. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, कानपुर।

मुख्य चिकित्सा अधिकारी

कानपुर नगर

कार्यालय मुख्य चिकित्सा अधिकारी कानपुर नगर

पत्रांक: मु0चि0अ0/एन0यू0एच0एम0/स्वास्थ्य शिविर/2024-25/6357

दिनांक:- 24/7/2024

1. चिकित्सा अधीक्षक, सामुदायिक स्वास्थ्य केन्द्र सरसौल, कानपुर नगर।
2. प्रभारी चिकित्सा अधिकारी, न0प्रा0स्वा0केन्द्र अनवरगंज, गीता नगर, सरायमीता, चाचा नेहरू एवं जाजमऊ, एन0यू0एच0एम0, कानपुर नगर।

विषय - प्रत्येक माह स्वास्थ्य शिविर आयोजित करने के संबंध में।


उपरोक्त विषयक, जिला अधिकारी के पत्र संख्या 385/एसटी-2024/सा-147/29 दिनांक 27/05/2024 के क्रम में एवं मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा OA No. 985/2019 In Re : Water Pollution by Tanneries at Jajmau, Kanpur Uttar Pradesh With OA No. 986/2019 In Re : Water Pollution at Rania, Kanpur Dehat & Rakhi Mnadi, Kanpur Nagar, Uttar Pradesh में पारित आदेश दिनांक 04.03.2024 के अनुपालन में जूही बबूरिया, रुमा ट्रीटमेंट स्टोरेज डिस्पोजल फैसिलिटी, जाजमऊ इन्ड्रिस्टियल एरिया, पनकी इन्ड्रिस्टियल एरिया, नौरैया खेड़ा एवं तेजाब मिल कैम्पस, अनवरगंज, कानपुर नगर में प्रत्येक माह में स्वास्थ्य शिविर आयोजित किया जाना है।

उक्त के क्रम में आपको निर्देशित किया जाता है कि तालिकानुसार के निम्न केन्द्रों द्वारा नामित स्थलों में प्रत्येक माह में आउटरीच हेल्थ कैम्प आयोजित किया जाना सुनिश्चित करें।

क्र०सं०	कैम्प स्थल का नाम	कैम्प आयोजित करने वाले केन्द्र का नाम
1	रुमा ट्रीटमेंट स्टोरेज डिस्पोजल फैसिलिटी	सामु0स्वा0केन्द्र सरसौल
2	राखी मण्डी	न0प्रा0स्वा0केन्द्र चाचा नेहरू
3	जाजमऊ इन्ड्रिस्टियल एरिया	न0प्रा0स्वा0केन्द्र जाजमऊ
4	पनकी इन्ड्रिस्टियल एरिया	न0प्रा0स्वा0केन्द्र गीता नगर
5	नौरैया खेड़ा	न0प्रा0स्वा0केन्द्र सरायमीता
6	तेजाब मिल कैम्पस, अनवरगंज,	न0प्रा0स्वा0केन्द्र अनवरगंज

नोट:- उक्त कैम्पों की रिपोर्ट संलग्न प्रारूप पर प्रतिमाह संकलित कर अधोहस्ताक्षरी कार्यालय में प्रेषित की जायेगी।

संलग्नक:- उपरोक्तानुसार


मुख्य चिकित्सा अधिकारी
कानपुर नगर
तददिनांक।

पत्रांक:- मु0चि0अ0/एन0यू0एच0एम0/स्वास्थ्य शिविर/2024-25/
प्रतिलिपि:- निम्नलिखित सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी, कानपुर नगर।
2. अपर मुख्य चिकित्सा अधिकारी, आर0सी0एच0/एन0यू0एच0एम0, कानपुर नगर।
3. नोडल अधिकारी, एन0सी0डी0 को इस निर्देश के साथ उक्त कैम्प में एन0सी0डी0 की टीम उपलब्ध करवाना सुनिश्चित करें।
4. क्षेत्रीय अधिकारी, उ0 प्र0, प्रदूषण नियंत्रण बोर्ड कानपुर नगर।


मुख्य चिकित्सा अधिकारी
कानपुर नगर

2438

हेल्थ कैंप रिपोर्ट, कानपुर नगर

DATE	PHC/UPHC Name	PLACE	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (ANC)	No. of Patient (MalNutrition Child)	No. of Patient (Other Disease)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for ENT Surgery	No. of Patient referred for Obs & gynae Surgery	No. of Patient referred for Other Surgery
28-06-2024	DTC ANWARGANJ	RAKHI MANDI	40	52	10	102	3	2	6	3	10	2	1	4	0	0	0	71	1	1	0	0	0	0	0
2	02-07-2024	UPHC JAJMAU	45	57	13	115	3	2	6	7	10	1	1	3	0	0	0	82	0	0	0	0	0	0	0
3	04-07-2024	DTC ANWARGANJ	96	78	19	193	0	4	5	5	37	4	0	6	0	0	0	125	10	10	0	0	0	0	0
4	05-07-2024	UPHC JAJMAU	52	48	7	107	1	2	7	5	15	0	0	5	0	0	0	72	1	1	0	0	0	0	0
5	07-07-2024	DTC ANWARGANJ	25	40	15	80	1	1	9	2	21	1	2	3	0	0	0	40	2	2	0	0	0	0	0
6	09-07-2024	UPHC JAJMAU	37	40	16	93	2	1	10	3	18	1	0	2	0	0	0	56	0	0	0	0	0	0	0
7	31-07-2024	SARAIMITA	36	48	8	92	8	10	7	8	35	0	1	3	0	0	0	20	3	0	0	2	0	0	0
8	31-07-2024	ANWRAGANJ	51	50	9	110	0	2	1	4	9	0	0	3	0	0	0	81	2	0	0	0	0	0	0
9	31-07-2024	CHACHA NEHRU	61	76	13	137	0	1	4	5	37	0	0	2	0	1	0	82	3	3	0	0	0	0	0
10	31-07-2024	GEETA NAGAR	40	48	5	93	2	3	2	5	2	0	0	5	0	0	0	76	2	0	0	0	2	0	0
11	03-08-2024	CHC SARSAUL	26	9	8	43	1	0	1	0	2	0	2	0	0	0	0	0	2	0	0	0	0	0	0
TOTAL			509	546	123	1165	21	28	58	47	196	9	7	36	0	1	0	705	26	17	0	2	2	0	0


3/8/24
ACMO


3/8/24

Sl. No.	DATE	PHC/UPHC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (ANC)	No. of Patient (MalNutrition Child)	No. of Patient (Other Disease)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for ENT Surgery	No. of Patient referred for Obs & Gynae Surgery	No. of Patient referred for Other Surgery
1	31/07/24	SARAI MEETA	36	48	08	92	08	10	07	8	35	-	01	03	-	-	-	20	03	-	-	02	-	-	-
2																									
3																									

Jitendra
31/07/2024

डा० जितेन्द्र कुमार
प्रभारी चिकित्साधिकारी
नगरीय प्रा०स्वा० केन्द्र सरायमिता
एन०यू०एच०एम० कानपुर नगर

TEJAB MIL CAMPUS HEALTH REPORT

Sno	DATE	Pvt./UPMC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (liver)	No. of Patient (respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (AIDS)	No. of Patient (Malaria/Chill)	No. of Patient (Other Disease)	No. of patient Referred	No. of referred for Medical Treatment	No. of patient referred for General Surgery	No. of patient referred for Eye Surgery	No. of patient referred for ENT Surgery	No. of patient referred for Oth & Ear Surgery	No. of patient referred for Other Surgery	
1	17.10.18	DTC ANWAR SI GRANT	51	50	09	110	0	2	01	4	19	0	0	03	0	0	0	81	02	0	0	0	0	0	0	0


 प्रभारी चिकित्सा अधिकारी
 डी० टी० सी० अनवरगंज
 कानपुर नगर

राजी शक्ती कौमु भार्गव

Unit	Pr./Junk Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspended)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Kidney)	No. of Patient (AIDS)	No. of Patient (Malaria/Non Child)	No. of Patient (Other Diseases)	No. of Patient referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for ENT Surgery	No. of Patient referred for Oth. & Gen. Surgery	No. of Patient referred for Oth. Surgery
3174	Chacky Nehru	61	96	13	137	-	1	4	5	37	-	-	2	-	1	-	82	3	3	-	1	-	-	-

डॉ० सुभाष शक्ती
 प्रभारी चिकित्सा अधिकारी
 नगरिय प्राथमिक स्वास्थ्य केंद्र
 बाबा भैरव कोवर्णल, काभार फा.

Sl No.	DATE	PH/UPH Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (Malaria Child)	No. of Patient (Other Diseases)	No. of patient Referred	No. of patient referred for Medical Treatment	No. of patient referred for General Surgery	No. of patient referred for Eye Surgery	No. of patient referred for ENT Surgery	No. of patient referred for Obs & Gynaecology Surgery	No. of Patient referred for Other Surgery	
1	11.07.2024	General	40	48	5	93	2	3	2	5	2	0	0	5	0	0	76	2	0	0	0	2	0	0	
2																									
3																									
4																									
5																									
TOTAL			40	48	5	93	2	3	2	5	2	0	0	5	0	0	76	2	0	0	0	2	0	0	



रिपोर्ट का नाम: डी.पी.ए. स्वीकृत रिपोर्ट
 स्थान: कानपुर नगर

Sl. No.	DATE	PHU/CUP/HC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspect)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (ANCI)	No. of Patient (Malaria Child)	No. of Patient (Other Disease)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for ENT Surgery	No. of Patient referred for Obs. & Gynaecology Surgery	No. of Patient referred for Other Surgery
1	03-08-2024	CHC SARSAUL	26	9	8	43	1	0	1	0	2	0	2	0	0	0	0	2	0	0	0	0	0	0	0

Handwritten Signature
 सार्वजनिक स्वास्थ्य केंद्र
 कानपुर नगर

विषयक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र अनवरगंज,
कानपुर नगर

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

संज्ञांक:- राखी मण्डी सर्वे / 2024-25 /

दिनांक:- 10.07.2024

विषय:- राखी मण्डी में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।


महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम० / 2024-25 / 144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जूही बम्बुरिया (राखी मण्डी) में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 28.06.2024, 04.07.2024 एवं 07.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया।

इसके अतिरिक्त मा० एन०जी०टी० कोर्ट द्वारा उपलब्ध करायी गयी सूची में 44 व्यक्तियों के रक्त में क्रोमियम एवं मरकरी का अंश पाया गया था। ए०एन०एम० एवं आशा द्वारा राखी मण्डी का सर्वे किया गया जिसमें उपलब्ध करायी गयी सूची में 44 लोगों में से केवल 16 व्यक्ति ही वर्तमान में निवास करते पाये गये, जो कि पूर्णतः स्वस्थ है। (सूची संलग्न) उपरोक्त सूचना सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

संलग्नक:- उपरोक्तानुसार

भवदीय


प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र अनवरगंज
कानपुर नगर

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज।
कानपुर नगर

2445

हेल्थ सर्वे रिपोर्ट राखी मंडी (10-7-24)													
क्र० सं०	क्षेत्र की कुल जनसंख्या	भ्रमण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	स्वास रोग से ग्रसित पाये गये मरीजों की संख्या	पेशाब/गुर्दे रोग से ग्रसित पाये गये मरीजों की संख्या	पेट/लिवर से ग्रसित पाये गये मरीजों की संख्या	चर्म रोग से ग्रसित पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर रोग से ग्रसित मरीजों की संख्या	अन्य गम्भीर बीमारियों से ग्रसित मरीजों की संख्या	कुल मरीजों की संख्या	उपस्थित मरीजों की संख्या	अभियुक्ति
1	6200	1240	4106	7	0	24	68	3	0	273	375	375	हेल्थ सर्वे में कोई भी गम्भीर रोग से ग्रसित मरीज नहीं पाया गया।

डा० सुम्बुल शकील
 प्रभारी चिकित्सा अधिकारी
 नगरीय प्राथमिक स्वास्थ्य केंद्र
 चाचा नेहरू कोपरगंज, कानपुर नगर

Dr. Namrata Singh
 Medical Officer
 Upnc Raipurwa

18/07/24
 प्रभारी चिकित्सा अधिकारी
 टी० टी० सी० अल्पज
 कानपुर नगर

प्रेषक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र जाजमऊ,
कानपुर नगर।

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

पत्रांक:- जाजमऊ सर्वे / 2024-25 /

दिनांक:- 12.07.2024

विषय:- जाजमऊ में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।

महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम०/2024-25/144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जाजमऊ में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 02.07.2024, 05.07.2024 एवं 09.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया। संलग्नक:- उपरोक्तानुसार

भवदीय



Submit
प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र जाजमऊ
कानपुर नगर
प्रभारी चिकित्सा अधिकारी
एस०ए०डी० हरजनन्दर नगर
कानपुर (नगर)

हेल्थ सर्वे रिपोर्ट जाजमऊ (12/1/20)

क्र० सं०	क्षेत्र की कुल जनसंख्या	ग्रामण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	स्वास्थ्य से ग्रामण पाये गये मरीजों की संख्या	पेशाब / गुर्द से ग्रामण पाये गये मरीजों की संख्या	पेट / लिवर से ग्रामण पाये गये मरीजों की संख्या	जर्म से ग्रामण पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर से ग्रामण पाये गये मरीजों की संख्या	अन्य बीमारियों से ग्रामण पाये गये मरीजों की संख्या	कुल मरीजों की संख्या	उपचारित मरीजों की संख्या	अभियुक्ति
1	8600	1720	6200	42	5	120	530	2	0	293	992	992	हेल्थ सर्वे में कोई भी गम्भीर रोग से ग्रामण मरीज नहीं पाया गया।

✓
Submit
आमरी चिकित्साधिकारी
जाजमऊ (12/1/20)

Health Survey Report (Analysis of Chronic and Acute Mercury in Blood from Rakhi Mandi, Kanpur Nagar) **CURRENT STATUS**

No.	Name	Age	Sex	Father/Husband Name	Health Status	Remark
1	RAHISHA BANO	36	F	MOHD. ARSAD	No Disease Found	Healthy
2	MAHRU NISHA	38	F	SIRAJUDDIN		Migrated
3	MOHD. ARSAD	38	M	MOHD. ARAGER HUSSAIN		Migrated
4	KAMALA	60	F	LATE RAM JATAN		Death
5	MAIYADEEP	62	M	LATE BHURELAL		Migrated
6	POONA SAHU	38	F	DEV KUMAR		Death
7	ABDUL VAKIL	60	M	LATE SUBRATI		Migrated
8	GUDHIYA	27	F	RAM CHANDRA		Death
9	MUNNI DEVI	50	F	RAMENDRA KUMAR SINGH	No Disease Found	Healthy
10	RAJ PATI	62	F	MULA PATEL		Death
11	SHAKEELA BANO	70	F	ASGAR HUSSAIN		Death
12	PRAMILA	38	F	LATE RAM KUMAR	No Disease Found	Healthy
13	SHAIL KUMARI	60	F	LATE BUDUK	No Disease Found	Healthy
14	LALPATI	60	F	RAM SEVAK	No Disease Found	Healthy
15	RAMKANTI	58	F	HARISHCHANDRA	No Disease Found	Healthy
16	ANOOP KUMAR	44	M	JEETU LALA		Migrated
17	RAM RATI	50	F	PRATHVI PAL	No Disease Found	Healthy
18	SANTOSH KUMAR	49	M	KALLU PRASAD	No Disease Found	Healthy
19	NITU	37	F	AMAR NATH	No Disease Found	Healthy
20	SARVAN	70	M	MAIKU		Migrated
21	SONU	27	M	SATRUGHAN	No Disease Found	Healthy
22	RUKHSANA	26	F	SHAHANSHA		Migrated
23	PARVATI	50	F	BHAGWANDAS		Migrated
24	CHANDRA WATI	35	F	SHIV RAJAN		Migrated
25	AJAY	32	M	RAM KISHORE		Death
26	CHANDA DEVI	48	F	LATE DEEP KUMAR		Migrated
27	MISHRI LAL	65	M	MANU		Death
28	SUMENDRA GUPTA	62	F	SANTRAM	No Disease Found	Healthy
29	RAJ PATI	65	F	MANI RAM		Death
30	GEETANJALI	13	F	UMASHANKAR	No Disease Found	Healthy
31	ANJALI	15	F	UMASHANKAR		Migrated
32	ABDUL AJEEM	24	M	JAHD ALI		Migrated
33	RITU	28	F	RAJU		Migrated
34	RAGINI	13	F	MAHESH		Migrated
35	PRICE PATHAK	19	M	KANHAIYA LAL		Migrated
36	PAPPI	32	F	PAPPU		Death
37	NEELAM AWASTHI	45	F	PRAMOD KUMAR	No Disease Found	Healthy
38	SHANKAR	17	M	INDRA KUMAR SAHU		Death
39	FESHAR BAI	55	F	KAIYALI RAM	No Disease Found	Healthy
40	HEERA BAI	50	F	SANJAY		Migrated
41	HANUMAN	45	M	BHAGAUTI PRASAD	No Disease Found	Healthy
42	PAPPU	35	M	BAHADUR		Migrated
43	VIMLA	45	F	KALLU	No Disease Found	Healthy
44	ANIL	40	M	KAMTA PRASAD		Migrated

Handwritten signature

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज

प्रेषक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र अनवरगंज,
कानपुर नगर

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

पत्रांक:— राखी मण्डी सर्वे/2024-25/

दिनांक:— 10.07.2024

विषय:— राखी मण्डी में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।

महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम० /2024-25/144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जूही बम्बुरिया (राखी मण्डी) में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 28.06.2024, 04.07.2024 एवं 07.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया।

इसके अतिरिक्त मा० एन०जी०टी० कोर्ट द्वारा उपलब्ध करायी गयी सूची में 44 व्यक्तियों के रक्त में क्रोमियम एवं मरकरी का अंश पाया गया था। ए०एन०एम० एवं आशा द्वारा राखी मण्डी का सर्वे किया गया जिसमें उपलब्ध करायी गयी सूची में 44 लोगों में से केवल 16 व्यक्ति ही वर्तमान में निवास करते पाये गये, जो कि पूर्णतः स्वस्थ है। (सूची संलग्न) उपरोक्त सूचना सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

संलग्नक:— उपरोक्तानुसार

भवदीय



प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र अनवरगंज
कानपुर नगर

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज।
कानपुर नगर

2450

हेल्थ सर्वे रिपोर्ट राखी मंडी													
क्र० सं०	क्षेत्र की कुल जनसंख्या	भ्रमण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	रवाय से ग्रसित पाये गये मरीजों की संख्या	पेशाब/गुर्द से ग्रसित पाये गये मरीजों की संख्या	पेट/लिवर से ग्रसित पाये गये मरीजों की संख्या	चर्मा रोग से ग्रसित पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर रोग से ग्रसित मरीजों की संख्या	अन्य गम्भीर बीमारियों से ग्रसित मरीजों की संख्या	कुल मरीजों की संख्या	उपचारित मरीजों की संख्या	अभियुक्ति
1	6200	1240	4106	7	0	24	68	3	0	273	375	375	हेल्थ सर्वे में कोई भी गम्भीर रोग से ग्रसित मरीज नहीं पाया गया।

डा० सुभद्रा शर्मा
प्रभारी चिकित्सा अधिकारी
नगरीय प्राथमिक स्वास्थ्य केन्द्र
बाबा नेहरू कोषगंज, कानपुर नगर

Dr. Namrata Singh
Medical Officer
Uphc Raipurwa

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अस्पताल
कानपुर नगर

16/07/24

हेल्थ कैम्प राखी मास्ती, कानपुर नगर

Sl. No.	DATE	PHC/UPHC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (AMC)	No. of Patient (Malnutrition Child)	No. of Patient (Other Disease)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for EXT Surgery	No. of Patient referred for Obs & Gynaec Surgery	No. of Patient referred for Other Surgery
1	22-05-24	UPHC ANWARGANJ	42	52	10	102	3	2	6	3	10	2	1	4	0	0	0	71	1	1	0	0	0	0	0
2	24-07-24	UPHC ANWARGANJ	96	78	19	193	0	4	5	5	37	7	0	6	0	0	0	129	10	10	0	0	0	0	0
3	07-07-24	UPHC ANWARGANJ	25	40	15	80	1	1	9	2	21	1	2	3	0	0	0	40	2	2	0	0	0	0	0
Total			161	170	44	375	4	7	20	10	68	10	3	13	0	0	0	240	13	13	0	0	0	0	0

श्री गुरुदेव गणेशाय
 नमः
 श्री गणेशाय नमः
 श्री गणेशाय नमः

Dr. Namrata Singh
 Medical Officer
 Uphc Raipurwa

Namrata

श्री गणेशाय नमः
 श्री गणेशाय नमः
 श्री गणेशाय नमः

Namrata Singh

2452
Health Survey Report (Analysis of Chromium and Mercury in Blood from Rakhi Mandi, Kanpur Nagar)

Sl No.	Name	Age	Sex	Father/Husband Name	Health Status	Remark
1	RAHISHA BANO	36	F	MOHD. ARSAD	No Disease Found	Healthy
2	MAHRU NISHA	38	F	SIRAJUDDIN		Migrated
3	MOHD. ARSAD	38	M	MOHD. ARAGER HUSSAIN		Migrated
4	KAMALA	60	F	LATE RAM JATAN		Death
5	MAIYADEEP	62	M	LATE BHURELAL		Migrated
6	POONA SAHU	38	F	DEV KUMAR		Migrated
7	ABDUL VAKIL	60	M	LATE SUBRATI		Death
8	GUDHIYA	27	F	RAM CHANDRA		Migrated
9	MUNNI DEVI	50	F	RAMENDRA KUMAR SINGH	No Disease Found	Healthy
10	RAJ PATI	62	F	MULA PATEL		Death
11	SHAKEELA BANO	70	F	ASGAR HUSSAIN		Death
12	PRAMILA	38	F	LATE RAM KUMAR	No Disease Found	Healthy
13	SHAIL KUMARI	60	F	LATE BUDUK	No Disease Found	Healthy
14	LALPATI	60	F	RAM SEVAK	No Disease Found	Healthy
15	RAMKANTI	58	F	HARISHCHANDRA	No Disease Found	Healthy
16	ANOOP KUMAR	44	M	JEETU LALA		Migrated
17	RAM RATI	50	F	PRATHVI PAL	No Disease Found	Healthy
18	SANTOSH KUMAR	49	M	KALLU PRASAD	No Disease Found	Healthy
19	NITU	37	F	AMAR NATH	No Disease Found	Healthy
20	SARVAN	70	M	MAIKU		Migrated
21	SONU	27	M	SATRUGHAN	No Disease Found	Healthy
22	RUKHSANA	26	F	SHAHANSHA		Migrated
23	PARVATI	50	F	BHAGWANDAS		Migrated
24	CHANDRA WATI	35	F	SHIV RAJAN		Migrated
25	AJAY	32	M	RAM KISHORE		Migrated
26	CHANDA DEVI	48	F	LATE DEEP KUMAR		Death
27	MISHRI LAL	65	M	MANU		Migrated
28	SUMENDRA GUPTA	62	F	SANTRAM	No Disease Found	Healthy
29	RAJ PATI	65	F	MANI RAM		Death
30	GEETANJALI	13	F	UMASHANKAR	No Disease Found	Healthy
31	ANJALI	15	F	UMASHANKAR		Migrated
32	ABDUL AJEEM	24	M	JAHD ALI		Migrated
33	RITU	28	F	RAJU		Migrated
34	RAGINI	13	F	MAHESH		Migrated
35	PRICE PATHAK	19	M	KANHAIYA LAL		Migrated
36	PAPPI	32	F	PAPPU		Migrated
37	NEELAM AWASTHI	45	F	PRAMOD KUMAR	No Disease Found	Healthy
38	SHANKAR	17	M	INDRA KUMAR SAHU		Death
39	KESHAR BAI	55	F	KAIYALI RAM	No Disease Found	Healthy
40	HEERA BAI	50	F	SANJAY		Migrated
41	HANUMAN	45	M	BHAGAUTI PRASAD	No Disease Found	Healthy
42	PAPPU	35	M	BAHADUR		Migrated
43	VIMLA	45	F	KALLU	No Disease Found	Healthy
44	ANIL	40	M	KAMTA PRASAD		Migrated

(Signature)

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज
कानपुर नगर

2453

Annexure - V

प्रेषक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र जाजमऊ,
कानपुर नगर।

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

पत्रांक:- जाजमऊ सर्वे/2024-25/

दिनांक:- 12.07.2024

विषय:- जाजमऊ में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।

महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम०/2024-25/144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जाजमऊ में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 02.07.2024, 05.07.2024 एवं 09.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया।
संलग्नक:- उपरोक्तानुसार

भवदीय

प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र जाजमऊ

कानपुर नगर

प्रभारी चिकित्सा अधिकारी
एन०यू०एच०एम० हरजोन्दर नगर
कानपुर (नगर)


हेल्थ केंद्र जावामक, काजपुर नगर

Sl. No.	DATE	PHC/UPHC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (AMC)	No. of Patient (Malnutrition Child)	No. of Patient (Other Diseases)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for ENT Surgery	No. of Patient referred for Obs & Gynae Surgery	No. of Patient referred for Other Surgery	
1	02-07-24	UPHC JAJIMAU	45	57	13	115	3	2	6	7	10	1	1	3	0	0	0	82	0	0	0	0	0	0	0	0
2	05-07-24	UPHC JAJIMAU	52	48	7	107	1	2	7	5	15	0	0	5	0	0	0	72	1	1	0	0	0	0	0	
3	09-07-24	UPHC JAJIMAU	37	40	16	93	2	1	10	3	18	1	0	2	0	0	0	56	0	0	0	0	0	0	0	
TOTAL			134	145	36	315	6	5	23	15	43	2	1	10	0	0	0	210	1	1	0	0	0	0	0	

For
 सुपरी पाठ्यविभाग
 एम.बी.बी.एस. (एम.डी.)
 एम.डी. (एन.टी.)
 एम.डी. (एन.टी.)

हेलथ सर्वे रिपोर्ट जाजमऊ

क्र० सं०	क्षेत्र की कुल जनसंख्या	भ्रमण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	स्वास् रोग से ग्रसित पाये गये मरीजों की संख्या	पेशाब/गुर्दे रोग से ग्रसित पाये गये मरीजों की संख्या	पेट/खिचर से ग्रसित पाये गये मरीजों की संख्या	चर्म रोग से ग्रसित पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर रोग से ग्रसित मरीजों की संख्या	अन्य बीमारियों से ग्रसित मरीजों की संख्या	कुल मरीजों की संख्या	उपचारित मरीजों की संख्या	अभियुक्ति
1	8600	1720	6200	42	5	120	530	2	0	293	992	992	हेलथ सर्वे में कोई भी नगमीर रोग से ग्रसित मरीज नहीं पाया गया।


 भारतीय चिकित्सा शिक्षा परिषद
 भारतीय चिकित्सा शिक्षा परिषद
 भारतीय चिकित्सा शिक्षा परिषद
 भारतीय चिकित्सा शिक्षा परिषद