

**IN THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 200/2014**

**IN**

(IA NO 340/2022, MA NO 872/2018, MA NO 875/2014, MA NO 480/2018)

M. C. MEHTA

...APPLICANT

VERSUS

UNION OF INDIA & ORS.

...RESPONDENTS

**INDEX**

S.NO	PARTICULARS	PAGE NO.
1.	AFFIDAVIT FILED ON DISTRICT MAGISTRATE MIRZAPUR, U.P. IN COMPLIANCE TO THE ORDER DATED 20.01.2025 ALONGWITH THE SUPPORTING AFFIDAVIT.	3-38
2.	<b>Annexure-1</b> , Copy of Tapping Status of Drains & List of STPs in Mirzapur information Provided by Ganga pollution Control Unit, U.P. Jal Nigam(Rural), Varanasi	39-44
3.	<b>Annexure-2</b> , Copy of Details of Seweline Network Connection in mirzapur provided by Construction Division, UP Jal Nigam (Urban) , Mirzapur	45
4.	<b>Annexure-3</b> , Copy Bio-remediation Status of Drains information provided by Nagar Palika Parishad, Mirzapur.	46-50
5.	<b>Annexure-4</b> , Copy Bio-remediation Status of Drains information provided by Nagar Palika, Chunar.	51-53

6.	<b>Annexure-5</b> , Copy of STP Outle Sample Test report Provided by Regional Office, UPPCB, Sonbhadra	54-65
7.	<b>Annexure-6</b> , Copy BMW, MSW, C&D Waste, Legacy Waste & Hotel/Ashram information provided by Nagar Palika Parishad, Mirzapur.	66-67
8.	<b>Annexure-7</b> , Copy of mining Leases information Provided by Mining Department Sonbhadra	68
9.	<b>Annexure-8</b> , Copy FPZ( Flood Plane Zone) information provided by Executive Engineer, Mirzapur, Canal division, Mirzapur	69
10.	<b>Annexure-9</b> , Copy of BMW Status Provided by Regional Office, UPPCB, Sonbhadra	70-87

**THROUGH**



Date: 13.02.2025

Place: New Delhi

**PRIYANKA SWAMI**

ADVOCATE

Counsel for STATE, Uttar Pradesh

F-13, JANGPURA, NEW DELHI 110014

E-mail: [advpriyankaswami@gmail.com](mailto:advpriyankaswami@gmail.com)

**IN THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 200/2014**

**IN**

(IA NO 340/2022, MA NO 872/2018, MA NO 875/2014, MA NO 480/2018)

M. C. MEHTA

...APPLICANT

VERSUS

UNION OF INDIA & ORS.

...RESPONDENTS

**AFFIDAVIT ON BEHALF OF DISTRICT MAGISTRATE MIRZAPUR, U.P.  
IN COMPLIANCE TO THE ORDER DATED 20.01.2025 ALONG WITH  
THE SUPPORTING AFFIDAVIT.**

MOST RESPECTFULLY SHOWETH

1. That in the matter of Original Application No. 200/2014 (I.A. No. 340/2022, MA. Nos.872/2018, 875/2014 & 480/2018), the Hon'ble National Green Tribunal (NGT) passed an order on **20.01.2025** directing the State of Uttar Pradesh to provide comprehensive timelines and status reports regarding the tapping of drains, setting up of Sewage Treatment Plants (STPs), and ensuring that no untreated sewage is discharged into rivers. The Hon'ble Tribunal further instructed the Chief Secretary, State of UP, to file an affidavit with specific tabulated details and also sought responses for multiple districts, including Mirzapur. The relevant excerpts are as follows:

*“...7. Learned Counsel for the applicant referring to Annexure-2 of the report of CPCB has submitted that several untapped drains exist in different cities and, therefore, the State must disclose the timeline for tapping these drains and for setting up the STPs for treating the sewage from these drains. Hence, we require the Chief Secretary, State of UP to file the affidavit disclosing the information relating to each of the drains in different districts, sewage generated from it, the STP to which it is proposed to be connected,*

*the timeline for making the STP functional, funds which are available, identification and allotment of land for setting up the STP. Let this information be provided in the following tabulated form.-"*

<b><i>Name of Drain</i></b>	<b><i>District/Town</i></b>	<b><i>Tapped or Untapped</i></b>	<b><i>Quantity of Sewage discharge from the Drain (MLD)</i></b>	<b><i>STP/STP to which the drain is proposed to be connected after tapping</i></b>	<b><i>LAND/Status of Land allotted for STP</i></b>	<b><i>FUND / Status of funds provided for the STP</i></b>	<b><i>Timeline for making the STP functional</i></b>	<b><i>Timeline for Completing the household connectivity to that STP</i></b>
-----------------------------	-----------------------------	----------------------------------	---	--	--	---	--	--

- 2. Though, an affidavit on behalf of the Chief Secretary, State of UP in pursuance to the order dated 06.11.2024 has been filed but above details relating to the drains have not been disclosed.*
- 3. Learned AAG appearing for the State of UP submits that information has been collected, and ground verification of the information concerning the drains and their trapping and discharge of untreated sewage in the river is under verification.*
- 4. Learned Counsel for the applicant submits that she has filed submissions on 18.01.2025. Submissions have not come on record. She has submitted that in the said submissions it has been disclosed that in the year 2024, there was zero progress in all the districts of the State of UP with respect to sewage treatment, bio-medical waste, municipal solid waste, legacy waste, industries versus hazardous waste. She submits that a copy thereof has been supplied to Counsel for the State of UP who will have an opportunity to response to the same within two weeks.*
- 5. Learned Counsel for the applicant has also submitted that atleast for districts Kanpur Nagar, Fatehpur, Varanasi, Mirzapur, Ghazipur, Balia, Sambhal, Meerut and Baghpat, Chandauli, State of UP should file response as directed by order dated 06.11.2024 and disclose the complete details relating to existing drains, their tapping/untapping, STPs treating the discharge from these drains and discharge of untreated sewage in the river from the drains. Let this affidavit be filed by the State of UP within a period of two week.*

6. Having regard to the issue involved in the matter the Head of the UP State Ganga Committee is directed to remain virtually present to assist the Tribunal on the next date of hearing.

7. List on 17.02.2025.

## STATUS OF DRAINS, TAPPING STATUS, SEWAGE TREATMENT PLANTS

1. It is pertinent to note that the **Project Manager, GPCU, UP Jai Nigam (Rural), Varanasi** and **Executive Engineer & Construction Division-I, U.P. Jai Nigam (Urban), Mirzapur** have informed that the status of tapped/untapped/partially tapped drains and sewage treatment plants (STPs), along with details such as each STP's catchment area, network area, and sewer line household connectivity, is summarized in tabular form (below). The letters of UPJN (Rural & Urban) are filed herewith and marked as **Annexure No. 1&2**.

## STATUS OF TAPPED/UNTAPPED/PARTIALLY TAPPED DRAINS

2. Below is the **complete tabular data** enumerating each drain in Mirzapur (both Ganga and Jargo-Ojhala), specifying whether it is tapped, untapped, or partially tapped. The table also includes the quantity of sewage discharge in MLD, the STP connection (if any), the timeline, and land/funding details (where applicable).

S.No	Name of Drain	District/Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
A	GANGA					-----			

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
1.	Bisundarpur Drain	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	1.58	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
2.	Hanumanghat Drain	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.68	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
3.	Public club Drain	Mirzapur	Tapped	0.6	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
4.	Barahmiliah Drain	Mirzapur	Tapped	0.39	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
5.	District judge Drain	Mirzapur	Tapped	0.4	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
6.	Lift cannal Drain	Mirzapur	Tapped	0.4	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
7.	Irrigation colony Drain	Mirzapur	Tapped	0.03	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
8.	MorchaGhar Drain	Mirzapur	Tapped	1.64	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
9.	Ghoreshahid Drain	Mirzapur	Tapped	5	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
10.	konia	Mirzapur	Tapped	0.02	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
11.	Balaji temple	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	2.2	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
12.	Chorawa	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.25	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
13.	Kachari Drain	Mirzapur	Tapped	1.2	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
14.	Oliyar	Mirzapur	Tapped	0.31	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
15.	Sundar	Mirzapur	Tapped	0.24	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
16.	Badali	Mirzapur	Tapped	0.39	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
17.	Narghat	Mirzapur	Tapped	0.78	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
18.	Khandawa	Mirzapur	Tapped	9.42	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	*Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
19.	Basvariya Drain	Mirzapur	Tapping not required	1.13	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
20.	DiwanGhat new Drain	Mirzapur	Tapping not required	0.02	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
21.	BalughatKacha Drain	Mirzapur	Tapping not required	0.01	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
22.	Malhaya Drain	Mirzapur	Tapping not required	0.27	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
23.	Patengra (manasarovar) Drain	Mirzapur	Tapping not required	0.74	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
24.	DiwanGhat old Drain	Mirzapur	Tapped	0.1	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
25.	BalughatPalkka Drain	Mirzapur	Tapped	0.17	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
26.	Parasuram Drain	Mirzapur	Tapped	1.39	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
27.	Gudara Drain	Mirzapur	Tapped	0.2	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
28.	TAMBALGANJ NALA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.046	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
29.	DARGAHS HAREEF NALA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.319	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
30.	BHAIRAM GANJ EAST NALA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.081	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
31.	BHAIRAM GANJ WEST NALA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.062	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
32.	TEKAUR BASTI NORTH	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.099	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
33.	TEKAUR BASTI SOUTH	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.098	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
34.	SANTOSHI MATA MANDIR NALA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.125	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
35.	POST OFFICE SOUTH DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.393	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
36.	POST OFFICE NORTH DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.335	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
37.	GANGESH WAR NISHAD PARK DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.088	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
38.	BALUGHAT DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.085	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
39.	BELBEER GHAT DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.042	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
40.	CHOURA MATA DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.125	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
41.	KASHI RAM AWAS DRAIN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.377	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
42.	NAGARPUR	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.091	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
43.	TEAKAUR NAGARPUR	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.100	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
44.	BHARATPUR KABRISTAN	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.154	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
45.	BHARATPUR TRIMOHANI	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.134	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
46.	SADDUPUR NAIPURWA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.960	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA

S.No	Name of Drain	District/ Town	Tapped or Untapped	Quantity of Sewage discharge from the Drain (MLD)	STP/ STP to which the drain is proposed to be connected after tapping	LAND / Status of Land allotted for STP	FUND / Status of funds provided for the STP	Timeline for making the STP functional	Timeline for Completing the household connectivity to that STP
47.	PASHU CHIKITSA LAYA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.126	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
48.	NAGAR PALIKA	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.224	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA
49.	PARADE GROUND	Mirzapur	Untapped (Currently Bio-remediation done by ULBs)	0.300	10 KLD FSTP has been constructed.	Completed Project	Completed Project	Operational	NA

(Elaboration: The above table shows that most drains leading to the Ganga in Mirzapur are tapped, with only a few remaining untapped. For 22 Nos. of drain 10 KLD FSTP has been constructed. is classified as “Not to be tapped”. The STPs

referenced in the table [e.g., 8.5 MLD, 22.5 MLD, 07MLD & 10 KLD FSTP are operational.

Further, regarding sewer line network connection details are mentioned below:-

**A- Sewer line Network connected to (14 MLD STP, 8.50 MLD STP) at Pakka Pokhara and 8.50 MLD STP at Visundarpur NPP Mirzapur.**

1. Length of Sewer network:- 192.20 KM
2. Length of Sewer network to be proposed:- 10.80 KM (Timeline- May 2025)
3. No. of households to connected:- 5650 Nos.
4. Number of households yet to be connected:- 20815 Nos. (Timeline - May 2025)

**B- Sewer line Network connected to 7 MLD STP at Vindhyachal zone in NPP Mirzapur.**

1. Length of Sewer network:- 25.60 KM
2. No. of households to connected:- 4001 Nos.

**SUMMARY OF TAPPING STATUS**

3. Below is a summarized overview of the number of drains, their tapping status, and the corresponding sewage loads (in MLD). **This also accounts for the quantum of sewage treated from partially tapped drains, which means that untreated sewage from partially tapped drains is also included in the “untreated” category** in order to present an accurate picture:

S.No	Total	Tapped	Partially Tapped	Total Treated Sewage of partially tapped drain (MLD)	Untapped	Total Sewage Generation (MLD)	Total Treated (MLD)	Total Untreated Sewage (MLD)	Remarks

S.No	Total	Tapped	Partially Tapped	Total Treated Sewage of partially tapped drain (MLD)	Untapped	Total Sewage Generation (MLD)	Total Treated (MLD)	Total Untreated Sewage (MLD)	Remarks
1.	Total-49 Drains (41Drains- River Ganga of 31.83 MLD &(8 drains- River Jargo-Ojhala of 2.088 MLD)	18	0	0	31	33.92	296	6.88	1. Works for sewerage network and sewerage house connection is in progress and expected to be completed by May-2025. 2. Drains mentioned at S. No. 19 to 27 are in Vindhyanchal Area for which construction of 07 MLD STP, Sewerage network and house connection is completed, thus there is no requirement of tapping of these

S.No	Total	Tapped	Partially Tapped	Total Treated Sewage of partially tapped drain (MLD)	Untapped	Total Sewage Generation (MLD)	Total Treated (MLD)	Total Untreated Sewage (MLD)	Remarks
									drains. 3. For tapping of drains mentioned at S. No. 1, 2, 11 & 12, proposal is sent to NMCG for approval. Work shall be completed within 03 months of approval. 4. Chunar Nagar Palika Parishad is covered with septic tanks and 10 KLD FSTP is operational. Thus, tapping of these 22 drains is not required.

(Elaboration: This table reflects that Mirzapur total sewage generation stands at **33.92 MLD**, of which **26 MLD** is treated, leaving **6.88 MLD** untreated.

## BIOREMEDIATION IN UNTAPPED DRAINS

4. That it is respectfully submitted that the Nagar Palika Palika Parishad, Mirzapur & Nagar Palika, Chunar, Mirzapur has informed that in pursuance of the directions of this Hon'ble Tribunal, the Government of Uttar Pradesh has undertaken measures for sewage treatment using **bioremediation** in seven 27 Nos. Drains in Mirzapur and 15 Nos. drains in Chunar is done by ULBs. Details of Bio-remediation done in drains are annexed as Annexure No.3& 4 respectively. Through tender-appointed agencies, the work of sewage treatment is conducted using the bioremediation method, and recognized expert laboratories or other NABL-accredited facilities) carry out third-party analyses of post-treatment water quality.

## STATUS OF SEWAGE TREATMENT PLANTS IN MIRZAPUR NAGAR

### District: Mirzapur

- **Sewage Generated:** 433.92 MLD
- **Sewage Treated (currently):** 26 MLD (76.65 %)
- **Not Tapped/Untreated:** 6.88 MLD (20.28 %)

(Elaboration: There are **04** STPs & 01 FSTPs Operational in Mirzapur with a designed capacity of **14 MLD Pakka Pokhara, 8.5MLD Pakka Pokhara, 8.5 MLD Bisunderpur, 07 MLD Vindhyachal & 10 KLD FSTPin chunar,**

S.NO	STP	Capacity (MLD)	Utilisation Capacity (MLD)	Status (Operational/Not Operational/Under Construction)	No. of Drains tapped in
------	-----	----------------	----------------------------	---	-------------------------

S.NO	STP	Capacity (MLD)	Utilisation Capacity (MLD)	Status (Operational/Not Operational/Under Construction)	No. of Drains tapped in
1	Pakka Pokhara	14	14	Operational	7
2	Pakka Pokhara	8.5	6	Operational	
3	Bisundarpur	8.5	6	Operational	7
4	Vindhynchal	7	4	Operational	4
5	FSTP Chunar	0.01	0.009	Operational	-

### STP'S CATCHMENT AREA, NETWORK AREA AND SEWER LINE HOUSEHOLD CONNECTIVITY IN MIRZAPUR

5. The table below details of Status of Sewer Line Household (HH) connectivity in STPs of District Mirzapur.

#### Sewer Line Household (HH) connectivity

S.No	Status of Sewer Line Household (HH) connectivity
1.	<p><b>A- Sewer line Network connected to (14 MLD STP, 8.50 MLD STP) at Pakka Pokhara and 8.50 MLD STP at Visundarpur NPP Mirzapur.</b></p> <p>1.Length of Sewer network:- 192.20 KM</p> <p>2. Length of Sewer network to be proposed:- 10.80 KM (Timeline- May 2025)</p> <p>3. No. of households to connected:- 5650 Nos.</p>

S.No	Status of Sewer Line Household (HH) connectivity
	4. Number of households yet to be connected:- 20815 Nos. (Timeline - May 2025)
2.	<b>B- Sewer line Network connected to 7 MLD STP at Vindhyachal zone in NPP Mirzapur.</b> 1. Length of Sewer network:- 25.60 KM 2. No. of households to connected:- 4001 Nos.

## COMPLIANCE STATUS OF STPS

### Monitoring of STPs

6. That the Sewage Treatment Plants in mirzapur are being monitored by the Board (i.e., **U.P. Pollution Control Board**) through its Regional Office on a **regular (weekly) basis**. The STPs' discharges are monitored for the parameters prescribed under the **Environment (Protection) Act, 1986** (as amended). Inspections are carried out at different timings to ensure **surprise inspections** for effective monitoring. The STPs maintain **logbooks for maintenance of records related to hourly discharges** at the outlet (through the flow meter). These records and logbooks are examined by inspecting officials during inspections to monitor the functioning of the STP and also to check discharges during night time.

### Detailed STP Inspection Findings

S.No	Name of STPs	Treatment Technology	Date of Inspection	Operational/ Non-Operational Status	Complying Status w.r.t Hon'ble NGT Vide order 30.04.2019	Complying Status w.r.t MoEF&C norms dated 13.10.2017
1	Pakka Pokhara	SBR (Sequencing Batch Reactor)	12.11.2024	Operational	Non-complying TSS, BOD, COD & FC	Non-Complying FC
2	Pakka Pokhara	SBR (Sequencing Batch Reactor)	12.11.2024	Operational	Non-complying TSS, BOD, COD & FC	Non-Complying FC
3	Bisundarpur	UASB	12.11.2024	Operational	Non-Complying TSS, BOD & COD	Complying
4	Vindhynchal	SBR (Sequencing Batch Reactor)	12.11.2024	Operational	Non-complying TSS, BOD, COD & FC	Non-Complying FC

### STP Standard

Parameter	Unit	Hon'ble NGT Vide order 30.04.2019	MoEF&CC norms dated 13.10.2017
pH	–	5.5 — 9.0	5.5 — 9.0
TSS	mg/L	20	<100

Parameter	Unit	Hon'ble NGT Vide order 30.04.2019	MoEF&CC norms dated 13.10.2017
BOD	mg/L	10	30
COD	mg/L	50	–
FC	MPN/100m1	230	<1000

(The Copy of STPs Sample test report provided by UPPCB letters of Regional Officer UPPCB is filed herewith and marked as **Annexure No. 5.**)

### REPORT ON LEGACY WASTE STATUS IN MIRZAPUR

7. That it is respectfully submitted that the Nagar Palika Parishad, Mirzapur has submitted relevant information concerning **legacy waste**, MSW / C&D Waste. Details are annexed as **Annexure no.6.**

District	MSW (TPD)		C&D Waste (TPD)		Legacy Waste (TPD)	
	Generation	Treatment	Generation	Treatment	Total Quantity	Treatment Quantity
<b>Mirzapur</b>	94	70	1.5	1.5	1 Lakh Tonne	8803 Metric Tonne

(Elaboration: This data indicates an generation of 94 TPD of Municipal Solid Waste, all of which is 70 TPD is reported treated, and 1.5 TPD of Construction & Demolition Waste, which is also treated in full. The total quantity of legacy waste is 1Lakh Tonne, with 8803 Metric Tonne TPD treated so far. The remainder is subject to new disposal strategies dependent on funds. Every ULBs have collection and sorting Facility for disposal of C& D waste generated.

### DETAILS OF SOLID WASTE PROCESSING PLANT OPERATED BY NAGAR PALIKA PARISHAD/NAGAR PALIKA, MIRZAPUR

- 9.Name of MRF Centers operational in Mirzapur are as follows :-

- i. Tand Gaon Mirzapur,
- ii. Vindhyachal.
- iii. Sirsi Gahrwar.
- iv. Sirsi Baghel.
- v. Mahuarua .
- vi. Vindhyachal-2.
- vii. Samaspur Chunar.
- viii. Hinauta, Ahraura.

(Elaboration: The ULBs runs a Materials Recovery Facility with a capacity of 94 TPD, a C&D processing plant capable of handling 1.5 TPD.

### REPORT OF MINING IN MIRZAPUR NAGAR

8. The letters of District Mining Officer, Mirzapur filed herewith and marked as **Annexure No. 7**, indicate the following details on mining activities in Mirzapur:

District	No. of Mines	Nature of Mines	Name & Address of Mining Lease	Status of Environment Clearance by SEIAA	Status of Consent to Operate (CTO) certificate	Status of Mining activities (Operational/Not operational)
Mirzapur	03	Ordinary Sand 03 Nos. of Running Lease Ordinary Sand at Ganga River	Details Annexed as Annexure No.7	Yes	Yes	operational Lease

(Elaboration: 03 Nos. of operational mining lease for Ordinary Sand is under valid Environment Clearance and has Consent to Operate certificate.

## **REPORT OF REGULATION OF FLOOD PLAIN ZONE IN MIRZAPUR**

9. The letters of **Executive Engineer, Mirzapur, Canal division, Mirzapur information** is filed herewith and marked as **Annexure No. — 8**. Executive Engineer, Mirzapur, Canal division, Mirzapur informed that for flood zone site Latitude and longitude report has been send to Superintendent Engineer, Irrigation Work, Mandal, Varanasi.
  
10. The Government of Uttar Pradesh has issued a notification declaring certain areas along the Ganga as flood plain zones, with pillars demarcating a “no development zone” and a separate “regulatory zone.” For Ganga River , letters have been sent to the Superintendent Engineer, Irrigation Work, Mandal, Varanasi regarding demarcation.

## **BIOMEDICAL WASTE MANAGEMENT**

11. Status of Health Care Facilities, Biomedical Waste generation, in Mirzapur is given in tabular form below. The **Regional Officer, UPPCB Sonbhadra** has provided these details (filed herewith and marked as **Annexure No. 9**). HCFs-396, Waste Generated & treated 888.68 KG/Day send there BMW to authorised CBWTF for proper disposal of BMW generated. There is no any CBWTF in jurisdiction of Regional Office, UPPCB, Sonbhadra.

Action Points	Situation/Gaps	Status
<b>Biomedical Waste</b>	No. of Health Care Facilities	367
	No. of Beds	3217
	Total BMW Generated	882.73 Kg/Day
<b>Additional Data Needs</b>	Hazardous waste points; generation (TPA)	Hazardous Waste industries:-26 Nos. There is no any TSDF in jurisdiction of Regional Office, UPPCB, Sonbhadra. Industries Generated Hazardous waste Send to Authorized TSDF for proper disposal
	Total BMW treated (TPA)	There is no any CBWTF in the jurisdiction of RO UPPCB, Sonbhadra. HCFs send their BNW to authorized CBWTF for proper disposal of BMW Generated
	Total Untreated BMW (TPA)	Nil
	Nil	1597
	No. of CBWTF in district	Nil
	Illegal disposal sites / sources	HCFs send their BNW to authorized CBWTF for proper disposal of BMW Generated
<b>Action Points</b>	<b>Situation/Gaps</b>	<b>Status</b>
<b>Biomedical Waste</b>	No. of Health Care Facilities	367

(Elaboration: There are **367** healthcare facilities in total, 56 Government HCFs and **311 Pvt. HCFs**. The daily Biomedical Waste (BMW) generation is **882.73 kg**. There is no any CBWTF in the jurisdiction of RO UPPCB, Sonbhadra. HCFs send their BNW to authorized CBWTF for proper disposal of BMW Generated

12. In light of the above submissions and ongoing compliance efforts, it is humbly submitted that all the concerned authorities—including the departments overseeing the sewage treatment, municipal solid waste management, biomedical waste management, and flood plain demarcation—are collectively striving to fulfill the directions of the Hon'ble National Green Tribunal. All measures and action plans, as detailed herein, reflect the commitment to environmental conservation and public health protection.

13. Furthermore, the **District Magistrate**, Mirzapur, stands ever vigilant and proactive, ensuring that the directives issued by the Hon'ble NGT are strictly implemented without delay or dilution. The District Administration remains on its toes to undertake all necessary steps for the **betterment of the environment** and the **welfare of the society**, thus upholding the spirit and purpose of the Hon'ble Tribunal's orders.

**THROUGH**



Date: 13.02.2025

Place: New Delhi

**PRIYANKA SWAMI**

ADVOCATE

Counsel for STATE, Uttar Pradesh

F-13, JANGPURA, NEW DELHI 110014

E-mail: [advpriyankaswami@gmail.com](mailto:advpriyankaswami@gmail.com)

39466



**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL**  
**PRINCIPAL BENCH, NEW DELH**

**ORIGINAL APPLICATION NO. 200/2014**  
**(I.A. No. 340/2022, M.A. Nos.872/2018, 875/2014 & 480/2018)**



**IN THE MATTER OF:**

M.C.Mehta

Applicant

**Versus**


Union of India & Ors.

Respondent(s)

**AFFIDAVIT**

I, Priyanka Niranjana.....W/o Shri Manish Singh....., aged about 30.....years, presently posted as District Magistrate, Mirzapur, do hereby solemnly affirm and state on oath as under:

1. I say that I am the District Magistrate of the Respondent in the present case and as such being conversant with the facts and circumstances of the present case, I am competent to swear this affidavit.
2. That this Hon'ble National Green Tribunal, Principal Bench, New Delhi (hereinafter Hon'ble Tribunal) in above matter vide its order dated 07.01.2025 has passed the following directions:-



....."5. ***Learned Counsel for the applicant has also submitted that atleast for districts Kanpur Nagar, Fatehpur, Varanasi, Mirzapur, Ghazipur, Balia, Sambhal, Meerut and Baghpat, Chandauli, State of UP should file response as directed by order dated 06.11.2024 and disclose the complete details relating to existing drains, their tapping/untapping, STPs treating the discharge from these drains and***

14 FEB 2025


*discharge of untreated sewage in the river from the drains. Let this affidavit be filed by the State of UP within a period of two weeks.*

*6. Having regard to the issue involved in the matter the Head of the UP State Ganga Committee is directed to remain virtually present to assist the Tribunal on the next date of hearing".....*

*....."5. Learned Counsel for the applicant has also submitted that atleast for districts Kanpur Nagar, Fatehpur, Varanasi, Mirzapur, Ghazipur, 2 Balia, Sambhal, Meerut and Baghpat, Chandauli, State of UP should file response as directed by order dated 06.11.2024 and disclose the complete details relating to existing drains, their tapping/untapping, STPs treating the discharge from these drains and discharge of untreated sewage in the river from the drains. Let this affidavit be filed by the State of UP within a period of two weeks*

*6. Having regard to the issue involved in the matter the Head of the UP State Ganga Committee is directed to remain virtually present to assist the Tribunal on the next date of hearing.*

*7. List on 17.02.2025"*



In Compliance of direction issued by Hon'ble NGT in above matter vide its order dated 20.01.2025, the compliance status along with the supporting documents is being attached.

14 FEB 2025

4. That the Annexure annexed to the present accompanying Affidavit is true copy of their respective original.
5. That the present affidavit on behalf of the District Magistrate, Mirzapur is submitted before this Hon'ble Tribunal for kind perusal and consideration.

DEPONENT

**VERIFICATION:**

Verified at Mirzapur on this the 14 day of February, 2025 that the contents of above affidavit are true and correct to my knowledge based on records and information received and believed to be true, no part of it is false and nothing material has been concealed therefrom.

**DEPONENT**

SL.N. (09)

Witnessed by Deponent before and  
counselled by Advocate Shri  
NAGEENA Advocate (Notary  
Govt of INDIA) Mirzapur (U.P.)



14 FEB 2025

## Ganga pollution Control Unit, U.P. Jal Nigam(Rural), Varanasi

Sl no	District	Name of Drain	District/Town	Tapped or Untap	Sewage discharge from the Drain	STP/ drain is proposed to be connected after	LAND/ Status of Land allotted for STP	FUND Status of funds provided for the STP	Timeline for making the STP functional	Timeline for completing the household connectivity to that STP
		I	II	III	IV		V		VI	VII
1	Mirzapur	Bisundarpur Drain	Mirzapur, Nagar Palika Parishad	Untapped	1.58	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
2	Mirzapur	Hanumanghat Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.68	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
3	Mirzapur	Public club Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.6	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
4	Mirzapur	Barahmilia Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.39	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
5	Mirzapur	District judge Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.4	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
6	Mirzapur	Lift cannal Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.4	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
7	Mirzapur	rrigation colony Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.03	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025
8	Mirzapur	MorchaGhar Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.64	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completd by May-2025

9	Mirzapur	Ghoreshahid Drain	Mirzapur, Nagar Palika Parishad	Tapped	5	8.5 MLD STP Bisunderpur	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
10	Mirzapur	konia	Mirzapur, Nagar Palika Parishad	Tapped	0.02	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
11	Mirzapur	Balaji temple	Mirzapur, Nagar Palika Parishad	Untapped	2.2	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
12	Mirzapur	Chorawa	Mirzapur, Nagar Palika Parishad	Untapped	0.25	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
13	Mirzapur	Kachari Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.2	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
14	Mirzapur	Oliyar	Mirzapur, Nagar Palika Parishad	Tapped	0.31	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
15	Mirzapur	Sundar	Mirzapur, Nagar Palika Parishad	Tapped	0.24	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
16	Mirzapur	Badali	Mirzapur, Nagar Palika Parishad	Tapped	0.39	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
17	Mirzapur	Narghat	Mirzapur, Nagar Palika Parishad	Tapped	0.78	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
18	Mirzapur	Khandawa	Mirzapur, Nagar Palika Parishad	Tapped	9.42	22.5 MLD STP Pakka Pokhara	Completed Project	Completed Project	Operational	Project of sewerage network and house connection in progress by UPJN(Urban) and expected to be completed by May-2025
19	Mirzapur	Basvariya Drain	Mirzapur, Nagar Palika Parishad	apping not require	1.13	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.

20	Mirzapur	DiwanGhat new Drain	Mirzapur, Nagar Palika Parishad	apping not require	0.02	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
21	Mirzapur	BalughatKacha Drain	Mirzapur, Nagar Palika Parishad	apping not require	0.01	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
22	Mirzapur	Malhaya Drain	Mirzapur, Nagar Palika Parishad	apping not require	0.27	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
23	Mirzapur	ingra (manasarovar) D	Mirzapur, Nagar Palika Parishad	apping not require	0.74	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
24	Mirzapur	DiwanGhat old Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.1	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
25	Mirzapur	BalughatPakka Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.17	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
26	Mirzapur	Parasuram Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.39	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
27	Mirzapur	Gudara Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.2	07 MLD STP vindhyanchal	Completed Project	Completed Project	Operational	Household Connections completed under AMRUT.
28	Mirzapur	TAMBALGANJ NALA	Nagar Palika Parishad, Chunar	Untapped	0.046	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
29	Mirzapur	DARGAHSHAREEF NALA	Nagar Palika Parishad, Chunar	Untapped	0.319	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
30	Mirzapur	BHAIRAMGANJ EAST NALA	Nagar Palika Parishad, Chunar	Untapped	0.081	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

31	Mirzapur	BHAIRAMGANJ WEST NALA	Nagar Palika Parishad, Chunar	Untapped	0.062	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
32	Mirzapur	TEKAUR BASTI NORTH	Nagar Palika Parishad, Chunar	Untapped	0.099	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
33	Mirzapur	TEKAUR BASTI SOUTH	Nagar Palika Parishad, Chunar	Untapped	0.098	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
34	Mirzapur	SANTOSHI MATA MANDIR NALA	Nagar Palika Parishad, Chunar	Untapped	0.125	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
35	Mirzapur	POST OFFICE SOUTH DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.393	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
36	Mirzapur	POST OFFICE NORTH DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.335	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
37	Mirzapur	GANGESHWAR NISHAD PARK DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.088	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
38	Mirzapur	BALUGHAT DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.085	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
39	Mirzapur	BELBEER GHAT DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.042	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
40	Mirzapur	CHOURA MATA DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.125	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
41	Mirzapur	KASHI RAM AWAS DRAIN	Nagar Palika Parishad, Chunar	Untapped	0.377	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

42	Mirzapur	NAGARPUR	Nagar Palika Parishad, Chunar	Untapped	0.091	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
43	Mirzapur	TEAKAUR NAGARPUR	Nagar Palika Parishad, Chunar	Untapped	0.100	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
44	Mirzapur	BHARATPUR KABRISTAN	Nagar Palika Parishad, Chunar	Untapped	0.154	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
45	Mirzapur	BHARATPUR TRIMOHANI	Nagar Palika Parishad, Chunar	Untapped	0.134	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
46	Mirzapur	SADDUPUR NAIPURWA	Nagar Palika Parishad, Chunar	Untapped	0.960	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
47	Mirzapur	PASHU CHIKITSALAYA	Nagar Palika Parishad, Chunar	Untapped	0.126	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
48	Mirzapur	NAGAR PALIKA	Nagar Palika Parishad, Chunar	Untapped	0.224	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA
49	Mirzapur	PARADE GROUND	Nagar Palika Parishad, Chunar	Untapped	0.300	10 KLD FSTP has been constructed .	Completed Project	Completed Project	Operational	NA

**Note:** 1. For tapping of drains mentioned at S. No. 1, 2,11 & 12, Proposal is sent to NMCG for approval. Work shall be completed within 03 months of approval.

2. `

B. Summary of Tapping Status										
Total	Tapped	Partially Tapped	Total Treated Sewage of partially tapped drain(MLD)	Total Untreated Sewage of partially tapped drains	Untapped	Total Sewage Generation (MLD)	Total Treated (MLD)	Total Untreated Sewage (MLD)	Remark	

Drains (No.s) Discharge MLD	49	18	0	0	0	31	33.92	26	6.88	<p>1. Works for sewerage network and sewerage house connection is in progress and expected to be completed by May-2025.</p> <p>2. Drains mentioned at S. No. 19 to 27 are in Vindhyanchal Area for which construction of 07 MLD STP, Sewerage network and house connection is completed, thus there is no requirement of tapping of these drains.</p> <p>3. For tapping of drains mentioned at S. No. 1, 2, 11 &amp; 12, proposal is sent to NMCG for approval. Work shall be completed within 03 months of approval.</p> <p>4. Chunar Nagar Palika Parishad is covered with septic tanks and 10 KLD FSTP is operational. Thus, tapping of these 22 drains is not required.</p>
-----------------------------------	----	----	---	---	---	----	-------	----	------	---

C: List of STPs in Mirzapur										
S.No	STP	Capacity (MLD)	Utilization Capacity (MLD)	Operational Status	No of Drains tapped in	Compliance Status w.r.t Hon'ble NGT Vide order 30.04.2019	Compliance Status w.r.t MoEF&CC norms dated 13.10.2017			
1	Pakka Pokhara	14	14	Operational	7	Not Compliant	Compliant			
2	Pakka Pokhara	8.5	6	Operational		Compliant	Compliant			
3	Bisundarpur	8.5	6	Operational	7	Compliant	Compliant			
4	Vindhynchal	7	4	Operational	4					
5	FSTP Chunar	0.001	0.009	Operational	-	Compliant	Compliant			

**Construction Division, UP Jal Nigam (Urban) , Mirzapur**

**IN THE MATTER OF O.A. NO. 200 OF 2014 M.C. MEHATA VERSUS UNION OF INDIA & ORS.**

**District-Mirzapur**

**A- Sewer line Network connected to (14 MLD STP, 8.50 MLD STP) at Pakka Pokhara and 8.50 MLD STP at Visundarpur NPP Mirzapur.**

1. Mention length of Sewer network:- 192.20 KM
2. Mention length of Sewer network to be proposed:- 10.80 KM (Timeline- May 2025)
3. No of households to connected:- 5650 Nos.
4. Number of households yet to be connected:- 20815 Nos. (Timeline - May 2025)

**B- Sewer line Network connected to 7 MLD STP at Vindhyachal zone in NPP Mirzapur.**

1. Mention length of Sewer network:- 25.60 KM
2. No of households to connected:- 4001 Nos.

**MC MEHTA vs. UOI**  
**OA. NO. 200 OF 2014**  
**STATE OF UTTAR PRADESH**

DISTRICT NAME - MIRZAPUR

The information be provided in the following tabulated form:

Sl.No.	Name of Drain	District/ Town	If tapped or untapped	Quantity of sewage discharge d from the drain	STP to which the drain is proposed to be connected after tapping	Status of land allotted for STP	Status of funds provided for the STP	Timeline for making the STP functional	Timeline for completing the household connectivity to that STP
1	Bisundarpur Drain	Mirzapur, Nagar Palika Parishad	Untapped	1.580	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
2	Hanumanghat Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.680	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
3	Public club Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.600	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
4	Barahmiliah Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.390	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.

5	District judge Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.400	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
6	Lift cannal Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.400	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
7	Irrigation colony Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.030	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
8	MorchaGhar Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.640	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
9	Ghoreshahid Drain	Mirzapur, Nagar Palika Parishad	Tapped	5.000	8.5 MLD STP Bisunderpur	Completed	Completed	Operational	Related area household connected to Sewer Network.
10	konia	Mirzapur, Nagar Palika Parishad	Tapped	0.020	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
11	Balaji temple	Mirzapur, Nagar Palika	Untapped	2.200	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to

		Parishad							Sewer Network.
12	Chorawa	Mirzapur, Nagar Palika Parishad	Untapped	0.250	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
13	Kachari Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.200	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
14	Oliyar	Mirzapur, Nagar Palika Parishad	Tapped	0.310	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
15	Sundar	Mirzapur, Nagar Palika Parishad	Tapped	0.240	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
16	Badali	Mirzapur, Nagar Palika Parishad	Tapped	0.390	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
17	Narghat	Mirzapur, Nagar Palika Parishad	Tapped	0.780	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.

18	Khandawa	Mirzapur, Nagar Palika Parishad	Tapped	9.420	22.5 MLD STP Pakka Pokhara	Completed	Completed	Operational	Related area household connected to Sewer Network.
19	Basvariya Drain	Mirzapur, Nagar Palika Parishad	Untapped	1.130	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
20	DiwanGhat new Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.020	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
21	BalughatKacha Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.010	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
22	Malhaya Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.270	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
23	Patengra (manasarovar) Drain	Mirzapur, Nagar Palika Parishad	Untapped	0.740	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
24	DiwanGhat old Drain	Mirzapur, Nagar Palika	Tapped	0.100	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to

		Parishad							Sewer Network.
25	BalughatPakka Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.170	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
26	Parasuram Drain	Mirzapur, Nagar Palika Parishad	Tapped	1.390	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.
27	Gudara Drain	Mirzapur, Nagar Palika Parishad	Tapped	0.200	07 MLD STP vindhyanchal	Completed	Completed	Operational	Related area household connected to Sewer Network.

**Remarks-** Sl. No. 01, 02, 11, 12 drains tapping proposal has been approved by NMCG on 30-12-2024 tapping will be completed within 02 months.

Currently untapped drains are under Bioremediation done by Nagar Palika Mirzapur.

  
**PROJECT ENGINEER**  
 GANGA POLLUTION PREVENTION UNIT  
 UP JAL NIGAM (RURAL), VARANASI

  
**Executive Engineer**  
 Construction Division  
 U.P. Jal Nigam (Urban)  
 Mirzapur

## कार्यालय नगर पालिका परिषद चुनार, मीरजापुर

सेवा में,

प्रभागीय निदेशक,  
सामाजिक वानिकी प्रभाग,  
मीरजापुर।

पत्रांक- 315 / न0पा0प0चुनार-2025

दिनांक- 13 .01.2025

**विषय:** मा0 राष्ट्रीय हरित अभिकरण नई दिल्ली के ओ0ए0 संख्या 200/2014 एमसी मेहता बनाम यूनियन ऑफ इंडिया एवं अन्य में पारित आदेश के सम्बंध में।

महोदय,

उपरोक्त विषयक मा0 राष्ट्रीय हरित अभिकरण नई दिल्ली के ओ0ए0 संख्या 200/2014 एमसी मेहता बनाम यूनियन ऑफ इंडिया एवं अन्य में पारित आदेश के क्रम में सूचना चाही गई है।

उक्त के क्रम में इस कार्यालय से सम्बंधित प्रपत्र पर वांछित सूचना संलग्न कर अग्रेतर आवश्यक कार्यवाही हेतु प्रेषित है।

संलग्नक- उपरोक्तानुसार।

  
अधिसासी अधिकारी  
नगर पालिका परिषद चुनार  
मीरजापुर

प्रतिलिपि- क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियन्त्रण बोर्ड, मीरजापुर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

अधिसासी अधिकारी  
नगर पालिका परिषद चुनार  
मीरजापुर

## कार्यालय नगर पालिका परिषद चुनार, मीरजापुर

सेवा में,

प्रभागीय निदेशक,  
सामाजिक वानिकी प्रभाग,  
मीरजापुर।

पत्रांक- 315 / न0पा0प0चुनार-2025

दिनांक- 13 .01.2025

**विषय:** मा0 राष्ट्रीय हरित अभिकरण नई दिल्ली के ओ0ए0 संख्या 200/2014 एमसी मेहता बनाम यूनियन ऑफ इंडिया एवं अन्य में पारित आदेश के सम्बंध में।

महोदय,

उपरोक्त विषयक मा0 राष्ट्रीय हरित अभिकरण नई दिल्ली के ओ0ए0 संख्या 200/2014 एमसी मेहता बनाम यूनियन ऑफ इंडिया एवं अन्य में पारित आदेश के क्रम में सूचना चाही गई है।

उक्त के क्रम में इस कार्यालय से सम्बंधित प्रपत्र पर वांछित सूचना संलग्न कर अग्रेतर आवश्यक कार्यवाही हेतु प्रेषित है।

संलग्नक- उपरोक्तानुसार।

अधिशायी अधिकारी  
नगर पालिका परिषद चुनार  
मीरजापुर

प्रतिलिपि- क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियन्त्रण बोर्ड, मीरजापुर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

अधिशायी अधिकारी  
नगर पालिका परिषद चुनार  
मीरजापुर

## ULB-Nagar Palika Parishad Chunar, Mirzapur

MC Mehta Vs O.A. No. 200 of 2014 State of Uttar Pradesh

S.N.	Name Of Drain	Town	Tapped or Untapped	Quantity Of Sewe discharge from the Drain (in MLD	STP/Land/Fund			Timeline for making the STP functional	Timeline for Completing the household Connectivity to that STP
					STP to which the drain is proposed to be connected after tapping	Status of land allotted for STP	Status of funds provided for the STP		
1	Santoshi Mata Mandir Nala	Chunar	Untapped Note- By placing iron mesh on the mouth of all drains. Solid waste is prevented from flowing into the Ganga and the water coming out of the mesh is purified through bioremediation process and release into the Ganga.	0.125	STP is not proposed	Land Not Allotted	Fund Not Allotted	No Timeline determined	No Timeline determined
2	Post Office South Nala			0.393					
3	Post Office North Nala			0.335					
4	Nishadraj Park Nala, Gangeshwarnath			0.068					
5	Balughat Nala			0.085					
6	Belbir Ghat Nala			0.042					
7	Chaura Mata Mandir Nala			0.125					
8	Kashiram Awas Nala			0.377					
9	Nagarpur Nala			0.091					
10	Tekaur Nagarpur Nala			0.100					
11	Bharpur Trimuhani Nala			0.134					
12	Saddupur Naipurwa Nala			0.960					
13	Pashu Chikitsalay Nala			0.126					
14	Nagar Palika Nala			0.224					
15	Pared Ground Nala			0.300					

नोट- नगर पालिका परिसर चुनार सीमांतगत सभी 15 नालों पर बायोरेमिडिएशन का कार्य निकिया द्वारा स्वयं कराया जा रहा है।

  
 Executive Officer  
 Nagar Palika Parishad Chunar  
 Mirzapur



**CENTRAL LABORATORY**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
**Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010**



**TEST REPORT: WASTE WATER LABORATORY**

**Ref No: 28995635/Sonebhadra/2024**

**Date:04/12/2024**

- 1- **Name of Industry:** 07 MLD STP Vindhyachal, Mirzapur, Ganga Pollution Control Board, 07 MLD STP Vindhyachal, Mirzapur (U.P. Jal Nigam (Nagariy))
- 2- **Address of Industry:** Ganga Pollution Control Board, 07 MLD STP Vindhyachal, Mirzapur (U.P. Jal Nigam (Nagariy))
- 3- **District:** Mirzapur
- 4- **Description about sampling point:** Final Outlet of STP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Dilbag Yadav F.A. & Manoj Kumar F.A.
- 7- **Colour and Odour:** Clear None
- 8- **Quantity and Packing:** 02 Litres Plastic Jerican & MPN Bottle
- 9- **Date of Sample Collection:** 12/11/2024
- 10- **Analysis Indented by:** RO Sonebhadra
- 11- **Date of sample receipt in Lab:** 13/11/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.28	As per MoEF&CC/CPCB	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	64.0	"	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	140000	"	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	17000	"	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	23.0	"	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	102.0	"	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

**Remark: NA**

**Analysed by-**  
**[Rajesh Agarwal (SA)]**

**Authorized by**  
**Reeta Keshav**  
Digitally signed by Reeta Keshav  
Date: 2024.12.04 15:26:05 +05'30'  
**Reeta Keshav (ASO)**

**IMRAN AHMAD KHAN**  
Digitally signed by IMRAN AHMAD KHAN  
Date: 2024.12.04 15:26:23 +05'30'  
**Chief Environmental Officer  
Central Laboratory**

**General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986**

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatablea solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5°C above receiving water temperature	-	-	Shall not exceed 5°C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NH3)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[ 3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Murcury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.
2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.
3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.
4. Besides these standards, refer EPA standards for specific industry Source (1):  
<https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=>  
 (2) [cpcb.nic.in/Industry\\_Specific\\_Standards.php](https://cpcb.nic.in/Industry_Specific_Standards.php)



**CENTRAL LABORATORY**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



**TEST REPORT: WASTE WATER LABORATORY**

**Ref No: 28995682/Sonebhadra/2024**

**Date:04/12/2024**

- 1- **Name of Industry:** 8.5 MLD STP MIRZAPUR GHAZIPUR STPS PRIVATE LIMITED, PAKKA POKHARA STPCAMPUS MIRZAPUR UTTARPRADESH,MIRZAPUR,231001
- 2- **Address of Industry:** PAKKA POKHARA STPCAMPUS MIRZAPUR UTTARPRADESH,MIRZAPUR,231001
- 3- **District:** Mirzapur
- 4- **Description about sampling point:** Final Outlet of STP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Dilbag Yadav F.A. & Manoj Kumar F.A.
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 02 Litres Plastic Jerican & MPN Bottle
- 9- **Date of Sample Collection:** 12/11/2024
- 10- **Analysis Indented by:** RO Sonebhadra
- 11- **Date of sample receipt in Lab:** 13/11/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.32	As per MoEF&CC/CPCB	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	64.0	"	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	540000	"	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	170000	"	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	25.0	"	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	89.0	"	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

**Remark:** NA

**Analysed by-**  
**[Jyoti Tiwari (SA)]**

**Authorized by**  
 Digitally signed by  
 Reeta Keshav  
 Date: 2024.12.04  
 15:31:48 +05'30'  
**Reeta Keshav (ASO)**

**IMRAN**  
 Digitally signed by  
 IMRAN AHMAD KHAN  
 Date: 2024.12.04  
 15:32:04 +05'30'  
**AHMAD KHAN**  
**Chief Environmental Officer**  
**Central Laboratory**

**General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986**

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatablea solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5°C above receiving water temperature	-	-	Shall not exceed 5°C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NH3)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[ 3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Murcury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.
2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.
3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.
4. Besides these standards, refer EPA standards for specific industry Source (1):  
<https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=>  
 (2) [cpcb.nic.in/Industry\\_Specific\\_Standards.php](https://cpcb.nic.in/Industry_Specific_Standards.php)



**CENTRAL LABORATORY**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



**TEST REPORT: WASTE WATER LABORATORY**

**Ref No: 28995720/Sonebhadra/2024**

**Date:02/12/2024**

- 1- **Name of Industry:** 8.5 MLD STP MIRZAPUR GHAZIPUR STPs PRIVATE LIMITED, 8.5 MLD STP Plant Bisunderpur Mirzapur Uttar Pradesh,MIRZAPUR,231001
- 2- **Address of Industry:** 8.5 MLD STP Plant Bisunderpur Mirzapur Uttar Pradesh,MIRZAPUR,231001
- 3- **District:** Mirzapur
- 4- **Description about sampling point:** Final Outlet of STP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Dilbag Yadav F.A. & Manoj Kumar F.A.
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 02 Litres Plastic Jerican & MPN Bottle
- 9- **Date of Sample Collection:** 12/11/2024
- 10- **Analysis Indented by:** RO Sonebhadra
- 11- **Date of sample receipt in Lab:** 13/11/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.39	5.5-9.0	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	55.0	100	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	68.0	-	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	20	230	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	20.0	30	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	78.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

**Remark:** NA

**Analysed by-**  
**[Jyoti Tiwari (SA)]**

Reeta Keshav  
 Digitally signed by Reeta Keshav  
 Date: 2024.12.02 13:15:44 +05'30'  
 Reeta Keshav (ASO)

IMRAN AHMAD KHAN  
 Digitally signed by IMRAN AHMAD KHAN  
 Date: 2024.12.02 13:15:59 +05'30'  
 Chief Environmental Officer  
 Central Laboratory

**General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986**

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatablea solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5°C above receiving water temperature	-	-	Shall not exceed 5°C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NH3)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[ 3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Murcury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.

2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.

3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.

4. Besides these standards, refer EPA standards for specific industry Source (1):

<https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=>

(2) [cpcb.nic.in/Industry\\_Specific\\_Standards.php](https://cpcb.nic.in/Industry_Specific_Standards.php)



**CENTRAL LABORATORY**  
**UTTAR PRADESH POLLUTION CONTROL BOARD**  
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



**TEST REPORT: WASTE WATER LABORATORY**

**Ref No: 28995650/Sonebhadra/2024**

**Date:04/12/2024**

- 1- **Name of Industry:** 14 MLD UASB STP MIRZAPUR GHAZIPUR STPs PVT LTD, 14 MLD UASB Based STP PAKKA POKHARA MIRZAPUR UTTAR PRADESH,MIRZAPUR,231001
- 2- **Address of Industry:** 14 MLD UASB Based STP PAKKA POKHARA MIRZAPUR UTTAR PRADESH,MIRZAPUR,231001
- 3- **District:** Mirzapur
- 4- **Description about sampling point:** Final Outlet of STP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Dilbag Yadav F.A. & Manoj Kumar F.A.
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 02 Litres Plastic Jerican & MPN Bottle
- 9- **Date of Sample Collection:** 12/11/2024
- 10- **Analysis Indented by:** RO Sonebhadra
- 11- **Date of sample receipt in Lab:** 13/11/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.20	As per MoEF&CC/CPCB	02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	58.0	"	10-20000 mg/l
Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	160000	"	<1.8 MPN/100 ml & above
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	24000	"	<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 ( Part 44): 1993 Bio 2023	mg/l	21.1	"	1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	86.0	"	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: [www.cpcb.nic.in/GeneralStandards.pdf](http://www.cpcb.nic.in/GeneralStandards.pdf). Besides these standards, refer EPA standards for specific purpose

\*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

**Remark:** NA

**Analysed by-**  
**[Rajesh Agarwal (SA)]**

**Authorized by**  
 Reeta  
 Keshav  
 Reeta Keshav (ASO)

Digitally signed by Reeta Keshav  
 Date: 2024.12.04 +05'30'

IMRAN  
 AHMAD KHAN  
 Chief Environmental Officer  
 Central Laboratory

Digitally signed by IMRAN AHMAD KHAN  
 Date: 2024.12.04 15:34:37 +05'30'

**General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986**

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatablea solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5°C above receiving water temperature	-	-	Shall not exceed 5°C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NH3)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[ 3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Murcury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>	10 <sup>-8</sup> 10 <sup>-7</sup>	10 <sup>-7</sup> 10 <sup>-6</sup>
35	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

# 39495

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.

2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.

3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.

4. Besides these standards, refer EPA standards for specific industry Source (1):

<https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=>

(2) [cpcb.nic.in/Industry\\_Specific\\_Standards.php](https://cpcb.nic.in/Industry_Specific_Standards.php)

**In Compliance of Hon'ble NGT in the matter of O.A. No. 200/2014 M.C. Mehata Vs Union of India & Ors.**

**NAGAR PALIKA PARISHAD-MIRZAPUR**

**D: Report of the Appellant**

District	MSW	/ C&D Waste	Legacy Waste	Hotels/Ashrams
Mirzapur	No. of Units generating MSW/C & D Waste-Information to be provided by UPPCB or Urban Development Department		Information to be provided by UPPCB or Urban Development Department	Information to be provided by UPPCB or Urban Development Department
	1. MSW Waste generation:- .....94.....TPD 2. treatment of MSW Generated:-....70.TPD, 3.Name of MRF Centers:- 1-Tand Gaon Mirzapur, 2- Vindhyachal, 3- Sirsi Gahrwar 4- sirsi Baghel 5-Mahuaria 6- Vindhyachal_2 7-Samaspur Chunar 8- Hinauta, Ahraura	1. C&D Waste generation:- 1.5(TPD) 2. treatment of C&D waste Generated:-1.5 TPD, 3.Name of C&D Facility:- ULB of Mirzapur have collection and sorting Facility for disposal of C& D Waste	1. Total legacy waste:- 1Lakh.Tonne 2.Legacy Waste treated:- 8803 Metic Tonne	1. No of Hotels:-60 Nos. 2.Total Waste Generated by Hotels:-1500 KG per Day 3. total waste collected 1500.....KG/Day and treated1500 KG/Day

39497

67

जनपद मीरजापुर में साधारण बालू (गंगा नदी) के स्वीकृत खनन पट्टों का विवरण

Annexure No.7

क्र० सं०	पट्टा का नाम व पता	खनन क्षेत्र का विवरण				खनन पट्टे की अवधि	
		तहसील	ग्राम	गाटा सं०/ख०सं०	क्षेत्रफल (हे० में)	कब से	कब तक
		3	4	5	6	7	8
1	मे० एच०पी० ट्रेडर्स प्रो० श्री हौसिला प्रसाद दूबे पुत्र श्री आदित्य नारायण दूबे निवासी ग्राम रामपुर, पोस्ट कोल्हुआ, थाना चील्ह, तहसील सदर, जनपद मीरजापुर।	सदर	बैसुकिया	494ग/2	12.35	05.01.2022	04.01.2027
2	श्री सुजीत कुमार सिंह पुत्र श्री जगदम्बा सिंह निवासी हिनौता, मीरजापुर।	सदर	नदिनी	2/4	5.00	14.12.2022	13.12.2027
3	मे० विधाता एसोसिएट्स प्रो० श्रीमती माधुरी सिंह पत्नी श्री रविन्द्र कुमार सिंह निवासी बी-30/107, चम्पाकुंज, नगवां, जनपद वाराणसी।	चुनार	बसारतपुर	140/3 व 4	9.00	15.05.2023	14.05.2028

पत्रांक :- 440 /मी0न0प्र0मी0/नमामि गंगे/दिनांक 11, फरवरी, 2025

विषय:- मा0 राष्ट्रीय अधिकरण, नई दिल्ली में योजित ओ0 ए0 संख्या-200/2014 एम0 सी0 मेहता बनाम यूनियन ऑफ इण्डिया एवं अन्य में पारित आदेश के संबंध में।

**क्षेत्रीय अधिकारी उ0 प्र0 प्रदूषण नियंत्रण बोर्ड, सोनभद्र।**

उपरोक्त विषयक अपने पत्र संख्या-G0128/O.A. No. 200/2025 /दिनांक 03 फरवरी 2025 का अवलोकन करने की कृपा करें जिसके द्वारा मा0 राष्ट्रीय अधिकरण, नई दिल्ली में योजित ओ0 ए0 संख्या-200/2014 एम0 सी0 मेहता बनाम यूनियन ऑफ इण्डिया एवं अन्य में पारित आदेश के संबंध सूचनाओं की वांछना की गयी है।

उक्त के अनुपालन में सन्दर्भित पत्र में उल्लिखित सम्बंधित बिन्दुओं की सूचना निम्नानुसार आपकी सेवा में प्रेषित है।

**In compliance of Hon'ble NGT in the matter of  
O.A.No.200/2014 M.C.Mehata V/s Union of India & Ors.**

**D: Report of the Appellant**

District	FPZ Demarcation/E-Flow
Mirzapur	Information to be provided by Irrigation Department
	This should include current status of Flood plain Zonation and E-Flow notification
	विषयगत प्रकरण के सम्बंध में अवगत कराना है कि सिंचाई कार्य मण्डल मीरजापुर के पत्र संख्या-2911/सिं0का0म0मी0/एफ-7 बाढ/दिनांक 28.11.2024 द्वारा गंगा नदी के तट से सम्बंधित निर्धारित फ्लड जोन की Latitude/Longitude का स्थलीय सत्यापन रिपोर्ट Whats app के माध्यम से अधीक्षण अभियन्ता सिंचाई कार्य मण्डल, वाराणसी को प्रेषित कर दी गयी है।

अधिशासी अभियन्ता  
मीरजापुर नहर प्रखण्ड,  
मीरजापुर

पत्रांक :- /मी0न0प्र0मी0/ नमामि गंगे /तदिनांक:

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. अधीक्षण अभियन्ता, सिंचाई कार्य मण्डल, मीरजापुर।
2. जिलाधिकारी, महोदया मीरजापुर।
3. मुख्य पर्यावरण अधिकारी (वृत्त-2), उ0 प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

अधिशासी अभियन्ता  
मीरजापुर नहर प्रखण्ड,  
मीरजापुर

## REGIONAL OFFICE U.P.POLLUTION CONTROL BOARD, SONBHADRA

## Status of District- Mirzapur of Bio-Medical Waste Status of HCFs

Sl. NO	Circle	Name of Regional Office	Name of District	Name & Add. of HCFs	Private/ Government	No. Of Beds	Quantity of Waste (kg/day)	Treatment facility CBWTF/Captive/No
1	2	3	4	5	6	7	8	9
1	2	Sonbhadra	Mirzapur	M/S ANAND HOSPITAL AND MATERTIY HOME MISSION COMPOUND, RAMAIPATTI, SADAR, MIRZAPUR 231001	PVT.	10	2.5	CBWTF
2	2	Sonbhadra	Mirzapur	M/S ELITE HOSPITAL, RAMAI PATLI CHAURAHA, NEAR ABKARI BAWAN, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
3	2	Sonbhadra	Mirzapur	M/S ASHI POLY CLINIC AND LAB RAIDANI COLONY RAMBAG, DIST-MIRZAPUR	PVT.	5	0.92	CBWTF
4	2	Sonbhadra	Mirzapur	M/S G.D. MEMORIAL HOSPITAL AND DENTAL CARE NEAR, K.B.P.G. COLLEGE	PVT.	10	2.5	CBWTF
5	2	Sonbhadra	Mirzapur	M/S BAL CHIKITSALAYA AND NURSING HOME GRSAYI TOLA LAL DIGGI, DIST-MIRZAPUR	PVT.	10	1.82	CBWTF
6	2	Sonbhadra	Mirzapur	M/S KUSHBOO CHILD HOSPITAL AWAS VIKAS COLONY, DIST-MIRZAPUR	PVT.	10	2.01	CBWTF
7	2	Sonbhadra	Mirzapur	M/S ADITYA DIAGUnauthorizedSTIC AND SATYA C.T. SCAN CENTER, NEAR, LIC OFFICE RAMBAGH, DIST-MIRZAPUR	PVT.	0	2.21	CBWTF
8	2	Sonbhadra	Mirzapur	M/S VIVEKA NAND HOSPITAL AND RESEARCH CENTER, 452 AWAS VIKAS COLONY, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
9	2	Sonbhadra	Mirzapur	M/S ASHIRWAD HOSPITAL AND RESEARCH CENTER, BISHSARA, CHHANBEY, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
10	2	Sonbhadra	Mirzapur	M/S SIR GOVIND HOSPITAL (CLINIC), RATANGANJ, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
11	2	Sonbhadra	Mirzapur	M/S GOVIND HOSPITAL, 164-A RAILWAY COLONY STATION ROAD CHUNAR, MIRZAPUR	PVT.	10	1.8	CBWTF
12	2	Sonbhadra	Mirzapur	M/S KRISHNA HOSPITAL AND MEDICAL HEALTH CARE CENTRE MISSION COMPOUND, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
13	2	Sonbhadra	Mirzapur	M/S BARANWAL NURSING AND MATERNITY HOME MIJAFFARGANJ, DIST-MIRZAPUR	PVT.	6	1.5	CBWTF
14	2	Sonbhadra	Mirzapur	M/S SATYA HOSPITAL ANDMATERNITY CENTER, JAMALPUR, NARAYANPUR, DIST-MIRZAPUR	PVT.	20	5.0	CBWTF
15	2	Sonbhadra	Mirzapur	M/S PURAN HOSPITAL AND DIOGNAESTIC CENTER TRAHANA KE PICHE, PARADI CHUNAR, DIST-MIRZAPUR	PVT.	6	2.52	CBWTF
16	2	Sonbhadra	Mirzapur	M/S CITY HOSPITAL, WASHLIGANJ, BARIYAGHAT, DISTRICT-MIRZAPUR	PVT.	10	3.55	CBWTF

17	2	Sonbhadra	Mirzapur	M/S D.D. TRIPATHI MEMORIAL HOSPITAL, RAJA VIJAYPUR KOTHI, CIVIL LINE, MIRZAPUR	PVT.	10	2.5	CBWTF
18	2	Sonbhadra	Mirzapur	M/S SHREYA HOSPITAL PILI KOTHI, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
19	2	Sonbhadra	Mirzapur	M/S VARDHAMAN SURGICAL AND MATERNITY HOME, MUSAFFARGANJ, DIST-MIRZAPUR	PVT.	20	5	CBWTF
20	2	Sonbhadra	Mirzapur	M/S JEEVAN POLY CLINIC, PUTRIHA PADARI, DISTRICT-MIRZAPUR	PVT.	5	0.12	CBWTF
21	2	Sonbhadra	Mirzapur	M/S MIRZAPUR CITY HOSPITAL, BANKRAW KATARA, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
22	2	Sonbhadra	Mirzapur	M/S PRIYA CHARITAVLE HOSPITAL, NARAYANPUR, JAMALPUR, DIST-MIRZAPUR	PVT.	8	2.0	CBWTF
23	2	Sonbhadra	Mirzapur	M/S RAJESH PATHOLOGY CENTER, RIWA ROAD LALGANJ, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
24	2	Sonbhadra	Mirzapur	M/S AXIS PATH CARE DIAGUnauthorizedSTIC CENTER, DISTRICT HOSPITAL ROAD IN FRONT OF TB FOSPITAL, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
25	2	Sonbhadra	Mirzapur	M/S RAJAT PATHOLOGY CENTER, HOSPITAL ROAD, RAMBAGH, DIST-MIRZAPUR	PVT.	0	0.1	CBWTF
26	2	Sonbhadra	Mirzapur	M/S ABHISHEK X-RAY AND PATHOLOGY CENTER, NARAYANPUR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
27	2	Sonbhadra	Mirzapur	M/S SEWA SADAN HOSPITAL, BELAN, BARAUDHA, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
28	2	Sonbhadra	Mirzapur	M/S JANTA DIAGUnauthorizedSTIC CENTER, DHUNDHI KATARA, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
29	2	Sonbhadra	Mirzapur	M/S VISWASH SURGICAL HOSPITAL, RAJGARH, MIRZAPUR	PVT.	10	2.5	CBWTF
30	2	Sonbhadra	Mirzapur	M/S NEW KHUSHI POLY CLINIC, BAGHEL KI GALI, WELLESLYGANJ, DIST-MIRZAPUR	PVT.	0	0.1	CBWTF
31	2	Sonbhadra	Mirzapur	M/S HARI OM HOSPITAL, NARAYANPUR, MIRZAPUR	PVT.	4	0.6	CBWTF
32	2	Sonbhadra	Mirzapur	M/S NEW UPKAR POLYCLINIC, KALWARI, MADIHAN, DIST-MIRZAPUR	PVT.	0	1	CBWTF
33	2	Sonbhadra	Mirzapur	M/S ADITYA X-RAY AND PATHOLOGY CENTER, NARAYUANPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR	PVT.	0	0.6	CBWTF
34	2	Sonbhadra	Mirzapur	M/S SHIRI KRISHNA HOSPITAL, BAJIRAW KATARA, DIST-MIRZAPUR	PVT.	15	3.75	CBWTF
35	2	Sonbhadra	Mirzapur	M/S RELIABLE DIAGUnauthorizedSTIC CENTER, OPP. DMH NEAR CHARCH, GATE, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
36	2	Sonbhadra	Mirzapur	M/S ASHIRWAD HOSPITAL, NEAR GANGA NAHAR, NARAYANPUR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
37	2	Sonbhadra	Mirzapur	M/S SATYAM X-RAY AND PATHOLOGY CENTER, NEAR NARAYANPUR TRIMUHANI, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF

38	2	Sonbhadra	Mirzapur	M/S CHUNAR CEMENT FACTORY HOSPITAL, CHUNAR, MIRZAPUR	PVT.	5	1.25	CBWTF
39	2	Sonbhadra	Mirzapur	M/S AJANTA PATHOLOGY CENTER, GAIPURA CHAURAHA, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
40	2	Sonbhadra	Mirzapur	M/S SHUBHAM NURSHING HOME, PADARI, DIST-MIRZAPUR	PVT.	6	1.5	CBWTF
41	2	Sonbhadra	Mirzapur	MS RAM KRISHNA SEWA ASHRAM ASP, ATAL, OJHALA, VINDHYACHAL MARG, DIST-MIRZAPUR	PVT.	25	6.25	CBWTF
42	2	Sonbhadra	Mirzapur	M/S ALKA HOSPITAL, MADIHAN, DISTRICT-MIRZAPUR	PVT.	10	2.23	CBWTF
43	2	Sonbhadra	Mirzapur	M/S RAJWATI HOSPITAL, KAILAHAT BAZAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
44	2	Sonbhadra	Mirzapur	M/S NAVJEEVAN HOSPITAL, KAILAHAT BAZAR, DIST-MIRZAPUR	PVT.	35	3.71	CBWTF
45	2	Sonbhadra	Mirzapur	M/S DIVYANSH MEDICARE CENTER, JAMUI, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
46	2	Sonbhadra	Mirzapur	M/S SANTUSTI AYURVEDIK MEDICAL COLLEGE AND HOSPITAL HINAUTI, DAGMAGPUR, DIST-MIRZAPUR	PVT.	40	10	CBWTF
47	2	Sonbhadra	Mirzapur	M/S UPADHYAY CLINIC, NARAYANPUR, TEHSIL-SADAR, MIRZAPUR	PVT.	0	0.08	CBWTF
48	2	Sonbhadra	Mirzapur	M/S RAMA CLINIC, PUTALIGHAR, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
49	2	Sonbhadra	Mirzapur	M/S CARE CLINIC BAGH, KUNJAL GEER, NATAWA ROAD, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
50	2	Sonbhadra	Mirzapur	M/S ANSHIKA NETRA HOSPITAL AND UMA CHASMA GHAR, BABHANI, IMILIYA CHATTI, NARAYANPUR, DIST-MIRZAPUR	PVT.	5	1.5	CBWTF
51	2	Sonbhadra	Mirzapur	M/S RAJIYA HOSPITAL, LALGANJ, DISTRICT-MIRZAPUR	PVT.	5	1.25	CBWTF
52	2	Sonbhadra	Mirzapur	M/S SRI KAILASH DENTAL CLINIC. BAJIRAL KATRA, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
53	2	Sonbhadra	Mirzapur	M/S KESHARI HOSPITAL, NARAYANPUR ADALHAT, MIRZAPUR	PVT.	10	2.5	CBWTF
54	2	Sonbhadra	Mirzapur	M/S APEX WELFARE TRUST (EX. NAME. APEX INSTITUTE OF MEDICAL SCIENCE, SAMASHPUR, CHUNAR, DIST-MIRZAPUR	PVT.	100	25	CBWTF
55	2	Sonbhadra	Mirzapur	M/S VIVEKANAND CHIKITSALAYA, GANDHIGHAT, RIWA ROAD, BATHUWA, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
56	2	Sonbhadra	Mirzapur	M/S SURABHI MATRITVA HOSPITAL, NAINI PACHWA, ADALHAT, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
57	2	Sonbhadra	Mirzapur	M/S MAA SHARADA HOSPITAL, SHRI PATTI MOVAIYA, DIST-MIRZAPUR	PVT.	5	2	CBWTF
58	2	Sonbhadra	Mirzapur	M/S SAMRIDDHI FRACTOR HOSPITAL, MUHKUCHWA, MIRZAPUR	PVT.	10	2.5	CBWTF
59	2	Sonbhadra	Mirzapur	M/S SINGH CLINIC, NIJAMUDDINPUR, NARAYANPUR, DIST-MIRZAPUR	PVT.	0	1	CBWTF

60	2	Sonbhadra	Mirzapur	M/S NEW AYUSH HOSPITAL DADRA, NEAR PNB RAJGARH, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
61	2	Sonbhadra	Mirzapur	M/S VIVEK HOSPITAL AND SURJICAL CENTER, STATION ROAD, CHUNAR, DISTRICT- MIRZAPUR	PVT.	10	2.5	CBWTF
62	2	Sonbhadra	Mirzapur	M/S VINDHYA POLY CLINIC AND NATURO CARE CENTER, BHARUHANA, CHAURAHA, DIST- MIRZAPUR	PVT.	0	1.0	CBWTF
63	2	Sonbhadra	Mirzapur	M/S SAMARTH NURSUNG HOME, STATION ROAD, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
64	2	Sonbhadra	Mirzapur	M/S LAL PATH LAB COLLECTION CENTER, AWAS VIKAS ANGAD ROAD, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
65	2	Sonbhadra	Mirzapur	M/S SHIV WELFARE HOSPITAL, RAJGRAH, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
66	2	Sonbhadra	Mirzapur	M/S JANATA NURSHING HOME N,H,7, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
67	2	Sonbhadra	Mirzapur	M/S RIYA PATHOLOGY, BAIKUNTHPUR, NARAYANPUR, DISTRICT-MIRZAPUR	PVT.	0	0.08	CBWTF
68	2	Sonbhadra	Mirzapur	M/S ANUJ PATHOLOGY, VAKUNTHPUR, NARAYANPUR, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
69	2	Sonbhadra	Mirzapur	M/S PRAJAPATI DENTAL AND CHASMA GHAR, NAAYANPUR, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
70	2	Sonbhadra	Mirzapur	M/S KAMLESHWARI DENTAL CLINIC, STATION ROAD TEKAUR, CHUNAR, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
71	2	Sonbhadra	Mirzapur	M/S DHANWANTARI HOSPITAL, BAIKUNTHPUR, NARAYANPUR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
72	2	Sonbhadra	Mirzapur	M/S VANYA HOSPITAL, CHACHERI MOD, CHUNAR, DIST- MIRZAPUR	PVT.	6	1.5	CBWTF
73	2	Sonbhadra	Mirzapur	M/S AMBEDKAR SCAN HOSPITAL PVT.LTD. ITWA ROAD, RIVA ROAD, DIST-MIRZAPUR	PVT.	100	25.0	CBWTF
74	2	Sonbhadra	Mirzapur	M/S NEW AJANTA PATHOLOGY, REHDA KI CHUNGI, VINDHYACHAL, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
75	2	Sonbhadra	Mirzapur	M/S SHAKUNTALA CLINIC, ADALPURA, CHUNAR, DISTRICT- MIRZAPUR	PVT.	0	1.0	CBWTF
76	2	Sonbhadra	Mirzapur	M/S HEART CARE CENTRE, MATERNITY INFRATILITY HOME, LOHADI ROAD, DIST- MIRZAPUR	PVT.	10	2.5	CBWTF
77	2	Sonbhadra	Mirzapur	M/S HIMANSHU HOSPITAL, GONAURA KUSHANA, JIGNA, DIST- MIRZAPUR	PVT.	10	2.5	CBWTF
78	2	Sonbhadra	Mirzapur	M/S R.S. PATHOLOGY CENTER, SHAHAGANJ, ROAD, RAJGARH, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
79	2	Sonbhadra	Mirzapur	M/S JAYSHANKAR HOSPITAL AND RESEARCH CENTER, CHETGANJ, PARVAIYA, DIST-MIRZAPUR	PVT.	15	2.32	CBWTF
80	2	Sonbhadra	Mirzapur	M/S KACHHAWA CHRISTIAN HOSPITAL, KACHHAWA, CHUNAR, DIST-MIRZAPUR	PVT.	20	5.0	CBWTF
81	2	Sonbhadra	Mirzapur	M/S VEDANTA HOSPITAL (A UNIT OF ERCOL HEALTH CARE) JAMALPUR, NARAYANPUR, DIST- MIRZAPUR	PVT.	50	4.8	CBWTF

82	2	Sonbhadra	Mirzapur	M/S SHANTI HARI CLINIC, GAIPURA CHAURAHA, KALANA, DISTRICT-MIRZAPUR	PVT.	0	1.0	CBWTF
83	2	Sonbhadra	Mirzapur	M/S ABHISHEKH NIDAN KENDRA, BARIYA GHAT, WELLSLYAGANJ, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
84	2	Sonbhadra	Mirzapur	M/S HAYAT POLY CLINIC, HAYAT NAGAR, SABARI ROAD, DIST- MIRZAPUR	PVT.	0	1.0	CBWTF
85	2	Sonbhadra	Mirzapur	M/S JAN SWASTHYA CLINIC, HARIHARPUR, RAMAIPATTI,TEHSIL-SADAR, DIST-MIRZAPUR	PVT.	0	2.5	CBWTF
86	2	Sonbhadra	Mirzapur	M/S HARS MATERNITY AND NURSING HOME, BARIYA GHAT, WELLESLYGANJ, DIST-MIRZAPUR	PVT.	10	2.7	CBWTF
87	2	Sonbhadra	Mirzapur	M/S SAINATH HOSPITAL AND TRAUMA CENTER, VISHESWARPUR, NARAYANPUR, DIST-MIRZAPUR	PVT.	30	7.5	CBWTF
88	2	Sonbhadra	Mirzapur	M/S SHEKHAR DENTAL CLINIC, ADALHAT, TEHSIL-CHUNAR, MIRZAPUR	PVT.	0	0.1	CBWTF
89	2	Sonbhadra	Mirzapur	M/S RAJ PATHOLOGY, RAJGARH, MADIHAN,DIST-MIRZAPUR	PVT.	0	0.1	CBWTF
90	2	Sonbhadra	Mirzapur	M/S VAISHNAVI CLINIC, OPPOSITE DIST HOSPITAL, RAMBAGH, DIST- MIRZAPUR	PVT.	0	1	CBWTF
91	2	Sonbhadra	Mirzapur	M/S JEEWAN JYOTI MATERNITY AND NURSHING HONEY SUKLHA CHAURAHA, BINANI COLLEGE ROAD. DIST-MIRZAPUR	PVT.	12	3.0	CBWTF
92	2	Sonbhadra	Mirzapur	M/S MAA SEETA HOSPITAL AND FRACTURE CLINIC, TEHSIL CHAURAHA, POLICE LINE ROAD, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
93	2	Sonbhadra	Mirzapur	M/S ANAND MEMORIAL HEALTH CARE CENTER, BHARPUR LINE CHUNAR, DIST-MIRZAPUR	PVT.	15	3.75	CBWTF
94	2	Sonbhadra	Mirzapur	M/S GRAMINANCHAL SWASTHAYA CHIKITSA SIKSHA SAMIT, AHRAURA, CHUNAR, MIRZAPUR	PVT.	10	2.5	CBWTF
95	2	Sonbhadra	Mirzapur	M/S ARSH HOSPITAL, BELAN BARAUDHA, DIST-MIRZAPUR	PVT.	5	1.25	CBWTF
96	2	Sonbhadra	Mirzapur	M/S MAMATA CLINIC, SONBARASA, PATIHATTA, CHUNAR, DISTRICT-MIRZAPUR	PVT.	0	1.0	CBWTF
97	2	Sonbhadra	Mirzapur	M/S SANDHYA CLINIC, RAJGARH, DIST-MIRZAPUR	PVT.	1	0.08	CBWTF
98	2	Sonbhadra	Mirzapur	M/S VINDYA CLINIC, POKHARA SEHWAIN, AHRAURA, DIST- MIRZAPUR	PVT.	0	1.0	CBWTF
99	2	Sonbhadra	Mirzapur	M/S NATIONAL DIAGUnauthorizedSTIC CENTER, OPP. DISTRICT- HOSPITAL, DIST- MIRZAPUR	PVT.	0	1.5	CBWTF
100	2	Sonbhadra	Mirzapur	M/S PRAKAS PATHOLOGY LAB, BRAHMCHARI KA KUNWA, DIST- MIRZAPUR	PVT.	0	1.5	CBWTF
101	2	Sonbhadra	Mirzapur	M/S S.R. DIAGUnauthorizedSTIC CENTER, PILI KOTHI, CIVIL LINE ROAD, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF

102	2	Sonbhadra	Mirzapur	M/S SATISH DIAGUnauthorizedSTIC CENTER, IN FRONT OF DISTRICT HOSPITAL, RAMBAGH, TEHSIL-SADAR, DISTRICT-MIRZAPUR, MIRZAPUR, 231001	PVT.	0	1.5	CBWTF
103	2	Sonbhadra	Mirzapur	M/S SEWA ASPATAL, SUREKAPURAM, BATHUWA, DIST-MIRZAPUR	PVT.	0	1	CBWTF
104	2	Sonbhadra	Mirzapur	M/S SATYAM DIAGUnauthorizedSTIC CENTER SHAHGANJ ROAD, RAJGARH, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
105	2	Sonbhadra	Mirzapur	M/S J.M. DENTAL HOSPITAL AND CLINIC, GONAURA, JIGNA, DIST-MIRZAPUR	PVT.	0	0.1	CBWTF
106	2	Sonbhadra	Mirzapur	M/S UPKAR HOSPITAL, DEWARI KALA MADIHAN, MIRZAPUR	PVT.	10	2.03	CBWTF
107	2	Sonbhadra	Mirzapur	M/S JEEVAN SHRI HOSPITAL AND SURGICAL CENTER, NARAYANPUR, CHUNAR, MIRZAPUR	PVT.	15	3.75	CBWTF
108	2	Sonbhadra	Mirzapur	M/S VAISHANVI HOSPITAL, OPP. JUBLEE INTER COLLEGE, RAMAYI PATTI, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
109	2	Sonbhadra	Mirzapur	M/S NIRMAL DRISHTY HEALTH CARE CENTER, JAMUI, CHUAR, DIST-MIRZAPUR	PVT.	12	3.0	CBWTF
110	2	Sonbhadra	Mirzapur	M/S AKASH X-RAY AND PATHOLOGY CENTER, NARAYANPUR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
111	2	Sonbhadra	Mirzapur	M/S S.S. CLINIC, NAI BAJAR, CHAKIYA , CHAKIYA ROAD, AHARAURA, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
112	2	Sonbhadra	Mirzapur	M/S SEETA DAS HOSPITAL, SEET DAS BHAWAN PAHARI, BARKACHHA, DIST-MIRZAPUR	PVT.	5	0.57	CBWTF
113	2	Sonbhadra	Mirzapur	M/S SHRI KRISHNA PATHOLOGY LAB . LAL DARWAJA. CHUNAR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
114	2	Sonbhadra	Mirzapur	M/S GOVIND MEMORIAL HOSPITAL, STATION ROAD, MIRZAPUR	PVT.	0	2.5	CBWTF
115	2	Sonbhadra	Mirzapur	M/S ALFA DAIGUnauthorizedSTIC CENTER, OPP DFH, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
116	2	Sonbhadra	Mirzapur	M/S K.S FOUNDATION (ASTHA CLINIC), LAL DIGGI, DISTRICT-MIRZAPUR	PVT.	1	0.1	CBWTF
117	2	Sonbhadra	Mirzapur	M/S JEEVANDEEP HOSPITAL, GANGANAHAR KE PASS, NARAYANPUR, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
118	2	Sonbhadra	Mirzapur	M/S AKANSHA CLINIC, KEWATA VEER, MAHAMPLPUR, DIST-MIRZAPUR	PVT.	3	1	CBWTF
119	2	Sonbhadra	Mirzapur	M/S JYOTI HOSPITAL AND PARAMEDICAL, BARAUDHA, KACHAR, PILLI KOTHI STATION ROAD, DIST-MIRZAPUR	PVT.	100	6.8	CBWTF
120	2	Sonbhadra	Mirzapur	M/S R.D. HOSPITAL SURGICAL AND MATERNITY CENTER PATTI KHURD AHRAURA, DIST-MIRZAPUR	PVT.	5	1.5	CBWTF
121	2	Sonbhadra	Mirzapur	M/S JAI HOSPITAL DURGA JI ROAD, CHUNAR, DIST-MIRZAPUR	PVT.	5	1.25	CBWTF

122	2	Sonbhadra	Mirzapur	M/S USHA DAIGUNAUTHORIZED STIC AND DENTAL CARE. LAL DIGGI ROAD, DISTRICT-MIRZAPUR	PVT.	0	1.5	CBWTF
123	2	Sonbhadra	Mirzapur	M/S SUSHRUT NETRA CHIKITSALAYA, PARSAUDHA, PURUSHOTTAMPUR, DIST-MIRZAPUR	PVT.	0	0.1	CBWTF
124	2	Sonbhadra	Mirzapur	M/S GOPAL HOSPITAL, AMRESH CHANERA, PANDEY CAMPUS. RAMAIPATTI. TEHSIL-SADAR, DIST-MIRZAPUR	PVT.	10	2.03	CBWTF
125	2	Sonbhadra	Mirzapur	M/S DEEPSHIKHA NARSHING HOME, RAMBHAGH, DIST-MIRZAPUR	PVT.	10	2.7	CBWTF
126	2	Sonbhadra	Mirzapur	M/S GANDHI SATABDI MAHAVEER PRASHAD NETRA CHIKITSALAYA, LOHADI MAHAVEER MARG LOHADI KALAN, DIST-MIRZAPUR 231001	PVT.	10	2.5	CBWTF
127	2	Sonbhadra	Mirzapur	M/S ZEESHAN SEWA SADAN, DAYALPUR, MUHAMADPUR, KAILHAT, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
128	2	Sonbhadra	Mirzapur	M/S JANAK PATHOLOGY, RAMAI PATTI, CIVIL LINE ROAD, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
129	2	Sonbhadra	Mirzapur	M/S DR. C.P. SINGH NURSHIN HOME, RAIDATT COLONY, BARIYA GHAT, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
130	2	Sonbhadra	Mirzapur	M/S AIVA HOSPITAL RAMAI PATTI, CIVIL LINE ROAD, DIST-MIRZAPUR	PVT.	15	3.75	CBWTF
131	2	Sonbhadra	Mirzapur	M/S Granted CHARITABLE HOSPITAL, NAIDI, KATHARI, DRAMAL GANJ, DISTRICT-MIRZAPUR	PVT.	5	1.25	CBWTF
132	2	Sonbhadra	Mirzapur	M/S SHRI BALAJI DENTAL CLINIC, BAJIRAW KATARA MIRZAPUR	PVT.	0	1.0	CBWTF
133	2	Sonbhadra	Mirzapur	M/S MAA VINDHYAVASHANI DENTAL CLINIC, PAKKA-POKHARA, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
134	2	Sonbhadra	Mirzapur	M/S DR. MOHAMMAD TAUHID CLINIC, MILLAT NAGAR, NATAWA, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
135	2	Sonbhadra	Mirzapur	M/S SEHAT HOSPITAL, BARUDHA, DISTRICT-MIRZAPUR	PVT.	10	1.33	CBWTF
136	2	Sonbhadra	Mirzapur	M/S KESHARI HOSPITAL, NARAYANPUR, SABZI MANDI, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
137	2	Sonbhadra	Mirzapur	M/S POPULAR MEDICARE LTD, NATWA, NEAR NATWAN POLICE BOOTH, JANGI ROAD, DIST-MIRZAPUR	PVT.	100	25.0	CBWTF
138	2	Sonbhadra	Mirzapur	M/S BHAJAN HOSPITAL, JAMUI, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
139	2	Sonbhadra	Mirzapur	M/S JANTA SEWA SADAN, KELA, BELA. ADALPURA, CHUNAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
140	2	Sonbhadra	Mirzapur	M/S R.K HOSPITAL, NARAYANPUR, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
141	2	Sonbhadra	Mirzapur	M/S SHEKHAR CLINIC. TEHSHIL ROAD, DIST-MIRZAPUR	PVT.	0	0.08	CBWTF
142	2	Sonbhadra	Mirzapur	M/S ANUPAM CLINIC GHURAHU, PATTI JOGIYAVARI ROAD SADAR, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF

143	2	Sonbhadra	Mirzapur	M/S TAPAN CLINIC. BHARUGANA, VARANSI ROAD, DIST-MIRZAPUR	PVT.	0	1.0	CBWTF
144	2	Sonbhadra	Mirzapur	M/S AYUSH SURGICAL AND TRAMA CENTER, NARAYANPUR, CHUNAR, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
145	2	Sonbhadra	Mirzapur	M/S NARAYANA HOSPITAL, RUDAULI, CHUNAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
146	2	Sonbhadra	Mirzapur	M/S INDU SCAN, 467/12 KACHAHARI ROAD, RAMAI PATTI, DISTRICT-MIRZAPUR	PVT.	9	1.5	CBWTF
147	2	Sonbhadra	Mirzapur	M/S SREE SIDDHIVINAYAK MEDICARE CENTER, SABARI CHUNGI CHAURAHA, DIST-MIRZAPUR	PVT.	5	1.25	CBWTF
148	2	Sonbhadra	Mirzapur	M/S DR. SHALABH MALVIYA CLINIC, AWAS VIKAD COLONY, NEAR GURUNANAK INTER COLLEGE, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
149	2	Sonbhadra	Mirzapur	M/S MRITYUNJAY HOSPITAL, BADALI KATARA, GIRDHAR KA CHAURHA, DIST-MIRZAPUR 231001	PVT.	10	2.5	CBWTF
150	2	Sonbhadra	Mirzapur	M/S HERITAGE MOTHER & CHILE CARE HOSPITAL, ZILA CHIKTISALAYA DIST-MIRZAPUR	PVT.	100	25.0	CBWTF
151	2	Sonbhadra	Mirzapur	M/S BINDO CLINIC, KELA-BELA, ADALPURA, CHUNAR, DISTRICT-MIRZAPUR	PVT.	0	1.0	CBWTF
152	2	Sonbhadra	Mirzapur	M/S OM PATHOLOGY, STATION ROAD, CHUNAR, MIRZAPUR	PVT.	0	1.5	CBWTF
153	2	Sonbhadra	Mirzapur	M/S ASHA POLY CLINIC, DADHIRAM ROAD, PADARI, MIRZAPUR	PVT.	0	1.0	CBWTF
154	2	Sonbhadra	Mirzapur	M/S PATH KIND LAB, RAMBAGH, MIRZAPUR	PVT.	0	1.5	CBWTF
155	2	Sonbhadra	Mirzapur	M/S SANKATHA DAIGUnauthorizedSTIC CENETR, 13/50, CIVIL LINE, ZILA ASPTAL KE SAMAN, DISTRICT-MIRZAPUR	PVT.	0	1.5	CBWTF
156	2	Sonbhadra	Mirzapur	M/S SANDHYA HOSPITAL, KALWARI, MADIHAN ROAD, MIRZAPUR	PVT.	10	2.5	CBWTF
157	2	Sonbhadra	Mirzapur	M/S VIDYAWATI HOSPITAL, TOSWA POKHRA, MOHANPUR PADARI, MIRZAPUR	PVT.	6	1.5	CBWTF
158	2	Sonbhadra	Mirzapur	M/S BHAVANAND ADIWASI CHARITABLE HOSPITAL, DUBAR KALA, LALGANJ, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
159	2	Sonbhadra	Mirzapur	M/S ARSHIVARD DENTAL, TOSWA POKHRA, MOHANPUR PADARI, MIRZAPUR	PVT.	0	1	CBWTF
160	2	Sonbhadra	Mirzapur	M/S OM POLY CLINIC, DADHIRAM ROAD, PADRI, MIRZAPUR	PVT.	0	1	CBWTF
161	2	Sonbhadra	Mirzapur	M/S RAJ HOSPITAL, JALALPUR, TEHSIL-SADAR, MIRZAPUR	PVT.	6	1.5	CBWTF
162	2	Sonbhadra	Mirzapur	M/S PHULMANI MEMORIAL CLINIC, JANGI ROAD, MIRZAPUR.	PVT.	0	1	CBWTF
163	2	Sonbhadra	Mirzapur	M/S VINDYA DAIGUnauthorizedSTIC CENTER, VINDHYACHAL, MIRZAPUR	PVT.	0	1.5	CBWTF
164	2	Sonbhadra	Mirzapur	M/S JEEVANDEEP HOSPITAL, BHAYISOD, BALAY, PAHAR, DIST-MIRZAPUR	PVT.	10	1.5	CBWTF

165	2	Sonbhadra	Mirzapur	M/S BHAGWATI X-RAY & PATHOLOGY, KAJI TOTAL, CHUNAR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
166	2	Sonbhadra	Mirzapur	M/S D.D. PATHOLOGY, CHACHERI MOD, CHUNAR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
167	2	Sonbhadra	Mirzapur	M/S DAYA CHILD CARE CENTER, RAJGARGH, DIST-MIRZAPUR	PVT.	1	1	CBWTF
168	2	Sonbhadra	Mirzapur	M/S SARVODAY MULTI SPECILITY DENTAL CLINIC, ADHWAR, AHRAURA, CHUNAR, DIST-MIRZAPUR	PVT.	0	1	CBWTF
169	2	Sonbhadra	Mirzapur	M/S SHIVANSH CLINIC, TIKRA, NAKHARA, DIST-MIRZAPUR	PVT.	0	1	CBWTF
170	2	Sonbhadra	Mirzapur	M/S YASHODEEP HOSPITAL, GARAUDI, ADLAHAT, DIST-MIRZAPUR	PVT.	10	2.5	CBWTF
171	2	Sonbhadra	Mirzapur	M/S O.S. DENTAL CLINIC, SABARI CHUNGI, BHAGISAYIA TOLA, DIST-MIRZAPUR	PVT.	0	1	CBWTF
172	2	Sonbhadra	Mirzapur	M/S VANDANA PATHOLOGY, MOHALLA, SADDUPUR, CHUNAR, DIST-MIRZAPUR	PVT.	0	1.5	CBWTF
173	2	Sonbhadra	Mirzapur	M/S AYSHMAN HOSPITAL & PANCHKARMA CENTER, KACHHWAN, DIST-MIRZAPUR	PVT.	15	3.75	CBWTF
174	2	Sonbhadra	Mirzapur	M/S SARITA CLINIC, BHAISA, KACHHWAN, DIST-MIRZAPUR	PVT.	0	1	CBWTF
175	2	Sonbhadra	Mirzapur	<b>M/S PRIYANSHU HOSPITAL, LALGANJ, DIST-MIRZAPUR</b>	<b>PVT.</b>	<b>8</b>	<b>2</b>	CBWTF
176	2	Sonbhadra	Mirzapur	M/S MAA UMRAWATI AROGYA MANDIR, RAIDANI COLONY, BARIYA GHAT, DIST-MIRZAPUR	PVT.	8	2	CBWTF
177	2	Sonbhadra	Mirzapur	M/S JAI SHANKAR HOSPITAL, PUTALIGHAR, DIST-MIRZAPUR	PVT.	8	2	CBWTF
178	2	Sonbhadra	Mirzapur	M/S APEX DIGUnauthorizedSTIC C C BRANCH JAMALPUR MIRZAPUR	PVT.	0	1.5	CBWTF
179	2	Sonbhadra	Mirzapur	M/S VARANASI HOSPITAL, RANIGANJ, FATEHPUR, ADLAHAT, MIRZAPUR	PVT.	10	2.5	CBWTF
180	2	Sonbhadra	Mirzapur	M/S ORO DENTAL, MAHUARIYA, MIRZAPUR	PVT.	0	1.0	CBWTF
181	2	Sonbhadra	Mirzapur	M/S B.S.K. CLINIC, AHRAURA, CHUNAR, MIRZAPUR	PVT.	0	1.0	CBWTF
182	2	Sonbhadra	Mirzapur	M/s NEW SANTOSH PATH LAB, PADARI BAZAR, MIRZAPUR	PVT.	0	1.5	CBWTF
183	2	Sonbhadra	Mirzapur	M/S SAMRAT HOSPITAL, MAHUAT, BELAN, BARAUDHA, MIRZAPUR	PVT.	10	2.5	CBWTF
184	2	Sonbhadra	Mirzapur	M/S B.S. HOSPITAL, BABURI, JAMALPUR, DISTRICT-MIRZAPUR,	PVT.	10	2.5	CBWTF
185	2	Sonbhadra	Mirzapur	M/S ALFA DIAGUnauthorizedSTIC CENTER JILA ASPTAL KE SAMNE MIRZAPUR	PVT.	0	1.5	CBWTF
186	2	Sonbhadra	Mirzapur	M/S KRISHNA SURJICAL AND TRAUMA CENTER RANIBAG ADALHAT ROAD, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
187	2	Sonbhadra	Mirzapur	M/S PRYAG HOSPITAL, GOSAIPUR, JIGANA, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
188	2	Sonbhadra	Mirzapur	M/S SHANKAR EYE CARE CENTER JAMUI BAZAR AHRAURA ROAD CHUNAR MIRZAPUR	PVT.	0	1	CBWTF

189	2	Sonbhadra	Mirzapur	M/S YOGESH DENTAL CLINIC RAMAIPATTI CIVIL LINE ROAD MIRZAPUR	PVT.	0	1	CBWTF
190	2	Sonbhadra	Mirzapur	M/S PRANJAL HOSPITAL AND SURGICAL CENTER , HALIYA BAZAR MIRZAPUR	PVT.	10	2.5	CBWTF
191	2	Sonbhadra	Mirzapur	M/S MAYANK CLINIC DUGRAHA CHAURAHA GAIPURA MIRZAPUR	PVT.	0	1	CBWTF
192	2	Sonbhadra	Mirzapur	M/S KEWALA DEVI HOSPITAL MAGHIGAWA MAWAIYA CHILH MIRZAPUR	PVT.	8	2	CBWTF
193	2	Sonbhadra	Mirzapur	M/S DHANWANTARI CLINIC GAIPURA CHAURAHA NERE PHC VIJAYPUR SAROYI MIRZAPUR	PVT.	0	1	CBWTF
194	2	Sonbhadra	Mirzapur	M/S VANDANA CHARITEBLE HOSPITAL DRAMALGANJ MIRZAPUR	PVT.	10	2.5	CBWTF
195	2	Sonbhadra	Mirzapur	M/S JAN SEWA CLINIC & HOSPITAL DRAMAL GANJ, DURJANPUR MIRZAPUR	PVT.	10	2.5	CBWTF
196	2	Sonbhadra	Mirzapur	M/S HEALTH CARE PARIYA TOLA MIRZAPUR	PVT.	0	1	CBWTF
197	2	Sonbhadra	Mirzapur	M/S K.M.S HOSPITAL & MATERNITY CENTER MOHAMMADPUR USHMANPUR CHUNAR MIRZAPUR	PVT.	10	2.5	CBWTF
198	2	Sonbhadra	Mirzapur	M/S MARSII FRACTER CLINIC NAV JYOTI INTER COLLAGE GARAUDI ADALHAT MIRZAPUR	PVT.	0	1	CBWTF
199	2	Sonbhadra	Mirzapur	M/S MIRZAPUR NETRALAY SANGMOHAL STATION ROAD MIRZAPUR	PVT.	0	1	CBWTF
200	2	Sonbhadra	Mirzapur	M/S UPHC SANG MOHAL, STATION ROAD MIRZAPUR	PVT.	0	1	CBWTF
201	2	Sonbhadra	Mirzapur	M/S SHREE BALKARAN MAURYA MEMORIAL HOSPITAL VIKASH NAGAR BARIJWANPUR NARAYANPUR CHUNAR MIRZAPUR	PVT.	5	1.25	CBWTF
202	2	Sonbhadra	Mirzapur	M/S LIFE HOSPITAL & MEDICAL INSTITUTE, JANGI ROAD NEAR SABARI CHAURAHA, TEHSIL- SADAR, DISTRCT-MIRZAPUR	PVT.	20	6.5	CBWTF
203	2	Sonbhadra	Mirzapur	M/S GITANJALI LIFE CARE AND SURJICAL PVT LTD RASOOLGANJ CHHOTA MIRZAPUR CHUNAR MIRZAPUR	PVT.	20	5	CBWTF
204	2	Sonbhadra	Mirzapur	M/S SHANKAR HOSPITAL & TRAUMA CENTER NARAYANPUR, CHUNAR MIRZAPUR	PVT.	20	2.5	CBWTF
205	2	Sonbhadra	Mirzapur	M/S KHUSHI POLY CLINIC, HALIYA BAZAR, TEHSIL- LALGANJ, DISTRICT-MIRZAPUR	PVT.	20	1	CBWTF
206	2	Sonbhadra	Mirzapur	M/S SHREYANSH HOSPITAL AND FRACTURE CENTRE, AHRAURA MEHDIPUR CHAURAHA, CHUNAR ROAD, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
207	2	Sonbhadra	Mirzapur	M/s PARVATI HOSPITAL, <b>RAMBAG, CHUNAR, DISTRICT- MIRZAPUR, MIRZAPUR</b>	PVT.	10	2.5	CBWTF
208	2	Sonbhadra	Mirzapur	M/S SHRIYAN POLY CLINIC AND SKIN CARE CENTER, BAREV ROAD, ADALHAT, TEHSIL- CHUNAR, DISTRICT- MIRZAPUR, MIRZAPUR	PVT.	0	1	CBWTF

209	2	Sonbhadra	Mirzapur	M/S ANVI PATH LAB, GAURAH ROAD, ADALHAT, TEHSIL- CHUNAR, DISTRICT- MIRZAPUR, MIRZAPUR, 231304	PVT.	0	1.5	CBWTF
210	2	Sonbhadra	Mirzapur	M/S GARIMA PATHOLOGY, MADIHAN BAZAR, NEAR HERO AGENCY, TEHSIL-MADIHAN, DISTRICT- MIRZAPUR, MIRZAPUR, 231310	PVT.	0	1.5	CBWTF
211	2	Sonbhadra	Mirzapur	M/S SHRI RADHEYSHYAM MULTISPECIALITY CLINIC, BATHUA RIWA ROAD, TEHSIL- SADAR, DISTRICT- MIRZAPUR, MIRZAPUR, 231001	PVT.	0	1	CBWTF
212	2	Sonbhadra	Mirzapur	SADGURU MATA HOSPITAL MULTI SPECIALITY, SADGURU MATA HOSPITAL MULTI SPECIALITY ARAZI LINE SULTANPUR, ADALPURA, CHUNAR ROAD, MIRZAPUR, MIRZAPUR, 231304	PVT.	20	5	CBWTF
213	2	Sonbhadra	Mirzapur	M/S NIRMAL DRISTI HEALTH CARE CENTER, JAMUI CHUNAR MIRZAPUR	PVT.	12	1.5	CBWTF
214	2	Sonbhadra	Mirzapur	M/S ASHIRVAD HOSPITAL AND RESEARCH CENTER, BIHSADA, CHHANBEY, SADAR, MIRZAPUR	PVT.	10	2.5	CBWTF
215	2	Sonbhadra	Mirzapur	M/S ADITYA DIGUnauthorizedSTIC & SATYA C.T. SCAN CENTER, NEAR LIC OFFICE, RAMBAGH, MIRZAPUR	PVT.	0	1.5	CBWTF
216	2	Sonbhadra	Mirzapur	THE WOOMEN HEALTH CLINIC AND INFERTILITY CENTER, H.N. 147, STATION ROAD, CHUNAR, MIRZAPUR	PVT.	0	1	CBWTF
217	2	Sonbhadra	Mirzapur	M/S NARAYAN HOSPITAL, RUDAULI, CHUNAR, MIZAPUR	PVT.	10	2.5	CBWTF
218	2	Sonbhadra	Mirzapur	M/S YASH POLY CLINIC, TATAHI ROAD, NEAR-TATESHWARNATH TEMPLE, TEHSIL-SADAR, DISTRICT- MIRZAPUR, MIRZAPUR, 231001	PVT.	0	1	CBWTF
219	2	Sonbhadra	Mirzapur	F	PVT.	10	2.5	CBWTF
220	2	Sonbhadra	Mirzapur	M/S DR LAL PATH LABS ADALHAT CC, Dr. Lal Path Labs Adalhat CC Ibrahimpur, Garauri, Adalhat, MIRZAPUR, 231304	PVT.	0	1.5	CBWTF
221	2	Sonbhadra	Mirzapur	M/S KUSHWAHA MATERNITY AND NURSING HOME, FRONT OF SWAGAT BHAVAN, RATANGANJ, TEHSIL-SADAR, DISTRICT - MIRZAPUR, MIRZAPUR, 231001	PVT.	10	2.5	CBWTF
222	2	Sonbhadra	Mirzapur	M/S DR MISHRA CHARITABLE HOSPITAL FORMERLY NAME BHAWANAND ADIWASI CHARITABLE HOSPITAL, DUBAR KALA, LALGANJ, DISTRICT- MIRZAPUR, MIRZAPUR, 231112	PVT.	10	2.5	CBWTF
223	2	Sonbhadra	Mirzapur	M/S MAA RAJWATI HOSPITAL AND SURGICAL CENTER, VILLAGE AND POST-JAMUHAR, AHRAURA ROAD, TEHSIL- CHUNAR, DISTRICT- MIRZAPUR, MIRZAPUR, 231304	PVT.	10	2.5	CBWTF

224	2	Sonbhadra	Mirzapur	M/S YASHODEEP HOSPITAL, Badbhuli Garaudi, Sharma Road, Adalhat. Tehsil-Chunar, District- Mirzapur.MIRZAPUR.231302	PVT.	10	2.5	CBWTF
225	2	Sonbhadra	Mirzapur	AYUSHMAN HOSPITAL AND PANCHKARMA CENTRE, KACHHAWA, TEHSIL-SADAR, DISTRICT- MIRZAPUR.MIRZAPUR.231001	PVT.	15	3.75	CBWTF
226	2	Sonbhadra	Mirzapur	M/S SATYAM PATHOLOGY, Satyam Pathology Narayanpur, Chunar, Mirzapur,MIRZAPUR,231305	PVT.	0	1.5	CBWTF
227	2	Sonbhadra	Mirzapur	M/S SANJEEVANI HOSPITAL, VILLAGE AND POST-JAMALPUR, THANA-JAMALPUR, TEHSIL- CHUNAR. DISTRICT-	PVT.	10	2.5	CBWTF
228	2	Sonbhadra	Mirzapur	M/S MAMATA SKIN CARE AND HAIR CLINIC, SHUKLAHA, KACHAHARI ROAD, MIRZAPUR.MIRZAPUR.231001	PVT.	0	1	CBWTF
229	2	Sonbhadra	Mirzapur	M/S RAGHAV HOSPITAL, NEAR GANGA CANAL NARAYANPUR, TEHSIL-CHUNAR, DISTRICT- MIRZAPUR.MIRZAPUR.230135	PVT.	20	5	CBWTF
230	2	Sonbhadra	Mirzapur	M/S RAMKRISHNA SEWASHARAM HOSPITAL, NEAR DEFODIL SCHOOL OJHALA PUL VINDHYACHAL ROAD MIRZAPUR.MIRZAPUR.23100	PVT.	25	6.25	CBWTF
231	2	Sonbhadra	Mirzapur	M/S GRAMINANCHAL SWASTHAYA CHIKITSA SIKSHA, AHRAURA CHUNAR MIRZAPUR	PVT.	10	1.13	CBWTF
232	2	Sonbhadra	Mirzapur	M/S JEEWAN JYOTI HOSPITAL, KALARI, MADIHAN, DISTRICT- MIRZAPUR	PVT.	10	2.5	CBWTF
233	2	Sonbhadra	Mirzapur	M/S SHRI SIDHDI VINAYAK MEDICARE CENTER, SABARI, CHUNGI CHAURAHA, DISTRICT- MIRZAPUR. 231001	PVT.	5	1.25	CBWTF
234	2	Sonbhadra	Mirzapur	M/S OMKAR CLINIC, JAGAN SAW KI GALI, DANKEENGANJ, DIST- MIRZAPUR	PVT.	5	1.51	CBWTF
235	2	Sonbhadra	Mirzapur	M/S KENDRIYA JEEV CHIKTITSA APSHISHT NISTRAN, CHUNAR, MIRZAPUR	PVT.			CBWTF
236	2	Sonbhadra	Mirzapur	M/S PRAYAG HOSPITAL, GOSAI PUR JIGNA, MIRZAPUR	PVT.	10	2.5	CBWTF
237	2	Sonbhadra	Mirzapur	M/S SHRI BAL KARAN MAURYA MEMIRIAL HOSPITAL, VIKAS NAGAR, VARIJEEVANPUR, CHUNAR. MIRZAPUR	PVT.	35	10	CBWTF
238	2	Sonbhadra	Mirzapur	M/S AXIS PATH CARE DIAGUnauthorisedSTIC CENTRE, DISTRICT HOSPITAL ROAD IN FRONT OF T.B HOSPITAL, MIRZAPUR	PVT.	0	0.08	CBWTF
239	2	Sonbhadra	Mirzapur	M/S BHAGWANAND ADIWASI CHARITABLE HOSPITAL, DUBAR KALA, LALGANJ, MIRZAPUR	PVT.	10	2.5	CBWTF
240	2	Sonbhadra	Mirzapur	M/S SHRI MATA HOSPITAL, PAKKA POKHARA ROAD, RAMAI PATTI, MIRZAPUR	PVT.	10	2.5	CBWTF
241	2	Sonbhadra	Mirzapur	M/S PARUL DAIGUnauthorisedSTIC CENTER, OPP. DISTRICT HOSPITAL, RAMBAGH, MIRZAPUR	PVT.	6	1.5	CBWTF

242	2	Sonbhadra	Mirzapur	M/S PARUL DAIGUnauthorizedSTIC CENTER, GOSAI TOLA, LAL DIGGI ROAD, MIRZAPUR	PVT.	6	1.5	CBWTF
243	2	Sonbhadra	Mirzapur	M/S GAYTRI HOSPITAL, 164-A, RAILWAY COLONY, STATION ROAD, CHUNAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
244	2	Sonbhadra	Mirzapur	M/S ESHA CLINIC AND HOSPITAL, DEVARI, MANIGARA, HALIYA, MIRZAPUR	PVT.	10	2.5	CBWTF
245	2	Sonbhadra	Mirzapur	M/S ASHIRWAD DENTAL AND COSMETIC CLINIC, PATEL NAGAR, SHARMA ROAD, ADLHAT, CHUNAR, MIRZAPUR	PVT.	0	1	CBWTF
246	2	Sonbhadra	Mirzapur	M/S SHANKAR POLY CLINIC, NARAYANPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR	PVT.	0	1	CBWTF
247	2	Sonbhadra	Mirzapur	M/S ANSH HOSPITAL, DEEPNAGAR, LALGANJ ROAD, MIRZAPUR	PVT.	10	2.5	CBWTF
248	2	Sonbhadra	Mirzapur	M/S MIRZAPUR DENTAL CARE, 32-WHITE PEARL SUPERSPECILITY CLINIC, MIRSAHAB KI GALI, KADAMTAR, TEHSIL-SADAR, DISTRICT-MIRZAPUR	PVT.	0	1	CBWTF
249	2	Sonbhadra	Mirzapur	M/s SWETA POLY CLINIC SEMRA, JAMALPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR-231302	PVT.	0	1	CBWTF
250	2	Sonbhadra	Mirzapur	M/s BREATH CARE HOSPITAL, BASAWANPUR, ADALAHAT, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR, 231302	PVT.	10	2.5	CBWTF
251	2	Sonbhadra	Mirzapur	M/S NEW PRAJAPATI DANTH AND CHASMA GHAR, NEW PRAJAPATI DANTH AND CHASMA GHAR (LAL DARWAZA, FRONT OF PETROL PUMP, SARAIYA ROAD, CHUNAR, MIRZAPUR), MIRZAPUR,	PVT.	0	1	CBWTF
252	2	Sonbhadra	Mirzapur	M/s VINDHYALOK HOSPITAL, PUTRIHA, PADRI, TEHSIL-SADAR, DISTRICT-MIRZAPUR-231001	PVT.	20	5	CBWTF
253	2	Sonbhadra	Mirzapur	M/s AYUSH HOSPITAL, DEHAT, KOTWALI ROAD, TEHSIL-SADAR, DISTRICT-MIRZAPUR-231001	PVT.	10	2.5	CBWTF
254	2	Sonbhadra	Mirzapur	LIFE CARE HOSPITAL AND TRAUMA CENTRE, NADIHAR, RAJGARH, TEHSIL-MADIHAN, DISTRICT-MIRZAPUR, MIRZAPUR, 231001	PVT.	10	2.5	CBWTF
255	2	Sonbhadra	Mirzapur	INDRAWATI MATA HOSPITAL AND TRAUMA CENTER, A/1, LAKSHMI PURAM, SAGARA, VINDHYACHAL, MIRZAPUR, MIRZAPUR, 231307	PVT.	20	5.3	CBWTF
256	2	Sonbhadra	Mirzapur	SHANKAR HOSPITAL AND TRAUMA CENTER, NARAYANPUR, CHUNAR, DISTRICT-MIRZAPUR, 231304	PVT.	10	2.5	CBWTF

257	2	Sonbhadra	Mirzapur	THE LIFE HOSPITAL AND MEDICAL INSTITUTE, NEAR MANDI SAMITI, JANGI ROAD, SABRI CHAURAHA, MIRZAPUR, UTTAR PRADESH - 231001 MIRZAPUR 231001	PVT.	20	6.5	CBWTF
258	2	Sonbhadra	Mirzapur	AMIT DIGITAL X RAY CENTRE, block Road, Haliya, Mirzapur.MIRZAPUR.231211	PVT.	0	0.93	CBWTF
259	2	Sonbhadra	Mirzapur	VAISHNAVI CLINIC, OPP. DISTRICT MALE HOSPITAL, RAMBAGH, TEHSIL-SADAR, DISTRICT-MIRZAPUR.MIRZAPUR.231001	PVT.	0	1	CBWTF
260	2	Sonbhadra	Mirzapur	VERSHA POLICLINIC, LALGANJ,MIRZAPUR,231211	PVT.	10	0.71	CBWTF
261	2	Sonbhadra	Mirzapur	M/s VANDANA HOSPITAL, GOBARDAHAN, SAKTESHGARH, CHUNAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
262	2	Sonbhadra	Mirzapur	M/s CHIDESHA CARE, DR. BHEEMRAO AMBEDKAR MARG, KACHHI SADAK, TEHSIL-SADAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
263	2	Sonbhadra	Mirzapur	M/s MAA NIRMALA CHILD AND GENERAL HOSPITAL, Gaharwar , Gaipura , Mirzapur.MIRZAPUR.231303	PVT.	10	0.8	CBWTF
264	2	Sonbhadra	Mirzapur	M/s SHRADDHA NURSING HOME, TARKAPUR, ARA MACHINE PARISAR, TEHSIL-SADAR, DISTRICT-MIRZAPUR.231001	PVT.	10	2.5	CBWTF
265	2	Sonbhadra	Mirzapur	M/s YASH CHERITABLE HOSPITAL, NAIDI KATHARI, DRAMNDGANJ, TEHSIL-LALGANJ, DISTRICT-MIRZAPUR ,231211	PVT.	10	2.5	CBWTF
266	2	Sonbhadra	Mirzapur	M/s RUDRA PATH LAB, PANDEYPUR ROAD, TEHSIL CHAURAHA, TEHSIL-SADAR, DISTRICT-MIRZAPUR.231001	PVT.	0	1.5	CBWTF
267	2	Sonbhadra	Mirzapur	M/s DEV NURSING HOME, VIP COLONY , PAKKA POKHARA, TEHSIL-SADAR, DISTRICT-MIRZAPUR. 231001	PVT.	10	2.5	CBWTF
268	2	Sonbhadra	Mirzapur	BABA VISHWANATH HOSPITAL, SEMARI, BIHASADA, TEHSIL-SADAR, DISTRICT-MIRZAPUR.MIRZAPUR.231001	PVT.	10	2.5	CBWTF
269	2	Sonbhadra	Mirzapur	MANAS HOSPITAL, wellesley ganj, mirzapur,MIRZAPUR,	PVT.	10	2.05	CBWTF
270	2	Sonbhadra	Mirzapur	SHAKUNTALA HOSPITAL AND ADVANCE KSHAR SUTRA CENTER, PURJAGIR CHAUHARA, CHILH, TEHSIL-SADAR, DISTRICT-MIRZAPUR.MIRZAPUR.231001	PVT.	10	2.5	CBWTF
271	2	Sonbhadra	Mirzapur	SHIV WELFARE HOSPITAL, RAJGARH, MIRZAPUR.MIRZAPUR.231001	PVT.	10	1.8	CBWTF
272	2	Sonbhadra	Mirzapur	M/s YATHARTHA HOSPITAL AND TRAUMA CENTER, RAMPUR, KARSARA, KACHHWA, TEHSIL-SADAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
273	2	Sonbhadra	Mirzapur	M/s Mokosh DiagUnauthorizedstic Senter, 13/50, Civil Line, Tehsil-Sadar, District-Mirzapur	PVT.	0	1.5	CBWTF

274	2	Sonbhadra	Mirzapur	M/s J.V. Memorial Clinic, Civil Line, Bihind City Club, Sadar, District-Mirzapur	PVT.	0	1	CBWTF
275	2	Sonbhadra	Mirzapur	M/s MAA GAYTRI HOSPITAL AND SURGICAL CENTER, PANDARI, TEHSIL-SADAR, DISTRICT-MIRZAPUR, MIRZAPUR, 231001	PVT.	10	2.5	CBWTF
276	2	Sonbhadra	Mirzapur	M/s NEW RAJ HOSPITAL, JALALPUR, KACHHWA BAZAR, TEHSIL-SADAR, DISTRICT-MIRZAPUR	PVT.	10	2.5	CBWTF
277	2	Sonbhadra	Mirzapur	M/s KHUSHBOO HOSPITAL, DEVARSHI NAGAR COLONY, BHARUHANA, TEHSIL-SADAR, DISTRICT-MIRZAPUR, MIRZAPUR, 231001	PVT.	8	2	CBWTF
278	2	Sonbhadra	Mirzapur	M/s NIRMALA MULTISPECIALITY HOSPITAL, RAMBAGH, TEHSIL-SADAR, DISTRICT - MIRZAPUR	PVT.	20	5	CBWTF
279	2	Sonbhadra	Mirzapur	M/s ZAIDI HOSPITAL, TARKAPUR ARA MACHINE COMPOUND, MIRZAPUR, 231001	PVT.	6	1.5	CBWTF
280	2	Sonbhadra	Mirzapur	NEW ABHINAV HOSPITAL, Majhigava, Chilh Chauraha, Mirzapur, 231312	PVT.	10	1.5	CBWTF
281	2	Sonbhadra	Mirzapur	M/s RAM PYARE SINGH MEMORIAL HOSPITAL, CHINDLIKH PATEHARA, MIRZAPUR, 231312	PVT.	100	25	CBWTF
282	2	Sonbhadra	Mirzapur	M/s COMPLETE CARE POLLY CLINIC, BHASAIYA TOLA, TIRHA, GANESH GANJ, ROAD MIRZAPUR, 231001	PVT.	6	1	CBWTF
283	2	Sonbhadra	Mirzapur	M/s VARSHA HOSPITAL, BAIKUNTHPUR, NARAYANPUR, MIRZAPUR	PVT.	10	2.5	CBWTF
284	2	Sonbhadra	Mirzapur	M/s SAKSHI CLINIC, RAMAIPATTI ROAD MIRZAPUR, 231001	PVT.	10	2.5	CBWTF
285	2	Sonbhadra	Mirzapur	M/s SUMANGAL HOSPITAL, SWAMI DAYANAND MARG WELLESELY GANJ, MIRZA[PUR	PVT.	10	2.5	CBWTF
286	2	Sonbhadra	Mirzapur	M/s S R M SHREYANSH HOSPITAL, RAMAIPATTI, CIVIL LINE ROAD, TEHSIL-SADAR, MIRZAPUR 231001	PVT.	9	2.5	CBWTF
287	2	Sonbhadra	Mirzapur	MODEL MATERNITY CENTER	PVT.	0	1.2	CBWTF
288	2	Sonbhadra	Mirzapur	OM SHAKTI HOSPITAL POWERED BY OM SAMITI MEMORIAL TRUST	PVT.	10	1.2	CBWTF
289	2	Sonbhadra	Mirzapur	JP HOSPITAL OPERATED BY J P FOUNDATION TRUST	PVT.	10	1.2	CBWTF
290	2	Sonbhadra	Mirzapur	PATH CARE LAB	PVT.	0	1.2	CBWTF
291	2	Sonbhadra	Mirzapur	JEEVAN SURAKSHA HOSPITAL	PVT.	10	1.2	CBWTF
292	2	Sonbhadra	Mirzapur	AADARSH HOSPITAL	PVT.	10	1.2	CBWTF
293	2	Sonbhadra	Mirzapur	AMITESH POLY CLINIC	PVT.	0	1.2	CBWTF
294	2	Sonbhadra	Mirzapur	NIROGYA HOSPITAL	PVT.	10	1.2	CBWTF

295	2	Sonbhadra	Mirzapur	BHARAT RATNA SARDAR PATEL HOSPITAL	PVT.	10	1.2	CBWTF
296	2	Sonbhadra	Mirzapur	PRAGATI HOSPITAL	PVT.	0	1.2	CBWTF
297	2	Sonbhadra	Mirzapur	SANKATHA DIAGNOSTIC CENTER	PVT.	0	1.2	CBWTF
298	2	Sonbhadra	Mirzapur	SHIVANI MULTI SPECIALITY AND RESEARCH CENTER HOSPITAL	PVT.	0	1.2	CBWTF
299	2	Sonbhadra	Mirzapur	RUHI HEALTH CARE CENTER	PVT.	0	1.2	CBWTF
300	2	Sonbhadra	Mirzapur	SARASWATI HOSPITAL AND CANCER CENTER	PVT.	10	1.2	CBWTF
301	2	Sonbhadra	Mirzapur	RAZIA HOSPITAL	PVT.	10	1.2	CBWTF
302	2	Sonbhadra	Mirzapur	PACIFIC DENTAL CARE	PVT.	2	1.2	CBWTF
303	2	Sonbhadra	Mirzapur	M/S PARAMHANS HOSPITAL A UNIT OF PRIYANKA WELFARE SOCIETY	PVT.	10	1.2	CBWTF
304	2	Sonbhadra	Mirzapur	ARASH HOSPITAL	PVT.	10	1.2	CBWTF
305	2	Sonbhadra	Mirzapur	PREMSHILA CLINIC	PVT.	0	1.2	CBWTF
306	2	Sonbhadra	Mirzapur	ASTHA PATHOLOGY	PVT.	0	1.2	CBWTF
307	2	Sonbhadra	Mirzapur	PALAK PATHOLOGY CENTER	PVT.	0	1.2	CBWTF
308	2	Sonbhadra	Mirzapur	SARASWATI HOSPITAL	PVT.	10	1.2	CBWTF
309	2	Sonbhadra	Mirzapur	SINGH POLY CLINIC OPERATED BY LATE RAGHUBANSH KUMAR SINGH CHARITABLE TRUST	PVT.	10	1.2	CBWTF
310	2	Sonbhadra	Mirzapur	M/s Jan Jeevan Hospital, Amrawati Chauraha, Vindhayachal, Mirzapur	PVT.	10	2.5	CBWTF
311	2	Sonbhadra	Mirzapur	M/s K D Pathlab, bharuhana, chunar Road, Mirzapur	PVT.	0	1.5	CBWTF
312	2	Sonbhadra	Mirzapur	M/S C.H.C CHUNAR, DIST-MIRZAPUR	Govt.	30	7.5	CBWTF
313	2	Sonbhadra	Mirzapur	M/S DISTRICT FEMALE HOSPITAL, DIST- MIRZAPUR	Govt.	88	25.0	CBWTF
314	2	Sonbhadra	Mirzapur	M/S P.H.C. PATEHARA, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
315	2	Sonbhadra	Mirzapur	M/S C.H.C. VINDHYACHAL, DIST-MIRZAPUR	Govt.	30	7.5	CBWTF
316	2	Sonbhadra	Mirzapur	M/S C.H.C. AHRAURA, DIST-MIRZAPUR	Govt.	30	7.0	CBWTF
317	2	Sonbhadra	Mirzapur	M/S CHC MADIHAN, DIST-MIRZAPUR	Govt.	30	7.5	CBWTF
318	2	Sonbhadra	Mirzapur	M/S P.H.C. HALIYA, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
319	2	Sonbhadra	Mirzapur	M/S P.H.C. PRATHMILE, SWASTHYA CENTER, CHILH, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
320	2	Sonbhadra	Mirzapur	M/S P.H.C. VIJAYPUR SIROHI, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
321	2	Sonbhadra	Mirzapur	M/S P.H.C. SIKHAR, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
322	2	Sonbhadra	Mirzapur	M/S P.H.C. PADARI, MIRZAPUR	Govt.	4	1.0	CBWTF

323	2	Sonbhadra	Mirzapur	M/S KACHHWA CHRISTIAN HOSPITAL, kachhawa christian hospital, kachhawa bazar, mirzapur.MIRZAPUR.231501	Govt.	25	6.25	CBWTF
324	2	Sonbhadra	Mirzapur	M/S PHC CHUNAR, DISTRICT-MIRZAPUR	Govt.	4	1.0	CBWTF
325	2	Sonbhadra	Mirzapur	M/S DIVISIONAL HOSPITAL (DISTRICT MALE HOSPITAL) DIST-MIRZAPUR	Govt.	155	39.0	CBWTF
326	2	Sonbhadra	Mirzapur	M/S C.H.C RAJGARH, DIST-MIRZAPUR	Govt.	30	3.6	CBWTF
327	2	Sonbhadra	Mirzapur	M/S CHC JAMALPUR, DIST-MIRZAPUR	Govt.	30	7.5	CBWTF
328	2	Sonbhadra	Mirzapur	M/S P.H.C. CHUNAR, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
329	2	Sonbhadra	Mirzapur	M/S C.H.C LALGANJ, DIST-MIRZAPUR	Govt.	30	3.9	CBWTF
330	2	Sonbhadra	Mirzapur	M/S PHC, GURSANDI, DIST-MIRZAPUR	Govt.	4	1.0	CBWTF
331	2	Sonbhadra	Mirzapur	M/S C.H.C. KACHHAWA, DIST-MIRZAPUR	Govt.	30	7.5	CBWTF
332	2	Sonbhadra	Mirzapur	M/S NEW PHC BAGHAUDA RAJGARH MIRZAPUR	Govt.	2	1.0	CBWTF
333	2	Sonbhadra	Mirzapur	M/S NEW PHC SAKTESHGARH RAJGARH MIRZAPUR	Govt.	2	1.0	CBWTF
334	2	Sonbhadra	Mirzapur	M/S NEW PHC PACHOKHARA RAJGARGH MIRZAPUR	Govt.	2	1.0	CBWTF
335	2	Sonbhadra	Mirzapur	M/S NEW PHC BHAIPUR JAMPLUR MIRZAPUR	Govt.	2	1.0	CBWTF
336	2	Sonbhadra	Mirzapur	M/S NEW PHC DEVALA JAMALPUR MIRZAPUR	Govt.	2	1.0	CBWTF
337	2	Sonbhadra	Mirzapur	M/S NEW PHC ADALHAT CHUNAR MIRZAPUR	Govt.	2	1.0	CBWTF
338	2	Sonbhadra	Mirzapur	M/S NEW PHC NARAYANPUR CHUNAR MIRZAPUR	Govt.	2	1.0	CBWTF
339	2	Sonbhadra	Mirzapur	M/S NEW PHC DHARAMMARPUR CHUNAR MIRZAPUR	Govt.	2	1.0	CBWTF
340	2	Sonbhadra	Mirzapur	M/S NEW PHC PACHEVRA CHUNAR MIRZAPUR	Govt.	2	1.0	CBWTF
341	2	Sonbhadra	Mirzapur	M/S NEW PHC KAMSIN CHILH MMIRZAPUR	Govt.	2	1.0	CBWTF
342	2	Sonbhadra	Mirzapur	M/S NEW PHC TILATHI GURSANDI MIRZAPUR	Govt.	2	1.0	CBWTF
343	2	Sonbhadra	Mirzapur	M/S NEW PHC LOHANDI GURSANDI MIRZAPUR	Govt.	2	1.0	CBWTF
344	2	Sonbhadra	Mirzapur	M/S NEW PHC BARKACHHA GURSANDI MIRZAPUR	Govt.	2	1.0	CBWTF
345	2	Sonbhadra	Mirzapur	M/S NEW PHC NEWADHIYA KACHHAWA MIRZAPUR	Govt.	2	1.0	CBWTF
346	2	Sonbhadra	Mirzapur	M/S NEW PHC BHAISA KACHHAWA MIRZAPUR	Govt.	2	1.0	CBWTF
347	2	Sonbhadra	Mirzapur	M/S NEW PHC MAHAMALPUR KACHHAWA MIRZAPUR	Govt.	2	1.0	CBWTF
348	2	Sonbhadra	Mirzapur	M/S NEW PHC CHHATAHA PADRI MIRZAPUR	Govt.	2	1.0	CBWTF
349	2	Sonbhadra	Mirzapur	M/S NEW PHC CHHOTA JAMALPUR MIRZAPUR	Govt.	2	1.0	CBWTF
350	2	Sonbhadra	Mirzapur	M/S NEW PHC MANGRAHA SIKHAR MIRZA[PUR	Govt.	2	1.0	CBWTF
351	2	Sonbhadra	Mirzapur	M/S NEW PHC KHAIRA SIKHAD MIRZAPUR	Govt.	2	1.0	CBWTF

352	2	Sonbhadra	Mirzapur	M/S NEW PHC ADALPURA MIRZAPUR	Govt.	2	1.0	CBWTF
353	2	Sonbhadra	Mirzapur	M/S NEW PHC DRAMAND GANJ MIRZAPUR	Govt.	2	1.0	CBWTF
354	2	Sonbhadra	Mirzapur	M/S NEW PHC VJAYPUR MIRZAPUR	Govt.	2	1.0	CBWTF
355	2	Sonbhadra	Mirzapur	M/S NEW PHC RAMPUR DHABAHI RAJGARH MIRZAPUR	Govt.	2	1.0	CBWTF
356	2	Sonbhadra	Mirzapur	M/S NEW PHC DUBAR LALGANJ MMIRZAPUR	Govt.	2	1.0	CBWTF
357	2	Sonbhadra	Mirzapur	M/S NEW PHC MATWAR HALLIYA MIRZAPUR	Govt.	2	1.0	CBWTF
358	2	Sonbhadra	Mirzapur	M/S NEW PHC BARODHA HAALLIYA MIRZAPUR	Govt.	2	1.0	CBWTF
359	2	Sonbhadra	Mirzapur	M/S NEW PHC BIRAURA MIRZAPUR	Govt.	2	1.0	CBWTF
360	2	Sonbhadra	Mirzapur	M/S NEW PHC BIHASADA KUSHAHA MIRZAPUR	Govt.	2	1.0	CBWTF
361	2	Sonbhadra	Mirzapur	M/S NEW PHC NARROIYA VIJAYPUR MIRZAPUR	Govt.	2	1.0	CBWTF
362	2	Sonbhadra	Mirzapur	M/S NEW PHC AKODHI MIRZAPUR	Govt.	2	1.0	CBWTF
363	2	Sonbhadra	Mirzapur	M/S NEW PHC LAHANGPUR LALGANJ MIRZAPUR	Govt.	2	1.0	CBWTF
364	2	Sonbhadra	Mirzapur	M/S NEW PHC JAMUA. KACHHAWA, MIRZAPUR	Govt.	2	1.0	CBWTF
365	2	Sonbhadra	Mirzapur	M/S UPHC TARAKAPUR MIRZAPUR	Govt.	1	0.25	CBWTF
366	2	Sonbhadra	Mirzapur	M/S UPHC SANGMOHAL MIRZAPUR	Govt.	1	0.25	CBWTF
367	2	Sonbhadra	Mirzapur	M/S CHC BALLI KA ADDA MIRZAPUR	Govt.	1	0.25	CBWTF