

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH AT NEW DELHI**

ORIGINAL APPLICATION NO. 450 OF 2025

IN THE MATTER OF:

DR ANIL KUMAR PANDEY

.... APPLICANT

VERSUS

STATE OF U.P. & ORS.

.... RESPONDENTS

INDEX

SLNo.	PARTICULARS	PAGES
1.	AFFIDAVIT ON BEHALF OF RESPONDENT NO.-6, UTTAR PRADESH POLLUTION CONTROL BOARD	1-7
2.	<u>ANNEXURE-1</u> A true copy of the joint committee report alongwith its respective annexure	8-109
3.	Vakalatnama	110

NEW DELHI

DATED: 13 .03.2026



(PRADEEP MISRA & DALEEP DHYANI)

Counsel for U.P. Pollution Control Board

138, New Lawyers Chamber,

Supreme Court of India,

New Delhi-110001

(M.) 9810252518


Email: pradeepmisra@yahoo.com



e-Stamp

ACC Name- MOHIT JAISWAL
ACC Code-UP14842604
ACC Address- Civil Court, Gorakhpur
Licence No -198, Mob.-8115624598
Tehsil & District-Sadar, Gorakhpur
Signature: *Mohit*

Certificate No. : IN-UP50886640399191Y
 Certificate Issued Date : 12-Mar-2026 12:43 PM
 Account Reference : NEWIMPACC (SV)/ up14842604/ GORAKHPUR SADAR/ UP-GRK
 Unique Doc. Reference : SUBIN-UPUP1484260497184952000461Y
 Purchased by : ASHUTOSH CHAUHAN S O LATE RATAN SINGH CHAUHAN
 Description of Document : Article 4 Affidavit
 Property Description : Not Applicable
 Consideration Price (Rs.) :
 First Party : ASHUTOSH CHAUHAN S O LATE RATAN SINGH CHAUHAN
 Second Party : Not Applicable
 Stamp Duty Paid By : ASHUTOSH CHAUHAN S O LATE RATAN SINGH CHAUHAN
 Stamp Duty Amount(Rs.) : 10
 (Ten only)



Please write or type below this line

Sirijesh Kumar Gupta
NOTARY
GORAKHPUR
12/3/26

1. The authenticity of this Stamp certificate should be verified at 'www.shikhestamp.com' or using e-Stamp Mobile App of Stock Holding
 Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
 2. The onus of checking the legitimacy is on the users of the certificate.
 3. In case of any discrepancy please inform the Competent Authority

12-Mar-2026 12:43 PM IN-UP50886640399191Y 2026-12-12 12:43 PM Sirijesh Kumar Gupta, Civil Court, Gorakhpur, H. O. Gorakhpur, Regd. No -37(43)/2000

12-Mar-2026 12:43 PM IN-UP50886640399191Y 2026-12-12 12:43 PM Sirijesh Kumar Gupta, Civil Court, Gorakhpur, H. O. Gorakhpur, Regd. No -37(43)/2000

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI

ORIGINAL APPLICATION NO. 450 OF 2025

IN THE MATTER OF:

DR ANIL KUMAR PANDEY

.... APPLICANT

VERSUS

STATE OF U.P. & ORS.

.... RESPONDENTS

AFFIDAVIT ON BEHALF OF RESPONDENT NO.-6, UTTAR
PRADESH POLLUTION CONTROL BOARD

I, Ashutosh Chauhan, aged about 45 years, S/o Late Shri Ratan Singh Chauhan, presently posted as Regional Officer, Uttar Pradesh Pollution Control Board (hereinafter referred to as UPPCB), Gorakhpur do hereby solemnly affirm and state on oath as under:

1. That in the official capacity mentioned above, I am acquainted with the facts and circumstances of the case and as such I am competent and authorized to swear this affidavit.
2. That by mean of the present original application the applicant has raised grievances regarding discharge of untreated industrial effluent by the Gorakhpur Industrial Development Authority (GIDA), Gorakhpur (Uttar Pradesh) via Saraya drain in Aami river, a tributary of river Ganga,



Girijesh Kumar Gupta
NOTARY
GORAKHPUR

[Handwritten Signature]

near village Pt. Adilapar, Development Block-Piprauli, District Gorakhpur (Uttar Pradesh).

3. That the present matter was came up for hearing on 06.10.2025 and upon considering the matter this Hon'ble National Green Tribunal, Principal Bench, New Delhi (hereinafter referred to as Hon'ble Tribunal) vide its order dated 06.10.2025 has constituted a Joint Committee comprising the representatives of CPCB, UPPCB and District Magistrate, Gorakhpur and direct the same to meet within two weeks, undertake visits to the site, look into the grievances of the applicant, associate the applicant and representative of the concerned project proponent, verify the factual position and suggest appropriate remedial action by way of report. Further, this Hon'ble Tribunal has also directed the respondents to file their response by impleading the UPPCB as respondent no.-6.

4. That in compliance to the order dated 06.10.2025, the report of the joint committee report has been filed by the UPPCB being a nodal agency on 09.01.2026. Upon considering the report of the joint committee this Hon'ble Tribunal has observed and was pleased to pass the following direction:



“...2. *We have gone through the report of the Joint Committee and we find that the Joint Committee has not addressed the relevant issues regarding discharge of untreated industrial affluent and untreated sewage in Ami River which tributary of River Ganga.*

Girijesh Kumar Gupta
NOTARY
GORAKHPUR

3. *The Joint Committee is directed to look into all relevant aspects and submit detailed report with respect to due compliance with the provisions of Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 by the concerned industrial units and the Solid Waste Management Rules, 2016 by the respondents and file additional report within one month..."*
5. That in compliance to the order dated 12.01.2026 passed by the Hon'ble Tribunal, the Joint Committee with team of monitoring officials carried out field inspection and collected the samples of all concerned 49 water polluting industries units under Gorakhpur Industrial Development Authority (GIDA) during 20.01.2026 to 23.01.2026. The collected samples were sent to laboratory of the UPPCB, Lucknow for analysis, the analysis reports are annexed with the inspection report.
A true copy of the joint committee report along with its respective annexure is being annexed herewith and marked as Annexure R6/1.
6. That on the inspection by the joint committee has been found that out of 49 water polluting industries in the Industrial Estate, 7 are closed and 3 were complying with environmental norms. Other 39 industries are not complying norms with respect to Environmental Protection Act.



Girijesh Kumar Gupta
NOTARY
GORAKHPUR

7. That out of 39 industries, 29 were not complying with the norms with respect to Water (Prevention and Control of Pollution) Act, 1974, hence the Regional Office has recommended to the headquarter of the Board for issuance of show cause notice to those industries on the basis of analysis result.
8. That the Joint Committee has made the following recommendations.

5. Recommendations:

The recommendation was made by joint committee are same as previously file inspection report vide dated 09.01.2026 are as below:

- i. Concerned Authority i.e., GIDA should install proposed CETP for the treatment of effluent discharged through Industrial Drain, Sector-13 and Industrial Drain, Sector-15, GIDA, Sahjanwa, Gorakhpur and not untreated wastewater meet to river.
- ii. The construction of the Common Effluent Treatment Plant (CETP) proposed by the Gorakhpur Industrial Development Authority (GIDA), Gorakhpur, should be ensured within the stipulated time frame.
- iii. Concerned Authority i.e., GIDA/Nagar Palika should properly collect and dispose the Domestic



Girijesh Kumar Gupta
NOTARY
GORAKHPUR

solid waste as per "MSW, Rule 2016 and its amendment time to time". Copy of the MSW Rule.

iv. Concerned Authority should ensure proper disposal of dead animal through carcass/rendering plant. Copy of the Guidelines for Carcass Disposal.

v. Concerned Authority i.e., Nagar Palika, Sahjanwan should be initiate for the construction of a Sewage Treatment Plant (STP) to treat the domestic wastewater generated by Nagar Panchayat, Sahjanwa, which is currently discharged into the Ami River through the Sariya drain. (As per Hon'ble NGT Order dated 31.08.2018 in the matter of O.A. No. 593 of 2017 Paryavaran Suraksha Samiti Vs Union of India).

vi. Concerned Authority i.e., Nagar Palika, Sahjanwan should ensure temporary wastewater treatment through Bio remediation till establishment of STP. (As per Hon'ble NGT Order dated 22.02.2021 in the matter of O.A. No. 593 of 2017 Paryavaran Suraksha Samiti Vs Union of India).

vii. The Gorakhpur Industrial Development Authority (GIDA), Gorakhpur. should ensure the maintenance of roads in the industrial area to control dust emissions in the industrial zone.

viii. The Uttar Pradesh Pollution Control Board should conduct regular inspections and ensure



Girijesh Kumar Gupta
NOTARY
GORAKHPUR

[Handwritten Signature]

compliance of Directions/Environmental Rules & Act notified by MoEF&CC, CPCB and NGT time to time and take suitable action as per rules.

9. That the present affidavit is being submitted before this Hon'ble Tribunal for kind perusal and consideration.

[Signature]
DEPONENT

VERIFICATION:

Verified at Gorakhpur on this the 12th day of March, 2026 that the contents of above affidavit are true and correct to my knowledge based on records and information received and believed to be true, no part of it is false and nothing material has been concealed therefrom.

[Signature]
DEPONENT

I declare that the contents of Ashutosh Chauhan be signed before my self attested
[Signature]



435/26
I solemnly affirmed before me on
a 12-30 day of March 2026
the day of Ashutosh Chauhan
Guler Gupta
I have satisfied my self by clearing the deponent
that he/she understands the contents of this affidavit
* which has been read over and explained by me

12/3/26

[Signature]
NOTARY
GORAKHPUR

Additional Joint Committee Report

in

Compliance of Hon'ble NGT Order dated 12.01.2026 in the matter of**“O.A. No. 450 of 2025 Dr. Anil Kumar Pandey Vs State of Uttar Pradesh & Ors.”****1. Background:**

Joint Committee was constituted in compliance of Hon'ble NGT order dated 06.10.2025 in the matter of (O. A. No. 450 of 2025 Dr. Anil Kumar Pandey Vs State of Uttar Pradesh & Ors.). The relevant portion of the order is as below:

“----- In view of the averments made in the application, we also consider it appropriate that a Joint Committee be constituted to verify the factual position and suggest appropriate remedial action. Accordingly, we constitute a Joint Committee comprising of representatives of CPCB, UPPCB and District Magistrate, Gorakhpur and direct the same to meet within two weeks, undertake visits to the site, look into the grievances of the applicant, associate the applicant and representative of the concerned project proponent, verify the factual position and suggest appropriate remedial action. The UPPCB will be the nodal agency for coordination and compliance.....”

In compliance of Hon'ble NGT Order, the Joint Committee report was submitted to Hon'ble NGT vide dated 09.01.2026 by nodal agency UPPCB.

2. Further, Hon'ble NGT directed vide order dated 12.01.2026 to Joint Committee to look into all relevant aspects and submit detailed report within one month. The relevant portion of the order is as below:

“...3. The Joint Committee is directed to look into all relevant aspects and submit detailed report with respect to due compliance with the provisions of Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 by the concerned industrial units and the Solid Waste Management Rules, 2016 by the respondents and file additional report within one month...”

Copy of the Hon'ble NGT Order is attached as **Annexure-I**.

The Joint Committee was comprising the member of Sh. Kesari Nandan Tiwari, SDM Sahjanwan, Representative of District Administration, Sh. Kamal Kumar, Sci. 'E', Central

Pollution Control Board, Regional Directorate Lucknow as Representative of Central Pollution Control Board and Sh. P. P. Singh, Assistant Environmental Engineer, Uttar Pradesh Pollution Control, Regional Office, Gorakhpur Representative of Uttar Pradesh Pollution Control Board. During field inspection Sh. Ram Milan Verma, SA, UPPCB and Sh. Md. Faisal Sci. 'B' CPCB RD, Lucknow were also present.

3. In compliance of Hon'ble NGT Order dt 12.01.2026, the Joint Committee with team of monitoring officials carried out field inspection and sampling of all concerned 49 units as per NGT order and list provided by UPPCB water polluting industries in Gorakhpur Industrial Development Authority (GIDA) during 20.01.2026 - 23.01.2026.

Joint committee has inspected the all concerned units as per NGT Order dated 12.01.2026 and samples were collected for effluent discharge and emission. Samples were sent to Uttar Pradesh Pollution Control Board, Head Office, Lucknow Laboratory for analysis and results are attached as **Annexure-II**.

4. **Observation: -**

- a) A total of 372 industries established in Sector-13 and Sector-15 of the Gorakhpur Industrial Development Authority (GIDA), out of which 49 industries are water-polluting industries as per list provided by UPPCB. The details compliance status of all the concerned 49 water-polluting industries is attached as **Annexure-III**.
- b) GIDA has installed solid waste collection bin at some points in Sector 13 and Sector 15. During visit of joint committee solid waste was observed along the drains and disposed-off near the approach road, which indicate that units are not disposing their waste in to bins. Whereas, GIDA has not provided any agreement/free receipt/ bylaws with Gorakhpur Nagar Nigam for scientific disposal of Solid Waste.
- c) The summery of the Joint Committee on the basis of information collected and analysis reports of all the concerned 49 industries is as below:
- During visit, joint committee found that Seven (07) out of forty-Nine (49) units were closed.
 - During visit, joint committee found that three (03) out of forty-Nine (49) units were complying under E(P) Act, 1986, Water (PCP) Act, 1974 and Air (PCP) Act, 1981.
 - During visit, joint committee found that Thirty Nine (39) out of forty-Nine (49) units were non-complying w.r.t., under E(P) Act, 1986.

- d. During visit of joint committee found that Twenty Nine (29) out of forty-Nine (49) units were non-complying w.r.t. Water (PCP) Act, 1974.
 - e. During visit of joint committee found that three (03) out of forty-Nine (49) units were non-complying w.r.t Air (PCP) Act, 1981.
- d) RO, UPPCB, Gorakhpur has sent recommendations to H.O. for issue show cause notices based on analysis results and joint committee observations to Twenty Nine (29) units which are found non-complying of during inspection. List is attached as **Annexure-IV**
- e) UPPCB, RO, Gorakhpur has issued notice to Thirty Seven (37) units based on non-complying under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. List is attached as **Annexure-V**

5. Recommendations:

The recommendation was made by joint committee are same as previously file inspection report vide dated 09.01.2026 are as below: -

- i. Concerned Authority i.e., GIDA should install proposed CETP for the treatment of effluent discharged through Industrial Drain, Sector-13 and Industrial Drain, Sector-15, GIDA, Sahjanwa, Gorakhpur and not untreated wastewater meet to river.
- ii. The construction of the Common Effluent Treatment Plant (CETP) proposed by the Gorakhpur Development Authority (GIDA), Gorakhpur, should be ensured within the stipulated time frame.
- iii. Concerned Authority i.e., GIDA/Nagar Palika should properly collect and dispose the Domestic solid waste as per "MSW, Rule 2016 and its amendment time to time". Copy of the MSW Rule.
- iv. Concerned Authority should ensure proper disposal of dead animal through carcass/rendering plant. Copy of the Guidelines for Carcass Disposal.
- v. Concerned Authority i.e., Nagar Palika, Sahjanwan should be initiate for the construction of a Sewage Treatment Plant (STP) to treat the domestic wastewater generated by Nagar Panchayat, Sahjanwa, which is currently discharged into the Ami River through the Sariya drain. (As per Hon'ble NGT Order dated 31.08.2018 in the matter of O.A. No. 593 of 2017 Paryavaran Suraksha Samiti Vs Union of India).
- vi. Concerned Authority i.e., Nagar Palika, Sahjanwan should ensure temporary wastewater treatment through Bio remediation till establishment of STP. (As per

Hon'ble NGT Order dated 22.02.2021 in the matter of O.A. No. 593 of 2017 Paryavaran Suraksha Samiti Vs Union of India).

- vii. The Gorakhpur Development Authority (GIDA), Gorakhpur, should ensure the maintenance of roads in the industrial area to control dust emissions in the industrial zone.
- viii. The Uttar Pradesh Pollution Control Board should conduct regular inspections and ensure compliance of Directions/Environmental Rules & Act notified by MoEF&CC, CPCB and NGT time to time and take suitable action as per rules.

		
(Kesari Nandan Tiwari) SDM, Sahjanwan	(Kamal Kumar) Scientist-E CPCB, RD Lucknow	(P. P. Singh) AEE UPPCB, RO, Gorakhpur

Item No. 06

Court No. 2

**BEFORE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 450/2025

Dr. Anil Kumar Pandey

Applicant

Versus

State of Uttar Pradesh & Ors.

Respondents

Date of hearing: 12.01.2026

**CORAM: HON'BLE MR. JUSTICE ARUN KUMAR TYAGI, JUDICIAL MEMBER
HON'BLE DR. AFROZ AHMAD, EXPERT MEMBER**

Applicant: None for the Applicant.

Respondents: Mr. Bhanwar Pal Singh Jadon, Advocate for respondents no. 1 to 4.
Mr. Gaurav Dhingra, Advocate for respondent no. 5.
Mr. Pradeep Misra and Mr. Daleep Dhyani, Advocates for UPPCB.

ORDER

1. Report of the Joint Committee has been filed by learned counsel for UPPCB by email dated 09.01.2026.
2. We have gone through the report of the Joint Committee and we find that the Joint Committee has not addressed the relevant issues regarding discharge of untreated industrial affluent and untreated sewage in Ami River which tributary of River Ganga.
3. The Joint Committee is directed to look into all relevant aspects and submit detailed report with respect to due compliance with the provisions of Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 by the concerned industrial units and the Solid Waste Management Rules, 2016 by the respondents and file additional report within one month.

4. In view of the facts and circumstances of the case we consider presence of Ministry of Jal Shakti, Water Resource and National Mission for Clean Ganga, Central Pollution Control Board to be essential for just and proper adjudication of the substantial environmental questions involved in the case. Accordingly, Ministry of Jal Shakti, Water Resource and National Mission for Clean Ganga, Central Pollution Control Board are impleaded as respondents no. 7, 8 and 9.

5. The Registry is directed to amend the memo of parties and to issue notices to newly added respondents.

6. Mr. Gi. Gi. George, learned counsel has appeared and accepted notice on behalf of MoJS and NMCG and Mr. Mohit Singhal, learned counsel has appeared and accepted notice on CPCB.

7. Learned counsels for the respondents no. 1 to 6 seek adjournment for filing of their responses.

8. Responses may be filed by the respondents within two months.

9. In the present case, the applicant is not represented by any advocate and we consider it appropriate to provide legal aid to the applicant to assist him in making appropriate representation of facts and law and placing the relevant material before this Tribunal. Accordingly, we appoint Mr. Shubham Upadhyay, Advocate (D/4525/2018) Mobile No.7351772000, email id: aor.shubham@gmail.com as legal aid counsel. His honorarium is fixed as Rs. 50000/- besides miscellaneous expenses which shall be payable to him by UPPCB out of environmental compensation amount lying deposited with it. Half of the amount of honorarium may be paid to him within one month and remaining of the amount may be paid to him on disposal of the case.

10. The Registry is directed to supply a copy of the paper book to Mr. Shubham Upadhyay, Advocate within 15 days.

11. List on 16.03.2026 for further hearing.

12. A copy of this order of this order may be sent to Mr. Shubham Upadhyay, Advocate and Member Secretary, UPPCB by email for requisite compliance.

Arun Kumar Tyagi, JM

Dr. Afroz Ahmad, EM

January 12th, 2026
Original Application No. 450/2025
AB



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35397999/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: RUNGTA INDUSTRIES PRIVATE LIMITED, BL-1, Sector- 15, GIDA
- 2- Address of Industry: BL-1, Sector- 15, GIDA
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.32	6.5-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	58.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	386.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.03
18:05:36 +05'30'

Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.03
18:05:00 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35397999/Gorakhpur/2026

Date:03/02/2026

- 1- **Name of Industry:** RUNGTA INDUSTRIES PRIVATE LIMITED, BL-1, Sector- 15, GIDA
- 2- **Address of Industry:** BL-1, Sector- 15, GIDA
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 20/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 21/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	8.0	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
 Digitally signed by Arti Gupta
 Date: 2026.02.03 18:06:17 +05'30'
Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.03 18:06:25 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398002/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: RUNGTA INDUSTRIES PRIVATE LIMITED, BL-1, Sector- 15, GIDA
- 2- Address of Industry: BL-1, Sector- 15, GIDA
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.12	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	115.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	157.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	533.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.03
14:08:56 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
14:09:06 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398002/Gorakhpur/2026

Date:03/02/2026

- 1- **Name of Industry:** RUNGTA INDUSTRIES PRIVATE LIMITED, BL-1, Sector- 15, GIDA
- 2- **Address of Industry:** BL-1, Sector- 15, GIDA
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 20/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 21/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	16.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Digitally signed by
 Arti Gupta
Arti Gupta
Date: 2026.02.03
14:10:08 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
14:10:17 +05'30'
Incharge
Central Laboratory



REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD
 Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484043/Gorakhpur/2026

Date: 18/02/2026

- 1- Name & Address of Industry: RUNGTA INDUSTRIES PRIVATE LIMITED, BL-1, Sector- 15, GIDA
- 2- Sample Collected By: Ayodhya Prasad ,SA, R.K. Singh, LA
- 3- Date of Monitoring: 20/01/2026
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler
- 6- Stack Height: 33m
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 8 TPH
- 9- Fuel used: 18 TPD
- 10- Quantity of Fuel used: Rice Husk
- 11- Flue Gas Velocity: 12.12 m/s
- 12- Air Pollution Control Device: Cyclone Separator
- 13- Other remarks (if any): NA
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	172.60	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
 [Surya Mohan Pandey JRF]

Authorised Signatory,
 RAM MILAN VERMA
 Date: 2026.02.18
 14:28:58 +05'30'
 Ram Milan Verma (SA)

Ashutosh Chauhan
 Digitally signed
 by Ashutosh
 Chauhan
 Date: 2026.02.21
 14:12:58 +05'30'
 Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398063/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Address of Industry: E 1, SECTOR 15 GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 Glass Bottle
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.09	As per MoEF&CC/CPCB	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	8.8	„	10-20000 mg/l
3	Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	450	„	<1.8 MPN/100 ml & above
4	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	200	„	<1.8 MPN/100 ml & above
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	7.2	„	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	44.0	„	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.03
18:11:09 +05'30'

Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed
by IMRAN
AHMAD KHAN
Date: 2026.02.03
18:11:19 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398063/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Address of Industry: E 1, SECTOR 15 GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 Glass Bottle
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
-------	-----------------------	------	---------	----------	-----------------

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by

Arti Gupta (ASO)

Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398060/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Address of Industry: E 1, SECTOR 15 GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 Glass Bottle for MPN
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.93	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	60.0	-	10-20000 mg/l
3	Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	79000	-	<1.8 MPN/100 ml & above
4	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	27000	-	<1.8 MPN/100 ml & above
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	42.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	162.8	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.03
18:07:20 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
18:07:34 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398060/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Address of Industry: E 1, SECTOR 15 GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 Glass Bottle for MPN
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
-------	-----------------------	------	---------	----------	-----------------

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by

Arti Gupta (ASO)

Incharge
Central Laboratory



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484578/Gorakhpur/2026

Date: 19/02/2026

- 1- Name & Address of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Sample Collected By: R.K Singh, L.A, R.M Verma,S.A
- 3- Date of Monitoring: 20/01/2026
- 4- Source of Sampling: Stack -2
- 5- Stack attached to: Boiler
- 6- Stack Height: 90
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 55TPH
- 9- Fuel used: 18 TPH slop, 6.23 TPH rice husk or 18 TPH slop, 05 TPH Indian Coal or 18 TPH slop, 3.78 TPH imported coal
- 10- Quantity of Fuel used: 18 TPH slop, 6.23 TPH rice husk or 18 TPH slop, 05 TPH Indian Coal or 18 TPH slop, 3.78 TPH imported coal
- 11- Flue Gas Velocity: 14.26 m/s
- 12- Air Pollution Control Device: ESP
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	102.32	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Ankita Dwivedi JRF]

Authorised Signatory-
RAM MILAN VERMA
Date: 2026.02.19
13:56:51 +05'30'
Ram Milan Verma (SA)

Ashutosh Chauhan
Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:14:47 +05'30'
Regional Officer



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484581/Gorakhpur/2026

Date: 19/02/2026

- 1- Name & Address of Industry: INDIA GLYCOLS LIMITED, E 1, SECTOR 15 GIDA, GORAKHPUR
- 2- Sample Collected By: Rajneesh Singh, LA, R.M. Verma,SA
- 3- Date of Monitoring: 20/01/2026
- 4- Source of Sampling: Stack -1
- 5- Stack attached to: Boiler
- 6- Stack Height: 60
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 45 TPH
- 9- Fuel used: 40 MTDcoal, 110 MTDrice husk, 190 MTDslop
- 10- Quantity of Fuel used: 40 MTDcoal, 110 MTDrice husk, 190 MTDslop
- 11- Flue Gas Velocity: 14.11 m/s
- 12- Air Pollution Control Device: ESP
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	107.22	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Ankita Dwivedi JRF]

Authorised Signatory-
RAM MILAN VERMA
Date: 2026.02.19
14:39:44 +05'30'
Ram Milan Verma (SA)

Ashutosh
Chauhan

Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:16:47 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426405/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: J M AGRO PRODUCTS PRIVATE LIMITED, D-1/17, Sec-13, GIDA, Sahjanwa, Gorakhpur, GORAKHPUR, 273209
- 2- Address of Industry: D-1/17, Sec-13, GIDA, Sahjanwa, Gorakhpur, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Rejected Water from R O Plant without any treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.24	-	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	56.0	-	10-20000 mg/l
3	Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	1432.0	-	10- 50000 mg/l
4	Total Solids, APHA 24th Ed.2540 B: 2023	mg/l	1488.0	-	10- 50000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	26.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	132.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Arti
Gupta

Digitally signed
by Arti Gupta
Date: 2026.02.04
20:04:00 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 3
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti Digitally signed
by Arti Gupta
Date: 2026.02.04
20:04:11 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.04
20:04:25 +05'30'
AHMAD
KHAN
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 2 of 3
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426422/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** TULSI SURGICAL DEVICES PRIVATE LIMITED, FL-08, SECTOR-13 GIDA, GORAKHPUR - 273209
- 2- **Address of Industry:** FL-08, SECTOR-13 GIDA, GORAKHPUR - 273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Rejected Water from R O Plant without any treatment
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.66	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	26.0	-	10-20000 mg/l
3	Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	482.0	-	10- 50000 mg/l
4	Total Solids, APHA 24th Ed.2540 B: 2023	mg/l	508.0	-	10- 50000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	14.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	72.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Arti
Gupta

Digitally signed
by Arti Gupta
Date: 2026.02.04
20:07:05 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 3
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)
Digitally signed
by Arti Gupta
Date: 2026.02.04
20:07:30 +05'30'

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
20:07:31 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 2 of 3
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426848/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: AMAR UJALA LIMITED, PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 2- Address of Industry: PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.25	7.0-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	47.0	50	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	18.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	162.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426848/Gorakhpur/2026

Date:04/02/2026

1- Name of Industry: AMAR UJALA LIMITED, PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209

2- Address of Industry: PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209

3- District: Gorakhpur

4- Description about sampling point: Outlet of ETP

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow

7- Colour and Odour: - -

8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease

9- Date of Sample Collection: 22/01/2026

10- Analysis Indented by: RO Gorakhpur

11- Date of sample receipt in Lab: 23/01/2026

12- Period of Analysis: 07 days

13- ULR Number: -

14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B

15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	6.6	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Dr Mamta Pandey(SA)]

Authorized by
 Digitally signed by
 Arti Gupta
 Date: 2026.02.04
 19:55:08 +05'30'
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 19:55:18 +05'30'
Incharge
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426845/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: AMAR UJALA LIMITED, PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 2- Address of Industry: PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.60	-	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	163.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	339.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	1354.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed
by Arti Gupta
Date: 2026.02.04
19:31:29 +05'30'

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory

Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.04
19:32:24 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426845/Gorakhpur/2026

Date:04/02/2026

1- Name of Industry: AMAR UJALA LIMITED, PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209

2- Address of Industry: PLOT NO. AL-21, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR, 273209

3- District: Gorakhpur

4- Description about sampling point: Inlet of ETP

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow

7- Colour and Odour: - -

8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease

9- Date of Sample Collection: 22/01/2026

10- Analysis Indented by: RO Gorakhpur

11- Date of sample receipt in Lab: 23/01/2026

12- Period of Analysis: 07 days

13- ULR Number: -

14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B

15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	32.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
19:32:24 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
19:32:35 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444226/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: LUXMI BREEDING FARM, Plot No- E 9, Sector 15, GIDA, Gorakhpur, UP,GORAKHPUR,273209
- 2- Address of Industry: Plot No- E 9, Sector 15, GIDA, Gorakhpur, UP,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.46	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	54.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	236.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Digitally signed by
 Arti Gupta
 Date: 2026.02.09
 16:43:01 +05'30'

Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN Incharge
 Central Laboratory
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.09
 16:43:01 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444845/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: Sri Ram Foods Industries , E-22, Sector-15, GIDA Gorakhpur
- 2- Address of Industry: E-22, Sector-15, GIDA Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	5.64	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	242.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	2284.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	7154.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Digitally signed by
Arti Gupta
Date: 2026.02.09
12:48:13 +0530'
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Incharge
Central Laboratory
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
12:48:13 +0530'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444852/Gorakhpur/2026

Date:13/02/2026

- 1- Name of Industry: Perfect Industries , C-5, Sec-15, GIDA Gorakhpur
- 2- Address of Industry: C-5, Sec-15, GIDA Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 1 liter Plastic Jaricane for metal
- 9- Date of Sample Collection: 23/01/2026
- 10- Analyis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	2.59	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	23.0	-	10-20000 mg/l
3	Total Chromium, APHA 24th Ed 3111-B: 2023	mg/l	53.1245	-	0.1-1000mg/l
4	Nickel, APHA 24th Ed. 3111-B: 2023	mg/l	2.6600	-	0.02-1000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	6.8	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	42.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Digitally signed by
Arti Gupta
Date: 2026.02.13
13:36:41 +0530
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN Incharge
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.13
+0530
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426434/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NANGALIA FOOD INDUSTRIES PVT LTD, FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 2- Address of Industry: FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.36	6.5-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	98.0	50	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	71.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Date: 2026.02.04
 20:17:33 +05'30'
 Gupta
 Arti Gupta (ASO)

Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 20:17:41 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426434/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NANGALIA FOOD INDUSTRIES PVT LTD, FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 2- Address of Industry: FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	18.6	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Priya Pathak (SA)]

Authorized by
 Arti
Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 20:17:53 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 20:18:02 +05'30'
 Incharge
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426431/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NANGALIA FOOD INDUSTRIES PVT LTD, FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 2- Address of Industry: FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.37	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	148.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	135.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	309.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
20:14:52 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
20:14:52 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426431/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NANGALIA FOOD INDUSTRIES PVT LTD, FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 2- Address of Industry: FE-12, Sector-13, GIDA Gorakhpur,GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	22.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Priya Pathak (SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 20:15:04 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 20:15:12 +05'30'
 Incharge
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398096/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- Address of Industry: FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of ETP (Unit-1 & Unit-2)
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.06	6.0-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	58.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	27.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	216.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Digitally signed by
Arti Gupta
Date: 2026.02.03
18:42:50 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
18:43:05 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398096/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- Address of Industry: FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of ETP (Unit-1 & Unit-2)
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	7.8	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)
Digitally signed
by Arti Gupta
Date: 2026.02.03
18:43:15 +05'30'

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
18:43:24 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398089/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- Address of Industry: FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.20	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	278.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	342.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	1672.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.03
18:37:46 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.03
18:37:55 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398089/Gorakhpur/2026

Date:03/02/2026

- 1- **Name of Industry:** AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- **Address of Industry:** FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 20/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 21/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	22.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note: 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
 Arti
 Digitally signed by
 Arti Gupta
 Date: 2026.02.03
 18:38:09 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD
 KHAN
 Date: 2026.02.03
 18:38:18 +05'30'
Incharge
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398092/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- Address of Industry: FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP Unit-2
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.74	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	218.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	458.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	2483.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed by
Arti Gupta
Date: 2026.02.03
18:40:09 +05'30'

IMRAN
AHMAD KHAN
Incharge
Central Laboratory

Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.03
18:40:19 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398092/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: AMBEY PROCESSORS, FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 2- Address of Industry: FL-2 & 3, SECTOT-13, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP Unit-2
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	24.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
 Arti
Digitally signed
 by Arti Gupta
 Date: 2026.02.03
 18:40:39 +0530'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.03
 18:40:39 +0530'
Incharge
Central Laboratory



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484488/Gorakhpur/2026

Date: 19/02/2026

- 1- Name & Address of Industry: AMBEY PROCESSERS PVT LTD, LF-2,Sector-13,GIDA, Gorakhpur ,GORAKHPUR,273005
- 2- Sample Collected By: Ayodhya Prasad ,SA, Dr. R K Singh, LA
- 3- Date of Monitoring: 20/01/2026
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler, Thermic Fluid Heater
- 6- Stack Height: 35.0
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 12 TPH & 300000 KCal
- 9- Fuel used: Rice Husk
- 10- Quantity of Fuel used: 33 TPD
- 11- Flue Gas Velocity: 16.54 m/s
- 12- Air Pollution Control Device: Mulit Cyclone Sapertor
- 13- Other remarks (if any): NA
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	110.16	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Surya Mohan Pandey JRF]

Authorised Signatory
RAM MILAN VERMA
Date: 2026.02.19
14:40:10 +05'30'
Ram Milan Verma (SA)

Ashutosh Chauhan
Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:13:30 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398163/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: ROYAL SAVERA FOODS PVT LTD, FL-1, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 2- Address of Industry: FL-1, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.60	6.5-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	125.0	100	10-20000 mg/l
3	Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	844.0	2100	10- 50000 mg/l
4	Total Solids, APHA 24th Ed.2540 B: 2023	mg/l	969.0	-	10- 50000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	79.0	30	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	467.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Dr Mamta Pandey(SA)]

Authorized by
 Arti
 by Arti Gupta
 Date: 2026.02.03
 18:20:35 +05'30'
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.03
 18:20:45 +05'30'

Incharge
 Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35398160/Gorakhpur/2026

Date:03/02/2026

- 1- Name of Industry: ROYAL SAVERA FOODS PVT LTD, FL-1, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 2- Address of Industry: FL-1, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 20/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 21/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	4.75	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	418.0	-	10-20000 mg/l
3	Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	1217.0	-	10- 50000 mg/l
4	Total Solids, APHA 24th Ed.2540 B: 2023	mg/l	1635.0	-	10- 50000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	696.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	2808.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484768/Gorakhpur/2026

Date: 18/02/2026

- 1- Name & Address of Industry: ROYAL SAVERA FOODS PVT LTD, FL-1, Sector-13, GIDA, Gorakhpur, GORAKHPUR, 273209
- 2- Sample Collected By: Ayodhya Prasad ,SA
- 3- Date of Monitoring: 21/01/2026
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler
- 6- Stack Height: 30 Meter from Ground Level
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 2.0 TPH
- 9- Fuel used: Coal/Wood
- 10- Quantity of Fuel used: 400 kg/Hour
- 11- Flue Gas Velocity: 14.26 m/s
- 12- Air Pollution Control Device: Cyclone Dust Collector
- 13- Other remarks (if any): NA
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	102.32	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Alok Sharma JRF]

Authorised Signatory,
RAM MILAN VERMA
Date: 2026.02.18
14:30:12 +05'30'
Ram Milan Verma (SA)

Ashutosh
Chauhan
Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:17:43 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420016/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: S P CHEMICAL WORKS, PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 2- Address of Industry: PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.08	5.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	73.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	44.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	278.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Dr Mamta Pandey(SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 17:38:56 +05'30'

IMRAN
 AHMAD KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:39:05 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420016/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: S P CHEMICAL WORKS, PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 2- Address of Industry: PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	12.0	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Digitally signed by
 Arti Gupta
Date: 2026.02.04 17:39:16 +05'30'
Arti Gupta (ASO)

Digitally signed by
 IMRAN AHMAD KHAN
Date: 2026.02.04 17:39:26 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420019/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: S P CHEMICAL WORKS, PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 2- Address of Industry: PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.75	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	234.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	698.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	2472.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
17:36:25 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
17:36:35 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420019/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: S P CHEMICAL WORKS, PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 2- Address of Industry: PLOT NO. D-1/4A, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	18.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 17:36:45 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:36:54 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35419978/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: CARE MEDICAL DEVICES LTD, D-1/3B, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 2- Address of Industry: D-1/3B, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.69	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	288.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	641.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	2549.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
 Arti
Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 17:33:11 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:33:20 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444859/Gorakhpur/2026

Date: 09/02/2026

- 1- **Name of Industry:** Karandev Hatchries (Old name Eggwet food & feed), D-1/2A Sec-13, GIDA, Gorakhpur
- 2- **Address of Industry:** D-1/2A Sec-13, GIDA, Gorakhpur
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Final Outlet of Factory without any Treatment
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane
- 9- **Date of Sample Collection:** 23/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 24/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.97	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	76.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	42.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	194.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Digitally signed by Arti Gupta
 Arti Gupta
Date: 2026.02.09 16:55:10 +05'30'
 Arti Gupta (ASO)

Digitally signed by
 IMRAN AHMAD KHAN
Date: 2026.02.09 16:55:19 +05'30'
Incharge
 Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420693/Gorakhpur/2026

Date: 04/02/2026

- 1- Name of Industry: MAA VINDHYAVASHNI INDUSTRIES, D-1/3D, Sector-13, Geeda, Gorakhpur
- 2- Address of Industry: D-1/3D, Sector-13, Geeda, Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.16	6.5-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	106.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	66.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	312.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Gupta
Date: 2026.02.04 17:54:10 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
Date: 2026.02.04 17:54:20 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420693/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: MAA VINDHYAVASHNI INDUSTRIES, D-1/3D, Sector-13, Geeda, Gorakhpur
- 2- Address of Industry: D-1/3D, Sector-13, Geeda, Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	12.0	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Arti
 by Arti Gupta
 Gupta
 Arti Gupta (ASO)
Digitally signed
 Date: 2026.02.04
 17:54:40 +05'30'

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:54:50 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420690/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: MAA VINDHYAVASHNI INDUSTRIES, D-1/3D, Sector-13, Geeda, Gorakhpur
- 2- Address of Industry: D-1/3D, Sector-13, Geeda, Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	11.20	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	132.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	120.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	416.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed by
Arti Gupta
Date: 2026.02.04
17:51:01 +05'30'

IMRAN
AHMAD KHAN

Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
17:51:10 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420690/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: MAA VINDHYAVASHNI INDUSTRIES, D-1/3D, Sector-13, Geeda, Gorakhpur
- 2- Address of Industry: D-1/3D, Sector-13, Geeda, Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	14.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Priya Pathak (SA)]

Authorized by
 Arti
Digitally signed by
 Arti Gupta
 Date: 2026.02.04
 17:51:20 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:51:30 +05'30'
 Incharge
 Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444265/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: MALIK BREEDING FARM, FL-11, Sector-13, Gida, Gorakhpur.,GORAKHPUR,273209
- 2- Address of Industry: FL-11, Sector-13, Gida, Gorakhpur.,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.25	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	62.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	38.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	196.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Digitally signed by Arti Gupta
 Arti Gupta (ASO)
Date: 2026.02.09 16:48:00 +05'30'

IMRAN
 AHMAD KHAN
 Incharge
 Central Laboratory
Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.09 16:05:30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444950/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: MALIK BREEDING FARM, FL-11, Sector-13, Gida, Gorakhpur.,GORAKHPUR,273209
- 2- Address of Industry: FL-11, Sector-13, Gida, Gorakhpur.,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analyis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.09	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	42.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	236.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Digitally signed by
 Arti Gupta
 Date: 2026.02.09
 16:49:52 +05'30'
Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
 Incharge
 Central Laboratory
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.09
 05:30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444173/Gorakhpur/2026

Date: 09/02/2026

- 1- Name of Industry: DR SANDHU POULTRY FARM, FL-28, Sector -13, GIDA, Gorakhpur, UP, GORAKHPUR, 273209
- 2- Address of Industry: FL-28, Sector -13, GIDA, Gorakhpur, UP, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.71	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	78.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	44.8	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	215.2	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Rajesh Agarwal (SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.09
 14:33:21 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.09
 14:33:35 +05'30'

**Incharge
 Central Laboratory**

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35445879/Gorakhpur/2026

Date: 09/02/2026

- 1- Name of Industry: DR SANDHU HATCHERY, FL-28, Sector-13, GIDA, Gorakhpur., GORAKHPUR, 273209
- 2- Address of Industry: FL-28, Sector-13, GIDA, Gorakhpur., GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.58	-	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	90.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	83.2	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	368.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed
by Arti Gupta
Date: 2026.02.09
14:31:40 +05'30'

IMRAN
AHMAD KHAN
Incharge
Central Laboratory

Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
14:32:01 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35445133/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: SHIV POULTRY FARM, FL 28, Sector 13, GIDA, Gorakhpur, U.P, GORAKHPUR, 273209
- 2- Address of Industry: FL 28, Sector 13, GIDA, Gorakhpur, U.P, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ayodhya Prasad SA & R.K Singh LA
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.69	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	62.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	24.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.09
 16:45:30

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD
 KHAN
 Date: 2026.02.09
 16:14:05:30
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35445130/Gorakhpur/2026

Date: 09/02/2026

- 1- Name of Industry: SHIV HETCHERY FARM, FL 28, Sector 13, GIDA, Gorakhpur, U.P, GORAKHPUR, 273209
- 2- Address of Industry: FL 28, Sector 13, GIDA, Gorakhpur, U.P, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ayodhya Prasad SA & R.K Singh LA
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analyis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.61	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	218.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	250.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	1032.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti Gupta
Digitally signed by Arti Gupta
 Date: 2026.02.09 13:18:14
 +05'30'
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
Digitally signed by IMRAN
 AHMAD KHAN
 Date: 2026.02.09 13:18:31
 +05'30'
 Incharge
 Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35445081/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: MS BHARTI RESEARCH AND BREEDING FARM, F.L.- 27, Sector- 13, GIDA, Gorakhpur, GORAKHPUR, 273209
- 2- Address of Industry: F.L.- 27, Sector- 13, GIDA, Gorakhpur, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.19	5.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	52.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	268.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.09
17:23:28 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
17:23:36 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421128/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: HI-TECH MEDICS PVT LTD, AL-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273001
- 2- Address of Industry: AL-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273001
- 3- District: Gorakhpur
- 4- Description about sampling point: From Recirculation Point near Cooling Tower
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.34	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	48.0	-	10-20000 mg/l
3	Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	1384.0	-	10- 50000 mg/l
4	Total Solids, APHA 24th Ed.2540 B: 2023	mg/l	1432.0	-	10- 50000 mg/l
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	16.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	110.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.epcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
18:14:41 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
Date: 2026.02.04 18:14:38 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444396/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: MS HARYANA BREEDING FARM, Plot No. C-5, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 2- Address of Industry: Plot No. C-5, Sector-13, GIDA, Gorakhpur,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ayodhya Prasad SA & R.K Singh LA
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.10	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	68.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	42.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	196.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed by
Arti Gupta
Date: 2026.02.09
17:26:25 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
17:26:34 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420620/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** FAITHFUL COMMERCIAL LTD, M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur, GORAKHPUR, GORAKHPUR, GORAKHPUR,
- 2- **Address of Industry:** M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur, GORAKHPUR, GORAKHPUR, GORAKHPUR,
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.19	6.5-8.5	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	68.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	22.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	138.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.epcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti Gupta
Digitally signed by Arti Gupta
 Date: 2026.02.04
 17:47:18 +05'30'
 Gupta
 Arti Gupta (ASO)

Incharge
Central Laboratory
 IMRAN AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:47:28 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420620/Gorakhpur/2026

Date: 04/02/2026

- 1- **Name of Industry:** FAITHFUL COMMERCIAL LTD, M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur, GORAKHPUR, GORAKHPUR, GORAKHPUR,
- 2- **Address of Industry:** M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur, GORAKHPUR, GORAKHPUR, GORAKHPUR,
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	8.8	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
 Gupta
 Arti Gupta (ASO)

Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 17:47:38 +05'30'

IMRAN
 AHMAD
 KHAN
 Incharge
 Central Laboratory

Digitally signed by
 IMRAN AHMAD
 KHAN
 Date: 2026.02.04
 17:47:47 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420617/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** FAITHFUL COMMERCIAL LTD, M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,GORAKHPUR,GORAKHPUR,
- 2- **Address of Industry:** M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,GORAKHPUR,GORAKHPUR,
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	9.49	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	82.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	44.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	196.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Date: 2026.02.04
 17:43:37 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.04
 17:43:46 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420617/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** FAITHFUL COMMERCIAL LTD, M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,GORAKHPUR,GORAKHPUR,
- 2- **Address of Industry:** M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur,GORAKHPUR,GORAKHPUR,GORAKHPUR,
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	22.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Gupta
Date: 2026.02.04 17:43:57 +05'30'
 Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
Date: 2026.02.04 17:46:06 +05'30'
Incharge
Central Laboratory



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484786/Gorakhpur/2026

Date: 19/02/2026

- 1- **Name & Address of Industry:** FAITHFUL COMMERCIAL LTD, M/s FAITHFUL COMMERCIAL LTDF.L.-4, Sector-13, GIDA, Gorakhpur, GORAKHPUR, GORAKHPUR, GORAKHPUR,
- 2- **Sample Collected By:** Ayodhya Prasad ,SA, Vivek Saini, JRF, S.M. Pandey, JRF
- 3- **Date of Monitoring:** 21/01/2026
- 4- **Source of Sampling:** Stack
- 5- **Stack attached to:** Boiler
- 6- **Stack Height:** 30 Meter from Ground Level
- 7- **Total No. of Boiler:** 01
- 8- **Capacity of Boiler:** 1.0 TPH
- 9- **Fuel used:** Rice Husk
- 10- **Quantity of Fuel used:** 2.0 TPH
- 11- **Flue Gas Velocity:** 13.83 m/s
- 12- **Air Pollution Control Device:** Cyclone Dust Collector
- 13- **Other remarks (if any):** -
- 14- **Further details of sample location and Test methods followed are appened overleaf:**

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	106.24	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Alok Sharma JRF]

Authorised Signatory,
RAM MILAN VERMA
Date: 2026.02.19
13:33:13 +05'30'
Ram Milan Verma (SA)

Ashutosh Chauhan
Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:20:25 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444102/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: SUPER HEENA HATCHRIES, D-1/5D A SECTOR-13, GIDA, GORAKHPUR,GORAKHPUR,273209
- 2- Address of Industry: D-1/5D A SECTOR-13, GIDA, GORAKHPUR,GORAKHPUR,273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.12	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	118.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	52.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	346.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Digitally signed by
 Arti Gupta
Arti Gupta
Date: 2026.02.09
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN Incharge
 Central Laboratory
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
16:36:03 +05'30'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444337/Gorakhpur/2026

Date:09/02/2026

- 1- **Name of Industry:** Suguna Foods Private Ltd, At-Plot No-3, Sector-15, GIDA, SahjamwaGorakhpur, Uttar Pradesh 273209,GORAKHPUR,273209
- 2- **Address of Industry:** At-Plot No-3, Sector-15, GIDA, SahjamwaGorakhpur, Uttar Pradesh 273209,GORAKHPUR,273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** By Pass drain Near ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane
- 9- **Date of Sample Collection:** 23/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 24/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.30	5.5-9.0	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	235.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	282.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	776.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Digitally signed by Arti
Gupta
Date: 2026.02.09
12:51:09 +05:30
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Incharge
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
12:51:19 +05:30
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444212/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: Amar Hatchery, E-11, Sector-15, GIDA, Gorakhpur
- 2- Address of Industry: E-11, Sector-15, GIDA, Gorakhpur
- 3- District: Gorakhpur
- 4- Description about sampling point: By Pass Near ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.32	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	74.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	36.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	180.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti Gupta
Digitally signed by
Arti Gupta
Date: 2026.02.09
16:45:00 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Incharge
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
16:45:00 +05'30'
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444123/Gorakhpur/2026

Date: 09/02/2026

- 1- Name of Industry: RATHI HATCHERIES PVT LTD, PLOT NO. A-9 SECTOR-15, GIDA, GORAKHPUR 273209
- 2- Address of Industry: PLOT NO. A-9 SECTOR-15, GIDA, GORAKHPUR 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.61	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	88.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	65.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	262.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Digitally signed by
Arti Gupta
Date: 2026.02.09
19:24:09 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.09
19:24:38 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35444195/Gorakhpur/2026

Date:09/02/2026

- 1- Name of Industry: SHIVA INDUSTRIES, A- 10 SECTOR - 15 GIDA GORAKHPUR, GORAKHPUR, 273209
- 2- Address of Industry: A- 10 SECTOR - 15 GIDA GORAKHPUR, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane
- 9- Date of Sample Collection: 23/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 24/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.39	7.0-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	80.0	50	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	49.8	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	436.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.09
 13:13:01 +05'30'
Arti Gupta (ASO)

IMRAN
 AHMAD KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.09
 13:13:01 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426467/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NIINE PRIVATE LIMITED, Plot No K-30 Sector-15, GIDA, Gorakhpur,GORAKHPUR,273001
- 2- Address of Industry: Plot No K-30 Sector-15, GIDA, Gorakhpur,GORAKHPUR,273001
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 ml Glass Bottle for MPN
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	8.13	As per MoEF&CC/CPCB	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	52.0	„	10-20000 mg/l
3	Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	4900	„	<1.8 MPN/100 ml & above
4	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	780	„	<1.8 MPN/100 ml & above
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	27.0	„	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	159.0	„	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Date: 2026.02.04 19:42:38 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN AHMAD KHAN
Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.04 19:42:48 +05'30'

**Incharge
 Central Laboratory**

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426470/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: NIINE PRIVATE LIMITED, Plot No K-30 Sector-15, GIDA, Gorakhpur,GORAKHPUR,273001
- 2- Address of Industry: Plot No K-30 Sector-15, GIDA, Gorakhpur,GORAKHPUR,273001
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of STP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 125 ml Glass Bottle
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.37	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	205.0	-	10-20000 mg/l
3	Total Coliform, APHA 9221 24th Ed. : 2023	MPN/100 ml	7000000	-	<1.8 MPN/100 ml & above
4	Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	3300000	-	<1.8 MPN/100 ml & above
5	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	264.0	-	1.0 -1000 mg/l
6	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	1075.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
19:39:32 +05'30'

Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
19:39:41 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484867/Gorakhpur/2026

Date: 18/02/2026

- 1- Name & Address of Industry: EASTERN DOORS, PLOT NO. A-13, SECTOR-13, GIDA, GORAKHPUR, GORAKHPUR,
- 2- Sample Collected By: Ayodhya Prasad ,SA, Vivek Saini, JRF, S.M. Pandey, JRF
- 3- Date of Monitoring: 22/01/2026
- 4- Source of Sampling: Stack
- 5- Stack attached to: Boiler
- 6- Stack Height: 40 Meter from Ground Level
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 5.0 TPH
- 9- Fuel used: Wood
- 10- Quantity of Fuel used: 800 Kg/Hour
- 11- Flue Gas Velocity: 16.83 m/s
- 12- Air Pollution Control Device: Cyclone Dust Collector
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	110.82	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Alok Sharma JRF]

Authorised Signatory,
RAM MILAN VERMA
Date: 2026.02.18
14:31:04 +05'30'
Ram Milan Verma (SA)

Ashutosh
Chauhan

Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:21:50 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420473/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** VISION PARENTERAL PVT LTD, A-2-44/45, Sector-15, Industrial Area, GIDA, GORAKHPUR,273209 The
- 2- **Address of Industry:** A-2-44/45, Sector-15, Industrial Area, GIDA, GORAKHPUR,273209 The
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.54	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	16.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	55.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	308.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
 Arti
Digitally signed by Arti Gupta
 Date: 2026.02.04
 18:07:40 +05'30'
**Gupta
 Arti Gupta (ASO)**

**IMRAN
 AHMAD
 KHAN**
Digitally signed by IMRAN AHMAD KHAN
 Date: 2026.02.04
 18:07:51 +05'30'
**Incharge
 Central Laboratory**

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35420470/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** VISION PARENTERAL PVT LTD, A-2-44/45, Sector-15, Industrial Area, GIDA, GORAKHPUR,273209 The
- 2- **Address of Industry:** A-2-44/45, Sector-15, Industrial Area, GIDA, GORAKHPUR,273209 The
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane
- 9- **Date of Sample Collection:** 21/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 22/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.60	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	28.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	94.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	416.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
18:05:17 +05:30
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
18:05:26 +05:30
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484826/Gorakhpur/2026

Date: 18/02/2026

- 1- **Name & Address of Industry:** VISION PARENTERAL PVT LTD, A-2-44/45, Sector-15, Industrial Area, GIDA, GORAKHPUR,273209 The
- 2- **Sample Collected By:** Ayodhya Prasad ,SA, Vivek Saini, JRF, S.M. Pandey, JRF
- 3- **Date of Monitoring:** 21/01/2026
- 4- **Source of Sampling:** Stack
- 5- **Stack attached to:** Boiler
- 6- **Stack Height:** 30 Meter from Ground Level
- 7- **Total No. of Boiler:** 02
- 8- **Capacity of Boiler:** 5.0 TPH & 3.0 TPH
- 9- **Fuel used:** Coal & Ricehusk
- 10- **Quantity of Fuel used:** 1 TPH
- 11- **Flue Gas Velocity:** 18.83 m/s
- 12- **Air Pollution Control Device:** Cyclone Dust Collector
- 13- **Other remarks (if any):** -
- 14- **Further details of sample location and Test methods followed are appened overleaf:**

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	100.35	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Ayodhya Prasad SA]

Authorised Signatory
RAM MILAN VERMA
Date: 2026.02.18
14:31:34 +05'30'
Ram Milan Verma (SA)

Digitally signed
by Ashutosh
Chauhan
Date: 2026.02.21
14:20:59 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426449/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** INDIAN OIL CORPORATION LIMITED, Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 2- **Address of Industry:** Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.30	5.5-9.0	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	68.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	336.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 20:12:06 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 20:12:16 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426449/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** INDIAN OIL CORPORATION LIMITED, Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 2- **Address of Industry:** Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Outlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	18.0	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
 Arti
 Digitally signed
 by Arti Gupta
 Date: 2026.02.04
 20:12:25 +05'30'
 Gupta
 Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed
 by IMRAN
 AHMAD KHAN
 Date: 2026.02.04
 20:12:33 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426446/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** INDIAN OIL CORPORATION LIMITED, Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 2- **Address of Industry:** Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur ,GORAKHPUR,273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	7.24	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	110.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	82.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	468.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
20:09:51 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.04
20:10:00 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426446/Gorakhpur/2026

Date: 04/02/2026

- 1- **Name of Industry:** INDIAN OIL CORPORATION LIMITED, Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur, GORAKHPUR, 273209
- 2- **Address of Industry:** Indane LPG Bottling Plant, Sec-15, GIDA, Gorakhpur, GORAKHPUR, 273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	24.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Rajesh Agarwal (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)
Digitally signed
by Arti Gupta
Date: 2026.02.04
20:10:12 +05'30'

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory
Digitally signed by
IMRAN AHMAD
KHAN
Date: 2026.02.04
20:10:12 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421222/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: CRAZY BAKERY UDYOG PRIVATE LIMITED, PLOT NO. G3 AND G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273009
- 2- Address of Industry: PLOT NO. G3 AND G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273009
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.47	6.5-8.5	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	122.0	50	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	72.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	344.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Digitally signed by
 Arti Gupta
 Date: 2026.02.04
 19:10:53 +05'30'
Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 19:11:02 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421222/Gorakhpur/2026

Date: 04/02/2026

1- Name of Industry: CRAZY BAKERY UDYOG PRIVATE LIMITED, PLOT NO. G3 AND G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273009

2- Address of Industry: PLOT NO. G3 AND G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273009

3- District: Gorakhpur

4- Description about sampling point: Outlet of ETP

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow

7- Colour and Odour: - -

8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease

9- Date of Sample Collection: 21/01/2026

10- Analysis Indented by: RO Gorakhpur

11- Date of sample receipt in Lab: 22/01/2026

12- Period of Analysis: 07 days

13- ULR Number: -

14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B

15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	8.6	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
19:11:33 +05'30"
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
19:11:22 +05'30"
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421173/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: CRAZY BAKERY UDYOG PRIVATE LIMITED, PLOT NO. G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 2- Address of Industry: PLOT NO. G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.79	-	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	144.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	548.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	907.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.epcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed by Arti Gupta
Date: 2026.02.04
19:07:33 +0530'

IMRAN
AHMAD
KHAN
Incharge
Central Laboratory

Digitally signed by IMRAN AHMAD KHAN
Date: 2026.02.04
19:07:52 +0530'

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421173/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: CRAZY BAKERY UDYOG PRIVATE LIMITED, PLOT NO. G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 2- Address of Industry: PLOT NO. G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Inlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	16.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
19:08:02 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
19:08:10 +05'30'
Incharge
Central Laboratory



**REGIONAL GORAKHPUR
UTTAR PRADESH POLLUTION CONTROL BOARD**
Jharkhandi Mahadev, Avas Vikas Colony, Kuda Ghat, Dooria Road, Gorakhpur

Stack Emission Test Report

Ref No.35484854/Gorakhpur/2026

Date: 20/02/2026

- 1- Name & Address of Industry: CRAZY BAKERY UDYOG PRIVATE LIMITED, PLOT NO. G3 AND G-3A, SECTOR-15, GIDA, GORAKHPUR, GORAKHPUR, 273009
- 2- Sample Collected By: Ayodhya Prasad, SA, Vivek Saini, JRF, S.M. Pandey, JRF
- 3- Date of Monitoring: 21/01/2026
- 4- Source of Sampling: Stack
- 5- Stack attached to: Thermic Fluid Heater
- 6- Stack Height: 40 Meter from Ground Level
- 7- Total No. of Boiler: 01
- 8- Capacity of Boiler: 1000000 KCal
- 9- Fuel used: Wood
- 10- Quantity of Fuel used: 2.0
- 11- Flue Gas Velocity: 15.975 m/s
- 12- Air Pollution Control Device: Cyclone Separator
- 13- Other remarks (if any): -
- 14- Further details of sample location and Test methods followed are appened overleaf:

Sr no.	Parameter	Unit	Result	Standards
1	Particulate Matter	mg/Nm ³	80.41	150

Note: The results in the Test Report relate only to the items tested. The Report shall not be reproduced-except in Full, without the written permission of laboratory.

Analysed by-
[Ankita Dwivedi JRF]

Authorised Signatory-
RAM MILAN VERMA
Digitally signed by
RAM MILAN VERMA
Date: 2026.02.20
14:21:27 +05'30'
Regional Officer

Ashutos
h
Chauhan
Digitally signed
by Ashutos
Chauhan
Date: 2026.02.21
14:21:27 +05'30'
Regional Officer



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426458/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: G K FOODS AND BEVERAGES, A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 2- Address of Industry: A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 3- District: Gorakhpur
- 4- Description about sampling point: Outlet of ETP
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 22/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 23/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.73	6.5-8.5	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	84.0	100	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	52.0	30	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	296.0	250	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
 Digitally signed by
 Arti Gupta
 Date: 2026.02.04
 20:22:08 +05'30'
Arti Gupta (ASO)

IMRAN
 AHMAD
 KHAN
 Digitally signed by
 IMRAN AHMAD KHAN
 Date: 2026.02.04
 20:22:24 +05'30'
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date:28.12.2017	Page No.:Page 1 of 2
Amendment No.:01	Amendment Date.:01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426458/Gorakhpur/2026

Date:04/02/2026

1- **Name of Industry:** G K FOODS AND BEVERAGES, A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209

2- **Address of Industry:** A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209

3- **District:** Gorakhpur

4- **Description about sampling point:** Outlet of ETP

5- **Type of Sample (Grab/Composite/Integrated):** Grab

6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow

7- **Colour and Odour:** - -

8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease

9- **Date of Sample Collection:** 22/01/2026

10- **Analysis Indented by:** RO Gorakhpur

11- **Date of sample receipt in Lab:** 23/01/2026

12- **Period of Analysis:** 07 days

13- **ULR Number:** -

14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B

15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil Grease	mg/l	14.0	10	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Digitally signed by
Arti Gupta
Date: 2026.02.04
20:22:35 +05'30'
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
20:22:44 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426455/Gorakhpur/2026

Date: 04/02/2026

- 1- **Name of Industry:** G K FOODS AND BEVERAGES, A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 2- **Address of Industry:** A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analysis Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	5.45	-	02-12
2	Suspended Solids, APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	110.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	128.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	448.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules, 1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed by Arti Gupta
Date: 2026.02.04
20:19:56 +05'30'

IMRAN
AHMAD
KHAN

Digitally signed by IMRAN AHMAD KHAN
Date: 2026.02.04
20:20:05 +05'30'

Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35426455/Gorakhpur/2026

Date:04/02/2026

- 1- **Name of Industry:** G K FOODS AND BEVERAGES, A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 2- **Address of Industry:** A-1/21, SECTOR-15, GIDA, GORAKHPUR-273209, GORAKHPUR, 273209
- 3- **District:** Gorakhpur
- 4- **Description about sampling point:** Inlet of ETP
- 5- **Type of Sample (Grab/Composite/Integrated):** Grab
- 6- **Sample Collected By:** Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- **Colour and Odour:** - -
- 8- **Quantity and Packing:** 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- **Date of Sample Collection:** 22/01/2026
- 10- **Analys Indented by:** RO Gorakhpur
- 11- **Date of sample receipt in Lab:** 23/01/2026
- 12- **Period of Analysis:** 07 days
- 13- **ULR Number:** -
- 14- **Sampling Plan/Ref. No.:** UPPCB/CL/PR/7.4.3/1B
- 15- **Sampling Method Ref.:** APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	18.2	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Priya Pathak (SA)]

Authorized by
Arti
Digitally signed
by Arti Gupta
Date: 2026.02.04
20:29:16 +05'30'
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD
KHAN
Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
20:20:27 +05'30'
Incharge
Central Laboratory



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010



TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421063/Gorakhpur/2026

Date: 04/02/2026

- 1- Name of Industry: Indian Tankers Pvt Ltd., B1,3, SECTOT-15, GIDA, GORAKHPUR
- 2- Address of Industry: B1,3, SECTOT-15, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	pH, APHA 24th Ed. 4500B: 2023	-	6.85	-	02-12
2	Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	42.0	-	10-20000 mg/l
3	BOD, 3 days at 27 °C IS 3025 (Part 44): 1993	mg/l	24.0	-	1.0 -1000 mg/l
4	COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	105.0	-	5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

IMRAN
AHMAD KHAN
Incharge
Central Laboratory

UPPCB/CL/PR/7.8.1/1b	Issue No.: 01	Issue Date: 28.12.2017	Page No.: Page 1 of 2
Amendment No.: 01	Amendment Date.: 01.10.2024	Approved by: TM	Issued by: QM



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WASTE WATER LABORATORY

Ref No: 35421063/Gorakhpur/2026

Date:04/02/2026

- 1- Name of Industry: Indian Tankers Pvt Ltd., B1,3, SECTOT-15, GIDA, GORAKHPUR
- 2- Address of Industry: B1,3, SECTOT-15, GIDA, GORAKHPUR
- 3- District: Gorakhpur
- 4- Description about sampling point: Final Outlet of Factory without any Treatment
- 5- Type of Sample (Grab/Composite/Integrated): Grab
- 6- Sample Collected By: Ram Milan Verma SA & P P SINGH AEE, in Presence of SDM, Sahjanwa & R.D., CPCB, Lucknow
- 7- Colour and Odour: - -
- 8- Quantity and Packing: 2 Liter Plastic Jericane & 500 ml Glass Bottle for Oil & Grease
- 9- Date of Sample Collection: 21/01/2026
- 10- Analysis Indented by: RO Gorakhpur
- 11- Date of sample receipt in Lab: 22/01/2026
- 12- Period of Analysis: 07 days
- 13- ULR Number: -
- 14- Sampling Plan/Ref. No.: UPPCB/CL/PR/7.4.3/1B
- 15- Sampling Method Ref.: APHA 24th Edition 2023- 1060 A, B, C, Page No.- 42- 52, Collection & Preservation of Samples

S. N.	Parameter/Method Name	Unit	Results	Standard	Detection Range
1	Oil_Grease	mg/l	12.0	-	-

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

Note : 1 The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
Arti
Gupta
Arti Gupta (ASO)

Digitally signed
by Arti Gupta
Date: 2026.02.04
18:10:59 +05'30'

IMRAN
AHMAD KHAN
Incharge
Central Laboratory

Digitally signed by
IMRAN AHMAD KHAN
Date: 2026.02.04
18:11:08 +05'30'

Compliance Status of units

Sr. No.	Name and Address of the unit	Consent status under Water Act, 1974	ETP Installed (Yes/No)	ETP Operational/Non-Operational	Compliance status wrt discharge standard	Consent status under Air, Act 1981	APC device installed (yes/No)	Compliance status wrt Air Emission	Compliance Status under E(P) Act 1986	Compliance Status under HW, Rules, 2016	Membership Required with TSDF (Yes/NO)	Is HW Waste disposed via TSDF (Yes/No)	Remarks
1.	M/s Rungta Industries Pvt. Ltd. BL1, Sector-15, GIDA, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	Yes	Not Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
2.	M/s India Glycols Ltd, E1, Sector-15, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Yes	Complying	Complying	Complying	Yes	Yes	Unit is complying with emission standard; however, unit is based on Zero liquid discharge (ZLD).
3.	M/s Nand Textile, FE-13, Sec-13, GIDA, Gorakhpur	Granted	No	ETP not Installed	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
4.	M/s High tech Medicare Devices Pvt Ltd, D-1/6A, D1/6B, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
5.	M/s Azam rubber product ltd, AL-8,9A, Sec-13, GIDA, Gorakhpur	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
6.	M/s Ruchi Agro Food Products, AL-12,13, Sec-13, GIDA, Gorakhpur	Granted	Not Required	Not Applicable	Not Applicable	Granted	Not Required	Complying	Complying	Complying	Not Required	Not Required	Water Polluting process has been closed by unit.
7.	M/s J. M. Agro Product Pvt Ltd, D 1 /17, Sec-13, Gida, Gorakhpur	Granted	Not Required	Not Applicable	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.

8.	M/s Tuls Surgical Devices, FL-8(B), Sec-13, GIDA, Gorakhpur	Granted	Not Required	Not Applicable	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
9.	M/s Amar Ujala Ltd, AL-21, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
10.	M/s Tripurari Lubricants Pvt Ltd, GIDA, Gorakhpur	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
11.	M/s Rudra Industries, H-40, Sec-15, GIDA, Gorakhpur	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
12.	M/s Ranveer Singh (New unit Luxmi breeding farm), E-9, Sec-15, GIDA, Gorakhpur	Granted	Yes	Not Operational	Non-Complying	Granted	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
13.	M/s Divit International company, C-18, Sec-15, GIDA, Gorakhpur	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
14.	M/s Sri Ram Foods Industries, E-22, Sec-15, GIDA, Gorakhpur	Not Applied	No	Not Operational	Not Complying	Not Applied	Not Installed	Not Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
15.	M/s Perfect Industries, C-5, Sec-15, GIDA, Gorakhpur	Not Applied	No	Not Operational	Not Complying	Not Applied	Not Installed	Not Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
16.	M/s Durgawati Enterprises, D-6, Sec-15, GIDA, Gorakhpur	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
17.	M/s Nangalia food Industries Pvt Ltd, FE-12, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	Installed	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.

18.	M/s Ambey Processors (A unit of shree radha services Pvt ltd) FL-2, FL-3, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Yes	Complying	Complying	Complying	Yes	Yes	Based on analysis of effluent discharge and emission unit is complying the discharge and emission standard.
19.	M/s Royal Savera Foods Pvt ltd, FL-1, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Non-Complying	Granted	Yes	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
20.	M/s S.P Chemical Works, D-1/4A Sector- 13, GIDA, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Complying	Yes	Yes	Report sent to HO for issuing Show cause Notice under water act.
21.	M/s Care Medical Device ltd, D1/3, Sec-13, GIDA, Gorakhpur	Granted	no	Not Installed	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
22.	M/s Karandev Hetchery (Eggwet food and feed), D1/2A, Sec-13, GIDA, Gorakhpur	Not Applied	No	Not Installed	Not Complying	Not Applied	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
23.	M/s Crazy Snacks, DL-2, Sec-13, GIDA, Gorakhpur	Granted	Yes	Not Operational	Non-Complying	Granted	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
24.	M/s Maa Vindhya wasni Industries, D-1/13D, Sec-13, Gida, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	Yes	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
25.	M/s Aditya Motors Pvt Ltd, AL-7, Sec-13, GIDA, Gorakhpur	Not Applied	Yes	Not Operational	Not Complying	Not Applied	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
26.	M/s Malik Breeding Firm, F1-11, Sec-13, GIDA, Gorakhpur	Granted	Yes	Not Operational	Non-Complying	Granted	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to

													Industry for compliance of Hazardous waste Management rules.
27.	M/s Gorakhnath Agro Pvt Ltd, FL-26,27 GIDA, Gorakhpur	Not Applied	No	Not Installed	Not Complying	Not Applied	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
28.	M/s Dr. Sandhu Hatchery, FL-28, Sec-13, GIDA, Gorakhpur	Rejected	Yes	Operational	Not Complying	Rejected	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
29.	M/s Shiv Hetchry, FL-28, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
30.	M/s Bharti Research & Breeding Farm, FL-28, Sec-13, GIDA, Gorakhpur	Granted	Yes	Not Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
31.	M/s HI-Tech Medics Pvt Ltd, AL-4, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
32.	M/s Harayana Breeding Firm, C-5, C-6, Sec-13, GIDA, Gorakhpur	Granted	Yes	Not Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
33.	M/s Faithfull Comercial ltd, FL-3, Sec-13, GIDA, Gorakhpur	Granted	Yes	Operational	Complying	Granted	Yes	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
34.	M/s Super Hina Hacthry, D-1/5DA, Sec-13, GIDA, Gorakhpur	Not Applied	Yes	Not Operational	Non-Complying	Not Applied	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
35.	M/s Suguna foods Pvt Ltd, F-6, Sec-15, GIDA, Gorakhpur	Granted	Yes	Not Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.

36.	M/s Amar Hatchery, Sec-15, Gorakhpur	E-11, GIDA,	Granted	Yes	Not Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
37.	M/s Luxmi Breeding Farm (Unit-1), Sec-15, Gorakhpur	E-9, GIDA,	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
38.	M/s Rathi Hachtries, Sec-15, Gorakhpur	A-9, GIDA,	Granted	Yes	Not Operational	Non-Complying	Granted	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
39.	M/s Shiva Industries, Sec-15, Gorakhpur	A-10, GIDA,	Granted	yes	Operational	Not Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
40.	M/s Niine Pvt Ltd, Plot No -12, Sec-15, Gorakhpur	GIDA,	Granted	yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
41.	M/s Jagran Prakashan limited, K-31, Sec-15, GIDA, Gorakhpur	Sec-15, GIDA,	Granted	yes	Operational	Complying	Granted	Not Required	Complying	Not Complying	Not Complying	No	No	A notice has been sent to Industry for compliance of Hazardous waste Management rules.
42.	M/s Eastern Doors, K-5, Sec-15, Gorakhpur	GIDA,	Granted	Not Required	Not Applicable	Complying	Granted	yes	Complying	Not Complying	Not Complying	No	No	Water polluting Process has been closed by Unit. A notice has been sent to Industry for compliance of Hazardous waste Management rules.
43.	M/s Burnet Pharmaceuticals Pvt ltd, Sec-15, Gorakhpur	AL-01, GIDA,	-	-	-	-	-	-	-	-	-	-	-	Unit Found Closed during Inspection.
44.	M/s Vision Parental Pvt ltd, A2/44-45, Sec-15, GIDA, Gorakhpur	Sec-15, GIDA,	Granted	Yes	Operational	Non-Complying	Granted	Yes	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.

45.	M/s Indian Oil Corporation Ltd, J-L, Sec-15, GIDA, Gorakhpur	Granted	Yes	Operational	Non-Complying	Granted	Not Required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act.
46.	M/s Dev Kripa food Beverages, E-27, Sec-15, GIDA, Gorakhpur	Not Applied	No	ETP Not Installed	Non-Complying	Not Applied	Not required	Complying	Non-Complying	Non-Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
47.	M/s Crazy Bakery Udyog Pvt Ltd, G-3Q, G-3A, Sec-15, GIDA, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	yes	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
48.	M/s G.K Foods & Beverages, A-1/21, Sec-15, GIDA, Gorakhpur	Granted	Yes	Operational	Not Complying	Granted	yes	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.
49.	M/s Indian Tankers Pvt Ltd, B-1/3, Sec-15, GIDA, Gorakhpur	Not Applied	No	ETP Not Installed	Not Complying	Not Applied	yes	Complying	Not Complying	Not Complying	No	No	Report sent to HO for issuing Show cause Notice under water act, along with this a notice has been sent to Industry for compliance of Hazardous waste Management rules.

Note: GIDA has installed solid waste collection bin at various point in GIDA, however, units are not disposing their waste in to bins. During visit of joint committee solid waste was observed along the drains and disposed off near the approach road.

List of Industries against which show cause recommendation has been sent to H.O.
between dated 18-02-2026 to 21-02-2026

Sr. No.	Name and Adress of the unit
1.	M/s Rungta Industries Pvt. Ltd. BL1, Sector-15, GIDA, Gorakhpur
2.	M/s Nand Textile, FE-13, Sec-13, GIDA, Gorakhpur
3.	M/s Ranveer Singh (New unit Luxmi breeding farm), E-9, Sec-15, GIDA, Gorakhpur
4.	M/s Sri Ram Foods Industries, E-22, Sec-15, GIDA, Gorakhpur
5.	M/s Perfect Industries, C-5, Sec-15, GIDA, Gorakhpur
6.	M/s Nangalia food Industries Pvt Ltd, FE-12, Sec-13, GIDA, Gorakhpur
7.	M/s Royal Savera Foods Pvt ltd, FL-1, Sec-13, GIDA, Gorakhpur
8.	M/s S.P Chemical Works, D-1/4A Sector- 13, GIDA, Gorakhpur
9.	M/s Care Medical Device ltd, D1/3, Sec-13, GIDA, Gorakhpur
10.	M/s Karandev Hetchery (Eggwet food and feed), D1/2A, Sec-13, GIDA, Gorakhpur
11.	M/s Crazy Snacks, DL-2, Sec-13, GIDA, Gorakhpur
12.	M/s Maa Vindhya wasni Industries, D-1/13D, Sec-13, Gida, Gorakhpur
13.	M/s Aditya Motors Pvt Ltd, AL-7, Sec-13, GIDA, Gorakhpur
14.	M/s Malik Breeding Firm, F1-11, Sec-13, GIDA, Gorakhpur
15.	M/s Gorakhnath Agro Pvt Ltd, FL-26,27 GIDA, Gorakhpur
16.	M/s Dr. Sandhu Hatchery, FL-28, Sec-13, GIDA, Gorakhpur
17.	M/s Bharti Research & Breeding Farm, FL-28, Sec-13, GIDA, Gorakhpur
18.	M/s Harayana Breeding Firm, C-5, C-6, Sec-13, GIDA, Gorakhpur
19.	M/s Super Hina Hacthry, D-1/5DA, Sec-13, GIDA, Gorakhpur
20.	M/s Suguna foods Pvt ltd, F-6, Sec-15, GIDA, Gorakhpur
21.	M/s Amar Hatchery, E-11, Sec-15, GIDA, Gorakhpur
22.	M/s Rathi Hacthries, A-9, Sec-15, GIDA, Gorakhpur
23.	M/s Vision Parental Pvt ltd, A2/44-45, Sec-15, GIDA, Gorakhpur
24.	M/s Indian Oil Corporation ltd, J-L, Sec-15, GIDA, Gorakhpur
25.	M/s Dev Kripa food Beverages, E-27, Sec-15, GIDA, Gorakhpur
26.	M/s Crazy Bakery Udyog Pvt ltd, G-3Q, G-3A, Sec-15, GIDA, Gorakhpur
27.	M/s G.K Foods & Beverages, A-1/21, Sec-15, GIDA, Gorakhpur
28.	M/s Indian Tankers Pvt ltd, B-1/3, Sec-15, GIDA, Gorakhpur
29.	M/s Shiva Industries, A-10, Sec-15, GIDA, Gorakhpur

Annexure-V

List Of Industries against which notice has been sent to Industry for compliance of Hazardous waste Management rules.	
S.No.	Name and Address of Industries
1.	M/s Rungta Industries Pvt. Ltd. ,BL1, Sector- 15, GIDA,Gorakhpur
2.	M/s Nand Textile, FE-13, Sec-13, GIDA, Gorakhpur
3.	M/s High tech Medicare Devices pvt ltd, D-1/6A, D1/6B, Sec-13,GIDA, Gorakhpur
4.	M/s J.M. Agro Product pvt ltd, D 1 /17, Sec-13, Gida, Gorakhpur
5.	M/s Tulsi Surgical Devices, FL-8(B), Sec-13, GIDA, Gorakhpur
6.	M/s Amar Ujala ltd, AL-21,Sec-13, GIDA, Gorakhpur
7.	M/s Ranveer Singh (New unit Luxmi breeding farm), E-9, Sec-15, GIDA, Gorakhpur
8.	M/s Sri Ram Foods Industries, E-22, Sec- 15, GIDA, Gorakhpur
9.	M/s Perfect Industries, C-05, Sec- 15, GIDA, Gorakhpur
10.	M/s Nangaliya food Industries Pvt Ltd, FE-12,Sec-13, GIDA, Gorakhpur
11.	M/s Royal Savera Foods pvt ltd, FL-1, Sec-13, GIDA, Gorakhpur
12.	M/s Care Medical Device ltd, D1/3, Sec- 13, GIDA, Gorakhpur
13.	M/s Karandheer Hetchery (Old name Eggwet food and feed), D1/2A, Sec-13, GIDA, GKP
14.	M/s Crazy Snacks, DL-2, Sec-13, GIDA, Gorakhpur
15.	M/s Maa Vindhya wasni Industries,D-1/13D, Sec-13, Gida, Gorakhpur
16.	M/s Aditya Motors Pvt Ltd, AL-7, Sec- 13, GIDA, Gorakhpur
17.	M/s Malik Breeding Firm, FL-11, Sec-13, GIDA, Gorakhpur
18.	M/s Gorakhnath Agro Pvt Ltd, FL-26,27 GIDA, Gorakhpur
19.	M/s Dr. Sandhu Hatchery, FL-28, Sec- 13, GIDA, Gorakhpur
20.	M/s Shiv Hatchery, FL-28, Sec- 13, GIDA, Gorakhpur
21.	M/s Bharti Research & Breeding Farm, FL-28, Sec-13, GIDA, Gorakhpur
22.	M/s HI-Tech Medics Pvt Ltd, AL-4, Sec- 13, GIDA, Gorakhpur
23.	M/s Harayana Breeding Firm, C-5, C-6, Sec-13, GIDA, Gorakhpur
24.	M/s Faithfull Comercial ltd, FL-3, Sec-13, GIDA, Gorakhpur
25.	M/s Super Hina Hachtry, D-1/5DA, Sec-13, GIDA, Gorakhpur
26.	M/s Suguna foods pvt ltd., F-6, Sec-15, GIDA, Gorakhpur
27.	M/s Amar Hatchery, E-11, Sec-15, GIDA, Gorakhpur
28.	M/s Rathi Hachtries, A-09, Sec-15, GIDA, Gorakhpur
29.	M/s Shiva Industries, A-10, Sec-15, GIDA, Gorakhpur
30.	M/s Niine Pvt Ltd, Plot No -12, Sec-15, GIDA, Gorakhpur
31.	M/s Jagran Prakashan limited, K-31, Sec-15, GIDA, Gorakhpur
32.	M/s Eastern Doors, K-05, Sec-15, GIDA, Gorakhpur
33.	M/s Vision Parental pvt ltd, A2/44-45, Sec-15, GIDA, Gorakhpur
34.	M/s Dev Kripa food bevarages, E-27, Sec-15, GIDA, Gorakhpur
35.	M/s Crazy Bakery Udyog pvt ltd, G-3Q, G-3A, Sec-15, GIDA, Gorakhpur
36.	M/s G.K Foods & Bevvrages, A-1/21, Sec-15, GIDA, Gorakhpur
37.	M/s Indian Tankers pvt ltd, B-1/3, Sec-15, GIDA, Gorakhpur



क्षेत्रीय कार्यालय उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, गोरखपुर
REGIONAL OFFICE, U.P. POLLUTION CONTROL BOARD, GORAKHPUR

पत्रांक: 1885/सा0-388/2026

दिनांक: 21.02.2026

सेवा में,

सूची संलग्न- 37

विषय:- परिसंकटमय व अन्य अपशिष्ट (प्रबन्धन व सीमापारीय संचालन) नियम, 2016 (यथासंशोधित) में वर्णित प्राविधानों के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक का संदर्भ ग्रहण करने का कष्ट करें। कार्यालय अभिलेखानुसार आपका उद्योग उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड से परिसंकटमय व अन्य अपशिष्ट (प्रबन्धन व सीमापारीय संचालन) नियम, 2016 (यथासंशोधित) में वर्णित प्राविधानों के अंतर्गत प्राधिकार प्राप्त किए बिना ही संचालित है। आप द्वारा उद्योग से जनित परिसंकटमय अपशिष्ट के निस्तारण हेतु टी0एस0डी0एफ0 एवं किसी रजिस्टर्ड रीसायकल से प्राप्त सदस्यता की सूचना भी इस कार्यालय में उपलब्ध नहीं है। इसके साथ ही आप द्वारा परिसंकटमय अपशिष्ट के भंडारण एवं निस्तारण संबंधी कोई सूचना भी इस कार्यालय को उपलब्ध नहीं कराई गई है।

अतः आपको निर्देशित किया जाता है कि वर्तमान में उद्योग परिसर में भण्डारित/भविष्य में जनित होने वाले परिसंकटमय अपशिष्ट के सुरक्षित निस्तारण हेतु किसी टी0एस0डी0एफ0/रजिस्टर्ड रिसाइक्लर से अनुबन्ध कर परिसंकटमय अपशिष्ट का निस्तारण सुनिश्चित करें। इसके साथ ही अब तक जनित व निस्तारित परिसंकटमय अपशिष्ट का विवरण, लॉग बुक भी प्रस्तुत करें तथा एक सप्ताह के अन्दर वाँछित सदस्यता प्राप्त करते हुए आनलाईन माध्यम से प्राधिकार हेतु आवेदन प्रेषित करना सुनिश्चित करें।

स्पष्ट हों कि उक्त का अनुपालन न करने पर मा0 उच्चतम न्यायालय के आदेश दिनांक 14.10.2003 के अनुपालन में वैध प्राधिकार न होने तथा परिसंकटमय व अन्य अपशिष्ट (प्रबन्धन व सीमापारीय संचालन) नियम, 2016 (यथासंशोधित) में वर्णित प्राविधानों का अनुपालन न किये जाने के कारण बन्दी आदेश निर्गत किये जाने की संस्तुति बोर्ड मुख्यालय प्रेषित कर दी जायेगी जिसका सम्पूर्ण उत्तरदायित्व उद्योग का स्वयं का होगा।

भवदीय

(आशुतोष चौहान)
क्षेत्रीय अधिकारी

BEFORE THE NATIONAL GREEN TRIBUNAL, NEW DELHI

Appeal/OA NO. 450 of 2025

In re:

DR ANIL KUMAR PANDEYPlaintiff /Appellants/
Petitioner/Complainant

VERSUS

STATE OF U.P. & ORS.Defendant/Respondent/
Accused

KNOW ALL to whom these present shall come that I/We
Anuj Kumar chaubey the above named Law officer
do hereby appoint (herein after called the advocate/s) to be my/our Advocate in the above
noted case & authorize :-

**Mr.Pradeep Misra, Mr. Daleep Dhyani, Advocates,
138, New Lawyers Chamber, Supreme Court of India,
New Delhi, Ph. :011-23070011, Mob. 9810252518, 9811070721**

To act, appear and plead in the above-noted case in this Court or in any other Court in which the same may be tried or heard and also in the appellate Court including High Court subject to payment of fees separately for each Court by me/ us.

To sign, file verify and present pleadings, appeals cross objections or petitions for execution review, revision, withdrawal, compromise or other petitions or affidavits or other documents as may be deemed necessary or proper for the prosecution of the said case in all its stages.

To file and take back documents to admit and/or deny the documents of opposite party.

To withdraw or compromise the said case or submit to arbitration any differences or disputes that may arise touching or in any manner relating to the said case.

To take execution proceedings.

To deposit, draw and receive money, cheques, cash and grant receipts thereof and to do all other acts and things which may be necessary to be done for the progress and in the course of the prosecution of the said case.

To appoint and instruct any other Legal Practitioner, authorizing him to exercise the power and authority hereby conferred upon the Advocate whenever he may think it to do so and to sign the Power of Attorney on my/our behalf.

AND I/We the undersigned do hereby agree to ratify and confirm all acts done by the Advocate or his substitute in the matter as my/our own acts, as if done by me/us to all intents and purposes.

AND I/We undertake that I / we or my /our duly authorized agent would appear in the Court on all hearings and will inform the Advocates for appearance when the case is called.

AND I /we undersigned do hereby agree not to hold the advocate or his substitute responsible for the result of the said case. The adjournment costs whenever ordered by the Court shall be of the Advocate which he shall receive and retain himself.

AND I /we the undersigned do hereby agree that in the event of the whole or part of the fee agreed by me/us to be paid to the Advocate remaining unpaid he shall be entitled to withdraw from the prosecution of the said case until the same is paid up. The fee settled is only for the above case and above Court. I/We hereby agree that once the fee is paid, I/we will not be entitled for the refund of the same in any case whatsoever. If the case lasts for more than three years, the advocate shall be entitled for additional fee equivalent to half of the agreed fee for every addition three years or part thereof.

IN WITNESS WHEREOF I/We do hereunto set my /our hand to these presents the contents of which have been understood by me/us on this 12 day of 03 2026

Ac Anuj Kumar Chaubey (subject to the terms of fees.)

(PRADEEP MISRA)(DALEEP DHYANI)
Advocate Advocate (D/435/01)

Anuj Kumar Chaubey
Client
Anuj Kumar Chaubey
Law Officer-I
U.P. Pollution Control Board
Lucknow

