

1796

**IN THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 269 OF 2024**

IN THE MATTER OF:

SANAVVAR

APPLICANT

VERSUS

STATE OF UTTAR PRADESH AND ORS.

RESPONDENT

INDEX

S.No	Particulars	Page No.
1	Compliance Affidavit on behalf Respondent-District Magistrate, Muzaffarnagar as per Order dated 20.01.2026 along with supporting affidavit.	1-4
2	ANNEXURE-P/1 -True copy of the letter dated 07-03-2026 sent by DM Muzaffarnagar.	5
3.	ANNEXURE-P/2 (Colly.) -True copy of the report submitted dated 20-03-2026 by EO.	6-66
4.	ANNEXURE-P/3 (Colly.) -True copy of the report submitted dated 19-03-2026 by EE.	67-69

Date:23/03/2026

THROUGH



Place: New Delhi

**Priyanka Swami
Advocate
Standing Counsel For State of U.P
F-13, Jangpura, New Delhi
110014**

**IN THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 269 OF 2024**



IN THE MATTER OF:

SANAVVAR

APPLICANT

VERSUS

STATE OF UTTAR PRADESH AND ORS.

RESPONDENT

**COMPLIANCE AFFIDAVIT ON BEHALF OF RESPONDENT-
DISTRICT MAGISTRATE, MUZAFFARNAGAR AS PER ORDER
DATED 20.01.2026 ALONG WITH SUPPORTING AFFIDAVIT.**

MOST RESPECTFULLY SHOWETH: *NOTARY*

I, Umesh Mishra, aged about 54 years S/o Shri M.P. Mishra, presently posted as District Magistrate, Muzaffarnagar do hereby solemnly affirm and state on oath as under: - *NOTARY*

- 1. That the respondent is posted as above and is well conversant with the facts and circumstances of the case and as such is well conversant to swear this affidavit. *NOTARY*


That this Hon'ble Tribunal vide its order dated 20.01.2026 in the



ATTESTED
23/03/2026
SHAKUNTADEVI
NOTARY ADVOCATE
KHATAULI, MUZAFFARNAGAR
REG NO 2792

h
h/

present matter passed the following directions: -



"8. The District Magistrate, Muzaffarnagar and the Executive Officer, Municipal Council, Muzaffarnagar are also directed to ensure supply of drinking water which meets the requisite parameters by taking appropriate remedial steps, if so required."

3. That the respondent in compliance with the above directions issued Letter No.: 1484/O.A.No.269/Sanawar/2026 dated 07.03.2026 directing Executive Engineer, Jal Nigam (Rural), Muzaffarnagar and Executive Officer, Municipal Council, Muzaffarnagar for ensuring supply of drinking water in the district as per the prescribed standards and checking of quality of drinking water being supplied in the district as per the compliance and that the report of the action in this regard to be made filed within 01 week. **A true copy of the letter dated 07-03-2026 is being filed herewith and marked as ANNEXURE P/1.**
4. That Executive Officer, Municipal Council, Muzaffarnagar through Letter No.-3377/SA/2025-26 dated 20/03/2026, in compliance with the letter issued by the DM Muzaffarnagar, submitted the report that the Jalkal Department of Nagar Palika



[Handwritten signature]

Parishad, Muzaffarnagar, collected drinking water samples from various places in the city and got them tested from NABL lab

The report of the tested drinking water samples was found to be

portable. **A true copy of the report submitted dated 20-**

03-2026 is being filed herewith and marked as

ANNEXURE P/2 (Colly.)

5. That the Executive Engineer, Uttar Pradesh Jal Nigam (Rural), Muzaffarnagar through its Letter No. 1297/103/155 dated 19.03.2026, also in compliance with the letter issued by the DM Muzaffarnagar and in compliance with letter No. 1550/OA-269/Sanavvar/2026 dated 19.03.2026 of the UPPCB, Muzaffarnagar, reported that in compliance with the given instructions drinking water schemes were constructed in 45 villages situated on the banks of Kali and Hindon rivers, in which water quality is regularly tested, test report of the same was also submitted and that the drinking water is being supplied as per the prescribed standards in the 45 drinking water schemes constructed above. **A true copy of the report submitted dated 19-03-2026 is being filed herewith and marked as ANNEXURE P/3** (Colly.)
6. That in view of the above submissions, it is respectfully



h.l

submitted that the answering respondent has diligently complied with the Hon'ble Tribunal's order dated 20.01.2026 and has taken all feasible and time-bound measures.



7. That the facts stated hereinabove are based upon official records, documents available in the office, and the same are being respectfully submitted before this Hon'ble Tribunal for appropriate consideration and further necessary orders as may be deemed fit in the interest of justice and environmental compliance.

NOTARY

Handwritten signature and date 23.3.26

DEPONENT


VERIFICATION

Verified on solemn affirmation at on this...23...day of...March 2026, that the contents of the foregoing affidavit are true and correct to the best of my knowledge and no part of it is false and nothing material has been concealed therefrom.

NOTARY

Handwritten signature and date 23.3.26

DEPONENT



Sworn before me dt. 23.3.26 by Umesh Singh, P. M. Singh, Is/are identified by Shri J. D. Kumar, J. M. Kumar. I have examined the deponent who understands the contents of the affidavit which has been read out and explained by me to the deponent fee charged Rs. 2300/- NOTARY, KHATAULI, MUZAFFARNAGAR

THROUGH

District Magistrate, Muzaffarnagar

Identified By Umesh Singh

ATTESTED SHAKUNTALA DEVI NOTARY ADVOCATE KHATAULI, MUZAFFARNAGAR REG NO. 2792

कार्यालय जिलाधिकारी, मुजफ्फरनगर।

पत्रांक : 1484/आ.ह.नं०269/सनव्वर/2026

दिनांक 7-3-2026

1. अधिशासी अभियन्ता, जल निगम (ग्रामीण), मुजफ्फरनगर।
2. अधिशासी अधिकारी, नगर पालिका परिषद् मुजफ्फरनगर।

मा0 एन0जी0टी0 प्रकरण
समयबद्ध/अतिमहत्त्वपूर्ण

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 नं0 269/2024 सनव्वर बनाम उ0प्र0 सरकार व अन्य एवं सैय्यद अली अबास बनाम उ0प्र0 सरकार में दिनांक 20.01.2026 को आदेश पारित किये गये हैं:-

.....8. The District Magistrate, Muzaffarnagar and the Executive Officer, Municipal Council, Muzaffarnagar are also directed to ensure supply of drinking water which meets the requisite parameters by taking appropriate remedial steps, if so required...

9. List on 24-03-2026 for further hearing

माननीय अधिकरण द्वारा पारित आदेश के अनुपालन में जनपद में पेयजल की आपूर्ति निर्धारित मानको के अनुरूप सुनिश्चित की जाये, जिस हेतु जनपद में आपूर्ति किये जा रहे पेयजल की गुणवत्ता की नियमित रूप से जांच कराते हुए निर्धारित मानकों के अनुरूप पेयजल की आपूर्ति के सम्बन्ध में कार्यवाही करते हुए मा0 अधिकरण द्वारा जारी आदेश के अनुपालन में कार्यवाही की आख्या 01 सप्ताह के अन्दर प्रेषित किया जाना सुनिश्चित किया जाये।

9
7.3.26

(उमेश मिश्रा)
जिलाधिकारी

ole

कार्यालय नगर पालिका परिषद, मुजफ्फरनगर

प्रेषक,
अधिशाली अधिकारी
नगरपालिका परिषद,
मुजफ्फरनगर।



सेवा मे,
जिलाधिकारी महोदय
मुजफ्फरनगर।

पत्रांक-3377/सा0प्र0/2025-26

दिनांक-20/03/2026

विषय:-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या269/2024 सनव्वर बनाम उ0प्र0 सरकार एवं अन्य तथा ओ0ए0 संख्या 797/2024 सैयद अली अब्बास बनाम उ0प्र0 सरकार मे पारित आदेश के अनुपालन के सम्बन्ध मे।

महोदय,

कृपया उपर्युक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या269/2024 सनव्वर बनाम उ0प्र0 सरकार एवं अन्य तथा ओ0ए0 संख्या 797/2024 सैयद अली अब्बास बनाम उ0प्र0 सरकार मे पारित आदेशो के अनुपालन मे आपके कार्यालय पत्रांक संख्या-1484/ओ0ए0न0269/सनव्वर/2026 दिनांक-07.03.2026 के क्रम मे अवगत कराना है कि नगर पालिका परिषद, मुजफ्फरनगर के जलकल विभाग द्वारा नगर मे जनहित को दृष्टिगत रखते हुए भिन्न-भिन्न स्थानो से पेयजल के नमूने एकत्र करते हुए एन0ए0बी0एल0 लैब से जांच करायी जाती है। जांच कराये गये पेयजल नमूनों की रिपोर्ट पोर्टेबल है। जिसकी सूची संलग्न कर आपकी सेवा मे सादर प्रेषित है।

सलग्नक-सूची उपरोक्तानुसार

भवदीय

अधिशाली अधिकारी
नगरपालिका परिषद
मुजफ्फरनगर

प्रतिलिपि:-क्षेत्रिय अधिकारी उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर को सूचनार्थ प्रेषित।

अधिशाली अधिकारी
नगरपालिका परिषद
मुजफ्फरनगर



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002841	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	डा0 अशोक कुमार सदर बाजार पम्प न0 03
Water Source	H.P	Sample No.	C/25/03/07/09
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	8.13	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	375.57	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	15.44	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	259.00	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	226.03	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	15.172	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.617	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.66	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	15.69	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.046	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.8	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.603			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



District Level Water Analysis Laboratory, U.P. Jal Nigam (Rural) Muzaffarnagar

Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002842	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	तारा चन्द्र सर्राफा बाजार पम्प नो 49
Water Source	H.P	Sample No.	C/25/03/07/10
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.99	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	307.83	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	16.78	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	267.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	288.43	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	3.419	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.553	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	48.63	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	40.58	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.031<0.1	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.9	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.491			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002843	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	डॉ० सेय्यद सफाअत अली मल्हुपरा पम्प न० 61
Water Source	H.P	Sample No.	C/25/03/07/11
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.95	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	429.55	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	43.63	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	270.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	338.35	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	36.741	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.509	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	74.28	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	37.15	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.322	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<2	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.72	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.701			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Reviewed by:
(Deputy Technical Manager)

Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002844	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	ओमवीर सिंह आनन्द विहार पम्प नो 54
------------	-------	----------	-----------------------------------

Water Source	H.P	Sample No.	C/25/03/07/12
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.95	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	353.91	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	15.44	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	264.60	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	313.39	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	11.902	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.417	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.32	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	40.16	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.052<0.1	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.62	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.756			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002845	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	तायल चक्की काली नदी रोड पम्प नं 48
Water Source	H.P	Sample No.	C/25/03/07/13
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.83	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	413.55	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	32.89	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	270.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	343.89	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	37.609	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.508	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	72.68	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	39.47	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.235	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<2	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.56	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.674			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002846	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	हरी स्वीटस सोप लक्ष्मण चौहार पम्प न० 54
Water Source	H.P	Sample No.	C/25/03/07/14
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.84	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	397.51	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	21.48	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	291.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	330.03	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	18.455	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.706	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	75.35	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	34.48	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.169	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.2	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.641			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002847	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिकाारी नगरपालिका परिषद मुजफरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	डॉ० खान असाारी रोड पम्प न० 26
Water Source	H.P	Sample No.	C/25/03/07/15
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.91	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	344.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	18.79	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	257.60	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	300.91	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	16.022	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.416	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	63.59	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	34.53	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.183	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.35	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.650			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002848	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	श्याम स्वीटस नमकीन साकेत पम्प नं० 59
Water Source	H.P	Sample No.	C/25/03/07/16
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.95	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	355.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	23.49	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	261.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	305.07	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	18.356	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.439	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	68.40	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	32.63	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.512	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.54	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.569			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002849	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	वर्धमान मेडिकल स्टोर साकेत चौक पम्प नं 21
Water Source	H.P	Sample No.	C/25/03/07/17
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.96	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	358.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	31.55	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	280.00	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	275.95	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	18.874	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.609	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.66	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	27.82	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.182	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.60	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.569			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002850	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	वैष्णवी लेडिज टेलर रामपुरी पम्प नो 27
------------	-------	----------	---------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/18
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis	
			Acceptable Limit	Permissible Limit		
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.91	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	374.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	23.49	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	259.00	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	320.32	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	1.991	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.609	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.85	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	41.52	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.184	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.10	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.609			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Reviewed by:
(Deputy Technical Manager)

Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002851	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	प्रिया फर्निचर रोडवेज स्टैंड पम्प नं० 94
Water Source	H.P	Sample No.	C/25/03/07/19
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.83	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	353.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	33.56	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	282.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	263.47	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	20.077	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.584	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.13	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	25.11	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.147	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	3.10	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.560			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002852	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	जट ग्राण्ड के पम्प नो 24
Water Source	H.P	Sample No.	C/25/03/07/20
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.95	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	344.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	13.42	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	301.00	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	300.91	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	10.300	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.573	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	72.14	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	29.35	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.127	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.8	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.560			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002853	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	मौ0 कासीम अम्बाविहार पप्प न0 43
Water Source	H.P	Sample No.	C/25/03/07/21
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.89	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	306.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	15.44	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	282.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	284.27	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	1.765	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.646	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	55.58	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	35.35	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.103	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<2	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.8	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.489			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002854	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	दुर्गा मन्दिर गाधीनगर पम्प न० 55
Water Source	H.P	Sample No.	C/25/03/07/22
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.86	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	302.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	9.40	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	277.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	273.17	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	3.508	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.582	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	56.11	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	32.33	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.061<0.01	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.4	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.489			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002855	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	बल्लम हलवाई शामली रोड पम्प न0 31
------------	-------	----------	----------------------------------

Water Source	H.P	Sample No.	C/25/03/07/23
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.74	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	350.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	14.77	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	271.60	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	300.91	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	37.609	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.588	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	70.01	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	30.64	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.076<0.01	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.0	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.5	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.573			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002856	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	जश्वत पुरी शिव अफशा बूटी पार्लर पम्प न० 16
------------	-------	----------	--------------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/24
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.56	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	286.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	10.74	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	226.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	220.48	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	2.472	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.627	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.32	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	17.58	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.154	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.7	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.466			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002857	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिकाारी नगरपालिका परिषद मुजफरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	डॉ० जीत सिंह जाट कालोनी पम्प न० 36
Water Source	H.P	Sample No.	C/25/03/07/25
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.58	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	316.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	9.40	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	267.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	280.11	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	5.942	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.476	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.66	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	28.83	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.161	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.9	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.520			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002858	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिकाारी नगरपालिका परिषद मुजफरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	शेल्डर हाऊस रेलवेरोड स्टेशन रोड पम्प नं 07
Water Source	H.P	Sample No.	C/25/03/07/26
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis	
			Acceptable Limit	Permissible Limit		
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.61	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	332.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	13.42	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	277.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	282.88	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	10.973	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.630	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	61.46	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	31.45	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.169	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.4	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.530			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002859	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	आर्यपुरी बच्चा जेल पम्प नं 10
Water Source	H.P	Sample No.	C/25/03/07/27
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.51	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	343.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	18.79	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	289.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	287.04	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	13.123	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.624	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.85	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	33.43	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.173	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	3.2	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.550			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Reviewed by:
(Deputy Technical Manager)

Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002860	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	इन्द्रा कालोनी रुडकी रोड पम्प न० 37
------------	-------	----------	-------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/28
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.50	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	302.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	14.77	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	267.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	256.53	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	4.263	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.448	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	65.73	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	22.45	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.170	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.56	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.489			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002861	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	हिमाशु फ्रेण्ड कालोनी पप्प नो 18
Water Source	H.P	Sample No.	C/25/03/07/29
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.44	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	297.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	12.75	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	294.00	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	277.32	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	2.945	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.437	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	60.39	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	30.75	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.148	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.120	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.481			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002862	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 13.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	शंकर दुध डेरी बसत विहार पम्प नो 59
Water Source	H.P	Sample No.	C/25/03/07/30
Quantity of Sample	1 Ltr	Date of S.C.	12-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.68	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	288.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	14.77	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	274.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	255.15	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	6.161	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.396	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	55.58	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	28.28	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.144	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.25	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.460			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002863	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	रामलीला ग्राउण्ड पटेल नगर फस्य नं० 12
Water Source	H.P	Sample No.	C/25/03/07/31
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.64	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	297.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	22.82	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	247.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	263.47	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	3.955	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.587	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.32	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	28.03	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.156	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.48	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.479			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002864	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	अरोरा जनरल स्टोर गाधी कालोनी गली नं 10 पम्प नं 35
Water Source	H.P	Sample No.	C/25/03/07/32
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.71	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	340.00	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	13.42	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	267.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	305.07	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	13.747	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.642	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.66	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	34.90	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.161	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.54	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.550			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002865	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	पोस्ट आफिस पटेल नगर पम्प नं 32
------------	-------	----------	--------------------------------

Water Source	H.P	Sample No.	C/25/03/07/33
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.67	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	329.32	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	20.80	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	238	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	288.43	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	7.496	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.742	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	62.52	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	32.15	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.183	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<2	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	2.20	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.520			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002866	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	गोपाल प्रविजन स्टोर सरवट रोड पम्प नं 16
Water Source	H.P	Sample No.	C/25/03/07/34
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

S.No	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.79	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	306.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	12.75	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	243.59	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	249.59	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	5.511	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.671	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	58.78	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	24.98	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.193	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.6	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.489			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002867	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिकाारी नगरपालिका परिषद मुजफरनगर
-------------------------	-----------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	राजीव जनरल स्टोर ब्रहमपुरी पम्प न० 26
------------	-------	----------	---------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/35
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.52	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	289.33	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	28.86	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	247.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	318.93	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	19.161	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.511	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	64.66	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	38.27	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.139	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<2	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.21	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.460			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Reviewed by:
(Deputy Technical Manager)

Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002868	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिकाारी नगरपालिका परिषद मुजफरनगर
Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026

Basic details of sample

District	Muzaffarnagar	Block	Sadar
Gram Panchayat	Sadar	Village	Sadar
Habitation	Sadar	Location	एस0एस0ई0 रिकसा सर्विस सेन्टर चक्कर वाली सडक पम्प नं0 47
Water Source	H.P	Sample No.	C/25/03/07/36
Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
Receiving Date	16-02-2026	S. Collector	By Customer
Sample Depositor	Amit Kumar	Sampling Method	
Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026

Technical Data of Analysis

1	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
2	3	4	5	6	7	
1	pH @ 25 ^o C	-	7.70	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	356.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	10.74	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	253.40	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	263.47	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	8.567	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.711	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.32	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	28.03	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.135	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.35	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.569			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Reviewed by:
(Deputy Technical Manager)

Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002869	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	रामा मोबाइल मालवीय चौक पम्प नं० ०६
------------	-------	----------	------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/37
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

Sl. No.	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.65	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	334.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	33.56	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	261.80	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	259.31	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	11.716	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.560	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	60.39	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	26.37	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.154	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<3	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.45	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.530			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Address- Office of Executive Engineer, Khand Karyalay, U.P Jal Nigam(Rural),

464/47, South civil Line, Muzaffarnagar, U.P. Pin-251001,

Test Report

Report No:	MZN/W- U2025002870	Issue Date:	08-03-2026	ULR No	
------------	--------------------	-------------	------------	--------	--

Rept No:		Page No	01/1
----------	--	---------	------

Cont. Person:	Mr. Mohit Kumar (Q.M)	Address:	Office of Executive Engineer, Khand karyalay, U.P Jal Nigam(Rural), 464/47, South civil Line, Muzaffarnagar	Mob:	8267922026
---------------	-----------------------	----------	-------------------------------------------------------------------------------------------------------------	------	------------

Customer Details

Office Name and Address	अधिशाली अधिकारी नगरपालिका परिषद मुजफ्फरनगर
-------------------------	--------------------------------------------

Ref Letter No & Date	पत्रांक मीमो/सा0प्र0 /2025-26 दिनांक 14.02.2026
----------------------	-------------------------------------------------

Basic details of sample

District	Muzaffarnagar	Block	Sadar
----------	---------------	-------	-------

Gram Panchayat	Sadar	Village	Sadar
----------------	-------	---------	-------

Habitation	Sadar	Location	श्री आदिनाथ बाला जह चौक पम्प नं० ०९
------------	-------	----------	-------------------------------------

Water Source	H.P	Sample No.	C/25/03/07/38
--------------	-----	------------	---------------

Quantity of Sample	1 Ltr	Date of S.C.	13-02-2026
--------------------	-------	--------------	------------

Receiving Date	16-02-2026	S. Collector	By Customer
----------------	------------	--------------	-------------

Sample Depositor	Amit Kumar	Sampling Method	
------------------	------------	-----------------	--

Analysis Start Date	07-03-2026	Analysis Completion Date:	07-03-2026
---------------------	------------	---------------------------	------------

Technical Data of Analysis

	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS 10500 (2012)		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	pH @ 25 ^o C	-	7.46	6.5-8.5	6.5-8.5	IS 3025(Part 11): 2022
2	Total Dissolved Solids	mg/L	326.67	500	2000	IS 3025(Part 16): 2024
3	Chloride	mg/L	21.48	250	1000	IS 3025(Part 32): 2025
4	Total Alkalinity	mg/L	242.20	200	600	IS 3025(Part 23): 2023
5	Total Hardness	mg/L	287.04	200	600	IS 3025(Part 21): 2023
6	Nitrate	mg/L	6.671	45.0	45.0	APHA 24 th Edition 4500- NO ₃ Method-D(UV Screening):2023
7	Fluoride	mg/L	0.675	1.0	1.5	APHA 24 th Edition 4500- F Method-C (Electrode Method):2023
8	Calcium	mg/L	59.85	75.0	200	IS 3025(Part 40): 2024
9	Magnesium	mg/L	33.43	30.0	100	IS 3025(Part 46): 2023 (Calculation Method)
10	Iron	mg/L	0.172	1.0	1.0	APHA 24 th Edition 3500- Fe Method-B (1,10Phenathroline): 2023
11	Colour	Hazen	<4	5.0	15.0	IS 3025(Part 4):2021
12	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(Part 5):2022
13	Total coliform	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
14	E.Coli	CFU	0.00	Shall not be detected in 100 ml sample	Shall not be detected in 100 ml sample	IS 15185 2016
15	Free residual chlorine	mg/L	0.00	0.2	1.0	IS 3025(Part 26): 2021
16	Turbidity	NTU	1.21	1.0	5.0	IS 3025(Part 10): 2023
17	Conductivity	mS/cm	0.520			IS 3025(Part 14): 2023

* These Parameters are out of NABL Scope. B.D.L-Below Detection limit, N.T- Not Tested

Note

- This Certificate refers only to the particular sample(s) submitted for testing.
- This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
- The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
- Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports

Kanp
Reviewed by:
(Deputy Technical Manager)

Mohit
Signature:
(Chemist/Quality/Technical Manager)

Laboratory Contact details Email-upjnmzn@gmail.com, Mob- 8267922026

*****End of Report*****



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

☎ 0120-4125559, ✉ info.hydelaboratories@gmail.com

🌐 Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-03
Description:	Drinking Water	ULR No:	TC-118092500000301F-A
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	शहाबुद्दीन s/0 बशीरुद्दीन हाउस नंबर 1009 /300 मक्खी नगर निकट मुगल गार्डन Ph- 8439606860	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.56	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	20.2	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।

Reviewed By

Authorized Signatory



HLPL/QF/7.8/02

Note:- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-03
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	शहाबुद्दीन s /0 बशीरुद्दीन हाउस नंबर 1009 /300 मक्खी नगर निकट मुगल गार्डन Ph-8439606860	Analysis End Date:	08.01.2026
			Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory





Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-04
Description:	Drinking Water	ULR No:	TC-118092500000302F-B
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	M.K. हॉस्पिटल मक्खी नगर निकट A22 कूड़ा प्लांट रोड	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	6.92	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	24.1	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-04
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	M.K. हॉस्पिटल मक्खी नगर निकट A2Z कूड़ा प्लांट रोड	Analysis End Date:	08.01.2026
			Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।

Reviewed By

Authorized Signatory

Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-05
Description:	Drinking Water	ULR No:	TC-118092500000303F-C
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मोहम्मद शमशाद किदवई नगर Ph -9634127077	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.40	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	22.6	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.


End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है!



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-05
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मोहम्मद शमशाद किदवई नगर Ph -9634127077	Analysis End Date:	08.01.2026
			Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory





Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-06
Description:	Drinking Water	ULR No:	TC-118092500000304F-D
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मोहम्मद फैजान किदवई नगर Ph -7895146800	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.20	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	22.9	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।

Reviewed By

Authorized Signatory
HYDEL LABORATORIES
SAHIBABAD, GHAZIABAD

HLPL/QF/7.8/02



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-06
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मोहम्मद फैजान किदवई नगर Ph -7895146800	Analysis End Date:	08.01.2026
			Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 

Authorized Signatory 



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-07
Description:	Drinking Water	ULR No:	TC-118092500000305F-E
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, India Fm6x+7fw Company Garden, Civil Lines South, Muzaffarnagar, Uttar Pradesh 251001, India. Lat 29.462497° Long 77.699282° Thursday, 08/01/2026 11:15 AM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.08	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	23.2	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.


Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By



HLPL/QF/7.8/02

Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

☎ 0120-4125559, ✉ info.hydelaboratories@gmail.com

🌐 Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-07
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, India Fm6x+7fw Company Garden, Civil Lines South, Muzaffarnagar, Uttar Pradesh 251001, India. Lat 29.462497° Long 77.699282° Thursday, 08/01/2026 11:15 AM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-08
Description:	Drinking Water	ULR No:	TC-118092500000306F-F
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, India Fm5x + 78q Numaish Pandaal, Nh 58, Santosh Vihar, Civil Lines South, Muzaffarnagar, Uttar Pradesh 251001, India, Lat 29.458846° Long 77.699672° Thursday, 08/01/2026 11:26 AM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.96	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	25.4	IS 3025(P-32):2019	250 Max.	1000 Max.

Note:- N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks:- The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02

Note:- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
Total liability of the laboratory is limited to the invoiced amount.
This certificate shall not be reproduced, wholly or in part without the written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-08
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, India Fm5x + 78q Numaish Pandaal, Nh 58, Santosh Vihar, Civil Lines South, Muzaffarnagar, Uttar Pradesh 251001, India, Lat 29.458846° Long 77.699672° Thursday, 08/01/2026 11:26 AM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory





Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-09
Description:	Drinking Water	ULR No:	TC-118092500000307F-G
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत 171, प्रेमपुरी, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.470765° Long 77.686962° गुरुवार, 08/01/2026 12:37 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.18	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	20.8	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By



HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.
• This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-09
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत 171, प्रेमपुरी, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.470765° Long 77.686962° गुरुवार, 08/01/2026 12:37 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 

Authorized Signatory 



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-10
Description:	Drinking Water	ULR No:	TC-118092500000308F-H
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 108, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473232° Long 77.686194° गुरुवार, 08/01/2026 12:41 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	6.82	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	19.6	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-10
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 108, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473232° Long 77.686194° गुरुवार, 08/01/2026 12:41 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 

Authorized Signatory 
HYDEL LABORATORIES
GHAZIABAD



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-11
Description:	Drinking Water	ULR No:	TC-118092500000309F-I
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 177, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473556° Long 77.689309° गुरुवार, 08/01/2026 12:46 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.22	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	22.4	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By:

Authorized Signatory:
HYDEL LABORATORIES
GHAZIABAD

HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.
• This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-11
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 177, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473556° Long 77.689309° गुरुवार, 08/01/2026 12:46 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory
Authorized Signatory
GHAZIABAD



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-12
Description:	Drinking Water	ULR No:	TC-118092500000310F-J
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 177, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473556° Long 77.689309° गुरुवार, 08/01/2026 12:46 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.36	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	23.3	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By:

Authorized Signatory

HYDEL LABORATORIES
GHAZIABAD

HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.
• This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-12
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Shahpur, Uttar Pradesh, भारत 177, Mdr 135w, Niyazupura, Shahpur, Uttar Pradesh 251002, भारत, Lat 29.473556° Long 77.689309° गुरुवार, 08/01/2026 12:46 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होमोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 

Authorized Signatory 



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-13
Description:	Drinking Water	ULR No:	TC-118092500000311F-K
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, भारत 704/7, 30 Fort Rd, Rehmat Nagar, Khalapar, Muzaffarnagar, Uttar Pradesh 251002, भारत, Lat 29.460361° Long 77.692537° गुरुवार, 08/01/2026 11:40 AM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.44	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	25.2	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory

HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-13
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	Muzaffarnagar, Uttar Pradesh, भारत 704/7, 30 Fort Rd, Rehmat Nagar, Khalapar, Muzaffarnagar, Uttar Pradesh 251002, भारत, Lat 29.460361° Long 77.692537° गुरुवार, 08/01/2026 11:40 AM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note:- N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks:- The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 

Authorized Signatory

HYDEL LABORATORIES
GHAZIABAD

Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



TC-11809

Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

☎ 0120-4125559, ✉ info.hydelaboratories@gmail.com

🌐 Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-14
Description:	Drinking Water	ULR No:	TC-118092500000312F-L
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fm8j+93m, प्रेमपुरी, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.465374° Long 77.679894° गुरुवार, 08/01/2026 12:06 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.10	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	26.7	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.


End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

☎ 0120-4125559, ✉ info.hydelaboratories@gmail.com

🌐 Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-14
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fm8j+93m, प्रेमपुरी, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.465374° Long 77.679894° गुरुवार, 08/01/2026 12:06 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note:- N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks:- The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-15
Description:	Drinking Water	ULR No:	TC-118092500000313F-M
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fmcx+ww3, भोपा मार्ग, सिविल लाइन्स नार्थ, मुज़फ़्फ़र नगर, उत्तर प्रदेश, 251002, भारत, Lat 29.472306° Long 77.699828° गुरुवार, 08/01/2026 12:55 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.16	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	27.0	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



HLPL/QF/7.8/02



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-15
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fmcx+ww3, भोपा मार्ग, सिविल लाइन्स नार्थ, मुज़फ़्फ़र नगर, उत्तर प्रदेश, 251002, भारत, Lat 29.472306° Long 77.699828° गुरुवार, 08/01/2026 12:55 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory



Note: - The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
Total liability of the laboratory is limited to the invoiced amount.



TC-11809

Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-16
Description:	Drinking Water	ULR No:	TC-118092500000314F-N
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fmfq+cqf गौशाला मार्ग , सुथार्शाही, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.473553° Long 77.68945° Google गुरुवार, 08/01/2026 12:48 PM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	6.90	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	25.2	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।

Reviewed By

Authorized Signatory



HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-16
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fmfq+cqf गौशाला मार्ग , सुथार्शाही, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, , Lat 29.473553° Long 77.68945° Google गुरुवार, 08/01/2026 12:48 PM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: - The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By

Authorized Signatory

Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

☎ 0120-4125559, ✉ info.hydelaboratories@gmail.com

🌐 Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL/20-260103-17
Description:	Drinking Water	ULR No:	TC-118092500000315F-O
Sample Qty.:	2 Ltrs.	Reporting Date:	08.01.2026
Sampled By:	Priyank Automation	Sample Received On:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fm7r+8vv, खालापार मार्ग, योगेन्द्रपुरी, खालापार, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.463385° Long 77.692152° गुरुवार, 08/01/2026 11:47 AM GMT +05:30	Analysis Start Date:	03.01.2026
		Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
General Parameters:-					
1.	pH	7.40	IS 3025(P-11):2022	6.5 to 8.5	No Relaxation
2.	Fluoride as F, mg/l	ND(DL-0.05)	IS 3025(P-60/Sec-1):2023	1.0 Max.	1.5 Max.
3.	Chloride (as Cl), mg/l	26.2	IS 3025(P-32):2019	250 Max.	1000 Max.

Note: - N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks: -The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।

Reviewed By

Authorized Signatory
HYDEL LABORATORIES
GHAZIABAD

HLPL/QF/7.8/02

Note:- • The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
• Total liability of the laboratory is limited to the invoiced amount.



Hydel Laboratories (P) Ltd.

Plot No. 2/20, Sec - 2, Rajender Nagar, Sahibabad, Ghaziabad 201005

0120-4125559, info.hydelaboratories@gmail.com

Website: www.hydelab.com

An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Nagar Palika Parishad Muzaffarnagar	Report No:	HLPL20-260103-17
Description:	Drinking Water	Reporting Date:	08.01.2026
Sample Qty.:	2 Ltrs.	Sample Received On:	03.01.2026
Sampled By:	Priyank Automation	Analysis Start Date:	03.01.2026
Site Location:	मुज़फ़्फ़र नगर, उत्तर प्रदेश, भारत Fm7r+8vv, खालापार मार्ग, योगेन्द्रपुरी, खालापार, मुज़फ़्फ़र नगर, उत्तर प्रदेश 251002, भारत, Lat 29.463385° Long 77.692152° गुरुवार, 08/01/2026 11:47 AM GMT +05:30	Analysis End Date:	08.01.2026

Page No: 01 of 01

TEST RESULTS

S. No.	TEST PARAMETERS (With unit of measurement)	TEST RESULT	TEST METHOD	REQUIREMENT AS PER IS: 10500-2012 (RA-2018)	
				ACCEPTABLE LIMIT	PERMISSIBLE LIMIT
Heavy Metal:-					
1.	Arsenic (as As), mg/l	ND(DL-0.01)	IS 3025(P-37):2022	0.01 Max.	0.05 Max.
Micro Parameters:-					
1.	E. Coli, cfu/100ml	Absent	IS 1622:1981	Absent	Absent

Note:- N.D. (Not detected), Value enclosed in brackets are the detection limit.

Remarks:- The sample confirms various requirement tested as per IS: 10500:2012 and suitable for drinking purpose with Respect to above test.

End of Report

बिना होलोग्राम के रिपोर्ट
मान्य नहीं है।



Reviewed By 



Note:-

- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.
- Total liability of the laboratory is limited to the invoiced amount.
- This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.



कार्यालय अधिशासी अभियन्ता, खण्ड कार्यालय, उत्तर प्रदेश जल निगम(ग्रामीण),
464/47 दक्षिणी सिविल लाईन, (कम्पनी बाग के पीछे), मुजफ्फरनगर

पत्रांक
सेवा में,

1297 / 103 / 55

दिनांक 19.03.2026

जिलाधिकारी
मुजफ्फरनगर।

विषय:- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 269/2024 सनब्वर बनाम उ0प्र0 सरकार एवं अन्य तथा ओ0ए0 संख्या 797/2024 सैयद अली अब्बास बनाम उ0प्र0 सरकार में पारित आदेश के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके कार्यालय पत्रांक 1484/ओ0ए0नं0 269/सनब्वर/2026 दिनांक 07.03.2026 एवं उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर के पत्रांक 1550/ओ ए-269/सनब्वर/2026 दिनांक 19.03.2026 का संदर्भ ग्रहण करने का कष्ट करे, जिसमे मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश के अनुपालन में जनपद में पेयजल की आपूर्ति निर्धारित मानको के अनुरूप कराते हुए आख्या प्रेषित करने हेतु निर्देश दिये गये है। उक्त के संदर्भ में अवगत कराना है कि पूर्व में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा दिये गये निर्देशों के अनुपालन में काली एवं हिन्डन नदी के किनारे बसे 45 ग्रामों में पेयजल योजना निर्मित की गयी थी, जिनमें नियमित रूप से जल गुणवत्ता हेतु जाँच की जाती है, जिसकी जाँच रिपोर्ट संलग्न है। साथ ही यह भी अवगत कराना है कि उक्त निर्मित 45 पेयजल योजनाओं में निर्धारित मानकों के अनुसार पेयजलापूर्ति की जा रही है।

अतः उक्तानुसार आख्या आपकी सेवा में सादर अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु प्रेषित है।
संलग्नक:- उपरोक्तानुसार।

भवदीय

19/3/26
(संजय कुमार)
अधिशासी अभियन्ता

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-
1-क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, मुजफ्फरनगर।

अधिशासी अभियन्ता

1864
Office of the Executive Engineer, Divisional office, U.P. Jal Nigam(Gramin), Muzaffarnagar
(DIVISION LABORATORY)

पत्रांक 1297 /

103 / 55

दिनांक 19.03.2026

विषय:- जनपद मे निर्मित 45 नग पेयजल योजनाओ के जल नमूनों के सम्बन्ध मे।

S NO	Block	Village/G.P.	Location	Collection Date	Receiving Date	Testing Date	Source	pH (Value) <6.5- >8.5	TDS 0- 2000mg/litre	Nitrate 0-45 mg/litre	Iron 0-1.0 mg/litre	F 0-1.5 mg/litre	Total Hardness 0-600 mb/litre	Calcium mg/litre	Magne sium mg/litre	Cl 0-1000 mg/litre	Alkalinit y 0-600 mg/litre	Turbid ity	E. Coli	Total Colifo rm	Remark
1	Baghra	Dhansani	ढकी का पानी	09-10-2025	09-10-2025	10-10-2025	P.W.S	8.38	260.00	2.14	0.000	0.423	165.92	37.94	17.30	13.80	213.59	1.10	0.00	0.00	Potable
2	Baghra	Dholara	ढकी का पानी	27-10-2025	27-10-2025	28-10-2025	P.W.S	7.58	300.67	2.76	0.083	0.142	218.40	60.92	16.11	17.37	290.08	1.10	0.00	0.00	Potable
3	Baghra	Khari tagan	ढकी का पानी	09-07-2025	09-07-2025	10-07-2025	P.W.S	7.59	330.67	0.18	0.236	0.543	255.81	59.85	25.85	5.48	275.60	2.10	0.00	0.00	Potable
4	Baghra	Kinauni	ढकी का पानी	09-01-2026	09-01-2026	12-01-2026	P.W.S	7.79	427.33	3.77	0.000	0.752	324.48	69.47	36.69	13.90	326.04	1.10	0.00	0.00	Potable
5	Baghra	Kutba	ढकी का पानी	29-10-2025	29-10-2025	30-10-2025	P.W.S	7.54	293.33	0.30	0.050	0.173	200.20	65.20	9.09	7.64	244.35	1.10	0.00	0.00	Potable
6	Baghra	Titawi	ढकी का पानी	09-10-2025	09-10-2025	10-10-2025	P.W.S	8.49	232.67	1.31	0.107	0.335	129.20	32.60	11.62	15.87	212.30	1.10	0.00	0.00	Potable
7	Baghra	Budhina kalan	ढकी का पानी	02-07-2025	02-07-2025	03-07-2025	P.W.S	7.75	342.67	2.50	0.013	0.566	217.65	49.16	23.06	6.85	321.10	2.40	0.00	0.00	Potable
8	Baghra	Niwada Chiroli	ढकी का पानी	16-10-2025	16-10-2025	17-10-2025	P.W.S	8.06	318.00	2.45	0.045	0.205	167.79	35.80	19.05	15.08	262.68	1.25	0.00	0.00	Potable
9	Baghra	Nuna Khari	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.10	364.67	8.56	0.104	0.462	208.00	52.37	18.77	12.75	399.00	1.56	0.00	0.00	Potable
10	Baghra	Harsoli	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.88	356.67	0.25	0.119	0.425	239.89	49.16	28.46	13.42	340.20	2.33	0.00	0.00	Potable
11	Budhana	Bhasana	ढकी का पानी	17-04-2025	17-04-2025	19-04-2025	P.W.S	7.83	307.33	0.29	0.069	0.336	148.40	40.61	NT	3.47	249.61	1.80	0.00	0.00	Potable
12	Budhana	Habeebpur Sikri	ढकी का पानी	20-06-2025	20-06-2025	21-06-2025	P.W.S	8.03	310.67	0.00	0.305	0.788	151.15	27.25	20.19	7.59	262.40	1.32	0.00	0.00	Potable
13	Budhana	Dunger	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.86	355.33	0.29	0.087	0.457	298.13	49.70	42.29	30.87	361.20	1.35	0.00	0.00	Potable
14	Budhana	Sarnawali	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.64	318.67	2.68	0.109	0.499	314.77	37.94	53.47	14.77	232.40	2.20	0.00	0.00	Potable
15	Budhana	Durganpur	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.17	341.33	0.55	0.093	0.266	85.97	12.29	13.43	16.78	219.80	2.28	0.00	0.00	Potable
16	Budhana	Biral	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.37	325.33	0.46	0.103	0.187	80.43	10.69	13.06	13.42	211.40	1.56	0.00	0.00	Potable
17	Budhana	Bawana	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.63	490.00	1.82	0.088	0.512	232.96	61.99	19.00	38.93	190.40	1.35	0.00	0.00	Potable
18	Budhana	Barkata	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.62	482.67	14.11	0.136	0.523	267.63	66.80	24.50	10.74	361.20	1.56	0.00	0.00	Potable
19	Budhana	Baroda	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.83	400.00	0.52	0.142	0.566	169.17	29.39	23.27	13.42	285.60	2.10	0.00	0.00	Potable
20	Budhana	Bitroda	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.21	430.67	7.51	0.112	0.685	220.48	34.74	32.50	9.40	337.40	2.20	0.00	0.00	Potable
21	Budhana	Chandheri	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.01	292.67	1.25	0.256	0.361	158.08	32.06	18.96	11.41	242.20	3.20	0.00	0.00	Potable
22	Budhana	Nagwa	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.33	280.00	0.36	0.214	0.415	206.61	20.31	37.89	8.73	212.80	2.50	0.00	0.00	Potable
23	Budhana	Nasirpur	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.12	263.33	7.83	0.315	0.530	226.03	37.94	31.90	10.74	280.00	2.10	0.00	0.00	Potable
24	Budhana	Ukaoli	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.93	340.67	0.86	0.359	0.426	194.13	39.01	23.50	12.75	270.20	1.80	0.00	0.00	Potable
25	Budhana	Valli (ShahpurBashi)	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.91	373.33	5.52	0.168	0.536	242.67	52.37	27.19	7.38	207.20	3.25	0.00	0.00	Potable
26	Budhana	Nasirpur	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.15	260.00	7.81	0.166	0.486	219.09	43.82	26.65	9.40	288.40	2.56	0.00	0.00	Potable
27	Budhana	Hariya Khera	ढकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.85	462.00	0.20	0.257	0.468	138.67	28.86	16.19	11.41	330.40	2.14	0.00	0.00	Potable

पत्रांक

1297 /

103 / 55

दिनांक 19.03.2026

विषय:- जनपद मे निर्मित 45 नग पेयजल योजनाओ के जल नमूनों के सम्बन्ध मे।

S.NO	Block	Village (G.P.)	Location	Collection Date	Receiving Date	Testing Date	Source	pH (Value <6.5 > 8.5)	TDS 0-2000mg/litre	Nitrate 0-45 mg/litre	Iron 0-1.0 mg/litre	F 0-1.5 mg/litre	Total Hardness 0-600 mb/litre	Calcium mg/litre	Magnesium mg/litre	Cl 0-1000 mg/litre	Alkalinity 0-600 mg/litre	Turbidity	E. Coli	Total Coliform	Remark
28	Charthawa	Mahmodpur Lakarsandha	टकी का पानी	07-11-2025	07-11-2025	10-11-2025	P.W.S	7.49	308.67	1.97	0.038	0.123	244.05	61.46	22.02	6.95	192.72	1.28	0.00	0.00	Potable
29	Charthawa	Malira	टकी का पानी	11-11-2025	11-11-2025	12-11-2025	P.W.S	7.96	275.33	1.01	0.432	0.102	184.43	42.75	18.87	6.95	223.08	1.10	0.00	0.00	Potable
30	Jansath	Kutubpur	टकी का पानी	27-11-2025	27-11-2025	28-11-2025	P.W.S	7.91	253.33	2.15	0.122	0.533	230.19	39.01	32.26	9.73	163.68	1.00	0.00	0.00	Potable
31	Khatauli	Khizzarpur (Sultanpur)	टकी का पानी	13-01-2026	13-01-2026	14-01-2026	P.W.S	7.85	294.67	0.70	0.261	0.472	210.77	58.25	15.87	13.90	250.80	1.11	0.00	0.00	Potable
32	Khatauli	Begrampur	टकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	8.12	258.67	6.13	0.148	0.336	188.59	46.49	17.62	5.37	186.20	2.45	0.00	0.00	Potable
33	Sadar	Bahadarpur	टकी का पानी	26-11-2025	26-11-2025	27-11-2025	P.W.S	7.36	214.67	0.59	0.119	0.380	176.11	45.42	15.23	8.34	182.16	1.10	0.00	0.00	Potable
34	Sadar	Bamaheri	टकी का पानी	13-06-2025	13-06-2025	16-06-2025	P.W.S	7.96	272.67	0.00	0.219	0.368	203.84	61.46	12.24	8.28	200.96	1.32	0.00	0.00	Potable
35	Sadar	Chandpur	टकी का पानी	23-12-2025	23-12-2025	24-12-2025	P.W.S	7.63	253.33	3.05	0.049	0.608	228.80	48.10	26.42	7.64	199.32	1.25	0.00	0.00	Potable
36	Sadar	Lachhera	टकी का पानी	06-12-2025	06-12-2025	08-12-2025	P.W.S	7.76	258.67	8.98	0.127	0.834	144.21	33.13	14.94	11.12	229.68	1.10	0.00	0.00	Potable
37	Sadar	Mimlana	टकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.60	507.33	2.53	0.078	0.451	356.37	117.57	15.26	44.97	358.40	2.30	0.00	0.00	Potable
38	Shahapur	Kitas	टकी का पानी	06-08-2025	06-08-2025	07-08-2025	P.W.S	8.01	332.00	0.39	0.124	0.891	170.80	48.10	12.32	8.17	299.23	1.10	0.00	0.00	Potable
39	Shahapur	Sadrudeen Nagar	टकी का पानी	05-08-2025	05-08-2025	06-08-2025	P.W.S	8.24	267.33	1.72	0.006	0.803	194.60	44.36	20.37	7.49	227.36	1.10	0.00	0.00	Potable
40	Shahapur	Adampur	टकी का पानी	19-12-2025	19-12-2025	20-12-2025	P.W.S	7.61	267.00	0.80	0.049	0.983	219.09	44.36	26.33	11.81	236.28	1.10	0.00	0.00	Potable
41	Shahapur	Chandpur	टकी का पानी	26-12-2025	26-12-2025	29-12-2025	P.W.S	7.92	392.00	6.37	0.103	0.902	317.55	79.09	29.17	13.20	344.52	1.20	0.00	0.00	Potable
42	Shahapur	Dhindaoli	टकी का पानी	19-12-2025	19-12-2025	20-12-2025	P.W.S	7.38	292.00	0.37	0.050	1.013	232.96	55.04	23.21	13.90	250.80	1.10	0.00	0.00	Potable
43	Shahapur	Umarpur	टकी का पानी	19-12-2025	19-12-2025	20-12-2025	P.W.S	7.05	315.33	0.53	0.079	1.027	271.79	56.65	31.67	11.12	294.36	1.20	0.00	0.00	Potable
44	Shahapur	Jeewana	टकी का पानी	12-08-2025	12-08-2025	13-08-2025	P.W.S	7.92	302.67	0.25	0.078	0.687	212.80	42.22	26.09	12.25	278.32	1.10	0.00	0.00	Potable
45	Shahapur	Inchora	टकी का पानी	17-03-2026	17-03-2026	18-03-2026	P.W.S	7.51	358.00	0.62	0.210	0.800	178.88	34.74	22.39	6.71	324.80	3.40	0.00	0.00	Potable

1-The Parameter is underlined which is more than from recommended CPHEEO Guideline .

2-Water is Potable /Unpotable

3-d=Dilution, B.D.L= Below Detection Limit, NT= Not Tested

4-Location (serial No.1-45) of p.w.s which is potable on the bases of above parameters.


Lab Assistant


Chemist


Assistant Engineer