

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**OA NO. 521 OF 2022**

**IN THE MATTER OF:**

**SAMPURNA NAND**

**...APPLICANT**

**VERSUS**


**STATE OF U.P & OTHERS**

**...RESPONDENTS**

**INDEX**


NDOH: 08.01.2024

S.NO.	PARTICULARS	PG. NO.
1.	Compliance Affidavit of Respondent No.25 in terms of the directions issued by this Hon'ble Tribunal under the Order Dated 26 <sup>th</sup> September, 2023.	1-6
2.	<u>Annexure "A-1"</u> : Copy of the CTO dated 31.05.2023	7-11
3.	<u>Annexure "A-2"</u> : Copy of the MSME certificate.	12-14
4.	<u>Annexure "A-3"</u> : Copy of Notification dated 24 <sup>th</sup> September, 2020 issued by the Ministry of Jal Shakti (Department of Water Resources, River Development and Ganga rejuvenation).	15-31
5.	<u>Annexure "A-4"</u> : Copy of the photographs showing the construction and marking of the pillars.	32
6.	<u>Annexure "A-5"</u> : Copy of the photographs showing the fencing.	
7.	<u>Annexure "A-6"</u> : Copy of the half yearly compliance report.	33-74



*Handwritten signature*

8.	<b>Annexure "A-7"</b> : Copy of the photographs showing the extent of excavation.	75-78
9.	<b>Annexure "A-8"</b> : Copy of the photographs showing dust suppression.	79

  
**RESPONDENT NO.25**

THROUGH



**S. C. LADI AND COMPANY**  
Deeksha L. Kakar and Dhruv Kakar  
ADVOCATES  
B-1/52, SAFDARJUNG ENCLAVE  
NEW DELHI – 110029.  
Ph. 9313119255 | deeksha.kakar@scladi.com  
Enrol.No.D/1154/2008

New Delhi

Dated: 26.12.2023






Government of Uttar Pradesh

IN-UP64454024496119V

e-Stamp

Certificate No. : IN-UP64454024496119V  
 Certificate Issued Date : 05-Nov-2023 11:20 AM  
 Account Reference : NEWIMPACC (SV)/ up14282304/ Mugalsarai/ UP-CDL  
 Unique Doc. Reference : SUBIN-UPUP1428230424552153320463V  
 Purchased by : CHANDER BHAN SINGH SON OF HARI RAJ SINGH  
 Description of Document : Article 4 Affidavit  
 Property Description : Not Applicable  
 Consideration Price (Rs.) :  
 First Party : CHANDER BHAN SINGH SON OF HARI RAJ SINGH  
 Second Party : Not Applicable  
 Stamp Duty Paid By : CHANDER BHAN SINGH SON OF HARI RAJ SINGH  
 Stamp Duty Amount(Rs.) : 100  
 (One Hundred only)



Signature.....  
 ACC Name - EAJAJ AHAMAD  
 ACC Code - UP14282304  
 ACC Address - Eechupur, MGS.  
 Mobile No - 9415992355  
 Licence No. - 104  
 Tehsil-MGS, District -Chandauli



Handwritten signature

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI

OA NO. 521 OF 2022

IN THE MATTER OF:

SAMPURNA NAND

...APPLICANT

VERSUS

STATE OF U.P & OTHERS

...RESPONDENTS

COMPLIANCE AFFIDAVIT IN TERMS OF THE DIRECTIONS  
ISSUED BY THIS HON'BLE TRIBUNAL UNDER THE ORDER DATED  
26<sup>TH</sup> SEPTEMBER, 2023.


I, Chandrabhan Singh, S/o Sh.Hariraj Singh, R/o Village Sonpur, Tehsil.-  
Chunar, Mirzapur, Uttar Pradesh aged about 50years, do hereby solemnly  
affirm and declare as under:

1. That the Deponent is Respondent No.25 in the above-mentioned case and as such is well conversant with the facts of the case and as such competent to swear and depose this Affidavit.
2. That the present Affidavit is being filed in terms of the Order dated 26<sup>th</sup> September, 2023 passed by this Hon'ble Tribunal in O.A. No. 521 of 2022 titled "Sampurna Nand Vs. State of U.P. and Others"
3. That by way of this affidavit, the Deponent is seeking to place on record the compliance presently undertaken by the Deponent in consonance with Environmental Clearance (EC), Consent to Operate (CTO), as also conditions and recommendations of the Joint Committee in its report dated 03.02.2023.



*[Handwritten Signature]*

4. The Deponent has been granted sand stone mining rights at the Mining Project at Araji No.1Ka, Khasara No.39 Village Sonpur Tehsil Chunar and District Mirzapur, Uttar Pradesh.
5. In terms of the report of the Joint Committee, the Deponent has undertaken the following measures towards the recommendations and observations of the Joint Committee:
- (i) In terms of S.no. 2.22 (f), the Deponent has applied for and received the CTO from the Uttar Pradesh Pollution Control Board (UPPCB). A copy of the CTO dated 31.05.2023 is annexed hereto as Annexure "A-1".
- (ii) In respect of S.No 2.22 (g), the Deponent submits that concerned proponent is registered as an Micro, Small and Medium Enterprises (MSME), and in terms of the Notification dated 24<sup>th</sup> September, 2020 issued by the Ministry of Jal Shakti (Department of Water Resources, River Development and Ganga rejuvenation), the Deponent has been granted exemption under Clause 1 (v) therein. A copy of the MSME certificate of the Deponent is annexed hereto as Annexure "A-2". A Copy of the said Notification is annexed hereto as Annexure "A-3".
- (iii) In terms of S.no. 2.22 (i), the pillars and their respective coordinates in the mining project areas has been constructed and written in clear and visible parameter. Copy of the photographs showing the construction and marking of the pillars is attached hereto as Annexure "A-4".




- (iv) In terms of S.no. 2.22 (j), it is submitted that proper wire fencing has been erected all around the periphery of the lease area/mining project. Copy of the photographs showing the fencing is attached hereto as Annexure "A-5",
- (v) In terms of S.No. 2.22 (k), it is submitted that the Deponent is in the process of installing the ambient air quality stations in terms of the EC and the installation is likely to be completed by six months.
- (vi) In terms of S.No. 2.22 (l), it is submitted that the half yearly compliance report in terms of the EC has been submitted to the Regional Officer of the concerned Ministry. A copy of the said report submitted on 26.05.2023 is annexed hereto as Annexure "A-6".
- (vii) In respect of S.No. 2.22 (m), i.e. raising of plantation around the lease area; it is respectfully submitted that prior to allotment of lease/ mining rights to the Deponent, the area in question was under mining rights for many years to different allottees and due to the extent of deep excavation in the area currently, the Deponent is unable to undertake any plantation, as recommended. Copy of the photographs showing the extent of excavation is attached hereto as Annexure "A-7".
- (viii) In terms of S.No. 2.22 (n), it is submitted that the Deponent is performing mining work manually on the lease area and not by way of blasting and as such there is no requirement of filing of the Blast Vibration Study Report on the part of the Deponent.



A handwritten signature in blue ink, appearing to be "Mishra", written over a horizontal line.

- (ix) In terms of S. No.2.22 (o), it is submitted that the Deponent being an MSME has been granted exemption in terms of the EC issued, as such there is no requirement of filing of the Ground Water Report on the part of the Deponent.
- (x) In terms of S. No. 2.22 (p) it is respectfully submitted that prior to allotment of lease/ mining rights to the Deponent, the area in question was under mining rights for many years to different allottees and due to the extent of deep excavation in the area currently, the Deponent was unable to maintain the slope of the mining bench and ultimate pit, despite its best efforts. However, the Deponent is now maintaining the Mines level upper surface to the ground level as per future requirement.
- (xi) In respect of S. No. 2.22 (q) and (r), it is submitted that that water tankers are being used to control dust in the lease area and sprinkling of water is being carried out regularly on the transportation route of vehicles, for dust suppression and haulage road is being maintained. Copy of the photographs showing dust suppression is attached hereto as Annexure "A-8".
- (xii) In terms of S. No. 2.22 (s), it is submitted that crusher units are being operated by all the mines wherein weighing machines already stand installed.
6. In addition to the aforesaid, the half yearly compliance report, in terms of the EC, submitted by the Deponent to the Regional Officer, copy of which is annexed hereto as Annexure A-6, contains in detail the status of the compliance of the conditions of the EC, by the Deponent, which are not being repeated herein for the sake of brevity.





- 7. The Deponent further undertakes to endeavor to comply with all the conditions and regulations prescribed under the EC and CTO in a time bound manner, including contributing towards any recommended Environment Management Program in their day to day operations and actions.

*[Signature]*  
**DEPONENT**

**VERIFICATION**

Verified on this the 05 day of <sup>November</sup>~~December~~, 2023 at New Delhi that the contents of the above Affidavit are true and correct to my knowledge, no part thereof is false and nothing material has been there from.

SWORN AND VERIFIED  
 BEFORE ME  
*[Signature]*  
 M.P. MISHRA  
 NOTARY GOVT. OF INDIA  
 Distt.-Chandauli

*[Signature]*  
**DEPONENT**





## Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

184484/UPPCB/Sonebhadra(UPPCBRO)/CTO/both/MIRZAPUR/2023

Date: 31/05/2023

To,

M/s

Chandrabhan Singh

Arazi No 1K (Sl. No. 39), Area 1.21 ha in Village- Sonpur, Tehsil-  
Chunar, District- Mirzapur, Uttar PradeshApplication Id-  
21215837

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to Chandrabhan Singh located at Arazi No 1K (Sl. No. 39), Area 1.21 ha in Village- Sonpur, Tehsil- Chunar, District- Mirzapur, Uttar Pradesh. subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA Chandrabhan Singh granted for the period from 31/05/2023 to 31/12/2026 and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	Building Stone (Sand Stone)	15200	Cubic Meters/Year

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	1.0 KLD	Septic Tank	Soak Pit

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

## Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be

M.P. Nigam  
Dist. Chunar  
Govt. of India

S. 11.23

dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
-------	------------	-----------

### 3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

#### Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	Dust emission during manual mining, transportation and loading/unloading of Building Stone (Sand Stone).			Particulate Matter	water sprinkling system and Green Belt for controlling dust emission.

#### Emission Quality Standards

S No.	Stack no	Parameters	Standards
1		Particulate Matter	Ambient Air Standard as per E(P) Act 1986.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

**M. P Mishra**  
Notary Dist - Chandauli  
No 305 Govt. of India

S. 11.23

*[Signature]*

- (i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.
7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

**General Conditions:-**

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board, bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/effluent discharge point or emission point
12. The Board reserves the right to revoke/alter any stipulated condition issued along with CCA, as may be necessary.

**ATTESTED**

**M. P. Mishra**  
Notary Dist - Chhatarpur  
No 305 Govt. of India

S 11/22

*(Signature)*

Copy to:

Regional Officer, UPPCB, Sonbhadra with direction to send the compliance report of CTO conditions on quarterly basis.

RAJENDRA SINGH  
Digitally signed by RAJENDRA SINGH  
Date: 2023.06.01 17:38:34 +05'30'

Chief Environmental Officer (circle-2)



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
जनसहभागिता का सन्देश



- स्वच्छता - देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है । वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें । इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई - वेस्ट रीसाइकलर को दें । प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाकीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है । वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं । उपयोग में न होने पर बिजली उपकरणों को बंद करें । स्टार रेटेड बिजली उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के

ATTESTED  
M. P. Mishra  
Notary Distt - Sonbhadra  
Rego No - 205 Govt. of India  
S. 11.23

hank

**Specific Conditions:-**

1. This consent is valid for production of Building Stone (Sand Stone)- 15200 Cu Meter/Year by opencast and semi mechanized mining in 1.21 hectare leased Arazi No 1K (Sl. No. 39), Area 1.21 ha in Village- Sonpur, Tehsil- Chunar, District- Mirzapur,.
2. Mining unit shall comply with the conditions of Environmental Clearance issued by State Level Environment Impact Assessment Authority (DEIAA) vide Letter No. 22/Parya/DEAC/Sandstone/MZP/2016, Dated- 19.07.2016 and submit its compliance report to UPPCB.
3. The proponent shall ensure the compliance of Hon'ble NGT orders passed in the OA No. 521/2022 Sampooranand Vs State of U.P. in connection with adverse effects on the public and environment due to illegal mining and blasting at higher intensity than the prescribed standard. Mining shall not be done till the resumption of mining activity by Hon'ble NGT.
4. In compliance of Hon'ble NGT order dated 24.04.2023, mining shall be done only after getting permission from District Administration.
5. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only.
6. The proponent shall submitted compliance report of condition imposed in EC within every six month.
7. The proponent shall install Ambient Air monitoring station as per condition imposed in Environment Clearance.
8. The proponent shall establish Water sprinkling arrangement for dust suppression.
9. The proponent shall establish Effluent treatment system to treat the waste water from the mine.
10. The proponent shall submit the Ambient air quality monitoring report of impact zone/buffer zone and at the corners of mining lease on quarterly basis to the Board.
11. If the lease agreement expires prior to 31-12-2026, then the validity of this CTO shall stand expired simultaneously with the expiry of mining lease.
12. Mining shall be done as per EC issued by DEIAA and directions given by Mining Department/District Administration.
13. Unit shall develop and maintain green belt as per the conditions of Environmental Clearance.
14. Unit shall not withdrawal ground water for any industrial activity without obtaining necessary permission from UPGWA.
15. The domestic effluent shall be treated through septic tank/soak pit or provide mobile toilet facility. Industry shall maintain ZLD.
16. Unit shall make water sprinkling arrangement through Tankers for dust suppression at different sources of dust emission during mining, transportation, loading and unloading of Building Stone (Sand Stone).
17. Unit should operate and maintain installed water sprinkler system effectively and continuously to achieve the standards prescribed under E(P) Rules, 1986.
18. Unit shall submit Ambient air monitoring reports of NABL accredited laboratory on quarterly basis to the Board.
19. All trucks, tractors used in transportation of Building Stone (Sand Stone) shall be covered by canvas sheet to prevent dust emission.
20. Water will be sprayed after loading activity (if Building Stone (Sand Stone) collected could be dry condition)
21. The dust suppression measures like water spraying will be done on the haul roads and working areas.
22. Industry should comply with the provisions of Hazardous and Other waste (Management & Trans boundary Movement) Rules 2016.

**ATTESTED**  
**M. P Mishra**  
 Notary Dist - Chandauli  
 205 Govt. of India

S. 11.23

RAJENDRA SINGH

Digitally signed by RAJENDRA  
 SINGH  
 Date: 2023.06.01 17:38:15 +05'30'

*[Handwritten signature]*

6/9/23, 8:56 PM

.int : Udyam Registration Certificate

	भारत सरकार Government of India सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय Ministry of Micro, Small and Medium Enterprises	 सूक्ष्म, लघु एवं मध्यम उद्यम MICRO, SMALL & MEDIUM ENTERPRISES
	<b>UDYAM REGISTRATION CERTIFICATE</b>	

UDYAM REGISTRATION NUMBER **UDYAM-UP-59-0032537**  
 NAME OF ENTERPRISE **M/S CHANDER BHAN SINGH**

S.No.	Classification Year	Enterprise Type	Classification Date
1	2023-24	Micro	09/06/2023

MAJOR ACTIVITY **MANUFACTURING**

SOCIAL CATEGORY OF ENTREPRENEUR **GENERAL**

S.No.	Udyog Aadhaar Memorandum	Unit(s) Name
1	UPS9A0021894	M/s Chander Bhan Singh

OFFICIAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	Sector 13	Name of Premises/ Building	Sector-13, Naya Moradabad, Delhi Road
Village/Town	Moradabad	Block	Moradabad
Road/Street/Lane	Sector-13, Naya Moradabad	City	Moradabad
State	UTTAR PRADESH	District	MORADABAD , Pin 244001
Mobile	8630072045	Email:	chandra25673@gmail.com

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE **20/01/2020**

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS **20/01/2020**

NATIONAL INDUSTRY CLASSIFICATION CODE(S)

S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	23 - Manufacture of other non-metallic mineral products	2395 - Manufacture of articles of concrete, cement and plaster	23952 - Manufacture of articles articles of concrete, cement or artificial stone (tiles, bricks etc.)	Manufacturing
2	23 - Manufacture of other non-metallic mineral products	2395 - Manufacture of articles of concrete, cement and plaster	23954 - Manufacture of R.C.C. bricks and blocks	Manufacturing
3	41 - Construction of building	4100 - Construction of buildings	41001 - Construction of buildings carried out on own-account basis or on a fee or contract basis	Manufacturing
4	41 - Construction of building	4100 - Construction of buildings	41002 - Activities relating to alteration, addition, repair, maintenance carried out on own-account basis or on a fee or contract basis	Manufacturing
5	42 - Civil Engineering	4210 - Construction of roads and railways	42101 - Construction and maintenance of motorways, streets, roads, other vehicular and pedestrian ways, highways, bridges, tunnels and subways	Manufacturing
6	43 - Specialized construction activities	4312 - Site preparation	43122 - Site preparation including drilling, boring and core sampling for construction, geophysical, geological or similar purposes	Manufacturing
7	43 - Specialized construction activities	4321 - Electrical installation	43213 - Installation of street lighting and electrical signals	Manufacturing
8	43 - Specialized construction activities	4330 - Building completion and finishing	43302 - Interior completion such as ceilings, wooden wall coverings, movable partitions etc. ; Laying of parquet and other wood floor coverings, carpets and linoleum, wallpaper; tiling with ceramic, concrete or cut stone ceramic etc.	Manufacturing

DATE OF UDYAM REGISTRATION **09/06/2023**

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.  
 Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing:- 09/06/2023

For any assistance, you may contact:

- District Industries Centre: MORADABAD (UTTAR PRADESH)
- MSME-DFO: AGRA (UTTAR PRADESH)

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.champion.gov.in](http://www.champion.gov.in)

Follow us @minmsme & @msmichandauli





भारत सरकार  
Government of India

सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय

Ministry of Micro, Small and Medium Enterprises

**MSME**  
सूक्ष्म, लघु एवं मध्यम उद्यम  
MICRO, SMALL & MEDIUM ENTERPRISES

Udyam Registration Number : UDYAM-UP-59-0032537

Type of Enterprise	MICRO	Major Activity	Manufacturing
Type of Organisation	Proprietary	Name of Enterprise	M/s Chander Bhan Singh
Owner Name	SHRI CHANDER BHAN SINGH	PAN	AUTPS9799K
Do you have GSTIN	Yes	Mobile No.	8630072045
Email Id	chandra25673@gmail.com	Social Category	General
Gender	Male	Specially Abled(DIVYANG)	No
Date of Incorporation	20/01/2020	Date of Commencement of Production/Business	20/01/2020

#### Bank Details

Bank Name	IFS Code	Bank Account Number
CANARA BANK	CNRB0002936	2936201000117

#### Employment Details

Male	Female	Other	Total
5	0	0	5

#### Investment in Plant and Machinery OR Equipment (in Rs.)

S.No.	Financial Year	Enterprise Type	Written Down Value (WDV)	Exclusion of cost of Pollution Control, Research & Development and Industrial Safety Devices	Net Investment in Plant and Machinery OR Equipment[(A)-(B)]	Total Turnover (A)	Export Turnover (B)	Net Turnover [(A)-(B)]	Is ITR Filled?	ITR Type
1	2021-22	Micro	6154261.00	0.00	6154261.00	39109715.00	0.00	39109715.00	Yes	ITR - 3, 5, 6

#### Unit(s) Details

SN	Unit Name	Flat	Building	Village/Town	Block	Road	City	Pin	State	District
1	M/s Chander Bhan Singh	Sector 13	Sector-13, Naya Moradabad, Delhi Road	Sector-13, Naya Moradabad, Delhi Road		Sector-13, Naya Moradabad, Delhi Road	Moradabad	244001	UTTAR PRADESH	MORADABAD

#### Official address of Enterprise

Flat/Door/Block No.	Sector 13	Name of Premises/ Building	Sector-13, Naya Moradabad, Delhi Road
Village/Town	Moradabad	Block	Moradabad
Road/Street/Lane	Sector-13, Naya Moradabad	City	Moradabad
State	UTTAR PRADESH	District	MORADABAD, Pin : 244001
Mobile	8630072045	Email:	chandra25673@gmail.com
Latitude	28.829836772789385	Longitude:	78.77600249177485

#### National Industry Classification Code(S)


SNo.	Nic 2 Digit	Nic 4 Digit	Nic 5 Digit	Activity
1	23 - Manufacture of other non-metallic mineral products	2395 - Manufacture of articles of concrete, cement and plaster	23952 - Manufacture of articles articles of concrete, cement or artificial stone (tiles, bricks etc.)	Manufacturing
2	23 - Manufacture of other non-metallic mineral products	2395 - Manufacture of articles of concrete, cement and plaster	23954 - Manufacture of R.C.C. bricks and blocks	Manufacturing
3	41 - Construction of building	4100 - Construction of buildings	41001 - Construction of buildings carried out on own-account basis or on a fee or contract basis	Manufacturing
4	41 - Construction of building	4100 - Construction of buildings	41002 - Activities relating to alteration, addition, repair, maintenance carried out on own-account basis or on a fee or contract basis	Manufacturing
5	42 - Civil Engineering	4210 - Construction roads and railways	42101 - Construction and maintenance of motorways, streets, roads, urban vehicular and pedestrian ways, highways, bridges, tunnels and subways	Manufacturing

ATTESTED  
M. P. Mishra

Notary Distt - Chandauli  
Rego No 305 Govt. of India

6	43 - Specialized construction activities	4312 - Site preparation	43122 - Site preparation including drilling, boring and core sampling for construction, geophysical, geological or similar purposes	Manufacturing
7	43 - Specialized construction activities	4321 - Electrical installation	43213 - Installation of street lighting and electrical signals	Manufacturing
8	43 - Specialized construction activities	4330 - Building completion and finishing	43302 - Interior completion such as ceilings, wooden wall coverings, movable partitions etc. ; Laying of parquet and other wood floor coverings, carpets and linoleum, wallpaper; tiling with ceramic, concrete or cut stone ceramic etc.	Manufacturing

Are you interested to get registered on Government e-Market (GeM) Portal	No
Are you interested to get registered on TReDS Portals(one or more)	No
Are you interested to get registered on National Career Service(NCS) Portal	No
Are you interested to get registered on NSIC B2B Portal	No
Are you interested in availing Free .IN Domain and a business email ID	Yes
District Industries Centre	MORADABAD ( UTTAR PRADESH )
MSME-DFO	AGRA ( UTTAR PRADESH )
Date of Udyam Registration	09/06/2023
Date of Printing	09/06/2023

ATTESTED  
  
M. P. Mishra  
Notary Dist - Chandauli  
Rego No 305 Govt. of India

**MINISTRY OF JAL SHAKTI**  
**(Department Of Water Resources, River Development And Ganga Rejuvenation)**  
**(CENTRAL GROUND WATER AUTHORITY)**

**NOTIFICATION**

New Delhi, the 24th September, 2020

**S.O. 3289(E).**—WHEREAS, on the directions of Hon'ble Supreme Court vide its order dated the 10th December, 1996 passed in Civil writ Petition No 4677 of 1985, MC Mehta Vs Union of India, the Central Government constituted the Central Ground Water Authority (hereafter referred to as the 'Authority') vide notification number S.O. 38 (E), dated the 14<sup>th</sup> January, 1997 to exercise powers under Section 5 of the Environment (Protection) act, 1986 (29 of 1986) for the purposes of regulation and control of Ground Water management and development and to exercise certain powers and perform certain functions relating thereto;

AND WHEREAS, the Authority has been regulating ground water development and management by way of issuing 'No Objection Certificates' for ground water extraction to industries or infrastructure projects or Mining Projects etc., and framed guidelines in this connection from time to time in twenty two States and two Union territories, where ground water development is not being regulated by the State Government Union Territory administration concerned;

AND WHEREAS, some of the State Governments or, Union territories enacted legislations and issued regulatory directions or orders for regulating ground water development and management;

AND WHEREAS, the Hon'ble National Green Tribunal, New Delhi vide order dated the 15<sup>th</sup> April 2015 in OA Nos. 204/205/206 of 2014 has issued directions to the Authority to ensure that any person operating tube-well, or any means to extract ground water shall obtain permission from the Authority and shall operate the same subject to the law in force, even if such unit is existing unit or the unit is yet to be established;

AND WHEREAS, the said Hon'ble Tribunal vide its order dated the 09<sup>th</sup> July, 2015 in OA Nos. 34 and 37 of 2014 directed all industrial units which are members of the Common Effluent Treatment Plants (CETPs) to approach the Authority through State Pollution Control Board for obtaining 'No Objection Certificate' in accordance with the law;

AND WHEREAS, the aforesaid Hon'ble Tribunal vide order dated the 13<sup>th</sup> July, 2017 in OA No 200- of 2014 directed that every industry should be directed to pay for extraction of such water, that too, subject to the conditions stated in the order permitting such extraction;

AND WHEREAS, the said Hon'ble Tribunal vide its order dated the 28<sup>th</sup> August, 2018 in O.A. Nos. 176 of 2015 and 59 of 2012 respectively directed the Ministry of Water Resources, River Development and Ganga Rejuvenation to forthwith review the existing mechanism so as to ensure effective steps for conserving the groundwater resources;

AND WHEREAS, in pursuance of the directions of the Hon'ble National Green Tribunal and powers conferred by sub-section (3) of section 3 and section 5 of the Environment (Protection) Act, 1986 the Authority, with a view to protect the ground water resources had circulated the draft guidelines for grant of 'No Objection Certificate' on the 11<sup>th</sup> October, 2017 inviting comments and suggestions from all the stakeholders;

AND WHEREAS, all objections and suggestions received in response to the said draft guideline have been duly considered by the Central Government, the Authority notified the guidelines to regulate groundwater over-exploitation and to conserve the groundwater resources in the country vide notification number S.O. 6140 (E), dated the 12<sup>th</sup> December, 2018;

AND WHEREAS, the aforesaid Hon'ble Tribunal vide order dated the 03<sup>rd</sup> January 2019 in the OA No. 176 of 2015 directed that the above mentioned notification dated the 12<sup>th</sup> December, 2018 may not be given effect to as it is unsustainable if tested on 'Precautionary Principle, Sustainable development as well as Inter-generational Equity Principles' and if implemented, will result in fast depletion of groundwater and damage to water bodies and will be destructive of the fundamental right to life under Article 21 of the Constitution of India;

AND WHEREAS, the said Hon'ble Tribunal vide order dated the 11<sup>th</sup> September, 2019 constituted a committee to deliberate on steps for preventing depletion of groundwater, robust monitoring mechanism

against unauthorised extractions and fulfillment of 'No Objection Certificate' conditions, environment compensation etc and to submit a report;

AND WHEREAS, the aforesaid committee submitted the report along-with draft guidelines to regulate groundwater extraction and groundwater conservation in Hon'ble Tribunal on the 16<sup>th</sup> March, 2020;

AND WHEREAS, the above said Hon'ble Tribunal vide order dated the 20<sup>th</sup> July, 2020 directed to comply with certain points for sustainable groundwater management while issuing 'No Objection Certificates' to commercial establishments by the Authority;

Now therefore, in pursuance of the directions of Hon'ble National Green Tribunal and the powers conferred by sub-section (3) of Section 3 read with Section 5 of the Environment (Protection) Act, 1986 (29 of 1986), the Department of Water Resources, River Development & Ganga Rejuvenation, hereby notifies the guidelines to regulate and control groundwater extraction in the country in supersession to this Ministry notification vide S.O. 6140 (E), dated the 12<sup>th</sup> December, 2018 as per the Schedule below:

### **SCHEDULE**

#### **Guidelines to regulate and control ground water extraction in India**

**(with immediate effect)**

#### **INDEX**

<b><u>ITEM</u></b>	<b><u>Page No.</u></b>
Preamble and Background	
1.0 Exemptions from seeking No Objection Certificate.....	35
2.0 Drinking & Domestic use for Residential apartments/ Group Housing Societies/ Government water supply agencies in urban areas .....	35
3.0 Agriculture Sector .....	36
4.0 Commercial Use .....	36
4.1 Industrial Use.....	36
4.2 Mining Projects .....	37
4.3 Infrastructure projects.....	38
5.0 Ground water abstraction/ restoration charges .....	39
5.1 Rates of Ground water abstraction /restoration charges .....	40
6.0 Bulk Water Supply .....	42
7.0 Abstraction of Saline ground water .....	42
8.0 Protection of Wetland Areas.....	42
9.0 General compliance conditions in No Objection Certificate .....	43
10.0 Monitoring of compliance of No Objection Certificate Conditions.....	43
11.0 Renewal of No Objection Certificate .....	44
12.0 Extension of No Objection Certificate .....	44
13.0 Delegation of powers against illegal groundwater withdrawal .....	44
14.0 Ground Water Level Monitoring.....	45
15.0 Environmental Compensation .....	45
15.1 Rates of Environmental Compensation: .....	45
15.2 Deterrent Factors to compensate losses and environmental damage (for packaged drinking water units, mining, industries and infrastructural dewatering projects).....	46
16.0 Provision of Penalty .....	46
17.0 Other important Conditions (Applicable to all): .....	48

[F. No. CGWA-21/4/2020-CGWA]

ASHISH KUMAR, Director

**ANNEXURES**

- Annexure I: Estimation of water requirements for drinking and domestic use.
- Annexure II: Guidelines for construction of piezometers and monitoring of groundwater levels and quality.
- Annexure III: Measures to be adopted to ensure prevention from pollution in the plant premises of polluting industries/ projects.
- Annexure IV: Outline of hydro-geological report for obtaining No Objection Certificate for industries.
- Annexure V: Format of the Report on ground water conditions (for mining projects).
- Annexure VI: Indicative list of Infrastructure projects.
- Annexure VII: Supreme Court Order in Civil Writ petition 36 of 2009 regarding measures for prevention of fatal accidents of small children due to their falling into abandoned bore wells and tube wells.
- Annexure VIII: List of States/ Union territories where ground water extraction is being regulated by Central Ground Water Authority (CGWA)
- Annexure IX: Glossary of technical terms used
- Annexure X : Annual water audits by the industries

**Guidelines to regulate and control groundwater extraction in India****Preamble and Background:**

On the directions of Hon'ble Supreme Court vide its order dated 10th December, 1996 passed in Civil writ Petition No 4677 of 1985, MC Mehta Vs Union of India, the Central Government had constituted the Central Ground Water Board as Authority vide notification number S.O. 38 (E), dated the 14<sup>th</sup> January, 1997 to exercise powers under sub section (3) of section 3 of the Environment (Protection) act, 1986 (29 of 1986) for the purposes of regulation and control of Ground Water Management and Development and to exercise certain powers and perform certain functions as per the said Act.

The Authority has been regulating ground water development and management by way of issuing 'No Objection Certificates' for ground water extraction to industries or infrastructure projects or Mining Projects etc., and framed guidelines in this connection from time to time applicable in twenty two States and two Union territories, where ground water development is not being regulated by the State Government and Union territory administration concerned.

To have sustainable management of water resources in the country groundwater abstraction guidelines have been prepared to regulate groundwater extraction and conserve the scarce groundwater resources in the country.

These guidelines will come into force with immediate effect from the date of Gazette Notification and will supersede all earlier guidelines issued by the Central Ground Water Authority (CGWA).

These guidelines will have pan India applicability. Ground water abstraction in States/ Uts (which are not regulating ground water abstraction) shall continue to be regulated by Central Ground Water Authority.

Further, wherever States/ Uts have come out with their own groundwater abstraction guidelines, which are inconsistent with the CGWA guidelines, the provisions of CGWA guidelines will prevail. However, in case the guidelines followed by such States/ Uts contain some more stringent provisions than CGWA guidelines, such provisions may also be given effect to by the States/ Uts Authorities in addition to those contained in the CGWA guidelines. States may be at liberty to suggest additional conditions/ criteria based on the local hydro-geological situations which shall be reviewed by CGWA/Ministry of Jal Shakti, Government of India before acceptance.

All new/existing industries, industries seeking expansion, infrastructure projects and mining projects abstracting ground water, unless specifically exempted under Para 1.0 below, will be required to seek No Objection Certificate from Central Ground Water Authority or, the concerned State/ UT Ground Water

Authority as the case may be. The entire process of grant of No Objection Certificate shall be online through a web based application system.

Water management plans shall be prepared by all the State Ground Water Authorities/ Organizations for all Over-exploited, Critical and Semi-critical assessment units starting with Over-exploited units. Water management plans shall be reviewed and updated periodically. Water management plans, data on water availability and scarcity and policy framed in this regard shall be placed on the websites of Central Ground Water Authority/ State Ground Water Authority.

### 1.0 Exemptions from seeking No Objection Certificate:

Following categories of consumers shall be exempted from seeking No Objection Certificate for ground water extraction:

- (i) Individual domestic consumers in both rural and urban areas for drinking water and domestic uses.
- (ii) Rural drinking water supply schemes.
- (iii) Armed Forces Establishments and Central Armed Police Forces establishments in both rural and urban areas.
- (iv) Agricultural activities.
- (v) Micro and small Enterprises drawing ground water less than 10 cum/day.

### 1.1 Registration of Drilling Rigs

State / Ut Governments shall be responsible for registering drilling rigs operating within their jurisdiction and for maintaining the database of wells drilled by them. Appropriate link shall be provided in CGWA portal for making the data available to CGWA.

### 2.0 Drinking & Domestic use for Residential apartments/ Group Housing Societies/ Government water supply agencies in urban areas

For grant of No Objection Certificate for ground water extraction, the project proponent has to furnish the details as per the guidelines issued by the CGWA in proper format as available in CGWA website. No Objection Certificate for new /existing wells shall be granted only in such cases where the local Government water supply agency is unable to supply requisite amount of water in the area.

No Objection Certificate shall be granted subject to the following specific conditions:

- i) Installation of Sewage Treatment Plants shall be mandatory for all residential apartments/ Group Housing Societies where ground water requirement is more than 20 m<sup>3</sup>/day. The water from Sewage Treatment Plants shall be utilized for toilet flushing, car washing, gardening etc.
- ii) The No Objection Certificate shall be valid for a period of five years from the date of issue or till such time local Government water supply is provided to the project area, whichever is earlier. In case the project proponent receives water supply from the concerned local Government Water Supply Agency during the validity of the No Objection Certificate, intimation regarding availability of public water supply shall be sent by the project proponent to CGWA and No Objection Certificate will be cancelled by the Authority. In other cases, the project proponent will apply for renewal of No Objection Certificate, ninety days before the expiry of No Objection Certificate.
- iii) Proponents shall be liable to pay ground water abstraction charges for the quantum of ground water proposed to be extracted, as per rates mentioned in Table 5.1.

### Documents to be submitted with the application

- a) Details of water requirement computed as per National Building Code, 2016 (**Annexure I**), taking into account recycling/ reuse of treated water for flushing etc.
- b) Affidavit on non-judicial stamp paper of Rs. 10/- by the applicant, confirming non/ inadequate availability of public water supply in case of users requiring ground water up to 10 m<sup>3</sup>/ day for drinking/ domestic use.
- c) Certificate of non-availability of water from local government water supply agency in cases requiring ground water in excess of 10 m<sup>3</sup>/ day for drinking/ domestic use. Government water supply agencies

applying for No Objection Certificate shall submit copy of government approval of the scheme/project proposed to be implemented.

- d) Ground water quality data of existing bore well/ tube well/ dug well from any National Accreditation Board for Testing and Calibration Laboratories (NABL) accredited laboratory or Govt. approved laboratory (in case of existing projects applying for no objection certificate)
- e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.

### 3.0 Agriculture Sector

Agriculture sector is the backbone of the Indian economy. As per Minor Irrigation Census 2013-14, 87.86% of wells are owned by marginal, small and semi-medium farmers having land holding up to 4 hectares (ha). Around 9.18 % of wells are owned by medium farmers having land holding 4 – 10 ha and 2.96% of the wells are owned by big farmers having land holding more than 10 ha.

Considering the number of ground water abstraction structures, regulation of ground water in agriculture sector through a 'command and control' strategy will prove to be an arduous task. Therefore, a participatory approach for sustainable ground water management would be more productive.

States/Uts are advised to review their free/subsidized electricity policy to farmers, bring suitable water pricing policy and may work further towards crop rotation/diversification/other initiatives to reduce over-dependence on groundwater.

Agriculture sector shall be exempted from obtaining No Objection Certificate for ground water extraction.

### 4.0 Commercial Use

No new major industries shall be granted No Objection Certificate in over-exploited assessment areas except as per the policy guidelines.

Availability of ground water resources shall be given due regard while considering applications for grant of No Objection Certificate for commercial use.

Commercial entities extracting ground water shall be required to submit online annual water audit report including an audit of water use as mentioned in the relevant sections. CGWA/ State Ground Water Authority (SGWA) shall publish all such audit reports online.

CGWA/ SGWAs shall engage independent agencies to verify the compliance of No Objection Certificate conditions periodically.

#### 4.1 Industrial Use

In Over-exploited assessment units, No Objection Certificate shall not be granted for ground water abstraction to any new industry except those falling in the category of Micro, Small and Medium Enterprises (MSME). However, No Objection Certificate for drinking/ domestic use for work force, green belt use by these new industries shall be permitted. Expansion of existing industries involving increase in quantum of ground water abstraction in over-exploited assessment units shall not be permitted. No Objection Certificate shall not be granted to new packaged water industries in Overexploited areas, even if they belong to MSME category.

No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:

- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be

- required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in Section 15 shall be mandatory for industries drawing/ proposing to draw more than 10 m<sup>3</sup>/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Detailed guidelines for design and construction of piezometers are given in **Annexure II**. Monthly water level data shall be submitted to the CGWA through the web portal.
  - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
  - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
  - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution (**Annexure III**).
  - viii) All industries drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Tables 5.2 A and 5.3 A.
  - ix) All existing industries drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as applicable as per Tables 5.2 B and 5.3 B.

#### Documents to be submitted with the application

- (a) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water supply from local government agencies in cases where ground water requirement is up to 10 m<sup>3</sup>/day.
- (b) Certificate regarding non/ partial availability of fresh water/ treated waste water supply from the local government water supply agency in cases where requirement of ground water is more than 10 m<sup>3</sup>/day.
- (c) Ground water quality data of existing bore well/ tube well/ dug well from any NABL accredited laboratory or Govt. approved laboratory (in case of existing projects applying for No Objection Certificate)
- (d) Water quality data of bore well/ tube well/ dug well in respect of existing industries from NABL accredited laboratories/Government approved laboratories.
- (e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (f) **Impact Assessment report:** All projects extracting/proposing to extract ground water in excess of 100 m<sup>3</sup>/day in Over-exploited, Critical and Semi-critical areas shall have to mandatorily submit impact assessment report of existing/ proposed ground water withdrawal on the ground water regime and also socio-economic impacts report prepared by accredited consultants. Pro-forma for the report is given in **Annexure IV**.

#### 4.2 Mining Projects

All existing as well as new mining projects will be required to obtain No Objection Certificate for ground water abstraction. Since mining projects are location specific, there will be no ban on grant of No Objection Certificate for abstraction of ground water for such projects in over-exploited assessment units.

No Objection Certificate for mining projects shall be granted subject to the following specific conditions:

- i) It shall be mandatory for all the mining industries to ensure that water available from de-watering operations is properly treated and should be gainfully utilized for supply for irrigation, dust

suppression, mining process, recharge in downstream and for maintaining e-flows in the river system.

- ii) Construction of observation well(s) (piezometers) along the periphery in the premises, for monthly ground water level monitoring, shall be mandatory for mines drawing/ proposing to draw more than 10 m<sup>3</sup>/day of ground water. Depth and aquifer zone tapped in the piezometer shall be commensurate with that of pumping well/ wells.
- iii) In addition, the proponent shall monitor ground water levels by establishing observation wells (piezometers) in the core and buffer zones as specified in the No Objection Certificate.
- iv) In case of coal and other base metal mining the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- v) In addition to this, all mining units shall also monitor the water quality of mine seepage and mine discharge through NABL accredited/ Govt. approved laboratories and the same shall be submitted at the time of self compliance.
- vi) All mining projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Tables 5.4 A.
- vii) All mining projects drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as per Table 5.4 B.

#### **Documents to be submitted with the application**

- (a) Mining plan approved by the concerned Govt. agency/ department.
- (b) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (c) Comprehensive report prepared by accredited consultant on ground water conditions in both core and buffer zones of the mine, depth wise and year wise mine seepage calculations, impact assessment of mining and dewatering on ground water regime and its socio-economic impact, details of recycling, reuse and recharge, reduction of pumping with use of technology for mining and water management to minimize and mitigate the adverse impact on ground water, based on local conditions. Format for report is given in **Annexure V**.

#### **4.3 Infrastructure projects:**

Since infrastructure projects are location specific, grant of No Objection Certificate to such projects located in over-exploited assessment units shall not be banned. New infrastructure projects/ residential buildings may require dewatering during construction activity and/ or use ground water for construction. In both cases, applicants shall seek No Objection Certificate from CGWA before commencement of work. However, in over-exploited assessment units, use of ground water for construction activity shall be permitted only if no treated sewage water is available within 10 km radius of the site. New as well as existing Infrastructure projects shall also be required to seek No Objection Certificate for abstraction of ground water.

No 'No Objection Certificate' shall be granted for extraction of groundwater for Water Parks, Theme Parks and Amusement Parks in over-exploited assessment units.

Indicative list of Infrastructure projects is given in Annexure VI.

The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:

- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data through the web portal to CGWA/SGWA as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by CGWA/SGWA.

- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m<sup>3</sup>/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.
- iii) For infrastructure dewatering/ construction activity, No Objection Certificate shall be valid for specific period as per the detailed proposal submitted by the project proponent.
- iv) All infrastructure projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Table 5.3 A.
- v) All infrastructure projects (new/ existing) drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as per Table 5.3 B.

#### **Documents to be submitted with the application**

- (a) In cases where dewatering is involved, submission of impact assessment report prepared by an accredited consultant on the ground water situation in the area giving detailed plan of pumping, proposed usage of pumped water and comprehensive impact assessment of the same on the ground water regime shall be mandatory. The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc.
- (b) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water from any other source in case water is required for construction in safe and semi critical areas.
- (c) Certificate from a government agency regarding non availability of treated sewage water for construction within 10 km radius of the site in critical and over-exploited areas.
- (d) Certificate of non-availability of water from local government water supply agency in respect of all categories of assessments units for commercial use.
- (e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (f) Details of water requirement computed as per National Building Code, 2016 (**Annexure I**), taking into account recycling/ reuse of treated water for flushing etc. (in case of completed infrastructure projects for commercial use).
- (g) Completion certificate from the concerned agency for infrastructure projects requiring water for commercial use.

#### **5.0 Ground water abstraction/ restoration charges**

All residential apartments/ group housing societies/ Government water supply agencies in urban areas shall be required to pay ground water abstraction charges.

All industries/mining/ infrastructure projects drawing ground water in safe, semi-critical and critical assessment units will have to pay ground water abstraction charges based on quantum of ground water extraction and category of assessment unit as per details given in this guideline.

All existing mining/ infrastructure projects and existing industries including MSME drawing ground water in over-exploited assessment units will have to pay ground water restoration charges based on quantum of ground water extraction. Further, new MSME, new infrastructure and new Mining projects in over exploited areas shall also be required to pay ground water restoration charges.

Existing industries, infrastructure units and mining projects which have installed/constructed artificial recharge structures in compliance of the conditions prescribed in the groundwater guidelines prevailing at the time of grant of No Objection Certificate or its renewal shall be eligible for a rebate of 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, subject to their satisfactory performance and verification.

The revenue generated from the proposed water abstraction/ restoration charges shall be kept in a separate fund for implementation of site specific suitable demand/ supply side interventions.

**5.1 Rates of Ground water abstraction /restoration charges****I. Drinking and domestic use for residential apartments/ group housing societies/ Government water supply agencies in Urban areas**

All residential apartments/ Group Housing Societies requiring water only for drinking/domestic use requiring No Objection Certificate would pay ground water abstraction charges as per rates given below in Table 5.1.

**Table 5.1 Ground Water Abstraction charges for Drinking & Domestic use.**

Quantum of Groundwater withdrawal (m <sup>3</sup> /month)	Rate of ground water abstraction charges (Rs. per m <sup>3</sup> )
0-25	No charge
26-50	1.00
>50	2.00

Government water supply agencies and Government infrastructure projects shall pay Ground water abstraction Charges @ Rs. 0.50 per m<sup>3</sup>.

**II. Packaged Drinking Water units**

Rates of ground water abstraction charges for packaged drinking water units in safe, semi-critical and critical assessment units are given in Table 5.2 A and those for ground water restoration charges in over-exploited assessment units are given in Table 5.2 B.

**Table 5.2 A: Rates of ground water abstraction charges for packaged drinking water units (Rs per m<sup>3</sup>)**

S.No.	Category of area ↓ Ground water use →	Quantum of ground water withdrawal				
		Up to 50m <sup>3</sup> /day	51 to <200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Safe	1.00	3.00	5.00	8.00	10.00
2.	Semi-critical	2.00	5.00	10.00	15.00	20.00
3.	Critical	4.00	10.00	20.00	40.00	60.00

**Table 5.2 B: Rates of ground water restoration charges for packaged drinking water units (Rs per m<sup>3</sup>)**

S.No.	Category of area ↓ Ground water use →	Quantum of ground water withdrawal				
		Up to 50 m <sup>3</sup> /day	51 to <200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Over-exploited (existing industries only)	8.00	20.00	40.00	80.00	120.00

### III. Other Industries & infrastructure projects

Rates of ground water abstraction charges for other industries and infrastructure projects in safe, semi-critical and critical assessment units are given in Table 5.3 A and those for ground water restoration charges in over-exploited assessment units are given in Table 5.3 B.

**Table 5.3 A: Rates of Ground Water abstraction charges for other industries & infrastructure projects (Rs per m<sup>3</sup>)**

S.No.	Category of area ↓ Ground water use →	Quantum of ground water withdrawal			
		< 200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Safe	1.00	2.00	3.00	5.00
2.	Semi-critical	2.00	3.00	5.00	8.00
3.	Critical	4.00	6.00	8.00	10.00

**Table 5.3 B: Rates of ground water restoration charges for other industries & infrastructure projects (Rs per m<sup>3</sup>)**

S.No.	Category of area ↓ Ground water use →	Quantum of ground water withdrawal			
		< 200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Over-exploited (existing industries / new Industries as per the present Guidelines)	6.00	10.00	16.00	20.00

### IV. Mining projects

Rates of ground water abstraction charges for mining, which are drawing ground water in safe, semi-critical and critical assessment units are given in Table 5.4 A and those for ground water restoration charges in case of projects drawing ground water in over-exploited assessment units are given in Table 5.4 B.

**Table 5.4 A: Rates of ground water abstraction charges for mining (Rs. per m<sup>3</sup>)**

S.No.	Category of area ↓ Ground water use →	Quantum of ground water withdrawal			
		< 200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Safe	1.00	2.00	2.50	3.00
2.	Semi-critical	2.00	2.50	3.00	4.00
3.	Critical	3.00	4.00	5.00	6.00

**Table 5.4 B: Rates of ground water restoration charges for mining (Rs. per m<sup>3</sup>)**

S.No.	Category of area  Ground water use	Quantum of ground water withdrawal			
		< 200 m <sup>3</sup> /day	200 to <1000 m <sup>3</sup> /day	1000 to <5000 m <sup>3</sup> /day	5000 m <sup>3</sup> /day and above
1.	Over-exploited	4.00	5.00	6.00	7.00

### 6.0 Bulk Water Supply

All private tankers abstracting ground water and use it for supply as bulk water suppliers will now mandatorily seek No Objection Certificate for ground water abstraction. The bulk water suppliers through tankers drawing ground water in safe, semi-critical and critical assessment units shall pay groundwater abstraction charges as per the **Table-6.1 A**. The bulk water suppliers drawing ground water in over-exploited assessment units shall pay the groundwater restoration charges as per the **Table-6.1 B**. All tankers will have to install GPS based system for their monitoring of movement/area of operation.

Modalities for issue of No Objection Certificate for bulk/tanker water supplies shall be worked out in consultation with States/Uts and suitable guidelines in this regard will be framed and issued separately for the same.

**Table-6.1A: Groundwater abstraction charges for Bulk/Tanker water supplies**

Category	Rate per m <sup>3</sup> (in Rs.)
Safe	<b>10</b>
Semi Critical	<b>20</b>
Critical	<b>25</b>

**Table-6.1B: Groundwater abstraction charges for Bulk/Tanker water supplies**

Category	Rate per m <sup>3</sup> (in Rs.)
Over Exploited	<b>35</b>

### 7.0 Abstraction of Saline ground water

Abstraction of saline ground water in areas having either saline ground water at all depths or pockets of saline ground water in an otherwise fresh water area for use by industries/ dewatering by infrastructure/ mining projects including those located in over-exploited areas would be encouraged. Such industries shall be exempted from paying ground water abstraction charges.

The list of such assessment units having saline ground water at all depths as per the latest assessment of dynamic ground water resources will be made available by the CGWA in their website. However, due care shall be taken in respect of disposal of effluents by the units so as to protect the water bodies and the aquifers from pollution.

Detailed guidelines in this regard shall be prepared and issued separately.

### 8.0 Protection of Wetland Areas

The wet land areas in the country are very crucial as they are direct reflection of the presence of ground water in such areas. The protection of the wetland areas is being separately handled by the Wetland Authorities. Since ground water is very crucial for the survival of the wetland area, any excessive ground water development within the zone of wetland area would affect the volume of water in that wetland.

Projects falling within 500 m. from the periphery of demarcated wetland areas shall mandatorily submit a detailed proposal indicating that any ground water abstraction by the project proponent does not affect the protected wetland areas. Furthermore, before seeking permission from CGWA, the projects shall take consent/approval from the appropriate Wetland Authorities to establish their projects in the area.

### 9.0 General compliance conditions in No Objection Certificate

- i. Installation of digital water flow meter (conforming to BIS/ IS standards) having telemetry system in the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate through the web-portal.
- ii. Proponents shall mandatorily get water flow meter calibrated on from an authorized agency once in a year.
- iii. Proponents shall install roof top rain water harvesting & recharge systems in the project area.
- iv. Proponents shall pay Ground Water Abstraction/ Restoration Charges based on quantum of ground water extraction as applicable as per the rates given in Section 6.
- v. Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 15. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in **Annexure-II**.
- vi. Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- vii. If the existing well becomes defunct due to mechanical failure within the validity period of No Objection Certificate, the user can construct a replacement well under intimation to CGWA on web portal. The defunct well shall be properly sealed (**Refer Annexure VII**). The user will be required to submit documentary proof in this regard. However, if the existing abstraction structures fails to yield water and he proponent desires to drill another tubewell in the same premises, prior permission of the Authority shall be required. If the replacement well is to be drilled in some different place, the proponent shall obtain fresh No Objection Certificate.
- viii. Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- ix. In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.

### 10.0 Monitoring of compliance of No Objection Certificate Conditions

To monitor the compliance of No Objection Certificate conditions, Central Ground Water Authority and State/ UT Ground Water Authorities shall take the following steps:

- a. Suitable MIS will be developed for compliance monitoring.
- b. District Collectors/Deputy Commissioners (DCs) /District Magistrates (DMs) are authorized to take enforcement measures like sealing of unauthorized ground water abstraction structures, disconnection of electricity, launching of prosecution against those violating the No Objection Certificate conditions and taking action for imposition of Environmental Compensation.
- c. Technical officers of CGWB/ CGWA and State groundwater organizations are authorized to take actions with respect to monitoring and periodic inspections with the approval of competent authority.
- d. In case of violation of any of the No Objection Certificate conditions, the proponents shall be liable to pay the penalties as per **Section 16**.

**11.0 Renewal of No Objection Certificate**

No objection certificate shall be renewed periodically, subject to the compliance of the conditions mentioned therein:

- i. The applicant shall apply for renewal of No Objection Certificate at least ninety days prior to expiry of its validity.
- ii. Application for renewal of No Objection Certificate shall be accompanied by the Compliance Report.
- iii. Before granting renewal, Central Ground Water Authority or State/ Ut Authority shall satisfy itself that the conditions of No Objection Certificate have been complied with.
- iv. In case of change in category of the assessment unit, renewals would be granted with conditions as laid down for new category.
- v. No Objection Certificate will be renewed for the terms specified for various uses as follows:

Category	Use	Term of renewal
Critical, Semi-critical and safe	Infrastructure projects for drinking & domestic use and urban Water Supply Agencies	5 years
	Industries	3 years
	Mines	2 years
Over exploited	All users in 'Over-exploited areas'	2 years

- vi. If the application for renewal is submitted in time and the CGWA/ the respective State/ Ut Authority is unable to process the application in time, No Objection Certificate shall be deemed to be extended till the date of renewal of No Objection Certificate.
- vii. If the proponent fails to apply for renewal within 3 months from the date of expiry of No Objection Certificate, the proponent shall be liable to pay Environmental Compensation for the period starting from the date of expiry of No Objection Certificate till No Objection Certificate is renewed by the competent authority.

**12.0 Extension of No Objection Certificate**

If the proponent is unable to construct the well(s) during the validity period of No Objection Certificate for genuine reasons, the proponent will have to apply for extension of No Objection Certificate. Application for extension should be supported by documents justifying the reasons for delay. Other conditions for grant of extension of No Objection Certificate will be the same as that for fresh No Objection Certificate.

Extension of No Objection Certificate will be granted for a maximum period of two years. No further extension will be granted after the expiry of the extended period. In that case, the applicant will have to apply afresh for grant of No Objection Certificate.

**13.0 Delegation of powers against illegal groundwater withdrawal**

Central Ground Water Authority has appointed the District Magistrate/ District Collector/ Sub Divisional Magistrates of each Revenue District/Sub division as Authorized Officers, who have been delegated the power to seal illegal wells, disconnect electricity supply to the energised well, launch prosecution against offenders etc. including grievance redressal related to ground water in their respective jurisdictions.

In order to further decentralise and strengthen the monitoring and compliance mechanism as per the guidelines, officials of concerned Departments of Revenue and Industries of the States/Uts shall be appointed as Authorised Officers in consultation with the State/Ut Governments.

A copy of the No Objection Certificate issued by the CGWA in the No Objection Certificate Application Portal (NOCAP) will be forwarded to the respective District Magistrate/ District Collector. In case of any violation of the directions of Central Ground Water Authority and non-fulfilment of the conditions laid

down in the No Objection Certificate, the Authorised Officers will file appropriate Petition/Original Application etc under sections 15 to 21 of the Environment (Protection) Act, 1986 in appropriate Courts.

#### 14.0 Ground Water Level Monitoring

All the project proponents (drawing ground water more than 10 cum/d) have to mandatorily construct Piezometers (observation wells) within their premises for monitoring of the ground water levels. Such a mechanism of compliance conditions has been made to ensure that every month the ground water level in the project area can be monitored and observed. In this regard the necessary criteria for monitoring of water levels through piezometers by the project proponents is given in Table 14.1.

S.No.	Quantum of Ground water withdrawal (cum/d)	No. of piezometer required	Monitoring mechanism		
			Manual	DWLR	DWLR with Telemetry
1	<10	0	0	0	0
2	11-50	1	1	0	0
3	51-500	1	0	1	0
4	>500	2	0	1	1

The piezometer shall be suitably located to ensure that zone of aquifer tapped in the piezometer is the same as that of the pumping well.

#### 15.0 Environmental Compensation

Extraction of ground water for commercial use by industries, infrastructure units and mining projects without a valid No Objection Certificate from appropriate authority shall be considered illegal and such entities shall be liable to pay Environmental Compensation for the quantum of ground water so extracted. The norms prescribed by Central Pollution Control Board (CPCB) shall be utilized for calculating the Environmental compensation as mentioned below:

$$EC_{GW} = \text{Ground water consumption per day} \times \text{Environmental Compensation rate (ECR}_{GW}) \times \text{No. of days} \times \text{Deterrence factor}$$

where ground water consumption is in m<sup>3</sup>/day and ECR<sub>GW</sub> in Rs./ cum

##### 15.1 Rates of Environmental Compensation:

Rates of Environmental Compensation (ECR<sub>GW</sub>) for various types of users in different categories of assessment units are given in Table 15.1 to 15.3.

**Table 15.1 : ECR<sub>GW</sub> for Packaged Drinking Water units**

S.No.	Area Category	Water Consumption (cum/day)			
		<200/	200 to <1000	1000 to <5000	5000 & above
		Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup>			
	Safe	12	18	24	30
2	Semi critical	24	36	48	60
3	Critical	36	48	66	90
4	Over- exploited	48	72	96	120

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

**Table 15.2: ECR<sub>GW</sub> for Mining/ infrastructure dewatering projects**

S.No.	Area Category	Water Consumption (cum/day)			
		<200	200 to <1000	1000 to <5000	5000 & above
		Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup>			
1	Safe	15	21	30	40
2	Semi critical	30	45	60	75
3	Critical	45	60	85	115
4	Over- exploited	60	90	120	150

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

**Table 15.3: ECR<sub>GW</sub> for Industrial units**

S.No.	Area Category	Water Consumption (cum/day)			
		<200	200 to <1000	1000 to <5000	5000 & above
		Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup>			
1	Safe	20	30	40	50
2	Semi critical	40	60	80	100
3	Critical	60	80	110	150
4	Over- exploited	80	120	160	200

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

### 15.2 Deterrent Factors to compensate losses and environmental damage (for packaged drinking water units, mining, industries and infrastructural dewatering projects)

The following deterrent factors based on the duration of illegal ground water extraction shall be levied to compensate for the losses and environmental damages as detailed in Table 15.4.

**Table 15.4: Deterrent factor based on quantum of ground water withdrawal and number of years of illegal withdrawal**

S.No.	Water Consumption	Deterrence Factor		
		< 2 years	2-5 years	>5 years
1	<1000 KLD	1.00	1.00	1.25
2	1000-5000 KLD	1.00	1.00	1.50
3	>5000 KLD	1.00	1.25	2.00

**Note:** KLD – Kilolitre per day

### 16.0 Provision of Penalty

Penalty shall be imposed on the proponents for non-compliance of No Objection Certificate conditions issued by the appropriate authority. Rates of penalty proposed for non-compliance of various conditions of No Objection Certificate are given in Table 16.1. The rates of the penalty shall be reviewed periodically with the approval of competent authority in Ministry of Jal Shakti.

**Table 16.1: Penalty provision for non Compliance of No Objection Certificate conditions**

S. No.	Items	Charges in Rs.
1	Non installation/faulty Digital water Flow meter with telemetry system.	200000
2	Non disclosure/ construction of additional groundwater abstraction structures a) Non-functional Structures. b) Defunct/Abandoned Note: Given rates are for unit non-functional/defunct/abandoned structures. This shall be multiplied with total such structures to arrive at consolidated penalty.	200000 100000
3	Reporting of fresh water zones as Brackish / Saline zones in application.	200000
4	Non Installation of Piezometer.	200000
5	Non Installation/faulty DWLR/Telemetry system	100000
6	Non Construction/Inadequate capacity of Recharge / Water conservation structures.	500000
7	Non maintenance of Recharge structures.	200000
8	Injection of treated/untreated water into the aquifer system. Note: In addition to penalty, the proponent shall bear the cost of aquifer remediation as per the provisions of Environment (Protection) Act, 1986.	1000000
9	Non Submission of Water level/Water quality Data.	50000
10	Non-maintenance of log book of daily withdrawal/non submission of Groundwater abstraction data.	50000
11	Non submission of photograph of recharge structure(s).	50000
12	Non Submission of Self Compliance report.	100000
13	Construction of groundwater abstraction structures by un authorized/unregistered Drilling Rigs (per structures).	100000
14	Non registration of water supply tankers.	500000
15	Submission of false information/ undertaking.	100000

Charges shall also be payable for correction/modification in the existing issued No Objection Certificate letter. The details of such charges are given in [Table 16.2](#).

**Table 16.2: Proposed Charges for correction/Modification in the existing issued No Objection Certificate**

S. No.	Items	Charges in Rs.
1	Change in recharge quantum	10000
2	Change in User ID.	5000
3	Change in firm Name	5000
4	Extension of No Objection Certificate	5000
5	Issuance of duplicate No Objection Certificate	5000
6	Issuance of corrigendum to No Objection Certificate	5000
7	Any other items/corrections etc	5000

**17.0 Other important Conditions (Applicable to all):**

- i. Sale of ground water by a person/ agency not having valid no objection certificate from CGWA/State Ground Water Authority is not permitted.
- ii. In infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- iii. In case of Infrastructure projects, the firm/entity shall ensure implementation of dual water supply system in the projects. Compliance of the same shall be submitted through the web portal.
- iv. Non-compliance of conditions mentioned in the No Objection Certificate may be taken as sufficient reason for cancellation of no objection certificate accorded/ non-renewal of No Objection Certificate.
- v. No application shall be entertained without supporting documents as specified in relevant sections.
- vi. Abstraction structure(s) should be located inside the premises of project property.
- vii. Self compliance of conditions laid down in the no objection certificate shall be reported by the users online in the web portal of Central Ground Water Authority/state Ground Water Authority.
- viii. Processing fee prescribed, if any, from time to time shall be charged for various services.

**Note:**

1. Guidelines are subject to modification from time to time.
2. In case of any discrepancy between Hindi and English versions of this document including the annexures, the English version shall prevail.




**TRUE COPY**

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

S



**ATTESTED**

M. P. Mishra  
Notary Distt - Chandauli  
Rego No 305 Govt. of U.P.

*[Handwritten Signature]*

ANNEXURE A-8

To

Date:18.09.2023

The Member Secretary U.P. Pollution Control Board,

TC-12 V, Paryavaran, Vibhuti Khand,

Gomti Nagar, Lucknow

**Subject:** Submission of compliance report (1st Jan 2023 -30th Jun 2023) for the proposed for the proposed Sand Stone (Building stone Mining) project located at Araji No. 1K, Sl. No. 39 (Total Area 1.21 Ha.) located at Village- Sonpur, Tehsil- Chunar and District- Mirzapur, Uttar Pradesh.

Dear Sir,

Kindly refer to the proposed Sand Stone (Building stone Mining) project located at Araji No. 1K, Sl. No. 39 (Total Area 1.21 Ha.) located at Village- Sonpur, Tehsil- Chunar and District- Mirzapur, Uttar Pradesh for EC letter number: EC23B001UP171779

Dated: 26.05.2023.

I am hereby submitting the compliance report of above mentioned project.

Thanking You

Sincerely,

Shri Chandrabhan Singh  
(Proprietor)

CC:

1. The Principal Secretary, Directorate of Environment, U.P. Govt., Lucknow
2. Regional Office MOEF and Cc, Kendriya Bhawan, 5<sup>th</sup> floor, Aliganj, Lucknow (U.P.),
3. District Magistrate, Mirzapur, U.P.
4. Director, Department of Geology & Mining, U.P. Lucknow
5. Regional Officer, House no -162, Uttar Mohal, Robertsganj, Sonbhadra

**COMPLIANCE REPORT OF STIPULATED  
SPECIFIC AND GENERAL CONDITIONS IN THE  
ENVIRONMENTAL CLEARANCE LETTER**

***(EC Identification No. EC23B001UP171779  
File No. 7785-7176, Date: 26 May 2023)***

**OF**

**BUILDING STONE SAND STONE,  
MINING PROJECT**

**Arazi No. 1K Sl. No. 39**

**Village- Sonpur, Tehsil- Chunar,  
District- Mirzapur, Uttar Pradesh  
(Leased Area 1.21 ha.) (50,100 cum/year)**



**APPLICANT:**

**Shri Chandrabhan Singh  
S/o Shri Hariraj Singh  
R/o Colony Line Paar, Chau Ki Basti, Thana- Majhola,  
District-Moradabad, and State-Uttar Pradesh**

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

## COMPLIANCE REPORT

### PURPOSE OF THE REPORT

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year” and as per compliance of condition mentioned in Environment Clearance Letter, Six monthly compliance reports should be submitted to the Regional Office of MoEF & CC Lucknow.

The regulatory authorities in this case are Uttar Pradesh State Pollution Control Board, Integrated Regional Office- MoEF& CC, GoI (Lucknow) and SEIAA UP. Various scheduled Site Visits were conducted by a team of Experts to Monitor Pollution related parameters as defined by CPCB / SPCB. Samples for water and soil were also collected for further analysis.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report was prepared by the Team on behalf of Project Proponent; details of which are present in Chapter – “Compliance Report”.

As the production of mining lease area is increased to 50,100 cum per year, I have to take prior environment clearance from the concern department. With respect to that mining lease area is not in operative condition from July 2022 to May 2023 and mining is closed till EC granted by SEIAA, U.P. but after taking EC from SEIAA, U.P. I have started my mining lease area for the production of mineral.

### **Methodology for Preparation of Report is as follows:**

- 1) Study of EC Letter & Related Documents,
- 2) Site Visits by a Team of Experts,

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

- 3) Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise.
- 4) Analysis of Samples collected during Monitoring,
- 5) Interpretation of Monitoring Results,

## Generic Structure of Report:

1. Purpose of the Report, explaining the need of a Compliance Report and Methodology Adopted for preparation of Report.
2. Environment Clearance Letter, prescribing all the conditions & guidelines to be followed during construction Phase and Operation Phase of the Project.
3. Site Study Report, showing status of the project and site photographs.
4. Compliance Report, explaining the entire General & specific conditions in the EC Letter and providing details w.r.t. each condition/guidelines.
5. Monitoring Reports & Analysis, showing the level of emission within the project site for various Environment Parameters.

As per the EIA Notification 14 September 2006 (point no 10 Post Environmental Clearance Monitoring) It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.

### 10. Post Environmental Clearance Monitoring:

- (i) It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.
- (ii) All such compliance reports submitted by the project management shall be public documents. Copies of the same shall be given to any person on application to the concerned regulatory authority. The latest such compliance report shall also be displayed on the web site of the concerned regulatory authority.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

## POINT WISE REPLY OF ENVIRONMENTAL CLEARANCE COMPLIANCE:- COMPLIANCE OF GENERAL CONDITIONS

S. NO.	GENERAL CONDITION	COMPLIANCE
1.	This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/ Mining Department.	Mining lease deed by District Administration/ Mining Department has been granted to proponent.
2.	Forest clearance shall be taken by the proponent as necessary under law.	The project site was auctioned by the state government by taking all such type of NOC. Forest Clearance is not requiring.
3.	Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.	Complied, if any change required by the PP, Prior Environmental Clearance Will Be Taken By The State Government. There is no required any changes.
4.	No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.	Agreed & Complied
5.	Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.	Agreed, mining is being carried as per the approved mining plan.
6.	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO <sub>2</sub> , NO <sub>x</sub> monitoring. The location of the stations should be decided based on the	Ambient air quality monitoring stations are establishing in the core zone as well as in the buffer zone for monitoring PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> . Location of the stations has been decided based on the basis of

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	<p>meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.</p>	<p>meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.</p>
7.	<p>Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Integrated Regional Office, MoEF &amp; CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.</p>	<p>Noted</p>
8.	<p>Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09</p>	<p>Agreed</p>
9.	<p>Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.</p>	<p>Regular water sprinkling is also being carried out to prevent generation of dust due to movement of dumpers and other vehicles at haul road. Work for green belt development has also been started</p>

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

10.	Measures shall be taken for control of noise Levels below 85dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.	Noise level found to be within limits.
11.	Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.	Noted and complied.
12.	Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.	Personnel working in dusty areas are wearing protective respiratory device and they should also provide with adequate training and information on safety and health aspects.
13.	Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.	Agreed Special measures have been adopted to protect the nearby settlements from the impacts of mining activities.
14.	The transportation of the materials shall be limited to the day hours' time only.	Agreed and Complied Transportation of materials is limited to day hours' time only

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

15.	Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Agreed and Provision for the housing of construction laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, etc. is as per the norms of MoEF circular dated: 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site.
16.	A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.	Agreed and Complied
17.	The Project Proponent shall inform the Integrated Regional Office, MoEF & CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Ec is already sent to the respective department and it is complied.
18.	The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control	Noted and will be complied.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	Board.	
19.	The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board	Agreed and Complied
20.	A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.	Complied Copy of environmental clearance has been submitted to the Heads of the Local Bodies, Panchayat, and Municipal Bodies
21.	The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).	Complied. Advertisement made in two newspaper & UPSEIAA, web site.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

22.	The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.	Noted and Complied
23.	The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.	Noted.
24.	Concealing factual data or submission of False/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	Noted.

### Specific Condition:

Sl. No.	SPECIFIC CONDITIONS	COMPLIANCE
1.	Validity period of this EC is co-terminus with the validity of current mine plan or current lease period whichever is earlier After this period the EC will become null and void.	Agreed, Validity of EC is co-terminus with validity of current mine plan or current lease period
2.	Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.	Complied.
3.	A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project	Complied submitted to the District Authority

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.	
4.	The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.	Agreed and Complied
5.	Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/ Horticulture Department/ Agriculture University.	Agreed and Complied. Local and Native species of flora and fauna will be planted after consultation with Forest/ Horticulture Department / Agriculture University
6.	Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.	Mining lease area is in operation, it will be complied
7.	If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.	proposed project is not situated in notified area of ground water
8.	Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000	About 1210 plants will be planted in five years along both sides of roads, government land or community land and civic amenities in consultation with the

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.	local authorities. These plantations will be carried out around mining zone. Most of the area recommended for mining will be used for afforestation/greenbelt as per the "Forest (Conservation) Amendment Rule, 2004".
9.	In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.	Noted.
10.	Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation	Agreed and Noted
11.	Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow	Agreed and Noted
12.	Number of mining projects is coming up in district.	Noted

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.	
13.	Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.	Noted.
14.	Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas	Noted.
15.	If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.	Noted.
16.	Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the	Agreed.

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	required amount for this entire plantation work (including its maintenance and security) to the Forest Department	
17.	The project proponent shall install solar light in their site office.	Agreed and Complied
18.	During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.	Agreed and Annexed.
19.	Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.	Agreed Indigenous species will be given first preference
20.	The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P.	Noted. Height and width of the benches will be taken as per the approved mine plan by DGM, U.P
21.	In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.	Noted and will be complied
22.	The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3 years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.	Noted and will be complied

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

23.	The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.	Agreed and Complied
24.	The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.	Noted and will be complied
25.	Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.	A haul road of 370 m will be as an all-weather road with blacktopping and maintained by the project proponent
26.	Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.	Noted and Vehicular emissions will be kept under control and regularly monitored. The vehicles carrying the mineral will not be over loaded.
27.	The project proponent should explore the possibilities of rainwater harvesting.	Noted. Possibilities of rainwater harvesting will be explored.
28.	Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road	Not applicable as the haulage route is public road.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

29.	Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.	Agreed and will be complied
30.	As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department.	Noted
31.	At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19	Agreed and will be complied
32.	This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.	Noted
33.	In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05 ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.	Cluster is already given by department for greater than 5 ha and proceeding of granting EC is as per MOeF order
34.	This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.	Noted and Agreed
35.	The Environmental clearance will be co-terminus with the mining lease period/Mining Plan. The Mining plan approved by the Dept. of Mines and	Noted. The lease period of the project is 5 years and will not be operated beyond the validity

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	Geology shall be strictly implemented and shall not be operated beyond the validity period	period.
36.	Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.	Noted. Explosives will not store at mining site
37.	A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.	Noted and will be complied
38.	No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.	Noted and Agreed
39.	After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.	Agreed and will be complied
40.	An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.	Noted
41.	The sprinkling of water on haul roads to control dust will be ensured by the project proponent.	Agreed. Regular sprinkling of water will be done in haul road to control dust emission
42.	Green belt development shall be carried out	Agreed and will be complied

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.	
43.	Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.	Noted and will be complied
44.	Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.	Noted. Controlled blasting will be done by appropriate authority
45.	Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.	Agreed and will be complied
46.	Maintenance of village roads used for transportation of minerals is to be done by the company regularly	Agreed. A haul road of 370 m will be constructed at proponent's own

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.	expenses
47.	The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.	Noted.
48.	Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.	Noted and will be complied
49.	The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.	Noted. Self-environmental audit will be conducted annually. Every three years third-party environmental audit will be carried out
50.	Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by	Noted and appropriate measures for prevention and control of soil erosion and management of silt will be undertaken.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	retaining walls.	
51.	Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.	Noted and Agreed
52.	Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.	Noted
53.	Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.	Noted. Water quality of ground and surface water will be monitored regularly and records will be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

54.	Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.	Noted. Regular monitoring of fugitive dust emission will be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
55.	Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.	Noted and Complied
56.	Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.	It will be complied.
57.	Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.	Complied. Transportation of material will be done by covering the trucks/ tractors with tarpaulin or other suitable mechanism to

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

		avoid fugitive emissions and spillage of mineral/dust.
58.	Occupational health and safety measures for the workers including identification of workrelated health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required	Noted and will be complied
59.	The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.	Noted.
60.	Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.	Noted
61.	Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for	Noted and Agreed.

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.	
62.	Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.	Noted and will be complied
63.	The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.	Noted.
64.	Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April-May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.	Noted and will be complied
65.	The wastewater from the mine shall be treated to conform to the prescribed standards before	Noted.

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	<p>discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&amp;CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.</p>	
66.	<p>Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.</p>	<p>Noted and Hydro geological study of the area will be reviewed by the project proponent annually.</p>
67.	<p>Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.</p>	<p>Noted. Regular checkups of vehicle would be done to suppress vehicular emissions. The transporting trucks will not pass through wildlife sanctuaries.</p>
68.	<p>Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.</p>	<p>Noted.</p>
69.	<p>A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&amp;CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of</p>	<p>Noted and will be complied</p>

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

	final mine closure for approval.	
70.	Project Proponent shall explore the possibility of using solar energy where ever possible.	Noted. Project Proponent will explore the options of using solar energy where ever possible.
71.	Commitment towards CER has to be followed strictly.	Agreed and strictly complied
72.	Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.	Agreed and Regular checkups of mine workers will be done.
73.	Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.	Agreed. Proponent will strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
74.	The blasting will be done only after getting permission from the Mining Department.	Agreed. Blasting will only be done after getting permission from the Mining Department.

**Annexure- 1**  
**COPY OF E.C. LETTER**

**COMPLIANCE REPORT- JUNE, 2023****EC Identification No. EC23B001UP171779****U.P File no. 7785-7176, Date: 26 May, 2023****ENVIRONMENTAL  
CLEARANCE****Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), UTTAR PRADESH)**

To,

The Owner  
CHANDER SINGH  
Colony Line Paar, Chau ki Basti, Thana- Majhola, District-  
Moradabad(U.P.) -244001**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity  
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)  
in respect of project submitted to the SEIAA vide proposal number  
SIA/UP/MIN/426159/2023 dated 15 Apr 2023. The particulars of the environmental  
clearance granted to the project are as below.

- |   |  |
|---|--|
| 1. <b>EC Identification No.</b>                       | <b>EC23B001UP171779</b>  |
| 2. <b>File No.</b>                                    | 7785-7176  |
| 3. <b>Project Type</b>                                | Expansion  |
| 4. <b>Category</b>                                    | B  |
| 5. <b>Project/Activity including<br/>Schedule No.</b> | 1(a) Mining of minerals  |
| 6. <b>Name of Project</b>                             | Proposed Sonpur Building Stone<br>(Sandstone) Mining Project At Arazi No<br>1?, Sl.no.39 |
| 7. <b>Name of Company/Organization</b>                | CHANDER SINGH  |
| 8. <b>Location of Project</b>                         | UTTAR PRADESH  |
| 9. <b>TOR Date</b>                                    | N/A  |

The project details along with terms and conditions are appended herewith from page  
no 2 onwards.

Date: 26/05/2023

**(e-signed)  
Member Secretary  
Member Secretary  
SEIAA - (UTTAR PRADESH)***Note: A valid environmental clearance shall be one that has EC identification  
number & E-Sign generated from PARIVESH.Please quote identification  
number in all future correspondence.**This is a computer generated cover page.*

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023



## State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010

E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com

Phone no- 0522-2300541

Reference- MoEFCC Proposal no SIA/UP/MIN/426159/2023 & SEIAA, U.P File no-7785/7176

**Sub: Environmental Clearance for Proposed Building Stone Sandstone mining project at Arazi No. 1 क, Sl. No. 39 Village- Sonpur, Tehsil- Chunar, District- Mirzapur, State-Uttar Pradesh, (Leased Area : 1.21 Ha).**

Dear Sir,

This is with reference to your application / letter dated 05-07-2022, 29-07-2022, 15-04-2023, 08-05-2023, 08-05-2023 & 09-05-2023 above mentioned subject. The matter was considered by 746<sup>th</sup> SEAC in meeting held on 09-05-2023 and 729<sup>th</sup> SEIAA in meeting held on 16-05-2023.

A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd to SEAC on 09-05-2023.

### Project Details Informed by the Project Proponent and their Consultant

The project proponent, through the documents and presentation gave following details about their project –

1. The environmental clearance is sought for Building Stone Sandstone mining project at Arazi No. 1 क, Sl. No. 39 Village- Sonpur, Tehsil- Chunar, District- Mirzapur, State-Uttar Pradesh, (Leased Area : 1.21 Ha).
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 230/Parya/SEIAA/7176/2022, dated 28 October 2022
3. The Public Hearing was organized on 17/03/2023. Final EIA Report was submitted by the Project Proponent on 15/04/2023.
4. Salient features of the project as submitted by the project proponent:

On-line proposal No.	SIA/UP/MIN/426159/2023		
File No. allotted by SEIAA, UP	7785/7176		
Name of Proponent	Prop: Shri Chandrabhan Singh S/o Shri Hariraj Singh		
Full correspondence address of proponent and mobile No.	R/o Colony Line Paar, Chau Ki Basti, Thana- Majhola, District-Moradabad, and State-Uttar Pradesh		
	Mobile No-		
	Email-		
Name of Project	Proposed Sonpur Building Stone/Sandstone Mining project		
Project location (Plot/Khasra/Gata No.)	Arazi No. 1 क, Sl. No. 39		
Name of River	-		
Name of Village	Sonpur		
Tehsil	Chunar		
District	Mirzapur		
Name of Minor Mineral	Building Stone /Sandstone		
Sanctioned Lease Area (in Ha.)	1.21 ha		
Max & Min mRL within lease area	Max- 109.0 mRL and Min- 108.0 mRL		
Pillar Coordinates (Verified by DMO)	Sanctioned Mining Lease Area		
	Pillar No.	Latitude	Longitude
	A	25° 03'20.05"N	82°59'42.73 "E

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

	B	25° 03'20.27"N	82°59'43.89"E
	C	25° 03'16.46"N	82°59'40.18"E
	D	25° 03'17.88"N	82°59'38.66"E
Total Geological Reserves	3,83,370 Cum		
Total Mineable Reserves in LOI	1,76,020 Cum/year		
Total Proposed Production	50,100 Cum/year		
Proposed Production/year	50,100 Cum		
Sanctioned Period of Mine lease	Maximum 10 years (27-08-2016 to 27-07-2025)		
Method of Mining	Open Cast Semi-mechanized Method		
No. of working days	260 days		
Working hours/day	8 hrs		
No. of workers	42		
No. of vehicles movement/day	27		
Type of Land	Government waste land		
Ultimate Depth of Mining	30		
Nearest metalled road from site	0.8 km		
Water Requirement	PURPOSE		REQUIREMENT (KLD)
	Drinking		0.42
	Suppression of dust		4.44
	Plantation		2.42
	Others		0.42
	Total		7.70
Name of QCI Accredited Consultant with QCI No and period of validity.	Cognizance Research India Pvt Ltd.1922,		
Any litigation pending against the project or land in any court	No		
tails of 500 m Cluster Map & certificate issued by Mining Officer	Yes, certified		
Details of Lease Area in approved DSR	Yes, given in the DSR		
Proposed CER cost	Rs 9,55,000		
Proposed EMP cost	EMP Capital Cost =Plantation Cost + CER =Rs. 4,00,000 + 9,55,000 = Rs. 13,55,000/-		
	EMP Recurring Cost- Rs. 5,18,000/-		
Length and breadth of Haul Road	Length: 0.370 km, width: 6 m		
No. of Trees to be Planted	1210 plants		

- The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- There is no litigation pending in any court regarding this project.
- The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 09-05-2023 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 16-05-2023 and decided to grant the Environmental Clearance to the title project for collection of 50,100 m<sup>3</sup> for lease area of 1.21 ha subject to effective implementation of the following General Conditions and specific conditions:-

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

## General condition:

1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
2. Forest clearance shall be taken by the proponent as necessary under the law.
3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
7. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
14. The transportation of the materials shall be limited to the day hours' time only.
15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, Gol, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and State Pollution Control Board

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

19. The Integrated Regional Office, MoEF&CC, Gol, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and State Pollution Control Board
20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1<sup>st</sup> June and 1st December of each calendar year.
23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

#### Specific Conditions:-

1. Validity period of this EC is co-terminus with the validity of current mine plan or current lease period whichever is earlier After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

- be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
10. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
  11. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
  12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
  13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
  14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
  15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
  16. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
  17. The project proponent shall install solar light in their site office.
  18. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
  19. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
  20. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P.
  21. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
  22. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
  23. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
  24. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

25. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
26. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
27. The project proponent should explore the possibilities of rainwater harvesting.
28. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
29. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
30. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department.
31. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
32. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
33. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
34. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
35. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan whichever is less. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
36. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
37. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
38. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
39. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
40. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
41. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
42. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
43. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
44. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

45. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
46. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
47. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
48. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
49. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
50. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
51. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
52. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
53. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
54. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, Gol, Lucknow and U.P. Pollution Control Board regularly.
55. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
56. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
57. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
58. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

- shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
59. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
  60. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
  61. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
  62. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
  63. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
  64. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April/May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
  65. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
  66. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
  67. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
  68. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
  69. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
  70. Project Proponent shall explore the possibility of using solar energy where ever possible.
  71. Commitment towards CER has to be followed strictly.
  72. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
  73. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.

# COMPLIANCE REPORT- JUNE, 2023

**EC Identification No. EC23B001UP171779**

**U.P File no. 7785-7176, Date: 26 May, 2023**

74. The blasting will be done only after getting permission from the Mining Department.

You shall also ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically be cancelled.

Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

The above stipulated conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along-with their amendments and rules made there under and also any other orders passed by the Hon'ble Courts of Law relating to the subject matter.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issuance of this clearance. The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary.

This is to request you to take further necessary action in matter as per provisions of Gazette Notification No. S.O. 1533(E) dated 14/09/2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

**Copy, through email, for information and necessary action to –**

1. **Additional Chief Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – psforest2015@gmail.com)**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – sudheer.ch@gov.in)**
3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector "H", Aliganj, Lucknow – 226020 (email – roc.lko-mef@nic.in)**
4. **District Magistrate, Mirzapur.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.com)**
6. **Copy to Web Master for uploading on PARIVESH Portal.**
7. **Copy for Guard File.**

(Ajay Kumar Sharma)  
Member Secretary, SEIAA

Signature Not Verified

Digitally signed by Member Secretary  
Member Secretary  
Date: 5/26/2023 12:32:27 PM  
Page 10 of 10

## **Annexure- 2**


Site Photographs, CER, PUC Vehicles

# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

S



# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779



U.P File no. 7785-7176, Date: 26 May, 2023



# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023



# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EC23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023



# COMPLIANCE REPORT- JUNE, 2023

EC Identification No. EG23B001UP171779

U.P File no. 7785-7176, Date: 26 May, 2023

## Form 59

[See rules 115 (2)]

### Pollution Under Control Certificate

Authorised By :  
Government of Uttar Pradesh

**Date** : 24/07/2023  
**Time** : 14:00:13 PM  
**Validity upto** : 23/01/2024



Certificate SL. No. : UP06400290009888  
Registration No. : UP67T9255  
Date of Registration : 09/Feb/2017  
Month & Year of Manufacturing : January-2017  
Valid Mobile Number : \*\*\*\*\*5205  
Emission Norms : EURO 2  
Fuel : DIESEL  
PUC Code : UP0640029  
GSTIN :  
Fees : Rs.105.0  
(GST to be paid extra as applicable)  
MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm




Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.29
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm

ANNEXURE A-7



*Handwritten signature*

S-11-23








5-7-23

*[Handwritten signature]*

ANNEXURE A-8



NOTARY  
M.P.Mishra  
Adv.  
Dist. Chandauli  
R.No.-305  
GOVT. OF INDIA  
5-11-23