

**Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)**

G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur

Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsgraj.org

No: F 55 ()/CE/DLB/NGT_606/2023/ 120579

Date: 06/12/2023

**Director cum Joint Secretary,
Department of Environment & Climate Change,
Jaipur**

Subject: Regarding compliance with the Order dated 09.11.2023 of Hon'ble NGT in Original Application No. 606/2018, In re: Compliance of Municipal Solid Waste Management Rules, 2016 and other Environmental issues.

Ref: Your letter No. F.12(3)ENV/2019/Pt.3-00539 dated 30.11.2023.

With reference to above cited subject & in compliance of the compliance with the order dated 09.11.2023 of Hon'ble NGT in Original Application No. 606/2018, the compliance report has been prepared & attached for kind perusal and further necessary action please.

Encl.: As above


(Hriday Kumar Sharma)
Director & Special Secretary

No: F 55 ()/CE/DLB/NGT_606/2023/ 120580-587

Date: 06/12/2023

Copy to following for information:

1. PS to Addl. Chief Secretary, Environment & CC Department, GoR
2. PS to Principal Secretary, LSG, GoR.
3. PS to Director & Special Secretary, DLB, GoR.
4. PS to Member Secretary, RSPCB
5. PA to Chief Engineer, DLB
6. PA to Chief Engineer (SBM), DLB
7. Guard File.


(Arun Vyas)
Chief Engineer

Compliance Report in compliance of the directions issued by Hon'ble NGT in NGT**O.A. no. 606/2018 (order dated 09.11.2023)**

S. No.	Directions	Compliance
1	Direction issued to submit the concerned DPR with respect to each city and town which was prepared, executed and under execution with respect to such Sewage Treatment Plants.	1. Copy of DPRs for total 54 towns are enclosed as a zip folder and list of towns has been enclosed as Annexure-1 (P-4).
2	The submitted MPR reflects that certain STPs are disclosed to be operating in the capacity of 10% to 40%. Hence, it is required to be explained as to how these STPs are functioning in such low capacity.	1. Total 40 STPs out of 118 operational STPs in state are operating in the capacity of 10% to 40% (List attached as Annexure-2 (P-5 to P-6)). Reasons for low-capacity utilization are as below: ➤ The STPs have been designed for water supply level of 135 lpcd (Litre per capita per day) as per CPHEEO Manual. However, the Service Level Benchmark of 135 lpcd water supply level is yet to be achieved in these towns. ➤ These STPs have been designed for the design period of 15 or more than 15 years. Therefore, it is expected that the waste water flow reaching at STP shall increase subsequently on year on basis. ➤ House Sewer Connection (HSC) works for these STPs are under progress. Therefore, it is expected that the waste water flow reaching at STP shall increase leading to increase in capacity utilization.
3	Directions were issued to disclose the details of the treated water from the STPs especially with respect to the faecal coliform contents and its mode of disposal.	1. Total 118 STPs are operational in state out of which 22 STPs are under up-gradation (Proposed/work in progress). Details enclosed as Annexure-3 (P-7 to P-9). 2. In house laboratory have been established at all STPs and sample testing of treated waste water is being done on daily basis. Apart from this, for real time monitoring purpose (BOD, COD, TSS, pH), Online Continuous Effluent Monitoring System (OCEMS) have been installed & working at 80 STPs and have been connected to RSPCB server. Installation of OCEMS is

		in process for remaining 16 STPs, OCEMS in 22 STPs which are to be up-graded on latest norms shall be installed after up-gradation of these STPs. The details have been attached as Annexure-4 (P-10 to P-14). 3. Also, the Test Reports regarding the Treated Waste Water of STPs including Faecal coliform Report have been attached as Annexure-5 (P-15 to P-206). 4. Total 799.03 MLD quantity waste water is being treated through these STPs on daily basis. Out of this, 509.98 MLD quantity of waste water is being reused for Agriculture/Horticulture/Industrial/Ground water recharge/Restoration of water bodies. Remaining quantity of waste water is being disposed into water bodies/ land as per norms.
4	Directions were issued that the exact figure of legacy waste at the time of filing of the report along with figure of daily generation of the waste and its processing for each city and town will also be disclosed.	1. Solid Waste Management ➤ Total waste generation of waste is 6523 TPD. ➤ Total Processing of Waste is 4122.2 TPD ➤ GAP in processing is 2400.8 TPD ➤ Assessment of Legacy Waste based on the GAP in processing (dumping of fresh waste due to non-existence of processing facility during 2022, 2023 & 2024) : $(3 \times 2400.8 \times 365) = 26.28$ Lakhs MT (at end of December 2024) ➤ For remediation of this extra quantity of legacy waste, funds shall be taken under SBM 2.0/ ULB fund/ World Bank. 2. Legacy Waste Remediation: ➤ As per the Total Station survey carried out by all ULBs during 2021, the quantity of legacy waste dumped at 176 dumpsites was 88.03 Lakhs CuM. ➤ The ULB wise legacy waste remediation plan was submitted to Ministry of Housing and Urban Affairs (MoHUA), GoI under SBM (Urban) 2.0 based on this quantity data of legacy waste.

1514

		➤ The Work orders for remediation of legacy waste in 140 towns have been issued at DLB level on Cluster based approach (Cluster 1 to 5). The current progress of the works has been attached as Annexure-6 (P-208 to P-218).
5	The submitted report reflects that there is a gap of 2400.8 tonnes in respect of quantity of waste generated (6523) per day and the quantity of waste processed (4122.2). So, the direction were issued to provide the details to fill up this gap.	1. City solid waste action plan has been developed under SBM 2.0 to fulfill the Gap in processing of solid waste. The financial proposals for 194 towns regarding these plans have been approved in State Level Technical Committee (SLTC) meeting held under the chairmanship of Secretary, LSG on 31.08.2023. 2. Total 35 Processing plants are under construction and Work Order for establishment of processing plant in 36 towns have recently been issued on 06.10.2023. The details are enclosed as Annexure-7 (P-219 to P-323). 3. For the remaining towns, invitation of tenders is in process.

Annexure-I			
DPR Status of STP towns			
S.No.	Name	S.No.	Name
1	Ajmer	28	Jhalawar
2	Alwar	29	Jhalrapatan
3	Badi Sadri	30	Jhunjhunu
4	Balotra	31	Jodhpur
5	Banswara	32	Karauli
6	Barmer	33	Kishangarh
7	Beawar	34	Kota
8	Bhadra	35	Kushalgarh
9	Bharatpur	36	Laxmangarh
10	Bhilwara	37	Makrana
11	Bhiwadi	38	Mt. Abu
12	Bikaner	39	Nagaur
13	Bundi	40	Nawalgarh
14	Chirawa	41	Nimbahera
15	Chittorgarh	42	Nokha
16	Churu	43	Pali
17	Deedwana	44	Rajsamand
18	Dhoulpur	45	Ramgarh Shekhawati
19	Fateh Nagar Sanwar	46	Sardar Shahar
20	Fatehpur Shekhawati	47	Sawai Madhopur
21	Gangapur City	48	Sikar
22	Hanumangarh	49	Sriganganagar
23	Hindaun City	50	Sujangarh
24	Jaipur	51	Sumerpur
25	Jaisalmer	52	Suratgarh
26	Jaitaran	53	Tonk
27	Jalore	54	Udaipur

List 1:

Compliance Report for Low Capacity Utilization in STPs

S. No.	Name of Town	Location	STP Capacity (MLD)	Capacity being utilized (MLD)	House Sewer Connections (Remaining)	Targeted Year for HSCs	Designed Year
1	Rajsamand	Pratap pura	5.00	1.30	355	2023-24	2041
2	Gangapur City	Near Jaipur Highway	5.50	0.45	589	2023-24	2031
3	Gangapur City	Near Jaipur Highway	2.50	0.45			
4	Gangapur City	Aliganj Tiraha	1.50	0.50			
5	Bhiwadi	Santhalka	3.00	1.40	884	2023-24	2038
6	Churu	Agarsen Nagar	1.00	0.20	1454	2023-24	2031
7	Churu	TajusaTakiya	2.50	0.10			
8	Tonk	Molai Pura	16.00	0.90	3168	2024-25	2031
9	Tonk	Dhaura Khera	4.00	0.65			
10	Ramgarh Shekhawati	Gogamedi	1.00	0.10	3348	2024-25	2041
11	Ramgarh Shekhawati	Shamshan ghat	2.00	0.75			
12	Laxmangarh	TodhiKui	3.00	0.20	4342	2024-25	2044
13	Bundi	Devpora	8.00	3.50	4804	2023-24	2033
14	Bikaner	Near Kali Mata Mandir	20.00	8.00	6360	2024-25	2033
15	Nawalgarh	Near Bus stand	3.00	0.60	6683	2024-25	2043
16	Nawalgarh	Near Fire station	1.00	0.10			
17	Bhadra	mahipalo ka mohalla	1.00	0.10	7573	2024-25	2044
18	Bhadra	Nathwana johad	3.50	0.40			
19	Sardar Shahar	Sardar Shahar	5.00	2.00	7780	2024-25	2036
20	Sardar Shahar	Sardar Shahar	2.00	0.45			
21	Chittorgarh	Pratappura	5.00	2.00	9692	2023-24	2032
22	Chittorgarh	Near CMAY	1.00	0.00			
23	Jhalawar	Gagron Road	6.00	1.75	13462	2023-24	2031
24	Jhalrapatan	Girdharpura	3.00	1.25			
25	Sriganganagar	Suratgarh road	10.00	2.75	51593	2024-25	2031
26	Kota	Sajidhera	30.00	14.18	59234	2024-25	2031
27	Kota	Balita	30.00	12.00			
28	Kota	Kala Talab	15.00				
TOTAL			190.50	56.08	181321.00		

Reason:

1. Work of house sewer connection is in progress & shall be completed up to 2024-25. After the completion of HSCs work, utilization capacity shall be increased.
2. Design period of some of the STPs are 2036,2041,2044 therefore full capacity utilization of these STPs are supposed to be achieved respectively by 2036, 2041 & 2044, currently these STPs will achieve their optimum level after the completion of the remaining house sewer connections

List-2.

S. No.	Name of Town	Location	STP Capacity (MLD)	Capacity being utilized (MLD)	Supply of Water (LPCD)	Designed Year
1	Beawar	Near Vijay Nagar Private Bus Stand	5.00	1.90	67.5	2047
2	Beawar	near Narsingh pura	4.00	1.80		
3	Beawar	Kundan Nagar	1.00	0.10		
4	Jalore	Jalore	10.00	4.50	63.5	2051
5	Sumerpur	Sumerpur	10.00	2.00	17.5	2022
6	Alwar	Bharatpur Road near Agyarah Dam	20.00	6.50	87	2046
7	Karauli	Karauli	5.00	2.00	70	2031
8	Nimbahera	Kasod Basti Nalah (Nimbahera)	1.00	0.35	33	2044
9	Nimbahera	Nimbahera Near Dashhera Maidan (Nimbahera)	4.50	1.10		
10	Chirawa	Pilani Road	2.00	0.30	74	2044
11	Pali	Near ESI Hospital	7.50	2.00	25	2040
12	Barmer	Village Kundla	10.00	3.70	50	2036

Reason:-

1. These STPs has been designed considering the achievement of water supply level at 135 LPCD with-in 2 years of operation. Since the water supply level in these towns has not been achieved at the desired level therefore these STPs are under utilization.
2. Design period of most of these STPs are 2040 to 2051 therefore full capacity utilization of these STPs are supposed to be achieved respectively by 2040 to 2051 currently these STPs will achieve their optimum level after the completion of the remaining house sewer connections

Annexure-III

Details of Reuse of Treated Water of Operational STPs

S. No.	Division	Name of Town	Location	Department	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
1	AJMER	Ajmer	Anasagar (Ajmer)	Municipal Corporation	13.00	SBR	12.00	12.5	Treated Water is being used to maintain the FTL of Anasagar Lake	Water Body (Anasagar Lake)
2	AJMER	Ajmer	Khanpura (Ajmer)	Municipal Corporation	20.00	ASP	18.00	18	Agriculture & Ground Water Recharge	Water Body (Khanpura Talab)
3	AJMER	Beawar	Near Vijay Nagar Private Bus Stand (Beawar)	AMRUT	5.00	SBR	2.45	2.2	Industrial and Garden	Old Drain
4	AJMER	Beawar	Kundan Nagar (Beawar)	AMRUT	1.00	SBR	0.60	0.2	Garden	Bichadali Talab
5	AJMER	Beawar	Near Bichral Tank (Beawar)	AMRUT	1.50	SBR	0.75	0.2	Garden	Bichadali Talab
6	AJMER	Beawar	Near Narsingh Pura (Beawar)	AMRUT	4.00	SBR	2.50	0.5	Garden	Old pond
7	AJMER	Bhilwara	Kewada (Bhilwara) JSW	RUIDP	10.00	SBR	6.25	1.86	Industrial	NIL
8	AJMER	Deedwana	Mela Maidan (Deedwana)	RUIDP	5.00	SBR	3.50	3	Agriculture	Water Bodies
9	AJMER	Kishangarh	Nasirabad Highway (Kishangarh)	AMRUT	10.00	WSP	6.50	0		6.5
10	AJMER	Makrana	Near Kidwai Stadium (Makrana)	RUIDP	6.00	SBR	5.20	4	Agriculture	-
11	AJMER	Nagaur	Balwa Road (Nagaur)	Upgradation work under AMRUT	8.00	WSP	5.25	3.5	Agriculture	Water Bodies
12	AJMER	Tonk	Tonk Dhaura Khera (Tonk)	RUIDP	4.00	SBR	2.00	1.1	Agricultural	Water Bodies (Banars river)
13	AJMER	Tonk	Tonk Molai Pura (Tonk)	RUIDP	16.00	SBR	0.90	0.9	Agricultural	Pond
14	BHARATPUR	Bharatpur	Near existing STP at Ikran Village (Bharatpur)	AMRUT	5.00	SBR	1.50	1.1	Agricultural	in water bodies
15	BHARATPUR	Bharatpur	Gopal Nangla (Rundhikiran) (Bharatpur)	AMRUT	8.00	SBR	3.53	2.756	Agriculture and Fishing	Canal
16	BHARATPUR	Dholpur	Shekhupur (Dholpur)	RUIDP	3.00	SBR	1.60	1.6	Agriculture	NO
17	BHARATPUR	Dholpur	Tagawali (Dholpur)	Upgradation proposed under AMRUT	10.00	UASB	Under Upgrade	0	Under Upgrade	Under Upgrade
18	BHARATPUR	Gangapur City	PHED campus (Gangapur City)	AMRUT	2.50	SBR	1.10	0.95	Agricultural	Water bodies
19	BHARATPUR	Gangapur City	Near Jaipur Highway (Gangapur City)	AMRUT	5.50	SBR	3.50	3.1	Agricultural	Water bodies
20	BHARATPUR	Gangapur City	Aliganj Tiraha (Gangapur City)	AMRUT	1.50	SBR	1.00	0.95	Agricultural	Water bodies
21	BHARATPUR	Hindaun City	Raghav das Bagichi (Hindaun City)	AMRUT	5.00	SBR	3.50	2.8	Agricultural and Horticulture	Canal
22	BHARATPUR	Hindaun City	Jaccha ki bawri (Hindaun City)	AMRUT	0.75	SBR	0.45	0.41	Agricultural and Horticulture	Canal
23	BHARATPUR	Karauli	Karauli	Municipal Council	5.00	UASB	2.00	0.56	Agricultural, Horticultural	water bodies (पाँचना बाँध)
24	BHARATPUR	Sawai Madhopur	Village Sorwal (Sawai Madhopur)	RUIDP	10.00	WSP	7.00	3.5	Agriculture	Old drain
25	BIKANER	Bhadra	Nathwana johad (Bhadra)	AMRUT	3.50	SBR	2.70	2.7	Agriculture	NIL
26	BIKANER	Bhadra	Mahipalon ka Mohalla (Bhadra)	AMRUT	1.00	SBR	1.00	0.9	Agriculture	NIL
27	BIKANER	Bikaner	Near Kali Mata Mandir Sujendarsar (Bikaner)	RUIDP	20.00	SBR	9.26	3.3	Horticulture	other purpose
28	BIKANER	Bikaner	Sareh Nathania (Bikaner)	Upgradation work in progress under AMRUT	12.00	SBR	12.00	2	Agriculture/ Horticulture	pond
29	BIKANER	Bikaner	Vallabgarden (Bikaner)	AMRUT	40.00	SBR	40.00	8	Agriculture/ Horticulture	pond
30	BIKANER	Churu	B/W Cremation ground and Agarsen Nagar (Churu)	AMRUT	1.00	SBR	1.00	0.5	Garden	Drain
31	BIKANER	Churu	TajusaTakiya (Churu)	AMRUT	2.50	SBR	2.50	1	Pond	Drain
32	BIKANER	Churu		Upgradation to be proposed in AMRUT-2.0	7.00	WSP	Under Upgrade	0	Under Upgrade	Under Upgrade
33	BIKANER	Hanumangarh	Near Railway bridge over Ghaggar river (Hanumangarh)	Municipal Council	5.00	SBR	4.29	3.503	Agricultural	Water Body
34	BIKANER	Hanumangarh	Jodkiya Phatak (Hanumangarh)	Municipal Council	7.50	WSP	5.10	2.3	Agricultural	Water Body
35	BIKANER	Nokha	Ward No. 07 (Nokha)	RUIDP Upgradation	1.00	SBR	1.00	0.6	Agriculture	water pond
36	BIKANER	Sardar Shahar	Sardar Shahar	Upgradation under RUIDP Phase-4	5.00	WSP	-	3.4	Agriculture	Water bodies
37	BIKANER	Sardar Shahar	Sardar Shahar	Upgradation under RUIDP Phase-4	2.00	WSP	-	1.6	Agriculture	Water bodies
38	BIKANER	Sriganganagar	Suratgarh road (Sriganganagar)	UIT	10.00	SBR	8.00	8	Agriculture	Agricultural land
39	BIKANER	Sujangarh	Near Kalkanda (Sujangarh)	AMRUT	2.00	SBR	0.15	0.15	Agriculture	water body
40	BIKANER	Sujangarh	Gopal Gaushala on Thardaa Village (Sujangarh)	AMRUT	5.50	SBR	0.70	0.7	Agriculture	water body
41	BIKANER	Suratgarh	Near subjail (Suratgarh)	AMRUT	2.50	SBR	1.60	1.5	Agricultural	Water bodies
42	BIKANER	Suratgarh	Adarsh Kalyan Bhumi near Anupgarh highway (Suratgarh)	Municipal Board	2.50	SBR	1.80	1.6	Agriculture	water bodies
43	JAIPUR	Alwar	Bharatpur Road near Agyarah Dam (Alwar)	Upgradation work under AMRUT	20.00	WSP	20.00	10	Agriculture and Fishing	Canal

44	JAIPUR	Bhiwadi	MundenaMev (Bhiwadi)	AMRUT	2.00	SBR	0.63	0		open drain
45	JAIPUR	Bhiwadi	RHB (Bhiwadi)	AMRUT	1.50	SBR	1.70	0		1.70 thada nala
46	JAIPUR	Bhiwadi	Nr. Existing STP (Bhiwadi)	AMRUT	3.00	SBR	1.91	0		1.91 thada nala
47	JAIPUR	Bhiwadi	Santhalka (Bhiwadi)	AMRUT	3.00	SBR	2.08	0		back side of shanthalka
48	JAIPUR	Bhiwadi	Vasundhra Nagar (Bhiwadi)	UIT	4.00	SBR	3.00	1	Garden	Drain
49	JAIPUR	Chirawa	Pilani Road (Chirawa)	AMRUT	2.00	SBR	0.90	0.8	Agriculture	Drain
50	JAIPUR	Chirawa	Near Madela Road (Chirawa)	AMRUT	3.00	SBR	2.80	2.5	Agriculture	Drain
51	JAIPUR	Fatehpur Shekhawati	Nari Bari Road (Fatehpur Shekhawati)	RUIDP	7.50	SBR	6.00	4.3	Agricultural	water bodies
52	JAIPUR	Jaipur	Brahmpuri STP (Jaipur)	JMC Heritage-AMRUT	8.00	SBR	8.00	8	Horticulture	-
53	JAIPUR	Jaipur	Dehlawas Unit III (Jaipur)		90.00	SBR	35.00	0		Dravyavati River
54	JAIPUR	Jaipur	Jaisinghpura Khore (Jaipur)	JMC Heritage	50.00	ASP	50.00	10	Agriculture	Kanota Dam
55	JAIPUR	Jaipur	Dehlawas unit I (Jaipur)	Nagar Nigam Jaipur	62.50	SBR	45.00	3	Horticulture	Dravyavati River
56	JAIPUR	Jaipur	Dehlawas unit II (Jaipur)	Nagar Nigam Jaipur	62.50	SBR	60.00	0	NIL	Dravyavati River
57	JAIPUR	Jaipur	Paladi Meena (Jaipur)	JDA	3.00	SBR	0.90	0.9	Garden	NIL
58	JAIPUR	Jaipur	Central Park (Jaipur)	JDA	1.00	MBBR	0.70	0.7	Garden	NIL
59	JAIPUR	Jaipur	Ralawta (Jaipur)	JDA	30.00	ASP	22.00	3.4	Garden/ Agriculture	Water Body
60	JAIPUR	Jaipur	Gajdharpura (Jaipur)	JDA	30.00	ASP	25.00	10.4	Garden/ Agriculture	Water Body
61	JAIPUR	Jaipur	Ram Niwas Bagh (Jaipur)	JDA	1.00	MBBR	0.60	0.6	Garden	NIL
62	JAIPUR	Jaipur	Jawahar Circle (Jaipur)	JDA	1.00	MBBR	0.40	0.4	Garden	NIL
63	JAIPUR	Jaipur	Swarnjyanti Park (Jaipur)	JDA	1.00	MBBR	0.50	0.5	Garden	NIL
64	JAIPUR	Jaipur	Sahkar Marg (Jaipur)	JDA	1.00	CETP	0.30	0.3	Garden	NIL
65	JAIPUR	Jaipur	Kiro Ki Dhani (Jaipur)	JDA	1.00	SBR	0.50	0.5	Garden	NIL
66	JAIPUR	Jaipur	Dravyawati River- PaniPech (Jaipur)	JDA	20.00	SBR	15.00	15	River front	Water Body
67	JAIPUR	Jaipur	Dravyawati River- Mansarovar (Jaipur)	JDA	15.00	SBR	12.00	12	River front	Water Body
68	JAIPUR	Jaipur	Dravyawati River- Taruchya Nagar (Jaipur)	JDA	100.00	SBR	70.00	70	River front	Water Body
69	JAIPUR	Jaipur	Dravyawati River- Pratap Nagar (Jaipur)	JDA	25.00	SBR	13.00	13	River front	Water Body
70	JAIPUR	Jaipur	Dravyawati River- Goner (Jaipur)	JDA	10.00	SBR	5.00	5	River front	Water Body
71	JAIPUR	Jhunjhunu	Baggar Road Near Agrasen Circle (Jhunjhunu)	RUIDP	7.00	SBR	7.00	0		Pond
72	JAIPUR	Jhunjhunu	Baggar Road Near Agrasen Circle (Jhunjhunu)	Upgradation to be proposed in AMRUT-2.0	8.50	UASB	Under Upgrade	0	Under Upgrade	Under Upgrade
73	JAIPUR	Laxmangarh	TodhiKui (Laxmangarh)	RUIDP	3.00	SBR	1.50	1.5	Horticulture	Nil
74	JAIPUR	Laxmangarh	Near Indira Awas colony (Laxmangarh)	RUIDP	1.50	SBR	0.80	0.8	Horticulture	Nil
75	JAIPUR	Laxmangarh	Near Basin Road Banjara Basti (Laxmangarh)	RUIDP	1.00	SBR	0.50	0.5	Agriculture	Nil
76	JAIPUR	Nawalgarh	Near Fire station (Nawalgarh)	AMRUT	1.00	SBR	0.60	0.45	industrial	drain
77	JAIPUR	Nawalgarh	Near Bus stand (Nawalgarh)	AMRUT	3.00	SBR	2.10	1.45	industrial	dumping yard
78	JAIPUR	Ramgarh Shekhawati	Shamshan ghat (Ramgarh Shekhawati)	RUIDP	2.00	SBR	1.40	0	Agriculture	Goshala Agricultural
79	JAIPUR	Ramgarh Shekhawati	Gogamedi (Ramgarh Shekhawati)	RUIDP	1.00	SBR	0.10	0.1	Agriculture	
80	JAIPUR	Sikar	Goshala land (Sikar)	AMRUT	2.00	SBR	0.90	1.1	Agriculture	Special Water Bodies
81	JAIPUR	Sikar	Near Shiv Colony (Sikar)	AMRUT	8.00	SBR	4.50	3.1	Agriculture	Special Water Bodies
82	JODHPUR	Balotra	Jerla (Balotra)	Municipal Council	9.00	SBR	3.20	3	Agricultural	Others
83	JODHPUR	Barmer	Village Kundla (Barmer)	Upgradation Proposed in phase IV tranche -2	10.00	WSP	3.70	1.3	Agriculture	Drain
84	JODHPUR	Jaisalmer	Kisanghat (Jaisalmer)	Municipal Council	10.00	WSP	2.75	2.4	Agriculture	-
85	JODHPUR	Jaitaran	Near Karolia village (Jaitaran)	AMRUT	2.00	SBR	1.20	1	Agriculture	barren land
86	JODHPUR	Jalore	Jalore	To be proposed in RUIDP Ph-IV	10.00	WSP	4.50	2.1	Agricultural	Water Body
87	JODHPUR	Jodhpur	Salawas Unit I (Jodhpur)	AMRUT	50.00	ASP	35.00	35	Agriculture	discharge to river (jojari)
88	JODHPUR	Jodhpur	Salawas Unit II (Jodhpur)	AMRUT	50.00	ASP	35.00	34.2	Agriculture	-
89	JODHPUR	Jodhpur	Nandari (Jodhpur)	Upgradation proposed under AMRUT	20.00	WSP	19.00	19	Agriculture	-
90	JODHPUR	Mt. Abu	Hetam Ji Village (Mt. Abu)	Upgradation under process RUIDP Phase-3	6.00	ASP	ruidp under trial	0		Water Body
91	JODHPUR	Pali	Mandiva Industrial Area (Pali)	AMRUT	15.00	SBR	13.80	13.80	Industrial	NA
92	JODHPUR	Pali	Mandia Road, Near ESI Hospital (Pali)	AMRUT	7.50	ASP	2.50	2	Agricultural, Fire Brigade & Industries	NA
93	JODHPUR	Sumerpur	Sumerpur	Municipal Council	10.00	WSP	2.00	2	Agriculture	-
94	KOTA	Bundi	Devpura (Bundi)	AMRUT	8.00	SBR	8.00	2	Agriculture	Drain
95	KOTA	Jhalawar	Gagron Road (Jhalawar)	Upgradation is approved under Phase-3 RUIDP	6 (STP is Under Upgradation for Tertiary Treatment)	ASP	5.46	2.3	Agriculture	Discharge to Open Drain
96	KOTA	Jhalrapatan	Girdharpura (Jhalrapatan)	Upgradation under RUIDP Phase-III	3.00	ASP	2.50	2	Agriculture	Discharge to open drain
97	KOTA	Kota	Sajidhera (Kishorepura Iadpura) (Kota)	UIT	30.00	SBR	20.00	20	Treated Water is being used to up down stream Chambal River	Chambal river

98	KOTA	Kota	Balita (Kota) (UIT)	UIT	30.00	SBR	30.00	29	treated water is being used to fill down stream Chambal river	Chambal River
99	KOTA	Kota	Kala Talab (Kota)	RUIDP	15.00	SBR	12.00	12	treated water is being used to fill down stream Chambal river	Chambal River
100	KOTA	Kota	Dhakarkhedi (Kota)	MC Kota North	20.00	ASP	10.00	9.9	Chandroi River	chandraloi river
101	KOTA	Kota	I L Township		2.00	SBR	1.80	1.63	use in oxygen park kota to fill the water requirements	no
102	KOTA	Kota	Balita Ladpura		6.00	SBR			Agricultural	Water Body
103	UDAIPUR	Badi Sadri	Near Mangri road (Badi Sadari)	Municipal Council	1.50	SBR	0.60	0.2	Gardening	old drain
104	UDAIPUR	Banswara	Ghamaniya (Banswara)	Upgradation in RUIDP phase -IV	6.43	WSP	2.70	2.7	Agriculture	Under Upgradation
105	UDAIPUR	Chittorgarh	Pratappura (Bhoikhera) (Chittorgarh)	AMRUT	5.00	UASB	4.00	3.8	Industrial	NIL
106	UDAIPUR	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	3.00	SBR	0.68	0.4	Industrial	other purpose
107	UDAIPUR	Chittorgarh	Near Mukhyamantri Jan Awas Yojna (Chittorgarh)	AMRUT	1.00	SBR	0.00	0	NIL	NIL
108	UDAIPUR	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	2.00	SBR	0.96	0.96	Industrial	NIL
109	UDAIPUR	Fateh Nagar Sanwar	Changed village (Fatehnagar Sanwar)	AMRUT	1.00	SBR	0.80	0.5	Agricultural	No
110	UDAIPUR	Kushalgarh	Near Panchayat Samiti (Kushalgarh)	ULB	1.00	SBR	0.85	0.5	Agricultural	Water Body
111	UDAIPUR	Nimbahera	Near Shamshan Ghat, Kartana (Nimbahera)	AMRUT	2.00	SBR	1.00	0.9	Industrial	drain
112	UDAIPUR	Nimbahera	Kasod Basti Nalah (Nimbahera)	AMRUT	1.00	SBR	0.10	0.1	Agriculture	drain
113	UDAIPUR	Nimbahera	Nimbahera Near Dashhera Maidan (Nimbahera)	AMRUT	4.50	SBR	1.30	1.1	mining & garden	Water Body
114	UDAIPUR	Rajsamand	Rajsamand (Village Pratap pura)	AMRUT	5.00	UASB	3.00	3.48	Agriculture & Industrial	Agriculture
115	UDAIPUR	Udaipur	Kajrali house (Udaipur)	Municipal Board	5.00	SBR	2.20	2.089	Agricultural/ Garden	Water Body
116	UDAIPUR	Udaipur	Eklingpura (Udaipur)	AMRUT	25.00	SBR	16.16	5.089	Agricultural/ Garden	internal Gardening
117	UDAIPUR	Udaipur	Eklingpura (Udaipur)	AMRUT	20.00	MBBR	14.58	2.663	Agricultural/ Garden	internal Gardening
118	UDAIPUR	Udaipur	FCI godown (Udaipur)	Municipal Board	10.00	SBR	2.34	2.137	Agricultural	Water Body

509.98

Annexure -IV**OCEMS Status in a State**

S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Treatment Process
1	Ajmer	Khanpura	Munucipal Corporation	20.00	ASP
2	Ajmer	Khanpura	Munucipal Corporation	20.00	ASP
3	Alwar	Bharatpur Road near Agyarah Dam	AMRUT	20.00	ASP
4	Barmer	Village Kundla	RUIDP Phase-IV	10.00	WSP
5	Beawar	Near Vijay Nagar Private Bus Stand	AMRUT	5.00	SBR
6	Beawar	near Narsingh pura	AMRUT	4.00	SBR
7	Beawar	Near Bichral Tank	AMRUT	1.50	SBR
8	Beawar	Kundan Nagar	AMRUT	1.00	SBR
9	Bhadra	mahipalo ka mohalla	AMRUT	1.00	SBR
10	Bhadra	Nathwana johad	AMRUT	3.50	SBR
11	Bharatpur	Gopal Nangla (Rundhikiran)	AMRUT	8.00	SBR
12	Bharatpur	Near existing STP at Ikran Village	AMRUT	5.00	SBR
13	Bhilwara	Kewada (J/sw)	RUIDP	10.00	SBR
14	Bhiwadi	RHB	AMRUT	1.50	SBR
15	Bhiwadi	Mundena Mev	AMRUT	2.00	SBR
16	Bhiwadi	Santhalka	AMRUT	3.00	SBR
17	Bhiwadi	Nr. Existing STP	AMRUT	3.00	SBR
18	Bhiwadi	Vasundhra Nagar (Bhiwadi)	UIT	4.00	SBR

OCEMS Status in a State					
S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Treatment Process
19	Bikaner	Vallabgarden (Bikaner)	AMRUT	40.00	SBR
20	Bikaner	Sareh Nathania	AMRUT	12.00	SBR
21	Bundi	Devpura (Bundi)	AMRUT	8.00	SBR
22	Chittorgarh	Pratappura (Bhoikhera) (Chittorgarh)	AMRUT	5.00	UASB
23	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	3.00	SBR
24	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	2.00	SBR
25	Chittorgarh	Near Mukhyamantri Jan Awas Yojna (Chittorgarh)	AMRUT	1.00	SBR
26	Churu	B/W Cremation ground and Agarsen Nagar (Churu)	AMRUT	1.00	SBR
27	Churu	TajusaTakiya (Churu)	AMRUT	2.50	SBR
28	Deedwana	Mela Maidan (Deedwana)	RUIDP	5.00	SBR
29	Dhoulpur	Shekhupur (Dholpur)	RUIDP	3.00	SBR
30	Fateh Nagar Sanwar	Changedi village (Fatehnagar Sanwar)	AMRUT	1.00	SBR
31	Fateh Pur Shekhawati	Near Bari Road	RUIDP	7.50	SBR
32	Hanumangarh	Near Railway bridge over Ghaggar river (Hanumangarh)	MUnicipal Council	5.00	SBR
33	Hanumangarh	Jodkiya Phatak (Hanumangarh)	MUnicipal Council	7.50	WSP
34	Jaipur	Brahmpuri STP (Jaipur)	JMC Heritage-AMRUT	8.00	SBR
35	Jaipur	Paladi Meena (Jaipur)	JDA	3.00	SBR
36	Jaipur	Central Park (Jaipur)	JDA	1.00	MBBR
37	Jaipur	Ralawta (Jaipur)	JDA	30.00	ASP

OCEMS Status in a State					
S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Treatment Process
38	Jaipur	Gajdharpura (Jaipur)	JDA	30.00	ASP
39	Jaipur	Ram Niwas Bagh (Jaipur)	JDA	1.00	MBBR
40	Jaipur	Jawahar Circle (Jaipur)	JDA	1.00	MBBR
41	Jaipur	Swarnjayanti Park (Jaipur)	JDA	1.00	MBBR
42	Jaipur	Kiro Ki Dhani (Jaipur)	JDA	1.00	SBR
43	Jaipur	Dravyawati River- PaniPech (Jaipur)	JDA	20.00	SBR
44	Jaipur	Dravyawati River- Mansarovar (Jaipur)	JDA	15.00	SBR
45	Jaipur	Dravyawati River- Taruchya Nagar (Jaipur)	JDA	100.00	SBR
46	Jaipur	Dravyawati River- Pratap Nagar (Jaipur)	JDA	25.00	SBR
47	Jaipur	Dravyawati River- GONER(Jaipur)	JDA	10.00	SBR
48	Jaipur	Dehlawas unit II (Jaipur)	Nagar Nigam Jaipur	62.50	ASP
49	Jaipur	Jaisinghpura Khore (Jaipur)	JMC Heritage	50.00	ASP
50	Jaipur	Dehlawas unit I (Jaipur)	Nagar Nigam Jaipur	62.50	SBR
51	Jaisalmer	Kisanghat	MUnicipal Council	10.00	WSP
52	Jaitaran	Near Karolia village (Jaitaran)	AMRUT	2.00	SBR
53	Jalore	Jalore	RUIDP Ph-IV	10.00	WSP
54	Jhalrapatan	Girdharpura (Jhalrapatan)	Upgradation under RUIDP Phase-III	3.00	ASP
55	Jhunjhunu	Near Agrasen Circle	RUIDP	7.00	SBR
56	Kishangarh	Nasirabad Highway (Kishangarh)	AMRUT	10.00	WSP

OCEMS Status in a State					
S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Treatment Process
57	Kota	Balita (Kota) (UIT)	UIT	30.00	SBR
58	Kota	Kala Talab (Kota)	RUIDP	15.00	SBR
59	Kushalgarh	Near Panchayat Samiti (Kushalgarh)	ULB	1.00	SBR
60	Laxmangarh	Indira Awas colony	RUIDP	1.50	SBR
61	Laxmangarh	Near Basin Road Banjara Basti	RUIDP	1.00	SBR
62	Laxmangarh	TodhiKui (Laxmangarh)	RUIDP	3.00	SBR
63	Makrana	Near Kidwai Stadium	RUIDP	6.00	SBR
64	Pali	Near ESI Hospital	AMRUT	7.50	ASP
65	Pali	Mandiya Industrial Area	AMRUT	15.00	SBR
66	Rajsamand	Rajsamand (Village Pratap pura)	AMRUT	5.00	UASB
67	Ramgarh Shekhawati	Shamshan ghat	RUIDP	2.00	SBR
68	Sawai Madhopur	Village Sorwal (Sawai Madhopur)	RUIDP	10.00	WSP
69	Sikar	Goshala land (Sikar)	AMRUT	2.00	SBR
70	Sikar	Near Shiv Colony (Sikar)	AMRUT	8.00	SBR
71	Sujangarh	Gopal Gaushala on Thardaa Village (Sujangarh)	AMRUT	5.50	SBR
72	Sujangarh	Near Kalkanda (Sujangarh)	AMRUT	2.00	SBR
73	Sumerpur	Sumerpur	Municipal Council	10.00	WSP
74	Tonk	Tonk Molai Pura (Tonk)	RUIDP	16.00	SBR
75	Tonk	Tonk Dhaula Khera (Tonk)	RUIDP	4.00	SBR

OCEMS Status in a State					
S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Treatment Process
76	Udaipur	Eklingpura (Udaipur)	AMRUT	20.00	MBBR
77	Udaipur	Eklingpura (Udaipur)	AMRUT	25.00	SBR
78	Udaipur	FCI godown (Udaipur)	Municipal Board	10.00	SBR
79	Udaipur	Kajrali house (Udaipur)	Municipal Board	5.00	SBR
80	JAIPUR	Delhawas (khilari)	Nagar Nigam Jaipur	90.00	SBR

Annexure-V

Detail of STP Test Report with Faecal Test

S. No.	Name of Town	Location	Department	STP Capacity (MLD)	Capacity being utilized	Treatment Process
1	Ajmer	Anasagar	Municipal Corporation	13.00	11.00	ASP
2	Alwar	Bharatpur Road near	RUIDP	20.00	6.50	ASP
3	Badi Sadri	Near Mangri road	Municipal Council	1.50	1.50	SBR
4	Balotra	Jerla	Municipal Council	9.00	5.00	SBR
5	Barmer	Village Kundla	RUIDP	10.00	3.70	WSP
6	Beawar	Kundan Nagar	AMRUT	1.00	0.10	SBR
7	Beawar	Near Bichral Tank	AMRUT	1.50	1.20	SBR
8	Beawar	near Narsingh pura	AMRUT	4.00	1.80	SBR
9	Beawar	Near Vijay Nagar Private	AMRUT	5.00	1.90	SBR
10	Bhadra	mahipalo ka mohalla	AMRUT	1.00	0.10	SBR
11	Bhadra	Nathwana johad	AMRUT	3.50	0.40	SBR
12	Bharatpur	Gopal Nangla (Rundhikiran)	RUIDP	8.00	6.00	SBR
13	Bharatpur	Near existing STP at Ikran	AMRUT	5.00	5.00	SBR
14	Bhilwara	Kewada	JSW	10.00	10.00	SBR
15	Bhiwadi	Mundena Mev	AMRUT	2.00	1.00	SBR
16	Bhiwadi	Nr. Existing STP	AMRUT	3.00	1.62	SBR
17	Bhiwadi	RHB	AMRUT	1.50	1.32	SBR
18	Bhiwadi	Santhalka	AMRUT	3.00	1.40	SBR
19	Bhiwadi	Vasundhra Nagar	UIT	4.00	3.00	SBR
20	Bikaner	Near Kali Mata Mandir	RUIDP	20.00	8.00	SBR
21	Bikaner	Sareh Nathania	AMRUT	12.00	10.50	SBR
22	Bikaner	Vallabgarden (Bikaner)	AMRUT	40.00	24.00	SBR
23	Bundi	Devpura (Bundi)	RUIDP	8.00	3.50	SBR
24	Chirawa	Near Madela Road	AMRUT	3.00	1.80	SBR
25	Chirawa	Pilani Road	AMRUT	2.00	0.30	SBR

26	Chittorgarh	Near Abhimanyu	AMRUT	3.00	2.00	SBR
27	Chittorgarh	Near Abhimanyu	AMRUT	2.00	2.00	SBR
28	Chittorgarh	Near Mukhyamantri	AMRUT	1.00	0.00	SBR
29	Chittorgarh	Pratappura (Bhoikhera)	RUIDP	5.00	2.00	UASB
30	Churu	B/W Cremation	AMRUT	1.00	0.20	SBR
31	Churu	TajusaTakiya (Churu)	AMRUT	2.50	0.10	SBR
32	Dhoulpur	Shekhupur (Dholpur)	RUIDP	3.00	1.75	SBR
33	Dhoulpur	Tagawali	RUIDP	10.00	9.80	UASB
34	Fateh Nagar Sanwar	Changedi village	AMRUT	1.00	0.90	SBR
35	Gangapur City	Aliganj Tiraha	AMRUT	1.50	0.50	SBR
36	Gangapur City	Near Jaipur Highway	AMRUT	5.50	0.45	SBR
37	Gangapur City	Near Jaipur Highway	AMRUT	2.50	0.45	SBR
38	Hanumangarh	Near Railway bridge over	UIDSSMT-	5.00	4.30	SBR
39	Hindaun City	Jaccha ki bawri	AMRUT	0.75	0.50	SBR
40	Hindaun City	Raghav das Bagichi	AMRUT	5.00	3.00	SBR
41	Jaipur	Brahmpuri STP (Jaipur)	JMC Heritage-AMRUT	8.00	8.00	SBR
42	Jaipur	Dehlawas unit I (Jaipur)	Nagar Nigam Jaipur	62.50	62.50	SBR
43	JAIPUR	Delhawas (khilari)	Nagar Nigam	90.00	63.00	SBR
44	Jaipur	Jaisinghpura Khore (Jaipur)	JMC Heritage	50.00	50.00	ASP
45	Jaipur	Dehlawas unit II (Jaipur)	Nagar Nigam Jaipur	62.50	0.00	ASP
46	Jaipur	Gajdharpura (Jaipur)	JDA	30.00	25.00	ASP
47	Jaisalmer	Kisanghat	RUIDP	10.00	6.00	WSP
48	Jaitaran	Near Karolia village	AMRUT	2.00	1.30	SBR
49	Jalore	Jalore	UIDSSMT- RUIDP	10.00	4.50	WSP
50	Jhalawar	Gagron Road (Jhalawar)	Upgradation under RUIDP	6.00	1.75	WSP
51	Jhalrapatan	Girdharpura (Jhalrapatan)	Upgradation under RUIDP	3.00	1.25	ASP
52	Jhunjhunu	Near Agrasen Circle	RUIDP	7.00	6.00	SBR

53	Jodhpur	Nandari (Jodhpur)	Upgradation proposed	20.00	20.00	WSP
54	Jodhpur	Salawas Unit I (Jodhpur)	AMRUT 2.0	50.00	30.00	ASP
55	Jodhpur	Salawas Unit II (Jodhpur)	AMRUT	50.00	30.00	ASP
56	Karauli	Karauli	RUIDP	5.00	2.00	UASB
57	Kota	Balita (Kota) (UIT)	UIT	30.00	12.00	SBR
58	Kota	Balita Ladpura	UIT	6.00	4.00	SBR
59	Kota	Dhakarkhedi	MC Kota North	20.00	17.82	ASP
60	Kota	I L Township	RUIDP	2.00	2.00	SBR
61	Kota	Kala Talab (Kota)	RUIDP	15.00		SBR
62	Kota	Sajidhera	UIT	30.00	14.18	SBR
63	Kushalgarh	Near Panchayat	ULB	1.00	1.00	SBR
64	Makrana	Near Kidwai Stadium	ULB	6.00	4.00	SBR
65	Nawalgarh	Near Bus stand (Nawalgarh)	AMRUT	3.00	0.60	SBR
66	Nawalgarh	Near Fire station	AMRUT	1.00	0.10	SBR
67	Nimbahera	Kasod Basti Nalah	AMRUT	1.00	0.35	SBR
68	Nimbahera	Near Shamshan	AMRUT	2.00	1.89	SBR
69	Nimbahera	Nimbahera Near Dashhera	AMRUT	4.50	1.10	SBR
70	Nokha	Ward No. 07 (Nokha)	ULB	1.00	0.90	SBR
71	Pali	Mandiya Industrial Area	AMRUT	15.00	9.50	SBR
72	Pali	Near ESI Hospital	UIDSSMT- RUIDP	7.50	2.00	ASP
73	Rajsamand	Rajsamand (Village Pratap)	RUIDP	5.00	1.30	UASB
74	Sawai Madhopur	Village Sorwal (Sawai)	RUIDP	10.00	7.00	WSP
75	Sikar	Goshala land (Sikar)	AMRUT	2.00	1.20	SBR
76	Sikar	Near Shiv Colony (Sikar)	AMRUT	8.00	5.00	SBR
77	Sriganganagar	Suratgarh road (Sriganganagar)	UIT	10.00	2.75	SBR
78	Sujargarh	Gopal Gaushala on	AMRUT	5.50	3.00	SBR
79	Sujargarh	Near Kalkanda (Sujargarh)	AMRUT	2.00	1.00	SBR

80	Sumerpur	Sumerpur	UIDSSMT- RUIDP	10.00	2.00	WSP
81	Suratgarh	Adarsh Kalyan Bhumi near	Municipal Board	2.50	1.60	SBR
82	Suratgarh	Near subjail (Suratgarh)	AMRUT	2.50	1.50	SBR
83	Tonk	Tonk Dhaula Khera (Tonk)	RUIDP	4.00	0.65	SBR
84	Tonk	Tonk Molai Pura (Tonk)	RUIDP	16.00	0.90	SBR
85	Udaipur	Eklingpura (Udaipur)	AMRUT	20.00	13.00	MBBR
86	Udaipur	Eklingpura (Udaipur)	AMRUT	25.00	25.00	SBR
87	Udaipur	FCI godown (Udaipur)	Municipal Board	10.00	5.50	SBR
88	Udaipur	Kajrali house (Udaipur)	Municipal Board	5.00	4.20	SBR
89	Ramgarh Shekhawati	Shamshan ghat	UIDSSMT	2.00	0.75	SBR
90	Laxmangarh	Indira Awas colony	UIDSSMT	1.50	0.80	SBR
91	Laxmangarh	Near Basin Road Banjara	UIDSSMT	1.00	0.60	SBR
92	Laxmangarh	TodhiKui (Laxmangarh)	UIDSSMT	3.00	0.20	SBR
93	Jaipur	Ralawta (Jaipur)	JDA	30.00	22.00	ASP

**Office of Municipal Corporation Ajmer**

PR Marg, Ajmer (Rajasthan) Phone No. 0145-2429971, 2429920
Email- ajmermc@gmail.com, web- ajmermc.org.

S. NO. F.7 (22) () MEW/AMC/ 2023/ 8121

Date:- 21-11-23

Director & Special Secretary,
Local Self Government Department,
Jaipur

Sub. :- Regarding submission of information regarding test report and reuse of treated Sewerage Water.

Ref. :- (1) Hon'ble NGT ordered 09.11.2023 in the matter of OA 606/2018.

(2) Your Office letter No. F.ST() (CE)/DLB/NGT/673/2023/117865-118105

Dated-20.11.2023

Sir,

With reference to the above cited subject & referred letter, In compliance of NGT order dated 09.11.2023, the report of parameters of treated sewage and report of reuse of treated sewage from STP are being sent in the prescribed Performa.

Encl.:- As Above.


Deputy Commissioner
Municipal Corporation,
Ajmer

Date:- 21-11-23

S. NO. F.7 (22) () MEW/AMC/ 2023/ 8122-25

Copy to following for information:-

1. PA to Commissioner, Municipal Corporation, Ajmer.
2. PA to Chief Engineer, DLB, Jaipur.
3. PA to Project Director (UI), RUDSICO, Jaipur.
4. Guard File.


Deputy Commissioner
Municipal Corporation,
Ajmer

OFFICE OF THE SUPRINTENDING CHEMIST
PUBLIC HEALTH ENGINEERING DEPARTMENT, REGIONAL LABORATORY, AJMER(Raj.)
REPORT OF CHEMICAL EXAMINATION OF WATER

No.Lab/Tech./ 2021-22 / 7922

Sample was not Collected
by Laboratory

Date : 09.11.2023


Assistant Engineer
Municipal Corporation , Ajmer

Not for Legal Purpose

Reference : Your office letter No. ME(W) 2119 dated 02.11.23

Name of Sample taker- Sajid Mohammad Senior Chemist

Lab Sample No.		P-24
Date & Time of Collection		03-11-23
Date of Examination		03-11-23
Sr. No.	Source & Location	Treated Sewage of 13 MLD STP Aanasagar
	City	Ajmer
1	pH	7.6
2	Colour (Hazen Unit)	27
3	Temperature ⁰ C	30.6
4	Total Solids Mg/L	1380
5	Total Dissolved Solids Mg/L	1169
6	Suspended Solids Mg/L	26
7	Oxygen Dissolved (as O ₂ Mg/L)	4.2
8	B.O.D.(5 Days at 20 ⁰ C)	7.2
9	C.O.D. (as O ₂ Mg/L)	45


 (Dr. Archana Mathur)
 Superintending Chemist
 PHED Regional Lab., Ajmer

11/11/23, 1:15 PM

about blank

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST

(See Rule - 24)

Final Report

Report No. : 6058

Report On : 10/11/2023

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 03/11/2023 from Dr. Vikas Singh, SO, Kishangarh ,RSPCB Kishangarh a sample of Waste Water of M/S Municipal Corporation(Old Name Urban Improvement Trust) , Plant - , , Tehsil- Ajmer , District- Ajmer Collected from Outlet of STP (without Chlorination) Collected on 02/11/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 10/11/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Faecal Coliform (MPN Technique) /100 ml	240

The condition of the seals, fastening and container on receipt was as follows : Intact

Signed This On 10/11/2023

BOARD ANALYST

Rajasthan State Pollution Control Board

Regional Office Kota

SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota

Phone: 0744-2490873

**UNIVERSAL ANALYTICAL LAB**

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dhanuhera-123106, Distt Rewari (Haryana)
E-mail : info@universallab.in, universalanalyticallab@gmail.com
www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/-1046/11/23

Date: 27/11/2023

Issued to:

Nagar Nigam Alwar

20 MLD Sewage Treatment Plant

Village (Agyara)Tehsil –Ramrarh Distt-Alwar(Raj.)

Party's Ref No: Verbal

Dated: 22/11/2023

Lab Job Order No: 1485/11/23

Period of Testing: 22/11/2023 to 27/11/2023

TEST REPORT**A. SAMPLE PARTICULARS:**

1. Name of the Unit	:	20 MLD
2. Type of the Sample	:	Sewage Water Sample
3. Date of Sample Receiving	:	22/11/2023
4. Point of Sample Collection	:	STP Outlet
5. Purpose of Analysis	:	Monitoring
6. Sample Collected/ Supplied by	:	By Customer

B. TEST RESULTS:

Sr. No.	Parameters	Results	Std. Limits	Test Method
1	Feecal Coliform, MPN/100 ml	220	<1000	IS-1622

Akshay
Mgr. / Sr Analyst
Akshay




Ajeet Singh
Authorized Signatory
Ajeet Singh
Technical Manager

LAB DATA RECORD

MONTH- October 2023

NAME OF WORK -O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	IN	TP	FACH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	IN	TP	FACH	INLET FLOW	WASTEWATER FLOW			
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mg/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
01/10	7.6	186	274	113	5.2	3.5	486	7.3	2662	1681	230	1.4	7.7	11	49	7	0.5	0.5	76	235	230	R		
02/10	7.4	111	192	-	0	0	-	7.7	2841	1688	250	1.2	7.3	4	36	-	0	0	-	1566	1551	R		
03/10	7.7	109	232	-	6.5	4.5	-	7.5	2416	1562	210	1.1	7.2	7	33	-	0.2	0.5	-	638	631	R		
04/10	7.5	183	260	90	5.2	2	231	7.7	2187	1750	200	1.4	7.1	10	41	5	0.5	0.5	82	1056	1040	R		
05/10	7.2	186	202	-	5	4	-	7.4	2641	1731	230	0.9	7.5	5	45	-	0.6	0.3	-	606	600	R		
06/10	7.0	191	213	-	7	5	-	7.2	2823	1240	190	1.2	7.8	7	32	-	0.4	0.2	-	557	552	R		
07/10	7.7	180	136	108	5	5	-	7.6	2851	1120	200	1.2	7.2	9	46	9	0	0	-	2	2	R		


 अधिकारी-अधिकारी
 नगर पालिका, दहीसादरी

LAB DATA RECORD

MONTH- October 2013

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH			CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
08/10	7.7	167	249	231	50	50	501	7.5	2140	1080	210	1.2	7.8	6	41	6	0.5	0.5	92	329	321	Ru	
09/10	7.5	139	226	-	7.0	50	-	7.7	2611	1711	190	1.1	7.2	9	33	-	0.2	0.1	-	0	0	Ru	
10/10	7.8	109	223	-	4.0	20	-	7.5	2331	1780	200	1.1	7.7	5	38	-	0.1	0.1	-	64	62	Ru	
11/10	7.2	171	231	190	0	0	411	7.4	2632	1538	280	1.4	7.3	6	35	9	0	0	86	193	195	Ru	
12/10	7.9	132	243	-	50	50	-	7.3	2432	1101	250	1.2	7.5	4	42	-	0.5	0.5	-	415	400	Ru	
13/10	7.0	101	222	-	6.0	50	-	7.4	2222	1219	210	0.9	7.6	10	36	-	0	0.3	-	715	702	Ru	
14/10	7.6	110	203	171	0	0	-	7.7	2001	1001	220	1.2	7.4	7	48	5	0.7	0.2	-	1251	1232	Ru	

[Signature]
 CHITTORGARH
 WATER SUPPLY & SEWERAGE
 DEPARTMENT

LAB DATA RECORD

MONTH- October 2023

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/liter		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/liter	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
15/10	7.8	190	255	201	60	3.0	486	7.5	2813	1181	250	1.2	7.7	5	30	7	0.5	0.5	89	965	960	Rm		
16/10	7.6	107	248	-	0	0	-	7.4	2059	1489	190	1.4	7.2	10	36	-	0	0	-	746	742	Rm		
17/10	7.2	128	201	-	50	2.0	-	7.6	2311	1055	210	1.4	7.5	9	41	-	0.7	0.5	-	1184	1150	Rm		
18/10	7.5	106	281	249	70	5.0	510	7.0	2222	1376	200	1.1	7.7	7	33	5	0.6	0.3	95	523	520	Rm		
19/10	7.5	99	229	-	0	3	-	7.4	2440	1880	230	0.9	7.6	11	39	-	0.5	0.2	-	1036	1001	Rm		
20/10	7.1	107	238	-	0	0	-	7.7	2619	1648	220	1.1	7.4	5	31	-	0	0	-	210	202	Rm		
21/10	7.0	132	240	191	5	5	-	7.2	2003	1224	200	1.2	7.5	8	48	9	0.5	0.5	-	532	541	Rm		

Signature: *[Signature]*
 Date: 21/10/23
 Location: Badi Sadri, Chittorgarh

LAB DATA RECORD

MONTH: October 2013

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)																							
RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS								SIGNATURE		
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	M ³ /Day	M ³ /Day		
22/10	7.7	120	265	203	5.0	5.0	470	7.5	2211	1440	230	1.2	7.2	7	41	5	0.5	0.5	75	620	615	Rn	
23/10	7.2	100	239	-	7.0	5.0	-	7.4	2436	1628	250	1.2	7.6	11	36	-	0.2	0.1	-	660	643	Rn	
24/10	7.6	112	254	-	6.0	7.0	-	7.7	2280	1236	200	1.4	7.4	9	33	-	0.4	0.2	-	194	192	Rn	
25/10	7.2	128	249	211	5.0	2.0	490	7.0	2631	1734	220	0.9	7.5	5	38	7	0.6	0.3	82	574	571	Rn	
26/10	7.0	102	252	-	0	0	-	7.3	2524	1449	240	1.1	7.5	8	49	-	0	0	-	627	621	Rn	
27/10	7.5	99	201	-	7.0	5.0	-	7.1	2009	1621	220	1.2	7.3	6	44	-	0.5	0.2	-	200	190	Rn	
28/10	7.1	118	266	220	5.0	5.0	-	7.4	2460	1009	200	1.1	7.2	10	47	10	0.5	0.5	-	220	220	Rn	


[Signature]

LAB DATA RECORD

MONTH: October 2013

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS								SIGNATURE		
DATE	PH	TSS	COD	BOD	TN	TP	FACH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	FACH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	M ³ /Day	M ³ /Day		
29/10	7.4	111	268	232	50	50	420	7.7	2111	1425	230	1.2	7.2	7	40	2	80	0.6	76	226	219	R	
30/10	7.7	121	255	-	0	0	-	7.5	2653	1660	200	1.4	7.6	5	45	-	0.5	0.5	-	1337	1321	R	
31/10	7.6	138	247	-	0.6	20	-	7.3	2340	1515	250	1.1	7.0	9	36	-	0.6	0.2	-	1339	1320	R	


 अधिशासी आचार्य
 नगर पालिका, बड़ीसादरी

Parameters of operational STPs

S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilisation/ Inflow	Temp °C	Outlet/Actual Parameter					Test Report Attached (Yes/No) 01 october '23 to 31 october '23	Reuse of Treated Water				
							pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse	Quantity of Treated water Being Reuse	Mode of Reuse Agricultural/Horticultural/Industrial	Remaining Quantity of Treated water	Mode of disposal /water Bodies/ Other purposes
1	Ajmer	Khanpura (Ajmer)	20.00	ASP													
2	Ajmer	Anasagar (Ajmer)	13.00	SBR													
3	Ajmer	Bharatpur Road near Ajaynagar Dam (Ajmer)	20.00	ASP													
4	Badi Sadri	Near Mangli road (Badi Sadri)	1.50	SBR													
5	Balotra	Jerla (Balotra)	9.00	SBR	3.20	22	8	70	86	683	140	YES	3	03	Agricultural	0	Other

R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)
 Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com



NABL
 TC-5788

ULR No.: TC578823000000577F

Report No.: RKC/2023-24/577

Date: 30.10.2023

TEST REPORT

Name & Address of Customer	M/s Water Factory (Pachpadra) Pvt. Ltd. Sewage Treatment Plant Balotra, Jerla Road, Balotra - 344 022
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/577
Date of Sample Received	26.10.2023
Period of Sample Testing	26.10.2023 - 30.10.2023
Location	Mark:- STP Balotra Outlet
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
pH	-	IS:3025 (Part-11)	8.17
Color	Hazen	IS:3025 (Part-4)	192
Total Dissolved solids	mg/l	IS:3025 (Part-16)	2550
Total Suspended solids	mg/l	IS:3025 (Part-17)	81
COD	mg/l	5220B, APHA 23 rd Edi.	152
BOD	mg/l	IS:3025 (Part - 44)	24.25

1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
 2. The Samples will be stored up to 15 days.
 3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
 4. ND- Not detected, UO-Un objectionable, BDL - Below detection limit.

(Authorized Signatory)

R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

NABL
TC-5788

ULR No.: TC578823000000489F

Report No.: RKC/2023-24/489

Date: 09.10.2023

TEST REPORT

Name & Address of Customer	M/s Water Factory (Pachpadra) Pvt. Ltd. Sewage Treatment Plant Balotra, Jerla Road, Balotra - 344 022
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/489
Date of Sample Received	05.10.2023
Period of Sample Testing	05.10.2023 - 09.10.2023
Location	Mark:- STP Balotra Outlet
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
pH	-	IS:3025 (Part-11)	7.69
Color	Hazen	IS:3025 (Part-4)	120
Total Dissolved solids	mg/l	IS:3025 (Part-16)	3100
Total Suspended solids	mg/l	IS:3025 (Part-17)	92
COD	mg/l	5220B, APHA 23 rd Edi.	928
BOD	mg/l	IS:3025 (Part - 44)	115

- Notes:- 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
 2. The Samples will be stored up to 15 days.
 3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
 4. ND- Not detected, UO-Un objectionable, BDL - Below detection limit.


 (Authorized Signatory)

Balotra STP						
Lab Analysis Outlet						
Date	pH	TDS	TSS	COD	BOD	Remarks
	-	ppm	ppm	ppm	ppm	
10/1/2023	8.56	4030		640		
10/2/2023	8.22	3820		736		
10/3/2023	8.32	4240		672		
10/4/2023	8.23	4610		608		
10/5/2023	8.26	4320		656		
10/6/2023	8.33	4340		672		
10/7/2023	8.94	4220		672		
10/8/2023	8.91	3750		608		
10/9/2023	8.23	3890		640		
10/10/2023	8.24	4370		656		
10/11/2023	8.19	5030		816		
10/12/2023	8.19	4260		752		
10/13/2023	8.71	4410		608		
10/14/2023	8.45	4130		752		
10/15/2023	8.28	4280		672		
10/16/2023	8.31	4060		736		
10/17/2023	8.48	3540		816		
10/18/2023	9.28	3620		688		
10/19/2023	9.14	4580		736		
10/20/2023	8.27	4250		536		
10/21/2023	8.47	3970		560		
10/22/2023	8.24	4130		672		
10/23/2023	8.84	4270		592		
10/24/2023	8.41	4030		688		
10/25/2023	8.49	4850		672		
10/26/2023	8.58	5870		768		
10/27/2023	8.20	4570		672		
10/28/2023	8.46	4040		752		
10/29/2023	8.32	3620		768		
10/30/2023	8.25	3840		672		
10/31/2023	8.49	3670		688		

Balotra STP			
Inflow & Outflow Details			
Date	Total Inflow (KL)	Total Outflow (KL)	Remarks
10/1/2023	4024	4476	
10/2/2023	2223	2134	
10/3/2023	3285	3188	
10/4/2023	3127	2989	
10/5/2023	2974	2788	
10/6/2023	2142	2045	
10/7/2023	3187	2987	
10/8/2023	2595	2468	
10/9/2023	2591	2431	
10/10/2023	3914	3885	
10/11/2023	3082	2882	
10/12/2023	2620	2541	
10/13/2023	2804	2614	
10/14/2023	3870	2613	
10/15/2023	3192	2987	
10/16/2023	4177	3968	
10/17/2023	4133	3968	
10/18/2023	3070	2945	
10/19/2023	2878	2675	
10/20/2023	3094	3001	
10/21/2023	3911	3725	
10/22/2023	3835	3528	
10/23/2023	2823	2513	
10/24/2023	4023	3758	
10/25/2023	3401	3028	
10/26/2023	3554	3368	
10/27/2023	3382	3281	
10/28/2023	3245	3045	
10/29/2023	3157	2987	
10/30/2023	2440	2387	
10/31/2023	3997	3748	



TEST REPORT

Test Report No.: EP/WFPPL/1023/01	Issue Date: 14 / 10 / 2023

Customer's Name & Address: M/S Water Factory Pachpadra Pvt. Ltd. Sewage Treatment Plant, Jerla Road, Balotra-344022.			
Description of Sample	: STP Outlet	Quantity/No. of Sample	: 500 ml/1 No.
Sampling By	: Sample sent by party	Packing/Seal	: Packing
Sample Received Date	: 09 / 10 / 2023	Protocol (purpose)	: Water Sample Analysis
Date of Starting of Test	: 09 / 10 / 2023	Date of Completion	: 13 / 10 / 2023
Sampling Method	: -	Sample ID	: 1023/WW01

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULT	METHOD OF MEASUREMENT
1.	Total Fecal Coliform	MPN/100ml	140	EPA Method 1603


ANALYSED BY


CHECKED BY

Note: This report is subject to terms & conditions mentioned overleaf.

**R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)**

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/PM/21
Revision No.02

Report No.: RKC/2023-24/607

Date: 25.11.2023

TEST REPORT

Name & Address of Customer	"Kurila STP Plant" 10 MLD, Barmer (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/607
Date of Sample Received	22.11.2023
Period of Sample Testing	22.11.2023 - 25.11.2023
Location	Kurila STP Plant, Barmer
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
MICROBIOLOGICAL PARAMETERS :			
Faecal Coliform	MPN/100 ml	IS:1622-2009	146 MPN/100 ml

- Note:** - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
 2. The Samples will be stored up to 15 days.
 3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
 4. ND- Not detected, UO- (in objectionable, BDL - Below detection limit.


Lokendra Singh
 (Authorized Signatory)

LAB DATA RECORD

October - 2022

October - 2022

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

[illegible]

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS							SBR-PARAMETERS					TREATED WATER PARAMETERS									SIGNATURE		
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW		
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
22/10	7.9	380	32		1.5	1.0	22.2	7.6	2640	1860	200	2.5	7.5	80	40		1.0	0.5	8.5	590	581		
23/10	7.8	160	165		5.0	1.0		7.5	2290	1090	210	3.0	7.8	80	44		2.0	0.5		599	582		
24/10	7.5	180	210	54	3.5	2.0		7.4	2241	1360	210	2.7	7.7	85	44	6.5	2.5	0.5		508	496		
25/10	7.6	204	224		5.0	1.0	69.0	7.3	2200	1450	210	2.6	7.2	90	60		1.0	0.5	6.0	590	555		
26/10	7.8	210	264		7.5	2.0		7.6	2140	990	220	2.5	7.9	90	40		1.0	0.5		554	542		
27/10	7.6	210	240		5.0	2.0	5.10	7.4	1900	1020	220	2.2	7.7	80	40		1.0	0.2	6.5	610	592		
28/10	7.4	190	220		5.0	1.0		7.3	1860	1010	230	2.4	7.6	80	36		2.0	0.5		630	619		

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
08/10	7.5	220	156		7.5	1.0	960	7.5	2410	1190	250	2.5	7.3	8.0	40		1.0	0.5	72.0	587	577	RL	
09/10	7.9	260	192		5.0	1.0		7.7	2690	1220	270	3.5	7.5	9.5	74		1.0	0.5		575	562	RL	
10/10	7.8	280	180	72	7.5	1.5		7.4	2770	1630	280	3.0	7.2	10.0	98	75	1.0	0.4		489	475	RL	
11/10	7.5	320	220		5.0	2.5	1020	7.5	2920	1990	300	2.5	7.1	8.5	90		1.0	0.2	75.5	589	580	RL	
12/10	7.4	390	304		1.0	1.0		7.2	2560	1670	220	2.5	7.0	9.5	36		1.0	0.1		682	671	RL	
13/10	7.6	360	260		7.5	1.5	990	7.4	2410	1580	200	3.5	7.3	8.0	38		1.0	0.1	65	562	555	RL	
14/10	7.6	400	296		1.0	1.0		7.2	2350	1320	190	3.5	7.1	9.0	30		1.0	0.1		673	667	RL	

LAB DATA RECORD

MONTH-

Oct 2022

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml	M ³ /Day	M ³ /Day		
02/10	7.9	400	320	90	5.0	1.0	2025	7.7	2810	1610	250	2.5	7.5	9.5	38	7.5	25	0.5	100.5	555	543	PL	
02/10	7.8	310	212		1.5	1.0		7.6	2310	1475	235	2.0	7.4	8.0	36		1.0	0.1		611	589	PL	
03/10	7.7	290	224		5.0	1.0		7.4	2670	1605	270	2.5	7.3	8.5	42		2.0	0.2		630	621	PL	
04/10	7.9	275	195	65	5.0	1.5	1860	7.7	2760	1665	290	2.5	7.5	9.0	40	2.0	0.1	98.5		399	390	PL	
05/10	7.5	310	204		1.5	0.8		7.5	2910	1810	320	3.5	7.2	9.5	40		0.5	0.2		556	541	PL	
06/10	7.8	390	272		1.0	1.0	2025	7.6	2740	1520	300	2.5	7.2	8.0	42		0.5	0.5	7.5	610	597	PL	
07/10	7.5	190	150		1.0	1.0		7.3	2520	1320	270	2.5	7.0	8.0	30		0.5	0.5		595	590	PL	

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/10	7.9	820	156		7.5	1.5		7.7	2420	1310	165	2.5	7.6	9.5	44		2.5	0.5		586	570	REL	
16/10	7.8	180	146		5.0	1.0	2322	7.6	2480	1450	170	3.0	7.4	80	40		1.0	0.4	995	590	584	REL	
17/10	8.0	260	192		5.0	1.0		7.8	2510	1380	170	2.5	7.8	80	38		1.0	0.5		510	498	REL	
18/10	7.8	240	204	78	1.0	1.0	2420	7.5	2630	1420	195	2.0	7.7	95	48	9.0	0.8	0.5	90.0	500	490	REL	
19/10	7.9	280	224		7.5	2.5		7.8	2770	1700	210	1.5	7.5	90	40		1.0	1.0		580	571	REL	
20/10	7.9	275	204		5.0	1.5	1820	7.8	2640	1610	190	2.5	7.7	85	44		1.5	1.0	85.5	529	523	REL	
21/10	7.8	295	220		1.5	1.0		7.6	2590	1840	200	2.0	7.4	9.5	36		1.0	0.8		584	580	REL	


LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
29/10	7.7	144	240	96	7.1	2.0	590	7.6	2385	1495	170	3.0	7.8	9.0	32	7.5	25	1.0	72	730	640		
30/10	7.7	390	208		10.0	1.0		7.6	2640	1640	170	2.1	7.8	8.0	44	7.5	30.6			806	791		
31/10	7.5	224	256		5.0	2.0	560	7.6	2610	1490	170	2.9	7.7	8.0	40	8.5	2.5	1.0	250	705	696		


 By Chemist.

LAB DATA RECORD

MONTH-

OCTOBER-2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS							SBR-PARAMETERS				TREATED WATER PARAMETERS									SIGNATURE				
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
01/10/23	7.4	140	320	105	2.5	0.2	690	7.5	2700	~~2000~~ ¹⁰⁰⁰	110	2.8	7.4	8.0	44	7.5	0.5	0.9	75	608	588			
02/10	7.5	125	30		7.5	0.5		7.6	2800	1200	120	2.7	7.6	8.0	48		2.5	0.2		705	695			
03/10	7.7	195	154	20	5.0	1.0		7.5	3190	1810	150	2.5	7.4	9.5	40	5.0	1.0	0.5		820	885			
04/10	7.9	180	165		7.5	1.0	220	7.8	2960	1570	140	2.5	7.6	9.0	30		1.5	0.5	92	910	890			
05/10	7.8	220	220		7.5	1.0		7.5	2610	1460	120	2.5	7.5	8.5	40		1.0	0.2		960	910			
06/10	7.9	490	265	96	5.0	1.0		7.7	2490	1410	110	2.5	7.5	8.0	40	8.5	1.0	0.2		1055	1020			
07/10	7.8	200	220		5.0	1.0	540	7.5	3010	1560	140	2.5	7.4	7.5	40		1.0	0.5	22	910	885			

LAB DATA RECORD

MONTH-

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS																			SBR-PARAMETERS			TREATED WATER PARAMETERS								SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW										
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day									CHEMIST	CLIENT
08/10	7.9	390	205	80	1.5	1.0	410	7.9	2590	1420	160	2.0	7.5	80	42	7.5	1.5	0.6	6.5	300	580										
09/10	7.7	220	192		5.0	2.5		7.8	2610	1520	175	2.5	7.4	9.5	46		1.0	0.9		500	420										
10/10	7.9	390	224		5.0	1.5	400	7.7	2690	1640	195	2.0	7.5	9.5	46		1.5	1.0	6.0	730	640										
11/10	8.2	360	290	92.5	7.5	1.0		7.6	2640	1600	190	2.5	7.6	100	46	8.5	1.0	0.5		805	790										
12/10	7.7	210	316		5.0	1.0		7.5	2580	1620	210	2.0	7.6	9.5	48		1.0	0.5		703	695										
12/10	7.5	210	190		1.0	1.5	820	7.4	2710	1690	190	3.5	7.4	8.5	38		0.5	1.0	7.5	308	299										
14/10	7.4	190	154	80.5	1.0	1.5		7.2	2810	1810	200	4.5	7.2	8.5	44	9.5	0.5	1.0		685	670										

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH			CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
15/10	7.4	200	180	28.5	7.1	0.2	460	7.6	2000	1415	200	2.1	7.5	0.8	24	5.0	2.5	0.2	6.2	605	538		
16/10	7.5	180	160		7.5	0.5		7.7	2040	1475	210	2.2	7.4	0.8	28		3.0	0.5		600	580		
17/10	7.4	180	160	30.4	5.0	1.0		7.5	2080	1410	220	2.5	7.6	0.7	32	6.5	5.0	0.5		595	572		
18/10	7.3	210	201		5.0	1.0	570	7.4	2130	1320	200	2.4	7.5	0.8	38		3.0	0.3	20	602	585		
19/10	7.2	220	200	58.7	7.5	0.5		7.4	2400	1530	230	2.8	7.3	0.8	38	6.5	3.5	0.3		605	582		
20/10	7.5	280	202		5.0	1.5		7.3	2610	1410	250	2.5	7.3	0.5	40		1.0	0.5		780	790		
21/10	7.0	360	302	84.5	7.5	1.3	610	7.5	2790	1680	275	3.0	7.5	0.0	50	8.5	1.5	0.4	9.2	920	900		

LAB DATA RECORD

MONTH- Oct - 2023

NAME OF WORK - O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS							SBR-PARAMETERS						TREATED WATER PARAMETERS									SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW		
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
22/10	7.4	340	316	74	2.5	1.0	720	7.7	2590	1320	240	2.5	7.5	9.5	48	8.0	1.0	0.5	95	945	920	TEL	
23/10	7.8	290	234		5.0	1.0		7.6	2400	1220	210	2.5	7.4	8.0	44		0.9	0.4		910	885	TEL	
24/10	7.9	340	254	65	7.5	1.5	610	7.7	2490	1360	220	2.5	7.3	9.5	98	9.0	2.5	0.5	80	960	910	TEL	
25/10	7.9	220	186		5.0	1.0		7.6	2370	1170	180	2.5	7.5	9.5	50		1.5	0.5		910	890	TEL	
26/10	7.8	232	204	54	10.0	2.0	710	7.7	2448	1100	180	2.9	7.7	9.0	68	8.5	2.5	1.0	85	890	885		
27/10	7.8	208	180		7.5	5.0		7.7	2380	1080	160	3.1	7.7	9.0	44		5.0	2.0		705	695		
28/10	7.7	186	264	245	10.0	5.0	600	7.6	2432	1286	160	3.2	7.8	8.0	36	9.5	5.0	2.0	82	822	803		

LAB DATA RECORD

MONTH-

October - 23

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS														SBR-PARAMETERS				TREATED WATER PARAMETERS												SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW										
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT							
08/10/23	7.6	260	204	72.0	5.0	1.0	980	7.5	3590	2040	295	1.0	7.2	9.0	36	0.0	1.0	0.5	60	2194 ~~2320~~	2057										
09/10/23	7.9	304	256		5.0	1.0		7.7	3140	2460	280	2.2	7.5	8.5	40		1.0	0.2		2320	2257										
10/10/23	7.8	380	220	74.0	1.5	1.0		7.7	2920	2010	270	2.5	7.4	8.0	40	9.5	1.0	0.1		2157	2110										
11/10/23	7.9	450	230		5.0	1.0	1420	7.7	2760	1720	250	2.5	7.0	9.5	30		0.5	0.2	72	2040	2005										
12/10/23	7.8	410	224		1.5	1.0		7.6	2890	1910	240	2.0	7.5	8.0	56		0.5	0.1		2210	2185										
13/10/23	7.9	470	306	82.5	5.0	1.0		7.6	2910	1700	250	2.5	7.6	8.5	32	8.5	1.0	0.2		2140	2120										
14/10/23	7.6	380	252		5.0	1.0	1600	7.5	3020	1820	245	2.5	7.4	8.0	30		1.0	0.2	78.0	2123	2100										

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE		
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
29/10	7.9	420	310		5.0	1.5	1360	7.6	2310	1490	200	2.5	7.5	9.5	40		1.0	0.5	62.0	2196	2189	FEL		
30/10	7.8	370	262	65	1.5	1.0		7.8	2190	1020	120	3.5	7.6	100	30	8.5	1.5	0.4		1776	1773	FEL		
31/10	7.9	420	405		1.5	1.0	1400	7.7	2340	1200	195	3.5	7.6	85	46		1.0	0.5	70.0	2225	2221	FEL		

नगर परिषद, ब्यावर

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWARE (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
22/10	7.9	340	290		7.5	1.5	980	7.7	2120	1070	190	2.5	7.5	95	480		1.0	0.8	6800	2023	2010	REL	
23/10	8.2	420	340	98.5	7.5	1.0		7.9	2380	1230	195	4.0	7.8	80	425	73	7.5	1.0		1628	1605	REL	
24/10	8.0	480	405		10.0	2.5		8.0	2420	1260	210	4.0	7.8	85	485		2.5	1.5		2176	2140	REL	
25/10	7.9	560	460		5.0	1.5	1090	7.7	2370	1320	220	4.5	7.5	102	44		1.0	1.0	78.5	2066	2054	REL	
26/10	7.9	300	210	60.0	7.0	2.0		7.7	2410	1080	220	3.8	7.5	75	36	63	2.5	1.0		2045	2002		
27/10	7.7	260	240		5.0	2.0		7.5	2330	1140	220	3.8	7.7	9.0	40		1.0	1.0		2046	2008		
28/10	7.6	268	320		7.1	5.0	1720	7.7	2480	1208	210	4.1	7.7	9.0	40		2.5	2.0	92.0	2005	2000		

नगर परिषद, ब्यावर

LAB DATA RECORD

MONTH-

October, 2022

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
15/10	7.8	320	216	20	7.5	1.0	880	7.7	2410	1420	220	1.5	7.4	8.5	48	65	1.5	6.5	55.0	2154	2120	REL		
16/10	7.9	370	222		5.0	1.0		7.8	2590	1570	230	2.5	7.6	9.0	44		1.0	0.4		2164	2120	REL		
12/10	7.8	380	204	90.5	5.0	1.0		7.6	2420	1370	210	1.0	7.5	10.0	46	8.5	1.0	0.5		2082	2055	REL		
18/10	7.7	428	216		1.5	1.5	1040	7.5	2160	990	180	2.5	7.4	10.0	48.5		0.5	0.4	60.5	2082	2060	REL		
19/10	7.6	490	322	84.5	5.0	1.5		7.4	2070	1120	195	1.0	7.5	9.5	39.4	2.0	1.5	0.8		2167	2120	REL		
20/10	7.5	410	356		1.5	1.0		7.4	1960	870	175	2.5	7.2	9.2	42.5		1.0	0.5		2019	1935	REL		
22/10	7.9	370	212		5.0	1.5	1270	7.8	2010	920	185	2.0	7.7	9.0	49.0		1.5	1.0	75.0	1702	1750	REL		

LAB DATA RECORD

MONTH-

OCTOBER - 2023

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS												SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day				
01/10/23	7.7	280	244	70	7.5	1.0	1350	7.6	3240	1920	290	2.5	7.7	0.5	32	7.5	1.5	0.5	62	2080	2038				
02/10/23	7.5	260	254		5.0	1.0		7.5	3490	2040	260	1.0	7.3	7.5	36		1.0	0.5		2315	2280				
03/10/23	7.8	360	288	78	5.0	1.5		7.8	3140	2460	280	0.8	7.5	9.0	40	7.5	1.0	0.3		2090	2051				
04/10/23	8.0	368	260		2.5	1.0	1610	7.9	3020	2010	275	2.2	7.8	8.0	40		1.0	0.2	7.5	2270	2180				
05/10/23	8.0	340	240	70	7.5	1.0		7.8	2810	1820	260	2.4	7.6	8.0	44	5.5	0.5	0.5		2331	2290				
06/10/23	7.9	256	288		5.0	1.0		7.6	2740	1990	250	2.5	7.5	9.0	36		2.5	0.5		1541	1523				
07/10/23	7.8	300	240	70	7.5	1.0	1050	7.6	3240	1920	270	2.6	7.4	7.5	32	6.5	1.5	0.5	60	2137	2095				

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
15/10	7.4	190	220	72.5	7.5	5.0	190	7.4	2410	1650	190		7.6	25	40		2.1	0.7	70	2360	2350		
16/10	7.5	140	210		7.5	5.0		7.5	2320	1690	200		7.7	60	39		2.1	0.7		2649	2610		
17/10	7.5	165	190	56.5	5.0	2.5	150	7.4	2142	1210	150		7.6	70	65	50	1.5	0.1	0.5	1605	1587		
18/10	7.6	210	145		5.0	2.0		7.5	1940	990	150		7.7	8.5	32		2.5	0.4		403	3962		
19/10	7.8	185	150	58.5	7.5	2.0	120	7.7	1650	890	160		7.8	9.0	24		1.5	0.3	0.8	2754	2721		
20/10	7.6	190	160		10.0	1.5		7.5	1690	910	180		7.7	8.5	38		2.5	0.2		3180	3170		
21/10	7.7	203	328	90	5.0	1.0	110	7.6	2420	1430	200		7.7	6.0	24		1.0	0.2	98	1790	1749		

LAB DATA RECORD

MONTH-

OCTOBER - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
08/10	7.8	146	152	54	7.5	1.0	135	7.6	2610	1420	220	2.5	7.4	8.5	44		1.0	0.5	85	2735	2319		
09/10	7.4	190	120		5.0	1.5		7.4	2420	1170	190	2.5	7.2	8.0	32		1.0	0.4		4029	3957		
10/10	7.4	128	352	110	7.5	1.0	220	7.5	2560	1085	180	2.7	7.5	9.0	40		1.0	0.5	92	2020	1979		
11/10	7.6	228	264	96	5.0	0.5		7.5	2460	1320	190	3.0	7.6	6.0	36	7.5	0.5	0.3		3143	3082		
12/10	7.5	168	288	90	7.5	1.0	110	7.6	2530	1210	200	2.9	7.6	8.0	48	9.5	2.5	0.2	95	2584	2500		
13/10	7.5	100	328		7.5	1.0		7.6	3620	1910	250	3.0	7.7	8.0	32		2.5	0.5		2260	2217		
14/10	7.5	160	200	120	5.0	0.5	105	7.6	2590	1460	280	2.5	7.6	7.0	36		1.5	0.2	60	2420	2320		

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS							SBR-PARAMETERS				TREATED WATER PARAMETERS												SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
01/10/23	7.6	128	256	72.0	5.0	1.2	250	7.7	3100	1435	280	2.2	7.7	7.0	40	8.0	2.5	0.2	90	2080	2038			
02/10/23	7.8	140	280		5.0	2.0		7.7	2980	1580	280	2.4	7.8	7.0	36		2.5	0.5		2220	2174			
03/10/23	7.6	122	238	104	2.0	1.0	190	7.4	2210	1234	250	2.8	7.6	8.0	40	9.0	0.5	0.2	75	2991	2970			
04/10/23	7.5	128	501		2.5	0.5		7.4	2640	1420	250	2.8	7.7	8.0	44		0.5	0.2		3660	3587			
05/10/23	7.5	144	240	80.0	5.0	1.0	210	7.3	2828	1340	260	2.2	7.7	6.0	36		1.0	0.5	95	2105	2070			
06/10/23	7.6	160	260		5.0	1.5		7.5	2850	1580	270	2.2	7.6	7.0	40		1.0	0.5		2160	2070			
07/10/23	7.9	360	284	118	55.0	1.0	160	7.7	2710	1275	250	2.5	7.3	8.5	44		1.0	0.5	80	1909	1873			

LAB DATA RECORD

MONTH-

October - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW		
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
22/10	7.6	238	424	118	5.0	2.0	120	7.5	2830	1480	210	3.2	7.7	7.0	24	8.0	1.5	0.5	90	3564	3504		
23/10	7.5	224	356		2.5	1.0		7.6	2640	1260	220	3.0	7.7	8.0	36		1.0	0.5		3146	3083		
24/10	7.4	188	328	80	5.0	2.0	135	7.5	2720	1260	230	3.1	7.6	8.0	48		2.5	0.5	90	2558	2511		
25/10	7.6	164	256		5.0	2.0		7.5	2580	1190	230	2.9	7.7	9.0	48		2.5	1.0		2833	2805		
26/10	7.5	148	340	80	10.0	1.0	196	7.6	2810	1440	240	2.5	7.6	7.0	40	7.5	5.0	0.2	72	2490	2440		
27/10	7.5	156	356		10.0	5.0		7.6	2850	1448	250	3.0	7.7	9.0	48		5.0	2.0		1709	1691		
28/10	7.7	204	320		10.0	2.0	130	7.8	2784	1432	270	2.8	7.8	9.5	52		5.0	1.0	60	1964	1925		

MONTH-

October - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

[illegible]

Bhadra, 1 MLD & 3.5 MLD

Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total fecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
10	Beawar	Near Sidhrai Tank (Beawar)	1.50	SBR												
11	Beawar	Kundan Nagar (Beawar)	1.00	SBR												
12	Bhadra	Mahipalon ka Mohalla (Bhadra)	1.00	SBR	1.00	7.68	9.4	11.4	69.4	72	YES	0.9	0.9	AGRICULTURE	0	NIL
13	Bhadra	Nathwana Johad (Bhadra)	3.50	SBR	2.70	7.51	8.4	12.4	71.4	51	YES	2.7	2.7	AGRICULTURE	0	NIL
14	Bharatpur	Gopal Nangla (Rundhikran) (Bharatpur)	8.00	SBR												
15	Bharatpur	Near existing STP at Ikran Village (Bharatpur)	5.00	SBR												
16	Bhilwara	Kewada (Bhilwara) JSW	10.00	SBR												
17	Bhilwadi	RHB (Bhilwadi)	1.50	SBR												
18	Bhilwadi	Mundenakher (Bhilwadi)	2.00	SBR												

कनिष्ठ अभियन्ता
नगर पालिका, भावरा

अधिसाधी अधिकारी
नगर पालिका, भावरा

In Let STP-1 Transport Nagar Bhadra - 1 MLD										out let STP-1 Transport N Bhadra - 1 MLD										
Date	Time	BOD	COD	N	P	TSS	PH	°C	Turbidity	Time	BOD	COD	N	P	TSS	PH	°C	Turbidity	MLD	
11/10/23	9:00	268	360	25.4	7	312.4	7.38	26	485	3:30	1.8	9.2	69.4	13.4	4	10.6	7.63	23	45	0.9
31/10/23	10:00	270	358	26.4	6	316.4	7.33	24	448	4:00	1.8	8.4	72.3	11.4	5	11.4	7.58	22	44	0.8
5/11/23	9:30	276	380	25.3	7	312.6	7.41	23	560	3:00	1.8	9.6	68.4	12.6	4	12.6	7.68	24	56	0.9
8/11/23	10:00	263	368	27.4	8	324.4	7.42	24	496	3:30	1.7	9.7	70.4	13.4	4	13.4	7.66	22	49	0.8
21/11/23	9:00	270	364	25.3	6	320.6	7.36	23	560	3:00	1.9	8.6	71.2	11.6	5	11.6	7.58	23	56	0.9
4/12/23	9:00	254	378	26.4	7	321.4	7.40	24	680	4:00	1.8	9.3	68.4	14.4	5	10.3	7.48	22	68	0.8
8/12/23	9:00	275	362	24.4	7	320.2	7.38	23	720	3:30	1.9	8.6	70.3	13.6	4	11.4	7.41	22	72	0.9
10/12/23	10:00	263	381	25.6	8	324.8	7.36	24	402	4:00	1.8	9.4	69.4	15.4	5	12.4	7.48	23	40	0.8
14/12/23	10:00	274	374	28.4	8	320.4	7.41	23	570	3:30	1.7	9.6	71.4	12.4	4	11.6	7.68	22	57	0.8
5/1/24	9:00	281	360	27.0	6	326.3	7.40	24	660	3:00	1.9	8.2	66.4	11.4	3	14.4	7.58	22	66	0.9
8/1/24	9:00	248	390	28.4	8	312.4	7.39	22	710	2:30	1.9	8.4	62.3	12.6	4	12.3	7.62	23	74	0.9
11/1/24	10:00	238	384	27.3	7	320.4	7.36	21	689	3:00	1.8	9.4	69.4	11.8	5	14.3	7.68	21	68	0.9
11/1/24	10:00	248	368	25.4	7	324.4	7.48	21	560	4:00	1.9	8.6	62.4	10.6	4	12.4	7.58	21	56	0.9
11/1/24	9:30	262	374	26.1	7	314.3	7.48	22	748	4:00	1.9	8.2	63.4	12.6	5	12.4	7.58	21	74	0.8
11/1/24	9:00	274	384	20.4	8	312.6	7.38	21	690	3:30	1.8	9.2	71.4	13.6	6	13.4	7.60	21	69	0.9
11/1/24	9:30	268	353	25.4	7	316.4	7.39	21	732	4:00	1.8	9.6	74.4	14.6	5	14.4	7.56	21	73	0.8
11/1/24	8:30	260	371	26.4	8	312.4	7.31	20	668	3:00	1.9	8.6	69.4	12.8	5	13.0	7.63	20	66	0.9

कनिष्ठ अभियन्ता
नगर पालिका, भादरा

अधिसायी अधिकारी
नगर पालिका, भादरा

Inlet STP-2 Nathwana Jhod Bhadra 3.5 MLD

Outlet STP-2 Nathwana Jhod Bhadra 3.5 MLD

Date	Time	BOD 300mg/L	COD 650mg/L	N 6-1mg/L	P 6-9	TSS 650mg/L	PH 6-9	Temp (°C)	Total Coliform	MLD	DO mg/L	Time	BOD 300mg/L	COD 650mg/L	N 6-1mg/L	P 6-9	TSS 650mg/L	PH 6-8	%	Total Coliform	MLD	Signature
1-10-2023	9:30	266	377	25.4	7	354.4	7.4	22	540	2.8	1.8	3:00	9.4	71.4	11.4	4	11.4	7.63	2.2	54	2.7	
2-10-2023	9:45	274	384	26.4	8	310.4	7.31	24	660	2.7	1.9	2:00	8.6	68.2	12.3	5	12.4	7.58	2.3	66	2.8	
4-10-2023	10:20	268	370	27.4	6	302.1	7.48	26	784	2.6	1.8	3:30	9.5	66.4	11.6	5	11.6	7.61	2.4	78	2.5	
7-10-2023	9:10	263	368	26.4	5	316.2	7.15	24	644	2.6	1.8	3:00	9.4	71.4	12.4	6	12.1	7.66	2.3	64	2.5	
11-10-2023	9:00	260	365	26.4	7	304.2	7.38	25	480	2.7	1.9	4:15	9.5	86.3	12.3	3	12.1	7.34	2.4	44	2.6	
13-10-2023	9:40	274	358	27.8	6	321.4	7.40	23	520	2.6	1.8	3:40	8.7	88.1	14.4	5	11.2	7.48	2.3	51	2.5	
15-10-2023	9:10	265	380	26.9	8	318.5	7.25	25	610	2.8	1.9	3:20	9.1	84.5	11.8	3	13.4	7.31	2.4	56	2.7	
18-10-2023	10:20	290	377	26.5	9	340.5	7.30	26	423	2.5	1.7	4:35	8.8	86.7	16.9	4	11.1	7.28	2.5	42	2.4	
21-10-2023	9:00	284	368	28.9	7	350.8	7.22	24	515	2.7	1.9	3:35	9.3	90.1	15.4	5	13.8	7.31	2.3	51	2.6	
22-10-2023	9:20	271	358	24.4	6	311.4	7.30	23	670	2.3	1.8	3:00	9.4	68.4	14.4	4	10.4	7.58	2.1	67	2.8	
24-10-2023	9:25	266	366	25.4	8	330.4	7.45	22	669	2.8	1.3	2:00	8.4	74.4	12.6	5	11.4	7.53	2.2	66	2.7	
27-10-2023	9:10	268	364	28.4	7	342.4	7.35	21	714	2.3	1.8	3:00	9.6	77.3	13.4	6	12.4	7.63	2.3	71	2.8	
30-10-2023	10:10	271	374	26.4	6	344.5	7.41	23	740	2.8	1.8	2:30	9.4	78.2	12.6	4	10.4	7.53	2.3	74	2.7	
2-11-2023	9:40	274	362	25.4	8	302.4	7.32	22	741	2.7	1.3	3:00	8.9	74.1	11.8	5	11.4	7.47	2.2	74	2.6	
5-11-2023	9:15	268	360	24.3	7	350.4	7.4	21	738	2.8	1.8	2:00	9.6	76.4	10.4	5	10.6	7.58	2.1	73	2.7	
9-11-2023	9:00	274	374	23.4	8	344.6	7.25	22	740	2.3	1.8	3:00	9.2	70.4	11.6	4	11.4	7.66	2.1	74	2.8	
12-11-2023	10:20	266	362	24.2	6	310.4	7.38	22	734	2.8	1.9	3:30	8.4	69.1	10.2	4	12.6	7.54	2.1	73	2.7	
15-11-2023	10:00	274	360	23.2	7	312.3	7.47	21	766	2.3	1.8	2:00	8.8	70.4	11.6	5	13.6	7.63	2.0	76	2.8	
18-11-2023	9:30	268	358	24.4	6	314.6	7.33	21	540	2.8	1.9	3:00	8.4	69.4	12.4	4	12.4	7.60	2.0	54	2.7	
21-11-2023	9:10	266	363	22.6	8	316.4	7.48	22	660	2.8	1.3	2:00	9.1	68.1	14.6	5	11.6	7.53	2.1	66	2.7	
23-11-2023	9:00	270	370	23.4	4	324.6	7.41	21	740	2.9	1.8	3:30	9.6	74.4	11.8	4	12.1	7.60	2.0	74	2.8	

कनिष्ठ अभियन्ता
नगर पालिका, नांदरा

अधिशायी अधिकारी
नगर पालिका, नांदरा


Record of Influent and Effluent Quality


Month : OCTOBER-2023

DATE	EFFLUENT SEWAGE QUALITY								EFFLUENT SEWAGE QUALITY									
Parameter	PH	TSS	COD	BOD	ALKALINITY	TP	TN	DO	PH	TSS	COD	BOD	ALKALINITY	TP	TN	DO	cal colifo	RC
UNIT	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	1NP/100 ml	ppm
1-Oct-23																		
2-Oct-23																		
3-Oct-23																		
4-Oct-23																		
5-Oct-23																		
6-Oct-23																		
7-Oct-23																		
8-Oct-23																		
9-Oct-23																		
10-Oct-23																		
11-Oct-23																		
12-Oct-23	7.18	82.0	224.0	87.0	3.6	4.2	10.9	0.42	7.40	9.0	40.0	8.00	1.2	0.7	2.6	3.12	72	0.4
13-Oct-23	6.98	80.0	212.0	84.0	3.8	3.0	11.2	0.32	7.22	8.0	44.0	7.00	1.3	0.8	2.8	3.10	73	0.5
14-Oct-23	7.24	92.0	240.0	85.0	3.6	4.4	10.2	0.34	7.38	9.0	44.0	9.00	1.4	0.6	2.4	3.40	76	0.4
15-Oct-23	7.18	86.0	232.0	83.0	3.2	4.8	9.8	0.36	7.32	10.0	48.0	8.00	1.6	0.7	2.8	3.20	78	0.5
16-Oct-23	7.20	80.0	224.0	82.0	3.0	4.6	10.4	0.34	7.46	9.0	40.0	7.00	1.3	0.8	2.6	3.16	76	0.4
17-Oct-23	7.70	86.0	216.0	80.0	3.4	0.1	11.2	0.62	8.24	8.0	44.0	8.00	1.3	0.9	2.4	3.72	75	0.5
18-Oct-23	7.24	82.0	224.0	78.0	3.2	4.2	10.9	0.42	7.90	9.0	43.0	9.00	1.3	0.9	2.4	3.73	78	0.5
19-Oct-23	7.30	80.0	212.0	84.0	3.0	4.2	11.3	0.32	7.84	9.0	42.0	8.00	1.4	0.8	2.5	3.17	76	0.4
20-Oct-23	7.25	90.0	240.0	8.0	3.4	4.5	11.3	0.34	7.80	8.0	44.0	9.00	1.2	0.7	2.6	3.20	76	0.5
21-Oct-23	7.28	86.0	232.0	85.0	3.2	4.6	10.2	0.36	7.90	10.0	46.0	8.00	1.3	0.8	2.4	3.18	78	0.5
22-Oct-23	7.30	80.0	238.0	81.0	3.3	4.1	9.8	0.34	7.92	9.0	44.0	9.00	1.5	0.9	2.3	3.48	72	0.4
23-Oct-23	7.35	86.0	242.0	88.0	3.5	3.8	11.0	0.62	7.90	8.0	45.0	8.00	1.3	0.8	2.5	3.46	69	0.5
24-Oct-23	7.24	90.0	238.0	91.0	3.6	4.0	10.2	0.48	7.93	9.0	46.0	9.00	1.5	0.8	2.4	3.36	71	0.5
25-Oct-23	7.23	92.0	235.0	88.0	3.4	3.9	10.4	0.46	7.98	8.0	44.0	7.00	1.4	0.9	2.3	3.45	76	0.4
26-Oct-23	7.22	88.0	224.0	72.0	3.2	4.2	9.4	0.34	7.54	9.0	48.0	8.45	1.2	0.8	2.2	3.45	78	0.5
27-Oct-23	7.72	80.0	196.0	80.0	3.6	4.1	8.4	0.45	7.84	9.0	40.0	8.00	1.2	0.8	2.2	3.12	78	0.6
28-Oct-23	7.34	98.0	200.0	98.0	3.8	4.2	9.8	0.42	7.72	8.0	36.0	7.45	1.1	0.9	2.4	3.34	76	0.7
29-Oct-23	7.68	84.0	208.0	84.0	3.4	4.0	11.0	0.48	7.92	9.0	44.0	8.00	1.2	0.8	2.6	3.24	72	0.8
30-Oct-23	7.24	88.0	220.0	88.0	3.6	4.2	11.3	0.46	7.54	8.0	40.0	7.00	1.6	0.6	2.3	3.12	72	0.7
31-Oct-23	7.38	94.0	308.0	84.0	3.8	4.6	10.2	0.43	7.70	9.0	40.0	9.00	1.8	0.7	2.4	3.24	74	0.6



100
आयुक्त अभियंता
नगर निगम, भारतपुर

   LARSEN & TOUBRO LTD. ECC DIVISION															
PROJECT 5 MLD STP Near Ikran Village at Bharatpur City							Format No. :- BGG-SP/BTE/STP-1/5MLD								
CLIENT :- RUHSICO							Report No. :- October'23								
JOB No. :- 11170192							DAILY LABORATORY ANALYSIS								
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total phosphorus	Fecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Oct															
02-Oct															
03-Oct															
04-Oct															
05-Oct															
06-Oct															
07-Oct															
08-Oct															
09-Oct															
10-Oct															
11-Oct															
12-Oct	6.91	74	11.9	75	1.8	256	7.13	6	40	7.9	3.59	7	0.8	58	
13-Oct	6.89	78	13.8	80	1.9	264	7.11	6.5	44	8.2	3.44	8	0.9	56	
14-Oct	6.96	76	12.9	70	1.8	248	7.08	5.5	40	8.1	3	6	0.7	58	
15-Oct	7.01	78	13.1	75	1.9	256	7.12	6	44	7.9	3.44	8	0.6	74	



LARSEN & TOUBRO LTD, ECC DIVISION

PROJECT 5 MLD STP Near Ikaran Village at Bharatpur City

CLIENT : RUDISCO

JOB No. : 11170192

Format No. :- BGH-SP/BTE/STP-1/5MLD

Report No. :- October'23

Date	INLET RAW WATER						DAILY LABORATORY ANALYSIS									REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	OUTLET									
							pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform		
Design Limit	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml		
16-Oct	6.9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100		
16-Oct	7.03	74	12.6	65	1.6	240	7.1	5	36	6.8	3.08	7	0.8	76		
17-Oct	6.94	76	12.8	70	1.8	248	7.11	5.5	40	6.4	3.64	8	0.8	79		
18-Oct	6.96	74	13.1	75	1.7	232	7.1	6.5	44	6.7	3.42	6	0.7	54		
19-Oct	7.02	78	12.8	65	1.6	240	7.11	5	32	7.1	3.15	7	0.8	61		
20-Oct	6.98	76	12.5	70	1.4	248	7.08	5.5	36	6.9	3.32	8	0.6	66		
21-Oct	6.94	74	13.1	75	1.7	256	7.11	6	40	6.5	3.66	6	0.8	55		
22-Oct	6.96	78	13.4	70	1.9	240	7.13	10	44	6.8	3	8	0.7	75		
23-Oct	7.02	72	12.6	90	1.4	248	7.1	8	36	7.2	3.57	7	0.6	66		
24-Oct	6.93	74	13.6	90	1.7	232	7.1	8	44	6.4	3.51	6	0.6	64		
25-Oct	6.94	76	12.8	85	1.6	256	7.11	7	40	8.1	3.67	6	0.5	59		
26-Oct	6.94	69	35.37	80	2.05	256	7.15	10	36	10	3.21	7	0.86	67		
27-Oct	6.96	73	36.8	85	2.49	240	7.2	10	36	9	3.25	7	0.72	69		
28-Oct	6.95	68	32.25	90	2.44	256	7.21	8	32	7	3.4	7	0.7	73		
29-Oct	6.97	69	28.93	80	1.83	248	7.12	8	44	10	3.3	8	0.73	71		
30-Oct	6.94	73	31.85	70	1.94	240	7.11	8	32	9	3.69	10	0.79	79		
31-Oct	6.92	72	28.01	95	1.66	248	7.06	10	44	7	3.2	10	0.95	57		

Pulankar
Lab Chemist

Bouje
Plant Incharge

Client

अधिशष्टि अधियन्त
नगर निगम, भरतपुर



TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Arji No. 6711,9697/8711, Nr.-Tiranga Hills Bhilwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : —

ULR No. : TC1122723000000357F

Report No. : VTL/WW/2310230001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 26/10/2023

Period of Analysis : 23/10/2023-26/10/2023

Receipt Date : 23/10/2023

Sampling Date : 22/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.00	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ=4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.68	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	4.48	mg/l	100
5	Nitrate Nitrogen (as NO ₃)	IS: 3025 (P-34): 1988, (Chromotropic Method) Sec.RA:2022	4.20	mg/l	—
6	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.00	mg/l	30
7	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	40.96	mg/l	250
8	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	143.76	mg/l	—
9	Magnesium Hardness	IS: 3025 (P-46) : 1994,RA.: 2009	131.24	mg/l	—

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report

VIBRANT
"Experience the unimaginable"



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

9 SC-40, 3rd Floor, Narayan Vihar 5, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number : VTL/WW/01

M/s Jindal Saw Limited
Arji No. 6711,9597/6711, Nr.-Tiranga Hills Bhilwara
311802 Raj.

Report No. : VTL/WW/2310230001/B
Format No : 7.8 F-01
Party Reference No : NIL
Report Date : 26/10/2023
Period of Analysis : 23/10/2023-26/10/2023
Receipt Date : 23/10/2023
Sampling Date : 22/10/2023
Parameter Required : As per work order

Name & Address of the Party :

Sample Description : Waste Water
Sampling Location : STP Outlet
Sample Collected By : VTL Team
Coordinates : --

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1988, RA. 2019 Turbidity Method	39.51	mg/l	--
2	Silica (as SiO ₂)	IS: 3025 (P-35):1988, RA 2019 (Molybdo silicate Method)	1.67	mg/l	--
3	Total Coliform	IS: 15185:2016	Absent	Present Absent/100 ml	---
4	E coli	IS: 15185:2016	Absent	Present Absent/100 ml	Shall not be detectable in any 100 ml sample

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report

VIBRANT
"Experience the unimaginable"



Checked by



RK Yadav
Lab Incharge
Authorized Signatory

Page No. 1/1

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

Parameters of operational STPs																
Designed Outflow Parameters											Reuse of Treated Water					
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform MPN/100ml	Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agriculture/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of Disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
1	Bhiwadi	BHB (Bhiwadi)	1.50	SBR	1.70	7.50	8.00	7.00	44.00	65.00	Yes	1.70	0.00	0.00	1.70	1.7 (Thada nala)
2	Bhiwadi	MundanaMeer (Bhiwadi)	2.00	SBR	0.63	7.60	7.00	6.00	34.00	78.00	Yes	0.63	0.00	0.00	0.63	0.63 (Drain)
3	Bhiwadi	Santhalka (Bhiwadi)	3.00	SBR	2.08	7.58	8.00	7.00	42.00	74.00	Yes	2.08	0.00	0.00	2.08	2.08 (Back side of)
4	Bhiwadi	Nr. Existing STP (Bhiwadi)	3.00	SBR	1.91	7.57	9.00	8.00	38.00	76.00	Yes	1.91	0.00	0.00	1.91	1.91 (Thada nala)
5	Bhiwadi	Vasundhara Nagar (Bhiwadi)	4.00	SBR												



[Handwritten signature]



Zufrieden

3 MLD STP SANTHALKA INLET PARAMETER

DATE	PH	TSS	COD	BOD	TP	TN	Feed mg/L
DESIGN		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Limit	6-7	1650	1650	1300	16	55	
26-10-23	6.66	486	458	210	4	38.4	192
29-10-23	6.58	467	446	230	5	39.2	181
28-10-23	6.76	472	472	240	3	36.4	178
29-10-23	6.71	472	484	210	4	38.2	196
30-10-23	6.67	469	486	190	5	36.4	168
31-10-23	6.74	476	479	240	4	35.2	178

Outlet Parameters

PH	TSS	COD	BOD	TP	TN	Feed mg/L	mg/L
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	110	150	110	12	110	128	128
7.62	9	38	7	1.4	2	84	128
7.72	7	37	8	1.6	7	72	128
7.79	8	36	9	1.9	7	68	128
7.84	7	38	6	1.3	7	78	128
7.67	6	36	8	1.7	2	76	128
7.58	7	42	8	1.9	9	74	128



Defender

Other Authors



Febendeg

3 MLD STP NEAREIKTING. INLET PARAMETER

DATE	PH	TSS	COD	BOD ₅	TP	TN	Fecal Coliform
DESIGN		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100
Limit	6-9	650	650	300	6	5	
10/10/23	6.62	376	448	190	4	31.2	192
21/10/23	6.62	382	458	210	3	34.7	176

OUTLET PARAMETER

PH	TSS	COD	BOD ₅	TP	TN	Fecal Coliform	Signature
	mg/L	mg/L	mg/L	mg/L	mg/L	mpn	
	<10	<10	<10	<2	<10		
7.61	6	42	3	1.3	3	80	1st
7.57	8	38	9	1.6	7	76	2nd



Signature

2000 STP MANDANA TNL								2000 STP MANDANA TNL							
Date	PM	TSS	PO	PO	TP	TP	Final	Date	PM	TSS	PO	PO	TP	TP	Final
21-09-23	6-9	657	650	210	5	372	180	21-09-23	6-9	657	650	210	5	372	180
22-09-23	6-72	362	455	190	6	384	179	22-09-23	6-72	362	455	190	6	384	179
23-09-23	6-48	380	446	180	5	363	174	23-09-23	6-48	380	446	180	5	363	174
24-09-23	6-70	376	425	220	4	357	191	24-09-23	6-70	376	425	220	4	357	191
25-09-23	6-81	388	463	210	3	384	182	25-09-23	6-81	388	463	210	3	384	182
26-09-23	6-60	363	432	180	5	382	174	26-09-23	6-60	363	432	180	5	382	174
27-09-23	6-58	376	468	190	6	391	167	27-09-23	6-58	376	468	190	6	391	167
28-09-23	6-50	368	456	290	4	336	158	28-09-23	6-50	368	456	290	4	336	158
29-09-23	6-32	320	432	210	4	423	192	29-09-23	6-32	320	432	210	4	423	192
30-09-23	6-54	328	426	220	3	371	191	30-09-23	6-54	328	426	220	3	371	191
01-10-23	6-52	324	484	230	5	336	184	01-10-23	6-52	324	484	230	5	336	184
02-10-23	6-67	362	438	190	4	357	182	02-10-23	6-67	362	438	190	4	357	182
03-10-23	6-53	336	462	180	3	371	157	03-10-23	6-53	336	462	180	3	371	157
04-10-23	6-56	324	463	230	6	384	192	04-10-23	6-56	324	463	230	6	384	192
05-10-23	6-72	388	481	210	4	356	171	05-10-23	6-72	388	481	210	4	356	171
06-10-23	6-58	362	452	210	5	384	196	06-10-23	6-58	362	452	210	5	384	196
07-10-23	6-72	376	446	180	6	362	184	07-10-23	6-72	376	446	180	6	362	184
08-10-23	6-67	398	464	190	5	396	163	08-10-23	6-67	398	464	190	5	396	163
09-10-23	6-57	382	468	180	5	384	172	09-10-23	6-57	382	468	180	5	384	172
10-10-23	6-63	374	472	240	4	422	184	10-10-23	6-63	374	472	240	4	422	184
11-10-23	6-48	392	426	190	3	371	179	11-10-23	6-48	392	426	190	3	371	179
12-10-23	6-80	368	468	110	4	336	182	12-10-23	6-80	368	468	110	4	336	182
13-10-23	6-69	384	472	190	5	371	192	13-10-23	6-69	384	472	190	5	371	192
14-10-23	6-76	367	458	220	6	344	191	14-10-23	6-76	367	458	220	6	344	191
15-10-23	6-48	376	448	260	4	382	191	15-10-23	6-48	376	448	260	4	382	191
16-10-23	6-52	384	472	190	3	376	186	16-10-23	6-52	384	472	190	3	376	186
17-10-23	6-67	374	468	184	6	385	178	17-10-23	6-67	374	468	184	6	385	178
18-10-23	6-42	388	476	160	4	372	184	18-10-23	6-42	388	476	160	4	372	184
19-10-23	6-72	376	484	190	5	366	192	19-10-23	6-72	376	484	190	5	366	192



Handwritten signature

2nd STP MUNDANA INLET								CUTLET INLET							
DATE	PH	TSS	COD	BOD	TP	TN	FOR. SOLIDS	PH	TSS	COD	BOD	TP	TN	FOR. SOLIDS	
20.10.23	6.7	630	600	340	6	35	189	7.48	6	34	8	1.9	9	34	1.2
21.10.23	6.53	392	467	190	5	34.1	176	7.36	8	35	7	1.6	9	32	1.2
22.10.23	6.62	370	463	220	4	34.2	184	7.35	4	36	8	1.4	7	72	1.2
23.10.23	6.68	312	472	210	3	38.4	187	7.64	6	38	9	1.5	9	66	1.2
24.10.23	6.74	376	484	190	4	42.1	192	7.59	9	37	7	1.3	8	64	1.2
25.10.23	6.46	382	478	160	5	39.6	193	7.70	7	34	8	1.4	6	76	1.2
26.10.23	6.55	368	476	230	6	33.8	184	7.23	6	42	8	1.6	6	86	1.2
27.10.23	6.70	394	456	220	4	35.6	187	7.58	4	36	8	1.9	8	58	1.2
28.10.23	6.76	372	443	210	3	37.2	176	7.62	7	34	9	1.5	9	72	1.2
29.10.23	6.58	388	484	210	4	36.4	192	7.51	8	38	9	1.3	7	78	1.2
30.10.23	6.74	378	464	190	5	38.6	194	7.48	6	34	8	1.2	9	74	1.2
31.10.23	6.68	386	481	230	4	36.2	194	7.63	4	36	7	1.5	8	78	1.2
31.10.23	6.71	376	485	210	5	39.6	168								



Signature

15 MED STP RAB INLET PARAMETER

OUTLET PARAMETER

DATE	PH	TSS	COD	BOD	TP	TN	Fixed Coliform	PH	TSS	COD	BOD	TP	TN	Fixed Coliform	Signature
DESIGN		mg/L	mg/L	mg/L	mg/L	mg/L	MPN		mg/L	mg/L	mg/L	mg/L	mg/L	MPN	
Limit	6.5	650	600	300	6	55		<10	<10	<10	<10	<10	<10	<10	L.P. Singh
15-09-23	6.57	469	432	270	4	39.2	183	7.64	7	38	8	1.7	7	68	Intender
16-09-23	6.62	463	469	230	5	36.9	172	7.52	6	42	9	1.6	7	72	Intender
17-09-23	6.62	458	489	280	3	38.2	176	7.63	7	46	8	1.9	8	76	Intender
18-09-23	6.68	432	453	240	6	38.4	176	7.70	8	44	6	1.3	9	78	Intender
19-09-23	6.54	468	463	330	3	35.2	184	7.69	9	48	8	1.7	8	63	Intender
20-09-23	6.48	482	459	210	4	38.2	192	7.70	8	44	6	1.3	9	74	Intender
21-09-23	6.30	468	464	260	5	42.4	187	7.76	7	36	9	1.5	8	68	Intender
22-09-23	6.33	436	425	280	4	34.8	189	7.38	6	39	8	1.3	7	64	Intender
23-09-23	6.82	486	458	210	3	35.4	186	7.84	8	26	7	1.6	9	72	Intender
24-09-23	6.58	478	436	190	4	38.1	189	7.84	7	39	9	1.8	8	68	Intender
25-09-23	6.64	462	484	180	5	38.4	168	7.64	6	38	8	1.4	9	64	Intender
26-09-23	6.58	485	482	230	6	35.2	164	7.63	7	42	6	1.6	9	76	Intender
27-09-23	6.62	463	450	240	5	34.8	172	7.54	8	34	9	1.9	7	78	Intender
28-09-23	6.73	452	458	210	4	38.9	184	7.62	9	44	7	1.2	8	76	Intender
29-09-23	6.48	478	472	160	5	35.7	176	7.50	7	38	9	1.7	8	63	Intender
30-09-23	6.54	481	484	190	6	42.2	171	7.57	6	38	7	1.6	7	61	Intender
01-10-23	6.58	472	438	270	5	39.2	184	7.80	7	39	9	1.3	8	72	Intender
02-10-23	6.64	485	450	220	4	36.7	168	7.64	9	36	7	1.6	8	64	Intender
03-10-23	6.67	482	440	200	3	42.4	172	7.88	7	38	8	1.9	9	86	Intender
04-10-23	6.76	464	426	140	3	33.8	168	7.62	6	42	8	1.8	7	72	Intender
05-10-23	6.88	492	487	230	4	39.4	176	7.66	7	36	9	1.6	8	58	Intender
06-10-23	6.78	438	482	270	5	38.2	181	7.48	8	34	7	1.2	9	74	Intender
07-10-23	6.68	482	453	270	6	36.4	189	7.63	9	36	8	1.1	7	76	Intender
08-10-23	6.62	464	477	210	4	42.4	176	7.57	7	42	9	1.6	8	78	Intender
09-10-23	6.75	476	418	230	6	39.7	184	7.61	6	36	8	1.9	9	68	Intender
10-10-23	6.53	432	482	240	5	32.4	166	7.58	6	34	7	1.6	8	74	Intender
11-10-23	6.61	459	488	190	3	35.6	184	7.63	9	42	8	1.4	7	82	Intender
12-10-23	6.58	467	464	210	4	34.2	168	7.74	8	44	7	1.5	9	72	Intender
13-10-23	6.64	458	476	190	5	36.4	156	7.70	7	38	9	1.8	8	76	Intender



Intender

15 MLD STP AHB INLET PARAMETER

OUTLET PARAMETER

DATE	PH	TSS	COD	BOD	TP	TN	Feed Conc.	PH	TSS	COD	BOD	TP	TN	Calib. Conc.	Signature
Design Limit	6.9	600	600	300	6	55	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
14.10.23	6.69	482	458	210	5	33.2	186	7.56	8	36	7	1.2	9	64	Subudus
15.10.23	6.62	472	464	230	4	38.4	179	7.72	7	39	8	1.7	8	72	Subudus
16.10.23	6.58	478	478	240	5	40.2	199	7.69	9	38	9	1.5	8	76	Subudus
17.10.23	6.72	472	452	210	6	39.6	192	7.62	7	34	7	1.4	9	68	Subudus
18.10.23	6.58	458	473	250	4	36.5	165	7.67	8	36	8	1.9	7	72	Subudus
19.10.23	6.40	468	454	210	5	42.2	167	7.76	9	35	9	1.6	8	64	Subudus
20.10.23	6.72	472	460	198	4	32.4	176	7.58	8	37	8	2.0	9	66	Subudus
21.10.23	6.79	458	484	230	3	36.1	184	7.64	8	39	7	1.6	9	68	Subudus
22.10.23	6.58	482	472	200	4	38.4	192	7.69	7	33	9	1.7	8	64	Subudus
23.10.23	6.49	473	486	210	5	35.2	196	7.62	9	34	7	1.8	8	62	Subudus
24.10.23	6.63	478	458	190	4	44.8	176	7.53	8	36	7	1.7	8	68	Subudus
25.10.23	6.57	474	482	240	3	39.2	176	7.49	7	42	8	1.5	7	64	Subudus
26.10.23	6.53	456	487	210	5	40.1	172	7.58	6	38	8	1.4	9	66	Subudus
27.10.23	6.46	471	478	230	4	38.2	194	7.57	9	36	8	1.6	8	62	Subudus
28.10.23	6.58	468	467	190	4	35.6	192	7.64	8	35	9	1.3	7	76	Subudus
29.10.23	6.08	482	456	230	3	33.4	194	7.66	7	34	8	1.9	9	86	Subudus
30.10.23	6.57	484	462	210	5	36.4	187	7.64	9	38	7	1.5	8	84	Subudus
31.10.23	6.72	478	468	240	4	38.2	134	7.81	6	42	8	1.7	7	92	Subudus



Subudus

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date 9/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	8.0
C.O.D.	520 mg/L	56 mg/L
B.O.D. 5 @ 20°C	(0.17)	(0.7)
T.S.S.	320 mg/L	40 mg/L

For Chem Eco Engineers
Signature
Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date... 30/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	7.5
C.O.D.	480 mg/L	64 mg/L
B.O.D. 5 @ 20°C	115 mg/L (0.115)	14.0 mg/L (0.014)
T.S.S.	240 mg/L	60 mg/L

For Chem Eco Engineers
 [Signature]
Signature
 Authorised by

BIDA SEWERAGE TREATMENT PLANT


(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date. 28/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.0	7.5
C.O.D.	513 mg/L	40 mg/L
B.O.D. 5 @ 20°C	(0.17)	(0.15)
T.S.S.	200 mg/L	60 mg/L

For Chem Eco Engineers

Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT

(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date... 26/10/2023

Item	RESULTS	
	Influent	Effluent
pH	7.0	8.5
C.O.D.	448 mg/L	80 mg/L
B.O.D. 5 @ 20°C	110 mg/L (0.7)	12.5 mg/L (0.7)
T.S.S.	200 mg/L	50 mg/L

For Chem Eco Engineers
 Authorised Signatory
 Signature

BIDA SEWERAGE TREATMENT PLANT

(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date... 25/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	9.0
C.O.D.	464 mg/L	64 mg/L
B.O.D. 5 @ 20°C	(U.T)	(U.T)
T.S.S.	260 mg/L	70 mg/L

For Chem Eco Engineers
Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT
 (S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
 M/s. Chem Eco Engineers Kanpur

Date... 22/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.0	7.5
C.O.D.	416 mg/L	80 mg/L
B.O.D. 5 @ 20°C	(UIT)	(UIT)
T.S.S.	240 mg/L	60 mg/L

For Chem Eco Engineers
 Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT

(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date 20/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	8.0
C.O.D.	512 mg/L	56 mg/L
B.O.D. 5 @ 20°C	145 mg/L (0.7)	18.5 mg/L (0.7)
T.S.S.	200 mg/L	50 mg/L

Chem Eco Engineers
Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date 17/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.9	8.0
C.O.D.	528 mg/L	48 mg/L
B.O.D. 5 @ 20°C	240 mg/L (+VT)	18.0 mg/L (+VT)
T.S.S.	240 mg/L	50 mg/L

For Chem Eco Engineers
Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT

(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date... 14/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	8.0
C.O.D.	440 mg/L	40 mg/L
B.O.D. 5 @ 20°C	(NT)	(NT)
T.S.S.	320 mg/L	60 mg/L

For Chem. Eco Engineers
 Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT


(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date... 15/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.9	8.0
C.O.D.	520 mg/L	48 mg/L
B.O.D. 5 @ 20°C	100 mg/L (-UIT)	18 mg/L (-UIT)
T.S.S.	200 mg/L	50 mg/L

For Chem Eco Engineers

Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT

(S.T.P.) & M.L.D.

Operation & Maintenance Work in Bhiwadi

M/s. Chem Eco Engineers Kanpur

Date... 13/10/2023


Item	RESULTS	
	Influent	Effluent
pH	6.5	8.0
C.O.D.	464 mg/L	104 mg/L
B.O.D. 5 @ 20°C	(VIT)	(VIT)
T.S.S.	320 mg/L	60 mg/L

For Chem Eco Engineers
Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date.....11/10/2023.....

Item	RESULTS	
	Influent	Effluent
pH	6.5	8.0
C.O.D.	432 mg/L	88 mg/L
B.O.D. 5 @ 20°C	180 mg/L (V.H.)	18.0 mg/L (V.H.)
T.S.S.	280 mg/L	60 mg/L

For Chem Eco Engineers
 Author 
 Signature

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date 05/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.5	7.4
C.O.D.	400 mg/l	40 mg/l
B.O.D. 5 @ 20°C	110 mg/l (V+T)	(V+T) 11 mg/l
T.S.S.	260 mg/l	40 mg/l

For Chem Eco Engineers
Signature
 Authorised Signatory

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date... 04/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.7	7.5
C.O.D.	336 mg/L	64 mg/L
B.O.D. 5 @ 20°C	(U.T)	(U.T)
T.S.S.	300 mg/L	60 mg/L

For Chem Eco Engineers
 Signature
 Authorisation

BIDA SEWERAGE TREATMENT PLANT
 (S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date.....

03/10/2022

Item	RESULTS	
	Influent	Effluent
pH	7.0	8.0
C.O.D.	416 mg/l	72 mg/l
B.O.D. 5 @ 20°C	(U.T)	(U.T)
T.S.S.	260 mg/l	60 mg/l

For Chem Eco Engineers

Signature

BIDA SEWERAGE TREATMENT PLANT
(S.T.P.) & M.L.D.
Operation & Maintenance Work in Bhiwadi
M/s. Chem Eco Engineers Kanpur

Date.....

21/10/2023

Item	RESULTS	
	Influent	Effluent
pH	6.8	7.8
C.O.D.	464 mg/l	56 mg/l
B.O.D. 5 @ 20°C	100 mg/l	12.5 mg/l
T.S.S.	280 mg/l	70 mg/l

M/s. Chem Eco Engineers
 Authorised Signature

1600

Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform MPN/100ml		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
21	Bhewadi	Vasundhara Nagar (Bhewadi)	4.00	SBR	2.50	8	20	60	80	100	Yes	2.5	2.5	0	0	

For Chem Eco Engineers
[Signature]
 Authorised Signatory

01/10/2023

Date	Flow meter Reading m^3	Total Inlet Reading m^3	Sing	Revd
01/10/2023	6706759	2654 m^3	manu	
02/10/2023	6709413	2510 m^3	manu	
03/10/2023	6791923	2564 m^3	manu	
04/10/2023	6794407	2637 m^3	manu	
05/10/2023	6797124	2536 m^3	manu	
06/10/2023	6799660	2504 m^3	manu	
07/10/2023	6802244	2612 m^3	manu	
08/10/2023	6804856	2741 m^3	manu	
09/10/2023	6807597	2023 m^3	manu	
10/10/2023	6810420	2648 m^3	manu	
11/10/2023	6813060	3248 m^3	manu	
12/10/2023	6815316	2978 m^3	manu	
13/10/2023	6819294	2935 m^3	manu	
14/10/2023	6822229	2698 m^3	manu	
15/10/2023	6824927	3413 m^3	manu	
16/10/2023	6828340	3068 m^3	manu	
17/10/2023	6831408	3257 m^3	manu	
18/10/2023	6834665	3019 m^3	manu	
19/10/2023	6837604	3543 m^3	manu	
20/10/2023	6841227	3738 m^3	manu	
21/10/2023	6844965	3422 m^3	manu	
22/10/2023	6848307	3389 m^3	manu	
23/10/2023	6851776	3596 m^3	manu	
24/10/2023	6855372	3228 m^3	manu	
25/10/2023	6858600	2753 m^3	manu	
26/10/2023	6861353	2813 m^3	manu	
27/10/2023	6864166	2670 m^3	manu	
28/10/2023	6866842	2802 m^3	manu	
29/10/2023	6869660	2706 m^3	manu	
30/10/2023	6872316	2706 m^3	manu	
31/10/2023	6875022	2637 m^3	manu	

Date	Flow meter Reading m^3	Total Treated water m^3	01/10/2023 sing. Read
01/10/2023	570364.	2537 m^3	per
02/10/2023	572901.	2674 m^3	month
03/10/2023	575575.	2487 m^3	month
04/10/2023	578062.	2551 m^3	month
05/10/2023	580613.	2513 m^3	month
06/10/2023	583126.	2464 m^3	month
07/10/2023	585590.	2638 m^3	month
08/10/2023	588228.	2696 m^3	month
09/10/2023	590924.	2763 m^3	month
10/10/2023	593687.	2516 m^3	month
11/10/2023	596203.	3053 m^3	month
12/10/2023	599256.	2832 m^3	month
13/10/2023	602008.	3007 m^3	month
14/10/2023	605095.	2746 m^3	month
15/10/2023	607841.	3348 m^3	month
16/10/2023	611189.	2853 m^3	month
17/10/2023	614042.	3185 m^3	month
18/10/2023	617227.	2925 m^3	month
19/10/2023	620152.	3451 m^3	month
20/10/2023	623603.	3060 m^3	month
21/10/2023	626663.	3246 m^3	month
22/10/2023	629909.	3127 m^3	month
23/10/2023	633036.	3237 m^3	month
24/10/2023	636273.	3176 m^3	month
25/10/2023	639449.	2842 m^3	month
26/10/2023	642291.	2745 m^3	month
27/10/2023	645036.	2704 m^3	month
28/10/2023	647740.	2781 m^3	month
29/10/2023	650521.	2633 m^3	month
30/10/2023	653154.	2763 m^3	month
31/10/2023	655917.	2578 m^3	month

Authorised Signatory

RAJKAMAL BUILDERS INFRASTRUCTURE Pvt Ltd BIKANER - OCTOBER 2023 Lab REPORT

Date	FLOW AT STP (MLD)		pH		TSS		MLSS / SVI				COD		BOD		DISSOLVE PHOSPHOROUS		TKN		TEMPERATURE		Faecal Coliform
	IN	OUT	IN	OUT	IN	OUT	SBR 1	SVI 1	SBR 2	SVI 2	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	Outlet
			6.5-7.5	6.5-8.5	600mg/l	<50mg/l					600mg/l	<50mg/l	300mg/l	<10mg/l	8mg/l	< 2mg/l	55mg/l	<35mg/l	°C		mg/l
01-10-2023	8.98	7.99	7.37	7.19	280	5.5	2380	830	2383	290	398.5	37.5	168.5	5.5	6.0	3.2	40.9	8.0	31.2	31.8	140
02-10-2023	8.11	8.52	7.24	6.98	288	6.6	2340	320	2245	300	405.5	38.5	238.8	9.0	4	1.3	42.0	5.9	31.5	31.9	120
03-10-2023	7.69	7.49	7.11	7.33	258	5.5	2423	340	2330	320	396.4	38.5	263.1	6.6	5.5	1.5	42.3	8.8	32.0	32.2	90
04-10-2023	7.78	8.57	7.38	7.10	168	6.5	2390	520	2270	810	396.5	38.4	194.5	6.9	4.4	2.0	45.5	9.0	32.9	32.3	110
05-10-2023	8.94	7.25	7.29	7.05	293	9.5	2425	850	2325	340	405.9	41.5	215.2	9.5	8.0	2.0	49.5	8.1	31.5	32.0	150
06-10-2023	7.51	7.48	7.35	7.31	315	7.5	2346	340	2338	330	393.2	38.5	217.9	6.8	4.5	1.5	48.4	6.6	32.2	31.9	180
07-10-2023	8.37	8.29	7.37	6.96	416	7.0	2290	340	2380	310	402.5	39.5	185.9	7.8	4.8	1.6	48.9	8.0	31.2	31.8	160
08-10-2023	8.37	8.29	7.37	7.05	354	7.5	2310	310	2285	320	425.5	38.5	239.5	5.9	4.8	1.8	39.5	6.6	33.0	33.5	170
09-10-2023	8.22	7.38	7.36	7.09	346	7.0	2322	520	2290	350	406.2	39.2	261.2	7.0	4.0	1.4	39.9	5.9	33.1	33.2	140
10-10-2023	7.84	8.35	7.30	7.11	382	5.5	2230	390	2280	340	396.5	38.0	216.7	6.6	4.5	1.2	51.2	8.0	32.1	32.2	180
11-10-2023	8.50	8.30	7.29	7.05	423	6.9	2336	520	2390	320	388.3	39.5	205.3	8.8	5.0	2.0	52.2	6.9	31.5	32.0	150
12-10-2023	7.01	7.81	7.29	7.05	480	6.8	2210	350	2290	290	425.2	38.0	202.2	6.4	5.0	1.3	49.5	8.5	31.5	31.9	130
13-10-2023	8.78	8.74	7.39	7.06	366	7.9	2380	350	2330	310	388.5	39.9	188.5	7.0	5.5	1.3	46.5	6.8	31.2	31.9	180
14-10-2023	8.96	8.34	7.42	7.05	315	6.9	2240	350	2290	330	397.5	40.5	196.5	6.8	4.9	2.0	39.9	8.2	31.2	32.0	140
15-10-2023	8.76	8.64	7.44	7.08	415	7.9	2246	360	2288	340	487.2	38.0	210.2	3.8	4.4	2.0	48.5	6.5	31.6	31.8	150
16-10-2023	11.75	11.62	7.31	7.03	417	5.2	2325	350	1938	320	387.5	34.2	215.2	8.8	4.5	1.5	48.5	7.3	30.2	30.0	110
17-10-2023	8.71	8.08	7.22	7.05	388	6.9	2290	360	2139	340	398.2	38.5	218.4	7.0	8.0	1.8	49.9	7.4	28.5	30.0	140
18-10-2023	8.78	8.09	7.38	7.08	395	7.5	2157	350	2075	330	415.0	39.5	288.5	8.8	4.4	2.0	51.9	8.1	27.5	28.0	90
19-10-2023	7.28	6.67	7.22	7.10	462	7.8	2388	350	2081	330	406.9	41.5	196.6	7.5	4.5	2.0	51.4	7.0	27.8	28.1	100
20-10-2023	7.93	8.72	7.58	7.13	540	7.4	2326	440	2129	380	416.9	42.5	216.8	9.5	8.2	2.0	56.2	9.5	28.2	27.9	120
21-10-2023	3.42	0.32	7.22	7.09	638	6.9	2338	420	2265	390	418.5	40.6	215.2	8.5	3.8	1.8	49.5	6.9	28.3	28.5	160
22-10-2023	6.50	9.27	7.24	7.22	625	9.9	2427	390	2332	400	415.0	44.3	195.1	6.7	4.9	2.0	52.2	9.9	27.9	28.0	130
23-10-2023	5.30	5.29	7.13	7.09	333	8.5	2239	250	2238	430	388.5	41.2	225.2	7.8	4.3	2.0	45.2	6.5	28.5	27.3	140
24-10-2023	8.26	8.08	7.38	7.06	384	7.9	2385	370	2365	380	421.2	38.5	262.2	7.8	6.0	1.5	42.2	8.8	29.2	29.5	120
25-10-2023	9.80	8.91	7.22	7.11	346	7.8	2230	340	2265	330	387.5	42.3	217.7	6.5	4.4	1.3	40.2	6.5	28.5	28.2	180
26-10-2023	8.56	8.48	7.23	7.30	342	7.7	2090	310	2290	350	415.2	42.9	205.8	8.7	6.0	2.0	42.3	8.5	28.2	26.3	160
27-10-2023	8.58	8.45	7.38	7.05	338	7.8	2126	340	2265	350	381.8	39.9	235.2	8.9	4.6	1.9	48.2	6.5	28.0	28.1	150
28-10-2023	7.57	7.78	7.38	7.11	310	8.5	2235	360	2165	370	392.2	42.2	216.2	8.8	6.2	1.9	46.2	8.2	27.2	27.3	130
29-10-2023	8.35	8.41	7.38	7.11	340	9.0	2116	360	2265	370	426.9	48.2	206.9	7.7	5.5	1.5	41.2	8.1	26.2	26.9	150
30-10-2023	9.11	7.91	7.38	7.22	180	9.5	2386	340	2306	360	399.5	52.2	189.2	9.9	5.5	1.9	52.2	9.8	27.6	27.5	170
31-10-2023	8.46	8.72	7.22	7.18	395	9.2	2284	380	2365	360	402.2	48.1	211.5	8.7	4.4	1.3	48.5	6.8	28.9	26.2	180

NAME OF PROJECT	12 MLD and 20 MLD with provision for treated waste water reuse including 1 year defect liability and there after 10 years O&M															
NAME OF FIRM	ENVIRO INFRA ENGINEERS PVT LTD															
NAME OF CLIENT	12 MLD STP- MUNICIPAL CORPORATION BIKANER															
G BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF -															
DATE	PH	TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EIEPL SIGN	DEPT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		
7/10/2023	7.1	7.2	312	9	308	40	180	7			9.2	4.2	3X10 ⁶	85	Kaishab	
11/10/2023	7.0	7.4	412	11	306	42	205	10			9.1	3.1			Kaishab	
12/10/2023	6.9	7.2	364	11	318	32	182	9			8.2	2.4			Kaishab	
13/10/2023	6.8	7.0	404	16	280	48	200	9			7.7	2.7			Kaishab	
14/10/2023	7.2	7.3	394	9	310	48	204	10			8.7	2.9			Kaishab	
15/10/2023	7.2	7.09	362	9	292	44	192	9			6.9	2.6	4X10 ⁶	92	Kaishab	
16/10/2023	6.92	7.21	282	6	216	42	186	10			8.2	2.7			Kaishab	
17/10/2023	6.97	7.23	402	6	282	40	192	8			10.0	2.3			Kaishab	
18/10/2023	7.06	7.18	434	3	276	42	202	3			9.9	2.3			Kaishab	
19/10/2023	7.05	7.31	422	10	266	44	196	8			6.9	2.7			Kaishab	
20/10/2023	7.40	7.23	400	10	266	46	202	9			6.7	2.6	3X10 ⁶	18	Kaishab	
21/10/2023	6.92	7.24	386	8	282	46	192	9			7.6	2.5			Kaishab	
22/10/2023	6.90	7.26	426	9	272	48	156	10			9.2	2.4			Kaishab	
23/10/2023	6.87	7.27	376	9	264	46	176	9			9.2	2.4	3X10 ⁶	90	Kaishab	
24/10/2023	7.03	7.26	392	9	278	46	192	9			10.1	1.9			Kaishab	
25/10/2023	7.00	7.16	352	10	262	40	180	10			9.2	2.7			Kaishab	
26/10/2023	6.93	7.15	362	9	306	38	173	8			10.3	3.2			Kaishab	
27/10/2023	6.92	7.23	350	9	260	36	192	8			9.4	4.1	4X10 ⁶	92	Kaishab	
28/10/2023	6.92	7.22	362	7	292	38	205	10			10.1	4.3			Kaishab	
29/10/2023	7.0	7.3	356	10	312	22	160	9			7.9	3.1			Kaishab	
30/10/2023	6.90	7.21	418	8	262	48	178	8			6.9	2.9			Kaishab	
31/10/2023	6.95	7.26	424	5	270	46	152	10			10.0	2.7			Kaishab	
01/11/2023	7.1	7.4	408	11	302	44	207	8			9.9	2.9			Kaishab	
02/11/2023	7.01	7.09	382	10	272	42	172	9			8.2	2.4			Kaishab	
03/11/2023	6.80	7.03	402	10	270	46	210	9			10.1	1.9			Kaishab	
04/11/2023	7.2	7.4	354	10	312	48	206	10			9.2	4.2			Kaishab	
05/11/2023	6.97	7.24	400	5	280	42	190	9			9.1	3.4			Kaishab	
06/11/2023	7.00	7.20	358	11	290	46	180	8			7.9	1.9			Kaishab	
07/11/2023	6.8	7.3	392	10	300	40	202	9			7.8	4.1			Kaishab	
08/11/2023	7.2	7.4	380	9	250	48	152	10			6.9	4.2			Kaishab	
09/11/2023	7.0	7.3	321	10	348	38	154	8			8.7	2.4			Kaishab	

3
 सहायक अभियन्ता
 नगर निगम, बीकानेर

NAME OF PROJECT	Providing, laying, jointing, testing and commissioning of sewer system and all ancillary works along with Design, construction, supply, installation, testing and commissioning (Civil, Mechanical, electrical, instrumentation & other necessary works) of SPS, one 20 MLD STP based on SBR Process and up gradation of existing STPs of 12 MLD and 20 MLD with provision for treated waste water reuse including 1 year defect liability and there after 10 years O&M.																
NAME OF FIRM	ENVIRO INFRA ENGINEERS PVT LTD																
NAME OF CLIENT	40 MLD STP- MUNICIPAL CORPORATION BIKANER																
LOG BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF - October 2023																
DATE	PH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EIPL SIGN	DEPT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
01.10.2023	6.87	6.94	516	09	294	44	190	10			8.1	3.3	4x10 ⁶	98			
02.10.2023	6.91	6.97	496	10	298	42	184	09			8.4	3.9					
03.10.2023	6.87	6.95	484	10	306	46	192	10			9.2	4.1					
04.10.2023	6.91	6.97	512	08	296	44	186	11			9.4	4.3					
05.10.2023	6.87	6.96	494	10	308	42	182	10			10.1	5.2	3x10 ⁶	90			
06.10.2023	6.85	6.93	482	10	290	40	180	09			9.3	4.7					
07.10.2023	6.88	6.94	490	09	268	42	196	10			8.8	5.1					
08.10.2023	6.91	6.96	478	08	288	46	174	08			9.2	5.4					
09.10.2023	6.85	6.93	526	09	306	48	172	09			10.3	6.4	5x10 ⁶	95			
10.10.2023	6.92	6.99	412	08	290	42	184	10			9.1	5.3					
11.10.2023	6.87	6.95	402	09	282	40	170	09			8.3	4.7					
12.10.2023	7.01	7.10	386	09	276	42	186	10			8.5	4.3	3x10 ⁶	86			
13.10.2023	6.93	7.12	372	09	266	40	176	09			8.1	3.9					
14.10.2023	6.87	7.04	360	09	282	42	170	09			7.8	4.1					
15.10.2023	6.92	7.10	372	10	292	44	182	10			8.1	5.3					
16.10.2023	6.94	7.02	394	10	266	42	190	09			7.8	5.7	9x10 ⁶	92			
17.10.2023	6.96	7.06	428	09	298	46	182	10			9.2	4.9					
18.10.2023	6.90	7.03	404	10	306	40	170	10			8.7	4.1					
19.10.2023	6.92	7.06	356	09	282	38	176	09			8.2	4.0	3x10 ⁶	82			
20.10.2023	6.97	7.07	392	10	266	40	186	10			9.2	3.7					
21.10.2023	6.99	7.11	350	09	270	42	190	10			9.1	3.6					
22.10.2023	7.04	7.15	382	10	282	44	172	09			10.2	4.1	4x10 ⁶	95			
23.10.2023	7.06	7.16	360	09	298	40	174	08			9.3	4.8					
24.10.2023	7.03	7.12	392	10	304	46	168	09			8.7	3.9					
25.10.2023	7.04	7.13	362	09	292	44	184	10			9.3	4.4	3x10 ⁶	92			
26.10.2023	7.06	7.15	356	09	284	44	190	10			8.6	4.1					
27.10.2023	7.10	7.22	364	10	302	46	176	09			9.1	4.0					
28.10.2023	7.01	7.17	396	10	316	46	194	10			8.7	4.1	3x10 ⁶	96			
29.10.2023	6.96	7.10	350	09	294	40	180	10			7.4	3.7					
30.10.2023	6.99	7.06	356	08	272	40	172	09			7.7	3.9					
31.10.2023	7.05	7.11	332	08	268	42	160	08			7.2	3.6					

Checked by
(Name) com site

Raw Sewage Water										Treated Sewage Water									
Date	PH	Temp	pH	BOD	COD	TSS	Chlorine	Free Chlorine	Total Chlorine	DO	Temp	pH	BOD	COD	TSS	Chlorine	Free Chlorine	Total Chlorine	Remarks
20/01/2013	7.12	30.2°C	11-	36.83	168.33	86.94	5.64	4.79	532	7.58	31.1°C	7.12	31.47	10.73	5.11	0.62	1.28	1.90	Amish
21/01/2013	7.23	30.7°C	11-	82.32	150.23	38.12	5.43	4.86	522	7.43	31.2°C	7.43	30.74	14.22	4.23	0.52	2.7	3.22	Amish
22/01/2013	6.77	30.3°C	11-	38.83	162.58	14.32	5.86	4.67	522	7.42	31.4°C	6.20	32.73	13.27	4.42	0.62	1.86	2.48	Amish
23/01/2013	5.84	30.7°C	11-	82.48	150.32	11.73	5.73	4.33	518	7.32	31.2°C	5.72	34.46	12.43	4.71	0.54	1.93	2.47	Amish
24/01/2013	5.98	30.4°C	11-	34.18	171.85	18.46	5.26	4.62	551	7.45	31.3°C	5.2	34.74	12.73	4.43	0.53	1.98	2.51	Amish
25/01/2013	5.73	30.6°C	11-	33.14	160.34	12.32	5.47	4.45	528	7.51	31.3°C	5.26	31.72	12.52	4.22	0.73	2.03	2.76	Amish
26/01/2013	6.84	30.8°C	11-	82.11	179.69	116.48	5.54	4.63	575	7.42	31.6°C	5.47	32.43	12.66	4.58	0.86	2.09	2.95	Amish
27/01/2013	7.15	30.3°C	11-	31.67	154.32	122.38	5.61	4.23	614	7.52	31.3°C	4.54	32.35	2.60	4.36	0.61	2.12	2.73	Amish
28/01/2013	6.86	30.7°C	11-	36.38	160.43	102.39	4.89	3.86	554	7.52	31.6°C	4.83	33.76	3.15	4.10	0.51	1.77	2.28	Amish
29/01/2013	6.53	30.4°C	11-	86.73	172.46	106.88	4.77	3.83	568	7.46	31.1°C	4.86	34.16	10.34	3.74	0.64	1.84	2.48	Amish
30/01/2013	7.24	30.2°C	11-	82.41	154.82	98.72	4.46	3.70	542	7.51	31.6°C	5.13	36.64	2.20	3.59	0.43	1.73	2.16	Amish
31/01/2013	6.10	30.3°C	11-	31.73	166.73	105.41	5.10	3.76	548	7.59	30.6°C	5.22	33.43	11.47	3.62	0.58	1.58	2.16	Amish
01/02/2013	7.23	30.7°C	11-	56.14	176.43	163.22	4.36	3.82	522	7.55	30.3°C	5.42	34.77	12.66	3.14	0.39	1.65	2.04	Amish
02/02/2013	7.27	30.3°C	11-	35.83	158.44	112.19	5.06	3.64	510	7.61	30.2°C	4.86	32.14	11.10	3.37	0.61	1.97	2.58	Amish
03/02/2013	7.34	30.4°C	11-	30.32	162.12	104.72	4.83	3.59	564	7.62	30.6°C	4.43	30.19	3.44	2.62	0.55	2.03	2.58	Amish
04/02/2013	7.21	30.6°C	11-	103.46	184.66	164.44	5.02	3.19	535	7.51	30.1°C	6.14	30.46	8.31	3.53	0.95	2.03	2.98	Amish
05/02/2013	7.33	31.1°C	11-	95.12	172.84	126.76	5.27	3.13	521	7.68	30.4°C	4.37	37.54	8.20	3.84	0.80	2.15	2.95	Amish
06/02/2013	7.14	31.1°C	11-	107.73	188.61	112.33	5.16	3.15	522	7.54	30.4°C	5.18	33.42	3.60	3.66	0.78	1.37	2.15	Amish
07/02/2013	7.25	30.2°C	11-	62.83	159.55	112.71	5.12	4.27	507	7.64	30.1°C	5.53	30.37	3.76	3.52	0.63	1.81	2.44	Amish
08/02/2013	7.35	30.3°C	11-	112.32	173.30	110.09	5.88	4.05	557	7.62	30.6°C	4.20	30.66	8.02	4.23	0.75	2.03	2.78	Amish
09/02/2013	7.11	30.8°C	11-	132.32	163.30	105.47	5.58	4.22	586	7.45	30.1°C	4.64	32.14	8.32	4.77	0.65	2.21	2.86	Amish
10/02/2013	7.24	30.3°C	11-	103.38	152.01	103.07	5.76	4.55	516	7.63	30.3°C	4.86	34.18	9.11	4.52	0.85	2.02	2.87	Amish
11/02/2013	7.12	30.1°C	11-	100.72	163.16	102.43	5.53	4.85	488	7.55	30.5°C	4.95	30.46	10.54	4.27	0.67	1.85	2.52	Amish
12/02/2013	6.83	30.4°C	11-	86.94	172.15	116.42	5.35	4.13	432	7.60	31.3°C	4.78	34.53	12.58	4.12	0.53	1.50	2.03	Amish
13/02/2013	6.76	30.1°C	11-	82.48	166.32	107.83	5.12	3.77	459	7.53	31.4°C	4.40	36.53	3.77	3.69	0.46	1.75	2.21	Amish
14/02/2013	6.24	30.0°C	11-	80.16	170.81	100.93	5.05	3.23	447	7.53	31.6°C	4.85	32.57	3.43	3.25	0.53	1.83	2.36	Amish
15/02/2013	6.72	30.2°C	11-	83.40	154.12	106.12	4.65	3.55	467	7.57	31.3°C	4.65	34.42	3.86	3.28	0.63	1.95	2.58	Amish
16/02/2013	6.86	30.0°C	11-	88.14	158.25	103.48	4.60	3.37	485	7.57	31.5°C	5.27	32.33	10.20	3.14	0.73	2.15	2.88	Amish
17/02/2013	6.45	23.6°C	11-	76.83	163.32	108.72	4.35	3.62	460	7.64	26.8°C	4.23	30.51	3.78	3.55	0.52	1.61	2.03	Amish
18/02/2013	6.77	23.8°C	11-	82.43	170.10	102.43	4.68	3.32	438	7.53	26.4°C	4.76	30.46	12.35	3.76	0.83	1.63	2.46	Amish
19/02/2013	6.42	26.8°C	11-	80.19	177.12	112.76	4.12	3.81	482	7.15	26.2°C	5.12	33.37	14.48	3.42	0.57	1.70	2.27	Amish



TC-7331
NABL ACCREDITED LAB

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (Mandrela Chirawa Road)	Sample Code	2311560
Report No.	OTH/RN-20237107	Report Issue date	06/12/2023
ULR No.	TC7331230000007107F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:	Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014	Date of Testing	29/11/2023
	Date of Completion	06/12/2023
	Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.
		RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max. As per MOEF
1.	pH	7.28	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	8	IS : 3025 (P-17)	mg/l.	50
3.	Chemical Oxygen Demand	36.55	IS : 3025 (P-58)	mg/l.	250
4.	Biochemical Oxygen Demand	8.25	IS : 3025 (P-44)	mg/l.	30
5.	Phosphate as P	0.20	IS : 3025 (P-31)	mg/L	1.0

Note: - 1.BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested.

3. The information about the sample provided by customer.

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar, Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (Mandrela Chirawa Road)	Sample Code	2311560-A
Report No.	OTH/RN-20237107-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature:	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.5	°C	Thermometer
2.	Total Nitrogen	1.56	mg/l.	APHA (24th edition) 4500-NH3 C: 2023

MICROBIOLOGICAL ANALYSIS

3.	Total Faecal Coliform	58	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



TC-7331
NABL ACCREDITED LAB

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar, Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	2 MLD STP Plant Outlet Water (Pilani Road, Chirawa)	Sample Code	2311563
Report No.	OTH/RN-20237110	Report Issue date	06/12/2023
ULR No.	TC7331230000007110F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max. As per MOEF
1.	pH	7.26	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	8.86	IS : 3025 (P-17)	mg/l.	50
3.	Chemical Oxygen Demand	42.35	IS : 3025 (P-58)	mg/l.	250
4.	Biochemical Oxygen Demand	9.13	IS : 3025 (P-44)	mg/l.	30
5.	Phosphate as P	0.28	IS : 3025 (P-31)	mg/l.	1.0

Note: - 1. BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested,

3. The information about the sample provided by customer.

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	2 MLD STP Plant Outlet Water (Pilani Road, Chirawa)	Sample Code	2311563-A
Report No.	OTH/RN-20237110-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Suehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.2	°C	Thermometer
2.	Total Nitrogen	1.96	mg/L	APHA (24th edition) 4500 NH3 C: 2023

MICROBIOLOGICAL ANALYSIS

3.	Total Faecal Coliform	70	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1", Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	2 MLD STP OUTLET WATER		
Report No.	JLWT231124007	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	24/11/2023	Exp. Date	NA
Started of Analysis	24/11/2023	Sample Condition	OK
End of Analysis	28/11/2023	Sample Qty.	1 ltr.
Report Release Date	28/11/2023	Ref. No.	NA
Sample Submitted By	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH		
Test Report Issued to	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH RAJASTHAN		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		


TEST RESULTS

Sl. No.	Parameters	Unit	Found	Method of Test
1	Faecal Coliform	Per 100 ml	43 MPN	APHA 24th Edition 9221 : 2023

END OF REPORT

Review by 
Gunjan Sharma
Dy. Technical Manager-Microbiology




Authorised Signatory
Vinit Maheshwari
Technical Manager- Microbiology

Page No. 1 of 1

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1", Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	1 MLD STP OUTLET WATER		
Report No.	JLWT231124008	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	24/11/2023	Exp. Date	NA
Started of Analysis	24/11/2023	Sample Condition	OK
End of Analysis	28/11/2023	Sample Qty.	1 ltr.
Report Release Date	28/11/2023	Ref. No.	NA
Sample Submitted By	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH		
Test Report Issued to	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH RAJASTHAN		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Sl. No.	Parameters	Unit	Found	Method of Test
1	Faecal Coliform	Per 100 ml	33 MPN	APHA 24th Edition 9221 : 2023

END OF REPORT

Review by 
Gunjan Sharma
Dy. Technical Manager-Microbiology




Authorised Signatory
Vinit Maheshwari
Technical Manager- Microbiology

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

1613

P- 102

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS


TEST REPORT

Sample Name	3 MLD WWT OUTLET WATER		
Report No.	JLWT231124006	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	24/11/2023	Exp. Date	NA
Started of Analysis	24/11/2023	Sample Condition	OK
End of Analysis	28/11/2023	Sample Qty.	1 ltr.
Report Release Date	28/11/2023	Ref. No.	NA
Sample Submitted By	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH		
Test Report Issued to	EXECUTIVE ENGINEER NAGAR PARISHAD CHITTORGARH RAJASTHAN		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		


TEST RESULTS

Sl. No.	Parameters	Unit	Found	Method of Test
1	Faecal Coliform	Per 100 ml	48 MPN	APHA 24th Edition 9221 : 2023

END OF REPORT

Review by 
Gunjan Sharma
Dy. Technical Manager-Microbiology




28/11/23
Authorised Signatory
Vinit Maheshwari
Technical Manager- Microbiology

Page No. 1 of 1

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month [In case of nonperishable items only] the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

TEST REPORT

Issued to :- Nagar Parishad, Chittorgarh Booking Advise :- 10050
Report No. :- JPR/STS/TE- 11050 Ref. No. :- SPL-1
ULR No. :- TC720623000011050F Date of Receiving :- 16-11-2023
Date of Issue :- 27-11-2023 Test Start Date :- 18-11-2023
Test Completion Date :- 27-11-2023

Name of Customer :- Dynemate Elopower, Bhilwara
Subject :- 5 MLD STP Bboikheda, Nagar Parishad, Chittorgarh

Sample Description :- A Sample of water in Homogeneous Condition was received in Lab.

S. No	Name of Tests	Test Method reference of IS : 1622-1981 (Ref. 1996)	Result	Observation
1	Faecal Coliform	pH 6-9, BOD < 30 mg/l, SS < 30 mg/l; residual chlorine	Faecal coliform < 200/100 ml	Ok

**** End of Report ****

Note :

1. The above results are applicable only to the specific sample as received in the Laboratory of Shivaay Technocrat Service vide SPL/I DATED:- 16-11-2023 letter under reference.
2. Sample Left After Testing Shall Be Retained (If In Retainable condition) For 30 Days From The Date Of Issue Of Report & Destroyed After 30 Days.
3. This report is being issued on the specific understanding that Shivaay Technocrat Service will not in any case may be involved in any action following the interpretation of the above results. This Test is Not in Our NABL Scope.

Page 1 of 1



Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
1	Churu	Village Gajar (Churu)	7.00	WSP	up grad											
2	Churu	B/W Cremation ground and Agarwal Nagar	1.00	SBR	1.00	7.4	18	30	50	80 per		1	0	Agriculture	1 water Bodies	
3	Churu	Tapasa Takiya (Churu)	2.50	SBR	2.50	7.4	18	30	50	80 per		2.5	0	Agriculture	2.5 water Bodies	


 सहायक अभियन्ता
 नगर परिषद, चुरू

Date	Temp. °C	pH	Red	Green	TSS	Tm	TP	EC
1-10-2003	-	-	-	-	-	-	-	-
2-10-2003	30.0	7.23	3000	31600	23600	0.00	7.84	260
3-10-2003	29.0	7.22	31200	32000	24600	0.00	7.81	240
4-10-2003	29.0	7.23	31800	32600	25000	0.00	7.81	220
5-10-2003	28.0	7.23	31600	33000	25600	0.00	7.80	200
6-10-2003	28.0	7.22	30800	32800	25300	0.00	7.81	200
7-10-2003	28.0	7.26	31800	30800	25800	0.00	7.81	200
8-10-2003	-	-	-	-	-	-	-	-
9-10-2003	29.0	7.23	3000	29600	24200	0.00	7.80	200
10-10-2003	29.0	7.22	31800	27800	24000	0.00	7.80	200
11-10-2003	29.0	7.21	30800	27000	21200	0.00	7.80	200
12-10-2003	29.0	7.23	31800	28800	26000	0.00	7.80	200
13-10-2003	29.0	7.26	30800	29000	27000	0.00	7.81	200
14-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
15-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
16-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
17-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
18-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
19-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
20-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
21-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
22-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
23-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
24-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
25-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
26-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
27-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
28-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
29-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
30-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
31-10-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200

Date	Temp. °C	pH	Red	Green	TSS	Tm	TP	EC
1-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
2-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
3-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
4-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
5-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
6-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
7-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
8-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
9-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
10-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
11-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
12-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
13-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
14-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
15-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
16-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
17-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
18-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
19-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
20-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
21-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
22-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
23-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
24-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
25-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
26-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
27-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
28-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
29-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
30-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200
31-11-2003	29.0	7.27	30800	29600	27400	0.00	7.82	200

सहायक अभियन्ता

WASTE WATER TEST REPORT OCTOBER-2023

STP-1.0 MLD AGARSE 1617 AGAR CHURU

P- 106

Treated water parameters							
Date	Temp. °C	pH	BOD	COD	TSS	Tm	TP
01-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
02-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
03-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
04-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
05-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
06-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
07-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
08-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
09-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
10-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
11-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
12-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
13-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
14-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
15-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
16-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
17-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
18-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
19-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
20-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
21-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
22-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
23-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
24-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
25-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
26-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
27-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
28-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
29-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
30-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00
31-10-2023	22.0	7.62	2.60	41	6.00	2.50	2.00

सहायक अभियन्ता
नगर, चूरु



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO ETS/2246/11/2023

URLNO.TC877123000002246F

DATE OF REPORT: 28.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : KARYALAY NAGAR PARISHAD
DHOLPUR RAJASTHAN MACHKUND
ROAD DHOLPUR

Date of Sampling : 24.11.2023
Analysis Start Date : 25.11.2023
Analysis End Date : 28.11.2023
Sample ID No : 2246
Sampling Done By : ETS STAFF
Sampling Description : AFTER TREATMENT
Sampling Location : S.T.P-OUTLET (3 M.L.D)
Sampling Method : ETS/STP/WATER-02
Sample Quantity : 2.0 Ltr.
Packing Condition : SEALED
Packed In : P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
1	pH	...	8.10	5.5 - 9.0	5.5 - 9.0	APHA 4500-H+
2	Total Suspended Solids,(TSS)	mg/L	14.2	100	600	APHA 2540-D
3	Biological Oxygen Demand(BOD ₃₀ 27°C)	mg/L	3.5	30	350	IS: 3025 (Part-44)
4	Chemical Oxygen Demand,(COD)	mg/L	16.1	250	Not Specified	APHA 5220-B



Page 1 of 2

For Enviro-Tech Services

Rajendra Mittal
AUTHORIZED SIGNATORY
Lab in-charge

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





1619 ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO ETS/2246/11/2023

DATE OF REPORT: 28.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
Microbiological Parameter;					
5	Fecal Coliform (FC)	Per/100mL	140.0	1000	Not Specified IS 15186

*****End of Test Report*****

Page 2 of 2



For Enviro-Tech Services

Pushkar Mittal
AUTHORIZED SIGNATORY
Lab In-charge

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TC-8771

TEST REPORT

TEST REPORT NO ETS/2247/11/2023

URLNO.TC877123000002247F

DATE OF REPORT: 28.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

: KARYALAY NAGAR PARISHAD
DHOLPUR RAJASTHAN MACHKUND
ROAD DHOLPUR

Date of Sampling

: 24.11.2023

Analysis Start Date

: 25.11.2023

Analysis End Date

: 28.11.2023

Sample ID No

: 2247

Sampling Done By

: ETS STAFF

Sampling Description

: BEFORE TREATMENT

Sampling Location

: S.T.P-INLET (10 M.L.D)

Sampling Method

: ETS/STP/WATER-02

Sample Quantity

: 2.0 Ltr.

Packing Condition

: SEALED

Packed In

: P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Test Method
1	pH	...	7.14	APHA 4500-H+
2	Total Suspended Solids,(TSS)	mg/L	168.8	APHA 2540-D
3	Biological Oxygen Demand(BOD _{3d} 27°C)	mg/L	160.0	IS: 3025 (Part-44)
4	Chemical Oxygen Demand,(COD)	mg/L	244.0	APHA 5220-B



Page 1 of 2

For Enviro-Tech Services

AUTHORIZED SIGNATORY
Pushkar Mittal
Lab In-charge

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





1621 ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO ETS/2247/11/2023

DATE OF REPORT: 28.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Test Method
5	Fecal Coliform (FC)	Per/100mL	220.0	IS 15186

*****End of Test Report*****

Page 2 of 2



For Enviro-Tech Services

[Signature]
AUTHORIZED SIGNATORY
Lab In-charge

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

Parameters of operational STPs

S. No.	Name of Town	Location	Department	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow	Outlet/Actual Parameter						Test Report Attached (Yes/No)	Reuse of Treated Water				
							Temp °C	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse	Quantity of Treated water Being Reuse	Mode of Reuse Agricultural/ Horticultural/ Industrial	Remaining Quantity of Treated water	Mode of disposal /water Bodies/ Other purposes
1	Udaipur	Eklingspura (Udaipur)	AMRUT	20.00	MBBR													
2	Udaipur	Eklingspura (Udaipur)	AMRUT	25.00	SBR													
3	Udaipur	FCI godown (Udaipur)	Municipal Board	30.00	SBR													
4	Udaipur	Kajrali house (Udaipur)	Municipal Board	5.00	SBR													
5	Badi Sadri	Near Mangri road (Badi Sadri)	Municipal Council	1.50	SBR													
6	Banswara	Ghamaniya (Banswara)	Upgradation in RUIDP phase -IV	6.43	WSP													
7	Chittorgarh	Pratapnagar (Bhoikhara) (Chittorgarh)	AMRUT	5.00	UASB													
8	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	3.00	SBR													
9	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	AMRUT	2.00	SBR													
10	Chittorgarh	Near Mukhyamantri Jan Awas Yojna (Chittorgarh)	AMRUT	1.00	SBR													
11	Fatehnagar Sanwar	Changedi village (Fatehnagar Sanwar)	AMRUT	1.00	SBR	0.8	25	7.6	8	9	44	60	Yes	0.8	0.5	Ag.	6.3	No
12	Rajsamand	Rajsamand (Village Pratapnagar)	AMRUT	5.00	UASB													

22/11/2023
कानूनी अभियंता
नगरपालिका, फतेहनगर-समबाड

22/11/23
आभारणी अधिकारी
नगरपालिका फतेहनगर-समबाड

LAB DATA RECORD

MONTH- October 2023

NAME OF WORK - O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml	M ³ /Day	M ³ /Day		
01/10	7.2	110	211	90	9.5	4	145	7.4	1850	1410	190	1.2	7.7	9	32	7	0.4	0.5	90	725	720	R	
02/10	7.5	119	249	88	9	5	-	7.7	2060	1521	200	0.9	7.4	8	42	-	0.1	0.5	-	785	721	R	
03/10	7.7	116	261	100	9.5	4	-	7.2	2040	1699	185	0.9	7.6	10	41	-	0.0	0.0	-	765	760	R	
04/10	7.4	112	196	90	10	5	439	7.7	2021	1560	190	1.4	7.8	5	33	8	0.5	0.5	85	725	720	R	
05/10	7.1	90	120	-	6	5	-	7.3	1747	1460	210	1.1	7.5	7	29	-	0.7	0.3	-	701	690	R	
06/10	7.7	25	199	-	9	5	-	7.6	1765	1281	190	0.8	7.8	9	40	-	0.5	0.5	-	709	680	R	
07/10	7.5	117	220	100	10	5	-	7.7	1866	1381	220	1.2	7.2	8	35	10	0.0	0.0	-	715	770	R	


कनिष्ठ अभियंता
नगरपालिका, फतहनगर-सनवाड़


अधिसीपी अधिकारी
नगरपालिका फतहनगर-सनवाड़


LAB DATA RECORD

MONTH- October 2023

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mpn/100ml	M ³ /Day	M ³ /Day		
02/10	7.4	111	210	110	9	4	-	7.6	2211	1691	230	1.4	7.5	8	29	7			-	665	590		
09/10	7.2	100	240	-	10	5	-	7.7	2449	1461	250	1.2	7.3	5	33	-			-	652	650		
10/10	7.6	110	269	-	6	3	-	7.5	2080	1599	210	0.9	7.2	6	35	-			-	667	660		
11/10	7.2	107	269	135	5	5	-	7.4	2412	1821	190	1.1	7.7	5	42	5			-	695	680		
12/10	7.6	129	209	-	0	0	-	7.7	2201	1419	220	0.8	7.9	7	49	-			-	625	619		
13/10	7.2	135	261	-	5	5	-	7.5	2009	1500	240	1.4	7.5	8	35	-			-	645	621		
14/10	7.5	159	229	120	10	4	-	7.8	2316	1680	210	1.1	7.7	9	38	7			-	615	601		


 कनिष्ठ अभियंता
 नगरपालिका, फतहनगर-सनवाड़


 आधारीय अधिकारी
 नगर पालिका फतहनगर-सनवाड़

LAB DATA RECORD

MONTH- October 2023

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L/100ml	M ³ /Day	M ³ /Day		
15/10	7.1	102	210	20	9	5	177	7.3	2220	1440	210	1.2	7.1	6	45	5	0.5	0.2	80	723	720	R	
16/10	7.5	135	219	-	5	2	-	7.7	2419	1220	230	1.2	7.5	7	38	-	0.7	0.5	-	705	690	R	
17/10	7.7	119	230	-	7	5	-	7.2	2311	1115	246	1.4	7.4	10	49	-	0.6	0.5	-	702	680	R	
18/10	7.2	100	250	102	5	5	190	7.5	2228	1049	200	1.5	7.7	5	42	7	0.6	0.5	25	685	681	R	
19/10	7.4	121	281	-	5	1	-	7.3	2116	1521	210	1.1	7.2	7	40	-	0.0	0.0	-	652	649	R	
20/10	7.5	180	271	-	0	0	-	7.2	2005	1423	190	1.9	7.4	9	35	-	0.8	0.5	-	681	670	R	
21/10	7.3	106	190	-	0	0	-	7.1	2115	1331	170	1.2	7.6	5	30	-	0.0	0.0	-	690	685	R	

कनिष्ठ अभियंता
नगरपालिका, फतहनगर-सनवाड

अधिसाधी अधिकारी
नगरपालिका फतहनगर-सनवाड


LAB DATA RECORD

1626

MONTH- October 2023

P- 115

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT	
		mg/L	mg/L	mg/L	mg/L	mg/L	mgpr/100ml		mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mgpr/100ml	MF/Day	MF/Day			
22/10	7.1	120	219	80	5.0	2.0	170	7.5	2240	2601	190	1.4	7.7	10	45	7	0.5	0.5	95	705	630			
23/10	7.5	110	220	-	00	00	-	7.7	2351	1260	210	1.2	7.4	9	37	-	00	00	-	620	686			
24/10	7.6	118	209	-	6	3	-	7.9	2249	1774	230	1.1	7.6	6	41	-	0.5	0.5	-	620	619			
25/10	7.7	105	200	12	10	5	-	7.7	2331	1061	205	1.6	7.2	5	35	5	0.2	0.1	-	521	520			
26/10	7.2	102	220	-	9	5	175	7.7	1891	1443	220	1.5	7.6	10	36	-	0.1	0.5	80	529	500			
27/10	7.7	116	240	-	0	0	-	7.4	2009	1339	190	1.2	7.4	7	40	-	0.1	0.5	-	669	650			
28/10	7.5	102	233	-	5	5	-	7.6	2118	1110	180	1.1	7.6	9	44	-	0.5	0.2	-	558	501			

कनिष्ठ अभियंता

सहायक अभियंता फतहनगर-संनवाद

अधीशाधी अधिकारी
नगर पालिका फतहनगर-संनवाद

LAB DATA RECORD

MONTH- October 2023

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
29/10	7.5	112	200	-	2	4	-	7.7	2212	1110	230	1.2	7.6	6	33	-	0.5	0.2	-	305	780	<i>R</i>	
30/10	7.7	110	200	-	6	3	-	7.2	8211	1413	250	1.4	7.7	9	39	-	0.6	0.3	-	725	712	<i>R</i>	
31/10	7.3	144	230	-	5	5	-	7.1	2277	1220	210	1.1	7.4	5	35	-	0.1	0.1	-	650	677	<i>R</i>	

कनिष्ठ अभियंता
नगरपालिका, फतहनगर-सनवाड़

अधिसाधी अधिकारी
नगर पालिका फतहनगर-सनवाड़

						LARSEN & TOUBRO LTD. ECC DIVISION									
PROJECT 5.5 MLD STP Near Jaipur Bypass Road at Gangapur City							Form No. : BGL-SECC/STP-45.5MLD								
CLIENT : RL D&CO							Report No. : 1/October/23								
JOB No. : 1.1/7/12															
DAILY LABORATORY ANALYSIS														REMARKS	
Date	INLET RAW WATER						OUTLET								
	PH	TSS	TN (as N)	BOD ₅	TA	COD	PH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus		Faecal Coliform
	-	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		MPN/100 ml
Design Limit	6.5	650	55	300	5	650		<10	<50	<10	<5	<10	<2	<100	
01-Oct	6.50	290	26.6	294	4	340	6.99	9	44	8	12	30	1.6	77	
02-Oct	6.61	296	33.9	203	4	341	6.95	8	44	9	12	9	1.7	74	
03-Oct	6.54	254	24.9	202	5	328	6.90	9	49	8	17	30	1.7	67	
04-Oct	6.58	294	31.2	191	4	349	6.89	10	45	7	13	8	1.7	68	
05-Oct	6.67	254	34.6	175	6	375	6.90	9	45	9	14	10	1.2	74	
06-Oct	6.54	268	30.6	180	4	382	6.85	8	47	7	15	2	1.1	57	
07-Oct	6.38	271	42.0	195	5	520	6.89	7	43	7	11	7	1.6	70	
08-Oct	6.34	251	27.8	183	4	393	6.98	9	44	9	11	7	1.6	73	
09-Oct	6.42	285	25.7	188	4	380	6.88	13	47	7	16	8	1.1	58	
10-Oct	6.65	278	36.7	191	5	366	6.88	13	49	9	10	7	1.6	62	
11-Oct	6.36	281	32.0	196	5	376	6.91	8	50	9	16	7	1.1	55	
12-Oct	6.71	241	33.3	179	4	386	6.97	7	46	9	11	8	1.4	70	
13-Oct	6.37	263	32.4	196	4	385	6.93	8	46	8	14	7	1.1	63	
14-Oct	6.53	271	34.4	178	4	348	6.94	10	43	8	16	7	1.5	71	
15-Oct	6.72	239	35.0	187	5	358	6.98	9	45	9	15	9	1.4	76	
16-Oct	6.60	280	25.7	205	4	341	6.96	7	45	7	16	7	1.2	68	
17-Oct	6.59	255	28.4	207	6	315	6.92	8	43	9	15	8	1.4	53	
18-Oct	6.26	257	31.3	174	6	395	6.88	10	38	7	17	7	1.4	66	
19-Oct	6.54	254	31.8	217	4	380	6.95	9	43	7	14	8	1.5	77	
20-Oct	6.35	245	30.7	196	4	368	6.91	8	43	10	14	9	1.2	70	
21-Oct	6.34	286	37.4	183	4	356	6.98	8	38	9	10	10	1.1	70	
22-Oct	6.56	269	32.8	194	5	395	6.96	7	45	7	15	10	1.6	79	
23-Oct	6.52	266	30.1	179	5	349	6.94	8	45	7	17	9	1.3	69	
24-Oct	6.29	278	28.1	175	4	354	6.88	8	46	7	13	9	1.6	60	
25-Oct	6.24	266	31.5	201	4	342	6.86	7	44	8	12	8	1.5	62	
26-Oct	6.24	249	36.7	353	5	338	6.94	8	48	9	18	7	1.7	54	
27-Oct	6.31	246	31.1	179	5	374	6.91	7	48	9	11	10	1.3	79	
28-Oct	6.39	241	30.0	171	5	380	6.96	10	43	8	15	8	1.4	51	
29-Oct	6.42	258	27.4	169	4	363	6.87	10	34	8	16	8	1.6	64	
30-Oct	6.61	261	31.4	197	5	364	6.92	10	46	10	11	10	1.4	74	

				LARSEN & TOUBRO LTD. ECU DIVISION											
PROJECT 5.5 MLD STP Near Jajpur Bypass Road at Gangapur City															
CLIENT : HUSBKUB			Format No. : BCB-SPGG/STP-4.5 MLD												
JOB No. : 1117012			Report No. : October'22												
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH4-N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	
Design Limit	6-9	650	55	300	6	650		<18	<58	<18	<5	<10	<2	<100	
11/10/22	6.92	74	27.1	56	7.45	232	7.08	18	44	7	36	8	0.9	17	
 Lab Chemist  Preet Singh Client															

  LARSEN & TOUBRO LTD. ECT DIVISION															
PROJECT : 4 MLD STP Near Alang, Tiruchirappur City								Format No. : RLB-SW/ECT/STP-JLSMLD							
CLIENT : RILSCO								Report No. : 10 October '23							
JOB No. : LBT002															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TSS (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH4-N	N Total	Total Phosphorus	Bacterial Coliform	
	-	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	
Design Limit	6.5	650	55	300	5	650		<10	<50	<10	<5	<10	<4	<100	
21-Oct	7.07	69	23.8	85	1.05	231	7.16	7	32	7	1.0	8	0.8	73	
22-Oct	6.95	70	24.5	95	1.05	250	7.14	9	36	10	1.1	7	0.8	56	
23-Oct	6.98	74	25.7	75	2.31	256	7.22	9	40	10	1.3	11	0.7	59	
24-Oct	6.94	71	24.1	70	2.05	231	7.06	7	44	7	1.0	7	0.7	59	
25-Oct	6.94	72	31.5	40	1.94	164	7.15	7	32	9	1.3	7	0.9	61	
26-Oct	6.99	73	32.8	80	1.99	164	7.17	7	44	8	1.4	10	0.9	58	
27-Oct	6.99	74	26.5	40	1.91	248	7.09	7	36	9	1.5	8	0.9	70	
28-Oct	6.96	74	31.5	80	1.77	254	7.15	10	32	10	1.3	8	0.7	68	
29-Oct	6.98	75	30.1	85	2.04	249	7.09	8	44	7	1.2	9	0.9	54	
30-Oct	6.94	68	27.6	75	1.86	264	7.12	9	32	8	1.1	8	0.9	79	
31-Oct	6.97	73	24.7	80	2.24	240	7.11	9	36	10	1.0	10	0.9	65	
1-Oct	6.92	73	27.2	70	2.08	256	7.16	10	36	9	1.2	10	0.8	68	
13-Oct	6.95	71	27.7	80	2.09	232	7.07	8	44	7	1.5	7	0.9	64	
14-Oct	6.97	70	30.9	75	1.96	256	7.13	7	44	9	1.6	7	0.8	74	
15-Oct	6.96	75	27.0	90	2.12	232	7.09	7	40	9	1.6	8	0.9	54	
16-Oct	6.94	75	32.8	60	2.29	232	7.20	10	32	9	1.2	10	0.8	61	
17-Oct	6.95	76	31.1	85	2.44	232	7.08	8	32	9	1.6	7	0.7	80	
18-Oct	6.96	75	27.5	95	1.96	256	7.18	9	44	7	1.2	10	0.7	63	
19-Oct	6.94	77	28.1	35	2.5	248	7.18	9	36	10	1.2	7	0.7	98	
20-Oct	6.98	72	26.7	35	2.03	264	7.05	7	40	10	1.7	8	0.8	56	
21-Oct	6.97	69	28.6	75	1.9	256	7.21	8	40	8	1.7	8	0.7	71	
22-Oct	6.95	70	27.4	70	2.44	256	7.18	7	44	7	1.2	10	0.7	78	
23-Oct	6.94	68	29.9	60	2.3	264	7.09	10	44	9	1.6	8	0.8	59	
24-Oct	6.95	71	32.4	60	2.48	280	7.21	10	32	7	1.4	8	0.9	54	
25-Oct	6.97	65	25.8	60	1.96	280	7.07	10	44	8	1.7	8	0.7	66	
26-Oct	6.99	71	31.3	94	1.84	280	7.12	8	36	9	1.4	7	1.0	58	
27-Oct	6.96	68	32.9	75	1.98	280	7.15	10	44	8	1.4	7	0.8	54	
28-Oct	6.94	75	29.0	70	2.14	248	7.21	7	44	8	1.3	9	0.7	77	
29-Oct	6.97	65	32.3	60	2.12	282	7.25	10	44	7	1.6	10	0.8	67	
30-Oct	6.95	72	33.5	60	2.4	264	7.07	7	32	9	1.5	10	0.8	61	

PROJECT : MLD STP Near Aligarh Jindal at Gurgaon City		Format No. : > BGH-SPG27/STP-J/MLD													
CLIENT : JINDAL		Report No. : > October'22													
JOB No. : 1117012															
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	
Design Limit	6-9	650	55	300	8	650		<18	<50	<10	<5	<10	<2	<100	
20-Oct	6.97	74	17.1	55	2.45	132	7.10	12	44	7	1.6	8	0.9	73	
Lab Chemist <i>Ramprakash</i> <i>[Signature]</i> Report No. Client															

															
PROJECT 25 MLD STP Near Truck Union at Gurgaon City								Format No. > BGL-SPCG/STP-215MBD							
CLIENT : HUDA								Report No. > October'12							
JOB No. : 1117012															
Date	INLET RAW WATER						DAILY LABORATORY ANALYSIS								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	
Design Limit	6-9	850	55	300	6	650		<10	<10	<10	<5	<10	<2	<100	
01-Oct	7.07	69	23.8	85	1.85	232	7.16	7	32	7	30	8	0.8	73	
02-Oct	6.95	70	24.3	85	1.85	256	7.14	8	36	10	33	7	0.8	56	
03-Oct	6.98	74	23.7	75	2.15	286	7.26	8	44	10	33	12	0.7	58	
04-Oct	6.94	71	24.1	72	2.05	232	7.06	7	44	7	30	7	0.7	59	
05-Oct	6.94	72	23.5	68	1.94	264	7.15	7	32	9	33	7	0.9	62	
06-Oct	6.89	73	20.8	84	1.98	264	7.17	7	44	8	34	12	0.9	68	
07-Oct	6.91	74	23.5	98	1.91	248	7.08	7	36	9	35	8	0.9	70	
08-Oct	6.96	74	23.5	84	1.77	256	7.15	10	32	10	33	8	0.7	68	
09-Oct	6.89	75	20.1	85	2.04	248	7.09	8	44	7	32	9	0.9	54	
10-Oct	6.94	68	27.6	75	1.88	264	7.12	9	32	8	31	5	0.9	79	
11-Oct	6.97	73	24.2	84	2.14	240	7.11	8	36	10	30	12	0.9	65	
12-Oct	6.92	73	27.2	71	2.18	286	7.16	10	36	9	32	12	0.8	69	
13-Oct	6.95	71	27.1	80	2.18	232	7.07	8	44	7	35	7	0.9	64	
14-Oct	6.97	70	20.3	75	1.18	256	7.10	7	44	9	36	7	0.8	74	
15-Oct	6.96	75	23.8	98	2.12	232	7.08	7	48	9	36	8	0.9	54	
16-Oct	6.94	75	32.8	68	2.19	232	7.20	10	32	8	32	12	0.8	62	
17-Oct	6.96	76	31.3	65	2.44	232	7.06	8	32	9	36	7	0.7	80	
18-Oct	6.96	75	27.5	95	1.98	256	7.18	8	44	7	32	10	0.7	62	
19-Oct	6.94	77	28.1	55	2.5	248	7.18	9	36	10	32	7	0.7	68	
20-Oct	6.98	72	16.7	55	2.03	254	7.05	7	40	10	37	8	0.8	56	
21-Oct	6.97	69	28.5	75	1.9	256	7.11	8	48	8	37	8	0.7	71	
22-Oct	6.96	70	27.8	70	2.44	256	7.18	7	44	7	32	10	0.7	78	
23-Oct	6.94	68	29.9	40	2.1	234	7.09	10	44	9	34	8	0.8	59	
24-Oct	6.96	73	32.4	40	2.48	240	7.11	10	32	7	34	8	0.9	54	
25-Oct	6.97	69	25.8	40	1.96	240	7.07	10	44	8	37	8	0.7	46	
26-Oct	6.98	72	26.2	90	1.84	240	7.17	8	36	9	34	7	1.0	58	
27-Oct	6.96	68	32.5	75	1.98	240	7.13	10	44	8	34	7	0.8	54	
28-Oct	6.94	75	29.9	75	2.34	248	7.21	7	44	9	33	9	0.7	77	
29-Oct	6.97	69	32.1	65	2.12	232	7.15	10	44	7	36	12	0.8	67	
30-Oct	6.95	72	33.5	68	2.4	264	7.17	7	32	9	35	12	0.8	61	

   LARSEN & TOUBRO LTD. ECT DIVISION																
PROJECT 25 MLD STP Near Truck Union at Gangapur City										Format No. :- BCB-SPL/CT/STP-22/501.D						
CLIENT :- BIRNDO										Report No. :- October'23						
JOB No. :- 1117002																
DAILY LABORATORY ANALYSIS																
Date	INLET RAW WATER						OUTLET									REMARKS
	PH	TSS	FMN (as N ₂)	BOD ₅	TP	COD	PH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Sp. coliform		
		mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	
Design Limit	6-9	650	55	300	5	600		<10	<50	<10	<5	<10	<2	<100		
13-Oct	8.52	74	77.1	16	2.46	292	7.18	13	44	7	16	8	8.9	77		
 Lab Chemist  Plant Manager Cert.																

Formal No. JLF/56

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	5 MLD STP OUTLET WATER		
Report No.	JLWT231124009	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	24/11/2023	Exp. Date	NA
Started of Analysis	24/11/2023	Sample Condition	OK
End of Analysis	26/11/2023	Sample Qty.	1 ltr
Report Release Date	28/11/2023	Ref. No.	NA
Sample Submitted By	EXECUTIVE ENGINEER NAGAR PARISHAD HANUMANAGARH		
Test Report Issued to	EXECUTIVE ENGINEER NAGAR PARISHAD HANUMANAGARH RAJASTHAN		
Environment Condition	Temperature (°C) - As per Standard. Relative Humidity (%) - As per Standard		

TEST RESULTS

Sl. No.	Parameters	Unit	Found	Method of Test
1	Faecal Coliform	Per 100 ml	48 MPN	APHA 24th Edition 9221 - 2023

END OF REPORT

Review by Gurpreet Sharma
Gurpreet Sharma 28/11/23
Dy. Technical Manager-Microbiology



Vinit Maheshwar 28/11/23
Authorised Signatory
Vinit Maheshwar
Technical Manager- Microbiology

Page No. 5 of 4

This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of law and should not be used in any
other way without special permission in writing.
Liability of this Laboratory is limited to the invoice amount.
This report is valid only for the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
Samples will be destroyed after one month (in case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
Report will be the property of the Laboratory and not drawn by Jagdamba Laboratories unless mentioned otherwise.

				 LARSEN & TOUBRO LTD. ECC DIVISION											
PROJECT 0.75 MLD STP Near Jaccha Ki Bawri at Hindaun City								Format No. :- BGH-SF/HAN/STP-2/0.75MLD							
CLIENT : RUDSICO								Report No. :- October'23							
JOB No. : LE170192															
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TRM (as N)	BOD ₅	TP	COO	pH	BOD ₅	COO	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	5	650		<10	<50	<10	<5	<10	<2	<100	
01-Oct	6.41	293	25.8	194	5	379	6.99	8	49	10	3.2	10	1.3	74	
02-Oct	6.24	236	35.2	170	6	347	6.92	8	48	10	3.6	10	1.4	55	
03-Oct	6.72	250	32.1	201	5	385	6.95	7	49	7	3.6	10	1.4	63	
04-Oct	6.49	258	34.4	199	4	358	6.89	8	46	8	3.1	7	1.4	58	
05-Oct	6.69	293	32.3	195	4	343	6.89	7	46	10	3.1	8	1.1	61	
06-Oct	6.37	277	35.0	161	5	339	6.87	7	46	9	3.2	10	1.2	53	
07-Oct	6.30	282	27.3	176	4	354	6.93	7	46	9	3.4	8	1.5	80	
08-Oct	6.37	294	30.6	175	5	389	7.02	9	50	9	3.2	8	1.1	75	
09-Oct	6.67	292	33.2	190	6	368	6.98	8	43	10	3.7	9	1.2	75	
10-Oct	6.31	243	29.6	190	6	320	6.88	10	48	9	3.7	9	1.4	64	
11-Oct	6.65	283	29.4	167	6	352	6.92	9	47	7	3.6	8	1.6	60	
12-Oct	6.36	275	30.9	166	5	361	6.92	9	46	8	3.1	7	1.4	63	
13-Oct	6.64	281	34.4	184	6	335	7.10	10	46	8	3.3	8	1.3	60	
14-Oct	6.30	261	38.6	177	6	367	6.98	9	50	10	3.7	7	1.5	79	
15-Oct	6.70	244	29.5	195	6	383	6.87	9	50	10	3.6	10	1.7	78	
16-Oct	6.26	271	35.7	161	5	366	6.98	9	43	8	3.0	10	1.4	80	
17-Oct	6.45	274	31.0	184	4	377	6.97	8	50	10	3.7	7	1.3	69	
18-Oct	6.56	264	28.1	173	4	396	6.96	8	48	9	3.2	8	1.4	55	
19-Oct	6.31	279	29.7	196	6	391	6.90	10	44	8	3.3	10	1.4	54	
20-Oct	6.50	245	36.6	201	4	366	7.11	8	43	9	3.0	10	1.6	65	
21-Oct	6.30	288	27.9	170	6	322	6.90	8	45	10	3.6	7	1.7	56	
22-Oct	6.21	246	35.1	203	4	327	6.92	8	43	8	3.3	9	1.2	75	
23-Oct	6.24	241	23.5	188	6	375	6.99	7	43	9	3.4	9	1.3	77	
24-Oct	6.73	243	25.9	181	5	381	6.87	9	49	7	3.3	9	1.4	76	
25-Oct	6.41	297	29.7	178	4	351	6.90	7	43	9	3.3	9	1.4	65	
26-Oct	6.66	293	30.1	183	6	333	6.86	10	47	7	3.2	7	1.5	65	

 		 LARSEN & TOUBRO LTD, ECC DIVISION													
PROJECT 0.75 MLD STP Near Jaecha Ki Bawri at Hindaun City							Format No. :- BGH-SP/HAN/STP-2/0.75MLD								
CLIENT : RUDSICO							Report No. :- October'23								
JOB No. : LE170192															
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOC ₅	TP	COD	pH	BOC ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
27-Oct	6.65	238	26.4	164	4	382	6.96	10	49	10	3.6	10	1.4	65	
28-Oct	6.21	288	27.6	196	5	327	6.89	10	47	8	3.5	10	1.0	58	
29-Oct	6.73	285	31.5	160	5	343	6.88	9	46	7	3.7	8	1.4	59	
30-Oct	6.31	266	32.6	157	4	346	6.97	8	47	7	3.7	8	1.2	61	
31-Oct	6.96	72	33.4	75	2.11	264	7.08	10	44	10	3.4	8	0.9	66	
Lab Chemist Plant Incharge Client															


 आशु अशु
 नगर परिषद हिण्डौन सिटी






LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 5 MLD STP Near Banaya Road at Hindaan City

CLIENT : RUDSICO

JOB No. : LE170192

Format No. :- BGH-SP/HAN/STP-3/5MLD

Report No. :- October'23

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Oct	6.58	251	34.19	192	5	387	6.91	10	48	9	3.01	7	1.41	55	
02-Oct	6.45	285	33.58	201	5	385	6.88	8	47	7	3.2	9	1.24	67	
03-Oct	6.5	259	24.14	170	4	331	6.97	9	48	8	3.06	10	1.47	78	
04-Oct	6.54	282	30.9	182	5	327	6.89	8	45	9	3.25	9	1.25	65	
05-Oct	6.53	268	30.85	189	5	355	6.9	9	50	9	3.04	10	1.17	65	
06-Oct	6.58	268	31.84	176	5	380	6.92	10	45	7	3.42	10	1.52	65	
07-Oct	6.51	291	36.8	192	5	344	6.88	9	45	9	3.47	7	1.39	75	
08-Oct	6.21	245	24.71	200	5	364	6.93	7	47	9	3.62	10	1.26	75	
09-Oct	6.35	275	32.44	161	5	387	6.96	8	45	9	3.39	10	1.68	72	
10-Oct	6.52	295	34.58	202	4	350	6.9	9	49	8	3.34	7	1.53	63	
11-Oct	6.25	247	22.1	181	5	375	6.89	7	49	8	3.29	9	1.41	69	
12-Oct	6.34	255	26.29	181	4	321	6.91	10	47	9	3.08	10	1.6	76	
13-Oct	6.55	283	27.11	157	6	390	6.93	9	44	9	3.58	10	1.19	80	
14-Oct	6.29	291	29.3	188	5	388	6.92	7	44	9	3.05	10	1.45	75	
15-Oct	6.3	251	30.54	179	4	372	6.99	9	45	7	3.72	10	1.63	60	

 		 LARSEN & TOUBRO LTD. ECC DIVISION													
PROJECT 5 MLD STP Near Banaya Road at Hindana City		Format No. :- BGH-SP/HAN/STP-3/5MLD													
CLIENT : RUDSICO		Report No. :- October'23													
JOB No. : LE170192		DAILY LABORATORY ANALYSIS													
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH4-N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	MPN/100 ml	
Design Limit	6-9	550	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
16-Oct	6.65	239	37.16	185	6	337	6.9	8	44	7	3.62	9	1.55	73	
17-Oct	6.51	295	33.13	166	6	382	6.96	8	46	9	3.21	7	1.66	61	
18-Oct	6.23	295	31.55	184	6	348	6.98	10	45	8	3.24	7	1.36	62	
19-Oct	6.36	235	31.56	160	5	320	6.86	10	45	7	3.28	8	1.68	57	
20-Oct	6.61	264	30.57	155	5	343	6.91	7	50	9	3.6	9	1.46	66	
21-Oct	6.59	297	33.96	166	5	315	6.96	10	46	8	3.69	8	1.6	54	
22-Oct	6.39	287	32.78	158	6	388	6.87	9	47	8	3.63	8	1.6	67	
23-Oct	6.5	292	29.89	181	6	371	6.87	10	46	10	3.64	8	1.54	75	
24-Oct	6.36	255	28.19	181	5	335	6.87	7	48	10	3.41	7	1.18	61	
25-Oct	6.21	248	36.67	188	5	337	6.88	8	45	9	3.71	9	1.55	60	
26-Oct	6.63	247	36.8	194	4	319	6.92	8	48	8	3.06	8	1.27	56	
27-Oct	6.68	275	34.99	183	6	390	6.86	9	48	10	3.18	9	1.67	60	
28-Oct	6.43	265	25.12	205	6	359	6.88	8	47	9	3.5	8	1.59	61	
29-Oct	6.35	276	25.22	158	5	339	6.86	7	48	9	3.2	10	1.59	75	
30-Oct	6.29	240	25.83	179	5	329	6.96	10	46	8	3.31	8	1.47	64	
31-Oct	6.96	72	33.44	75	2.11	264	7.08	10	44	10	3.44	8	0.9	66	

Lab Chemist _____

Plant Incharge _____

Client _____


 नगर परिषद हिण्डीन सिटी

8 MLD SEWAGE TREATMENT PLANT, JAIPUR LAB REPORT (october-2023)

PARAMETERS	BOD		COD		TSS		INFLUENT FLOW	pH		TKN		TP		NH4-N		FECAL COLIFORM
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
UOM	MG/L		MG/L		MG/L		MLD			MG/L		MG/L		Mg/L		MPN/100ml
DESIGN	370	<10	861	<50	650	<=10	8 MLD	6.0-9	6.0-9	55	<=10	6	<0.5		<5	<230
DATE																
01-10-2023	300	9	997	49	610	10	7.9	8.32	7.29	43.4	4.2	10	0.5	8	1	100
02-10-2023	280	6	989	48	579	8	7.9	8.2	7.28	42	4.2	5	0.43	6	0.5	100
03-10-2023	280	6	978	47	576	7	8	8.21	7.29	40.6	2.8	10	0.49	6	0.5	<100
04-10-2023	290	9	993	48	597	8	8.1	8.17	7.3	43.4	4.2	10	0.5	8	2	100
05-10-2023	280	6	957	46	548	7	7.9	8.16	7.34	40.6	2.8	5	0.42	8	1	100
06-10-2023	280	6	968	46	573	7	7.9	8.19	7.32	40.6	2.8	5	0.41	6	0.5	100
07-10-2023	290	9	969	47	571	8	8	8.15	7.29	42	4.2	10	0.49	6	1	<100
08-10-2023	300	9	983	48	579	8	8.1	8.17	7.3	43.4	4.2	10	0.49	8	1	<100
09-10-2023	290	9	994	48	596	9	8	8.33	7.33	43.4	4.2	10	0.47	8	1	<100
10-10-2023	310	9	1015	49	631	10	7.9	8.31	7.36	43.4	4.2	10	0.46	8	2	100
11-10-2023	290	9	981	48	605	10	7.8	8.3	7.4	42	4.2	10	0.57	8	2	100
12-10-2023	280	6	977	47	593	9	7.9	8.33	7.41	42	4.2	10	0.59	8	1	100
13-10-2023	310	9	1015	50	602	10	7.9	8.39	7.45	44.8	4.2	10	0.5	8	1	<100
14-10-2023	290	9	993	49	588	8	8	8.29	7.3	42	4.2	10	0.5	8	2	<100
15-10-2023	290	9	997	49	597	8	8	8.3	7.32	42	4.2	10	0.54	8	2	100
16-10-2023	280	6	967	47	565	8	7.9	8.2	7.29	40.6	2.8	5	0.48	6	0.5	<100
17-10-2023	290	9	987	48	591	9	8	8.28	7.26	42	4.2	10	0.48	8	1	100
18-10-2023	300	9	996	48	597	9	7.8	8.3	7.29	43.4	4.2	10	0.5	8	1	<100
19-10-2023	280	6	987	47	569	8	8	8.28	7.25	40.6	2.8	10	0.47	8	1	100
20-10-2023	280	6	973	47	571	8	7.9	8.3	7.28	42	4.2	10	0.5	8	2	100
21-10-2023	290	9	999	49	596	9	7.8	8.32	7.3	43.4	4.2	10	0.53	8	1	<100
22-10-2023	310	9	1015	48	617	10	8	8.3	7.31	43.4	4.2	10	0.47	8	2	100
23-10-2023	280	6	983	47	600	9	8	8.33	7.32	42	4.2	10	0.49	8	1	<100
24-10-2023	300	9	1001	48	611	10	7.9	8.39	7.3	44.8	4.2	10	0.5	8	2	100
25-10-2023	300	9	993	48	586	9	8	8.03	7.32	44.8	5.6	10	0.56	8	2	<100
26-10-2023	290	9	994	47	573	8	8	7.94	7.29	43.4	4.2	10	0.5	8	1	<100
27-10-2023	280	6	977	47	587	8	7.9	7.93	7.28	43.4	4.2	10	0.49	8	1	100
28-10-2023	300	9	981	47	589	8	7.9	7.96	7.29	42	4.2	10	0.49	8	2	100
29-10-2023	280	6	969	47	574	7	8	7.99	7.31	40.6	2.8	5	0.43	6	0.5	<100
30-10-2023	290	9	993	49	596	8	8	7.94	7.29	43.4	4.2	10	0.51	8	2	100
31-10-2023	280	6	987	48	593	8	7.8	8.01	7.36	42	4.2	10	0.5	8	2	100

सहायक अभियन्ता
नगर निगम, जयपुर हेरिटेज

Auth. Signatur

Unit 1, 62.5 MLD, STP Delawas

Month of October 2023

Date	Inlet									Outlet								
	Flow	Temperature	PH	TSS	COD	BOD	TKN	TP	Fecal Coliform	Flow	Temperature	pH	BOD	COD	TSS	TKN	TP	Fecal Coliform
Permissible Limit	62.5 MLD	Degree C	7.2-7.8	600 ppm	700ppm	350 ppm	55 ppm	5 ppm		(MLD)	Degree C	5.5-9.0	< 10 ppm	<50 ppm	< 20 ppm	<5 ppm	<1 ppm	<100 ppm
1-Oct-23	67.98	30	7.6	430	615	290	71.1	1.2	100000	67.05	30	7.3	9	48	12	4.6	0.4	100
2-Oct-23	68.68	30	7.6	418	698	300	72.1	1.9	100000	69.27	30	7.3	9	42	10	4.6	0.2	100
3-Oct-23	71.85	30	7.3	457	724	360	72	1.2	100000	72.85	30	7.2	8	40	10	4.2	0.1	100
4-Oct-23	65.62	30	7.6	464	698	320	71.1	1.4	100000	66.12	30	7.3	9	36	8	4.2	0.2	100
5-Oct-23	58.49	30	7.6	469	688	310	72.2	1.3	100000	56.32	30	7.2	8	40	9	4.2	0.2	100
6-Oct-23	60.08	30	7.6	493	628	290	71.2	1.9	100000	60.51	30	7.2	9	48	10	4.2	0.1	100
7-Oct-23	63.19	30	7.6	396	624	324	69.2	1.7	100000	62.64	30	7.2	8	40	9	4.2	0.3	100
8-Oct-23	64.74	30	7.6	457	688	300	73.2	1.2	100000	64.76	30	7.2	9	42	9	3.2	0.1	100
9-Oct-23	65.04	30	7.7	498	616	290	71.2	1.9	100000	64.78	30	7.3	8	40	10	4.2	0.3	100
10-Oct-23	64.5	30	7.7	475	612	324	70.2	1.2	100000	64.6	30	7.3	8	42	9	4.2	0.4	100
11-Oct-23	64.13	30	7.6	379	592	310	71.2	1.3	100000	64.17	30	7.3	7	32	10	3.2	0.1	100
12-Oct-23	62.72	30	7.5	442	720	320	70.2	1.7	100000	62.73	30	7.2	9	36	8	3.2	0.1	100
13-Oct-23	64.61	30	7.5	413	624	290	69.4	1.3	100000	64.69	30	7.2	9	32	10	4.2	0.4	100
14-Oct-23	63.44	30	7.6	469	724	300	72.1	1.7	100000	64.98	30	7.1	10	42	10	4.2	0.1	100
15-Oct-23	65.16	30	7.5	475	592	290	68.2	1.7	100000	64.46	30	7.2	9	32	10	3.2	0.1	100
16-Oct-23	65.44	30	7.4	460	728	300	71.2	1.2	100000	64.6	30	7.2	9	32	10	3.2	0.1	100
17-Oct-23	62.58	30	7.6	487	670	290	72.1	1.9	100000	62.64	30	7.2	8	25	10	4.6	0.1	100
18-Oct-23	61.42	30	7.5	493	656	310	72.1	1.3	100000	61.67	30	7.2	9	36	10	4.7	0.8	100
19-Oct-23	64.92	30	7.0	380	596	300	73.6	1.7	100000	64.73	30	7.0	9	24	9	4.6	0.7	100
20-Oct-23	65	30	7.0	474	640	310	71.1	1.8	100000	64.88	30	7.0	9	28	8	4.1	0.9	100
21-Oct-23	62.55	30	7.0	317	628	320	73.1	1.9	100000	62.61	30	7.0	8	28	6	4.3	0.8	100
22-Oct-23	64.52	30	7.1	198	688	280	73.1	1.3	100000	64.58	30	7.0	9	28	8	4.7	0.8	100
23-Oct-23	61.58	30	7.1	292	578	280	71	1.9	100000	60.08	30	7.1	9	32	10	4.7	0.9	100
24-Oct-23	63.6	30	7.3	378	648	310	73.1	1.3	100000	64.5	30	7.1	9	36	10	4.1	0.8	100
25-Oct-23	64.61	30	7.4	391	598	310	71.9	1.9	100000	64.7	30	7.2	8	32	9	3.2	0.2	100
26-Oct-23	65.01	30	7.4	394	688	290	72.1	1.3	100000	64.25	30	7.1	9	40	10	4.2	0.1	100
27-Oct-23	64.78	30	7.4	390	624	300	71.2	1.4	100000	64.69	30	7.1	9	24	9	5.2	0.1	100
28-Oct-23	64.63	30	7.6	417	724	310	72.1	1.2	100000	64.68	30	7	9	32	9	2.4	0.1	100
29-Oct-23	64.6	30	7.6	493	664	290	69.2	1.3	100000	64.67	30	7.3	8	26	9	5.1	0.2	100
30-Oct-23	62.62	30	7.3	487	698	290	68.2	1	100000	62.63	30	7.2	9	24	9	4.1	0.4	100
31-Oct-23	4.59	30	7.50	432.00	598.00	300.00	70.20	1.90	100000	64.66	30	7.20	8	32	9.00	2.2	0.1	100.00
AVERAGE	62.41	30.00	7.45	433.03	653.84	299.23	71.29	1.51	100000.00	64.21	30.00	7.17	8.65	34.61	4.08	0.34		100.00

Handwritten Signature
Process Engineer

Handwritten Signature
Chemist



Month Oct-23
Unit 3, 90 MLD, STP Dehrawas

Date	Inlet									Outlet								
	Flow	Temperature	pH	TSS	COD	BOD	TKN	TP	Fecal Coliform	Flow	Temperature	pH	TSS	COD	BOD	TKN	TP	Fecal Coliform
Permissible Limit	90 MLD	Degree C	7.2-7.9	600 ppm	700ppm	350 ppm	55 ppm	5 ppm		(MLD)	Degree C	5.5-9.0	< 10 ppm	<50 ppm	< 20 ppm	<5 ppm	<1 ppm	<100 ppm
1-Oct-23	20.21	30	7.6	430	615	290	71.2	1.8	100000	23.30	30	7.3	12	48	9	4.2	0.8	100
2-Oct-23	9.70	30	7.6	418	698	300	72.0	1.9	100000	12.18	30	7.3	10	40	10	4.9	0.1	100
3-Oct-23	34.04	30	7.6	457	724	300	70.6	1.4	100000	32.78	30	7.3	12	42	8	4.7	0.7	100
4-Oct-23	46.69	30	7.6	464	698	320	71.2	1.5	100000	42.19	30	7.3	13	48	7	4.0	0.2	100
5-Oct-23	34.35	30	7.6	469	688	300	71.2	1.4	100000	34.54	30	7.3	12	40	7	3.2	0.1	100
6-Oct-23	61.12	30	7.6	428	628	290	70.2	1.5	100000	58.54	30	7.3	10	48	8	4.2	0.1	100
7-Oct-23	56.12	30	7.6	396	624	324	72.1	1.2	100000	57.99	30	7.3	10	40	8	4.2	0.7	100
8-Oct-23	57.78	30	7.6	475	615	300	71.2	1.3	100000	53.54	30	7.3	12	42	10	4.2	0.6	100
9-Oct-23	60.63	30	7.6	498	616	290	72.1	1.7	100000	60.74	30	7.3	10	40	9	3.2	0.7	100
10-Oct-23	62.45	30	7.4	475	612	324	72.4	1.3	100000	60.52	30	7.3	12	42	6	3.2	0.2	100
11-Oct-23	62.75	30	7.6	375	592	310	72.0	1.8	100000	66.69	30	7.3	12	48	8	3.1	0.9	100
12-Oct-23	62.46	30	7.5	442	720	320	71.0	1.6	100000	59.49	30	7.2	12	49	9	3.9	0.1	100
13-Oct-23	65.31	30	7.5	413	624	290	70.0	1.3	100000	63.53	30	7.3	10	42	7	4.5	0.2	100
14-Oct-23	33.29	30	7.6	445	615	300	70.2	1.7	100000	43.23	30	7.2	12	42	6	3.2	0.1	100
15-Oct-23	65.89	30	7.5	475	592	290	68.7	1.7	100000	55.95	30	7.2	12	36	8	4.3	0.7	100
16-Oct-23	63.64	30	7.4	460	724	300	69.2	1.7	100000	65.19	30	7.3	14	48	8	4.2	0.1	100
17-Oct-23	39.20	30	7.6	487	692	310	72.1	1.6	100000	48.94	30	7.2	10	36	7	3.2	0.1	100
18-Oct-23	62.78	30	7.5	493	656	280	72.0	1.1	100000	54.61	30	7.2	10	48	6	3.1	0.1	100
19-Oct-23	58.88	30	7.0	380	596	300	73.0	1.1	100000	60.81	30	7.0	15	40	9	3.1	0.1	100
20-Oct-23	58.03	30	7.0	474	640	310	73.1	1.1	100000	58.57	30	7.0	7	36	7	3.3	0.8	100
21-Oct-23	59.66	30	7.0	317	628	320	73.1	1.3	100000	56.92	30	7.0	15	46	9	5.1	0.8	100
22-Oct-23	47.06	30	7.1	398	688	300	71.1	1.8	100000	49.26	30	7.0	13	48	6	1.9	0.3	100
23-Oct-23	53.02	30	7.2	290	578	280	71.1	1.9	100000	51.36	30	7.0	13	48	7	1.8	0.9	100
24-Oct-23	44.16	30	7.2	378	648	280	73.3	1.8	100000	43.16	30	7.1	14	49	7	1.8	0.8	100
25-Oct-23	43.66	30	7.4	398	598	300	72.4	1.1	100000	44.62	30	7.0	12	44	6	1.9	0.9	100
26-Oct-23	42.74	30	7.2	398	688	290	73.2	1.2	100000	43.24	30	7.0	13	45	8	1.2	0.8	100
27-Oct-23	48.61	30	7.4	390	624	300	72.1	1.2	100000	50.18	30	7.1	15	42	7	1.2	0.7	100
28-Oct-23	39.89	30	7.4	417	724	310	72.1	1.2	100000	38.12	30	7.0	16	47	8	1.2	0.1	100
29-Oct-23	42.56	30	7.6	493	664	300	68.1	1.1	100000	37.10	30	7.3	15	45	6	3.3	0.7	100
30-Oct-23	39.17	30	7.3	487	698	280	72.2	1.2	100000	39.14	30	7.3	13	45	7	1.2	0.8	100
31-Oct-23	44.37	30	7.5	432	598	290	71.2	1.0	100000	38.95	30	7.0	10	32	7	4.2	0.4	100
Average	49.04	30	7.4	430.71	648.55	299.94	71.46	1.44	100000	48.56	30	7.2	12.13	43.42	7.58	3.2	0.5	100

Hasby
Process Engineer

Chemist



09672-1



Doc No: ISSPL/QP113F-01



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584323500000914F

Report No.	ISSPL/WW/23-24/09672	Date	04/12/2023
1. Name & address of Customer#	Vatech Wabag Ltd 50 MLD STP, Jaisinghpura Khor Jaisinghpura Khor Jaipur-302027 Rajasthan		
2. Reference No.#	Your TRF Dated: 30/11/2023 (Reg. No. 89328)		
3. Material Identification with details#	STP Inlet Water: Date and Time of Sampling: 30/11/2023 (01:10 pm to 01:30 pm), Location: STP Inlet Tank, 50 MLD STP Khor, Jaipur, Qty.: 2 Ltr.		
4. Source / Location#	STP Inlet Tank, 50 MLD STP Khor, Jaipur, Latitude: 26.856667, Longitude: 75.830242		
5. Sampled By/Condition of Sample	ISSPL (Bansi Lal Meena) / OK		
6. Date of sample receipt	30/11/2023		
7. Date of Sample Registration	30/11/2023		
8. Date of sample Testing	30/11/2023 To 04/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	>1600	MPN/100ml

MPN= Most Probable Number.

End of the Report

Page No. 1/1

04/12/2023
Kirti Pradhan
Reviewed by

Rajendra Prasad
Dy. Manager-Biology Lab
Authorised Signatory



Doc No. ISSPL/2P13/F-Q1



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017, India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

ULR : TC584323500000924F

Report No.	ISSPL/WW/23-24/09673	Date	04/12/2023
1. Name & address of Customer#	Vatech Wabag Ltd 50 MLD STP, Jaisinghpura Khor Jaisinghpura Khor Jaipur-302027 Rajasthan		
2. Reference No.#	Your TRF Dated: 30/11/2023 (Reg. No. 89327)		
3. Material Identification with details#	STP Outlet Water: Date and Time of Sampling: 30/11/2023 (01:10 pm to 01:30 pm), Location: STP Outlet Tank, 50 MLD STP Khor, Jaipur, Qty.: 2 Ltr.		
4. Source / Location#	STP Outlet Tank, 50 MLD STP Khor, Jaipur, Latitude: 26.950187, Longitude: 75.893247		
5. Sampled By/Condition of Sample	ISSPL (Bansi Lal Meena) / OK		
6. Date of sample receipt	30/11/2023		
7. Date of Sample Registration	30/11/2023		
8. Date of sample Testing	30/11/2023 To 04/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	500	MPN/100ml

MPN= Most Probable Number.

End of the Report

Page No. 1/1

04/12/2023
Kirti Pradhan
Reviewed by

IRCLASS Systems And Solutions
Jaipur
04/12/2023
Dy. Manager-Biology Lab
Authorised Signatory

KHL Infrastructure PVT. LTD.

Month of October 2023

Unit 2, 62.5 MLD, STP Delawas

Date	Inlet									Outlet								
	Flow	Temperature	pH	TSS	COD	BOD	TKN	TP	Fecal Coliform	Flow	Temperature	pH	BOD	COD	TSS	TKN	TP	Fecal Coliform
Permissible Limit	62.5 MLD	Degree C	7.2-7.9	600 mg/l	700mg/l	350mg/l	55 mg/l	5 mg/l		(MLD)	Degree C	5.5-9.0	<10mg/l	<50 mg/l	<20 mg/l	<10 mg/l	<1 mg/l	<100 ppm
1-Oct-23																		
2-Oct-23																		
3-Oct-23																		
4-Oct-23																		
5-Oct-23																		
6-Oct-23																		
7-Oct-23																		
8-Oct-23																		
9-Oct-23																		
10-Oct-23																		
11-Oct-23																		
12-Oct-23																		
13-Oct-23	15.32	30	7.5	413	624	290	69.4	1.3	100000		30	7.2	87	112	74	52.2	4.9	100
14-Oct-23	15.65	30	7.6	469	724	300	72.1	1.7	100000	12.21	30	7.1	82	104	71	49.4	4.5	100
15-Oct-23	14.84	30	7.5	475	592	290	68.2	1.7	100000	13.46	30	7.2	79	89	68	49.1	4.4	100
16-Oct-23	16.2	30	7.4	460	728	300	71.2	1.2	100000	14.6	30	7.2	74	82	61	48.4	4.4	100
17-Oct-23	15.47	30	7.6	487	670	290	72.1	1.9	100000	14.66	30	7.2	72	79	58	47.6	4.1	100
18-Oct-23	16.79	30	7.5	493	656	310	72.1	1.3	100000	15.67	30	7.2	69	65	53	46.8	4.3	100
19-Oct-23	18.03	30	7	380	596	300	73.6	1.7	100000	16.73	30	7	63	61	50	46.5	3.9	100
20-Oct-23	16.33	30	7	474	640	310	71.1	1.8	100000	14.88	30	7	61	65	47	41.6	3.7	100
21-Oct-23	12.61	30	7	317	628	320	73.1	1.9	100000	10.61	30	7	59	61	43	36.6	3.7	100
22-Oct-23	16.52	30	7.1	398	688	280	73.1	1.3	100000	15.58	30	7	54	62	38	31.6	3.7	100
23-Oct-23	18.62	30	7.1	292	578	280	71	1.9	100000	16.08	30	7.1	44	64	34	29.9	3.3	100
24-Oct-23	16.25	30	7.3	378	648	310	73.1	1.3	100000	14.5	30	7.1	42	61	30	26.2	2.9	100
25-Oct-23	14.65	30	7.4	393	598	310	71.9	1.9	100000	13.7	30	7.2	39	59	29	24.8	2.9	100
26-Oct-23	17.19	30	7.4	398	688	290	72.1	1.3	100000	15.25	30	7.1	37	54	25	23.3	2.7	100
27-Oct-23	16.48	30	7.4	390	624	300	71.2	1.4	100000	14.69	30	7.1	32	51	31	21.8	2.8	100
28-Oct-23	18.02	30	7.6	417	724	310	72.1	1.2	100000	15.68	30	7	27	49	24	19.2	2.6	100
29-Oct-23	20.68	30	7.6	493	664	290	69.2	1.3	100000	17.67	30	7.3	23	47	25	16.7	2.5	100
30-Oct-23	23.64	30	7.3	487	698	290	68.2	1	100000	19.65	30	7.2	19	43	25	17.1	2.4	100
31-Oct-23	25.67	30	7.5	432	598	300	70.2	1.9	100000	22.66	30	7.20	16	44	22	15.8	2.20	100.00
AVERAGE	17.31	30.00	7.36	423.47	650.84	299.23	71.32	1.53	100000.00	15.46	30.00	7.18	51.53	65.89	43	33.93	3.47	100.00

NOTE:

The Electrical connection from JVVNL was established on 12-oct-2023. The Plant had been running since 13-oct-2023 and was on trial run in the whole month for periodical stability.

Handy
Process Engineer

A
Chemist





TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S) JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TH/JDA/2023-24/19	Date :	06-12-2023
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg ,Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample/ Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/ Monitoring	01-12-2023
Point of Collection :	STP Inlet (30 MLD, STP Plant of JDA at Village- Gajadharpura, Kalwar Road, Jaipur)	Date of Receipt :	01-12-2023
Date of Test/Analysis:	01-12-2023 to 06-12-2023	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative:	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Faecal coliform [MPN/100ml]	1800	IS 1622 : 1981

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satykhan
Senior Analyst



[Signature]
Authorized Signatory
(Report No: TH/JDA/2023-24/19)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT


Report No./ULR No. :	TH/JDA/2023-24/18	Date :	06-12-2023
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg ,Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample/ Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/ Monitoring	01-12-2023
Point of Collection :	STP Outlet (30 MLD, STP Plant of JDA at Village- Gajadharpura, Kalwar Road, Jaipur)	Date of Receipt :	01-12-2023
Date of Test/Analysis:	01-12-2023 to 06-12-2023	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative:	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	170	IS 1622 : 1981	1000

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Senior Analyst




Authorized Signatory
(Report No: TH/JDA/2023-24/18)

PUBLIC HEALTH ENGINEERING DEPARTMENT LABORATORY, JAISALMER **REPORT OF THE BACTERIOLOGICAL EXAMINATION OF WATER**

No. Lab/Tech. (Bact.) 20 -2023-24/636

Date 30/11/2023

To,

The सालासु अमिता
नगरपरिषद जैसलमेर

District जैसलमेर

Tehsil

Reference स. म. वि. नगरपरिषद SP-4/Date-28-11-23

0082980940
28-11-23

Sample No.	Date & Time of Collection	Date of Examination	Residual Chlorine mg./l	Particulars of Samples	Coli form Organism M.P.N. per 100ml
29	28/11/23	28/11/23	NIL	Sewage Treatment plant	110

Remarks : 1. Satisfactory :- OK
 2. Suspicious :-
 3. Unsatisfactory :-

No. Lab/Tech. (Bact.) 20 -20
 CC : 1. The Chief Chemist, P.H.E.D., Raj. Jaipur
 2. The SE. P.H.E.D. Circle, Jaisalmer
 3. EE. P.H.E.D., City Dn/Dist. Dn/Dn
 4. The C.M.H.O. Jaisalmer

Junior Chemist
 P.H.E.D. Lab, Jaisalmer

Junior Chemist
 P.H.E.D. Lab, Jaisalmer



AN ISO / IEC 17025:2005

Certificate of Testing / Analysis
GURU KRIPA
TESTING HOUSE
NABL Accredited Laboratory

(Estd. : Since 1996)



ISO 9001:2015 CERTIFIED TESTING LAB.

Auth. Sam. Collection Cen. : 38, New Vidhya Nagar, Opp. Archi Peace Park, Hiran Magri, Sector - 3, UDAIPUR (Raj.)
 Lab/Off. H.O. : AMC 110/10, Civil Lines. AJMER - 305001 (Raj.)
 Mobile : 9414003374 e-mail : ravilalmathur@gmail.com

Doc No.-QR/33

Rev. No.-01

Ref. No./GKTH/Water/2023 - 24 / 65989(N)

TEST REPORT

Date of Issue: 22/11/2023

1.	Name & Address of Customer	:	M/s PC Sachal Construction Pvt. Ltd.
2.	SRF /Letter Reference	:	-
3.	Name of Work	:	2 MLD Sewage Treatment Plant Nagar Pnlika karoliya road Jaitaran,
4.	Material Identification	:	District - Beawar, Rajasthan
5.	Sample Supplied by	:	STP Water (5 Lit. in Loose Plastic bottle)
6.	Source / Location	:	Contractor
7.	Date of Sample Receipt	:	Outlet Water
8.	Date of Sample Tested	:	17/11/2023
9.	Results of the Test/Analysis	:	17/11/2023 to 22/11/2023
		:	As Per the Specification of IS: 2490/1981 (Pt-1) tolerance limit for industrial effluents discharged into inland surface water Sp. of BIS.

PHYSICO- CHEMICAL ANALYSIS

S. No.	Name of the test Required	Method of Test	Test Results Found (Avg. of 3 Trials)	Std. Requirements
1.	Faecal Coliform	IS: 1622 :1981	92.8 MPN / 100 ml	100 - 230 MPN / 100 ml

For Guru Kripa Testing House
 AJMER
 (Dr. Ravi Mathur)
 Authorized Signatory

Page 1 of 1

NOTE

1. Once original test report certificated issued (Generate) will neither change nor take back at any cost & condition after testing the sample as instructed by the party.
2. The opinion is with respect to the test(s) carried out and mentioned above.
3. The results listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
4. The report shall not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without written approval of M/s. Guru Kripa Testing House, Ajmer.
5. The samples will be stored up to one month from the date of issue of test certificate unless otherwise specified.



**Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)**

G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur

Tel No.: +91 141 2222469

Fax No.: +91 141 2222403

website: www.lsg.urban.rajasthan.gov.in

**NGT
MOST URGENT**



No: F 55 ()/CE/DLB/NGT_606/2023/17861-864

Date: 20/11/2023

1. Additional Project Director,
RUIDP
2. Project Director (UI),
RUDSICO
3. Commissioner/Executive Officer
Municipal Corporation/Council/Board,
All Rajasthan.

Subject: Regarding low capacity utilization of operational STPs in the State.

Reference: Hon'ble NGT order dated 09.11.2023 in the matter of O.A. 606/2018.

With reference to above cited subject, Hon'ble NGT has issued order dated 09.11.2023 (Copy enclosed) in the matter of O.A. 606/2018. As per the order, the issue regarding the low capacity utilization of STPs in state has been raised as some of the STPs are operating at very low capacity (list enclosed).

In this context, you are directed to send the report within 3 days with reasons for low capacity utilization of STPs in your city/town along with the status of House Sewer Connections (HSCs) completed and balance in the influence area (Sewerage Zone) of particular STP. Also, submit action plan for optimal use of STP.

Kindly Treat this Most Urgent.

Encl: - As above


(Hriday Kumar Sharma)
Director & Special Secretary

No: F 55 ()/CE/DLB/NGT_606/2023/17861-864
Copy to following for information

Date: 20/11/2023

1. PS to Secretary, LSG, GoR
2. PS to Director & Special Secretary DLB, GoR
3. PA to Chief Engineer DLB
4. Guard File.


(Arun Vyas)
Chief Engineer

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST

(See Rule - 24)

Final Report

Report No. : **929**

Report On : **08/09/2023**

I hereby certify that I **Yash Pal Meena**, State Board Analyst duly appointed **under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974** received on the **30/08/2023** from **Shankar Lal, JEE, Sirohi ,RSPCB Sirohi** a sample of **Waste Water of M/S Municipal Council Jalore (STP) , Plant - , , Tehsil- Jalore , District- Jalore** Collected from **Outlet of Municipal STP, Jalore** Collected on **29/08/2023**. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on **08/09/2023** and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	pH	07.92
2	Total Suspended Solids mg/l	136
3	Chemical Oxygen Demand (COD) mg/l	292
4	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	48
5	Oil & Grease mg/l	04

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **08/09/2023**

BOARD ANALYST

Rajasthan State Pollution Control Board

Regional Office Pali

SA-6, Mandia Road, Industrial Area, Pali

Phone: 02932-231616

FORM - X

RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST

(See Rule - 24)

Final Report

Report No. : 928

Report On : 08/09/2023

I hereby certify that I Yash Pal Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 30/08/2023 from Shankar Lal, JEE, Sirohi ,RSPCB Sirohi a sample of Waste Water of M/S Municipal Council Jalore (STP) , Plant - , , Tehsil- Jalore , District- Jalore Collected from Inlet of Municipal STP, Jalore Collected on 29/08/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 08/09/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	pH	07.68
2	Total Suspended Solids mg/l	448
3	Chemical Oxygen Demand (COD) mg/l	508
4	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	116
5	Oil & Grease mg/l	12

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 08/09/2023

Yash Pal Meena
BOARD ANALYST

Rajasthan State Pollution Control Board

Regional Office Pali

SA-6, Mandia Road, Industrial Area, Pali

Phone: 02932-231616

Kamal®

Date	FLOW	In Jet					Out Jet					Remark	Sling	Sling
		Temp	pH	TSS	COD	BOD	Temp	pH	TSS	COD	BOD			
1/10/2023	5.243		7.22	217	390	-		7.56	45	140	-		Flavin	Ham
2/10/2023	5.346		7.20	232	410	-		7.54	47	150	-		Flavin	Ham
3/10/2023	5.415		7.18	241	380	-		7.51	51	130	-		Flavin	Ham
4/10/2023	5.314		7.16	256	360	-		7.55	54	120	-		Flavin	Ham
5/10/2023	5.278		7.15	247	340	-		7.56	52	100	-		Flavin	Ham
6/10/2023	5.256		7.17	231	370	-		7.58	48	120	-		Flavin	Ham
7/10/2023	5.304		7.19	218	400	266		7.60	46	150	22		Flavin	Ham
8/10/2023	5.267		7.21	211	380	-		7.62	47	140	-		Flavin	Ham
9/10/2023	5.349		7.18	206	360	-		7.57	45	130	-		Flavin	Ham
10/10/2023	5.170		7.20	224	350	-		7.55	48	120	-		Flavin	Ham
11/10/2023	5.233		7.22	238	370	-		7.59	54	130	-		Flavin	Ham
12/10/2023	5.190		7.19	242	340	-		7.56	55	110	-		Flavin	Ham
14/10/2023	5.236		7.20	232	380	-		7.54	53	130	-		Flavin	Ham
15/10/2023	5.345		7.17	208	360	245		7.60	45	120	19		Flavin	Ham
16/10/2023	5.184		7.15	217	370	-		7.58	48	140	-		Flavin	Ham
17/10/2023	5.206		7.18	224	330	-		7.62	57	140	-		Flavin	Ham
18/10/2023	5.237		7.16	236	410	-		7.55	64	150	-		Flavin	Ham
19/10/2023	5.228		7.14	245	380	-		7.53	67	140	-		Flavin	Ham
20/10/2023	5.304		7.15	228	360	-		7.56	63	130	-		Flavin	Ham
21/10/2023	5.355		7.19	219	340	-		7.58	64	110	-		Flavin	Ham
22/10/2023	5.279		7.16	207	370	259		7.55	62	130	21		Flavin	Ham
23/10/2023	5.428		7.18	211	390	-		7.57	60	140	-		Flavin	Ham
24/10/2023	5.262		7.21	219	350	-		7.62	58	130	-		Flavin	Ham
25/10/2023	5.154		7.19	226	380	-		7.61	54	150	-		Flavin	Ham
26/10/2023	5.003		7.17	238	400	-		7.59	56	160	-		Flavin	Ham
27/10/2023	5.108		7.15	213	370	-		7.54	59	120	-		Flavin	Ham
28/10/2023	5.221		7.19	214	350	-		7.57	54	140	-		Flavin	Ham
29/10/2023	5.240		7.17	235	380	-		7.55	57	120	-		Flavin	Ham
30/10/2023	5.282		7.20	215	360	270		7.58	59	130	23		Flavin	Ham
31/10/2023	5.213		7.18	202	340	-		7.56	66	110	-		Flavin	Ham

Ham
कमल अभियान
नगर नाली, जालंधर

Parameters of operational STP																	
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow	Outlet/Actual Parameter						Test Report Attached (Yes/No)01 october'23 to 31 october'23	Reuse of Treated Water				
						Temp 0C	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse	Quantity of Treated water Being Reuse	Mode of Reuse Agricultural/Horticultural/Industrial	Remaining Quantity of Treated water	Mode of disposal /water Bodies/ Other purposes
1	Jalor	Bishangarh Road Jalor	10	WSP	4.9	28	7.57	19.66	57.3	125.45	Attached	Yes	4.9	4.9	Agricultural	0	-


 Junior Engineer
 Municipal Council Jalor


 Commissioner
 Municipal Council Jalor



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items



TEST REPORT

Report No. MGE/TR/WTR/04726	Issued Date : 29.11.2023
Name & Address of Party : M/s S. J. Enterprises STP Bishangarh Road Jalore	Letter Date : 24.11.2023
	Source of Sample : Sewerage Water
	Quantity of sample : One bottle
	Date of sample received : 24.11.2023
	Period of testing : Start-24.11.2023, Final-29.11.2023
	Sample Description : Raw Sewerage & Treated water
Location: - STP Capacity - 10 MLD Under RUIDP, Jalore .	

TEST RESULTS

Requirements Tests	Test Method	Standards as per GSR 801 (E) EPA 1993	Units	Results Obtained	
				Raw Sewerage	Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.97	7.22
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	262.3	7.8
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	835.6	41.6
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	589.5	7.8
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	41.6	3.3
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	7.8	0.36
g) Fecal coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	298.6	15.5

REMARK: B.O.D. Results Observed after 3 Days.

For MONI'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted by Client and as received condition.
2. All matters related to Jodhpur Jurisdiction only.
3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.



REGIONAL OFFICE

Tele: 0744 -2490873

क्षेत्रीय कार्यालय

RAJASTHAN STATE POLLUTION CONTROL BOARD

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल

Plot No. 2A, Road No. 6, Indraprastha Industrial Area, Kota (Rajasthan)

RPCB/ROK/Lab/Gen.-45/2021 - 2024

Date:- 25/10/2023

Group Incharge (MSW, C&D, STP).

Rajasthan State Pollution Control Board,

4, Institutional Area, Jhalana Duongari, Jaipur.

Subject: - Analysis Report of water/ waste water samples.

Sir,

Please find enclosed report of following sample for necessary action.

SAMPLE NO.	PARTICULARS
5976	M/s Sewage Treatment plant (3 MLD), Jhalawar, Tehsil - Jhalrapatan, Distt.- Jhalawar.
5977	M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagon Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.

Yours Sincerely

Lab Incharge

o/c

Copy to the following for information and necessary action please.

1. The Regional Officer, Rajasthan State Pollution Control Board, Room No.345-347, Mini Secretariat, Jhalawar-326001.
2. M/s Sewage Treatment plant (3 MLD), Jhalawar, Tehsil - Jhalrapatan, Distt.- Jhalawar.
3. M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagon Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.

Lab Incharge

o/c

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 24)
Final Report

Report No. : 5976

Report On : 20/10/2023

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 11/10/2023 from Rahul Sharma, JEE, Jhalawar ,RSPCB Jhalawar a sample of Waste Water of M/S Jhalawar , Plant - 3 MLD WSP [109591] ,3MLD WSP Girdharpura, jhalrapatan, DIST-JHALAWAR RAJ , City- JHALAWAR Tehsil- Jhalrapatan , District- Jhalawar Collected from Outlet of STP Collected on 11/10/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 20/10/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	6.79
2	pH	9.06
3	Total Suspended Solids mg/l	11
4	Chemical Oxygen Demand (COD) mg/l	28.3
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	6.25
6	Phosphate (Total) as P mg/l	0.41
7	Faecal Coliform (MPN Technique) /100 ml	79

The condition of the seals, fastening and container on receipt was as follows : **Intact**
Signed This On 20/10/2023

BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Kota
SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota
Phone: 0744-2490873

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 24)
Final Report

Report No. : 5977

Report On : 20/10/2023

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 11/10/2023 from Rahul Sharma, JEE, Jhalawar, RSPCB Jhalawar a sample of Waste Water of M/S Municipal council, Jhalawar, Plant - Sewage Treatment Plant 6MLD Gagrion Road Jhalawar [106006], Faisalpura, Khasra no 84, Tehsil-Jhalrapatan, Dist-Jhalawar, City- Jhalawar Tehsil- Jhalrapatan, District- Jhalawar Collected from Outlet of STP Collected on 11/10/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 20/10/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	5.63
2	pH	7.48
3	Total Suspended Solids mg/l	17
4	Chemical Oxygen Demand (COD) mg/l	16.2
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	4.46
6	Phosphate (Total) as P mg/l	1.97
7	Faecal Coliform (MPN Technique) /100 ml	70

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 20/10/2023

BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Kota
SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota
Phone: 0744-2490873



Office of the Junior Chemist
PUBLIC HEALTH ENGINEERING DEPTT. LABORATORY
Jhunjhunu (Raj.)

No: Lab/Bact./2023-24/
Assistant Engineer
PHED City sub Division
Jhunjhunu

SAI

Date: 30-11-23

District- Jhunjhunu

Tehsil: Jhunjhunu

Reference: Your letter no.3915 dated 28-11-2023 Sample Taker-Satya Pal L&T

Bacteriological Report

Sample No.	Date & Time of Collection	Date of Examination	Residual Chlorine mg/l	Source	Particulars of Samples	Coliform MPN/100 ml
1348	28-11-23/09.05AM	28-11-23 to 30-11-23	—	Tap	Mamta Sharma, DMA-13, Ward No.8, Indira Nagar, Jhunjhunu	Nil
1349	28-11-23/09.27AM	28-11-23 to 30-11-23	—	Tap	Kuldeep, DMA-11, Ward No.7, Basant Vihar, Jhunjhunu	Nil
1350	28-11-23/09.55AM	28-11-23 to 30-11-23	—	Tap	Yasin, DMA-8, Ward No.4, Jeet Nagar, Jhunjhunu	Nil
1351	28-11-23/10.17AM	28-11-23 to 30-11-23	—	Tap	Pankaj Kumar, DMA-9, Ward No.1, Sainik Nagar, Jhunjhunu	Nil
1352	28-11-23/10.43AM	28-11-23 to 30-11-23	—	Tap	Mahesh, DMA-5, Ward No.1, Churu Bye Pass, Jhunjhunu	Nil
1353	28-11-23/11.07AM	28-11-23 to 30-11-23	—	Tap	Arif, DMA-7, Ward No.59, Peepli Chouk, Jhunjhunu	Nil
1354	28-11-23/11.29AM	28-11-23 to 30-11-23	—	Tap	Rafeeq, DMA-12, Ward No.2, Azam Nagar, Jhunjhunu	Nil
1355	28-11-23/12.25AM	28-11-23 to 30-11-23	—	Tap	Pankaj, DMA-3, Ward No.55, Singodiya Colony, Jhunjhunu	Nil
1356	28-11-23/12.51PM	28-11-23 to 30-11-23	—	Tap	Santosh Devi, DMA-2, Ward No.55, Hameeri Road, Jhunjhunu	Nil
1357	28-11-23/01.17PM	28-11-23 to 30-11-23	—	Tap	Mustafa, DMA-1, Ward No.60, Qureshi Nagae, Jhunjhunu	Nil
1358	28-11-23/02.09PM	28-11-23 to 30-11-23	—	Tank	STP Plant Bagar Road, Jhunjhunu	Nil

SK Sharma

Junior Chemist

PHED Laboratory Jhunjhunu

No: Lab/Bact./2023-24/

Date:

Copy to information and necessary action-

- 1.The Superintending Engineer PHED Circle Jhunjhunu
- 2.The Executive Rengineer City Div Jhunjhunu

Junior Chemist

PHED Laboratory Jhunjhunu



R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098

E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/FM/23
Revision No.02

Report No.: RKC/2023-24/608

Date: 25.11.2023

TEST REPORT

Name & Address of Customer	M/s Sewage Treatment Plant 20 MLD, Nandari, Village Nandari, District Jodhpur (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/608
Date of Sample Received	22.11.2023
Period of Sample Testing	22.11.2023 – 25.11.2023
Location	Outlet - 20 MLD, Nandari
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
MICROBIOLOGICAL PARAMETERS :			
Fecal Coliform	MPN/100 ml	IS:1622-2009	148 MPN/100 ml

Note: - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
2. The Samples will be stored up to 15 days.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.

Lokendra Singh
 (Authorized Signatory)

**R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)**

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/TMA/23
Revision No.02

Report No.: RKC/2023-24/609

Date: 25.11.2023

TEST REPORT

Name & Address of Customer	M/s Vishvaraj Environment Pvt. Ltd. Office No. 116A, 11 th Floor, Maker Chambers VI-220 - Nariman Point, Mumbai, MH – 400 021
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/W/609
Date of Sample Received	22.11.2023
Period of Sample Testing	22.11.2023 – 25.11.2023
Location	50 MLD, STP, Phase – I, Salawas, Jodhpur
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	DESIRABLE LIMIT IS 10500 : 2012	PERMISSIBLE LIMIT IS 10500 : 2012	RESULT
CHEMICAL PARAMETERS					
Nitrate, NO ₃ ⁻	mg/l	IS:3025 (Part-34)	45	No Relaxation	60
Phosphate, PO ₄	mg/l	IS:3025 (Part-31)	-	-	2.77
MICROBIOLOGICAL PARAMETERS :					
Fecal Coliform	MPN/100 ml	IS:1622-2009	-	-	135 MPN/100 ml

Note: - 1.The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.

2. The Samples will be stored up to 15 days.

3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.

4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.

Lokendra Singh
(Authorized Signatory)

**R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)**

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 270 6098

E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/FM/21
Revision No.02

Report No.: RKC/2023-24/614

Date: 28.11.2023

TEST REPORT

Name & Address of Customer	M/s Geo Miller & Co. Pvt. Ltd. 50 MLD, STP, Phase II, Salawas, Jodhpur (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/W/614
Date of Sample Received	25.11.2023
Period of Sample Testing	25.11.2023 – 26.11.2023
Location	50 MLD, STP, Phase – II, Salawas, Jodhpur
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	DESIRABLE LIMIT IS 10500 : 2012	PERMISSIBLE LIMIT IS 10500 : 2012	RESULT
MICROBIOLOGICAL PARAMETERS :					
Faecal Coliform	MPN/100 ml	IS:1622-2009	-	-	131 MPN/100 ml

Note: - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
2. The Samples will be stored up to 15 days.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.


Lokendra Singh
(Authorized Signatory)



ENVIRONMENT POLLUTION ANALYSIS LAB

ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018 Certified & NABL ACCREDITED LAB
Reg. Add.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi Mod Bhiwadi (Raj.)-301019 M.: 9759427231

TEST CERTIFICATE

Sample Number:	EPAL/WW/23/11/21/003	Report No.:	EPAL/23/11/21003
Name & address of Project :	M/s Envirad Project Pvt. Ltd. Avadh puri Road, 6, Lakhanpur, Kanpur Uttar Pradesh-208024	Format No.:	FRM 062
Sample Description :	Treated Effluent Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 23 rd Ed.	Reporting Date:	28/11/2023
		Period of Analysis:	21/11/2023 to 27/11/2023
		Date of Receiving :	21/11/2023

WASTE WATER ANALYSIS TEST REPORT

General Information:-

1. Sampling Location	STP Outlet ((Behind of 132 KV karauli, Raj)
2. Capacity	5 MLD
3. Date of Monitoring	20/11/2023
4. Sample Quantity	2.0 Ltr.
5. Sample Preservation	Refrigerated
6. Scope of Monitoring	Regulatory Requirement
7. Control Measure if Any	No
8. Sample collected by	Lab Representative
9. Parameter Required	As per work order
10. Environmental Condition	Sunny

TEST RESULTS

S.No.	Parameters	Unit	Results	General Std. Limits for Discharge			Protocol Used
				In-Land Surface Water	Public Sewers	Land for Irrigation	
1.	pH	--	7.14	5.5-9.0	5.5-9.0	5.5-9.0	IS-3025 (P-11)
2.	COD	mg/l	39.84	250	--	--	APHA 23 rd Ed.
3.	BOD (at 27°C for 3 days)	mg/l	8.4	30	350.0	100.0	IS-3025 (P-44)
4.	Total Suspended Solids	mg/l	8.00	100	600	200	IS-3025 (P-17)
5.	Oil & Grease	mg/l	2.00	10	20.0	10.0	IS-3025 (P-39)
6.	Faecal Coliform	MPN/100ml	4	--	--	--	IS 1622 :1981

Note: - Limits as per E (P) A 1986 Schedule VI.

*** End of Report***



NOTE: 01. This certificate is valid only for the tested samples and applicable parameters.
02. Sample within 24 hours and month from the date of issue of test certificate.
03. Any complaints about this report should be communicated within 7 days of issue of this report.
04. This report shall not be reproduced- wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our explicit permission in writing.



Service Facilities: Environment Testing, Factory Act Service, Calibration Service & Pollution Noc, Competent Person, Haryana, Rajasthan, Punjab, U.P., M.P., H.P. & Delhi
01493-294594, 7665363921 E-mail: environmentpollutionlab@gmail.com, info@pollutionanalysislab.com

NAME OF PROJECT	Design and Construction of STP Near Balita, pump station and laying of Rising Main under Chambal River Front Project, Kota																
NAME OF FIRM	ENVIRO INFRA ENGINEERS LTD																
NAME OF CLIENT	30 MLD STP-UIT KOTA																
LOG BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF - OCT-2023																
DATE	pH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		DEPT SIGN	DEPT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
01-10-2023																	
02-10-2023																	
03-10-2023																	
04-10-2023																	
05-10-2023																	
06-10-2023																	
07-10-2023																	
08-10-2023																	
09-10-2023																	
10-10-2023																	
11-10-2023	7.12	7.89	276	17	312	44	85	5	31.32	4.3	12	0.85	350	86	12/	dr	
12-10-2023	7.25	7.86	290	18	324	32	70	6	28.66	6.8	10	1.5	410	95	12/		
13-10-2023	7.20	7.58	213	16	356	40	80	8	23.16	2.4	9	0.76	380	98	12/		
14-10-2023	7.24	7.56	293	16	364	28	110	5	37.35	6.8	10	0.36	320	95	12/		
15-10-2023	7.29	7.38	233	7	348	28	70	7	32.97	5.6	12	0.38	340	80	12/	dr	
16-10-2023	7.42	7.63	246	7	344	24	95	2	20.53	4.9	10	0.78	332	83	12/		
17-10-2023	7.22	7.74	250	7	300	44	120	7	35.46	3.7	11	1.6	410	80	12/		
18-10-2023	7.24	7.56	293	16	364	28	110	5	37.35	6.8	14	0.34	330	96	12/	dr	
19-10-2023	7.20	7.48	206	7	388	40	90	4	22.40	8.7	10	0.85	370	25	12/	dr	
20-10-2023	7.24	7.56	293	16	364	28	110	5	37.35	6.8	12	1.5	265	80	12/		
21-10-2023	7.38	7.45	236	6	348	24	70	5	27.37	8.7	9	0.97	360	85	8.4/10		
22-10-2023	7.18	7.49	206	4	340	32	60	25	17.42	5.6	14	1.6	410	98	8.4/10	dr	
23-10-2023	7.28	7.58	180	5	348	36	65	7	18.04	3.7	10	0.85	380	80	8.4/10		
24-10-2023	7.28	7.52	230	7	384	24	70	6	36.71	4.9	14	0.76	320	86	8.4/10		
25-10-2023	7.25	7.56	290	18	324	32	80	3	18.66	6.8	10	1.5	410	95	12/	dr	
26-10-2023	7.24	7.56	293	16	364	28	60	5	37.35	6.8	10	0.36	320	95	12/		
27-10-2023	7.18	7.68	190	10	308	28	90	7	27.37	9.9	12	0.78	320	98	12/		
28-10-2023	7.43	7.63	246	7	344	24	70	4	20.53	4.9	9	0.85	310	97	12/	dr	
29-10-2023	7.22	7.74	250	7	300	44	80	5	35.46	3.7	14	0.36	320	80	12/		
30-10-2023	7.43	7.65	200	16	344	32	28.66	4.9	9	0.84	321	95	12/	dr			
31-10-2023	7.28	7.58	180	36	348	36	10	8.85	320	96	12/						

Lap Report
 वे. अ. वि. धी. धी. 18.04
 सहायक अभियंता सिविल एंजिनिंग
 नगर विकास न्यास, कोटा

NAME PACKAGE	PACKAGE NO. : N/C/P/REMAINING WORK LB/ 16/																		
NAME OF FIRM	LNA INFRAPROJECTS PVT. LTD. (I.V)																		
NAME OF CLINT	GMD STP BALITA																		
LOG BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF <u>October 2023</u>																		
DATE	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		Remarks Signature
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
01/10/23	27.2	27.5	7.2	7.22	55.0	17.0	86.23	47.22	49.3	8.9	4.2	2.0	1.10	0.23	320	62	1.772	1.757	Regular
02/10/23	27.1	27.3	7.13	7.27	57.1	16.20	83.47	39.09	47.9	9.2	4.8	2.00	1.13	0.95	320	65	1.505	1.501	
03/10/23	27.2	27.4	7.15	7.23	58.2	14.30	89.55	41.05	44.3	8.1	5.25	2.22	1.12	0.81	335	81	2.097	2.023	
04/10/23	27.0	27.6	7.20	7.28	59.0	12.10	75.29	35.70	47.9	7.5	4.5	2.05	1.14	0.72	332	77	2.173	1.978	
06/10/23	28.9	27.2	7.28	7.30	61.20	11.90	76.01	33.43	43.2	6.9	3.9	1.07	1.17	0.55	370	82	2.523	2.227	
7/10/23	26.5	27.5	7.16	7.27	52.60	11.70	79.22	28.70	47.40	8.4	4.8	3.0	1.27	0.26	397	70	2.879	1.979	
8/10/23	26.4	26.9	7.10	7.13	61.70	9.70	81.98	32.71	58.90	8.2	4.55	2.73	1.97	0.32	315	83	2.961	2.932	
9/10/23	26.5	26.8	7.50	7.58	55.40	12.23	80.05	39.66	52.55	7.2	4.52	1.96	1.87	0.19	307	96	2.987	2.975	
10/10/23	26.2	26.4	7.32	7.66	57.80	10.23	83.76	42.32	44.88	4.5	5.20	2.23	1.32	0.11	309	51	3.057	3.011	
11/10/23	26.1	26.2	7.17	7.27	63.6	14.30	81.45	37.90	59.30	6.2	6.23	2.13	1.44	0.18	311	45	3.087	3.007	Regular
12/10/23	26.0	26.4	7.18	7.27	59.03	12.25	79.99	35.44	55.40	5.8	5.90	1.96	1.74	0.15	315	83	3.157	3.008	
13/10/23	26.3	26.7	7.15	7.37	65.02	11.23	83.59	38.67	58.33	6.3	7.20	2.99	1.98	0.29	312	74	3.232	3.119	
14/10/23	26.1	26.9	7.23	7.29	61.02	13.70	87.47	47.05	55.69	7.5	7.87	3.15	2.03	0.67	317	65	3.357	3.019	
15/10/23	26.0	26.7	7.11	7.19	55.80	17.34	91.56	42.15	48.23	7.6	5.82	2.32	1.75	0.57	303	39	3.459	3.232	
16/10/23	25.9	26.3	7.21	7.29	45.76	16.39	93.57	46.14	41.85	4.7	8.71	1.89	3.25	0.87	314	45	3.568	3.515	
17/10/23	25.7	25.9	7.02	7.17	42.56	18.32	97.76	46.15	39.77	7.6	7.92	2.67	4.72	0.39	316	62	3.222	3.210	Regular
18/10/23	25.4	25.7	7.12	7.19	56.99	16.56	99.15	42.71	50.49	7.1	5.6	1.88	4.15	0.56	325	72	3.159	3.007	
19/10/23	25.1	25.3	7.18	7.20	49.32	13.86	102.55	46.70	42.55	6.8	8.3	3.27	3.97	0.72	320	87	3.194	3.007	
20/10/23	25.3	25.2	7.23	7.32	38.55	19.02	109.5	32.59	31.07	6.5	8.9	4.45	4.07	0.55	309	78	3.566	3.429	
21/10/23	25.7	25.9	7.56	7.60	49.09	16.85	113.4	37.8	35.40	5.9	6.7	4.86	2.93	0.85	375	91	3.657	3.600	Regular
22/10/23	25.8	25.9	7.25	7.34	52.11	13.47	117.9	39.40	44.80	6.6	6.9	3.9	3.70	0.92	325	88	3.575	3.491	

NAME PACKAGE	PACKAGE 1665 / REMAINING WORK LB. 1665																		
NAME OF FIRM	INA INFRA PROJECTS PVT. LTD. (I.V)																		
NAME OF CLINT	GMED STP BALITA																		
LOG BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF																		
DATE	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
23/10/23	23.8	23.9	7.15	7.18	67.1	18.0	125	31.01	58.0	7.1	9.2	4.32	1.09	0.23	305	71	3.433	3.391	Regular
24/10/23	23.9	24.0	7.30	7.31	63.0	15.15	115	28.78	61.3	7.5	8.7	5.05	1.75	0.29	280	65	3.353	3.0532	Regular
25/10/23	23.6	23.7	7.24	7.28	82.0	17.10	142	35.6	62.5	8.5	11.6	8.20	2.09	0.58	350	84	3.523	3.500	Regular
26/10/23	23.2	23.4	7.28	7.30	79.2	16.20	138	38.2	65.0	7.9	11.0	7.20	2.86	0.47	352	91	3.583	3.530	Regular
27/10/23	22.9	23.1	7.25	7.26	87.0	14.10	127	32.10	67.0	7.10	10.5	6.58	3.06	0.47	358	82	3.405	3.400	Regular
28/10/23	22.7	22.7	7.26	7.27	90.0	15.20	129	37.10	75.0	7.20	11.20	7.29	3.28	0.41	334	94	3.488	3.415	Regular
29/10/23	22.5	22.6	7.20	7.23	85.0	14.81	137	33.80	70.0	8.15	10.15	8.23	2.19	0.48	360	87	3.513	3.503	Regular

All Laboratory tests has been Conducted
By Raghavir Bhatnagar chemist GMD



माधवाजी ग्रामपंचायत
वगर विकास - कुल्लु
कोटा

20 MLD STP DHAKADKHEDI-KOTA														
DATE ↓	RAW SEWAGE PARAMETERS ANALYSIS							CCT OUTLET PARAMETERS ANALYSIS						
	PH	TEMP.	BOD	COD	TSS	FECAL COLI	CHLORINE	PH	TEMP.	BOD	COD	TSS	FECAL COLI	CHLORINE
	6.5-8.5	°C	mg/l	mg/l	mg/l	MPN/100 M	mg/l	6.5-8.5	°C	mg/l	mg/l	mg/l	MPN/100 M	mg/l
			≤ 300	≤ 500	≤ 600					10	50	10		
01-10-23	7.3	30.3	27	119	115		N/C	7.6	30.5	7	12	18		0.5
02-10-23	7.2	30.4	25	117	109		N/C	7.7	30.6	8	14	12		0.5
03-10-23	7.2	30.2	22	118	113		N/C	7.6	30.5	8	15	12		0.5
04-10-23	7.3	30.1	21	115	110	.8x10 ³	N/C	7.7	30.6	8	17	12	75	0.5
05-10-23	7.3	29.8	20	111	112		N/C	7.6	30.3	9	17	12		0.4
06-10-23	7.2	30.1	22	115	117		N/C	7.7	30.4	7	18	10		0.5
07-10-23	7.2	30.1	21	112	115		N/C	7.6	30.4	8	16	12		0.4
08-10-23	7.1	30.2	20	113	112		N/C	7.6	30.5	9	17	12		0.5
09-10-23	7.2	30.1	18	120	114		N/C	7.6	30.4	9	18	13		0.5
10-10-23	7.2	30.0	25	118	112	1x10 ³	N/C	7.6	30.3	8	17	13	70	0.4
11-10-23	7.1	29.8	22	117	113		N/C	7.6	30.1	9	16	14		0.5
12-10-23	7.2	30.2	20	112	114		N/C	7.5	30.6	8	15	12		0.5
13-10-23	7.1	30.3	24	118	117		N/C	7.5	30.5	8	12	10		0.4
14-10-23	7.2	30.1	25	116	122		N/C	7.6	30.4	9	13	17		0.5
15-10-23	7.1	29.4	21	117	123		N/C	7.6	30.1	8	12	18		0.5
16-10-23														
17-10-23	7.2	30.0	20	118	108	.7x10 ³	N/C	7.7	30.2	8	15	13	80	0.5
18-10-23	7.2	29.6	20	115	107		N/C	7.6	30.9	9	13	17		0.4
19-10-23	7.2	28.7	18	117	104		N/C	7.6	28.9	8	22	15		0.5
20-10-23	7.1	28.4	16	112	115		N/C	7.7	28.7	8	23	10		0.4
21-10-23	7.1	28.2	17	115	110		N/C	7.5	28.4	7	20	12		0.4
22-10-23														
23-10-23	7.1	28.1	18	112	110		N/C	7.5	28.4	8	22	17		0.5
24-10-23	7.1	27.9	15	115	112	.9x10 ³	N/C	7.3	28.1	7	23	13	75	0.5
25-10-23	7.1	27.9	17	115	114		N/C	7.5	28.3	8	23	17		0.4
26-10-23	7.1	27.6	5	112	105		N/C	7.5	27.9	7	25	13		0.5
27-10-23	7.1	27.4	21	115	112		N/C	7.7	27.8	6	25	17		0.4
28-10-23	7.2	27.6	18	112	110		N/C	7.70	27.9	7	21	15		0.5
29-10-23														
30-10-23	7.3	27.5	16	113	110	1.1x10 ³	N/C	7.5	27.9	6	20	15	70	0.4
31-10-23	7.3	27.6	15	118	112		N/C	7.5	27.8	8	25	12		0.5
TOTAL	143.7	576.4	371	2307	2244			151.3	583.6	156	380	283		9.2

सहायक अभियन्ता
नगर निगम कोटा उत्तर

2 MLD STP PLANT RAJIV GHANDHI NAGAR KOTA

LABORATORY ANALYSIS

PERFORMANCE DATA OF RAW INFULENT, SBR REACTION & CHLORINATION TANK

OCTOBER-2023

RAW SEWAGE PARAMETERS ANALYSIS										CCT OUTLET PARAMETERS ANALYSIS										
	PH	TEMP	BOD	COD	TSS	TP	TKN	F/C	CHLORINE		PH	TEMP	BOD	COD	TSS	TP	TKN	F/C	CHLORINE	
	UNIT	°C	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ML	mg/l			°C	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ML	mg/l	
	RANGE AS PER TENDER :-	6.5-8.5	< 300	< 600	< 600	< 10	< 55				6.5-8.5		10	50	10	1	10			
DATE &	IN FLOW(M ³)									OUT FLOW(M ³)										
01-10-2023	6880 m ³	7.12	30.1	220	340	220	5.8	27.8	1.2x10 ³	7.58	1852 m ³	7.54	30.5	8	28	7	0.8	7.1	80	0.1
02-10-2023	2025 m ³	7.11	28.8	140	160	240	6.8	28.4	N/C		2049 m ³	7.58	30.1	5	32	6	0.9	8.1		0.3
03-10-2023	1997 m ³	7.21	30.3	160	150	240	4.8	34.8	N/C		1993 m ³	7.56	30.8	8	28	8	0.5	6.1		0.2
04-10-2023	1573 m ³	7.31	29.8	170	320	240	3.8	22.1	N/C		1562 m ³	7.54	30.4	6	20	8	0.4	4.1		0.3
05-10-2023	1445 m ³	7.21	30.1	125	170	250	4.8	24.7	N/C		1517 m ³	7.58	30.4	7	24	7	0.7	5.8		0.1
06-10-2023	3001 m ³	7.14	30.2	180	371	285	4.1	28.8	N/C		2998 m ³	7.60	30.9	8	20	8	0.5	5.1		0.3
07-10-2023	1754 m ³	7.14	29.8	120	478	168	5.1	24.8	2.4x10 ³	N/C	1831 m ³	7.57	30.4	8	18	6	0.6	4.7	90	0.3
08-10-2023	1808 m ³	7.16	29.4	131	348	214	5.3	21.8	N/C		1726 m ³	7.59	29.9	7	30	7	0.8	0.3		0.2
09-10-2023	1848 m ³	7.16	29.3	110	375	240	3.8	20.6	N/C		1982 m ³	7.54	29.8	6	28	6	0.4	3.4		0.3
10-10-2023	1861 m ³	7.12	29.5	156	348	225	4.8	22.6	N/C		1857 m ³	7.54	30.1	7	20	7	0.5	5.6		0.2
11-10-2023	2411 m ³	7.15	30.1	156	362	240	4.4	21.8	N/C		1917 m ³	7.61	30.4	8	18	6	0.5	4.8		0.3
12-10-2023	1851 m ³	7.14	29.8	120	546	210	5.1	20.4	N/C		1837 m ³	7.54	30.3	6	20	6	0.5	4.8		0.3
13-10-2023	1810 m ³	7.14	30.3	110	581	263	5.6	21.8	N/C		1854 m ³	7.60	30.7	7	18	8	0.6	5.2		0.3
14-10-2023	1764 m ³	7.12	30.1	110	568	246	5.9	24.8	1.5x10 ³	N/C	1846 m ³	7.62	30.5	8	24	7	0.6	3.6	70	0.3
15-10-2023	1974 m ³	7.12	29.4	125	471	152	5.1	22.4	N/C		1875 m ³	7.56	29.9	6	28	8	0.7	3.8		0.2
16-10-2023	1820 m ³	7.13	30.1	146	120	244	4.1	22.1	N/C		2030 m ³	7.61	30.6	8	18	8	0.7	5.4		0.4
17-10-2023	1868 m ³	7.14	30.3	118	345	226	5.3	21.8	N/C		1915 m ³	7.58	30.7	7	20	7	0.8	5.1		0.3
18-10-2023	2088 m ³	7.12	29.4	130	363	276	4.8	24.8	N/C		1883 m ³	7.64	29.9	6	24	8	0.9	5.3		0.1
19-10-2023	1173 m ³	7.18	30.3	138	178	244	5.4	25.6	N/C		1302 m ³	7.66	30.6	7	20	7	0.8	5.9		0.3
20-10-2023	1576 m ³	7.13	30.4	140	326	210	5.4	23.4	N/C		1512 m ³	7.45	30.9	8	18	4	0.7	6.3		0.3
21-10-2023	1880 m ³	7.18	30.3	140	154	244	5.2	21.3	1.4x10 ³	N/C	1790 m ³	7.66	30.7	8	20	6	0.5	6.1	80	0.2
22-10-2023	2081 m ³	7.18	30.4	180	162	246	5.3	23.4	N/C		1953 m ³	7.67	30.9	8	24	7	0.4	6.1		0.4
23-10-2023	1734 m ³	7.18	30.4	160	358	236	4.8	24.3	N/C		1818 m ³	7.61	30.8	7	28	8	0.6	6.0		0.2
24-10-2023	1757 m ³	7.18	30.4	181	378	240	5.3	26.3	N/C		1895 m ³	7.62	30.8	6	30	7	0.6	4.4		0.3
25-10-2023	3021 m ³	7.14	30.4	130	384	258	4.4	24.6	N/C		1499 m ³	7.66	30.8	8	12	8	0.5	5.3		0.3
26-10-2023	2359 m ³	7.18	30.1	129	368	247	5.3	23.1	N/C		2108 m ³	7.67	30.6	8	20	6	0.8	6.3		0.3
27-10-2023	2121 m ³	7.16	30.4	145	376	268	5.8	24.3	N/C		2025 m ³	7.58	30.5	8	22	7	0.7	6.2		0.3
28-10-2023	1794 m ³	7.14	30.4	140	170	228	4.8	26.3	1.7x10 ³	N/C	1883 m ³	7.82	30.8	8	28	7	0.6	5.8	85	0.3
29-10-2023	2194 m ³	7.12	30.3	120	388	230	5.2	21.8	N/C		2048 m ³	7.46	30.8	6	20	8	0.6	5.8		0.4
30-10-2023	2011 m ³	7.14	30.3	145	384	258	5.1	24.6	N/C		2050 m ³	7.54	30.6	8	28	7	0.8	6.2		0.3
31-10-2023	2011 m ³	7.30	30.1	110	384	260	5.1	24.6	N/C		2032 m ³	7.43	30.7	6	32	8	0.9	6.4		0.2
TOTAL	57412 m ³	223.74	311.9	4399	21711	7611	183.2	240.3			57412 m ³	235.27	345.9	220	740	216	19.8	172.6		1.8
CHEMIST										CLIENT'S										
SITE INCHARGE										VISITOR'S										
SIGNATURE & NAME																				

Deepika

15 MLD STP KALA TALAB CHANDRESAL-KOTA																			
RAW SEWAGE PARAMETERS ANALYSIS										OET OUTLET PARAMETERS ANALYSIS									
DATE	PH	TEMP	BOD	COD	TSS	TV	TRV	FECA COL	CHLORINE	DATE	PH	TEMP	BOD	COD	TSS	TV	TRV	FECA COL	CHLORINE
W/MCC AS PER TENDON		°C	mg/l	mg/l	mg/l	mg/l	mg/l	mg/100ml	mg/l			°C	mg/l	mg/l	mg/l	mg/l	mg/l	mg/100ml	mg/l
DATE & FLOW(M ³ /l)																			
OUT FLOW(M ³ /l)																			
01-10-2023	7.51	30.3	95	132	86	5.8	28.8	1.50E ⁶	N/C	8073	7.58	30.1	7.2	38	7	0.8	6.8	81	0.9
02-10-2023	7.43	30.4	90	204	84	5.1	27.8		N/C	5267	7.81	30.6	6	24	5	0.7	5.6		0.8
03-10-2023	7.46	30.2	85	398	86	5.8	28.8		N/C	5771	7.66	30.5	6	30	6	0.8	5.8		0.8
04-10-2023	7.52	30.2	99	214	200	5.8	28.3		N/C	5053	7.69	30.8	6	24	6	0.7	6.2		0.8
05-10-2023	7.36	29.8	86	204	91	5.4	27.8		N/C	5562	7.72	31.3	7.5	28	6	0.0	5.8		0.8
06-10-2023	7.57	30.1	112	324	122	5.8	30.4		N/C	5888	7.83	30.9	7	30	5	0.8	6.2		0.8
07-10-2023	7.61	30.2	110	228	106	6.2	30.8		N/C	5888	7.76	30.8	6	28	7	0.8	6.8	80	0.8
08-10-2023	7.64	30.3	108	288	108	6.8	30.2		N/C	5816	7.78	30.5	6	24	6	0.8	6.2		0.8
09-10-2023	7.86	30.1	89	232	112	5.8	30.4		N/C	5905	7.81	30.4	5	30	4	0.9	6.8		0.8
10-10-2023	7.72	30.0	102	140	118	6.2	30.2		N/C	5578	7.86	30.3	7.5	24	5	1.2	7.2		0.8
11-10-2023	7.63	29.8	86	136	118	5.8	31.4		N/C	5286	7.84	30.1	7.5	28	5	0.8	6.8		0.8
12-10-2023	7.28	30.2	89	152	104	5.4	31.2		N/C	6011	7.75	30.8	6	24	5	0.8	6.2		0.8
13-10-2023	7.32	30.2	122	188	118	5.8	31.4		N/C	6704	7.58	30.5	5	28	5	0.8	6.2		0.8
14-10-2023	7.29	30.2	120	136	114	5.8	31.2		N/C	6445	7.58	30.4	7.5	28	4	0.8	5.8	70	0.8
15-10-2023	7.21	29.8	128	188	118	6.2	32.4		N/C	6829	7.61	30.2	7.5	32	7	0.8	6.2		0.8
16-10-2023	7.23	29.6	102	172	118	5.8	32.6		N/C	6867	7.57	30.3	6	24	8	0.8	5.8		0.8
17-10-2023	7.24	30.0	88	244	118	6.2	30.0		N/C	5823	7.52	30.2	7	28	8	0.8	6.2		0.8
18-10-2023	7.41	29.8	118	128	112	5.8	30.4		N/C	7488	7.57	30.8	5	24	3	0.8	5.7		0.8
19-10-2023	7.28	29.7	112	200	118	5.8	29.8		N/C	6175	7.68	29.9	4.2	30	4	0.7	5.8		0.8
20-10-2023	7.42	29.8	108	192	108	6.2	30.4		N/C	6380	7.71	29.7	7.5	28	6	0.5	6.8		0.8
21-10-2023	7.43	29.2	91	136	104	5.8	31.2		N/C	6360	7.76	29.4	5	24	5	0.6	6.4	80	0.8
22-10-2023	7.38	29.8	118	144	112	6.4	32.4		N/C	6246	7.68	29.7	4.3	30	4	0.8	6.2		0.8
23-10-2023	7.43	28.3	112	138	88	5.4	29.4		N/C	6897	7.67	28.4	8	24	3	0.8	6.8		0.8
24-10-2023	7.28	27.8	99	162	102	5.6	32.2		N/C	6790	7.57	28.2	7	28	4	1.0	6.8		0.8
25-10-2023	7.19	27.0	124	144	208	6.4	31.8		N/C	6223	7.62	28.1	7.5	12	5	0.8	6.2		0.8
26-10-2023	7.26	27.6	122	138	100	5.8	31.2		N/C	6291	7.72	27.8	5	24	3	0.8	6.8		0.8
27-10-2023	7.34	27.8	96	138	98	5.4	28.4		N/C	5820	7.85	27.8	4.3	20	4	0.8	5.6		0.8
28-10-2023	7.26	27.4	96	122	103	5.6	29.3		N/C	6106	7.50	27.9	9	24	3	0.8	5.4	80	0.8
29-10-2023	7.31	27.5	128	138	104	5.9	31.2		N/C	6071	7.64	27.8	7.5	28	7	1.8	6.2		0.8
30-10-2023	7.34	27.8	95	124	88	5.2	28.2		N/C	5088	7.83	27.8	6.1	16	6	0.7	5.4		0.8
31-10-2023	7.44	27.6	122	122	102	5.8	29.1		N/C	5553	7.85	28.3	8	24	6	0.8	5.6		0.8
TOTAL	48337	170.4	587.5	2234	5444	2192	121.2	708.9		8611	176.03	579.6	188.5	838	112	18.9	134.8		11.8
THEMIST										CLIENTS									
NAVA KISHOR										VISTOR									
DEEPAK VERMA																			

NAME OF CLIENT		INTERNAL LABORATORY RECORD FOR THE MONTH OF																		
LOG BOOK FOR		TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MLSS
DATE		INLET		INLET		INLET		INLET		INLET		INLET		INLET		INLET		INLET		AERATION
17/9/23		28.6	28.9	7.21	7.24	128	15	187.2	32.6	83.6	6.9	11.6	3.06	1.72	0.32	872	70	21.724	21.724	3360
18/9/23		27.2	27.6	7.26	7.29	132	13	192.4	33.2	85.2	7.3	10.8	2.14	1.84	0.34	897	73	22.464	22.464	3284
19/9/2023		26.4	26.8	7.34	7.37	137	12	191.6	36.4	81.4	7.2	10.2	2.26	1.81	0.30	894	74	21.403	21.403	3263
20/9/2023		30.2	30.5	7.36	7.41	142	16	186.7	32.9	84.6	7.6	11.6	3.04	1.86	0.32	881	78	22.467	22.467	3216
21/9/2023		30.4	30.8	7.43	7.48	147	11	190.2	36.4	80.2	7.4	11.0	2.46	1.42	0.30	892	72	20.414	20.414	3340
22/9/2023		32.6	32.8	7.31	7.34	142	16	181.4	38.2	86.4	7.0	13.2	4.07	1.32	0.38	916	76	19.964	19.964	3256
23/9/2023		33.4	33.6	7.42	7.45	148	14	188.1	37.2	82.2	7.1	10.6	2.43	1.52	0.34	876	77	19.303	19.303	3314
24/9/2023		31.6	31.8	7.40	7.44	143	12	182.4	38.2	80.1	7.3	10.4	2.90	1.58	0.36	861	78	19.403	19.403	2248
25/9/2023		32.2	32.5	7.38	7.42	145	17	186.2	40.4	81.3	7.4	11.2	3.10	1.64	0.32	858	73	19.223	19.223	3308
26/9/2023		33.2	33.5	7.32	7.36	142	15	192.4	38.6	82.4	7.1	13.2	2.16	1.72	0.38	864	76	20.117	20.117	3401
27/9/2023		34.6	34.8	7.36	7.39	137	17	186.2	39.2	81.2	7.4	14.4	2.14	1.76	0.31	871	72	20.660	20.660	3298
28/9/2023		31.6	31.8	7.26	7.31	143	13	181.2	34.2	82.4	7.6	11.3	3.07	1.34	0.33	876	74	20.114	20.114	3310
29/9/2023		31.1	31.5	7.30	7.32	132	18	186.8	36.2	83.6	7.8	13.7	3.68	1.44	0.31	891	76	20.464	20.464	3290
30/9/2023		33.8	34.2	7.34	7.39	135	15	194.2	35.6	84.2	7.3	12.2	3.46	1.42	0.32	876	73	19.761	19.761	3303
1/10/2023		32.7	32.6	7.21	7.31	132	14	181.4	36.4	87.2	6.9	10.6	4.36	1.82	0.34	884	78	15.743	15.743	3271
2/10/2023		32.2	32.7	7.22	7.25	132	16	182.2	20.8	81.6	6.5	10.1	5.30	1.68	0.38	872	74	13.802	13.802	3320
3/10/2023		32.6	32.9	7.34	7.37	121	13	185.6	24.9	83.1	7.3	7.07	4.04	1.72	0.34	860	69	23.744	23.744	3307
4/10/2023		31.6	32.0	7.32	7.35	124	17	174.1	22.7	80.6	7.4	8.70	5.18	1.67	0.32	876	72	17.983	17.983	3243
5/10/2023		32.6	32.8	7.32	7.31	127	12	190.2	24.3	72.0	8.64	10.1	4.04	1.52	0.36	856	68	20.761	20.761	3336

NAME OF PACKAGE																			
NAME OF FIRM																			
NAME OF CLINT																			
LOG BOOK FOR	JUMLO STP-UIT, SAJIDHDA KOTA																		
DATE	INTERNAL LABORATORY RECORD FOR THE MONTH OF																		
	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MLSS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	AERATION
6/10/2023	31.8	22.0	7.27	7.31	124	16	197.6	27.2	80	9.8	13.4	2.16	1.70	0.32	873	62	20.188	20.139	3328
7/10/2023	32.4	33.7	7.23	7.27	136	11	195.5	32.4	91.2	8.25	7.51	1.81	1.65	0.41	921	59	20.312	20.318	3364
8/10/2023	31.7	32.1	7.22	7.31	146	16	187.2	33.6	97.3	8.17	7.32	1.84	1.89	0.38	996	61	20.413	20.412	3372
9/10/2023	32.4	28.7	7.33	7.35	142	14	184.6	35.1	82.4	7.3	11.2	1.34	1.84	0.21	970	65	20.240	20.122	3340
10/10/2023	31.8	32.3	7.24	7.27	138	17	186.1	29.8	88.0	8.6	9.41	3.54	1.85	0.32	994	68	19.019	19.017	3252
11/10/2023	31.3	31.7	7.16	7.18	147	13	187.2	30.3	81.4	7.26	7.54	5.30	1.72	0.26	596	65	18.210	18.240	3214
12/10/2023	32.2	32.6	7.27	7.31	156	13	182.4	25.9	78.8	6.22	10.87	1.81	1.66	0.29	597	67	19.412	19.412	3278
13/10/2023	31.6	31.9	7.21	7.24	149	18	172.4	27.2	74.6	5.10	11.16	1.84	1.62	0.34	672	62	19.440	19.423	3176
14/10/2023	32.4	32.6	7.28	7.32	156	16	171.2	24.3	72.4	6.07	10.18	4.72	1.80	0.37	686	60	19.423	19.460	3270
15/10/2023	31.6	31.8	7.24	7.27	151	12	174.3	23.6	74.2	6.08	10.13	4.62	1.86	0.32	680	62	19.586	19.585	3342
16/10/2023	30.4	30.2	7.27	7.29	148	15	176.2	24.4	77.4	5.06	8.16	4.70	1.80	0.36	684	57	20.111	20.113	3256
17/10/2023	30.6	30.9	7.36	7.38	142	17	164.2	28.3	76.4	8.04	9.46	3.24	1.92	0.32	680	52	20.116	20.1102	3306
18/10/2023	30.4	30.6	7.14	7.18	160	13	152.0	28.8	84.8	7.42	5.58	1.86	1.70	0.29	390	67.5	20.112	20.420	3246
19/10/2023	30.2	30.5	7.18	7.22	126	15	184.6	26.7	86.4	7.62	12.6	2.16	1.86	0.30	394	63.2	20.482	20.482	3309
20/10/2023	30.5	30.8	7.21	7.24	128	18	187.6	23.2	84.2	7.64	13.8	2.19	1.42	0.33	386	72	20.180	20.181	3364
21/10/2023	29.4	29.7	7.18	7.20	121	17	182	24.3	76.4	7.32	11.4	2.24	1.74	0.31	380	70	20.167	20.161	3286
22/10/2023	29.3	29.8	7.14	7.18	126	14	176	27.1	78.1	7.40	12.4	1.66	1.89	0.30	387	72	20.184	20.180	3314
23/10/2023	29.7	30.2	7.21	7.24	133	16	187	34.2	72.4	8.14	9.46	1.38	1.92	0.29	381	76	19.401	19.401	3237
24/10/2023	29.4	29.7	7.32	7.37	137	13	157	32.4	72.6	7.42	7.07	1.88	1.93	0.32	386	62	20.108	20.1020	3294

LOG BOOK FOR		INTERNAL LABORATORY RECORD FOR THE MONTH OF																		
NAME OF CLINT		DATE	TEMP		PH		TSS		COD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MISS AERATION	
			INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET

DATE	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MISS AERATION	
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET
25/10/23	28.7	28.2	7.29	7.34	147	11	178	34.5	132	7.68	5.04	3.72	1.59	0.38	593	223	20.165	20.112	3248	3248
26/10/23	28.6	28.5	7.21	7.27	142	16	180	34.4	76	6.1	9.30	5.25	1.35	0.43	592	242	18.145	18.088	3349	3349
27/10/23	28.2	28.5	7.38	7.34	147	13	189	28.8	84	8.4	12.7	5.36	1.38	0.42	380	68.4	19.884	19.862	3164	3164
28/10/23	28.5	28.7	7.37	7.40	142	12	172	37.6	91.2	8.8	16.3	3.60	1.49	0.39	233	50.3	20.141	20.130	3340	3340
29/10/23	28.2	28.5	7.34	7.46	139	17	176	35.2	90.1	8.4	16.4	3.34	1.24	0.28	236	51.4	20.174	20.120	3291	3291
30/10/23	28.7	28.8	7.29	7.34	137	15	170	36.6	87.9	9.2	13.6	3.46	1.86	0.30	228	54.2	20.108	20.101	3351	3351
31/10/23	28.8	28.5	7.32	7.35	149	12	180	28.8	96.7	9.4	15.4	5.58	1.53	0.29	248	56.9	20.188	20.180	3262	3262
1/11/2023	28.6	28.9	7.26	7.29	143	18	187	37.6	92.4	8.8	12.4	3.63	1.62	0.20	256	50.2	20.662	20.612	3382	3382
2/11/2023	28.7	28.9	7.21	7.21	151	16	185	38.9	87.3	7.2	16.3	5.1	1.96	0.34	294	98.6	19.328	19.320	3247	3247
3/11/2023	28.6	28.8	7.21	7.23	143	18	189	37.1	92.4	8.8	12.4	3.63	1.62	0.20	—	—	—	—	—	—
3/11/2023	27.4	27.7	7.26	7.29	151	13	184	31.2	98.0	7.19	19.3	2.33	1.78	0.32	233	67.9	20.194	20.186	3249	3249
4/11/2023	27.1	27.3	7.28	7.31	147	16	171	27.7	113	9.6	16.4	3.81	1.92	0.36	324	50.6	20.688	20.699	3362	3362
5/11/2023	27.6	27.8	7.20	7.23	149	19	164	32.4	106	9.2	15.3	3.84	1.96	0.34	380	50.2	20.680	20.680	3358	3358
6/11/2023	27.3	27.5	7.16	7.20	156	15	160	33.2	96	8.6	12.4	3.04	1.76	0.30	391	68.4	20.688	20.698	3291	3291
7/11/2023	27.6	27.8	7.11	7.17	143	17	146	32.6	86	7.8	12.8	9.84	1.83	0.28	383	14.4	19.380	19.368	3308	3308
8/11/2023	26.2	26.8	7.20	7.29	133	14	162	31.8	84	7.3	14.2	2.18	1.76	0.26	356	67.3	20.685	20.688	3263	3263
9/11/2023	26.9	26.7	7.24	7.27	136	18	171	31.4	90.2	9.2	11.6	2.74	1.39	0.24	381	70.4	20.680	20.688	3276	3276
10/11/2023	27.2	27.5	7.31	7.35	139	11	178	36.2	95.3	8.7	12.7	3.16	1.48	0.27	396	66.8	20.680	20.686	3348	3348
11/11/2023	25.3	25.7	7.34	7.38	142	13	156	32.6	91.4	7.8	15.6	3.46	1.52	0.32	371	69.2	20.454	20.425	3406	3406
12/11/2023	26.8	26.9	7.30	7.35	139	16	146	35.6	92.4	7.6	11.6	2.58	1.92	0.34	316	72.4	20.601	20.608	3396	3396

NAME OF PACKAGE																					
NAME OF FIRM																					
NAME OF CLIENT																					
LOG BOOK FOR																					
DATE		INTERNAL LABORATORY RECORD FOR THE MONTH OF																			
		TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MLSS AERATION	
		INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET
13/11/2023		25.2	25.3	7.41	7.43	132	13	155	38.6	22.9	8.3	13.7	2.60	1.38	0.22	368	71.6	20.96	20.41	3370	
14/11/2023		26.2	26.6	7.36	7.39	138	13	170	38.4	20.2	8.6	13.9	2.28	1.70	0.26	351	69.9	20.90	20.30	3230	
15/11/2023		25.9	25.9	7.31	7.34	129	11	164	40.2	26.2	8.2	14.8	2.40	1.66	0.29	349	69.3	20.96	20.11	3399	
16/11/2023		25.4	25.2	7.40	7.42	122	12	159	41.3	24.3	7.8	16.2	2.40	1.50	0.21	298	71.9	20.35	20.78	3310	
17/11/2023		26.6	26.9	7.28	7.27	141	15	160	40.3	20.2	7.9	17.3	2.40	1.48	0.26	316	72.9	20.40	20.10	3258	
18/11/2023		26.2	26.5	7.28	7.30	145	14	162	39.6	26.9	7.2	16.3	3.86	1.56	0.31	335	68.6	20.40	20.30	3294	
19/11/2023		24.1	24.3	7.30	7.32	127	16	156	32.8	22.9	7.6	14.3	3.46	1.36	0.34	301	70.2	20.60	20.30	3296	
20/11/2023		24.5	24.9	7.16	7.19	126	18	142	38.6	26.2	7.9	14.6	2.68	1.56	0.26	346	74.2	19.54	19.30	3326	
21/11/2023		24.1	24.3	7.36	7.40	147	13	176	41.2	10.6	8.7	10.3	3.42	1.88	0.33	359	71.6	20.30	20.42	3384	

MUNICIPAL BOARD KUSHALGARH

NAME: Sewerage pumping station Kushalgarh

Name of contractor : DRA -BIPL (JV)

Record of influent and Effluent Quality

Month - oct Year 2023

Date	Influent Sewage Quality											Effluent Sewage Quality										
	a	b	c	d	e	f	g	h	i	k		a	b	c	d	e	f	g	h	i	j	k
01-10-2023	90	314	204	7.6	3		7.5		1			9	40	9.5	7.4	1.5		1.5		0.5	0.2	
02-10-2023		342	198	7.8	2.5		5		2.5	1200		38	9	7.6	1		1			0.2	0.1	95
03-10-2023		320	188	7.5	4.5		5		2.5			42	10	7.3	2.5		1.5			0.2	0.1	
04-10-2023		310	162	7.6	2.5		7.5		1.5			38	10	7.4	2		1.5			0.3	0.1	
05-10-2023		304	210	7.6	2.5		5		1			40	10	7.4	1.5		1			0.1	0.3	
06-10-2023		282	182	7.5	2		5		1			44	8	7.3	1		1			0.1	0.3	
07-10-2023	80	296	198	7.7	2.5		2.5		1			8	34	9.5	7.5	1		1		0.1	0.4	
08-10-2023		302	204	7.7	3.5		5		1	950		42	9.5	7.5	1.5		1.5			0.2	0.3	90
09-10-2023		290	155	7.8	4		5		1.5			38	10	7.6	1		1.5			0.5	0.3	
10-10-2023		280	192	7.6	2.5		5		1.5			40	10	7.4	0.5		0.5			0.5	0.5	
11-10-2023	90	318	210	7.7	2.5		7.5		1.5		8.5	44	8.5	7.5	0.6		2			0.6	0.5	
12-10-2023		305	192	7.8	2.5		10		1	1400		42	9.5	7.4	0.4		2.5			0.2	0.5	98
13-10-2023		320	198	7.7	3.5		7.5		1.5			38	7.5	7.5	1		1.5			0.2	0.4	
14-10-2023		292	182	7.8	4		5		2.5			40	8	7.4	1		1			0.8	0.4	
15-10-2023		310	188	7.8	3.5		5		1.5			42	8.5	7.5	1.5		1.5			0.2	0.5	
16-10-2023	93	280	182	7.6	3.5		5		1		8	36	9.5	7.4	1.5		1.5			0.1	0.1	
17-10-2023		282	192	7.8	4.5		5		1	800		40	9	7.6	2		1			0.2	0.1	72
18-10-2023		308	208	7.4	5		7.5		1.5			38	8.5	7.4	2.5		1.5			0.3	0.1	
19-10-2023		312	210	7.5	5		10		1.5			44	8	7.7	2.5		1.5			0.5	0.3	
20-10-2023		292	188	7.7	5		7.5		0.9			40	7.5	7.8	3.5		2.5			0.4	0.1	
21-10-2023		314	194	7.6	5		7.5		1.5			42	8.5	7.7	1		2			0.5	0.1	
22-10-2023	86	310	210	7.8	2.5		5.5		1		7.5	42	9.5	7.6	1.5		1			0.5	0.5	
23-10-2023		296	188	7.6	2.5		5		1.5	750		38	10	7.8	1.5		1.5			0.5	0.3	88
24-10-2023		288	192	7.7	5		1.5		1.5			44	10	7.6	0.6		1.5			1	0.3	
25-10-2023		304	208	7.8	2.5		1.5		1			34	10	7.8	1		1			0.5	0.2	
26-10-2023		314	214	7.6	2.5		2.5		1			40	9.5	7.6	1		0.5			0.6	0.2	
27-10-2023		292	198	7.8	2.5		5.5		1			34	8.5	7.8	2.5		0.5			0.5	0.2	
28-10-2023		304	192	7.9	1		1.5		1			36	7	7.8	0.5		0.5			0.4	0.2	
29-10-2023	96	310	182	7.9	2.5		5		1		9.5	42	9.5	7	1.5		0.6			0.2	0.1	
30-10-2023		298	208	7.8	2.5		7.5		2.5	1050		38	8.5	7.9	2.5		0.5			0.2	0.1	50
31-10-2023		190	190	7.8	4.5		5		1			40	8	8	1		0.5			0.2	0.1	
a-BOD b-COD c-SUSPENDED SOLID/MLSS d-Ph e-DISSOLVED OXYGEN f-ALKALINITY g-TOTAL NITROGEN h-sulphate i-TOTALPHOSPHATE j-RESIDUAL CHLORINE k-Total Fecal Coliform/MPN/100ml																						



Dr. RAVI MATHUR
Managing Director
Civil Engg., Ph.D.



110/10, CIVIL LINES
AJMER (RAJ.)
Tele : 0145-2626150
M. : 9414003374

GURU KRIPA TEST HOUSE

NABL APPROVED LAB.

Water, Mining Minerals, Soil, Metals, Chemicals, Road & Building Material
e-mail : ravimathur1@hotmail.com

Doc No.-QR/33

Rev. No.-01

TEST REPORT

Ref. No./GKTH/Water/2023 – 24 / 66068(N)

Date of Issue: 28/11/2023

1.	Name & Address of Customer	:	Municipal Council Makrana
2.	SRF /Letter Reference	:	-
3.	Name of Work	:	6 MLD Sewage Treatment Plant
4.	Material Identification	:	STP Water (5 Lit. in Loose Plastic bottle)
5.	Sample Supplied by	:	Customer
6.	Source / Location	:	STP Outlet
7.	Date of Sample Receipt	:	23/11/2023
8.	Date of Sample Tested	:	23/11/2023 to 28/11/2023
9.	Results of the Test/Analysis	:	As Per the Specification of IS: 2490/1981 (Pt-1) tolerance limit for industrial effluents discharged into inland surface water Sp. of BIS.

PHYSICO- CHEMICAL ANALYSIS

S. No.	Name of the test Required	Method of Test	Test Results Found (Avg. of 3 Trials)	Std. Requirements
1.	Faecal Coliform	IS: 1622 :1981	228.4 MPN / 100 ml	< 1000 MPN / 100 ml

For Guru Kripa Test House
AJMER
(Dr. Ravi Mathur)
Authorized Signatory



TC-7331
NABL ACCREDITED LAB

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (STP Bus Depot, Nawalgarh)	Sample Code	2311561
Report No.	OTH/RN-20237108	Report Issue date	06/12/2023
ULR No.	TC7331230000007108F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max, As per MOEF
1.	pH	7.26	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	8.24	IS : 3025 (P-17)	mg/l.	50
3.	Chemical Oxygen Demand	40.16	IS : 3025 (P-58)	mg/l.	250
4.	Biochemical Oxygen Demand	9.10	IS : 3025 (P-44)	mg/l.	30
5.	Phosphate as P	0.25	IS : 3025 (P-31)	mg/l.	1.0

Note: - 1.BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested.

3. The information about the sample provided by customer.

END OF REPORT

Omega Test House
(Quality Manager)
Authorized Signatory

NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (STP Bus Depot, Nawalgarh)	Sample Code	2311561-A
Report No.	OTH/RN-20237108-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.6	°C	Thermometer
2.	Total Nitrogen	1.62	mg/l.	APHA (24th edition) 4500 NH3 C: 2023
MICROBIOLOGICAL ANALYSIS				
3.	Total Feacal Coliform	63	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	1 MLD STP Plant Outlet Water (STP Fire Station, Nawalgarh)	Sample Code	2311562
Report No.	OTH/RN-20237109	Report Issue date	06/12/2023
ULR No.	TC7331230000007109F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max. As per MOEF
1.	pH	7.20	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	7.96	IS : 3025 (P-17)	mg/L	50
3.	Chemical Oxygen Demand	35.12	IS : 3025 (P-58)	mg/L	250
4.	Biochemical Oxygen Demand	8.05	IS : 3025 (P-44)	mg/L	30
5.	Phosphate as P	0.23	IS : 3025 (P-31)	mg/L	1.0

Note: - 1. BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested.

3. The information about the sample provided by customer.

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar, Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	1 MLD STP Plant Outlet Water (STP Fire Station, Nawalgarh)	Sample Code	2311562-A
Report No.	OTH/RN-20237109-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.5	°C	Thermometer
2.	Total Nitrogen	1.40	mg/l.	APHA (24th edition) 4500 NH3 C: 2023
MICROBIOLOGICAL ANALYSIS				
3.	Total Faecal Coliform	43	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT


(Microbiologist)
Authorized Signatory



(Quality Manager)
Authorized Signatory

NOTE:

- (1.) The results listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

4.5 MLD STP KASOD NIMBAHERA

DATE	INLET PARAMETER MG/L							OUTLET PARAMETER MG/L							
PARAMETER	FLOW	PH	TSS	COD	BOD	TP	TN	PH	TSS	COD	BOD	TP	TN	TOTAL FECAL	FLOW
01.10.2023	989	7.97	202	490	188	5	30	7.77	8	37	7	3	3	90	982
02.10.2023	1009	7.91	194	478	179	3	20	7.67	8	38	8	2	2	92	1029
03.10.2023	993	7.88	197	496	202	3	20	7.61	9	36	8	2	2	78	990
04.10.2023	1135	7.84	192	489	188	3	40	7.58	7	40	7	1	4	92	1120
05.10.2023	1121	7.89	193	490	193	5	30	7.62	9	38	7	2	3	77	1132
06.10.2023	1099	7.93	209	502	201	5	40	7.69	9	37	8	2	3	92	1091
07.10.2023	1131	7.86	204	488	188	3	30	7.65	8	40	9	1	2	97	1125
08.10.2023	1149	7.92	193	495	196	5	30	7.69	7	42	8	2	2	92	1143
09.10.2023	1135	7.89	204	491	191	5	20	7.39	7	39	8	2	2	90	1121
10.10.2023	1125	7.99	209	494	197	5	40	7.52	8	42	7	3	3	97	1119
11.10.2023	1139	7.92	199	507	202	5	40	7.59	9	40	9	1	5	91	1146
12.10.2023	1101	7.99	188	501	200	3	30	7.53	8	38	8	2	3	90	1092
13.10.2023	1119	7.94	190	492	189	2	20	7.5	8	40	8	1	2	92	1123
14.10.2023	1140	7.89	179	502	202	3	30	7.53	7	42	9	1	3	78	1143
15.10.2023	1190	7.83	191	492	200	3	30	7.49	9	40	7	2	2	92	1204
16.10.2023	1211	7.92	189	489	207	5	40	7.68	8	42	8	3	3	90	1201
17.10.2023	1143	7.97	201	507	197	3	30	7.62	8	38	9	2	3	97	1152
18.10.2023	1152	8.04	195	501	195	5	20	7.78	7	42	9	3	2	97	1148
19.10.2023	1119	8.12	198	493	190	5	30	7.22	7	39	7	3	2	92	1109
20.10.2023	1140	7.97	201	496	188	3	20	7.68	9	36	8	1	2	78	1132
21.10.2023	1159	7.84	211	502	193	3	30	7.62	8	39	7	1	2	82	1172
22.10.2023	1152	7.93	201	490	201	3	40	7.58	9	42	9	2	3	81	1149
23.10.2023	1182	7.97	199	492	200	3	30	7.42	7	37	8	1	2	84	1180
24.10.2023	1107	7.94	201	484	184	5	20	7.5	7	36	8	2	2	87	1112
25.10.2023	1077	7.91	200	490	190	5	20	7.8	8	40	7	3	2	83	1092
26.10.2023	1082	7.88	189	507	181	3	30	7.61	8	41	9	2	2	94	1061
27.10.2023	1129	7.82	190	477	172	3	40	7.58	9	38	7	1	5	92	1142
28.10.2023	1218	7.9	206	492	189	5	30	7.62	8	42	8	2	2	78	1204
29.10.2023	1239	7.89	189	482	208	4	30	7.82	7	38	8	3	3	82	1291
30.10.2023	1242	7.83	179	504	215	3	40	7.72	9	37	7	2	5	81	1239
31.10.2023	1249	7.94	189	481	207	3	30	7.68	8	40	8	1	3	87	1257



1 STP KASOD NIMBAHERA															
DATE	INLET PARAMETER MG/L							OUTLET PARAMETER MG/L							
PARAMETER	FLOW	PH	TSS	COD	BOD	TP	TN	PH	TSS	COD	BOD	TP	TN	TOTAL FECAL	FLOW
01.10.2023	82	7.77	222	490	197	5	40	7.8	10	42	8	3	5	81	80
02.10.2023	85	7.81	213	497	178	5	30	7.62	8	40	9	2	2	84	86
03.10.2023	81	7.92	204	501	209	3	40	7.57	8	37	8	1	3	87	83
04.10.2023	85	7.9	201	491	192	3	40	7.52	9	40	8	1	3	83	82
05.10.2023	91	7.87	195	489	183	5	30	7.62	7	37	9	2	2	94	90
06.10.2023	87	7.99	181	502	207	5	30	7.8	7	40	8	2	3	97	89
07.10.2023	85	8.03	193	499	192	3	20	7.72	6	42	9	1	3	92	82
08.10.2023	91	7.89	204	482	179	3	30	7.61	6	37	7	1	2	90	93
09.10.2023	89	7.87	184	479	186	5	20	7.63	8	40	8	2	2	97	85
10.10.2023	88	7.89	191	482	190	5	20	7.68	8	38	7	2	2	88	86
11.10.2023	92	7.92	203	490	193	3	30	7.67	7	37	9	2	3	85	90
12.10.2023	87	8.04	194	517	207	3	30	7.8	8	39	8	3	2	87	83
13.10.2023	93	7.96	199	509	211	5	30	7.83	9	40	8	2	3	91	91
14.10.2023	84	7.92	193	514	204	2	20	7.79	9	42	7	2	1	90	80
15.10.2023	87	7.95	200	503	198	3	20	7.71	7	40	9	1	1	92	81
16.10.2023	92	7.89	188	491	181	3	40	7.71	9	38	8	2	3	78	80
17.10.2023	84	7.97	171	497	192	3	30	7.68	9	36	7	2	2	82	88
18.10.2023	83	8.02	179	502	189	3	30	7.7	8	39	7	1	2	81	86
19.10.2023	86	7.91	192	490	201	3	20	7.71	7	38	8	1	1	90	84
20.10.2023	90	7.98	185	493	209	5	30	7.71	7	40	9	3	2	85	92
21.10.2023	92	7.9	192	482	204	5	30	7.7	8	37	9	2	3	87	88
22.10.2023	86	7.93	181	495	190	3	20	7.62	9	42	8	2	2	91	89
23.10.2023	89	7.89	195	501	184	4	30	7.58	7	39	7	2	1	79	86
24.10.2023	82	7.95	201	495	180	3	30	7.52	9	37	8	1	1	92	80
25.10.2023	87	7.88	200	482	178	3	40	7.49	8	40	8	1	3	95	85
26.10.2023	90	7.89	188	490	182	5	30	7.53	7	36	9	2	3	90	88
27.10.2023	86	7.9	193	493	193	5	25	7.8	7	39	7	2	2	87	84
28.10.2023	90	7.84	182	497	199	3	20	7.64	8	40	8	1	1	82	87
29.10.2023	92	7.92	197	507	202	3	30	7.61	7	37	8	2	3	80	86
30.10.2023	87	7.89	199	504	217	2	20	7.58	8	35	7	1	2	91	90
31.10.2023	93	7.95	204	489	205	3	20	7.62	8	40	9	1	2	90	97

2 MLD STP KARTHANA NIMBAHERA

DATE	INLET PARAMETER MG/L							OUTLET PARAMETER MG/L							
PARAMETER	FLOW	PH	TSS	COD	BOD	TP	TN	PH	TSS	COD	BOD	TP	TN	TOTAL FECAL	FLOW
01.10.2023	728	7.99	207	502	199	5	20	7.69	8	42	7	2	3	82	726
02.10.2023	706	7.88	201	491	188	3	20	7.62	8	38	9	1	2	80	709
03.10.2023	742	7.93	197	497	192	3	30	7.59	9	40	8	1	3	94	749
04.10.2023	738	7.89	219	512	202	5	30	7.6	7	43	8	2	2	87	735
05.10.2023	735	7.92	215	507	199	5	40	7.52	8	40	7	2	3	89	741
06.10.2023	720	7.89	207	491	188	3	20	7.49	7	36	7	1	2	96	712
07.10.2023	743	7.99	206	501	195	2	20	7.53	8	39	8	1	3	79	740
08.10.2023	723	8.07	181	482	184	3	30	7.58	9	36	8	2	2	83	720
09.10.2023	710	7.8	193	491	202	3	20	7.53	8	39	7	2	1	91	711
10.10.2023	737	7.91	189	482	180	3	30	7.5	7	42	7	2	2	90	732
11.10.2023	742	7.97	209	492	199	2	30	7.61	7	40	8	1	2	93	747
12.10.2023	718	7.89	202	490	183	5	20	7.67	8	37	8	3	3	90	712
13.10.2023	732	7.96	194	501	197	3	20	7.65	9	39	7	2	2	88	730
14.10.2023	724	8.07	206	506	209	3	30	7.61	8	41	9	1	2	83	717
15.10.2023	701	7.93	201	497	201	2	20	7.69	7	40	7	1	1	82	711
16.10.2023	736	7.9	189	509	208	3	30	7.65	8	42	8	2	2	87	718
17.10.2023	702	7.89	193	517	199	3	30	7.72	8	38	8	2	3	85	701
18.10.2023	699	7.87	189	531	187	2	20	7.68	6	41	9	1	1	87	669
19.10.2023	721	7.93	176	528	204	3	30	7.76	7	40	7	2	3	91	719
20.10.2023	701	7.97	189	512	198	5	30	7.66	9	37	7	3	2	90	700
21.10.2023	728	7.95	178	504	190	5	20	7.72	8	39	8	2	3	88	726
22.10.2023	712	7.89	193	493	207	3	40	7.68	8	42	9	1	5	81	717
23.10.2023	704	7.9	189	488	194	5	30	7.72	9	40	8	3	3	84	701
24.10.2023	704	7.97	202	492	200	5	20	7.69	7	42	8	2	2	87	700
25.10.2023	699	7.8	200	482	195	3	20	7.72	8	40	7	2	1	83	701
26.10.2023	709	7.89	204	492	189	3	30	7.81	7	39	8	1	3	94	689
27.10.2023	729	7.92	199	497	197	2	30	7.89	7	40	8	2	2	97	720
28.10.2023	709	7.88	202	507	206	3	20	7.67	8	38	9	1	1	92	534
29.10.2023	759	7.89	197	501	189	5	20	7.62	8	40	7	2	2	78	849
30.10.2023	820	7.96	209	491	173	5	30	7.57	9	42	7	2	3	82	825
31.10.2023	817	7.89	211	486	182	3	30	7.6	8	40	8	2	3	87	723

FORM – X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule -24)
Final Report

Report No. : 573

Report On : 27/11/2023

I hereby certify that I Ms Garima Mishra, State Board Analyst duly appointed under sub Section (3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 24/11/2023 from VEENU SINGHAL, JSO, Bikaner, RSPCB Bikaner a sample of Waste Water of M/S Municipal Board, Nokha, Plant - Municipal Board Nokha Sewage Treatment Plant 1 MLD [109177], Ward No7, City - Madiya Tehsil - Nokha, District - Bikaner Collected from Final Outlet of CSTP Collected on 24/11/2023. The sample was in a condition fit for analysis as reported below:-

I further certify that I have analyzed the aforementioned sample on 24/11/2023 and declare the result of the analysis to be as below:-


S. No.	Parameters	Result
1	Faecal Coliform (MPN Technique) /100 ml	145

The condition of the seals, fastening and container on receipt was as follows: **Intact**

Signed this On **27/11/2023**


BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Bikaner
33, Phase-II, Bichwal Industrial Area,
Bikaner
Phone: 0151-2250006


MOHIT KUMAR CONTRACTOR

PROPRIETOR



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items



TEST REPORT

Report No. MGEI/TR/WTR/04722	Issued Date : 29.11.2023
Name & Address of Party:	Letter Date : 24.11.2023
M/s L & T Construction	Source of Sample : Sewerage Water
No. 61/62 Paras Nagar, Near Tagore Nagar Tagore	Quantity of sample : One bottle each sample
Nagar, Road Pali	Date of sample received : 24.11.2023
	Period of testing : Start-24.11.2023, Final-29.11.2023
	Sample Description : Raw Sewerage & Treated water
Location :- Water Sample Collected from 15 MLD STP Under RUIDP, Pali.	

TEST RESULTS

Requirements Tests	Test Method	Standards as per NGT Principal Bench New Delhi	Units	Results Obtained	
				Raw Sewerage	CCT Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.21	7.68
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	282.3	8.7
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	820.5	48.5
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	515.5	6.9
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	40.5	4.1
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	6.7	0.45
g) Fecal coliform (MPN/1000)	IS 1622	Desirable 1000 Permissible 10000	mg/lit	280.5	20.5

REMARK: B.O.D. Results Observed after 3 Days.

MONI'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted in as received condition.
2. All matters related to Jodhpur Jurisdiction only.
3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items

TEST REPORT

Report No. MGE/ TR/WTR/04741	Issued Date : 30.11.2023
Name & Address of Party:	Letter Date : 25.11.2023
MUNICIPAL COUNCIL PALI	Source of Sample : Sewerage Water
Near ESI Hospital Pali	Quantity of sample : One bottle
	Date of sample received : 25.11.2023
	Period of testing : Start-25.11.2023, Final-30.11.2023
	Sample Description : Raw Sewerage & Treated water
Location: - 7.5 MLD Near ESI Hospital Pali	

TEST RESULTS

Requirements Tests	Test Method	Standards as per GSR 801 (E) EPA 1993	Units	Results Obtained	
				Raw Sewerage	Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.92	7.31
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	285.3	7.2
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	845.2	38.5
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	580.5	7.2
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	44.6	3.1
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	8.2	0.32
g) Fecal coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	290.5	14.3

REMARK: B.O.D. Results Observed after 3 Days.

For

ANALYST

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted by Client and as received condition.
2. All matters related to Jodhpur Jurisdiction only.
3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

E.T.T.L.**Engineering Training Testing And Calibration Laboratory**

Location 1 (Chemical) Plot No. 78, Indraprastha Colony Vaishali Nagar, Jaipur-302021
 Location 2 (Mechanical, NDT) Plot No-8, West Link Avenue, 11 Street Vastika Infotech City
 Thikariya Ajmer Road, Jaipur-302026 Ph.: 0141 6764829 • Contact 7737832647, 78919 27777
 Email : ettl@gmail.com, ettljpr@gmail.com • Website : www.ettljpr.com



(AN ISO 9001 : 2015 CERTIFIED CO.)

CHEMICAL, NDT, MECHANICAL TESTING & CALIBRATION LAB
 A Government Approved Laboratory

Report No. JP/ETTL/23-24/TE-85127131125-1-L1

Issued To: नगर परिषद राजसमंद

Booking Advice No. : 85127131125

Date of Receiving : 25.11.2023

Test Start Date : 27.11.2023

Test Completion Date : 28.11.2023

Date of Report : 28.11.2023

Site :- सिवरेज ट्रीटमेंट प्लांट प्रतापुरा राजसमंद (5MLD)

Sample Particulars : A sample of STP (Treated) Water was received.

Results				
S.No.	NAME OF THE TEST	OBSERVATION	REQUIREMENT	CONFORMITY
			as per The Environment (Protection) Rule 1986 Schedule -1	
1. CHEMICAL TEST				
7	Total Fecal Coliform as per IS 1622-2003 Per 100 ml MPN	Not Detectable	<100	Yes
*****End of Result*****				

Checked By

Authorized Signatory



1. This result is valid only for tested sample (s) / under test in as received condition and applicable parameter. 2. Further sample left after testing (if in reasonable condition) shall be retained / claimed within 28 days from the date of issue of report & destroyed afterwards.
 3. Declaration: Sample is not shown by an entire otherwise mentioned. This report is purely based on the sample submitted to the laboratory and is not valid for any legal purpose. 4. Total liability of our work is limited to involved amount. Applicable tax rates "Not in NABL Scope"

CALIBRATION • TESTING SERVICES • NDT • SALES OF LAB EQUIPMENT

Sawai Madhopur 10 MLD

Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'22 to 31 October'22	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
97	Sawai Madhopur	Village Sonwai (Sawai Madhopur)	10.00	WSP	7MLD	6.5-9	25	50	60	230	Yes	3.5MLD	3.5MLD	KVK (SW)	N/A	Old Drain

22.11.23
असुयल
नगर परिषद सवाई माधोपुर

817LD STP SIKAR INLET PARAMETER

DATE LIMIT	P-H 60-90	BOD L300	COD L650	TSS L650	TKN L55	TP L6	classmate Expt Coliform MPN/100
UNIT	—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	
01/10/23	6.66	230	430	230	34.8	6	
02/10/23	6.69	230	440	240	35.3	6	
03/10/23	6.71	220	420	220	34.9	5	
04/10/23	6.73	210	410	210	34.7	5	
05/10/23	6.76	200	400	200	34.5	5	
06/10/23	6.51	210	410	210	34.6	5	
07/10/23	6.47	220	420	210	34.8	6	
08/10/23	6.45	210	420	220	34.9	5	
09/10/23	6.52	200	410	200	34.6	5	
10/10/23	6.57	220	420	220	34.8	6	
11/10/23	6.41	230	430	230	35.1	6	
12/10/23	6.63	200	400	200	33.4	6	
13/10/23	6.66	210	410	210	33.7	6	
14/10/23	6.63	230	430	220	34.1	6	
15/10/23	6.61	230	440	230	34.4	5	
16/10/23	6.67	220	420	220	33.9	6	
17/10/23	6.56	210	410	200	33.7	5	
18/10/23	6.46	220	420	220	34.1	6	
19/10/23	6.49	230	430	220	34.3	6	
20/10/23	6.53	200	400	200	34.1	5	
21/10/23	6.51	210	410	210	34.2	5	
22/10/23	6.43	220	420	220	34.3	6	
23/10/23	6.46	200	410	210	34.1	6	
24/10/23	6.49	220	420	210	34.2	6	
25/10/23	6.51	220	420	220	34.3	5	
26/10/23	6.52	230	430	220	34.7	5	
27/10/23	6.42	220	420	220	34.8	5	
28/10/23	6.45	200	400	200	33.8	6	
29/10/23	6.49	200	410	210	33.9	5	
30/10/23	6.48	210	400	200	33.8	5	
31/10/23	6.50	220	420	210	34.1	5	

Outlet PARAMETER

P-H 60-90	BOD L10	COD L50	TSS L10	NH ₄ -N L5	TN L10	TP L2	classmate Expt Coliform MPN/100
—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	
7.74	6	36	6	4.1	6	1.7	36
7.71	7	37	7	4.2	7	1.7	37
7.73	6	36	7	4.1	6	1.6	36
7.69	5	35	5	4.1	5	1.5	35
7.71	6	36	6	4.2	6	1.6	36
7.79	5	35	5	4.1	5	1.5	35
7.69	6	36	6	4.2	6	1.6	36
7.76	5	35	5	4.1	5	1.5	35
7.71	6	36	6	3.9	6	1.5	36
7.74	7	37	7	3.9	7	1.6	37
7.71	6	37	7	3.8	7	1.7	37
7.77	7	38	8	3.9	8	1.7	38
7.82	7	39	8	3.7	7	1.7	38
7.85	6	36	6	3.6	6	1.6	36
7.78	7	37	7	3.7	7	1.7	37
7.52	6	36	6	3.6	6	1.6	36
7.46	5	35	5	3.5	5	1.6	35
7.49	6	36	6	3.6	6	1.6	36
7.53	5	35	5	3.5	5	1.4	36
7.51	5	34	5	3.4	5	1.4	34
7.49	6	35	5	3.5	5	1.5	35
7.46	7	36	6	3.5	6	1.5	37
7.41	5	35	5	3.5	5	1.6	36
7.48	6	36	6	3.6	6	1.6	35
7.42	7	37	7	3.7	7	1.7	37
7.45	8	38	7	3.7	7	1.8	37
7.49	5	35	5	3.5	5	1.5	35
7.51	5	35	5	3.5	6	1.5	35
7.53	6	36	6	3.6	6	1.6	36
7.52	6	35	5	3.5	6	1.6	35
7.5	6	36	6	3.6	6	1.6	36

1688

21160 STD SIKAR INLET PARAMETER

Outlet PARAMETER

DATE	P-H	BOD	COD	TSS	TKN	TP	P-H	BOD	COD	TSS	NH ₄ N	TN	TP
LIMIT	6.0-9.0	≤300	≤650	≤650	≤55	≤1	6.0-9.0	≤10	≤50	≤10	≤5	≤10	≤2
UNIT		mg/L	mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
01/10/23	6.61	210	410	210	34.1	6	7.60	4	33	4	3.6	5	1.5
02/10/23	6.61	220	420	220	34.6	5	7.59	6	35	5	3.8	6	1.6
03/10/23	6.64	210	410	210	34.2	5	7.61	5	34	6	3.6	6	1.5
04/10/23	6.66	220	420	220	33.9	5	7.66	4	33	5	3.5	5	1.5
05/10/23	6.61	220	420	210	33.8	6	7.69	5	34	5	3.4	5	1.5
06/10/23	6.69	200	390	200	33.7	5	7.72	5	35	6	3.5	6	1.6
07/10/23	6.61	200	400	200	33.6	5	7.75	4	32	4	3.3	4	1.4
08/10/23	6.70	220	420	210	33.9	6	7.69	4	34	5	3.2	5	1.5
09/10/23	6.74	220	430	220	34.2	5	7.74	5	35	5	3.4	6	1.6
10/10/23	6.76	210	410	210	33.5	5	7.79	6	36	6	3.5	5	1.6
11/10/23	6.68	220	420	220	33.8	6	7.81	5	34	4	3.5	5	1.5
12/10/23	6.71	220	430	230	34.2	6	7.84	6	36	5	3.6	6	1.6
13/10/23	6.74	210	410	200	33.7	5	7.87	5	35	5	3.5	5	1.6
14/10/23	6.76	200	400	210	33.5	5	7.85	5	34	5	3.4	4	1.6
15/10/23	6.99	210	410	220	33.7	6	7.82	5	34	5	3.6	5	1.5
16/10/23	6.96	200	400	200	33.5	6	7.99	6	35	6	3.5	5	1.5
17/10/23	6.87	220	420	210	33.9	6	7.81	5	34	5	3.5	5	1.5
18/10/23	6.81	200	400	200	34.1	5	7.79	6	36	6	3.6	6	1.6
19/10/23	6.77	210	410	210	34.3	6	7.81	5	35	6	3.5	5	1.5
20/10/23	6.79	220	420	220	34.4	6	7.82	6	35	5	3.6	5	1.5
21/10/23	6.71	200	400	200	33.9	6	7.69	6	36	6	3.6	6	1.6
22/10/23	6.69	230	430	220	34.4	5	7.61	4	34	4	3.5	5	1.5
23/10/23	6.71	210	410	200	34.2	6	7.68	7	36	6	3.6	6	1.6
24/10/23	6.58	200	400	200	34.8	6	7.65	5	35	6	3.5	5	1.6
25/10/23	6.74	220	420	210	34.2	5	7.61	4	34	5	3.4	5	1.5
26/10/23	6.78	230	430	230	34.6	6	7.66	6	36	6	3.6	6	1.6
27/10/23	6.86	210	410	200	34.1	5	7.69	7	37	6	3.6	6	1.6
28/10/23	6.81	220	420	210	34.3	6	7.71	5	35	5	3.5	5	1.5
29/10/23	6.77	200	400	200	33.9	5	7.74	6	36	6	3.6	5	1.6
30/10/23	6.74	210	410	210	34.2	6	7.69	5	35	5	3.5	6	1.6
31/10/23							7.72	5	34	5	3.5	5	1.5



प्रदीप कुमार
राजस्थान सरकार
भारत

Parameters of Operational STPs

P- 178

S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Water Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Faecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (In water Bodies/ Other) (MLD)
1	Ajmer	Khanpura (Ajmer)	20.00	ASP												
2	Ajmer	Anasagar (Ajmer)	13.00	SBR												
3	Alwar	Bharatpur Road near Aggarwal Dam (Alwar)	20.00	ASP												
4	Badi Sadri	Near Mangri road (Badi Sadri)	1.50	SBR												
5	Balotra	Jerla (Balotra)	9.00	SBR												
6	Banswara	Ghamaniya (Banswara)	6.43	WSP												
7	Barmer	Village Kundla (Barmer)	10.00	WSP												
8	Beawar	Near Vjay Nagar Private Bus Stand (Beawar)	5.00	SBR												
9	Beawar	Near Narsingh Pura (Beawar)	4.00	SBR												
10	Beawar	Near Bichal Tank (Beawar)	1.50	SBR												
11	Beawar	Kundan Nagar (Beawar)	1.00	SBR												
12	Bhadra	Mahipal ka Mohalla (Bhadra)	1.00	SBR												
13	Bhadra	Nathwana Johad (Bhadra)	3.50	SBR												
14	Bharatpur	Gopal Nangla (Rundhikran) (Bharatpur)	8.00	SBR												
15	Bharatpur	Near existing STP at Ikran Village (Bharatpur)	5.00	SBR												
16	Bhilwara	Kewada (Bhilwara) J5W	10.00	SBR												
17	Bhiwadi	RHB (Bhiwadi)	1.50	SBR												
18	Bhiwadi	Mundenalmev (Bhiwadi)	2.00	SBR												
19	Bhiwadi	Santhalka (Bhiwadi)	3.00	SBR												
20	Bhiwadi	Nr. Existing STP (Bhiwadi)	3.00	SBR												

1689

91	Pali	Mandisa Industrial Area (Pali)	15.00	SBR																
92	Rajsamand	Rajsamand (Village Pratap pura)	5.00	UASR																
93	Ramgarh Shekhawati	Shamshan ghat (Ramgarh Shekhawati)	2.00	SBR																
94	Ramgarh Shekhawati	Gogernelli (Ramgarh Shekhawati)	1.00	SBR																
95	Sardar Shahar	Sardar Shahar	5.00	WSP																
96	Sardar Shahar	Sardar Shahar	2.00	WSP																
97	Sewai Madhopur	Village Sonwal (Sewai Madhopur)	10.00	WSP																
98	Sikar	Goshala land (Sikar)	2.00	SBR	0.9	723	8.10	8.5	42.7	7.25	1.5	1.1	Ashtakul	0.4	Waste	Booth				
99	Sikar	Near Shiv Colony (Sikar)	8.00	SBR	4.5	7.38	8.3	8.75	44.6	7.25	3.45	3.1	Ashtakul	0.75	Waste	Booth				
100	Sriganganagar	Suratgarh road (Sriganganagar)	10.00	SBR																
101	Sumerpur	Sumerpur	10.00	WSP																
102	Suratgarh	Near Subail (Suratgarh)	2.50	SBR																
103	Suratgarh	Adarsh Kaland Bhumi near Anuzgarh highway (Suratgarh)	2.50	SBR																
104	Tona	Tona Moha Pura (Tona)	18.00	SBR																
105	Tona	Tona Chaudh Kheta (Tona)	4.00	SBR																
106	Udaipur	Extingpura (Udaipur)	20.00	MSBR																
107	Udaipur	Extingpura (Udaipur)	25.00	SBR																
108	Udaipur	FC godown (Udaipur)	15.00	SBR																
109	Udaipur	Karali house (Udaipur)	5.00	SBR																
110	Nokha	Ward No. 03 (Nokha)	1.00	SBR																
111	Jaipur	Dehrawa unit (Jaipur)	42.50	SBR																

प्रवीण
सहायक
नगर



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TC-8771



TEST REPORT

TEST REPORT NO.: ETS/2243/11/2023

URLNO.TC877123000002243F

DATE OF REPORT: 27.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer

: M/S, S.N. ENVIRO TECH PVT. LTD./
EXECUTIVE ENGINEER URBEN DEVELOPMENT
TRUST SRIGANGANAGAR (RAJASTHAN)

Date of Sampling : 23.11.2023
Analysis Start Date : 24.11.2023
Analysis End Date : 27.11.2023
Sample ID No : 2243
Sampling Done By : ETS STAFF
Sample Description : S.T.P (10 M.L.D STP SURATGARH)
Sampling Location : S.T.P - OUTLET
Sampling Method : ETS/STP/WATER-02
Sample Quantity : 2.0 Ltr.
Packing Condition : SEALED
Packed In : P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
1	Ph	...	7.2	5.5 - 9.0	5.5 - 9.0	APHA 4500-H+
2	Total Suspended Solids,(TSS)	mg/L	4.0	100	600	APHA 2540-D
3	Biological Oxygen Demand(BOD ₅ 27°C)	mg/L	6.8	30	350	IS: 3025 (Part-44)
4	Oil & Grease, (O & G)	mg/L	1.5	10	20	APHA 5520-D
5	Chemical Oxygen Demand,(COD)	mg/L	31.0	250	Not Specified	APHA 5220-B
6	Total Phosphorus (P)	mg/L	0.7	Not Specified	Not Specified	APHA 4500:(P)-D
7	Total Kjeldahl Nitrogen (NH ₃)	mg/L	0.5	100	Not Specified	APHA 4500:(N org)-B

Page 1 of 2

For Enviro-Tech Services



AUTHORIZED SIGNATORY
Lab In-charge

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2243/11/2023

DATE OF REPORT: 27.11.2023

WASTE WATER SAMPLE ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
MICROBIOLOGICAL PARAMETER;						
8	Total coliform count	MPN/100 mL	70.0	Not Specified	Not Specified	IS 15186
9	Faceal Coliform	MPN/100 mL	82.0	Not Specified	Not Specified	IS 15186

*****End of Test Report*****



Page 2 of 2

For Enviro-Tech Services

 AUTHORIZED SIGNATORY
 Lab In-charge

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007


Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245


E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com



Recognized by Ministry of Environment, Forest and Climate Change, Government of India

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

ULR No.: TC733423000001951F			Date: 05/12/2023		
Sample ID: NES231128001					
TEST CERTIFICATE					
WASTE WATER QUALITY ANALYSIS					
Issued to	Client	Commissioner, Nagar Parishad, Sujangarh			
	Contractor	M/s. YFC - ZTI (JV)			
Address		Thrada Road, Sai Baba Mandir Ke Pass, Gopala Gausala, Sujangarh, Rajasthan - IN			
Nature of Industry		5.5 MLD Sewage Treatment Plant			
SAMPLE DETAILS					
Location		STP Treated Water (5.5 MLD STP)			
Sample Description		Slightly Turbid Colorless Liquid			
Sample Quantity		2.0 Litre			
Sample Condition		Sealed			
Sample Collected By		Contractor's Representative			
Date of Sample Receipt		28/11/2023			
Period of Testing		28/11/2023 to 05/12/2023			
TEST RESULTS					
Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH (at temperature 25°C)	-	7.32	6.5 to 9.0	IS 3025 (P-11):1983, RA 2017
2.	Total Suspended Solids	mg/l	8.92	< 10	IS 3025 (P-17):1984, RA 2017
3.	Biochemical Oxygen Demand (at 3 days on temperature 27°C)	mg/l	9.00	< 10	IS 3025 (P-44):1993, RA 2019
4.	Chemical Oxygen Demand	mg/l	32.40	< 50	IS 3025 (P-58):2006, RA 2017
5.	Oil & Grease	mg/l	6.80	< 10	IS 3025 (P-39):1991, RA 2019
6.	Total Nitrogen (as N)	mg/l	2.40	< 10	IS 3025 (P-34):2021
7.	Total Phosphate (as P)	mg/l	0.62	< 2	IS 3025 (P-31):2022
8.	Fecal Coliform	MPN/100 ml	79	<100	IS 1622:1981 (RA 2019)
Note: B.D.L. - Below Detection Limit - This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without special permission in writing. - Total liability of this laboratory is limited to the invoice amount. - The results enlisted refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied. - Samples will be destroyed after 15 days from the date of issuing of analysis of report unless otherwise specified.					
 (Madhusudan Sharma) Authorized Signatory - Microbiology			 (Lokendra Singh) Authorized Signatory - Chemical		
*** END OF REPORT ***					





NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007

Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245

E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com



Recognized by Ministry of Environment, Forest and Climate Change, Government of India

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

ULR No.: TC733423000001952F Date: 05/12/2023

Sample ID: NES231128002

TEST CERTIFICATE WASTE WATER QUALITY ANALYSIS

Issued to	Client	Commissioner, Nagar Parishad, Sujangarh
	Contractor	M/s. YFC – ZTI (JV)
Address		Guleria Hotel, Gonera Road, Sujangarh, Rajasthan – IN
Nature of Industry		2.0 MLD Sewage Treatment Plant

SAMPLE DETAILS

Location	STP Treated Water (2.0 MLD STP)
Sample Description	Slightly Turbid Colorless Liquid
Sample Quantity	2.0 Litre
Sample Condition	Sealed
Sample Collected By	Contractor's Representative
Date of Sample Receipt	28/11/2023
Period of Testing	28/11/2023 to 05/12/2023

TEST RESULTS

Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH (at temperature 25°C)	-	7.25	6.5 to 9.0	IS 3025 (P-11):1983, RA 2017
2.	Total Suspended Solids	mg/l	8.45	< 10	IS 3025 (P-17):1984, RA 2017
3.	Biochemical Oxygen Demand (at 3 days on temperature 27°C)	mg/l	6.18	< 10	IS 3025 (P-44):1993, RA 2019
4.	Chemical Oxygen Demand	mg/l	23.60	< 50	IS 3025 (P-58):2006, RA 2017
5.	Oil & Grease	mg/l	3.22	< 10	IS 3025 (P-39):1991, RA 2019
6.	Total Nitrogen (as N)	mg/l	1.80	< 10	IS 3025 (P-34):2021
7.	Total Phosphate (as P)	mg/l	0.52	< 2	IS 3025 (P-31):2022
8.	Fecal Coliform	MPN/100 ml	63	<100	IS 1622:1981 (RA 2019)

Note: B.D.L – Below Detection Limit

- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without special permission in writing.
- Total liability of this laboratory is limited to the invoice amount.
- The results enlisted refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied.
- Samples will be destroyed after 15 days from the date of issuing of analysis of report unless otherwise specified.

Madhusudan Sharma
(Madhusudan Sharma)
Authorized Signatory – Microbiology

Seal

Lokendra Singh
(Lokendra Singh)
Authorized Signatory – Chemical

*** END OF REPORT ***

10 MLD Sewage Treatment Plant Sumerpur Pali (Raj.)

DATE	Flow mld	RAW SEWAGE					FALC mld	FINAL DISCHARGE					FALC mld	Sig
		pH	Temp	TSS mg/l	CO ₂ mg/l	BOD mg/l		pH	Temp	TSS mg/l	CO ₂	BOD		
1.5.22														S450
2.5.22		7.8		233.2	192	144		7.5		25	53	16	65	S450
3.5.22														S450
4.5.22														S450
5.5.22														S450
6.5.22														S450
7.5.22														S450
8.5.22		7.8		271.7	180	130		7.4		26	52	18	62	S450
9.5.22														S450
10.5.22														S450
11.5.22														S450
12.5.22														S450
13.5.22														S450
14.5.22		7.8		194	174	128		7.6		22	42	13	66	S450
15.5.22														S450
16.5.22														S450
17.5.22														S450
18.5.22														S450
19.5.22														S450
20.5.22		7.8		195	191	140		7.8		18	40	12	73	S450
21.5.22														S450
22.5.22														S450
23.5.22														S450
24.5.22														S450
25.5.22														S450
26.5.22		7.8		192	193	143		7.3		27	36	13	55	S450
27.5.22														S450
28.5.22														S450
29.5.22			S450											S450
30.5.22														S450
31.5.22														S450

Parameters of operational STPs																	
						Outlet/Actual Parameter							Reuse of Treated Water				
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow	Temp 0C	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l	Test Report Attached (Yes/No)01 october'23 to 31 october'23	Qunatity of Treated water available for Reuse	Qunatity of Treated water Being Reuse	Mode of Reuse Agricultural/H orticultural/Industrial	Remainnin g Quantity of Treated water	Mode of disposal /water Bodies/ Other purposes
101	Sumerpur	Sumerpur	10.00	WSP	15-20%	27	7.8	15.4	25.8	46.8	63	yes	1.5 - 2 MLD	1.5 - 2 MLD	Agricultural	-	-


 कनिष्ठ अभियन्ता
 नगर पालिका, सुमेरपुर

Adarsh Kalyan Bhumi
Near Anupgish hyhim (SAS)
(Suratgarh) STP-1

Inlet (RSPS)

PAPERWELL

Date:

Page no.

Total

Coliform

MLD

Date	Time	BOD	COD	N	P	TSS	PH	Coliform	MLD
		300mg/L	450mg/L	55mg/L	65mg/L	650mg/L	6-9		2-5
24/8/23	9:00	368	435	27.4	7	354.4	7.22	24	435
25/8/23	10:00	375	412	26.4	6	310.4	7.30	29	392
26/8/23	9:30	358	332	24.3	8	302.1	7.41	24	384
27/8/23	9:00	364	384	23.8	7	312.4	7.38	26	356
28/8/23	10:00	378	382	24.4	8	316.2	7.42	30	414
29/8/23	9:00	368	377	28.4	6	314.4	7.33	34	438
30/8/23	10:00	372	386	29.1	8	304.2	7.39	35	566
31/8/23	9:00	266	374	26.4	9	312.1	7.38	37	488
3/9/23	10:00	288	395	25.3	8	316.4	7.42	34.2	512
5/9/23	9:30	272	374	26.8	7	321.4	7.34	33	412
8/9/23	10:00	260	365	27.4	6	314.4	7.41	35	486
10/9/23	9:00	274	358	25.8	7	318.3	7.30	34	580
11/9/23	10:00	267	385	27.4	8	320.4	7.31	35	546
16/9/23	10:00	276	380	25.3	7	324.3	7.30	34	566
20/9/23	10:00	263	377	26.4	8	316.4	7.38	33	538
23/9/23	9:30	270	368	25.4	7	320.3	7.41	34	684
30/9/23	10:00	284	374	26.3	6	324.4	7.38	34	742
7/10/23	9:00	278	364	25.4	7	320.4	7.40	33	686
10/10/23	10:00	279	378	28.4	8	328.4	7.38	33	696
16/10/23	9:30	263	362	26.4	7	320.3	7.40	32	677
22/10/23	9:00	258	374	28.4	8	312.4	7.30	33	632
28/10/23	10:00	274	381	29.4	7	320.3	7.38	33	741
31/10/23	9:00	281	374	33.8	8	326.4	7.48	33	730
14/11/23	9:30	248	360	36.3	7	320.4	7.36	32	764

AEa

Sw

Test Report verified

Sw

Station: Adarsh Kalyan Bhumi
near Anupgarh highway
(Suratgarh) STP-1

Outlet (SBR)

STP-1

PAPERWELL

Date:

Page no. Total

1

20

Time	DO	BOD	COD	N	P	TSS	PH					
	2mg/L	18mg/L	100mg/L	2mg/L	5mg/L	10mg/L	6-8				2.5	
1:00	1.9	8.1	74.4	12.6	4	11.2	7.44	23	45	1.8		8
3:00	1.8	8.8	78.4	13.4	5	13.4	7.53	24	39	1.7		8
4:00	1.7	9.1	81.4	16.2	4	10.6	7.64	24	38	1.8		8
4:30	1.9	8.2	74.2	14.6	5	11.8	7.58	26	39	1.7		8
3:00	1.8	9.3	78.4	15.4	3	14.4	7.68	29	41	1.7		8
2:00	1.9	8.2	68.2	12.4	4	11.2	7.59	30	43	1.8		8
3:30	1.9	8.1	66.4	11.6	3	10.1	7.63	33	56	1.6		8
4:00	1.8	9.2	69.4	13.6	5	12.4	7.58	35	48	1.7		8
3:00	1.9	8.1	66.4	12.3	4	10.6	7.68	35	51	1.6		8
4:00	1.8	9.2	76.4	14.3	5	12.4	7.53	33	41	1.7		8
3:30	1.9	8.2	68.1	15.4	4	10.4	7.73	35	48	1.6		8
4:00	1.8	9.4	78.3	16.1	5	13.2	7.60	33	58	1.5		8
3:00	1.9	8.1	72.4	14.4	3	16.4	7.53	34	54	1.6		8
4:00	1.8	9.6	81.4	17.3	4	15.1	7.60	34	56	1.7		8
3:00	1.9	8.1	68.4	12.6	3	11.4	7.59	32	58	1.6		8
4:30	1.8	9.8	74.4	13.4	5	16.8	7.61	33	68	1.7		8
3:00	1.9	8.4	72.3	12.4	4	15.4	7.68	34	74	1.6		8
3:30	1.8	9.2	79.4	13.4	5	14.3	7.65	33	68	1.6		8
4:00	1.9	8.9	68.5	14.3	4	18.4	7.59	32	69	1.5		8
3:00	1.9	8.1	62.4	11.4	3	16.4	7.60	32	67	1.4		8
4:00	1.9	8.2	61.1	13.4	4	14.3	7.58	33	69	1.6		8
3:00	1.8	9.3	68.4	12.3	5	16.4	7.62	33	74	1.6		8
4:00	1.9	8.2	60.4	11.4	5	14.4	7.70	33	73	1.7		8
3:00	1.8	9.4	67.4	12.4	4	12.2	7.50	32	76	1.6		8

AEn

SL



Test Report Verified

SL

Location - Near subjail (Suratgarh)

Inlet (RSPS)

in let (GPS)

STP-2

PAPERWELL

STP-2

Date: 11/10/23

Page no. 16/17

Date	Time	BOD	COD	N	P	TSS	PH	MLD
1-9-23	9:00	275	368	32.8	7	334.4	7.38	2.5
4-9-23	10:00	268	356	36.4	8	338.2	7.41	1.8
7-9-23	9:30	274	382	33.2	7	342.4	7.30	1.8
9-9-23	10:00	268	377	35.4	6	330.2	7.33	1.7
11-9-23	9:00	259	364	33.4	8	326.3	7.38	1.8
17-9-23	10:00	248	375	34.8	7	310.6	7.40	1.9
20-9-23	9:00	264	389	35.4	8	324.4	7.32	1.8
23-9-23	10:00	276	374	38.4	7	320.4	7.38	1.8
29/9/23	9:30	268	384	37.4	6	328.4	7.41	1.9
7/10/23	10:00	259	378	35.4	7	330.4	7.34	1.8
10/10/23	9:00	255	384	33.4	8	321.4	7.37	1.8
16/10/23	9:30	274	395	36.2	6	384.1	7.30	1.7
22/10/23	10:00	258	374	39.4	5	380.4	7.39	1.8
29/10/23	9:00	252	363	34.3	6	384.4	7.41	1.7
05/11/23	9:00	252	363	34.3	6	384.4	7.41	1.7
9/11/23	10:00	244	362	33.4	7	370.4	7.38	1.8
14/11/23	9:00	260	369	38.4	8	366.2	7.40	1.8



Test Report Verified
 Dr. [Signature]

Location: Near Subhan (Sewerage)

Outlet (SBR)

out Jet (SBR)

STP-2

PAPERWELL

STP-2

Date:

Page: 1 of 1

19
08
2016

Time	DO	BOD	COD	N	P	TSS	PH				
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	6-8			2.5	
3:00	1.8	8.4	72.4	14.4	5	13.4	7.63	25	47	1.7	✓
4:00	1.9	8.8	70.1	16.4	4	12.1	7.58	33	44	1.8	✓
5:30	1.8	8.8	72.4	17.5	3	11.4	7.60	34	49	1.7	✓
4:00	1.9	8.0	66.4	15.4	3	10.1	7.53	33	51	1.6	✓
5:00	1.8	8.3	74.2	14.3	4	8.14	7.63	34	42	1.7	✓
4:00	1.9	8.1	65.4	12.6	3	10.4	7.58	33	58	1.8	✓
3:00	1.8	9.6	77.2	14.4	4	16.3	7.60	33	59	1.7	✓
4:00	1.9	8.8	70.4	15.2	3	14.4	7.58	32	67	1.8	✓
3:00	1.8	9.4	73.4	14.6	4	12.3	7.63	33	58	1.8	✓
4:00	1.9	8.4	65.3	13.4	3	14.3	7.66	33	56	1.7	✓
3:00	1.9	8.4	71.4	12.8	4	16.4	7.53	33	57	1.7	✓
4:00	1.9	8.2	68.4	11.4	4	18.4	7.58	32	61	1.6	✓
3:00	1.8	9.2	71.4	12.2	6	14.4	7.62	32	68	1.7	✓
4:00	1.9	9.2	75.4	13.4	5	12.6	7.58	32	82	1.6	✓
3:00	1.8	8.6	70.1	12.8	6	11.4	7.60	32	73	1.7	✓
4:00	1.9	8.2	66.4	11.4	5	10.6	7.53	32	76	1.7	✓

Test Report verified

AEn



Jr

OFFICE OF THE MUNICIPAL COUNCIL TONK

S.No. 12194

Date. 23-11-23

The Director & Special Secretary
Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
G-3, Rajmahal Residency,
Near Civil lines, Railway Crossing, Jaipur

Subject: - Regarding Submission of Information regarding test reports and reuse of treated sewage water.

Reference: Letter No- CE/DLB/NGT_673/2023/117865-118105 as on dated 20.11.2023.

Dear Sir,

With reference to above cited subject matter, we acknowledge your Letter- CE/DLB/NGT_673/2023/117865/118105 ON DT.20-Nov-23., regarding response, we are submitting required data.

This is for your acknowledgement& Record.

S.No. 12198-12201

Copy to Following for Information

1. PS to Secretary ,LSG , GoR
2. Ps to Director & Special Secretary DLB,Gor
3. PA to Chief Engineer DLB
4. Guard File.


Commissioner
Nagar Parishad Tonk
Date. 23-11-23


Commissioner
Nagar Parishad Tonk

OFFICE OF THE MUNICIPAL COUNCIL TONK

Parameters of operational STPs

S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural / Horticultural / Industrial (MLD)	Remainin g Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (In water Bodies/ Other) (MLD)
1	Tonk	Tonk Molai Pura (Tonk)	16.00	SBR	8.00	7.28	6.67	8.00	32.00	230.00	Yes	8.00	6.00	6.00	2.00	2.00
2	Tonk	Tonk Dhaula Khara (Tonk)	4.00	SBR	2.00	7.45	8.57	9.00	44.00	280.00	Yes	2.00	1.50	1.50	0.50	0.50


 Executive Engineer
 Municipal Council Tonk

An Ecolab Company

PRODUCTION & LAB RECORD Month- JULY-23

PRODUCTION & LAB RECORD Month- <u>JULY-23</u>																				
DATE	INLET							OUTLET							POWER CONSUMPTION			Plant Running Hours	RSEB Power Cut	Remark
	Inlet Water (m ³)	pH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	Outlet Water (m ³)	pH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	RSEB (KWH)	Solar (KWH)	TOTAL			
1/7/23	3229.90	7.42	169	388	157	15	7	3162.72	7.82	8	44	8	5	1.2	866.63	30.4	897.03			
2/7/23	2862.60	7.92	154	292	159	16	7	2435.72	7.76	5	44	2.5	3	1.8	813.75	32.5	846.25			
3/7/23	2687.2	7.75	164	380	161	15.5	6.5	2624.86	7.85	8	40	4.09	6	1.7	946.37	36.5	982.87			
4/7/23	2430	7.79	143	396	156	15	7	2446.96	7.38	4	24	5	8	1.2	807	54	861			
5/7/23	1994.28	7.87	137	384	151	16.5	7.5	1976.85	7.43	9	36	8	6	1.6	1029.5	39.4	1038.9			
6/7/23	2452	7.61	152	260	141	14	7	2434	7.56	8	44	9	5	1.4	849.75	36	885.75			
7/7/23	2874.24	7.28	149	322	148	15	6	2844.63	7.52	7	41	7.5	6	1.8	1102	37	1139			
8/7/23	2609	7.32	142	264	145	15.8	6	2583.75	7.24	6	36	6	4	1.2	955	31.3	986.3			
9/7/23	2245.55	7.41	135	356	138	16	6	2225.53	7.55	5	28	4.5	5	1.1	825.5	33.5	859			
10/7/23	2162.56	7.65	144	260	141	15.5	6.5	2155.74	7.75	6	22	7	5	1.3	713.5	45.5	759			
11/7/23	3171.2	7.86	139	352	146	16	6	3157.44	7.42	7	24	4	7	1.5	843.3	40.2	885.6			
12/7/23	1644.85	7.73	142	322	128	14	5	1630.52	7.6	6	44	6	5	1.1	729.13	20.2	749.33			
13/7/23	1581	7.65	153	368	135	14.5	6.5	1875	7.67	4	36	5	7	1.5	928.25	43.5	971.75	834.54pm		
14/7/23	2525.33	7.76	137	340	129	16	7	2505.58	7.49	9	40	8	9	1.5	942.75	29.2	971.95	2 hour		
15/7/23	2632	7.82	129	320	131	16	6	2610.75	7.24	9	44	7.5	6	1.7	398	30.4	428.4	22h52m		
16/7/23	1378	7.65	132	328	141	14	6.5	1358.8	7.85	7	36	8	7	1.2	443.5	34.4	477.9	23h27m		
17/7/23	1689	7.86	141	312	138	17	6	1670	7.82	7	40	9.5	6	1.8	450.4	34.4	484.8	24 hour		
18/7/23	3123.36	7.5	134	304	135	15	5.5	3108.38	7.41	9	44	7.5	4	1.5	472.56	34.4	506.96	24h35m		
19/7/23	2442.85	7.45	145	300	128	16	7	2464.85	7.81	7	40	9	6	1.4	555.75	32.5	588.25	24 hour		
20/7/23	2110.62	7.35	132	296	138	15	5	1990.47	7.53	8	32	5	7	1.6	472.38	27.8	500.18	23 hour		
21/7/23	2202.57	7.63	128	308	132	15	6	2187.48	7.63	7	20	8	4	1.6	490.29	29.8	519.09	24 hour		
22/7/23	2352.93	7.23	130	286	123	15.5	5	2332.79	7.51	3	28	6	9	1.3	453.3	27.3	480.6	23 hour		
23/7/23	2034.84	7.39	123	292	129	16	6.5	2015.73	7.92	9	36	7	8	1.6	625.5	25.7	651.2	23h30m		
24/7/23	2144.3	7.42	132	288	138	15	5	2124.38	7.47	4	24	5	6	1.7	388	30.3	418.3	24 hour		
25/7/23	1774.05	7.26	127	276	135	14.5	5.5	1754.29	7.34	8	32	7.5	4	1.4	419.5	41.9	461.4	24 hour		
26/7/23	2472.05	7.48	136	240	141	16	5	2453.85	7.92	9	5	9	7	1	535.39	30.5	615.89	24 hour		
27/7/23	1409.38	7.85	140	256	145	15	5	1335.96	7.53	9	28	8	4	1.7	408.12	25.4	433.52	22h40m		
28/7/23	2396.62	7.88	134	244	138	14	4.5	2301.38	7.42	8	40	4.5	5	1.2	649.75	30.9	680.65	22h51m		
29/7/23	239	7.77	119	236	129	14	4	2105.93	7.52	8	32	7	8	1.6	466.8	35.4	502.2	23h42m		
30/7/23	2578.37	7.41	139	252	132	15.5	4	2585.78	7.12	9	28	5	7	1	802.75	30.1	832.85	23h75m		
31/7/23	3125.3	7.94	122	236	123	13	5.5	215.84	7.48	7	24	6	4	1.3	307.22	31.5	338.72	24 hour		
AVERAGE																				

NALCO Water
An Ecolab Company

5 MLD STP UDAIPUR

PRODUCTION & LAB RECORD, Month - SEPTEMBER 2023

DATE	INLET								OUTLET						POWER CONSUMPTION			Plant Running Hours	RSEB Power Cut	Remark
	Inlet Water (m ³)	pH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	Outlet Water (m ³)	pH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	RSCD (KWH)	Solar (KWH)	TOTAL			
1/9/23	1901.0	7.53	127	148	63	17	5.5	1877.25	7.59	8	16	6	6	0.8	443	22.0	465.0	24H		
2/9/23	2066.63	7.73	117	136	57	13	5	2082.74	7.52	4	24	4.5	4	1.7	420.2	23.2	443.4	25H 45M	1.5 M	
3/9/23	2264.58	7.28	135	136	67	13	5	2251.23	7.25	7	32	8	7.3	1.2	458.2	22.3	480.5	24H		
4/9/23	2180.93	7.41	128	126	60	14	4.5	2165.83	7.60	6	24	7.5	8	1.1	310.2	19.3	329.5	22H 45	1.01/5M	
5/9/23	1667	7.62	117	140	63	15	4.3	1653	7.55	20	36	4	6	1.7	418.2	17.5	435.7	28H 15M	3 M	
6/9/23	2084	7.34	131	148	67	14	5	2072	7.63	5	20	7	6	1.1	364.2	17.2	381.4	24H		
7/9/23	2015.24	7.48	124	158	67	15	5	2001.7	7.62	6	32	7	7	1.7	446.6	17.3	463.9	24H		
8/9/23	2272.25	7.53	118	128	60	14	4	2486.85	7.66	4	27	6	4	1.7	270.6	14.7	285.3	23H 30M	2.7 M	
9/9/23	2007.42	7.19	129	148	66	13	4.3	1995.7	7.53	8	27	6	6	1.1	301.6	21.7	322.7	24H		
10/9/23	2074.74	7.64	132	136	57	16	5	2081.75	7.71	5	32	5	8	1.5	486.2	21.2	507.4	24H		
11/9/23	1674.9	7.63	142	156	57	14	6	1638.20	7.37	8	28	4.5	6	0.7	342.2	17	359.2	18H 30M	5H 30	
12/9/23	2170.17	7.52	128	141	63	14	5	2162.7	7.56	6	40	7	4	1.7	436	11.2	447.2	24		
13/9/23	2282.9	7.41	142	157	55	15	4	2225.4	7.65	8.4	70	5	8	1.1	228.2	13.2	241.4	18H 00	5.0 AT	
14/9/23	2512.74	7.48	118	136	68	14.5	6	2210.6	7.85	8	36	6	6	1.5	346.8	7.4	354.2	24H 00		
15/9/23	2034	7.43	122	144	60	13	6	1964	7.44	6	44	8	5	1.4	256.2	15.4	271.6	23H 00	1.0 M	
16/9/23	2235.9	7.6	133	132	52	16	5	2266.6	7.29	1	24	7.5	5	1.6	348.4	4.6	353.0	24H 00		
17/9/23	2049	7.42	151	132	69	14	2	2436	7.18	8	36	6	9	1	408.6	11.2	419.8	22H 00		
18/9/23	2541	7.48	140	127	55	12	5	2523	7.31	4	70	2	6	1.4	305.6	10.2	315.8	24H 00		
19/9/23	2503	7.62	137	136	52	13	6	2402	7.64	6	40	4	5	1.4	334.4	11.2	345.6	24H 00		
20/9/23	2553	7.14	104	170	55	13	6.5	2530	8.01	7	36	4.5	2	0.4	316.2	10.2	326.4	24H 00		
21/9/23	2000	7.45	98	178	51	14	5	1914	7.68	4	24	7	4	1.2	266.4	10.2	276.6	23H 00		
22/9/23	2000	7.53	118	132	60	12	4.5	1980.4	7.38	5	20	2	6	1.5	524.8	13.2	538.0	24H 00		
23/9/23	1811.10	7.55	116	131	53	15	8	1809.5	7.48	4	40	6	3	1.3	371.2	14.3	385.5	7H		
24/9/23	2114.31	7.3	119	144	60	13	3.5	2100.11	7.73	7	28	7.5	6	1.1	442.6	13.3	455.9	7H		
25/9/23	2377.41	7.94	127	130	57	14	5.5	2363.09	7.44	6	36	7	6	0.7	215.2	16.3	231.5	7H		
26/9/23	2172.1	7.88	122	140	60	15	6	2145.19	7.38	6	36	4	4	1	314	15.4	329.4	23H 00	5.8 Minute	
27/9/23	2085.4	7.13	114	128	55	15	6.5	2078.55	7.42	5	32	4	5	0.9	386.4	14.2	400.6	24H 00	1H 48M	
28/9/23	2344.10	7.83	112	144	57	15	7	2334.09	7.53	8	24	4.5	8	1.5	314.2	18	332.2	23H 00	4.0 Minute	
29/9/23	2210.6	7.09	134	134	60	15	4.5	2177.84	7.8	3	16	6	8	1.1	335.6	21	356.6	24H 00		
30/9/23	2144.3	7.83	117	124	57	16	6	2117.89	7.15	5	36	7	4	0.7	299.2	16.1	315.3	24H 00		
Total	6053	7.11	123	128	63	15	6	5587.7	7.00	6	24	6	0	0.7	1058.2	48.1	1126.3			

Amul

FECAL CALIFORM TEST.		
DATE	I/L	O/L
7/6/23	10^4	15
14/6/23	10^4	22
21/6/23	10^6	25
28/6/23	10^7	23

Animal 1.

Abhishek Choudhary.

FECAL COLIFORM TEST.		
DATE	I/L	O/L
7/7/23	10^5	20
14/7/23	10^7	20
21/7/23	10^6	15
28/7/23	10^5	25
	<u>Amul</u> +	

— Abhishek Chaudhary.

October - 2023

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER	LIMIT	UNIT	1/10	2/10	3/10	4/10	5/10	6/10	7/10	8/10

Drinking water (Lab Analysis)

pH	6.50-7.50		6.47	6.45	6.42	6.40	6.44	6.43	6.42	6.50
TDS	80-150	mg/L	156	152	148	154	150	148	152	156

20 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5	-	7.53	7.55	7.44	7.53	7.55	7.50	7.50	7.54
Temperature	-	Deg. C	29.8	29.6	29.4	28.3	28.3	28.1	28.6	27.5
TSS	<5	mg/L	4.14	4.15	4.18	4.17	4.15	4.13	4.12	4.15
COD	<30	mg/L	23.34	23.41	23.06	23.32	23.37	23.30	23.23	23.40
BOD	<10	mg/L	4.52	4.53	4.46	4.52	4.53	4.50	4.50	4.53
TKN	<20	mg/L	15.68	16.00	15.64	15.12	15.68	16.00	15.68	15.12
Ortho-PO4	<5	mg/L	5	4	5	5	6	6	5	6
Total-P	<2	mg/L	1.6	1.3	1.4	1.6	1.3	1.3	1.6	1.3
Coliform Count	<100	MPN/100 mL	10	ND	ND	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	ppm	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6

25 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5	-	7.23	7.26	7.21	7.26	7.22	7.15	7.22	7.27
Temperature	-	Deg. C	29.8	29.6	29.8	28.3	28.3	29.0	28.6	27.5
TSS	<5	mg/L	2.92	2.90	2.84	2.90	2.89	2.86	2.89	2.91
COD	<30	mg/L	21.43	21.34	21.20	21.34	21.23	21.02	21.23	21.37
BOD	<10	mg/L	3.07	3.05	3.03	3.05	3.03	3.00	3.03	3.03
TKN	<20	mg/L	8.63	8.98	8.96	8.96	8.68	8.96	8.40	8.40
Ortho-PO4	<5	mg/L	6	6	6	6	5	5	5	5
Total-P	<2	mg/L	1.8	1.5	1.8	1.9	1.6	1.6	1.6	1.6
Coliform Count	<100	MPN/100 mL	10	10	10	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	ppm	0.5	0.5	0.8	0.5	0.5	0.5	0.5	0.5

Signature of Chemist

20 & 25 MLD Sewage Treatment Plant			THERMAX							
Lab Analysis Log Sheet										
PARAMETER	LIMIT	UNIT	01/10	01/11	01/12	01/01	01/02	01/03	01/04	
Drinking water (Lab Analysis)										
pH	6.5-7.5		6.45	6.42	6.40	6.45	6.46	6.43	6.40	
TDS	80-150	mg/l	150	156	152	152	156	152	154	
20 MLD CCT O/L (Online Analyzer Data)										
pH	6.5-7.5		7.53	7.53	7.54	7.54	7.51	7.50	7.51	
Temperature		Deg. C	27.1	27.4	27.5	27.6	27.7	28.0	27.6	
TSS	<5	mg/l	4.19	4.17	4.15	4.15	4.13	4.11	4.13	
COO	<30	mg/l	23.32	23.31	23.37	23.38	23.39	23.25	23.29	
BOD	<20	mg/l	4.52	4.52	4.53	4.52	4.51	4.5	4.51	
TKN	<20	mg/l	15.12	15.68	13.88	14.56	14.0	14.56	12.60	
Ortho-PO4	<6	mg/l	4	6	5	6	5	5	6	
Total-P	<2	mg/l	1.3	1.9	1.6	1.9	1.6	1.6	1.9	
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	ND	
F.C.C.	0.5-1.0	ppm	0.5	1.0	0.5	0.5	0.5	0.5	0.5	
25 MLD CCT O/L (Online Analyzer Data)										
pH	6.5-7.5		7.37	7.38	7.22	7.15	7.18	7.22	7.18	
Temperature		Deg. C	27.2	27.6	27.5	27.6	27.7	28.0	27.6	
TSS	<5	mg/l	2.95	2.95	2.89	2.86	2.87	2.89	2.87	
COO	<30	mg/l	21.67	21.70	21.23	21.02	21.11	21.23	21.11	
BOD	<10	mg/l	3.10	3.10	3.03	3.00	3.02	3.03	3.02	
TKN	<20	mg/l	8.46	8.40	8.40	7.28	8.68	7.28	8.40	
Ortho-PO4	<6	mg/l	6	7	6	4	6	5	5	
Total-P	<2	mg/l	1.9	2.1	1.9	1.3	1.9	1.6	1.6	
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	ND	
F.C.C.	0.5-1.0	ppm	0.5	0.6	0.5	0.5	0.5	0.5	0.5	
Signature of Chemist			Signature	Signature	Signature	Signature	Signature	Signature	Signature	

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER	LIMIT	UNIT	16/10	17/10	18/10	19/10	20/10	21/10	22/10
Drinking water (Lab Analysis)									
pH	6.50-7.50		6.45	6.44	6.40	6.42	6.46	6.48	6.52
TDS	60-150	mg/L	130	134	148	156	159	150	148

20 MLD CCT O/L (Online Analyser Data)

pH	6.5-7.5		7.51	7.48	7.52	7.54	7.50	7.52	7.52
Temperature		Deg.C	27.6	27.8	27.6	27.4	27.0	27.2	26.9
TSS	<5	mg/L	4.13	4.12	4.14	4.15	4.12	4.14	4.14
COO	<30	mg/L	23.26	23.24	23.39	23.29	23.25	23.34	23.33
BOD	<30	mg/L	4.51	4.49	4.51	4.52	4.50	4.52	4.51
TKN	<20	mg/L	15.68	12.60	13.88	11.76	12.60	13.72	12.60
Ortho-P	<5	mg/L	6	6	6	7	5	2	3
Total-P	<2	mg/L	1.9	1.9	1.9	2.1	1.6	0.6	1.0
Coliform Count	<100	MPN/100 mL	ND	10	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	gpm	0.5	0.2	0.2	0.2	0.5	0.5	0.5

25 MLD CCT O/L (Online Analyser Data)

pH	6.5-7.5		7.22	7.13	7.15	7.26	7.18	7.04	7.09
Temperature		Deg.C	27.6	27.8	27.6	27.4	27.0	27.2	26.9
TSS	<5	mg/L	2.87	2.85	2.88	2.90	2.87	2.82	2.84
COO	<30	mg/L	21.23	20.96	21.14	21.34	21.11	20.70	20.84
BOD	<10	mg/L	3.43	2.99	3.02	3.05	3.02	2.98	2.98
TKN	<20	mg/L	8.68	8.49	7.28	8.40	7.28	7.28	8.40
Ortho-P	<5	mg/L	5	6	6	5	5	6	6
Total-P	<2	mg/L	1.6	1.9	1.9	1.6	1.6	1.9	1.9
Coliform Count	<100	MPN/100 mL	ND	ND	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	gpm	0.5	0.6	0.6	0.8	0.6	0.5	0.5
Signature of Chemist			<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>

20 & 25 MLD Sewage Treatment Plant

Lab Analysis Log Sheet



PARAMETER	LIMIT	UNIT	23/10/21	24/10/21	25/10/21	26/10/21	27/10/21	28/10/21	29/10/21

Drinking water (Lab Analysis)

pH	6.50-7.50	-	6.46	6.43	6.48	6.20	6.25	6.38	6.32
TDS	50-150	mg/L	150	152	156	116	140	154	150

20 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5	-	7.51	7.48	7.54	7.56	7.54	7.55	7.52
Temperature	-	Deg. C	26.6	26.9	26.7	26.6	26.8	26.6	26.5
TSS	<5	mg/L	9.13	9.11	9.15	4.16	4.15	4.15	4.13
COD	<30	mg/L	23.29	23.19	23.30	23.92	23.39	23.45	23.31
BOD	<10	mg/L	4.51	4.49	4.51	4.54	4.52	4.53	4.51
TKN	<20	mg/L	12.85	12.16	12.60	13.72	12.88	13.72	14.56
Ortho-PO4	<6	mg/L	4	5	5	5	5	5	6
Total-P	<2	mg/L	1.3	1.6	1.6	1.6	1.6	1.6	1.3
Coliform Count	<100	MPN/ 100 mL	N/D	N/D	N/D	N/D	N/D	N/D	N/D
F.R.C.	0.5-1.0	ppm	0.5	0.5	0.5	0.5	0.5	0.6	0.4

25 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5	-	7.18	7.16	7.14	7.12	7.21	7.15	7.22
Temperature	-	Deg. C	26.6	26.9	26.7	26.6	26.9	26.6	26.5
TSS	<5	mg/L	2.87	2.86	2.86	2.85	2.88	2.88	2.89
COD	<30	mg/L	21.11	21.05	20.99	20.93	21.20	21.14	21.20
BOD	<10	mg/L	3.02	3.01	3.00	2.99	3.03	3.02	3.03
TKN	<20	mg/L	7.28	8.98	8.40	7.28	8.40	8.40	8.66
Ortho-PO4	<6	mg/L	5	6	5	6	6	5	5
Total-P	<2	mg/L	1.6	1.9	1.6	1.9	1.9	1.6	1.6
Coliform Count	<100	MPN/ 100 mL	N/D	N/D	N/D	N/D	N/D	N/D	N/D
F.R.C.	0.5-1.0	ppm	0.6	0.6	0.6	0.5	0.5	0.2	0.2

Signature of Chemist

[Handwritten signatures]

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER	LIMIT	UNIT	30/10	31/10					

Drinking Water (Lab Analysis)

	6.50-7.50		6.40	6.44					
pH									
	20-350	mg/L	148	150					
TDS									

20 MLD CCT O/L (Online Analyzer Data)

	6.5-7.5		7.60	7.57					
pH									
		Deg C	26.7	26.5					
Temperature									
	<5	mg/L	4.18	4.16					
TSS									
	<50	mg/L	23.55	23.48					
COD									
	<10	mg/L	4.56	4.59					
BOD									
	<20	mg/L	13.72	13.16					
TKN									
	<5	mg/L	5	6					
Ortho-P ₀₄									
	<2	mg/L	1.6	1.9					
Total-P									
	<100	MPN/100 ml	ND	ND					
Coliform Count									
	0.5-1.0	ppm	0.6	0.8					
F&C									

25 MLD CCT O/L (Online Analyzer Data)

	6.5-7.5		7.21	7.22					
pH									
		Deg C	26.6	26.5					
Temperature									
	<5	mg/L	2.82	2.85					
TSS									
	<50	mg/L	21.20	20.93					
COD									
	<10	mg/L	3.03	2.99					
BOD									
	<20	mg/L	8.40	7.28					
TKN									
	<5	mg/L	6	4					
Ortho-P ₀₄									
	<2	mg/L	1.9	1.3					
Total-P									
	<100	MPN/100 ml	10	ND					
Coliform Count									
	0.5-1.0	ppm	0.5	0.5					
F&C									

Signature of Chemist

margit margit

OMEGA TEST HOUSE

OTH/QC/RF/25

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com**TEST REPORT**

Sample Name	2 MLD STP Plant Outlet Water (Samsan Ghat Nagarpalika Ramgarh)	Sample Code	2311231
Report No.	OTH/RN-20236778	Report Issue date	17/11/2023
Sample Collected By	Customer	Page No.	01 OF 01
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	09/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	10/11/2023
		Date of Completion	17/11/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Total Faecal Coliform	33	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT

**NOTE:**

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

NOTE:

(1) This report is valid only for the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.

(2) Total liability of our concern is limited to the invoiced amount.

(3) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	1.5 MLD STP Plant Outlet Water (Indira Aawas Nagarpalika Laxmangarh)	Sample Code	2311243
Report No.	OTH/RN-20236790	Report Issue date	17/11/2023
Sample Collected By	Customer	Page No.	01 OF 01
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	09/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	10/11/2023
		Date of Completion	17/11/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Total Faecal Coliform	30	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (Jeevan Jheel Nagarpalika Laxmangarh)	Sample Code	2311245
Report No.	OTH/RN-20236792	Report Issue date	17/11/2023
Sample Collected By	Customer	Page No.	01 OF 01
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	09/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	10/11/2023
		Date of Completion	17/11/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Total Faecal Coliform	55	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

OMEGA TEST HOUSE

OTH/QC/RF/25

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com**TEST REPORT**

Sample Name	1 MLD STP Plant Outlet Water (Banjara Basti Nagarpalika Laxmangarh)	Sample Code	2311244
Report No.	OTH/RN-20236791	Report Issue date	17/11/2023
Sample Collected By	Customer	Page No.	01 OF 01
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	09/11/2023
P C Snehal Construction Private Limited,		Date of Testing	10/11/2023
G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr.		Date of Completion	17/11/2023
Sardar Patel Statue, Stadium Road, Naranpura,		Sample Qty. & Condition	1 Ltr. & Ok
Ahmedabad, Gujarat-380014		Registration No.	RAJ.1713/012971
Environmental Conditions Under which test performed	Room Temperature		

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Total Faecal Coliform	50	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT

**NOTE:**

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.



TEAM TEST HOUSE
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TH/JDA/2023-24/24	Date :	29-11-2023
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY 30 MLD, STP , Ralawata, Jaipur (Rajasthan).	Type of Unit :	STP Plant
Type of sample/ Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/ Monitoring	20-11-2023
Point of Collection :	STP Outlet (30 MLD, STP Plant Ralawata)	Date of Receipt :	20-11-2023
Date of Test/Analysis:	20-11-2023 to 29-11-2023	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative:	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	150	IS 1622 : 1981	1000

- Notes :-
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
 - # This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
 - # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan
Senior Analyst




Authorized Signatory
(Report No: TH/JDA/2023-24/24)



TEAM TEST HOUSE
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

P- 206

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TH/JDA/2023-24/25	Date :	29-11-2023
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY 30 MLD, STP , Ralawata, Jaipur (Rajasthan).	Type of Unit :	STP Plant
Type of sample/ Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/ Monitoring	20-11-2023
Point of Collection :	STP Inlet (30 MLD, STP Plant Ralawata)	Date of Receipt :	20-11-2023
Date of Test/Analysis:	20-11-2023 to 29-11-2023	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative:	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Faecal coliform [MPN/100ml]	1600	IS 1622 : 1981

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan
Senior Analyst



[Signature]
Authorized Signatory
(Report No: TH/JDA/2023-24/25)

Summary of Solid Waste Management and Legacy Waste Remediation

in State

Legacy Waste Remediation Details (Annexure-6)

- ❖ Total Legacy waste Quantity (176 Dumpsites): 88 Lac Cum
- ❖ Total Legacy waste Remediated (Qty): 19.53 Lac Cum
 - 22 Dumpsites Remediated (Qty): 6.84 Lac Cum
 - 24 Dumpsites (Cluster 1 to 4) (Qty): Out of 53.50 Lac Cum Legacy Waste 12.69 Lac Cum waste remediated. Remaining 40.81 Lac Cum Legacy waste remediation under progress.
- ❖ Total Legacy Waste To be remediated (Qty):
 - 23 Dumpsites (ULB level) (Qty): 4.69 Lac Cum, remediation work under progress.
 - 116 Dumpsites (Cluster-5) Work Order issued (Qty): 22.98 Lac Cum, remediation work under progress.

Solid Waste Management Details (Annexure-7)

- ❖ Total Waste Generation: 6523 TPD (Approx.)
- ❖ Total Waste Processing: 4122.2 TPD
 - Through Centralized Processing: 2940.2 TPD
 - Centralized SWM Processing:**
 - Material Recovery Facility (152 MRFs): 1643.2 TPD
 - SWM Processing Plants (16 Processing Plants): 1297 TPD
 - Trough De-centralised Processing: 1182 TPD
 - Decentralized SWM Processing:**
 - Informal Recyclers: 652.3 TPD
 - Bulk Waste Generators: 288.8 TPD
 - Pit Composting: 240.9 TPD
- ❖ GAP in MSW Processing: 2400.8 TPD
- ❖ Under Construction Centralized SWM Processing:
 - 18 Material Recovery Facility: 89.1 TPD
 - 35 SWM Processing Plants: 3509 TPD
 - 36 Newly work order Issued SWM Processing Plants: 485.8 TPD

Annexure-6

Legacy Waste Remediation Details								
S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.10.2023	Firm Name	Work Order Issued on	Completion Date	
A	List of ULBs where Bio-remediation is completed							
1	AJMER	MALPURA (M)	11199.6	11199.6	ULB Level	-	Completed	
2	BHARATPUR	BARI (M)	9739.3	9739.3	ULB Level	-	Completed	
3	BHARATPUR	BHARATPUR (M CL) PHASE-I	33386.75	33386.75	ULB Level	-	Completed	
4	BHARATPUR	DHAULPUR (M) PHASE-I	1665	1665	ULB Level	-	Completed	
5	BHARATPUR	RAJAKHERA (M)	1912.51	1912.51	ULB Level	-	Completed	
6	JAIPUR	BANDIKUI (M) PHASE-I	11838.52	11838.52	ULB Level	-	Completed	
7	JAIPUR	JOBNER (M)	8200.15	8200.15	ULB Level	-	Completed	
8	JAIPUR	LACHHMANGARH (M)	3769.41	3769.41	ULB Level	-	Completed	
9	JODHPUR	PHALODI (M)	12191.06	12191.06	ULB Level	-	Completed	
10	KOTA	BARAN (M) PHASE-I	1128.63	1128.63	ULB Level	-	Completed	
11	KOTA	CHHABRA (M)	12197.55	12197.55	ULB Level	-	Completed	
12	KOTA	MANGROL (M)	1448.65	1448.65	ULB Level	-	Completed	
13	KOTA	KAPRAIN (M)	5517	5517	ULB Level	-	Completed	
14	KOTA	AKLERA (M)	4200	4200	ULB Level	-	Completed	
15	KOTA	ITAWA	633.25	633.25	ULB Level	-	Completed	
16	KOTA	KOTA (NORTH) PHASE-I	357763	357763	ULB Level	-	Completed	
17	KOTA	SANGOD (M)	1071.59	1071.59	ULB Level	-	Completed	
18	UDAIPUR	BANSWARA (M)	82282.8	82282.8	ULB Level	-	Completed	
19	UDAIPUR	NIMBAHERA (M)	3127	3127	ULB Level	-	Completed	
20	UDAIPUR	DUNGARPUR (M)	1900.62	1900.62	ULB Level	-	Completed	
21	UDAIPUR	RAJSAMAND (M)	19536.57	19536.57	ULB Level	-	Completed	
22	UDAIPUR	UDAIPUR (M CL) PHASE-I	99291.14	99291.14	ULB Level	-	Completed	
Total			684000.1	684000.1				
B	List of ULBs where Bio-remediation is under Process (Cluster-1 to 4)							
1	AJMER	BEAWAR (M CL)	75000	63000	Aakanksha Enterprises	02.01.2023	02.07.2024	
2	AJMER	KISHANGARH (M CL)	214502	178702	Aakanksha Enterprises	02.01.2023	02.07.2024	
3	AJMER	BHILWARA (M CL)	138972	86627.74	Aakanksha Enterprises	02.01.2023	02.07.2024	
4	AJMER	NAGAUR (M)	12135	9000	Aakanksha Enterprises	02.01.2023	02.07.2024	
5	BHARATPUR	BHARATPUR (M CL)	120312	0	Aakanksha Enterprises	02.01.2023	02.07.2024	
6	BHARATPUR	DHAULPUR (M)	6000	0	Aakanksha Enterprises	02.01.2023	02.07.2024	
7	BHARATPUR	HINDAUN (M)	21600	0	Aakanksha Enterprises	02.01.2023	02.07.2024	
8	BHARATPUR	GANGAPUR CITY (M)	71000	11200	Aakanksha Enterprises	02.01.2023	02.07.2024	

9	BHARATPUR	SAWAI MADHOPUR (M)	63000	0	Aakanksha Enterprises	02.01.2023	02.07.2024
10	BIKANER	BIKANER	781951	49000	D. H. Patel	05.01.2023	05.07.2024
11	BIKANER	CHURU (M CL)	76346	0	D. H. Patel	05.01.2023	05.07.2024
12	BIKANER	SUJANGARH (M)	38598	30000	D. H. Patel	05.01.2023	05.07.2024
13	BIKANER	GANGANAGAR (M CL)	102258	0	D. H. Patel	05.01.2023	05.07.2024
14	BIKANER	HANUMANGARH (M CL)	77865	0	D. H. Patel	05.01.2023	05.07.2024
15	JAIPUR	ALWAR (M CL)	105732	0	Saurashtra Enviro Projects	05.01.2023	05.07.2024
16	JAIPUR	JAIPUR GREATER (MC)	1401271	240616	Saurashtra Enviro Projects	05.01.2023	05.07.2024
17	JAIPUR	JAIPUR HERITAGE (MC)	801731	265800	Saurashtra Enviro Projects	05.01.2023	05.07.2024
18	JAIPUR	JHUNJHUNUN (M CL)	108265	0	D. H. Patel	05.01.2023	05.07.2024
19	JAIPUR	SIKAR (M CL)	222331	0	Saurashtra Enviro Projects	05.01.2023	05.07.2024
20	JODHPUR	JODHPUR SOUTH (MC)	470280	190000	Aakanksha Enterprises	02.01.2023	02.07.2024
21	KOTA	BARAN (M)	23406	0	Aakanksha Enterprises	02.01.2023	02.07.2024
22	KOTA	BUNDI (M)	25253	0	Aakanksha Enterprises	02.01.2023	02.07.2024
23	UDAIPUR	CHITTAURGARH (M)	35000	800	Aakanksha Enterprises	02.01.2023	02.07.2024
24	UDAIPUR	UDAIPUR (M CL)	357805	145000	Aakanksha Enterprises	02.01.2023	02.07.2024
Total			5350613	1269745.74			

C	List of ULBs where Bio-remediation under progress at ULB Level						
1	AJMER	AJMER	105026		ULB Level		31.12.2024
2	AJMER	KEKRI (M)	6624.05		ULB Level		31.12.2024
3	AJMER	NAGAU (M)	3367.25		ULB Level		31.12.2024
4	BIKANER	RATANNAGAR (M)	2437.94		ULB Level		31.12.2024
5	JAIPUR	CHAKSU (M)	18358.98		ULB Level		31.12.2024
6	JAIPUR	KOTPUTLI (M)	9000		ULB Level		31.12.2024
7	JAIPUR	NAWALGARH (M)	13770.31		ULB Level		31.12.2024
8	JAIPUR	FATEHPUR (M)	10800		ULB Level		31.12.2024
9	JAIPUR	SRI MADHOPUR (M)	6529.42		ULB Level		31.12.2024
10	JODHPUR	BALOTRA (M)	14738.11		ULB Level		31.12.2024
11	JODHPUR	BARMER (M)	48511		ULB Level		31.12.2024
12	JODHPUR	PIPAR CITY (M)	3160.55		ULB Level		31.12.2024
13	KOTA	ANTAH (M)	1599.73		ULB Level		31.12.2024
14	KOTA	KESHORAIPATAN (M)	1327		ULB Level		31.12.2024
15	KOTA	NAINWA (M)	1128.63		ULB Level		31.12.2024
16	KOTA	JHALAWAR (M)	12197.5		ULB Level		31.12.2024
17	KOTA	KAITHOON (M)	1092.99		ULB Level		31.12.2024
18	KOTA	RAMGANJ MANDI (M)	17884		ULB Level		31.12.2024
19	UDAIPUR	KUSHALGARH (M)	4763.82		ULB Level		31.12.2024
20	UDAIPUR	PARTAPUR GARHI (M)	2026.06		ULB Level		31.12.2024

	21	UDAIPUR	CHITTAURGARH (M)	9712.51		ULB Level		31.12.2024
	22	UDAIPUR	NATHDWARA (M)	14051.63		ULB Level		31.12.2024
	23	UDAIPUR	UDAIPUR (M CL)	161513.9		ULB Level		31.12.2024
Total				469621.38				
D	List of ULBs where Work Order has been awarded for Bio-remediation (Cluster-5)							
	1	UDAIPUR	AMET (M)	7503	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	2	BIKANER	ANUPGARH (M)	13649	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	3	AJMER	ASIND (M)	10735	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	4	JAIPUR	BAGGAR (M)	4869	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	5	JAIPUR	BAGRU (M)	15899	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	6	JODHPUR	BALI (M)	2999	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	7	UDAIPUR	BARI SADRI (M)	6428	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	8	BHARATPUR	BAYANA (M)	6752	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	9	UDAIPUR	BEGUN (M)	9764	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	10	JAIPUR	BEHROR (M)	40223	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	11	BIKANER	BHADRA (M)	26020	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	12	KOTA	BHAWANI MANDI (M)	2918	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	13	UDAIPUR	BHINDER (M)	21084	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	14	JODHPUR	BHINMAL (M)	20335	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	15	BHARATPUR	BHUSAWAR (M)	28688	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	16	BIKANER	BIDASAR (M)	67893	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	17	AJMER	BIJAINAGAR (M)	3531	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	18	JODHPUR	BILARA (M)	22614	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	19	JAIPUR	BISSAU (M)	32682	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	20	BIKANER	CHHAPAR (M)	9056	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	21	UDAIPUR	CHHOTI SADRI (M)	4846	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	22	JAIPUR	CHIRAWA (M)	81118	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	23	JAIPUR	DAUSA (M)	110991	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	24	BHARATPUR	DEEG (M)	7134	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	25	AJMER	DEGANA	5435	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	26	UDAIPUR	DEOGARH (M)	9611	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	27	AJMER	DEOLI (M)	20601	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

28	BIKANER	DESHNOKE (M)	6603	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
29	AJMER	DIDWANA (M)	2859	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
30	BIKANER	DUNGARGARH (M)	66303	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
31	JODHPUR	FALNA (M)	1059	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
32	UDAIPUR	FATEHNAGAR (M)	3488	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
33	BIKANER	GAJSINGHPUR (M)	16116	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
34	AJMER	GANGAPUR (M)	25839	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
35	AJMER	GULABPURA (M)	5176	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
36	KOTA	INDRAGARH (M)	3140	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
37	AJMER	JAHAZPUR (M)	12882	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
38	JODHPUR	JAISALMER (M)	199938	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
39	JODHPUR	JAITARAN (M)	4109	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
40	JODHPUR	JALOR (M)	21565	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
41	UDAIPUR	KAPASAN (M)	2058	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
42	BIKANER	KARANPUR (M)	8900	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
43	BHARATPUR	KARAU LI (M)	37647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
44	BIKANER	KESRISINGHPUR (M)	2826	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
45	JAIPUR	KHAIRTHAL (M)	18534	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
46	JAIPUR	KHANDELA (M)	10153	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
47	JAIPUR	KHATUSHYAMJI (M)	35512	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
48	JAIPUR	KHERLI (M)	10623	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
49	JAIPUR	KHETRI (M)	10319	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
50	JAIPUR	KISHANGARH RENWAL (M)	6477	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
51	JAIPUR	KISHANGARHBAS MB	3984	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
52	AJMER	KUCHAMAN CITY (M)	66580	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
53	AJMER	KUCHERA (M)	5235	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
54	BHARATPUR	KUMHER (M)	1765	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
55	AJMER	LADNU (M)	1765	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
56	KOTA	LAKHERI (M)	141	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
57	JAIPUR	LALSOT (M)	11802	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

58	JAIPUR	LOSAL (M)	38114	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
59	JAIPUR	MAHWA	18368	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
60	AJMER	MAKRANA (M)	76471	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
61	AJMER	MANDALGARH (M)	12490	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
62	JAIPUR	MANDAWA (M)	43721	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
63	AJMER	MERTA CITY (M)	3529	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
64	JAIPUR	MUKANDGARH (M)	27824	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
65	AJMER	MUNDWA (M)	2894	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
66	BHARATPUR	NAGAR (M)	137	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
67	AJMER	NAWA (M)	2824	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
68	JAIPUR	NEEM-KA-THANA (M)	28646	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
69	AJMER	NIWAI (M)	22755	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
70	BIKANER	NOHAR (M)	32857	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
71	BIKANER	NOKHA (M)	19711	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
72	BIKANER	PADAMPUR (M)	10661	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
73	JODHPUR	PALI (M CL)	7647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
74	JAIPUR	PHULERA (M)	9224	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
75	JAIPUR	PILANI (M)	15951	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
76	BIKANER	PILIBANGA (M)	12860	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
77	KOTA	PIRAWA (M)	2905	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
78	JODHPUR	POKARAN (M)	23905	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
79	UDAIPUR	PRATAPGARH (M)	25245	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
80	AJMER	PUSHKAR (M)	60000	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
81	BIKANER	RAISINGHNAGAR (M)	6779	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
82	BIKANER	RAJALDESAR (M)	12740	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
83	JAIPUR	RAJGARH_AL (M)	11719	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
84	BIKANER	RAJGARH_CH (M)	29862	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
85	JODHPUR	RANI (M)	10671	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
86	BIKANER	RATANGARH (M)	22583	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
87	UDAIPUR	RAWATBHATA (M)	28899	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

88	BIKANER	RAWATSAR (M)	24902	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
89	JAIPUR	REENGUS (M)	57362	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
90	BHARATPUR	RUPBAS	2676	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
91	BIKANER	SADULSHAHAR (M)	15572	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
92	UDAIPUR	SAGWARA (M)	13624	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
93	UDAIPUR	SALUMBAR (M)	1871	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
94	JAIPUR	SAMBHAR (M)	4220	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
95	JODHPUR	SANCHORE (M)	7053	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
96	BIKANER	SANGARIA (M)	31947	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
97	BIKANER	SARDARSHAHAR (M)	18683	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
98	AJMER	SARWAR (M)	1454	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
99	AJMER	SHAH PURA_BH (M)	6856	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
100	JAIPUR	SHAH PURA_J (M)	17013	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
101	JODHPUR	SIROHI (M)	51280	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
102	JODHPUR	SOJAT (M)	17647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
103	JODHPUR	SUMERPUR (M)	1382	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
104	JAIPUR	SURAJGARH (M)	44908	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
105	BIKANER	SURATGARH (M)	21402	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
106	JODHPUR	TAKHATGARH (M)	12481	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
107	BIKANER	TARANAGAR (M)	7861	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
108	JAIPUR	THANAGAZI (M)	2832	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
109	JAIPUR	TIJARA (M)	8006	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
110	BHARATPUR	TODABHIM (M)	1324	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
111	AJMER	TODARISINGH (M)	15068	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
112	AJMER	TONK (M CL)	55094	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
113	AJMER	UNIARA (M)	2675	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
114	BIKANER	VIJAINAGAR (M)	10448	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
115	JAIPUR	VIRATNAGAR (M)	21061	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
116	BHARATPUR	WEIR (M)	3296	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
Total			2298766	0			
Grand Total			8803000.48	1953745.84			

Work Order and Work Plan for Legacy Waste Remediation

Legacy Waste Remediation Work Order Cluster- 1

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur

Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.bgsarban.rajasthan.gov.in
 No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 637 Date 02/01/2023

Work Order

M/s Aakanksha Enterprises C-108, Mahavir Vihar, Sector-1 Dwarka, New Delhi-110045
(Lead Partner) JV with M/s TRANSIT ADVERTISING PVT. LTD. 1K72 NIT, Faridabad, Haryana 121001

Sub : Work order for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of **Cluster I**

Ref : Your bid submitted on dated 06.09.2022 opened through RJGETS on 07.09.2022 and Financial bid opened on 30.09.2022 and LoA no 117411 dated 22.11.2022

1. Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of **Cluster I** is as under:

Description of Work / Item(s)	Basic rate (Rs per cum with all taxes excluding GST)	Amount in Rs.
Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster I . Tipping fee (the fee to be paid to bidder) per cubic meter qty. 771180 cum.	297	229040460

2. Accepted contract amount for **cluster I** towns is Rs 229040460/- (Rupees twenty two crore ninety lacs forty thousand and four hundred sixty only) exclusive of GST @18% as corrected and modified in accordance with the condition of the bid document. Details of towns as per bid conditions.

3. As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provision and mobilised required adequate numbers of machines and manpower.

4. Insurance covers shall be submitted as per clause 4.4 of GCC & SCC of bid document

5. Stipulated time period of start: Within 30 days from the date of issue of this work order

6. Stipulated time period of completion: 18 months from the date of stipulated date of start

7. The work shall be executed under the direction and supervision of Employers representatives

8. Schedule of payment as per clause 15 of GCC of bid document.

9. All the condition of bid document including addendum and letter of acceptance of rates and all the provisions of RTPP Act 2012 and Rules 2013 shall be applicable.

10. In case any dispute, condition of bid document including addendum shall applicable and jurisdictions of court shall be at Jaipur court only.

11. PI contract concerned ULB to take possession of the site

This bears approval of the competent Authority


Encl : Copy of Contract Agreement


(Himanshu Kumar Sharma)
 Director cum Joint Secretary
 Date: 02/01/2023

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 638-148

Copy to followings for information &:-

1. SA to Hon'ble Minister LSG&UDH, GoR
2. PS to Secretary LSG, GoR
3. PS to Director cum Joint Secretary LSG
4. Chief Engineer, DLB
5. Financial Advisor, DLB
6. SE, DLB
7. Executive Engineer, DLB
8. PA to commissioner Municipal Corporation/Council-----
9. DDR
10. Programmer, DLB with the request to upload on website
11. Guard file


Chief Engineer

Legacy Waste Remediation Work Order Cluster- 2

Government of Rajasthan
Local Self Government Department
 (Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
 Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
 No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ **1339** Date **05/01/2023**

Work Order

M/s D.H. Patel 305-306, Ratna Sagar Apartment, D/s Varachha Police Station, Varachha Road, Surat-395006(Lead Partner) JV with M/s Sukhpal Singh Construction 203, Stone area Subhash Nagar Panchvati Kunhadi Kota (DHP-SSC JV)

- Sub :** Work Order for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of **Cluster 2**
- Ref :** Your bid submitted on dated 06.09.2022 opened through RJGETS on 07.09.2022 and Financial bid opened on 30.09.2022 and LoA no 117420 dated 22.11.2022

1. Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorized representative for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of **Cluster 2** is as under:

Description of Work / Item(s)	Basic Rate (Rs per cum with all taxes excluding GST)	Amount in Rs
Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 2 . Tipping fee (the fee to be paid to bidder) per cubic meter qty. 1185283 cum	395.40	468660898.20

2. Accepted contract amount for **cluster 2 towns** is Rs **468660898/-** (Rupees Forty six crore Eighty six lacs sixty thousand and Eight hundred Ninety Eight only) exclusive of GST @18% as corrected and modified in accordance with the condition of the bid document. Details of towns as per bid conditions.
3. As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provision and mobilised required adequate numbers of machines and manpower.
4. Insurance covers shall be submitted as per clause 4.4 of GCC & SCC of bid document
5. Stipulated time period of start: Within 30 days from the date of issue of this work order
6. Stipulated time period of completion: 18 months from the date of stipulated date of start
7. The work shall be executed under the direction and supervision of Employers representatives
8. Schedule of payment as per clause 15 of GCC of bid document.
9. All the condition of bid document including addendum and letter of acceptance of rates and all the provisions of RTPP Act 2012 and Rules 2013 shall be applicable.
10. In case any dispute, condition of bid document including addendum shall be applicable and jurisdictions of court shall be at Jaipur court only.
11. PI contact concerned ULB to take possession of the site
- This bears approval of the competent Authority
- Encl : Copy of Contract Agreement

(Hitesh Kumar Sharma)
 Director cum Joint Secretary

Date: **05/01/2023**

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ **1340-351**

Copy to followings for information &:-

- SA to Hon'ble Minister LSG&UDH, GoR
- PS to Secretary LSG, GoR
- PS to Director cum Joint Secretary LSG
- Chief Engineer, DLB
- Financial Advisor, DLB
- SE, DLB
- Executive Engineer, DLB
- PA to commissioner Municipal Corporation/Council-----
- DDR
- Programmer, DLB with the request to upload on website
- Guard file

WHS.
 Chief Engineer

Legacy Waste Remediation Work Order Cluster- 3

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
 Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
 No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 1327 Date 05/01/2023

Work Order

M/s Saurashtra Enviro Projects Pvt. Ltd 3rd Floor K.G. Chambers,
 Udhnadarwaja, Ring Road Surat -395002

- Sub :** Work Order for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 3
- Ref :** Your bid submitted on dated 06.09.2022 opened through RJGETS on 07.09.2022 and Financial bid opened on 30.09.2022 and LoA no 117429 dated 22.11.2022.

1. Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 3 is as under:

Description of Work / Item(s)	Basic rate (Rs per cum with all taxes excluding GST)	Amount in Rs
Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 3. Tipping fee (the fee to be paid to bidder) per cubic meter qty. 2531064 cum	393.30	995467471.20

2. Accepted contract amount for cluster 3 towns is Rs 995467471/- (Rupees Ninety Nine crore Fifty four lacs Sixty Seven thousand and four hundred seventy one only) exclusive of GST @18% is corrected and modified in accordance with the condition of the bid document. Details of towns as per bid conditions.
3. As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provision and mobilised required adequate numbers of machines and manpower,
4. Insurance covers shall be submitted as per clause 4.4 of GCC & SCC of bid document
5. Stipulated time period of start: Within 30 days from the date of issue of this work order
6. Stipulated time period of completion: 18 months from the date of stipulated date of start
7. The work shall be executed under the direction and supervision of Employers representatives
8. Schedule of payment as per clause 15 of GCC of bid document.
9. All the condition of bid document including addendum and letter of acceptance of rates and all the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
10. In case any dispute, condition of bid document including addendum shall applicable and jurisdictions of court shall be at Jaipur court only.
11. Pl contact concerned ULB to take possession of the site
- This bears approval of the competent Authority.
- Encl : Copy of Contract Agreement



 (Heidesh Kumar Sharma)
 Director cum Joint Secretary

Date: 05/01/2023

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 1328-338

Copy to followings for information &na:-

1. SA to Hon'ble Minister LSG&UDH, GoR
2. PS to Secretary LSG, GoR
3. PS to Director cum Joint Secretary LSG
4. Chief Engineer, DLB
5. Financial Advisor, DLB
6. SE, DLB
7. Executive Engineer, DLB
8. PA to Commissioner Municipal Corporation/Council-----
9. DDR
10. Programmer, DLB with the request to upload on website
11. Guard file


 Chief Engineer

Legacy Waste Remediation Work Order Cluster- 4

Tel No.: +91 141 2222469

Fax No.: +91 141 2222403

web site : www.lsg.urban.rajasthan.gov.in

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 625

Date 02/01/2023

Work Order

M/s Aakanksha Enterprises C-108, Mahavir Vihar, Sector-I Dwarka, New Delhi-110045

(Lead Partner) JV with M/s TRANSIT ADVERTISING PVT. LTD, IK72 NIT, Faridabad, Haryana 121001

- Sub :** Work Order for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 4
- Ref :** Your bid submitted on dated 06.09.2022 opened through RJGETS on 07.09.2022 and Financial bid opened on 30.09.2022 and LoA no 117438 dated 22.11.2022

1. Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 4 is as under:

Description of Work / Item(s)	Basic rate (Rs per cum with all taxes excluding GST)	Amount in Rs
Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 4. Tipping fee (the fee to be paid to bidder) per cubic meter qty. 863085 cum.	297	256336245

2. Accepted contract amount for cluster 4 towns is Rs 256336245/- (Rupees Twenty five crore Sixty three lacs thirty six thousand and two hundred forty five only) exclusive of GST @ 18% as corrected and modified in accordance with the condition of the bid document. Details of towns as per bid conditions.
3. As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provision and mobilised required adequate numbers of machines and manpower.
4. Insurance covers shall be submitted as per clause 4.4 of GCC & SCC of bid document.
5. Stipulated time period of start: Within 30 days from the date of issue of this work order.
6. Stipulated time period of completion: 18 months from the date of stipulated date of start.
7. The work shall be executed under the direction and supervision of Employers representatives.
8. Schedule of payment as per clause 15 of GCC of bid document.
9. All the condition of bid document including addendum and letter of acceptance of rates and all the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
10. In case any dispute, condition of bid document including addendum shall be applicable and jurisdiction of court shall be at Jaipur court only.
11. Pl contact concerned ULB to take possession of the site
- This bears approval of the competent Authority
- Encl : Copy of Contract Agreement

(Hrishabh Kumar Sharma)
Director cum Joint Secretary

Date: 02/01/2023

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste/2022/ 626- 636

Copy to followings for information & no:-

1. SA to Hon'ble Minister LSG&UDH, GoR
2. PS to Secretary LSG, GoR
3. PS to Director cum Joint Secretary LSG
4. Chief Engineer, DLB
5. Financial Advisor, DLB
6. SE, DLB
7. Executive Engineer, DLB
8. PA to commissioner Municipal Corporation/Council-----
9. DDR
10. Programmer, DLB with the request to upload on website
11. Guard file

Chief Engineer

Legacy Waste Remediation Work Order Cluster- 5

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
 Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
 No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste_Cluster5/2023/ 186698 Date 22/09/2023

Work Order

M/s MKG Computers Pvt. Ltd. (Lead Partner), F-1, Surya Kiran Building, Block No. 35, Sanjay Place, Agra (UP) 282002 & M/s Mayo Vessels & Machines Pvt. Ltd., Plot NO. C-90, MIDC /WALUJ Aurangabad, Maharashtra - 431136 (JV Name M/s MKG Computers Pvt. Ltd) Email: mkgwastemanagement@gmail.com.

Sub : Work order for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 5 (116 Towns).

Ref : Your bid submitted on dated 17.07.2023 opened through RJGETS on 18.07.2023 and Financial bid opened on 04.08.2023, Negotiation dated on 21.08.2023, LoA No. 103833 dated 14.09.2023 and your acceptance letter dated 15.09.2023

- Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 5 is as under:

Description of Work / Item(s)	Basic rate (Rs per cub mt. with all taxes excluding GST)	Amount in Rs
Dump site legacy waste remediation as per Solid Waste Management Rules, 2016 as amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for ULBs of Cluster 5. Tipping fee (the fee to be paid to bidder per cubic meter) qty. 2298770 cub mt.	550/-	1,26,43,23,500

- Accepted contract amount for cluster 5 towns is Rs 1,26,43,23,500/- (Rupees one twenty six crore forty three lacs twenty three thousand five hundred only) exclusive of GST @18% as corrected and modified in accordance with the condition of the bid document. Details of towns as per bid conditions.
 - As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provision and mobilised required adequate numbers of machines and manpower.
 - Insurance covers shall be submitted as per clause 4.4 of GCC & SCC of bid document
 - Stipulated time period of start: Within 30 days from the date of issue of this work order
 - Stipulated time period of completion: 18 months from the date of stipulated date of start
 - The work shall be executed under the direction and supervision of Employers representatives
 - Schedule of payment as per clause 15 of GCC of bid document.
 - All the condition of bid document including addendum and letter of acceptance of rates and all the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
 - In case any dispute, condition of bid document including addendum shall be applicable and jurisdictions of court shall be at Jaipur court only.
 - Pl contact concerned ULB to take possession of the site
- This bears approval of the competent Authority
 Encl : Copy of Contract Agreement

(Hriddesh Kumar Sharma)
 Director cum Special Secretary

Date: 22/09/2023

No: F 55 () PA/CE/DLB/SBM2.O/Legacy waste_Cluster5/2023/ 186699- 716

Copy to followings for information & na:-

- SA to Hon'ble Minister LSG&UDH, GoR
- PS to Secretary LSG, GoR
- PS to Director cum Special Secretary LSG
- Chief Engineer, DLB
- Financial Advisor, DLB
- SE, DLB
- Executive Engineer, DLB
- PA to commissioner Municipal Corporation/Council/Board.....
- DDR.....
- Programmer, DLB with the request to upload on website
- Guard file

(Signature)
 Chief Engineer

Details of Solid Waste Management			Annexure-7									
	ULBs	Waste Generated (Tonnes per day)	Centralized Waste Processing Facility		De-centralized Waste Processing Facility				Total Waste Processing Capacity (in TPD)	Under Construction Waste Processing Facility		Under Construction MRF Plants (in TPD)
					Wet Waste Processing			Dry Waste Processing		Type of Facility	Capacity (in TPD)	
			Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)				
1	AJMER	243		0	2	24.3	6	15	47.3	Waste to Compost + RDF	300	0
2	BEAWAR	60		0		6	0.4	10	16.4	Waste to Compost + RDF	47	0
3	BIJAINAGAR	13		0		1.3	0	25	26.3		0	0
4	KEKRI	17		0		1.7	0	2	3.7		0	0
5	KISHANGARH	62		0		6.2	1.6	40	47.8	Waste to Compost + RDF	26	0
6	NASIRABAD	20		0		2	0	2	4		0	0
7	PUSHKAR	9		0	0.37	0.9	2	2	5.27		0	0
8	SARWAR	8		0		0.8	0	10	10.8		0	0
9	ALWAR	129	Waste to Compost + RDF	129		12.9	0	5	146.9		0	0
10	BEHROR	12		0		1.2	0	0	1.2		0	0
11	BHIWADI	42		0		4.2	1.8	10	16	Waste to Compost + RDF	56	0
12	KHAIRTHAL	15		0		1.5	0	0	1.5		0	5
13	KHERLI	7		0		0.7	0	1	1.7		0	0
14	KISHANGARH BASS	81		0		8.1	0	0	8.1		0	0
15	RAJAGARH (ALWAR)	11		0		1.1	0	18	19.1		0	0
16	THANAGAZI	5		0		0.5	0	0	0.5		0	0
17	TIJARA	10		0		1	0	40	41		0	0
18	BANSWARA	40		0		4	0	15	19	Waste to Compost + RDF	19	0
19	KUSHALGARH	4		0		0.4	0	0	0.4		0	3
20	PRATAPURGADI	6		0		0.6	0	0	0.6		0	0
21	ANTAH	13		0		1.3	0	2	3.3		0	0
22	BARAN	47		0		4.7	0.6	10	15.3		0	0
23	CHHABRA	13		0		1.3	0	0	1.3		0	0
24	MANGROL	10		0		1	0	0	1		0	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
25	BALOTRA	30		0		3	0	0	3		0	7
26	BARMER	38	Waste to Compost	5		3.8	0.4	10	19.2		0	0
27	BAYANA	15		0		1.5	0	2	3.5	Waste to Compost + RDF	13.5	0
28	BHARATPUR	102		0		10.2	0.6	5	15.8	Waste to Compost + RDF	100	0
29	BHUSAWAR	8		0		0.8	0	5	5.8		0	0
30	DEEG	18		0		1.8	0	0	1.8		0	0
31	KAMAN	15		0		1.5	0.2	3	4.7		0	0
32	KUMHER	9		0		0.9	0	0	0.9		0	0
33	NADBAI	11		0		1.1	0	0	1.1		0	4
34	NAGAR	10		0		1	0	0	1		0	4
35	RUPBAS	6		0		0.6	0.2	4	4.8		0	0
36	WEIR	8		0		0.8	0.2	15	16		0	0
37	ASIND	7		0		0.7	0	1	1.7		0	0
38	BHILWARA	144	Waste to Compost + RDF	144		14.4	11.4	2	171.8		0	0
39	GANGAPUR	8		0		0.8	0	4	4.8		0	0
40	GULABPURA	11		0		1.1	0	3	4.1		0	0
41	JAHAZPUR	8		0		0.8	0	0	0.8		0	3.1
42	MANDALGARH	6		0		0.6	0	10	10.6		0	0
43	SHAHPIURA_BH (M)	12		0		1.2	0	6	7.2		0	0
44	BIKANER	270		0	1	27	39	30	97	Waste to Compost + RDF	320	0
45	DESHNOKE	7		0		0.7	0	15	15.7		0	0
46	DUNGARGARH	21		0		2.1	0.4	0	2.5		0	0
47	NOKHA	25		0		2.5	0	2	4.5		0	0
48	BUNDI	41		0		4.1	0	0	4.1	Waste to Compost + RDF	57	0
49	INDERGARH	3		0		0.3	0	1	1.3		0	0
50	KAPRAIN	8		0		0.8	0	6	6.8		0	0
51	KESHORAIPATAN	10		0		1	0	4	5		0	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
52	LAKHERI	12		0		1.2	0	5	6.2		0	0
53	NAINWA	8		0		0.8	0	4	4.8		0	0
54	BARI SADRI	6		0		0.6	0	4.5	5.1		0	0
55	BEGUN	8		0		0.8	0	3	3.8		0	0
56	CHITTORGARH	47		0		4.7	1.4	15	21.1	Waste to Compost + RDF	46	0
57	KAPASAN	8		0		0.8	0	10	10.8		0	0
58	NIMBAHERA	25		0		2.5	0.2	14	16.7		0	0
59	RAWAT BHATA	15		0		1.5	0	0	1.5		0	5
60	BIDASAR	14		0	1	1.4	0	25	27.4		0	0
61	CHHAPAR	8		0		0.8	0.2	20	21		0	0
62	CHURU	48	MRF+Dry Waste Processing Centre	45		4.8	1	50	100.8		0	0
63	RAJALDESAR	11		0		1.1	0	0	1.1		0	4
64	RAJGARH (CHURU)	24		0		2.4	0	24	26.4		0	0
65	RATANGARH	28		0		2.8	0	10	12.8		0	0
66	RATANNAGAR	5		0	1.5	0.5	0	0	2		0	0
67	SARDAR SHAHAR	38		0	5	3.8	0	0	8.8		0	0
68	SUJANGARH	41		0		4.1	0	16	20.1	Waste to Compost + RDF	30	0
69	TARANAGAR	13		0		1.3	0	5	6.3		0	0
70	BANDUKUI	18		0		1.8	0	8	9.8	Waste to Compost + RDF	18.36	0
71	DAUSA	34		0		3.4	6.8	1	11.2	Waste to Compost + RDF	125	0
72	LALSOT	14		0		1.4	0	0.5	1.9	Waste to Compost + RDF	14.12	0
73	MAHWA	8		0		0.8	0	4	4.8	Waste to Compost + RDF	10.21	0
74	BARI	25		0		2.5	0	20	22.5		0	0
75	DHOLPUR	50		0	1	5	1	15	22	Waste to Compost + RDF	69	0
76	RAJAKHERA	13		0		1.3	0.2	0	1.5		0	0
77	DUNGARPUR	19	Vermi Compost	7		1.9	0	15	23.9		0	0
78	SAGWARA	12		0		1.2	0	10	11.2		0	0

	ULBs	Waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
79	ANUPGARH	12		0	1	1.2	0.4	2	4.6	Waste to Compost + RDF	12.69	0
80	GAJSINGHPUR	4		0		0.4	0	2	2.4	Waste to Compost + RDF	4.11	0
81	GANGANAGAR	95		0		9.5	2.6	0	12.1		0	10
82	KARANPUR	9		0		0.9	0	4	4.9	Waste to Compost + RDF	8.75	0
83	KESRISINGHPUR	6		0		0.6	0	2	2.6	Waste to Compost + RDF	5.76	0
84	PADAMPUR	7		0		0.7	0	0	0.7	Waste to Compost + RDF	7.57	3
85	RAISINGHNAGAR	11		0		1.1	2.8	0	3.9	Waste to Compost + RDF	11.64	0
86	SADULSHAHAR	10		0		1	0	0	1		0	0
87	SURATGARH	28		0		2.8	0.6	2	5.4		0	0
88	VIJAYNAGAR	13		0		1.3	0	0	1.3	Waste to Compost + RDF	7.57	0
89	BHADRA	16		0		1.6	0	1	2.6	Waste to Compost + RDF	16.71	0
90	HANUMANGARH	60		0	1	6	0.6	30	37.6	Waste to Compost + RDF	60	0
91	NOHAR	20		0	1	2	0	0	3	Waste to Compost + RDF	20.48	0
92	PILIBANGA	15		0		1.5	0	0	1.5	Waste to Compost + RDF	15.33	5
93	RAWATSAR	14		0		1.4	0	35	36.4	Waste to Compost + RDF	14.43	0
94	SANGARIA	15		0		1.5	0	0	1.5	Waste to Compost + RDF	15.05	0
95	BAGRU	12		0		1.2	0	2	3.2	Waste to Compost + RDF	13	0
96	CHAKSU	13		0		1.3	0.2	2	3.5	Waste to Compost + RDF	13.74	0
97	CHOMU	26		0		2.6	0	0	2.6		0	0
98	JAIPUR GREATER (MC)	731	Waste to Compost	250	77.12	73.1	153.6	0	553.82		0	0
99	JAIPUR HERITAGE (MC)	487	Waste to RDF	350	1.1	48.7	26.6	5	431.4	Waste to Energy	600	0
100	JOBNER	5		0		0.5	0	10	10.5	Waste to Compost + RDF	4.67	0
101	KISHANGARH RENWAL	12		0		1.2	0.4	2	3.6	Waste to Compost + RDF	12	0
102	KOTPUTLI	20		0		2	0.2	0	2.2	Waste to Compost + RDF	20.22	5
103	PHULERA	9		0		0.9	0.4	2	3.3		0	0
104	SAMBHAR	9		0		0.9	0	1.5	2.4	Waste to Compost + RDF	9.18	0
105	SHAHPURA	12		0		1.2	0.6	2	3.8	Waste to Compost + RDF	13.93	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
106	VIRATNAGAR	8		0		0.8	0	0	0.8	Waste to Compost + RDF	8.45	3
107	JAISALMER	26		0		2.6	3.6	16	22.2	Waste to Compost + RDF	50	0
108	POKRAN	9		0		0.9	0	8	8.9		0	0
109	BHINMAL	19		0	6.3	1.9	0	10	18.2		0	0
110	JALORE	22		0		2.2	0.2	25	27.4	Waste to Compost + RDF	20	0
111	SANCHORE	13		0		1.3	2	25	28.3		0	0
112	AKLERA	10		0		1	0	0	1		0	0
113	BHAWANI MANDI	17		0		1.7	0	3	4.7		0	0
114	JHALAWAR	27	Waste to Compost+ RDF	30		2.7	0.2	6.5	39.4		0	0
115	JHALRAPATAN	15		0		1.5	0	10	11.5		0	0
116	PIRAWA	5		0		0.5	0	2.5	3		0	0
117	BAGGAR	6		0		0.6	0	0	0.6	Waste to Compost+ RDF	5.85	2
118	BISSAU	9		0		0.9	0	10	10.9	Waste to Compost+ RDF	9.55	0
119	CHIRAWA	18		0		1.8	0	8	9.8	Waste to Compost+ RDF	18.06	0
120	JHUNJHUNUN	47		0		4.7	0	9	13.7	Waste to Compost+ RDF	65	0
121	KHETRI	7		0		0.7	0	2	2.7	Waste to Compost+ RDF	8	0
122	MANDAWA	9		0		0.9	0	10	10.9	Waste to Compost+ RDF	9.59	0
123	MUKANDGARH	7		0		0.7	0	1	1.7	Waste to Compost+ RDF	7.59	0
124	NAWALGARH	26		0		2.6	0	9	11.6	Waste to Compost+ RDF	21	0
125	PILANI	12		0		1.2	0	2	3.2	Waste to Compost+ RDF	12.22	0
126	SURAJGARH	9		0		0.9	0	0	0.9	Waste to Compost+ RDF	8.9	3
127	UDAIPURWATI	12		0		1.2	0	4	5.2		0	0
128	VIDYAVIHAR	6		0		0.6	0	0	0.6	Waste to Compost+ RDF	6.43	0
129	BILARA	16		0		1.6	0	11	12.6		0	0
130	JODHPUR NORTH (MC)	211		0		21.1	0	50	71.1		0	0
131	JODHPUR SOUTH (MC)	203		0	78.3	20.3	2	70	170.6	Waste to Energy	400	0
132	PHALODI	20		0		2	0	25	27		0	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
133	PIPAR CITY	15		0		1.5	0	6	7.5		0	0
134	HINDAUN	42		0		4.2	0	10	14.2	Waste to Compost+ RDF	37	0
135	KARAULI	33		0		3.3	0	0	3.3		0	8
136	TODABHIM	9		0		0.9	0.2	3	4.1		0	0
137	ITAWA	11		0		1.1	0	3.5	4.6		0	0
138	KAITHOON	10		0		1	0	5	6		0	0
139	KOTA NORTH (MC)	281		0	4	28.1	0	0	32.1	Waste to Compost+ RDF	400	0
140	KOTA SOUTH (MC)	177		0	40	17.7	6.2	0	63.9	Waste to Compost+ RDF, Bio Gas	402	0
141	RAMGANJ MANDI	17		0	0.25	1.7	0	15	16.95		0	0
142	SANGOD	9		0		0.9	0	1	1.9		0	0
143	DEGANA	2		0		0.2	0	5	5.2		0	0
144	DIDWANA	21		0		2.1	0	0.5	2.6		0	0
145	KUCHAMAN CITY	25		0		2.5	0	10	12.5		0	0
146	KUCHERA	9		0		0.9	0	1	1.9		0	0
147	LADNUN	26		0		2.6	0.2	5	7.8		0	0
148	MAKRANA	37		0		3.7	0.6	30	34.3		0	0
149	MERTA CITY	18		0		1.8	0	3	4.8		0	0
150	MUNDWA	7		0		0.7	0	2	2.7		0	0
151	NAGAUR	42		0		4.2	0.4	10	14.6	Waste to Compost+ RDF	51	0
152	NAWA	9		0		0.9	0	2	2.9		0	0
153	PARWATSAR	6		0		0.6	0	2	2.6		0	0
154	BALI	8		0		0.8	0	4	4.8		0	0
155	FALNA	10		0		1	0	2	3		0	0
156	JAITARAN	9		0		0.9	0	16	16.9		0	0
157	PALI	92	Waste to Compost+ RDF	100		9.2	0.2	40	149.4		0	0
158	RANI	6		0		0.6	0	3	3.6		0	0
159	SADRI	11		0		1.1	0	4	5.1		0	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
160	SOJATCITY	17		0		1.7	0	0	1.7		0	0
161	SUMERPUR	15		0		1.5	0	20	21.5		0	0
162	TAKHATGARH	7		0		0.7	0	20	20.7		0	0
163	CHHOTI SADRI	7		0		0.7	0	4.5	5.2		0	0
164	PRATAPGARH	17	Vermi Compost	6		1.7	0	10	17.7		0	0
165	AMET	7		0		0.7	0	5	5.7		0	0
166	DEOGARH	7		0		0.7	0	4	4.7		0	0
167	NATHDWARA	17		0		1.7	3	15	19.7		0	0
168	RAJSAMAND	27	Waste to Compost+ RDF	44		2.7	0	2.4	49.1		0	0
169	GANGAPURCITY	48		0		4.8	0	10	14.8	Waste to Compost+ RDF	65	0
170	SAWAI MADHOPUR	48		0	0.1	4.8	1.2	15	21.1	Waste to Compost+ RDF	46	0
171	FATEHPUR	37		0		3.7	0.2	35	38.9	Waste to Compost+ RDF	57.08	0
172	KHANDELA	9		0		0.9	0.2	10	11.1	Waste to Compost+ RDF	9.5	0
173	KHATUSHYAM JI	5		0	10	0.5	0	0	10.5	Waste to Compost+ RDF	5	0
174	LACHHMANGARH	21		0		2.1	0	5	7.1	Waste to Compost+ RDF	21.94	0
175	LOSAL	11		0		1.1	0	9	10.1	Waste to Compost+ RDF	11.72	0
176	NEEM KA THANA	14		0		1.4	0.2	1	2.6	Waste to Compost+ RDF	14.89	0
177	RAMGARH (SHEKHAWATI)	13		0		1.3	0	0	1.3	Waste to Compost+ RDF	13.57	5
178	REENGUS	10		0		1	0	4	5	Waste to Compost+ RDF	10	0
179	SIKAR	98	Waste to Compost	15	0.38	9.8	0.2	0	25.38	Compost+MRF+ dry waste processing center	50	10
180	SRI MADHOPUR	13		0		1.3	0	5.3	6.6	Waste to Compost+ RDF	12.89	0
181	ABU ROAD	21		0	3	2.1	0	15	20.1		0	0
182	MOUNT ABU	9		0	2.5	0.9	0	5	8.4		0	0
183	PINDWARA	10		0		1	0	21	22		0	0
184	SHEOGANJ	11		0		1.1	0	20	21.1	Waste to Compost+ RDF	40	0
185	SIROHI	16		0		1.6	0	7	8.6	Waste to Compost+ RDF	13	0
186	DEOLI	9		0		0.9	0	2	2.9		0	0

	ULBs	waste Generated (Tonnes per day)	Type of Facility	Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Processing through MRF Plants (in TPD)	Waste Processing Capacity (in TPD)	Type of Facility	Capacity (in TPD)	Under Construction MRF Plants (in TPD)
187	MALPURA	14		0		1.4	0	2.5	3.9		0	0
188	NIWAI	15		0		1.5	0	15	16.5		0	0
189	TODARAISINGH	9		0		0.9	0	15	15.9		0	0
190	TONK	66		0		6.6	0.4	30	37		0	0
191	UNIARA	5		0		0.5	0	2	2.5		0	0
192	BHINDER	7		0		0.7	0	5	5.7		0	0
193	FATEHNAGAR	9		0		0.9	0	10	10.9		0	0
194	KANOR	5		0	3	0.5	0	5	8.5		0	0
195	SALUMBAR	7		0		0.7	0	5	5.7		0	0
196	UDAIPUR	180	Waste to Compost, Bio Methenation Plant,MRF Facility +MRF Cum RDF, Dry waste processing Centre	172		18	3	90	283		0	0
	Total	6,523		1,297	240.9	652	289	1,643	4,122		4,049	89
					1182				63%		Total	4,138

Municipal Solid Waste Processing Details

SWM Processing Plants and Material Recovery Facility

DETAILS OF OPERATIONAL PROCESSING PLANTS			
Sr. No.	City/Town	Processing Technology	Plant Capacity (TPD)
1	Jaipur	WtE (RDF)	350
2	Jaipur	Compost	250
3	Pratapgarh	Vermi Compost	6
4	Dungarpur	Vermi Compost	7
5	Pali	Compost+RDF	100
6	Bhilwara	Compost+RDF	144
7	Udaipur	MRF cum RDF	30
8	Udaipur	Compost	60
9	Udaipur	Biomethanation plant	22
10	Sikar	Compost	15
11	Jhalawar	Compost+RDF	30
12	Alwar	Compost + RDF	129
13	Udaipur	MRF Facility + Dry waste processing Centre	60
14	Barmer	Waste to Compost	5
15	Churu	MRF+Dry waste processing center	45
16	Rajsamand	Compost +RDF	44
Total			1297 TPD

OPERATIONAL MATERIAL RECOVERY FACILITIES (MRF) PLANTS			
Sr. No.	Division	ULB Name	Capacity (in TPD)
1	Ajmer	Ajmer	15
2		Beawar	10
3		Bijainagar	25
4		Kekri	2
5		Nasirabad	2
6		Kishangarh	40
7		Pushkar	2
8		Sarwar	10
9		Asind	1
10		Bhilwara	2
11		Gangapur	4
12		Gulabpura	3
13		Mandalgarh	10
14		Shahpura_Bh	6
15		Degana	5
16		Didwana	0.5
17		Kuchaman City	10
18		Kuchera	1
19		Ladnu	5
20		Merta City	3
21		Mundwa	2
22		Nawa	2
23		Parbatsar	2
24		Makrana	30
25		Nagaur	10
26		Deoli	2
27		Malpura	2.5
28		Niwai	15
29		Todaraisingh	15
30		Tonk	30
31		Uniara	2
32	Bharatpur	Bayana	2
33		Bharatpur	5
34		Bhusawar	5
35		Kaman	3
36		Rupbas	4
37		Weir	15
38		Bari	20
39		Dhaulpur	15
40		Hindaun	10

41		Todabhim	3
42		Gangapur City	10
43		Sawai Madhopur	15
44	Bikaner	Bikaner	30
45		Deshnoke	15
46		Nokha	2
47		Bidasar	25
48		Chhapar	20
49		Churu	50
50		Rajgarh_Ch	24
51		Ratangarh	10
52		Sujargarh	16
53		Taranagar	5
54		Anupgarh	2
55		Gajsinghpur	2
56		Karanpur	4
57		Kesrisinghpur	2
58		Suratgarh	2
59		Bhadra	1
60		Hanumangarh	30
61		Rawatsar	35
62	Jaipur	Alwar	5
63		Bhiwadi	10
64		Kherli	1
65		Rajgarh_Al	18
66		Tijara	40
67		Bandikui	8
68		Dausa	1
69		Lalsot	0.5
70		Mahwa	4
71		Bagru	2
72		Chaksu	2
73		Jaipur Heritage	5
74		Jobner	10
75		Kishangarh Renwal	2
76		Phulera	2
77		Sambhar	1.5
78		Shahpura_J	2
79		Bissau	10
80		Chirawa	8
81		Khetri	2
82		Mandawa	10

83		Mukandgarh	1
84		Nawalgarh	9
85		Jhunjhunun	9
86		Pilani	2
87		Udaipurwati	4
88		Fatehpur	35
89		Khandela	10
90		Lachhmangarh	5
91		Losal	9
92		Neem-Ka-Thana	1
93		Reengus	4
94		Sri Madhopur	5.3
95	Jodhpur	Barmer	10
96		Jaisalmer	16
97		Pokaran	8
98		Bhinmal	10
99		Jalor	25
100		Sanchoe	25
101		Bilara	11
102		Jodhpur North	50
103		Jodhpur South	70
104		Phalodi	25
105		Pipar City	6
106		Bali	4
107		Falna	2
108		Jaitaran	16
109		Rani	3
110		Sadri	4
111		Pali	40
112		Sumerpur	20
113		Takhatgarh	20
114		Abu Road	15
115		Mount Abu	5
116		Pindwara	21
117		Sheoganj	20
118		Sirohi	7
119	Kota	Antah	2
120		Indragarh	1
121		Kaprain	6
122		Keshoraipatan	4
123		Lakheri	5
124		Nainwa	4

125		Bhawani Mandi	3
126		Jhalrapatan	10
127		Jhalawar	6.5
128		Pirawa	2.5
129		Itawa	3.5
130		Kaithoon	5
131		Baran	10
132		Ramganj Mandi	15
133		Sangod	1
134		Udaipur	Banswara
135	Bari Sadri		4.5
136	Begun		3
137	Chittaurgarh		15
138	Kapasan		10
139	Nimbahera		14
140	Dungarpur		15
141	Sagwara		10
142	Chhoti Sadri		4.5
143	Pratapgarh		10
144	Amet		5
145	Deogarh		4
146	Nathdwara		15
147	Rajsamand		2.4
148	Bhinder		5
149	Fatehnagar		10
150	Kanor		5
151	Salumbar		5
152	Udaipur		90
TOTAL			1643.2

Bulk Waste Generator Details

Division Wise Bulk Waste Generators			
S. No.	Division	Total No. of BWG Generators	Quantity of Waste (in TPD)
1	Ajmer	115	23
2	Bharatpur	19	3.8
3	Bikaner	238	47.6
4	Kota	35	7
5	Jaipur	957	191.4
6	Jodhpur	42	8.4
7	Udaipur	38	7.6
Total		1444	288.8

List of Bulk Waste Generators - Ajmer Division

S.No.	ULB Name	Name	Address	Type	Contact Details
1	Ajmer	Hotel Grand Xenia	Ward No.1	Hotel	9214310557
2	Ajmer	Mittal Hospital	Ward No.2	Hospital	9314390005
3	Ajmer	Hans Paradise Foy sagar road	Ward No.3	Marrige Garden	9829070217
4	Ajmer	Abhinandan Garden	Ward No.3	Marrige Garden	8696969191
5	Ajmer	Bhadu Lal Gadiya	Ward No.3	Marrige Garden	9829049288
6	Ajmer	Laxmi Palace	Ward No.3	Marrige Garden	9929728335
7	Ajmer	Nandini Palace	Ward No.3	Marrige Garden	7742400999
8	Ajmer	Hotel Marwada Estate	Ward No.6	Marrige Garden	9001123333
9	Ajmer	Radhe Rani Garden	Ward No.11	Marrige Garden	9799555111
10	Ajmer	Hotel Metro Inn	Ward No.15	Hotel	9829129013
11	Ajmer	M.S. Green Garden	Ward No.24	Marrige Garden	9001334443
12	Ajmer	Royale Resort	Ward No.26	Hotel	9829099117
13	Ajmer	Manuhar Garden	Ward No.28	Marrige Garden	9460546949
14	Ajmer	St. Mary's Convent School	Ward No.33	School	1452627909
15	Ajmer	Meenakshi Vatika	Ward No.36	Marrige Garden	9460790575
16	Ajmer	Laxmi Garden Dhola Bhata	Ward No.37	Marrige Garden	9828062769
17	Ajmer	Vinayak Garden	Ward No.37	Marrige Garden	8502003837
18	Ajmer	Bharat Vatika	Ward No.37	Marrige Garden	9001206099
19	Ajmer	Utsav Vatika	Ward No.38	Marrige Garden	9460242061
20	Ajmer	Anand Palace	Ward No.39	Marrige Garden	9460480043
21	Ajmer	Riddhi Siddhi	Ward No.41	Marrige Garden	9413692151
22	Ajmer	Narayan Nikunj	Ward No.50	Marrige Garden	9414004144
23	Ajmer	Hotel Cross Lane	Ward No.51	Hotel	9001444190
24	Ajmer	Hotel Kanak Sagar	Ward No.52	Marrige Garden	9829073427
25	Ajmer	Hotel Lake Vinora	Ward No.56	marrige Garden	9414003545
26	Ajmer	Radhe Shree Garden Vaishali Nagar	Ward No.56	marrige Garden	9414566890
27	Ajmer	Hotel Maan Singh	Ward No.56	Hotel	9001206081
28	Ajmer	Bhagat Singh Udhyan	Ward No.57	Garden	9001292293
29	Ajmer	City Pride Udhyan	Ward No.60	marrige Garden	7728085362
30	Ajmer	Hotel Royal Milange	Ward No.52	Hotel	9828323156
31	Beawar	Buffalo Meat Association	Abdul Majjid, Association President	Meat Mandi	9928947018

32	Beawar	sabji Mandi	Mahesh Sharma , Mandi Secretary	Sabji Mandi	9667426661, 01462224893
33	Bhilwara	Hotel Amit Palace	Near Bio Scope	Hotel	9828458880
34	Bhilwara	Hotel Harsh Palace	Gandhi Nagar	Hotel	9610412290
35	Bhilwara	Hotel Ranbanka	Near Bajaj Showroom	Hotel	9828212344
36	Bhilwara	Hotel Radhiyansh	Gandhi Nagar	Hotel	9950355003
37	Bhilwara	Hotel Aastha	Behind Kamla Vihaar	Hotel	9829045662
38	Bhilwara	Krishi Upaj Mandi	Nehru Road	Mandi	9482220168
39	Bhilwara	Hotel Flora	Dadi Dham Road	Hotel	1482250832
40	Bhilwara	Hotel Rishabh	Near RailwaY Station	Hotel	1482239833
41	Bhilwara	Hotel Radiance	Chittor Road	Hotel	9950355003
42	Bhilwara	Hotel Land Mark	Near Circuti House	Hotel	9414112790
43	Bhilwara	Hotel Amar Palace	Near Jaleshwar Complex	Hotel	9549095000
44	Bhilwara	Hotel Kanchi Resort	Gandhi Nagar	Hotel	9610412290
45	Bhilwara	Didim Resort	Near Harni Mahadev	Restauran t	9413346877
46	Bhilwara	Hotel Royal Ambesh	Near Circuit House	Hotel	9928105555
47	Bhilwara	Hotel Arjod	Rajendra Marg	Hotel	9610198939
48	Bhilwara	Hotel Preet Palace	Near Bus Stop	Hotel	9414371927
49	Bhilwara	Hotel Raghav	Near Mahesh School	Hotel	9414114424
50	Bhilwara	Hotel Crown Palace	Near Bus Stop	Hotel	9351379494
51	Bhilwara	Hotel Pink Palace	Bhopal Ganj	Hotel	7024947905
52	Bhilwara	Sh. Satya Narayan Prakash Pandya Rama Hotel	Near Bus Stop	Hotel	9413149002
53	Bhilwara	Hotel Mid town	Near Milan Takies	Hotel	9414922599
54	Bhilwara	Hotel Dilamuje	Subhash Market	Hotel	1482220307
55	Bhilwara	Hotel Suruchi	Infront of Suchana Kendra	Hotel	9462553100
56	Bhilwara	Hotel Nand Palace	Indira Market	Hotel	9571946609
57	Bhilwara	Hotel Banjara	Indra Market	Hotel	9214559623
58	Bhilwara	Hotel Vijay	Bazar No. 2	Hotel	9928000409
59	Bhilwara	Agrasen Manglik Bhawan	Azad Nagar	Marrige Garden	1482250260
60	Bhilwara	Royal Ambesh Hotel	Near Circuit House	Hotel	9928105555
61	Bhilwara	Hotel Land Mark	Near Circuit House	Hotel	9414112790
62	Bhilwara	Rishi vatika	Kumbha Circle	Marrige Garden	9414372639
63	Bhilwara	Maheshwari Bhawan	Ram Dham Road	Marrige Garden	9413768363
64	Bhilwara	Jain Swetamber terapanthi	Ward No. 23	Marrige Garden	1482224430
65	Bhilwara	Yash Swadhyay Bhawan	Shivaji Nagar	Marrige Garden	9352710451
66	Bhilwara	Maharshi Gautam Sewa Sansthan	Shastri Nagar	Marrige Garden	9829149620

67	Bhilwara	Hotel Flora Park	Kawa Kheda	Hotel	1482250832
68	Bhilwara	Om Vatika	Jamna Nagar	Marrige Garden	9001218040
69	Bhilwara	Maheshwari Sabha Bhawan	Harni Mahadev Road	Marrige Garden	9829047936
70	Bhilwara	Bairwa Samaj Panchayti Nohra	Kawa Kheda	Marrige Garden	9829394869
71	Bhilwara	Nathmal Somani Restaurent	Bazar No. 2	Restauran t	9460995330
72	Bhilwara	Ashoka Hotel	Sabun Marg	Hotel	9152827339
73	Bhilwara	Maheshwari Samaj Trust	Charbhja Bagichi	Marrige Garden	1482222632
74	Bhilwara	Hotel Nandini	Harni Mahadev Road	Hotel	9352132008
75	Bhilwara	Baheti Vatika	Manikya Nagar	Marrige Garden	9413676947
76	Bhilwara	Sgena Resort	Sanganer Road	Restauran t	9829047211
77	Bhilwara	Dev Marriage Garden	Sanganer Road	Marrige Garden	9782048919
78	Bhilwara	Utsav Vatika	Sanganer Road	Marrige Garden	9887800544
79	Bhilwara	Yash Vihar Vatika	Kota Road	Marrige Garden	9413633303
80	Bhilwara	Sukhlal Samaj Nohra	Ward No. 39	Marrige Garden	9950188180
81	Bhilwara	Ridhi Sidhi Vatika	Near Siddhi Vinayak Hospital	Marrige Garden	9950405026
82	Bhilwara	Teliyo ka Nohra	Bagta Baba Road	Marrige Garden	9928092163
83	Bhilwara	Kothari Farm House	Sanganer Road	Marrige Garden	9829047936
84	Bhilwara	Shree Ji Resort	Near Nexa SHowroom	Restauran t	9116893850
85	Bhilwara	Kshatriya Samaj Nohra	Vijay Singh Pathik Nagar	Marrige Garden	9414148482
86	Bhilwara	Parik Samudaik Bhawan	Subhash Nagar	Marrige Garden	9929645761
87	Bhilwara	Gautam Samaj Sewa Sansthan	Subhash Nagar	Marrige Garden	9829248310
88	Bhilwara	Madhuban Vatika	Subhash Nagar	Marrige Garden	8949474847
89	Bhilwara	Uniqe Hotel	Rama Vihaar	Hotel	8209617001
90	Kisangarh	Hotel Crystal Park	Near Bhagat Pan Link Road	Hotel/ Marriage Garden	7727864802
91	Kisangarh	Hotel NK Halimax	AJmer Road	Hotel/ Marriage Garden	9414011611
92	Kisangarh	Hotel KumKUM	R. K. Link Road	Hotel/ Marriage Garden	9460708086
93	Kisangarh	Hotel Luv Kush	R. K. Link Road	Hotel/ Marriage Garden	9929927662
94	Kisangarh	Paharia restraunt	Old railway station	Hotel	
95	Kisangarh	Rathi Hospital	Rathi hospital, industrial area road	Hospital	
96	Kisangarh	Criystal park	Aadinath jain mandir	Garden	
97	Kisangarh	Hotel Royal Heritage	Jaipur Ajmer Highway	Hotel/ Marriage Garden	9983178222

98	Ladnu	Jain Vishwa Bharti , Ladnu	Ladnu	Hostel	97725 61866
99	Makrana	CBM Hospital	Mangalana Road	Hospital	9414335563
100	Makrana	Government hospital	Makrana	Hospital	9680795132
101	Makrana	Lagan Shah Hospital	Near Jusri Road	Hospital	9983747656
102	Nagaur	Krishi Upaj Mandi	Krishi upaj Mandi Nagaur	Mandi	-
103	Nagaur	Jawahar Lal Nehru Hospital	Bikaner Road Nagaur	Hospital	1582242985
104	Pushkar	Jat Vishram Sthali	Ward No. 3,Brahma Mandir ke peeche, Pushkar	Marriage Garden	9079668772
105	Pushkar	Aacharay dharamshala	Pushkar	Dharamshala	8104860654
106	Pushkar	Jaat dharamshala	Pushkar	Hotel	8104860654
107	Pushkar	Gurjar Bhawan	Ward No. 3,Brahma Mandir ke peeche, Pushkar	Marriage Garden	7737356178
108	Pushkar	Gayatrii Ved Vidhapeeth	Ward No. 5, Santoshi Mata Ki Dhani, Pushkar	College	9829491463
109	Pushkar	Hotel Pushkar Palace	Ward No. 6, Jaipur Ghat, Pushkar	Hotel	9799066192
110	Pushkar	Maheshwari Sewa Sadan	Ward No. 12, VIP Road, Puhkar	Marriage Garden	9828247741
111	Pushkar	Prem Prakash Ashram	Ward No. 15, Heloj Road, Pushkar	Marriage Garden	9982380375
112	Pushkar	Hotel Master Paradise	Ward No. 16, Panchkund Road, Pushkar	Hotel	9414006130
113	Pushkar	Hotel Jagat Palace	Ward No. 17, Near Ram Dham Road , Pushkar	Hotel	9799066192
114	Tonk	Kalpana Marriage Garden	Deendayal Gupta, Deoli road	Marriage Garden	8209887600
115	Tonk	Radhe Radhe Marriage Garden	Atma ram Sahu, Deoli Road	Marriage Garden	9413284514

List of Bulk Waste Generators - Bharatpur Division

S. No.	ULB name	Name	Address	Type	Contact Details
1	Bharatpur	Railway Station Bhartpur	Railway Station Bhartpur	Railway Station	05644-238274
2	Bharatpur	Krishi Upaj Mandi	Krishi Upaj Mandi Kumher Gate Bhartpur	Mandi	05644-238664
3	Bharatpur	R.B.M Government Hospital	Bhartpur Sarkular Road	Hospital	05644-223660
4	Dhaulpur	Nai Sabji Mandi	Roadways Bus Stand Ke Samne Ward No. 06	Mandi	9289691090
5	Dhaulpur	Royal Dhaba	Mahindra Agency Ke Pass G.T Road Dholpur	Hotel	9461071786
6	Dhaulpur	Aashirwad Hotel	Sichai Bhivag Ke Samne Bari Road Dholpur	Hotel	9530404445
7	Sawaimadh opur	Vanyamahar by regenta	Sawaimadapur	Railway Station Hotels , Hospital	7462220868
8	Sawaimadh opur	Govt. Hospital	Railway station, Govt hospital Sawai Madhopur		-
9	Sawaimadh opur	Rangita Hotel	Railway station Road		-
10	Sawaimadh opur	Vivanta by Taj	Sawaimadapur		07462225155
11	Sawaimadh opur	General Hospital.	Sawaimadapur		746224138
12	Sawaimadh opur	Railway station	Sawaimadapur		900101756
13	Kaman	Sabji Mandi	Main Bazar	Sabji Mandi	-
14	Rupbas	sabji Mandi or market area	Mhadev chowk, Rupbas	Sabji Mandi	-
15	Weir	Main Market and sabji mandi	Main Market weir	Sabji Mandi	9521525084
16	Dhaulpur	Ashirwad Hotel	AHR hotel and restaurant	Hotel	-
17	Dhaulpur	Kirshi Upaj Mandi	Near chopda Mandir	Hotel	-
18	Rajakhera	Mahalaxmi Hotel	Near ABJ school on agra dholpur road rajakhera	Hotel	9691898968
19	Todhabhim	CHC Hospital	Ward No 24	Hospital	7976956762

List of Bulk Waste Generators - Bikaner Division

S. No.	ULBs Name	Name of Place	Address	Type	Contact Details
1	Anoopgarh	Anand Marriage Palace	Ward 25 Anupgarh	Marriage Place	9414092914
2	Anoopgarh	Sabji Mandi	Ward No. 8 Anupgarh	Vegetable Market	9672524443
3	Bikaner	Vihar Hotel	Samta Nagar	Hotel	9414604362
4	Bikaner	Narendra bhawan	Gandhi colony	Others	1512252500
5	Bikaner	Chotu Motu Misthan	Railway station road	Hotel	1512527700
6	Bikaner	Vyaso ki bagechi	Vyaso ki bagechi / Back side pushkarna Stdiyam, ward 18	Others	9829299070
7	Bikaner	Oja satsang bhwan	Oja satsang bhwan / binani college Road, ward 7	Others	7425823511
8	Bikaner	Kiraduo ki bagechi	kiraduo ki bagechi/ Out side Nathusar get, ward 7	Others	9214414140
9	Bikaner	Rango ki bagechi	Rango ki bagechi/ Near vyayamshala, Nathushar get, ward 7	Others	7425823511
10	Bikaner	Mateshavary bhwan	Mateshavary bhwan/ Achariyo ki gati, ward 8	Others	7014719446
11	Bikaner	Madan bhwan	Madan bhwan/ Achariyo ka Chock, ward 17	Others	9460177279 3
12	Bikaner	Bhaheti bhwan	Bhaheti bhwan/ Nathusar get, ward 7	Others	9414142029
13	Bikaner	Gawra devi gest house	Gawra devi gest house/ Achariyo ki gati, bajarng collony, ward 18	Others	9462122815
14	Bikaner	Govind palace	Govind palace/ hrolai Road, ward 18	Others	8769978888
15	Bikaner	Pshname garbadi bhwan	Pshname garbadi bhwan, ward 18	Others	9928945551
16	Bikaner	Jitendra tosani wal	Jitendra tosani wal/ kotget, ward 12	Others	9460789866
17	Bikaner	Lal Kothi Hotel	Lal Kothi Hotel, Near Goyal Amporiyam, ward 54	Hotels	9152542137
18	Bikaner	Paradise marriage Garden	Paradise marriage Garden, Sarvoday Basti , ward 56	Others	9351551857
19	Bikaner	Bag Bikana	Bag Bikana, Odo ka Bass, ward 56	Others	9660090386
20	Bikaner	Sangam Juice	Sangam Juice, KEM Road, ward 52	Restaurants	8890818128
21	Bikaner	Agarwal Namkeen Bhandar	Agarwal Namkeen Bhandar, KEM Road, ward 52	Others	1512529441
22	Bikaner	Maheshvary Bhwan	Maheshvary Bhwan/ vishkarma gate, ward 8	Others	9460414035
23	Bikaner	Mundra bhwan	Mundra bhwan/ Near B.K.	Others	7792956567

			School, ward 8		
24	Bikaner	Narsing Bhwan	Narsing Bhwan/ Near B.K. School, ward 8	Others	9024928477
25	Bikaner	Hotel City Palace	Hotel City Palace, KEM Road, ward 52	Hotels	1512526320
26	Bikaner	Hotel Sidhi vinayak	Hotel Sidhi vinayak, KEM Road, Behind Bothra Complex, ward 52	Hotels	9799900555
27	Bikaner	Jiman Restorant	Jiman Restorant, KEM Road, ward 52	Restaurants	7412816930
28	Bikaner	Shubham gardan	Shubham gardan/ sadulganj, ward 52	Others	9799381111
29	Bikaner	Manish Palace	Manish Palace/ Sadulganj, Milan road, ward 38	Others	9152827339
30	Bikaner	Dhola-maru Hotal	Dhola-maru Hotal/ Sadulganj, ward 7	Hotels	9460169061
31	Bikaner	Kanhya chhatravas	Kanhya chhatravas/ tilk Nagar, ward 7	Hostel Mess	9413389438
32	Bikaner	Samudayk bhwan	Samudayk bhwan/ Sofiya School ke samne, ward 7	Others	7339883438
33	Bikaner	Karni Bhwan Palace Hotal	Karni Bhwan Palace Hotal/ karni Nagar, ward 7	Hotels	9667933331
34	Bikaner	Narendra bhwan hotal	Narendra bhwan hotal/ gandhi collony, ward 7	Hotels	1512252500
35	Bikaner	Ambedkar samudayk bhwan	Ambedkar samudayk bhwan/ near dindyal sarkil, ward 7	Others	9413367641
36	Bikaner	Hotel sagar palace	Hotal Sagar palace/ ganganagar road, sarkari bus stand, ward 7	Hotels	1512201675
37	Bikaner	Hotel basant bihar	Hotal basant bihar/ samta nagar, ganganagar road, ward 45	Hotels	9414604362
38	Bikaner	Rajkumar& sans	Rajkumar& sans, ward 45	Others	9024545211
39	Bikaner	Mangalm hotal & Rajasthan sex k. agensi	Mangalm hotal & Rajasthan sex k. agensi/ ganganagar road, ward 45	Hotels	9460779854
40	Bikaner	Sagun marrige palace	Sagun marrige palace/ samta nagar, ward 45	Others	9829452107
41	Bikaner	Hotal niroj	Hotal niroj/ ganganagar road, ward 45	Hotels	9460526526
42	Bikaner	Hotal akshay	Hotal akshay/ ganganagar road, ward 45	Hotels	9413388838
43	Bikaner	Hota krishan	Hota krishan/ bus stand ke samne , ganganagar road, ward 45	Hotels	8385935472
44	Bikaner	O.D. motar, PU. LT, maruti sujuki	O.D. motar, PU. LT, maruti sujuki, ward 45	Others	9414141741
45	Bikaner	Nokha egro serviceg prov. Limt.	Nokha egro serviceg prov. Limt., ward 45	Others	8696930160

46	Bikaner	Global hostpital& Research center	Global hostpital& Research center / samta nagar,ward 45	Hospitals	1512250388
47	Bikaner	Agarval egro agency	Agarval egro agency/ ganganagar road, kishan bhwan ke samne,ward 45	Others	9414137962
48	Bikaner	M.N. hostpital	M.N. hostpital/ Om bna mandir ke samne,ward 50	Hospitals	9414139209
49	Bikaner	Dejras hotal	Dejras hotal/ harasar hotal Road,ward 50	Hotels	9828067400
50	Bikaner	Harasar hotal	Harasar hotal,ward 50	Hotels	9829790004
51	Bikaner	Rajporuhit Sbha bhwan	Rajporuhit Sbha bhwan/ hanuman hath,ward 50	Others	9414138848
52	Bikaner	Bhojnalaya	Bhojnalaya/ Station Road,ward 33	Dhabas	8890897662
53	Bikaner	Jasvant Hotal	Jasvant Hotal/ Station Road,ward 33	Hotels	1512548848
54	Bikaner	Duvarika bhojnalaya	Duvarika bhojnalaya/ Station Road,ward 33	Dhabas	7231924013
55	Bikaner	Hotal / Bothra com.	Hotal / Bothra com. , Sunil rajiv gandhi marg,ward 51	Hotels	1512544502
56	Bikaner	Jay hind Bhojnalaya	Jay hind Bhojnalaya/ mirnva,ward 51	Dhabas	7014952690
57	Bikaner	Gahlot bhojnalaya	Gahlot bhojnalaya/ mirnva,ward 51	Dhabas	9261010107
58	Bikaner	Metro hotal	Metro hotal /mirnva,ward 51	Hotels	1512540999
59	Bikaner	Santi tavar/ mirnva	Santi tavar/ mirnva,ward 51	Others	8875482585
60	Bikaner	Rajsthani dhabha	Rajsthani dhabha/ Masala Chock Junagad ke samne,ward 52	Dhabas	7014863595
61	Bikaner	Bikaner Namkeen Bhandar	Bikaner Namkeen Bhandar, KEM Road,ward 52	Others	8239747242
62	Bikaner	Hotel Bhairav Vilas,	Hotel Bhairav Vilas, Behind Mahila Mandal,ward 52	Hotels	9928312283
63	Bikaner	Bha Food	Bha Food/ khadi mandir,ward 51	Restaurants	9414264921
64	Bikaner	Bikana Hotal	Bikana Hotal/ Khadi Mandir,ward 51	Hotels	9413279802
65	Bikaner	Pandye hotal	Pandye hotal/ Khadi Mandir,ward 51	Hotels	9785570299
66	Bikaner	Hari bhwan	Hari bhwan / Bharu ji gali l,ward 52	Hotels	9214830311
67	Bikaner	Jain Market	Jain Market Bharu ji gali,ward 52	Others	9460691651
68	Bikaner	Mahendra Bhawan	Mahendra Bhawan,ward 59	Others	9782533208
69	Bikaner	JBR Family Restorant	JBR Family Restorant,ward 60	Restaurants	9414002026
70	Bikaner	Yash Hotel & Restorant,	Yash Hotel & Restorant,11/12 Dispensri Road,ward 60	Hotels	9251952281

71	Bikaner	Punjabi Tadka,	Punjabi Tadka, 11/15 Dispensri Road,ward 60	Hotels	8522850477
72	Bikaner	Krishna Garden	Krishna Garden Purani Ginani,ward 49	Others	9782867855
73	Bikaner	Ramdev Bhawan	Ramdev Bhawan,ward 47	Others	7665722257
74	Bikaner	Shiv Shakti Bhawan	Shiv Shakti Bhawan,ward 47	Others	1512203156
75	Bikaner	Yadav Bhawan,	Yadav Bhawan, Near Red Quarter,ward 48	Others	7665760000
76	Bikaner	Shri karni Bhojnalay or Tiffin Center,	Shri karni Bhojnalay or Tiffin Center, 11/11 Dispensri Road,ward 60	Dhabas	9813174708
77	Bikaner	Samudayik Bhawan,	Samudayik Bhawan, Sec.No.08 Near Roshni Ghar,ward 60	Others	8562029662
78	Bikaner	Ramji Marriage Palace	Ramji Marriage Palace, Pugal Road,ward 60	Others	9413380009
79	Bikaner	Suraj Palace	Suraj Palace,ward 59	Others	9462017549
80	Bikaner	Vinayak Hotel	Vinayak Hotel,ward 52	Hotels	7737192552
81	Bikaner	Mohta Bhawan	Mohta Bhawan,ward 52	Others	9351200106
82	Bikaner	Karnal Din Dayal Bhargav Bhawan	Karnal Din Dayal Bhargav Bhawan,ward 52	Others	9214078421
83	Bikaner	Bhujiya karkhan	Bhujiya karkhan/ alakh sagar Road,ward 51	Others	9214078421
84	Bikaner	Jabheshavar bhojnalaya	Jabheshavar bhojnalaya,ward 51	Dhabas	9214403117
85	Bikaner	Vishanu Bhojanalaya	Vishanu Bhojanalaya,ward 51	Dhabas	8278673878
86	Bikaner	Hotel Om Haveli	Hotel Om Haveli, New Gajner Road,ward 49	Hotels	9214017875
87	Bikaner	Vishnoi Hotal	Vishnoi Hotal,ward 51	Hotels	9610096096
88	Bikaner	Maharaja ganga mahel Hotal	Maharaja ganga mahel Hotal,ward 51	Hotels	1512521074
89	Bikaner	Rajvilasha Hotal	Rajvilasha Hotal,ward 51	Hotels	1512525901
90	Bikaner	Royal Gardan	Royal Gardan,ward 51	Hotels	9829787437
91	Bikaner	panchayti bhwan	panchayti bhwan/ rathkhana,ward 51	Others	8766547570
92	Bikaner	Madhav Sweets & Fast Food	Madhav Sweets & Fast Food, New Gajner Road,ward 49	Others	7665228442
93	Bikaner	Hotel Kishan Palace	Hotel Kishan Palace, New Gajner Road,ward 49	Hotels	9824512610
94	Bikaner	Hotel Gangoura & Restorant	Hotel Gangoura & Restorant, New Gajner Road,ward 49	Hotels	9772961975
95	Bikaner	Sampat palace	Sampat palace,ward 25	Others	9435596494
96	Bikaner	Mohani palace	Mohani palace,ward 25	Others	9435596494
97	Bikaner	Manisha palace	Manisha palace,ward 25	Others	8209958291
98	Bikaner	Hansha gest house	Hansha gest house,ward 25	Others	9214107312
99	Bikaner	Daga palace	Daga palace,ward 25	Others	1512270455

100	Bikaner	Aashivard bhwan	Aashivard bhwan, ward 25	Others	8191900123
101	Bikaner	Hotel Meghsar Castle	Hotel Meghsar Castle, New Gajner Road, ward 49	Hotels	9928249016
102	Bikaner	Samudayak bhwan	Samudayak bhwan/ sujandesar, ward 19	Others	7339883438
103	Bikaner	Kirshan bhwan	Kirshan bhwan/ sujandesar, ward 19	Others	1512200796
104	Bikaner	Chandra Guest House,	Chandra Guest House, Police Line, ward 49	Others	1512200796
105	Bikaner	Ramdev palace	Ramdev palace / sujandesar, ward 19	Others	7339883438
106	Bikaner	Samsurta palace	Samsurta palace sujandesar, ward 19	Others	9413311922
107	Bikaner	Sethiya bhwan	Sethiya bhwan, ward 21	Others	8890009711
108	Bikaner	Sjajn nivas	Sjajn nivas, ward 21	Others	9313493540
109	Bikaner	Jain shvetambri terapanthi sabha	Jain shvetambri terapanthi sabha, ward 21	Others	9828121845
110	Bikaner	Kailash Vaishnav Bhojnalay	Kailash Vaishnav Bhojnalay, Station Road, ward 58	Dhabas	
111	Bikaner	Mahesh Hotel Or Restorant	Mahesh Hotel Or Restorant, Station Road, ward 58	Hotels	7976538219
112	Bikaner	Bhati Vaishnav Bhojnalay	Bhati Vaishnav Bhojnalay, Station Road, ward 58	Dhabas	8504979269
113	Bikaner	Osaval panchyati bhwan	Osaval panchyati bhwan/ gangashaher, ward 24	Others	9079757643
114	Bikaner	Maheshavri bhwan	Maheshavri bhwan/ gangashaher, ward 24	Others	9309045676
115	Bikaner	Sunil Restorant,	Sunil Restorant, Station Road, ward 58	Restaurants	9413659111
116	Bikaner	Nath Ji Restorant,	Nath Ji Restorant, Station Road, ward 58	Restaurants	9829115637
117	Bikaner	New Rama Bhawan,	New Rama Bhawan, Rampura Gali No.02, Kanasar Road, ward 58	Others	1512201919
118	Bikaner	Girdhar palace	Girdhar palace/ ram rajya chock bhinashehar, ward 23	Others	9351661372
119	Bikaner	Krishn bhwan	Krishn bhwan/ chmpalal bethiya haveli road, ward 23	Others	9602169696
120	Bikaner	Navkar bhwan	Navkar bhwan/ sadhu marg, ward 23	Others	
121	Bikaner	Manak gest house	Manak gest house / nokha road, ward 23	Others	8209958291
122	Bikaner	Gungun Palace,	Gungun Palace, Rampura Gali No.02, ward 58	Others	9828121881
123	Bikaner	Osawal panchayti bhwan	Osawal panchayti bhwan / bhinashehar, ward 23	Others	9079757643

124	Bikaner	Radhika Palace,	Radhika Palace, Rampura Gali No.02,ward 58	Others	8078637612
125	Bikaner	Agarval bhawna	Agarval bhawna,ward 26	Others	9352427915
126	Bikaner	Mahatma bhwan	Mahatma bhwan,ward 26	Others	7062138328
127	Bikaner	Mali smaj bhwan	Mali smaj bhwan,ward 26	Others	9982788263
128	Bikaner	Mahadev bhwan	Mahadev bhwan,ward 26	Others	7062138328
129	Bikaner	Ram Pratap Bhawan,	Ram Pratap Bhawan, Rampura Gali No.02,ward 58	Others	9928654288
130	Bikaner	Dudi Sadan,	Dudi Sadan, Station Road,ward 58	Others	9460652929
131	Bikaner	Bhuk Lagi	Bhuk Lagi, Mukta Prasad,ward 58	Restaurants	9983161189
132	Bikaner	P.N. palace	P.N. palace,ward 20	Others	9414506540
133	Bikaner	gangor palace	Gangor palace,ward 20	Others	8949050688
134	Bikaner	Nahta Bhawan	Nahta Bhawan,ward 20	Others	9414218060
135	Bikaner	Govind Bhawan	Govind Bhawan,ward 20	Others	
136	Bikaner	Kheteshwar Bhawan	Kheteshwar Bhawan,ward 20	Others	8147627905
137	Bikaner	HB Bhawan	HB Bhawan,ward 59	Others	9782435292
138	Bikaner	Chandni Bar, Hotel & restorant	Chandni Bar, Hotel & restorant, Gajner Road, Ward No.55	Hotels	1512523102
139	Bikaner	Pt.Dindayal Upadhyay Samudayik Bhawan	Pt.Dindayal Upadhyay Samudayik Bhawan,Raj.Awas Mandal,Mukta Prasad,ward 59	Others	1512523102
140	Bikaner	Govind Bhawan	Govind Bhawan Sector No.05 Mukta Prasad,ward 27	Others	8890719644
141	Bikaner	Jaat Samaj Bhawan	Jaat Samaj Bhawan, Lal Gufa Road,ward 27	Others	9414425826
142	Bikaner	Bhati Bhawan	Bhati Bhawan, Mohta Saray,ward 27	Others	9413011952
143	Bikaner	Rangrejan Samaj Samudayik Bhawan	Rangrejan Samaj Samudayik Bhawan, Mohta Saray,ward 27	Others	9829230054
144	Bikaner	Mali Samaj Mahadev Mandir,Bagechi Trust	Mali Samaj Mahadev Mandir,Bagechi Trust,ward 27	Others	9214571742
145	Bikaner	MR Palace	MR Palace, In Front of Bhadani Talai,ward 27	Others	9413011952
146	Bikaner	Pushtikar Purohit, Bhadani Panchayati trust,	Pushtikar Purohit, Bhadani Panchayati trust, In Front of Bhadani Talai,ward 27	Others	9588841226
147	Bikaner	Veer Jambheshwar Mahadev Mandir Trust,	Veer Jambheshwar Mahadev Mandir Trust, ,ward 27 vidhya Sagar Acharya bagechi, Near Bikaji Tekri	Others	9588841226
148	Bikaner	Hotel Lal Ji	Hotel Lal Ji, Station Road,ward 33	Hotels	9351203777
149	Bikaner	Ambar Hotel	Ambar Hotel, Station	Hotels	8619090130

			Road,ward 33		
150	Bikaner	Heera Lal Hotel, Restorant and Bar	Heera Lal Hotel, Restorant and Bar, Station Road,ward 33	Hotels	1512205551
151	Bikaner	Vrandawan Hotel,	Vrandawan Hotel, Gangasehar Road,ward 33	Hotels	7611849209
152	Bikaner	Choti Motu Joshi Mishthan Bhawan & Hotel	Choti Motu Joshi Mishthan Bhawan & Hotel,ward 33	Hotels	1512527700
153	Bikaner	Agarwal Bhujiya Bhandar	Agarwal Bhujiya Bhandar, Near Sankhla Fatak,ward 33	Others	6375966330
154	Bikaner	BikanerBhujiya Bhandar	BikanerBhujiya Bhandar, Near Sankhla Fatak,ward 33	Others	9413311780
155	Bikaner	Ganesh Hotel,	Ganesh Hotel, Station Road,ward 33	Hotels	9782439954
156	Bikaner	Krishna Hotel,	Krishna Hotel, Station Road,ward 33	Hotels	9468568558
157	Bikaner	Krishna Hotel & Bar	Krishna Hotel & Bar Station Road,ward 33	Hotels	7976051751
158	Bikaner	Tyagi vatika, Samudayik Bhawan	Tyagi vatika, Samudayik Bhawan, Biscuit wali Gali,ward 33	Others	9929535000
159	Bikaner	Shanti Nivas Hotel & Barat Ghar	Shanti Nivas Hotel & Barat Ghar,ward 33	Hotels	1512542320
160	Bikaner	Shree Heeralal Meera Devi Bhawan,	Shree Heeralal Meera Devi Bhawan, Gali No.04, Naiyo ka Mohala, Bangla Nagar,ward 01	Others	
161	Bikaner	Ramdev Bhawan	Ramdev Bhawan Gali No. 12, Mukta Prasad,ward 01	Others	9460780048
162	Bikaner	Baba Ramdev Bhawan,i	Baba Ramdev Bhawan,Near Gangour School, Chungi Chowki,ward 01	Others	
163	Bikaner	Jetha Devi Trust, Deshwali kumhar Bhawan	Jetha Devi Trust, Deshwali kumhar Bhawan,Bhadu Bazar, Bangla Nagar,ward 01	Others	
164	Bikaner	Kali Mandir Bhawan,	Kali Mandir Bhawan,Samudayik Bhawan,ward 01	Others	9950864812
165	Bikaner	Samudayik Bhawan,	Samudayik Bhawan, Gali No.02 Bangla Nagar,ward 01	Others	7339883438
166	Bikaner	Makhan Bhog Palace	Makhan Bhog Palace, Pugal Road, Bangla Nagar,ward 01	Others	9785584958
167	Bikaner	Jaat Dharmshala	Jaat Dharmshala,Near Bhaya Maharaj Hotel ,Bangla Nagar,ward 01	Others	
168	Bikaner	Ramdev Mandir Bhawan	Ramdev Mandir Bhawan, Behind Dudi Petrol Pump,	Others	9414324888

			Bangla Nagar, ward 01		
169	Bikaner	Abha Palace	Abha Palace, New Gajner Road, Sarvoday Basti, ward 01	Others	9314793085
170	Bikaner	Ashirwad Bhawan	Ashirwad Bhawan Near Laxmi Unn Meal, Sarvoday Basti, ward 01	Others	9352122119
171	Bikaner	Angur Palace,	Angur Palace, Mukta Prasad Road, Sarvoday Basti, ward 01	Others	9716432136
172	Bikaner	Morpankh Bhawan	Morpankh Bhawan, Mukta Prasad Road, ward 01	Others	9352836180
173	Bikaner	Hasnen Trust,	Hasnen Trust, Near Girdhar das Mundhra School, Sarvoday Basti, ward 01	Others	9661295786
174	Bikaner	Laxmi Heritaze	Laxmi Heritaze, Near Kothari Hospital, ward 04	Others	9414324848
175	Bikaner	Maheshwari Sadan,	Maheshwari Sadan, Outside Jassusar Gate, ward 04	Others	1512205917
176	Bikaner	Rankawat Bhawan	Rankawat Bhawan, Near Bikana Hospital, Outside Jassusar gate	Others	9799846607
177	Bikaner	Roopchand & Mohanlal Restorant,	Roopchand & Mohanlal Restorant, Outside Jassusar gate, ward 04	Hotels	1512205633
178	Bikaner	Meghwansh Bhawan	Meghwansh Bhawan, Ambedkar Chowk, Pabubari, ward 10	Others	
179	Bikaner	Nayak Samaj Bhawan	Nayak Samaj Bhawan, Nayako ka Mohalla, ward 10	Others	9414137262
180	Bikaner	Siyaram Gufa Bhawan,	Siyaram Gufa Bhawan, Nayko ka Mohalla, ward 10	Others	
181	Bikaner	Baba Ramdev Bhawan	Baba Ramdev Bhawan, Loharo ka mohalla, ward 10	Others	
182	Bikaner	Mangilal Bhawan	Mangilal Bhawan, Near Sh. Rameshwar Dudi House, ward 10	Others	8385008300
183	Bikaner	Taj New Hotel	Taj New Hotel, Kashaiyo ki Bari, ward 11	Hotels	9152827339
184	Bikaner	Taj Old Hotel	Taj Old Hotel, Shubhas Marg, ward 11	Hotels	9152827339
185	Bikaner	Raja Hotel	Raja Hotel, Shubhas Marg, ward 11	Hotels	7737135935
186	Bikaner	Simran Hotel	Simran Hotel, Shubhas Marg, ward 11	Hotels	9152122178
187	Bikaner	M.R. Hotel	M.R. Hotel, Shubhas Marg, ward 11	Hotels	1512201686
188	Bikaner	Baag E Shaan Hotel,	Baag E Shaan Hotel, Shubhas Marg, ward 11	Hotels	7737139500

189	Bikaner	H.M.R. Hotel,	H.M.R. Hotel, Shubhas Marg,ward 11	Hotels	9314293440
190	Bikaner	Ibrahim Kadri Hotel	Ibrahim Kadri Hotel, Shubhas Marg,ward 11	Hotels	9251808792
191	Bikaner	Samudayik Bhawan	Samudayik Bhawan, Badi Jassolai,ward 53	Others	9057586747
192	Bikaner	Sutharan Panchayat Samudayik Bhawan,	Sutharan Panchayat Samudayik Bhawan, Near Ramdev Temple,ward 53	Others	8823991295
193	Bikaner	Kherpur Bhawan	Kherpur Bhawan, Kamla colony,ward 53	Others	9414318714
194	Bikaner	PMV Palace, Near Ayurved Aousdhalay,	PMV Palace, Near Ayurved Aousdhalay, Kamla Colony,ward 53	Others	9799565958
195	Bikaner	Vidhya Bhawan	Vidhya Bhawan, Acharyo Ki Samsan ke Pass,ward 54	Others	9251808792
196	Bikaner	Heera Panna Bhawan	Heera Panna Bhawan, Ranisar Bas, Near Daru Godam,ward 54	Others	9057586747
197	Bikaner	Shree Sai Palace,	Shree Sai Palace, Nagar Nigam Bhandar,ward 54	Hotels	1512222322
198	Chhapar	Hulaschand	Ram shankar Gosala Chhapar	Others	9887966836
199	Churu	Hotel Natraj	Near Laal Ghantaghar	Hotel	9414315685
200	Churu	Rajhans Hotel	Near Railway Station	Hotel	9351390281
201	Churu	Rathore Lodge	Railway Station Road	Hotel	9460300333
202	Churu	Shakti Palace	Churu Jaipur Road	Hotel	9982000001
203	Churu	Hotel Suncity Palace	Near Lohia College	Hotel	01562-255601
204	Hanumangarh	Rajvi Palace	Town Juncation Road Hanumangarh Town	Hotal	9414094889
205	Hanumangarh	Royal Paradise	Town Juncation Road Hanumangarh Town	Hotal	9414092485
206	Raisinghnagar	Vagetable Market	Ward No. 24	Vegetables and Fruit Market	9414088670
207	Raisinghnagar	Shri Balaji Hospital	Near PHED	Others	9079094235
208	Raisinghnagar	Dr. Raju Singla	New Light Cenima Ke Samne	Others	9587384459
209	Raisinghnagar	Dr. Makkar Hosptal	E Biock	Others	9414578884
210	Raisinghnagar	Dr. Mishra Hospital	E Biock	Others	9414501367
211	Raisinghnagar	Celebration	Near Bus Stand	Hotels	8890044116

212	Raisinghnagar	Kalra Nursing Home	Bus Stand Road	Others	1507221515
213	Raisinghnagar	I P Hotel	Near Bank Of India	Hotels	8290418222
214	Raisinghnagar	Aggarwal Nursing Home	Panchyat Sameti Road	Others	9414223154
215	Raisinghnagar	Modern Health Care	Panchyat Sameti Road	Others	9414092100
216	Raisinghnagar	Sharma Nursing Home	Panchyat Sameti Road	Others	1507220408
217	Raisinghnagar	Bhambhu Hospitl	Panchyat Sameti Road	Others	9413377636
218	Raisinghnagar	Govt. Hospital	Opp. Mini Secretrial	Others	9667057999
219	Raisinghnagar	Black Panther	Near New Light Cinema	Hotels	9667454536
220	Shriganganagar	Govt. Hospital	Suratgarh Rd, Naiya Wali, 4 A, Rajasthan 335001	Hospitals	9413778312
221	Shriganganagar	Roadways Bus Stand	Bus Station Rd, P Block, Sri Ganganagar, Rajasthan 335001	Others	9549653234
222	Shriganganagar	Govt. Balluram Godara college	Bhagat Singh Chowk, Sri Ganganagar, Rajasthan 335001	Others	9413932580
223	Shriganganagar	Hotel Pagoda Inn	22, Ravindra Path, B Block, Sri Ganganagar, Rajasthan 335001	Hotels	8560042364
224	Shriganganagar	Hotel Prime Residency	5, Hotel Prime Presidency, Sukhadiya Cir, N Block, Sri Ganganagar, Rajasthan 335001	Hotels	9549099456
225	Shriganganagar	Sadhuwali Cantt	Abhohar Road Sri Ganganagar	Others	0154249281 3
226	Shriganganagar	Krishi Upaj Mandi(Fruit &Veg)	Near sukhadia circle Sri Ganganagar, Rajasthan 335001	Vegetables and Fruit Market	1542472526
227	Shriganganagar	CGR mall	Hanumangarh Rd, Near Chahal Chowk, Chahal Chowk, Jawahar Nagar, Sri Ganganagar, Rajasthan 335001	Others	8875230003
228	Shriganganagar	Bihani Group of Institutions	Gagan Path, Sri Ganganagar, Rajasthan 335001	Others	1542466775

229	Shriganganagar	Hotel Desert Gold	M-4, Moti Vihar Nr, Sukharia Circle, Meera Marg, Moti Vihar, Tilak Nagar, Sri Ganganagar, Rajasthan 335001	Hotels	1542462300
230	Shriganganagar	Railway Station	Jawahar Market Rd, Old Dhan Mandi, Sri Ganganagar, Rajasthan 335001	Others	1542442422
231	Shriganganagar	Govt. Ambedkar College	Hindumalkot Road, Model Town, Water Works Colony, Sri Ganganagar, Rajasthan 335001	Others	0154244 0056
232	Shriganganagar	Ras corner	Ras corner Gol bazar Market Sir Gangangar	Eating Places	094615 65553
233	Suratgarh	Ashiyana Hotel	Ward no. 38 Suratgarh	Hotel	1509222697
234	Suratgarh	Harsh Hotel	New Moter Market Suratgarh	Hotel	9654500001
235	Suratgarh	Pachireya Hotel	NH-62 Indra Chowk Suratgarh	Hotel	9928618999
236	Dungargar	Jyotiba Fulle Sabji Mandi	Near Bus Stand, Bigga Bass)	Vegetables	-
237	Dungargar	New Sabji Mandi	Near Govt Hospital, Momasar Bass	Fruit Market	-
238	Hanumangarh	Rajvi palace	Town junction road	Resort	-

List of Bulk Waste Generators - Jaipur Division

S. No.	ULB name	Name	Address	Type	Contact Details
1	Jaipur Municipal Corporation	LMB	Johri Bazar	Hotel	9784718629
2	Jaipur Municipal Corporation	Karma Haveli Brahmpuri, Jaipur	Brahmpuri, Jaipur	Hotel	9829052451
3	Jaipur Municipal Corporation	Pondrik Garden	Tal Katora Colony	Garden	9352555826
4	Jaipur Municipal Corporation	Hotel Royal Sheraton	Near Hawa Mahal, Chandi Ki Taksal, Old Amer Road, Kanwar Nagar, Jaipur, Rajasthan 302002	Hotel	9352895751
5	Jaipur Municipal Corporation	Jai Niwas Garden	B-91, Rajamal Ka Talab Rd, Gangori Bazaar, J.D.A. Market, Kanwar Nagar, Jaipur, Rajasthan 302002	Garden	9352555826
6	Jaipur Municipal Corporation	Bhartiya Vidhya Bhawan Vidhya Aashram shchool's	Bhaskar Puliya	Schools	9829500991
7	Jaipur Municipal Corporation	Bhagwan Mahaveer Cancer Hospitals	JLN Marg	Hospitals	9610065120
8	Jaipur Municipal Corporation	Hotel Rambagh	Rambagh Circle	Hotels	9251088848
9	Jaipur Municipal Corporation	Hotel Narayan Niwas Kanota Bag	Narayan Singh Circle	Hotels	9414820679
10	Jaipur Municipal Corporation	Hotel Lord Plaza	Tonk Road	Hotels	7665029777
11	Jaipur Municipal Corporation	ST. Saint Xavier Schools	Bhagwan Das Road, C-Scheme, Jaipur - 302001	Schools	0141-2372336
12	Jaipur Municipal Corporation	Santha bagh	Trimurti Circle JLN Marg, Jaipur	Hotels	9414054257
13	Jaipur Municipal Corporation	RBI colony	Bajaj Nagar, Jaipur	RWA	9828084859
14	Jaipur Municipal Corporation	Hotel Ramada	Raja Park, Jaipur	Hotels	8955292253
15	Jaipur Municipal Corporation	Hotel Dodas	Raja Park, Jaipur	Hotels	9414007581
16	Jaipur Municipal Corporation	Pink Square Mall	Govind Marg, Raja Park, Jaipur	mall	8955244666
17	Jaipur Municipal Corporation	Seediling Public School	Jawahar Nagar, Jaipur	Schools	9314088084
18	Jaipur Municipal Corporation	Hotel Vesta Mourya Palace	C-Scheme, Jaipur	Hotels	9251469541

19	Jaipur Municipal Corporation	Hotel Grand Uniara	JLN Marg, Jaipur	Hotels	7240443866
20	Jaipur Municipal Corporation	SDMH Hospital	Bhawani Singh Marg Ram Bag Circle, Jaipur	Hospitals	1413524444
21	Jaipur Municipal Corporation	Gyanji Cateress	Ashok nagar,C-Scheme, Jaipur	reshturent	9928036043
22	Jaipur Municipal Corporation	Birla Ouditarium	Staure Circle, Jaipur	other	9460548365
23	Jaipur Municipal Corporation	Saint Soldier School	Bhagwan Das Road, Jaipur	Schools	8890498301
24	Jaipur Municipal Corporation	Hotal Diggi Palace	Diggi House , Shivaji Marg, Sawai Ram Singh Rd, C Scheme, Jaipur, Rajasthan 302004	Hotels	1412373091
25	Jaipur Municipal Corporation	Hotel Red Fox	Bajaj Nagar JLN marg, Jaipur	Hotels	9694924538
26	Jaipur Municipal Corporation	S.J.Public school	Janta Colony, Jaipur	Schools	141261395
27	Jaipur Municipal Corporation	Hotel Fern Residency	A-13, Govind Marg, Jaipur	Hotel	9971695346
28	Jaipur Municipal Corporation	Mahaveer Public School	Mehaveer Marg,C-scheme Jaipur	Schools	9351406794
29	Jaipur Municipal Corporation	St. Angela Sophia Sen. Sec.School	Ghat Gate, Jaipur	Schools	1412601698
30	Jaipur Municipal Corporation	Hotel Bliss	Panchwati Sacircle 289/ Lane no.06 Raja Park, Jaipur	Hotels	2249449831
31	Jaipur Municipal Corporation	MGD Girls Public School	Swami Ram Singh Road Sangram Colony Ashok Nagar	Schools	1412374086
32	Jaipur Municipal Corporation	St.Edmunds School	Secotr 5, Jewahar nagar,Jaipur	Schools	9928091091 9928909999
33	Jaipur Municipal Corporation	Ashok Club	Bhagwan Das Rd, Opposite Secretariat, Rambagh, Jaipur, Rajasthan 302005	Club	1412385090
34	Jaipur Municipal Corporation	A.G Colony	Bajaj Nagar, NH - 8 Jaipur, Jaipur, Jaipur District, Rajasthan,	Apartment	-
35	Jaipur Municipal Corporation	Maheshwari Public School	Jawhar nagar, Sector 4, Jaipur	Schools	9680363304
36	Jaipur Municipal Corporation	Trimurti Apartment	M.G.H. 1 Model Tower Malviya Nagar, Jaipur	Apartment	0141-2750256
37	Jaipur Municipal Corporation	Shri Hospital	4-4 Vishnupuri Jagatpura Jaipur	Hospital	0141-2752880
38	Jaipur Municipal Corporation	J.T.M. Model	B 2 Model Town,Jaipur	Apartment	8890081024

39	Jaipur Municipal Corporation	OK Plus Spaces	Malviya Nagar, Jaipur	Commercial Building	8890288999
40	Jaipur Municipal Corporation	Alien Mall	Malviya Nagar, Jaipur	Mall	7728896859
41	Jaipur Municipal Corporation	Agrawal Hospital	S.P. 3 Malviya Industries Area Apex Circle Malviya Nagar jaipur	Hospital	9460889939
42	Jaipur Municipal Corporation	Apex Hospital	Malviya Nagar, Jaipur	Hospital	9460889939
43	Jaipur Municipal Corporation	C 2 Plaza	Near Apex Circle, Jaipur	Resort	-
44	Jaipur Municipal Corporation	Kanha Restaurent	Tonk Road Gopalpura,Jaipur	Restaurent	9785401325
45	Jaipur Municipal Corporation	Bombay Misthan Bhandar	1212 Jai Jawan Colony, Tonk Road, Durgapura, Jaipur	Restaurent	9829055442
46	Jaipur Municipal Corporation	Kesar Restaurent	K. 44 Income Tax Colony S.L. Marg, Jaipur	Restaurent	9829099033
47	Jaipur Municipal Corporation	Fort Restaurent	P-20,S.L. Marg, Jaipur	Restaurent	9928813399
48	Jaipur Municipal Corporation	Bajaj Nagar Vyapar Mandal	Bajaj Nagar, Jaipur	Vyapar Mandal	7891888333
49	Jaipur Municipal Corporation	Pinliya Marrige Garden	A-47,Bajaj Nagar, Jaipur	Marrige Garden	9514055389
50	Jaipur Municipal Corporation	Marrige Paradise	Jai Jawan colony, J.L.N. Marg, Jaipur	Marrige Garden	9785000036
51	Jaipur Municipal Corporation	Ganpati Paradise	Jai Jawan colony, J.L.N. Marg, Jaipur	Marrige Garden	9352621199
52	Jaipur Municipal Corporation	Jaipur Place Garden	H 10,S.L. Marg, Jaipur	Marrige Garden	9314621033
53	Jaipur Municipal Corporation	Jaipuria Hospital	Milap Nagar,Jaipur	Hospital	9829010320
54	Jaipur Municipal Corporation	Hotel Charu	Raja Park, Jaipur	Hotel	9829000053
55	Jaipur Municipal Corporation	Hotel King Corner	555,Gali No. 6,Raja Park,Jaipur	Hotel	9660203001
56	Jaipur Municipal Corporation	Hiltop Plaza	Goal MarketRoad No. 2 Jawahar Nagar,Jaipur	Plaza	9829247485
57	Jaipur Municipal Corporation	Umang Community Hall	Burmiese Colony,Z-5-A, Jaipur	Community Hall	9314060096
58	Jaipur Municipal Corporation	Vaibhav Apartment	Sethi Colony, Jaipur	Apartment	9983835546

59	Jaipur Municipal Corporation	Unnati Paradise	Sethi Colony, Jaipur	Apartment	8696913682
60	Jaipur Municipal Corporation	Lakshdeep Apartment	Plot No. 25-26 Sethi Colony, Jaipur	Apartment	9829053375
61	Jaipur Municipal Corporation	Metrical Mall	Sector No. 4 SBI Bank,Jaipur	Mall	9829010540
62	Jaipur Municipal Corporation	Shibham Apartment	Sector No. 3 Jawahar Nagar,Jaipur	Apartment	9829054194
63	Jaipur Municipal Corporation	Janupyogi kendra	Sector No. 4 Jawahar Nagar, Jaipur	Janupyogi kendra	9314909277
64	Jaipur Municipal Corporation	Bhuppe House	Sector No. Jawahar Nagar,Jaipur	Apartment	7877774377
65	Jaipur Municipal Corporation	Hotel Divine	149 Bag Singh ka Divine Chauraha Adarsh Nagar, Jaipur	Hotel	7023590003
66	Jaipur Municipal Corporation	SDC Green Park Apartment	Janta Colony,SS School k Pas,Jaipur	Apartment	7014226459
67	Jaipur Municipal Corporation	Samudaik Kendra	Janta Colony, Jaipur	Samudaik Kendra	9351543729
68	Jaipur Municipal Corporation	Moti Aashirwad	A 29, Janta Colony Circle k Pas, Jaipur	Apartment	-
69	Jaipur Municipal Corporation	Tadka Lali Restaurent	20 Dukan Aadarsh Nagar,Jaipur	Restaurent	9829872007
70	Jaipur Municipal Corporation	Mohan Dhaba	20 Dukan Aadarsh Nagar,Jaipur	Restaurent	8107721213
71	Jaipur Municipal Corporation	Bhagat Singh Park	Goving Marg, Ramana Hotel k Samne ,Jaipur	Garden	9414991984
72	Jaipur Municipal Corporation	Jaipur Jungle	Govind Marg,Jaipur	Restaurent	9828590509
73	Jaipur Municipal Corporation	Jaipur Darbar	Govind Marg,Near Baidk Kanya School, Jaipur	Hotel	8949663148
74	Jaipur Municipal Corporation	Balaji Bhojnalya	MD Road Sanganeri Gate, Jaipur	Restaurent	9829021598
75	Jaipur Municipal Corporation	Balaji Misthan Bhandar	MD Road Sanganeri Gate, Jaipur	Restaurent	0141-2614757
76	Jaipur Municipal Corporation	Gum Shakahari Dhaba	MD Road Sanganeri Gate, Jaipur	Restaurent	9950831591
77	Jaipur Municipal Corporation	Hotel Chandra Mahal	MD Road Sanganeri Gate, Jaipur	Hotel	9412619351
78	Jaipur Municipal Corporation	Hotel Firoz	MD Road Masjid K Pas, Jaipur	Hotal	0141-2602952
79	Jaipur Municipal Corporation	Nafisa Hotel	MD Road Masjid K Samne,Jaipur	Hotel	9772454875

80	Jaipur Municipal Corporation	Musafir khana	MD Road, Jaipur	Guest House	9414061254
81	Jaipur Municipal Corporation	T.C. Hospital	MD Road, Jaipur	Hospital	-
82	Jaipur Municipal Corporation	Dr. kamal Jain	MD Road, Jaipur	Hospital	-
83	Jaipur Municipal Corporation	Bombay Mishthan Bhandaar	Sanganeri Gate, Jaipur	Restaurent	-
84	Jaipur Municipal Corporation	Ratan Puri Chaat Bhandaar Veg Hotel	Lodha ka mohalla,sanganeri gate,Jaipur	Restaurent	-
85	Jaipur Municipal Corporation	Hotel Broadway	Transport Nagar, Choraha Haveli Shahar , Jaipur	Hotel	-
86	Jaipur Municipal Corporation	Hotel Jypore	Transport Nagar, Choraha Haveli Shahar , Jaipur	Hotel	-
87	Jaipur Municipal Corporation	Hotel Mark In	Transport Nagar Jaipur	Hotel	-
88	Jaipur Municipal Corporation	Jagdish Bhojnayalya	Sanganeri Gate, Jaipur	Restaurent	-
89	Jaipur Municipal Corporation	Pink City Harritage Restorant	Parwat Colony,amer road,Jaipur	Restaurent	-
90	Jaipur Municipal Corporation	Hotel Ashok Palace	Govind Vatika Panchmukhi Hanumaan mandir ke pas	Hotel	-
91	Jaipur Municipal Corporation	Hotel Vijay palace	Ghat gate bazar ramganj jaipur	Hotel	-
92	Jaipur Municipal Corporation	Shimla Hotel	Chokdi ramchandra ji, Jaipur	Hotel	-
93	Jaipur Municipal Corporation	Hotel Sun City	Chokdi Gangapole Rval ji ka bag Jaipur	Hotel	-
94	Jaipur Municipal Corporation	Haiwas Garden	Agra Road,Paldi Meena, Jaipur	Garden	-
95	Jaipur Municipal Corporation	K.K. Paradise	Agra RoadJ Amdoli Prem Nagar, Jaipur	Garden	-
96	Jaipur Municipal Corporation	Golden Marrige Garden	Jamdoli, bihind Apolo Hospital, Jaipur	Garden	-
97	Jaipur Municipal Corporation	Rajmahal Garden	Model Town Agra road, Jaipur	Garden	-
98	Jaipur Municipal Corporation	Star Marrige Garden	Shikariyo ki Mori, Ramganj choupad, Jaipur	Garden	-
99	Jaipur Municipal Corporation	Prem Marrige Garden	Chokdi gangapole raval ji ka bag, Jaipur	Garden	-
100	Jaipur Municipal Corporation	Park Reagis	Amer Road, Jaipur	Hotels	7340034450

101	Jaipur Municipal Corporation	Lebua Lodge	Amer Road, Jaipur	Hotels	8003190552
102	Jaipur Municipal Corporation	Hotel Trident	Jal Mahal Amer Road, Jaipur	Hotels	9694090110
103	Jaipur Municipal Corporation	Hotel Raj Palace	Jorawar Singh Gate Amer road, Jaipur	Hotels	-
104	Jaipur Municipal Corporation	Hotel Indana Palace	AmerRoad, Jaipur	Hotels	9116107011
105	Jaipur Municipal Corporation	K.K.Royal Days	Amer Road, Jaipur	Hotels	-
106	Jaipur Municipal Corporation	Hotel Regenta Central	OppositeJal Mahal Amber Road	Hotel	8003990885
107	Jaipur Municipal Corporation	Amer City Heritage Hotel	B-2 Gupta Garden Amer Road Jaipur	Hotel	9352559444
108	Jaipur Municipal Corporation	Umaid Residency	SR 62,63,64 Riico Kukas, Jaipur	Hotel	-
109	Jaipur Municipal Corporation	Umaid Haveli Hotels Resort	Old Campus Road Riico Kukas, Jaipur	Hotel	-
110	Jaipur Municipal Corporation	M/s Shri Ram Palace	08, Jorawar Singh Gate Kay Pas, amer Road , Jaipur	Hotel	9314402002
111	Jaipur Municipal Corporation	M/s Holiday Inn	Plot No.01 Golimar Garden Scheme Amer Road Nagar Nigam colony,Jaipur	Hotel	7340034450
112	Jaipur Municipal Corporation	Roma Palace	Dushera Koti, Govind Nagar East, amere Road jaipur	Hotel	9928999491
113	Jaipur Municipal Corporation	Amer City Heritage Hotel	Gupta Garden, Near Brahmipuri Police Station, amer Road jaipur	Hotel	9782173415
114	Jaipur Municipal Corporation	T.T. food Product Palace	Amer Road, Jaipur	Hotel	9414784586
115	Jaipur Municipal Corporation	R.R. Palace	Near Jorawar Singh Gate, Jaipur	Hotel	-
116	Jaipur Municipal Corporation	Nehru Sewa Sadan Palace	Amer Road, Jaipur	Community Hall	9761309797
117	Jaipur Municipal Corporation	Vijay Villa	Dushera Koti, Govind Nagar East, amer Road , Jaipur	Marriage Garden	9414049318
118	Jaipur Municipal Corporation	Krishna Marriage Garden	Jaipur	Marriage Garden	-
119	Jaipur Municipal Corporation	Ajim Marriage Garden	Karbala Ground, Hajrat Ali Nagar, Ramgarh Mode Jaipur	Marriage Garden	-
120	Jaipur Municipal Corporation	Keshar Palace	Amer Road Jalmahal, Jaipur	Hotel	9309404006

121	Jaipur Municipal Corporation	Jai Palace	Amer Road Jalmahal, Jaipur	Hotel	9784137771
122	Jaipur Municipal Corporation	Pink City Restaurant	kalay hanuman Gi Road, Kagdiwara, Rajivpuri, Jaipur	Hotel	0141-2671475
123	Jaipur Municipal Corporation	Pink City Restaurant	Amer Road , Jaipur	Hotel	7014541310
124	Jaipur Municipal Corporation	M.M Khan Hotel	Ramgarh Mod, Amer Road, Jaipur	Hotel	7820955537
125	Jaipur Municipal Corporation	Namaste Rajasthan Restaurant	Ploat No. 1, Govind Puri (West), Near Ramgarh Mod, Amer Road, Jaipur, Rajasthan 302002	Hotel	9828467122
126	Jaipur Municipal Corporation	Rainbow Restaurant	37-B,Pratap Nagar, Rainbow Restaurant, 72, Near Post Office, Ramgarh Mod, Amer Rd, Jagdish Colony, Chhipiwara, Parasrampuri, Jaipur, Rajasthan 302002	Hotel	141 267 2237,8003604 08 5
127	Jaipur Municipal Corporation	New Thali Restaurant	219/2, New Ramgarh Mod, Near Jal Mahal, Amer Rd, Jagdish Colony, Chhipiwara, Parasrampuri, Jaipur, Rajasthan 302002	Hotel	9401433854
128	Jaipur Municipal Corporation	Jaipur Darbar - The Rooftop Lounge	11, 1, Govind Marg, near Anand Puri, Anand Puri, Bees Dukan, Raja Park, Jaipur, Rajasthan 302004	Hotel	89496 63148
129	Jaipur Municipal Corporation	Trident Hotel Jaipur	Amber Fort Road, Jal Mahal, Jaipur, Rajasthan 302002	Hotel	9694090112,0 14 1 267 0101
130	Jaipur Municipal Corporation	Pushp Garden	Bas Badanpura Road	Marriage Garden	9950953380
131	Jaipur Municipal Corporation	Anand Garden	10B, Gangopal Rd, Deewan Colony, Suraj Colony, Shankar Nagar, Jaipur, Rajasthan 302002	Marriage Garden	9982360320
132	Jaipur Municipal Corporation	Nand Vatika	29, Nh-11c, Ghanshyam Colony, Shankar Nagar, Jaipur, Rajasthan 302002	Marriage Garden	9887231265
133	Jaipur Municipal Corporation	Patti Garden	Opposite Bibi Fatima Colony, Jaipur	Marriage Garden	9079869174
134	Jaipur Municipal Corporation	Prime Hotel	S1,2,3 Krishna Colony, Near Beniwal Kanta, New Ramgarh Road, Jaipur, Rajasthan 302002	Hotel	8860186030
135	Jaipur Municipal Corporation	Hotel Royal View	Ramgarhmode, Bibi Fatima Colony, R- 18, Jaipur, Rajasthan 302002	Hotel	9829062404,0 99 116 46656

136	Jaipur Municipal Corporation	The Haritage Hotel	4-5, Manpur Sadva, Jaipur	Hotel	9636404015
137	Jaipur Municipal Corporation	Manbag Palace Marriage Garden	Manbag, Delhi Road, Jaipur	Marriage Garden	9782291813
138	Jaipur Municipal Corporation	New Anand Marriage Garden	Near Shanichar mandir, Jaisinghpura Khor, Jaipur	Marriage Garden	9928700214
139	Jaipur Municipal Corporation	K.K. Peradise Marriage Garden	Klan ki Scheme, Nayala Road, Jaipur	Marriage Garden	9829541686
140	Jaipur Municipal Corporation	Girdhari Marriage Garden	Lachhu baba ki bagachi, Jaisinghpur Khor, Jaipur	Marriage Garden	9667187700
141	Jaipur Municipal Corporation	Radhika Marriage Garden	Near Chavand mata, Jaisinghpura Khor, Jaipur	Marriage Garden	7014585203
142	Jaipur Municipal Corporation	Patel Marrige Garden	Nayla Road, Bada Gaila, Jaisinghpura Khor, Jaipur	Marriage Garden	9784637008
143	Jaipur Municipal Corporation	Raja Marriage Garden	Super Bazar, Jaipur	Marriage Garden	9829473426
144	Jaipur Municipal Corporation	Heva Heaven Resort	Jaisinghpura Khor, Jaipur	Marriage Garden	9829984932
145	Jaipur Municipal Corporation	Hotel Park Inn	BaniPark, Jaipur	Hotel	-
146	Jaipur Municipal Corporation	Hotel Paradise	Sikar Road, Jaipur	Hotel	0141-6700700
147	Jaipur Municipal Corporation	Hotel Lemon Tree	Bani Park, Jaipur	Hotel	-
148	Jaipur Municipal Corporation	Hotel Park Ocean	Metal Colony, Jaipur	Hotel	9783077755
149	Jaipur Municipal Corporation	Hotel Libra	Sikar Road, Jaipur	Hotel	9929647952
150	Jaipur Municipal Corporation	Sumaditya	Sikar Road, Jaipur	Hotel	9829005453
151	Jaipur Municipal Corporation	Hotel Chandrgupta	Sindhi Camp outgate, Jaipur	Hotel	1412206301
152	Jaipur Municipal Corporation	Royal Paradise Marriage garden	New Loha Mandi, Sikar Road, Jaipur	Marriage Garden	9928925125
153	Jaipur Municipal Corporation	Housing Board	Housing board Sabj Mandi, Jaipur	Housing Board	9414046293
154	Jaipur Municipal Corporation	Bajrang Dhaba	Ramanagar Shopping Centre, Jaipur	Hotel	-
155	Jaipur Municipal Corporation	Annpurna Dhaba	Ramanagar Shopping Centre, Jaipur	Hotel	-
156	Jaipur Municipal Corporation	EC de Shopping Mall	Near Kawantiya Circle Jan Mandir, Jaipur	Shopping Centre	9929026002

157	Jaipur Municipal Corporation	Hotel Hemestal Park	Shivmarg-222 B, Jaipur	Hotel	9887403069
158	Jaipur Municipal Corporation	Khandaka Marriage Garden	Jhakesvar Marg Bani Park, Jaipur	Marriage Garden	9414078563
159	Jaipur Municipal Corporation	Kamal Appartment	Ram Mandir Road, Near Jaipur Metal, Jaipur	Apartment	9829011152
160	Jaipur Municipal Corporation	Jai Ambe Pavitra Bhojanlay	Sindhi Camp outgate, Jaipur	Hotel	93146660468
161	Jaipur Municipal Corporation	Khadelwal Pavitra Bhojalaya	Sindhi Camp outgate, Jaipur	Hotel	9351626999
162	Jaipur Municipal Corporation	Taxi Kichen In	Sindhi Camp outgate, Jaipur	Hotel	9001738991
163	Jaipur Municipal Corporation	Deep Dhaba And Take Away	Sindhi Camp outgate, Jaipur	Hotel	9351629999
164	Jaipur Municipal Corporation	Thali Hotel vala	Sindhi Camp outgate, Jaipur	Hotel	9001738991
165	Jaipur Municipal Corporation	Shri Kanha Sweets and Kates	14 no Pulia stand seekar road, Jaipur	Hotel	9928595152
166	Jaipur Municipal Corporation	Serawat Juice Centre	14 No Circle Sekar Road, Jaipur	Juice Centre	8302444442
167	Jaipur Municipal Corporation	Saini Pavitra Bhijnalya	Jodala Mode Sikar Road, Jaipur	Hotel	9461543863
168	Jaipur Municipal Corporation	Dev kamal Hotel	Near Anokha Gaun Sikar road, Jaipur	Hotel	9783147429
169	Jaipur Municipal Corporation	Shiv Dhaba	Jodala Power house, Jaipur	Hotel	9549985797
170	Jaipur Municipal Corporation	Tanvar Restaurants	Near harmada In Front of Govt Hostel, Jaipur	Hotel	9928549427
171	Jaipur Municipal Corporation	Saini Restaurants	Near Harmada Thana, Jaipur	Hotel	9928549427
172	Jaipur Municipal Corporation	Shri Ram Dhaba	Rilence Market no 12 VKI Area Sikar Road, Jaipur	Hotel	9460150583
173	Jaipur Municipal Corporation	Hotel Shri Ram Palace	S 18 RICO Complex near delhi Pulia, Jaipur	-	-
174	Jaipur Municipal Corporation	Baba Hotel Restaurants	Road no 14 Sikar Road, VKI area, Jaipur	Hotel	9021100000
175	Jaipur Municipal Corporation	Hans Peacock garden	Road No 12 sikar road , Jaipur	-	-
176	Jaipur Municipal Corporation	Hotel Park Inn	BaniPark, Jaipur	Hotel	-
177	Jaipur Municipal Corporation	Hotel Paradise	Sikar Road, Jaipur	Hotel	-

178	Jaipur Municipal Corporation	Hotel lemon Tree	Bani Park, Jaipur	Hotel	-
179	Jaipur Municipal Corporation	Hotel Park Ocean	Metal Colony, Jaipur	Hotel	-
180	Jaipur Municipal Corporation	Hotel Libra	Sikar Road, Jaipur	Hotel	-
181	Jaipur Municipal Corporation	Sumaditya	Sikar Road, Jaipur	Hotel	-
182	Jaipur Municipal Corporation	Hotel Chandrgupta	Sindhi Camp outgate, Jaipur	Hotel	-
183	Jaipur Municipal Corporation	Royal Paradise Marriage garden	New Loha Mandi, Sikar Road, Jaipur	Marriage Garden	-
184	Jaipur Municipal Corporation	Ohm Shiv Sweet	Ohm Shiv Plaza Jawala mata mandir charan damu nadi benad Road, Jaipur	Restaurant	9829265934
185	Jaipur Municipal Corporation	Apno Gaun Hotel	Sikar Road VKI area, Jaipur	Hotel	9413343477
186	Jaipur Municipal Corporation	Rameshwar Garden	14 No Sikar road, Jaipur	Garden	9314509884
187	Jaipur Municipal Corporation	Balaji Pavira Bhojanalya	new Loha Mandi, Sikar Road, Jaipur	Restaurant	9929471826
188	Jaipur Municipal Corporation	B R Paradise Marriage Garden	NEw loha mandi road petrol pump ke pass macheda, Jaipur	Marriage Garden	9950122000
189	Jaipur Municipal Corporation	Sharma Tandoori Dhaba	road no 12 reilience market ke samne	Restaurants	9602343399
190	Jaipur Municipal Corporation	Ashok Dhaba	Road No. 12 Sikar Road, Jaipur	Restaurants	9509812470
191	Jaipur Municipal Corporation	Shiv Shakti Mishthan Bhandar	Road No 14 ke saamne Sikar road, Jaipur	Restaurants	9351562889
192	Jaipur Municipal Corporation	Savariya Sweets and Juice Centre	17 new loha mandi corner ajmer bypass, 14 No Jaipur	Restaurants	9928519845 8302359083
193	Jaipur Municipal Corporation	Shri Laxmi Mishtan Bhandhar	Road No 14 ke saamne Sikar road	Restaurants	8058861289
194	Jaipur Municipal Corporation	Krishna Sweets	Road no 12 ke samne Punjab National Bank ke pass sikar road	Restaurants	9414254116 9166218873
195	Jaipur Municipal Corporation	Maharaj Mishthan Bhandhar	New Loha Mandi road no 14, viskarma Jaipur	Restaurants	9314634103
196	Jaipur Municipal Corporation	Rani Bagh Marriage Garden	Seetavali Pathak Benad ROad Rajendra Nagar	Marriage Garden	9828159551
197	Jaipur Municipal Corporation	Rang Mahal Marriage Garden	Balaji College vali road sitavali Phathak, Beand Road,Jaipur	Marriage Garden	9950695551

198	Jaipur Municipal Corporation	Jai Vilash Resort & Garden	Balaji College vali road sitavali Phathak, Beand Road,Jaipur	Marriage Garden	9314933158
199	Jaipur Municipal Corporation	Shyam Restaurants	Road no 16,Jaipur	Restaurants	7610027036
200	Jaipur Municipal Corporation	Choudhary Restaurants	Road no 9,Jaipur	Restaurants	9784203281
201	Jaipur Municipal Corporation	Mithan Lal Restaurants	Road no 12,Jaipur	Restaurants	9784541315
202	Jaipur Municipal Corporation	Alishan Bakers	Road No 17,Jaipur	Bakers	735731983
203	Jaipur Municipal Corporation	Kamlesh Misthan Bhandhar	Road No 17,Jaipur	misthan Bhandhar	9694033550
204	Jaipur Municipal Corporation	Shyam Bhandhar	Road 17,Jaipur	Restaurants	7610027036
205	Jaipur Municipal Corporation	Rajawet Restaurants & Juice centre	Road No 17,Jaipur	Restaurants	7230993591
206	Jaipur Municipal Corporation	Gurjar Hotel	12 No ke pass,Jaipur	hotel	9314606238
207	Jaipur Municipal Corporation	Yadav Restaurants	9 No road ke pass,Jaipur	Restaurants	9950511581
208	Jaipur Municipal Corporation	Commercial Market	1 No road,Jaipur	Commercial Market	9829061667
209	Jaipur Municipal Corporation	Sabji Mandi	Police Thane ke peeche Kedia Road Murlipura,Jaipur	Sabji Mandi	9664153381
210	Jaipur Municipal Corporation	Brijesh Sweets	A 455,456, Murlipura Scheme Jaipur	Sweet Shop	9829050310
211	Jaipur Municipal Corporation	Shankar Dhaba	A 160, Shiv Nagar Murlipura,Jaipur	Restaurants	7976712646
212	Jaipur Municipal Corporation	Choudhary Dhaba	Road No 1 Sikar road Jaipur,Jaipur	Restaurants	9636000111
213	Jaipur Municipal Corporation	Taj Hotel	Road No 2, sikar road,Jaipur	Hotel	9829114786
214	Jaipur Municipal Corporation	Kani Ram Sweets & Restaurants	Road No 2,dena bank ke samne,sikar road,Jaipur	Restaurants	9829013153
215	Jaipur Municipal Corporation	Star Vali Housing welfare society	Plot no 2 to 7,jamnapuri murlipura,,Jaipur	Housing society	9928666725
216	Jaipur Municipal Corporation	Apecha Group Housing	Road No 2, murlipura,Jaipur	Housing society	8832032105
217	Jaipur Municipal Corporation	Rajat Paradise	Rajat Vihar, Dadi Ka Phatak,,Jaipur	Marriage Garden	7062721000
218	Jaipur Municipal Corporation	Narayan Vatika	Mataji Mandir Ke pass Dev Nagar,Jaipur	Marriage Garden	9784016060

219	Jaipur Municipal Corporation	Krishna Marriage Garden	Shiv Durga Mandir ke Pass Vijay Nagar	Marriage Garden	9829546060
220	Jaipur Municipal Corporation	Gulab Paradise	Dev Nagar	Marriage Garden	9667626599
221	Jaipur Municipal Corporation	The Hotel Royal Haweli	Kedia Circle Murlipura	Hotel	9928715077
222	Jaipur Municipal Corporation	Hotel Jaipur INA	Kedia Circle Murlipura	Hotel	9694680228
223	Jaipur Municipal Corporation	Sekhawatai Saini Pavitra Bhojalya	Dadi Ka Phatak	Restaurants	722087594
224	Jaipur Municipal Corporation	Kahdekwal Pavitra Bhojalya	Dadi Ka Phatak	Restaurants	9523202070
225	Jaipur Municipal Corporation	Sharma Dhaba	Kedia Circle Murlipura	Restaurants	8504089980
226	Jaipur Municipal Corporation	Mahadev Hospital	Plot No 22, Nadi Ka phatak kainad road murlipura	Hospital	9928039569
227	Jaipur Municipal Corporation	Anjani marriage garden	Narayan vihar, nangal jesa bohra	Marriage Garden	7014642325
228	Jaipur Municipal Corporation	Krishna paradise	Krishna colony nangal road	Marriage Garden	7610080000
229	Jaipur Municipal Corporation	Welcome balaji marriage paradise	Rameshwar dham colony	Marriage Garden	9549206349
230	Jaipur Municipal Corporation	Yagdutt Paradise	Niwaru road	Marriage Garden	992953008
231	Jaipur Municipal Corporation	Dhirawat Paradise	Green park E nangal	Marriage Garden	9929485381
232	Jaipur Municipal Corporation	Kalyan Marriage Paradise	Benad road nadi ka phatak	Marriage Garden	97846572055
233	Jaipur Municipal Corporation	Ashok Marriage Garden	Bajrang colony nangal jesa bohra	Marriage Garden	9828086624
234	Jaipur Municipal Corporation	Meena Paradise	Green park E nangal jesa bohra	Marriage Garden	9351972280
235	Jaipur Municipal Corporation	Yadav Dudh Dahi misthan bhandar anand vihar	Narayan nagar anand vihar benad road	Sweet Shop	9666057616
236	Jaipur Municipal Corporation	Katariya sweets misthan bhandar	Sita bihar benad road	Sweet Shop	9950106496
237	Jaipur Municipal Corporation	Bal bhog sweets caters	Green park colony benad road	Sweet Shop	9680188450
238	Jaipur Municipal Corporation	Dawat sweets caters	Shiv nagar benad road	Sweet Shop	7568089821

239	Jaipur Municipal Corporation	Sajoria sweets misthan bhandar	Shiv nagar benad road	Sweet Shop	9928099932
240	Jaipur Municipal Corporation	Jodhpur misthan bhandar	Narayan nagar sita vihar benaad road	Sweet Shop	9829965635
241	Jaipur Municipal Corporation	Jodhpur sweets	Laxmi nagar tiraha newaru road, jotwara	Sweet Shop	9799383470
242	Jaipur Municipal Corporation	Guddu biryani dhaba	Sainik marg kalawad road, jhotwara	Restaurant	9782978295
243	Jaipur Municipal Corporation	Islami Chicken Center	Sainik marg, jhotwara	Restaurant	7732807876
244	Jaipur Municipal Corporation	Yadav Restaurant	Dadi ka phatak	Restaurant	8058652539
245	Jaipur Municipal Corporation	Yadav Pavitra bhojnalay	Shalimar chauraha	Restaurant	8824998355
246	Jaipur Municipal Corporation	Govind Bhojnalay	Anand chauraha	Restaurant	9829390105
247	Jaipur Municipal Corporation	Radha Govind vivah sthal	By pass, Jaipur	marriage garden	9252999699
248	Jaipur Municipal Corporation	Utsav Marriage Garden	Narayan nagar vistar benad road	marriage garden	9667626599
249	Jaipur Municipal Corporation	Rudraksh Apartment	Road no-1, opposite to murlipura police station, theme colony	Apartment	8852032105
250	Jaipur Municipal Corporation	U.D.B Skyway harikripa builder pvt limited 4 d campus	harikripa builder pvt limited 4 d campus road no-1	Apartment	8107320623
251	Jaipur Municipal Corporation	Hotel Desert raka	Plot no-152 pashuram nagar daher ke balaji sikar road	Hotel	7412041857
252	Jaipur Municipal Corporation	Hotel Nandraj	Plot-2 ratan nagar sikar road	hotel	9929504999
253	Jaipur Municipal Corporation	Hotel kanaji sweets	Plot-32 bandhu nagar sikar road	hotel	9829886670 0141-2235579
254	Jaipur Municipal Corporation	Aruma hotel sikar road	Plot-10,11, sikar road near alka cinema	Hotel	9784303934
255	Jaipur Municipal Corporation	Nilgiri hotel	Plot-1,2,3 sikar road	Hotel	9829150895
256	Jaipur Municipal Corporation	Manuhar hotel	Plot-20 prawasinagar	Hotel	9001064000
257	Jaipur Municipal Corporation	Syamwar garden	Road no-7, plot no-352,355	marriage garden	98296442747
258	Jaipur Municipal Corporation	Ankur marriage garden	Ankur marriage garden behind alka cinema sikar road	marriage garden	9982030650

259	Jaipur Municipal Corporation	Alka marriage garden	Behind alka cinema sikar road	Marriage garden	9414408610 9314504901
260	Jaipur Municipal Corporation	Um marriage garden	Plot-5,6,7,8,9 sikar road near allka cinema	Marriage garden	7597624577
261	Jaipur Municipal Corporation	Goyal marriage garden	Murlipura scheme opposite to sabzi mandi	Marriage garden	9785959597
262	Jaipur Municipal Corporation	Rattan marriage garden	Road no-1	Marriage garden	8233346103
263	Jaipur Municipal Corporation	Govindam shekhwati dhaba	Shop no-10,11 murlipura opposite to beed school sikar road	Restaurant	9314151092
264	Jaipur Municipal Corporation	Shyam dhaba patrika bhojnalay	Dadi badi market near alka cinema	Restaurant	8502011682
265	Jaipur Municipal Corporation	Green chilled fast food	Near alka cinema sikar road sant bandhu colony	Restaurant	9352643520
266	Jaipur Municipal Corporation	Sharma pavitra bhojnalay	Near alka cinema sikar road sant bandhu market	Restaurant	9251066693
267	Jaipur Municipal Corporation	Shree shyam restaurant	Near alka cinema sikar road sant bandhu market	Restaurant	9928047736
268	Jaipur Municipal Corporation	Nek char bagh	Plot-4 girdhar colony sikar road	Restaurant	9829886670
269	Jaipur Municipal Corporation	Balaji dhaba	Girdhar colony opposite to manipal hospital sikar road	Restaurant	9782180084
270	Jaipur Municipal Corporation	Minku restaurant shiv nagar murlipura thana road	Shiv nagar murlipura police station road	Restaurant	9414257958
271	Jaipur Municipal Corporation	Kaser Kudh	Sector 7 Vidhyadhar Nagar		9928084458
272	Jaipur Municipal Corporation	Gotam Garden	Sector 7 Vidhyadhar Nagar	Garden	9928084458
273	Jaipur Municipal Corporation	Annapurna Sweets Caterers	G-1 Ganeshm Plaja Sinestar Ke Samne Vidhyadhar Nagar Central Spain Jaipur	sweets caterers	9314899942
274	Jaipur Municipal Corporation	Tipsi Restaurant	Ganpati Paradise, Central Spine, Vidyadhar Nagar	Restaurant	9314872191
275	Jaipur Municipal Corporation	Alankar Plaza	Alankar Plaza Central Spine Vidhyadhar Nagar	Plaza	9571200444
276	Jaipur Municipal Corporation	Visprig Pam Hotal	Sun And Moon Complex Sector-4 Vidhyadhar Nagar	Hotal	-
277	Jaipur Municipal Corporation	Smadity Hotal	Sikar Road Bhawani Niketan Ke Samne	Hotal	9829005453
278	Jaipur Municipal Corporation	Libra Hotal	Sikar Road Bhawani Niketan Ke Samne	Hotal	9929647952

279	Jaipur Municipal Corporation	Park Oshiyen	Sikar Road Bhawani Niketan Ke Samne	-	9783077755
280	Jaipur Municipal Corporation	Hotal Paradise	Sikar Road Bhawani Niketan Ke Samne	Hotal	0141-6700700
281	Jaipur Municipal Corporation	Madhv Park Lic Flate	Sector-2 Vidhyadhar Nagar	Park	-
282	Jaipur Municipal Corporation	Durga Park	Sector-2 Vidhyadhar Nagar	park	-
283	Jaipur Municipal Corporation	Marriage Garden Prem Kunj	Sector-2 Vidhyadhar Nagar	Marriage Garden	-
284	Jaipur Municipal Corporation	Utsav Garden	Sector-2 Vidhyadhar Nagar	Garden	-
285	Jaipur Municipal Corporation	Toran Vivah Sthal	Main Sikar Road		-
286	Jaipur Municipal Corporation	Sabji Mandi Foji Kchchi	Ambabari	Sabji Mandi	-
287	Jaipur Municipal Corporation	Chomu Puliya Sabji Mandi	Chomu Puliya Circle	Sabji Mandi	-
288	Jaipur Municipal Corporation	Samudayik Kendra Ambabari	Adarsh Vidya Mandir Ke Samne Ambabari	-	-
289	Jaipur Municipal Corporation	Samudayik Kendra J.D.A.	Sector-3 Vidhyadhar Nagar Ganesh Park Ke Samane	-	-
290	Jaipur Municipal Corporation	Sharma Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	9119299021
291	Jaipur Municipal Corporation	Hanuman Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	9829503820
292	Jaipur Municipal Corporation	Saty Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	8824533467
293	Jaipur Municipal Corporation	Titan Mall	Jhotwara Puliya Ke Paas Kalawad Road	Mall	9783955999
294	Jaipur Municipal Corporation	Chetram Mall	Ambabari Petrol Pump Ke Pass Kalwar Road	Mall	-
295	Jaipur Municipal Corporation	Gangasugar Meal	Durga Colony Dahar Ka Balaji Station Ke Paas Jhotwara	Meal	-
296	Jaipur Municipal Corporation	Saini Sabji Bhandar	Saini Sabji Bhandar Kalawad Road Jhotwara	Mall	9636454559
297	Jaipur Municipal Corporation	Sabji Bhandar Mall	Sabji Bhandar Mall Kalawad Road Jhotwara	-	9413148796
298	Jaipur Municipal Corporation	Saini Fal Sabji Bhandar	Saini Fal Sabji Bhandar Kalawad Road Jhotwara	-	-
299	Jaipur Municipal Corporation	Panjabi Tadka Dhaba	Panjabi Tadka Dhaba Kalawad Road Jhotwara	-	-

300	Jaipur Municipal Corporation	Hanuman Vatika Vivah Sthal	Hanuman Vatika Vivah Sthal Kalawad Road Jhotwara	Marriage Garden	-
301	Jaipur Municipal Corporation	Kanchan Deep Vivah Sthal	Kanchan Deep Vivah Sthal Kata Choraha Jhotwara	Marriage Garden	-
302	Jaipur Municipal Corporation	Sarovar Udhan	Sarovar Udhan Railway Station Ke Paas Tara Nagar Jhotwara	-	-
303	Jaipur Municipal Corporation	Karni Udhan	Karni Udhan Khirni Fatak Road Taranagar Ganesh Mandir Jhotwara	-	-
304	Jaipur Municipal Corporation	Agarwal Sweets	Agarwal Sweets Kalawad Road Bank Ke Paas Jhotwara	-	-
305	Jaipur Municipal Corporation	Shriram Vatika Vivah Sathal	Shri Ram Vatika Vivah Sathal Boring Choraha Kalawad Road Jhotwara	Marriage Garden	-
306	Jaipur Municipal Corporation	Narayan Restaurant Juice Centre	Kanta Choraha Kalvad Road Jhotwara	Restaurant Juice Centre	9314441378
307	Jaipur Municipal Corporation	Manpasand Dhaba And Pavitra Bhojnalaya	Pandit Ji Ka Choraha Main Kalvad Road	Restaurant	7976126591
308	Jaipur Municipal Corporation	Shankar Mishthan Bhandar	Pandit Ji Ka Choraha Main Kalawad Road	Mishthan Bhandhar	9784250846
309	Jaipur Municipal Corporation	Bhawani Jodhpur Bhandar	Pandit Ji Ka Choraha Main Kalawad Road	Mishthan Bhandhar	9784440670
310	Jaipur Municipal Corporation	Jodhapur Mishthan Bhandhar	Joshi Marg Kalawar Road	Mishthan Bhandhar	9983657637
311	Jaipur Municipal Corporation	Jaipur Spaish Hotal	Joshi Marg Kalawar Road	Hotal	9587119911
312	Jaipur Municipal Corporation	Shri Shyam Vilas Bhojnalay	Joshi Marg Jhotwara	Restaurant	9782786127
313	Jaipur Municipal Corporation	Chodhary Pavit Bhojnalay	Kata Chora Jhotwara	Restaurant	9571112321
314	Jaipur Municipal Corporation	All Tak Abye	Uday Nagar Jhotwara	-	9314546541
315	Jaipur Municipal Corporation	B.B.Q.	Uday Nagar Jhotwara	-	9079333327
316	Jaipur Municipal Corporation	Mohamamd Dildar Hotal	Uday Nagar Jhotwara	Hotal	7073782948
317	Jaipur Municipal Corporation	Samir Islamiya Dhaba	Sanjay Nagar Tiraha	Restaurant	9950656074
318	Jaipur Municipal Corporation	Davat E Isaq Restaurant	Sanjay Nagar Tiraha	Restaurant	9887650610
319	Jaipur Municipal Corporation	Alnurani Cikan Hotal	Sanjay Nagar Tiraha	Hotal	9829827048

320	Jaipur Municipal Corporation	Aal Slam Hotal	Sanjay Nagar Tiraha	-	9799158169
321	Jaipur Municipal Corporation	Shiv Hanuman Mandir	Kata Choraha Niwaru Road Jhotwara	Mandir	-
322	Jaipur Municipal Corporation	Raj Laxmi Gardan	Bypaas 31 No Bus Stand	-	9314503959
323	Jaipur Municipal Corporation	Partap Paradise	Bypaas 31 No Bus Stand	Paradise	9829438510
324	Jaipur Municipal Corporation	Divyani Paradise	80 Fut Road Barjmandal Colony Jhotwara	Paradise	9887552417
325	Jaipur Municipal Corporation	Shanti Gardan	80 Fut Road Barjmandal Colony Jhotwara	-	9829262483
326	Jaipur Municipal Corporation	Jagrti Gardan	100 Fut Road Jhotwara	-	9829260712
327	Jaipur Municipal Corporation	Partap Vilash Marriage Garden	Sirshi Road Janak Marg Ke Pass	Marriage Garden	9214395201
328	Jaipur Municipal Corporation	Suryvanshi Marriage Garden	Sirshi Road	Marriage Garden	9829452866
329	Jaipur Municipal Corporation	Ranbanka Marriage Garden	Vishvamitr Marge Hanuman Vistar Jaipur	Marriage Garden	9829452866
330	Jaipur Municipal Corporation	Avadh Garden	Tara Nagar Mitar Nagar 200 Feet Bypaas Jaipur		9214099644
331	Jaipur Municipal Corporation	Pream Deep Vivah Sthal	Tara Nagar Mitar Nagar 200 Feet Bypaas Jaipur	Marriage Garden	9414061190
332	Jaipur Municipal Corporation	Siangar Marriage Garden	Tara Nagar-C Khirni Fatak Ke Pass Jaipur	Marriage Garden	9414322932
333	Jaipur Municipal Corporation	Madhu Milan Marriage Garden	Tara Nagar-C Khirni Fatak Jaipur	Marriage Garden	8741930740
334	Jaipur Municipal Corporation	Nilambar(Nilam) Marriage Garden	Railway Line Janak Marg Jaipur	Marriage Garden	9414320505
335	Jaipur Municipal Corporation	Jan Upyogi Bhavan Sanstha R.P.A. Road	R.P.A. Road Nagar Nigam Zone Ke Pass	-	-
336	Jaipur Municipal Corporation	Akhil Bharti Khandelwal Mhasbha Bhawan	R.P.A. Road Shastri Nagar	-	-
337	Jaipur Municipal Corporation	Utasav Garden	R.P.A. Road Shastri Nagar	-	-
338	Jaipur Municipal Corporation	Swarnkar Seva Sadan Trust	R.P.A. Road Sarvankar Colony	-	-
339	Jaipur Municipal Corporation	Ma Krishnam Jan Upayoge Bhavan Krishna Garden	R.P.A. Road Sanjay Colony	-	-

340	Jaipur Municipal Corporation	J.D.A. Samudayik Kendra	Subhashnagar Shopping Centre	-	-
341	Jaipur Municipal Corporation	Remani Kevine Center	Moliya Ki Chbil Rc Centre	-	-
342	Jaipur Municipal Corporation	Khandelwal Vivha Sthal	Subhashcolony Shastri Nagar	-	-
343	Jaipur Municipal Corporation	Khandaka House	Jhothwara Road Pital Factory	-	-
344	Jaipur Municipal Corporation	Shetriy Aayurved Antsavi Vikash Anusandhan Sanstha & Hospital	Icic Bank Ke Aage Jhothwara Road Jaipur	Hospital	0141-2281812
345	Jaipur Municipal Corporation	T.B. Hospital	Subhashnagar Shopping Centre Jaipur	Hospital	0141-2281000
346	Jaipur Municipal Corporation	Jain Hospital	Lic Office Tb Santoriya Road	Hospital	-
347	Jaipur Municipal Corporation	Krishna Karpa Apartment I	Subhashcolony Petrol PumpKe Pass	Apartment	-
348	Jaipur Municipal Corporation	Krishna Karpa Apartment –Ii	Subhashcolony Petrol PumpKe Pass	Apartment	-
349	Jaipur Municipal Corporation	Krishna Karpa Apartment –Iii	Subhashcolony Petrol PumpKe Pass	Apartment	-
350	Jaipur Municipal Corporation	Krishna Karpa Apartment Iv	Subhashcolony Petrol PumpKe Pass	Apartment	-
351	Jaipur Municipal Corporation	Mayur Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
352	Jaipur Municipal Corporation	Anukpma Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
353	Jaipur Municipal Corporation	Sumagal Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
354	Jaipur Municipal Corporation	Abhinandan Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
355	Jaipur Municipal Corporation	Goviand Karpa Apartment	Licence Park Ke Samne Shastri Nagar	Apartment	-
356	Jaipur Municipal Corporation	Guman Apartment-1	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
357	Jaipur Municipal Corporation	Guman Apartment-2	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
358	Jaipur Municipal Corporation	Guman Apartment-3	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
359	Jaipur Municipal Corporation	Love-Kuse Apartment	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-

360	Jaipur Municipal Corporation	Sun-Moon Apartment	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
361	Jaipur Municipal Corporation	Apollo Apartment	Licence Park Road Shastri Nagar Jaipur	Apartment	-
362	Jaipur Municipal Corporation	S.N.G. Group Apartment	Pital Factory Jhothward Road	Apartment	-
363	Jaipur Municipal Corporation	Pardrse 9 Apartment	Goyal Hospital Ke Pass Shastri Nagar	Apartment	-
364	Jaipur Municipal Corporation	Bhava Apartment	Licence Park Wala Road Shastri Nagar	Apartment	-
365	Jaipur Municipal Corporation	Raja Veer Apartment	Dr. Virender Ke Pass Shastri Nagar	Apartment	-
366	Jaipur Municipal Corporation	Okara Apartment	Dr. Virender Ke Pass Shastri Nagar	Apartment	-
367	Jaipur Municipal Corporation	Srvankar Udan	Sarvkar Colony R.P.A. Parmukh Road Pani Pach Nehru Nagar	Park	-
368	Jaipur Municipal Corporation	Madav Kanan Udan	Gate 1 Gokhale Marg Sroliya Ji Wala Road Nehru Nagar Pani Pach Jaipur	Park	-
369	Jaipur Municipal Corporation	D. Park	Gate 1 Se Aage Ramdev Ji Ke Mandir Ke Pass Nehru Nagar Pani Pach Jaipur	Park	-
370	Jaipur Municipal Corporation	Shiv Park	Vidhyadhar Zone NNJ Office Ke Samne Shastri Nagar	Park	-
371	Jaipur Municipal Corporation	Rashtriy Pati Udan	Udan Mochiyo KiChabhil Shastri Nagar	Park	-
372	Jaipur Municipal Corporation	Kailash Park Udan	Shubhash Nagar Shopping Centre	Park	-
373	Jaipur Municipal Corporation	Subhashpark Udan	Shubhash Colony Shastri Nagar	Park	-
374	Jaipur Municipal Corporation	Parshuram Park Udan	Shubhash Colony Shastri Nagar	Park	-
375	Jaipur Municipal Corporation	Royal Sweets Restaurant	Kawatiya Circle RPA Colony Power House Ke Pass	Restaurant	-
376	Jaipur Municipal Corporation	Tipsi Restaurant	Agarwal Caterers Ke Pass Shastri Nagar	Restaurant	-
377	Jaipur Municipal Corporation	Agarwal Caterers	Science Park Ke Samne Shastri Nagar	Caterers	-
378	Jaipur Municipal Corporation	Fake Bank	TB Sentoriya Road Jaipur	Bank	-
379	Jaipur Municipal Corporation	Khana Restaurant	TB Sentoriya Road Subhash Nagar Shopping Centre	Mandir	9785401315

380	Jaipur Municipal Corporation	Sendhs Works Restaurant	TB Sentoriya Road Subhash Nagar Shopping Centre	Restaurant	9414512936
381	Jaipur Municipal Corporation	Sabji Mandi	Private Bus Stand Ke Pass Spice Cinema Ke Samne Jhothward Road Jaipur	Market	-
382	Jaipur Municipal Corporation	Dud Mandi	Spice Cinema Ke Samne Jhothward Road Jaipur	Market	-
383	Jaipur Municipal Corporation	20 Dukan	20dukan Gate 2 Nehru Nagar Pani PachShastri Nagar Jaipur	Market	9785075127
384	Jaipur Municipal Corporation	9 Dukan	9 Dukan Mukay Pani Pach Jhothward Road Jaipur	Market	7791012313
385	Jaipur Municipal Corporation	Panir Market	Subhashnagar Shopping Centre Allahabad Bank Ke Pass T.B. Sentoriya Road Jaipur	Market	-
386	Jaipur Municipal Corporation	Shri Chmtkaresvar Mandir	Icic Bank Ke Samne Jhothward Road Jaipur	Mandir	-
387	Jaipur Municipal Corporation	Royal Hotel Plaza	Subhashnagar Shopping Centre Jaipur 16	Plaza	0141-4915700
388	Jaipur Municipal Corporation	Anokhi Place Hotel	Subhashnagar Shopping Centre Jaipur 16 Shastri Nagar	Hotel	7737245097
389	Jaipur Municipal Corporation	Marudar In Hotel	A-87 Subhashnagar Shopping Centre Jaipur	Hotel	9314115116
390	Jaipur Municipal Corporation	Rose Place Hotel	T.B. Sentoliya Subhashnagar Shopping Centre Jaipur	Hotel	0141-4910822
391	Jaipur Municipal Corporation	Gugat Hotel	J1,J2 Subhashnagar Shopping Centre Jaipur	Hotel	0141-4011110
392	Jaipur Municipal Corporation	Goyal Place Hotel	Krishan Karpa Complex Subhashnagar Shopping Centre Jaipur	Hotel	0141-4034444
393	Jaipur Municipal Corporation	Tha Livan Hotel	Plot No 17,18 Subhashnagar Science ParkJaipur	Hotel	0141-4006616
394	Jaipur Municipal Corporation	Souvenir Peppermint Hotel	6 Subhashnagar Science ParkJaipur	Hotel	0141-5193000
395	Jaipur Municipal Corporation	Sarang Place Hotel	A-40 Subhashnagar Pital FactoryJhothwara Road Jaipur	Hotel	0141-2281188
396	Jaipur Municipal Corporation	Ragav Place Hotel	B-8 T.B.Hospital Subhashnagar Shopping Centre	Hotel	8890695803
397	Jaipur Municipal Corporation	Surmi Place Hotel	B-13 Subhashnagar Shopping Centre Shastri Nagar Jaipur	Hotel	0141-2281051
398	Jaipur Municipal Corporation	Silver Plaza Hotel	66,67 Subhashnagar Science ParkShastri Nagar Jaipur	Hotel	9672807773
399	Jaipur Municipal Corporation	Ganga Marriage Garden	Main Niwaru Road Jhotwara	Marriage Garden	9928803206

400	Jaipur Municipal Corporation	Ganesh Marriage Garden	Bharat Mata Chowk, Ganesh Nagar, Niwaru Road	Marriage Garden	9314555598
401	Jaipur Municipal Corporation	Moon Paradise	Ganesh Naga 8, Bharat Mata Chowk, Niwaru Road	Marriage Garden	9214060800
402	Jaipur Municipal Corporation	Prabhat Paradise	Ashok Nagar, Harnathpura	Marriage Garden	9261616464
403	Jaipur Municipal Corporation	R S Paradise	Govindpura Main, Kalwar Road	Marriage Garden	9829000000
404	Jaipur Municipal Corporation	Sanga Marriage Garden	In front of Ravan Gate, Kalwar Road	Marriage Garden	9828100047
405	Jaipur Municipal Corporation	Hem Vatika Marriage Garden	Main Kalwar Road, Near Reliance Petrol Pump	Marriage Garden	9950697885
406	Jaipur Municipal Corporation	R B Paradise	Shekhawat Marg, Harnathpura	Marriage Garden	6375632928
407	Jaipur Municipal Corporation	Govindam Paradise	In front of Ganesh Nagar 8, Bharat Mata Chor Niwaru Road	Marriage Garden	8209541090
408	Jaipur Municipal Corporation	Parinaya Marriage Garden	Near Shekhawat Marg, Kalwar Road	Marriage Garden	9828542272
409	Jaipur Municipal Corporation	Sultan House Marriage Garden	200Ft Baipass, Near K G N Bagh, Jhotwara	Marriage Garden	9314503959
410	Jaipur Municipal Corporation	Rajtilak Marriage Garden	Govindpura Sirsi- Link Road Govindpura	Marriage Garden	9314512971
411	Jaipur Municipal Corporation	Prabhu Vilas Marriage Garden	Govindpura, Kalwar Road	Marriage Garden	9414066161
412	Jaipur Municipal Corporation	Love Kush Paradise	Main Kalwar Road, Govindpura	Marriage Garden	9414052451
413	Jaipur Municipal Corporation	Anand Bagh Marriage Garden	Main Kalwar Road, Govindpura	Marriage Garden	9782002027
414	Jaipur Municipal Corporation	Shree Bhomiya Paradise	Main Kalwar Road, Govindpura	Marriage Garden	9529247246
415	Jaipur Municipal Corporation	S G Paradise	Jai Dadi Nagar, Kalwar Road	Marriage Garden	9829303897
416	Jaipur Municipal Corporation	Shree Govind Paradise	Jai Dadi Nagar, Kalwar Road	Marriage Garden	9782220600
417	Jaipur Municipal Corporation	Hotel Royal Inn	9 Dukaan, Kardhani Kalwar Road	Hotel	8949317717
418	Jaipur Municipal Corporation	Hotel Prabhu Vilas	Govindpura Stand, Kalwar Road	Hotel	9950342592
419	Jaipur Municipal Corporation	Janni Nursing Home	D63, Kardhani Kalwar Road	Hospital	8441012663
420	Jaipur Municipal Corporation	Rishabh Hospital	Kardhani Kalwar Road	Hospital	9829137794

421	Jaipur Municipal Corporation	Param Brahm Hospital	Kardhani Kalwar Road	Hospital	0141-2405283
422	Jaipur Municipal Corporation	Mansa Hospital	Uttam Nagar KARDhani	Hospital	7023686868
423	Jaipur Municipal Corporation	Mangalam Anchal (Residential)	Ravan Gate, Kalwar Road	Residential	9829601528
424	Jaipur Municipal Corporation	Kardhani Prime (Residential)	Ganesham Vihar, Govindpura	Residential	9871311115
425	Jaipur Municipal Corporation	New Kanha Restaurant	Govindpura Stand Jaipur	Restaurant	9352599965
426	Jaipur Municipal Corporation	Desi Thath Restaurant	Near Mangalam City, Kalwar Road	Restaurant	9829310094
427	Jaipur Municipal Corporation	Shree KrishnamSweets and Restaurant	Vaidh Ji Ka Chauraha, Niwaru Road	Restaurant	9983965169
428	Jaipur Municipal Corporation	Roadwood Apartment	Opposite Dhaka Nagar, Near Kanakpura Railway Station	Residential	9875088883
429	Jaipur Municipal Corporation	Rangoli Marriage Garden	Alankar Road, Sirsi Road, Panchawala	Marriage Garden	9829948365
430	Jaipur Municipal Corporation	Shyam Bagh Marriage Garden	Sirsi Road	Marriage Garden	9461123456
431	Jaipur Municipal Corporation	Vrindavan Marriage Garden	Hatoj Road, Sirsi Road	Marriage Garden	9414059280
432	Jaipur Municipal Corporation	Jodhpur Mishthan Bhandar	5 No. Gali, Panchawala	Restaurant	7742209937
433	Jaipur Municipal Corporation	Shree Govindam Marriage Garden	Sirsi Road	Marriage Garden	9251601320
434	Jaipur Municipal Corporation	Royal Green Apartment	Sirsi Mod, Sirsi Road	Residential	9587707007
435	Jaipur Municipal Corporation	Madhuvan Resort Marriage Garden	Janakpuri, Sirsi Road	Marriage Garden	9829016197
436	Jaipur Municipal Corporation	Ashok Vatika Marriage Garden	Kanakpura Road, Gokulpura	Marriage Garden	9982294123
437	Jaipur Municipal Corporation	LR Marriage Garden	Sirsi Road, Meenawala	Marriage Garden	9929982931
438	Jaipur Municipal Corporation	Rukmani Marriage Garden	Panchawala Bajri Mandi Road	Marriage Garden	9856195514
439	Jaipur Municipal Corporation	Raj Shree Marriage Garden	Sirsi Road	Marriage Garden	9829012779
440	Jaipur Municipal Corporation	Baba Shyam Paradise	Karni Palace Road	Marriage Garden	9414066227

441	Jaipur Municipal Corporation	Radha Krishan Garden	Karni Palace Road, Maa Karni Nagar E	Marriage Garden	9829031826
442	Jaipur Municipal Corporation	Chopra Garden, Shree Krishna Garden	Karni Palace Road	Marriage Garden	9818982562
443	Jaipur Municipal Corporation	Kalyan Kunj	Maharana Pratap Road, Rangoli Garden	Marriage Garden	9351543480
444	Jaipur Municipal Corporation	Savaliya Bagh Marriage Garden	Maharana Pratap Road, Rangoli Garden	Marriage Garden	9314962169
445	Jaipur Municipal Corporation	Karni Palace	Karni Palace Road	Marriage Garden	9314878787
446	Jaipur Municipal Corporation	Jaipur Bagh Marriage Garden	Gandhi Path, Lalarpura Road	Marriage Garden	9785913492
447	Jaipur Municipal Corporation	Shyam Paradise Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9214324151
448	Jaipur Municipal Corporation	Murli Wala Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9887476764
449	Jaipur Municipal Corporation	Rani Bagh Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9829968255
450	Jaipur Municipal Corporation	Shehnai Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura Road	Marriage Garden	992814060
451	Jaipur Municipal Corporation	Shagun Villa Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura Road	Marriage Garden	9413345428
452	Jaipur Municipal Corporation	Rangoli Apartment	Rangoli Garden Road	Apartment	9828117867
453	Jaipur Municipal Corporation	Avadhuri Residency	Avadhuri Lalarpura	Apartment	9024560002
454	Jaipur Municipal Corporation	DM Heights	Gandhi Path, Lalarpura Road	Apartment	8290820820
455	Jaipur Municipal Corporation	Platinum Heights	Gandhi Path, Lalarpura Road	Apartment	8003184115
456	Jaipur Municipal Corporation	Virat Elegence	Gandhi Path, Lalarpura Road	Apartment	9610433900
457	Jaipur Municipal Corporation	Aman Poly Clinic	Dhabas Road	Clinic	9414262729
458	Jaipur Municipal Corporation	Manas Hospital	Dhabas Road	Hospital	9950899906
459	Jaipur Municipal Corporation	Shivaji Park	Shanti Nagar, Behind Shyam Nagar PS	Park	9571048027
460	Jaipur Municipal Corporation	Rose Garden	Rani Sati Nagar, Parshavnath Colony	Park	9799755761

461	Jaipur Municipal Corporation	Padmavati Park	Nirman Nagar	Park	
462	Jaipur Municipal Corporation	Roma Nursing Home	24,25 Nirman Nagar DCM	Clinic	9414052347
463	Jaipur Municipal Corporation	Ram Eye Hospital	16, Uday Nagar A, Near Mansarovar Metro Station, Gopalpura Road, Nirman Nagar	Hospital	9829014904
464	Jaipur Municipal Corporation	Kshitij Hospital	Uday Nagar, Near Gas Godam, Nirman Nagar	Hospital	9414954040
465	Jaipur Municipal Corporation	Jayas Marriage Garden	1261,62,63,65 Kings Road, Rani Sati Nagar, Nirman Nagar	Marriage Garden	9829063489
466	Jaipur Municipal Corporation	Gulab Villa Marriage Garden	Gopalpura Baipass, Badarvaas Jaipur	Marriage Garden	9829018289
467	Jaipur Municipal Corporation	Shree Mahavir Paradise	Gopalpura Baipass, Badarvaas Jaipur	Marriage Garden	9166306308
468	Jaipur Municipal Corporation	Evergreen Palace	A15, Krishi Vihar, Rathi Nagar, Gopalpura Baipass	Marriage Garden	9694841125
469	Jaipur Municipal Corporation	Vishnu Marriage Garden	Yadav Farm, Nirman Nagar E, Heerapura, Ajmer Road	Marriage Garden	9414878797
470	Jaipur Municipal Corporation	Shanti Marriage Garden	DCM Ajmer Road	Marriage Garden	9414059356
471	Jaipur Municipal Corporation	Apple Inn Hotel	36, Ajmer Road, Nirman Nagar DCM	Hotel	8824406503
472	Jaipur Municipal Corporation	Hotel RNP Palace	37/38 Near Vaishali Nagar DCM, Main Ajmer Road	Hotel	8505035500
473	Jaipur Municipal Corporation	Restauranr RJ14	P2, Ajmer Garden, DCM, Ajmer Road Highway	Restaurant	978520027
474	Jaipur Municipal Corporation	Hotel NH8	Parshavnath Colony, DCM Main Ajmer Road	Hotel	7230898880 0141-4919246
475	Jaipur Municipal Corporation	Chhabra Restaurant	592A, Jannpath Kings Road, Nirman Nagar	Restaurant	9351782626
476	Jaipur Municipal Corporation	Mini India restaurant	108 Ajmera Garden, Kings Road	Restaurant	9829610002
477	Jaipur Municipal Corporation	Shivgyan Heights	DCM Ajmer Road	Apartment	977233353
478	Jaipur Municipal Corporation	Shivgyan Enclave	Gautam Marg, Nirman Nagar	Apartment	787738767
479	Jaipur Municipal Corporation	Kanha Restaurant	A3, A6, Queens Road, Vaishali Nagar	Restaurant	9057802111
480	Jaipur Municipal Corporation	Utsav Marriage Garden	Gandhi Path, Vaishali Nagar	Marriage Garden	9829050966

481	Jaipur Municipal Corporation	Sarovar Portika	Queens Road, Bhan Nagar, Vidyut Nagar	Hotel	1412821000
482	Jaipur Municipal Corporation	Element Mall	Ajmer Road, DCM	Mall	7024650947
483	Jaipur Municipal Corporation	Hotel Aqua	B104, Vaishali Marg, Vaishali Nagar, Near National Handloom	Hotel	7791811614
484	Jaipur Municipal Corporation	Mahal Rajwada Resort	Near Vaishali Thana, Vaishali Nagar, Jaipur	Resort	9828519487
485	Jaipur Municipal Corporation	Hotel Raj Palace	B213, Vaishali Marg, Opp. Brightlands School, Vaishali Nagar	Hotel	8619055893
486	Jaipur Municipal Corporation	Maheshwari Restaurant	532A Nemi Sagar Colony, Vaishali Nagar	Restaurant	9928067070
487	Jaipur Municipal Corporation	Handi Restaurant	361 Nemi Sagar Colony, Vaishali Nagar	Restaurant	9829034940
488	Jaipur Municipal Corporation	Hotel Country Inn	Queens Road, Vaishali Nagar	Hotel	8890967445
489	Jaipur Municipal Corporation	Sanos Restaurant	Nemisagar, Queens Road	Restaurant	9649097000
490	Jaipur Municipal Corporation	Decked Up	Main Queens Road, Opp. Jharkhand	Restaurant	9680238897
491	Jaipur Municipal Corporation	Royal Lalit	101, Rathore Nagar, Amrapali Marg, Vaishali Nagar	Hotel	9116048701
492	Jaipur Municipal Corporation	Shree Thaal Restaurant	Rathore Nagar, Queens Road, Jaipur	Restaurant	9680764000
493	Jaipur Municipal Corporation	Chopra Restaurant	D228, Vaishali Nagar	Restaurant	9549504040
494	Jaipur Municipal Corporation	Burger King	S38,39,40 JDA Central Market, Vaishali Nagar	Restaurant	9870471200
495	Jaipur Municipal Corporation	Mini Punjab Restaurant	Behind MTS Tower, Vaishali Nagar	Restaurant	7690678180
496	Jaipur Municipal Corporation	NBC Hasanpura	Jaipur Municipal Corporation	Commercial	-
497	Jaipur Municipal Corporation	Hotel Om Tower	Jaipur Municipal Corporation	Hotel	-
498	Jaipur Municipal Corporation	Rajputana Sheraton	Jaipur Municipal Corporation	Hotel	-
499	Jaipur Municipal Corporation	Hotel Park Prime	Jaipur Municipal Corporation	Hotel	-
500	Jaipur Municipal Corporation	Fortune MGF Mall	Jaipur Municipal Corporation	Mall	-
501	Jaipur Municipal Corporation	Country Inn (Radisson) Green	Jaipur Municipal Corporation	Hotel	-

502	Jaipur Municipal Corporation	Hotel Holiday Inn	Jaipur Municipal Corporation	Hotel	-
503	Jaipur Municipal Corporation	MGF Mall	Jaipur Municipal Corporation	Mall	-
504	Jaipur Municipal Corporation	Hotel Rawat	Jaipur Municipal Corporation	Hotel	-
505	Jaipur Municipal Corporation	Spice Court	Jaipur Municipal Corporation	Restaurant	-
506	Jaipur Municipal Corporation	Hotel Jai Mahal Palace	Jaipur Municipal Corporation	Hotel	-
507	Jaipur Municipal Corporation	Hotel IBIS	Jaipur Municipal Corporation	Hotel	-
508	Jaipur Municipal Corporation	Hotel Hilton	Jaipur Municipal Corporation	Hotel	-
509	Jaipur Municipal Corporation	Hotel Soviner Prime	Jaipur Municipal Corporation	Hotel	-
510	Jaipur Municipal Corporation	Hotel Las Vegas	Jaipur Municipal Corporation	Hotel	-
511	Jaipur Municipal Corporation	Hotel Ginger	Jaipur Municipal Corporation	Hotel	-
512	Jaipur Municipal Corporation	Hotel ManSingh	Sansarchand Road	Hotel	-
513	Jaipur Municipal Corporation	Hotel Neelam	Sansarchand Road	Hotel	-
514	Jaipur Municipal Corporation	Hotel Mantha	Sansarchand Road	Hotel	-
515	Jaipur Municipal Corporation	Hotel Siddhi Vinayak	Sansarchand Road	Hotel	-
516	Jaipur Municipal Corporation	Hotel Haveli Ulcer	Sansarchand Road	Hotel	-
517	Jaipur Municipal Corporation	Karim Hotel	Jalupura	Hotel	-
518	Jaipur Municipal Corporation	Guddu Hotel	Topkhane ka Rasta	Hotel	-
519	Jaipur Municipal Corporation	Hotel Arya	Behind Amber Tower	Hotel	-
520	Jaipur Municipal Corporation	Hotel Adarsh	Near Hajri	Hotel	-
521	Jaipur Municipal Corporation	Sikar Hotel	Near quater of Ameen Kagji (MLA) Sir, Jalupura	Hotel	-
522	Jaipur Municipal Corporation	Chandani Hotel	Near quater of Ameen Kagji (MLA) Sir, Jalupura	Hotel	-

523	Jaipur Municipal Corporation	Hotel Vijay Niwas	Behind Amber Tower	Hotel	-
524	Jaipur Municipal Corporation	Aroma Hotel	Gopinath Marg	Hotel	-
525	Jaipur Municipal Corporation	Jaisingh Hotel	Gopinath Marg	Hotel	-
526	Jaipur Municipal Corporation	Golden Hotel	In gali of Sati Mata	Hotel	-
527	Jaipur Municipal Corporation	Welcome Hotel	Jayanti Bazaar	Hotel	-
528	Jaipur Municipal Corporation	Ratnavali Hotel	New Colony, Jaipur	Hotel	-
529	Jaipur Municipal Corporation	Holist Hotel	New Colony	Hotel	-
530	Jaipur Municipal Corporation	Hotel Country Inn	Kaisar Nagar, Muhana Mandi Road, Sanganer, Jaipur	Hotel	-
531	Jaipur Municipal Corporation	Advance Hospital	Priyanka Colony, Sirohi ki Talai, Tuti Pulia ke Pass, Muhana Mod, Sanganer, Jaipur	Hospital	9414415667
532	Jaipur Municipal Corporation	Agrawal Hospital	Station Road, Malpura Gate ke Pass, Sanganer, Jaipur	Hospital	9829092960
533	Jaipur Municipal Corporation	Jindal Hospital	Kaisar Nagar, Kaisar Chauraha ke Pass, Sanganer, Jaipur	Hospital	9460741288
534	Jaipur Municipal Corporation	Sri Adinath Hospital	Kaisar Nagar, Muhana Mandi Road, Sanganer, Jaipur	Hospital	9829057300
535	Jaipur Municipal Corporation	Sanganer Tower	Idgah Masjid ke Pass, Diggi Malpura Road, Sanganer, Jaipur	Commercial Building	9413321469
536	Jaipur Municipal Corporation	Diamond Plaza	Station Road, Kohinoor Cinema ke Samne, Malpura Gate, Sanganer, Jaipur	Commercial Building	9414922650
537	Jaipur Municipal Corporation	Rampura Vyapar Mandal	Rampura Road, Sanganer	Community Hall	9950752807
538	Jaipur Municipal Corporation	Nursingh Paradise	Krishna Vihar, Dhani Kumawatan, Diggi Malpura Road, Sanganer, Jaipur	Marriage Garden	9928382233
539	Jaipur Municipal Corporation	Sri Kishan Paradise	Diggi Malpura Road, Madrampura, Sanganer	Marriage Garden	9460554577
540	Jaipur Municipal Corporation	Vrindavan Marriage Garden	Saipura Mod, Madrampura, Sanganer, Jaipur	Marriage Garden	9784648000
541	Jaipur Municipal Corporation	Jaipur Vilas Resort Marriage Garden	Sanganer Railway Station ke Samne, Rampura Road, Sanganer, Jaipur	Marriage Garden	9829065602

542	Jaipur Municipal Corporation	Harivan Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
543	Jaipur Municipal Corporation	Siyaram Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
544	Jaipur Municipal Corporation	Neelmahal Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9829097275
545	Jaipur Municipal Corporation	Sushil Paradise	Kaisar Chauraha ke Paass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
546	Jaipur Municipal Corporation	Bohra Paradise	Madrapura Bai Pass, Sanganer, Jaipur	Marriage Garden	9829072387
547	Jaipur Municipal Corporation	R.C. Dukya Green Marriage Garden	Madrapura Petrol Pump ke Pass, Diggi Road, Sanganer, Jaipur	Marriage Garden	9829157962
548	Jaipur Municipal Corporation	Anukampa Platina	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	9829063078
549	Jaipur Municipal Corporation	Dhanuka Sunshine Prime	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	8003999690
550	Jaipur Municipal Corporation	Sidar Luxiria	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	9828521041
551	Jaipur Municipal Corporation	Mangalam Ananda Residency	Rampura Road, Railway Phatak ke Samane, Sanganer, Jaipur	Residential Building	9001292040
552	Jaipur Municipal Corporation	Boni Height	Muhana Mandi Gate No. 3 ke Pass, Sanganer, Jaipur	Residential Building	9588248175
553	Jaipur Municipal Corporation	Kohinoor Shakambhari Residency	Railway Phatak ke Samne, Rampura Road, Sanganer, Jaipur	Residential Building	&
554	Jaipur Municipal Corporation	Manohar Palace Marriage Garden	Jain Nasia Road, Sanganer, Jaipur	Marriage Garden	9252036053
555	Jaipur Municipal Corporation	Laxmi Vila Marriage Garden	Saipura Main Road, Sanganer	Marriage Garden	9636448181
556	Jaipur Municipal Corporation	Sanwariya Palace Marriage Garden	35 Sector ke Pass, Govindpura Road	Marriage Garden	9314933847
557	Jaipur Municipal Corporation	Pooja Marriage Garden	Gordhan Nagar Toll Tax	Marriage Garden	8307660031
558	Jaipur Municipal Corporation	Hotel Crown Plaza	Tonk Road	Hotel	958788903&0141717 6666
559	Jaipur Municipal Corporation	Mahatma Gandhi Hospital	RIICO Industrial Area, Sitapura, Jaipur	Hospital	9660110077
560	Jaipur Municipal Corporation	Shahnai Garden	Sector 3, Pratap Nagar, Sanganer, Jaipur	Marriage Garden	8209241721
561	Jaipur Municipal Corporation	Krishna Garden	Sector 3, Pratap Nagar, Sanganer, Jaipur	Marriage Garden	9314470853

562	Jaipur Municipal Corporation	Badi Dhani Pavitra Bhojnalaya	Sector 3, Pratap Nagar, Sanganer, Jaipur	Restaurent	9414717861
563	Jaipur Municipal Corporation	Diana Baar	Sanganer Pulia ke Pass, Sanganer	Hotel	9893915264
564	Jaipur Municipal Corporation	My Baby Hospital	61/226, Sector 6, Bank of Maharashtra ke Pass	Hospital	9460553950
565	Jaipur Municipal Corporation	Shiv Shakti Boys Hostel and P.G.	Sector 6, Pratap Nagar, Sanganer	Hostel	9829805639
566	Jaipur Municipal Corporation	Prince P.G. Boys Hostel	Sanganer Pulia ke Picche	Hostel	9460957628
567	Jaipur Municipal Corporation	Harishankar Veg. Restaurent	Airport Circle, Sanganer, Tonk Road, Jaipur	Restaurent	9413556272
568	Jaipur Municipal Corporation	Shri Shyam Guest House	Main Tonk Road, Sanganer, Jaipur	Guest House	8559883480
569	Jaipur Municipal Corporation	Hotel Khushi	Gogiya Petrol Pump, Sanganer, Jaipur	Hotel	9829058601
570	Jaipur Municipal Corporation	Chandji Garden	Shyopur Road, Sanganer, Jaipur	Marriage Garden	9828015520
571	Jaipur Municipal Corporation	Shri Ram Marriage Garden	Bairwa Colony, Sanganer, Jaipur	Marriage Garden	6367606087
572	Jaipur Municipal Corporation	Kanhaiyalal Halwai Restaurent and Hotel	RIICO Pulia ke Pass	Hotel	9351313231
573	Jaipur Municipal Corporation	SDC Euro Apartment Exotica	RIICO Pulia ke Pass, Kushal Nagar	Residentia l Building	9672995646
574	Jaipur Municipal Corporation	Tirupati Plate	Kohinoor Garden, Sanganer, Shyam Vihar 56 to 64	Residentia l Building	9829949160
575	Jaipur Municipal Corporation	Yash Hotel	2,3 Ramdwara Colony, New Sanganer, Sanganer	Hotel	8094444471
576	Jaipur Municipal Corporation	Rajkiya Chikitsalaya, Sanganer	Main Sanganer	Hospital	&
577	Jaipur Municipal Corporation	Sabji Mandi Sanganer	Radhavallabh Marg, Post Office ke Pass	Sabzi Mandi	&
578	Jaipur Municipal Corporation	Jaipur Center	B 2 Baipaass Chauraha, Tonk Road, Jaipur	Commerci al Building	9549355007
579	Jaipur Municipal Corporation	Akeshia Apartment	Shri Khatushyam Builders, Jagatpura	Residentia l Building	9783424295
580	Jaipur Municipal Corporation	Balaji Tower Third, E.H.C.C. Hospital ke Picche, Jawahar Circle	Balaji Tower Garden City Maintainance and Residency Welfare Society	Commerci al Building	9414023007

581	Jaipur Municipal Corporation	Heritage Haweli A Stay Home	80 A, Shankar Vihar, Gaitor Road, Jagatpura	Hotel	9568204697
582	Jaipur Municipal Corporation	Central Lawn E.P	Jawahar Circle, Jaipur	Hotel	9799128000
583	Jaipur Municipal Corporation	East Lawn E.P	Jawahar Circle, Jaipur	Hotel	9799128000
584	Jaipur Municipal Corporation	Mugal Garden E.P	Jawahar Circle, Jaipur	Hotel	9799128000
585	Jaipur Municipal Corporation	Rose Garden E.P	Jawahar Circle, Jaipur	Hptel	9799128000
586	Jaipur Municipal Corporation	Banquet Hall E.P	Jawahar Circle, Jaipur	Hotel	9799128000
587	Jaipur Municipal Corporation	Dream Home Vikas Samiti Colony	Tonk Road, Kundan Nagar, Sanganer, Jaipur	Residential Building	9829147558
588	Jaipur Municipal Corporation	Apni Dhani Restaurent	Opposite Chandra Toyota, Printers Colony, Tonk Road	Restaurent	9660011231
589	Jaipur Municipal Corporation	Cheel Gadi Restaurent and Hotel	&	Hotel	9829047602
590	Jaipur Municipal Corporation	Royal Oil Company (Flat)	Royal Twins, Aabkari Thana Road, Budhsingh Pura, Sanganer	Residential Building	8440044027
591	Jaipur Municipal Corporation	Indian Oil Company (Flat)	Aabkari Thana Road, Budhsingh Pura, Sanganer	Residential Building	414243652
592	Jaipur Municipal Corporation	Subodh Mahila P.G. College and School, B.Ed College	Aabkari Thana Road, Budhsingh Pura, Sanganer	College	-
593	Jaipur Municipal Corporation	The Pizza Unlimited	Aabkari Thana Road, Budhsingh Pura, Sanganer	Restaurent	9828018887
594	Jaipur Municipal Corporation	Ganga Garden (Vivah Sthal)	Sitabari Farm, Tonk Road, Sanganer	Marriage Garden	9369794841
595	Jaipur Municipal Corporation	Jamuna Garden (Vivah Sthal)	Sitabari Farm, Near Airport, Tonk Road, Jaipur	Marriage Garden	9414360527
596	Jaipur Municipal Corporation	The Theme (Hotel)	Sitabari, Main Tonk Road, Sanganer, Jaipur	Hotel	7665005531
597	Jaipur Municipal Corporation	Anokhi Veg. Restaurent	Sitabari, Main Tonk Road, Sanganer, Jaipur	Restaurent	9829374252
598	Jaipur Municipal Corporation	Dhanna's Veg. Restaurent	Sitabari, Main Tonk Road, Sanganer, Jaipur	Restaurent	9252333435
599	Jaipur Municipal Corporation	Dungari House Marriage Garden		Marriage Garden	
600	Jaipur Municipal Corporation	Godawari Apartment	28 Sector, Pratap Nagar	Residential Building	

601	Jaipur Municipal Corporation	Pratap Apartment	28 Sector, Pratap Nagar	Residential Building	
602	Jaipur Municipal Corporation	K.S. Paradise	Opposite N.R.I Club, Sector 22, Haldighati Marg, Pratap Nagar	Marriage Garden	9414054437
603	Jaipur Municipal Corporation	Laxmi Paradise	Block 264, Sector 26, Pratap Nagar	Marriage Garden	9314656910
604	Jaipur Municipal Corporation	Mahima Paradise	200 Feet Airport Road, Teelawala, Pratap Nagar	Marriage Garden	9414054437
605	Jaipur Municipal Corporation	G.S. Paradise	200 Feet Airport Road, Teelawala, Pratap Nagar	Marriage Garden	9314513514
606	Jaipur Municipal Corporation	Mehta Garden	Sector 22, Bagado ki Dhani, Nagariawala, Pratap Nagar, Sanganer	Marriage Garden	8302313059
607	Jaipur Municipal Corporation	Virasat Palace	Teelawala, Jagatpura	Marriage Garden	7222006167
608	Jaipur Municipal Corporation	Kasturi Baag	Kasturi Baag, Ravindra Nagar A, Saint Marry School ke Samne	Marriage Garden	9785225558
609	Jaipur Municipal Corporation	Tulsi Garden	11 Number Dispensary ke Samne, Bhairav Circle, Kumbha Marg	Marriage Garden	9413786522
610	Jaipur Municipal Corporation	Saraswati Apartment	Sector 18, Pratap Nagar	Residential Building	
611	Jaipur Municipal Corporation	Sarayu Apartment	261, Sector 26, Pratap Nagar	Residential Building	
612	Jaipur Municipal Corporation	Banas Apartment	262, Sector 26, Pratap Nagar	Residential Building	
613	Jaipur Municipal Corporation	Mewar Apartment	Sector 15, Pratap Nagar	Residential Building	
614	Jaipur Municipal Corporation	Jhelum Apartment	Sector 28, Pratap Nagar	Residential Building	
615	Jaipur Municipal Corporation	Chinab Apartment	Sector 28, Pratap Nagar	Residential Building	
616	Jaipur Municipal Corporation	Triveni Garden	Triveni Garden Vivah Sthal, Mahal Road, 7 Number Bus Stand, Jagatpura	Marriage Garden	9829271867
617	Jaipur Municipal Corporation	Hotel Mahadev Palace	179, Mahadev Nagar, Ramnagar Road, Jagatpura	Hotel	9828120647
618	Jaipur Municipal Corporation	Black Pearl Scopy and Restaurent	57, Shopping Center, Ramnagar, Jagatpura	Restaurent	8952909808
619	Jaipur Municipal Corporation	Maheshwari Chikitsalaya	A 166, Ramnagar, Jagatpura	Hospital	9610490090
620	Jaipur Municipal Corporation	Bhavya Green	Ramnagar Road, SKIT	Residential Building	8696876554

621	Jaipur Municipal Corporation	Royals Platinum	151, Ramnagar, Jagatpura	Residential Building	9314444297
622	Jaipur Municipal Corporation	Dhanaria Hotel	247, Jagan Vihar, Mahal Road	Hotel	8946992053
623	Jaipur Municipal Corporation	City of Golden Domes	Brij Vihar Colony, Pracheen Shiv Mandir ke Pass, Jagatpura	Residential Building	9636923642
624	Jaipur Municipal Corporation	Ashadeep Grani Prevenue	Goner Road, Jagatpura	Residential Building	9782700663
625	Jaipur Municipal Corporation	Jeevan Rekha Hospital	Akshay Patra ke Samne, Jagatpura	Hospital	8561020098
626	Jaipur Municipal Corporation	Balaji Mejestic Heights	25, Central Spine, Jagatpura	Residential Building	8470937196
627	Jaipur Municipal Corporation	O.K Shiv Plus Vinus	Akshay Patra ke Samne, Jagatpura	Residential Building	9636577610
628	Jaipur Municipal Corporation	Mahima Penorma	V.I.T Road, Ramnagar, Jagatpura	Residential Building	9887116660
629	Jaipur Municipal Corporation	Vishwas Ashiyana	Vishvvidyalaya Nagar	Residential Building	7239893102
630	Jaipur Municipal Corporation	Anukampa	Vigyan Nagar, N.R.I Chauraha, Jagatpura	Residential Building	9887484269
631	Jaipur Municipal Corporation	S.D.C. Residency	S.K.I.T Road, Jagatpura	Residential Building	9887714882
632	Jaipur Municipal Corporation	Riddhi Siddhi	S.K.I.T College ke Picche, Ramnagar, Jagatpura	Hotel	9549858839
633	Jaipur Municipal Corporation	Rajwada Palace	Shakuntalam Colony, N.R.I Chauraha	Marriage Garden	9982176819
634	Jaipur Municipal Corporation	S.K.I.T	Ramnagar, Jaipur	College	4145160400
635	Jaipur Municipal Corporation	Suresh Gyan Vihar University	Jagatpura, Jaipur	College	907803368
636	Jaipur Municipal Corporation	Anjani Bhojnalaya	Sector 4, Indira Gandhi Nagar, Jaipur	Hotel	7427807805
637	Jaipur Municipal Corporation	Sunday Bazaar	Sector 3, Indira Gandhi Nagar, Jaipur	Commercial Area	
638	Jaipur Municipal Corporation	Surya Mangal Paradise	Sector 3, Indira Gandhi Nagar, Jaipur	Marriage Garden	9314753009
639	Jaipur Municipal Corporation	Maharaja Paradise Marriage Garden	Sector 3, Indira Gandhi Nagar, Jaipur	Marriage Garden	9530454145
640	Jaipur Municipal Corporation	Shri Govind Pavitra Bhojnalaya	Kundanpura	Restaurant	9649555558
641	Jaipur Municipal Corporation	Balaji Paradise Garden	Goner Road, B.P.L Godam ke Pass	Marriage Garden	9799325588

642	Jaipur Municipal Corporation	Sabji ki Badi Dukan	B.P.L Godam, Luniawas Road	Hotel	9928777660
643	Jaipur Municipal Corporation	Neelkanth Apartment	Block B, Sector 5, Indira Gandhi Nagar	Residential Building	-
644	Jaipur Municipal Corporation	Vindhyachal Apartment	Sector 7, Indira Gandhi Nagar, Jaipur	Residential Building	-
645	Jaipur Municipal Corporation	Kanchanjanga Apartment	Sector 7, Indira Gandhi Nagar, Jagatpura	Residential Building	-
646	Jaipur Municipal Corporation	Guru Shikhar Apartment	Sector 7, Indira Gandhi Nagar, Jagatpura	Residential Building	-
647	Jaipur Municipal Corporation	Aravali Apartment	Sector 9, Indira Gandhi Nagar, Jagatpura	Residential Building	-
648	Jaipur Municipal Corporation	Marriage Garden (Angira Garden)	R.K Sweets ke Pass, Luniawas Road	Marriage Garden	9166150307
649	Jaipur Municipal Corporation	Shri Mahal Dhaba	Kundanpura	Restaurant	9828573030
650	Jaipur Municipal Corporation	Riddhi Siddhi Marriage Garden	Sector 3, Indira Gandhi Nagar	Marriage Garden	9602248218
651	Jaipur Municipal Corporation	Neelgiri Apartment	Sector 10, Indira Gandhi Nagar, J.D.A	Residential Building	-
652	Jaipur Municipal Corporation	Dhavalgiri Apartment	Sector 10, Indira Gandhi Nagar, J.D.A	Residential Building	
653	Jaipur Municipal Corporation	Shivalik Apartment	Sector 4, Indira Gandhi Nagar	Residential Building	9351467841
654	Jaipur Municipal Corporation	Chandra Mahal Garden	Khania Bandha, Goner Road, Jaipur	Marriage Garden	9414048222
655	Jaipur Municipal Corporation	Dayal Hospital	Khania Bandha, Goner Road, Jaipur	Hospital	9829031341
656	Jaipur Municipal Corporation	Kumar Govindam Garden	Near Agra Road, Khania Bandha	Marriage Garden	9928802999
657	Jaipur Municipal Corporation	Panihari Restaurant, Goner Road, Jaipur	Goner Road, Jaipur	Restaurant	9829110931
658	Jaipur Municipal Corporation	Rajshri Garden	Goner Road, Jaipur	Marriage Garden	9414075810
659	Jaipur Municipal Corporation	P.S. Paradise	Goner Road, Jaipur	Marriage Garden	9610112660
660	Jaipur Municipal Corporation	Kanak Vrindavan Garden	Goner Road, Jaipur, Ganesh Enclave Colony	Marriage Garden	7014292286
661	Jaipur Municipal Corporation	The Oberoi Hotel	Goner Road, Jaipur	Hotel	9982201195
662	Jaipur Municipal Corporation	Raj Paradise	Prem Nagar Road, Goner Road, Jaipur	Marriage Garden	8094739242

663	Jaipur Municipal Corporation	D.H. Hospital	Luniawas, Paldi Meena Road, Jaipur	Hospital	9829482205
664	Jaipur Municipal Corporation	Neelkanth Paradise	Near Agara Road, Jaipur	Marriage Garden	9829205706
665	Jaipur Municipal Corporation	Veer Durgadas Park		Marriage Garden	9351518390
666	Jaipur Municipal Corporation	G.V.DSoni Café	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	
667	Jaipur Municipal Corporation	Vendij Seep and Bite	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	
668	Jaipur Municipal Corporation	Chabra Take Away	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	9351353337
669	Jaipur Municipal Corporation	Ritz Residency Hotel	Girdhar Marg	Hotel	
670	Jaipur Municipal Corporation	Hotel Brij Haweli	Girdhar Marg	Hotel	
671	Jaipur Municipal Corporation	Bhaya Ji Restaurent	Girdhar Marg	Restaurent	
672	Jaipur Municipal Corporation	House of Taste	Girdhar Marg	Restaurent	
673	Jaipur Municipal Corporation	Hotel Ethnic Restaurent	Girdhar Marg	Hotel	
674	Jaipur Municipal Corporation	Tadka Veg. Restaurent	Girdhar Marg	Restaurent	
675	Jaipur Municipal Corporation	Gheeya Hospital	Girdhar Marg	Hospital	
676	Jaipur Municipal Corporation	Tadka Dhaba	Girdhar Marg	Restaurent	
677	Jaipur Municipal Corporation	Hotel Royal Empire	Girdhar Marg	Hotel	
678	Jaipur Municipal Corporation	Tea kila	Girdhar Marg	Restaurent	
679	Jaipur Municipal Corporation	Silver Oak	Bron Tower ke Pass	Restaurent	
680	Jaipur Municipal Corporation	Bhaya Ji Restaurent	Girdhary Marg	Restaurent	
681	Jaipur Municipal Corporation	Vijyavargiya Sabha Bhawan	Sector 6, Hospital ke Pass	Community Hall	
682	Jaipur Municipal Corporation	Merriott Hotel	Ashram Road ke Samne, Tonk Road, Jaipur	Hotel	141456777
683	Jaipur Municipal Corporation	Hotel Clark Amer	J.L.N Marg, Malviya Nagar	Hotel	1412550616

684	Jaipur Municipal Corporation	Hotel Reddison Blue	Tonk Road, Jaipur	Hotel	1416698888
685	Jaipur Municipal Corporation	World Trade Park Mall	J.L.N Marg, Malviya Nagar, Jaipur	Commercial Building	1412728044
686	Jaipur Municipal Corporation	Hotel Crown Plaza	Girdhar Marg, Malviya Nagar	Hotel	9314880928
687	Jaipur Municipal Corporation	Gaurav Tower	Malviya Nagar, Jaipur	Commercial Building	1412720444
688	Jaipur Municipal Corporation	Tadka Dhaba	Girdhar Marg, Malviya Nagar	Restaurent	9983871313
689	Jaipur Municipal Corporation	Sethi Tikka Kari	Sector 10, Railway Line ke Samne	Restaurent	
690	Jaipur Municipal Corporation	Samudayik Kendra	Sector 5, Malviya Nagar	Community Hall	2720150
691	Jaipur Municipal Corporation	Mahaveer Park, Ramjipura	Sector 7, Ramjipura	Marriage Garden	9314426845
692	Jaipur Municipal Corporation	Reliance Fresh	Girdhar Marg	Commercial Building	
693	Jaipur Municipal Corporation	Fortis Hospital		Hospital	
694	Jaipur Municipal Corporation	Hotel Raj Palace	New Sanganer Road	Hotel	702033147
695	Jaipur Municipal Corporation	Hotel Pareek	Janpath Road, Shyam Nagar	Hotel	0141-4004111
696	Jaipur Municipal Corporation	Dana Pani Restaurant	Janpath Road, Shyam Nagar	Hotel	0141-40005111
697	Jaipur Municipal Corporation	Maa Vaishno Restaurant	Main Chuaraha, Gurjar ki Thadi	Hotel	9116643414
698	Jaipur Municipal Corporation	Manuhar Hotel	Main Chuaraha, Gurjar ki Thadi	Hotel	9166610265
699	Jaipur Municipal Corporation	Sominar Hotel	Near Ganga-Jamuna Petrol Pump	Hotel	9610332106
700	Jaipur Municipal Corporation	Jodhpur Sweet Home	Kamla Nehru Pulia	Hotel	9660110080
701	Jaipur Municipal Corporation	Lajawab Hotel and Restaurant	Ajmer Road, Bhakrota	Hotel	9610222228
702	Jaipur Municipal Corporation	Sujata Farm Royal Palace	Railway Line Rampura Road	Hotel	98282851055
703	Jaipur Municipal Corporation	Hotel New Haveli	Manyawas Road	Hotel	9829017061

704	Jaipur Municipal Corporation	Mansarovar Palace Hotel	Aravali Marg New Sanganer Road	Hotel	9928475117
705	Jaipur Municipal Corporation	Sidheshwaari Bhojnalay	Shop No.1, Patel Marg	Hotel	9549416662
706	Jaipur Municipal Corporation	Roll Express	Shop No:-18, Sector-7, Patel Nagar	Hotel	9460888114
707	Jaipur Municipal Corporation	Punjabi Grill	90/13, Madhyam Marg	Hotel	9953593200
708	Jaipur Municipal Corporation	Shree Salasar Namkeen Bhandar	122/152	Hotel	9772341902
709	Jaipur Municipal Corporation	Hari Shankar Hotel	Vijay Path Chouraha	Hotel	8561966907
710	Jaipur Municipal Corporation	Kalyan Dhaba	Vijay Path, Sector-9	Hotel	8432481483
711	Jaipur Municipal Corporation	Amar Misthan Bhandar	Sector-9, Madhyam Marg,	Hotel	9828050744
712	Jaipur Municipal Corporation	The Arbar Guest House	103/56	Hotel	889999019
713	Jaipur Municipal Corporation	The Kulcha Factory	Shop No-11, Sector-10, Shopping centre, Patel Marg	Hotel	9874111111
714	Jaipur Municipal Corporation	Jodhpur Sweet Bhandar	214/463, Agarwal Farm	Hotel	0141-2784176
715	Jaipur Municipal Corporation	Jodhpur Misthan Bhandar	124/460, Agarwal Farm	Hotel	9649494422
716	Jaipur Municipal Corporation	Krishna Guest House	124/286, Agarwal Farm	Hotel	8858389544
717	Jaipur Municipal Corporation	Rajdhani Restaurant	124/276, Thadi Market	Hotel	9828168797
718	Jaipur Municipal Corporation	Shree Annapurna Bhojnalay	1221, Thadi Market	Hotel	9414512678
719	Jaipur Municipal Corporation	Hotel Park Classic	Riddhi-Siddhi Chauraha, Gopalpura By- pass road	Hotel	9928111221
720	Jaipur Municipal Corporation	Hotel Safari and Restaurant	Riddhi-Siddhi Chauraha, Opposite to Career Point	Hotel	8290112345
721	Jaipur Municipal Corporation	Hotel Grand Safari	80 feet road, Gopalpura By-pass road	Hotel	8290112345
722	Jaipur Municipal Corporation	Hotel Royal Orchid	Durgapura Tonk Road	Hotel	8003299902
723	Jaipur Municipal Corporation	Hotel Four Point Sheraton	Vasundhara Colony, Tonk road, Big Bazaar	Hotel	887502608
724	Jaipur Municipal Corporation	Kota Kachori	Plot no-A 1, Vasundhara Colony	Hotel	9667758788

725	Jaipur Municipal Corporation	Sewatan Hospital	Ajmer road, Jaipur	Hospital	0141-2220240
726	Jaipur Municipal Corporation	Sanjeevni Hospital	New Sanganer Road	Hospital	0141-4067000
727	Jaipur Municipal Corporation	Hotel Raj Palace	Janpath Road, Shyamnagar	Hotel	702033147
728	Jaipur Municipal Corporation	Hotel Parak	Janpath Road, Shyamnagar	Hotel	0141-4004111
729	Jaipur Municipal Corporation	Dana Paani Restaurant	Janpath Road, Shyamnagar	Hotel	0141-4000511 1
730	Jaipur Municipal Corporation	Paras Vegas Appartment	Shyamnagar near sharad Hospital	Apartment	9829127845
731	Jaipur Municipal Corporation	Maa Vaishno Restaurant	Main Chauraha, Gurjar ki thadi	Restaurants	9116643414
732	Jaipur Municipal Corporation	Manuhar Hotel	Main Chauraha, Gurjar ki thadi	Hotel	9166610265
733	Jaipur Municipal Corporation	Souvenir Hotel	Near Ganga-Jamuna Petrol pump	Hotel	9610332106
734	Jaipur Municipal Corporation	King Paradise	Padmavati colony, King Paradise	marriage garden	9314512914
735	Jaipur Municipal Corporation	Ryan School	Padmavati colony	school	8058580511
736	Jaipur Municipal Corporation	Neo clinic	Mishra Marg	Clinic	8387045733
737	Jaipur Municipal Corporation	Rajendra Marriage Kunj Garden	Metro pilar no.74,75 opposite to devinagar	Garden	9414041758
738	Jaipur Municipal Corporation	Krishna Heart hospital	T.Mishra Marg	Hospital	9829078024
739	Jaipur Municipal Corporation	Havens garden	T.n mishra marg	Garden	9887366806
740	Jaipur Municipal Corporation	Sunny Mart	New atish Market	commercial building	8239733078
741	Jaipur Municipal Corporation	Sunny trade center	New atish Market	commercial building	992933001
742	Jaipur Municipal Corporation	Harshit Marriage garden	Prem Nagar-2	marriage garden	9414821100
743	Jaipur Municipal Corporation	Baba enclave 158 flat	Kanak vihar, kamla Nehru	Apartment	9571590096
744	Jaipur Municipal Corporation	Vardhman Residency	Kanak vihar, kamla Nehru	apartment	9460360434
745	Jaipur Municipal Corporation	Ekling Residency	Kanak vihar, kamla Nehru	apartment	9001179742

746	Jaipur Municipal Corporation	Jodhpur sweet hom	Kamla Nehru puliya	sweet shop	9660110080
747	Jaipur Municipal Corporation	Shree Magalam Garden	Ganpatpura road JDA colony	marriage garden	9829008005
748	Jaipur Municipal Corporation	Dungri house garden	Kanak vihar, kamla Nehru road, ajmer road, Jaipur	marriage garden	8233200000
749	Jaipur Municipal Corporation	A.B.C Paradise	120 Kanak vihar, kamla Nehru	marriage garden	9799998352
750	Jaipur Municipal Corporation	Arihant residency 156- 116	Kanak vihar, kamla Nehru	apartmen mt	6375813027
751	Jaipur Municipal Corporation	Mato shri 91 residency	Kanak vihar, kamla Nehru	apartmen mt	7727866988
752	Jaipur Municipal Corporation	Shri Ratnam heights society 115	Kanak vihar, kamla Nehru	apartmen mt	9928618993
753	Jaipur Municipal Corporation	Arihant Enclave 92-93	Kanak vihar, kamla Nehru	apartmen mt	9828163932
754	Jaipur Municipal Corporation	Ekling Enclave 89-90	Kanak vihar, kamla Nehru	apartmen mt	9828121987
755	Jaipur Municipal Corporation	Balaji Marriage Garden	Sirsi Road, Bhakrota	marriage garden	9414406494
756	Jaipur Municipal Corporation	Sangam paradise	Mukundra Road,Bhakrota	marriage garden	9829284991
757	Jaipur Municipal Corporation	Radhika Marriage garden	Mukundra Road,Bhakrota	marriage garden	9799995886
758	Jaipur Municipal Corporation	Sumrai Garden	Ajmer Road, Bhakrota	marriage garden	9829068806
759	Jaipur Municipal Corporation	Lajawab Hotel and Restaurant	Ajmer road, Bhakrota	hotel	961022228
760	Jaipur Municipal Corporation	Gokul Vatika Marriage garden	Kanal vihar, kamla Nehru, bhakrota	marriage garden	9694581285
761	Jaipur Municipal Corporation	Golden view garden	New sanganer road	marriage garden	9314512914
762	Jaipur Municipal Corporation	The Vivan venue garden	New sanganer road	marriage garden	9314512914
763	Jaipur Municipal Corporation	The Association Palace Garden	Brahmin ki thadi, new sanganer road	marriage garden	9829065602
764	Jaipur Municipal Corporation	Radha Govind marriage garden	New sanganer road	marriage garden	9414336222
765	Jaipur Municipal Corporation	S.S Paradise	Iskcon road	marriage garden	9772188488
766	Jaipur Municipal Corporation	Shriyansh Paradise	Opposite to S.F.S	marriage garden	7727041217

767	Jaipur Municipal Corporation	Gulab Vatika	Opposite to S.F.S, new sanganer road	marriage garden	9667285281
768	Jaipur Municipal Corporation	Pradhan Vatika	Opposite to S.F.S, new sanganer road	marriage garden	9829062042
769	Jaipur Municipal Corporation	Sumer paradise	Radh-radhe chauraha, sumer nagar	marriage garden	9829062154
770	Jaipur Municipal Corporation	Shree shyam palace garden	New sangaer road	marriage garden	8432478157
771	Jaipur Municipal Corporation	Shin Kripa garden	Swarn path new sanganer road	marriage garden	9414069781
772	Jaipur Municipal Corporation	Ganeshay garden	Maharani garden road, manyawas	marriage garden	9950327999
773	Jaipur Municipal Corporation	Raj Kamal Palace	Manyawas road	marriage garden	9828993342
774	Jaipur Municipal Corporation	Chopra Farm Palace	Chopra farm house	marriage garden	9829068355
775	Jaipur Municipal Corporation	Chopra Royal Palace	Chopra farm house	marriage garden	9314646271
776	Jaipur Municipal Corporation	Chopra kanaram marriage garden	Patrakar colony	marriage garden	9782882244
777	Jaipur Municipal Corporation	Anand mahal	Patrakar road	marriage garden	9549443387
778	Jaipur Municipal Corporation	Raj marriage garden	Patrakar road	marriage garden	8766626055
779	Jaipur Municipal Corporation	Osian Marriage garden	Iskcon road, brahmin ki thadi	marriage garden	9829065602
780	Jaipur Municipal Corporation	Shankar walaj paradise	Iskcon road	marriage garden	9829166574
781	Jaipur Municipal Corporation	Ganesh bagh	Iskcon road	marriage garden	9983301100
782	Jaipur Municipal Corporation	Shri shravan paradise	Iskcon road	marriage garden	9782093098
783	Jaipur Municipal Corporation	Pooja Paradise	Iskcon road	marriage garden	94114051126
784	Jaipur Municipal Corporation	Barasana palace	Iskcon road	marriage garden	9509485472
785	Jaipur Municipal Corporation	Raja paradise	Kharbas khejdo ka bas	marriage garden	9829062154
786	Jaipur Municipal Corporation	Radha Krishna marriage garden	khejdo ka bas	marriage garden	8003010999
787	Jaipur Municipal Corporation	Kiran paradise	khejdo ka bas	marriage garden	9782732614

788	Jaipur Municipal Corporation	Shiv shakti marriage garden	khejdo ka bas	marriage garden	9351461016
789	Jaipur Municipal Corporation	Lakshyadeep marriage garden	khejdo ka bas	marriage garden	9983699943
790	Jaipur Municipal Corporation	Sanskar paradise	Engineers colony	marriage garden	9829051612
791	Jaipur Municipal Corporation	Radhika paradise	Iskcon road	marriage garden	9829435410
792	Jaipur Municipal Corporation	Mangalam palace	Iskcon road near Icici bank	marriage garden	8742069450
793	Jaipur Municipal Corporation	Shri Balaji paradise	Iskcon road	marriage garden	9352124413
794	Jaipur Municipal Corporation	Simran paradise	Rampura road	marriage garden	9314417074
795	Jaipur Municipal Corporation	Sujata farm royal palace	Railway line rampura road	marriage garden	9828285105
796	Jaipur Municipal Corporation	Shri kalyan paradise	Railway line rampura road	marriage garden	99928328581
797	Jaipur Municipal Corporation	Sundar paradise	Kalyanpura Sanganer	marriage garden	9929611871
798	Jaipur Municipal Corporation	Shravan chaudhary paradise	Sachivalay vihar, new Sanganer road	marriage garden	9782732614
799	Jaipur Municipal Corporation	Gulab vatika	Opposite to S.F.S, new Sanganer road	marriage garden	9667285281
800	Jaipur Municipal Corporation	Pradhan vatika	Opposite to S.F.S, new Sanganer road	marriage garden	9829062042
801	Jaipur Municipal Corporation	Shri jee palace	Brahmin ki thadi, iskcon road	marriage garden	9571888078
802	Jaipur Municipal Corporation	Ganesh paradise	Ganesh nagar, iskcon road	marriage garden	9983301100
803	Jaipur Municipal Corporation	Vinayak marriage garden	Iskcon road	marriage garden	9983305088
804	Jaipur Municipal Corporation	Krishna garden	Sundar nagar	marriage garden	9928998899
805	Jaipur Municipal Corporation	Rajratan marriage garden	New Sanganer road	marriage garden	9314980877
806	Jaipur Municipal Corporation	Dadudayal residency	Patel marg	apartment	9414044993
807	Jaipur Municipal Corporation	Dadu dayal marriage garden	patel marg	marriage garden	9414044993
808	Jaipur Municipal Corporation	Moti sarovar marriage garden	Opposite to dhanvantri hospital	marriage garden	9982137902

809	Jaipur Municipal Corporation	Maharani garden	New Sanganer road	marriage garden	8058365796
810	Jaipur Municipal Corporation	Jaina paradise	Mangyawas road	marriage garden	9829727007
811	Jaipur Municipal Corporation	Johri marriage garden	Mangyawas road	marriage garden	9829727007
812	Jaipur Municipal Corporation	Sangam paradise	Mangyawas road	marriage garden	8963072879
813	Jaipur Municipal Corporation	Hotel new haveli	Mangyawas road	marriage garden	9829017061
814	Jaipur Municipal Corporation	Ganga marriage garden	New Sanganer road	marriage garden	9414069781
815	Jaipur Municipal Corporation	New shyam paradise	Manyawas new Sanganer road	marriage garden	9784012359
816	Jaipur Municipal Corporation	Janak paradise	Mangyawas road	marriage garden	9413800359
817	Jaipur Municipal Corporation	A.R. paradise	Engineer colony	marriage garden	8503876956
818	Jaipur Municipal Corporation	Siyaram paradise	New Sanganer road	marriage garden	9314347711
819	Jaipur Municipal Corporation	Babul paradise	New Sanganer road	marriage garden	9799272254
820	Jaipur Municipal Corporation	Harsh deep marriage garden	New Sanganer road	marriage garden	9314969110
821	Jaipur Municipal Corporation	Loyance paradise	S.F.S new Sanganer road	marriage garden	9829065602
822	Jaipur Municipal Corporation	Komal paradise	New Sanganer road	marriage garden	9664307276
823	Jaipur Municipal Corporation	Swarg marriage garden	New Sanganer road	marriage garden	9412069781
824	Jaipur Municipal Corporation	Baba paradise	Golyawas	marriage garden	9828024667
825	Jaipur Municipal Corporation	Raj marriage garden	Patrakar colony, new Sanganer road	marriage garden	9829051612
826	Jaipur Municipal Corporation	Guddu Marriage garden	Mangawas road	marriage garden	9829541425
827	Jaipur Municipal Corporation	Shiv sarovar marriage garden	Mangyawas road	marriage garden	9251117771
828	Jaipur Municipal Corporation	Udb Bade Awasiya parisar	Patrakar colony	apartment	
829	Jaipur Municipal Corporation	My Village Marriage garden	Patrakar dholai	marriage garden	8875757666

830	Jaipur Municipal Corporation	Radherani marriage garden	New Sanganer road	marriage garden	9314514340
831	Jaipur Municipal Corporation	Ramvilla marriage garden	Opposite to Aravalli marg	marriage garden	9828285105
832	Jaipur Municipal Corporation	Shravan palace marriage garden	Ricco kata, near chauraha	marriage garden	9782732614
833	Jaipur Municipal Corporation	shipra house marriage garden	Shipra path vijay path tiraha	marriage garden	9413346046
834	Jaipur Municipal Corporation	Ankur banquet hall	New Sanganer road, S.F.S near sector- 6	marriage garden	9829059625
835	Jaipur Municipal Corporation	Madhur milan marriage garden	New Sanganer road, S.F.S near sector- 6	marriage garden	9887950348
836	Jaipur Municipal Corporation	Ramkrishna apartment	Shipra path near B@ bypass chauraha	apartment	9887076639
837	Jaipur Municipal Corporation	Dwarka apartment	Vikrama divya marg, Agarwal farm, mansarovar	apartment	9828185311
838	Jaipur Municipal Corporation	Mansarovar heights	Shipra path, sector-111	apartment	9828185311
839	Jaipur Municipal Corporation	115 college (I.C.G)	S.F.S Agarwal farm, mansarovar	college	0141-2400160
840	Jaipur Municipal Corporation	S.F.S community center	S.F.S Agarwal farm, mansarovar	community centre	9214696556
841	Jaipur Municipal Corporation	S.F.s sabzi mandi	S.F.S chauraha B2 bypass	sbjii mandi	9602402351
842	Jaipur Municipal Corporation	Stone park	B2 bypass chauraha	park	
843	Jaipur Municipal Corporation	Woodland park	B2 bypass chauraha near veterinarian hospital	park	
844	Jaipur Municipal Corporation	Tarani hospital Agarwal farm	122/218,219 near vijay chauraha	hospital	9314626599
845	Jaipur Municipal Corporation	Saket hospital research center	Meera marg, sector-9	hospital	9983169997
846	Jaipur Municipal Corporation	Okay plus	Madhyam marg plot-Asector-7	commercial building	9414936412
847	Jaipur Municipal Corporation	Mansarovar plaza	Madhyam marg	commercial building	9001292722
848	Jaipur Municipal Corporation	Mansarovar palace hotel	Aravali marg, new Sanganer road	hotel	9928475117
849	Jaipur Municipal Corporation	Tagore hospital research center	Sector-7 shipra road tagore lawn	hospital	9602661828
850	Jaipur Municipal Corporation	Sidheshwari bhojnalay	Shop no-1, patel marg	Restaurants	9549416662

851	Jaipur Municipal Corporation	Ladies street	Patel marg 80/99	beauty parlour	8930409919
852	Jaipur Municipal Corporation	Prakash eye hospital center	Patel marg 80/57	hospital	9813124162
853	Jaipur Municipal Corporation	Roll express	Shop no-18, sector-7, patel nagar	restaurant	9460888114
854	Jaipur Municipal Corporation	Punjabi grill	90/13 madhyam marg	restaurant	9953593200
855	Jaipur Municipal Corporation	Shri salasar namkeen bhandar	122/152	sweet shop	9772341902
856	Jaipur Municipal Corporation	Hari Shankar hotel	Vijay path chauraha	hotel	8561966907
857	Jaipur Municipal Corporation	Kalyan dhaba	Vijay path sector-9	Restaurants	8432481483
858	Jaipur Municipal Corporation	Amar misthan bhandar	Madhyam marg sector-9	sweet shop	9828050744
859	Jaipur Municipal Corporation	The arbar guest house	103/56	guest house	889999019
860	Jaipur Municipal Corporation	The kulcha factory	Shop no-11 sector-10, shopping center, patel marg	Restaurants	9874111111
861	Jaipur Municipal Corporation	Jodhpur sweets bhandar	Agarwal farm 214/463	sweet shop	0141-2784176
862	Jaipur Municipal Corporation	Jodhpur misthan bhandar	Agarwal farm 124/460	sweet shop	9649494422
863	Jaipur Municipal Corporation	Krishna guest house	Agarwal farm 124/286	guest house	8858389544
864	Jaipur Municipal Corporation	Rajdhani restaurant	Thadi market 124/276	restaurant	9828168797
865	Jaipur Municipal Corporation	Shri Annapurna bhojnalay	Thadi market 1221	restaurant	9414512678
866	Jaipur Municipal Corporation	Govind sabziwala	Vijay path chauraha 122/51	sbji centre	9079274802
867	Jaipur Municipal Corporation	Community center	Aravali marg 91/97	community centre	9829282880
868	Jaipur Municipal Corporation	Community center	Sector-9, Gokhale marg	community centre	9414073181
869	Jaipur Municipal Corporation	Chawla garden	Sms colony Gokhale marg	marriage garden	9351555434
870	Jaipur Municipal Corporation	Ashok vatika garden	Gokhale marg, shipra path	marriage garden	9414779911
871	Jaipur Municipal Corporation	R.K. lawn	Gokhala marg, shipra path	marriage garden	8233297297

872	Jaipur Municipal Corporation	H.C.G hospital	Shipra path road mansarovar	hospital	9116646923
873	Jaipur Municipal Corporation	Metro mas hospital	Shipra path road mansarovar	hospital	8003995462
874	Jaipur Municipal Corporation	Dhanvantri hospital	New Sanganer road mansarovar	hospital	9588211187
875	Jaipur Municipal Corporation	Apex hospital	Rajat path, mansarovar	hospital	9799297949
876	Jaipur Municipal Corporation	Pearl green acres	Shri gopal nagar, gopapura bypass somani hospital	apartment	9829013110
877	Jaipur Municipal Corporation	Vijay kunj marriage garden	Ganesh marg 60 feet road Mahesh nagar	marriage garden	9928788831
878	Jaipur Municipal Corporation	Hotel park classic	Ridhhi- siddhi gopalpura bypass road	hotel	9928788831
879	Jaipur Municipal Corporation	Haryana marriage garden	Roopnagar-I Mahesh nagar phatak	marriage garden	9828364958
880	Jaipur Municipal Corporation	Shivram paradise	Ridhi-siddhi chauraha 10-b scheme	marriage garden	9001003003
881	Jaipur Municipal Corporation	Hotel safari and restaurant	Ridhi-sidhi chauraha opposite to career point	Restaurants	8290112345
882	Jaipur Municipal Corporation	Hotel grand safari	80 feet road Ridhi-sidhi chauraha gopalpura bypass road	hotel	8290112345
883	Jaipur Municipal Corporation	Ramnivas palace near dalda factory pulia ke paas tonk road Jaipur	Dalda factory puliya ke paas tonk road Jaipur	marriage garden	9782866442
884	Jaipur Municipal Corporation	Rukmani birla hospital	Gopalpura bypaas Jaipur	hospital	9982224016
885	Jaipur Municipal Corporation	Hotel royal orchid	Durgapura tonk road	hotel	8003299902
886	Jaipur Municipal Corporation	Anukampa residency shanti nagar, durgapura Jaipur	Shanti nagar, durgapura Jaipur	apartment	0141-2378659
887	Jaipur Municipal Corporation	Midas heights flat	Gayatri nagar A, maharani farm dalda factory puliya ke paas durgapura Jaipur	apartment	9828660111
888	Jaipur Municipal Corporation	Hotel four point by sheraton	Vasundhara colony tonk road big bazar	hotel	887502608
889	Jaipur Municipal Corporation	Mohan vatika marriage garden	Mahaveer nagar-1	marriage garden	9828024667
890	Jaipur Municipal Corporation	Unique sandhi apartment	Mahaveer nagar-2	apartment	9829051047

891	Jaipur Municipal Corporation	Bhandari hospital	Vasundhara colony	hospital	9829051047
892	Jaipur Municipal Corporation	Big bazar	Vasundhara colony tonk road	Bazar	9610423241
893	Jaipur Municipal Corporation	Sabzi mandi	Vishnupuri behind hazari point of ward-44,Jaipur	vegetable market	8058630996
894	Jaipur Municipal Corporation	Kota kachori	Plot no. A 1 vasudhara colony,Jaipur	restaurant	9667758788
895	Jaipur Municipal Corporation	JMC	Tonk Road, Jaipur	Office	
896	Jaipur Municipal Corporation	JDA	JLN Road	Office	
897	Jaipur Municipal Corporation	DLB	C Scheme	Office	
898	Jaipur Municipal Corporation	Hotel Yash	Khatipura Mod	Hotel	
899	Jaipur Municipal Corporation	Sodhani Sweets	Tonk Road, Jaipur	sweet shop	
900	Jaipur Municipal Corporation	Sunshine City	Bhiwadi	Resort	Sanitary Inspector - 7878875190
901	Jaipur Municipal Corporation	Kajariya Greens	Bhiwadi	Resort	
902	Jaipur Municipal Corporation	Ashiyana Bgecha	Bhiwadi	Resort	
903	Jaipur Municipal Corporation	Ashiyana Sper Bazar	Bhiwadi	Market	
904	Jaipur Municipal Corporation	Aashadeep	Bhiwadi	Multi Story Building	
905	Jaipur Municipal Corporation	Baba Mohan Das Enclave	Bhiwadi	Multi Story Building	
906	Jaipur Municipal Corporation	Savlon Garden	Bhiwadi	Resort	
907	Jaipur Municipal Corporation	Krish Vatika	Bhiwadi	Resort	
908	Jaipur Municipal Corporation	Kaveri Appartment	Bhiwadi	Multi Story Building	
909	Jaipur Municipal Corporation	Yasodhara Marriage lawn .	Dausa	Hotel &Resort	Sanitary Inspector- 9784891229
910	Jaipur Municipal Corporation	Rawat Hotel	Dausa	Hotel &Resort	

911	Jaipur Municipal Corporation	Madhuwan Hotel	Dausa	Hotel &Resort
912	Jaipur Municipal Corporation	Kings paradise	Dausa	Hotel &Resort
913	Jaipur Municipal Corporation	vivah Palace	Dausa	Hotel &Resort
914	Jaipur Municipal Corporation	Satynarayan Marriage Lawn	Dausa	Hotel &Resort
915	Jaipur Municipal Corporation	Bhawna Marriage lawn	Dausa	Hotel &Resort
916	Jaipur Municipal Corporation	Poonam Marriage lawn	Dausa	Hotel &Resort
917	Jaipur Municipal Corporation	Saidi Marriage lawn	Dausa	Hotel &Resort
918	Jaipur Municipal Corporation	Vrnadawan Marriage lawn	Dausa	Hotel &Resort
919	Jaipur Municipal Corporation	Sailja Marriage lawn	Dausa	Hotel &Resort
920	Jaipur Municipal Corporation	Vijayavargeey Marriage lawn	Dausa	Hotel &Resort
921	Jaipur Municipal Corporation	Ratnprabha Marriage lawn	Dausa	Hotel &Resort
922	Jaipur Municipal Corporation	Prakash Kiran Marriage lawn	Dausa	Hotel &Resort
923	Jaipur Municipal Corporation	Laxmi villash marriage lawn	Dausa	Hotel &Resort
924	Jaipur Municipal Corporation	Ashoka Marriage	Dausa	Hotel &Resort
925	Jaipur Municipal Corporation	Sant Sundardash Marriage lawn	Dausa	Hotel &Resort
926	Jaipur Municipal Corporation	Guptnath Suraj palace	Dausa	Hotel &Resort
927	Jaipur Municipal Corporation	Shyam Sarover Hotel	Dausa	Hotel &Resort
928	Jaipur Municipal Corporation	Krishna Marriage lawn	Dausa	Hotel &Resort
929	Jaipur Municipal Corporation	Kanha Marriage Garden	Dausa	Hotel &Resort
930	Jaipur Municipal Corporation	Ramkaran Joshi Hospital	Dausa	Hospital
931	Jaipur Municipal Corporation	Krishi Upaj Mandi	Dausa	Mandi

932	Jaipur Municipal Corporation	Somnath Choraha Sbji Mandi	Dausa	Mandi	
933	Jaipur Municipal Corporation	Gandhi Tiraha Sbji Mandi	Dausa	Hotel & Resort	
934	Jaipur Municipal Corporation	Pinki Hotel	Dausa	Hotel & Resort	
935	Jaipur Municipal Corporation	Shri Ram Hotel	Dausa	Hotel & Resort	
936	Jaipur Municipal Corporation	Ashirwad Hotel	Dausa	Hotel & Resort	
937	Jaipur Municipal Corporation	Tiwari Hotel	Dausa	Hotel & Resort	
938	Jaipur Municipal Corporation	J k Hotel	Dausa	Hotel & Resort	
939	Jaipur Municipal Corporation	Arawali Hotel	Dausa	Hotel & Resort	
940	Jaipur Municipal Corporation	Jodhani Hotel	Dausa	Hotel & Resort	
941	Jaipur Municipal Corporation	Aman Hotel	Dausa	Hotel & Resort	
942	Jaipur Municipal Corporation	Dowtha Restorant	Dausa	Hotel & Resort	
943	Jaipur Municipal Corporation	Sbji Mandi	Near Tehsil, Chaksu	Market	9414100017
944	Jaipur Municipal Corporation	Hotel Marriot	Malviya Nagar	Hotel	9950944444
945	Jaipur Municipal Corporation	Hotel Rockland	Frontier colony Adarsh Nagar, Jaipur Heritage	Hotel, bar & restorant	9829235988
946	Jaipur Municipal Corporation	Sabji Mandi	Chopad Bazar, Kishangarh Renwal	Market	9950849607
947	Jaipur Municipal Corporation	CHC RENWAL	Kishangarh Renwal	Other	9829012345
948	Jaipur Municipal Corporation	Krishi mandi upaj	NH-48, Bansur road, Kotputli	Dhan mandi	9784444990
949	Jaipur Municipal Corporation	Sabji Mandi phulera	Gandi Chowk, Phulera		7737829422
950	Jaipur Municipal Corporation	Government CHC hospital	Jobner road, Phulera		7737829422
951	Jaipur Municipal Corporation	Marriage Gardens	Main Shahpura city		9588230850

952	Jaipur Municipal Corporation	Shahpura Anaj Mandi & sabji mandi	Shahpura, Jaipur		
953	Jaipur Municipal Corporation	CHC Shahpura	Shahpura, Jaipur		
954	Jaipur Municipal Corporation	Amar hospital	Near Chhatriya bus stop, Fatehpur Jaipur		-
955	Jaipur Municipal Corporation	CHC Hospital Khandela	Near SDM Office ,khandela		9782691477
956	Jaipur Municipal Corporation	Sabji Mandi	Neem Ka Thana		9461563866
957	Jaipur Municipal Corporation	Chokdi ki Dharamsala	Near Samrat Cinema, Sikar		-

List of Bulk Waste Generators - Jodhpur Division				
S. No.	ULB Name	Name	Address	Contact Details
1	Jodhpur	Lake View	Kailana road, kabir nagar	9829229102
2	Jodhpur	Fun World	Fun World Water Park and Restaurant	9829088638
3	Jodhpur	Zone by the Park	Jawahar Tower" 29 (2-A), Light Industrial Area,	291-3385000
4	Jodhpur	CAZRI	near ITI college	291-2786584
5	Jodhpur	Hotel Taj Hari	Taj Hari Mahal, 5th, Residency Rd	291-2439700
6	Jodhpur	AFRI	Krishi Upaz Mandi New Pali Road	291-2722549
7	Jodhpur	Chandra Inn	Panch batti road,ganeshp ura	0291-2670583
8	Jodhpur	Ummaid Palace	Circuit House Rd, Cantt Area,	0291-2510101
9	Jodhpur	Hotel Indana Palace	Opposite Military Officer Quarters, Pabupura,	0291-7184888
10	Jodhpur	Blasamand Lake Palace	Mandore road	0291-2572321
11	Jaisalmer	Hotel Mahadev	Gandhi Colony	9828075000
12	Jaisalmer	Sabgi Mandi	Jaisalmer	9602270236
13	Jaisalmer	Hotel Devika Niwas	Gandhi Colony	8670478454
14	Jaisalmer	Hotel Club Mahindra	Jaisalmer	8290588883
15	Jaisalmer	Hotel Ravalcourt	Pokaran Road	9414469175
16	Jaisalmer	Desert Tulip hotel	Jaisalmer	8107155782
17	Jaisalmer	Hotel Dolamaaru	Gandhi Colony	8003337552
18	Jaisalmer	Hotel Firstgate	Kila Parking	9462554462
19	Jaisalmer	Hotel Golden	Jaisalmer	9414149464
20	Jaisalmer	Hotel Emperial	Chandraveer Singh Colony	9414391057
21	Jaisalmer	Hotel Priya	Chandraveer Singh Colony	9950159360

22	Jaisalmer	Hotel Himmatgarh	Ramgarh Road	9782432694
23	Jaisalmer	Hotel Marriot Resert and Spa	Someroad	8889034749
24	Jaisalmer	Hotel Goarband Palace	Someroad	9928015306
25	Jaisalmer	Hotel Rangmahal	Someroad	9414149125, 9667222777
26	Jaisalmer	Hotel Haritage in	Someroad	02992- 250901
27	Jaisalmer	Hotel Moomal tourist Bungalow	Someroad	9833780927
28	Jaisalmer	Jain Bhavan / Jain Dharmshala	Ramesh Talkies	9460373142
29	Barmer	Narayan palace	Jaisalmer road	-
30	Barmer	Yaduraj hotel	Near janta cafe jaisalmer road	-
31	Jalore	Krishi Upaj Mandi Jalore	Aahorw Road Jalore	9460518135
32	Sanchoe	Eye care Hospital	old power house	-
33	Sanchoe	Panchakrma Hospital	govt.bus stand	-
34	Sanchoe	Saraswati Hospital	Barmer road	-
35	Sanchoe	umed hotel	viveka Aanad circle	-
36	Sanchoe	Amer Place	maheshwari colony	-
37	Sanchoe	Amer International Hotel	ramesh colony	-
38	Sanchoe	Adarsh Residence	ramesh colony	-
39	Sanchoe	Manmohan Hospital	Radhampura road	-
40	Sanchoe	SBI bank	Jalore road	-
41	Sanchoe	Axis Bank	shree ji market	-
42	Pali	Savitri Phoole Sabji Mandi	Near Ramlila Maidan	9079320332

List of Bulk Waste Generator - Kota Division					
S. No.	ULB Name	Name	Address	Type	Contact Details
1	Baran	Sabji Mandi	kotwali thane ke pass	vegetable market	9468822805
2	Baran	Sabji Mandi	Dol talab mangrol road baran	vegetable market	9468822805
3	Baran	krishi upaj mandi	ROB ke pass kota road	agriculture market	9468822805
4	Jhalawar	S.R.G. hospital	N.H. 12 hospital road jhalawar	Hospital	9680898250
5	Kota	Hotel maheshvari nayapura	Nayapura	Hotel	9829740442
6	Kota	Hotel Shaurav	Station	Hotels	8302314227
7	Kota	Amar Punjabi Dhaba	Station Road	Hotels	9950481234
8	Kota	Hotel Virangana	Station Road	Hotels	9983070098
9	Kota	Bismillah Hotel	Station Road	Hotels	9950926000
10	Kota	Annapurana Hotel	Station Road	Hotels	9413151799
11	Kota	Punjabi Chicken Place	Station Road	Hotels	9509654242
12	Kota	Hotel Navrang	Nayapura	Hotels	9414177922
13	Kota	Hotel Phool Plaza	Nayapura	Hotels	9828135700
14	Kota	Hotel Maheshwari	Nayapura	Hotels	9829740442
15	Kota	Laxmi Mess	Naya Kheda	Hotels	8232923632
16	Kota	Allen Coaching Lal Baag Ke Pass Mess	Ganeshpura	Hotels	-
17	Kota	Madhu Shree Hotel	Ganeshpura	Hotels	7442428888
18	Kota	American Hostel	Rajiv Gandhi Nagar	Hotels	7442434002
19	Kota	Opera Hospital	ndara Vihar	Hospitals	7442420101
20	Kota	Amar Punjabi Dhaba	Keshavpura	Hotels	7442464141
21	Kota	Mahindra Company Canteen	Chopra Farm	Hotels	-
22	Kota	City Mall	Nehru Nagar	Commercial	9983036655
23	Kota	Best Price	Nehru Nagar	Commercial	7445150700
24	Kota	Bohra Tower Classes	Nehru Nagar	Commercial	7442791000
25	Kota	Calibar mess	Nehru Nagar	Hotels	9828082743
26	Kota	Cinema Hall City Mall	Nehru Nagar	Commercial	9983036655
27	Kota	Chapati mess	Nehru Nagar	Hotels	9784675213

28	Kota	Sudha Hospital	Chopra Marg	Hospitals	9928027601
29	Kota	Kinkeer Hospital	Dadwada	Hospitals	9829647666
30	Kota	Mewar Hospital	Hussain Nagar	Hospitals	7442420114
31	Kota	Prince Mess	Imam Bada	Hotels	7442422489
32	Kota	Punjabi Food Mess	Chopra Farm	Hotels	9351788208
33	Kota	JK Lawn Hospital	Nayapura	Hospitals	9351350786
34	Kota	Sudha Hospital	Talwandi	Hospitals	9928027601
35	Kota	Banda dharmapura goshala	banda dharmapura	Goshala	8441808595

List of Bulk Waste Generators - Udaipur Division				
S. No.	ULB Name	Name	Address	Contact Details
1	Udaipur	Hotel Lekend	Near Mahakal Temple, Fateh sagar	0294-2431401
2	Udaipur	The Lalit	Near Fatehsagar, Udaipur	0294-3017777
3	Udaipur	Shri Niwas Palace	City palace, Udaipur	0294-2528016
4	Udaipur	Fatheprakash Palace	City palace, Udaipur	0294-2628800
5	Udaipur	Lake Palace	Pichola Lake, Udaipur	0294-3017777
6	Udaipur	The Oberoi Udaivilas	Haridas ji ki Mangri, Udaipur	0294-2433300
7	Udaipur	Hotel Trident EIH Assoiciated	Haridas ji ki Mangri, Udaipur	0294-2432200
8	Udaipur	Hotel Leela Venture	Pichola Lake, Udaipur	0294-6701234
9	Udaipur	Savina Sabji	Savina Circle, Udaipur	-
10	Udaipur	Jag Mandir	Pichola Lake, Udaipur	0294-2424186
11	Udaipur	Shikarbadi	Goverdhan Vilas, Udaipur	0294-2583201
12	Udaipur	Gulab Baag	Near Surajpol, Udaipur	-
13	Udaipur	Gardens Of Hiran Mangri Sec	-	-
14	Udaipur	Gardens Of Hiran Mangri Sec	-	-
15	Udaipur	Mahakaleshwar Temple	Rani Road, Fatehsagar, Udaipur	8209817159
16	Nimbahera	Sabji Mandi	Subhash Chock, Nimbahera	-
17	Nathdwara	Miraaj Mall	Nathuwaas, Nathdwara	8875004131
18	Nathdwara	Shree Vilas Hotel	Bus Stand	2953234800
19	Nathdwara	New Cottage	Rasala Chowk	2953233485
20	Nathdwara	Damodar Dham	Rasala Chowk	5953233833
21	Nathdwara	Purohit Hotel	Sindhi Colony	2953234613
22	Nathdwara	Prayaag Hotel	Bus Stand	-
23	Nathdwara	Lad Parishad	Sukhadiya Nagar	2953230734
24	Nathdwara	Shree Priya (Crimson Park)	Sukhadiya Nagar	8875019501

25	Nathdwara	Swagat Hotel	Tehsil Road	2953233225
26	Nathdwara	Metro Hotel	Tehsil Road	8239933355
27	Nathdwara	Bombay Cottage	Sindhi Colony	2953232466
28	Nathdwara	Ramdarsan Hotel	Sindhi Colony	-
29	Nathdwara	Maharaja Hotel	Rampura	9772065540
30	Nathdwara	Navdeep Resort	Nathuwaas	2953234860
31	Nathdwara	Maharaja In	Sindhi Colony	9772065540
32	Chhitorgarh	Hotel Vinayak	Collectorate Circle	9413716487
33	Chhitorgarh	Hotel Padmani	Near Sainik School	1472241711
34	Chhitorgarh	Pratap Hotel	Head Post Office	9461141153
35	Chhitorgarh	Natraj Hotel	Bus Stand	9314233117
36	Chhitorgarh	Meera Hotel	Nimbahera Road	9829848888
37	Chhitorgarh	Hotel Shree Ram	Abhimanyu Park	9413900398
38	Chhitorgarh	Hotel Ram Rakhi	Petrol Pump Chanderiya Road	9929393037

Decentralized Processing Plants

Decentralized Processing plants			
S. No.	Division	No. of Pit Composting	Quantity of Pit Composting Processed (in TPD)
1	Ajmer	2	2.37
2	Bharatpur	3	1.1
3	Bikaner	8	11.5
4	Kota	6	44.25
5	Jaipur	228	88.6
6	Jodhpur	13	90.1
7	Udaipur	1	3
Total		261	240.92

Details of Decentralized Processing plants						
S.No.	Division	ULB Name	Park Name	Adress	Plant Name	Capacity (TPD)
1	Ajmer	Ajmer	Anasagar Lake, Regional college	Anasagar Lake, Regional college	Compost Plant	2
2	Ajmer	Pushakar (M)	Jagat Palace	Maheshvari seva sadan	Pit Compost	0.37
3	Bharatpur	Dhaulpur	Gandhi park	Near rani palace	Pit Compost	0.5
4	Bharatpur	Dhaulpur	Leela vihar park	Leela vihar colony	Pit Compost	0.5
5	Bharatpur	Sawai madhopur	Mahaveer Park	Near collectory & Ambedkar circle	Pit Compost	0.1
6	Jaipur	Jaipur Heritage (MC)	Khel Parisar Park Bani Park	Sawai Madhosingh circle tulshi marg ,sen colony, Bani park	Compost Pit	0.1
7	Jaipur	Jaipur Heritage (MC)	Shyam Vatika park shyam nagar	Kishan nagar , Shyam Nagar jaipur	Compost Pit	0.1
8	Jaipur	Jaipur Heritage (MC)	Krishana Vatika park shyam nagar	Saket nagar , Shyam Nagar jaipur	Compost Pit	0.1
9	Jaipur	Jaipur Heritage (MC)	Agrasen park Jawahar nagar	Near RP memorial hospital ,sector-5 jawahar nagar	Compost Pit	0.1
10	Jaipur	Jaipur Heritage (MC)	Jamdoli Park	Plot No. 112 keshav nagar jamdoli jaipur	Compost Pit	0.1
11	Jaipur	Jaipur Heritage (MC)	Pondrik Garden	Kanwar Nagar Tal Katora Colony	Compost Pit	0.1

12	Jaipur	Jaipur Heritage (MC)	Rastiya pati maidan park shastri nagar	shop No. 99 L Block, Shastri nagar	Compost Pit	0.1
13	Jaipur	Jaipur Heritage (MC)	D. Circle Park	D circle , kanti Nagar Sindhi Camp	Compost Pit	0.1
14	Jaipur	Jaipur Heritage (MC)	Rajbhawan Park Civil Line	D-5 Madrampur , Civil line jaipur	Compost Pit	0.1
15	Jaipur	Jaipur Heritage (MC)	Subhash Park Shyam Nagar	Tarun Path G-Block Laxman colony Shyam Nagar	Compost Pit	0.1
16	Jaipur	Jaipur Heritage (MC)	Kawar Udhyan Park Bani park	Sanganer , Sindhi colony bani Park	Compost Pit	0.1
17	Jaipur	Jaipur Greator (MC)	Agrasen park	Sector 7 Vidhyadhar Nagar	Compost Pit	0.9
18	Jaipur	Jaipur Greator (MC)	Bhartandu Udhyan	Ambabadi	Compost Pit	0.3
19	Jaipur	Jaipur Greator (MC)	Ganesh Park	Sector 7 Vidhyadhar Nagar	Compost Pit	1.5
20	Jaipur	Jaipur Greator (MC)	Sarvodya Park	Pratap Nagar	Compost Pit	0.1
21	Jaipur	Jaipur Greator (MC)	Jain Mandir	A-Block Murlipura	Compost Pit	0.3
22	Jaipur	Jaipur Greator (MC)	Swami vivekand Park	Niwaru Road, Jhotwada	Compost Pit	0.1
23	Jaipur	Jaipur Greator (MC)	21 South Colony Ka Park	Niwaru Road, Jhotwada	Compost Pit	0.3
24	Jaipur	Jaipur Greator (MC)	Baal Vihar Colony Ka Park	200 Feet Puliya k Pass	Compost Pit	0.3
25	Jaipur	Jaipur Greator (MC)	Shri Shyam Green Park	Kalwad Road Jhotwada	Compost Pit	0.3
26	Jaipur	Jaipur Greator (MC)	Children Park	Sirsi Road	Compost Pit	0.4
27	Jaipur	Jaipur Greator (MC)	Girnar Park	Khatipura	Compost Pit	0.3
28	Jaipur	Jaipur Greator (MC)	Utsav Park	Shastri Nagar	Compost Pit	0.4
29	Jaipur	Jaipur Greator (MC)	Chitrakut Park	Vaishali Nagar	Compost Pit	0.4
30	Jaipur	Jaipur Greator (MC)	Vaishali Nagar Chitrakut Nagar Park	Vaishali Nagar	Compost Pit	0.9
31	Jaipur	Jaipur Greator (MC)	Karni Nagar Park	Vaishali Nagar	Compost Pit	0.4
32	Jaipur	Jaipur Greator (MC)	Girnar Colony Park	Vaishali Nagar	Compost Pit	1.1
33	Jaipur	Jaipur Greator (MC)	Khandelwal Collagar k Pass Park	Hanuman Nagar	Compost Pit	0.9
34	Jaipur	Jaipur Greator (MC)	Jagdamba Nagar Park	Vaishali Nagar	Compost Pit	0.5

35	Jaipur	Jaipur Greator (MC)	Laxmi Mandir Cinema K Pass Park	Lalkothi Yojana	Compost Pit	0.1
36	Jaipur	Jaipur Greator (MC)	parshuram park	Jhotwada	Compost Pit	0.5
37	Jaipur	Jaipur Greator (MC)	Bhomiya Park	Jhotwada	Compost Pit	0.1
38	Jaipur	Jaipur Greator (MC)	Brajmandal Park	Jhotwada	Compost Pit	0.1
39	Jaipur	Jaipur Greator (MC)	Nemi Nagar Ka Pratham Park	Vaishali Nagar	Compost Pit	0.4
40	Jaipur	Jaipur Greator (MC)	Shiv Park Vit Vihar	Vaishali Nagar	Compost Pit	0.3
41	Jaipur	Jaipur Greator (MC)	RadhaKrishna Udhyan Bal Nagar	Kartarpura	Compost Pit	0.4
42	Jaipur	Jaipur Greator (MC)	BapuJi Marg Park	Shekar Marg	Compost Pit	0.1
43	Jaipur	Jaipur Greator (MC)	Mahatama Gandhi Park	Mahatma Gandhi Ajmer Road	Compost Pit	1.1
44	Jaipur	Jaipur Greator (MC)	Doctors Colony Park	Vaishali Nagar	Compost Pit	0.4
45	Jaipur	Jaipur Greator (MC)	Shubhash Park	Malviya Nagar	Compost Pit	0.4
46	Jaipur	Jaipur Greator (MC)	Soons Sundardas Park	Malviya Nagar	Compost Pit	0.1
47	Jaipur	Jaipur Greator (MC)	Shiv Park	Malviya Nagar	Compost Pit	0.3
48	Jaipur	Jaipur Greator (MC)	Ramdas Park	Park No. 8 Malviya Nagar	Compost Pit	1.3
49	Jaipur	Jaipur Greator (MC)	Jyotiba Fuleraav Park	Malviya Nagar	Compost Pit	0.4
50	Jaipur	Jaipur Greator (MC)	New Light Colony Park	Malviya Nagar	Compost Pit	0.4
51	Jaipur	Jaipur Greator (MC)	Moti Park	Bapu Nagar	Compost Pit	0.4
52	Jaipur	Jaipur Greator (MC)	Premanand Park	Rajapark	Compost Pit	0.1
53	Jaipur	Jaipur Greator (MC)	Tilak Park	Tilak Nagar	Compost Pit	1.9
54	Jaipur	Jaipur Greator (MC)	Haj House Park	Sanganer	Compost Pit	0.3
55	Jaipur	Jaipur Greator (MC)	Ajay Park	Pratap Nagar	Compost Pit	1.1
56	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Pratap Nagar	Compost Pit	0.1
57	Jaipur	Jaipur Greator (MC)	Maharshi Udhyan	Pratap Nagar	Compost Pit	0.1
58	Jaipur	Jaipur Greator (MC)	Keshav Udhyan	Pratap Nagar	Compost Pit	0.3
59	Jaipur	Jaipur Greator (MC)	Shiv Park	Sanganer	Compost Pit	0.1
60	Jaipur	Jaipur Greator (MC)	Vivek Vihar Park	Jagatpura	Compost Pit	0.1

61	Jaipur	Jaipur Greator (MC)	Shivram Colony Park	Jagatpura	Compost Pit	0.1
62	Jaipur	Jaipur Greator (MC)	ChandraShekar Azad Park	Malviya Nagar	Compost Pit	0.3
63	Jaipur	Jaipur Greator (MC)	Bal Gangadhar tilak Park	Malviya Nagar	Compost Pit	0.1
64	Jaipur	Jaipur Greator (MC)	Lala Lajpatraye Park	Malviya Nagar	Compost Pit	0.1
65	Jaipur	Jaipur Greator (MC)	Jigyasa School Park	Malviya Nagar	Compost Pit	0.1
66	Jaipur	Jaipur Greator (MC)	Rajguru Baludhyan	Malviya Nagar	Compost Pit	0.3
67	Jaipur	Jaipur Greator (MC)	Kali Mata Park	Malviya Nagar	Compost Pit	0.3
68	Jaipur	Jaipur Greator (MC)	Pandit Dindayal Upadhya P ark	Malviya Nagar	Compost Pit	0.1
69	Jaipur	Jaipur Greator (MC)	Park in front of Sector 12/ 154	Malviya Nagar	Compost Pit	0.1
70	Jaipur	Jaipur Greator (MC)	Park in front of Sector 5/175	Malviya Nagar	Compost Pit	0.1
71	Jaipur	Jaipur Greator (MC)	Park in front of Sector 9/916 Shalimar Park	Malviya Nagar	Compost Pit	0.1
72	Jaipur	Jaipur Greator (MC)	Park in front of Sector 13/144	Malviya Nagar	Compost Pit	0.1
73	Jaipur	Jaipur Greator (MC)	Krishna Nagar Ka Park	Gopalpura Bypass	Compost Pit	0.6
74	Jaipur	Jaipur Greator (MC)	Triveni Nagar Park	Gopalpura Bypass	Compost Pit	0.3
75	Jaipur	Jaipur Greator (MC)	Sonabadi Ka Park	Gopalpura Bypass	Compost Pit	0.1
76	Jaipur	Jaipur Greator (MC)	Gangotri Nagar Pratham Park	Gopalpura Bypass	Compost Pit	0.1
77	Jaipur	Jaipur Greator (MC)	Dagachi park	Trivani nagar	Compost Pit	0.3
78	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Durgapura	Compost Pit	0.3
79	Jaipur	Jaipur Greator (MC)	Ram Mandir K Piche Park	Gopalpura Bypass	Compost Pit	0.1
80	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Tonk Road	Compost Pit	0.1
81	Jaipur	Jaipur Greator (MC)	Maghav Udhyan	Barkat Nagar	Compost Pit	0.1
82	Jaipur	Jaipur Greator (MC)	Dev Nagar Park	Tonk Road	Compost Pit	0.3
83	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost Pit	0.3
84	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
85	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Bypass	Compost Pit	0.4

86	Jaipur	Jaipur Greator (MC)	Surya nagar Second Park	Gopalpura Bypass	Compost Pit	0.4
87	Jaipur	Jaipur Greator (MC)	Gurukul Park	S.F.S. Mansarovar	Compost Pit	0.3
88	Jaipur	Jaipur Greator (MC)	Park in front of Sector 3/12	S.F.S. Mansarovar	Compost Pit	0.4
89	Jaipur	Jaipur Greator (MC)	Krishna Park Sector 6/181	S.F.S. Mansarovar	Compost Pit	0.6
90	Jaipur	Jaipur Greator (MC)	Dandiya Park Sector 113	Mansarovar	Compost Pit	0.3
91	Jaipur	Jaipur Greator (MC)	Someshwar Mahadev Park Sector 119/411	Mansarovar	Compost Pit	0.1
92	Jaipur	Jaipur Greator (MC)	Park in front of Sector 117/311	Mansarovar	Compost Pit	0.3
93	Jaipur	Jaipur Greator (MC)	Sarveshawar Park Sector 118/88	Mansarovar	Compost Pit	0.1
94	Jaipur	Jaipur Greator (MC)	Bharat Park Sector 111/317	Mansarovar	Compost Pit	0.3
95	Jaipur	Jaipur Greator (MC)	Hanuman Park Sector 111/258	Mansarovar	Compost Pit	0.1
96	Jaipur	Jaipur Greator (MC)	Shyam Park Sector 113	Mansarovar	Compost Pit	0.1
97	Jaipur	Jaipur Greator (MC)	Radhagovind Park Sector 119/95	Thadi Market Mansarovar	Compost Pit	0.3
98	Jaipur	Jaipur Greator (MC)	Shubhash Park Sector 80/56	Mansarovar	Compost Pit	0.3
99	Jaipur	Jaipur Greator (MC)	Dhavleshwar Park	Mansarovar	Compost Pit	0.5
100	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Mansarovar	Compost Pit	0.4
101	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Udhyan Sector 123/141	Mansarovar	Compost Pit	0.1
102	Jaipur	Jaipur Greator (MC)	Vijay Udhyan Sector 121/145	Mansarovar	Compost Pit	0.1
103	Jaipur	Jaipur Greator (MC)	Gurunanak Park Sector 122/182	Mansarovar	Compost Pit	0.4
104	Jaipur	Jaipur Greator (MC)	Veer Chatarsal Park Sector 122/167	Mansarovar	Compost Pit	0.1
105	Jaipur	Jaipur Greator (MC)	Captain Kalpana Chawala Park Sector 71/240	Mansarovar	Compost Pit	0.4
106	Jaipur	Jaipur Greator (MC)	Tagor Park Sector 77	Mansarovar	Compost Pit	0.3
107	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Aashis Vihar Jagat Pura	Compost Pit	0.1

108	Jaipur	Jaipur Greator (MC)	Shiv Park	Hari Nagar Jaipur	Compost Pit	0.1
109	Jaipur	Jaipur Greator (MC)	Karni Park	Officers Campaus, Sirasi Road, Jaipur	Compost Pit	0.1
110	Jaipur	Jaipur Greator (MC)	Shri Laxman Park	Bhumiya Nagar, Sunar Colony, Jhotwara, Jaipur	Compost Pit	0.3
111	Jaipur	Jaipur Greator (MC)	Maharan Pratap Udhyan	Vrandhvan Colony, Ajmer Railway Line	Compost Pit	0.3
112	Jaipur	Jaipur Greator (MC)	Godhrara Colony Park	Sector 3, Vidhyadhar Nagar	Compost Pit	0.1
113	Jaipur	Jaipur Greator (MC)	Parshuram Park	Vidhyadhar	Compost Pit	0.1
114	Jaipur	Jaipur Greator (MC)	Shiv Park	Parikh Path, Sikar Road	Compost Pit	0.1
115	Jaipur	Jaipur Greator (MC)	Jagrati Udhyan	Karni Colony, Path No. 07, Sikar Road	Compost Pit	0.1
116	Jaipur	Jaipur Greator (MC)	Soni Ka Bhag	Shree Radha Krishan Mandir Bandhu Nagar, MurliPura	Compost Pit	0.1
117	Jaipur	Jaipur Greator (MC)	Vishva Mitra Nagar Park	Panch Hnuman Mandir Ke Pas	Compost Pit	0.1
118	Jaipur	Jaipur Greator (MC)	Alka Puri Colony Park	Rose Public School Ke Samne	Compost Pit	0.1
119	Jaipur	Jaipur Greator (MC)	Parshuram Park	Pratap Nagar Visatar	Compost Pit	0.2
120	Jaipur	Jaipur Greator (MC)	Tikona Park	Pratap Nagar Visatar	Compost Pit	0.1
121	Jaipur	Jaipur Greator (MC)	Jorawar Park	Nadi Ke Fatak ke pas	Compost Pit	0.1
122	Jaipur	Jaipur Greator (MC)	Srngar Smshan Park	Srngarpura	Compost Pit	0.3
123	Jaipur	Jaipur Greator (MC)	Shamshan Park	Mangyawas	Compost Pit	0.7
124	Jaipur	Jaipur Greator (MC)	Shamshan Park	Bhakhrotha	Compost Pit	0.5
125	Jaipur	Jaipur Greator (MC)	Bharat Mata Park	Sec.47, Mansrovar	Compost Pit	1.6
126	Jaipur	Jaipur Greator (MC)	Shiv Kamleshwar	Park Sector 42/46, Mansrovar	Compost Pit	1.4
127	Jaipur	Jaipur Greator (MC)	Master Aadityakendra Park	Sector 20/60 Ke Samne Mansrovar	Compost Pit	0.5
128	Jaipur	Jaipur Greator (MC)	Himalya Vatika	Sector 20/153 Ke Samne Mansrovar	Compost Pit	0.5
129	Jaipur	Jaipur Greator (MC)	Pandit Dindyal Park	Sector 20/47 Ke Samne Mansrovar	Compost Pit	0.3
130	Jaipur	Jaipur Greator (MC)	Vijayaraje Sindhiya Park	Sector 13/04 Ke Samne Mansrovar	Compost Pit	1.3
131	Jaipur	Jaipur Greator (MC)	Guru Govind Singh Park	Sector 11/41 Ke Samne Mansrovar	Compost Pit	0.4

132	Jaipur	Jaipur Greator (MC)	Veer Swarkar Nagar Park	Sector 11/26 Ke Samne Mansrovar	Compost Pit	0.5
133	Jaipur	Jaipur Greator (MC)	Harihant Park	Sector 11/72 Ke Samne Mansrovar	Compost Pit	0.4
134	Jaipur	Jaipur Greator (MC)	Bhishansingh Sekhwat Park	Sector 10 Ke Samne Mansrovar	Compost Pit	0.3
135	Jaipur	Jaipur Greator (MC)	Panchpanshewar Park	Sector 55/129 Ke Samne Mansrovar	Compost Pit	0.5
136	Jaipur	Jaipur Greator (MC)	Ramanandcharya Park	Sector 34, Mansrovar	Compost Pit	0.3
137	Jaipur	Jaipur Greator (MC)	Vande Matram Park	Sector 37-38, Mansrovar	Compost Pit	0.4
138	Jaipur	Jaipur Greator (MC)	Marshi Arvind Park	Sector 34/133 Ke Samne Mansrovar	Compost Pit	1.6
139	Jaipur	Jaipur Greator (MC)	Mangal Vihar Shamshan Park	GopalPura Baipas	Compost Pit	0.4
140	Jaipur	Jaipur Greator (MC)	Abhimanyu Park	Sector 69, Mansrovar	Compost Pit	0.9
141	Jaipur	Jaipur Greator (MC)	Dr. Shyamaprasad Mukharji Udhyan	Sector 67, Mansrovar	Compost Pit	0.9
142	Jaipur	Jaipur Greator (MC)	Golvarakar Udhyan	Sector 52, Mansrovar	Compost Pit	0.7
143	Jaipur	Jaipur Greator (MC)	Ashok Vatika Udhyan	Sector 92, Mansrovar	Compost Pit	0.4
144	Jaipur	Jaipur Greator (MC)	Radha Govind Park	Sector 77/48 Ke Samne Mansrovar	Compost Pit	0.3
145	Jaipur	Jaipur Greator (MC)	Tegore Park	Sector 77, Mansrovar	Compost Pit	0.3
146	Jaipur	Jaipur Greator (MC)	Roj Garden	Sector 77, Mansrovar	Compost Pit	0.9
147	Jaipur	Jaipur Greator (MC)	Darkadish Purohit Udhyan	Sector 119,B-2-B Baipas Mansrovar	Compost Pit	1.9
148	Jaipur	Jaipur Greator (MC)	Shiv Park	Barkat Nagar	Compost Pit	0.15
149	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost Pit	0.35
150	Jaipur	Jaipur Greator (MC)	Joshi colony Park	Barkat Nagar	Compost Pit	0.15
151	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Byepass	Compost Pit	0.45
152	Jaipur	Jaipur Greator (MC)	Stone Park	B 2 byepass S S F Mansrovar	Compost Pit	1.95
153	Jaipur	Jaipur Greator (MC)	Krishna Park	Sector 6/181 S S F Mansrovar	Compost Pit	0.65
154	Jaipur	Jaipur Greator (MC)	Sector 117/311 Park	thadi Market Mansrovar	Compost Pit	0.35
155	Jaipur	Jaipur Greator (MC)	Mahatma Gandhi Park	116/59 Mansrovar	Compost Pit	0.15
156	Jaipur	Jaipur Greator (MC)	Madhav Park	sector 80/183 Mansrovar	Compost Pit	0.45

157	Jaipur	Jaipur Greator (MC)	Subhash Park	80/56 Mansrovar	Compost Pit	0.35
158	Jaipur	Jaipur Greator (MC)	Shivam Park	81/77 Mansrovar	Compost Pit	0.35
159	Jaipur	Jaipur Greator (MC)	Sector 82/72 ke Samne Park	Sector 82/72 Mansrovar	Compost Pit	0.35
160	Jaipur	Jaipur Greator (MC)	Meerabai Park	Sector 101/147 Mansrovar	Compost Pit	0.5
161	Jaipur	Jaipur Greator (MC)	Manuraaj	Sector 84/239 Mansrovar	Compost Pit	0.15
162	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Sector 101 Mansrovar	Compost Pit	0.45
163	Jaipur	Jaipur Greator (MC)	Sector 102/46 Park	Sector 102/46 Mansrovar	Compost Pit	0.35
164	Jaipur	Jaipur Greator (MC)	Sector 103/86 Park	Sector 103/86 Mansrovar	Compost Pit	0.35
165	Jaipur	Jaipur Greator (MC)	Jhulelal Park	Sector 104 Mansrovar	Compost Pit	0.5
166	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Park	Sector 123/141 Mansrovar	Compost Pit	0.15
167	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Sector 120/42 Mansrovar	Compost Pit	0.35
168	Jaipur	Jaipur Greator (MC)	Ambe Park	Sector 124/23 Mansrovar	Compost Pit	0.15
169	Jaipur	Jaipur Greator (MC)	Rose Garden	Sector 77 Mansrovar	Compost Pit	1.92
170	Jaipur	Jaipur Greator (MC)	Khel Maidan	Sector 124 Mansrovar	Compost Pit	0.45
171	Jaipur	Jaipur Greator (MC)	Parvati Udhyan Sector 64	Pratap Nagar	Compost Pit	0.1
172	Jaipur	Jaipur Greator (MC)	Mahadevra Park	Sanganer	Compost Pit	0.1
173	Jaipur	Jaipur Greator (MC)	Park in front of Sector 112/208	Pratap Nagar	Compost Pit	0.3
174	Jaipur	Jaipur Greator (MC)	Park in front of Sector 223/65	Pratap Nagar	Compost Pit	0.3
175	Jaipur	Jaipur Greator (MC)	Park in front of Sector 113/57	Pratap Nagar	Compost Pit	0.3
176	Jaipur	Jaipur Greator (MC)	Tapeshwar Mahadev Mandir Park	Pratap Nagar	Compost Pit	0.4
177	Jaipur	Jaipur Greator (MC)	Maleshwar Mahadev Mandir Park	Pratap Nagar	Compost Pit	0.3
178	Jaipur	Jaipur Greator (MC)	Vinayak Vihar Park	Jagatpura	Compost Pit	0.4
179	Jaipur	Jaipur Greator (MC)	Bhagwan Jhulelal Udhyana	Malviya Nagar	Compost Pit	0.1
180	Jaipur	Jaipur Greator (MC)	Trivani Nagar Nursari Park	Gopalpura Bypass	Compost Pit	0.9

181	Jaipur	Jaipur Greator (MC)	Surya Nagar Ka Park	Gopalpura Bypass	Compost Pit	0.9
182	Jaipur	Jaipur Greator (MC)	Vishvkarma Nagar Ka Park	Maharani Farm	Compost Pit	0.3
183	Jaipur	Jaipur Greator (MC)	Vasundra Colony Park	Gopalpura Bypass	Compost Pit	0.1
184	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
185	Jaipur	Jaipur Greator (MC)	Sanskar Park Sector 119/297	Mansarovar	Compost Pit	0.3
186	Jaipur	Jaipur Greator (MC)	Shivnath Udhyan Sector 118/213	Mansarovar	Compost Pit	0.1
187	Jaipur	Jaipur Greator (MC)	Ambe Park Sector 124/23	Mansarovar	Compost Pit	0.1
188	Jaipur	Jaipur Greator (MC)	Paramhansh Udhyan Sector 71/154	Mansarovar	Compost Pit	0.1
189	Jaipur	Jaipur Greator (MC)	Ranilaxmi Bai Park	jagatpura	Compost Pit	0.1
190	Jaipur	Jaipur Greator (MC)	Sardar Patel Marg	jagatpura	Compost Pit	0.1
191	Jaipur	Jaipur Greator (MC)	Rani Colony ka Park	Niwaru Road Jhotwada	Compost Pit	0.1
192	Jaipur	Jaipur Greator (MC)	Godara Colony Ka Park	Jhotwada	Compost Pit	0.1
193	Jaipur	Jaipur Greator (MC)	Central Spine Park	Vidhyadhar Nagar	Compost Pit	0.1
194	Jaipur	Jaipur Greator (MC)	Radhakrishna Park	Vidhyadhar nagar	Compost Pit	0.2
195	Jaipur	Jaipur Greator (MC)	Shivaji Park	Shiv Nagar Murlipura	Compost Pit	0.1
196	Jaipur	Jaipur Greator (MC)	Shyam Park	Pratap Nagar	Compost Pit	0.1
197	Jaipur	Jaipur Greator (MC)	Patel Ngar Ka Park	New Sanganer	Compost Pit	0.4
198	Jaipur	Jaipur Greator (MC)	Samudayik Kandra Udhyan	Mansarovar	Compost Pit	0.1
199	Jaipur	Jaipur Greator (MC)	Pandit Dindayal Updhya Park Sector 20/47	Mansarovar	Compost Pit	0.3
200	Jaipur	Jaipur Greator (MC)	Park in front of Sector 14/182	Mansarovar	Compost Pit	0.1
201		Jaipur Greator (MC)	Park in front of Sector 14/08	Mansarovar	Compost Pit	0.1
202	Jaipur	Jaipur Greator (MC)	Tapeshwar Mahadev Mandir Park Sector 105/39	Pratap Nagar	Compost Pit	0.4
203	Jaipur	Jaipur Greator (MC)	Jwalamata Park	Vidhyadhar Nagar	Compost Pit	0.4
204	Jaipur	Jaipur Greator (MC)	Maharana Pratap park	vidhyadhar nagar	Compost Pit	0.4

205	Jaipur	Jaipur Greator (MC)	Sahid BhagatSingh Park	Vidhyadhar Nagar	Compost Pit	0.1
206	Jaipur	Jaipur Greator (MC)	Yoag Park	Vidhyadhar Nagar	Compost Pit	0.2
207	Jaipur	Jaipur Greator (MC)	Keshav Park Sector 6	Vidhyadhar Nagar	Compost Pit	1.6
208	Jaipur	Jaipur Greator (MC)	Durga Park	Ambabadi	Compost Pit	0.4
209	Jaipur	Jaipur Greator (MC)	Shri Aasaram Bapu Park	Ambabadi	Compost Pit	0.3
210	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Durgapura	Compost Pit	0.3
211	Jaipur	Jaipur Greator (MC)	Ram Mandir K Piche Park	Gopalpura Bypass	Compost Pit	0.1
212	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Tonk Road	Compost Pit	0.1
213	Jaipur	Jaipur Greator (MC)	Maghav Udhyan	Barkat Nagar	Compost Pit	0.1
214	Jaipur	Jaipur Greator (MC)	Dev Nagar Park	Tonk Road	Compost Pit	0.3
215	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost Pit	0.3
216	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
217	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Bypass	Compost Pit	0.4
218	Jaipur	Jaipur Greator (MC)	Surya nagar Second Park	Gopalpura Bypass	Compost Pit	0.4
219	Jaipur	Jaipur Greator (MC)	Gurukul Park	S.F.S. Mansarovar	Compost Pit	0.3
220	Jaipur	Jaipur Greator (MC)	Park in front of Sector 3/12	S.F.S. Mansarovar	Compost Pit	0.4
221	Jaipur	Jaipur Greator (MC)	Krishna Park Sector 6/181	S.F.S. Mansarovar	Compost Pit	0.6
222	Jaipur	Jaipur Greator (MC)	Dandiya Park Sector 113	Mansarovar	Compost Pit	0.3
223	Jaipur	Jaipur Greator (MC)	Someshwar Mahadev Park Sector 119/411	Mansarovar	Compost Pit	0.1
224	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Udhyan Sector 123/141	Mansarovar	Compost Pit	0.1
225	Jaipur	Khatushyam Ji (M)		Near bye PWD office	Compost Pit	10
226	Jaipur	Sikar(M CL)	Kalyan bhawan	Nagar Parishad, Devipura, Sikar, Rajasthan 332001	Compost Pit	0.06

227	Jaipur	Sikar(M CL)	Nehru Park	Mohalla narwan, Salasar - Sikar Rd, Roshanganj Mohalla, Sikar, Rajasthan 332001	Compost Pit	0.08
228	Jaipur	Sikar(M CL)	Maru Park	Chandpol, Chandpol, Sikar - 332001	Compost Pit	0.08
229	Jaipur	Sikar(M CL)	Shastri Nagar Park	Atal Park Road, Shastri Nagar, Giridih - 815301	Compost Pit	0.06
230	Jaipur	Sikar(M CL)	Ambedkar circle park	Devipura, Sikar - 332001	Compost Pit	0.04
231	Jaipur	Sikar(M CL)	Housing board	Devipura, Sikar, Rajasthan 332001	Compost Pit	0.02
232	Jaipur	Sikar(M CL)	Parshuram Park	Tilak Nagar, Devipura, Sikar - 332001 (Near Ramlila Maidan)	Compost Pit	0.02
233	Jaipur	Sikar(M CL)	Tatya Tope Park	Jaat bazar	Compost Pit	0.02
234	Jodhpur	Bhinmal(M)	Nehru Park	Magh Colony bhinmal	Compost Pit	6.3
235	Jodhpur	Abu Road (M)		Manpur	Compost Pit	3
236	Jodhpur	Mount Abu (M)		Mount Abu	Compost Pit	2.5
237	Jodhpur	Jodhpur North & South (MC)	Umed Udhyan	Jodhpur - 342001	Compost Pit	7.2
238	Jodhpur	Jodhpur North & South (MC)	Nehru Park	Sardarpura, Jhodhpur	Compost Pit	6.3
239	Jodhpur	Jodhpur North & South (MC)	Salwas Park	Jodhpur	Compost Pit	12.6
240	Jodhpur	Jodhpur North & South (MC)	Police Line Park	Police Line Park, Jodhpur	Compost Pit	13.5
241	Jodhpur	Jodhpur North & South (MC)	Adabya Chetana	Near Umed Club	Compost Pit	7.2
242	Jodhpur	Jodhpur North & South (MC)	Nandari Goshala	Nandri Gaushala, Jodhpur Nagar Nigam, Nandri Jodhpur City	Compost Pit	9
243	Jodhpur	Jodhpur North & South (MC)	Dog House	Jodhpur	Compost Pit	7.2
244	Jodhpur	Jodhpur North & South (MC)	Old W-26	Ward office	Compost Pit	3.6
245	Jodhpur	Jodhpur North & South (MC)	Ashok Udhyan	Pal Link Road	Compost Pit	9
246	Jodhpur	Jodhpur North & South (MC)	Near Bansi Brige	Near Bansi Brige	Compost Pit	2.7

247	Kota	Kota North	Mahaveer Park	civil Lines Nayapura	Compost Pit	1
248	Kota	Kota North	Lakhi Burj	nayapura Rpad	Compost Pit	1
249	Kota	Kota North	KST Garden	JDB ke samne	Compost Pit	2
250	Kota	kota South	Chambal Garden	Chambal Gaden kishorepura	Compost Pit	20
251	Kota	kota South	Fire Station	R.K.puram	Compost Pit	20
252	Kota	Ramganj Mandi	In front of SDM Office	In front of SDM Office	Compost Pit	0.25
253	Bikaner	Nohar	Ahaveer park	Word No.26	Compost Pit	1
254	Bikaner	Bikaner	Vallabh garden	Vallabh garden near 40 MLD STP plant	Compost Pit	1
255	Bikaner	Sadulsahar	Kalyank bhumi park	ward 4	Compost Pit	2
256	Bikaner	Sadulsahar	Shiva Vatika Park	ward no 15	Compost Pit	3
257	Bikaner	Anupgarh	Ashra sthal	ward no.3	Compost Pit	1
258	Bikaner	Hanumangarh	District park	abhohar bye pass	Compost Pit	1
259	Bikaner	Bidasar	Ramkrishna Gou shala	ward no 24	Compost Pit	1
260	Bikaner	Ratannagar	Ward No.8 Park	Ward No.8 Park	Compost Pit	1.5
261	Udaipur	Kanor	Gulab Baag	Near Surajpol, Udaipur	Compost Pit	3
Total						240.92

Details of Under Construction SWM Processing Plants and MRFs

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (TPD)	Name of Firm
1	Kota	Bio Gas	2	By ULB
2	Hanumangarh	Compost+RDF	60	M/s Allied Energy Systems Pvt. Ltd. New Delhi
3	Jhunjhunu+ Baggar+ Udaipurwati	Compost+RDF	65	M/s Allied Energy Systems Pvt. Ltd. New Delhi
4	Jaipur	Waste to Energy	600	M/s JITF Urban Infrastructure Ltd. New Delhi.
5	Jodhpur	Waste to Energy	400	M/s JITF Urban Infrastructure Ltd. New Delhi.
6	Sikar	Compost+MRF+ dry waste processing center	50	By ULB
7	Sheoganj+ Sumerpur+ Takhatgarh	Compost+RDF	40	M/s Durga Impex Udaipur
8	Bharatpur	Compost+RDF	100	M/s Rollz Material Handling System Pvt. Ltd. New Delhi
9	Jaisalmer	Compost+RDF	50	M/s Shree Balaji Caretaker
10	Ajmer	Compost+RDF	300	M/s NACOF
11	Dausa	Compost+RDF	125	Lakshya Total Solutions
12	Banswara	Compost+RDF	19	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
13	Beawer	Compost+RDF	47	
14	Bhiwadi	Compost+RDF	56	
15	Bikaner	Compost+RDF	320	
16	Bundi	Compost+RDF	57	
17	Chittaurgarh	Compost+RDF	46	
18	Dholpur	Compost+RDF	69	
19	Gangapur City	Compost+RDF	65	
20	Hindaun	Compost+RDF	37	
21	Jalore	Compost+RDF	20	
22	Khatushyam Ji	Compost+RDF	5	
23	Kishangarh	Compost+RDF	26	
24	Kota (South)	Compost+RDF	400	
25	Kota (North)	Compost+RDF	400	
26	Nagaur	Compost+RDF	51	
27	Reengus	Compost+RDF	10	
28	Sawai Madhopur	Compost+RDF	46	

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (TPD)	Name of Firm
29	Sirohi	Compost+RDF	13	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
30	Sujangarh	Compost+RDF	30	
31	Khetri	Compost+RDF	8	
32	Nawalgarh	Compost+RDF	21	
33	Bayana	Compost+RDF	13.5	
34	Bagru	Compost+RDF	13	
35	Khandela	Compost+RDF	9.5	
	Total		3509 TPD	

Details Newly Under Construction (Work Order Awarded) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (TPD)	Name of Firm
1	Sambar	Compost+RDF	19.18	M/S Center for Development Communication
2	Kishangarh	Compost+RDF	12	
3	Jobner	Compost+RDF	4.67	
4	Chaksu	Compost+RDF	13.74	
5	Shahpura_J	Compost+RDF	13.94	
6	Kotputli	Compost+RDF	20.22	
7	Viratnagar	Compost+RDF	8.45	
8	Lalsot	Compost+RDF	14.12	
9	Bandikui	Compost+RDF	18.36	
10	Mahwa	Compost+RDF	10.21	
11	Raisinghnagar	Compost+RDF	11.64	M/s Escostan Infra Pvt Ltd
12	Kesrisinghpur	Compost+RDF	5.76	
13	Anupgarh	Compost+RDF	12.69	
14	Karanpur	Compost+RDF	8.75	
15	Padampur	Compost+RDF	7.57	
16	Vijaynagar	Compost+RDF	7.57	
17	Gajsinghpur	Compost+RDF	4.11	
18	Rawatsar	Compost+RDF	14.43	
19	Bhadra	Compost+RDF	16.71	
20	Nohar	Compost+RDF	20.48	

Details Newly Under Construction (Work Order Awarded) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (TPD)	Name of Firm
21	Pilibanga	Compost+RDF	15.33	M/s Escostan Infra Pvt Ltd
22	Sangaria	Compost+RDF	15.05	
23	Neem-Ka-Thana	Compost+RDF	14.89	
24	Sri Madhopur	Compost+RDF	12.89	
25	Lachhmangarh	Compost+RDF	21.94	
26	Ramgarh	Compost+RDF	13.57	
27	Losal	Compost+RDF	11.72	
28	Fatehpur	Compost+RDF	57.08	
29	Pilani	Compost+RDF	12.22	
30	Vidyavihar	Compost+RDF	6.43	
31	Baggar	Compost+RDF	5.85	
32	Mukandgarh	Compost+RDF	7.59	
33	Chirawa	Compost+RDF	18.6	
34	Mandawa	Compost+RDF	9.59	
35	Surajgarh	Compost+RDF	8.9	
36	Bissau	Compost+RDF	9.55	
	Total		485.8 TPD	

Work Order for under Construction Processing Plants

Work Order for 19 Processing Plants

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
NO: F 55 () PACE/DLB/SBM2.0/PROCESSING OF WASTE/2023/ 57023 Date 28/08/2023

Work Order

M/s Shri Mohangarh Construction Company, S-8, transport Nagar, Jaisalmer-345001 (First Party/Lead Partner) JV with M/s RKB Reuse Private Limited, Flat No. 715, S-7th Floor, Raj Tilak apartment Panas Gama, City Light Road, Surat Gujarat-395017 (Second Partner), M/s Shri Mohangarh Construction Company and M/s RKB Reuse Private Limited JV (name of contractor)

Sub : Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 19 ULBs

Ref : Your bid submitted on dated 15.05.2023 opened through RJGETS on 16.05.2023 and Financial bid opened on 31.05.2023

1 : LoA no 51021 dated 11.07.2023.

Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for the execution of Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 19 ULBs as detailed under:

Description of Work / Item(s)	Basic rate of tipping fee per ton (Rs with all taxes)
Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 19 ULBs (Banswara, Beawar, Bhiwadi, Bikaner, Bundi, Chittaurgarh, Dhaulpur, Gangapur City, Hindaun, Jalore, Khatashyamji, Kishangarh, Kota North, Kota South, Nagaur, Reengus, Sawai Madhopur, Sirohi and Sujargarh)	Rs. 247/Ton

- Total cost of Solid waste processing plants of 19 towns is Rs 131.94 Crore in which VGF will be Rs. 78.53 Cr. and remaining Rs. 53.45 Cr. will be born by contractor.
- As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provisions.
- Insurance covers shall be submitted as per clause SCC 4.4 of bid document.
Stipulated time period of start: Within 30 days from the date of issue of this work order
Stipulated time period of completion of plants 18 months from the date of stipulated date of start.
Stipulated time period of completion of O&M services: Twenty years from the Commercial Operational Date (COD) of plants.
- The work shall be executed under the direction and supervision of Employers representatives. All required permission will be taken up at your level as per the condition of the contract.
- VGF as mentioned in bid document will be paid as per the prescribed milestones at DLB level, payment of tipping fees per ton basis will be made to contractor by concerned ULBs as per condition of contract.
- Performance security will be deducted @10% of contract value from every running bill/final bill of contractor.
- PI provide name of your bank and dedicated bank account number to make easy, early and safe transaction.
- All the condition of bid document including addendum and letter of acceptance of rates shall be applicable.
- All the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
- In case any dispute, condition of bid document including addendum shall be applicable as per the hierarchy mentioned in agreement. Jurisdictions of court shall be at Jaipur court only.
- PI contact concerned ULB to take possession of the site.

This bears approval of the competent Authority

Encl : Contract Agreement


(Arun Vyas)
Chief Engineer

Work Order for 05 Processing Plants

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
 Tel No.: +91 141 2222469 Fax No.: +91 141 2222491 web site : www.lsg.urban.rajasthan.gov.in
 NO: F55 () FAFCE/ULB/MIM2.0/PROCESSING OF WASTE./2023/ 10 J9J/ Date 20/09/2023
Work Order

M/s Shri Mehargarh Construction Company, S-8, transport Nagar, Jaisalmer-345001 (First Party/Lead Partner) JV with M/s RKB Reuse Private Limited, Flat No. 715, S-7th Floor, Raj Tilak apartment Panax Gam, City Light Road, Surat Gujarat-395017 (Second Partner), (JV Name SMCC-RKB)
 Email ID-shrincc2005@gmail.com

- Sub :** Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 05 ULBs
- Ref :** Your bid submitted on dated 17.07.2023 opened through RJGETS on 18.07.2023, Financial bid opened on 04.08.2023 and Negotiation date on 21.08.2023.
 : LoA no 103905 dated 14.09.2023 and Acceptance letter dated 18.09.2023.

Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for the execution of Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 05 ULBs as detailed under:

Description of Work / Item(s)	Basic rate of tipping fee per ton (Rs with all taxes)
Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 05 ULBs (Khetri, Nawalgarh, Bayana, Bagru and Khandela)	Rs. 437/Ton

- Total cost of Solid waste processing plants of 05 towns is Rs 686.00 Lakh in which VGF will be Rs. 569.35 Lakh and remaining Rs. 116.65 Lakh will be born by contractor.
- As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provisions.
- Insurance covers shall be submitted as per clause SCC 4.4 of bid document.
 Stipulated time period of start: Within 30 days from the date of issue of this work order
 Stipulated time period of completion of plants 18 months from the date of stipulated date of start.
 Stipulated time period of completion of O&M services: Twenty years from the Commercial Operational Date (COD) of plants.
- The work shall be executed under the direction and supervision of Employers representatives. All required permission will be taken up at your level as per the condition of the contract.
- VGF as mentioned in bid document will be paid as per the prescribed milestones at DLB level, payment of tipping fees per ton basis will be made to contractor by concerned ULBs as per condition of contract.
- Performance security will be deducted @10% of contract value from every running bill/final bill of contractor.
- PI provide name of your bank and dedicated bank account number to make easy, early and safe transaction.
- All the condition of bid document including addendum and letter of acceptance of rates shall be applicable.
- All the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
- In case any dispute, condition of bid document including addendum shall be applicable as per the hierarchy mentioned in agreement. Jurisdictions of court shall be at Jaipur court only.
- PI contact concerned ULB to take possession of the site.

This bears approval of the competent Authority
 Encl : Contract Agreement


 (Arun Vyas)
 Chief Engineer

Work Order for 10 Processing Plants (Cluster-5)

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
G-3, Rajmahal Residency, Near Civil Lines, Railway Crossing, Jaipur
Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
NO: F 55 () PA/CE/DLB/SBM2/PROCESSING OF WASTE /2023/ 112502 Date 06/10/2023
Work Order

M/s Centre for Development Communication,
16, Shri Gopal Nagar Gopalpura Bypass,
Jaipur-302015
E-mail: info@cdclia.org

- Sub :** Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 10 ULBs of Cluster-5.
- Ref :** Your bid submitted on dated 14.09.2023 opened through RJGITs on 15.09.2023, Financial bid opened on 22.09.2023.
- : LoA dated 06.10.2023 and Acceptance letter dated 06.10.2023.

Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for the execution of Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 10 ULBs of Cluster-5 as detailed under:

Description of Work / Item(s)	Basic rate of tipping fee per ton (Rs with all taxes)
Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 10 ULBs of Cluster-5	Rs. 342/ Ton

- Total cost of Solid waste processing plants for 10 ULBs of Cluster-5 is Rs 2073.09 Lakh in which VGF will be Rs. 1721.00 Lakh and remaining Rs. 352.00 Lakh will be born by contractor.
- As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provisions.
- Insurance covers shall be submitted as per clause SCC 4.4 of bid document.
Stipulated time period of start: Within 30 days from the date of issue of this work order
Stipulated time period of completion of plants 12 months from the date of stipulated date of start.
Stipulated time period of completion of O&M services: Twenty years from the Commercial Operational Date (COD) of plants.
- The work shall be executed under the direction and supervision of Employers representatives. All required permission will be taken up at your level as per the condition of the contract.
- VGF as mentioned in bid document will be paid as per the prescribed milestones at DLB level, payment of tipping fees per ton basis will be made to contractor by concerned ULBs as per condition of contract.
- Performance security will be deducted @10% of contract value from every running bill/final bill of contractor.
- PI provide name of your bank and dedicated bank account number to make easy, early and safe transaction.
- All the condition of bid document including addendum and letter of acceptance of rates shall be applicable.
- All the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
- In case any dispute, condition of bid document including addendum shall applicable as per the hierarchy mentioned in agreement. Jurisdiction of court shall be at Jaipur court only.
- PI contact concerned ULB to take possession of the site.

This bears approval of the competent Authority
Encl : Contract Agreement


(Arun Vyas)
Chief Engineer

NO: F 55 () PA/CE/DLB/SBM2/PROCESSING OF WASTE /2023/ 112503-112527
Copy to followings for information & acc:-

Date: 06/10/2023

- SA to Hon'ble Minister LSG&UDH, GoR
- PS to Secretary LSG, GoR
- PS to Director cum Special Secretary LSG
- Chief Engineer, DLB
- Financial Advisor, DLB
- Concern DDR
- SE, DLB
- Executive Engineer, DLB
- Commissioner/Executive Officer, Municipal Council/Board, Sambhar, Kishangarh, Renwal, Jobner, Chakou, Shahpura, J, Kotputli, Viratsagar, Lalot, Bandikui And Malwa
- Guard file


(Arun Vyas)
Chief Engineer

Work Order for 12 Processing Plants (Cluster-7)

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
G-3, Rajmahal Residency, Near Civil Lines, Railway Crossing, Jaipur
Tel No.: +91 141 2222469 Fax No.: +91 141 2222403 web site : www.lsg.urban.rajasthan.gov.in
NO: F 55 () PA/CE/DLB/SBM2.0/PROCESSING OF WASTE /2023/ 112528
Date 06/10/2023
Work Order

M/s Ecoston Infra Pvt Ltd 906A,
Ithum Tower, Plot No. 40A,
Sector 62 Gautambuddh nagar,
UP email-info@ecostoninfra.com

- Sub : Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 12 ULBs of Cluster-7.
- Ref : Your bid submitted on dated 14.09.2023 opened through RJGETS on 15.09.2023, Financial bid opened on 22.09.2023.
- : LoA dated 06.10.2023 and Acceptance letter dated 06.10.2023.

Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for the execution of Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 12 ULBs of Cluster-7 as detailed under:

Description of Work / Item(s)	Basic rate of tipping fee per ton (Rs with all taxes)
Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 12 ULBs of Cluster-7	Rs. 378/ Ton

- Total cost of Solid waste processing plants for 12 ULBs of Cluster-7 is Rs 2492.00 Lakh in which VGF will be Rs. 2068.00 Lakh and remaining Rs. 424.00 Lakh will be born by contractor.
 - As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provisions.
 - Insurance covers shall be submitted as per clause SCC 4.4 of bid document.
Stipulated time period of start: Within 10 days from the date of issue of this work order
Stipulated time period of completion of plants 12 months from the date of stipulated date of start.
Stipulated time period of completion of O&M services: Twenty years from the Commercial Operational Date (COD) of plants.
 - The work shall be executed under the direction and supervision of Employers representatives. All required permission will be taken up at your level as per the condition of the contract.
 - VGF as mentioned in bid document will be paid as per the prescribed milestones at DLB level, payment of tipping fee per ton basis will be made to contractor by concerned ULBs as per condition of contract.
 - Performance security will be deducted @10% of contract value from every running bill/final bill of contractor.
 - Pl provide name of your bank and dedicated bank account number to make easy, early and safe transaction.
 - All the condition of bid document including addendum and letter of acceptance of rates shall be applicable.
 - All the provisions of RTTP Act 2012 and Rules 2013 shall be applicable.
 - In case any dispute, condition of bid document including addendum shall applicable as per the hierarchy mentioned in agreement. Jurisdiction of court shall be at Jaipur court only.
 - Pl contact concerned ULB to take possession of the site.
- This bears approval of the competent Authority
Encl : Contract Agreement

(Arun Vyas)
Chief Engineer

Date: 06/10/2023

NO: F 55 () PA/CE/DLB/SBM2.0/PROCESSING OF WASTE /2023/ 112528 - 112555

Copy to followings for information &:-

- SA to Hon'ble Minister LSG&UD&I, GoR
- PS to Secretary LSG, GoR
- PS to Director cum Special Secretary LSG
- Chief Engineer, DLB
- Financial Advisor, DLB
- Concern DDR
- SE, DLB
- Executive Engineer, DLB
- Commissioner/Executive Officer, Municipal Council/Board, Raisinagar, Kesri Singhpur, Anupgarh, Karanpur, Padampur, Vijainagar, Gajsinghpur, Rawatpur, Bhades, Nohar, Pilibanga And Sangaria
- Guard file

(Arun Vyas)
Chief Engineer

Work Order for 14 Processing Plants (Cluster-8)

Government of Rajasthan
Local Self Government Department
(Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur
 Tel No. +91 141 2222469 Fax No. +91 141 2222403 web site : www.lsg.rajasthan.gov.in
 NO: F 55 () PACE/DLB/SMIL&PROCESSING OF WASTE/2023/ 112556 Date: 06/10/2023
 Work Order

M/s Easton Infra Pvt Ltd 906A,
 Ikhum Tower, Plot No. 49A,
 Sector 62 Gurgaon, Haryana,
 UP email: info@eastoninfra.com

- Sub :** Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 14 ULBs of Cluster-8.
- Ref :** Your bid submitted on dated 14.09.2023 opened through RUTETS on 15.09.2023, Financial bid opened on 22.09.2023.
- 1 :** LoA dated 06.10.2023 and Acceptance letter dated 06.10.2023.

Please find enclosed herewith the copy of contract agreement duly signed by the undersigned and your authorised representative for the execution of Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 14 ULBs of Cluster-8 as detailed under:

Description of Work / Item(s)	Basic rate of tipping fee per ton (Rs with all taxes)
Design, Construction, Establishment and Development of Solid Waste Processing Plant (Compost+RDF) scalable further as per the requirements with Operation & Maintenance for 20 years on VGF basis as per Solid Waste Management Rules, 2016 as Amended time to time and Swachh Bharat Mission (Urban) 2.0 guidelines for 14 ULBs of Cluster-8	Rs. 367/ Ton

- Total cost of Solid waste processing plants for 14 ULBs of Cluster-8 is Rs 3042.00 Lakh in which VGF will be Rs. 2396.00 Lakh and remaining Rs. 646.00 Lakh will be born by contractor.
- As per the condition of contract, you are requested to mobilize and execute the work in accordance with contract provisions.
- Insurance covers shall be submitted as per clause SCC 4.4 of bid document.
 Stipulated time period of start: Within 30 days from the date of issue of this work order
 Stipulated time period of completion of plants 12 months from the date of stipulated date of start.
 Stipulated time period of completion of O&M services: Twenty years from the Commercial Operational Date (COD) of plants.
- The work shall be executed under the direction and supervision of Employees representatives. All required permission will be taken up at your level as per the condition of the contract.
- VGF as mentioned in bid document will be paid as per the prescribed milestones at DLB level, payment of tipping fees per ton basis will be made to contractor by concerned ULBs as per condition of contract.
- Performance security will be deducted @10% of contract value from every running bill/final bill of contractor.
- PI provide name of your bank and dedicated bank account number to make easy, early and safe transaction.
- All the condition of bid document including addendum and letter of acceptance of rates shall be applicable.
- All the provisions of RFP Act 2012 and Rules 2013 shall be applicable.
- In case any dispute, condition of bid document including addendum shall be applicable as per the hierarchy mentioned in agreement. Jurisdiction of court shall be at Jaipur court only.
- PI contact concerned ULB to take possession of the site.

This bears approval of the competent Authority

Encl : Contract Agreement


 (Arun Vyas)
 Chief Engineer

Date: 06/10/2023

NO: F 55 () PACE/DLB/SMIL&PROCESSING OF WASTE/2023/ 112557 - 112585

Copy to followings for information &:-

- SA to Hon'ble Minister LSG&UDH, GoR
- PS to Secretary LSG, GoR
- PS to Director cum Special Secretary LSG
- Chief Engineer, DLB
- Financial Advisor, DLB
- Concern DDR
- SE, DLB
- Executive Engineer, DLB
- Commissioner/Executive Officer, Municipal Council/Block, Neem-Ka-Thana, Sri Madhopur, Lachmangarh, Ramgarh (M), Loral, Fatehpur, Piloni, Vidyanagar, Baggar, Mukandgarh, Chirawa, Mandawa, Surajgarh And Binara
- Guard file


 (Arun Vyas)
 Chief Engineer

Under Construction MRFs

Under Construction MRFs		
S. No.	ULB Name	Capacity (TPD)
1	KHAIRTHAL	5
2	KUSHALGARH	3
3	BALOTRA	7
4	NADBAI	4
5	NAGAR	4
6	JAHAZPUR	3.1
7	RAWAT BHATA	5
8	RAJALDESAR	4
9	GANGANAGAR	10
10	PADAMPUR	3
11	PILIBANGA	5
12	KOTPUTLI	5
13	VIRATNAGAR	3
14	BAGGAR	2
15	SURAJGARH	3
16	KARAULI	8
17	RAMGARH (SHEKHAWATI)	5
18	SIKAR	10
Total		89.1

Item No.04

Court No. 1

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 606/2018

Compliance of Municipal Solid Waste Management Rules, 2016 and other environmental issues.

Date of hearing: 09.11.2023

**CORAM: HON'BLE MR. JUSTICE PRAKASH SHRIVASTAVA, CHAIRPERSON
HON'BLE MR. JUSTICE SUDHIR AGARWAL, JUDICIAL MEMBER
HON'BLE DR. A. SENTHIL VEL, EXPERT MEMBER**

Respondent: Sh. Hridersh Kumar Sharma, Director & Special, Directorate of Local Bodies, Rajasthan
Smt. Monali Sen, Joint Secretary, Department of Environment and Climate Change, Rajasthan

ORDER

1. The Tribunal after considering the report and taking note of the failure to scientifically manage solid and liquid waste, had by order dated 15.09.2022 imposed the compensation of Rs. 3000 crores on the State of Rajasthan with a direction to deposit it in a separate ring-fenced account within two months and had directed to file further six monthly progress report with verifiable progress by the Chief Secretary.

2. It has been pointed out that against the said order, Civil Appeal Diary No. 36830/2022 has been preferred by the State of Rajasthan wherein Hon'ble Supreme Court by order dated 16.12.2022 has stayed the direction of the Tribunal to deposit the sum of Rs. 3000 crores by making it clear that this will not be construed as obviating the duty of the State to comply with all other directions and to report the compliance to the Tribunal. Hence, rest of the order except the order relating to deposit of compensation of Rs. 3000 crores remains in operation.

3. The State of Rajasthan has filed the six monthly progress report earlier on 19.05.2023, thereafter the report has been filed on 07.11.2023. In respect of waste management, the report states as under:-

“A: Solid Waste Management

1. **Quantity of waste generation in the State: 6523 TPD (Approx.)**
2. **Segregation, Collection and Transportation of waste to the Waste Processing and Disposal sites:**
 - Collection & Transportation of daily generated waste: **100%**
 - Segregation: **78.72% (Partial)**
3. **Waste Processing**
 - a) Quantities of waste processed: **4122.2 TPD (63.19%)** (Details enclosed as **Annexure-1 & Annexure-2**).
 - 16 centralized plants are running, which have 1297 TPD capacity.
 - 152 MRF are operational, which have 1643.2 TPD capacity.
 - Through BWGs/Pit Composting/Garden composting/Decentralized composting/Compost machines/informal Recyclers are running to have 1182 TPD Capacity (Assumed Capacity).
4. To fulfil the existing Gap in processing, **Waste Processing facilities having Capacity of 4163.1 TPD** (35 Nos. Under Construction SWM Processing Plant - 3574 TPD + 2 Nos. of Under Tender Bio methanation plants-500 TPD & 18 Under Construction MRF Centers - 89.1 TPD) **are under Pipeline**, (enclosed as **Annexure-3 & Annexure-4**).
5. **Environmental Management Cell** has been established at State level to implement the provisions of Solid Waste Management Rules, 2016 & various other rules including monitoring of various projects undertaken for compliance of these rules. Total 9 Experts are working at Directorate of Local Bodies (DLB), Jaipur
6. **Details regarding disposal of Legacy Waste in State:**
 - a) Total 176 Dumpsites (**Qty:- 88 Lac Cum**)
 - b) **22 Dumpsites (Qty:- 6.84 Lac Cum)** has been remediated (**Annexure-5**)
 - c) **47 Dumpsites (Qty: 58.19 Lac Cum)** under progress (**10 Lac Cum remediated**).

- d) *Work order issued for 116 **Dumpsites (Qty:- 22.98 Lac Cum)**, remediation work under progress. (Annexure-6 & 7)*
- e) *Out of 88 Lac Cum waste, total **16.84 Lac Cum** legacy waste remediated, remaining **71.16 Lac Cum** remediation work under progress.”*

4. The report reflects that there is a gap of 2400.8 tonnes in respect of quantity of waste generated (6523) per day and the quantity of waste treated (4122.2). The details which have been disclosed to fill up this gap are not found to be adequate. This gap, shows that a huge quantity of untreated sewage is being discharged. So far as the legacy waste is concerned, it is noticed that as on 15.09.2022, the legacy waste of 88 lakh cubic mtr. was in existence and the remediation process is slow and that (71.16 lakh cubic mtr. is yet to be remediated though it has been stated that 100% legacy waste will be remediated by December, 2024.

5. So far as the waste water management is concerned, the report discloses as under:-

“B: Waste Water Management

1. Total Sewage Generation in State: 1550.81 MLD

2. Treatment:

- a) *Total 118 STPs are operational with the capacity of **1298.68 MLD (83.74%) (Annexure-8)***
- b) *Capacity Utilization of these STPs: **799.03 MLD (61.52%).”***

6. A perusal of the above reveals that operational capacity of 118 STPs has been disclosed and if we take into account the capacity utilization, then the remediation of the daily sewage generated in the State is only little more than half 751.78 MLD.

7. In respect of some of the Sewage Treatment Plant, it has been stated by the Joint Secretary, Department of Environment and Climate Change, Rajasthan that the Sewage Treatment Plants have been constructed but sewer line has not been laid and connected to STP.

Hence, Secretary is directed to place on record the concerned DPR with respect to each city and town which was prepared executed and under execution and submitted with respect to such Sewage Treatment Plants. The report also reflects that certain STPs are disclosed to be operating in the capacity of 10% to 40%. Hence, it is required to be explained as to how these STPs are functioning in such low capacity. The Secretary is also required to disclose the details of the treated water from the STPs especially with respect to the fecal coliform contents and its mode of disposal. In the further report, the exact figure of legacy waste at the time of filing of the report along with figure of daily generation of the waste and its processing for each city and town will also be disclosed.

8. Let the consolidated report covering each city and town on above aspects be filed within three weeks by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

9. List this matter on 13.12.2023.

Prakash Shrivastava, CP

Sudhir Agarwal, JM

Dr. A. Senthil Vel, EM

November 09, 2023
Original Application No. 606/2018
SN