

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 521 OF 2022**

**IN THE MATTER OF:**

Sampurna Nand

**...Original Applicant**

**VERSUS**

State of Uttar Pradesh & Ors.

**...Respondents**

**AND**

**IN THE MATTER OF:**

Mohd. Shamshad

Proprietor of Rehan Enterprise

[Mining leaseholder of the Subject Mine]

**...Respondent No. 16**

**INDEX**

<b>SR. NO.</b>	<b>PARTICULARS</b>	<b>PG. NO.</b>
1.	Compliance Affidavit on behalf of Respondent No. 16 filed in pursuance and in compliance of the Order dated 17.10.2023 passed by this Hon'ble Tribunal.	<b>1-13</b>
2.	<b><u>ANNEXURE-1</u></b> A true copy of the Consent to Operate (CTO) dated 25.05.2023 duly signed by the Chief Environmental Officer of UPPCB	<b>14-19</b>
3.	<b><u>ANNEXURE-2</u></b>	<b>20-25</b>

	A true copy of the Environmental Clearance (EC) dated 28.08.2016 granted to the Answering Respondent	
4.	<b><u>ANNEXURE-3.</u></b> A true copy of the Invoices, Photographs and other documents Pertaining to CSR/CER activities of the Answering Respondent	<b>26-48</b>
5.	<b><u>ANNEXURE-4.</u></b> A true copy of the Ambient Air Monitoring and Analysis Reports from 2017 to 2023 and Ambient Noise Monitoring Reports from 2017 to 2023, along with NOC from Ground Water Department	<b>49-77</b>
6.	<b><u>ANNEXURE-5.</u></b> A true copy of the Photographs clearly showing the installation of Pillars at each and every co-ordinates mentioned in the EC( verified by the DMO (District Mines Officer) at the time of the grant of EC)	<b>78-83</b>

Through

**Sunil Kumar Mishra/ Mukesh Singh  
Advocates for the Respondent No. 16**

78A/3B Muir Road, Ashok Nagar,

Prayagraj- 211001

Email ID: [mishrasunil69@rediffmail.com](mailto:mishrasunil69@rediffmail.com)

Mobile No. 9415237198

Date: 29.11.2023

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI  
ORIGINAL APPLICATION NO. 521 OF 2022**

**IN THE MATTER OF:**

Sampurna Nand

**...Applicant**

**VERSUS**

State of Uttar Pradesh & Ors.

**... Respondents**

**AND**

**IN THE MATTER OF:**

Mohd. Shamshad

Proprietor of Rehan Enterprise

[Mining leaseholder of the Subject Mine]

**...Respondent No. 16**

**COMPLIANCE AFFIDAVIT ON BEHALF OF RESPONDENT NO. 16,  
MOHD. SHAMSHAD (REHAN ENTERPRISE) IN COMPLIANCE OF  
THE ORDER DATED 17.10.2023 BY THE HON'BLE NATIONAL  
GREEN TRIBUNAL, PRINCIPLE BENCH, NEW DELHI.**

I, Mohd. Shamshad, S/o Mohd. Iliyas., aged about 48 years, R/o 578-A, Lala Mahaveer Prasad Road, Kasai bara, Sadar Cantt. Ahmadpur, Urf Kamlapur, Lucknow, Presently at Mirzapur, do hereby solemnly affirm and state as under:

1. That I am the Sole Proprietor of Respondent No. 16 i.e. Rehan Enterprise ("Answering Respondent") in the captioned Original



*(Handwritten signature and date)*  
29/11

Application bearing O.A. No. 521 of 2022 and I am well conversant with the facts and circumstances of the present case and competent to swear the present Affidavit.

2. That the Answering Respondent is the leaseholder of the mining lease consisting an area of 1.01 Hectare for Sandstone situated at Araji No, 180/2, Vill.- Bhagautidei, Teh.- Chunar, Mirzapur (hereinafter referred to as “**Subject Mine**”).
3. That the present Compliance Affidavit is being filed in pursuance and in compliance of the Order dated 17.10.2023 whereby this Hon’ble Tribunal directed the Respondents in OA No. 521/2022 to file Compliance Affidavit/Responses with respect to the EC/Consent Conditions including CSR/CER Conditions.
4. That the present O.A. No. 521 of 2022 came to be registered on account of the Letter Petition submitted by the Applicant, namely Shri Sampurna Nand, which has been treated and registered as an Original Application by this Hon’ble Tribunal. That vide the Order dated 01.09.2022, this Tribunal constituted a Joint Committee to verify the factual position and take remedial action, the report of which was submitted before this Hon’ble Tribunal on 03.02.2023.
5. That vide Order dated 27.04.2023, this Hon’ble Tribunal directed that the 40 mining lease Project Proponents (one of which is the present




*(Handwritten signature)*

Respondent) shall be impleaded in the O.A. No. 521/2022 taking into consideration that the Report of the Joint Committee had submitted that 40 Project Proponents were required to obtain CTE/CTO from UPPCB but the said Project Proponents have not obtained the same, which has resulted in violation of the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981. Further, it is submitted that the Serial No. 2.9 of the Joint Committee Report contains observations with respect to the Subject Mine of the Answering Respondent.

**6. Procurement of CTO from UPPCB dated 25.05.2023: Remedial Measures taken by the Answering Respondent in accordance with the Observations/Recommendations of the Joint Committee Report dated 03.02.2023 and the Orders of this Hon'ble Tribunal**

That the primary deficit on the part of the Answering Respondent for which this Hon'ble Tribunal stopped the mining activity was the non-procurement of Consent to Operate i.e. CTO from UPPCB. However, this deficit has been duly and promptly addressed by the Answering Respondent and proper remedial action has now been taken by the Answering Respondent by way of securing the required Consent to Operate from the Pollution Board, thereby establishing that the



✓

Answering Respondent adheres to the safety and precautionary standards of the applicable environmental statutes. Notably, the Answering Respondent was granted Consolidated Consent and Authorization on 25.05.2023 under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981. A true copy of the said CTO Dated 25.05.2023 duly signed by the Chief Environmental Officer of UPPCB has been annexed herewith and marked as ANNEXURE – 1 to this Compliance Affidavit.

Thus, pursuant to and in compliance with the Order of this Hon'ble Tribunal and the Observations/Recommendations of the Joint Committee Report, the Answering Respondent applied for the Consent to Operate (CTO) and has secured it along with the duly approved Consolidated Consent and Authorization ("CCA") by the Uttar Pradesh Pollution Control Board. Therefore, the Answering Respondent is no longer part of the project proponents who do not possess the CTO from UPPCB.




A handwritten signature in blue ink, consisting of a red checkmark followed by a stylized signature.

**7. Procurement of Environment Clearance dated 26.08.2016 by the Answering Respondent**

The Answering Respondent had been operating the Subject Mine in question only after obtaining all the due permissions from the Ministry of Environment, Forest and Climate Change, which is also evident from that fact that the District Level Environmental Impact Assessment Authority ("DEIAA"), Uttar Pradesh vide reference No. 257/Parya/DEAC/Sandstone/MZP/2016 dated 26.08.2016 has issued Environmental Clearance ("EC") to the Present Respondent herein for Sandstone (Boulder mining) at the Subject Mine. A true copy of the EC dated 26.08.2016 granted to the Answering Respondent is being annexed herewith and attached as ANNEXURE -2

**8. Compliance vis-à-vis CSR/CER Responsibilities of the Answering Respondent**


Apropos the Corporate Environmental Responsibility (CER) of the Answering Respondent, it is relevant to note that the details of the expenditure that should be involved in such CSR/CER activity is provided in the CER Notification No. 22-65/2017-IA.III dated 01.05.2018. Notably, in the case of the Answering Respondent, the said Notification dated 01.05.2018 provides that in enterprises where the



*[Handwritten signature]*

capital investment is less than 100 Crores and the Project is a Greenfield Project (as opposed to a Brownfield Project), the Percentage of Capital investment that should be used towards CER activities should be Two (i.e. 2%). This 2%, in the case of the Answering Respondent amounts to Approximately Rs. 3.85 lakhs. Notably, the Notification dated 01.05.2018 also stipulates that the proposed CER activities should be restricted to the affected areas around the Project (*in the case of the Answering Respondent, this area would be Bhagautidei Gram Sabha*).

9. In light of the above, it is imperative to state that the Answering Respondent has duly fulfilled its CER Responsibilities. Notably, the Answering Respondent has, in the area of Bhagautidei Gram Sabha, installed 7 Solar Street Light Pole System which has costed INR 1,63,000/- to the Answering Respondent. Moreover, the Answering Respondent has further procured and distributed 51 units of blankets to the homeless/poor residents of Bhagautidei Gram Sabha which amounts to INR 43,350/-. Moreover, the Answering Respondent undertaken the work of repair and painting of the Temple of Lord Hanuman in the Bhagautidei Gram Sabha region which has costed INR 43,000/-. Further, the Answering Respondent has also got done the painting of the primary and middle school in the Bhagautidei Gram Sabha region, in which an expenditure of 1,34,000/- has been incurred



*[Handwritten signature]*

by the Answering Respondent. The Tax Invoices for the abovementioned expenditures are annexed herewith and marked as **ANNEXURE-3** to this Compliance Affidavit. Further, Photographic proofs of the CSR activity of the Answering Respondent viz. the distribution of blankets to the needy is being annexed herewith and marked collectively with **ANNEXURE -3** to this Compliance Affidavit. Lastly, apropos the installation of solar lights in the Bhagautidei Gram Sabha area, Photographic proofs of the installation of the said solar lights, which are duly stamped and signed by the Regional Panchayat Member are being annexed herewith and marked collectively with **ANNEXURE -3** to this Compliance Affidavit. Further, acknowledgement letters of the primary and Secondary Schools, along with the photographic proofs of the work done by the Answering Respondent is also attached and marked collectively with **ANNEXURE-3** to this Compliance Affidavit.

**10. Compliance Status of Conditions in CTO dated 25.05.2023 granted to the Answering Respondent.**

- a) The Subject Mine of the Answering Respondent has continuously maintained and monitored the Ambient Air and Quality in the premises as per the CTO Conditions. Similarly, the restrictions in



✓ ad

the CTO regarding the noise have also been duly adhered to by the Answering respondent (both day and night time restrictions). In support of this, the Ambient Air Monitoring and Analysis Reports from 2017 to 2023 are being annexed herewith and marked as **ANNEXURE -4** that shows that the unit of the Answering Respondent has maintained the suspended particulate matters within the limit as specified by the Central Pollution Control Board (particular limits mentioned in the Report). The said reports are from Government Approved Labs.

- b) Ambient Noise Monitoring Reports from 2017 to 2023 have also been annexed and marked collectively with **ANNEXURE-4** that specifically show the Day time and Night time noise level within the specified limits as per the Central Pollution Control Board. The said reports are from Government Approved Labs.
- c) In compliance of the conditions of the CTO dated 25.05.2023 the Answering Respondent has installed Ambient Air Monitoring Station and has also established Water Sprinkling arrangement for suppression of dust.
- d) In compliance of the conditions of the CTO dated 25.05.2023 the Answering Respondent has established effluent treatment system



✓

22

and also covers all tractors used in transportation of stones by canvas sheet to prevent dust emission.

- e) In compliance of the conditions of the CTO dated 25.05.2023 the Answering Respondent readily provides the inspection book at all times at the time of inspection by the Board's officials. Moreover, the Answering Respondent maintains good house keeping, along with maintaining all the valves/pipes/ drains leak proof.
- f) In compliance of the conditions of the CTO dated 25.05.2023 the Answering Respondent has Procured the required permission from the Ground Water Department for extraction of ground water.

**11. Compliance Status of Conditions in EC dated 26.08.2016 granted to the Answering Respondent.**

- a) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent maintains the Ambient Air Quality at the boundary of the mine in accordance with the Prescribed norms in MoEF Notifications.
- b) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent controls the fugitive dust generation and keeps the vehicular emissions under control



✓ [Signature]

- c) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent controls the noise levels below 85 dBA in the work environment.
- d) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent provides the working personnel with protective respiratory devices like masks and impart adequate training and information on safety and health aspects.
- e) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent has made sure that the project site is not a part of No development Zone.
- f) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent does not store explosives at the site and the Answering Respondent limits the transportation of the materials to day time hours only.
- g) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent maintains sprinkling of water on haul roads to control dust.
- h) In compliance with the conditions of EC dated 26.08.2016, the Answering Respondent has developed more than 33% green belt according to the CPCB guidelines.



✓

*[Handwritten signature]*

**12. Compliance vis-à-vis the Observations of the Joint Committee Report**

- a) The permissible quantum of production of sandstone is 40,000m<sup>3</sup> per annum whereas the Answering Respondent has excavated only 1,98,215 m<sup>3</sup> of sandstone till date which is well within the permissible limit of sandstone in that timeframe.
- b) Pillars at each co-ordinates mentioned in the EC have been installed. The said Pillars were verified by the DMO (District Mines Officer) at the time of the grant of EC. The said Pillars are clearly visible at the site, which is evident by the photographs that are being attached herewith and marked as ANNEXURE-5
- c) There is proper fencing around the periphery of the lease area, which has been duly erected.
- d) Proper mechanism of sprinkling of water and water fogging is deployed to suppress the dust in and around the lease area during mining and transportation of the material.

13. Thus, it is submitted that the Answering Respondent has duly complied with the Conditions of the CTO, Conditions of the EC, its Corporate Environment Responsibilities and the Observations/Recommendations of the Joint Committee Report. It is also submitted that proper remedial




 

measures have been taken by the Answering Respondent with respect to the shortcoming that were existing earlier and now the Answering Respondent has all the Clearances/Permissions to operate the mine viz. Environmental Clearance and Consent to Operate. Thus, the primary deficit on the part of the Answering Respondent for which this Hon'ble Tribunal had stopped the mining activity i.e. lack of CTO from UPPCB has been duly addressed by the Present Respondent and proper remedial action has now been taken by the Answering Respondent by way of securing the required Consent to Operate from the Pollution Board, thereby establishing that the Present Respondent adheres to the safety and precautionary standards of the applicable environmental statutes.

14. That the present Compliance Affidavit has been drafted under my instructions and the contents herein are true and correct to the best of my knowledge and beliefs.

15. That the Annexures filed along with the Present Affidavit are true copies of their respective Originals.

16. That the Answering Respondent further craves leave of this Hon'ble Tribunal to file additional documents pertaining to compliances or add/amend/substitute its submissions and averments as and when it is



directed by this Hon'ble Tribunal or it is necessary for proper adjudication of the matter.

- 17. That the present Compliance Affidavit is made bonafide and in the interest of justice.

*[Signature]* *[Signature]*  
**DEPONENT**

**VERIFICATION**

Verified at MIRZAPUR on this 29 day of November, 2023 that the contents of the above-mentioned affidavit are true and correct to the best of my knowledge, belief and ability and no part of it is false and nothing material has been concerned therefrom.

*[Signature]* *[Signature]*  
**DEPONENT**

solemnly affirmed before me by *[Signature]*  
 Deponent who indentified by *[Signature]*  
 Clerk/ol.....Advocat. *[Signature]*  
 have satisfied myself by examining the  
 Deponent that he/she understands the  
 contents of the affidavit and the content  
 read over and explained by me, *[Signature]*  
 Time Received *[Signature]*





## Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

184537/UPPCB/Sonebhadra(UPPCBRO)/CTO/both/MIRZAPUR/2023

Date: 25/05/2023

To,

M/s

MOHD. SHAMSHAD(SAND STONE)

ARAZI NO. 180/2 AREA-1.01Ha, VILL. BHAGAUTIDEI, TEHSIL-  
CHUNAR, DISTRICT-MIRZAPUR(U.P.)

Application Id-  
21225883

**Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981**

CCA is hereby granted to **MOHD. SHAMSHAD(SAND STONE)** located at **ARAZI NO. 180/2 AREA-1.01Ha, VILL. BHAGAUTIDEI, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR(U.P.)**. subject to the provisions of **the Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA MOHD. SHAMSHAD(SAND STONE) granted for the period from **25/05/2023 to 31/12/2027** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	Building Stone (Sand Stone)	40000	Cubic Meters/Year

**2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-**

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	1.0 KLD	Septic Tank	Soak Pit

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

### Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be

dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
-------	------------	-----------

### 3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

#### Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	Dust emission during manual mining, transportation and loading/unloading of Building Stone (Sand Stone).			Particulate Matter	water sprinkling system and Green Belt for controlling dust emission.

#### Emmission Quality Standards

S No.	Stack no	Parameters	Standards
1		Particulate Matter	Ambient Air Standard as per E(P) Act 1986.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

### 4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

#### **General Conditions:-**

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.

7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

**Specific Conditions:-**

1. This consent is valid for production of Building Stone (Sand Stone)- 40000 Cu Meter/Year by opencast and semi mechanized mining in 1.01 hectare leased area at ARAZI NO. 180/2, VILL. BHAGAUTIDEI, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR.
2. The proponent shall ensure the compliance of Hon'ble NGT orders passed in the OA No. 521/2022 Sampooranand Vs State of U.P. in connection with adverse effects on the public and environment due to illegal mining and blasting at higher intensity than the prescribed standard. Mining shall not be done till the resumption of mining activity by Hon'ble NGT.
3. In compliance of Hon'ble NGT order dated 24.04.2023, mining shall be done only after getting permission from District Administration.
4. Mining unit shall comply with the conditions of Environmental Clearance issued by District Level Environment Impact Assessment Authority (DEIAA) vide Letter No. 257/Parya/DEAC/Sandstone/MZP/2016, Dated- 26.08.2016 and submit its compliance report to UPPCB.
5. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only.
6. The proponent shall submitted compliance report of condition imposed in EC within every six month.
7. The proponent shall install Ambient Air monitoring station as per condition imposed in Environment Clearance.
8. The proponent shall establish Water sprinkling arrangement for dust suppression.
9. The proponent shall establish Effluent treatment system to treat the waste water from the mine.
10. The proponent shall submit the Ambient air quality monitoring report of impact zone/buffer zone and at the corners of mining lease on quarterly basis to the Board.
11. If the lease agreement expires prior to 31-12-2027, then the validity of this CTO shall stand expired simultaneously with the expiry of mining lease.
12. Mining shall be done as per EC issued by DEIAA and directions given by Mining Department/District Administration.
13. Unit shall develop and maintain green belt as per the conditions of Environmental Clearance.
14. Unit shall not withdrawal ground water for any industrial activity without obtaining necessary permission from UPGWA.
15. The domestic effluent shall be treated through septic tank/soak pit or provide mobile toilet facility. Industry shall maintain ZLD.
16. Unit shall make water sprinkling arrangement through Tankers for dust suppression at different sources of dust emission during mining, transportation, loading and unloading of Building Stone (Sand Stone).
17. Unit should operate and maintain installed water sprinkler system effectively and continuously to achieve the standards prescribed under E(P) Rules, 1986.
18. Unit shall submit Ambient air monitoring reports of NABL accredited laboratory on quarterly basis to the Board.
19. All trucks, tractors used in transportation of Building Stone (Sand Stone) shall be covered by canvas sheet to prevent dust emission.
20. Water will be sprayed after loading activity (if Building Stone (Sand Stone) collected could be dry condition)
21. The dust suppression measures like water spraying will be done on the haul roads and working areas.
22. Industry should comply with the provisions of Hazardous and Other waste (Management & Trans boundary Movement) Rules 2016.
23. Solid waste should be disposed in such manner, so that no water, air and soil pollution takes place.
24. Industry shall abide by directions given by Hon'ble Court, MoEF&CC, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.

25. The unit shall submit the latest copy of Audited Balance Sheet/C.A. Certificate (Fixed Assets+ Current Assets - Current Liabilities) for verification of the Consent fee payable by the industry within 15 days. In case CTO fee dues then it shall be submitted to the Board immediately.
26. Consent fees if revised, shall be payable by industry from the date of its applicability.
27. Industry shall comply with the relevant provisions of Environmental Laws.
28. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

RAJENDRA  
SINGH

Digitally signed by RAJENDRA  
SINGH  
Date: 2023.05.26 18:22:24  
+05'30'

**Chief Environmental Officer (circle-2)**

Copy to:

Regional Officer, UPPCB, Sonbhadra with direction to send the compliance report of CTO conditions on quarterly basis.

RAJENDRA SINGH

Digitally signed by RAJENDRA  
SINGH  
Date: 2023.05.26 18:22:42 +05'30'

**Chief Environmental Officer (circle-2)**



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
**जनसहभागिता का सन्देश**



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

**हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |**

## District Level Environment Impact Assessment Authority, Mirzapur

Registered

To,

Shri Mohd. Shamshad  
Owner,  
S/o Shri Mohd. Iliyaas  
R/o Moh. H.No.578,  
Lala Mahaveer Prasad Road Kasai Bar,  
Ahamadpur Urf Kamalpur Dilkusha,  
Tehsil- Sadar, District- Lucknow,  
Uttar Pradesh

District Magistrate, Mirzapur  
Chairperson of DEIAA  
Collectarate, Mirzapur 231001  
Phone : 05442 252480, 05442 252340, 05442 257400  
Email : mirzapurminsoffice@gmail.com

Ref. No. /Parya/DEAC/Sandstone/MZP/2016

Date: 26-08, 2016

Sub: Environmental Clearance for Sand Stone (Building Stone) Mining at Ararji No. 180/2, Village-Bhagautidei, Tehsil-Chunar, District-Mirzapur. (Lease Area-1.01 Hect.)

Dear Sir,

Please refer to your application letter dated 20/08/2016 addressed to the Member Secretary, DEIAA Committee, District-Mirzapur. The project proponent also submitted the Undertaking project proponent and consultant that the all information/data submitted with regards to application for environmental clearance is correct and true to best of their knowledge.

A presentation was made by the project proponent alongwith their consultant Ind Tech House Consult. The proponent through the documents submitted and presentation made, informed the committee that:

- 1- The environmental clearance is sought for Sand Stone (boulder mining) at Bhukhand Aaraji No. 180/2, Village- Bhagautidei, Tehsil- Chunar, District- Mirzapur, U.P. (Leased Area-2.50 acres).
2. The Project proposal falls under category "B-2" of EIA Notification, 2006 (as amended).
3. The mine lease area located between latitude N Pillar (A) 25°02'47.88", (B) 25°02'47.28", (C) 25°02'39.50", (D) 25°02'39.90" and Longitude E Pillar (A) 82°58'39.31", (B) 82°58'42.74", (C) 82°58'41.96", (D) 82°58'38.54".
4. Mining will be opencast and Semi-mechanized.
5. The water requirement will be limited to 10.53KLD and supplied through Tankers, will be meet out from bore well/dug wells.
6. Mining is proposed for Building Stone, Sand Stone and Quartzite as applied. The land used for mining area is stony land in nature and lease area is not covered with any vegetation.
7. The ultimate depth of mining will be 13 meter.
8. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
9. The annual production of 40,000M<sup>3</sup>/annum Sand Stone is proposed.
10. Solar lights will be used for site office only & diesel generator will be used for other activities.
11. The mining is proposed as opencast semi-mechanized type and for cleaning the face by blasting will be done.
12. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
13. Regarding the project no litigation is pending in any court.

Based on the recommendations of the District Level Expert Appraisal Committee (meeting held on 22/08/2016) on the above said project, The District Environment Impact Assessment Authority has decided to grant the Environmental Clearance to the title project for collection of 40,000 M<sup>3</sup>/annum Sand Stone from mining lease Area 02.50 actes is valid till lease period alongwith following General and specific Conditions:

A. General Condition;

1. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, changes in mining technology, modernization and scope of working shall required prior environmental clearance as per EIA notification, 2006.
2. No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
3. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by DEIAA will be deemed null & void.
4. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>2</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up loaded on the company's website and also displayed at website.
5. Data on ambient air quality (RSPM, SPM, SO<sub>2</sub>, NO<sub>2</sub>) should be regularly submitted to the Regional office, MoEF & CC, Gol., Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
6. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF & CC notification noGSR/826(E) dt. 16.11.09.
7. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.
8. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM. etc. shall be provided with ear plugs / muffs and health records of the workers shall be maintained.
9. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR422 (E) dated 19th May, 1991 and 31st December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.
10. Personnel working in areas shall be provided with protective respiratory devices like mask and they shall also be imparted adequate training and information on safety and health aspects.
11. Special measure shall be adopted to prevent the nearby settlements from the impacts of mining activities.
12. The transportation of the materials shall be limited to day hours time only.
13. Provision shall be made for the housing the labourers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
14. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
15. The Project Proponent shall inform to the DEIAA, MoEF & CC, Gol, Lucknow and Regional office, State Pollution Control Board regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
16. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the DEIAA Mirzapur, MoEF, and Regional office, State Pollution Control Board.
17. The Regional Office, MoEF & CC, Gol, Lucknow and State Pollution Control Board shall monitor compliance of the stipulated conditions. A complete set of documents, including Form-1M, Prefeasibility Report & Mining Plan Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other documents information should be

given to Regional Office of the Ministry of Environment, Forest and Climate Change, Lucknow and State Pollution Control Board.

18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in the matter.
19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the District Level Environment Impact Assessment Authority (DEIAA), Mirzapur.
20. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the DEIAA Mirzapur on 1st June and 1st December of each calendar year.
21. The DEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
22. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

#### B. Specific Conditions;

1. The Environmental clearance will be co-terminus with the mining lease period.
2. Environmental clearance is subject to obtain forest clearance under Forest (Conservation) Act, 1980 as applicable.
3. Wildlife conservation plan shall be prepared in consultation with the wildlife department and implemented within six months. The plan shall comprise of in-built monitoring mechanism with special emphasis to protection of Schedule- I species. The status of implementation shall be submittal to the DEIAA Mirzapur.
4. Local employable youth shall be trained in skills relevant to the project for eventual employment in the project itself and to the extent feasible. Outside people shall not be employed.
5. A 50 m barrier of no mining zone all along the side(s) facing the nallah (if any) passing through the lease area or if passing adjacent the lease shall be demarcated and thick vegetation of native species raised, Status of implementation shall be submitted to the Regional Office of the Ministry on half yearly basis.
6. Sand stone lease depth of mining should be restricted not more than 20meter from surface.
7. Shelter belt i.e. Wind Break consisting of adequate tiers of plantations around lease facing the human habitation, school / agricultural fields etc. (if any in the vicinity) shall be raised.
8. Blast vibration study shall be carried out and report submitted to the UPPCB / DEIAA.
9. Personnel exposure monitoring for dust shall be carried out for the worker, and records maintained.
10. Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor section of society. Income generating projects / tools such as development of IT fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in addition to vocational training for individuals imparted to take up self employment and jobs.
11. Land-use pattern of the nearby villages shall be studied and action plan for abatement and compensation for damage to agricultural land/ common property land (if any) in the nearby villages due to mining activity shall be submitted to the Regional Office of the Ministry within six months. Annual status of implementation of the plan and expenditure thereon shall be reported to the Regional Office of the Ministry from time to time.
12. Rainwater harvesting shall be undertaken to recharge the groundwater sources. Status of implementation shall be submitted to the Regional Office of the Ministry within six months and thereafter every year from the next consequent year.

13. Measures for prevention and control of soil erosion and management of silt (as applicable) shall be undertaken. Protection of dumps, if generated, against erosion shall be carried out with geo-textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
14. Waste management plan should be in accordance to the approved mining plan. Trenches / garland drains (as applicable) shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.
15. Garland drain of appropriate size, gradient and length shall be constructed (as applicable) for both mine pit and for waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.
16. Groundwater in the core zone shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the regional office of the Ministry regularly. Further, monitoring points shall be located between the mine and drainage in the direction of flow of ground water shall be set up and records maintained.
17. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Regional Office of the Ministry.
18. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV and health effects on exposure to mineral dust etc, shall be carried out. The company shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including; health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.
19. Top soil (if any) and solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area in accordance to the reclamation plan of approved mining plan. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.
20. Overburden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 30 m, each stage shall preferably be of 10 m and overall slope of the dump shall not exceed 28°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests on six monthly basis.
21. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines / other Competent Authority.
22. Adequate plantation shall be raised in the ML area haul roads, OB dump sites etc. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation -with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. The density of the trees should be in accordance to the approved mining plan shall not be less than 2500 plants per

93

- ha. The company shall involve local people with the help of self help group for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office of the Ministry every year.
23. Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January.) and the data thus collected shall be regularly sent to MoEF, Central Ground Water Authority and Regional Director, Central Ground Water Board.
24. Adequate air monitoring stations shall be installed in areas of human habitations near the mine and the results of ambient air quality shall be maintained and regularly submitted to the Regional Office of the Ministry. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed at project site.
25. The waste water from the mine shall be treated to conform to the prescribe standards before discharging in to the natural stream. The discharged water from the falling Dam (if any) shall be regularly monitored and report submitted to the RO, Ministry of Environment & Forests and the State Pollution Control Board.
26. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of mineral and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments.. Transportation of mineral shall be done only during day time. The vehicles transporting mineral shall be covered with a tarpaulin or other suitable enclosures so that no dust particles/fine matters escape during the course of transportation No overloading of mineral for transportation shall be committed. The trucks transporting mineral shall not pass through wild life sanctuary.
27. Prior permission from the Competent Authority shall be obtained for extraction of ground water, if any.
28. Action plan for implementation with respect to suggestions / improvements and recommendations made during public consultation/hearing (as applicable) shall be submitted to the Ministry and the State Govt. within six months. (no public hearing is conducted for projects less than 5 ha area of B2 category)
29. A final mine closure plan, along with details of Corpus Fund, shall be submitted (if applicable) to the RO Ministry of Environment & Forests & DEIAA, SEIAA UP, 5 years in advance of final mine closure for approval.
30. Solid waste material viz gutkha rappers, plastic bags, glasses etc. to be generated during project activity will be separately stored in bins and managed as per Solid Waste Management rules.
31. Issues raised during public presentation be strictly complied during operation phase. (no public hearing is conducted for projects less than 5 ha area of B2 category)
32. Project proponent should maintain a register for information on (a) Quantity of material excavated / collected (b) manpower and (c) Number of Trucks deployed for transportation of mineral per day.
33. In case project falling within 10 Km area of wild life sanctuaries a clearance from the National Board of Wild Life is to obtain even eco-sensitive zone (ESZ) has not been earmarked.
34. Project does not fall under any buffer zone of no-development as declared/identified under any law.
35. 33% Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Department Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, Gol, DEIAA Mirzapur every year.

You shall also ensure that the proposed site is not a part of any no-development zone required/prescribed/identified under law. In case of violation, this permission shall automatically be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically be cancelled.

The above stipulated conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974; the Air (Prevention & Control of Pollution) Act, 1981; the Environment (Protection) Act, 1986 and the Public liability Insurance Act, 1991 along-with their amendments and rules made there under and also any other orders passed by the Honble Courts of Law relating to the subject matter.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issuance of this clearance. The DEIAA/SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of DEIAA/ SEIAA/ MoEF may impose additional environmental conditions or modify the existing ones, if necessary.


This is to request you to take further necessary action in matter as per provisions of Gazette Notification No. S.O. 1533(E) dated 14/09/2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(G.C. Ram)  
Member Secretary,  
DEIAA, Mirzapur (U.P.)/  
SDM-Sadar, Mirzapur

No. 257...../Parya/DEAC/ Sandstone/MZP/2016 Dated: As Above

Copy for Information and necessary action to:

1. The Principal Secretary, Environment, U.P. Govt., Lucknow.
2. The Chairman SEIAA Dr. Bheem Rao Ambedker Paryavaran Parisar, Directorate of Environment Uttar Pradesh.
3. Advisor, IA Division, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi.
4. Chief Conservator, Ministry of Environment & Forests, Regional Office (Central Region), Kendriya Bhawan, 5th Floor, Sector-A, Aliganj, Lucknow.
5. Director, Department of Geology & Mining, U.P. Lucknow.
6. District Magistrate, Mirzapur, U.P.
7. The Member Secretary, U.P. Pollution Control Board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow.
8. Copy for Web Master/Guard file.

  
Member Secretary,  
DEIAA, Mirzapur (U.P.)/  
SDM-Sadar, Mirzapur

## मो० शमशाद

### CSR अंतर्गत किया गया कार्य

- 1- भगौती देई ग्राम सभा में 07pc सोलर स्ट्रीट लाइट पोल सिस्टम लगवाया गया। ( बजट - 1,63,000/- )
- 2- भगौती देई ग्राम सभा के बड़े हनुमान मंदिर की रंगाई पुताई करवाया गया (बजट - 43,000/-)
- 3- भगौती देई ग्राम सभा के मिडिल व प्राइमरी विद्यालय का रंगाई पुताई ( 1,34,000/-)
- 4- भगौती देई ग्राम सभा में हर साल 51pc कंबल वितरण ( बजट - 43350/- )

**A B MARKETING**JHAGGA DHABI KI GALI  
WELLESLAYGANJ MIRZAPUR

Phone : 7379343000

E-Mail : a.b.marketingmzp@gmail.com

GSTIN : 09AAXFA4580G2ZX

Invoice No.

T-000067

Invoice Date

02/11/2023

Mode/Terms of Payment

CREDIT

E-Way Bill No

Buyer Discription -

MOHD. SHAMSHAD

578A, LALA MAHAVEER PRASAD ROAD, KASAI BARA,  
SADAR BAZAR, CANT ROAD, LUCKNOW State : 09

Party Order No

Transport

Phone No

Email

GSTIN : 09AILPS1987P122

Terms of Delivery -

Account No. - 50301640200

IFSC - IDIB000M709

Bank - Indian Bank, Mirzapur

Sl No	Description of Goods	HSN/SAC	GST%	Quantity	Rate	Per	Disc%	Amount
1.	SOLAR STREET LIGHT POLE SYSTEM	8543	12%	2 PCS	20604.4	PCS	0.00	41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14
								41208.80
								2472.53
								2472.53
								0.14

<b>A B MARKETING</b> JHAGGA DHOBI KI GALI WELLESLEYGANJ MIRZAPUR Phone : 7379343000 E-Mail : a.b.marketingmzp@gmail.com GSTIN : 09AAXFA4580G2ZX				Invoice No.			Invoice Date		
				T-000075			09/11/2023		
Buyer Description :- <b>MOHD. SHAMSHAD</b> 578A, LALA MAHAVEER PRASAD ROAD, KASAI BARA, SADAR BAZAR, CANT ROAD, LUCKNOW State : 09 Phone No : Email : GSTIN : 09AILPS1987P1Z2				Mode/Terms of Payment			E-Way Bill No		
				CREDIT					
Party Order No				Transport					
				Terms of Delivery - Account No. - 50301640200 IFSC - IDIB000M709 Bank - Indian Bank, Mirzapur					
Sl No	Description of Goods	HSN/SAC	GST%	Quantity	Rate	Per	Disc%	Amount	
1.	SOLAR STREET LIGHT POLE SYSTEM	8543	12%	2 PCS	20604.4	PCS	0.00	41208.80	
	<b>SGST 6 %</b> <b>CGST 6 %</b> <b>Roundoff</b>							<b>2472.53</b> <b>2472.53</b> <b>0.14</b>	
Total								46154.00	
Amount Chargeable (in words)								E & O E	
<b>Rs. Forty Six Thousand One Hundred Fifty Four Only</b>									
HSN/SAC		Taxable Value	Central Tax		State Tax		Total Tax Amount		
8543		41208.80	Rate	Amount	Rate	Amount	4945.06		
		Total	6%	2472.53	6%	2472.53	4945.06		
Tax Amount (in words)		<b>Four Thousand Nine Hundred Forty Five &amp; Paise Six Only</b>							
<b>Company PAN- AAXFA4580G</b>				<b>Company Bank Details</b>					
*Goods once sold will not be taken back or exchanged.* Bills not paid due date will attract 24% interest. All disputes subject to Jurisdiction only. Prescribed Sales Tax declaration will be given.				Bank - Indian Bank, Mirzapur Account No - 50301640200 IFSC - IDIB000M709					
Customer Seal and Signature				<b>for A B MARKETING</b>					
				Authorised Signatory					

4397

<b>A B MARKETING</b> JHAGGA DHOBI KI GALI WELLESLEYGANJ MIRZAPUR  Phone : 7379343000 E-Mail : a.b.marketingmzp@gmail.com GSTIN : 09AAXFA4580G2ZX			Invoice No.		Invoice Date			
			T-000081		10/11/2023			
Buyer Discription - <b>MOHD. SHAMSHAD</b> 578A, LALA MAHAVEER PRASAD ROAD, KASAI BARA, SADAR BAZAR, CANT ROAD, LUCKNOW State : 09  Phone No : Email : GSTIN : 09AILPS1987P1Z2			Mode/Terms of Payment		E-Way Bill No			
			CREDIT					
			Party Order No		Transport			
			Terms of Delivery -					
			Account No. - 50301640200					
			IFSC - IDIB000M709					
			Bank - Indian Bank, Mirzapur					
Sl No	Description of Goods	HSN/SAC	GST%	Quantity	Rate	Per	Disc%	Amount
1.	SOLAR STREET LIGHT SYSTEM	9405	12%	2 PCS	21039.3	PCS	0.00	<b>42078.56</b>
	<i>SGST 6 % CGST 6 % Roundoff</i>							<b>2524.71 2524.71 0.02</b>
<b>Total</b>								<b>47128.00</b>
Amount Chargeable (in words)								E & OE
<b>Rs. Forty Seven Thousand One Hundred Twenty Eight Only</b>								
HSN/SAC		9405	Taxable Value		Central Tax		State Tax	
			42078.56	6%	2524.71	6%	2524.71	Total Tax Amount
			<b>42078.56</b>					<b>5049.42</b>
Tax Amount (in words) <b>Five Thousand Forty Nine &amp; Paise Forty Two Only</b>								
<b>Company PAN- AAXFA4580G</b>				<b>Company Bank Details</b>				
*Goods once sold will not be taken back or exchanged.* Bills not paid due date will attract 24% interest. All disputes subject to Jurisdiction only. Prescribed Sales Tax declaration will be given				Bank - Indian Bank, Mirzapur Account No - 50301640200 IFSC - IDIB000M709				
Customer Seal and Signature				<b>for A B MARKETING</b>				
				Authorised Signatory				

<b>A B MARKETING</b> JHAGGA DHOBI KI GALI WELLESLEYGANJ MIRZAPUR  Phone : 7379343000 E-Mail : a.b.marketingmzp@gmail.com GSTIN : 09AAXFA4580G2ZX			Invoice No. <b>T-000082</b>		Invoice Date <b>10/11/2023</b>			
			Mode/Terms of Payment <b>CREDIT</b>		E-Way Bill No			
Buyer Discription :- <b>MOHD. SHAMSHAD</b> 578A, LAI A MAHAVEER PRASAD ROAD, KASAI BARA, SADAR BAZAR, CANT ROAD, LUCKNOW State : 09  Phone No : Email : GSTIN : 09AILPS1987P1ZZ			Party Order No		Transport			
			Terms of Delivery :- <b>Account No. - 50301640200</b> <b>IFSC - IDIB000M709</b> <b>Bank - Indian Bank, Mirzapur</b>					
Sl No	Description of Goods	HSN/SAC	GST%	Quantity	Rate	Per	Disc%	Amount
1.	SOLAR STREET LIGHT SYSTEM	9405	12%	1 PCS	21039.3	PCS	0.00	<b>21039.28</b>
	<b>SGST 6 %</b>							<b>1262.36</b>
	<b>CGST 6 %</b>							<b>1262.36</b>
<b>Total</b>								<b>23564.00</b>
Amount Chargeable (in words) <span style="float: right;">E &amp; O E</span> <b>Rs. Twenty Three Thousand Five Hundred Sixty Four Only</b>								
HSN/SAC		Taxable Value	Central Tax		State Tax		Total Tax Amount	
9405		21039.28	Rate	Amount	Rate	Amount		
			6%	1262.36	6%	1262.36	2524.72	
<b>Total</b>		<b>21039.28</b>					<b>2524.72</b>	
Tax Amount (in words) <b>Two Thousand Five Hundred Twenty Four &amp; Paise Seventy Two Only</b>								
<b>Company PAN- AAXFA4580G</b>				<b>Company Bank Details</b>				
"Goods once sold will not be taken back or exchanged." Bills not paid due date will attract 24% interest. All disputes subject to Jurisdiction only. Prescribed Sales Tax declaration will be given				Bank - Indian Bank, Mirzapur Account No - 50301640200 IFSC - IDIB000M709				
Customer Seal and Signature				<b>for A B MARKETING</b>  Authorised Signatory				

## MO. SHAMSHAD

श्री. नं.	नाम	साल का नाम :- Bhagauti dei primery school										साल का नाम :- Ashutosh pandey	सं. दिन	रु.	वर्ग	रकबा		
		30-10-2023	31-10-2023	01-11-2023	02-11-2023	03-11-2023	04-11-2023	05-11-2023	06-11-2023	07-11-2023	08-11-2023							
1	SITARAM CHAUHAN	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
2	MANOJ PAL	P	A	P	P	A	P	P	P	P	P	5	500	2,500.00				
3	SANTIAL	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
4	KEDAR GAUTAM	P	A	P	P	A	P	P	P	P	P	5	500	2,500.00				
5	RAM PYARE	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
6	MO. AZHARU	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
7	TALLAN	P	P	P	P	A	P	P	P	P	P	6	500	3,000.00				
8	PATALAKHU	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
9	SABIR	P	P	P	P	A	P	P	P	P	P	6	500	3,000.00				
10	NANHAKU	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00				
टीकल																		
टीकल																		
32,000.00																		


साल का नाम :- Ashutosh pandey  
 सं. दिन  
 रु.  
 वर्ग  
 रकबा

32,000.00

## MO. SHAMSHAD

सी. नं०	नाम	साइट का नाम :- Bhagauti dei primery school							साइट इंचार्ज का नाम :- Ashutosh pandey							दिनांक	टोल दिन	रु	रकम	हस्ताक्षर
		23-10-2023	24-10-2023	25-10-2023	26-10-2023	27-10-2023	28-10-2023	29-10-2023	23-10-2023	24-10-2023	25-10-2023	26-10-2023	27-10-2023	28-10-2023	29-10-2023					
1	SITARAM CHAUHAN	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
2	MANOJ PAL	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
3	SANTLAL	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
4	KEDAR GAUTAM	P	A	P	P	P	P	P	P	P	P	P	P	P	6	500	3,000.00			
5	RAM PYARE	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
6	MO. AZHARU	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
7	TALLAN	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
8	PATALAKHU	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
9	SABIR	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
10	NANHAKU	P	P	P	P	P	P	P	P	P	P	P	P	P	7	500	3,500.00			
टोल																	34,500.00			

साइट इंचार्ज हस्ताक्षर



## Estimate

Date 25/01/23

Customer Name :

श्री ० रामदास

Address :

भगौती देई अहौरा मीरजापुर

Description

Amount

①

कम्बल

51 Pc @ 850/-

43350/-

विराजिंस एजेंट

Grand/Total

43350/-

श्री पंच्यास कर्मपत्र  
लाइट सिगुन वेस्ट्रालय

Signature

सत्यानगंज, अहौरा मीरजापुर .

Dalmia  
**DSP**  
CEMENT

: 09AAYFR8491E1ZA

INVOICE

CODE: 09

**R.K. STONE WORKS**

Add. Sonpur, Ahraura - Mirzapur

Invoice No.	62	Vehicle No	UP63AP5761	Date.	08/11/2023
Details of receiver (Billed to)			Details of Consignee (sheeped to)		
Name.	MOHD. SHAMSHAD			Name.	
Add.	BHAGWATE DEVI. AHRAURACHUNAR MIRZAPUR			Add.	SONPUR HANUMAR MANDIR
State	UTTAR PRADESH	State Code:		State	(UP)
GSTIN No. / ID	09A1LP51987P1Z2			GSTIN No. / ID	

Sr. No.	Name of Product	HSN Code	Qty.	Rate	Amount
	Sand Stone  18x18 CHAUKA	2516	1344/square feet	30.50/-	40992 = 00

Freight Charge:

40992 = 00

Total Amount of invoice (in Wodrs) *Forty three thousand / forty one rupees only*

Total Amount Before Tax

Add: CGST @ 2.5%

1024 = 80

Add: SGST @ 2.5%

1024 = 80

Add: IGST @

Total Amount After Tax

43041 = 60

Bank Name: Bank of Baroda  
Branch : Ahraura - Mirzapur  
A/C No : 28440200000332  
IFSC Code:BARBOAHRABS

Amount of Tax Subject to Reverse Charge:

  
 Authorised Signature

OKPP7119M1Z4

INVOICE

Mob.9118381362

JE: 09

# कृष्णा इण्टरप्राइजेज

सत्यानगंज, अहरोरा - मीरजापुर

Invoice No.

863

Date. 4-11-23

Details of receiver (Billed to)

Name..... मोठ शम शाह

Address..... मगाऊरी देई अहरोरा, युनायटेड मीरजापुर

GSTIN No. .... 09AIIIPS1987P1Z2

Sr. No.	Name of Product	HSN Code	Qty.	Rate	Amount
1-	40 वाटरी डिस्क		40	900	36000=००
Total Amount Before Tax					36000=००
Add: CGST @ 9%					3240=००
Add: SGST @ 9%					3240=००
Add: IGST @					
Total Amount After Tax					42480=००

5211  
Authorised Signature

OKPP7119M1Z4  
JE: 09

INVOICE

Mob.9118381382

# कृष्णा इण्टरप्राइजेज

सत्यानगंज, अहरोरा - गीरजापुर

Invoice No.

864

Date. 4.11.23

Details of receiver (Billed to)

Name..... मो. शमशार

Address..... मजकरी देई, अहरोरा, गुजरात, गीरजापुर

GSTIN No. 09AII LP S 1987 P 1 Z 2

Sr. No.	Name of Product	HSN Code	Qty.	Rate	Amount
1-	40kg डेई JK Wall Mark		30	650	19500 = 00
2-	200ml डेई		20	140	2800 = 00
Total Amount Before Tax					22300 = 00
Add: CGST @ 9%					2007 = 00
Add: SGST @ 9%					2007 = 00
Add: IGST @					
Total Amount After Tax					26314 = 00

5211  
Authorised Signature






YPTT  
15-2022-1519











# उच्च प्राथमिक विद्यालय

भगौती देई, अहरौरा, राजगढ़, चुनार, मिर्जापुर 231301

मे० मो० शमशाद के द्वारा कॉर्पोरेट पर्यावरणीय जिम्मेदारी के मद से उच्च प्राथमिक विद्यालय ग्राम भगौती देई, थाना अहरौरा, तहसील चुनार, विकासखंड राजगढ़, जनपद मिर्जापुर में विद्यालय की रंगाई पुताई पेंटिंग व मरम्मत का कार्य कराया गया है जो की अति सराहनीय है।

मैं इनके उज्ज्वल भविष्य की कामना करता/करती हूं ।

मीनू सिंह

प्रधानाध्यापक

पूर्व माध्यमिक विद्यालय

उच्च प्राथमिक विद्यालय

भगौती देई, अहरौरा, राजगढ़, अहरौरा, चुनार, मिर्जापुर

# प्राथमिक विद्यालय

भगौती देई, अहरौरा, राजगढ़, चुनार, मिर्जापुर 231301

मे० मो० शमशाद के द्वारा कॉर्पोरेट पर्यावरणीय जिम्मेदारी के मद से प्राथमिक विद्यालय ग्राम भगौती देई, थाना अहरौरा, तहसील चुनार, विकासखंड राजगढ़, जनपद मिर्जापुर में विद्यालय की रंगाई पुताई पेंटिंग व मरम्मत का कार्य कराया गया है जो की अति सराहनीय है।

में इनके उज्ज्वल भविष्य की कामना करता/करती हूं ।


आशादान सिंह  
प्राथमिक विद्यालय

भगौती देई, अहरौरा, राजगढ़, अहरौरा, चुनार, मिर्जापुर

प्र. प्रधानाध्यापक

प्रा० वि० भगौतीदेवी-1

राजगढ़, मीरजापुर



हर हर महादेव

सौज्य से-  
सो. शमशाह  
श्री स्वतन्त्र विजय सिंह  
सो. खाकीवावाकल्हदसन कभपनी



4416

ଫାଉଣ୍ଡେସନ୍



### TEST REPORT

TEST REPORT NO.: ETS/1217/01/2017

DATE OF REPORT: 27.01.2017

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2017

**Analysis Start Date** : 25.01.2017

**Analysis End Date** : 27.01.2017

**Duration Of Monitoring** : 23.01.2017 To 24.01.2017

**Time Of Monitoring** : 10.15AM To 10.15 AM (CO for 1.0 Hrs.)

**Sample ID No** : 1217

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEA Ambient Temperature: 26.0 °C  
R

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)  
+

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	83.1	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	47.4	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	19.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	38.5	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.34	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	442.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

  
**CHECKED BY**  
**SHRADDHA GUPTA**

For Enviro-Tech Services  
  
**AUTHORIZED SIGNATORY**  
 Lab In-charge

Note:-

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



### TEST REPORT

TEST REPORT NO.: ETS/1218/01/2017

DATE OF REPORT: 27.01.2017

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2017

**Monitoring Start Date** : 22.01.2017

**Monitoring End Date** : 23.01.2017

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 1218

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	64.1	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	47.4	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services  
*[Signature]*  
AUTHORIZED SIGNATORY  
Lab In-charge

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/2128/01/2018

DATE OF REPORT: 27.01.2018

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2018

**Analysis Start Date** : 24.01.2018

**Analysis End Date** : 27.01.2018

**Duration Of Monitoring** : 22.01.2018 To 23.01.2018

**Time Of Monitoring** : 10.25AM To 10.25 AM (CO for 1.0 Hrs.)

**Sample ID No** : 2128

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 26.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	84.2	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	49.6	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	23.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	41.5	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.32	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	446.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

CHECKED BY  
SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Lab in Charge

Note:- Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/2129/01/2018

DATE OF REPORT: 27.01.2018

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2018

**Monitoring Start Date** : 22.01.2018

**Monitoring End Date** : 23.01.2018

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 2129

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	61.4	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	42.7	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services  
AUTHORIZED SIGNATORY  
Rashkar Mittal  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/3242/01/2019

DATE OF REPORT: 27.01.2019

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2019

**Analysis Start Date** : 25.01.2019

**Analysis End Date** : 27.01.2019

**Duration Of Monitoring** : 23.01.2019 To 24.01.2019

**Time Of Monitoring** : 10.30AM To 10.30 AM (CO for 1.0 Hrs.)

**Sample ID No** : 3242

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 26.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) + Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	81.5	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	49.1	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	22.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	37.7	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.28	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	451.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/3243/01/2019

DATE OF REPORT: 27.01.2019

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2019

**Monitoring Start Date** : 23.01.2019

**Monitoring End Date** : 24.01.2019

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 3243

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	63.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.5	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

# 4423 ENVIRO-TECH SERVICES

An Analytical Laboratory



ISO 45001

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5685/01/2020

DATE OF REPORT: 27.01.2020

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

Date of Monitoring : 23.01.2020

Analysis Start Date : 25.01.2020

Analysis End Date : 27.01.2020

Duration Of Monitoring : 23.01.2020 To 24.01.2020

Time Of Monitoring : 10.15AM To 10.15 AM (CO for 1.0 Hrs.)

Sample ID No : 5685

Sampling Done By : ETS STAFF

Sampling Location : 5 METER AWAY FROM UNIT

Sampling Method : ETS/STP/AIR-01

Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL

Weather Condition : CLEAR Ambient Temperature: 26.0 °C

Wind Direction : E To W

Equipment Used : Respirable Dust Sampler (PM<sub>10</sub>) + Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	86.8	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	43.6	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	21.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	39.4	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.33	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	456.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY  
Pushkar Mittal  
Lab In-charge

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5686/01/2020

DATE OF REPORT: 27.01.2020

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2020

**Monitoring Start Date** : 23.01.2020

**Monitoring End Date** : 24.01.2020

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 5686

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	67.4	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	48.1	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/3569/01/2021

DATE OF REPORT: 27.01.2021

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2021

**Analysis Start Date** : 25.01.2021

**Analysis End Date** : 27.01.2021

**Duration Of Monitoring** : 23.01.2021 To 24.01.2021

**Time Of Monitoring** : 10.15AM To 10.15 AM (CO for 1.0 Hrs.)

**Sample ID No** : 3569

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR **Ambient Temperature:** 26.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	85.4	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	40.7	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	22.1	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	36.8	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.38	For 8 Hrs.=2 / For 1 Hrs =4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	461.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1

  
**CHECKED BY**  
**SHRADDHA GUPTA**

For Enviro-Tech Services  
  
**AUTHORIZED SIGNATORY**  
 Lab In-charge

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/3570/01/2021

DATE OF REPORT: 27.01.2021

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 23.01.2021

**Monitoring Start Date** : 23.01.2021

**Monitoring End Date** : 24.01.2021

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 3570

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	60.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	42.8	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/4789/01/2022

DATE OF REPORT: 27.01.2022

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

Date of Monitoring : 23.01.2022

Analysis Start Date : 25.01.2022

Analysis End Date : 27.01.2022

Duration Of Monitoring : 23.01.2022 To 24.01.2022

Time Of Monitoring : 10.20AM To 10.20 AM (CO for 1.0 Hrs.)

Sample ID No : 4789

Sampling Done By : ETS STAFF

Sampling Location : 5 METER AWAY FROM UNIT

Sampling Method : ETS/STP/AIR-01

Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL

Weather Condition : CLEAR Ambient Temperature: 26.0 °C

Wind Direction : E To W

Equipment Used : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	88.2	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	40.7	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	20.9	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	32.1	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.34	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	463.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1



For Enviro-Tech Services

AUTHORIZED SIGNATORY

Gushkar Mittal  
Lab In-charge

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

## TEST REPORT

TEST REPORT NO.: ETS/4790/01/2022

DATE OF REPORT: 27.01.2021

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2022

**Monitoring Start Date** : 22.01.2022

**Monitoring End Date** : 23.01.2022

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 4790

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	62.6	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.1	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1



CHECKED BY  
SHRADDHA GUPTA

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5378/01/2023

DATE OF REPORT: 27.01.2023

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2023

**Analysis Start Date** : 24.01.2023

**Analysis End Date** : 27.01.2023

**Duration Of Monitoring** : 22.01.2023 To 23.01.2023

**Time Of Monitoring** : 10.20AM To 10.20 AM (CO for 1.0 Hrs.)

**Sample ID No** : 5378

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 26.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	84.8	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	45.1	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	19.3	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	35.7	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.31	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	467.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1

For Enviro-Tech Services



CHECKED BY  
SHRADDHA GUPTA

Pashkar Mittal  
AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5379/01/2023

DATE OF REPORT: 27.01.2023

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.01.2023

**Monitoring Start Date** : 22.01.2023

**Monitoring End Date** : 23.01.2023

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 5379

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	68.8	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	42.5	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1



SHRADDHA GUPTA

For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/6548/06/2017

DATE OF REPORT: 27.06.2017

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2017

**Analysis Start Date** : 24.06.2017

**Analysis End Date** : 27.06.2017

**Duration Of Monitoring** : 22.06.2017 To 23.06.2017

**Time Of Monitoring** : 10.25AM To 10.25 AM (CO for 1.0 Hrs.)

**Sample ID No** : 6548

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEA Ambient Temperature: 38.0 °C  
R

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)  
+

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	87.6	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	42.1	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	21.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	36.8	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.34	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	442.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/6549/06/2017

DATE OF REPORT: 27.06.2017

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2017

**Monitoring Start Date** : 22.06.2017

**Monitoring End Date** : 23.06.2017

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 6549

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	68.3	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.1	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



CHECKED BY  
SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Anshu Mittal  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/4852/06/2018

DATE OF REPORT: 27.06.2018

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2018

**Analysis Start Date** : 24.06.2018

**Analysis End Date** : 27.06.2018

**Duration Of Monitoring** : 22.06.2018 To 23.06.2018

**Time Of Monitoring** : 10.40AM To 10.40 AM (CO for 1.0 Hrs.)

**Sample ID No** : 4852

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 38.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) + Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	84.5	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	41.3	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	24.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	39.2	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.36	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	448.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/4853/06/2018

DATE OF REPORT: 27.06.2018

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2018

**Monitoring Start Date** : 22.06.2018

**Monitoring End Date** : 23.06.2018

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 4853

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	63.8	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.2	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



CHECKED BY  
SHRADDHA GUPTA

Page 1 of 1

For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/5523/06/2019

DATE OF REPORT: 27.06.2019

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2019

**Analysis Start Date** : 24.06.2019

**Analysis End Date** : 27.06.2019

**Duration Of Monitoring** : 22.06.2019 To 23.06.2019

**Time Of Monitoring** : 10.20AM To 6.20 AM (CO for 1.0 Hrs.)

**Sample ID No** : 5523

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEA Ambient Temperature: 38.0 °C  
R

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)  
+

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	84.5	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	41.3	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	24.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	36.2	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.36	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	448.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

For Enviro-Tech Services  
  
Pushkar Mittal  
AUTHORIZED SIGNATORY  
Lab In-charge

  
CHECKED BY  
SHRADDHA GUPTA

Note:-

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5524/06/2019

DATE OF REPORT: 27.06.2019

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2019

**Monitoring Start Date** : 22.06.2019

**Monitoring End Date** : 23.06.2019

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 5524

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	63.8	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.2	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*

For Enviro-Tech Services

Page 1 of 1

CHECKED BY  
SHRADDHA GUPTA

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019


- Note:-
1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
  2. The results indicated only refer to the tested samples and listed applicable parameters.
  3. No complaint will be entertained if received after 7 days of issue of test report.
  4. Our liability is limited to invoice value only.
  5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
  6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/1824/06/2020

DATE OF REPORT: 26.06.2020

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI SWATANTRA SINGH S/O  
SHRI SIDHMAN SINGH OWNER, R/O MOH.592GHA/53C,  
RAJEEVA NAGAR, THANA-PGI  
DISTRICT-LUCKNOW, U.P

**Date of Monitoring** : 22.06.2020

**Analysis Start Date** : 24.06.2020

**Analysis End Date** : 26.06.2020

**Duration Of Monitoring** : 22.06.2020 To 23.06.2020

**Time Of Monitoring** : 11.22 AM To 11.22 AM (CO for 1.0 Hrs.)

**Sample ID No** : 1824

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEA Ambient Temperature: 38.0 °C  
R

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)  
+

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	82.9	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	30.5	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	16.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	32.7	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.54	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	433.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services

Pushkar Mittal  
AUTHORIZED SIGNATORY

Note: SHRADDHA GUPTA

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/1825/06/2020

DATE OF REPORT: 26.06.2020

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI SWATANTRA SINGH S/O SHRI SIDHMAN SINGH  
OWNER, R/O MOH.592GHA/53C, RAJEEVA NAGAR, THANA-PGI  
DISTRICT-LUCKNOW, U.P

**Date of Monitoring** : 22.06.2020

**Monitoring Start Date** : 22.06.2020

**Monitoring End Date** : 23.06.2020

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 1825

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	65.9	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	57.3	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services  
*[Signature]*  
AUTHORIZED SIGNATORY  
Pushkar Mittal  
Lab In-charge

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/8623/06/2021

DATE OF REPORT: 27.06.2021

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2021

**Analysis Start Date** : 24.06.2021

**Analysis End Date** : 27.06.2021

**Duration Of Monitoring** : 22.06.2021 To 23.06.2021

**Time Of Monitoring** : 11.05AM To 11.05 AM (CO for 1.0 Hrs.)

**Sample ID No** : 8623

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEA Ambient Temperature: 38.0 °C  
R

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) Fine Particulate Sampler (PM<sub>2.5</sub>)  
+

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	83.1	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	46.3	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	28.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	32.5	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.31	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	456.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*

**CHECKED BY**  
**SHRADDHA GUPTA**  
 ETS-LAB

For Enviro-Tech Services  
  
**AUTHORIZED SIGNATORY**  
 Lab In-charge

Note:-

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/8624/06/2021

DATE OF REPORT: 27.06.2021

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2021

**Monitoring Start Date** : 22.06.2021

**Monitoring End Date** : 23.06.2021

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 8624

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	64.8	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	49.3	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*



Page 1 of 1

For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Anshul Mittal  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/2655/06/2022

DATE OF REPORT: 27.06.2022

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2022

**Analysis Start Date** : 24.06.2022

**Analysis End Date** : 27.06.2022

**Duration Of Monitoring** : 22.06.2022 To 23.06.2022

**Time Of Monitoring** : 11.10AM To 11.10 AM (CO for 1.0 Hrs.)

**Sample ID No** : 2655

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 38.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) + Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	89.1	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	41.4	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	23.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	35.2	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.36	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	458.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services  
Pushkar Mittal  
AUTHORIZED SIGNATORY  
Lab in-charge

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ETS-LAB



## TEST REPORT

TEST REPORT NO.: ETS/2656/06/2022

DATE OF REPORT: 27.06.2022

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2022

**Monitoring Start Date** : 22.06.2022

**Monitoring End Date** : 23.06.2022

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 2656

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	67.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	51.7	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1



For Enviro-Tech Services

AUTHORIZED SIGNATORY

Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



## TEST REPORT

TEST REPORT NO.: ETS/5658/06/2023

DATE OF REPORT: 27.06.2023

### AMBIENT AIR MONITORING AND ANALYSIS REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2023  
: 24.06.2023

**Analysis Start Date** : 27.06.2023

**Duration Of Monitoring** : 22.06.2023 To 23.06.2023

**Time Of Monitoring** : 10.35AM To 10.35 AM (CO for 1.0 Hrs.)

**Sample ID No** : 5658

**Sampling Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/AIR-01

**Sampling Machine Placed At Height** : 1.5 METER FROM GROUND LEVEL

**Weather Condition** : CLEAR Ambient Temperature: 38.0 °C

**Wind Direction** : E To W

**Equipment Used** : Respirable Dust Sampler (PM<sub>10</sub>) + Fine Particulate Sampler (PM<sub>2.5</sub>)

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM <sub>10</sub> )	µg/m <sup>3</sup>	82.6	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM <sub>2.5</sub> )	µg/m <sup>3</sup>	44.2	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO <sub>2</sub> )	µg/m <sup>3</sup>	27.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO <sub>2</sub> )	µg/m <sup>3</sup>	39.4	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Carbon Monoxide,(CO)	mg/m <sup>3</sup>	0.34	For 8 Hrs.=2 / For 1 Hrs.=4	IS 5182 : Part 10
6	Suspended Particulate Matters,(SPM)	µg/m <sup>3</sup>	453.0	For 24 Hrs.=600	IS: 5182 (Part-4)

\*\*\*\*\*End of Test Report\*\*\*\*\*



For Enviro-Tech Services  
*[Signature]*  
AUTHORIZED SIGNATORY  
Lab In-charge

**Note:-**

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



## TEST REPORT

TEST REPORT NO.: ETS/5659/06/2023

DATE OF REPORT: 27.06.2023

### AMBIENT NOISE MONITORING REPORT

**Name And Address of Customer** : M/S, SHRI MOHD.SHAMSHAD S/O SHRI MOHD.ILIYAAS  
R/O MOH.H.NO.578, LALA MAHAVEER PRASAD ROAD  
KASAI BAR, AHAMADPUR URF KAMALPUR DILKUSHA,  
TEHSIL-SADAR, DISTRICT-LUCKNOW

**Date of Monitoring** : 22.06.2023

**Monitoring Start Date** : 22.06.2023

**Monitoring End Date** : 23.06.2023

**Duration Of Monitoring** : 24 HOURS

**Sample ID No** : 5659

**Monitoring Done By** : ETS STAFF

**Sampling Location** : 5 METER AWAY FROM UNIT

**Sampling Method** : ETS/STP/NOISE-01

**Category Of Area** : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	67.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	45.7	70	IS: 9989

**Remark:** Day time is reckoned in between 06.00 A.M. and 10.00 P.M.  
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

\*\*\*\*\*End of Test Report\*\*\*\*\*

Page 1 of 1



For Enviro-Tech Services  
  
AUTHORIZED SIGNATORY  
Ashish Kumar Mittal  
Lab In-charge

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



**Ground Water Department**  
(Namami Gange & Rural Water Supply Department)  
Ministry of Jal Shakti  
Government of Uttar Pradesh

**Form 3 (A)**  
(Commercial or Industrial or Infrastructural or bulk user)  
[See Rule 8(1)]

**Certificate Of Registration Of Existing/New Well**  
(UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019)

<b>Registration No.: 202211000367</b>			
<b>Name of the Owner</b>	MOHAMMAD SHAMSHAD		
<b>Address of the Applicant</b>	VILLAGE - BHAGAUTIDEI, CHUNAR, MIRZAPUR	<b>Application Form Serial No.</b>	MRZP1122RIN0020
<b>Date of Submission</b>	12/11/2022	<b>Specimen Signature</b>	
<b>Company Name</b>	MOHAMMAD SHAMSHAD	<b>Company Address</b>	VILLAGE - BHAGAUTIDEI, CHUNAR, MIRZAPUR
<b>Location Particulars</b>			
<b>District</b>	Mirzapur	<b>Block</b>	RAJGARH
<b>Plot No./Khasra No.</b>	ARAJI NO - 180/2	<b>Municipality/Corporation</b>	No
<b>Ward No./Holding No.</b>			NA
<b>Particular of the Existing Well and Pumping Device</b>			
<b>Date of Construction/Sinking of the Well</b>	25/11/2022		
<b>Type of Well</b>	Tube Well/Boring	<b>Depth of the Well (In meter)</b>	110.00
<b>Purpose of well</b>	Industrial	<b>Assembly Size(For Tube Well)</b>	
<b>Strainer Position (For Tube Well)</b>			
<b>Type of Pump Used</b>	Submersible	<b>H.P. of the Pump</b>	1.50
<b>Operational Device</b>	Electric Motor	<b>Rate of Withdrawal (m<sup>3</sup>/hr.)</b>	2.50
<b>Date of Energization (In Case of Electric Pump)</b>			27/11/2022

This certificate of registration is issued on the basis of the information furnished by the applicant subject to the conditions stated overleaf.

**Conditions**

- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix water meters, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.
- The District Ground Water Management Council reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the District Ground Water Management Council. Any deviation in this regard shall lead to cancellation of this registration.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.

