

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
WESTERN ZONE, PUNE  
Original Application No. 119/2022 (WZ)**

Shri. Sanjay D. Joshi & Anr

...Appellant

Versus

State of Maharashtra through the  
Department of Environment & Ors.

...Respondent(s)

**COMPLIANCE AFFIDAVIT ON BEHALF OF RESPONDENT NOS.2  
& 3 MAHARASHTRA POLLUTION CONTROL BOARD**

I, Jaganath Salunkhe , age about 56 years, Occupation-service, the Regional Officer of the Maharashtra Pollution Control Board at Kolhapur having my office at Maharashtra Pollution Control Board, Udyog Bhavan Building, Near Collectorate Office, Kolhapur - 416 002, do hereby state on solemnly affirmation as under :-

I, am presently working as the Regional Officer, Kolhapur with the Maharashtra Pollution Control Board, I have gone through the Hon'ble National Green Tribunal (WZ) Pune order dated 23.08.2023. I am submitting reply affidavit on behalf of Respondent No. 2 & 3 regarding Environmental Compensation to be levied from the all respondents Municipal Council.

1. I say and submit that all the municipal council has not provided any sewage treatment plant for sewage generated from their jurisdiction and directly discharging generated sewage into nearby Nalla, River & Environment. In view of said non-compliance, the Respondent Board had issued prosecution notices to all these Respondents vide letter dated 4.8.2016 which is annex Hereto and marked as Annexure- A TO F and Show Cause Notice under



section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 20.10.2023, 16.01.2024, 15.02.2024 which is annex Hereto and marked as **Annexure – G TO L respectively.**

2. I say and submit that, as per the direction dated 23/8/2023 issued by this Hon'ble National Green Tribunal and order dated 19.2.2024 in OA No 32 of 2023, the Respondent Board has extended personal hearing through Video Conference to all Respondent Municipal Councils on 14.3.2024.

During personal hearings, the Respondent Board has informed all these Municipal Councils about non-compliance of previous direction as well as present non-compliance of Sewage Treatment Plant. In view of said non-compliance EDC has been calculated of all these Municipal Councils. The Respondent Board has also informed 6 Municipal council about Environmental Damage Compensation calculated as per this Hon'ble Tribunal order dated 23.08.2023. A copy of the order dated 19.2.2024 passed in OA No 32 of 2023 and MOM of personal hearing dated 14.3.2024 are enclosed and marked as an **Annexure "M" & "N"**

3. I say and submit that, the details of environmental compensation for six Municipal Council are as follows: -

**a) Ratnagiri Municipal Council, Tal & Dist. Ratnagiri**

- Total environmental compensation calculated on the Municipal Council is Rs. 17,25,00,000 (Seventeen Crores Twenty-Five Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as



**Annexure- "O"** with effect from 01.04.2020 to 23.08.2023  
(Total nos of days considered for EDC are 1240 days).

**b) Rajapur Municipal Council, Tal. Rajapur, Dist. Ratnagiri**

- Total environmental compensation calculated on the Municipal Council is Rs. 11,10,00,000/- (Eleven Crores Ten Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as **Annexure- "O"** with effect from 01.04.2020 to 23.08.2023 (Total nos of days considered for EDC are 1240 days)

**c) Vengurla Municipal Council**

- Total environmental compensation calculated on the Municipal Council is Rs. 9,05,00,000/- (Nine Crores Five Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as **Annexure- "O"** with effect from 01.04.2020 to 23.08.2023 (Total nos of days considered for EDC are 1240 days)

**d) Malvan Municipal Council**

- Total environmental compensation calculated on the Municipal Council is Rs. 11,10,00,000/- (Eleven Crores Ten Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as **Annexure- "O"** with effect from 01.04.2020 to 23.08.2023 (Total nos of days considered for EDC are 1240 days)

**e) Sawantwadi Municipal Council**

- Total environmental compensation calculated on the Municipal Council is Rs. 11,10,00,000/- (Eleven Crores Ten Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as **Annexure- "O"** with



effect from 01.04.2020 to 23.08.2023 (Total nos of days considered for EDC are 1240 days).

f) Kankavali Nagarpanchayat

- Total environmental compensation calculated on the Municipal Council is Rs. 11,10,00,000/- (Eleven Crores Ten Lacs Only). The detailed report of Environmental Compensations Calculation is enclosed & marked as Annexure- "O" with effect from 01.04.2020 to 23.08.2023 (Total nos of days considered for EDC are 1240 days)

Solemnly affirmed on this 15 day of March 2024 at Kolhapur

For & on behalf respondent No. 2 & 3  
Maharashtra Pollution Control Board

*J. S. Salunkhe*  
(J. S. Salunkhe)

Regional Officer- MPCB, Kolhapur



Notary/Sr./No.- 1369/2024  
 Solemnly affirm & Singed / L. H. T. I. Before me  
 me by Jaganath Shankar Salunkhe  
 & State that the Contents of the Affidavit are  
 true and correct. Who is identified by Self

*R. D. Bhosale*  
 Adv. R. D. Bhosale  
 Notary Public (Govt. of India)  
 Dist. Kolhapur

16 MAR 2024



**महाराष्ट्र प्रदूषण नियंत्रण मंडळ**  
**प्रादेशिक कार्यालय, कोल्हापूर**

दूरध्वनी क्र. (0231)

2652952  
2660448

फॅक्स क्र. (0231)

2652952

E-mail: [raokolhapur@mpcb.gov.in](mailto:raokolhapur@mpcb.gov.in)



उद्योग भवन,

कलेक्टर ऑफीस जवळ,

कोल्हापूर - ४१६ ००३.

Website: <http://mpcb.mah.nic.in>

जा.क्र. मप्रनिमं/प्राका/को/ 1364/2016

दि. 04/08/२०१६.

प्रति,

मुख्याधिकारी

शिल्पागिरी नगरपरिषद्, शिल्पागिरी.

ता. जि. शिल्पागिरी.

विषय: कलम २५, २६, ३३ अ, सोबत ४१( २ अ) ४३, ४४ जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ कलम ३१ अ, सोबत ३७ हवा (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९८९ तसेच कलम १५ पर्यावरण (संरक्षण) कायदा, १९८६ सोबत घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत खटला दाखल करणे बाबतची नोटीस.

- संदर्भ : १. मप्रनि मंडळाने २५ वीं वित्तीय तरतुदीप्रमाणे सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत करावयाच्या तरतुदीबाबत निर्देश.
२. आपण सादर केलेले लेखी निवेदन.
३. मंडळाने दिलेली नोटीस दि. १७.०६.२०१५, ०५.०८.२०१५, २३.०९.२०१५ व तदनंतर आपण वेळोवेळी सादर केलेला पूर्तता अहवाल व मंडळाने बजावलेले निर्देश.
४. दि. १७.०६.२०१५ रोजी दिलेल्या निर्देशाबाबत दि. २९.०९.२०१५ रोजी आपणास दिलेले स्मरण पत्र.
५. सांडपाणी वाहून नेणा-या गटारीच्या स्वच्छतेबाबत दिलेल्या मार्गदर्शक सूचना दि. १८.०३.२०१६.

ज्याअर्थी, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ अंतर्गत प्रत्येक स्थानिक स्वराज्य संस्थांवर त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणारे घरगुती

सांडपाणी गोळा करून, त्यावर योग्य ती उपाययोजना करून, योग्य ती प्रक्रिया करून मगच त्याची शास्त्रीक विल्हेवाट लावणे, योग्य ते संमतीपत्र कलम २५, २६ व २१ प्रमाणे जल व हवा (प्रतिबंध व प्रदूषण नियंत्रण) अधिनियमांप्रमाणे, महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून घेवून त्यातील अटी व शर्तीची पूर्तता कालबध्दरितीने करणे बंधनकारक आहे. तसेच कलम नियम १५ य प्रमाणे घनकचरा व्यवस्थापन नियम, २०१६ प्रमाणे प्राधिकारपत्र घेऊन त्यातील तरतुदींचे पालन करणे बंधनकारक आहे.

आणि ज्याअर्थी, पर्यावरण व वन मंत्रालय, भारत सरकारमार्फत घनकचरा व्यवस्थापन नियम, २०१६ हे पर्यावरण (संरक्षण) अधिनियम, १९८६ अंतर्गत प्रसारित करण्यात आलेले आहेत. तसेच सदरहु नियमाप्रमाणे संबंधित स्थानिक स्वराज्य संस्थेने त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणा-या नागरी घनकच-याची योग्य ती वर्गवारी करून, त्यावर म.प्र.नि. मंडळाकडून सदरहु नियमांतर्गत घेतलेल्या प्राधिकारपत्राप्रमाणे, त्याची व्यवस्था करणे बंधनकारक आहे.

आणि ज्याअर्थी, वरील संदर्भांनी म.प्र.नि. मंडळाने वेळोवेळी खालील आशयाचे निर्देश बजावले होते.

- अ. नगरपालिकेचे सर्व सांडपाणी एकत्रीत करून त्यावर योग्य ती परिपूर्ण प्रक्रिया करण्यासाठी सांडपाणी प्रक्रिया संयंत्रणा बसवून, शास्त्रीक पध्दतीने विल्हेवाट लावावी.
- ब. जो घनकचरा आपल्या कार्यक्षेत्रात निर्माण होतो, त्यासाठी स्वतंत्र वर्गवारी (जैविक विघटनशील, अविघटनशील) आणि पुर्ननिर्माण घनकचरा त्याची विल्हेवाट नियमाप्रमाणे करावी व मा. उच्च न्यायालयाच्या आदेशाप्रमाणे मुदतीत करणे बंधनकारक केले होते.
- क. त्यासाठी परिपूर्ण सांडपाणी व घनकचरा व्यवस्थापनासाठी प्रत्येक वर्षी एकूण भांडवली खर्चापैकी २५ टक्के तरतूद करून या प्रकल्पावरच खर्च करून कायदेशीर बाबींची पूर्तता करावी.

आणि ज्याअर्थी, संदर्भांकित पत्र क्र. ४ व ५ अन्वये म.प्र.नि. मंडळाने आपणास निर्देश व मार्गदर्शक तत्वे दिलेले आहेत.

आणि ज्याअर्थी, आपल्यानगरपालिका क्षेत्रातून ८-८ दशलक्ष लिटर्स प्रति दिन इतके घरगुती सांडपाणी निर्माण होत असून त्यापैकी निरंक इतके सांडपाणी प्रक्रिया

केले जाते. तथापि ८८ दशलक्ष लिटर्स प्रति दिन इतके सांडपाणी विनाप्रक्रिया आसपासच्या नदी, नाले व जलप्रवाहात सोडले जाते. तसेच २५ मे.टन प्रति दिन इतका घनकचरा निर्माण होतो. त्यापैकी निरंक मे.ट. इतक्या कच-यावर प्रक्रिया केली जाते. २५ मे.टन प्रति दिन इतका घनकचरा विनाप्रक्रिया आसपासच्या परिसरामध्ये अशास्त्रीय पध्दतीने विन्हेवाट केली जाते.

आणि ज्याअर्थी, स्थानिक स्वराज्य संस्थांमधून मोठ्या प्रमाणावर प्रदूषित सांडपाणी निर्माण होऊन आसपासच्या नद्या, नाले व इतर जलप्रवाहामध्ये सोडण्यात येऊन मोठ्या प्रमाणावर जल प्रदूषण होत आहे. तसेच सदरहू संस्थांच्या अधिकार क्षेत्रामध्ये मोठ्या प्रमाणावर नागरी घनकचरा निर्माण होऊन त्यापासूनदेखील सभोवतालच्या क्षेत्रामध्ये मोठ्या प्रमाणावर जल, हवा व जमिनीचे प्रदूषण होत आहे.

आणि ज्याअर्थी, वास्तविक सर्व स्थानिक स्वराज्य संस्थांना म.प.नि. मंडळाने अनेक संधी देऊन, कायदेशीर कारवाई करूनदेखील सदरहू प्रदूषण थांबविण्यात आलेले नाही किंवा त्याबाबत पुरेशी प्रदूषण नियंत्रण संयंत्रणा बसविण्यात आलेली नाही. त्याबाबत मा. न्यायालयांनीदेखील वेळोवेळी निर्देश दिलेले आहेत.

आणि ज्याअर्थी, म.प.नि. मंडळाने सदरहूस्थानिक स्वराज्य संस्थांना कलम ३३ अ व कलम ३१ अ अनुक्रमे जल व हवा अधिनियमामधील तरतुदीनुसार दरवर्षी २५ वित्तीय तरतूद अंदाजपत्रकात करून सदरहू सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत तरतूद करून स्वतंत्र बँक खात्यामध्ये रक्कम ठेऊन त्याचा विनियोग त्याच कारणांसाठी करणे अपेक्षित आहे. त्या अनुषंगाने आपल्या खात्यामार्फत पूर्तता अहवाल तरतूद करून सादर करण्यात आलेला होता.

आणि ज्याअर्थी, आजतागायत आपण पुरेशी पूर्तता न केल्यामुळे सार्वजनिक आरोग्यावर विघातक परिणाम आपल्या स्थानिक स्वराज्य संस्थेमार्फत पर्यावरण प्रदूषणामुळे होत आहे. तरी आपणास नोटीसीमार्फत अंतिम समज देण्यात येत आहे की आपण वरील आर्थिक तरतूद करून सदरहू सांडपाणी व नागरी घन कच-याचे शास्त्रोक्त पध्दतीने व्यवस्थापन न केल्यास आपल्या स्थानिक स्वराज्य संस्थेमार्फत होणा-या जल, हवा व जमिनी प्रदूषणाबाबत सर्व पुरावे जिल्हा न्यायदंडाधिकारी/पोलीस अधीक्षक यांना सादर करण्यात येऊन त्याबाबत सार्वजनिक उपद्रव करून नैसर्गिक स्रोत प्रदूषण केल्याबाबत प्रथम माहिती अहवाल (FIR) दाखल करण्याबाबत निर्देश देण्यात येईल याची नोंद घ्यावी.

त्यामुळे आपणांस निर्देश देण्यात येतात की, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ चे कलम ३३ अ नुसार निर्देश देऊन आपल्या विरुद्ध कलम ४१(२) व पर्यावरण (संरक्षण) कायदा, १९८६ चे कलम १५ याबरोबर घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत आपल्यावर खटला का दाखल करण्यात येऊ नये, तसेच भारतीय दंडविधान अधिनियमातील कलम २६८ ते २७८ याप्रमाणे आणि भारतीय दंडप्रक्रिया संहितेमधील कलम १३३ ते १४३ यामधील तरतुदीप्रमाणे आपली स्थानिक स्वराज्य संस्था एकत्रित सांडपाणीप्रक्रिया केंद्रे, घन कचरा व्यवस्थापन यांची पर्यावरण कायदातील तरतुदीप्रमाणे पूर्तता न करता पर्यावरण मानकांचे उल्लंघन करून वातावरण, पाणी आणि पर्यावरणाचे मोठ्या प्रमाणावर प्रदूषण करून सार्वजनिक आरोग्य, सुखसोयी व मनुष्य आणि प्राणी यांच्या जिवीतास धोका निर्माण करून सार्वजनिक उपद्रव करणा-या अशा घटकाविरुद्ध म.प्र.नि. मंडळातर्फे पर्यावरण कायदांतर्गत सर्व कायदेशीर कारवाई करून वरील भारतीय दंडविधान अधिनियम आणि भारतीय दंड प्रक्रिया संहिता यामधील तरतुदीनुसार भरीव प्रस्ताव पुढील फौजदारी कारवाई करण्यासाठी पोलीस आयुक्त (संबंधित पोलीस चौकीस) आणि जिल्हा दंडाधिकारी यांच्याकडे संपूर्ण भक्कम पुराव्यासहित सादर केला जाईल. तरी आपला पूर्तता अहवाल पंधरा दिवसांच्या आत सादर करण्यात यावा.

पूर्तता अहवाल प्राप्त न झाल्यास आपले काही म्हणणे नाही असे गृहीत धरून उपरोक्त कलमानुसार कायदाची धके फिरविली जातील याची कृपया नोंद घ्यावी.

मा. अध्यक्ष यांच्या मान्यतेने निर्णयित करण्यात येत आहे.

(न. ह. शिवांगी)

प्रादेशिक अधिकारी, कोल्हापूर

प्रत माहिती व पुढील कार्यवाहीसाठी सादर :-

१. मा. जिल्हा दंडाधिकारी, रत्नागिरी
२. मा. पोलीस अधीक्षक, रत्नागिरी

प्रत :-

उप प्रादेशिक अधिकारी, म.प्र.नि. मंडळ, कोल्हापूर/सांगली/रत्नागिरी/चिपळूण.

आपणांस सूचना देण्यात येतात की, वरील वाबतील दरमहा संपस्थिती अहवाल सादर करून कलम २१ जल व कलम २६ हवा व कलम ११ पर्यावरण अधिनियमातील तरतुदीप्रमाणे ज्याठिकाणी अंतिम बहिर्गर्ग/बहिर्व्यदार येथून पुढे कोणतीही प्रक्रिया न करता प्रदूषके सोडली जातात, तेथून व ज्याठिकाणी अशी प्रदूषके पर्यावरणामध्ये सोडण्यात येतात, त्या प्रवाहाचे/वातावरणाचे नमुने कमीतकमी तीन घेऊन पृथक्करण अहवाल व भेटीचा अहवाल, फोटो व व्हिडिओसहित जिल्हादंडाधिकारी व भारतीय दंड विधान प्रक्रिया यानुसार यांना सार्वजनिक आरोग्य व उपद्रव याबाबत मनुष्यवध व इतर आपणांसाठी गुन्हा दाखल करण्यासाठी पंधरा दिवसांच्या आत सादर करावा. तसेच, वरील कामकाजासाठी क्षेत्र अधिकारी यांच्या कामाचे योग्य ती विशागणी विशागवार करण्यात यावी.

**महाराष्ट्र प्रदूषण नियंत्रण मंडळ**  
**प्रादेशिक कार्यालय, कोल्हापूर**

दूरध्वनी क्र. (0231)  
2652952  
2660448  
फॅक्स क्र. (0231)  
2652952  
E-mail: [kolhapur@mpcb.gov.in](mailto:kolhapur@mpcb.gov.in)



उद्योग भवन,  
कलेक्टर ऑफीस जवळ,  
कोल्हापूर - ४१६ ००३.  
Website: <http://mpcb.mah.nic.in>

जा.क्र. मपनिमं/प्राका/को/ 1365/2016

दि. 04/08/2016.

प्रति,

शुद्धाधिकारी

श.जा.पूर नगरपरिषद, श.जा.पूर  
ला. श.जा.पूर, जि. रत्नागिरी

विषय: कलम २५, २६, ३३ अ, सोबत ४१, २ अ, ४३, ४४ जल प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ कलम ३१ अ, सोबत ३७ ह्या (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९८१ तसेच कलम १५ पर्यावरण (संरक्षण) कायदा, १९८६ सोबत घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत खटला दाखल करणे बाबतची नोटीस.

- संदर्भ : १. मपनि मंडळाने २५ वित्तीय तरतुदीप्रमाणे सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत करावयाच्या तरतुदीबाबत निर्देश.
२. आपण सादर केलेले लेखी निवेदन.
३. मंडळाने दिलेली नोटीस दि. १७.०६.२०१५, ०५.०८.२०१५, २३.०९.२०१५ व तदनंतर आपण वेळोवेळी सादर केलेला पुर्तता अहवाल व मंडळाने बजावलेले निर्देश.
४. दि. १७.०६.२०१५ रोजी दिलेल्या निर्देशाबाबत दि. २९.०९.२०१५ रोजी आपणास दिलेले स्मरण पत्र.
५. सांडपाणी वाहून नेणा-या गटारीच्या स्वच्छतेबाबत दिलेल्या मार्गदर्शक सूचना दि. १८.०३.२०१६.

ज्याअर्थी, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ अंतर्गत प्रत्येक स्थानिक स्वराज्य संस्थांवर त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणारे धरगुती

सांडपाणी गोळा करून, त्यावर योग्य ती उपाययोजना करून, योग्य ती प्रक्रिया करून मगच त्याची शास्त्रोक्त विल्हेवाट लावणे, योग्य ते संमतीपत्र कलम २५, २६ व २१ प्रमाणे जल व हवा (प्रतिबंध व प्रदूषण नियंत्रण) अधिनियमांप्रमाणे, महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून घेवून त्यातील अटी व शर्तीची पूर्तता कालबद्धरितीने करणे बंधनकारक आहे. तसेच कलम नियम १५ य प्रमाणे घनकचरा व्यवस्थापन नियम, २०१६ प्रमाणे प्राधिकारपत्र घेऊन त्यातील तरतुदीचे पालन करणे बंधनकारक आहे.

आणि ज्याअर्थी, पर्यावरण व वन मंत्रालय, भारत सरकारमार्फत घनकचरा व्यवस्थापन नियम, २०१६ हे पर्यावरण (संरक्षण) अधिनियम, १९८६ अंतर्गत प्रसारित करण्यात आलेले आहेत. तसेच सतरहु नियमाप्रमाणे संबंधित स्थानिक स्वराज्य संस्थेने त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणा-या नागरी घनकच-याची योग्य ती वर्गवारी करून, त्यावर म.प्र.नि. मंडळाकडून सदरहु नियमांतर्गत घेतलेल्या प्राधिकारपत्राप्रमाणे, त्याची व्यवस्था करणे बंधनकारक आहे.

आणि ज्याअर्थी, वील संदर्भांनी म.प्र.नि. मंडळाने वेळोवेळी खालील आशयाचे निर्देश बजावले होते.

- अ. नगरपालिकेचे सर्व सांडपाणी एकत्रीत करून त्यावर योग्य ती परिपूर्ण प्रक्रिया करण्यासाठी सांडपाणी प्रक्रिया संयंत्रणा बसवून, शास्त्रोक्त पध्दतीने विल्हेवाट लावावी.
- ब. जो घनकचरा आपल्या कार्यक्षेत्रात निर्माण होतो, त्यासाठी स्वतंत्र वर्गवारी (जैविक विघटनशील, अविघटनशील) आणि पुर्ननिर्माण घनकचरा त्याची विल्हेवाट नियमाप्रमाणे करावी व मा. उच्च न्यायालयाच्या आदेशाप्रमाणे मुदतीत करणे बंधनकारक केले होते.
- क. त्यासाठी परिपूर्ण सांडपाणी व घनकचरा व्यवस्थापनासाठी प्रत्येक वर्षी एकूण भांडवली खर्चापैकी २५ टक्के तरतूद करून या प्रकल्पावरच खर्च करून कायदेशीर वार्षिकी पूर्तता करावी.

आणि ज्याअर्थी, शासकीय पत्र क्र. ७ व ५ अन्वये म.प्र.नि. मंडळाने आपणास निर्देश व मार्गदर्शक तत्वे दिलेले आहेत.

आणि ज्याअर्थी, आपल्यानगरपालिका क्षेत्रातून २० दशलक्ष लिटर्स प्रति दिन इतके घरगुती सांडपाणी निर्माण होत असून त्यापैकी निरंक इतके सांडपाणी प्रक्रिया

केले जाते. तथापि २० दशलक्ष लिटर्स प्रति दिन इतके सांडपाणी विनाप्रक्रिया आसपासच्या नदी, नाले व जलप्रवाहात सोडले जाते. तसेच ७० मे.टन प्रति दिन इतका घनकचरा निर्माण होतो. त्यापैकी निरंक मे.ट. इतक्या कच-यावर प्रक्रिया केली जाते. ७० मे.टन प्रति दिन इतका घनकचरा विनाप्रक्रिया आसपासच्या परिसरामध्ये अशास्वीय पध्दतीने विल्हेवाट केली जाते.

आणि ज्याअर्थी, स्थानिक स्वराज्य संस्थांमधून मोठ्या प्रमाणावर प्रदूषित सांडपाणी निर्माण होऊन आसपासच्या नद्या, नाले व इतर जलप्रवाहामध्ये सोडण्यात येऊन मोठ्या प्रमाणावर जल प्रदूषण होत आहे. तसेच सदरहू संस्थांच्या अधिकार क्षेत्रामध्ये मोठ्या प्रमाणावर नागरी घनकचरा निर्माण होऊन त्यापासूनदेखील सभोवतालच्या क्षेत्रामध्ये मोठ्या प्रमाणावर जल, हवा व जमिनीचे प्रदूषण होत आहे.

आणि ज्याअर्थी, वास्तविक सर्व स्थानिक स्वराज्य संस्थांना म.प्र.नि. मंडळाने अनेक संधी देऊन, कायदेशीर कारवाई करूनदेखील सदरहू प्रदूषण थांबविण्यात आलेले नाही किंवा त्याबाबत पुरेशी प्रदूषण नियंत्रण संयंत्रणा बसविण्यात आलेली नाही. त्याबाबत मा. न्यायालयांनीदेखील वेळोवेळी निर्देश दिलेले आहेत.

आणि ज्याअर्थी, म.प्र.नि. मंडळाने सदरहूस्थानिक स्वराज्य संस्थांना कलम ३३ अ व कलम ३१ अ अनुक्रमे जल व हवा अधिनियमामधील तरतुदीनुसार दरवर्षी २५ वित्तीय तरतूद अंदाजपत्रकात करून सदरहू सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन बाबत तरतूद करून स्वतंत्र बँक खात्यामध्ये रक्कम ठेऊन त्याचा विनियोग त्याच कारणांसाठी करणे अपेक्षित आहे. त्या अनुषंगाने आपल्या खात्यामार्फत पूर्तता अहवाल तरतूद करून सादर करण्यात आलेला होता.

आणि ज्याअर्थी, आजतागायत आपण पुरेशी पूर्तता न केल्यामुळे सार्वजनिक आरोग्यावर विघातक परिणाम आपल्या स्थानिक स्वराज्य संस्थेमार्फत पर्यावरण प्रदूषणामुळे होत आहे. तरी आपणास नोटीसीमार्फत अंतिम समज देण्यात येत आहे की आपण वरील आर्थिक तरतूद करून सदरहू सांडपाणी व नागरी घन कच-याचे शास्त्रोक्त पध्दतीने व्यवस्थापन न केल्यास आपल्या स्थानिक स्वराज्य संस्थेमार्फत होणा-या जल, हवा व जमिन प्रदूषणाबाबत सर्व पुरावे जिल्हा न्यायदंडाधिकारी/पोलीस अधीक्षक यांना सादर करण्यात येऊन त्याबाबत सार्वजनिक उपद्रव करून नैसर्गिक स्रोत प्रदूषण केल्याबाबत प्रथम माहिती अहवाल (FIR) दाखल करण्याबाबत निर्देश देण्यात येईल याची नोंद घ्यावी.

त्यामुळे आपणांस निर्देश देण्यात येतात की, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ चे कलम ३३ अ नुसार निर्देश देऊन आपल्या विरुद्ध कलम ४१(२) व पर्यावरण (संरक्षण) कायदा, १९८६ चे कलम १५ याबरोबर घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत आपल्यावर खटला का दाखल करण्यात येऊ नये, तसेच भारतीय दंडविधान अधिनियमातील कलम २६८ ते २७८ याप्रमाणे आणि भारतीय दंडप्रक्रिया संहितेमधील कलम १३३ ते १४३ यामधील तरतुदीप्रमाणे आपली स्थानिक स्वराज्य संस्था एकत्रित सांडपाणीप्रक्रिया केंद्रे, घन कचरा व्यवस्थापन यांची पर्यावरण कायद्यातील तरतुदीप्रमाणे पूर्तता न करता पर्यावरण मानकांचे उल्लंघन करून वातावरण, पाणी आणि पर्यावरणाचे मोठ्या प्रमाणावर प्रदूषण करून सार्वजनिक आरोग्य, सुखसोयी व मनुष्य आणि प्राणी यांच्या जीवितस धोका निर्माण करून सार्वजनिक उपद्रव करणा-या अशा घटकांविरुद्ध म.प्र.वि. मंडळातर्फे पर्यावरण कायदांतर्गत सर्व कायदेशीर कारवाई करून वरील भारतीय दंडविधान अधिनियम आणि भारतीय दंड प्रक्रिया संहिता यामधील तरतुदीनुसार भरीव प्रस्ताव पुढील फौजदारी कारवाई करण्यासाठी पोलीस आयुक्त (संबंधित पोलीस चौकीस) आणि जिल्हा न्यायदंडाधिकारी यांच्याकडे संपूर्ण भक्कम पुराव्यासहित सादर केला जाईल. तरी आपला पूर्तता अहवाल पंधरा दिवसांच्या आत सादर करण्यात यावा.

पूर्तता अहवाल प्राप्त न झाल्यास आपले काही म्हणणे नाही असे गृहीत धरून उपरोक्त कलमानुसार कायद्याची चक्रे फिरविली जातील याची कृपया नोंद घ्यावी.

मा. अध्यक्ष यांच्या मान्यतेने निर्दिष्ट करण्यात येत आहे.



(न. ह. शिवांगी)

प्रादेशिक अधिकारी, कोल्हापूर

प्रत माहिती व पुढील कार्यवाहीसाठी सादर:-

१. मा. जिल्हा दंडाधिकारी, रत्नागिरी
२. मा. पोलीस अधीक्षक, रत्नागिरी

प्रत :-

उप प्रादेशिक अधिकारी, म.प्र.वि. मंडळ, कोल्हापूर/सांगली/रत्नागिरी/चिपळूण.

आपणांस सूचना देण्यात येतात की, वरील बाबतीत दरमहा सद्यस्थिती अहवाल सादर करून कलम २१ जल व कलम २६ हवा व कलम १९ पर्यावरण अधिनियमातील तरतुदीप्रमाणे ज्याठिकाणी अंतिम बहिर्भाग/बहिर्द्वार येथून पुढे कोणतीही प्रक्रिया न करता प्रदूषके सोडली जातात, तेथून व ज्याठिकाणी अशी प्रदूषके पर्यावरणामध्ये सोडण्यात येतात, त्या प्रवाहाचे/वातावरणाचे नमुने कमीतकमी तीन घेऊन पृथक्करण अहवाल व भेटीचा अहवाल, फोटो व व्हिडिओसहित जिल्हादंडाधिकारी व भारतीय दंड विधान प्रक्रिया यानुसार यांना सार्वजनिक आरोग्य व उपद्रव याबाबत मनुष्यवध व इतर आपणांसाठी गुन्हा दाखल करण्यासाठी पंधरा दिवसांच्या आत सादर करावा. तसेच, वरील कामकाजासाठी क्षेत्र अधिकारी यांच्या कामाचे योग्य ती विभागणी विभागवार करण्यात यावी.

**महाराष्ट्र प्रदूषण नियंत्रण मंडळ**  
**प्रादेशिक कार्यालय, कोल्हापूर**

दूरध्वनी क्र. (0231)  
2652952  
2660448

फॅक्स क्र. (0231)  
2652952

E-mail: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



उद्योग भवन,  
कलेक्टर ऑफीस जवळ,  
कोल्हापूर - ४१६ ००३.  
Website: <http://mpcb.mah.nic.in>

जा.क्र. मप्रनिमं/पाका/को/ 1368/2016

दि. 04/08/2016.

प्रति,

✓ मुख्याधिकारी .....  
वेङ्गुळी नगर परिषद  
सा. वेङ्गुळी. जि. सिंधुदुर्ग

विषय: कलम २५, २६, ३३ अ, सोबत ४१( २ अ) ४३, ४४ जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ कलम ३१ अ, सोबत ३७ ह्या (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९८१ तसेच कलम १५ पर्यावरण (संरक्षण) कायदा, १९८६ सोबत घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत खटला दाखल करणे बाबतची नोटीस.

- संदर्भ : १. मप्रनि मंडळाने २५ वित्तीय तरतुदीप्रमाणे सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत करावयाच्या तरतुदीबाबत निर्देश.
२. आपण सादर केलेले लेखी निवेदन.
३. मंडळाने दिलेली नोटीस दि. १७.०६.२०१५, ०५.०८.२०१५, २३.०९.२०१५ व तदनंतर आपण वेळावेळी सादर केलेला पुर्तता अहवाल व मंडळाने घजावलेले निर्देश.
४. दि. १७.०६.२०१५ रोजी दिलेल्या निर्देशाबाबत दि. २९.०९.२०१५ रोजी आपणास दिलेले स्मरण पत्र.
५. सांडपाणी वाहून नेणा-या गटारीच्या स्वच्छतेबाबत दिलेल्या मार्गदर्शक सूचना दि. १८.०३.२०१६.

ज्याअर्थी, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ अंतर्गत प्रत्येक स्थानिक स्वराज्य संस्थांवर त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणारे घरगुती

सांडपाणी गोळा करून, त्यावर योग्य ती उपाययोजना करून, योग्य ती प्रक्रिया करून मगच त्याची शास्त्रोक्त विल्हेवाट लावणे, योग्य ते संमतीपत्र कलम २५, २६ व २१ प्रमाणे जल व हवा (प्रतिबंध व प्रदूषण नियंत्रण) अधिनियमांप्रमाणे, महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून घेवून त्यातील अटी व शर्तीची पूर्तता कालवध्दरितीने करणे बंधनकारक आहे. तसेच कलम नियम १५ य प्रमाणे घनकचरा व्यवस्थापन नियम, २०१६ प्रमाणे प्राधिकारपत्र घेऊन त्यातील तरतुदीचे पालन करणे बंधनकारक आहे.

आणि ज्याअर्थी, पर्यावरण व वन मंत्रालय, भारत सरकारमार्फत घनकचरा व्यवस्थापन नियम, २०१६ हे पर्यावरण (संरक्षण) अधिनियम, १९८६ अंतर्गत प्रसारित करण्यात आलेले आहेत. तसेच सदरहु नियमाप्रमाणे संबंधित स्थानिक स्वराज्य संस्थेने त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणा-या नागरी घनकच-याची योग्य ती वर्गवारी करून, त्यावर म.प्र.नि. मंडळाकडून सदरहु नियमांतर्गत घेतलेल्या प्राधिकारपत्राप्रमाणे, त्याची व्यवस्था करणे बंधनकारक आहे.

आणि ज्याअर्थी, वरील संदर्भांनी म.प्र.नि. मंडळाने वेळोवेळी खालील आशयाचे निर्देश वजावले होते.

- अ. नगरपालिकेचे सर्व सांडपाणी एकत्रीत करून त्यावर योग्य ती परिपूर्ण प्रक्रिया करण्यासाठी सांडपाणी प्रक्रिया संयंत्रणा बसवून, शास्त्रोक्त पध्दतीने विल्हेवाट लावावी.
- ब. जो घनकचरा आपल्या कार्यक्षेत्रात निर्माण होतो, त्यासाठी स्वतंत्र वर्गवारी (जैविक विघटनशील, अविघटनशील) आणि पुर्ननिर्माण घनकचरा त्याची विल्हेवाट नियमाप्रमाणे करावी व मा. उच्च न्यायालयाच्या आदेशाप्रमाणे मुदतीत करणे बंधनकारक केले होते.
- क. त्यासाठी परिपूर्ण सांडपाणी व घनकचरा व्यवस्थापनासाठी प्रत्येक वर्षी एकूण भांडवली खर्चापैकी २५ टक्के तरतूद करून या प्रकल्पावरच खर्च करून कायदेशीर बाबींची पूर्तता करावी.

आणि ज्याअर्थी, संदर्भांकित पत्र क्र. ४ व ५ अन्वये म.प्र.नि. मंडळाने आपणास निर्देश व मार्गदर्शक तत्वे दिलेले आहेत.

आणि ज्याअर्थी, आपल्यानगरपालिका क्षेत्रातून २.५ दशलक्ष लिटर्स प्रति दिन इतके घरगुती सांडपाणी निर्माण होत असून त्यापैकी निरंक इतके सांडपाणी प्रक्रिया

केले जाते. तथापि २.५ दशलक्ष लिटर्स प्रति दिन इतके सांडपाणी विनाप्रक्रिया आसपासच्या नदी, नाले व जलप्रवाहात सोडले जाते. तसेच ५.० मे.टन प्रति दिन इतका घनकचरा निर्माण होतो. त्यापैकी निरंक मे.ट. इतक्या कच-यावर प्रक्रिया केली जाते. ५.० मे.टन प्रति दिन इतका घनकचरा विनाप्रक्रिया आसपासच्या परिसरामध्ये अशास्त्रीय पध्दतीने विल्हेवाट केली जाते.

आणि ज्याअर्थी, स्थानिक स्वराज्य संस्थांमधून मोठ्या प्रमाणावर प्रदूषित सांडपाणी निर्माण होऊन आसपासच्या नद्या, नाले व इतर जलप्रवाहामध्ये सोडण्यात येऊन मोठ्या प्रमाणावर जल प्रदूषण होत आहे. तसेच सदरहू संस्थांच्या अधिकार क्षेत्रामध्ये मोठ्या प्रमाणावर नागरी घनकचरा निर्माण होऊन त्यापासूनदेखील सभोवतालच्या क्षेत्रामध्ये मोठ्या प्रमाणावर जल, हवा व जमिनीचे प्रदूषण होत आहे.

आणि ज्याअर्थी, वास्तविक सर्व स्थानिक स्वराज्य संस्थांना म.प्र.नि. मंडळाने अनेक संधी देऊन, कायदेशीर कारवाई करूनदेखील सदरहू प्रदूषण थांबविण्यात आलेले नाही किंवा त्याबाबत पुरेशी प्रदूषण नियंत्रण संयंत्रणा बसविण्यात आलेली नाही. त्याबाबत मा. न्यायालयांनीदेखील वेळोवेळी निर्देश दिलेले आहेत.

आणि ज्याअर्थी, म.प्र.नि. मंडळाने सदरहूस्थानिक स्वराज्य संस्थांना कलम ३३ अ व कलम ३९ अ अनुक्रमे जल व हवा अधिनियमामधील तरतुदीनुसार दरवर्षी २५% वित्तीय तरतूद अंदाजपत्रकात करून सदरहू सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत तरतूद करून स्वतंत्र बँक खात्यामध्ये रक्कम ठेऊन त्याचा विनियोग त्याच कारणांसाठी करणे अपेक्षित आहे. त्या अनुषंगाने आपल्या खात्यामार्फत पूर्तता अहवाल तरतूद करून सादर करण्यात आलेला होता.

आणि ज्याअर्थी, आजतागायत आपण पुरेशी पूर्तता न केल्यामुळे सार्वजनिक आरोग्यावर विघातक परिणाम आपल्या स्थानिक स्वराज्य संस्थेमार्फत पर्यावरण प्रदूषणामुळे होत आहे. तरी आपणास नोटीसीमार्फत अंतिम समज देण्यात येत आहे की आपण वरील आर्थीक तरतूद करून सदरहू सांडपाणी व नागरी घन कच-याचे शास्त्रोक्त पध्दतीने व्यवस्थापन न केल्यास आपल्या स्थानिक स्वराज्य संस्थेमार्फत होणा-या जल, हवा व जमिन प्रदूषणाबाबत सर्व पुरावे जिल्हा न्यायदंडाधिकारी/पोलीस अधीक्षक यांना सादर करण्यात येऊन त्याबाबत सार्वजनिक उपद्रव करून नैसर्गिक स्रोत प्रदूषण केल्याबाबत प्रथम माहिती अहवाल (FIR) दाखल करण्याबाबत निर्देश देण्यात येईल याची नोंद घ्यावी.

त्यामुळे आपणांस निर्देश देण्यात येतात की, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ चे कलम ३३ अ नुसार निर्देश देऊन आपल्या विरुद्ध कलम ४१(२) व पर्यावरण (संरक्षण) कायदा, १९८६ चे कलम १५ याबरोबर घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत आपल्यावर खटला का दाखल करण्यात येऊ नये, तसेच भारतीय दंडविधान अधिनियमातील कलम २६८ ते २७८ याप्रमाणे आणि भारतीय दंडप्रक्रिया संहितेमधील कलम १३३ ते १४३ यामधील तरतुदीप्रमाणे आपली स्थानिक स्वराज्य संस्था एकत्रित सांडपाणीप्रक्रिया केंद्रे, घन कचरा व्यवस्थापन यांची पर्यावरण कायदातील तरतुदीप्रमाणे पूर्तता न करता पर्यावरण मानकांचे उल्लंघन करून वातावरण, पाणी आणि पर्यावरणाचे मोठ्या प्रमाणावर प्रदूषण करून सार्वजनिक आरोग्य, सुखसोयी व मनुष्य आणि प्राणी यांच्या जीवितस धोका निर्माण करून सार्वजनिक उपद्रव करणा-या अशा घटकाविरुद्ध म.प्र.नि. मंडळातर्फे पर्यावरण कायदांतर्गत सर्व कायदेशीर कारवाई करून घेईल भारतीय दंडविधान अधिनियम आणि भारतीय दंड प्रक्रिया संहिता यामधील तरतुदीनुसार भरीव प्रस्ताव पुढील फौजदारी कारवाई करण्यासाठी पोलीस आयुक्त (संबंधित पोलीस चौकीस) आणि जिल्हा न्यायदंडाधिकारी यांच्याकडे संपूर्ण भक्कम पुराव्यासहित सादर केला जाईल. तरी आपला पूर्तता अहवाल पंधरा दिवसांच्या आत सादर करण्यात यावा.

पूर्तता अहवाल प्राप्त न झाल्यास आपले काही म्हणणे नाही असे गृहीत धरून उपरोक्त कलमानुसार कायदाची चक्रे फिरविली जातील याची कृपया नोंद घ्यावी.

मा. अध्यक्ष यांच्या मान्यतेने निर्गमित करण्यात येत आहे.

  
(न. ह. शिवांगी)

प्रादेशिक अधिकारी, कोल्हापूर

पत माहिती व पुढील कार्यवाहीसाठी सादर :-

१. मा. जिल्हा दंडाधिकारी, सिंधुदुर्ग

२. मा. पोलीस अधीक्षक, सिंधुदुर्ग

पत :-

उप प्रादेशिक अधिकारी, म.प्र.नि. मंडळ, कोल्हापूर/सांगली/रत्नागिरी/चिपळूण.

आपणांस सूचना देण्यात येतात की, वरिल बाबतीत दरमहा सद्यस्थिती अहवाल सादर करून कलम २१ जल व कलम २६ हवा व कलम ११ पर्यावरण अधिनियमातील तरतुदीप्रमाणे ज्याठिकाणी अंतिम बहिर्भाग/बहिर्द्वार येथून पुढे कोणतीही प्रक्रिया न करता प्रदूषके सोडली जातात, तेथून व ज्याठिकाणी अशी प्रदूषके पर्यावरणामध्ये सोडण्यात येतात, त्या प्रवाहाचे/वातावरणाचे नमुने कमीतकमी तीन घेऊन पृथक्करण अहवाल व भेटीचा अहवाल, फोटो व व्हिडिओसहित जिल्हादंडाधिकारी व भारतीय दंड विधान प्रक्रिया यानुसार यांना सार्वजनिक आरोग्य व उपद्रव याबाबत मनुष्यवध व इतर कारणांसाठी गुन्हा दाखल करण्यासाठी पंधरा दिवसांच्या आत सादर करावा. तसेच, वरिल बाबतीत क्षेत्र अधिकारी यांच्या कामाचे योग्य ती विभागणी विभागवार करण्यात यावी.

**महाराष्ट्र प्रदूषण नियंत्रण मंडळ**  
**प्रादेशिक कार्यालय, कोल्हापूर**

दूरध्वनी क्र. (0231)  
2652952  
2660448  
फॅक्स क्र. (0231)  
2652952



उद्योग भवन,  
कलेक्टर ऑफीस जवळ,  
कोल्हापूर - ४१६ ००३.  
Website: <http://mpcb.mah.nic.in>

E-mail: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)

जा.क्र. मप्रनिमं/प्राका/को/1369/2016

दि. ०५/०८/२०१६.

प्रति,

... मुख्य अधिकारी .....

... भाऊवठा नगर परिषद

ना. भाऊवठा जि. सिंधुदुर्ग

विषय: कलम २५, २६, ३३ अ, सोबत ४१( २ अ) ४३, ४४ जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ कलम ३१ अ, सोबत ३७ हवा (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९८१ तसेच कलम १५ पर्यावरण (संरक्षण) कायदा, १९८६ सोबत घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत खटला दाखल करणे बाबतची नोटीस.

संदर्भ : १. मप्रनि मंडळाने २५ वित्तीय तरतुदीप्रमाणे सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत करावयाच्या तरतुदीबाबत निर्देश.

२. आपण सादर केलेले लेखी निवेदन.

३. मंडळाने दिलेली नोटीस दि. १७.०६.२०१५,

०५.०८.२०१५, २३.०९.२०१५ व तदनंतर आपण वेळावेळी सादर केलेला पुर्तता अहवाल व मंडळाने बजावलेले निर्देश.

४. दि. १७.०६.२०१५ रोजी दिलेल्या निर्देशाबाबत दि.

२९.०९.२०१५ रोजी आपणास दिलेले स्मरण पत्र.

५. सांडपाणी वाहून नेणा-या गटारीच्या स्वच्छतेबाबत

दिलेल्या मार्गदर्शक सूचना दि. १८.०३.२०१६.

ज्याअर्थी, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ अंतर्गत प्रत्येक स्थानिक स्वराज्य संस्थांवर त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणारे घरगुती

सांडपाणी गोळा करून, त्यावर योग्य ती उपाययोजना करून, योग्य ती प्रक्रिया करून मगच त्याची शास्त्रोक्त विल्हेवाट लावणे, योग्य ते संमतीपत्र कलम २५, २६ व २१ प्रमाणे जल व हवा (प्रतिबंध व प्रदूषण नियंत्रण) अधिनियमांप्रमाणे, महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून घेऊन त्यातील अटी व शर्तीची पूर्तता कालबध्दरितीने करणे बंधनकारक आहे. तसेच कलम नियम १५ य प्रमाणे घनकचरा व्यवस्थापन नियम, २०१६ प्रमाणे प्राधिकारपत्र घेऊन त्यातील तरतुदीचे पालन करणे बंधनकारक आहे.

आणि ज्याअर्थी, पर्यावरण व वन मंत्रालय, भारत सरकारमार्फत घनकचरा व्यवस्थापन नियम, २०१६ हे पर्यावरण (संरक्षण) अधिनियम, १९८६ अंतर्गत प्रसारित करण्यात आलेले आहेत. तसेच सदरहु नियमाप्रमाणे संबंधित स्थानिक स्वराज्य संस्थेने त्याच्या कार्यक्षेत्रामध्ये निमोण होणा-या नागरी घनकच-याची योग्य ती वर्गवारी करून, त्यावर म.प्र.नि. मंडळाकडून सदरहु नियमांतर्गत घेतलेल्या प्राधिकारपत्राप्रमाणे, त्याची व्यवस्था करणे बंधनकारक आहे.

आणि ज्याअर्थी, वरील संदर्भांनी म.प्र.नि. मंडळाने वेळोवेळी खालील आशयाचे निर्देश वजावले होते.

- अ. नगरपालिकेचे सर्व सांडपाणी एकत्रीत करून त्यावर योग्य ती परिपूर्ण प्रक्रिया करण्यासाठी सांडपाणी प्रक्रिया संयंत्रणा बसवून, शास्त्रोक्त पध्दतीने विल्हेवाट लावावी.
- ब. जो घनकचरा आपल्या कार्यक्षेत्रात निमोण होतो, त्यासाठी स्वतंत्र वर्गवारी (जैविक विघटनशील, अविघटनशील) आणि पुर्ननिर्माण घनकचरा त्याची विल्हेवाट नियमाप्रमाणे करावी व मा. उच्च न्यायालयाच्या आदेशाप्रमाणे मुदतीत करणे बंधनकारक केले होते.
- क. त्यासाठी परिपूर्ण सांडपाणी व घनकचरा व्यवस्थापनासाठी प्रत्येक वर्षी एकूण भांडवली खर्चापैकी २५ टक्के तरतूद करून या प्रकल्पावरच खर्च करून कायदेशीर वार्षीची पूर्तता करावी.

आणि ज्याअर्थी, संदर्भांकित पत्र क्र. ४ व ५ अन्वये म.प्र.नि. मंडळाने आपणास निर्देश व मार्गदर्शक तत्वे दिलेले आहेत.

आणि ज्याअर्थी, आपल्यानगरपालिका क्षेत्रातून ०.५ दशलक्ष लिटर्स प्रति दिन इतके घरगुती सांडपाणी निमोण होत असून त्यापैकी निरंक इतके सांडपाणी प्रक्रिया

कले जाते. तथापि ०.५ दशलक्ष लिटर्स प्रति दिन इतके सांडपाणी विनाप्रक्रिया आसपासच्या नदी, नाले व जलप्रवाहात सोडले जाते. तसेच ३.५ मे.टन प्रति दिन इतका घनकचरा निर्माण होतो. त्यापैकी निरंक मे.ट. इतक्या कच-यावर प्रक्रिया केली जाते.३.५ मे.टन प्रति दिन इतका घनकचरा विनाप्रक्रिया आसपासच्या परिसरामध्ये अशास्त्रीय पध्दतीने विल्हेवाट केली जाते.

आणि ज्याअर्थी, स्थानिक स्वराज्य संस्थांमधून मोठ्या प्रमाणावर प्रदूषित सांडपाणी निर्माण होऊन आसपासच्या नद्या, नाले व इतर जलप्रवाहामध्ये सोडण्यात येऊन मोठ्या प्रमाणावर जल प्रदूषण होत आहे. तसेच सदरहू संस्थांच्या अधिकार क्षेत्रामध्ये मोठ्या प्रमाणावर नागरी घनकचरा निर्माण होऊन त्यापासूनदेखील सभोवतालच्या क्षेत्रामध्ये मोठ्या प्रमाणावर जल, हवा व जमिनीचे प्रदूषण होत आहे.

आणि ज्याअर्थी, वास्तविक सर्व स्थानिक स्वराज्य संस्थांना, म.प्र.नि. मंडळाने अनेक संधी देऊन, कायदेशीर कारवाई करूनदेखील सदरहू प्रदूषण थांबविण्यात आलेले नाही किंवा त्याबाबत पुरेशी प्रदूषण नियंत्रण संयंत्रणा बसविण्यात आलेली नाही. त्याबाबत मा. न्यायालयांनीदेखील वेळोवेळी निर्देश दिलेले आहेत.

आणि ज्याअर्थी, म.प्र.नि. मंडळाने सदरहूस्थानिक स्वराज्य संस्थांना कलम ३३ अ व कलम ३१ अ अनुक्रमे जल व हवा अधिनियमामधील तरतुदीनुसार दरवर्षी २५% वित्तीय तरतूद अंदाजपत्रकात करून सदरहू सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत तरतूद करून स्वतंत्र बँक खात्यामध्ये रक्कम ठेऊन त्याचा वित्तियोग त्याच कारणांसाठी करणे अपेक्षित आहे. त्या अनुषंगाने आपल्या खात्यामार्फत पूर्तता अहवाल तरतूद करून सादर करण्यात आलेला होता.

आणि ज्याअर्थी, आजतागायत आपण पुरेशी पूर्तता न केल्यामुळे सार्वजनिक आरोग्यावर विघातक परिणाम आपल्या स्थानिक स्वराज्य संस्थेमार्फत पर्यावरण प्रदूषणामुळे होत आहे. तरी आपणास नोटीसीमार्फत अंतिम समज देण्यात येत आहे की आपण बरील आर्थिक तरतूद करून सदरहू सांडपाणी व नागरी घन कच-याचे शास्त्रोक्त पध्दतीने व्यवस्थापन न केल्यास आपल्या स्थानिक स्वराज्य संस्थेमार्फत होणा-या जल, हवा व जमिन प्रदूषणाबाबत सर्व पुरावे जिल्हा न्यायदंडाधिकारी/पोलीस अधीक्षक यांना सादर करण्यात येऊन त्याबाबत सार्वजनिक उपद्रव करून नैसर्गिक स्रोत प्रदूषण केल्याबाबत प्रथम माहिती अहवाल (FIR) दाखल करण्याबाबत निर्देश देण्यात येईल याची नोंद घ्यावी.

त्यामुळे आपणांस निर्देश देण्यात येतात की, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ चे कलम ३३ अ नुसार निर्देश देऊन आपल्या विरुद्ध कलम ४१(२) व पर्यावरण संरक्षण) कायदा, १९८६ चे कलम १५ याबरोबर घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत आपल्यावर खटला का दाखल करण्यात येऊ नये, तसेच भारतीय दंडविधान अधिनियमातील कलम २६८ ते २७८ याप्रमाणे आणि भारतीय दंडप्रक्रिया संहितेमधील कलम १३३ ते १४३ यामधील तरतुदीप्रमाणे आपली स्थानिक स्वराज्य संस्था एकत्रित सांडपाणीप्रक्रिया केंद्रे, घन कचरा व्यवस्थापन यांची पर्यावरण कायदातील तरतुदीप्रमाणे पूर्तता न करता पर्यावरण मानकांचे उल्लंघन करून वातावरण, पाणी आणि पर्यावरणाचे मोठ्या प्रमाणावर प्रदूषण करून सार्वजनिक आरोग्य, सुखसोयी व मनुष्य आणि प्राणी यांच्या जीविताने धोका निर्माण करून सार्वजनिक उपद्रव करणा-या अशा घटकाविरुद्ध म.प्र.नि. मंडळातर्फे पर्यावरण कायदांतर्गत सर्व कायदेशीर कारवाई करून घरील भारतीय दंडविधान अधिनियम आणि भारतीय दंड प्रक्रिया संहिता यामधील तरतुदीनुसार भरीव पस्ताव पुढील फौजदारी कारवाई करण्यासाठी पोलीस आयुक्त (संबंधित पोलीस चौकीस) आणि जिल्हा न्यायदंडाधिकारी यांच्याकडे संपूर्ण भक्कम पुराव्यासहित सादर केला जाईल. तरी आपला पुर्तत्त्व अहवाल पंधरा दिवसांच्या आत सादर करण्यात यावा.

पुर्तता अहवाल प्राप्त न झाल्यास आपले काही म्हणणे नाही असे गृहीत धरून उपरोक्त कलमानुसार कायदाची चक्रे फिरविली जातील याची कृपया नोंद घ्यावी.

मा. अध्यक्ष यांच्या मान्यतेने निर्गमित करण्यात येत आहे.



(न. ह. शिवांगी)

प्रादेशिक अधिकारी, कोल्हापूर

पत्र माहिती व पुढील कार्यवाहीसाठी सादर:-

१. मा. जिल्हा दंडाधिकारी, सिंधुदुर्ग
२. मा. पोलीस अधीक्षक, सिंधुदुर्ग

पत्र :-

उप प्रादेशिक अधिकारी, म.प्र.नि. मंडळ, कोल्हापूर/सांगली/रत्नागिरी/चिपळूण.

आपणांस सूचना देण्यात येतात की, वरिल वाचतात दरमहा सधस्थिती अहवाल सादर करून कलम २१ जल व कलम २६ हवा व कलम ११ पर्यावरण अधिनियमातील तरतुदीप्रमाणे ज्याठिकाणी अंतिम बहिर्मार्ग/व्हिड्यार येथून पुढे कोणतीही प्रक्रिया न करता प्रदूषके सोडली जातात, तेथून व ज्याठिकाणी अशी प्रदूषके पर्यावरणामध्ये सोडण्यात येतात, त्या प्रवाहाचे/वातावरणाचे तमुळे कमीतकमी तीन घेऊन पृथक्करण अहवाल व भेटीचा अहवाल, फोटो व व्हिडिओसहित जिल्हादंडाधिकारी व भारतीय दंड विधान प्रक्रिया यानुसार याना सार्वजनिक आरोग्य व उपद्रव याबाबत मनुष्यवध व इतर कारणांसाठी गुन्हा दाखल करण्यासाठी पंधरा दिवसांच्या आत सादर करावा. तसेच, वरिल कायदाकाजासाठी क्षेत्र अधिकारी यांच्या कामाचे योग्य ती विभागणी विभागवार करण्यात यावी.

**महाराष्ट्र प्रदूषण नियंत्रण मंडळ**  
**प्रादेशिक कार्यालय, कोल्हापूर**

दूरध्वनी क्र. (0231)

2652952

2660448

फॅक्स क्र. (0231)

2652952

E-mail: rokolhapur@mpcb.gov.in



उद्योग भवन,

कलेक्टर ऑफीस जवळ,

कोल्हापूर - ४१६ ००३.

Website: http://mpcb.mah.nic.in

जा.क्र. मप्रनिमं/प्राका/को/ 1366/2016

दि. 04/08/2016.

प्रति,

✓ मुख्याधिकारी .....  
कठाकवली नगरपंचायत  
ता. कठाकवली. जि. सिंधुदुर्ग

विषय: कलम २५, २६, ३३ अ, सोबत ४१( २ अ) ४३, ४४ जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ कलम ३१ अ, सोबत ३७ हवा (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९८१ तसेच कलम १५ पर्यावरण (संरक्षण) कायदा, १९८६ सोबत घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत खटला दाखल करणे बाबतची नोटीस.

- संदर्भ : १. मप्रनि मंडळाने २५ वी वित्तीय तरतुदीप्रमाणे सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत करावयाच्या तरतुदीबाबत निर्देश.
२. आपण सादर केलेले लेखी निवेदन.
३. मंडळाने दिलेली नोटीस दि. १७.०६.२०१५, ०५.०८.२०१५, २३.०९.२०१५ व तदनंतर आपण वेळावेळी सादर केलेला पुर्तता अहवाल व मंडळाने बजावलेले निर्देश.
४. दि. १७.०६.२०१५ रोजी दिलेल्या निर्देशाबाबत दि. २९.०९.२०१५ रोजी आपणास दिलेले स्मरण पत्र.
५. सांडपाणी वाहून नेणा-या गटारीच्या स्वच्छतेबाबत दिलेल्या मार्गदर्शक सूचना दि. १८.०३.२०१६.

ज्याअर्थी, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ अंतर्गत प्रत्येक स्थानिक स्वराज्य संस्थांवर त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणारे घरगुती

सांडपाणी गोळा करून, त्यावर योग्य ती उपयोजना करून, योग्य ती प्रक्रिया करून मगच त्याची शास्त्रोक्त विल्हेवाट लावणे, योग्य ते संमतीपत्र कलम २५, २६ व २१ प्रमाणे जल व हवा (प्रतिबंध व प्रदूषण नियंत्रण) अधिनियमांप्रमाणे, महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडून घेऊन त्यातील अटी व शर्तीची पूर्तता कालवध्दरितीने करणे बंधनकारक आहे. तसेच कलम नियम १५ य प्रमाणे घनकचरा व्यवस्थापन नियम, २०१६ प्रमाणे प्राधिकारपत्र घेऊन त्यातील तरतुदीचे पालन करणे बंधनकारक आहे.

आणि ज्याअर्थी, पर्यावरण व वन मंत्रालय, भारत सरकारमार्फत घनकचरा व्यवस्थापन नियम, २०१६ हे पर्यावरण (संरक्षण) अधिनियम, १९८६ अंतर्गत प्रसारित करण्यात आलेले आहेत. तसेच सदरहु नियमाप्रमाणे संबंधित स्थानिक स्वराज्य संस्थेने त्यांच्या कार्यक्षेत्रामध्ये निर्माण होणा-या नागरी घनकच-याची योग्य ती वर्गवारी करून, त्यावर म.प्र.नि. मंडळाकडून सदरहु नियमांतर्गत घेतलेल्या प्राधिकारपत्राप्रमाणे, त्याची व्यवस्था करणे बंधनकारक आहे.

आणि ज्याअर्थी, वरील संदर्भांनी म.प्र.नि. मंडळाने वेळोवेळी खालील आशयाचे निर्देश वजावले होते.

- अ. नगरपालिकेचे सर्व सांडपाणी एकत्रीत करून त्यावर योग्य ती परिपूर्ण प्रक्रिया करण्यासाठी सांडपाणी प्रक्रिया संयंत्रणा बसवून, शास्त्रोक्त पध्दतीने विल्हेवाट लावावी.
- ब. जो घनकचरा आपल्या कार्यक्षेत्रात निर्माण होतो, त्यासाठी स्वतंत्र वर्गवारी (जैविक विघटनशील, अविघटनशील) आणि पुर्ननिर्माण घनकचरा त्याची विल्हेवाट नियमाप्रमाणे करावी व मा. उच्च न्यायालयाच्या आदेशाप्रमाणे मुदतीत करणे बंधनकारक केले होते.
- क. त्यासाठी परिपूर्ण सांडपाणी व घनकचरा व्यवस्थापनासाठी प्रत्येक वर्षी एकूण भांडवली खर्चापैकी २५ टक्के तरतूद करून या प्रकल्पावरच खर्च करून कायदेशीर बाबींची पूर्तता करावी.

आणि ज्याअर्थी, संदर्भांकित पत्र क्र. ४ व ५ अन्वये म.प्र.नि. मंडळाने आपणास निर्देश व मार्गदर्शक तत्वे दिलेले आहेत.

आणि ज्याअर्थी, आपल्यानगरपालिका क्षेत्रातून १-२ दशलक्ष लिटर्स प्रति दिन इतके घरगुती सांडपाणी निर्माण होत असून त्यापैकी निरंक इतके सांडपाणी प्रक्रिया

केले जाते. तथापि १२ दशलक्ष लिटर्स प्रति दिन इतके सांडपाणी विनाप्रक्रिया आसपासच्या नदी, नाले व जलप्रवाहात सोडले जाते. तसेच ५० मे.टन प्रति दिन इतका घनकचरा निर्माण होतो. त्यापैकी निरंक मे.ट. इतक्या कच-यावर प्रक्रिया केली जाते. ५० मे.टन प्रति दिन इतका घनकचरा विनाप्रक्रिया आसपासच्या परिसरामध्ये अशास्वीय पध्दतीने विल्हेवाट केली जाते.

आणि ज्याअर्थी, स्थानिक स्वराज्य संस्थांमधून मोठ्या प्रमाणावर प्रदूषित सांडपाणी निर्माण होऊन आसपासच्या नद्या, नाले व इतर जलप्रवाहामध्ये सोडण्यात येऊन मोठ्या प्रमाणावर जल प्रदूषण होत आहे. तसेच सदरहू संस्थांच्या अधिकार क्षेत्रामध्ये मोठ्या प्रमाणावर नागरी घनकचरा निर्माण होऊन त्यापासूनदेखील सभोवतालच्या क्षेत्रामध्ये मोठ्या प्रमाणावर जल, हवा व जमिनीचे प्रदूषण होत आहे.

आणि ज्याअर्थी, वास्तविक सर्व स्थानिक स्वराज्य संस्थांना म.प्र.नि. मंडळाने अनेक संधी देऊन, कायदेशीर कारवाई करूनदेखील सदरहू प्रदूषण थांबविण्यात आलेले नाही किंवा त्याबाबत पुरेशी प्रदूषण नियंत्रण सयंत्रणा बसविण्यात आलेली नाही. त्याबाबत मा. न्यायालयांनीदेखील वेळोवेळी निर्देश दिलेले आहेत.

आणि ज्याअर्थी, म.प्र.नि. मंडळाने सदरहूस्थानिक स्वराज्य संस्थांना कलम ३३ अ व कलम ३९ अ अनुक्रमे जल व हवा अधिनियमामधील तरतुदीनुसार दरवर्षी २५ वित्तीय तरतूद अंदाजपत्रकात करून सदरहू सांडपाणी प्रक्रिया व नागरी घन कचरा व्यवस्थापन याबाबत तरतूद करून स्वतंत्र बँक खात्यामध्ये रक्कम ठेऊन त्याचा विनियोग त्याच कारणांसाठी करणे अपेक्षित आहे. त्या अनुषंगाने आपल्या खात्यामार्फत पूर्तता अहवाल तरतूद करून सादर करण्यात आलेला होता.

आणि ज्याअर्थी, आजतागायत आपण पुरेशी पूर्तता न केल्यामुळे सार्वजनिक आरोग्यावर विघातक परिणाम आपल्या स्थानिक स्वराज्य संस्थेमार्फत पर्यावरण प्रदूषणामुळे होत आहे. तरी आपणास नोटीसीमार्फत अंतिम समज देण्यात येत आहे की आपण वरील आर्थिक तरतूद करून सदरहू सांडपाणी व नागरी घन कच-याचे शास्त्रोक्त पध्दतीने व्यवस्थापन न केल्यास आपल्या स्थानिक स्वराज्य संस्थेमार्फत होणा-या जल, हवा व जमिन प्रदूषणाबाबत सर्व पुरावे जिल्हा न्यायदंडाधिकारी/पोलीस अधीक्षक यांना सादर करण्यात येऊन त्याबाबत सार्वजनिक उपद्रव करून नैसर्गिक स्रोत प्रदूषण केल्याबाबत प्रथम माहिती अहवाल (FIR) दाखल करण्याबाबत निर्देश देण्यात येईल याची नोंद घ्यावी.

त्यामुळे आपणांस निर्देश देण्यात येतात की, जल (प्रतिबंध व प्रदूषण नियंत्रण) कायदा, १९७४ चे कलम ३३ अ नुसार निर्देश देऊन आपल्या विरुद्ध कलम ४१(२) व पर्यावरण (संरक्षण) कायदा, १९८६ चे कलम १५ याबरोबर घनकचरा व्यवस्थापन नियम, २०१६ अंतर्गत आपल्यावर खटला का दाखल करण्यात येऊ नये, तसेच भारतीय दंडविधान अधिनियमातील कलम २६८ ते २७८ याप्रमाणे आणि भारतीय दंडप्रक्रिया संहितेमधील कलम १३३ ते १४३ यामधील तरतुदीप्रमाणे आपली स्थानिक स्वराज्य संस्था एकत्रित सांडपाणीप्रक्रिया केंद्रे, घन कचरा व्यवस्थापन यांची पर्यावरण कायदातील तरतुदीप्रमाणे पूर्तता न करता पर्यावरण मानकांचे उल्लंघन करून वातावरण, पाणी आणि पर्यावरणाचे मोठ्या प्रमाणावर प्रदूषण करून सार्वजनिक आरोग्य, सुखसोयी व मनुष्य आणि प्राणी यांच्या जीवित्तास धोका निर्माण करून सार्वजनिक उपद्रव करणा-या अशा घटकांविरुद्ध म.प्र.नि. मंडळातर्फे पर्यावरण कायदांतर्गत सर्व कायदेशीर कारवाई करून घरील भारतीय दंडविधान अधिनियम आणि भारतीय दंड प्रक्रिया संहिता यामधील तरतुदीनुसार भरीव प्रस्ताव पुढील फौजदारी कारवाई करण्यासाठी पोलीस आयुक्त (संबंधित पोलीस चौकीस) आणि जिल्हा न्यायदंडाधिकारी यांच्याकडे संपूर्ण भक्कम पुराव्यासहित सादर केला जाईल. तरी आपला पूर्तता अहवाल पंधरा दिवसांच्या आत सादर करण्यात यावा.

पूर्तता अहवाल प्राप्त न झाल्यास आपले काही म्हणणे नाही असे गृहीत धरून उपरोक्त कलमानुसार कायदाची चक्रे फिरविली जातील याची कृपया नोंद घ्यावी.

मा. अध्यक्ष यांच्या मान्यतेने निर्गमित करण्यात येत आहे.



(न. ह. शिवांगी)

प्रादेशिक अधिकारी, कोल्हापूर

पत माहिती व पुढील कार्यवाहीसाठी सादर:-

१. मा. जिल्हा दंडाधिकारी, सिद्धदुर्ग

२. मा. पोलीस अधीक्षक, सिद्धदुर्ग

पत :-

उप प्रादेशिक अधिकारी, म.प्र.नि. मंडळ, कोल्हापूर/सांगली/रत्नागिरी/चिपळूण.

आपणांस सूचना देण्यात येतात की, वरिल बाबतीत दरमहा सद्यस्थिती अहवाल सादर करून कलम २१ जल व कलम २६ ह्या व कलम ११ पर्यावरण अधिनियमातील तरतुदीप्रमाणे ज्याठिकाणी अंतिम वहिमाग/वहिददार येथून पुढे कोणतीही प्रक्रिया न करता प्रदूषके सोडली जातात, तेथून व ज्याठिकाणी अशी प्रदूषके पर्यावरणामध्ये सोडण्यात येतात, त्या प्रवाहाचे/वातावरणाचे नमुने कमीतकमी तीन घेऊन पृथक्करण अहवाल व भेटीचा अहवाल, फोटो व व्हिडिओसहित जिल्हादंडाधिकारी व भारतीय दंड विधान प्रक्रिया यानुसार यांना सार्वजनिक आरोग्य व उपद्रव याबाबत मनुष्यवध व इतर कारणांसाठी गुन्हा दाखल करण्यासाठी पंधरा दिवसांच्या आत सादर करावा. तसेच, वरिल कामकाजासाठी क्षेत्र अधिकारी यांच्या कामाचे योग्य ती विभागणी विभागवार करण्यात यावी.

Annexure 640

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
2660448  
Fax No. (0231) 2652952.  
E-mail:  
[rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



"Your Service is Our Duty"

Udyog Bhavan,  
Near Collector Office,  
Kolhapur - 416 003.  
Website:  
<http://mpcb.mah.nic.in>

MPCB/RO/KOP/SCN/2402150004

Date: 15/02/2024

To,  
The Chief Officer,  
Ratnagiri Municipal Council  
Jaistambh, Ratnagiri - 415612.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Visited to Ratnagiri Municipal Council against checking the Compliance of Hon'ble NGT Court Order in respect of O. A. No. 119/2022.  
2. Visit of Board officials on 08/02/2024.  
3. Proposal submitted by SRO Ratnagiri.

.....

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.


**AND WHEREAS**, Board Officials visited your municipal council on 08/02/2024, for checking the Compliance of Hon'ble NGT Court Order in respect of O. A. No. 119/2022. vide above ref. (1) and observed following non-compliance.

1. During visit it was observed that, water source from Sheel Dam & Water consumption is about 18.0 MLD & Sewage generation is about 14.0 MLD.
2. During visit it was observed that, your municipal council have not provided any sewage treatment plant for domestic effluent and existing generated domestic effluent in tune of 14.0 MLD is directly discharging into local 6 Nos. major Nallas/drains which further meets to Arabian Sea.
3. Your municipal council have not obtained revalidation of consent to establish for installation of S.T.P.

4. Your municipal council have not provided underground sewage network system in the Ratnagiri city.
5. Your municipal council have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
6. Your municipal council have prepared DPR for installation of STP & collection of effluent.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD




(J. S. Salunkhe)  
Regional Officer,  
M.P.C. Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigilance and report the compliance accordingly.



Annex 642

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
2660448  
Fax No. (0231) 2652952.  
E-mail:  
[rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



"Your Service is Our Duty"

Udyog Bhavan,  
Near Collector Office,  
Kolhapur - 416 003.  
Website:  
<http://mpcb.mah.nic.in>

MPCB/RO/KOP/SCN/ 2402150005

Date: 15/02/2024

To,  
The Chief Officer,  
M/s.Rajapur Municipal Council ,  
Jawahar Chowk, Bajarpeth  
Rajapur- 416702.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Visited to Rajapur municipal Council against checking the present status of S.T.P. as per NGT Court Order in respect of O. A. No. 119/2022.  
2. Visit of Board officials on 07/02/2024.  
3. Proposal submitted by SRO Ratnagiri.

.....

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.


**AND WHEREAS**, Board Officials visited your municipal council on 07/02/2024, for checking the present status of S.T.P. of Hon'ble NGT Court Order in respect of O. A. No. 119/2022. vide above ref. (1) and observed following non-compliance

1. During visit it was observed that, water source from Kodawali Dam & water consumption is in tune of 1.3 MLD.
2. During visit it was observed that you have not provided any Sewage treatment plant for domestic effluent and existing generated domestic effluent in tune of 1.0 MLD is directly discharging into local 3 Nos. major Nallas/drains which further meets to river Arjuna.
3. Your municipal council have not obtained consent to establish for installation of S.T.P.

4. Your municipal council have not provided underground sewage network system in the Vengurla city.
5. Your municipal council have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
6. Your municipal council is in process of preparation of DPR for installation of STP & collection of effluent.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD




(J. S. Salunkhe)  
Regional Officer,  
M.P.C. Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigilance and report the compliance accordingly.



Annexure 7 **644**

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
2660448  
Fax No. (0231) 2652952.  
E-mail:  
[rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



"Your Service is Our Duty"

Udyog Bhavan,  
Near Collector Office,  
Kolhapur - 416 003.  
Website:  
<http://mpcb.mah.nic.in>

MPCB/RO/KOP/SCN/ 2402150003

Date: 15/02/2024

To,  
The Chief Officer,  
M/s.Vengurla Municipal Council,  
Vengurla, Dist :- Sindhudurg - 416516.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Visited to Rajapur municipal Council against checking the present status of S.T.P. as per NGT Court Order in respect of O. A. No. 119/2022.  
2. Visit of Board officials on 30/01/2024 .  
3. Proposal submitted by SRO Ratnagiri.

.....

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.

**AND WHEREAS**, Board Officials visited your municipal council on 30/01/2024, for checking the present status of S.T.P. of Hon'ble NGT Court Order in respect of O. A. No. 119/2022. vide above ref. (1) and observed following non-compliance


1. During visit it was observed that, water source from Nishan dam & water consumption is in tune of 3.0 MLD.
2. During visit it was observed that you have not provided any Sewage treatment plant for domestic effluent and existing generated domestic effluent in tune of 2.5 MLD is directly discharging into local 2 Nos. major Nallas/drains which further meets to river Arabian Sea.
3. Your municipal council has not obtained revalidation consent to establish for installation of S.T.P.

2.

4. Your municipal council have not provided underground sewage network system in the Vengurla city.
5. Your municipal council have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
6. During visit of board officials, it was observed that your municipal council authority has started civil work of proposed S.T.P. (1.5 MLD Capacity) in the year 2021 and further you have stopped as on and observed that civil work of STP is completed up to plinth level.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD




(J. S. Salunkhe)  
Regional Officer,  
M.P.C. Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigilance and report the compliance accordingly.



**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952, 2660448 Fax No. (0231) 2652952. E-mail: <a href="mailto:rokolhapur@yahoo.com">rokolhapur@yahoo.com</a>	 "Your Service is Our Duty"	Udyog Bhavan, Near Collector Office, Kolhapur - 416 003. Website: <a href="http://mpcb.mah.nic.in">http://mpcb.mah.nic.in</a>
---	---	--

MPCB/RO/KOP/SCN/ 23 10200006

Date: 20/10/2023

To,  
 The Chief Officer,  
 Malvan Municipal Council  
 S.No.190(98) Village Adari ,Malvan ,  
 Tal.:- Malvan ,Dist :- Sindhudurg.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Complaint received through legal notice from Adv. Omkar Ajit Keni regarding water pollution from Malvan Municipal Council
2. Visit of Board officials on 17/10/2023.
3. Proposal submitted by SRO Ratnagiri .

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.

**AND WHEREAS**, Board Officials visited your municipal council on 17/10/2023 for investigation Complaint received vide above ref.(1) and observed following non-compliance.

1. During visit it was observed that you have Provided FSTP with capacity of 5.0 KLD. However same was not found in operation & also observed that generated domestic effluent was discharging without any treatment into local nallas which further meets to Sea.
2. You have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
3. You have not obtained consent to establish/Operate for S.T. P. from M.P.C. Board.




2.

4. During visit, it is was observed that the work of 3 MLD Capacity Sewage treatment plant, RCC work was found in progress, however construction work was found stopped. and also, the work of underground drainage was 70 % completed.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD



(J. S. Salunkhe)  
Regional Officer,  
Maharashtra Pollution Control Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigil & report the compliance accordingly.

Annex 648

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
2660448  
Fax No. (0231) 2652952.  
E-mail:  
[rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



"Your Service is Our Duty"

Udyog Bhavan,  
Near Collector Office,  
Kolhapur - 416 003.  
Website:  
<http://mpcb.mah.nic.in>

MPCB/RO/KOP/SCN/ 2402150002

Date: 15/02/2024

To,  
The Chief Officer,  
M/s.Sawantwadi Municipal Council,  
Sawantwadi , Dist :- Sindhudurg - 416510.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Visited to Rajapur municipal Council against checking the present status of S.T.P. as per NGT Court Order in respect of O. A. No. 119/2022.  
2. Visit of Board officials on 30/01/2024.  
3. Proposal submitted by SRO Ratnagiri.

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.

**AND WHEREAS**, Board Officials visited your municipal council on 30/01/2024, for checking the present status of S.T.P. of Hon'ble NGT Court Order in respect of O. A. No. 119/2022. vide above ref. (1) and observed following non-compliance


1. During visit it was observed that, water source from Kunkeri dam & water consumption is in tune of 3.0 MLD.
2. During visit it was observed that you have not provided any Sewage treatment plant for domestic effluent and existing generated domestic effluent in tune of 2.4 MLD is directly discharging into local 3 Nos. major Nallas/drains which further meets to river Tarekhol.
3. Your municipal council has not obtained revalidation consent to establish for installation of S.T.P.

2.

4. Your municipal council have not provided underground sewage network system in the Kankavali city.
5. Your municipal council have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
6. During visit of board officials, it was observed that your municipal council authority has provided 5 KLD capacity FS.T.P. and same was found in operation.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD




(J. S. Salunkhe)  
Regional Officer,  
M.P.C. Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigilance and report the compliance accordingly.



**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

<p>Tel. No. (0231) 2652952, 2660448 Fax No. (0231) 2652952. E-mail: <a href="mailto:rokolhapur@yahoo.com">rokolhapur@yahoo.com</a></p>	 "Your Service is Our Duty"	<p>Udyog Bhavan, Near Collector Office, Kolhapur - 416 003. Website: <a href="http://mpcb.mah.nic.in">http://mpcb.mah.nic.in</a></p>
--	---	--

MPCB/RO/KOP/SCN/ 2401160011

Date: 16/01/2024

To,  
The Chief Officer,  
Kankavali Nagar Panchayat  
Vidya Nagar , Kankavali ,  
Tal.:- Kankavali ,Dist :- Sindhudurg.

Sub: **Show Cause Notice** under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

Ref: 1. Visit of Board officials on 10/01/2024.  
2. Proposal submitted by SRO Ratnagiri.

**WHEREAS**, it was obligatory on your part to obtain valid consent/ Authorization and to provide full-fledged effluent treatment plant / STP & proper disposal arrangements for sewage generated from the local body & to operate the same round the clock so as to meet the standards prescribed by the Board and to obtain consent under the Water (Prevention & Control of Pollution) Act, 1974 & under the Air (Prevention & Control of Pollution) Act, 1981.

**AND WHEREAS**, the Maharashtra Pollution Control Board has issued various Directions from time to time and directed to implement long term and short-term measures for the treatment and disposal of sewage generated through your local body.

**AND WHEREAS**, Board Officials visited your nagar panchayat on 10/01/2024 for checking the compliance of Hon'ble NGT Court Order in respect of O. A. No. 119/2022 and observed following non-compliance.


1. During visit it was observed that you have water source from Gad River & Water consumption is in tune of 3.0 MLD.
2. During visit it was observed that, you have not provided any Sewage treatment plant for the treatment of domestic effluent., existing generating domestic effluent in tune of 2.4 MLD is directly discharging without any treatment into local 3 Nos. major Nallas /drains which further meets to Gad river and Janavali river.



3. You have not obtained Consent to establish / Operate for installation of Sewage treatment plant from M.P.C. board and not provided underground sewage network in the Kankavali city.
4. You have not provided proper/ scientific disposal arrangements for the generated domestic effluent.
5. You have provided 5 KLD capacity of FSTP, and during visit same was found in operation.

Your reply/ objection should reach this office within Seven days' time after receipt of this letter. Failure to this, it will be assumed that you have nothing to say and further legal action will be initiated under the provision of Environmental Laws, which may please be noted.

FOR AND ON BEHALF OF THE BOARD

  
15.01.24  
(J. S. Salunkhe)  
Regional Officer,  
M.P.C.Board, Kolhapur

Copy to :-

Sub-Regional Officer, M.P.C. Board, Ratnagiri.

- He is directed to serve the direction & keep vigilance and report the compliance accordingly.



Item No.7

(Pune Bench)

**BEFORE THE NATIONAL GREEN TRIBUNAL  
WESTERN ZONE BENCH, PUNE**

THROUGH PHYSICAL HEARING (WITH HYBRID OPTION)

**Original Application No.32/2023(WZ)**

Raju Alias Devavappa Anna Shetty &amp; Ors.

.....Applicant(s)

*Versus*

M/s Shri Dutt India Pvt. Ltd. &amp; Ors.

....Respondent(s)

Date of hearing: 19.02.2024

**CORAM: HON'BLE MR. JUSTICE DINESH KUMAR SINGH, JUDICIAL MEMBER  
HON'BLE DR. VIJAY KULKARNI, EXPERT MEMBER**

Applicant : Mr. Asim Sarode, Advocate  
Respondent(s) : Mr. Dattatray Devale, Advocate for R-1/PP  
Mr. Vilas Jadhav, Advocate for R-2/MPCB  
Ms. Supriya Dangare, Advocate for R-3/SMKMC  
Mr. Divyansh Gore, Advocate for R-4

**ORDER**

1. From the side of applicants, learned counsel Mr. Asim Sarode has appeared.
2. Today, we have received reply affidavit dated 16.02.2024 from the side of respondent No.2- MPCB, wherein an amount of EDC has been calculated with respect to respondent No.1- M/s. Shri Dutt India Pvt. Ltd. to the tune of Rs.42,30,000/- (Rs. Forty-two lakh Thirty Thousand Only). But it has not been disclosed therein as to how this calculation has been made.
3. In this affidavit of respondent No.2-MPCB, the calculation of an amount of EDC has also been made with respect to the respondent No.4- M/s. Swapnapurti Sugar Ltd. (Operator of M/s. Vasantdada Shetkari SSK Ltd.) to the tune of Rs.3,60,000/- (Rs. Three Lakh Sixty Thousand only).

But even for this calculation, it has not been disclosed as to how the said amount has been calculated. Therefore, we direct the respondent No.2- MPCB to give details of the calculation made by them with respect to respondent Nos.1 & 4 as to for how many days of violations, these amounts have been calculated.

4. From the side of respondent No.1- M/s. Shri Dutt India Pvt. Ltd., learned counsel Mr. Dattatray Devale has appeared, who submits before us that against the calculation of EDC, the respondent No.1 has filed an objection dated 17.02.2024. He further apprised us that while arriving on such figure of EDC, no opportunity of hearing was given to the respondent No.1. Therefore, we direct the respondent No.2- MPCB to provide an opportunity to the respondent No.1 to appear before them and thereafter, re-calculate the amount of EDC appropriately and submit a report on an affidavit within a period of four weeks.

5. By our previous order, we had directed the respondent No.2- MPCB to calculate the EDC in respect of respondent No.3- The Municipal Commissioner, Sangli Miraj Kupwad Municipal Corporation. In compliance to the same, the respondent No.2- MPCB has submitted a compliance affidavit dated 17.02.2024 before this Tribunal, in which MPCB has calculated the EDC amount to the tune of Rs.90 Crores (Rs. Ninety Crore only) against the respondent No.3.

6. When we enquired from the learned counsel for respondent No.2- MPCB as to how this amount has been arrived at, he has drawn our attention to the Annexure- A annexed with the compliance affidavit of respondent No.2, wherein at para no.II(c), it is recorded that the guideline/principle laid down by the Tribunal in *Original Application No.593/2017 titled Paryavaran Suraksha Samiti & Anr. vs. Union of India*

& Ors. has been followed and that the total number of days, for which the said calculation has been done, are from 11.09.2019 to 31.01.2024. But we do not find the number of days to have been clarified as to of how many days, the violation between the said periods would be there. We direct the respondent No.2- MPCB to make it clear before us by filing an additional affidavit within the prescribed time as provided by us above.

7. We would also like to know from the respondent No.2- MPCB as to why the order dated 08.09.2022 of the Tribunal passed in Original Application No.606/2018 has not been followed, which prescribes the criteria as follows:-

*"(d) The compensation regime already laid down for failure of the Local Bodies and/or Department of Irrigation and Public Health/In-charge Department to take action for treatment of sewage in terms of observations in para 33 above will result in liability to pay compensation as already noted above which is reproduced for ready reference:*

- i. *Interim measures for phytoremediation/ bioremediation etc in respect of 100% sewage to reduce the pollution load on recipient water bodies – 31.03.2020. Compensation is payable for failure to do so at the rate of Rs. 5 lakh per month per drain by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2020.*
- ii. *Commencement of setting up of STPs – 31.03.2020. Compensation is payable for failure to do so at the rate of Rs. 5 lakh per month per STP by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2020.*
- iii. *Commissioning of STPs – 31.03.2021. Compensation is payable for failure to do so at the rate of Rs. 10 lakh per month per STP by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2021."*

8. From the side of respondent No.3- The Municipal Commissioner, Sangli Miraj Kupwad Municipal Corporation, learned counsel Ms. Supriya Dangare has appeared, who seeks two weeks' time to file objection against

the said calculation made by the respondent No.2- MPCB. We allow the same.

9. We further direct the respondent No.2- MPCB to ensure that an opportunity of hearing may be given to the representative of respondent No.3 while arriving on a calculation of EDC before filing an affidavit before this Tribunal.

10. From the side of respondent No.4- Swapnapurti Sugar Ltd., learned counsel Mr. Divyansh Gore has appeared, who submits that he has not been served a copy of the Original Application along-with relevant documents. Therefore, we direct the learned counsel for applicants to serve a copy of the same to the said learned counsel within a week and within four weeks thereafter, reply affidavit may be filed from the side of respondent No.4.

11. From now onwards, we direct the MPCB to ensure that whenever they arrive on an amount of EDC, they should always give an opportunity of hearing to the concerned party so that there is less chance of any error being committed by them.

Put up this matter for further consideration on 14.05.2024

Dinesh Kumar Singh, JM

Dr. Vijay Kulkarni, EM

February 19, 2024  
Original Application No.32/2023(WZ)  
P.Kr

Annexure-N

**Minutes of Personal Hearing of 06 Municipal Councils Regarding  
NGT Matter dated 14.03.2024 at 2.30 pm**

Hon'ble NGT (WZ) passed order on 23.08.2023 in O. A. No. 32 of 2023. As per order. This office has conducted personal hearing of these 06 Municipal Councils regarding their Non Compliance & EDC calculated by Board as per Hon'ble NGT order dtd. 23.08.2023.

During meeting on 14.03.2024 at 2.30 pm following representatives from 06 Municipal Council were present :-


1. Adv. Rakesh Bhatkar, Representative of Ratnagiri Municipal Council, Ratnagiri
2. Adv. Rakesh Bhatkar, Representative of Rajapur Municipal Council, Rajapur.
3. Shri. Avinash Bhoir, Sanitary Inspector, Ratnagiri Municipal Council, Ratnagiri
4. Smt. Sonali Khaire, Sanitary Inspector, Kankavali Nagar Panchayat, Sindhudurg
5. Smt. Rasika Prabhavalkar, Sanitary Inspector, Sawantwadi Municipal Council, Sindhudurg
6. Shri. Vaibhav Mhapalekar, I/c Sanitary Inspector, Vengurla Municipal Council, Sindhudurg.
7. Shri. J.S. Salunkhe, Regional Officer, M.P.C. Board, Kolhapur.
8. Shri. S.J. Bhoi, Field Officer, M.P.C. Board, Ratnagiri.

During discussion following Non compliances with related issues were discussed.


1. All these 06 Municipal Councils has not complied with previous directions issued by Board
2. After several visit & information those 06 Municipal councils has not taking any preventive measure regarding control & direct/ indirect sewage mixed into nearby Nalla, River & Environment.
3. Board officials also informed to these 06 Municipal Councils about present SCN issued to them (Dtd. 20.10.2023, 16.01.2024 & 15.02.2024) & present Non Compliance of Municipal Council
4. Board has also informed to these 06 Municipal Councils about noncompliance from dated 01.04.2020 to 23.08.2023 i.e. total violations days are 1240 with EDC calculated by Board as per Hon'ble NGT Order dtd. 23.08.2023 with EDC values.

Board has also informed to these Municipal Councils for their Noncompliance & negligence towards Environment Protection.

After due delegation virtual meeting ended with vote of Thanks.



Regional Officer, Kolhapur



Sub Regional Officer, Ratnagiri

**File Name:** Environmental Compensation in respect of Ratnagiri Municipal Council, Rajapur Municipal Council, Vengurla Municipal Council, Malvan Municipal Council Sawantwadi Municipal Council & Kankavali Nagarpanchayat w.r.t. NGT Original Application No. 119/2022(WZ).

**Sub:-** To assess the environmental compensation in respect of Ratnagiri Municipal Council, Rajapur Municipal Council, Vengurla Municipal Council, Malvan Municipal Council Sawantwadi Municipal Council & Kankavali Nagarpanchayat filed by Shri. Sanjay D. Joshi & Anr V/s State of Maharashtra through the Department of Environment & Ors.

**Ref:** -1. NGT Original Application No. 119/2023 Shri.  
Sanjay D. Joshi & Anr V/s State of Maharashtra  
through the Department of Environment & Ors.

2. Hon'ble NGT order in OA 119/2022 dtd. 23.08.2023.

---

Shri. Sanjay D. Joshi has filed an application in Hon'ble NGT against State of Maharashtra through the Department of Environment & Ors vide Original Application No. 119/2023 (WZ). The Hon'ble NGT has passed order on 23.08.2023 in the aforesaid matter that Maharashtra Pollution Control Board to make calculation of the Environmental compensation to be levied. Copy of the said order dated 23.08.2023 is given at **Annexure-I**

Considering the above non compliance recorded in the matter of Original Application No. 119/2022 regarding non provision of Sewage Treatment Plant.

**Ratnagiri Municipal Council-Respondent No.4** - Ratnagiri Municipal Council is a 'B' Class Municipal Council and generating 14.0 MLD Sewage. Ratnagiri Municipal Council has not provided any treatment on sewage water generated & directly discharging the same into the Arabian sea. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary)

Rules, 2008 on 15.02.2024. **Copy of the said Show Cause Notice dated 15.02.2024 is enclosed and marked as an Annexure-II**

**Rajapur Municipal Council-Respondent No.5** :- Rajapur Municipal Council is a 'C' Class Municipal Council and generating 1.0 MLD Sewage. Rajapur Municipal Council has not provided any treatment for sewage water generated & directly discharging the same into River. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 15.02.2024. **Copy of the said Show Cause Notice dated 15.02.2024 is enclosed and marked as an Annexure-III**

**Vengurla Municipal Council -Respondent No.6** :- Vengurla Municipal Council is a 'C' Class Municipal Council and generating 2.5 MLD Sewage. Vengurla Municipal Council has not provided any treatment for the sewage water generated & directly discharging the same into the Sea. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 15.02.2024. **Copy of the said Show Cause Notice dated 15.02.2024 is enclosed and marked as an Annexure-IV**

**Malvan Municipal Council – Respondent No.7** : Malvan Municipal Council is a 'C' Class Municipal Council and generating and 2.5 MLD Sewage. Malvan Municipal Council has not provided any treatment for sewage water generated & directly discharging the same into the Sea. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 20.10.2023 and Proposed Direction under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 on 16.01.2024 **Copy of the said Show Cause Notice dated 20.10.2023 & Proposed Direction dated 16.01.2024 is enclosed and marked as an Annexure-V**

**Sawantwadi Municipal Council-Respondent No.8 :** Sawantwadi Municipal Council is 'C' Class Municipal Council and generating 2.4 MLD Sewage. Sawantwadi Municipal Council has not provided any treatment on sewage water generated & it is directly discharged in to Nalla. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 15.02.2024. **Copy of the said Show Cause Notice dated 15.02.2024 is enclosed and marked as an Annexure-VI**

**Kankavali Nagarpanchayat-Respondent No.9 :** Kankavali Nagarpanchayat is generating 2.4 MLD Sewage. Kankavali Nagarpanchayat has not provided any treatment on sewage water generated & directly discharging the same into River. Accordingly, MPCB has issued the Show Cause Notice under section 33A of the Water (Prevention & Control of Pollution) Act, 1974, 31A of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2008 on 16.01.2024. **Copy of the said Show Cause Notice dated 16.01.2024 is enclosed and marked as an Annexure-VII**

#### Details of Source of water & water consumption

Sr. No.	Name of Municipal Council	Class	Population	Source of water	Quantity of water consumption MLD
1	Ratnagiri Municipal Council	B	76229	Sheel Dam	18.0
2	Rajapur Municipal Council	C	9753	Kodawali Dam	1.3
3	Vengurla Municipal Council	C	12392	Nishan Dam & Pvt. Wells,	3.0
4	Malvan Municipal Council	C	18648	Dhamapur Lake	3.0
5	Sawantwadi Municipal Council	C	23851	Kunkeri Dam	3.0
6	Kankavali Nagar Panchayat	C	16398	Gad river	3.0

### Details of STP Status & Sewage Network

Sr. No.	Name of Municipal Council	Quantity of Domestic Effluent in MLD	Generating untreated sewage discharge	Sewage Network	STP Status
1	Ratnagiri Municipal Council	14.0	Local 6 nos. major nalas/drains which further meets to Arabian Sea.	Not provided underground sewage network in the Ratnagiri city	Local body has prepared DPR for installation of STP with collection of sewage network
2	Rajapur Municipal Council	1.0	Local 3 nos. major nalas/drains which further meets to Arjuna River.	Not provided underground sewage network in the Rajapur city	Local body has provided 3 KLD cap FSTP during visit same was found in operation.
					Local body is in the process of preparation of DPR for installation of STP & collection of effluent .
3	Vengurla Municipal Council	2.5	Local 2 nos. major nalas/drains which further meets to Arabian Sea.	Not provided underground sewage network in the Vengurla city	Local body has provided 28 KLD Cap. FSTP during visit same was found in operation.
					Local body is in the process of preparation of DPR for installation with collection of effluent .

					The local body has started the civil work of proposed STP (1.5 MLD) in the year 2021 & then stopped as on civil work of STP up to plinth level.
4	Malvan Municipal Council	2.5	Local nos. 3 major nalas/drains which further meets to Arabian Sea.	Not provided underground sewage network in the Rajapur city	Local body has provided 5 KLD cap FSTP but same was not found in operation.  Local Body work of 3 MLD capacity STP RCC works found in progress, however construction work was found stopped and also the work & underground drainage was 70% completed.
5	Sawantwadi Municipal Council	2.4	Local 3 nos. major nalas/drains which further meets to Talekhol River.	Not provided underground sewage network in the Sawantwadi city	Local body has provided 5 KLD Cap. FSTP during visit same was found in operation.  Local body is in the process of preparation of DPR for installation with collection of effluent
6	Kankavali Nagar Panchayat	2.4	Local 3 nos. major nalas/drains which further meets to Gad River & Janavali River	Not provided underground sewage network in the Kankavali city	Local body has provided 5 KLD Cap. FSTP during visit same was found in operation.

Details of environmental compensation applicable Interim measures for phytoremediation/ bioremediation etc in respect of 100% sewage to reduce the pollution load on recipient water bodies – 31.03.2020. Compensation is payable for failure to do so at the rate of Rs. 5 lakh per month per drain by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2020. Environmental Compensation in compliance with order Hon'ble NGT dated 23.08.2023.

Sr. No.	Name of Municipal council	Nos. of Months w.e.f. (01.04.2020 to 23.08.2023)	Nos of Drain	Environment compensation @Rs. 5 Lakh per month per drain by concerned local bodies	Total	Total compensation Rs.
		1	2	3	4	5
					2*3 = 4	4*1 = 5
1	Ratnagiri Municipal Council,	41	6	5,00,000/-	30,00,000/-	12,30,00,000/-
2	Rajapur Municipal Council,	41	3	5,00,000/-	15,00,000/-	6,15,00,000/-
3	Vengurla Municipal Council,	41	2	5,00,000/-	10,00,000/-	4,10,00,000/-
4	Malvan Municipal Council,	41	3	5,00,000/-	15,00,000/-	6,15,00,000/-
5	Sawantwadi Municipal Council,	41	3	5,00,000/-	15,00,000/-	6,15,00,000/-
6	Kankavali Nagarpanchayat,	41	3	5,00,000/-	15,00,000/-	6,15,00,000/-

Details of environmental compensation applicable Commencement of setting up of STPs – 31.03.2020. Compensation is payable for failure to do so at the rate of Rs. 5 lakh per month per STP by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2020. Environmental Compensation in compliance with order Hon'ble NGT dated 23.08.2023.

Sr. No	Name of Municipal council	Nos. of Months w.e.f. (01.04.2020 to 23.08.2023)	Environmental compensation is payable for failure to do so at the rate of @Rs. 5 Lakh per month STP by concerned local bodies	Total compensation Rs.
1	Ratnagiri Municipal Council, Tal & Dist. Ratnagiri	41	5,00,000/-	2,05,00,000/-
2	Rajapur Municipal Council, Tal. Rajapur, Dist. Ratnagiri	41	5,00,000/-	2,05,00,000/-
3	Sawantwadi Municipal Council, Tal. Sawantwadi, Dist. Sindhudurg	41	5,00,000/-	2,05,00,000/-
4	Vengurla Municipal Council, Tal. Vengurla, Dist. Sindhudurg	41	5,00,000/-	2,05,00,000/-
5	Malvan Municipal Council, Tal. Malvan, Dist. Sindhudurg	41	5,00,000/-	2,05,00,000/-
6	Kankavali Nagarpanchayat, Tal. Kankavali, Dist. Sindhudurg.	41	5,00,000/-	2,05,00,000/-

Details of environmental compensation applicable Commissioning of STPs – 31.03.2021. Compensation is payable for failure to do so at the rate of Rs. 10 lakh per month per STP by concerned Local Bodies/States (in terms of orders dated 28.08.2019 in O.A. No. 593/2017 and 06.12.2019 in O.A. No. 673/2018) w.e.f. 01.04.2021." Environmental Compensation in compliance with order Hon'ble NGT dated 23.08.2023.


Sr. No.	Name of Municipal council	Nos. of Months w.e.f. (01.04.2021 to 23.08.2023)	Environmental compensation @ Rs. 10 Lakh per month STP by concerned local bodies	Total compensation Rs.
1	Ratnagiri Municipal Council, Tal & Dist. Ratnagiri	29	10,00,000/-	2,90,00,000/-
2	Rajapur Municipal Council, Tal. Rajapur, Dist. Ratnagiri	29	10,00,000/-	2,90,00,000/-
3	Sawantwadi Municipal Council, Tal. Sawantwadi, Dist. Sindhudurg	29	10,00,000/-	2,90,00,000/-
4	Vengurla Municipal Council, Tal. Vengurla, Dist. Sindhudurg	29	10,00,000/-	2,90,00,000/-
5	Malvan Municipal Council, Tal. Malvan, Dist. Sindhudurg	29	10,00,000/-	2,90,00,000/-
6	Kankavali Nagarpanchayat, Tal. Kankavali, Dist. Sindhudurg.	29	10,00,000/-	2,90,00,000/-

Environmental Compensation calculated as per O.A. No. 119/2022 (WZ) Hon'ble NGT Order dtd.23.08.2023 Para No. 19.

Local Body wise total Environmental Compensation to be levied as below:-

1. Ratnagiri Municipal Council – 17,25,00,000/-
2. Rajapur Municipal Council – 11,10,00,000/-
3. Vengurla Municipal Council – 9,05,00,000/-
4. Malvan Municipal Council – 11,10,00,000/-
5. Sawantwadi Municipal Council – 11,10,00,000/-
6. Kankavali Nagarpanchayat – 11,10,00,000/-

Conclusions: - The total Environmental compensation to be levied on the all above local bodies is Rs. 70,70,00,000 ( Rs. Seventy Crore Seventy Lacs only)



Regional Officer,  
M.P.C. Board, Kolhapur