

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
EASTERN ZONE BENCH, FINANCE CENTRE,
3RD FLOOR, NEW TOWN, KOLKATA

S.L.No: 264 dt. 16/12/2025



Execution Application No.6/2025/EZ

Arising out of:

Original Application No.30 of 2014/EZ

In the matter of :

Joydeep Mukherjee

...Decree Holder

Versus

Chief Secretary, Government of West Bengal & Ors.

...Judgment Debtor (s)

AFFIDAVIT OF COMPLIANCE TO THE DIRECTIONS DATED 29.07.2019 AND 10.10.2025 PASSED BY THIS HON'BLE TRIBUNAL IN ORIGINAL APPLICATION NO. 30 OF 2014/EZ, FILED ON BEHALF OF THE RESPONDENT NO.2 /JUDGMENT DEBTOR NO.2, THE DISTRICT MAGISTRATE, BIRBHUM.

INDEX

SL No.	PARTICULARS	ANNEXURE	PAGE
1.	Affidavit of Compliance		3 - 15
2.	Photocopy of the work order No. 1150/TRDA/SWM/2017-2018 dated 02.11.2017 for engagement of garbage clearance agency and the last Debit Voucher/Bill of Rs. 1,76,596/- paid by the TRDA to the agency for the month of August, 2025;	'R-2/I'	16 - 17
3.	List of the locations for SLS-1 and SLS-2 for interception at existing drainage systems, together with some current photographs and the daily Operation and Maintenance data sheet from January, 2023 to October, 2025 and a flow chart showing the sewerage treatment process in the STP;	'R-2/II'	18 - 57
4.	Copy of the list of the twenty number of secondary manhole pits together with their photographs and some current photographs showing functioning of the STP;	'R-2/III'	58 - 66

5.	Photocopy of the server generated report from the OCEMS;	'R-2/IV'	67 - 77
6.	Photocopy of the Writ of Handing over the Modular solar kitchen to the Temple Committee dated 27.02.2020;	'R-2/V'	78
7.	Photocopies of the correspondences dated 30.08.2025, 13.11.2025 and 08.12.2025 made by the TRDA to the appropriate authority regarding SWM project together with some photographs showing the present dumping area for waste on alternative land for the time being;	'R-2/VI'	79 - 84
8.	Photocopy of the Order being Memo No. 2378/R.M. dated 15.11.2025 issued by the deponent for strict compliance/implementation of ban on plastic carry bags less than 120 microns in thickness, certain single-use plastic items including polystyrene and expanded polystyrene commodities	'R-2/VII'	85 - 86

Filed by:-

Sibojyoti Chakrabarti

Sibojyoti Chakrabarti

Advocate

(M): 9007035534

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
EASTERN ZONE BENCH, FINANCE CENTRE,
3RD FLOOR, NEW TOWN, KOLKATA

Execution Application No.6/2025/EZ

Arising out of:

Original Application No.30 of 2014/EZ

In the matter of :

Joydeep Mukherjee

...Decree Holder

Versus

Chief Secretary, Government of West Bengal & Ors.

...Judgment Debtor (s)



S.L.No: 264 dtd. 16/12/2025

AFFIDAVIT OF COMPLIANCE TO THE DIRECTIONS DATED 29.07.2019 AND 10.10.2025 PASSED BY THIS HON'BLE TRIBUNAL IN ORIGINAL APPLICATION NO. 30 OF 2014/EZ, FILED ON BEHALF OF THE RESPONDENT NO.2/JUDGMENT DEBTOR NO.2, THE DISTRICT MAGISTRATE, BIRBHUM.

I, Shri. Dhaval Jain, son of Manoj Kumar Jain, aged about 36 years, by faith Jain working for gain as the District Magistrate and Collector, District- Birbhum, having office at P.O. & P.S. Suri, District Birbhum, West Bengal , PIN 731101, do hereby solemnly affirm and say as under :-

1. That I am presently posted as the District Magistrate and Collector, Birbhum District having my office at Suri, Post Office & Police Station- Suri, District- Birbhum, West Bengal. I am the Respondent No.2/Judgment Debtor No.2 and I have made myself acquainted with the facts and circumstances of the case and as such I am competent to swear sign and affirm this affidavit.
2. That, the State respondents including the District Magistrate, Birbhum have already filed their respective Action Taken Reports/Compliance Affidavits on different occasions during proceedings of the Original Application in terms of the solemn directions of this

Hon'ble Tribunal and the facts, action taken reports and pleadings thereof as already placed thereon before this Hon'ble Tribunal, are not reiterated herein for the sake of brevity and the deponent craves kind leave of this Hon'ble to refer to and rely upon the same as and when necessary.

3. That, this Hon'ble Tribunal, by solemn order dated 29.07.2019, while disposing of the Original Application No.30 of 2014/EZ, was pleased to observe and direct, inter alia, as follows:

"5. Considering the fact that the works are now progressing, albeit slowly, we expect the concerned authorities to complete it in entirety within the time frame indicated by them in their affidavits.

6. It may be noted that we are deeply concerned with the matter relating to the construction of STP as that is the primary requirement to be fulfilled if the river Dwarka is to be made pollution free. We, therefore, direct the State and the District Magistrate, Birbhum to ensure that this work is completed expeditiously. Asa it is stated by the Mr. Bikas Kargupta, Learned Advocate, that all works towards that end, that is, issuing of NIT, selection of the contractor and budgetary allocation except for transfer of forest land, have been completed, we expect the project to be completed within a period of 06 months from the date when procession of land is handed over by the Forest Department to the PHED. We expect the land to be handed over within 15 days from hence."

4. That, in the present Execution Application which was filed by the decree holder alleging wilful non-compliance of the aforesaid order, this Hon'ble Tribunal, by order dated 10.10.2025, was pleased to issue show-cause notices to the respondents Nos. 2 and 3. This Hon'ble Tribunal was further pleased to direct the said respondent Nos. 2 and 3 to remain present before this Hon'ble Tribunal either physically or through virtual mode on the next date on 19.12.2025 to assist this Hon'ble Tribunal in ensuring due compliance of the aforesaid direction dated 29.07.2019.



5. In reply to the said show-cause notice issued by this Hon'ble Tribunal to the deponent, I am filling this Affidavit to place the facts of compliance of the solemn order dated 29.07.2019 passed by this Hon'ble Tribunal in the Original Application.

6. At the outset, I most humbly submit that I have the highest regard and unalloyed veneration for every judicial order passed by this Hon'ble Tribunal, to which I am ever bound to comply within the stipulated time frame and it has always been my best endeavour to comply with the same to uphold the dignity and majesty of this Hon'ble Tribunal. However, there is unwilling and bonafide delay in complete compliance of the solemn direction dated 29.07.2019 of this Hon'ble Tribunal passed in the instant matter, which is purely unintentional and not wilful, for which I sincerely tender my unqualified apology before this Hon'ble Tribunal.

7. I respectfully submit at this stage that when the present Execution Application was taken up on 10.10.2025 by this Hon'ble Tribunal, none of State Respondents particularly the District Magistrate, Birbhum could not be represented on that date despite due diligence and thus the Action Taken so far for due compliance of the solemn direction of this Hon'ble Tribunal dated 29.07.2019 could not be placed for kind consideration of this Hon'ble Tribunal. However, it is most respectfully submitted that the deponent has taken charge of the office of the District Magistrate, Birbhum on 29.10.2025 and the deponent has no knowledge of the said solemn direction of this Hon'ble Tribunal dated 29.07.2019 prior to that.

8. It is submitted that when the deponent came to know of the aforesaid solemn direction of this Hon'ble Tribunal in the present matter, the deponent has taken all and every steps for due compliance of the same.

9. That, in the instant Execution Application, the Decree Holder alleges non-compliance of the direction dated 29.07.2019 passed by this Hon'ble Tribunal in the original matter, as regards




- (i) appointment of garbage clearance agency for collection of solid waste and specifically plastic waste from the Tarapith temple periphery and its adjoining banks of Dwarka river;
- (ii) Completion of Lifting Stations;
- (iii) Completion of Sewerage Treatment Plant (STP);
- (iv) Establishment of modular kitchen;
- (v) Development of dumping ground and solid waste collection facilities;
- (vi) Declaration of Plastic Free Zone.

10. It is respectfully submitted that as would appear from the available records in file as well as those obtained from other relevant authorities, the aforesaid solemn direction dated 29.07.2019 of this Hon'ble Tribunal have been substantially complied with by the relevant authorities including the District Magistrate, Birbhum; the Action Taken Report/Status Report of which are humbly placed as follows.

(I) **Regarding Appointment of Garbage Clearance Agency:**

It is stated that vide the Work Order being Memo No. 1150/TRDA/SWM/2017-2018 dated 02.11.2017, the Tarapith-Rampurhat Development Authority (TRDA) has engaged "Kabichandrapur Oiktan Sangha" initially for a period of one from with effect from 03.11.2017 subject to further extension, for collection and disposal of garbage from the Tarapith Temple and its surrounding area falling within the TRDA jurisdictional area, including the works of sweeping of both sides of Rampurhat-Tarapith Road, sweeping of all streets and lanes within the Tarapith residential area. The said engagement of the agency was extended from time to time by the TRDA; and collection and disposal of solid and plastic waste from the said areas are being regularly made through the said engaged agency.



Photocopy of the aforesaid work order being Memo No. 1150/TRDA/SWM/2017-2018 dated 02.11.2017 and the last Debit Voucher/Bill of Rs. 1,76,596/- paid by the TRDA to the said garbage clearance agency for the month of August, 2025 are attached hereto and marked as Annexure-R/2-I.

(II) Lifting Stations and Sewerage Treatment Plant (STP):

With regard to the completion of Lifting Stations and Sewerage Treatment Plant (STP), the followings are placed for kind consideration of this Hon'ble Tribunal.

- (i) The Scheme for development of the Sewerage System of the Tarapith Temple & its adjoining areas with an estimated expenditure/cost of Rs. 3473.11 Lakhs (Civil Works of Rs. 2037.91 Lakh and Mechanical works of Rs. 1435.20 Lakh), aiming to cover the mouzas Atla (JL No. 58), Kauro (JL No. 66) and Chandipur (JL No. 62) for treatment of waste water from different hotels/commercial buildings before discharging into the River Dwarka, was sanctioned by the Public Health Engineering Department, Government of West Bengal vide the Administrative Order No. PHE/IV/166/W-177/2015 dated 03/11/2015. The aforesaid work was subsequently taken up by the Birbhum Division of the Public Health Engineering Directorate.
- (ii) As per the reports obtained from the relevant executing authorities of the Public Health Engineering Directorate, the progress of the work appears to be as follows:



- (a) The civil as well as mechanical works of the Sewerage Lifting Station No.1 with the capacity of 2.25 MLD (for short “the SLS-1”) have been completed;
- (b) The civil as well as mechanical works of the Sewerage Lifting Station No.2 with the capacity of 2.00 MLD (for short “the SLS-2”) have also been completed;
- (c) The Sewer Line covering a distance of 8.489 KMs has been installed;
- (d) The Sewerage Pumping Main covering a distance of 5.042 KMs is also installed;
- (e) All civil as well as electro mechanical works of the Sewerage Treatment Plan with the capacity of 4.25 MLD, have been completed.
- (iii) Trial run of the scheme was commissioned in the month of December, 2022 and the said STP scheme has become fully operational with effect from the month of January, 2023. The maintenance of the scheme is being made regularly by the engaged contractor, FNC Construction & Co. since then.
- (iv) Sewerage effluents from adjoining hotels and other commercial buildings in the Tarapith Temple and its adjoining areas are being collected through interception at the existing drainage system at eight locations for LSL-1 and at two locations for LSL-2.



A list of the afore-stated locations for SLS-1 and SLS-2 for interception at existing drainage systems, together with some current photographs and the daily Operation and

Maintenance data sheet from January, 2023 to October, 2025 and a flow chart showing the sewerage treatment process in the said STP, are collectively annexed hereto and marked as Annexure-R-2/II.

- (v) The work order dated 10.08.2023 for Integration of Hotels and Household sewage collection system under development of Sewerage system in Tarapith Area was issued by the appropriate authority of the Public Health Engineering Directorate. Twenty number of secondary manhole pits in terms of the said work order dated 10.08.2023 and two number of combined sewage catchment pits near Bamdev Ghat and Shamsan Ghat have been constructed.

A list of the aforesaid twenty number of secondary manhole pits together with their photographs and some current photographs showing functioning of the said STP at Tarapith, are collectively annexed here and marked as Annexure-R-2/III.

- (vi) The Sewerage Treatment Plant, Tarapith is fully functional and operational in its full swing, which would be corroborated from the latest server generated report obtained from Online Continuous Effluent Monitoring System (OCEMS) installed under the National Mission for Clean Ganga (NMCG).

Photocopy of the said server generated report from the OCEMS are collectively annexed hereto and marked as Annexure-R-2/IV.

- (vii) It is further submitted that as a step further towards making the river Dwarka free from pollution in all aspects in its true letter and spirit, it is also important to connect the drainage chain



near vegetable market outfall to the said STP, Rampurhat for treatment of sewerage effluents generating there-from, before discharging into the Dwarka river. With this view, a joint visit to the concerned site was conducted by the officials of the Public Health Engineering, the Irrigation & Waterways Directorate and from the office of the deponent on 05.05.2025 for the course of action to be taken for proposed construction of sewerage collection pit there. Pertinently, it is submitted that the said drainage from the vegetable market came into existence recently in the year 2022. The authority of the Public Health Engineering Directorate has prepared a lay-out plan for construction of the proposed collection pit which includes a six meter dia collection well, a three meter dia screening area and a two meter dia well. The matter has been referred to the appropriate authority for issuance of requisite permission/consent for construction of the said proposed collection pit at the far end of the said drainage in the river bed of Dwarka.

- (viii) It is further submitted that the deponent held two meetings with the concerned authorities of the Public Health Engineering and Irrigation and Waterways Directorate on 10.10.2025 and 14.11.2025 and expedited the issue of construction of the said collection pit. In this regard, direction dated 25.11.2025 was issued to the concerned Executive Engineer, Mayurakshi North Canals Division, Irrigation and Waterways Directorate to extend requisite cooperation to the Public Health Engineering Directorate in the matter of construction of the said collection pit. A further direction dated 25.11.2025 was also issued to the Executive Officer of Tarapith-Rampurhat Development



Authority to maintain liaison with all stakeholders to expedite the matter of construction of the said proposed collection pit.

- (ix) It is submitted that the matter of construction of the said proposed collection pit is being expedited and is expected to be completed within a period of two months from the date of issuance of the aforesaid requisite consents/ permission from the appropriate authority. The deponent is keeping regular monitoring over the progress of the said work of proposed construction of the collection pit.

III. Regarding establishment of modular kitchen :

It is stated that the modular solar kitchen has been installed in the Tarapith Temple by the TRDA and the same has been handed over to the Temple Committee on 27.02.2020 for daily operation and maintenance.

Photocopy of the Writ of Handing over the Modular solar kitchen to the Temple Committee dated 27.02.2020 is annexed hereto and marked as Annexure-R/2-V.

IV. Regarding development of dumping ground and solid waste collection facilities :-

It is submitted that for the purpose of dumping ground for disposal of solid waste from the Tarapith Temple and its adjoining areas generated by hoteliers, local residents, two Government land at Mouza- Vatina measuring about 23.60 acres and Mouza- Radipur measuring 27 acres were initially identified and approved; however, due to repeated restraints/obstructions caused by the local inhabitants of the vicinity particularly the Tribal people, the said land could not be used for dumping of solid waste. Yet, it is humbly submitted that solid waste from the Tarapith Temple and its adjoining areas falling within the TRDA jurisdictional area, are being regularly collected



through the engaged agency namely “Kabichandrapur Oiktan Sangha”, as submitted herein above at Paragraph 10(I) of this affidavit and such collected waste are being dumped at a dedicated place on another Government land situated at Mouza- Atla for the time being. It is further submitted that the District Administration is in the process of identifying suitable alternative land for development of dumping ground towards the permanent solution.

It is further submitted that the TRDA has consulted an agency called Skilware Edutech Private Limited for the purpose of Solid Waste Management initiatives within the Tarapith Temple and its entire adjoining areas and the said agency has already conducted a survey for the same and submitted a detailed proposal for the project. In turn, the TRDA, by letter dated 30.08.2025, has approached the State Urban Development Agency (SUDA) for engagement of the said agency for implementing the awareness and related micro planning activities under the Solid Waste Management framework in the said areas under the TRDA jurisdiction. By a further letter dated 13.11.2025, the TRDA has proposed the appropriate authority for necessary approval and action with regard to division of zone of areas for garbage cleaning and implementation of SMW project. A further correspondence dated 08.12.2025 has also been made by the TRDA to the appropriate authority for administrative approval/consent to the aforesaid proposal for implementation of the SWM project.

It is most respectfully submitted that the deponent is keeping liaison with the stakeholders as regards implementation of the SWM project and the same is expectedly be accomplished within a period of six months from the date of receipt of consent/administrative approval of the appropriate authority.

Photocopies of the aforesaid correspondences dated 30.08.2025, 13.11.2025 and 08.12.2025 made by the TRDA together with some



photographs showing the present dumping area for waste on alternative land for the time being, are annexed hereto and marked as Annexure-R-2/VI.

V. Declaration of Plastic Free Zone :-

It is submitted that the MoEFCC has notified the Plastic Waste Management Rules, 2016 and as per the amendment vide GSR 133(E) dated 16.02.2022 made thereto, manufacture, import, stock, distribution, sell and use of plastic carry bags made of virgin or recycled plastic less than 120 microns in thickness haven been banned with effect from 31.12.2022. The State Government of West Bengal in the Environment Department has also issued Notification dated 27.06.2022 prohibiting manufacture, import, stock, distribution, sell and use of certain single-use plastic items including polystyrene and expanded polystyrene commodities, as mentioned in the said Notification, with effect from 01.07.2022.

In compliance to the direction of this Hon'ble Tribunal under compliance, the deponent has issued an Order being No. 2378/R.M. dated 15.11.2025, whereby a nine-member Enforcement Team comprising of relevant civil and police authorities has been constituted for strict compliance/implementation of the aforesaid restriction/ban within the entire territorial jurisdiction of the Tarapith-Rampurhat Development Authority (TRDA) with immediate effect. The said Enforcement Team has been directed to ensure proper implementation of the same including promotion of general public awareness and to meet once in every fortnight to review the progress for further planning. The aforesaid Order dated 15.11.2025 has also been circulated to the Superintendent of Police, Birbhum as well as other local civic bodies within the TRDA areas for necessary action.


Photocopy of the aforesaid Order being Memo No. 2378/R.M. dated 15.11.2025 issued by the deponent for strict compliance/implementation of ban on plastic carry bags less than 120 microns in thickness, certain single-use



plastic items including polystyrene and expanded polystyrene commodities, is annexed hereto and marked as Annexure-R/2-VII.

11. It is most respectfully submitted that in due compliance of the solemn direction dated 29.07.2019 of this Hon'ble Tribunal, works towards construction of the STP, Tarapith have been completed and the said STP is fully operational, as submitted herein above; and the further steps towards connecting the drainage chain near vegetable market outfall to the said STP, Rampurhat for treatment of sewerage effluents generating there-from, have already been taken as submitted above. It is further submitted that in due compliance to the solemn direction of this Hon'ble Tribunal, steps towards other works relating to appointment of garbage clearance agency, (ii) modular solar kitchen, (iii) collection of solid waste facilities and development of dumping ground, as submitted herein above have also been taken, as submitted here-above. It is most humbly submitted that there is no issue as regards wilful non-compliance of the said solemn direction of this Hon'ble Tribunal, as alleged by the decree holder and it is most respectfully submitted that the aforesaid solemn direction of this Hon'ble Tribunal has been substantially complied with and the remaining is expected to be completed within the time mentioned above.

12. I most humbly reiterate that I have highest regard and unalloyed veneration for every judicial order passed by this Hon'ble Tribunal and it has been always my best endeavour to comply with the same to uphold the dignity and majesty of this Hon'ble Tribunal. However, the delay in due compliance of the solemn direction of this Hon'ble Tribunal within the stipulated time frame and to file the compliance report/affidavit thereof before this Hon'ble Tribunal in due course, was purely unintentional, bonafide and not wilful, for which I once again sincerely tender my unqualified apology before this Hon'ble Tribunal.



12. In view of what have been stated and submitted by me in this affidavit, I most humbly submit that I have taken immediate and every steps for due compliance of the solemn direction of this Hon'ble tribunal dated 29.07.2019 and there is no case of wilful non-

compliance and/or violation of such solemn direction, as alleged by the decree holder. I therefore most humbly pray that this Hon'ble Tribunal may graciously be pleased to condone the delay occurred in complete compliance of the said solemn direction dated 29.07.2019 and exonerate me from the charges of alleged wilful non-compliance, as sought to be brought in the present Execution Application and to pass appropriate order(s)/direction(s) dispensing the deponent from the proposed consequential actions/prosecution for alleged wilful non-compliance of the direction of this Hon'ble Tribunal, as recorded in the order dated 10.10.2025 passed in the present execution application.

14. The statements made in paragraphs 1 and 2 of the foregoing affidavit are true to my knowledge, those made in paragraphs 3, 4, 5, 7, 8, 9, 10, are information derived from the available records, which are maintained in the office of the deponent in usual course of office business and the rest are my humble submission and prayer before this Hon'ble Tribunal.

Identified by me
Sibajyoti Chakrabarti
Advocate
STATE OF WEST BENGAL

Dhaval Jain
Deponent
District Magistrate
Birbhum

Verification

I, Shri. Dhaval Jain, the District Magistrate and Collector, Birbhum District, do hereby solemnly affirm and verify that the contents of the statements made in the above paragraphs of the affidavit are true and correct to the best of my knowledge and belief. No part of the same is false and nothing material has been concealed therefrom.

Verified at Suri, Birbhum, this the 16th day of December, 2025.

Identified by me
Sibajyoti Chakrabarti
Advocate
STATE OF WEST BENGAL

Dhaval Jain
Deponent
District Magistrate
Birbhum

Identified by me
SK. Alauddin
Advocate
16.12.2025



Solemnly affirmed before me
16th day of December 2025
by Deponent *Dhaval Jain*
Identified by
SK. Alauddin Adv

Panchanan Das
NOTARY
CHITR SADAR SD BIRBHUM

SK. ALAUDDIN
Advocate
SURI JUDGE'S COURT
Enrollment No.-WB-1528/1983

**TARAPITH -RAMPURHAT
DEVELOPMENT AUTHORITY (TRDA)**
(A Statutory Authority Under Govt. of West Bengal)

Annexure-167-R-2/I


P.O: Tarapith, Birbhum : 731233

Phone : 03461 253499

E-mail : ceotrda@gmail.com

Date : 02.11.2017

Memo No : 1150/CI(10)/TRDA/SWM/2017-18



To,
Kabichandrapur Oikatan Sangha
Address : Vill : Kabichandrapur ,
P.O: Tarapith , Dist : Birbhum

Sub : Collection & Disposal of wastes from Tarapith Area of Kharun G.P – Lt side of River Dwarka including manual cleaning of drains

The rate quoted by you vide N.I.Q No 10/TRDA/2017-18 dt 24.10.2017 have been accepted by the tender Committee on dt 02/11/2017 i.e Rs 60150/ month for the area as mentioned in the N.I.Q including of Service Tax , Educational Cess and Higher Education Cess of Government of India for Cleaning of entire toilet block of above mentioned building daily for a period of one year from 3rd November 2017 to 31st October 2018.

Therefore you are requested to take up the work with effect from 03.11.2017 for next one year. The order may be further extended on completion of satisfactory services and if required by the Authority . However we may discontinue your service as per provision of service contract, observing due formalities of agreement, in that case , payment will be made only for the period of service completed by you . Bill should be submitted along with satisfactory month wise certificate from the competent authority.

Area Schedule :

- **Lt side of River Dwarka including manual cleaning of drains**
1. Street sweeping of two sides of the Rampurhat – Tarapith Road starting from Tarapith Bridge to Madhu Mamata Lodge – Daily
 2. All the street and Lanes in the Tarapith residential area situated in the Mouza- Atla , Kamdevpur, Junitpur ,Kabichandrapur as physically specified in the field – at least 3 days a week..
 3. Collection of garbage over mentioned areas and dumping the same specified site .

Executive Officer

Tarapith Rampurhat Development Authority
Tarapith, Birbhum

Dated 02.11.2017.

Memo No. 1150/CI(10)/TRDA/SWM/2017-18.

Copy forwarded for information to :-

1. The Chairman, TRDA & Hon'ble MIC, Deptt. of Agriculture , Govt. of West Bengal.
2. The Special Secretary, Urban Development & Municipal Affairs Department, Govt. of West Bengal.
3. The District Magistrate, Birbhum.
4. The Sub-Divisional Officer, Rampurhat, Birbhum.
- 5-6. The Block Development Officer, Rampourhat-I/Rampurhat-II, Birbhum.
- 7 The Chairman, Rampurhat Municipality, Birbhum.
8. The Executive Engineer, TRDA for taking necessary action.
9. The Head Clerk-cum-Accountant , TRDA
10. Notice Board.

Executive Engineer

Tarapith-Rampurhat Development Authority
Tarapith, Birbhum.

Received by
Buddhadar Das
22/11/17

Sl/No.-

168¹⁷
Date

Date: 10/09/25

Voucher No.: 25 / TRDA

Year :

TV No./ Challan No.

Tarapith Rampurhat Development Authority

Debit Voucher

Dated :

Voucher No.

Debit

(600019)
~~678768~~

Garbage cleaning

A/C

(HDFC Garbage)

Rs.

S.L. No.

Benig Amount Received from Paid to Kabichandrapur
Orkatan Sangha for Garbage cleaning
at Tarapith area, on 10th Aug - 25

176596=

The Sum of Rupees one lakh seven thousand
four hundred ninety Only.

Total Rs.

176596=



Accountant

Vice-Chairman
TRDA
Tarapith - Birbhumi

Received


Treasurer
Kabichandrapur Orkatan Sangha
Kabichandrapur & Tarapith - Birbhumi

Executive Officer
TRDA
Tarapith, Birbhumi

E.&O.E.

E.O., TRDA

Report on Interception of existing drainage system at STP as on 04.11.2025						
Sl No	Location of Integration Details	Pipe Line Length	Dia of Pipe	Connecting		Status
				From	To	
1	Integration No : - 1, LS - 1, Maa Tara Sarani, Near Sabitri Nibas. Lat 24.110911° Long 87.796476°	2.0 m	150 mm	Drain	Manhole	Completed
2	Integration No : - 2, LS - 1, Maa Tara Sarani, Near Dharmaraj Temple. Lat 24.111681° Long 87.796513°	1.2 m	150 mm	Drain	Manhole	Completed
3	Integration No : - 3, LS - 1, Maa Tara Sarani, Near Sraboni Pharmacy. Lat 24.112514° Long 87.796395°	1.2 m	150 mm	Drain	Manhole	Completed
4	Integration No : - 4, LS - 1, Maa Tara Sarani, Near New Srikrishna Lodge. Lat 24.112514° Long 87.796395°	1.3 m	150 mm	Drain	Manhole	Completed
5	Integration No : - 5, LS - 1, VIP Road, Near kakatua Lodge. Lat 24.112913° Long 87.79775°	1.8 m	150 mm	Drain	Manhole	Completed
6	Integration No : - 6, LS - 1, Tarapith State Bus Stand. Lat 24.114757° Long 87.79857°	1.5 m	150 mm	Drain	Manhole	Completed
7	Integration No : - 7, LS - 2, Atla More, Near Binapani Hotel. Lat 24.118667° Long 87.795522°	1 m	200 mm	Drain	Manhole	Completed
8	Integration No : - 8, LS - 2, Atla More, Near Swagatam Hotel. Lat 24.119368° Long 87.795531°	3.6 m	200 mm	Drain	Manhole	Completed



Sl No	Location of Integration Details	Pipe Line Length	Dia of Pipe	Connecting		Status
				From	To	
9	Integration No : - 9, LS - 1, Maa Tara Sarani, Near Biswabangla Ghat. Lat 24.115567° Long 87.797607°	5.5 m	200 mm	Drain	Manhole	Completed
10	Integration No : - 10, LS - 1, Maa Tara Sarani, Near Sankar Lodge. Lat 24.114984° Long 87.796989°	2.7 m	200 mm	Drain	Manhole	Completed

Picture of Interception of existing drainage system at STP (10 Nos.)



Integration no-1, integration pipe length - 2m, dia- 150 mm. Maa Tara Sarani, near Sabitri Nibas.




Integration no-2, integration pipe length-1.2m, dia 150 mm, Maa Tara Sarani, near Dharma Raj Temple.



Integration no-3, Integration pipe line length 1.2m, dia-150mm, Maa Tara Sarani near Sraboni Pharmacy.




Integration no-4, integration pipe line length 1.3m, dia 150mm, Maa Tara Sarani near new Srikrishna Lodge.



Picture of Interception of existing drainage system at STP (10 Nos.)

172 2*



GPS Map Camera

Tarapith, West Bengal, India
 4Q7X+454, Tarapith Rd, Tarapith, West Bengal
 731233, India
 Lat 24.112913°
 Long 87.79775°
 15/06/23 02:48 PM GMT +05:30

Google

Integration no-5, integration pipe line length 1.8m, dia 150mm, VIP Road near Kakatua Lodge.




GPS Map Camera

Tarapith, West Bengal, India
 Tarapith, West Bengal 731233, India
 Lat 24.114757°
 Long 87.79857°
 15/06/23 02:54 PM GMT +05:30

Google

Integration no-6, integration pipe line length 1.5m, dia- 150mm, Tarapith State Bus Stand.



NOTARY
 Panchkari De
 Sun. Sub-Divn.
 Giridih
 Regd. No. 5/2007
 Expiry Date: 2027
 GOVT. OF WEST BENGAL

GPS Map Camera

Atla, West Bengal, India
 4Q9W+G7G, Manidipa Rd, Atla, West Bengal
 731233, India
 Lat 24.118667°
 Long 87.795522°
 15/06/23 02:59 PM GMT +05:30

Google

Integration no-7, integration pipe line length 1m, dia 200mm, Atla more, near Binapani Hotel.




GPS Map Camera


Tarapith, West Bengal, India
 4Q9W+W44, Tarapith, West Bengal 731233,
 India
 Lat 24.119368°
 Long 87.795531°
 15/06/23 03:03 PM GMT +05:30

Google

Integration no-8, integration pipe line length- 3.6m, dia-200mm, Atla more near Hotel Swagatam.



Integration no-9, integration pipe line length- 5.5 m, dia-200mm, Maa Tara Sarani, Near Biswabangla Ghat.



Integration no-10, integration pipe line length- 2.7 m, dia-200mm, Maa Tara Sarani, Near Sankar Lodge.



174

23

REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- January, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-01-2023	1.70 ML	1.70 ML	11.00 AM to 3.00 PM	Average 1.795 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-01-2023	1.60 ML	1.60 ML	9.00 AM to 2.00 PM	
03-01-2023	1.70 ML	1.70 ML	11.00 AM to 3.10 PM	
04-01-2023	1.30 ML	1.30 ML	10.00 AM to 2.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-01-2023	1.80 ML	1.80 ML	10.00 AM to 1.30 PM	
06-01-2023	1.60 ML	1.60 ML	11.00 AM to 3.00 PM	
07-01-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	
08-01-2023	1.70 ML	1.70 ML	10.30 AM to 2.00 PM	All other equipments including Clarifire are functioning in good condition at STP.
09-01-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	
10-01-2023	2.00 ML	2.00 ML	09.30 AM to 2.00 PM	Chlorine dosing done.
11-01-2023	1.90 ML	1.90 ML	10.30 AM to 2.00 PM	
12-01-2023	1.60 ML	1.60 ML	10.30 AM to 2.00 PM	STP is running smoothly without any major trouble.
13-01-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	
14-01-2023	1.80 ML	1.80 ML	10.00 AM to 2.30 PM	
15-01-2023	1.35 ML	1.35 ML	10.00 AM to 2.30 PM	Regular maintenance and cleaning done.
16-01-2023	1.40 ML	1.40 ML	9.30 AM to 2.00 PM	
17-01-2023	1.60 ML	1.60 ML	10.30 AM to 2.00 PM	Motor Oil Checked.
18-01-2023	1.40 ML	1.40 ML	10.30 AM to 2.00 PM	
19-01-2023	1.60 ML	1.60 ML	10.30 AM to 2.00 PM	
20-01-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	
21-01-2023	1.90 ML	1.90 ML	10.30 AM to 2.00 PM	
22-01-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	
23-01-2023	2.00 ML	2.00 ML	11.30 AM to 3.30 PM	
24-01-2023	2.10 ML	2.10 ML	10.30 AM to 2.00 PM	
25-01-2023	1.70 ML	1.70 ML	10.00 AM to 2.00 PM	
26-01-2023	1.40 ML	1.40 ML	10.15 AM to 3.00 PM	
27-01-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	
28-01-2023	2.00 ML	2.00 ML	11.30 AM to 3.00 PM	
29-01-2023	2.20 ML	2.20 ML	09.30 AM to 3.00 PM	
30-01-2023	2.20 ML	2.20 ML	11.00 AM to 4.00 PM	
31-01-2023	2.10 ML	2.10 ML	10.30 AM to 3.00 PM	
	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	



24

STATEMENT FOR OPERATION AND MAINTENANCE OF
WASTE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- February, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-02-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	Average 1.875 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-02-2023	2.00 ML	2.00 ML	10.00 AM to 2.00 PM	
03-02-2023	1.70 ML	1.70 ML	10.30 AM to 3.00 PM	
04-02-2023	1.30 ML	1.30 ML	10.00 AM to 2.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-02-2023	1.80 ML	1.80 ML	10.00 AM to 2.30 PM	
06-02-2023	2.00 ML	2.00 ML	11.00 AM to 3.00 PM	
07-02-2023	1.40 ML	1.40 ML	10.30 AM to 2.00 PM	
08-02-2023	1.70 ML	1.70 ML	10.30 AM to 2.45 PM	All other equipments including Clarifire are functioning in good condition at STP.
09-02-2023	1.80 ML	1.80 ML	09.30 AM to 3.15 PM	
10-02-2023	2.00 ML	2.00 ML	10.30 AM to 3.15 PM	
11-02-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	
12-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.45 PM	
13-02-2023	2.10 ML	2.10 ML	10.30 AM to 2.00 PM	
14-02-2023	2.10 ML	2.10 ML	10.00 AM to 2.30 PM	
15-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.30 PM	
16-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	
17-02-2023	2.00 ML	2.00 ML	10.00 AM to 2.30 PM	
18-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	STP is running smoothly without any major trouble.
19-02-2023	1.80 ML	1.80 ML	10.00 AM to 2.00 PM	
20-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	Regular maintenance and cleaning done.
21-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	
22-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.30 PM	
23-02-2023	2.00 ML	2.00 ML	10.30 AM to 2.30 PM	
24-02-2023	1.80 ML	1.80 ML	10.00 AM to 2.00 PM	Motor Oil Checked.
25-02-2023	1.40 ML	1.40 ML	10.30 AM to 3.00 PM	
26-02-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	
27-02-2023	2.00 ML	2.00 ML	11.30 AM to 3.00 PM	
28-02-2023	2.00 ML	2.00 ML	09.30 AM to 3.00 PM	



25

**REPORT FOR OPERATION AND MAINTENANCE OF
WASTE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE**

Month- March, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-03-2023	1.60 ML	1.60 ML	9.30 AM to 2.15 PM	Average 1.952 Million Litre (ML) sewerage effluent has been treated at the STP and treated water was released in the canal.
02-03-2023	2.10 ML	2.10 ML	9.00 AM to 3.00 PM	
03-03-2023	1.70 ML	1.70 ML	11.30 AM to 4.10 PM	
04-03-2023	1.30 ML	1.30 ML	10.00 AM to 2.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-03-2023	1.80 ML	1.80 ML	10.00 AM to 1.30 PM	
06-03-2023	2.00 ML	2.00 ML	11.00 AM to 3.25 PM	All other equipments including Clarifire are functioning in good condition at STP.
07-03-2023	2.10 ML	2.10 ML	10.30 AM to 4.15 PM	
08-03-2023	2.10 ML	2.10 ML	10.30 AM to 4.45 PM	
09-03-2023	1.80 ML	1.80 ML	09.30 AM to 3.25 PM	Chlorine dosing done.
10-03-2023	2.00 ML	2.00 ML	10.30 AM to 3.15 PM	
11-03-2023	1.90 ML	1.90 ML	10.10 AM to 2.00 PM	STP is running smoothly without any major trouble.
12-03-2023	2.00 ML	2.00 ML	9.30 AM to 2.15 PM	
13-03-2023	1.80 ML	1.80 ML	10.30 AM to 2.45 PM	
14-03-2023	2.10 ML	2.10 ML	10.30 AM to 2.25 PM	Regular maintenance and cleaning done.
15-03-2023	2.15 ML	2.15 ML	11.30 AM to 4.10 PM	
16-03-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	Motor Oil Checked.
17-03-2023	2.05 ML	2.05 ML	11.00 AM to 2.35 PM	
18-03-2023	2.00 ML	2.00 ML	10.30 AM to 2.10 PM	
19-03-2023	1.80 ML	1.80 ML	10.00 AM to 4.05 PM	
20-03-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	
21-03-2023	2.20 ML	2.20 ML	10.30 AM to 2.15 PM	
22-03-2023	2.00 ML	2.00 ML	10.30 AM to 3.00 PM	
23-03-2023	2.10 ML	2.10 ML	10.30 AM to 2.35 PM	
24-03-2023	2.00 ML	2.00 ML	10.00 AM to 2.55 PM	
25-03-2023	2.10 ML	2.10 ML	10.00 AM to 3.00 PM	
26-03-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	
27-03-2023	2.00 ML	2.00 ML	10.30 AM to 3.00 PM	
28-03-2023	2.20 ML	2.20 ML	09.30 AM to 2.30 PM	
29-03-2023	2.10 ML	2.10 ML	11.00 AM to 2.30 PM	
30-03-2023	2.00 ML	2.00 ML	10.30 AM to 3.00 PM	
31-03-2023	1.60 ML	1.60 ML	10.30 AM to 3.00 PM	



26

REPORT FOR OPERATION AND MAINTENANCE OF
WASTE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- April, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-04-2023	2.10 ML	2.10 ML	10.00 AM to 2.15 PM	Average 2.04 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-04-2023	2.10 ML	2.10 ML	10.00 AM to 2.00 PM	
03-04-2023	1.90 ML	1.90 ML	10.30 AM to 2.00 PM	
04-04-2023	2.10 ML	2.10 ML	10.00 AM to 2.00 PM	
05-04-2023	1.80 ML	1.80 ML	10.00 AM to 2.30 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
06-04-2023	2.00 ML	2.00 ML	10.10 AM to 3.25 PM	
07-04-2023	2.00 ML	2.00 ML	10.30 AM to 2.15 PM	
08-04-2023	2.10 ML	2.10 ML	10.30 AM to 2.00 PM	
09-04-2023	1.80 ML	1.80 ML	09.30 AM to 2.25 PM	All other equipments including Clarifire are functioning in good condition at STP.
10-04-2023	2.00 ML	2.00 ML	10.30 AM to 3.15 PM	
11-04-2023	1.90 ML	1.90 ML	10.10 AM to 2.00 PM	
12-04-2023	2.00 ML	2.00 ML	10.30 AM to 2.45 PM	
13-04-2023	2.30 ML	2.30 ML	10.30 AM to 2.15 PM	Chlorine dosing done.
14-04-2023	2.10 ML	2.10 ML	10.50 AM to 2.15 PM	
15-04-2023	2.30 ML	2.30 ML	10.30 AM to 4.10 PM	
16-04-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	
17-04-2023	2.00 ML	2.00 ML	10.00 AM to 2.30 PM	STP is running smoothly without any major trouble.
18-04-2023	2.00 ML	2.00 ML	10.30 AM to 2.10 PM	
19-04-2023	2.00 ML	2.00 ML	10.00 AM to 4.00 PM	
20-04-2023	2.00 ML	2.00 ML	10.00 AM to 2.30 PM	
21-04-2023	2.00 ML	2.00 ML	09.30 AM to 2.15 PM	Regular maintenance and cleaning done.
22-04-2023	2.00 ML	2.00 ML	10.30 AM to 2.35 PM	
23-04-2023	2.10 ML	2.10 ML	10.30 AM to 2.35 PM	
24-04-2023	2.00 ML	2.00 ML	10.00 AM to 2.50 PM	
25-04-2023	2.10 ML	2.10 ML	10.15 AM to 3.00 PM	Motor Oil Checked.
26-04-2023	1.90 ML	1.90 ML	10.15 AM to 2.00 PM	
27-04-2023	2.00 ML	2.00 ML	10.30 AM to 3.35 PM	
28-04-2023	2.20 ML	2.20 ML	09.30 AM to 3.20 PM	
29-04-2023	2.10 ML	2.10 ML	10.00 AM to 2.00 PM	
30-04-2023	2.30 ML	2.30 ML	10.30 AM to 3.00 PM	



27

REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- May, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-05-2023	1.80 ML	1.80 ML	10.30 AM to 2.15 PM	Average 2.187 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-05-2023	2.00 ML	2.00 ML	10.00 AM to 3.00 PM	
03-05-2023	1.70 ML	1.70 ML	11.30 AM to 4.10 PM	
04-05-2023	2.30 ML	2.30 ML	10.00 AM to 2.00 PM	
05-05-2023	1.85 ML	1.85 ML	10.00 AM to 1.30 PM	
06-05-2023	2.00 ML	2.00 ML	11.10 AM to 3.25 PM	
07-05-2023	2.40 ML	2.40 ML	10.30 AM to 4.15 PM	
08-05-2023	2.70 ML	2.70 ML	10.30 AM to 4.45 PM	
09-05-2023	1.80 ML	1.80 ML	09.30 AM to 3.25 PM	
10-05-2023	2.00 ML	2.00 ML	10.30 AM to 3.15 PM	
11-05-2023	1.90 ML	1.90 ML	10.10 AM to 2.00 PM	All other equipments including Clarifire are functioning in good condition at STP.
12-05-2023	2.00 ML	2.00 ML	10.30 AM to 2.45 PM	
13-05-2023	2.80 ML	2.80 ML	10.30 AM to 2.15 PM	
14-05-2023	2.10 ML	2.10 ML	10.50 AM to 2.25 PM	Chlorine dosing done.
15-05-2023	2.35 ML	2.35 ML	11.30 AM to 4.10 PM	
16-05-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	STP is running smoothly without any major trouble.
17-05-2023	2.05 ML	2.05 ML	11.00 AM to 2.35 PM	
18-05-2023	2.00 ML	2.00 ML	10.30 AM to 2.10 PM	
19-05-2023	2.80 ML	2.80 ML	10.40 AM to 4.05 PM	
20-05-2023	2.00 ML	2.00 ML	10.35 AM to 2.25 PM	Regular maintenance and cleaning done.
21-05-2023	2.20 ML	2.20 ML	11.30 AM to 2.15 PM	
22-05-2023	2.00 ML	2.00 ML	10.30 AM to 4.35 PM	
23-05-2023	2.15 ML	2.15 ML	10.30 AM to 2.35 PM	Motor Oil Checked.
24-05-2023	3.00 ML	3.00 ML	10.00 AM to 2.55 PM	
25-05-2023	2.40 ML	2.40 ML	10.15 AM to 3.00 PM	
26-05-2023	1.90 ML	1.90 ML	10.45 AM to 2.00 PM	
27-05-2023	2.00 ML	2.00 ML	11.30 AM to 3.05 PM	
28-05-2023	2.20 ML	2.20 ML	09.30 AM to 3.20 PM	
29-05-2023	2.50 ML	2.50 ML	11.00 AM to 4.00 PM	
30-05-2023	2.30 ML	2.30 ML	10.30 AM to 3.00 PM	
31-05-2023	2.60 ML	2.60 ML	10.30 AM to 5.00 PM	



28

REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- June, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-06-2023	1.90 ML	1.90 ML	10.00 AM to 2.45 PM	Average 2.053 Million Litre (ML)sewage effluent has been treated at the STP and treated water was released in the canal.
02-06-2023	2.20 ML	2.20 ML	10.00 AM to 3.00 PM	
03-06-2023	1.50 ML	1.50 ML	10.30 AM to 3.00 PM	
04-06-2023	2.30 ML	2.30 ML	10.00 AM to 2.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-06-2023	1.80 ML	1.80 ML	10.00 AM to 3.30 PM	
06-06-2023	2.00 ML	2.00 ML	10.00 AM to 3.00 PM	
07-06-2023	2.10 ML	2.10 ML	10.30 AM to 3.00 PM	
08-06-2023	2.10 ML	2.10 ML	10.30 AM to 3.00 PM	All other equipments including Clarifire are functioning in good condition at STP.
09-06-2023	1.80 ML	1.80 ML	09.30 AM to 3.20 PM	
10-06-2023	2.00 ML	2.00 ML	10.30 AM to 3.15 PM	
11-06-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	Chlorine dosing done.
12-06-2023	2.00 ML	2.00 ML	10.30 AM to 2.45 PM	
13-06-2023	1.80 ML	1.80 ML	10.30 AM to 2.45 PM	STP is running smoothly without any major trouble.
14-06-2023	2.10 ML	2.10 ML	10.00 AM to 2.45 PM	
15-06-2023	2.30 ML	2.30 ML	10.30 AM to 3.10 PM	
16-06-2023	2.00 ML	2.00 ML	10.30 AM to 2.00 PM	Regular maintenance and cleaning done.
17-06-2023	2.00 ML	2.00 ML	10.00 AM to 2.35 PM	
18-06-2023	2.00 ML	2.00 ML	10.30 AM to 2.10 PM	Motor Oil Checked.
19-06-2023	2.60 ML	2.60 ML	10.00 AM to 4.05 PM	
20-06-2023	2.00 ML	2.00 ML	10.00 AM to 2.25 PM	
21-06-2023	2.20 ML	2.20 ML	10.30 AM to 2.15 PM	Regular maintenance and cleaning done.
22-06-2023	2.00 ML	2.00 ML	10.30 AM to 4.05 PM	
23-06-2023	2.10 ML	2.10 ML	10.30 AM to 2.35 PM	Motor Oil Checked.
24-06-2023	2.00 ML	2.00 ML	10.00 AM to 2.55 PM	
25-06-2023	2.20 ML	2.20 ML	10.00 AM to 3.00 PM	
26-06-2023	1.90 ML	1.90 ML	10.00 AM to 2.00 PM	Regular maintenance and cleaning done.
27-06-2023	2.00 ML	2.00 ML	10.30 AM to 3.05 PM	
28-06-2023	2.20 ML	2.20 ML	09.30 AM to 3.20 PM	Motor Oil Checked.
29-06-2023	2.30 ML	2.30 ML	10.00 AM to 4.00 PM	
30-06-2023	2.30 ML	2.30 ML	10.30 AM to 3.00 PM	



29

REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- July, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-07-2023	2.40 ML	2.40 ML	10.30 AM to 3.00 PM	Average 2.158 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-07-2023	2.20 ML	2.20 ML	10.00 AM to 3.00 PM	
03-07-2023	2.10 ML	2.10 ML	10.30 AM to 3.00 PM	
04-07-2023	2.30 ML	2.30 ML	10.00 AM to 2.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-07-2023	2.25 ML	2.25 ML	10.00 AM to 2.30 PM	
06-07-2023	1.90 ML	1.90 ML	10.00 AM to 3.25 PM	
07-07-2023	1.40 ML	1.40 ML	10.30 AM to 3.15 PM	
08-07-2023	1.70 ML	1.70 ML	10.30 AM to 3.45 PM	All other equipments including Clarifire are functioning in good condition at STP.
09-07-2023	1.80 ML	1.80 ML	09.30 AM to 3.25 PM	
10-07-2023	2.10 ML	2.10 ML	10.30 AM to 3.15 PM	
11-07-2023	1.90 ML	1.90 ML	10.10 AM to 2.50 PM	
12-07-2023	2.10 ML	2.10 ML	10.30 AM to 2.45 PM	
13-07-2023	2.30 ML	2.30 ML	10.30 AM to 2.15 PM	
14-07-2023	2.10 ML	2.10 ML	10.50 AM to 2.25 PM	
15-07-2023	2.30 ML	2.30 ML	10.30 AM to 3.30 PM	
16-07-2023	2.50 ML	2.50 ML	10.30 AM to 2.00 PM	
17-07-2023	2.25 ML	2.25 ML	10.00 AM to 2.35 PM	
18-07-2023	2.00 ML	2.00 ML	10.30 AM to 3.10 PM	STP is running smoothly without any major trouble.
19-07-2023	2.30 ML	2.30 ML	10.40 AM to 3.00 PM	
20-07-2023	2.40 ML	2.40 ML	10.35 AM to 2.25 PM	Regular maintenance and cleaning done.
21-07-2023	2.20 ML	2.20 ML	10.30 AM to 3.15 PM	
22-07-2023	2.00 ML	2.00 ML	09.30 AM to 3.05 PM	
23-07-2023	2.10 ML	2.10 ML	10.30 AM to 2.35 PM	
24-07-2023	1.80 ML	1.80 ML	10.00 AM to 2.55 PM	
25-07-2023	2.40 ML	2.40 ML	10.00 AM to 11.45 AM	
26-07-2023	1.90 ML	1.90 ML	11.49 AM to 4.00 PM	
27-07-2023	2.60 ML	2.60 ML	09.45 AM to 3.00 PM	
28-07-2023	2.20 ML	2.20 ML	09.45 AM to 3.00 PM	
29-07-2023	2.50 ML	2.50 ML	10.10 AM to 3.30 PM	
30-07-2023	2.30 ML	2.30 ML	09.25 AM to 2.40 PM	Motor Oil Checked.
31-07-2023	2.60 ML	2.60 ML	09.40 AM to 3.10 PM	



30

REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- August, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-08-2023	2.20 ML	2.20 ML	10.15 AM to 3.30 PM	Average 1.730 Million Litre (ML) sewerage effluent has been treated at the STP and treated water was released in the canal.
02-08-2023	2.10 ML	2.10 ML	10.20 AM to 3.40 PM	
03-08-2023	2.30 ML	2.30 ML	09.20 AM to 3.50 PM	
04-08-2023	2.30 ML	2.30 ML	10.50 AM to 4.00 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-08-2023	2.20 ML	2.20 ML	10.00 AM to 3.00 PM	
06-08-2023	2.20 ML	2.20 ML	10.50 AM to 3.55 PM	
07-08-2023	2.40 ML	2.40 ML	10.38 AM to 12.30 PM	
08-08-2023	2.20 ML	2.20 ML	11.00 AM to 1.10 PM	All other equipments including Clarifire are functioning in good condition at STP.
09-08-2023	1.90 ML	1.90 ML	10.24 AM to 1.40 PM	
10-08-2023	2.10 ML	2.10 ML	04.45 PM to 6.06 PM	
11-08-2023	1.90 ML	1.90 ML	03.06 PM to 5.40 PM	Chlorine dosing done.
12-08-2023	2.10 ML	2.10 ML	04.55 PM to 5.55 PM	
13-08-2023	2.30 ML	2.30 ML	11.10 AM to 1.54 PM	STP is running smoothly without any major trouble.
14-08-2023	2.10 ML	2.10 ML	10.35 AM to 1.50 PM	
15-08-2023	2.30 ML	2.30 ML	11.15 AM to 2.33 PM	
16-08-2023	2.20 ML	2.20 ML	10.40 AM to 4.20 PM	Regular maintenance and cleaning done.
17-08-2023	0.70 ML	0.70 ML	03.00 PM to 3.30 PM	
18-08-2023	0.80 ML	0.80 ML	10.38 AM to 11.50 AM	
19-08-2023	1.00 ML	1.00 ML	11.39 AM to 12.45 PM	Motor Oil Checked.
20-08-2023	0.90 ML	0.90 ML	01.17 PM to 2.27 PM	
21-08-2023	1.20 ML	1.20 ML	04.20 PM to 5.25 PM	
22-08-2023	1.00 ML	1.00 ML	03.10 PM to 4.00 PM	Load shedding
23-08-2023	1.10 ML	1.10 ML	03.50 PM to 5.30 PM	
24-08-2023	0.80 ML	0.80 ML	04.00 PM to 5.20 PM	
25-08-2023	NIL	NO OPERATION	Load shedding	Motor Oil Checked.
26-08-2023	1.20 ML	1.20 ML	11.10 AM to 1.00 PM	
27-08-2023	1.10 ML	1.10 ML	12.10 PM to 1.15 PM	
28-08-2023	NIL	NO OPERATION	Load shedding	Load shedding
29-08-2023	2.00 ML	2.00 ML	05.00 PM to 7.30 PM	
30-08-2023	1.90 ML	1.90 ML	04.50 PM to 7.00 PM	
31-08-2023	1.60 ML	1.60 ML	03.00 PM to 5.00 PM	



31

REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- September, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-09-2023	1.60 ML	1.60 ML	04.00 PM to 6.20 PM	Average 1.868 Million Litre (ML)sewage effluent has been treated at the STP and treated water was released in the canal.
02-09-2023	2.10 ML	2.10 ML	11.00 AM to 2.00 PM	
03-09-2023	1.70 ML	1.70 ML	03.30 PM to 5.30 PM	
04-09-2023	1.80 ML	1.80 ML	04.00 PM to 6.40 PM	
05-09-2023	1.20 ML	1.20 ML	04.25 PM to 6.50 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
06-09-2023	1.30 ML	1.30 ML	04.00 PM to 6.00 PM	
07-09-2023	1.40 ML	1.40 ML	11.00 AM to 1.30 PM	
08-09-2023	1.80 ML	1.80 ML	04.00 PM to 6.40 PM	
09-09-2023	2.00 ML	2.00 ML	03.30 PM to 6.10 PM	All other equipments including Clarifire are functioning in good condition at STP.
10-09-2023	2.10 ML	2.10 ML	04.00 PM to 6.35 PM	
11-09-2023	NIL	NO OPERATION	Load shedding	
12-09-2023	NIL	NO OPERATION	Load shedding	
13-09-2023	1.80 ML	1.80 ML	10.00 AM to 12.15 PM	Chlorine dosing done.
14-09-2023	2.10 ML	2.10 ML	10.00 AM to 12.40 PM	
15-09-2023	2.30 ML	2.30 ML	12.00 noon to 3.50 PM	
16-09-2023	2.00 ML	2.00 ML	10.00 AM to 1.00 PM	
17-09-2023	2.20 ML	2.20 ML	11.00 AM to 2.00 PM	STP is running smoothly without any major trouble.
18-09-2023	1.70 ML	1.70 ML	04.00 PM to 5.30 PM	
19-09-2023	2.30 ML	2.30 ML	11.00 AM to 2.00 PM	
20-09-2023	2.40 ML	2.40 ML	02.00 PM to 5.00 PM	
21-09-2023	2.20 ML	2.20 ML	10.00 AM to 2.00 PM	Regular maintenance and cleaning done.
22-09-2023	2.00 ML	2.00 ML	11.00 AM to 1.30 PM	
23-09-2023	2.10 ML	2.10 ML	12.10 PM to 2.40 PM	
24-09-2023	1.80 ML	1.80 ML	03.00 PM to 5.50 PM	
25-09-2023	1.40 ML	1.40 ML	03.30 PM to 5.40 PM	Motor Oil Checked.
26-09-2023	1.70 ML	1.70 ML	10.00 AM to 1.00 PM	
27-09-2023	1.10 ML	1.10 ML	09.30 AM to 11.50 AM	
28-09-2023	1.60 ML	1.60 ML	09.20 AM to 12.30 PM	
29-09-2023	2.20 ML	2.20 ML	10.00 AM to 1.00 PM	
30-09-2023	2.40 ML	2.40 ML	10.00 AM to 2.00 PM	



32

REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- October, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-10-2023	1.50 ML	1.50 ML	10.00 AM to 1.45 PM	Average 1.364 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.
02-10-2023	1.70 ML	1.70 ML	10.00 AM to 2.35 PM	
03-10-2023	1.70 ML	1.70 ML	10.30 AM to 2.45 PM	
04-10-2023	1.10 ML	1.10 ML	10.00 AM to 11.20 AM	
05-10-2023	1.30 ML	1.30 ML	12.10 PM to 2.00 PM	
06-10-2023	1.60 ML	1.60 ML	10.00 AM to 1.00 PM	
07-10-2023	1.80 ML	1.80 ML	10.30 AM to 2.00 PM	
08-10-2023	2.20 ML	2.20 ML	10.00 AM to 2.40 PM	
09-10-2023	1.10 ML	1.10 ML	10.15 AM to 11.45 AM	
10-10-2023	1.40 ML	1.40 ML	10.00 AM to 12.50 PM	
11-10-2023	1.30 ML	1.30 ML	10.30 AM to 12.50 PM	
12-10-2023	1.10 ML	1.10 ML	10.00 AM to 11.10 AM	
13-10-2023	1.50 ML	1.50 ML	10.00 AM to 1.00 PM	
14-10-2023	1.10 ML	1.10 ML	10.50 AM to 12.20 PM	
15-10-2023	1.30 ML	1.30 ML	11.35 AM to 12.25 PM	Chlorine dosing done.
16-10-2023	1.20 ML	1.20 ML	11.00 AM to 1.00 PM	STP is running smoothly without any major trouble.
17-10-2023	1.20 ML	1.20 ML	09.50 AM to 11.30 AM	
18-10-2023	1.20 ML	1.20 ML	12.15 PM to 1.35 PM	
19-10-2023	1.30 ML	1.30 ML	04.35 PM to 5.20 PM	
20-10-2023	0.50 ML	0.50 ML	09.00 AM to 9.46 AM	Regular maintenance and cleaning done.
21-10-2023	1.10 ML	1.10 ML	09.35 AM to 10.25 AM	
22-10-2023	1.40 ML	1.40 ML	10.00 AM to 10.52 PM	
23-10-2023	1.10 ML	1.10 ML	08.00 AM to 9.00 AM	
24-10-2023	NIL	NO OPERATION	Load shedding	
25-10-2023	NIL	NO OPERATION	Load shedding	Motor Oil Checked.
26-10-2023	1.90 ML	1.90 ML	10.50 AM to 12.00 N	
27-10-2023	1.30 ML	1.30 ML	10.45 AM to 12.10 PM	
28-10-2023	1.20 ML	1.20 ML	08.55 AM to 9.45 AM	
29-10-2023	1.40 ML	1.40 ML	09.00 AM to 10.30 AM	
30-10-2023	1.70 ML	1.70 ML	04.00 PM to 5.00 PM	
31-10-2023	NIL	NO OPERATION	Load shedding	





REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE

Month- November, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-11-2023	0.40 ML	0.40 ML	11.25 AM to 12.45 PM	Average 0.708 Million Litre (ML) sewerage effluent has been treated at the STP and treated water was released in the canal.
02-11-2023	0.70 ML	0.70 ML	12.45 PM to 1.55 PM	
03-11-2023	0.80 ML	0.80 ML	09.55 AM to 11.15 AM	
04-11-2023	0.70 ML	0.70 ML	11.20 AM to 12.10 PM	1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-11-2023	0.70 ML	0.70 ML	10.30 AM to 11.20 AM	
06-11-2023	0.70 ML	0.70 ML	11.10 AM to 12.20 PM	
07-11-2023	0.90 ML	0.90 ML	10.20 AM to 11.50 AM	
08-11-2023	0.70 ML	0.70 ML	10.00 AM to 11.15 AM	All other equipments including Clarifire are functioning in good condition at STP.
09-11-2023	0.80 ML	0.80 ML	09.25 AM to 10.45 AM	
10-11-2023	0.70 ML	0.70 ML	09.20 AM to 10.30 AM	
11-11-2023	0.70 ML	0.70 ML	09.15 AM to 10.20 AM	Chlorine dosing done.
12-11-2023	0.75 ML	0.75 ML	09.35 AM to 10.50 AM	
13-11-2023	0.75 ML	0.75 ML	10.30 AM to 11.55 AM	STP is running smoothly without any major trouble.
14-11-2023	0.80 ML	0.80 ML	12.40 PM to 2.00 PM	
15-11-2023	NIL	NO OPERATION	Load shedding	
16-11-2023	0.70 ML	0.70 ML	10.10 AM to 11.25 AM	Regular maintenance and cleaning done.
17-11-2023	0.70 ML	0.70 ML	09.30 AM to 10.45 AM	
18-11-2023	0.80 ML	0.80 ML	08.40 AM to 10.10 AM	
19-11-2023	0.70 ML	0.70 ML	10.45 AM to 12.00 N	Motor Oil Checked.
20-11-2023	0.70 ML	0.70 ML	10.25 AM to 11.45 AM	
21-11-2023	0.60 ML	0.60 ML	10.35 AM to 11.40 AM	
22-11-2023	0.90 ML	0.90 ML	12.50 PM to 2.10 PM	
23-11-2023	0.80 ML	0.80 ML	10.55 AM to 12.10 PM	
24-11-2023	0.65 ML	0.65 ML	10.50 AM to 11.55 AM	
25-11-2023	0.60 ML	0.60 ML	10.45 AM to 11.50 AM	
26-11-2023	0.70 ML	0.70 ML	03.00 PM to 4.50 PM	
27-11-2023	0.70 ML	0.70 ML	11.55 AM to 1.10 PM	
28-11-2023	0.70 ML	0.70 ML	03.35 PM to 4.45 PM	
29-11-2023	0.70 ML	0.70 ML	12.00 N to 1.10 PM	
30-11-2023	0.50 ML	0.50 ML	10.10 AM to 10.45 AM	



34

**REPORT FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE**

Month- December, 2023

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS	
01-12-2023	1.20 ML	1.20 ML	09.30 AM to 10.50 AM	Average 1.292 Million Litre (ML)sewerage effluent has been treated at the STP and treated water was released in the canal.	
02-12-2023	1.10 ML	1.10 ML	09.50 AM to 11.20 AM		
03-12-2023	1.30 ML	1.30 ML	10.50 AM to 11.50 AM		
04-12-2023	1.30 ML	1.30 ML	09.56 AM to 11.10 AM		
05-12-2023	1.20 ML	1.20 ML	08.50 AM to 10.10 AM		
06-12-2023	1.20 ML	1.20 ML	09.55 AM to 11.10 AM		
07-12-2023	NIL	NO OPERATION	Load shedding		1 / 2 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
08-12-2023	1.50 ML	1.50 ML	11.45 AM to 1.00 PM		
09-12-2023	1.10 ML	1.10 ML	01.00 PM to 1.55 PM		
10-12-2023	1.10 ML	1.10 ML	10.20 AM to 11.15 AM		All other equipments including Clarifire are functioning in good condition at STP.
11-12-2023	1.30 ML	1.30 ML	12.20 PM to 1.30 PM		
12-12-2023	1.35 ML	1.35 ML	12.10 PM to 1.40 PM		
13-12-2023	1.70 ML	1.70 ML	10.40 AM to 1.00 PM		
14-12-2023	1.10 ML	1.10 ML	04.05 PM to 5.10 PM	Chlorine dosing done.	
15-12-2023	1.30 ML	1.30 ML	02.30 PM to 4.20 PM		
16-12-2023	1.20 ML	1.20 ML	09.25 AM to 10.15 AM	STP is running smoothly without any major trouble.	
17-12-2023	1.20 ML	1.20 ML	03.15 PM to 4.45 PM		
18-12-2023	1.00 ML	1.00 ML	11.25 AM to 12.45 PM		
19-12-2023	1.30 ML	1.30 ML	04.00 PM to 5.25 PM	Regular maintenance and cleaning done.	
20-12-2023	1.40 ML	1.40 ML	12.05 PM to 1.45 PM		
21-12-2023	1.20 ML	1.20 ML	12.30 PM to 1.50 PM		
22-12-2023	1.30 ML	1.30 ML	11.00 AM to 12.35 PM		
23-12-2023	0.90 ML	0.90 ML	02.45 PM to 3.58 PM	Motor Oil Checked.	
24-12-2023	1.80 ML	1.80 ML	03.50 PM to 5.10 PM		
25-12-2023	1.20 ML	1.20 ML	11.24 AM to 12.45 PM		
26-12-2023	1.30 ML	1.30 ML	11.10 AM to 12.15 PM		
27-12-2023	1.50 ML	1.50 ML	11.45 AM to 1.05 PM		
28-12-2023	1.20 ML	1.20 ML	11.10 AM to 12.50 PM		
29-12-2023	1.60 ML	1.60 ML	03.40 PM to 5.00 PM		
30-12-2023	1.30 ML	1.30 ML	09.55 AM to 11.15 AM		
31-12-2023	1.60 ML	1.60 ML	11.05 AM to 1.00 PM		



35

**REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE**

Month-January, 2024

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-01-2024	3.20 ML	3.20 ML	09.12 AM to 10.53 AM	Average 3.242 Million Litre (ML)sewage effluent has been treated at the STP and treated water was released in the canal.
02-01-2024	3.30 ML	3.30 ML	11.30 AM to 12.50 PM	
03-01-2024	3.40 ML	3.40 ML	11.07 AM to 12.35 PM	
04-01-2024	3.20 ML	3.20 ML	03.40 PM to 5.00 PM	1/2/3 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
05-01-2024	3.30 ML	3.30 ML	11.05 AM to 12.40 PM	
06-01-2024	3.30 ML	3.30 ML	09.30 AM to 10.30 AM	
07-01-2024	3.20 ML	3.20 ML	11.25 AM to 12.50 PM	All other equipments including Clarifire are functioning in good condition at STP.
08-01-2024	3.30 ML	3.30 ML	10.45 AM to 12.25 PM	
09-01-2024	3.20 ML	3.20 ML	10.43 AM to 11.56 AM	
10-01-2024	3.20 ML	3.20 ML	11.04 AM to 12.20 PM	Chlorine dosing done.
11-01-2024	3.10 ML	3.10 ML	10.24 AM to 11.44 AM	
12-01-2024	3.20 ML	3.20 ML	10.14 AM to 11.45 AM	
13-01-2024	3.20 ML	3.20 ML	03.20 PM to 4.45 PM	STP is running smoothly without any major trouble.
14-01-2024	3.30 ML	3.30 ML	11.00 AM to 12.30 PM	
15-01-2024	3.30 ML	3.30 ML	10.10 AM to 11.40 AM	
16-01-2024	3.20 ML	3.20 ML	10.55 AM to 12.25 PM	Regular maintenance and cleaning done.
17-01-2024	3.30 ML	3.30 ML	10.20 AM to 12.15 PM	
18-01-2024	3.20 ML	3.20 ML	11.20 AM to 12.45 PM	
19-01-2024	3.20 ML	3.20 ML	11.28 AM to 11.40 AM	Motor Oil Checked.
20-01-2024	3.30 ML	3.30 ML	12.12 PM to 1.30 PM	
21-01-2024	3.40 ML	3.40 ML	09.15 AM to 11.20 AM	
22-01-2024	3.20 ML	3.20 ML	03.48 PM to 4.48 PM	
23-01-2024	3.30 ML	3.30 ML	03.50 PM to 5.10 PM	
24-01-2024	3.30 ML	3.30 ML	03.00 PM to 4.25 PM	
25-01-2024	3.20 ML	3.20 ML	10.40 AM to 12.00 N	
26-01-2024	3.30 ML	3.30 ML	02.35 PM to 3.25 PM	
27-01-2024	3.20 ML	3.20 ML	10.00 AM to 11.20 AM	
28-01-2024	3.20 ML	3.20 ML	10.55 AM to 12.10 PM	
29-01-2024	3.10 ML	3.10 ML	10.56 AM to 12.00 N	
30-01-2024	3.20 ML	3.20 ML	11.16 AM to 11.59 AM	
31-01-2024	3.20 ML	3.20 ML	10.31 AM to 12.10 PM	

36

**REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE**

Month-February, 2024

Agency :

F. N. C. Construction & Co.

AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-02-2024	3.20 ML	3.20 ML	09.40 AM to 11.16 AM	Average 3.238 Million Litre (ML)sewage effluent has been treated at the STP and treated water was released in the canal.
02-02-2024	3.30 ML	3.30 ML	11.22 AM to 12.40 PM	
03-02-2024	3.40 ML	3.40 ML	10.45 AM to 12.02 PM	
04-02-2024	3.20 ML	3.20 ML	10.28 AM to 11.48 AM	
05-02-2024	3.30 ML	3.30 ML	04.25 PM to 5.35 PM	
06-02-2024	3.30 ML	3.30 ML	10.40 AM to 12.10 PM	
07-02-2024	3.20 ML	3.20 ML	11.10 AM to 12.42 PM	
08-02-2024	3.30 ML	3.30 ML	10.25 AM to 11.40 AM	
09-02-2024	3.20 ML	3.20 ML	11.00 AM to 12.20 PM	
10-02-2024	3.20 ML	3.20 ML	10.00 AM to 11.40 AM	
11-02-2024	3.10 ML	3.10 ML	10.10 AM to 11.45 AM	1/2/3 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
12-02-2024	3.20 ML	3.20 ML	10.25 AM to 11.40 AM	
13-02-2024	3.20 ML	3.20 ML	11.20 AM to 12.40 PM	
14-02-2024	3.30 ML	3.30 ML	11.18 AM to 12.40 PM	All other equipments including Clarifire are functioning in good condition at STP.
15-02-2024	3.30 ML	3.30 ML	10.50 AM to 12.10 PM	
16-02-2024	3.20 ML	3.20 ML	10.48 AM to 12.05 PM	Chlorine dosing done.
17-02-2024	3.20 ML	3.20 ML	11.10 AM to 12.22 PM	STP is running smoothly without any major trouble.
18-02-2024	3.20 ML	3.20 ML	04.30 PM to 6.15 PM	
19-02-2024	3.20 ML	3.20 ML	11.00 AM to 12.45 PM	
20-02-2024	3.30 ML	3.30 ML	03.20 PM to 4.50 PM	Regular maintenance and cleaning done.
21-02-2024	3.30 ML	3.30 ML	10.50 AM to 12.20 PM	
22-02-2024	3.20 ML	3.20 ML	04.40 PM to 6.20 PM	Motor Oil Checked.
23-02-2024	3.30 ML	3.30 ML	11.50 AM to 1.15 PM	
24-02-2024	3.30 ML	3.30 ML	11.10 AM to 12.30 PM	
25-02-2024	3.20 ML	3.20 ML	12.10 PM to 1.45 PM	
26-02-2024	3.30 ML	3.30 ML	10.40 AM to 12.10 PM	
27-02-2024	3.20 ML	3.20 ML	10.40 AM to 12.05 PM	
28-02-2024	3.20 ML	3.20 ML	11.20 AM to 12.45 PM	
29-02-2024	3.10 ML	3.10 ML	10.10 AM to 11.25 AM	



37

**REGISTER FOR OPERATION AND MAINTENANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEERING DIRECTORATE**

Month-March, 2024

Agency :
F. N. C. Construction & Co.
AD-135, Sector-I, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP	Quantity Discharged from STP	Running Time	REMARKS
01-03-2024	3.20 ML	3.20 ML	11.10 AM to 12.31 PM	Average 3.248 Million Litre (ML)sewage effluent has been treated at the STP and treated water was released in the canal.
02-03-2024	3.30 ML	3.30 ML	11.10 AM to 12.56 PM	
03-03-2024	3.30 ML	3.30 ML	10.50 AM to 12.30 PM	
04-03-2024	3.20 ML	3.20 ML	10.50 AM to 12.30 PM	
05-03-2024	3.30 ML	3.30 ML	11.10 AM to 12.50 PM	
06-03-2024	3.30 ML	3.30 ML	11.25 AM to 01.05 PM	
07-03-2024	3.20 ML	3.20 ML	10.55 AM to 12.35 PM	
08-03-2024	3.30 ML	3.30 ML	10.30 AM to 12.10 PM	
09-03-2024	3.20 ML	3.20 ML	10.45 AM to 12.30 PM	
10-03-2024	3.20 ML	3.20 ML	11.00 AM to 12.50 PM	
11-03-2024	3.10 ML	3.10 ML	11.30 AM to 12.55 PM	1/2/3 nos. Areators in each chamber runs in alternate operation out of total 4 nos. Areators in each chamber.
12-03-2024	3.20 ML	3.20 ML	01.00 PM to 02.15 PM	
13-03-2024	3.20 ML	3.20 ML	12.20 PM to 02.10 PM	
14-03-2024	3.30 ML	3.30 ML	10.20 AM to 11.50 AM	
15-03-2024	3.30 ML	3.30 ML	11.45 AM to 01.30 PM	
16-03-2024	3.20 ML	3.20 ML	11.00 AM to 01.00 PM	
17-03-2024	3.30 ML	3.30 ML	10.30 AM to 12.40 PM	
18-03-2024	3.20 ML	3.20 ML	10.45 AM to 12.20 PM	
19-03-2024	3.40 ML	3.40 ML	03.20 PM to 05.25 PM	
20-03-2024	3.30 ML	3.30 ML	03.00 PM to 04.20 PM	
21-03-2024	3.40 ML	3.40 ML	03.40 PM to 05.35 PM	All other equipments including Clarifire are functioning in good condition at STP.
22-03-2024	3.20 ML	3.20 ML	02.20 PM to 04.00 PM	
23-03-2024	3.30 ML	3.30 ML	11.50 AM to 01.35 PM	
24-03-2024	3.30 ML	3.30 ML	11.30 AM to 12.55 PM	
25-03-2024	3.20 ML	3.20 ML	09.20 AM to 10.40 AM	
26-03-2024	3.30 ML	3.30 ML	01.40 PM to 03.10 PM	
27-03-2024	3.20 ML	3.20 ML	01.50 PM to 03.25 PM	
28-03-2024	3.20 ML	3.20 ML	02.15 PM to 03.55 PM	
29-03-2024	3.10 ML	3.10 ML	11.00 AM to 12.35 PM	
30-03-2024	3.20 ML	3.20 ML	11.20 AM to 12.55 PM	
31-03-2024	3.30 ML	3.30 ML	02.25 PM to 04.15 PM	Chlorine dosing done.
				STP is running smoothly without any major trouble.
				Regular maintenance and cleaning done.
				Motor Oil Checked.



38

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**


Month - APRIL, 2024

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1	4	2024	2.50	2.50	01.00 PM to 03.30 PM	Average 1.398 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal. 1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber. All other equipment including Clarifier are functioning in good condition at STP. Chlorine dosing done. STP running smoothly without any major trouble. Regular maintenance and cleaning done. Motor Oil Checked.
2	4	2024	NO OPERATION			
3	4	2024	1.70	1.70	04.10 PM to 05.40 PM	
4	4	2024	1.10	1.10	11.10 AM to 12.30 PM	
5	4	2024	1.30	1.30	10.25 AM to 11.10 AM	
6	4	2024	1.60	1.60	11.00 AM to 11.40 AM	
7	4	2024	1.80	1.80	11.15 AM to 12.30 PM	
8	4	2024	2.20	2.20	11.55 AM to 01.20 PM	
9	4	2024	1.10	1.10	11.10 AM to 12.50 PM	
10	4	2024	1.40	1.40	10.50 AM to 12.10 PM	
11	4	2024	1.30	1.30	11.10 AM to 12.00 N	
12	4	2024	1.10	1.10	11.40 AM to 12.40 PM	
13	4	2024	1.50	1.50	12.10 PM to 01.25 PM	
14	4	2024	1.10	1.10	11.10 AM to 12.00 N	
15	4	2024	1.30	1.30	02.45 PM to 04.00 PM	
16	4	2024	1.20	1.20	10.00 AM to 11.05 AM	
17	4	2024	1.20	1.20	02.00 PM to 03.15 PM	
18	4	2024	1.20	1.20	10.15 AM to 11.30 AM	
19	4	2024	1.30	1.30	11.20 AM to 12.25 PM	
20	4	2024	1.05	1.05	11.50 AM to 12.55 PM	
21	4	2024	1.10	1.10	04.40 PM to 05.45 PM	
22	4	2024	1.40	1.40	10.50 AM to 12.35 PM	
23	4	2024	1.10	1.10	02.15 PM to 04.15 PM	
24	4	2024	1.10	1.10	02.10 PM to 03.20 AM	
25	4	2024	1.40	1.40	10.50 AM to 11.55 AM	
26	4	2024	1.90	1.90	05.00 PM to 05.15 PM	
27	4	2024	1.30	1.30	11.25 AM to 12.40 PM	
28	4	2024	1.20	1.20	11.35 AM to 12.10 PM	
29	4	2024	1.40	1.40	05.00 PM to 06.00 PM	
30	4	2024	1.70	1.70	12.10 PM to 01.30 PM	



39

SEWERAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

MAY, 2024

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 5 2024	1.00	1.00	11.00 AM to 11.35 AM	Average 1.238 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 5 2024	1.20	1.20	11.00 AM to 11.55 AM	
3 5 2024	1.40	1.40	11.25 AM to 12.40 PM	
4 5 2024	1.10	1.10	04.50 PM to 05.30 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5 5 2024	1.30	1.30	10.35 AM to 10.55 AM	
6 5 2024	1.10	1.10	05.15 PM to 05.55 PM	
7 5 2024	1.20	1.20	10.35 AM to 11.30 AM	
8 5 2024	1.20	1.20	10.55 AM to 11.50 AM	
9 5 2024	1.20	1.20	11.25 AM to 12.25 PM	
10 5 2024	1.10	1.10	10.30 AM to 11.22 AM	
11 5 2024	1.30	1.30	10.27 AM to 11.20 AM	
12 5 2024	1.10	1.10	11.05 AM to 12.00 N	
13 5 2024	1.50	1.50	09.40 AM to 10.30 AM	
14 5 2024	1.10	1.10	11.15 AM to 12.55 PM	All other equipment including Clarifier are functioning in good condition at STP.
15 5 2024	1.30	1.30	04.10 PM to 05.10 PM	
16 5 2024	1.20	1.20	11.25 AM to 12.00 N	Chlorine dosing done.
17 5 2024	1.20	1.20	12.20 PM to 01.10 PM	
18 5 2024	1.20	1.20	10.50 AM to 11.50 AM	STP running smoothly without any major trouble.
19 5 2024	1.30	1.30	11.30 AM to 12.20 PM	
20 5 2024	1.05	1.05	10.45 AM to 11.50 AM	
21 5 2024	1.10	1.10	11.20 AM to 12.00 N	Regular maintenance and cleaning done.
22 5 2024	1.40	1.40	11.20 AM to 12.30 PM	
23 5 2024	1.10	1.10	11.05 AM to 12.10 PM	
24 5 2024	1.10	1.10	02.30 PM to 03.20 AM	
25 5 2024	1.40	1.40	12.20 PM to 01.30 PM	Motor Oil Checked.
26 5 2024	1.20	1.20	11.30 AM to 12.35 PM	
27 5 2024	NO OPERATION			
28 5 2024	1.20	1.20	12.40 PM to 01.50 PM	
29 5 2024	1.40	1.40	11.00 AM to 12.30 PM	
30 5 2024	1.70	1.70	12.10 PM to 01.15 PM	
31 5 2024	1.50	1.50	11.40 AM to 01.00 PM	



40

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - JUNE, 2024

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1	6	2024	1.50	1.50	11.55 AM to 01.20 PM	Average 1.373 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2	6	2024	1.60	1.60	11.40 AM to 01.15 PM	
3	6	2024	1.60	1.60	11.00 AM to 12.35 PM	
4	6	2024	1.10	1.10	11.15 AM to 12.35 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5	6	2024	1.30	1.30	10.30 AM to 11.55 AM	
6	6	2024	1.60	1.60	11.00 AM to 12.40 PM	
7	6	2024	1.40	1.40	11.35 AM to 12.40 PM	
8	6	2024	1.20	1.20	11.25 AM to 12.20 PM	All other equipment including Clarifier are functioning in good condition at STP.
9	6	2024	1.10	1.10	09.45 AM to 11.10 AM	
10	6	2024	1.40	1.40	10.50 AM to 11.30 AM	
11	6	2024	1.90	1.90	10.50 AM to 12.20 PM	
12	6	2024	1.10	1.10	10.20 AM to 11.45 AM	
13	6	2024	1.50	1.50	11.50 AM To 12.50 PM	
14	6	2024	1.10	1.10	11.00 AM To 12.10 PM	
15	6	2024	1.30	1.30	11.35 AM to 12.50 PM	
16	6	2024	1.70	1.70	09.40 AM to 11.00 AM	
17	6	2024	1.20	1.20	11.50 AM to 12.40 PM	
18	6	2024	1.60	1.60	10.50 AM to 12.15 PM	STP running smoothly without any major trouble.
19	6	2024	1.50	1.50	11.00 AM to 12.30 PM	
20	6	2024	1.20	1.20	10.55 AM to 12.00 N	Regular maintenance and cleaning done.
21	6	2024	1.40	1.40	10.45 AM to 12.20 PM	
22	6	2024	1.40	1.40	10.40 AM to 12.15 PM	
23	6	2024	1.10	1.10	11.00 AM to 12.00 N	Motor Oil Checked.
24	6	2024	1.10	1.10	10.55 AM to 11.57 AM	
25	6	2024	1.40	1.40	11.20 AM to 12.50 PM	
26	6	2024	1.20	1.20	10.40 AM to 11.40 AM	
27	6	2024	1.30	1.30	11.05 AM to 12.05 PM	
28	6	2024	1.80	1.80	02.55 PM to 04.10 PM	
29	6	2024	1.40	1.40	10.20 AM to 11.35 AM	
30	6	2024	1.20	1.20	12.05 PM to 01.10 PM	

NOTARY
Panchkari De
Suri Sub-Div.
Bishum
Regd. No. 5/2007
Expiry Feb. 2027
WEST BENGAL

LL

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - JULY, 2024

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1	7	2024	1.80	1.80	11.00 AM to 12.40 PM	Average 1.420 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2	7	2024	1.60	1.60	11.00 AM to 12.05 PM	
3	7	2024	1.70	1.70	11.25 AM to 12.45 PM	
4	7	2024	0.60	0.60	11.40 AM to 11.50 AM	
5	7	2024	1.30	1.30	12.15 PM to 01.40 PM	
6	7	2024	1.60	1.60	03.55 PM to 05.20 PM	
7	7	2024	1.40	1.40	11.00 AM to 12.55 PM	
8	7	2024	NO OPERATION			
9	7	2024	1.40	1.40	12.20 PM to 01.40 PM	
10	7	2024	1.40	1.40	11.00 AM to 12.05 PM	
11	7	2024	1.20	1.20	11.40 AM to 12.00 N	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
12	7	2024	1.10	1.10	12.30 PM to 01.30 PM	
13	7	2024	1.50	1.50	11.40 AM To 01.10 PM	
14	7	2024	1.10	1.10	12.10 PM To 01.15 PM	
15	7	2024	1.30	1.30	11.10 AM to 12.15 PM	All other equipment including Clarifier are functioning in good condition at STP.
16	7	2024	1.70	1.70	11.55 AM to 01.05 PM	
17	7	2024	1.80	1.80	12.55 PM to 02.20 PM	Chlorine dosing done.
18	7	2024	1.30	1.30	11.00 AM to 12.05 PM	
19	7	2024	NO OPERATION			STP running smoothly without any major trouble.
20	7	2024	NO OPERATION			
21	7	2024	NO OPERATION			
22	7	2024	1.40	1.40	12.10 PM to 01.20 PM	Regular maintenance and cleaning done.
23	7	2024	1.30	1.30	11.35 AM to 12.40 PM	
24	7	2024	1.30	1.30	04.33 PM to 05.36 PM	Motor Oil Checked.
25	7	2024	1.40	1.40	11.35 AM to 01.28 PM	
26	7	2024	1.60	1.60	10.15 AM to 12.00 N	
27	7	2024	1.30	1.30	10.50 AM to 11.45 AM	
28	7	2024	NO OPERATION			
29	7	2024	1.50	1.50	11.15 AM to 12.55 PM	
30	7	2024	1.60	1.60	11.05 AM to 12.20 PM	
31	7	2024	1.70	1.70	11.10 AM to 12.40 PM	



42

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - **AUGUST, 2024**

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES	
1	8	2024	1.20	1.20	11.50 AM to 12.55 PM	Average 1.400 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.	
2	8	2024	1.60	1.60	12.50 PM to 02.00 PM		
3	8	2024	NO OPERATION				1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
4	8	2024	1.60	1.60	11.00 AM to 01.00 PM		
5	8	2024	1.30	1.30	10.10 AM to 11.20 AM		
6	8	2024	1.40	1.40	11.20 AM to 12.50 PM		
7	8	2024	1.20	1.20	05.00 PM to 06.10 PM		
8	8	2024	1.40	1.40	11.15 AM to 02.00 PM		
9	8	2024	1.20	1.20	02.45 PM to 03.40 PM		
10	8	2024	1.40	1.40	11.00 AM to 01.10 PM		
11	8	2024	1.20	1.20	04.20 PM To 05.30 PM		
12	8	2024	1.30	1.30	11.00 AM to 12.45 PM	All other equipment including Clarifier are functioning in good condition at STP.	
13	8	2024	1.50	1.50	10.40 AM to 12.30 PM		
14	8	2024	1.10	1.10	03.40 PM To 04.45 PM	Chlorine dosing done.	
15	8	2024	1.30	1.30	11.00 AM To 12.20 PM		
16	8	2024	1.70	1.70	10.15 AM to 12.00 N	STP running smoothly without any major trouble.	
17	8	2024	1.80	1.80	10.00 AM to 12.10 PM		
18	8	2024	1.60	1.60	10.45 AM to 12.40 PM		
19	8	2024	1.50	1.50	11.20 AM to 01.00 PM		
20	8	2024	1.40	1.40	11.10 AM to 12.45 PM		
21	8	2024	1.20	1.20	12.40 PM to 01.55 PM		
22	8	2024	1.40	1.40	03.20 PM to 04.40 PM		Regular maintenance and cleaning done.
23	8	2024	1.30	1.30	10.55 AM to 12.35 PM		
24	8	2024	1.30	1.30	11.10 AM to 12.45 PM		Motor Oil Checked.
25	8	2024	1.50	1.40	11.00 AM to 01.10 PM		
26	8	2024	1.20	1.20	12.40 PM to 01.55 PM		
27	8	2024	1.30	1.30	12.35 PM to 01.45 PM		
28	8	2024	1.40	1.40	11.30 AM to 12.50 PM		
29	8	2024	1.50	1.50	11.50 AM to 01.10 PM		
30	8	2024	1.60	1.60	10.20 AM to 11.45 AM		
31	8	2024	1.70	1.70	10.40 AM to 12.10 PM		



48

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - SEPTEMBER, 2024

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 9 2024	1.10	1.10	11.00 AM to 12.11 PM	Average 1.247 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal. 1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber. All other equipment including Clarifier are functioning in good condition at STP.
2 9 2024	1.20	1.20	10.45 AM to 12.15 PM	
3 9 2024	1.30	1.30	11.15 AM to 12.40 PM	
4 9 2024	1.30	1.30	12.40 PM to 02.15 PM	
5 9 2024	1.30	1.30	10.15 AM to 12.00 N	
6 9 2024	1.10	1.10	12.00 N to 01.15 PM	
7 9 2024	1.20	1.20	11.10 AM to 12.35 PM	
8 9 2024	1.40	1.40	11.15 AM to 01.20 PM	
9 9 2024	1.25	1.25	11.25 AM to 01.10 PM	
10 9 2024	1.20	1.20	11.20 AM to 12.50 PM	
11 9 2024	1.25	1.25	11.00 AM to 12.50 PM	
12 9 2024	1.30	1.30	10.30 AM To 12.20 PM	
13 9 2024	1.30	1.30	10.30 AM to 12.25 PM	
14 9 2024	1.30	1.30	10.30 AM to 12.35 PM	
15 9 2024	NO OPERATION		FLOOD	Chlorine dosing done. STP running smoothly without any major trouble. Regular maintenance and cleaning done. Motor Oil Checked.
16 9 2024	NO OPERATION		FLOOD	
17 9 2024	NO OPERATION		FLOOD	
18 9 2024	NO OPERATION		FLOOD	
19 9 2024	NO OPERATION		FLOOD	
20 9 2024	NO OPERATION		FLOOD	
21 9 2024	NO OPERATION		FLOOD	
22 9 2024	NO OPERATION		FLOOD	
23 9 2024	NO OPERATION		FLOOD	
24 9 2024	NO OPERATION		FLOOD	
25 9 2024	NO OPERATION		FLOOD	
26 9 2024	1.20	1.20	12.10 PM to 01.20 PM	
27 9 2024	1.10	1.10	10.30 AM to 11.50 PM	
28 9 2024	1.20	1.20	11.15 AM to 12.55 PM	
29 9 2024	1.50	1.50	10.20 AM to 01.45 PM	
30 9 2024	1.20	1.20	11.10 AM to 12.30 PM	



LXL

REGISTER FOR THE OPERATION AND MAINTNANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - OCTOBER, 2024

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 10 2024	1.20	1.20	11.10 AM to 01.35 PM	Average 1.287 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 10 2024	1.10	1.10	04.20 PM to 05.40 PM	
3 10 2024	1.20	1.20	10.40 AM to 12.10 PM	
4 10 2024	1.20	1.20	11.20 AM to 12.40 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5 10 2024	1.30	1.30	10.30 AM to 12.00 N	
6 10 2024	1.20	1.20	11.00 AM to 12.25 PM	
7 10 2024	1.20	1.20	11.00 AM to 12.30 PM	
8 10 2024	1.30	1.30	11.00 AM to 12.35 PM	All other equipment including Clarifier are functioning in good condition at STP.
9 10 2024	1.20	1.20	10.45 AM to 12.20 PM	
10 10 2024	1.10	1.10	09.45 AM to 10.30 AM	
11 10 2024	1.20	1.20	08.15 AM to 09.35 AM	
12 10 2024	1.30	1.30	08.15 AM to 09.20 AM	
13 10 2024	1.50	1.50	09.30 AM to 10.50 AM	
14 10 2024	1.10	1.10	09.50 AM to 11.00 AM	
15 10 2024	1.30	1.30	10.35 AM to 11.50 AM	
16 10 2024	1.30	1.30	11.35 AM to 01.15 PM	
17 10 2024	1.30	1.30	11.20 AM to 12.30 PM	
18 10 2024	1.30	1.30	10.25 AM to 11.40 AM	Chlorine dosing done.
19 10 2024	1.50	1.50	10.10 AM to 11.15 AM	
20 10 2024	1.40	1.40	10.15 AM to 11.20 AM	STP running smoothly without any major trouble.
21 10 2024	1.20	1.20	11.20 AM to 12.00 N	
22 10 2024	1.40	1.40	11.00 AM to 12.00 N	
23 10 2024	1.30	1.30	11.00 AM to 12.05 PM	Regular maintenance and cleaning done.
24 10 2024	1.30	1.30	11.30 AM to 12.30 PM	
25 10 2024	1.20	1.20	10.50 AM to 12.50 PM	
26 10 2024	1.20	1.20	10.45 PM to 12.00 N	
27 10 2024	1.30	1.30	10.05 AM to 11.05 AM	
28 10 2024	1.40	1.40	10.50 AM to 12.05 PM	
29 10 2024	1.50	1.50	11.45 AM to 01.05 PM	
30 10 2024	1.50	1.50	10.55 AM to 12.30 PM	
31 10 2024	1.40	1.40	11.40 AM to 01.00 PM	



45

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE


Month - **NOVEMBER, 2024**

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 11 2024	1.10	1.10	11.25 AM to 12.40 PM	Average 1.248 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 11 2024	1.20	1.20	10.50 AM to 12.20 PM	
3 11 2024	1.30	1.30	08.15 AM to 09.30 AM	
4 11 2024	1.30	1.30	10.20 AM to 11.50 AM	
5 11 2024	1.30	1.30	10.50 AM to 12.20 PM	
6 11 2024	1.10	1.10	11.10 AM to 12.40 PM	
7 11 2024	1.20	1.20	11.00 AM to 12.35 PM	
8 11 2024	1.20	1.20	11.20 AM to 12.40 PM	
9 11 2024	1.20	1.20	10.45 AM to 12.05 PM	
10 11 2024	1.20	1.20	11.20 AM to 12.30 PM	
11 11 2024	1.20	1.20	10.45 AM to 12.30 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber. All other equipment including Clarifier are functioning in good condition at STP.
12 11 2024	1.30	1.30	10.45 AM To 12.05 PM	
13 11 2024	1.30	1.30	10.55 AM to 12.00 N	
14 11 2024	1.30	1.30	10.50 AM to 11.55 AM	
15 11 2024	1.30	1.30	10.55 AM to 12.15 PM	
16 11 2024	1.30	1.30	10.50 AM to 11.55 AM	
17 11 2024	1.30	1.30	10.40 AM to 11.45 AM	
18 11 2024	1.30	1.30	11.15 AM to 12.20 PM	
19 11 2024	NO OPERATION			
20 11 2024	1.30	1.30	11.05 AM to 12.15 PM	
21 11 2024	1.30	1.30	10.10 AM to 11.12 AM	Regular maintenance and cleaning done. Motor Oil Checked.
22 11 2024	1.30	1.30	11.45 AM to 12.45 PM	
23 11 2024	1.30	1.30	11.15 AM to 12.30 PM	
24 11 2024	1.30	1.30	10.35 AM to 11.36 AM	
25 11 2024	1.30	1.30	10.45 AM to 12.01 PM	
26 11 2024	1.20	1.20	12.10 PM to 01.30 PM	
27 11 2024	1.10	1.10	10.30 AM to 11.36 AM	
28 11 2024	1.20	1.20	11.45 AM to 11.55 AM	
29 11 2024	1.30	1.30	12.00 N to 01.15 PM	
30 11 2024	1.20	1.20	10.40 AM to 12.10 PM	



48

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - DECEMBER, 2024

Agency:
F.N.C. CONSTRUCTION & CO.
AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 12 2024	1.00	1.00	11.10 AM to 12.10 PM	Average 1.200 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 12 2024	1.10	1.10	11.25 AM to 12.25 PM	
3 12 2024	1.10	1.10	11.52 AM to 12.55 PM	
4 12 2024	1.20	1.20	11.00 AM to 12.10 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5 12 2024	1.10	1.10	11.00 AM to 12.05 PM	
6 12 2024	1.20	1.20	02.05 PM to 03.15 PM	
7 12 2024	1.20	1.20	02.50 PM to 04.10 PM	
8 12 2024	1.20	1.20	11.00 AM to 12.15 PM	All other equipment including Clarifier are functioning in good condition at STP.
9 12 2024	1.20	1.20	10.55 AM to 12.05 PM	
10 12 2024	1.30	1.30	11.00 AM to 12.30 PM	
11 12 2024	1.20	1.20	02.05 PM to 03.15 PM	
12 12 2024	1.30	1.30	02.50 PM to 04.10 PM	
13 12 2024	1.20	1.20	02.35 PM to 03.45 PM	Chlorine dosing done.
14 12 2024	Check up and maintenance			
15 12 2024	Check up and maintenance			
16 12 2024	Check up and maintenance			STP maintenance and checking had been going on from 14-12-2024 till 19-12-2024.
17 12 2024	Check up and maintenance			
18 12 2024	Check up and maintenance			STP running smoothly without any major trouble.
19 12 2024	Check up and maintenance			
20 12 2024	1.40	1.40	11.50 AM to 01.10 PM	
21 12 2024	1.10	1.10	10.10 AM to 11.20 AM	Regular maintenance and cleaning done.
22 12 2024	1.10	1.10	05.00 PM to 06.10 PM	
23 12 2024	1.10	1.10	02.45 PM to 03.40 PM	
24 12 2024	1.10	1.10	11.50 AM to 12.55 PM	
25 12 2024	1.30	1.30	12.50 PM to 02.00 PM	Motor Oil Checked.
26 12 2024	1.40	1.40	11.00 AM to 01.00 PM	
27 12 2024	1.10	1.10	10.10 AM to 11.20 AM	
28 12 2024	1.40	1.40	11.15 AM to 02.00 PM	
29 12 2024	1.20	1.20	02.30 PM to 03.45 PM	
30 12 2024	1.10	1.10	03.40 PM to 04.45 PM	
31 12 2024	1.40	1.40	10.55 AM to 12.35 PM	



47

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - JANUARY, 2025

Agency:
F.N.C. CONSTRUCTION & CO.
AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 01 2025	1.10	1.10	11.50 AM to 12.55 PM	Average 1.237 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 01 2025	1.20	1.20	12.50 PM to 02.00 PM	
3 01 2025	Check up and maintenance			
4 01 2025	Check up and maintenance			STP maintenance and checking had been going on from 03-01-2025 till 06-01-2025.
5 01 2025	Check up and maintenance			
6 01 2025	Check up and maintenance			
7 01 2025	1.30	1.30	11.00 AM to 01.00 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
8 01 2025	1.10	1.10	10.10 AM to 11.20 AM	
9 01 2025	1.30	1.30	11.20 AM to 12.50 PM	
10 01 2025	1.20	1.20	05.00 PM to 06.10 PM	
11 01 2025	1.30	1.30	11.15 AM to 02.00 PM	
12 01 2025	1.20	1.20	02.45 PM to 03.40 PM	
13 01 2025	1.30	1.30	11.00 AM to 01.10 PM	
14 01 2025	1.20	1.20	04.20 PM to 05.30 PM	
15 01 2025	1.30	1.30	11.00 AM to 12.45 PM	
16 01 2025	1.30	1.30	10.40 AM to 12.30 PM	
17 01 2025	1.20	1.20	03.40 PM to 04.45 PM	All other equipment including Clarifier are functioning in good condition at STP.
18 01 2025	1.20	1.20	11.00 AM to 12.20 PM	
19 01 2025	1.30	1.30	10.15 AM to 12.00 N	Chlorine dosing done.
20 01 2025	1.40	1.40	10.00 AM to 12.10 PM	
21 01 2025	1.10	1.10	10.45 AM to 12.40 PM	STP running smoothly without any major trouble.
22 01 2025	1.10	1.10	11.20 AM to 01.00 PM	
23 01 2025	1.20	1.20	11.10 AM to 12.45 PM	Regular maintenance and cleaning done.
24 01 2025	1.20	1.20	12.40 PM to 01.55 PM	
25 01 2025	1.30	1.30	03.20 PM to 04.40 PM	
26 01 2025	1.30	1.30	10.55 AM to 12.35 PM	Motor Oil Checked.
27 01 2025	1.30	1.30	11.10 AM to 12.45 PM	
28 01 2025	1.40	1.40	11.00 AM to 01.10 PM	
29 01 2025	1.20	1.20	12.40 PM to 01.55 PM	
30 01 2025	1.20	1.20	12.35 PM to 01.45 PM	
31 01 2025	1.20	1.20	11.30 AM to 12.50 PM	



48

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - FEBRUARY, 2025

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 02 2025	1.10	1.10	11.30 AM to 12.20 PM	Average 1.203 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 02 2025	1.20	1.20	01.50 PM to 03.00 PM	
3 02 2025	1.10	1.10	12.40 PM to 01.50 PM	
4 02 2025	1.20	1.20	02.30 PM to 03.40 PM	
5 02 2025	1.10	1.10	11.30 AM to 12.40 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6 02 2025	1.20	1.20	11.25 AM to 12.30 PM	
7 02 2025	1.30	1.30	10.15 AM to 11.25 AM	
8 02 2025	1.10	1.10	11.20 AM to 12.40 PM	All other equipment including Clarifier are functioning in good condition at STP.
9 02 2025	1.20	1.20	10.10 AM to 11.30 AM	
10 02 2025	1.20	1.20	11.00 AM to 12.20 PM	
11 02 2025	1.30	1.30	11.20 AM to 12.30 PM	
12 02 2025	1.20	1.20	11.00 AM to 12.10 PM	
13 02 2025	1.30	1.30	01.00 PM to 02.35 PM	
14 02 2025	1.20	1.20	11.10 AM to 12.25 PM	
15 02 2025	1.30	1.30	11.20 AM to 12.30 PM	
16 02 2025	1.30	1.30	01.50 PM to 03.00 PM	
17 02 2025	1.20	1.20	10.50 AM to 12.00 N	
18 02 2025	1.20	1.20	10.15 AM to 12.10 PM	Chlorine dosing done.
19 02 2025	1.30	1.30	10.50 AM to 11.55 AM	
20 02 2025	1.20	1.20	11.10 AM to 12.20 PM	STP running smoothly without any major trouble.
21 02 2025	1.10	1.10	11.10 AM to 12.30 PM	
22 02 2025	1.10	1.10	01.50 PM to 03.00 PM	Regular maintenance and cleaning done.
23 02 2025	1.20	1.20	11.40 AM to 01.00 PM	
24 02 2025	1.20	1.20	11.20 AM to 12.40 PM	Motor Oil Checked.
25 02 2025	1.30	1.30	10.40 AM to 11.50 AM	
26 02 2025	1.20	1.20	10.20 AM to 11.30 AM	
27 02 2025	1.20	1.20	10.10 AM to 11.20 AM	
28 02 2025	1.20	1.20	10.55 AM to 12.10 PM	



49

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - MARCH, 2025

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 03 2025	1.30	1.30	10.40 AM to 12.20 PM	Average 1.250 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 03 2025	1.20	1.20	10.50 AM to 12.20 PM	
3 03 2025	1.30	1.30	10.00 AM to 11.25 AM	
4 03 2025	NO OPERATION			
5 03 2025	1.30	1.30	10.35 AM to 12.15 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6 03 2025	1.20	1.20	11.15 AM to 12.45 PM	
7 03 2025	1.30	1.30	01.20 PM to 02.50 PM	
8 03 2025	1.20	1.20	11.00 AM to 12.10 PM	
9 03 2025	1.30	1.30	10.30 AM to 11.40 AM	All other equipment including Clarifier are functioning in good condition at STP.
10 03 2025	1.20	1.20	10.50 AM to 12.00 N	
11 03 2025	1.30	1.30	10.35 AM to 12.15 PM	
12 03 2025	1.20	1.20	03.00 PM to 04.10 PM	
13 03 2025	1.30	1.30	11.20 AM to 12.40 PM	
14 03 2025	1.20	1.20	11.20 AM to 12.30 PM	
15 03 2025	1.30	1.30	12.00 N to 01.20 PM	
16 03 2025	1.30	1.30	03.00 PM to 04.00 PM	
17 03 2025	1.20	1.20	11.45 AM to 12.55 PM	
18 03 2025	1.20	1.20	12.00 N to 01.10 PM	
19 03 2025	1.30	1.30	10.40 AM to 11.40 AM	STP running smoothly without any major trouble.
20 03 2025	1.40	1.40	01.40 PM to 02.50 PM	
21 03 2025	1.10	1.10	12.10 PM to 12.30 PM	Regular maintenance and cleaning done.
22 03 2025	1.10	1.10	11.25 AM to 12.45 PM	
23 03 2025	1.20	1.20	03.40 PM to 04.40 PM	Motor Oil Checked.
24 03 2025	1.20	1.20	01.50 PM to 03.00 PM	
25 03 2025	1.30	1.30	10.55 AM to 12.00 N	
26 03 2025	1.30	1.30	10.30 AM to 11.10 AM	
27 03 2025	1.30	1.30	10.25 AM to 11.26 AM	
28 03 2025	1.40	1.40	10.10 AM to 11.30 AM	
29 03 2025	1.20	1.20	02.50 PM to 04.00 PM	
30 03 2025	1.20	1.20	10.50 AM to 12.10 PM	
31 03 2025	1.20	1.20	10.45 AM to 11.50 AM	

10/9. 2025



50

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - APRIL, 2025

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 04 2025	1.10	1.10	02.00 PM to 03.10 PM	Average 1.274 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 04 2025	1.20	1.20	11.30 AM to 12.50 PM	
3 04 2025	1.30	1.30	10.30 AM to 11.40 AM	
4 04 2025	1.70	1.70	10.20 AM to 12.30 PM	
5 04 2025	1.30	1.30	11.40 AM to 12.50 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber. All other equipment including Clarifier are functioning in good condition at STP.
6 04 2025	NO OPERATION			
7 04 2025	1.30	1.30	12.40 PM to 01.40 PM	
8 04 2025	1.10	1.10	01.35 PM to 02.40 PM	
9 04 2025	1.30	1.30	10.50 AM to 12.30 PM	
10 04 2025	1.20	1.20	11.00 AM to 12.20 PM	
11 04 2025	1.30	1.30	11.10 AM to 12.20 PM	
12 04 2025	1.20	1.20	01.40 PM to 02.50 PM	
13 04 2025	1.30	1.30	01.40 PM to 02.50 PM	
14 04 2025	1.20	1.20	11.20 AM to 12.30 PM	
15 04 2025	1.30	1.30	02.00 PM to 03.10 PM	Chlorine dosing done.
16 04 2025	1.30	1.30	11.50 AM to 01.00 PM	
17 04 2025	1.20	1.20	11.45 AM to 01.00 PM	STP running smoothly without any major trouble.
18 04 2025	NO OPERATION			
19 04 2025	1.30	1.30	10.50 AM to 11.55 AM	
20 04 2025	1.40	1.40	10.35 AM to 12.00 N	
21 04 2025	1.10	1.10	10.10 AM to 10.38 AM	Regular maintenance and cleaning done.
22 04 2025	1.10	1.10	10.30 AM to 12.00 N	
23 04 2025	1.20	1.20	11.20 AM to 12.35 PM	Motor Oil Checked.
24 04 2025	1.50	1.50	10.30 AM to 12.15 PM	
25 04 2025	1.30	1.30	10.35 AM to 11.40 AM	
26 04 2025	1.30	1.30	11.30 AM to 12.45 PM	
27 04 2025	NO OPERATION			
28 04 2025	1.40	1.40	02.20 PM to 03.40 PM	
29 04 2025	1.30	1.30	02.50 PM to 04.00 PM	
30 04 2025	1.20	1.20	10.40 AM to 11.50 AM	



51

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - MAY, 2025

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 05 2025	1.30	1.30	10.40 AM to 11.50 AM	Average 1.253 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 05 2025	1.20	1.20	10.30 AM to 11.50 AM	
3 05 2025	1.30	1.30	11.30 AM to 12.45 PM	
4 05 2025	1.20	1.20	11.40 AM to 12.55 PM	
5 05 2025	1.30	1.30	01.50 PM to 03.00 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6 05 2025	1.20	1.20	11.40 AM to 12.45 PM	
7 05 2025	1.30	1.30	09.40 AM to 11.10 AM	
8 05 2025	1.20	1.20	10.25 AM to 11.00 AM	
9 05 2025	1.30	1.30	10.40 AM to 11.40 AM	All other equipment including Clarifier are functioning in good condition at STP.
10 05 2025	1.20	1.20	10.15 AM to 12.20 PM	
11 05 2025	1.30	1.30	11.15 AM to 12.10 PM	
12 05 2025	1.30	1.30	12.35 PM to 01.35 PM	
13 05 2025	1.20	1.20	10.20 AM to 11.25 AM	Chlorine dosing done.
14 05 2025	1.20	1.20	10.00 AM to 11.15 AM	
15 05 2025	1.30	1.30	10.20 AM to 12.00 N	
16 05 2025	1.40	1.40	10.25 AM to 11.35 AM	
17 05 2025	1.10	1.10	10.45 AM to 11.10 AM	STP running smoothly without any major trouble.
18 05 2025	1.10	1.10	11.20 AM to 12.30 PM	
19 05 2025	1.20	1.20	10.30 AM to 12.35 PM	
20 05 2025	1.30	1.30	10.35 AM to 11.45 AM	
21 05 2025	1.30	1.30	11.00 AM to 12.30 PM	Regular maintenance and cleaning done.
22 05 2025	1.30	1.30	11.40 AM to 12.10 PM	
23 05 2025	1.30	1.30	10.40 AM to 12.15 PM	
24 05 2025	1.40	1.40	11.15 AM to 12.30 PM	
25 05 2025	1.20	1.20	10.55 AM to 12.00 N	Motor Oil Checked.
26 05 2025	1.20	1.20	10.30 AM to 11.45 AM	
27 05 2025	1.20	1.20	10.25 AM to 12.10 PM	
28 05 2025	1.20	1.20	10.30 AM to 12.00 N	
29 05 2025	1.40	1.40	10.35 AM to 12.40 PM	NO OPERATION
30 05 2025	NO OPERATION			
31 05 2025	1.20	1.20	10.55 AM to 12.25 PM	



52

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - JUNE, 2025

Agency:
F.N.C. CONSTRUCTION & CO.
AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 06 2025	1.30	1.30	11.20 AM to 12.30 PM	Average 1.352 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 06 2025	1.50	1.50	10.45 AM to 12.50 PM	
3 06 2025	1.30	1.30	12.00 N to 01.25 PM	
4 06 2025	1.40	1.40	10.25 AM to 12.00 N	
5 06 2025	1.30	1.30	10.00 AM to 11.30 AM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6 06 2025	1.20	1.20	10.10 AM to 11.30 AM	
7 06 2025	1.30	1.30	11.10 AM to 12.25 PM	
8 06 2025	1.60	1.60	10.10 AM to 12.40 PM	
9 06 2025	1.30	1.30	11.10 AM to 12.25 PM	All other equipment including Clarifier are functioning in good condition at STP.
10 06 2025	1.70	1.70	10.15 AM to 12.25 PM	
11 06 2025	1.60	1.60	10.35 AM to 12.45 PM	
12 06 2025	1.50	1.50	10.35 AM to 12.50 PM	
13 06 2025	1.20	1.20	10.25 AM to 11.25 AM	Chlorine dosing done.
14 06 2025	1.40	1.40	10.45 AM to 12.00 N	
15 06 2025	1.30	1.30	11.15 AM to 12.40 PM	
16 06 2025	1.40	1.40	10.15 AM to 11.25 AM	
17 06 2025	1.70	1.70	10.40 AM to 12.50 PM	STP running smoothly without any major trouble.
18 06 2025	NO OPERATION			
19 06 2025	1.30	1.30	11.50 AM to 12.55 PM	
20 06 2025	1.30	1.30	10.35 AM to 11.50 AM	
21 06 2025	1.20	1.20	10.15 AM to 11.35 AM	Regular maintenance and cleaning done.
22 06 2025	1.30	1.30	10.50 AM to 12.20 PM	
23 06 2025	1.40	1.40	03.35 PM to 05.00 PM	
24 06 2025	1.30	1.30	11.00 AM to 12.20 PM	
25 06 2025	1.20	1.20	10.25 AM to 11.45 AM	Motor Oil Checked.
26 06 2025	1.30	1.30	10.50 AM to 11.45 AM	
27 06 2025	1.30	1.30	11.50 AM to 12.55 PM	
28 06 2025	1.30	1.30	11.00 AM to 12.30 PM	
29 06 2025	1.10	1.10	10.20 AM to 11.50 AM	
30 06 2025	1.20	1.20	10.45 AM to 11.40 AM	



53

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**


Month - JULY, 2025

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 07 2025	1.30	1.30	10.50 AM to 12.00 N	Average 1.267 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 07 2025	1.20	1.20	10.45 AM to 12.10 PM	
3 07 2025	1.30	1.30	10.20 AM to 11.35 AM	
4 07 2025	1.20	1.20	10.40 AM to 11.55 AM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5 07 2025	1.30	1.30	12.30 PM to 01.35 PM	
6 07 2025	1.20	1.20	11.20 AM to 12.10 PM	
7 07 2025	NO OPERATION			All other equipment including Clarifier are functioning in good condition at STP.
8 07 2025	NO OPERATION			
9 07 2025	NO OPERATION			
10 07 2025	1.50	1.50	11.40 AM to 01.00 PM	Chlorine dosing done.
11 07 2025	1.30	1.30	11.20 AM to 12.35 PM	
12 07 2025	1.30	1.30	11.20 AM to 12.50 PM	
13 07 2025	1.20	1.20	10.40 AM to 12.00 N	STP running smoothly without any major trouble.
14 07 2025	1.20	1.20	10.50 AM to 01.00 PM	
15 07 2025	1.30	1.30	10.40 AM to 12.10 PM	
16 07 2025	NO OPERATION			Regular maintenance and cleaning done.
17 07 2025	NO OPERATION			
18 07 2025	NO OPERATION			
19 07 2025	1.20	1.20	10.20 AM to 11.50 AM	Motor Oil Checked.
20 07 2025	NO OPERATION			
21 07 2025	1.30	1.30	12.00 N to 01.10 PM	
22 07 2025	NO OPERATION			
23 07 2025	NO OPERATION			
24 07 2025	1.40	1.40	12.50 PM to 02.10 PM	
25 07 2025	1.20	1.20	10.50 AM to 12.10 PM	
26 07 2025	1.20	1.20	11.10 AM to 12.20 PM	
27 07 2025	1.10	1.10	11.10 AM to 12.20 PM	
28 07 2025	1.20	1.20	02.00 PM to 03.10 PM	
29 07 2025	1.40	1.40	05.00 PM to 06.25 PM	
30 07 2025	1.30	1.30	04.20 PM to 05.40 PM	
31 07 2025	NO OPERATION			



54

**REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWIGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE**

Month - **AUGUST, 2025**

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1	08	2025	1.40	1.40	11.20 AM to 12.50 PM	Average 1.309 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2	08	2025	1.20	1.20	11.30 AM to 12.55 PM	
3	08	2025	1.30	1.30	11.10 AM to 12.20 PM	
4	08	2025	1.30	1.30	11.20 AM to 12.40 PM	
5	08	2025	NO OPERATION			1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6	08	2025	NO OPERATION			
7	08	2025	NO OPERATION			
8	08	2025	1.50	1.50	11.35 AM to 01.00 PM	All other equipment including Clarifier are functioning in good condition at STP.
9	08	2025	NO OPERATION			
10	08	2025	1.40	1.40	02.00 PM to 03.45 PM	
11	08	2025	1.30	1.30	12.10 PM to 01.15 PM	
12	08	2025	NO OPERATION			
13	08	2025	NO OPERATION			
14	08	2025	NO OPERATION			
15	08	2025	1.30	1.30	11.15 AM to 01.10 PM	
16	08	2025	1.40	1.40	11.10 AM to 12.30 PM	
17	08	2025	1.30	1.30	11.15 AM to 12.40 PM	
18	08	2025	1.20	1.20	12.00 N to 01.20 PM	STP running smoothly without any major trouble.
19	08	2025	1.20	1.20	11.40 AM to 12.55 PM	
20	08	2025	NO OPERATION			Regular maintenance and cleaning done.
21	08	2025	1.30	1.30	10.35 AM to 11.50 AM	
22	08	2025	1.30	1.30	12.35 AM to 01.25 PM	
23	08	2025	1.30	1.30	11.45 AM to 12.20 PM	Motor Oil Checked.
24	08	2025	1.40	1.40	10.30 AM to 11.47 AM	
25	08	2025	1.20	1.20	03.52 AM to 05.10 PM	
26	08	2025	1.30	1.30	10.35 AM to 11.55 AM	
27	08	2025	1.20	1.20	11.10 AM to 12.20 PM	
28	08	2025	1.20	1.20	11.45 AM to 12.55 PM	
29	08	2025	1.40	1.40	11.00 AM to 12.10 PM	
30	08	2025	1.30	1.30	11.10 AM to 12.00 N	
31	08	2025	1.40	1.40	11.00 AM to 12.25 PM	

F.N.C. CONSTRUCTION
KOL 64
[Signature]



55

REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - **SEPTEMBER, 2025**

Agency:

F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE	Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1 09 2025	1.20	1.20	11.10 AM to 12.25 PM	Average 1.403 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2 09 2025	1.60	1.60	11.45 AM to 01.00 PM	
3 09 2025	1.30	1.30	11.45 AM to 12.45 PM	
4 09 2025	1.40	1.40	10.40 AM to 11.55 AM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
5 09 2025	1.30	1.30	11.30 AM to 12.50 PM	
6 09 2025	1.20	1.20	11.25 AM to 12.30 PM	
7 09 2025	1.30	1.30	11.30 AM to 12.40 PM	All other equipment including Clarifier are functioning in good condition at STP.
8 09 2025	1.60	1.60	11.15 AM to 12.50 PM	
9 09 2025	1.30	1.30	10.30 AM to 11.45 AM	
10 09 2025	1.70	1.70	01.00 PM to 02.30 PM	Chlorine dosing done.
11 09 2025	1.60	1.60	11.40 AM to 12.45 PM	
12 09 2025	1.50	1.50	04.10 PM to 05.25 PM	
13 09 2025	1.20	1.20	10.15 AM to 11.50 AM	STP running smoothly without any major trouble.
14 09 2025	1.40	1.40	10.50 AM to 12.30 PM	
15 09 2025	1.30	1.30	11.10 AM to 12.40 PM	
16 09 2025	1.40	1.40	10.30 AM to 12.00 N	Regular maintenance and cleaning done.
17 09 2025	1.60	1.60	09.40 AM to 11.20 AM	
18 09 2025	1.30	1.30	10.40 AM to 12.10 PM	
19 09 2025	1.60	1.60	11.40 AM to 01.00 PM	Motor Oil Checked.
20 09 2025	1.30	1.30	11.40 AM to 01.10 PM	
21 09 2025	1.70	1.70	10.45 AM to 11.50 AM	
22 09 2025	1.60	1.60	11.10 AM to 12.20 PM	
23 09 2025	1.50	1.50	11.45 AM to 12.55 PM	
24 09 2025	1.20	1.20	10.40 AM to 12.00 N	
25 09 2025	1.40	1.40	10.30 AM to 12.40 PM	
26 09 2025	1.30	1.30	10.55 AM to 12.00 N	
27 09 2025	1.40	1.40	12.40 PM to 02.10 PM	
28 09 2025	1.30	1.30	01.00 PM to 02.20 PM	
29 09 2025	1.20	1.20	10.40 AM to 12.00 N	
30 09 2025	1.40	1.40	11.20 AM to 12.40 PM	

F.N.C. CONSTRUCTION
FOR





REGISTER FOR THE OPERATION AND MAINTANCE OF
SEWAGE TREATMENT PLANT AT TARAPITH UNDER
PUBLIC HEALTH ENGINEER DIRECTORATE

Month - OCTOBER, 2025

Agency:


F.N.C. CONSTRUCTION & CO.

AD-135, Sector-1, Salt Lake City, Kolkata-700064

DATE			Quantity Received at STP (ML)	Quantity Discharge from STP (ML)	Running Time	REMARKES
1	10	2025	1.40	1.40	10.30 AM to 11.50 AM	Average 1.293 Million Litre (ML) sewerage effluent has been treated at the STP and treated water released in the canal.
2	10	2025	1.30	1.30	11.40 AM to 12.50 PM	
3	10	2025	1.70	1.70	11.40 AM to 01.00 PM	
4	10	2025	1.20	1.20	11.55 AM to 01.00 PM	
5	10	2025	1.30	1.30	12.10 PM to 01.30 PM	1,2 & 3 nos. Aerators in each chamber runs in alternate operation out of total 4 nos. Aerators in each chamber.
6	10	2025	1.20	1.20	12.00 N to 01.25 PM	
7	10	2025	1.30	1.30	11.40 AM to 01.00 PM	
8	10	2025	1.20	1.20	09.50 AM to 11.20 AM	All other equipment including Clarifier are functioning in good condition at STP.
9	10	2025	1.30	1.30	10.10 AM to 11.20 AM	
10	10	2025	1.20	1.20	10.35 AM to 12.00 N	
11	10	2025	1.30	1.30	10.30 AM to 11.45 AM	
12	10	2025	1.30	1.30	10.35 AM to 11.35 AM	
13	10	2025	1.20	1.20	10.40 AM to 11.25 AM	
14	10	2025	1.20	1.20	09.50 AM to 11.10 AM	
15	10	2025	1.30	1.30	10.55 AM to 12.00 N	
16	10	2025	1.40	1.40	11.00 AM to 12.20 PM	
17	10	2025	1.30	1.30	10.20 AM to 11.50 AM	
18	10	2025	1.30	1.30	10.20 AM to 11.40 AM	STP running smoothly without any major trouble.
19	10	2025	1.20	1.20	10.50 AM to 12.10 PM	
20	10	2025	1.30	1.30	10.45 AM to 12.00 N	Regular maintenance and cleaning done.
21	10	2025	1.30	1.30	10.50 AM to 12.00 N	
22	10	2025	1.30	1.30	10.40 AM to 12.10 PM	
23	10	2025	1.30	1.30	11.00 AM to 12.00 N	Motor Oil Checked.
24	10	2025	1.40	1.40	11.00 AM to 12.30 PM	
25	10	2025	1.20	1.20	11.20 AM to 12.30 PM	
26	10	2025	1.30	1.30	11.45 AM to 01.15 PM	
27	10	2025	1.20	1.20	11.00 AM to 12.20 PM	
28	10	2025	1.20	1.20	10.50 AM to 12.10 PM	
29	10	2025	1.40	1.40	11.55 AM to 01.00 PM	
30	10	2025	1.40	1.40	10.50 AM to 12.10 PM	
31	10	2025	1.20	1.20	11.25 AM to 12.35 PM	



STP FLOWCHART



Status of Construction of Secondary Manhole for Hotels and Establishments Discharging Waste Water Directly into the Bwarka River as on 04/11/2025

TOWARDS MUNDAMALINI TALA (RIGHT BANK)

SL NO	HOTEL NAME AND ESTABLISHMENT	LOCATION	CORDINATE	OUTLET	ISLS	Status of Seconadary Manhole
1	SHRADHANJALI HOTEL	MUNDAMALINI TALA ROAD	LAT-24.116065 LONG-87.798253	BACK	1	Completed
2	MAA TARA HOTEL AND LODGE	MUNDAMALINI TALA ROAD	LAT-24.116115 LONG-87.798287	BACK	1	Completed
3	ASHUTOSH HOTEL & LODGE	MUNDAMALINI TALA ROAD	LAT-24.116255 LONG-87.798377	BACK	1	Completed
4	HOTEL RIVER	MUNDAMALINI TALA ROAD	LAT-24.116385 LONG-87.798472	BACK	1	Completed
5	PRINCE HOTEL	MUNDAMALINI TALA ROAD	LAT-24.116485 LONG-87.798502	BACK	1	Completed
6	NAYANTARA LODGE	MUNDAMALINI TALA ROAD	LAT-24.11646 LONG-87.798558	BACK	1	Completed
7	CHATASHAKTI LODGE	MUNDAMALINI TALA ROAD	LAT-24.116533 LONG-87.7986	BACK	1	Completed
8	KESHORY LODGE	MUNDAMALINI TALA ROAD	LAT-24.116542 LONG-87.798664	BACK	1	Completed
9	HOTEL SANTINIBAS	MUNDAMALINI TALA ROAD	LAT-24.11659 LONG-87.79873	BACK	1	Completed
10	SANDIP LODGE	MUNDAMALINI TALA ROAD	LAT-24.116623 LONG-87.798815	BACK	1	Completed
11	SWASTIK NIVAS	MUNDAMALINI TALA ROAD	LAT-24.116729 LONG-87.79888	BACK	1	Completed
12	BHARAT SEVASRAM	MUNDAMALINI TALA ROAD	LAT-24.116912 LONG-87.7994	BACK	1	Completed
13	Rambabu Car Parking	MUNDAMALINI TALA ROAD	LAT-24.116779 LONG-87.798933	BACK	1	Completed

ON MAA TARA SRANI

SL	HOTEL NAME AND	LOCATION	CORDINATE	OUTLET	ISLS	Seconadary
14	LODGE JANCTION	MAA TARA SARANI	LAT-24.115557 LONG-87.797552	BACK	1	Completed
15	THIRTHABAS LODGE	MAA TARA SARANI	LAT-24.114807 LONG-87.796848	BACK	1	Completed



210

59


TOWARDS KABI CHANDRA PUR PATAL KALI ROAD

SL	HOTEL NAME AND	LOCATION	CORDINATE	OUTLET	ISLS	Seconadary
16	APANJAN GUEST HOUSE	KABI CHANDRA PUR PATAL KALI ROAD	LET-24.116052	BACK	2	Completed
			LONG-87.797633			
17	ORBIT HOTEL	KABI CHANDRA PUR PATAL KALI ROAD	LAT-24.116223	BACK	2	Completed
			LONG-87.796528			
18	HOTEL SONER TORI	KABI CHANDRA PUR PATAL KALI ROAD	LET-24.116191	BACK	2	Completed
			LONG-87.797469			
19	HOTEL RUPOSI BANGLA	KABI CHANDRA PUR PATAL KALI ROAD	LAT-24.116172	BACK	2	Completed
			LONG-87.79747479			
20	TARAPADA BHAVAN	KABI CHANDRA PUR PATAL KALI ROAD	LAT-24.116283	BACK	2	Completed
			LONG-87.797488			





Secondary manhole No. 1 for Rambabu car parking having Sl. No. 13.



Secondary manhole No. 2 for Swastik Nibash having Sl. No. 11



Secondary manhole No. 3 near Sandip lodge having Sl. No. 10






Secondary manhole No. 4 for Bharat Seva ashram Shangha having Sl. No. 12



Secondary manhole No. 5 near Hotel Shantinivas having Sl. No. 9




Secondary manhole No. 6 near Keshory Lodge having Sl. No. 8




Secondary manhole No. 7 near Chaya Shakti Lodge having Sl. No. 7







Secondary manhole No. 8 near Nayantara Hotel & restaurant having Sl. No. 6



Secondary manhole No. 9 near Prince Hotel & Hotel River having Sl. No. 5 & 4




Secondary manhole No. 10 near Apanjan Guest House having Sl. No. 20




Secondary manhole No. 11 near Orbit Hotel & Hotel Soner Tori having Sl. No. 21 & 22




Secondary manhole No. 12 near Hotel Ruposi Bangla & Tarapada Bhavan having Sl. No. 23 & 24 .



Secondary manhole No. 13 near Shradhanjali Hotel & Maa Tara Hotel, Lodge having & Ashutosh Hotel & Lodge Sl. No. 1, 2 & 3










Secondary manhole No. 14 near Lodge Junction having Sl. No. 14





Secondary manhole No. 15 near Thirthabas Lodge Sl. No. 15

NOTARY
 Panchkari De
 S...-Divn.
 rghum
 Regd. No. 6/2007
 Expiry Feb. 2027
 GOVT. OF WEST BENGAL





NOTARY
Parikshit De
Sudhakar Divya
Bhumi
Regd. No. 67/2007
Exp. 11/11/2027
GOVT. OF WEST BENGAL



218

Annexure - R-2/IV

67

STP_Inlet:02/Nov/2025 (00:10) - 02/Nov/2025 (12:10)

Timestamp	COD	BOD	pH	TEMP.	TSS	FLOW
02-Nov-2025 12:00	173.54	81.41	6.65	26.8	92.71	0
02-Nov-2025 11:45	172.79	80.49	6.65	26.8	92.59	0
02-Nov-2025 11:30	173.37	80.96	6.66	26.8	93.09	0
02-Nov-2025 11:15	172.85	80.57	6.65	26.8	92.67	0
02-Nov-2025 11:00	173.14	80.94	6.65	26.8	92.86	0
02-Nov-2025 10:45	173.45	81.05	6.66	26.8	92.97	0
02-Nov-2025 10:30	173.02	80.41	6.65	26.8	92.98	0
02-Nov-2025 10:15	173.02	80.77	6.65	26.8	92.68	0
02-Nov-2025 10:00	173.31	80.97	6.64	26.8	92.91	0
02-Nov-2025 09:45	173.88	81.35	6.65	26.8	93.46	0
02-Nov-2025 09:30	173.33	81.25	6.65	26.8	92.87	0
02-Nov-2025 09:15	173.25	81	6.65	26.9	92.79	0
02-Nov-2025 09:00	173.67	81.36	6.64	26.9	93.06	0
02-Nov-2025 08:45	173.25	80.79	6.64	26.8	92.89	0
02-Nov-2025 08:30	173.09	80.84	6.64	26.9	92.66	0
02-Nov-2025 08:15	173.16	80.9	6.64	26.9	92.8	0
02-Nov-2025 08:00	173.21	80.87	6.64	26.9	92.67	0
02-Nov-2025 07:45	173.36	81.07	6.64	26.9	92.7	0
02-Nov-2025 07:30	173.32	81.09	6.64	27	92.89	0
02-Nov-2025 07:15	173.82	81.85	6.64	26.9	92.95	0
02-Nov-2025 07:00	173.78	81.44	6.64	26.9	93.15	0
02-Nov-2025 06:45	173.06	81.1	6.64	27	92.65	0
02-Nov-2025 06:30	173.42	81.26	6.63	27	92.79	0
02-Nov-2025 06:15	173.56	81.26	6.64	27	92.96	0
02-Nov-2025 06:00	174.45	82.22	6.64	27.1	93.38	0
02-Nov-2025 05:45	173.67	81.45	6.63	27.1	92.69	0
02-Nov-2025 05:30	174.01	81.91	6.63	27.1	92.92	0
02-Nov-2025 05:15	173.05	80.87	6.63	27.1	92.55	0
02-Nov-2025 05:00	173.85	81.61	6.63	27.2	93.16	0



68

Timestamp	COD	BOD	pH	TEMP	TSS	FLOW
02-Nov-2025 04:45	173.67	81.34	6.63	27.2	93.07	0
02-Nov-2025 04:30	173.52	81.42	6.62	27.2	92.84	0
02-Nov-2025 04:15	173.76	81.55	6.62	27.3	92.98	0
02-Nov-2025 04:00	173.97	81.68	6.62	27.3	93.14	0
02-Nov-2025 03:45	173.86	81.61	6.62	27.3	93.3	0
02-Nov-2025 03:30	173.95	81.83	6.62	27.4	92.84	0
02-Nov-2025 03:15	173.42	81	6.61	27.4	92.73	0
02-Nov-2025 03:00	174.29	82.04	6.61	27.4	93.35	0
02-Nov-2025 02:45	174.24	81.75	6.61	27.4	93.33	0
02-Nov-2025 02:30	173.92	81.63	6.61	27.5	93.18	0
02-Nov-2025 02:15	173.99	81.55	6.61	27.5	93.19	0
02-Nov-2025 02:00	174.1	81.75	6.61	27.5	93.03	0
02-Nov-2025 01:45	174.06	82.05	6.6	27.6	92.93	0
02-Nov-2025 01:30	173.78	81.48	6.61	27.6	92.87	0
02-Nov-2025 01:15	173.91	81.54	6.6	27.6	93.12	0
02-Nov-2025 01:00	174.14	81.84	6.6	27.7	93.12	0
02-Nov-2025 00:45	173.66	81.61	6.59	27.7	92.86	0
02-Nov-2025 00:30	173.9	81.72	6.6	27.7	93.06	0
02-Nov-2025 00:15	173.83	81.73	6.6	27.8	92.91	0
02-Nov-2025 00:00	173.44	81.19	6.59	27.8	92.65	0
01-Nov-2025 23:45	173.97	81.55	6.59	27.8	93.05	0
01-Nov-2025 23:30	173.97	81.59	6.59	27.9	93.22	0
01-Nov-2025 23:15	174.11	82.12	6.58	27.9	93.05	0
01-Nov-2025 23:00	174.3	82.04	6.59	27.9	93.1	0
01-Nov-2025 22:45	173.97	81.67	6.58	27.9	93.18	0
01-Nov-2025 22:30	174.09	81.8	6.58	27.9	93.09	0
01-Nov-2025 22:15	174.41	82.09	6.58	27.9	93.36	0
01-Nov-2025 22:00	174.18	81.81	6.58	27.9	93.22	0
01-Nov-2025 21:45	173.92	81.31	6.58	27.9	93.11	0
01-Nov-2025 21:30	173.99	81.86	6.58	28	92.95	0
01-Nov-2025 21:15	174.27	81.98	6.57	28	93.11	0



69

Timestamp	COD	BOD	pH	TEMP	TSS	FLOW
01-Nov-2025 21:00	174.57	82.27	6.57	28	93.1	0
01-Nov-2025 20:45	174.01	81.41	6.57	28	93.08	0
01-Nov-2025 20:30	174.3	81.93	6.57	28.1	93.19	0
01-Nov-2025 20:15	174.37	82.18	6.56	28.1	92.93	0
01-Nov-2025 20:00	174.75	82.23	6.56	28.1	93.5	0
01-Nov-2025 19:45	174.12	81.7	6.56	28.1	93.17	0
01-Nov-2025 19:30	174.16	81.6	6.56	28.1	93.21	0
01-Nov-2025 19:15	174.08	81.5	6.55	28.2	93.11	0
01-Nov-2025 19:00	174.96	82.16	6.55	28.2	93.7	0
01-Nov-2025 18:45	174.37	81.97	6.55	28.2	93.07	0
01-Nov-2025 18:30	175.12	82.38	6.55	28.3	93.69	0
01-Nov-2025 18:15	174.6	81.98	6.54	28.3	93.43	0
01-Nov-2025 18:00	175.39	82.78	6.54	28.3	93.45	0
01-Nov-2025 17:45	175.37	83.16	6.53	28.3	93.22	0
01-Nov-2025 17:30	175.35	82.73	6.53	28.3	93.46	0
01-Nov-2025 17:15	174.75	81.96	6.53	28.4	93.45	0
01-Nov-2025 17:00	174.8	81.98	6.53	28.4	93.57	0
01-Nov-2025 16:45	175.34	82.45	6.53	28.4	93.71	0
01-Nov-2025 16:30	175.44	82.78	6.53	28.4	93.56	0
01-Nov-2025 16:15	175.42	83.08	6.53	28.5	93.52	0
01-Nov-2025 16:00	175.32	82.52	6.51	28.5	93.88	0
01-Nov-2025 15:45	175.34	82.58	6.51	28.5	93.64	0
01-Nov-2025 15:30	174.89	81.78	6.5	28.5	93.74	0
01-Nov-2025 15:15	175.49	82.85	6.49	28.5	93.62	0
01-Nov-2025 15:00	175.25	82.52	6.49	28.5	93.76	0
01-Nov-2025 14:45	175.36	82.77	6.49	28.5	93.54	0
01-Nov-2025 14:30	175.72	83.26	6.48	28.5	93.62	0
01-Nov-2025 14:15	175.53	82.73	6.48	28.5	93.68	0
01-Nov-2025 14:00	174.84	82.21	6.48	28.5	93.29	0
01-Nov-2025 13:45	175.55	82.57	6.48	28.5	93.77	0
01-Nov-2025 13:30	175.36	82.43	6.48	28.5	93.7	0



221

70


Timestamp	COD	BOD	pH	TEMP.	TSS	FLOW
01-Nov-2025 13:15	175.59	82.71	6.48	28.5	93.81	0
01-Nov-2025 13:00	175.38	82.36	6.48	28.5	93.79	0
01-Nov-2025 12:45	175.72	82.83	6.47	28.5	94.01	0
01-Nov-2025 12:30	175.6	82.69	6.48	28.5	93.9	0
01-Nov-2025 12:15	175.28	82.52	6.47	28.5	93.71	0



7A

STP_Outlet:31/Oct/2025 (00:00) - 02/Nov/2025 (00:00)

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
02-Nov-2025 00:00	7.76	13.92	48.68	34.53	66.83	29.5
01-Nov-2025 23:45	7.76	13.73	48.41	33.73	67.28	29.5
01-Nov-2025 23:30	7.76	14.06	48.67	33.8	67.51	29.5
01-Nov-2025 23:15	7.75	13.82	48.45	33.73	68.66	29.5
01-Nov-2025 23:00	7.75	13.7	48.41	33.65	68.89	29.5
01-Nov-2025 22:45	7.75	13.65	48.33	33.39	69.12	29.6
01-Nov-2025 22:30	7.75	13.7	48.35	33.36	69.57	29.6
01-Nov-2025 22:15	7.75	13.78	48.42	33.5	68.2	29.6
01-Nov-2025 22:00	7.75	13.85	48.54	33.69	68.43	29.6
01-Nov-2025 21:45	7.75	13.94	48.65	34.26	68.66	29.6
01-Nov-2025 21:30	7.75	14.02	48.75	34.24	68.66	29.6
01-Nov-2025 21:15	7.76	13.81	48.56	33.77	68.89	29.6
01-Nov-2025 21:00	7.76	13.83	48.61	33.89	68.89	29.6
01-Nov-2025 20:45	7.76	13.83	48.71	34.55	68.89	29.7
01-Nov-2025 20:30	7.75	13.83	48.68	34.26	68.89	29.7
01-Nov-2025 20:15	7.75	13.61	48.41	33.52	69.34	29.7
01-Nov-2025 20:00	7.75	13.65	48.38	33.35	69.57	29.7
01-Nov-2025 19:45	7.76	13.97	48.82	34.48	69.57	29.7
01-Nov-2025 19:30	7.77	14.04	48.9	34.57	69.34	29.7
01-Nov-2025 19:15	7.79	14.08	48.99	34.94	69.34	29.7
01-Nov-2025 19:00	7.82	14	48.89	34.61	68.89	29.8
01-Nov-2025 18:45	7.84	14.21	49.04	34.95	68.89	29.8
01-Nov-2025 18:30	7.85	14.2	49.01	34.8	69.12	29.8
01-Nov-2025 18:15	7.85	14.07	49.07	35.43	69.34	29.8
01-Nov-2025 18:00	7.84	14.89	49.84	36.78	69.8	29.8
01-Nov-2025 17:45	7.84	14.78	49.69	36.51	70.72	29.8
01-Nov-2025 17:30	7.81	14.59	49.51	36.1	70.49	29.8
01-Nov-2025 17:15	7.76	14.52	49.4	35.6	70.49	29.8
01-Nov-2025 17:00	7.74	14.27	49.06	34.63	71.4	29.8




72

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
01-Nov-2025 16:45	7.72	14.24	49.08	34.71	71.4	29.8
01-Nov-2025 16:30	7.72	12.84	47.42	30.67	72.55	29.8
01-Nov-2025 16:15	7.73	12.92	47.57	31.46	72.78	29.8
01-Nov-2025 16:00	7.73	12.79	47.48	31.11	74.38	29.8
01-Nov-2025 15:45	7.73	13.03	47.8	31.96	75.52	29.8
01-Nov-2025 15:30	7.72	13.02	47.48	30.54	75.75	29.9
01-Nov-2025 15:15	7.73	13.14	47.82	30.71	76.9	29.8
01-Nov-2025 15:00	7.74	12.93	47.65	30.54	76.9	29.8
01-Nov-2025 14:45	7.74	13.19	47.98	32.4	77.36	29.9
01-Nov-2025 14:30	7.74	14.07	49.03	35.04	78.96	29.8
01-Nov-2025 14:15	7.76	15.34	50	36.48	81.25	29.8
01-Nov-2025 14:00	7.78	11.98	46.6	28.83	84.22	29.8
01-Nov-2025 13:45	7.81	12.1	46.69	29.06	88.11	29.8
01-Nov-2025 13:30	7.83	13.31	47.99	32.73	94.27	29.8
01-Nov-2025 13:15	7.81	13.22	47.84	32.28	102.05	29.8
01-Nov-2025 13:00	7.76	13.39	48.08	32.85	114.64	29.8
01-Nov-2025 12:45	7.74	13.5	48.15	33.11	132.93	29.8
01-Nov-2025 12:30	7.74	13.46	48.08	32.84	151.24	29.7
01-Nov-2025 12:15	7.74	13.11	47.68	31.7	158.11	29.7
01-Nov-2025 12:00	7.74	12.96	47.56	31.4	149.87	29.7
01-Nov-2025 11:45	7.74	13.28	47.85	32.24	125.86	29.7
01-Nov-2025 11:30	7.74	13.19	47.77	31.94	195.85	29.7
01-Nov-2025 11:15	7.75	13.13	47.7	31.73	76.21	29.7
01-Nov-2025 11:00	7.75	13.34	47.95	32.49	73.92	29.8
01-Nov-2025 10:45	7.75	13.22	47.83	32.34	70.95	29.7
01-Nov-2025 10:30	7.74	13.39	47.93	32.19	70.03	29.8
01-Nov-2025 10:15	7.73	13.22	47.88	32.41	68.66	29.7
01-Nov-2025 10:00	7.73	13.34	47.91	32.17	67.97	29.8
01-Nov-2025 09:45	7.73	13.31	47.9	32.4	67.51	29.7
01-Nov-2025 09:30	7.73	13.26	47.86	32.29	67.06	29.8
01-Nov-2025 09:15	7.73	13.31	47.92	32.26	66.83	29.7



78

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
01-Nov-2025 09:00	7.73	13.28	47.97	32.64	66.83	29.7
01-Nov-2025 08:45	7.73	13.31	47.93	32.49	66.6	29.7
01-Nov-2025 08:30	7.73	13.21	47.85	32.41	66.37	29.7
01-Nov-2025 08:15	7.72	13.26	47.86	32.35	66.14	29.7
01-Nov-2025 08:00	7.73	13.47	48.05	32.65	66.14	29.7
01-Nov-2025 07:45	7.73	13.54	48.23	33.29	66.14	29.7
01-Nov-2025 07:30	7.73	13.39	47.99	32.53	65.91	29.7
01-Nov-2025 07:15	7.74	12.97	47.7	32.74	66.14	29.7
01-Nov-2025 07:00	7.75	13.01	47.72	32.79	66.14	29.7
01-Nov-2025 06:45	7.74	12.73	47.48	32.22	66.14	29.7
01-Nov-2025 06:30	7.74	12.71	47.47	32.24	66.14	29.8
01-Nov-2025 06:15	7.74	12.11	46.69	28.94	66.14	29.8
01-Nov-2025 06:00	7.74	12	46.57	28.63	66.37	29.8
01-Nov-2025 05:45	7.75	12.07	46.68	29	66.37	29.8
01-Nov-2025 05:30	7.75	12.18	46.75	29.17	66.6	29.8
01-Nov-2025 05:15	7.77	12.25	46.84	29.4	66.83	29.8
01-Nov-2025 05:00	7.77	12.23	46.75	29.08	66.37	29.8
01-Nov-2025 04:45	7.77	12.38	46.91	29.27	67.06	29.8
01-Nov-2025 04:30	7.77	12.58	47.1	29.8	66.83	29.8
01-Nov-2025 04:15	7.75	12.39	47.16	30.65	67.51	29.8
01-Nov-2025 04:00	7.76	12.39	47.17	30.79	67.28	29.8
01-Nov-2025 03:45	7.76	12.31	47.06	30.45	68.43	29.8
01-Nov-2025 03:30	7.76	12.87	47.53	31.9	66.83	29.8
01-Nov-2025 03:15	7.77	12.3	47.12	30.96	68.2	29.8
01-Nov-2025 03:00	7.79	12.34	46.95	29.89	68.43	29.8
01-Nov-2025 02:45	7.8	12.27	47.03	30.33	69.8	29.8
01-Nov-2025 02:30	7.8	12.32	47.38	31.85	68.89	29.8
01-Nov-2025 02:15	7.81	12.44	47.38	31.77	69.8	29.8
01-Nov-2025 02:00	7.81	12.77	47.7	32.87	69.8	29.9
01-Nov-2025 01:45	7.82	12.98	47.71	32.21	69.12	29.9
01-Nov-2025 01:30	7.84	13.02	47.83	32.9	69.57	29.9



74

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
01-Nov-2025 01:15	7.85	12.92	47.88	32.88	69.57	29.9
01-Nov-2025 01:00	7.87	13.04	48.33	34.42	69.12	30
01-Nov-2025 00:45	7.88	12.1	47.1	31.19	68.89	29.9
01-Nov-2025 00:30	7.88	12.45	47.21	30.92	70.72	30
01-Nov-2025 00:15	7.87	12.13	46.69	28.95	71.86	30
01-Nov-2025 00:00	7.87	12.36	46.92	29.59	72.55	30
31-Oct-2025 23:45	7.88	12.18	46.68	28.8	73.46	30
31-Oct-2025 23:30	7.89	12.1	46.65	28.82	74.61	30
31-Oct-2025 23:15	7.91	12.11	46.66	28.8	74.38	30
31-Oct-2025 23:00	7.93	11.89	46.58	29.07	74.61	30.1
31-Oct-2025 22:45	7.93	11.75	46.24	27.47	73.01	30.1
31-Oct-2025 22:30	7.94	12	46.44	27.91	69.57	30.1
31-Oct-2025 22:15	7.96	12.25	46.98	29.44	70.95	30.1
31-Oct-2025 22:00	7.96	12.2	47.08	29.5	72.78	30.1
31-Oct-2025 21:45	7.97	12.25	46.99	29.11	75.07	30.1
31-Oct-2025 21:30	7.96	12	46.73	28.56	76.9	30.2
31-Oct-2025 21:15	7.92	12.01	46.73	28.46	79.42	30.2
31-Oct-2025 21:00	7.86	11.64	46.41	28.79	81.7	30.2
31-Oct-2025 20:45	7.81	11.88	46.74	29.72	84.22	30.2
31-Oct-2025 20:30	7.81	11.67	46.23	27.68	86.51	30.2
31-Oct-2025 20:15	7.8	12.01	46.6	28.81	86.51	30.2
31-Oct-2025 20:00	7.75	11.92	46.54	28.73	91.78	30.2
31-Oct-2025 19:45	7.71	12.02	46.7	29.4	93.58	30.2
31-Oct-2025 19:30	7.7	11.9	46.46	28.28	80.1	30.3
31-Oct-2025 19:15	7.69	11.78	46.33	27.9	80.1	30.3
31-Oct-2025 19:00	7.69	11.87	46.39	28.04	76.67	30.3
31-Oct-2025 18:45	7.69	15.7	51.66	42.25	77.81	30.2
31-Oct-2025 18:30	7.69	15.25	51.15	41.25	79.64	30.3
31-Oct-2025 18:15	7.7	15.56	51.42	41.6	79.87	30.3
31-Oct-2025 18:00	7.71	15.89	51.67	42.68	69.34	30.3
31-Oct-2025 17:45	7.71	15.85	51.77	43.98	69.57	30.2



*5

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
31-Oct-2025 17:30	7.71	15.59	51.52	42.8	70.03	30.3
31-Oct-2025 17:15	7.72	15.95	51.95	43.44	71.18	30.3
31-Oct-2025 17:00	7.72	15.73	51.81	43.49	70.95	30.3
31-Oct-2025 16:45	7.72	15.53	51.37	42.29	71.18	30.3
31-Oct-2025 16:30	7.73	15.53	51.36	42.55	70.72	30.3
31-Oct-2025 16:15	7.78	15.3	51.1	41.8	71.63	30.3
31-Oct-2025 16:00	7.82	16.28	52.15	43.99	71.86	30.3
31-Oct-2025 15:45	7.83	16.4	52.25	43.64	73.01	30.3
31-Oct-2025 15:30	7.83	16.21	51.92	43.51	73.92	30.3
31-Oct-2025 15:15	7.83	16.04	51.8	43.22	74.84	30.3
31-Oct-2025 15:00	7.82	16.24	51.98	43.91	76.9	30.2
31-Oct-2025 14:45	7.82	16.65	52.65	44.99	78.5	30.3
31-Oct-2025 14:30	7.88	16.3	52.4	45.22	80.33	30.3
31-Oct-2025 14:15	7.94	15.9	52.07	44.85	82.85	30.3
31-Oct-2025 14:00	7.94	15.67	51.9	44.7	86.97	30.3
31-Oct-2025 13:45	7.95	15.74	51.95	44.47	93.13	30.3
31-Oct-2025 13:30	7.98	15.14	51.08	41.82	101.59	30.3
31-Oct-2025 13:15	8	15.05	50.99	41.77	113.5	30.3
31-Oct-2025 13:00	7.98	14.57	50.13	38.69	132.7	30.2
31-Oct-2025 12:45	7.94	14.41	49.91	38.13	164.95	30.2
31-Oct-2025 12:30	7.92	14.66	50.11	38.44	181.2	30.1
31-Oct-2025 12:15	7.89	14.55	50	38.23	183.03	30
31-Oct-2025 12:00	7.9	14.34	49.82	37.88	198.57	29.9
31-Oct-2025 11:45	7.89	14.05	49.48	37.28	211.85	29.8
31-Oct-2025 11:30	7.86	13.92	49.42	37.29	168.16	29.8
31-Oct-2025 11:15	7.78	13.56	49.2	37.85	210.02	29.8
31-Oct-2025 11:00	7.69	13.24	48.75	36.19	320.73	29.6
31-Oct-2025 10:45	7.69	13.38	48.83	36.27	313.64	29.3
31-Oct-2025 10:30	7.69	13.32	48.79	36.13	71.63	29.3
31-Oct-2025 10:15	7.69	13.41	48.89	36.4	72.09	29.3
31-Oct-2025 10:00	7.69	13.35	48.87	36.49	73.24	29.3



76

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
31-Oct-2025 09:45	7.69	13.81	49.24	36.94	69.8	29.3
31-Oct-2025 09:30	7.69	13.77	49.21	36.88	67.74	29.3
31-Oct-2025 09:15	7.69	13.41	48.85	36.35	67.74	29.3
31-Oct-2025 09:00	7.69	13.92	49.44	37.5	66.37	29.3
31-Oct-2025 08:45	7.69	14.24	49.71	37.81	63.39	29.3
31-Oct-2025 08:30	7.69	13.96	49.56	37.86	63.39	29.3
31-Oct-2025 08:15	7.69	13.83	49.52	37.97	64.31	29.3
31-Oct-2025 08:00	7.7	13.93	49.67	38.38	63.62	29.3
31-Oct-2025 07:45	7.69	13.93	49.56	37.91	63.39	29.3
31-Oct-2025 07:30	7.69	15.91	51.57	42.86	62.94	29.3
31-Oct-2025 07:15	7.69	15.65	51.35	42.55	62.71	29.3
31-Oct-2025 07:00	7.69	15.99	51.56	42.25	62.71	29.3
31-Oct-2025 06:45	7.68	15.45	50.98	41.55	62.71	29.3
31-Oct-2025 06:30	7.69	15.06	50.49	40.12	62.48	29.3
31-Oct-2025 06:15	7.69	14.76	50.15	38.69	62.48	29.3
31-Oct-2025 06:00	7.7	14.65	49.99	38.25	62.25	29.3
31-Oct-2025 05:45	7.7	14.88	50.28	38.85	63.16	29.3
31-Oct-2025 05:30	7.7	14.93	50.25	38.7	63.16	29.3
31-Oct-2025 05:15	7.71	14.83	50.15	38.53	63.16	29.4
31-Oct-2025 05:00	7.72	15.02	50.3	38.93	62.94	29.3
31-Oct-2025 04:45	7.72	14.55	49.75	38.03	62.94	29.4
31-Oct-2025 04:30	7.71	14.44	49.57	37.3	62.94	29.4
31-Oct-2025 04:15	7.71	14.17	49.31	36.88	62.94	29.4
31-Oct-2025 04:00	7.71	14.18	49.26	36.59	63.16	29.4
31-Oct-2025 03:45	7.71	14.1	49.26	36.3	63.16	29.4
31-Oct-2025 03:30	7.71	13.61	48.53	34.44	63.16	29.4
31-Oct-2025 03:15	7.71	13.56	48.44	34.11	63.16	29.4
31-Oct-2025 03:00	7.71	13.63	48.55	34.46	63.39	29.4
31-Oct-2025 02:45	7.71	13.75	48.82	35.55	63.62	29.4
31-Oct-2025 02:30	7.71	13.57	48.61	34.86	63.62	29.4
31-Oct-2025 02:15	7.71	13.53	48.59	34.88	63.85	29.4



77

Timestamp	pH	BOD	COD	TSS	FLOW	TEMP.
31-Oct-2025 02:00	7.71	13.32	48.34	34.34	63.85	29.4
31-Oct-2025 01:45	7.71	13.33	48.3	34.05	64.08	29.4
31-Oct-2025 01:30	7.71	12.84	47.88	33.19	64.08	29.5
31-Oct-2025 01:15	7.71	12.64	47.65	32.52	64.08	29.5
31-Oct-2025 01:00	7.72	12.65	47.63	32.3	64.31	29.5
31-Oct-2025 00:45	7.73	12.79	47.88	33.38	64.31	29.5
31-Oct-2025 00:30	7.74	13.23	48.3	33.95	64.54	29.5
31-Oct-2025 00:15	7.74	12.98	48.02	33.5	64.77	29.5
31-Oct-2025 00:00	7.76	12.82	48.05	34.01	65	29.5



Annexure-II

Makin Over and Taking Over the assets as Created by the Tarapith-Rampurhat Development Authority do Hereby solemnly Executed with Authorised Organisation for operation & maintenance, on and from i.e. _____ 2020

Details of fixed assets created by Tarapith- Rampurhat Development Authority given below

Sl.	Name of the G.P/ Committee	Name of the assets	Location of the project/assets	Remark
1	Mandir Committee	Solar Kitchen	Tarapith Maa Tara Temple, Tarapith, Birbhum	

[Signature]
27/02/2020
Signature of Authorized Signatory for making Over the Charge

[Signature]
Signature of Authorized Signatory for Taking Over the Charge

[Signature]
27/02/2020
Executive Engineer
Tarapith Rampurhat Development Authority
Tarapith, Birbhum

[Signature]
Secretary
Taramata Sebaith Sangha
Tarapith * Birbhum

[Signature]
27/2/2020
Executive Officer
Tarapith-Rampurhat Development Authority
&
Sub-Divisional Officer, Rampurhat



**TARAPITH RAMPURHAT
DEVELOPMENT AUTHORITY**

(A Statutory Authority Under Govt. of West Bengal)

P.O. : Tarapith, Birbhum - 731233
Phone : 03461 253499
E-mail : ceo@trda@gmail.com

Memo No:1333/TRDA

Date: 30.08.2025

To
The Director
State Urban Development Agency (SUDA)
Ilgus Bhavan, HC BLOCK, Sector III, Salt Lake City,
Kolkata, West Bengal 700106.

Subject: Request for Consideration of a Micro Planner for Solid Waste Management (SWM) related works & Awareness Activities on SWM in TRDA Area

Respected Sir,

With reference to the Solid Waste Management (SWM) initiatives, we would like to inform you that TRDA is fully committed to comply with all SWM-related norms. We are ensuring proper segregation at source and have also planned extensive awareness campaigns among the residents and stakeholders in our jurisdiction.

In this regard, we have already discussed the matter with *Skillware Edutech Private Limited*, a veteran company in the field of waste management solution. The company has already executed a survey for waste management solution of commercial establishments within the TRDA area and submitted a detailed proposal for conducting the required activities. Considering their experience and commitment, we request you to kindly consider Skillware Edutech Private Limited for implementing the awareness and related micro planning activities under the SWM framework in the areas under the jurisdiction of TRDA.

It is also bring to your kind knowledge that it is very much essential to keep the roads and lanes of Tarapith and its surrounding areas clean and tidy as lakhs of pilgrims and tourists visit this place regularly. Also to keep Tarapith free from various communicable diseases, regular cleaning of the area is very much required. Considering the importance and necessity of regular cleaning of the roads, the Authority has engaged 20 nos. sweepers who regularly sweep the roads and other lanes of Tarapith and its adjacent areas. The wages of these sweepers are being paid from the own fund of TRDA but due to scarcity of own fund of TRDA, the Authority finds it very tough to pay the monthly wages of the 20 nos. sweepers on regular basis. So it would be very much helpful for the Authority if you kindly look into the matter sympathetically and arrange some funds from your end so that their payment can be done without any financial shortage.

We look forward to your kind approval and guidance.

Thanking you,

Yours faithfully,


Executive Officer
Tarapith Rampurhat
Development Authority





**TARAPITH RAMPURHAT
DEVELOPMENT AUTHORITY**

(A Statutory Authority Under Govt. of West Bengal)


P.O. : Tarapith, Birbhum : 731233
Phone : 03461 253499
E-mail : ceotrda@gmail.com

Memo No:1333/01(02)/TRDA

Date: 30.08.2025

Copy forwarded for information and necessary action to:

1. The Chairman, TRDA & Hon'ble Deputy Speaker of W.B. Legislative Assembly.
2. The Vice-Chairman, TRDA.


Executive Officer
Tarapith Rampurhat
Development Authority



232



**TARAPITH RAMPURHAT
DEVELOPMENT AUTHORITY**
(A Statutory Authority Under Govt. of West Bengal)

P.O. Tarapith, Birbhum 731233
Phone: 03461 283499
E-mail: ceo@trda@gmail.com

Memo No: 16474/TRDA/2025-26

Date: 13.11.2025

To
The Director
State Urban Development Agency (SUDA)
Ilgus Bhavan, HC BLOCK, Sector III, Salt Lake City
Kolkata, West Bengal 700106.

Subject: Division of Zone of the areas under the jurisdiction of TRDA for garbage cleaning and proper implementation of SWM project.

Ref: vide Memo No: 1333/TRDA dated 29.08.2025

Respected Sir,

With reference to the above noted subject under reference and as per verbal discussion held earlier, the undersigned would like to inform you that TRDA wants to divide its area into two zones that is Zone-A and Zone-B for proper garbage cleaning and solid waste management. **Zone -A** will consist 03 GPs, namely Kharun GP, Sahapur GP and Barshal GP. It covers the whole area of Tarapith including all hotels, lodges and mainly the Tarapith Temple. TRDA already provides garbage cleaning facility in the above mentioned areas. Also TRDA has engaged some sweepers who regularly sweep the road of Tarapith and its surrounding areas. TRDA provide their wages from the own fund of the Authority.

It is also pertinent to mention that the areas surrounding Rampurhat Govt. Hospital and medical college, under the Dakhalbati GP, is also under the jurisdiction of TRDA. It is very much essential to keep the hospital surrounding areas clean and tidy as lakhs of patients and their family members visit the place regularly. Due to footfall of large number of people, various types of dry and wet waste, plastics etc. have been accumulated here and there. To keep that area free from various communicable diseases, regular cleaning is very much required. Considering the importance and necessity of regular cleaning, the Authority wants to enlist the Dakhalbati GP under **Zone-B**. Also TRDA wants to employ some sweepers and garbage cleaning staffs that will regularly sweep the roads and clean the adjacent areas of the Rampurhat Hospital.

So it would be very much helpful for the Authority if you kindly look into the matter and take necessary steps accordingly from your end.

Looking forward to your kind approval and guidance.



Executive Officer

Tarapith Rampurhat Development Authority

Tarapith, Birbhum
Executive Officer

1st Rampurhat Development Auth.
Tarapith Birbhum

233



**TARAPITH RAMPURHAT
DEVELOPMENT AUTHORITY**

(A Statutory Authority Under Govt. of West Bengal)

P.O. : Tarapith, Birbhum : 731233
Phone : 03461 253499
E-mail : ceotrda@gmail.com

Memo No: 1647/1(OH)/TRDA/2025-26

Date: 13.11.2025

Copy forwarded for information and necessary action to:

1. The Chairman, TRDA.
2. The District Magistrate, Birbhum & Member, TRDA
3. The Vice-Chairman, TRDA.
4. Executive Engineer, TRDA

Executive Officer
Tarapith Rampurhat Development Authority
Tarapith, Birbhum
Executive Officer
Rampurhat Development Auth.
Tarapith Birbhum





Memo No:1748/TRDA/25-26

Date: 08-12-25

To
The Director
State Urban Development Agency (SUDA)
Ilgus Bhavan, HC BLOCK, Sector III, Salt Lake City
Kolkata, West Bengal 700106.

Subject: Seeking approval to the proposal of SWM project by TRDA at Tarapith and its surrounding areas.


Ref: Vide Memo No1647/TRDA/25-26,DT-13-11-2025.

Through Proper channel of District Magistrate, Birbhum.

Respected Sir,

With reference to the above noted subject under reference, it is to bring to your kind knowledge that in connection with compliance of the Hon'ble NGT's Direction dated 29.01.2019 passed in O.A. No. 474/2018/EZ (earlier O.A. No. 30/2014/EZ), DM office, Birbhum has enquired to TRDA about the present status and progress report of the implementation of SWM project at Tarapith. The whole matter is associated with the court case of NGT and DM office has to put a reply to the court case accordingly.

Therefore it is to request you to give your kind consent to the proposal of SWM project implementation, sent from this Authority as early as possible. Looking forward for a quick approval from your end. Kindly do the needful and oblige.



Executive Officer
Tarapith Rampurhat Development Authority
Tarapith, Birbhum

Memo No:1748/01(03)/TRDA/25-26



Date: 08-12-25

Copy forwarded for information and necessary action to:

1. The Chairman, TRDA.
2. The Vice-Chairman, TRDA.
3. Executive Engineer, TRDA.


Executive Officer
Tarapith Rampurhat Development Authority
Tarapith, Birbhum





236

Annexure-R-2/VII

85

Government of West Bengal
Office of the District Magistrate & Collector
Birbhum.

Memo No. 2378/R.M.

Dated 15th December, 2025

To,

1. The Executive Officer, TRDA and Sub-Divisional Officer, Rampurhat Sub-Division
2. The Block Development Officer, Rampurhat-II Dev. Block
3. The Block Development Officer, Rampurhat-I Dev. Block
4. The Sub-Divisional Police Officer, Rampurhat Sub-Division.
5. The Executive Officer, Rampurhat Municipality
6. The Inspector-in-Charge, Rampurhat Police Station.
7. The Officer-in-Charge, Tarapith Police Station.
8. The Officer-in-Charge, Margram Police Station.
9. The Officer-in-Charge, Mallarpur Police Station.


WHEREAS, manufacture, import, stock, distribution, sell and use of plastic carry bags made of virgin or recycled plastic less than one hundred twenty (120) microns in thickness has been banned under the Plastic Waste Management Rules, 2016 as amended vide G.S.R. 133(E) dated 16.12.2022, with effect from 31.12.2022;

AND WHEREAS, the State Government of West Bengal in the Environment Department has also issued Notification No. EN/1209/3C-22/2019 dated 27.06.2022 prohibiting manufacture, import, stock, distribution, sell and use of certain single-use plastic items including polystyrene and expanded polystyrene commodities, as mentioned in the said Notification, with effect from 01.07.2022;

Now, in view to strict compliance/implementation of the above restriction/ban within the entire territorial jurisdiction of the Tarapith-Rampurhat Development Authority (TRDA), the following Enforcement Team is hereby set-up with immediate effect.

1. The Executive Officer, TRDA and SDO, Rampurhat Sub-Division.
2. The Block Development Officer, Rampurhat-II Dev. Block
3. The Block Development Officer, Rampurhat-I Dev. Block
4. The Sub-Divisional Police Officer, Rampurhat Sub-Division
5. The Executive Officer, Rampurhat Municipality
6. The Inspector-in-Charge, Rampurhat Police Station
7. The Officer-in-Charge, Tarapith Police Station
8. The Officer-in-Charge, Margram Police Station
9. The Officer-in-Charge, Mallarpur Police Station

The Enforcement Team shall ensure strict implementation of the prohibitions/ban including promotion of public awareness and meet once in every fortnight to review the circumstances for further planning, as may be necessary.



Jawar Singh
District Magistrate & Collector
Birbhum.


237 & 6

Memo No. 2378/1(5)/R.M.

Dated 15th December, 2025

Copy forwarded for kind information and necessary action to:

1. The Chairman, TRDA and the Hon'ble Deputy Speaker, West Bengal Legislative Assembly.
2. The Superintendent of Police, Birbhum.
3. The Additional District Magistrate, General/Development/Zilla Parishad/Land Reforms /Land Acquisition.
4. The Chairman, Rampurhat Municipality
5. The Prodhan, Kharun GP / Barsal GP / Dokhalbati GP / Kusumba GP / Ayas GP / Sahapur GP / Budigram GP / Dabuk GP



District Magistrate & Collector
Birbhum.

Memo No. 2378/2(2)/R.M.

Dated 15th December, 2025

Copy forwarded to:

1. The DIO NIC, Birbhum to upload this Order in the district website.
2. The DICO, Birbhum for wide publicity and public awareness.


District Magistrate & Collector
Birbhum.



BEFORE THE NATIONAL GREEN
TRIBUNAL EASTERN ZONE BENCH,
FINANCE CENTRE,
3RD FLOOR, NEW TOWN, KOLKATA.

Execution Application No.6/2025/EZ
(Arising out of Original Application No.30
of 2014/EZ)

In the matter of :
Joydeep Mukherjee

...Decree Holder

Versus

Chief Secretary, Government of West
Bengal & Ors.

...Judgment Debtor (s)

AFFIDAVIT OF COMPLIANCE TO THE
DIRECTIONS DATED 29.07.2019 AND
10.10.2025 PASSED BY THIS HON'BLE
TRIBUNAL IN ORIGINAL
APPLICATION NO. 30 OF 2014/EZ,
FILED ON BEHALF OF THE
RESPONDENT NO.2/JUDGMENT
DEBTOR NO.2, THE DISTRICT
MAGISTRATE, BIRBHUM.

Filed By:-

Sibojyoti Chakrabarti
Advocate
State of West Bengal
(M): 9007035534