



क्षेत्रीय कार्यालय-उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद
Regional Office, U.P. Pollution Control Board, Ghaziabad
Website- www.uppcb.com, e-mail:-roghaziabad@uppcb.in

संदर्भ संख्या : 1202/NGT-123/OA-68/2021/2024

दिनांक 30/05/2024

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi
E-mail- judicial-ngt@gov.in & ngt.filling@gmail.com

Sub: Compliance Report reference to order dated 16.05.2024 passed by Hon'ble National Green Tribunal Principal Bench, New Delhi in OA No. EA No. 33/2021 In OA No. 68/2021 Sushil Raghav Vs Union of India & Ors. – reg.

Respected Sir,

With reference to the above-mentioned subject in compliance of Hon'ble National Green Tribunal, order dated 16.05.2024 in EA no. 33/2021 in OA no. 68/2021 in the matter of Sushil Raghav vs Union of India & ors. Compliance Report is hereby submitted for kind perusal and necessary action please.

Enclosure: Compliance Report.

Yours Sincerely

(Vikas Mishra)
Regional Officer

Copy to:

1. Member Secretary, U.P. Pollution Control Board, Lucknow for information.
2. Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information.
3. Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action please.
4. Law Officer-I, U.P. Pollution Control Board, Lucknow for information.

Regional Officer

क्षेत्रीय कार्यालय : आई0एन0एस0-2, सेक्टर-16, वसुन्धरा, गाजियाबाद-201012 फोन-0120-4160108
मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ 226010

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,**PRINCIPAL BENCH, NEW DELHI****EA No. 33/2021.****In****OA No 68/2021****Sushil Raghav****APPLICANT****Versus****Union of India & Ors****RESPONDENTS**

Compliance Report reference to order dated 16.05.2024 passed by Hon'ble National Green Tribunal Principal Bench, New Delhi in OA No. EA No. 33/2021 In OA No. 68/2021 Sushil Raghav Vs Union of India & Ors.

It is most respectfully showeth:

1) That, Hon'ble National Green Tribunal (here in after referred to as NGT) vide its order dated 16.05.2024 in the above said matter has passed certain directions, relevant portion is reproduced here under:

".....12. The reply on behalf of UPPCB dated 13.05.2024 has been filed and the counsel for UPPCB during the course of interaction stated that UPPCB is not responsible for taking any action and he cannot make a statement if sewage is still flowing in the storm water drain. Along with the response of UPPCB no water sample analysis report of samples taken from storm water drain have been filed. We are of the view that once an issue relating to flowing of sewage in storm water drain is raised then it is the responsibility of the UPPCB to take sample from storm water drain in question and get them analyzed to find out correct position and once the photographs are enclosed with details of the area by the applicant showing that the sewage is flowing openly then it is the responsibility of the UPPCB to find out the person responsible for the same and take appropriate action for imposition of

environmental compensation. We find that UPPCB has not only failed to discharge their responsibility but an incorrect stand has been taken that UPPCB has no responsibility in this matter.

13. In above background, we give one more opportunity to the concerned respondents to comply with the order and file compliance report at least one week before the next date.....”

- 2) That, in compliance to the direction issued on 16.05.2024 by the Hon’ble NGT, an inspection of site in question was made by officials from Regional Office, Uttar Pradesh Pollution Control Board, Ghaziabad on 15.07.2024 in reference to discharge of untreated sewage/effluent in storm water drains in village Karkar model situated in Municipal Corporation ward no. 43 at Sahibabad, Ghaziabad as raised by the applicant.
- 3) That, during visit inspection team interacted to local residents and it was apprised that sewer line has been laid but not connected to sewerage system and lack of combination of sewerage network untreated sewage coming from household is flowing in open drains.
- 4) That, during inspection it was observed that untreated sewage coming from household of karkar model is flowing in open drains and meeting in Sahibabad drain. Photograph taken during inspection from various points of drains is shown below.





- 5) That, it is also pertinent to mention here that Sahibabad drain carries untreated domestic effluent of residential areas Bhopura, Gagan Vihar, Shalimar Garden, Garima garden, Janakpuri, Pasaunda, Rajendra Nagar Residential area, Village Sahibabad, Village Jhandapur, village Karkar mandan, Village Maharajpur, Chander Nagar, Surya Nagar, Kaushambi & Vaishali etc. and carries treated effluent of industries located in Sahibabad Industrial Area and Rajendra Nagar Industrial Area. Sahibabad drain is partially tapped for treatment near NH-24 in 74MLD STP at Indirapuram before entering in Delhi at Ghazipur. Rest effluent of Sahibabad drain meets in Shahdara Drain and finally meets in Yamuna River in Okhla Barrage.
- 6) That, during inspection officials of Uttar Pradesh Pollution Control Board have taken samples from various points of the drains situated in karkar model. Results of drain sample collected from various points as shown below.

Sl. No	Name of Sampling Point	pH	Color	Odo ur	B.O.D . mg/L	C.O.D . mg/L	T.S.S. Mg/L	Total Coliform (MPN/100 mL)	Fecal coliform (MPN/100 mL)
1.	Purana Shiv Mandir, Rana Gali, Kadkad Model Sahibababd Ghaziabad	7.00	Turbid	Faint	42.0	198.0	184.0	32x10 ⁵	26x10 ⁵
2.	Railway Fatak Road, Kadkad Model Sahibababd Ghaziabad	7.20	Turbid	Faint	58.0	216.0	112.0	39x10 ⁵	33x10 ⁵
3.	Infront of Rakesh House, Kadkad Model Sahibababd Ghaziabad	6.85	Turbid	Faint	34.0	160.0	68.0	27x10 ⁵	22x10 ⁵

Remark:-The above analysis results of the drain's sample collected from various location indicates the characteristics of untreated domestic effluent.

- 7) That, during inspection officials of Uttar Pradesh Pollution Control Board also collected samples from various point of Sahibabad drain. Results of drain sample collected from various points as shown below.

S.No	Sampling point	pH	Color	Odour	B.O.D mg/L	C.O.D mg/L	TSS mg/L
1.	Sahibabad Village Site-4, Sahibabad Ghaziabad	6.89	Turbid	Faint	126.0	290.0	135.0
2.	Rapid Rail Metro Station, Site-4, Sahibabad Ghaziabad	7.10	Turbid	Faint	114.0	286.0	120.0
3.	Surya Nagar Bridge	6.20	Turbid	Faint	124.0	298.0	132.0
4.	Near Country Inn Hotel Site-4, Sahibabad Ghaziabad	7.12	Turbid	Faint	112.0	282.0	110.0
5.	Sahibabad Drain Tapping Point	6.84	Blackish	Unpleasant	112.0	288.0	210.0

- 8) That, the area of karkar model is situated in Municipal Corporation ward no. 43 at Sahibabad in Ghaziabad which is under the jurisdiction of Nagar Nigam, Ghaziabad. Having regard to inspection regarding sewerage network and treatment of sewage coming from the area in question, Uttar Pradesh Pollution Control Board issued a letter to Nagar Nigam, Ghaziabad on 22.07.2024 and reply is awaited. The copy of said letter is attached herewith as **Annexure-1**.
- 9) That, Uttar Pradesh Pollution Control Board has issued show cause notice to Nagar Nigam, Ghaziabad for imposition of Environmental Compensation of Rs. 2,45,00,000/- for the period of 01.07.2020 to 15.07.2024 (Total 49 Months) on 17.08.2024 The copy of said letter is attached herewith as **Annexure-2**.
- 10) That, in compliance of recommendations given by the Yamuna Monitoring Committee (YMC) appointed by Hon'ble Tribunal, monitoring of total 11 STPs situated in District Ghaziabad is being carried out on weekly basis by U.P. Pollution Control Board. Compliance status of each STP in month of July-2024 are as follows: -

S. No.	Name of STP	Date	pH	Color	B.O.D mg/L	C.O.D mg/L	T.S.S mg/L	Total Coliform MPN/100 ml	Fecal Coliform MPN/100 ml
1.	74 MLD SBR STP, Indirapuram	03.07.2024	7.17	Colourless	8.0	58.0	9.0	2200	930
		10.07.2024	7.23	Colourless	7.0	59.0	9.0	1700	680
		16.07.2024	7.32	Colourless	7.0	56.0	8.0	1400	610
		24.07.2024	7.16	Colourless	6.0	54.0	7.0	1200	400
		30.07.2024	7.24	Colourless	7.0	55.0	6.0	1500	610
2.	56 MLD UASB STP, Indirapuram	03.07.2024	7.27	Turbid	14.0	90.0	20.0	1400	680
		10.07.2024	7.12	Turbid	12.0	88.0	17.0	1100	400
		16.07.2024	7.08	Turbid	10.0	82.0	14.0	2100	830
		24.07.2024	7.52	Turbid	12.0	84.0	15.0	2200	930
		30.07.2024	7.21	Turbid	14.0	92.0	16.0	2700	930
3.	56 MLD SBR STP, Dudahaida, Vijay Nagar	03.07.2024	7.45	Colourless	7.0	52.0	6.0	2500	610
		10.07.2024	7.18	Colourless	8.0	56.0	7.0	2200	680
		19.07.2024	7.26	Colourless	9.0	58.0	8.0	2700	930
		24.07.2024	7.16	Colourless	8.0	54.0	7.0	2100	830
		31.07.2024	7.22	Colourless	7.0	50.0	6.0	1400	610
4.	70 MLD UASB STP, Dudahaida, Vijay Nagar	03.07.2024	7.24	Turbid	14.0	92.0	22.0	1700	680
		10.07.2024	7.34	Turbid	12.0	88.0	21.0	1100	610
		19.07.2024	7.66	Turbid	15.0	94.0	24.0	2500	930
		24.07.2024	7.54	Turbid	14.0	92.0	22.0	2100	830
		30.07.2024	7.24	Turbid	12.0	90.0	20.0	1700	610
5	30 MLD MBBR STP, Sadullahbad, Loni	02.07.2024	7.22	Colourless	8.0	52.0	7.0	3400	680
		08.07.2024	7.10	Colourless	7.0	50.0	6.0	2200	610
		16.07.2024	7.66	Colourless	6.0	46.0	7.0	1700	400
		22.07.2024	7.23	Colourless	7.0	44.0	7.0	2100	830
		29.07.2024	7.32	Colourless	7.0	42.0	6.0	2100	610
6	56 MLD SBR STP, Govindpuram	02.07.2024	7.51	Colourless	9.0	60.0	20.0	3400	830
		08.07.2024	7.64	Colourless	7.0	56.0	18.0	2500	680
		16.07.2024	7.15	Colourless	8.0	58.0	20.0	2200	930
		23.07.2024	7.24	Colourless	8.0	52.0	18.0	2100	930
		30.07.2024	7.35	Colourless	7.0	50.0	17.0	1700	610
7	56 MLD SBR STP, Bapudham	02.07.2024	7.32	Colourless	7.0	52.0	6.0	2200	400
		08.07.2024	7.52	Colourless	8.0	56.0	7.0	2700	830
		16.07.2024	7.43	Colourless	7.0	54.0	6.0	2100	610
		23.07.2024	7.15	Colourless	6.0	48.0	6.0	1700	680
		30.07.2024	7.44	Colourless	7.0	46.0	8.0	2100	830
8	56 MLD SBR STP, Morty	03.07.2024	7.63	Colourless	12.0	95.0	25.0	2200	930
		10.07.2024	7.56	Colourless	16.0	92.0	22.0	3400	830
		19.07.2024	7.23	Colourless	14.0	90.0	20.0	2500	930
		24.07.2024	7.32	Colourless	12.0	88.0	18.0	2100	680
		31.07.2024	7.64	Colourless	14.0	92.0	24.0	2200	930
9	05 MLD MBBR STP Tronica city, Loni	03.07.2024	7.12	Colourless	15.0	122.0	52.0	1400	680
		08.07.2024	7.23	Colourless	14.0	118.0	50.0	2200	610
		16.07.2024	7.65	Colourless	12.0	120.0	48.0	1700	680
		23.07.2024	7.13	Colourless	14.0	122.0	49.0	2100	830
		30.07.2024	7.45	Colourless	12.0	120.0	46.0	1700	610
10	56 MLD SBR STP, Indirapuram	03.07.2024	7.14	Colourless	7.0	50.0	8.0	1400	610
		10.07.2024	7.64	Colourless	8.0	48.0	7.0	1700	680
		16.07.2024	7.54	Colourless	7.0	46.0	6.0	2100	400
		24.07.2024	7.12	Colourless	7.0	44.0	7.0	2200	680
		31.07.2024	7.56	Colourless	8.0	46.0	7.0	2700	930
11	21.5 MLD SBR STP,	03.07.2024	7.23	Turbid	22.0	123.0	24.0	2200	930
		08.07.2024	7.45	Turbid	20.0	118.0	26.0	1700	680

Siddharth Vihar	10.07.2024	7.12	Turbid	18.0	120.0	22.0	1400	610
	19.07.2024	7.26	Turbid	24.0	136.0	30.0	2200	680
	25.07.2024	7.34	Turbid	28.0	142.0	44.0	2700	930
	31.07.2024	7.18	Turbid	26.0	140.0	42.0	2100	610

Remark:-In view of above report, all parameters in final outlet of STPs are found within prescribed norms.

Therefore the above compliance report is submitted before this tribunal for kind consideration and further necessary action as the tribunal may deem fit and proper.



(Navneet Kumar Pandey)
A.E.E.
UPPCB, Ghaziabad.



(Vipul Kumar)
A.E.E.
UPPCB, Ghaziabad.



क्षेत्रीय कार्यालय-उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद
Regional Office, U.P. Pollution Control Board, Ghaziabad
Website-, e-mail:roghaziabad@uppcb.in

संदर्भ संख्या : 869/एनजीटी-123/ओए-68/2021/2024

दिनांक 22/07/2024

सेवा में,

महाप्रबन्धक (जल),
उ०प्र० जल नगर निगम,
गाजियाबाद।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या 68/2021 में ई०ए० संख्या 33/2021 सुशील राघव बनाम यूनियन ऑफ इण्डिया में पारित आदेश दिनांक 16.05.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या 68/2021 में ई०ए० संख्या 33/2021 सुशील राघव बनाम यूनियन ऑफ इण्डिया में पारित आदेश दिनांक 16.05.2024 का संदर्भ ग्रहण करने का कष्ट करें (छायाप्रति संलग्न)। जैसा कि आप अवगत है कि याचिकाकर्ता द्वारा प्रस्तुत एकजीक्यूशन एप्लीकेशन में वार्ड नं-43, साहिबाबाद गाजियाबाद में स्थित ग्राम कड़कड़ मॉडल में सीवरेज नेटवर्क की व्यवस्था न होने के कारण जनित सीवेज के स्टार्म वाटर ड्रेन्स के माध्यम से साहिबाबाद ड्रेन में प्रवाहित होने के फोटोग्राफ संलग्न किये गये हैं तथा मा० अधिकरण द्वारा पारित आदेश में स्थलीय जाँच कर सीवेज के स्टार्म वाटर ड्रेन में प्रवाहित पाये जाने पर उत्तरदायी व्यक्तियों के विरुद्ध पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने के निर्देश दिये गये हैं।

मा० अधिकरण द्वारा पारित आदेश के अनुपालन में इस कार्यालय के प्राधिकृत अधिकारियों द्वारा दिनांक 15.07.2024 को ग्राम कड़कड़ मॉडल वार्ड-45, साहिबाबाद, गाजियाबाद का स्थलीय निरीक्षण किया गया। निरीक्षण के दौरान पाया गया कि उक्त क्षेत्र में सीवरेज नेटवर्क की व्यवस्था न होने के कारण ग्राम कड़कड़ मॉडल के आवासीय परिसरों से जनित घरेलू सीवेज खुली नालियों से होकर रोड साईड ड्रेन के माध्यम से साहिबाबाद ड्रेन में प्रवाहित हो रहा है। जाँच के समय ग्राम कड़कड़ मॉडल से जनित घरेलू सीवेज के रोड साईड ड्रेन प्रवाहित 03 बिन्दुओं से जल नमूने एकत्र किये गये, फोटोग्राफ संलग्न है। निरीक्षण के दौरान यह भी संज्ञान में आया है कि उक्त क्षेत्र में घरेलू सीवेज हेतु सीवर लाईन पड़ चुकी है परन्तु अभी संयोजन में नहीं है।

अग्रतर अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० संख्या 593/2017 पर्यावरण सुरक्षा समिति व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 21.09.2020 में निम्न आदेश पारित किये गये हैं:-

".....We now sum up our directions as follows:-

1. 100% treatment of sewage may be ensured as directed by this Tribunal vide order dated 28.08.2019 in O.A. No. 593/2017 by 31.03.2020 atleast to the extent of in-situ remediation and before the said date, commencement of setting up of STPs and the work of connecting all the drains and other sources of generation of sewage to the STPs must be ensured. If this is not done, the local bodies and the concerned departments of the States/UTs will be liable to pay compensation as already directed vide order dated 22.08.2019 in the case of river Ganga i.e. Rs. 5 lakhs per month per drain, for default in in-situ remediation and Rs. 5 lakhs per STP for default in commencement of setting up of the STP....."

अतः आपसे अनुरोध है कि ग्राम कड़कड़ मॉडल से जनित घरेलू सीवेज के निस्तारण हेतु सीवरेज नेटवर्क की व्यवस्था के क्रियान्वयन तथा शुद्धिकरण के सम्बन्ध में कार्ययोजना से अवगत कराने का कष्ट करें, जिससे कि तदनुसार मा० अधिकरण के समक्ष आख्या दाखिल की जा सके। अग्रतर संदर्भित प्रकरण में सुनवाई की अग्रिम तिथि दिनांक 02.09.2024 को नियत है।

भवदीय

(विकास मिश्र)
क्षेत्रीय अधिकारी

प्रतिलिपि:

1. जिलाधिकारी महोदय, गाजियाबाद को सादर सूचनार्थ प्रेषित।
2. मुख्य पर्यावरण अधिकारी, वृत्त-1, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।

क्षेत्रीय अधिकारी

क्षेत्रीय कार्यालय : आई०एन०एस०-2, सेक्टर-16, वसुन्धरा, गाजियाबाद-201012 फोन-0120-4160108
मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ 226010



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड UTTAR PRADESH POLLUTION CONTROL BOARD

Ref No-H/15902/C-1/एन0जी0टी0-235/पर्या0क्षति0-का0ब0नो0/2024 Date: 17/08/2024

सेवा में,

महाप्रबन्धक (जल),
नगर निगम,
गाजियाबाद।

पंजीकृत

यह कि नगर निगम गाजियाबाद जो कि इकाई है तथा घरेलू उत्प्रवाह के शोधन हेतु उपरोक्त वर्णित स्थल पर संचालित है, जिसे आगे इकाई कहा जायेगा तथा जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की धारा 47 के अंतर्गत एक कम्पनी है।

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 68/2021 में ई0ए0 संख्या 33/2021 सुशील राघव बनाम यूनियन ऑफ इण्डिया में पारित आदेश दिनांक 16.05.2024 के अनुपालन में ग्राम कडकड मॉडल वार्ड नं0 43, साहिबाबाद, गाजियाबाद का स्थलीय निरीक्षण दिनांक 15.07.2024 को किया गया। याचिका कर्ता द्वारा प्रस्तुत एकजीक्यूशन एप्लीकेशन में वार्ड नं0 43, साहिबाबाद, गाजियाबाद में स्थित ग्राम कडकड मॉडल में सीवरेज नेटवर्क व्यवस्था न होने के कारण जनित सीवेज के स्टार्म वाटर ड्रेन के माध्यम से साहिबाबाद ड्रेन में प्रवाहित होने के फोटो ग्राफ संलग्न किये गये हैं तथा मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश में स्थलीय जांच कर सीवेज के स्टार्म वाटर ड्रेन में प्रवाहित पाये जाने पर उत्तरदायी व्यक्तियों के विरुद्ध पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने के निर्देश दिये गये हैं। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 68/2021 में ई0ए0 संख्या 33/2021 सुशील राघव बनाम यूनियन ऑफ इण्डिया में पारित आदेश दिनांक- 16.05.2024 में पारित आदेश के मुख्य अंश निम्नवत् है:-

".....12. The reply on behalf of UPPCB dated 13.05.2024 has been filed and the counsel for UPPCB during the course of interaction stated that UPPCB is not responsible for taking any action and he cannot make a statement if sewage is still flowing in the storm water drain. Along with the response of UPPCB no water sample analysis report of samples taken from storm water drain have been filed. We are of the view that once an issue relating to flowing of sewage in storm water drain is raised then it is the responsibility of the UPPCB to take sample from storm water drain in question and get them analyzed to find out correct position and once the photographs are enclosed with details of the area by the applicant showing that the sewage is flowing openly then it is the responsibility of the UPPCB to find out the person responsible for the same and take appropriate action for imposition of environmental compensation. We find that UPPCB has not only failed to discharge their responsibility but an incorrect stand has been taken that UPPCB has no responsibility in this matter....."

मा0 एन0जी0टी0 द्वारा पारित आदेश के अनुपालन में ग्राम कडकड मॉडल वार्ड नं0 43, साहिबाबाद, गाजियाबाद का स्थलीय निरीक्षण दिनांक 15.07.2024 को किया गया। निरीक्षण आख्या के अनुसार ग्राम कडकड मॉडल नगर निगम, गाजियाबाद के क्षेत्रान्तर्गत वार्ड-43, साहिबाबाद, गाजियाबाद में स्थित है, जिसकी आबादी लगभग 90 हजार से 1 लाख के आस-पास है। निरीक्षण के दौरान स्थल पर उपस्थित स्थानीय निवासियों द्वारा संज्ञान में लाया गया कि उक्त क्षेत्र में घरेलू सीवेज हेतु सीवर लाईन बिछाई जा चुकी है, परन्तु संयोजन में नहीं है तथा सीवरेज नेटवर्क की व्यवस्था कियाशील न होने के कारण ग्राम कडकड मॉडल के आवासीय परिसरों से जनित अशोधित घरेलू सीवेज खुली नालियों से होकर रोड साईड ड्रेन के माध्यम से साहिबाबाद ड्रेन में प्रवाहित हो रहा है।

निरीक्षण के दौरान ग्राम कडकड मॉडल के आवासीय परिसरों से जनित घरेलू सीवेज के रोड साईड ड्रेन्स में प्रवाहित हो रहे निम्नलिखित बिन्दुओं से जल नमूने एकत्र कर क्षेत्रीय प्रयोगशाला, गाजियाबाद से विश्लेषित कराया गया, जिनका विवरण निम्नवत् है:-

Sl.No.	Name of Sampling Point	pH	Color	Odour	B.O.D. mg/L	C.O.D. mg/L	T.S.S. Mg/L	Total Coliform (MPN/100mL)	Fecal coliform (MPN/100mL)
1.	Purana Shiv Mandir, Ran Gali, Kadkad Model Sahibababd Ghaziabad	7.00	Turbid	Faint	42.0	198.0	84.0	32x10 ⁵	26x10 ⁵

.....2/-

2.	Railway Fatak Road, Kadkad Model Sahibaba Ghaziabad	7.20	Turbid	Faint	58.0	216.0	112.0	39x10 ⁵	33x10 ⁵
3.	Infront of Rakesh House, Kadkad Model Sahibaba Ghaziabad	6.85	Turbid	Faint	34.0	160.0	68.0	27x10 ⁵	22x10 ⁵

साहिबाबाद ड्रेन में ग्राम कडकड मॉडल एवं आस-पास स्थित क्षेत्रों का आवासीय परिसरों से जनित अशोधित घरेलू उत्प्रवाह तथा साहिबाबाद एवं राजेन्द्र नगर औद्योगिक क्षेत्र में स्थित औद्योगिक इकाईयों से शोधित उत्प्रवाह निस्तारित होता है। साहिबाबाद ड्रेन इन्द्रापुरम में स्थित 74 एम0एल0डी0 एस0टी0पी0 में आंशिक रूप से टैप्ड है तथा साहिबाबाद ड्रेन का शोधित उत्प्रवाह शाहदराबाद ड्रेन में मिलता है। कार्यालय महाप्रबन्धक(जल), नगर निगम, गाजियाबाद द्वारा अपने पत्रांक 1193/एस0टी0-जी0एम0/2023-24 दिनांक 07.03.2024 के माध्यम से अवगत कराया गया है कि ग्राम कडकड मॉडल में लगभग वर्ष 2009 में उ0प्र0 जल निगम ने सीवर लाईन बिछाई गयी थी, जिसके उपरान्त उ0प्र0 शासन द्वार वन सिटी वन आपरेटर कार्यक्रम के अन्तर्गत सीवर नेटवर्क का संचालन, अनुरक्षण एवं प्रबन्धन का कार्य मैसर्स वी0ए0टैक वबाग लि0 चेन्ई को प्रदत्त है तथा दिनांक 18.03.2020 से वसुंधरा जोन का समस्त सीवर नेटवर्क संचालन, अनुरक्षण का कार्य उक्त संस्था को हस्तगत किया जा चुका है। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 68/2021 में ई0ए0 संख्या 33/2021 सुशील राघव बनाम यूनियन ऑफ इण्डिया में पारित आदेश दिनांक 16.05.2024 के अनुपालन में इस कार्यालय के पत्र संख्या 869/एनजीटी-123/ओए-68/2021-2024 दिनांक 22.07.2024 द्वारा महाप्रबन्धक (जल), नगर निगम, गाजियाबाद को प्रेषित किया गया था, जिसका प्रतिउत्तर अपेक्षित है।

उपरोक्त से स्पष्ट है कि ग्राम कडकड मॉडल, वार्ड-43, साहिबाबाद, गाजियाबाद के आवासीय परिसरों से जनित हो रहे घरेलू उत्प्रवाह के निस्तारण हेतु सीवरेज नेटवर्क की व्यवस्था संचालन में नहीं है तथा अशोधित घरेलू सीवेज खुली नालियों से होकर रोड साईड ड्रेन के माध्यम से साहिबाबाद ड्रेन में प्रवाहित हो रहा है। उल्लेखनीय है कि अशुद्धिकृत सीवेज से हो रहे प्रदूषण के सम्बन्ध में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 593/2017 पर्यावरण सुरक्षा समिति व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 21.09.2020 में पारित आदेश के मुख्य अंश निम्नवत हैं:-

".....We now sum up our directions as follows:

- 100% treatment of sewage may be ensured as directed by this Tribunal vide order dated 28.08.2019 in O.A. No. 593/2017 by 31.03.2020 atleast to the extent of in-situ remediation and before the said date, commencement of setting up of STPs and the work of connecting all the drains and other sources of generation of sewage to the STPs must be ensured. If this is not done, the local bodies and the concerned departments of the States/UTs will be liable to pay compensation as already directed vide order dated 22.08.2019 in the case of river Ganga i.e. Rs. 5 lakhs per month per drain, for default in in-situ remediation and Rs. 5 lakhs per STP for default in commencement of setting up of the STP....."

अग्रेतर ओ0ए0 संख्या 593/2017 पर्यावरण सुरक्षा समिति व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 20.12.2023 में पारित आदेश में वर्णित मुख्य अंश निम्नवत है:-

"....As observed in para 13 above, 100% treatment of sewage/effluent must be ensured and strict coercive action taken for any violation to enforce rule of law. Any party is free to move the Hon'ble Supreme Court for continued violation of its order after the deadline of 31.3.2018. This order is without prejudice to the said remedy as direction of the Hon'ble Supreme Court cannot be diluted or relaxed by this Tribunal in the course of execution. PCBs/PCCs are free to realise compensation for violations but from 1.7.2020, such compensation must be realised as per direction of this Tribunal failing which the erring State PCBs/PCCs will be accountable."

अतः उपरोक्त तथ्यों को दृष्टिगत रखते हुये मा0 एन0जी0टी0 द्वारा ओ0ए0 संख्या 593/2017 में वर्णित आदेश दिनांक 21.09.2020 एवं दिनांक 20.12.2023 के अनुसार नगर निगम, गाजियाबाद के विरुद्ध दिनांक 01.07.2020 से दिनांक 15.07.2024 तक (कुल 49 माह) रू० 5,00,000/- (पाँच लाख रुपये मात्र) प्रतिमाह प्रति ड्रेन की दर से कुल रुपये 49x5,00,000=2,45,00,000/- (रुपये दो करोड पैतालीस लाख मात्र) पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने हेतु कारण बताओ नोटिस निर्गत किये जाने की संस्तुति की गयी है।

अतः उपरोक्त के दृष्टिगत क्षेत्रीय अधिकारी द्वारा प्रेषित आख्या दिनांक 06.08.2024 के दृष्टिगत जन स्वास्थ्य के हित में जन साधारण को स्वच्छ वातावरण प्रदान करने हेतु सक्षम अधिकारी के अनुमोदनोपरान्त नगर निगम, गाजियाबाद को निम्नानुसार कारण बताओ नोटिस जारी किया जाता है:-

1. यह कि क्यों न मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 593/2017 पर्यावरण सुरक्षा समिति व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 21.09.2020 तथा दिनांक 20.12.2023 के अनुपालन में नगर निगम, गाजियाबाद के विरुद्ध सीवेज के शुद्धिकरण होने तक प्रतिमाह रुपये 5.0 लाख प्रति ड्रेन की दर से दिनांक 01.07.2020 से 15.07.2024 के मध्य कुल 49 माह हेतु डासना ड्रेन हेतु रू0 5,00,000x49 Months=2,45,00,000/- (रू0 दो करोड़ पैंतालिस लाख मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित कर दी जाये।

उपरोक्त के संबंध में स्पष्टीकरण इस पत्र प्राप्ति के एक सप्ताह के अन्तर्गत बोर्ड मुख्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ एवं क्षेत्रीय कार्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद को प्रेषित करें, अन्यथा की दशा में उपरोक्त कारण बताओ नोटिस की पुष्टि कर दी जायेगी, जिसका समस्त उत्तरदायित्व आपका स्वयं का होगा।

संलग्नक-क्षेत्रीय कार्यालय से प्राप्त आख्या दिनांक 06.08.2024 की छायाप्रति।

सक्षम अधिकारी के अनुमोदनोपरान्त पत्र निर्गमन हेतु अधिकृत।

भवदीय,



(विवेक राय)

मुख्य पर्यावरण अभियन्ता, वृत्त-1
016

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. जिलाधिकारी, गाजियाबाद।
2. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद को इस निर्देश के साथ प्रेषित कि नगर निगम, गाजियाबाद को जारी कारण बताओ नोटिस की प्रति अपने स्तर से भी प्राप्त कराकर एक सप्ताह में सुस्पष्ट संस्तुति सहित निरीक्षण आख्या बोर्ड मुख्यालय को प्रेषित करना सुनिश्चित करें।

मुख्य पर्यावरण अभियन्ता, वृत्त-1
016