

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL**  
**PRINCIPAL BENCH, NEW DELHI**  
**EXECUTION APPLICATION NO. 28/2021**  
**IN**  
**ORIGINAL APPLICATION NO.144 OF 2017**

**IN THE MATTER OF :**

K.P.Singh & Ors.

....APPLICANT

VERSUS

U.P. Pollution Control  
Board & ORS.

..... RESPONDENTS

**INDEX**

<b><u>SR. NO.</u></b>	<b><u>PARTUCULARS</u></b>	<b><u>PAGES</u></b>
1.	Affidavit of behalf of Respondent Ghaziabad Nagar Nigam	
2.	<u>ANNEXURE CA-1</u> True copy of the letter dated 04.07.2022 issued by Construction and design Services U.P. Jal Nigam to Ghaziabad Nagar Nigam and photographs of drains	

THROUGH.

**RAMAN YADAV**  
COUNSEL FOR GHAZIABAD NAGAR NIGAM

**IN THE MATTER OF :**

K.P.Singh & Ors.

....APPLICANT

VERSUS

U.P. Pollution Control

Board & ORS.

..... RESPONDENTS

**COMPLIANCE REPORT WITH AFFIDAVIT ON BEHALF OF  
RESPONDENT GHAZIABAD NAGAR NIGAM IN PURSUANCE TO THE  
ORDER DATED 17.02.2022 PASSED BY THIS HON'BLE TRIBUNAL.**

1. It is most respectfully submitted that the present application was listed for consideration on 17.02.2022 wherein this Hon'ble Tribunal was pleased to pass certain directions. The relevant extract of the order passed by this Hon'ble Tribunal is reproduced herein below for the ready reference and kind perusal of this Hon'ble Tribunal:

*"5. We have heard the Commissioner, GNN who is present in person and considered the report. It remains undisputed that order of this Tribunal dated 03.08.2018 in O.A. No. 144/2017, K.P. Singh v. UP PCB & Ors. still remains substantially un-complied even after more than three years. Still, sewer water is being mixed with storm water, as stated learned counsel for the applicant. The report does not address the issues in terms of order of this Tribunal dated 18.10.2021 with regard to connectivity of households to the sewer lines and preventing cross contamination of storm water and sewer, demarcation of catchment area of the storm water drain and ensuring that septic tanks are duly connected to sewer lines and manual scavenging is discontinued.*

*6. The Commissioner, GNN is present in person has assured the Tribunal that further remedial action on above lines will be taken and completed by 31.03.2022."*

2. In compliance to the aforesaid directions of this Hon'ble Tribunal it is most respectfully submitted that the sewer line in the area of Village Prahaladgarhi is fully in operation and there is no overflow in the aforesaid area. Further, there is no discharge of sewerage water in the drains of Sector 16, 17, 18 and 19 in Vasundhara the G.O. Tag Photographs been annexed herewith of Village Prahaladgarhi.
3. It is further submitted that as far as construction of the storm water RCC drain from Prahaladgarhi to Vaishalli Canal is concerned the construction of 600 mtr. drain from Nod No. 85 to O2 was restrained due to water pipe line, deponent beg to submit that work of construction is completed and the same has been handed over by UP Jal Nigam to Ghaziabad Nagar Nigam along with completion certificate vide its letter dated 04.07.2022. True copy of the letter dated 04.07.2022 issued by Construction and design Services U.P. Jal Nigam to Ghaziabad Nagar Nigam and photographs of drains in the aforesaid area are annexed hereto and marked as **ANNEXURE CA-01 (COLLY)** (Pg to )

In the light of above facts and circumstances the present compliance report has been preferred before this Hon'ble Tribunal.

**THROUGH**

  
**(RAMAN YADAV)**  
ADVOCATE

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL**

**PRINCIPAL BENCH, NEW DELHI**

**EXECUTION APPLICATION NO.28/2021**

**IN**

**ORIGINAL APPLICATION NO.144 OF 2017**

**IN THE MATTER OF :**

K.P.Singh & Ors.

....APPLICANT

VERSUS

U.P. Pollution Control


Board & ORS.

..... RESPONDENTS

**AFFIDAVIT**

I, Deshraj aged about 50 Years, working as Executive Engineer, Ghaziabad Nagar Nigam, District Ghaziabad, U.P presently at New Delhi do hereby state and declare on solemn affirm as under:

1. That I am authorized to swear the present affidavit on behalf of the Ghaziabad Nagar Nigam in the above mentioned application and I am conversant with the facts and circumstances of the case as per the record and as such competent to swear this affidavit in my official capacity.



2. That I have read and understood the contents of the accompanying reply and say that the contents of the accompanied reply are true and correct to the best of my knowledge and belief. Neither any part of this affidavit is false and nor any material is concealed therefrom.

**DEPONENT**

**VERIFICATION:**

I, the above named deponent, verify that the contents of this affidavit are true to the best of my knowledge as per the official record, nothing material has been concealed there from.

Verified at New Delhi on this 13 JUL 2022 day of July, 2022.

Identified by the deponent who has signed/put T.I. in my presence  
Ramesh Kumar


**ATTESTED**

A.N. Singh, Adv.  
Notary Public  
Govt. of India, Delhi  
Mob.: 9718139591, 7982539115

13 JUL 2022

Mob.: 9718139591, 7982539115  
Govt. of India, Delhi  
Notary Public  
A.N. Singh, Adv.

**ATTESTED**




**DEPONENT**

कार्यालय परियोजना प्रबन्धक यूनिट-31, कन्स्ट्रक्शन एण्ड डिजाइन सर्विसेस



उत्तर प्रदेश जल निगम (नगरीय)  
(उ० प्र० सरकार का उपक्रम)  
आई.एस.ओ. 9001:2015 प्रमाणित संस्था  
एस०बी०-९०, शास्त्रीनगर, गाजियाबाद-201002



ई-मेल : cdspmunit31@gmail.com

पत्रांक १३१ / कां - ५५ / १०

दिनांक ०४-०७-२०२२

सेवा में,

अधिशायी अभियन्ता (निर्माण)  
गाजियाबाद नगर निगम  
गाजियाबाद।

**विषय : नगर निगम गाजियाबाद, क्षेत्र के अन्तर्गत प्रहलादगढी से लेकर वैशाली कैनल तक बरसाती नाला निर्माण के सम्बन्ध में।**

महोदय,

उपरोक्त विषयक अधिशायी अभियन्ता गाजियाबाद नगर निगम गाजियाबाद के पत्रांक 161/निर्माण/2020-21 दिनांक 24.07.2020 द्वारा नगर निगम गाजियाबाद, क्षेत्र के अन्तर्गत प्रहलादगढी से लेकर वैशाली कैनल तक बरसाती नाला रू० 633.68 लाख का स्वीकृत है। उक्त योजना के समस्त निर्माण कार्य दिनांक 30.06.2022 को पूर्ण कर लिये गये हैं।  
सूचनार्थ प्रेषित।

भवदीय,

(रजनीश जायसवाल)  
परियोजना प्रबन्धक

प्रधान कार्यालय : टी.सी.-38 वी, विभूति खण्ड, गोमती नगर, लखनऊ-226010

**COMPLETION CERTIFICATE**

1.	Name of Work	-	Construction of RCC Drain at From Prahlad Garhi to Vaishali drain at Ghaziabad.
2.	Construction Agency	-	C. & D.S. U.P. Jal Nigam Unit-31, Ghaziabad.
3.	G.O. No. & Date	-	161/निर्माण/2020-21 दिनांक 24.07.2020
4.	Sanctioned Cost	-	Rs.633.68 Lacs
5.	Date of Start	-	01-02-2021
6.	Date of Completion	-	30-06-2022


Certified that the work of Construction of RCC Drain at From Prahlad Garhi to Vaishali drain at Ghaziabad has been completed satisfactorily. There have been no deviation from the sanctioned plan. Above mentioned works are taken over.

**Handed Over**

  
(Prakash Narayan)  
Resident Engineer  
Unit-31 C. & D.S.  
U.P. Jal Nigam Ghaziabad


**Taken Over**

  
(Rajneesh Jaiswal)  
Project Manager  
Unit -31 C. & D.S.  
U.P. Jal Nigam Ghaziabad





ALI  
3-6  
6 Google

गाजियाबाद, उत्तर प्रदेश, भारत  
19/401/19/102, वैशाली एक्सटेंशन, सेक्टर 9, इंदिरापुरम, गाजियाबाद,  
उत्तर प्रदेश 201010, भारत  
Lat 28.649458°  
Long 77.355922°  
09/07/22 10:13 AM




Google

GHATI B  
Ghaziabad, Uttar Pradesh, भारत  
S-123, Ganga Shopping Complex Sector 16B, Pocket B, Sector  
16, Yasundhara, Ghaziabad, Uttar Pradesh 201012, भारत  
Lat 28.653847°  
Long 77.353681°  
09/07/22 10:03 AM



Google


**Ghaziabad, Uttar Pradesh, भारत**  
S-123, Ganga Shopping Complex Sector 16B, Pocket B, Sector  
16, Vasundhara, Ghaziabad, Uttar Pradesh 201012, भारत  
Lat 28.653864°  
Long 77.353715°  
09/07/22 10:03 AM



Google

**Ghaziabad, Uttar Pradesh, भारत**  
Flat No. -96, Sector 16B, Vasundhara Near Ganga shopping Complex,  
Pocket B, Sector 16, Vasundhara, Ghaziabad, Uttar Pradesh 201012,  
भारत  
Lat 28.65386°  
Long 77.353365°  
09/07/22 10:02 AM






GPS Map Center



Atal Chk

Google

**Ghaziabad, Uttar Pradesh, भारत**  
C-15, First Floor, Sector 15, Vasundhara, Ghaziabad, Uttar Pradesh 201012, भारत  
Lat 28.665108°  
Long 77.358945°  
09/07/22 10:32 AM



GPS Map Center



G - BLOCK

Google

**Ghaziabad, Uttar Pradesh, भारत**  
M934+MRH, Maharaja Agarsain Marg, Sector 15, Vasundhara, Ghaziabad, Uttar Pradesh 201012, भारत  
Lat 28.664264°  
Long 77.357205°  
09/07/22 10:26 AM

# LEGEND

	NODE NO. WITH G.L.
	PROPOSED DRAIN
	ROAD TOP LEVEL
	DRAIN INVERT LEVEL
	BUILDING
	EXISTING DRAIN
	PAINTED ROAD
	LIGHT POLE

Dr.	S.No.	Length in meters	Revised Levels		Sewer Depression	Bed Level	
			Head	Tail		Head	Tail
1	2	3	4	5	6	7	8
<b>IN DRAIN I</b>							
1	02	110.476	102.226	1.000	0.450	99.276	100.435
2	14	100.376	100.562	1.000	0.450	99.215	100.376
3	10	100.562	101.234	1.000	0.450	99.276	100.234
4	07	100.234	100.185	1.000	0.450	99.309	99.234
5	13	100.25	100.324	1.000	0.450	99.264	99.25
6	11	100.324	99.106	1.750	0.450	99.224	100.224
7	10	99.264	99.157	1.750	0.450	99.224	100.157
8	14	99.224	99.158	1.750	0.450	99.224	100.158
9	10	99.158	99.158	1.750	0.450	99.224	100.158
10	07	99.158	99.158	1.750	0.450	99.224	100.158
11	06	99.158	99.158	1.750	0.450	99.224	100.158
12	05	99.158	99.158	1.750	0.450	99.224	100.158
13	04	99.158	99.158	1.750	0.450	99.224	100.158
14	03	99.158	99.158	1.750	0.450	99.224	100.158
15	02	99.158	99.158	1.750	0.450	99.224	100.158
16	01	99.158	99.158	1.750	0.450	99.224	100.158
<b>ANCH DRAIN AT 1</b>							
1	12	99.170	99.275	1.000	0.450	99.275	99.170
<b>ANCH DRAIN AT 4</b>							
1	10	99.284	99.800	1.700	0.450	99.600	99.284
<b>ANCH DRAIN AT 5</b>							
1	15	99.950	99.255	1.100	0.450	99.155	99.255
<b>ANCH DRAIN AT 6</b>							
1	12	99.344	99.500	1.000	0.450	99.425	99.344
<b>ANCH DRAIN AT 7</b>							
1	07	99.221	99.462	1.700	0.450	99.221	100.221
2	11	99.462	99.462	1.700	0.450	99.221	100.462
3	10	99.462	99.500	1.700	0.450	99.221	100.500
4	08	99.500	99.225	1.700	0.450	99.225	100.225
<b>ANCH DRAIN AT 8</b>							
1	10	99.243	99.159	1.000	0.450	99.348	99.243
<b>IN DRAIN II</b>							
1	02	99.044	99.220	1.000	0.450	99.109	99.044
2	03	99.220	99.040	1.750	0.450	99.079	99.220
3	04	99.040	99.147	1.750	0.450	99.124	99.040
4	05	99.147	99.308	1.750	0.450	99.177	99.147
5	06	99.308	99.230	1.000	0.450	99.191	99.308
6	07	99.230	99.140	1.100	0.450	99.198	99.230
7	08	99.140	99.154	1.200	0.450	99.191	99.140
8	09	99.154	99.100	1.200	0.450	99.144	99.154
9	10	99.100	99.900	1.200	0.450	99.100	100.900
10	11	99.900	99.254	1.200	0.450	99.148	99.254
<b>ANCH DRAIN AT 9</b>							
1	11	99.154	99.117	1.000	0.450	99.204	99.117
<b>ANCH DRAIN AT 10</b>							
1	10	99.159	99.118	1.000	0.450	99.167	99.159
<b>ANCH DRAIN AT 11</b>							
1	10	100.111	99.015	1.000	0.450	99.015	100.111
2	11	99.015	99.074	1.000	0.450	99.233	99.015
3	12	99.074	99.330	1.000	0.450	99.230	99.074
4	13	99.330	99.140	1.000	0.450	99.152	99.330
5	14	99.140	99.330	1.000	0.450	99.152	99.140
6	15	99.330	99.330	1.000	0.450	99.152	99.330
7	16	99.330	99.330	1.000	0.450	99.152	99.330
8	17	99.330	99.330	1.000	0.450	99.152	99.330
9	18	99.330	99.330	1.000	0.450	99.152	99.330
10	19	99.330	99.330	1.000	0.450	99.152	99.330
11	20	99.330	99.330	1.000	0.450	99.152	99.330
12	21	99.330	99.330	1.000	0.450	99.152	99.330
13	22	99.330	99.330	1.000	0.450	99.152	99.330
14	23	99.330	99.330	1.000	0.450	99.152	99.330
15	24	99.330	99.330	1.000	0.450	99.152	99.330
16	25	99.330	99.330	1.000	0.450	99.152	99.330
17	26	99.330	99.330	1.000	0.450	99.152	99.330
18	27	99.330	99.330	1.000	0.450	99.152	99.330
19	28	99.330	99.330	1.000	0.450	99.152	99.330
20	29	99.330	99.330	1.000	0.450	99.152	99.330
21	30	99.330	99.330	1.000	0.450	99.152	99.330
22	31	99.330	99.330	1.000	0.450	99.152	99.330
23	32	99.330	99.330	1.000	0.450	99.152	99.330
24	33	99.330	99.330	1.000	0.450	99.152	99.330
25	34	99.330	99.330	1.000	0.450	99.152	99.330
26	35	99.330	99.330	1.000	0.450	99.152	99.330
27	36	99.330	99.330	1.000	0.450	99.152	99.330
28	37	99.330	99.330	1.000	0.450	99.152	99.330
29	38	99.330	99.330	1.000	0.450	99.152	99.330
30	39	99.330	99.330	1.000	0.450	99.152	99.330
31	40	99.330	99.330	1.000	0.450	99.152	99.330
32	41	99.330	99.330	1.000	0.450	99.152	99.330
33	42	99.330	99.330	1.000	0.450	99.152	99.330
34	43	99.330	99.330	1.000	0.450	99.152	99.330
35	44	99.330	99.330	1.000	0.450	99.152	99.330
36	45	99.330	99.330	1.000	0.450	99.152	99.330
37	46	99.330	99.330	1.000	0.450	99.152	99.330
38	47	99.330	99.330	1.000	0.450	99.152	99.330
39	48	99.330	99.330	1.000	0.450	99.152	99.330
40	49	99.330	99.330	1.000	0.450	99.152	99.330
41	50	99.330	99.330	1.000	0.450	99.152	99.330
42	51	99.330	99.330	1.000	0.450	99.152	99.330
43	52	99.330	99.330	1.000	0.450	99.152	99.330
44	53	99.330	99.330	1.000	0.450	99.152	99.330
45	54	99.330	99.330	1.000	0.450	99.152	99.330
46	55	99.330	99.330	1.000	0.450	99.152	99.330
47	56	99.330	99.330	1.000	0.450	99.152	99.330
48	57	99.330	99.330	1.000	0.450	99.152	99.330
49	58	99.330	99.330	1.000	0.450	99.152	99.330
50	59	99.330	99.330	1.000	0.450	99.152	99.330
51	60	99.330	99.330	1.000	0.450	99.152	99.330
52	61	99.330	99.330	1.000	0.450	99.152	99.330
53	62	99.330	99.330	1.000	0.450	99.152	99.330
54	63	99.330	99.330	1.000	0.450	99.152	99.330
55	64	99.330	99.330	1.000	0.450	99.152	99.330
56	65	99.330	99.330	1.000	0.450	99.152	99.330
57	66	99.330	99.330	1.000	0.450	99.152	99.330
58	67	99.330	99.330	1.000	0.450	99.152	99.330
59	68	99.330	99.330	1.000	0.450	99.152	99.330
60	69	99.330	99.330	1.000	0.450	99.152	99.330
61	70	99.330	99.330	1.000	0.450	99.152	99.330
62	71	99.330	99.330	1.000	0.450	99.152	99.330
63	72	99.330	99.330	1.000	0.450	99.152	99.330
64	73	99.330	99.330	1.000	0.450	99.152	99.330
65	74	99.330	99.330	1.000	0.450	99.152	99.330
66	75	99.330	99.330	1.000	0.450	99.152	99.330
67	76	99.330	99.330	1.000	0.450	99.152	99.330
68	77	99.330	99.330	1.000	0.450	99.152	99.330
69	78	99.330	99.330	1.000	0.450	99.152	99.330
70	79	99.330	99.330	1.000	0.450	99.152	99.330
71	80	99.330	99.330	1.000	0.450	99.152	99.330
72	81	99.330	99.330	1.000	0.450	99.152	99.330
73	82	99.330	99.330	1.000	0.450	99.152	99.330
74	83	99.330	99.330	1.000	0.450	99.152	99.330
75	84	99.330	99.330	1.000	0.450	99.152	99.330
76	85	99.330	99.330	1.000	0.450	99.152	99.330
77	86	99.330	99.330	1.000	0.450	99.152	99.330
78	87	99.330	99.330	1.000	0.450	99.152	99.330
79	88	99.330	99.330	1.000	0.450	99.152	99.330
80	89	99.330	99.330	1.000	0.450	99.152	99.330
81	90	99.330	99.330	1.000	0.450	99.152	99.330
82	91	99.330	99.330	1.000	0.450	99.152	99.330
83	92	99.330	99.330	1.000	0.450	99.152	99.330
84	93	99.330	99.330	1.000	0.450	99.152	99.330
85	94	99.330	99.330	1.000	0.450	99.152	99.330
86	95	99.330	99.330	1.000	0.450	99.152	99.330
87	96	99.330	99.330	1.000	0.450	99.152	99.330
88	97	99.330	99.330				