



क्षेत्रीय कार्यालय उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, नोएडा
Regional Office, U.P. Pollution Control Board, Noida

पत्रांक : 1024/C/S-1144/2020

दिनांक 4/1/2020

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi
E-mail- judicial_ngt@gov.in & ngt.filling@gmail.com

Sub: Compliance report in compliance to order passed by Hon'ble NGT, New Delhi on dated 28.01.2019 in matter of OA No. 618/2016, I.A. No. 19/2019 Sanjay Kumar Applicant(s) Vs State of Uttar Pradesh & Ors Respondent(s).

Sir,

With reference to the subject mentioned above, this is to inform you that in compliance to the order passed by Hon'ble NGT, New Delhi on dated 28.01.2019 in matter of OA No. 618/2016, I.A. No. 19/2019 Sanjay Kumar Applicant(s) Vs State of Uttar Pradesh & Ors Respondent(s), the compliance report is submitted for your kind perusal and necessary action please.

Yours Sincerely

Praveen

(Praveen Kumar)
Regional Officer

UP Pollution Control Board, Noida
E-Mail-ro_noida@uppcb.com

Copy to:

1. Chief Executive Officer, New Okhla Industrial Development Authority, Noida, Gautam Budh Nagar for information.
2. Member Secretary, U.P. Pollution Control Board, Lucknow for information.
3. Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/ NGT, New Delhi for perusal and necessary action please.
4. Chief Law Officer, U.P. Pollution Control Board, Lucknow for information.
5. Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information.

Regional Officer

BEFORE
THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI

Original Application No-618/2016, I.A. No. 19/2019

Sanjay Kumar

Applicant(s)

V/S

State of Uttar Pradesh & Ors.

Respondent(s)

Compliance Report

Hon'ble NGT has passed the following order on dated 28.01.2019:-

“This Application has been filed by M/s S.R. Construction for inspection of hot mix plant. The Counsel for the Noida Authority as well as Pollution Control Board are directed to inspect the plant and submit its report.”

In compliance of the NGT's above order the following steps have been taken:-

- 1- M/s S.R. Construction, Sector-135, Village-Nagli Wazidpur, Yamuna Pusta, Noida informed this office vide its letter dated 10.09.2020 (Copy enclosed as **Annexure-1**) that they have deposited Penalty of Rs. 5,00,000/- in the account as directed by Noida Authority vide its letter no-Noida/Sr.Mgr-WC-9/2019/1458 dated 18.10.2019 (Copy enclosed as **Annexure-2**) and urged to send the report of Hot Mix Plant to Hon'ble NGT.
- 2- This office issued a letter no-644/L-122/2020 dated 22.09.2020 (Photo copy enclosed as **Annexure-3**) to Noida Authority and asked to nominate its representative for joint inspection of the unit.


एस० के० सिंह
सहायक प्रबन्धक
वर्क सर्किल-9, नौएडा


कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नौएडा


The Noida Authority de-sealed the unit on 19.10.2020 for the inspection of the unit by committee comprising of the officers of Noida Authority and U.P. Pollution Control Board, Noida. The letter sent by Noida Authority regarding de-sealing of the unit is enclosed here with as **Annexure-4**.

3- Regional Office, U.P. Pollution Control Board, Noida and Work Circle-9, Noida Authority, Noida inspected the Hot Mix Plant on 27.10.2020 the inspection report is as following-

- (A) The Hot Mix Plant was found operating during the inspection.
- (B) The capacity of Hot Mix Plant is 60 T/Hr. to 80 T/Hr.
- (C) The Air Pollution Control System "Bag House filter Unit" and chimney of height 45 ft. from ground level is attached with the Hot Mix Plant to control the air pollution. The Air Pollution Control System "Bag House Filter Unit" was found operating during inspection. The Stack monitoring was done during inspection. The report is enclosed herewith as **Annexure-5** as per stack monitoring report the different parameters are found within limit prescribed by CPCB. The photographs taken during inspection are attached as **Annexure-6**

4- The Hot Mix Plant is operated by the electricity supplied by a D.G. Set of 125 K.V.A. The D.G. Set is fitted with acoustic enclosure and a chimney of height 2.5 Mtr. above the D.G. Set. The air pollution control system established in D.G. Set is as per norms laid down by CPCB.


5- The Senior Manager, Work Circle-9, Noida Authority, Noida has further sealed the Hot Mix Plant on 29.10.2020 letter no- Noida/Sr.Mgr-WC-9/2074 dated 29.10.2020 is attached herewith as **Annexure-7**.


एस० के० सिंह
सहायक प्रबन्धक
वर्क सर्किल-9, नौएडा


कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नौएडा

Based on the observation during inspection and monitoring reports received, the Hot Mix Plant may be allowed to operate after obtaining Consent To Operate (CTO), from U.P. Pollution Control Board with direction to ensure and comply with stack emission norms and Ambient Air Quality norms as prescribed by CPCB and the direction/orders of this Hon'ble Tribunal.

In the view of aforesaid submission, it is humbly prayed that the compliance report as above may kindly be taken on record and suitable order may kindly be passed in the matter.


एस० के० सिंह
सहायक प्रदूषण
वर्क सर्किल-५, नोएडा


कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नोएडा



S.R. CONSTRUCTIONS

Specialist in : Roads, Highways & Civil Construction Works

Approved Government Contractors, Engineers & Architects

Office :
F-4, East Jyoti Nagar,
Delhi-110093

Mob.: 9871052164, 9911665988
E-mail : info.srcindia@gmail.com
Website : www.srconstructions.co.in

Ref. No. : S.R.C. Pollution / 2020 / 257

Dated.....

To,

Dated: 10.09.2020

Regional Officer
Uttar Pradesh Pollution Control Board
Noida, Gautam Budha Nagar

JE/ASE
Tom
Per

Subject: Conducting an inspection at the hot-mix plant unit of M/s S.R. Constructions, Sector-135, Near Village Wazidpur, Yamuna Pusta, Noida, pursuant to order passed by the Hon'ble National Green Tribunal.

Sir,

It is brought to your kind attention that vide order dated 28.01.2019 passed in I.A. No. 19/2019 in G.A. No. 618/2016 titled Sanjay Kumar vs State of U.P. & Ors, the Hon'ble National Green Tribunal had directed the Noida Authority and the Uttar Pradesh Pollution Control Board (UPPCB) to inspect the hot mix plant, being run under the name and style of M/s S.R. Constructions, situated at Sector-135, Village Wazidpur, Yamuna Pusta, Noida, Uttar Pradesh.

Thereafter, it was informed that the hot mix plant shall be allowed to operate for the purpose of conducting an inspection only after the penalty of Rs. 5,00,000/-, imposed by the Hon'ble National Green Tribunal, is deposited with the Noida Development Authority. The undersigned, due to financial difficulty, was neither in a position to deposit the said penalty or to run the plant, as a result of which the hot mix plant has not been operational since a long time.

The undersigned has now been able to arrange for the financial resources to operate the plant. The undersigned has also deposited the penalty amount of Rs. 5,00,000/- with the Noida Development Authority, the receipt of which is enclosed with this letter. It is therefore, kindly requested that steps may now be taken for the hot mix plant may be allowed to operate at its optimum capacity for

ent
कृष्ण मोहन श्रीवास्तव
सहाय पर्यावरण अभियन्ता
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
नोएडा

the purpose of the joint inspection, to be conducted in compliance of the order passed by the Hon'ble National Green Tribunal.

It is pertinent to mention that the hot mix plant of the undersigned is equipped with all the necessary machinery to comply with the requisite pollution norms and the prescribed emission standards and is fully compliant with the environmental norms.

Thus, it is kindly requested that the inspection of the hot mix plant of the undersigned may be conducted at the earliest, in terms of the order dated 28.01.2019 passed by the Hon'ble National Green Tribunal in I.A. No. 19/2019 in O.A. No. 618/2016.

You are earnestly requested to do the needful at the earliest. I will be eternally grateful for the same.

Thanking You.

Yours Sincerely,
Subodh Gupta
[SUBODH GUPTA]

Encl: As Above



कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नोएडा

E0092695765/jr

नौएडा नवीन औखला औद्योगिक विकास प्राधिकरण
कार्यालय वरिष्ठ प्रबन्धक
वर्क सर्किल-9, सैक्टर-39, नौएडा

Recd
25/10-19

पत्र सं० नौएडा/व0प्र0-व0स0-9/2019/
दिनांक

18/04/19

1458

M/s S.R. Constructions
Plant :- Village, Wajidpur,
Sector-135, Noida
Distt. G.B. Nagar, U.P.

Office:- F-4, East Jyoti Nagar,
Delhi-110093

189/कम
oc (R-11 20-72) 45

जिलाधिकारी
गौतम बुद्ध नगर
22/11/19

कृपया आपके द्वारा पत्र सं० एस0आर0सी0/19-20/247 दिनांक 14.10.2019 के माध्यम से मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली के आदेश दिनांक 28.01.2019 के क्रम में हॉट मिक्स प्लांट को डि-सील कर सयुक्त निरीक्षण कराने का अनुरोध किया गया है। इस सम्बन्ध में अवगत कराना है कि पूर्व में मा० हरित अधिकरण, नई दिल्ली द्वारा एप्लीकेशन सं० 618/2016 के अन्तर्गत दिनांक 23.11.2016 को पारित आदेशों के क्रम में दिनांक 25.11.2016 को उक्त हॉट मिक्स प्लांट को सील करके हुए धनराशि रू० 5,00,000.00 का अर्थदण्ड आरोपित किया गया था, जिसको कि आपके द्वारा अभी तक जमा नहीं किया गया है।

अतः आपसे अपेक्षा की जाती है कि मा० हरित अधिकरण, नई दिल्ली द्वारा एप्लीकेशन सं० 618/2016 के अन्तर्गत दिनांक 23.11.2016 को पारित आदेशों के क्रम आरोपित अर्थदण्ड की धनराशि रू० 5,00,000.00 (रूपये पांच लाख मात्र) को यथाशीघ्र जमा कराकर, इस कार्यालय को जमा चालान की प्रति उपलब्ध कराना सुनिश्चित करें ताकि मा० हरित अधिकरण, नई दिल्ली द्वारा पारित आदेशों का अनुपालन सुनिश्चित किया जा सके।

वरिष्ठ प्रबन्धक
वर्क सर्किल-9, नौएडा

प्रतिलिपि :-

1. स्टाफ आफिसर को मुख्य कार्यपालक अधिकारी महोदय के सादर अवलोकनार्थ।
2. जिलाधिकारी महोदय, गौतमबुद्ध नगर को सादर सूचनार्थ।
3. महाप्रबन्धक-के महोदय को सूचनार्थ।
4. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, सैक्टर-1, नौएडा को इस आशय से प्रेषित कि कृपया अपने स्तर से मैसर्स एस०आर० कन्सट्रक्शन्स को अर्थदण्ड की धनराशि जमा कराने हेतु निर्देश देने का कष्ट करें।
5. विधि सलाहकार को आवश्यक कार्यवाही हेतु।
6. प्रबन्धक-(जी)/श्री एस० के० सिंह, सहा० प्रबन्धक को आवश्यक कार्यवाही हेतु।

ARB/05.

S.R. Constructions file.

22/10

वरिष्ठ प्रबन्धक
वर्क सर्किल-9, नौएडा

कृष्ण मोहन श्रीवास्तव
सहा. पर्या. अभियन्ता

30/10/19

01/10/19



क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, नोएडा

ई-12/1, सेक्टर-1 नोएडा, गौतमबुद्धनगर
ई-मेल : ro_noida@uppcb.com, फोन : 0120.4974552

पत्रांक : GU4/L-122/2020

दिनांक 22/09/2020

सेवा में,

वरिष्ठ प्रबन्धक
वर्क सर्किल-9,
नवीन ओखला औद्योगिक विकास प्राधिकरण,
सेक्टर-39, नोएडा।

विषय:- मा0 राष्ट्रीय हरित अधिकरण, प्रिंसिपल बेन्च के आदेश के अनुपालन में मै0 एस0 आर0 कन्स्ट्रक्शन, सेक्टर-135, ग्राम-नगली वाजिदपुर, यमुना पुस्ता, नोएडा के संयुक्त निरीक्षण के सम्बन्ध में।
महोदय,

कृपया उपरोक्त विषयक मै0 एस0 आर0 कन्स्ट्रक्शन, सेक्टर-135, ग्राम-नगली वाजिदपुर, यमुना पुस्ता, नोएडा के पत्रांक दिनांक 10.09.2020 (छायाप्रति संलग्न) का सन्दर्भ ग्रहण करें। उक्त पत्र के साथ संलग्न मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 नं0-618/2016 आई0ए0 नं0-19/2020 संजय कुमार बनाम स्टेट ऑफ यू0पी0 में दिनांक 28.01.2019 को निम्नलिखित आदेश पारित किये गये हैं-

"This Application has been filed by M/s S.R. Constructions for inspection of hotmix plant. The Counsel for the NOIDA Authority as well as Pollution Control Board are directed to inspect the plant and submit its report."

इस सम्बन्ध में अवगत कराना है कि आपके पत्रांक-नोएडा/व0प्र0-व0स0-9/2019/1458 दिनांक 18.10.2019 (छायाप्रति संलग्न) में दिये गये निर्देशों के अनुपालन में मै0 एस0 आर0 कन्स्ट्रक्शन, सेक्टर-135, ग्राम-नगली वाजिदपुर, यमुना पुस्ता, नोएडा द्वारा रू0 5,00,000/- (रू0 पाँच लाख) का अर्थदण्ड नोएडा अथारिटी में दिनांक 09.09.2020 में जमा कर दिया गया है, जिसकी रसीद की छायाप्रति संलग्न है। मा0 राष्ट्रीय हरित अधिकरण के उपरोक्त आदेश के अनुपालन में उक्त हॉट मिक्स प्लान्ट को संयुक्त निरीक्षण हेतु डी-सील करने हेतु नियमानुसार उचित कार्यवाही करना चाहे। उक्त हॉट मिक्स प्लान्ट के संयुक्त निरीक्षण हेतु अपने विभाग के सम्बन्धित अधिकारी को नामित करने तथा सम्बन्धित को इस कार्यालय के नामित श्री के0एम0 श्रीवास्तव सहायक पर्यावरण अभियन्ता, मो0 नं0-9918893218 से सम्पर्क करने के निर्देश देने का कष्ट करें।

संलग्नक:- उपरोक्तानुसार।

भवदीय

(प्रवीण कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि:- निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. मुख्य कार्यपालक अधिकारी, नवीन ओखला औद्योगिक विकास प्राधिकरण, मुख्य प्रशासनिक भवन, सेक्टर-06, नोएडा।
2. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0 प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

मुख्यालय- टी0सी0- 12 वी, विभूति खण्ड, गोमती नगर, लखनऊ- 226010, वेब साईट- www.uppcb.com

कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नोएडा

नौएडा नवीन ओखला औद्योगिक विकास प्राधिकरण
कार्यालय वरिष्ठ प्रबन्धक
वर्क सर्किल-9, सैक्टर-39, नौएडा

Recd
21-10-20

पत्र सं० नौएडा/व०प्र०-व०स०-9/2020/1946
 दिनांक 19/10/20

डि-सील प्रमाण पत्र

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा एप्लीकेशन सं० 618/2016 में (I.A. No. 19/2019) दिनांक 19.02.2018 को निम्नलिखित आदेश पारित किये गये :-

I.A. NO. 19 of 2019

This application has been filed by M/s S.R. Constructions for inspection of Hot mix plant. The Counsel for the Noida Authority as well as Pollution Control board are directed to inspect the plant and submit its report.

Accordingly, I.A. No. 19 of 2019 stands disposed of with no order as to cost.

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित उक्त आदेशों के क्रम में अपर मुख्य कार्यपालक अधिकारी-(एस) महोदया की अनुमति उपरांत ग्राम नगली वाजिदपुर के डूब क्षेत्र में स्थापित M/s S.R. Constructions के हॉट मिक्स प्लांट को दिनांक 19.10.2020 को समिति के निरीक्षण के उद्देश्य हेतु डि-सील किया जाता है।

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा दिये गये निर्देशों का पालन M/s S.R. Constructions द्वारा सुनिश्चित किया जायेगा। माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली के निर्देशों की अवहेलना होने पर M/s S.R. Constructions स्वयं जिम्मेदार होंगे।

अव
 (एस० के० सिंह)
 अवर अभियन्ता, व०स०-9

Sudhakar Gupta
 (सुबोध गुप्ता) 19/10/2020
 मैसर्स एस० आर० कन्स्ट्रक्शन्स
 एफ-4, ईस्ट ज्योति नगर,
 दिल्ली 110093

प्रतिलिपि :-

1. जिलाधिकारी, गौतमबुद्धनगर (नोडल अधिकारी) को सादर सूचनार्थ।
2. अपर मुख्य कार्यपालक अधिकारी-(एस) महोदया को सादर अवलोकनार्थ।
3. मुख्य विधि सलाहकार महोदय को सादर सूचनार्थ।
4. महाप्रबन्धक महोदय को सादर सूचनार्थ।
5. क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण बोर्ड, सैक्टर-1, नौएडा।
6. प्रबन्धक-आर/श्री एस० के० सिंह, अवर अभियन्ता।
7. थानाध्यक्ष, थाना-एक्सप्रेस वे, सैक्टर-135, नौएडा।

OS/N20
Put up with file pt.
22.10.2020
Regional Officer

19/10/20
 वरिष्ठ प्रबन्धक
 वर्क सर्किल-9, नौएडा

अव
 कृष्ण मोहन
 महा० पर्या० आधिकारिक
 उ०प्र० प्रदूषण नियंत्रण बोर्ड,
 नौएडा

**U.P.POLLUTION CONTROL BOARD
REGIONAL LABORATORY
BLOCK-E-12/1,SECTOR-1,NOIDA,GAUTAM BUDH NAGAR**

1 Name of the Industry	M/s-S.R. Construction Sector-135, Village-Nangli Wazidpur, Yamuna Pusta Road Noida, Gautam Budh Nagar
2 Sample Collected by	Sri-K.M. Srivastava ,A.E.E., Sri-Sushil Kumar, S.A. & Sri Ashish Chauhan, J.R.F.
3 Date of Monitoring	27.10.2020
4 Stack Height (Feet)	45 Feet
5 Stack Dia (Feet)	02 Feet (Mild Steel)
6 Stack Attached to	Hot Mix Plant (60-80 MT/Hr)
7 Type of fuel used	Diesel Oil
8 Fuel Consumption	Diesel Oil-20-25 Lts/Hr (Approx)
9 Ambient Temperature (° C)	30 ° C
10 Stack Temperature (° C)	76° C
11 Average Velocity (m/sec.)	10.48 m/sec.
12 Average Flow rate (LPM)	17.27 LPM
13 Net Sampling Time (Minutes)	40 Minutes
14 Control Devices (if any)	Bag House

PARAMETER

Result
(mg/Nm³)
129.0

Standard
(mg/Nm³)
150.0

Particulate Matter(mg/Nm³) :
IS Method No. 11255 (Part-I),
1985



(Sushil kumar)
Scientific Assistant



(K.M. Srivastava)
Asstt.Environment Engineer



(Praveen Kumar)
Regional Officer



कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नोएडा

नौडा

नवीन ओखला औद्योगिक विकास प्राधिकरण
कार्यालय वरिष्ठ प्रबन्धक
वर्क सर्किल-9, सैक्टर-39, नौएडा

10-11-20

पत्र सं०
नौएडा/व0प्र0-व0स0-9/2020/ 2074
दिनांक 29/11/20

पुनः-सील प्रमाण पत्र

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा एप्लीकेशन सं० 618/2016 में (I.A. No. 19/2019) दिनांक 19.02.2018 को निम्नलिखित आदेश पारित किये गये :-

I.A. NO. 19 of 2019

This application has been filed by M/s S.R. Constructions for inspection of Hot mix plant. The Counsel for the Noida Authority as well as Pollution Control board are directed to inspect the plant and submit its report.

Accordingly, I.A. No. 19 of 2019 stands disposed of with no order as to cost.

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित उक्त आदेशों के क्रम में अनुमति उपरांत ग्राम नगली वाजिदपुर के डूब क्षेत्र में स्थापित M/s S.R. Constructions, के हॉट मिक्स प्लांट को दिनांक 19.10.2020 को समिति के निरीक्षण के उद्देश्य हेतु डि-सील किया गया था। समिति के द्वारा दिनांक 27.10.2020 को हॉट मिक्स प्लांट का निरीक्षण कर लिया गया है। समिति के निरीक्षण उपरान्त उक्त प्लांट को दिनांक 29.10.2020 को पुनः सील किया जाता है।

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा दिये गये निर्देशों का पालन M/s S.R. Constructions द्वारा सुनिश्चित किया जायेगा। माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली के निर्देशों की अवहेलना होने पर M/s S.R. Constructions स्वयं जिम्मेदार होंगे।

29/11/2020
(एस0 के0 सिंह)

अवर अभियन्ता, व0स0-9

Surodh Gupta
(सुबोध गुप्ता) 29/11/2020

मैसर्स एस0 आर0 कन्सट्रक्शन्स
एफ-4, ईस्ट ज्योति नगर,
दिल्ली 110093

प्रतिलिपि :-

1. जिलाधिकारी, गौतमबुद्धनगर (नोडल अधिकारी) को सादर सूचनार्थ।
2. अपर मुख्य कार्यपालक अधिकारी-(एस) महोदय के सादर अवलोकनार्थ।
3. मुख्य विधि सलाहकार महोदय को सादर सूचनार्थ।
4. महाप्रबन्धक महोदय को सादर सूचनार्थ।
5. क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण बोर्ड, सैक्टर-1, नौएडा।
6. प्रबन्धक-आर/श्री एस0 के0 सिंह, अवर अभियन्ता।
7. थानाध्यक्ष, थाना-एक्सप्रेस वे, सैक्टर-135, नौएडा।

JE/AEE

29/11/2020

वरिष्ठ प्रबन्धक
वर्क सर्किल-9, नौएडा

कृष्ण मोहन श्रीवास्तव
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
नौएडा