

NDOH:- 13/02/2024

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 394/2022

IN MATTER OF:-

Pushpendra Kumar

...Applicant

Versus

Block Development Officer,
Kadaura & Ors.

...Respondents

INDEX

<u>S. NO.</u>	<u>PARTICULAR</u>	<u>PAGE NO.</u>
1.	COMPLAINCE OF ORDER DATED 20.07.2023 PASSED BY THIS HON'BLE TRIBUNAL DIRECTING THE RESPONDENTS TO FILE ACTION TAKEN REPORT.	1-25
2.	<u>ANNEXURE-R/1</u> A copy of the government order dated 30.08.2023 bearing number 2104.	26-29
3.	<u>ANNEXURE-R/2</u> A true copy of letter no. 941 dated: 26.07.2023.	30
4.	<u>ANNEXURE-R/3 (Colly)</u> A true copy of the photographs showing biogas plant and vermicompost plants installed in Kanha Gaushala/ Besahara Gauashray sthall.	31-33
5.	<u>ANNEXURE-R/4 (Colly)</u> A true copy of the photograph Faecal Sludge Treatment Plant.	34-36

6.	<u>ANNEXURE-R/5 (Colly)</u> A true copy of the photographs showing separate shelter, tin shed, open area, khandja installed in gaushalas and letter dated 28.07.2023.	37-40
7.	<u>ANNEXURE-R/6 (Colly)</u> A true copy of the photographs showing green feeder, chokhar and freshwater facility (charahi) available for animals.	41-42
8.	<u>ANNEXURE-R/7 (Colly)</u> A true copy of the photographs.	43-46
9.	<u>ANNEXURE-R/8 (Colly)</u> A true copy of letters, order, list of all gaushalas and nodal officers appointed for the inspection.	47-69
10.	<u>ANNEXURE-R/9</u> A true copy of the letter dated 10.01.2024 issued by the District Magistrate.	70-71
11.	<u>ANNEXURE-R/10</u> A copy of the letter dated 26.01.2024 issued by the Chief Development Officer.	72
12.	<u>ANNEXURE-R/11 (Colly)</u> A true copy of the order dated 04.08.2023, letter dated 10.08.2023 and local newspaper dated 05.08.2023 and 10.08.2023.	73-78
13.	<u>ANNEXURE-R/12 (Colly)</u> A true copy of the letter no. 91 dated 19.08.2023 and list of unregistered meat shops.	79-82
14.	<u>ANNEXURE-R/13 (Colly)</u> A true copy of photographs showing green trees and saplings in gaushalas.	83-84
15.	<u>ANNEXURE-R/14 (Colly)</u> A true copy of letter, water test report and certificate.	85-90
16.	<u>ANNEXURE-R/15 (Colly)</u> A true copy of the letter and water test report.	91-95

17.	<u>ANNEXURE-R/16 (Colly)</u> A true copy of the letter, water test report and CCA certificate.	96-100
18.	<u>ANNEXURE-R/17 (Colly)</u> A true copy of the letter, water test reports.	101-109
19.	<u>ANNEXURE-R/18 (Colly)</u> A true copy of the letter, water test report and (CCA) certificate.	110-118
20.	<u>ANNEXURE-R/19 (Colly)</u> A true copy of the letter, water test report and (CCA) certificate.	119-128
21.	<u>ANNEXURE-R/20 (Colly)</u> A true copy of the water test reports.	129-130
22.	<u>ANNEXURE-R/21 (Colly)</u> A true copy of the certificate.	131-134
23.	<u>ANNEXURE-R/22 (Colly)</u> A true copy of the certificate and payment receipt.	135-136
24.	<u>ANNEXURE-R/23 (Colly)</u> A true copy of the certificate and payment receipt.	137-138
25.	<u>ANNEXURE-R/24</u> A true copy of the certificate and payment receipt.	139
26.	<u>ANNEXURE-R/25</u> A true copy of the certificate.	140

27. Authority Letter

141

FILED BY

Sharma 2

Mr. Shwetank Sailakwal
Mr. Narendra Shrivastava
Advocate for the Respondents
B-3, 3rd floor, Opp. Kashmiri Park,
Jangpura Extension, New Delhi:- 110014

New Delhi

Date:- 09/02/2024

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 394/2022

IN MATTER OF:-

Pushpendra Kumar

...Applicant

Versus

Block Development Officer,
Kadaura & Ors.

...Respondents

COMPLAINEE OF ORDER DATED 20.07.2023 PASSED BY
THIS HON'BLE TRIBUNAL DIRECTING THE
RESPONDENTS TO FILE ACTION TAKEN REPORT

MOST RESPECTFULLY SHOWETH: -

1. That the Applicant has filed an Application before this Hon'ble Tribunal alleging that CPCB guidelines have not been followed by the Respondents in state-run Gaushala's. That this Hon'ble Tribunal vide order dated 27.05.2022 was pleased to constitute a joint committee to submit the factual and action taken report. That the Joint Committee constituted by this Hon'ble Tribunal has submitted a detailed action taken report which is required to be complied with by the Respondents.

2. That this Hon'ble Tribunal vide order dated 20.07.2023 was pleased to direct the Respondents to submit a detail action report in Compliance of the orders passed by this Hon'ble Tribunals and recommendations made by the Joint committee. That in compliance of the aforesaid order the Respondents are bringing on record the steps taken till date which are necessary for final adjudication of the present case.

DETAILED ACTION REPORT OF RESPONDENTS

3. That due to the mechanization in the agriculture sector, the calves of indigenous/non-descript cows have not been used by the farmers for their agricultural work and all the cows have been destitute. In the recent time the number of destitute cows has raised increasingly because of which vide Government dated 02.01.2019, State have established temporary Gaushalas for reducing the number of destitute cows and for their maintenance and protection. Further, the Government promulgated a policy and issued guidelines in respect to the maintenance for these temporary Gaushalas. It

is pertinent to mention that these Gaushalas are temporary in nature and can be removed at any time to some other place as and when directed by the Government. That it is respectfully submitted that even though the Gaushalas are of temporary nature, still it is maintained as per the guidelines issued by the Government and all the Gaushalas have been following the guidelines which have been issued by the Government and another order dated 30.08.2023 has been issued by Department of Animal Husbandry. A copy of the government order dated 30.08.2023 bearing number 2104 is annexed herein and marked as **ANNEXURE-R/1**.

4. That it is respectfully submitted that the Kanha Gaushala / Besahara Gauashray sthall are of temporary nature because of which these Gaushalas will not be able to follow the CPCB guidelines and ICAR guidelines. That keeping in mind the temporary nature of the Gaushalas, the Government of Uttar Pradesh has issued their guidelines for the maintenance of these temporary Gaushalas. Thus, the Gaushalas are following the guidelines which are issued by

4

the Government for the maintenance of these Gaushalas and CPCB/ICAR guidelines are not applicable on these temporary Gaushalas.

5. That a letter was sent to Chief Development Officer, district Jalaun to all Block Development Officer, all executive Officer, all Deputy Chief Veterinary Officer, and Veterinary Officer of the district Jalaun regarding compliance of order dated 20.07.2023 passed by this Hon'ble Tribunal. The concerned officers were informed that this Hon'ble tribunal passed order to provide photograph, certificate, and information on the following points, which are as follows: -
 - a. What arrangements has been made for disposal of cow dung in gaushalas?
 - b. What is the arrangement for urine disposal in gaushala?
 - c. How are male cows and female cows and children of cows kept in the cow shelter and what is the arrangement?
 - d. What arrangements have been made for sick cows and healthy cows in the cow shed?
 - e. How much tree plantation has been done in the gaushala so far and how mush tree plantation has been done in last year gaushala wise?
 - f. What is the arrangement of green fodder in the gaushala along with the area (hectares)?
 - g. What is the arrangement of draining water in case of water logging in the gaushala during the rainy season?
 - h. What is the arrangement of storing straw in the gaushalas?

- i. What is the arrangement of keeping sick calves and cows in rainy and winter season?
- j. What is the diet sheet of the cows in gaushala?
- k. What are the arrangements of concrete flooring and shed in the gaushala?
- l. Whether the gaushalas of the district are being operated according to the guidelines of CPCB and ICAR or not, make sure to provide certificates?

The true copy of letter no. 941 dated: 26.07.2023 is annexed herewith and marked as **ANNEXURE – R/2.**

6. That as per the recommendation of the joint committee constituted on 27.05.2022 and in compliance of guidelines for environmental management of dairy farms and gaushala published by Government Order dated 02.01.2019 for waste management, Kanha Gaushala / Besahara Gauashray sthall for town area and Nirashrit Gauashray sthall for rural area collect dung from the floor of the shed at regular interval, so as to keep the floor clean, all solid waste is collected and stored in proper place for its treatment, vermicompost plants has been installed in Beriabujurg, Jalaun, Uttar Pradesh for disposal/utilisation of solid waste (dung). Biogas plants has been installed as common treatment facilities to handle the dung waste as per the government guidelines, as biogas plant

6

are the best way to dispose of the solid waste. The true copy of the photographs showing biogas plant and vermicompost plants installed in Kanha Gaushala/ Besahara Gauashray sthall are annexed herewith and marked as **ANNEXURE – R/3 (Colly)**.

7. That as per guidelines issued by the Government vide order dated 02.01.2019/ Order of Animal Husbandry dated 30.08.2023, for water waste management Orai district Jalaun have installed Faecal Sludge Treatment Plant (FSTP) is situated Nagar Palika Orai Jalaun, as common treatment facilities in order to ensure that the wastewater(urine) discharged is adequately treated so as to meet the standards as prescribed by SPCBs/PCCs and it does not percolate through ground and pollutes the ground water. The true copy of the photograph Faecal Sludge Treatment Plant is annexed herewith and marked as **ANNEXURE – R/4 (Colly)**.
8. That in compliance with the recommendation of the joint committee for shelter management of Kanha Gaushala / Besahara Gauashray sthall in Jalaun, all cattle are under

7

adequate shelter having enough space to roam around, lie down and stand up again. All animals are segregated and have separate shelter for better management. The shelters are equipped with tarpal to save the animals from inclement/harsh weather conditions. All the sheds are properly ventilated and the flooring under covered area are cemented as well as open muddy area is also left for proper comfort of animals. As per the letter no. 1004 dated 28.07.2023, Chief Development Officer directed all the BDO'S and chief veterinary officers and veterinary officers to install khandja (village road) inside and outside of shed in Kanha Gaushala / Besahara Gauashray sthall wherever not installed. The true copy of the photographs showing separate shelter, tin shed, open area, khandja installed in gaushalas and letter dated 28.07.2023 is annexed herewith and marked as **ANNEXURE- R/5 (Colly)**.

9. That in compliance with the recommendation of the joint committee for the feeding management of Kanha Gaushala / Besahara Gauashray sthall in Jalaun, cattles are being

provided only quality green fodder, Bhoosa and khari chokhar in adequate quantity so as to meet their requirements of good health and welfare, all Kanha Gaushala / Besahara Gauashray sthall having sufficient feeding and watering area as per specification, fresh water is also available for all the cattle. All the gaushalas have fodder storage facility. The true copy of the photographs showing green fooder, chokhar and freshwater facility (charahi) available for animals are annexed herewith and marked as **ANNEXURE – R/6 (Colly)**.

10. That in compliance with the recommendation of joint committee for the health management of gaushala in Jalaun, all the cow shed have proper health care facilities like veterinary dispensary along with medicines, common veterinary hospital and isolation shed for the cows suffering from contagious disease. All the cattle of the gaushals in district Jalaun are being duly taken care by the management and all the gaushalas are equipped with essential medical facilities mentioned above. The true copy of the photographs

are annexed herewith and marked as ANNEXURE – R/7
(Colly).

11. That in compliance with the order passed by this Hon'ble Tribunal dated 20.07.2023, the Chief Development Officer, Jalaun vide letter no. 1059/Nodal/ 2023-24 dated 04.08.2023, to discharge of supervision responsibility of maintenance and protection of cows and their other proper care, nominated 82 nodal officers. All the gaushalas are being characterised as temporary/permanent for the better management. That the Additional Chief Secretary Livestock Department, Uttar Pradesh Government, Lucknow directed all the Deputy Chief Veterinary Officer/Veterinary Officers to conduct health checkups of 5-5 cows shelter in their respective area and further directed that the inspection report will be posted on the cow shelter portal. That inspection of all the Kanha Gaushala/ Behsahara Gauashray Sthal was done between 07-09 August and wherever it has been found necessary to make some arrangements in some gaushala's directions are issued to ensure that all the required

arrangements should be done within a week vide letter no.1118 dated 14/08/2023. That all officers were also directed to provide action taken report to the Chief Development Officer. The true copy of letters, order, list of all gaushalas and nodal officers appointed for the inspection are annexed herewith and marked as **ANNEXURE – R/8 (Colly)**.

12. That the inspection team, inspected all the Kanha Gaushala / Besahara Gauashray sthall to check whether they have been following the guidelines issued by the Government in maintaining the Kanha Gaushala / Besahara Gauashray sthall. Thereafter a list of Kanha Gaushala / Besahara Gauashray sthall was prepared by the inspection team, which were not following the guidelines issued by the Government, which were then sent to the District Magistrate Jalaun. After which District Magistrate, Jalaun, issued a letter dated 10.01.2024 to all executive officers and Block Development officers of Kanha Gaushala / Besahara Gauashray sthall directing them to follow the guidelines issued by the

||

Government and report the compliance of the same. A true copy of the letter dated 10.01.2024 issued by the District Magistrate is annexed herein and marked as **ANNEXURE-R/9**.

13. That the Chief Development Officer District, Jalaun, issued a letter to all the BDO and Executive officers directing them to provide the compliance report of the directions given by the District Magistrate Jalaun. That the Compliance report shall contain the following:-
- a. Colorful photographs of the cow conservation centre
 - b. Colour photographs of Besahara Gauashray sthall of the village, Mabai Bhraman, Khutmili Development Kadauram ITO development Kuthaun and Nadigaon.
 - c. Certificate of the fodder used for feeding the cows.
 - d. Colour photographs of Urine disposal pits.

All following compliance have to be completed by all the Kanha Gaushala / Besahara Gauashray sthall, which will be then sent to the inspection committee. A copy of the letter

dated 26.01.2024 issued by the Chief Development Officer is annexed herein and marked as **ANNEXURE-R/10.**

14. That 5 teams were formed for joint inspection on 04/08/2023 by order of answering Respondent vide order no. 89 in connection with the compliance of the prescribed standards set up by the Government by making surprise inspection of meat shops operating under the city area. That on 05/08/2023 in Orai (Jalaun) food safety team has conducted surprise inspection on chicken and meat shops. Notice was given to the shopkeepers under the Food Safety and Standards Act 2006 and Regulation 2011 after finding filth in the shops of Kalpi and Jalaun in order to maintain cleanliness in the shop and do business only after getting the licence vide order no. 81. The true copy of the order dated 04.08.2023, letter dated 10.08.2023 and local newspaper dated 05.08.2023 and 10.08.2023 of that area is annexed herewith and marked as **ANNEXURE – R/11 (Colly).**

15. That in compliance with point no. 11 of order dated 20.07.2023, on the basis of periodic inspections of meat

shops without valid registration, u/s 58 of the Food Safety Act, 2006. Further, cases have been filed against all the shopkeepers who are operating meat shops without valid registration and licence. The true copy of the letter no. 91 dated 19.08.2023 and list of unregistered meat shops are annexed herewith and marked as **ANNEXURE – R/12 (Colly)**.

16. That in compliance with the order dated 20.07.2023 passed by this Hon'ble Tribunal, plantation of trees sapling has been done in all gaushalas resulting in fresh air for the cattle, odour less atmosphere near the gaushala and plantation of green belts to provide green fodder for the cattle. True copy of photographs showing green trees and saplings in gaushalas are annexed herewith and marked as **ANNEXURE – R/13 (Colly)**.

17. That as per the recommendation made by the joint committee water testing report of temporary gaushala situated in village Sugarmill, dikauli and Madhogarh has been sent to Executive Engineer, Divisional Office U.P

water corporation (rural) Jalaun by executive officer, Nagar Panchayat Madhogarh (Jalaun) vide letter no.2396 dated 18.08.2023. Water test result was under permissible limit as per Indian standards. As per test report turbidity NTU (units) is 4.3 NTU and permissible limit of the same is 5 NTU, that PH value according to test result is 7.2 NTU and permissible limit of the same ranges between 6.5 – 9.5 NTU. That on 23.08.2023 consolidated consent and authorization (CCA) under section 25 of the water (prevention and control of pollution) Act, 1974 and under section 21 of the Air (prevention and control of pollution) Act, 1981 has been granted to TEMPORORAY GAUSHALA NAGAR PANCHAYAT MADHOGHARH located at GATA NO: 333, WARD NO: 08, MAITHILISHARAN NAGAR, MADHOGRAH, DISTRICT JALAUN, 285126 for the period from 29.07.2023 to 31.07.2027. The true copy of letter, water test report and certificate are annexed herewith and marked as **ANNEXURE- R/14 (Colly)**.

18. That according to letter no. 2405 dated 19.08.2023 water test report of the water sample of gaushalas of development block Madhogarh in villages Amkheda, Harauli, Aheta, Uncha and padkula acquired from the portal WQMIS has been sent to Executive Engineer, divisional office U.P water corporation (rural) Jalaun by Chief Development Officer (Jalaun). All the water test result was under permissible limit as per Indian standards. The true copy of the letter and water test report are annexed herewith and marked as **ANNEXURE- R/15 (Colly)**.
19. That as per letter no. 2995 dated 18.08.2023 water test report of Kanha gaushala Rampura has been sent to executive engineer, divisional office U.P water corporation (rural) Janaul as per the report turbidity NTU (units) was 4.3 NTU which is under permissible limit i.e 5 NTU and PH value of the same report was 7.1 NTU which was also under permissible limit that ranges between 6.5 – 9.5 NTU. That on 23.08.2023 consolidated consent and authorization (CCA) u/s 25 of the Water (prevention and control of

pollution) Act, 1974 and u/s 21 of the Air (prevention and control of pollution) Act, 1981 has been granted to NAGAR PANCHAYAT RAMPURA located at GATA NO. 892/4 WARD NO.2 SUBHASH NAGAR WEST RAMPURA, JALAUN 285127 for the period from 27.07.2023 to 31.07.2027. The true copy of the letter, water test report and CCA certificate are annexed herewith and marked as **ANNEXURE- R/16 (Colly)**.

20. That as per letter no. 2106 dated 19.08.2023 water test report acquired from WQMIS portal pertaining to water sample of gaushalas, development block Dakor of villages Etwalaun, Dadari, Aindha, Chaurasi has been conveyed to executive engineer, divisional office U.P water corporation (rural) Jalaun. Water test report of the villages mentioned above was under permissible limit as per Indian standards. The true copy of the letter, water test reports are annexed herewith and marked as **ANNEXURE – R/17 (Colly)**.

21. That as per letter no. 2413 dated 19.08.2023 water test report acquired from WQMIS portal pertaining to water sample of

17

gaushala, development block Nadigaon of villages Gadrena, Jaganpura, Jugrajpura, Kamsera and Sulkhna has been sent to executive engineer, divisional office U.P water corporation (rural) Jalaun. Water test report of the villages mentioned above was under permissible limit as per Indian standards. That on 22.08.2023 consolidated consent and authorization (CCA) u/s 25 of the Water (prevention and control of pollution) Act, 1974 and u/s 21 of the Air (prevention and control of pollution) Act, 1981 has been granted to NAGAR PANCHAYAT NADIGAON JALAUN for the period from 27.07.2023 to 31.07.2027. The true copy of the letter, water test report and (CCA) certificate are annexed herewith and marked as **ANNEXURE – R/18 (Colly).**

22. That as per the letter no. 2433 dated 22.08.2023 water test report of Kanha Gaushala located in municipal corporation Konch has been sent to Executive Engineer, Divisional Office U.P water corporation (rural) Jalaun. According to report turbidity NGT (unit) was 3.2 NGT and PH value was

7.3 NGT, permissible limit of the same was 5 NGT and 6.5 to 9.2 NGT respectively. That o 23.08.2023 consolidated consent and authorization (CCA) u/s 25 of the Water (prevention and control of pollution) Act, 1974 and u/s 21 of the Air (prevention and control of pollution) Act, 1981 has been granted to NAGAR PALIKA PARISHAD KONCH located at GATA NO. 1409 MALVIYA NAGAR KONCH JALAUN, 285205 for the period from 23.07.2023 to 31.07.2027. The true copy of the letter, water test report and (CCA) certificate are annexed herewith and marked as **ANNEXURE – R/19 (Colly)**.

23. That according to water test report no. 131 of gaushala located in village Kadaura, turbidity NGT (unit) was 4.2, PH value was 7.2 NGT which was under permissible limit as per the Indian standards. That water test report no.132 of temporary Gaushala situated in village Katra block Dakor was also under permissible limit as per the Indian standards. The true copy of the water test reports are annexed herewith and marked as **ANNEXURE – R/20 (Colly)**.

24. That in compliance of the order dated 20.07.2023 passed by this Hon'ble Tribunal, Consolidated Consent and Authorization (CCA) u/s 25 of the Water (prevention and control of pollution) Act, 1974 and u/s 21 of the Air (prevention and control of pollution) Act, 1981 has been granted to NAGAR PANCHAYAT UMRI located at GATA NO. 14 WARD NO. 10 KANJHUSA UMRI, JALAUN 285129 the CCA certificate has been granted for the period from 27.07.2023 to 31.07.2023. That the Nagar Panchayats and other Nagar Palika have also applied for the NOC for which the requisite fees have been duly paid and application for NOC is under process. The true copy of the certificate is annexed herewith and marked as **ANNEXURE – R/21 (Colly)**.

25. That in compliance with point no. 12 of the of the order dated 20.07.2023 passed by this Hon'ble Tribunal, the cow shed of the district are being operated as per the guidelines issued by the Government vide order dated 02.01.2019/ Order of Animal Husbandary dated 30.08.2023. An

application for NOC has been made to the Uttar Pradesh Pollution Control board on 28.07.2023 and the same has been issued by Uttar Pradesh Pollution Control Board for the cow shelter operated under Nagar Panchayat Kotra.

26. That all the bio medical waste generated is disposed as per the provision contained in SWM rules 2016 and BMW rules 2016. A separate biomedical waste unit has been constructed in the cow shed. There is no pollution of any kind from cow dung and cow urine, and underground water is pure and portable, which is not affected by solid and water waste. The true copy of the certificate and payment receipt are annexed herewith and marked as **ANNEXURE- R/22 (Colly)**.
27. That, in compliance with point no. 12 of the order dated 20.07.2023 passed by this Hon'ble Tribunal, cow shed of the district are being installed as per the guidelines issued by the Government vide order dated 02.1.2019/ Order of Animal Husbandry dated 30.08.2023. An application for NOC has been made to the Uttar Pradesh Pollution Control Board on 27.07.2023 and the same has been issued by Uttar Pradesh

Pollution Control Board for the cow shelter operated under Nagar Panchayat Kalpi. All the bio medical waste generated is disposed as per the provision contained in SWM rules 2016 and BMW rules 2016. A separate biomedical waste unit has been constructed in the cow shed. There is no pollution of any kind from cow dung and cow urine, and underground water is pure and portable, which is not affected by solid and water waste. The true copy of the certificate and payment receipt are annexed herewith and marked as **ANNEXURE- R/23 (Colly)**.

28. That, in compliance with point no. 12 of the of the order dated 20.07.2023 passed by this Hon'ble Tribunal, the cow shed of the district are being operated as per the guidelines issued by the Government vide order dated 02.1.2019/ Order of Animal Husbandry dated 30.08.2023. An application for NOC has been made to the Uttar Pradesh pollution control board on 27.07.2023 and the same has been issued by Uttar Pradesh Pollution Control Board for the cow shelter operated under Nagar Panchayat Kadaura. All the bio medical waste

generated is disposed as per the provision contained in SWM rules 2016 and BMW rules 2016. A separate biomedical waste unit has been constructed in the cow shed. There is no pollution of any kind from cow dung and cow urine, and underground water is pure and portable, which is not affected by solid and water waste. The true copy of the certificate and payment receipt are annexed herewith and marked as **ANNEXURE- R/24**

29. That a certificate was issued by office of Municipal Council, Jalaun dated 26.7.2023 certifying that the guidelines issued by ICAR/CPCB are being duly followed in Kanha gaushala operated under Municipal Council, Jalaun. The true copy of the certificate is annexed herewith and marked as **ANNEXURE R/25**
30. That in view of the facts and circumstances hereinabove, it is respectfully submitted that the respondents are meticulously complying with the recommendations and direction passed by the Hon'ble tribunal. That the Respondents in compliance

of the Joint Committee recommendations have filed the present application.

PRAYER

In view of the circumstances mentioned herein above it is most respectfully prayed that this Hon'ble Tribunal may be pleased to: -

- a) Allow the present application filed in compliance of order dated 20.07.2023 passed by this Hon'ble Tribunal and bring on record the final action report of the Respondents
- b) Pass such other and further order(s) as may be deemed fit and proper in the facts and circumstances of the present case in favour of the Respondent.

FILED BY

Mr. Shwetank Sailakwal
Mr. Narendra Shrivastava
Advocate for the Respondents
B-3, 3rd floor, Opp. Kashmiri Park,
Jangpura Extension, New Delhi:- 110014

New Delhi
Date:- 09/02/2024

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 394/2022

IN MATTER OF:-

Pushpendra Kumar

...Applicant

Versus


Block Development Officer,
Kadaura & Ors.

...Respondents

AFFIDAVIT

I, Dhyan Chandra Bhasker, S/o Late Sh. Babu Ram Bhaskar R/o. 2/413, Chiranjeev Vihar, Ghaziabad, Uttar Pradesh:- 201002, aged about 52 years, currently working Deputy Chief Veterinary Officer, Madhogarh, Uttar Pradesh, presently at New Delhi, do hereby solemnly affirm and state as under:-

1. That I am Respondent No. 21 in the above-mentioned matter and am fully conversant with the facts and circumstances of case, hence I am also competent to swear this affidavit.
2. That the accompanying Compliance has been drafted under my instruction and the averments made therein have been read over and explained to me. I further state that the averments made therein are true and correct to best of my



25

knowledge and belief & explained to me in my Vernacular Language.

- 3. That the Annexure are the true copies of their respective originals.

de

DEPONENT

VERIFICATION

Verified at Delhi on 07 day of Feb, 2024, that I, the above named deponent to hereby verify that the contents of the above stated paras are true to my knowledge and belief and no part of it is false and nothing material has been concealed there from.



de

DEPONENT

7/2/2024

ATTESTED
 NOTARY PUBLIC DELHI
 Govt. of India
 Mob.: 9654768498

Shikhar
 IDENTIFIED



1/379072/2023

26

महत्त्वपूर्ण
संख्या-2104/सैतीस-2-2023

प्रेषक,

डा० रजनीश दुबे,
अपर मुख्य सचिव,
उत्तर प्रदेश शासन

सेवा में,

1. समस्त जिलाधिकारी,
उ०प्र०
2. निदेशक,
प्रशासन एवं विकास,
पशुपालन विभाग,
उ०प्र०, लखनऊ

पशुधन अनुभाग-2

लखनऊ :: दिनांक- 30 अगस्त, 2023

विषय:- निराश्रित गोवंश के संरक्षण हेतु स्थापित गो आश्रय स्थलों/संरक्षण केन्द्रों पर पर्यावरणीय प्रबन्धन के सम्बन्ध में गाइडलाइंस

महोदय,

उत्तर प्रदेश पशुधन संख्या के दृष्टिकोण से देश का सबसे बड़ा प्रदेश है। 20 वी पशुगणना 2019 के अनुसार उत्तर प्रदेश में लगभग 190.3 लाख गोवंश थे। कृषि कार्य में मशीनीकरण के प्रयोग से स्वदेशी/अवर्णित गोवंश के नर वत्स के अनुपयोगी हो जाने के कारण पशुपालक इन्हें निराश्रित छोड़ देते हैं। ये निराश्रित गोवंश अनियंत्रित होकर प्रजनन द्वारा अनुपयोगी/कम उत्पादकता के गोवंश की उत्पत्ति करते हैं, जिसके फलस्वरूप निराश्रित गोवंशों की संख्या में निरन्तर वृद्धि होती है। प्रदेश में उत्तर प्रदेश गोवध निवारण अधिनियम-1955 (यथा संशोधित-2000) लागू है, जिसके अन्तर्गत गोवध पर प्रभावी तरीके से प्रतिबन्ध लगाया गया है तथा सम्प्रति प्रदेश में लगभग 14 लाख निराश्रित गोवंश हैं।

2. निराश्रित गोवंशों की संख्या में कमी लाने एवं इनके संरक्षण तथा भरण-पोषण हेतु शासनादेश संख्या-4324/सैतीस-2-2018-5(53)/2018, दिनांक 02.01.2019 द्वारा अस्थायी गो आश्रय स्थलों की स्थापना व संचालन नीति का प्रख्यापन किया गया है। इस नीति के अन्तर्गत स्पष्ट किया गया है कि पशुअतिचार अधिनियम-1871 (संशोधित-21 अगस्त, 1996) में दिये गये प्राविधानों व पशुओं के प्रति क्रूरता निवारण अधिनियम-1960 की धारा-4 के अधीन स्थापित भारतीय जीव जन्तु कल्याण बोर्ड पर्यावरण वन और जलवायु परिवर्तन मंत्रालय, भारत सरकार द्वारा निर्गत दिशा-निर्देश पत्रांक-9-3/2018-19/पी०सी०ए०, दिनांक 12 जुलाई, 2018 के अनुसार निराश्रित पशुओं के संरक्षण एवं भरण-पोषण की जिम्मेदारी स्थानीय निकाय की है। नीति के अन्तर्गत यह भी प्राविधानित है कि अस्थायी गोवंश आश्रय स्थल (कभी भी सम्पूर्णतया हटाने योग्य) की स्थापना, व्यवस्था एवं प्रबन्धन, संचालन स्थानीय निकाय द्वारा की जायेगी। शासनादेश दिनांक 02.01.2019 द्वारा प्रख्यापित नीति के उक्त के क्रम में निर्गत मार्गदर्शी निर्देश दिनांक 28.01.2019 में गो आश्रय स्थलों हेतु भूमि का चिन्हांकन एवं समतलीकरण, गोवंशों हेतु स्थान के मानक, स्थलों पर पेयजल की व्यवस्था, प्रकाश की व्यवस्था, पर्यावरणीय व्यवस्था एवं मृत गोवंशों के अन्तिम संस्कार हेतु सम्बन्धित विभागों को सुस्पष्ट दायित्व दिये गये हैं।

3. निराश्रित गो आश्रय स्थल अस्थायी प्रकृति के (कभी भी सम्पूर्णतया हटाने योग्य) हैं। यह स्थल कोई व्यवसायिक केन्द्र न होकर शैल्टर मात्र है, जिन पर निराश्रित गोवंश के

I/379072/2023

De-minimis जीवन निर्वाह की कल्याणकारी व्यवस्था है। अतः केन्द्रीय प्रदूषण कन्ट्रोल बोर्ड की गाइडलाइन्स, जो गोशालाओं/डेयरी फार्म के निमित्त है, के अनुसार इनकी स्थापना से पूर्व अनापत्ति प्राप्त किया जाना आवश्यक नहीं है। अधिकांश गो आश्रय स्थलों में 200 से कम गोवंश संरक्षित हैं। अतः कम संख्या में गोवंश होने के कारण गोवंश आश्रय स्थलो में गोबर, गोमूत्र एवं चारे के अपशिष्ट कम मात्रा में उत्पादित होते हैं, तथा उत्पादित होने वाले इन अपशिष्टों को कम्पोस्ट के रूप में उसी स्थल पर उपयोग में ले लिया जाता है। अतः इन आश्रय स्थलों में उत्पादित अपशिष्ट का पर्यावरणीय प्रभाव नगण्य है।

4. केन्द्रीय प्रदूषण कन्ट्रोल बोर्ड द्वारा जुलाई, 2020 में डेयरी फार्म एवं गोशालाओं में पर्यावरणीय प्रबन्धन हेतु गाइडलाइन्स निर्गत की गयी है। गो आश्रय स्थल कभी भी सम्पूर्णतया हटाने योग्य शेल्टर मात्र है। ये कोई उद्यम अथवा व्यवसायिक केन्द्र नहीं है। उक्त के परिप्रेक्ष्य में प्रदेश में निराश्रित गोवंश के संरक्षण एवं भरण-पोषण हेतु स्थापित/संचालित गो आश्रय स्थलों में पर्यावरण प्रबन्धन हेतु निम्नानुसार गाइडलाइन्स निर्गत की जा रही है:-

(1) ठोस अपशिष्ट प्रबन्धन-

1.1 प्रत्येक गो आश्रय स्थल पर नियमित रूप से गोबर का उठान किया जाय और फर्श की साफ-सफाई सुनिश्चित की जाय। गो आश्रय स्थल के आस-पास के क्षेत्रों पर भी साफ-सफाई की जाय कि ताकि किसी प्रकार की आवांछित दुर्गन्ध न हो

1.2 गो आश्रय स्थलों और आस-पास के क्षेत्र को साफ रखने हेतु नियमित अंतराल पर चूने आदि का छिड़काव किया जाय।

1.3. बचा हुआ चारा, भूसा एवं विछाबन को इकट्ठा करके पिट कम्पोस्टिंग की जाय।

1.4. गो आश्रय स्थलों में उत्पादित बायोमैडिकल वेस्ट को (वैक्सीन, दवा की खाली शीशियां, सीरिज इत्यादि) पशुचिकित्सा अधिकारी अपने साथ ले जायें और सी0पी0सी0बी0 की गाइडलाइन्स में "Solid Waste Management Rules- 2016" के अनुसार निस्तारित किया जाय।

1.5. गो आश्रय स्थलों पर उत्पादित गोबर और बचे हुए चारे को जल निकासी के साथ न बहाया जाय।

(2) जल अपशिष्ट प्रबन्धन-

2.1. गौ-मूत्र, पशु की धुलाई व फर्श की सुफाई आदि में प्रयुक्त अवशिष्ट जल एक गड्डे में एकत्रित कर चारागाह में सिंचाई हेतु प्रयोग किया जाय।

2.2. गो आश्रय स्थल द्वारा फर्श की सफाई धुलाई आदि में जल का संयमित उपयोग किया जाय तथा प्रयुक्त जल इस प्रकार निस्तारित किया जाय कि यह अण्डरग्राउंड जल को प्रदूषित न करें।

2.3 गौ-आश्रय स्थल की फर्श कदापि चिकनी नही होनी चाहिए। फर्श चिकनी होने से पशुओं के फिसलने का डर बना रहता है।

(3) वायु गुणवत्ता प्रबन्धन:-

3.1. शेड हवादार, पूर्व पश्चिम की लॉग एक्सिस में बना होना चाहिए। जिससे आर्द्रता मौसम के अनुकूल रहें और गोशाला में मेथेन, कार्बनडाई आक्साइड एवं अमोनिया आदि गैसों का जमाव न हो।

3.2. जाड़े एवं वर्षा में शेडों में अत्यधिक भीड़भाड़ (Over crowding) नही होनी चाहिए।

3.3. शेड की क्षमता से अधिक पशु कदापि न रखे जाय।

3.4. गो आश्रय स्थल पर ग्रीन बेल्ट विकसित किया जाय।

3.5 गो आश्रय स्थल में गोवंश के खड़े होने आराम करने और गति/चलने फिरने के लिये पर्याप्त स्थान उपलब्ध कराया जाय।

I/379072/2023

3.6 गो आश्रय स्थलों की कृषि विज्ञान केन्द्रों पशुपालन विभाग, राष्ट्रीय डेयरी विकास बोर्ड द्वारा प्राप्त मार्गदर्शन के अनुसार चारा दाना आदि की व्यवस्था सुनिश्चित की जाय।

(4) साइटिंग पालिसी:-

4.1. गो आश्रय स्थल आवासीय परिसर/स्वास्थ्य केन्द्र/अस्पताल/स्कूल से 100 मीटर की परिधि के बाहर स्थापित किये जायें तथा यह भी सुनिश्चित किया जाय कि तालाब झील मुख्य जल स्रोत से 200 मीटर की परिधि से बाहर स्थापित हो।

4.2. आश्रय स्थलों में शेडों के बीच कम से कम 05 मीटर की दूरी रखी जाय तथा बीच में ग्रीन बेल्ट विकसित किये जाय।

(5) अन्य बिन्दु:-

5.1 निराश्रित गोवंश के भरण-पोषण हेतु चारा, पीने हेतु स्वच्छ पानी, समुचित प्रकाश एवं हवादार स्थल उपलब्ध होना चाहिये।

5.2 गोवंश के बैठने/आराम करने वाले स्थलों पर इन्टरलाकिंग लगायी जाय।

5.3 गो आश्रय स्थलों पर छायादार वृक्ष लगाये जाय, जिससे गोवंश को बैठने एवं आराम करने में सुविधा हो।

6. इस सम्बन्ध में मुझे यह कहने का निदेश हुआ है कि कृपया उपर्युक्तानुसार योजना का प्राथमिकता पर क्रियान्वयन सुनिश्चित कराने का कष्ट करें।

भवदीय,

(डा० रजनीश दुबे)
अपर मुख्य सचिव।

संख्या-2104(1)/सैतीस-2-2023 तददिनांक।

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. अपर मुख्य सचिव, मुख्यमंत्री, उ०प्र० शासन।
2. प्रमुख स्टाफ आफिसर, मुख्य सचिव, उ०प्र० शासन।
3. विशेष कार्याधिकारी, कृषि उत्पादन आयुक्त, उ०प्र० शासन।
4. अपर मुख्य सचिव, पंचायतीराज विभाग, उ०प्र० शासन।
5. अपर मुख्य सचिव, वन एवं पर्यावरण विभाग, उ०प्र० शासन।
6. प्रमुख सचिव, ग्राम्य विकास विभाग, उ०प्र० शासन।
7. प्रमुख सचिव, नगर विकास विभाग, उ०प्र० शासन।
8. सचिव, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
9. समस्त अपर निदेशक ग्रेड-2, पशुपालन विभाग, उ०प्र०।
10. समस्त, मुख्य पशुचिकित्साधिकारी, उ०प्र०।
11. गार्ड फाइल।

भवदीय,

Signed by देवेन्द्र कुमार

पाण्डेय

(देवेन्द्र कुमार पाण्डेय) 16.05

विशेष सचिव

I/378791/2023

उत्तर प्रदेश शासन
पशुधन अनुभाग-2
संख्या-2115/सैंतीस-2-2023
लखनऊ :: दिनांक अगस्त, 2023

प्रमुख सचिव,
नगर विकास विभाग,
उ०प्र० शासन।

कृपया मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या-394/2022 Pushpendra Kumar Vs Block Development Officer, Kaudara & Ors. में पारित आदेश दिनांक 20.07.2023 (छायाप्रति संलग्न) का संदर्भ ग्रहण करने का कष्ट करें।

2- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ०ए० संख्या-394/2022 Pushpendra Kumar Vs Block Development Officer, Kaudara & Ors. में पारित आदेश दिनांक 20.07.2023 में डेयरी फार्म्स एवं गोशालाओं में केन्द्रीय प्रदूषण नियंत्रण बोर्ड (सी०पी०सी०बी०) द्वारा पर्यावरण प्रबन्धन के सम्बन्ध में निर्गत दिशा-निर्देशों का अनुपालन किये जाने के आदेश प्रदान किये गये हैं। ग्रामीण क्षेत्रों में स्थापित निराश्रित गो आश्रय स्थलों हेतु पर्यावरण प्रबन्धन के सम्बन्ध में आवश्यक दिशा-निर्देश निर्गत किये जाने हेतु आवश्यक कार्यवाही पशुधन विभाग द्वारा की जा रही है।

3- अतः अनुरोध है कि कृपया नगरीय क्षेत्रों में स्थापित/संचालित कान्हा गोशाला एवं गो आश्रय स्थलों पर केन्द्रीय प्रदूषण नियंत्रण बोर्ड (सी०पी०सी०बी०) द्वारा निर्गत गाइडलाइन्स के क्रम में पर्यावरण प्रबन्धन के सम्बन्ध में आवश्यक दिशा-निर्देश निर्गत कराने का कष्ट करें।

संलग्नक:-यथोक्त।

Signed by देवेन्द्र कुमार

पाण्डेय

(देवेन्द्र कुमार पाण्डेय) 20/08/2023 19:34

मिहिरा: २०००००००

संख्या-2115(1)/सैंतीस-2-2023तददिनांक।

प्रतिलिपि प्रमुख स्टाफ आफिसर, मुख्य सचिव, उ०प्र० शासन को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

आज्ञा से,

(देवेन्द्र कुमार पाण्डेय)
विशेष सचिव।


True copy

कार्यालय मुख्य विकास अधिकारी, जनपद जालौन।

1534

30

पत्रांक 941 / एन0जी0टी0 / एन0जी0टी0 / एन0जी0टी0 / 2023-24

दिनांक- 26-7-2023

Annexure-R/2

- 01- अपर मुख्य अधिकारी, जिला पंचायत, जनपद जालौन।
- 02- समस्त खण्ड विकास अधिकारी, जनपद जालौन।
- 03- समस्त अधिशासी अधिकारी न0पा0वरि0 / न0पा0, जनपद जालौन।
- 04- समस्त उप मुख्य पशु चिकित्सा अधिकारी / पशु चिकित्सा अधिकारी, जनपद जालौन।


विषय- माननीय राष्ट्रीय हरित अधिकरण नई दिल्ली में योजित ओ0ए0 सं0 394 / 2022 पुष्पेन्द्र कुमार बनाम खण्ड विकास अधिकारी कटोरा व अन्य में पारित आदेश दिनांक 20-07-2023 के अनुपालन के सम्बन्ध में।

उपरोक्त विषयक मा0 राष्ट्रीय अधिकरण नई दिल्ली में योजित ओ0ए0 सं0 394 / 2022 पुष्पेन्द्र कुमार बनाम खण्ड विकास अधिकारी कटोरा व अन्य में पारित आदेश दिनांक 20-07-2023 के क्रम में अवगत कराना है, कि मा0 एन0जी0टी0 कोर्ट नई दिल्ली ने निम्न बिन्दुओं पर फोटोग्राफ सहित तत्काल प्रमाण पत्र एवं सूचना चाही है।

1. गौशालाओं में गाय के गोबर निस्तारण की क्या व्यवस्था की गई है।
2. गौशालाओं में यूरिन निस्तारण की क्या व्यवस्था है।
3. गौशालाओं में नर गौवश एवं मादा गौवश और गाय के बच्चे किस प्रकार रखे जाते हैं तथा क्या व्यवस्था है।
4. गौशालाओं में बीमार गौवशों एवं स्वरथ गौवशों के लिए क्या व्यवस्था की गई है।
5. गौशालाओं में अब तक गौशालावार कितना पृथक्करण किया गया है तथा पिछले वर्ष कितना पृथक्करण गौशालावार किया गया था।
6. गौशालाओं में हरे चारे हेतु गौशालावार क्या व्यवस्था है क्षेत्रफल (हेक्टेयर) सहित।
7. बरसात के मौसम में गौशालाओं में जलभराव की स्थिति में पानी निकालने की क्या व्यवस्था है।
8. गौशालाओं में भूसा रखने की क्या व्यवस्था है गौशालावार स्थित अवगत कराये।
9. गौशालाओं में बरसात के समय एवं सर्दी के समय गाय के छोटे बच्चों तथा बीमार गौवशों को रखने की क्या व्यवस्था है।
10. गौशालाओं में गौवशों के लिए गौशालावार ड्राईट चार्ट क्या है।
11. गौशालावार गौशालाओं में पक्के फर्श एवं रीडों की क्या व्यवस्था है।
12. जनपद की गौशालाएं सी0पी0सी0बी0 एवं आई0सी0ए0आर0 की गाईड लाईन के अनुसार संचालित हो रहा है, कि नहीं प्रमाण पत्र उपलब्ध कराना सुनिश्चित करें।

अतः आपको निर्देशित किया जाता है, कि उपरोक्त बिन्दुओं पर 05 दिवस के अन्दर तत्काल सूचना सम्बन्धित पशु चिकित्सा अधिकारी के संयुक्त हस्ताक्षर से मुख्य पशु चिकित्सा अधिकारी को उपलब्ध कराना सुनिश्चित करें, ताकि मा0 एन0जी0टी0 कोर्ट नई दिल्ली तथा शासन को सूचना प्रेषित की जा सके। अन्यथा की स्थिति में आप स्वयं उत्तरदायी होंगे।

संलग्न-एन0जी0टी0 कोर्ट का दिनांक 20-07-2023 का आदेश।



मुख्य विकास अधिकारी,
जनपद-जालौन।



पत्रांक / उक्त / 2023-24 दिनांक-

प्रतिलिपि- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 01- अपर मुख्य सचिव महोदय, पशुधन, उ0प्र0 शासन लखनऊ की सेवा में सादर सूचनार्थ प्रेषित।
- 02- निदेशक, प्रशासन एवं विकास, पशुपालन विभाग, उ0प्र0 लखनऊ।
- 03- अपर निदेशक, ग्रेड-2, पशुपालन विभाग, डी0सी मण्डल डी0सी।
- 04- जिलाधिकारी महोदय, जनपद जालौन की सेवा में सादर अवलोकनार्थ प्रेषित।
- 05- अपर जिलाधिकारी (नमामि गंगे), जनपद जालौन।
- 06- जिला विकास अधिकारी, जनपद जालौन को इस निर्देश के साथ कि खण्ड विकास अधिकारियों से तत्काल उक्त सूचना बनवाना सुनिश्चित करें।
- 07- जिला पंचायत राज अधिकारी, जनपद जालौन को इस निर्देश के साथ कि विकास खण्ड स्तर पर सम्बन्धित अधिकारियों / कर्मचारियों से उक्त सूचना तत्काल बनवाना सुनिश्चित करें।


मुख्य विकास अधिकारी,
जनपद-जालौन।





महोदय र
अन्तर्गत
कुल 204
जल को
लिए उर
पालिका प


वर्मी कम्पोस्ट प्लान्ट



नेपालको द्वारा गोबर बायोगैस संयंत्र में कालते हुए




बायोगैस संयंत्र



सफाई व्यवस्था

D
Tweety

34
Annexure - R/4
(colly)



औद्योगिक क्षेत्र में स्थित एक बड़ा औद्योगिक संयंत्र है।



गौवंश के गौमूत्र का निस्तारण (फिल्टर स्लज ट्रीटमेंट प्लांट) में किस्



देक से रोज निकाले हुए सक्शन मशीन



मशीन से पानी निकालने का प्रयोग

↓
तोलेक्य




नर गौवशो हेतु टीन शीड



मादा गौवशो हेतु टीन शीड

00:13 5G LTE 28%



शेल्टर प्रबंधन- खडंजा, ओपन एरिया, टीन शेड



00:14 5G LTE 28%



हवा चारे का प्रबन्ध



गौरव हवा चारे प्रयोग करने हुए

घरस है।

कार्यालय मुख्य विकास अधिकारी जनपद जालौन


पत्रांक 1004 / गो0आ0स्था0 / एन0जी0टी0 / 2023-24 दिनांक- 28-7-2023

- 1-समस्त खण्ड विकास अधिकारी
- 2-समस्त उपमुख्य पशुचिकित्साधिकारी / पशुचिकित्साधिकारी
जनपद जालौन।

विषय-जनपद जालौन के जिन गौ आश्रय स्थल में शैड के अन्दर एवं वाहर खडजा नहीं है उन गौ आश्रय स्थलों में खडजा लगवाने के सम्बन्ध में।

उपरोक्त विषयक जिलाधिकारी महोदया ने निर्देश दिए है कि जनपद की उन समस्त गौशालाए जिनमें शैड के अन्दर तथा वाहर खडजा नहीं है, उन गौआश्रय स्थलों में तत्काल खडजा लगवाया जाये तथा सूची फोटो सहित प्रेषित की जाए।


अतः उक्त के सम्बन्ध में आपको निर्देशित किया जाता है कि जनपद के समस्त गौ आश्रय स्थलों में जहाँ पर शैड के अन्दर एवं वाहर खडजा नहीं है उन गौ आश्रय स्थलों में तत्काल खडजा लगवाते हुए सूची फोटोग्राफ सहित संयुक्त हस्ताक्षर से मु0प0चि0अ0 को उपलब्ध कराना सुनिश्चित करें। ताकि जिलाधिकारी महोदया को अवगत कराया जा सके।


मुख्य विकास अधिकारी
जनपद जालौन।

पत्रांक-1004 / गो0आ0स्था0 / एन0जी0टी0 / 2023-24 दिनांक- 28-7-2023

प्रतिलिपि- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी महोदया की सेवा में सादर अवलोकनार्थ प्रेषित।
2. जिला विकास अधिकारी जनपद जालौन को इस निर्देश के साथ कि उक्त सूचना अपने स्तर से उलब्ध कराना सुनिश्चित करें।
3. जिला पंचायत राज अधिकारी जनपद जालौन।


मुख्य विकास अधिकारी
जनपद जालौन।
HS
CR


True copy

41

Annexure - R/6
(2014)



गौवंश के भरण-पोषण हेतु पशुआहार, चोकर (द



गौवंश हेतु शुद्ध पेयजल (वरही)

Free copy



43

Annexure - R/7
(coll 4)



शेल्डर प्रबंधन- गौवंश हेतु आवश्यक दवायें

24



शेल्टर प्रबंधन- भूसा भण्डार, पशुआहार, चोकर स





शेल्टर प्रबंधन- पशुचिकित्साधिकारी हेतु पशु चिकित्सालय





बीमार गौवंश हेतु पृथक कक्षा

D
Tscecopy

पत्रांक 1118

कार्यालय मुख्य विकास अधिकारी, जनपद जालौन
/ गौ0आ0स्थ0 / एन0जी0टी0 / 2022-23

दिनांक:- 14-8-2023

47

समस्त खण्ड विकास अधिकारी,
जनपद-जालौन।विषय:- सत्यापन में पाई गई कमियों का निराकरण कराए जाने के सम्बन्ध में।

उपरोक्त विषयक अधोहस्ताक्षरी के कार्यालय पत्र 1059/मु0प0चि0अ0/नोडल/2023-24 दिनांक 04-08-2023 के द्वारा गौशालाओं का 82 नोडल अधिकारी नामित कर समस्त गौशालाओं का दिनांक 07 से 09 अगस्त 2023 के मध्य सत्यापन कराया गया था। सत्यापन अधिकारियों द्वारा उपलब्ध कराई गई सत्यापन आख्या में कतिपय गौशालाओं में कुछ व्यवस्थायें किये जाने की आवश्यकता पाई गई है।

अतः आपके विकास खण्ड में उपस्थित गौशालाओं की संकलित सत्यापन आख्या पत्र के साथ संलग्न कर इस निर्देश के साथ भेजी जा रही है। कि संकलित सत्यापन आख्या में अंकित आवश्यकताओं की एक सप्ताह के अन्दर पूर्ति कराकर फोटोग्राफ सहित अधोहस्ताक्षरी को अवगत कराना सुनिश्चित करें।

संलग्न-सत्यापन आख्या।

मुख्य विकास अधिकारी,

जनपद-जालौन।

पत्रांक 1118 / उक्त / 2023-24

दिनांक:- 14-8-2023

प्रतिलिपि:- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 01- जिलाधिकारी महोदया, जनपद जालौन की सेवा में सादर अवलोकनार्थ प्रेषित।
- 02- जिला विकास अधिकारी, जनपद जालौन।
- 03- जिला पंचायत राज अधिकारी, जनपद-जालौन।

मुख्य विकास अधिकारी,
जनपद-जालौन।

कार्यालय मुख्य पशु चिकित्सा अधिकारी, जनपद-जालौन।

पत्रांक 1124


/ गौआश्रय / एन0जी0टी0 / 2023-24

दिनांक:-14-8-2023

समस्त उप मुख्य पशु चिकित्सा अधिकारी /
पशु चिकित्सा अधिकारी,
जनपद-जालौन।

विषय:- गौ आश्रय स्थलों के स्वास्थ्य परीक्षण सम्बन्धी निरीक्षण आख्या प्रेषित करने के सम्बन्ध में।

उपरोक्त विषयक अपर मुख्य सचिव महोदय, पशुधन अनुभाग उ0प्र0 शासन लखनऊ के द्वारा निर्देशित किया गया है, कि समस्त उप-मुख्य पशु चिकित्सा अधिकारी/पशु चिकित्सा अधिकारी, अपने-अपने क्षेत्र की 5-5 गौशालाओं का स्वास्थ्य परीक्षण कर निरीक्षण आख्या गौ आश्रय पोर्टल पर अपलोड करते हुए इसकी एक मूल प्रति रंगीन फोटो सहित तीन सेट अधोहस्ताक्षरी को तत्काल आज ही उपलब्ध कराना सुनिश्चित करे, ताकि स्वास्थ्य परीक्षण आख्या माननीय एन0जी0टी0 कोर्ट नई दिल्ली में प्रेषित की जा सकें।


मुख्य पशु चिकित्सा अधिकारी,
जनपद-जालौन।

पत्रांक / उक्त / 2023-24

दिनांक:-

प्रतिलिपि:- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 01- निदेशक, प्रशासन एवं विकास, पशुपालन विभाग, उ0प्र0 लखनऊ।
- 02- अपर निदेशक, ग्रेड-2, पशुपालन विभाग, झौंसी मण्डल झौंसी।
- 03- जिलाधिकारी महोदय, जनपद जालौन की सेवा में सादर अवलोकनार्थ प्रेषित।
- 04- मुख्य विकास अधिकारी, जनपद जालौन।


मुख्य पशु चिकित्सा अधिकारी,
जनपद-जालौन।

क्र०सं०	विकास खण्ड का नाम	गौ आश्रय स्थल का प्रकार	ग्राम का नाम	गौशाला में संरक्षित गौवंश की संख्या	
1	1	डकोर	अस्थाई गौ आश्रय स्थल	औता	60
2	2	डकोर	अस्थाई गौ आश्रय स्थल	पिया निरंजनपुर	356
3	3	डकोर	अस्थाई गौ आश्रय स्थल	रुरा अडडू	90
4	4	डकोर	अस्थाई गौ आश्रय स्थल	ऐधा	80
5	5	डकोर	अस्थाई गौ आश्रय स्थल	कुरकुरु	120
6	6	डकोर	अस्थाई गौ आश्रय स्थल	सैदनगर	64
7	7	डकोर	अस्थाई गौ आश्रय स्थल	सिकरीव्यास	172
8	8	डकोर	अस्थाई गौ आश्रय स्थल	धुरट	60
9	9	डकोर	अस्थाई गौ आश्रय स्थल	बिरगुवां	60
10	10	डकोर	अस्थाई गौ आश्रय स्थल	नुनसाई	120
11	11	डकोर	अस्थाई गौ आश्रय स्थल	ददरी	82
12	12	डकोर	अस्थाई गौ आश्रय स्थल	करई बु०	90
13	13	डकोर	अस्थाई गौ आश्रय स्थल	खरका	122
14	14	डकोर	अस्थाई गौ आश्रय स्थल	ऐर	70
15	15	डकोर	अस्थाई गौ आश्रय स्थल	करमेर	82
16	16	डकोर	अस्थाई गौ आश्रय स्थल	मिनौरा कालपी	170
17	17	डकोर	अस्थाई गौ आश्रय स्थल	रिरुआ	90
18	18	डकोर	अस्थाई गौ आश्रय स्थल	जलालपुर बिरगुवां	76
19	19	डकोर	अस्थाई गौ आश्रय स्थल	राहिया	77
20	20	डकोर	अस्थाई गौ आश्रय स्थल	जयपुरा	69
21	21	डकोर	अस्थाई गौ आश्रय स्थल	चौरसी	104
22	22	डकोर	अस्थाई गौ आश्रय स्थल	रगौली	189
23	23	डकोर	अस्थाई गौ आश्रय स्थल	जैसारी खुर्द	72
24	24	डकोर	अस्थाई गौ आश्रय स्थल	कहटा	82
25	25	डकोर	अस्थाई गौ आश्रय स्थल	मकरेछा	85
26	26	डकोर	अस्थाई गौ आश्रय स्थल	डकोर	151
27	27	डकोर	अस्थाई गौ आश्रय स्थल	चिल्ली	108
28	28	डकोर	अस्थाई गौ आश्रय स्थल	गोरन	181
29	29	डकोर	अस्थाई गौ आश्रय स्थल	गुदा	90
30	30	डकोर	अस्थाई गौ आश्रय स्थल	बन्धौली	100
31	31	डकोर	अस्थाई गौ आश्रय स्थल	जैसारी कलां	110
32	32	डकोर	अस्थाई गौ आश्रय स्थल	कुसमिलिया	122

	33	डकोर	अस्थाई गौ आश्रय स्थल	टिमरो	106
34	34	डकोर	अस्थाई गौ आश्रय स्थल	धमनी बुजुर्ग	75
35	35	डकोर	अस्थाई गौ आश्रय स्थल	धरगुवा	70
36	36	डकोर	अस्थाई गौ आश्रय स्थल	कुइयां	35
37	37	डकोर	अस्थाई गौ आश्रय स्थल	कुठौंदा	80
38	38	डकोर	अस्थाई गौ आश्रय स्थल	मोहम्मदाबाद	135
39	39	डकोर	अस्थाई गौ आश्रय स्थल	रमपुरा ऐरी	125
40	40	डकोर	अस्थाई गौ आश्रय स्थल	बनफरा	47
41	41	डकोर	अस्थाई गौ आश्रय स्थल	गढर	68
42	42	डकोर	अस्थाई गौ आश्रय स्थल	इटवां जालौन	75
43	43	डकोर	अस्थाई गौ आश्रय स्थल	कुकरगांव	161
44	44	डकोर	अस्थाई गौ आश्रय स्थल	मगरायां	66
45	45	डकोर	अस्थाई गौ आश्रय स्थल	धगवांकला	110
46	46	डकोर	अस्थाई गौ आश्रय स्थल	सेवढी	62
47	47	डकोर	अस्थाई गौ आश्रय स्थल	अकोढी	45
48	48	डकोर	अस्थाई गौ आश्रय स्थल	हरदोई गूजर	87
49	49	डकोर	अस्थाई गौ आश्रय स्थल	खरुसा	102
50	50	डकोर	अस्थाई गौ आश्रय स्थल	बर्ध	92
51	51	डकोर	अस्थाई गौ आश्रय स्थल	सोमई	85
52	52	डकोर	अस्थाई गौ आश्रय स्थल	बड़ागांव	33
53	53	डकोर	अस्थाई गौ आश्रय स्थल	भुआ	97
54	54	डकोर	अस्थाई गौ आश्रय स्थल	इमलिया	67
55	55	डकोर	अस्थाई गौ आश्रय स्थल	बरसार	108
56	56	डकोर	अस्थाई गौ आश्रय स्थल	कमठा	72
57	57	डकोर	अस्थाई गौ आश्रय स्थल	विनौरापुर	142
58	58	डकोर	अस्थाई गौ आश्रय स्थल	पुर	60
59	59	डकोर	अस्थाई गौ आश्रय स्थल	अजनारी	68
60	60	डकोर	अस्थाई गौ आश्रय स्थल	बोहदपुरा	112
61	61	डकोर	अस्थाई गौ आश्रय स्थल	मडोरा	38
कुल योग:-					5927
1	62	जालौन	अस्थाई गौ आश्रय स्थल	गधेला	55
2	63	जालौन	अस्थाई गौ आश्रय स्थल	औरेखी	135
3	64	जालौन	अस्थाई गौ आश्रय स्थल	छिरिया सलेमपुर	83
4	65	जालौन	अस्थाई गौ आश्रय स्थल	पमां	69
5	66	जालौन	अस्थाई गौ आश्रय स्थल	वीरपुरा	102
6	67	जालौन	अस्थाई गौ आश्रय स्थल	भदवां	140
7	68	जालौन	अस्थाई गौ आश्रय स्थल	धनौरा कलां	152
8	69	जालौन	अस्थाई गौ आश्रय स्थल	खर्वा	43
9	70	जालौन	अस्थाई गौ आश्रय स्थल	कुंवरपुरा	51
10	71	जालौन	अस्थाई गौ आश्रय स्थल	हथना बुजुर्ग	40
11	72	जालौन	अस्थाई गौ आश्रय स्थल	नगरी	57

	73	जालौन	अस्थाई गौ आश्रय स्थल	सदूपुरा	40
13	74	जालौन	अस्थाई गौ आश्रय स्थल	हरदोई राजा	70
14	75	जालौन	अस्थाई गौ आश्रय स्थल	सारंगपुर	60
15	76	जालौन	अस्थाई गौ आश्रय स्थल	दहगुवा	60
16	77	जालौन	अस्थाई गौ आश्रय स्थल	कुसमरा	115
17	78	जालौन	अस्थाई गौ आश्रय स्थल	पर्वतपुर	48
18	79	जालौन	अस्थाई गौ आश्रय स्थल	धन्तीली	150
19	80	जालौन	अस्थाई गौ आश्रय स्थल	खनुवा	60
20	81	जालौन	अस्थाई गौ आश्रय स्थल	देवरी	53
21	82	जालौन	अस्थाई गौ आश्रय स्थल	लहचूरा	42
22	83	जालौन	अस्थाई गौ आश्रय स्थल	लौना	72
23	84	जालौन	अस्थाई गौ आश्रय स्थल	उदोतपुरा	50
24	85	जालौन	अस्थाई गौ आश्रय स्थल	सिकरी राजा	80
25	86	जालौन	अस्थाई गौ आश्रय स्थल	खजुरी	0
26	87	जालौन	अस्थाई गौ आश्रय स्थल	माडरी	50
27	88	जालौन	अस्थाई गौ आश्रय स्थल	शहजादपुरा	88
28	89	जालौन	अस्थाई गौ आश्रय स्थल	गायर	65
29	90	जालौन	अस्थाई गौ आश्रय स्थल	पहाडपुरा	60
30	91	जालौन	अस्थाई गौ आश्रय स्थल	रुरामल्लू	95
31	92	जालौन	अस्थाई गौ आश्रय स्थल	अकोडी दुबे	50
32	93	जालौन	अस्थाई गौ आश्रय स्थल	उरगांव	120
33	94	जालौन	अस्थाई गौ आश्रय स्थल	सालाबाद	108
34	95	जालौन	अस्थाई गौ आश्रय स्थल	सुद्वार	58
35	96	जालौन	अस्थाई गौ आश्रय स्थल	भिटारा	65
36	97	जालौन	अस्थाई गौ आश्रय स्थल	सिहारी पडेया	45
37	98	जालौन	अस्थाई गौ आश्रय स्थल	ऐदलपुर (नवीन)	45
38	99	जालौन	अस्थाई गौ आश्रय स्थल	सहाव (नवीन)	180
कुल योग:-					2856
1	100	कदौरा	अस्थाई गौ आश्रय स्थल	छौंक	128
2	101	कदौरा	अस्थाई गौ आश्रय स्थल	बरखेरा	90
3	102	कदौरा	अस्थाई गौ आश्रय स्थल	उसरगांव	70
4	103	कदौरा	अस्थाई गौ आश्रय स्थल	संदी	90
5	104	कदौरा	अस्थाई गौ आश्रय स्थल	उकासा	71
6	105	कदौरा	अस्थाई गौ आश्रय स्थल	बागी	248
7	106	कदौरा	अस्थाई गौ आश्रय स्थल	उदनपुर	68
8	107	कदौरा	अस्थाई गौ आश्रय स्थल	कुसमरा बा0	162
9	108	कदौरा	अस्थाई गौ आश्रय स्थल	खुटमिली	52
10	109	कदौरा	अस्थाई गौ आश्रय स्थल	करमचन्द्रपुर	51
11	110	कदौरा	अस्थाई गौ आश्रय स्थल	मवई बा0	70
12	111	कदौरा	अस्थाई गौ आश्रय स्थल	बरदौली	52
13	112	कदौरा	अस्थाई गौ आश्रय स्थल	मटरा	70

	113	कदौरा	अस्थाई गौ आश्रय स्थल	परासन	156
15	114	कदौरा	अस्थाई गौ आश्रय स्थल	अमीसा	56
16	115	कदौरा	अस्थाई गौ आश्रय स्थल	कहटा हमीरपुर	72
17	116	कदौरा	अस्थाई गौ आश्रय स्थल	सुरहती	35
18	117	कदौरा	अस्थाई गौ आश्रय स्थल	दशहरी	70
19	118	कदौरा	अस्थाई गौ आश्रय स्थल	सुनहटा	55
20	119	कदौरा	अस्थाई गौ आश्रय स्थल	इमिलिया बु0	65
21	120	कदौरा	अस्थाई गौ आश्रय स्थल	जौराखेरा	55
22	121	कदौरा	अस्थाई गौ आश्रय स्थल	बारा	35
23	122	कदौरा	अस्थाई गौ आश्रय स्थल	कुआखेडा (दादूपुर)	35
24	123	कदौरा	अस्थाई गौ आश्रय स्थल	लुहरगाव	43
25	124	कदौरा	अस्थाई गौ आश्रय स्थल	अकबरपुर	231
26	125	कदौरा	अस्थाई गौ आश्रय स्थल	कुरेहना आ0	102
27	126	कदौरा	अस्थाई गौ आश्रय स्थल	कानाखेडा	42
28	127	कदौरा	अस्थाई गौ आश्रय स्थल	पथरेहटा	53
29	128	कदौरा	अस्थाई गौ आश्रय स्थल	बसरेही	211
30	129	कदौरा	अस्थाई गौ आश्रय स्थल	इकोना	153
31	130	कदौरा	अस्थाई गौ आश्रय स्थल	गरही	155
32	131	कदौरा	अस्थाई गौ आश्रय स्थल	मसगाया	51
33	132	कदौरा	अस्थाई गौ आश्रय स्थल	पिपरायां	131
34	133	कदौरा	अस्थाई गौ आश्रय स्थल	इटौरा गुरु	50
35	134	कदौरा	अस्थाई गौ आश्रय स्थल	बबीना	55
36	135	कदौरा	अस्थाई गौ आश्रय स्थल	उकुरुवा	191
37	136	कदौरा	अस्थाई गौ आश्रय स्थल	हरचन्दपुर	44
38	137	कदौरा	अस्थाई गौ आश्रय स्थल	रेला	67
39	138	कदौरा	अस्थाई गौ आश्रय स्थल	जमरेही	54
40	139	कदौरा	अस्थाई गौ आश्रय स्थल	आटा	170
41	140	कदौरा	अस्थाई गौ आश्रय स्थल	चतेला	169
42	141	कदौरा	अस्थाई गौ आश्रय स्थल	भेड़ी खुर्द	67
43	142	कदौरा	अस्थाई गौ आश्रय स्थल	कठपुरवा	31
44	143	कदौरा	अस्थाई गौ आश्रय स्थल	मरगाया	195
45	144	कदौरा	अस्थाई गौ आश्रय स्थल	काशीरामपुर	127
कुल योग:-					4248
1	145	कोच	अस्थाई गौ आश्रय स्थल	नरी	85
2	146	कोच	अस्थाई गौ आश्रय स्थल	पहाडगांव	120
3	147	कोच	अस्थाई गौ आश्रय स्थल	भेंपता	42
4	148	कोच	अस्थाई गौ आश्रय स्थल	चंदुरा	82
5	149	कोच	अस्थाई गौ आश्रय स्थल	चमारी	48
6	150	कोच	अस्थाई गौ आश्रय स्थल	ईगुई खुर्द	30
7	151	कोच	अस्थाई गौ आश्रय स्थल	पचीपुरा कला	76
8	152	कोच	अस्थाई गौ आश्रय स्थल	हिंगुटा	30

	153	कोच	अस्थाई गौ आश्रय स्थल	सामी	115
10	154	कोच	अस्थाई गौ आश्रय स्थल	कुडा	90
11	155	कोच	अस्थाई गौ आश्रय स्थल	भडारी	90
12	156	कोच	अस्थाई गौ आश्रय स्थल	फुलैला	55
13	157	कोच	अस्थाई गौ आश्रय स्थल	किशुनपुरा	42
14	158	कोच	अस्थाई गौ आश्रय स्थल	सुनाया	65
15	159	कोच	अस्थाई गौ आश्रय स्थल	भदेवरा	72
16	160	कोच	अस्थाई गौ आश्रय स्थल	अटा	45
17	161	कोच	अस्थाई गौ आश्रय स्थल	कुवैरपुरा	70
18	162	कोच	अस्थाई गौ आश्रय स्थल	गोराकरनपुर	66
19	163	कोच	अस्थाई गौ आश्रय स्थल	बस्ती	62
20	164	कोच	अस्थाई गौ आश्रय स्थल	बिलौया	50
21	165	कोच	अस्थाई गौ आश्रय स्थल	सतोह	90
22	166	कोच	अस्थाई गौ आश्रय स्थल	अमीटा	78
23	167	कोच	अस्थाई गौ आश्रय स्थल	जमरोही कला	25
24	168	कोच	अस्थाई गौ आश्रय स्थल	जुझारपुरा	55
25	169	कोच	अस्थाई गौ आश्रय स्थल	बरोदाकला	80
26	170	कोच	अस्थाई गौ आश्रय स्थल	बोहरा	40
27	171	कोच	अस्थाई गौ आश्रय स्थल	भरसूडा	122
28	172	कोच	अस्थाई गौ आश्रय स्थल	पड़री	60
29	173	कोच	अस्थाई गौ आश्रय स्थल	भदारी	78
30	174	कोच	अस्थाई गौ आश्रय स्थल	अण्डा	148
31	175	कोच	अस्थाई गौ आश्रय स्थल	घुसिया	80
32	176	कोच	अस्थाई गौ आश्रय स्थल	विरगुवा वुजुर्ग	60
33	177	कोच	अस्थाई गौ आश्रय स्थल	छानी	55
34	178	कोच	अस्थाई गौ आश्रय स्थल	चमरसेना	68
35	179	कोच	अस्थाई गौ आश्रय स्थल	इमलौरी	55
36	180	कोच	अस्थाई गौ आश्रय स्थल	परैथा	70
37	181	कोच	अस्थाई गौ आश्रय स्थल	लौना	116
38	182	कोच	अस्थाई गौ आश्रय स्थल	पनयारा	34
39	183	कोच	अस्थाई गौ आश्रय स्थल	दिरावटी	81
40	184	कोच	अस्थाई गौ आश्रय स्थल	कैथी	73
41	185	कोच	अस्थाई गौ आश्रय स्थल	सिमिरिया	40
42	186	कोच	अस्थाई गौ आश्रय स्थल	ताहरपुरा	35
43	187	कोच	अस्थाई गौ आश्रय स्थल	पिण्डारी	119
44	188	कोच	अस्थाई गौ आश्रय स्थल	पिरौना	62
45	189	कोच	अस्थाई गौ आश्रय स्थल	बसोब	90
46	190	कोच	अस्थाई गौ आश्रय स्थल	चौदनी	80
47	191	कोच	अस्थाई गौ आश्रय स्थल	धमसेनी	50
48	192	कोच	अस्थाई गौ आश्रय स्थल	असुपुरा	65
49	193	कोच	अस्थाई गौ आश्रय स्थल	विरासनी	50

	194	कोच	अस्थाई गौ आश्रय स्थल	विरगुवा खुर्द	
51	195	कोच	अस्थाई गौ आश्रय स्थल	चमेड	78
52	196	कोच	अस्थाई गौ आश्रय स्थल	ईगुई कला	45
53	197	कोच	अस्थाई गौ आश्रय स्थल	जखौली	26
54	198	कोच	अस्थाई गौ आश्रय स्थल	कौशलपुर	115
55	199	कोच	अस्थाई गौ आश्रय स्थल	खैरी	70
56	200	कोच	अस्थाई गौ आश्रय स्थल	कुदारी कोच	35
57	201	कोच	अस्थाई गौ आश्रय स्थल	पचीपुरी	45
58	202	कोच	अस्थाई गौ आश्रय स्थल	छिरावली	75
59	203	कोच	अस्थाई गौ आश्रय स्थल	गुमावली	62
60	204	कोच	अस्थाई गौ आश्रय स्थल	जमरोही खुर्द	22
कुल योग:-					55
1	205	नदीगांव	अस्थाई गौ आश्रय स्थल	देवगाँव	4022
2	206	नदीगांव	अस्थाई गौ आश्रय स्थल	कैलिया बुजुर्ग	180
3	207	नदीगांव	अस्थाई गौ आश्रय स्थल	ब्योना राजा	65
4	208	नदीगांव	अस्थाई गौ आश्रय स्थल	पचीपुरा खुर्द	90
5	209	नदीगांव	अस्थाई गौ आश्रय स्थल	लाडपुरा	65
6	210	नदीगांव	अस्थाई गौ आश्रय स्थल	जगनपुरा	45
7	211	नदीगांव	अस्थाई गौ आश्रय स्थल	खुटैला	44
8	212	नदीगांव	अस्थाई गौ आश्रय स्थल	धौरपुर	46
9	213	नदीगांव	अस्थाई गौ आश्रय स्थल	घिलौर	44
10	214	नदीगांव	अस्थाई गौ आश्रय स्थल	लोहई	110
11	215	नदीगांव	अस्थाई गौ आश्रय स्थल	कुसमरा	90
12	216	नदीगांव	अस्थाई गौ आश्रय स्थल	गिदवासा	52
13	217	नदीगांव	अस्थाई गौ आश्रय स्थल	मुलखना	47
14	218	नदीगांव	अस्थाई गौ आश्रय स्थल	खकसीस	80
15	219	नदीगांव	अस्थाई गौ आश्रय स्थल	धंजा	300
16	220	नदीगांव	अस्थाई गौ आश्रय स्थल	क्योलारी	110
17	221	नदीगांव	अस्थाई गौ आश्रय स्थल	सलैया खुर्द	135
18	222	नदीगांव	अस्थाई गौ आश्रय स्थल	राजीपुरा	45
19	223	नदीगांव	अस्थाई गौ आश्रय स्थल	बसीठ	62
20	224	नदीगांव	अस्थाई गौ आश्रय स्थल	ककरोली	46
21	225	नदीगांव	अस्थाई गौ आश्रय स्थल	महेशपुरा	44
22	226	नदीगांव	अस्थाई गौ आश्रय स्थल	गडेरना	41
23	227	नदीगांव	अस्थाई गौ आश्रय स्थल	बंगरा	82
24	228	नदीगांव	अस्थाई गौ आश्रय स्थल	इटीरा (रूदावली)	170
25	229	नदीगांव	अस्थाई गौ आश्रय स्थल	कमसेरा	83
26	230	नदीगांव	अस्थाई गौ आश्रय स्थल	कुदारी माघौ0	115
27	231	नदीगांव	अस्थाई गौ आश्रय स्थल	कुठौन्दा	80
28	232	नदीगांव	अस्थाई गौ आश्रय स्थल	महतवानी	140
29	233	नदीगांव	अस्थाई गौ आश्रय स्थल	रबा	80
					30

	234	नदीगांव	अस्थाई गौ आश्रय स्थल	परावर	60
31	235	नदीगांव	अस्थाई गौ आश्रय स्थल	उमरी माघौ0	40
32	236	नदीगांव	अस्थाई गौ आश्रय स्थल	रीरा	52
33	237	नदीगांव	अस्थाई गौ आश्रय स्थल	मानपुरा	30
34	238	नदीगांव	अस्थाई गौ आश्रय स्थल	नावली	60
35	239	नदीगांव	अस्थाई गौ आश्रय स्थल	रेंडर	160
36	240	नदीगांव	अस्थाई गौ आश्रय स्थल	छिरिया खुर्द	40
37	241	नदीगांव	अस्थाई गौ आश्रय स्थल	इगुई माघौ0	60
38	242	नदीगांव	अस्थाई गौ आश्रय स्थल	कन्हरपुरा	75
39	243	नदीगांव	अस्थाई गौ आश्रय स्थल	जुगराजपुरा	98
40	244	नदीगांव	अस्थाई गौ आश्रय स्थल	कैलिया खुर्द	45
41	245	नदीगांव	अस्थाई गौ आश्रय स्थल	अकनीवा	60
42	246	नदीगांव	अस्थाई गौ आश्रय स्थल	कटकरी बु0	55
43	247	नदीगांव	अस्थाई गौ आश्रय स्थल	बदउवां	82
44	248	नदीगांव	अस्थाई गौ आश्रय स्थल	सदूपुरा	60
45	249	नदीगांव	अस्थाई गौ आश्रय स्थल	कनासी	60
46	250	नदीगांव	अस्थाई गौ आश्रय स्थल	भेड़	80
47	251	नदीगांव	अस्थाई गौ आश्रय स्थल	धनौरा	45
48	252	नदीगांव	अस्थाई गौ आश्रय स्थल	तीतरा खलीलपुर	70
कुल योग:-					3753
1	253	माघौगढ	अस्थाई गौ आश्रय स्थल	कैलोर	77
2	254	माघौगढ	अस्थाई गौ आश्रय स्थल	अमखेडा	396
3	255	माघौगढ	अस्थाई गौ आश्रय स्थल	अहेता	60
4	256	माघौगढ	अस्थाई गौ आश्रय स्थल	मडोरी	190
5	257	माघौगढ	अस्थाई गौ आश्रय स्थल	ऊँचा	53
6	258	माघौगढ	अस्थाई गौ आश्रय स्थल	मींगनी	55
7	259	माघौगढ	अस्थाई गौ आश्रय स्थल	रामहेतपुरा	120
8	260	माघौगढ	अस्थाई गौ आश्रय स्थल	गोरा भूपका	80
9	261	माघौगढ	अस्थाई गौ आश्रय स्थल	पड़कुला	65
10	262	माघौगढ	अस्थाई गौ आश्रय स्थल	अतरेहटी	85
11	263	माघौगढ	अस्थाई गौ आश्रय स्थल	रामपुरा माघौगढ	70
12	264	माघौगढ	अस्थाई गौ आश्रय स्थल	वितौरा	58
13	265	माघौगढ	अस्थाई गौ आश्रय स्थल	बोहरा	119
14	266	माघौगढ	अस्थाई गौ आश्रय स्थल	चाकी	190
15	267	माघौगढ	अस्थाई गौ आश्रय स्थल	शहबाजपुर	176
16	268	माघौगढ	अस्थाई गौ आश्रय स्थल	सिहारी माघौगढ	164
17	269	माघौगढ	अस्थाई गौ आश्रय स्थल	हरौली	95
18	270	माघौगढ	अस्थाई गौ आश्रय स्थल	सरावन (नवीन)	307
19	271	माघौगढ	अस्थाई गौ आश्रय स्थल	कुरसेडा	58
कुल योग:-					2418
1	272	रामपुरा	अस्थाई गौ आश्रय स्थल	नरौल	97

24	313	कुठौन्द	अस्थाई गौ आश्रय स्थल	निजामपुर	41
25	314	कुठौन्द	अस्थाई गौ आश्रय स्थल	कोटा मु0	49
26	315	कुठौन्द	अस्थाई गौ आश्रय स्थल	कुरौली	37
27	316	कुठौन्द	अस्थाई गौ आश्रय स्थल	हाजीपुर	70
28	317	कुठौन्द	अस्थाई गौ आश्रय स्थल	सिलउवा जागीर	71
29	318	कुठौन्द	अस्थाई गौ आश्रय स्थल	वावली	128
30	319	कुठौन्द	अस्थाई गौ आश्रय स्थल	मदारीपुर	77
31	320	कुठौन्द	अस्थाई गौ आश्रय स्थल	विजुआपुर	73
32	321	कुठौन्द	अस्थाई गौ आश्रय स्थल	पण्डितपुर	73
33	322	कुठौन्द	अस्थाई गौ आश्रय स्थल	ईटो	155
	323	कुठौन्द	अस्थाई गौ आश्रय स्थल	सिरसा कलार	195
कुल योग:-					2444
1	324	महेवा	अस्थाई गौ आश्रय स्थल	दमरस	81
2	325	महेवा	अस्थाई गौ आश्रय स्थल	धामनी	40
3	326	महेवा	अस्थाई गौ आश्रय स्थल	मत्थुआ	62
4	327	महेवा	अस्थाई गौ आश्रय स्थल	भिटारी	66
5	328	महेवा	अस्थाई गौ आश्रय स्थल	मडेया	57
6	329	महेवा	अस्थाई गौ आश्रय स्थल	रिनिया वैदेपुर	92
7	330	महेवा	अस्थाई गौ आश्रय स्थल	न्यामतपुर	136
8	331	महेवा	अस्थाई गौ आश्रय स्थल	चुर्खी	58
9	332	महेवा	अस्थाई गौ आश्रय स्थल	हीरापुर	65
10	333	महेवा	अस्थाई गौ आश्रय स्थल	देवकली	48
11	334	महेवा	अस्थाई गौ आश्रय स्थल	मंगरौल मु0	62
12	335	महेवा	अस्थाई गौ आश्रय स्थल	कीरतपुर	32
13	336	महेवा	अस्थाई गौ आश्रय स्थल	गुढाखास	65
14	337	महेवा	अस्थाई गौ आश्रय स्थल	सिकरी रहमानपुर	80
15	338	महेवा	अस्थाई गौ आश्रय स्थल	पिपरौधा	130
16	339	महेवा	अस्थाई गौ आश्रय स्थल	सतरहजू	52
17	340	महेवा	अस्थाई गौ आश्रय स्थल	खांखरी	67
18	341	महेवा	अस्थाई गौ आश्रय स्थल	हथनौरा (गोराकला)	40
19	342	महेवा	अस्थाई गौ आश्रय स्थल	कुकहनू	40
20	343	महेवा	अस्थाई गौ आश्रय स्थल	बम्होरा	50
21	344	महेवा	अस्थाई गौ आश्रय स्थल	बीजापुर	40
22	345	महेवा	अस्थाई गौ आश्रय स्थल	सिम्हारा कासिमपुर	68
23	346	महेवा	अस्थाई गौ आश्रय स्थल	जीतामऊ मुस्तकिल	53
24	347	महेवा	अस्थाई गौ आश्रय स्थल	सरैनी मुस्तकिल	60
25	348	महेवा	अस्थाई गौ आश्रय स्थल	खडगुई मुस्तकिल	58
26	349	महेवा	अस्थाई गौ आश्रय स्थल	पाल	35
27	350	महेवा	अस्थाई गौ आश्रय स्थल	सिमरा शेखपुर	62
28	351	महेवा	अस्थाई गौ आश्रय स्थल	कोडा किराही	67
29	352	महेवा	अस्थाई गौ आश्रय स्थल	बिनौरा बैध	60

31	353	महेवा	अस्थायी गौ आश्रय स्थल		
32	354	महेवा	अस्थायी गौ आश्रय स्थल	सधारा	105
33	355	महेवा	अस्थायी गौ आश्रय स्थल	मुसमरिया	45
34	356	महेवा	अस्थायी गौ आश्रय स्थल	नूरपुर	60
35	357	महेवा	अस्थायी गौ आश्रय स्थल	अटराकला	38
36	358	महेवा	अस्थायी गौ आश्रय स्थल	अटराखुर्द	38
37	359	महेवा	अस्थायी गौ आश्रय स्थल	पिथरूपुर	62
38	360	महेवा	अस्थायी गौ आश्रय स्थल	चरसीनी	32
39	361	महेवा	अस्थायी गौ आश्रय स्थल	बावई	210
40	362	महेवा	अस्थायी गौ आश्रय स्थल	अभेदेपुर	105
41	363	महेवा	अस्थायी गौ आश्रय स्थल	शाहजहापुर	88
42	364	महेवा	अस्थायी गौ आश्रय स्थल	सरसेला	85
43	365	महेवा	अस्थायी गौ आश्रय स्थल	दैरई	85
44	366	महेवा	अस्थायी गौ आश्रय स्थल	महेवा	75
45	367	महेवा	अस्थायी गौ आश्रय स्थल	कुटरा मु०	85
46	368	महेवा	अस्थायी गौ आश्रय स्थल	खैरई	32
47	369	महेवा	अस्थायी गौ आश्रय स्थल	भगीरा	60
48	370	महेवा	अस्थायी गौ आश्रय स्थल	निपनियां	80
49	371	महेवा	अस्थायी गौ आश्रय स्थल	निबहना	40
50	372	महेवा	अस्थायी गौ आश्रय स्थल	पडरी मु०	40
	373	महेवा	अस्थायी गौ आश्रय स्थल	दहेलखण्ड	75
			अस्थायी गौ आश्रय स्थल	उरकरा कला	55

कुल योग:-

3321

क्र०सं०	नगर पंचायत/ नगर पालिका परिषद का नाम	गौ आश्रय स्थल का प्रकार	पता	गौशाला में संरक्षित गौवंश की संख्या	
1	374	नगर पंचायत माधौगढ़	अस्थायी गौ आश्रय स्थल	माधौगढ़	126
2	375	नगर पालिका परिसद उरई	अस्थायी गौ आश्रय स्थल	इकलासपुरा	0
3	376	नगर पंचायत कोटरा	अस्थायी गौ आश्रय स्थल	कोटरा	55
4	377	नगर पालिका परिसद कापली	अस्थायी गौ आश्रय स्थल	कालपी	165

कुल योग:-

महा योग:-

346

31174

कान्हा गौशाला में संरक्षित गौवंश की सूची

क्र०सं०	नगर पंचायत/ नगर पालिका परिषद का नाम	गौ आश्रय स्थल का प्रकार	पता	गौशाला में संरक्षित गौवंश की संख्या
1	378 नगर पालिका परिषद जालौन	कान्हा गौशाला	जालौन	204
2	379 नगर पंचायत रामपुरा	कान्हा गौशाला	रामपुरा	237
3	380 नगर पंचायत ऊमरी	कान्हा गौशाला	ऊमरी	237
4	381 नगर पंचायत कदौरा	कान्हा गौशाला	कदौरा	266
5	382 नगर पंचायत नदीगांव	कान्हा गौशाला	नदीगांव	482
6	383 नगर पालिका परिषद उरई	कान्हा गौशाला	उरई	238
7	384 नगर पालिका परिषद कोंच	कान्हा गौशाला	कोंच	282
कुल योग:-				1946

स्थाई पशु आश्रय गृह में संरक्षित गौवंश की सूची

क्र०सं०	विकास खण्ड का नाम	गौ आश्रय स्थल का प्रकार	ग्राम का नाम	गौशाला में संरक्षित गौवंश की संख्या
1	385 डकोर	पशु आश्रय गृह	मुहाना	152
2	386 जालौन	पशु आश्रय गृह	हीरापुर	290
3	387 कदौरा	पशु आश्रय गृह	सुरौली मु०	72
4	388 नदीगांव	पशु आश्रय गृह	रूपपुरा	200
5	389 रामपुरा	पशु आश्रय गृह	कंझारी	85
कुल योग:-				799

गौवंश वन्य विहार में संरक्षित गौवंश की सूची

क्र०सं०	विकास खण्ड का नाम	गौ आश्रय स्थल का प्रकार	ग्राम का नाम	संरक्षित गौवंश की संख्या
---------	----------------------	-------------------------	--------------	-----------------------------

1	390	कदौरा	गौवंश वन्य विहार		
2	391	नदीगांव	गौवंश वन्य विहार	चमारी	
				ऐवरा	618
				कुल योग:-	205
					823

ग्रामीण क्षेत्र के कांजी हाउस में संरक्षित गौवंश की सूची

क्र०सं०	विकास खण्ड का नाम	गौ आश्रय स्थल का प्रकार	ग्राम का नाम	गौशाला में संरक्षित गौवंश की संख्या	
1	392	कुठौन्द	कांजी हाउस		
2	393	कुठौन्द	कांजी हाउस	सिरसा कलार	
3	394	कदौरा	कांजी हाउस	कुठौन्द	
4	395	कदौरा	कांजी हाउस	काशीरामपुर	
5	396	कदौरा	कांजी हाउस	आटा	
6	397	कदौरा	कांजी हाउस	अकबरपुर इटौरा	
7	398	कदौरा	कांजी हाउस	बबीना	
8	399	जालौन	कांजी हाउस	छौंक	
9	400	माधौगढ़	कांजी हाउस	उरगांव	
10	401	माधौगढ़	कांजी हाउस	गोहन	
11	402	नदीगांव	कांजी हाउस	अमखेड़ा	
12	403	नदीगांव	कांजी हाउस	बंगरा	
13	404	कोंच	कांजी हाउस	रेंडर	
14	405	कोंच	कांजी हाउस	एट	
15	406	डकोर	कांजी हाउस	सैदनगर	
16	407	डकोर	कांजी हाउस	बरसार	
17	408	डकोर	कांजी हाउस	जैसारी कला	
18	409	महेवा	कांजी हाउस	विल्ली	
				दमरास	11
				कुल योग:-	318
				महा योग:-	35060

	273	रामपुरा	अस्थाई गौ आश्रय स्थल	वन्दावली	
3	274	रामपुरा	अस्थाई गौ आश्रय स्थल	गोरा चिरैया	45
4	275	रामपुरा	अस्थाई गौ आश्रय स्थल	मजीठ	52
5	276	रामपुरा	अस्थाई गौ आश्रय स्थल	निनावली जागीर	149
6	277	रामपुरा	अस्थाई गौ आश्रय स्थल	धरमपुरा जागीर	100
7	278	रामपुरा	अस्थाई गौ आश्रय स्थल	जगम्नपुर	70
8	279	रामपुरा	अस्थाई गौ आश्रय स्थल	हुसेपुरा जागीर	315
9	280	रामपुरा	अस्थाई गौ आश्रय स्थल	लिडऊपुर	90
10	281	रामपुरा	अस्थाई गौ आश्रय स्थल	मई	98
11	282	रामपुरा	अस्थाई गौ आश्रय स्थल	जायघा	110
12	283	रामपुरा	अस्थाई गौ आश्रय स्थल	महटौली	100
13	284	रामपुरा	अस्थाई गौ आश्रय स्थल	हमीरपुरा	60
14	285	रामपुरा	अस्थाई गौ आश्रय स्थल	धूता	90
15	286	रामपुरा	अस्थाई गौ आश्रय स्थल	जमरेही सानी	85
16	287	रामपुरा	अस्थाई गौ आश्रय स्थल	मानपुरा	60
17	288	रामपुरा	अस्थाई गौ आश्रय स्थल	टीहर	65
18	289	रामपुरा	अस्थाई गौ आश्रय स्थल	बहराई	68
19	290	रामपुरा	अस्थाई गौ आश्रय स्थल	उदोतपुरा जागीर	85
कुल योग:-					100
					1839
1	291	कुठौन्द	अस्थाई गौ आश्रय स्थल	नीमगँव	58
2	292	कुठौन्द	अस्थाई गौ आश्रय स्थल	रामपुरा जालौन	48
3	293	कुठौन्द	अस्थाई गौ आश्रय स्थल	करतलपुर	41
4	294	कुठौन्द	अस्थाई गौ आश्रय स्थल	कैथवा	82
5	295	कुठौन्द	अस्थाई गौ आश्रय स्थल	मडोरा	30
6	296	कुठौन्द	अस्थाई गौ आश्रय स्थल	रोमई मु०	61
7	297	कुठौन्द	अस्थाई गौ आश्रय स्थल	भदेख	103
8	298	कुठौन्द	अस्थाई गौ आश्रय स्थल	लहरकनार	76
9	299	कुठौन्द	अस्थाई गौ आश्रय स्थल	टिकरी मु०	86
10	300	कुठौन्द	अस्थाई गौ आश्रय स्थल	नीरेजपुर	62
11	301	कुठौन्द	अस्थाई गौ आश्रय स्थल	तरसौर	84
12	302	कुठौन्द	अस्थाई गौ आश्रय स्थल	बस्तेपुर	81
13	303	कुठौन्द	अस्थाई गौ आश्रय स्थल	सिहारी चैलापुर	58
14	304	कुठौन्द	अस्थाई गौ आश्रय स्थल	दौन	51
15	305	कुठौन्द	अस्थाई गौ आश्रय स्थल	चौथ	32
16	306	कुठौन्द	अस्थाई गौ आश्रय स्थल	सलेमपुर कालपी	65
17	307	कुठौन्द	अस्थाई गौ आश्रय स्थल	नैनापुर	22
18	308	कुठौन्द	अस्थाई गौ आश्रय स्थल	पीपरी गहरवार	86
19	309	कुठौन्द	अस्थाई गौ आश्रय स्थल	तौलकपुर	49
20	310	कुठौन्द	अस्थाई गौ आश्रय स्थल	कुठौन्द	135
21	311	कुठौन्द	अस्थाई गौ आश्रय स्थल	मदनेपुर (नाहिली)	85
22	312	कुठौन्द	अस्थाई गौ आश्रय स्थल	सुरावली जालौन	80

क्र०स०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	विभाग	मो०न०	पर्यवेक्षण हेतु नामित गौ आश्रय स्थल का नाम
1	जालौन	छिरिया सलेमपुर	श्री रमेश कुमार उदैनिया	सहायक विकास अधिकारी (आई०एस०बी०) कार्या० जिला विकास अधिकारी उरई।	9956821949	1-छिरिया सलेमपुर 2-औरखी 3-देवरी (रनवा) 4-पग्गा 5-सालाबाद 6-लहचूरा
2		खरा	श्री अजय पाल कुशवाहा	विषय वस्तु विशेषज्ञ कार्या०उप सम्मानीय कृषि प्रसार अधिकारी जिला कृषि अधिकारी	9389731981	1-धनीरा कला 2-खरा 3-गावर 4-कुवरपुरा 5-घन्तीली 6-रुआ मल्लू
3		गढ़गुवा	श्री कपिल शर्मा	बाल विकास परियोजना अधिकारी	7906632075	1-रुधना बुजुर्ग 2-सदूपुरा 3-नगरी 4-पशु आश्रय गृह हीरापुर
4		गधेला	डा० रविन्द्र सिंह राजपूत	उप मुख्य पशु चिकित्सा अधिकारी, जालौन	9415476351	1-गधेला
5		सहाव	श्री शिवम् मिश्रा	पशुधन प्रसार अधिकारी, जालौन	9628193781	1-सहाव 2-नदवाँ
6		गिधोसा	श्री रौलेन्द्र कुमार	सहायक विकास अधिकारी (सहकारिता)	7007907214	1-लौना 2-उदीतपुरा
7		सिकरी राजा	श्री शाशि कुमार वर्मा	पशुधन प्रसार अधिकारी, जालौन	9451463671	1-सिकरी राजा 2-खनूवा 3-सुडार
8		जगनेवा	श्री रामदत्त प्रजापति	जिला अल्पसंख्यक कल्याण अधिकारी,	8006345859	1-तारगपुर(हरीपुरा) 2-कान्हा गौशाला जालौन
9		कुसमरा	श्री दयाशंकर साहू	प्राथमिक सहायक ग्रुप सी कार्यालय उप सम्मानीय कृषि प्रसार अधिकारी	9794517861	1-हरदोई राजा 2-रेदलपुर 3-कांजी हाउस उरगाव 4-दहगुवा 5-कुसमरा 6-पर्वतपुरा 7-सिहारी पड़ेय
10		पहाड़पुरा	श्री राम नारायण वर्मा	निरीक्षक बीज प्रमाणीकरण	9450128004	1-पहाड़पुरा 2-मांडरी 3-खुजरी 4-अकोढी दुवे 5-भिटारा 6-शहजादपुरा 7-उरगाव
11		सिहारी	श्री आशीष	जिला उद्यान अधिकारी	9559357172	1-वीरपरा

क्र०सं०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	पद नाम	मो०नं०	पर्यवेक्षण हेतु नामित गाँव आश्रय स्थल का नाम
12	रामपुरा	मई	श्री नौशाद अली	सहायक विकास अधिकारी (आई०एस०वी०) कार्या० जिला विकास अधिकारी, उरई।	9795415835	1-मई
						2-जायघा
						3-नरौल
						4-निनावली जागीर
						5-घंदावली
						6-हमीरपुरा
13	टीहर	श्री भारत सिंह	सहायक विकास अधिकारी (पंचायत) द्वारा जिला पंचायत राज अधिकारी	9455744047	1-घरमपुरा जागीर	
					2-टीहर	
					3-कान्हा रामपुरा	
					4-कान्हा उमरी	
14	मानपुरा	श्री गौरव यादव	जिला कृषि अधिकारी	6396615396	1-धूता	
					2-बहराई	
					3-मानपुरा	
					4-लिङ्गपुर	
15	जगन्मनपुर	डा० सन्तोष राजपाल	पशु चिकित्सा अधिकारी, गोहन	9457329866	1-जगन्मनपुर	
					2-महाटौली	
					3-हुसेपुरा जागीर	
					4-उदोतपुरा	
16	बहादुरपुर	श्री सत्यम त्रिपाठी	अपर जिला विकास अधिकारी,	7905590374	1-पशु आश्रय गृह कंझारी	
17	मजीठ	डा० मुनीश	सहायक निदेशक मत्स्य	9411922441	1-मजीठ	
					2-गौरा चिरइया	
					3-जमरेही सानी	
18	माधौगढ़	धमना	श्री राहुल कुमार	पशुधन प्रसार अधिकारी, माधौगढ़	9198655141	1-चितौरा
						2-रामहेतपुरा
						3-कुरसेडा
19	रुदपुरा	श्री अरविन्द यादव	अवर अभियन्ता, बेतवा, नहर प्रखण्ड द्वितीय, उरई	8840546830	1-ऊँचा	
					2-सीगनी	
20	मिहौना	श्री हेमन्त रावत	अवर अभियन्ता, बेतवा नहर प्रखण्ड द्वितीय, उरई	8318603919	1-रामपुरा माधौगढ़	
					2-अहेता	
21	हरौली	श्री राजेन्द्र	अवर अभियन्ता, लोक निर्माण विभाग, निर्माण खण्ड-3	9450978896	1-कैलोर	
					2-घिरिया माधौगढ़	
					3-न०प० माधौगढ़ (डिकोली)	
					4-हरौली	
22	सरावन	श्री संदीप कुमार	अवर अभियन्ता, प्रान्तीय खण्ड, लो०नि०वि०उरई	8279893662	1-सरावन	
					2-बोहरा	
23	अमखेड़ा	श्री ब्रजेन्द्र कुमार	अवर अभियन्ता, लोक निर्माण विभाग, निर्माण खण्ड-3	9140342277	1-चाकी	
					2-अमखेड़ा	
					3-कांजी हाउस अमखेड़ा	
24	अटागाँव	श्री अनिल कुमार	अवर अभियन्ता, लोक निर्माण विभाग, निर्माण खण्ड-3	9565466514	1-सिहारी माधौगढ़	

क्र.सं०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	नाम	मो०न०	पर्यवेक्षण हेतु नामित गाँव आश्रय स्थल का नाम
25	माधोगढ़	गोहन	श्री कमल सिंह कुशवाहा	पूर्व निरीक्षक द्वारा जिला पूर्ण अधिकारी, उरई	9450260612	1-शहबाजपुर 2-कांजी हाउस गोहन
26		गौरामूपका	श्री यशस्वी	प्राविधिक सहायक युप सी कार्या० भूमि संरक्षण अधिकारी, राष्ट्रीय जलागम जालीन प्रथम	8081157927	1-पडकुला 2-गौरामूपका 3-मडोरी
27		गोपालपुरा	श्री अरविन्द कुमार	अवर अभियन्ता, नलकूप खण्ड प्रथम उरई	9454414278	1-अतरेहटी
28	कुटीन्द	हदरुख	श्री ब्रजपाल सिंह यादव	पशुधन प्रसार अधिकारी, कुटीन्द	9454727377	1-यन्तेपुर 2-कैथया 3-करतालपुर
29		सिरसा कलार	श्री कृष्णवीर सिंह	अवर अभियन्ता, लघु सिंचाई विभाग,	9565133267	1-पंडितपुर 2-तरसौर 3-कांजी हाउस सिरसा कलार 4-सिरसा कलार
30		जखा	डा० रवि कुमार तिवारी	पशु चिकित्सा अधिकारी, कुटीन्द	7997749351	1-लहार कनार 2-पोपरी महरवार 3-टिकरी मुस्तकिल 4-गौरजपुर
31		ईटों	श्री गिरजाशंकर निरजन	सहायक विकास अधिकारी, (पंचायत) द्वारा जिला पंचायत राज अधिकारी	9839372343	1-ईटों 2-सिहारी बैलापुर 3-मडोरा 4-दीन
32		कुटीन्द	श्री संजू सिंह	प्राविधिक सहायक युप सी कार्या० भूमि संरक्षण अधिकारी, राष्ट्रीय जलागम जालीन द्वितीय	9174272744	1-सुरावली 2-नाहिली 3-सलेमपुर कालपी 4-कुटीन्द 5-कांजी हाउस कुटीन्द
33		मदारीपुर	श्री मंजीत यादव	पशुधन प्रसार अधिकारी, कुटीन्द	9410616672	1-रामपुरा जालीन 2-नीमगांव
34		वावली	श्री आसिफ हुसैन	पशुधन प्रसार अधिकारी, कुटीन्द	7355397105	1-सिलउवा जागीर 2-वावली 3-फुरीली 4-तौलकपुर 5-कोटा मु० 6-निजामपुर
35		भदेख दिवारा	श्री शिरोमणि सिंह	अवर अभियन्ता, लोक निर्माण विभाग, निर्माण खण्ड-2	9532401301	1-भदेख दिवारा 2-नेनापुर 3-चौध
36		रोमई मुस्तकिल	श्री लोकेश शाक्या	अवर अभियन्ता, नलकूप खण्ड प्रथम उरई	9598622994	1-रोमई मुस्तकिल 2-हाजीपुर

क्र०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	पद नाम	मो०न०	पर्यवेक्षण हेतु नामित गौ आश्रय स्थल का नाम
37	कटोरा	आटा	श्री. शुभम सौनिकिया	पशुधन प्रसार अधिकारी, आटा	9935993208	1-आटा 2-तकासा 3-गौवंश वन्य विहार घमारी 4-सन्दी 5-पिपराया 6-काजी हाउस आटा
38		इटीस गुरु	डा० अटल यादव	पशु चिकित्सा अधिकारी, आटा	9628058256	1-अकबरपुर 2-गर्ही 3-इटीस गुरु 4-बास 5-सुरहली 6-कुरहना आ० 7-कुआखंडा 8-काजी हाउस अकबरपुर 9-मटरा
39		करमचन्द्रपुर	श्री संजय रजक	अवर अभियन्ता, बेतवा नहर प्रखण्ड प्रथम उरई	7300865688	1-करमचन्द्रपुर 2-परासन 3-इमिलिया बुजुर्ग 4-अमीसा 5-नवई बा० 6-सुनहटा 7-जोराचेरा 8-बसरेही 9-कहटा हमीरपुर 10-दशहरो
40		बरही	श्री बदन सिंह	पशुधन प्रसार अधिकारी, आटा	9005967215	1-बरही 2-पशु आश्रय गृह सुरहीली 3-बरखेरा
41		उसरगांव	डा० अखिलेश कुमार सिंह	उप मुख्य पशु चिकित्सा अधिकारी, कालपी	9918863730	1-उसरगांव 2-छोक 3-काजी हाउस छोक 4-मसगाया 5-बरदौली 6-काशीरामपुर 7-काजी हाउस काशीरामपुर 8-लोहरगांव 9-न०पा०परि० आलमपुर (कालपी)
42		बबीना	श्री आशीष	अवर अभियन्ता, बेतवा नहर प्रखण्ड प्रथम उरई	9919002159	1-बबीना 2-काजी हाउस बबीना 3-उकुलवा (रोगी) 4-बागी 5-कटपुरवा

क्र.	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	पद नाम	मो०नं०	पर्यवेक्षण हेतु नामित गौ आश्रय स्थल का नाम
43	कदीरा	हरचन्द्रपुर	श्री अखिलेश कुमार वर्मा	अवर अभियन्ता, लघु सिंचाई विभाग	9450352802	1-कुसमरा बावनी 2-उदनपुर 3-खुटमिली 4-हरचन्द्रपुर 5-रैला 6-निस्वापुर 7-जमरेही 8-जकसिया 9-इकौना
44		चतौला	श्री नितीश पट्टेरिया,	पशुधन प्रसार अधिकारी, कदीरा।	6388443458	1-भेड़ी खुर्द 2-मरगाया 3-चतौला 4-कानाखेड़ा 5-पतरेहटा
45	मडेवा	नगरील	श्री राधेश्याम सिंह	अवर अभियन्ता, लोक निर्माण विभाग, निर्माण खण्ड-3	9125919212	1-खेखपुर गुडा 2-गुडा खास 3-कोरतपुर 4-देवकली 5-हीतपुर 6-मगरील
46		महेवा	श्री कृष्णपाल सिंह गुर्जर	अवर अभियन्ता, लघु सिंचाई विभाग, उरई	9140584204	1-महेवा 2-पिपरीवा 3-कुटरा मु० 4-इधनीरा (गौराकला) 5-निबहना 6-दहेलखण्ड 7-पडरी मु० 8-उरकरा कला
47		सरसेला	श्री हरेन्द्र सिंह	सहायक विकास अधिकारी, (पंचायत) द्वारा जिला पंचायत राज अधिकारी	6386836724	1-बैरई 2-सरसेला 3-बीजापुर 4-शाहजहापुर 5-खैरई
48		दमरास	श्री बृजकिशोर	पशुधन प्रसार अधिकारी, न्यामतपुर	9415794998	1-अनैदपुर 2-छडगुई मु० 3-मल्युवा 4-मिटारी 5-रायपुर मडेवा 6-जीतामऊ 7-दमरास 8-कांजी हाउस दमरास
49		बावई	श्री सजीव कुमार दोहरे	मत्स्य विकास निरीक्षक	8077168490	1-पिथरपुर 2-धामनी 3-बावई 4-अटराखुर्द 5-अटराकला

क्र.सं०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	पद नाम	मो०नं०	पर्यवेक्षण हेतु नामित गाँव आश्रय स्थल का नाम
57	कोव	गुरावटी	श्री अरविन्द कुमार	जूनियर इंजीनियर, बेतवा, नहर प्रखण्ड द्वितीय	8953832483	1- लौना 2- घनरसेना 3- छानी 4- अटा 5- बस्ती 6- पचीपुरा कला 7- भदयरा 8- गौराकरनपुर 9- कुवतपुरा
58		पिण्डारी	श्री रमेश वर्मा	सहायक विकास अधिकारी, (सहकारिता)	8077106810	1- पिण्डारी 2- पिरौना 3- ईगुई खुर्द 4- चौदनी 5- चंदुरा 6- बसोव 7- विसुवा खुर्द 8- जमरोही कला 9- घमारी 10- ईगुई कला
59		विलाया	श्री मुहम्मद इरशाद अली	अवर अनियन्ता, नलकूप खण्ड द्वितीय उरई	9956635330	1- विलाया 2- जखौली 3- जमरोही खुर्द 4- घमसेनी 5- छिसवली
60		विलाया	श्री राजेन्द्र प्रसाद त्रिपाठी	भूमि संरक्षण अधिकारी, राष्ट्रीय जलागम उरई	9450835811	6- किरासनौ 7- भरसूडा 8- अमीटा 9- कान्हा गौशाला कोव 10- सतोह 11- गुनावली
61		केशनपुरा	श्री अनिताम कुमार	सहायक विकास अधिकारी (आई०एस०बी०) कार्या० जिला विकास अधिकारी,	9956293728	1- खेरी 2- कौशलपुर 3- सुनाया 4- केशनपुरा 5- पहाडगांव 6- फुलेला 7- नरी 8- भेषा
62	नदीगांव	गिदवासा	श्री मनीष कुमार	पशुधन प्रसार अधिकारी, नदीगांव	9044582901	1- गिदवासा 2- कान्हा गौशाला नदीगांव
63		कैलिया बुजुर्ग	श्री रामकुमार	सहायक विकास अधिकारी (आई०एस०बी०) कार्या०	9450287145	1- देवगांव 2- कैलिया बुजुर्ग

क्र.सं.	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नॉडल अधिकारी का नाम	पद नाम	मो.नं०	पर्यवेक्षण हेतु नामित नौ आश्रय स्थल का नाम
64	नदीगांव	जगनपुरा	श्री सुशील कुमार	प्राथमिक सहायक ग्रुप ए कर्मचारी भूमि संरक्षण अधिकारी, राष्ट्रीय जलागम जालोन प्रथम द्वारा भूमि संरक्षण अधिकारी, राष्ट्रीय जलागम जालोन प्रथम	9140637482	1-धीरपुर 2-खुटला 3-लादपुरा 4-पचीपुरा खुर्द 5-जगनपुरा 6-महारापुरा 7-गोवसा वन्य विहार ऐयरा 8-सलईया खुर्द 9-ककरोली
65		कनासी	श्री भरत प्रताप	जूनियर इंजीनियर, बेतया नहर प्रखण्ड द्वितीय	7651852490	1-कनासी 2-अकनीवा 3-तूमरा 4-कटकरी बुजुर्ग 5-राजीपुरा 6-बसीठ 7-कलिया खुर्द 8-सदपुरा 9-लोहई
66		तीतरा खलीलपुर	श्री मानदेन्द्र	पशुधन प्रसार अधिकारी, भेड़	9621885841	1-बदउआ 2-भेड़ 3-घनीरा 4-तीतरा खलीलपुर 5-सुलखना 6-क्यालरी
67		खकसीस	श्री अजीत सिंह यादव	पूर्ति निरीक्षक, कार्यालय जिला पूर्ति अधिकारी, उरई	9415845845	1-खकसीस 2-महातपानी 3-घन्जा 4-कमसेरा 5-कुदारी माधोगढ़
68		बंगरा	श्री साजिद खान	अवर अभियन्ता, नलकूप, खण्ड प्रथम उरई	8005111734	1-बंगरा 2-कुटीन्दा 3-ईगुई माधोगढ़ 4-गडेरना 5-काजी हाउस बंगरा
69		रेंडर	डा० रविन्द्र सिंह राजपूत	पशु चिकित्सा अधिकारी, बंगरा	9415895590	1-रेंडर 2-धिरिया खुर्द 3-कन्हरपुरा 4-जुगराजपुरा 5-रोरा

क्र०सं०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	नाम	मो०नं०	पर्यवेक्षण हेतु नामित गाँव आश्रय स्थल का नाम
70	नदीगाँव	नावली	श्री अमर सिंह	पशुधन प्रसार अधिकारी, बंगरा	9918306338	1-नावली 2-परावर 3-रूपपुरा 4-धिलौर 5-मानपुरा 6-वरगुवा मावोगढ़ 7-कुसमरा
71	डकोर	डकोर	डा० नीतिन कुमार गुप्ता	पशु चिकित्सा अधिकारी, डकोर	7398891555	1-डकोर 2-कहटा 3-मकरेशा 4-मुहाना
72		डकोर	मनोज कुमार तिवारी	पूर्ति निरीक्षक	9455777009	5-बन्धीली 6-गुड़ा (सिनिरिया) 7-ऐरी रमपुरा 8-जैसारी खुर्द
73		कुसमेलिया	श्री हरीश कुमार	पशुधन प्रसार अधिकारी, डकोर	9670675656	1-कुसमेलिया 2-मोहन्दाबाद 3-धिल्ली 4-अजनारी 5-विरगुवा (नरछा) 6-काँजी हाउस धिल्ली
74		जैसारी कला	श्री बलवीर सिंह सेंगर	सहायक विकास अधिकारी, (पंचायत) द्वारा जिला पंचायत राज अधिकारी,	9450289483	1-जैसारी कला 2-कमठा 3-गौरन 4-टिमरौ 5-बरसार 6-काँजी हाउस बरसार 7-काँजी हाउस जैसारी कला
75		एट	डा० नरेन्द्र कुमार वर्मा	उप मुख्य पशु चिकित्सा अधिकारी, उरई सदर	6388224921	1-सोमई 2-धगुवा कला 3-सेवड़ी (भिटारा) 4-धुरट 5-न०प० कोटरा 6-काँजी हाउस एट
76		बडागाँव	श्री इफ्तखार अहमद	जिला कार्यक्रम अधिकारी	9450251939	1-बडागाँव 2-भुआ 3-नुनसाई
77		विनीरा	श्री संदीप कुमार गुप्ता	सहायक विकास अधिकारी (आई०एस०बी०) कार्या० जिला विकास अधिकारी, उरई	9451703099	1-विनीरापुर 2-सैदनगर 3-पुर 4-ऐधा 5-कुरकुरु

1573

क्र.सं०	विकास खण्ड का नाम	न्याय पंचायत का नाम	नामित नोडल अधिकारी का नाम	परामर्श नाम	मो०नं०	पर्यवेक्षण हेतु नामित गौ आश्रय स्थल का नाम
78	डकोर	गढ़र	श्री लाल जी निरंजन	विषय वस्तु विशेषज्ञ कार्यालय सम्भागीय कृषि प्रसार अधिकारी द्वारा जिला कृषि अधिकारी	9794193115	69 1-गढ़र 2-बोहदपुरा 3-कुकरगांव 4-मडोरा 5-मगराया 6-इटया जालौन
79		रूरा अड़ड़ू	श्री रविन्द्र कुमार पटैरिया	जिला युवा कल्याण अधिकारी,	9450227328	1-रूरा अड़ड़ू 2-आता 3-पियानिरंजनपुर 4-जलालपुर धिरगुवा 5-बनफरा
80		खरुसा	श्री सिराजुद्दीन	जिला क्रीडा अधिकारी,	9454050883	1-खरुसा 2-हरदोई गूजर 3-वर्ध 4-इमलिया 5-अकोढी
81		ऐर	प्रफुल्ल कुमार मिश्र	पूर्ति निरीक्षक	7080294687	1-ऐर 2-धरगुवा 3-धामनी बुजुर्ग 4-कुटीन्दा 5-कुईया 6-खरका 7-करुई बुजुर्ग
82		करमेर	श्री मुकुल सक्सेना	पशुधन प्रसार अधिकारी, डकोर	9415064537	1-करमेर 2-ददरी 3-रिरुआ 4-मिनौरा कालपी 5-रगौली 6-राहिया 7-चौरसी 8-जयपुरा 9-कान्हा गौशाला सरसौखी न०पा०परि०उरई

D
True copy
11

कार्यालय जिलाधिकारी जनपद जालौन।

70

पत्रांक

/गौ0आ0स्थ0/एन0जी0टी0/मु0प0चि0अ0/2023-24

दिनांक:-

- 01-अपर मुख्य अधिकारी जिला पंचायत, जनपद जालौन।
 02-समस्त खण्ड विकास अधिकारी, जनपद जालौन।
 03-समस्त अधिशाधी अधिकारी, नगर पालिका परिषद/नगर पंचायत, जनपद जालौन।
 04-समस्त उप मुख्य पशु चिकित्सा अधिकारी/पशु चिकित्सा अधिकारी, जनपद जालौन।

विषय:- मा0 ओवर साईट कमेटी के द्वारा गौशालाओं के निरीक्षण में पाई गई कमियों का निराकरण करते हुए अनुपालन आख्या उपलब्ध कराने के सम्बन्ध में।

उपरोक्त विषयक अवगत कराना है, कि माननीय ओवर साईट कमेटी के द्वारा जनपद में दिनांक 06-09-2023 एवं 24-09-2023 से 26-09-2023 तक समस्त विकास खण्डों/नगर पालिकाओं/नगर पंचायतों की निम्न गौशालाओं का निरीक्षण किया गया है। निरीक्षण के समय जिन गौशालाओं में कमियां पाई गई है। उनका विवरण गौशालावार Annexure सहित निम्न प्रकार है:-

क्र0 सं0	विकास खण्ड का नाम	पशु चिकित्सालय का नाम	गौशाला का नाम	गौशाला का प्रकार	Annexure No.
1	डकोर	पशु चिकित्सालय, डकोर पशु चिकित्सालय, एट	1-धगुवां कला 2-भुआ	अस्थायी	Annexure-5 Annexure-46
2	कोच	पशु चिकित्सालय, कोच पशु चिकित्सालय, एट	1-सुनाया 2-नरी 3-जमरोही कला 4-कौशलपुर 5-पिण्डारी	अस्थायी	Annexure-41 Annexure-42 Annexure-43 Annexure-44 Annexure-45
3	महेवा	पशु चिकित्सालय, महेवा पशु चिकित्सालय, न्यामतपुर	1-जीतामऊ 2-मडैया 3-मल्युआ 4-खडगुई 5-न्यामतपुर 6-उरकराकला	अस्थायी	Annexure-15 Annexure-16 Annexure-17 Annexure-18 Annexure-19 Annexure-20
4	जालौन	पशु चिकित्सालय, जालौन	1-छिरिया सलेमपुर 2-भिटारा	अस्थायी	Annexure-33 Annexure-34
5	नदीगांव	पशु चिकित्सालय, नदीगांव	1-कनासी 2-अकनीवा 3-लोहई 4-धिलौर	अस्थायी	Annexure-36 Annexure-37 Annexure-38 Annexure-39

क्र०सं०	अपर मुख्य अधिकारी जिला पंचायत	पशु चिकित्सालय का नाम	गौशाला का नाम	गौशाला का प्रकार	Annexure No.
1	अपर मुख्य अधिकारी, जिला पंचायत	पशु चिकित्सालय एट	कांजी हाउस एट	कांजी हाउस	Annexure-47

अतः आपको निर्देशित किया जाता है, कि उक्त गौशालाओं में पाई गई कमियों को संलग्न निरीक्षण रिपोर्ट के अनुसार ठीक करवाते हुए, साक्ष्यों एवं रंगीन फोटोग्राफ सहित अनुपालन आख्या तीन प्रतियों में एक सप्ताह के अन्दर संयुक्त हस्ताक्षर से मुख्य पशु चिकित्सा अधिकारी को उपलब्ध कराना सुनिश्चित करें। ताकि अनुपालन आख्या शासन को प्रेषित की जा सकें।
संलग्न-मा० ओवर साईट कमेटी की निरीक्षण आख्या।

(राजेश कुमार पाण्डेय)
जिलाधिकारी, जालौन।

पत्राक 3057 / उक्त / 2023-24

दिनांक:- 10-01-2024

प्रतिलिपि- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 01- निदेशक, प्रशासन एवं विकास, पशुपालन विभाग, उ०प्र० लखनऊ।
- 02- अपर निदेशक, ग्रेड-2, पशुपालन विभाग, झाँसी मण्डल झाँसी।
- 03- मुख्य विकास अधिकारी, जनपद जालौन।
- 04- जिला विकास अधिकारी, जनपद जालौन।


जिलाधिकारी,
जनपद-जालौन।


Copy

कार्यालय मुख्य विकास अधिकारी जनपद जालौन।

72

दिनांक:- 26, जनवरी 2024

पत्रांक 4028/गौ0आ0स्थ0/एन0जी0टी0/मु0प0चि0अ0/2023-24

- 1-अपर मुख्य अधिकारी, जिला पंचायत जनपद जालौन।
- 2-समस्त अधिशाषी अधिकारी न0पा0परि0/न0पं0, जनपद जालौन।
- 3-समस्त खण्ड विकास अधिकारी, जनपद जालौन।
- 4-समस्त उ0मु0प0चि0अ0/प0चि0अ0, जनपद जालौन।

विषय- माननीय राष्ट्रीय हरित अधिकरण नई दिल्ली में योजित ओ0ए0सं0 394/2022 पुष्पेन्द्र कुमार बनाम खण्ड विकास अधिकारी कदौरा व अन्य में पारित आदेश दिनांक 19.10.2023 एवं माननीय ओबर साईट कमेटी के गौशालाओं के निरीक्षण दिनांक 06-09-2023 एवं 24-09-2023 से 26-09-2023 तक की अनुपालन आख्या उपलब्ध कराने के सम्बन्ध में।

उपरोक्त विषयक माननीय ओबर साईट कमेटी द्वारा गौ आश्रय स्थलों के दिनांक 06-09-2023, 19.09.2023 एवं 24-09-2023 से 26-09-2023 तक किये गये निरीक्षणों में पायी गयी कमियों के निराकरण एवं सुझाव से अपनी रिपोर्ट के माध्यम से अवगत कराया है। उक्त के क्रम में जिलाधिकारी महोदय द्वारा दिनांक 25.01.2024 को समीक्षा बैठक में मा0 ओबर साईट कमेटी को अभिलेख उपलब्ध कराने हेतु संलग्न प्रारूपों के अनुसार निम्नलिखित बिन्दुओं पर वांछित सूचना दिनांक 27.01.2024 तक उपलब्ध कराने के निर्देश दिये हैं:-

- 1- जनपद में निर्माणाधीन बृहद गौ संरक्षण केन्द्र के रंगीन फोटोग्राफ।
- 2- माननीय ओबर साईट कमेटी के निरीक्षण में ग्राम पंचायत भवई ब्रहामण, खुटमिली विकास खण्ड कदौरा, इंटो विकास खण्ड कुठौन्द एवं लोहई दिवारा विकास खण्ड नदीगोंव के गौ आश्रय स्थलों में संरक्षित गौवश उपलब्धता के रंगीन फोटोग्राफ।
- 3- भूसा/हरा चारा की गुणवत्ता का प्रमाण-पत्र।
- 4- गौ आश्रय स्थलों में यूरिन निस्तारण पिट के (ढालदार होने के) रंगीन फोटोग्राफ।
- 5- नैपियर/हरा चारा के उत्पादन स्थल (झंडी लगाकर) का रंगीन फोटोग्राफ।
- 6- समस्त पशुचिकित्साधिकारी टैगिंग, मृत पजिका तथा उपचार पजिका हमेशा पूर्ण रखे।

अतः आपको निर्देशित किया जाता है कि आप उपरोक्त बिन्दुओं के अतिरिक्त, गौ आश्रय स्थलों में पायी गयी कमियों के निराकरण हेतु कराये गये कार्य, नैपियर/हरा चारा की स्थिति का विवरण, गौ आश्रय प्रबन्धन सम्बन्धी एवं सी0सी0कैमरो की स्थापना का विवरण संलग्न प्रारूपों पर दिनांक 27.01.2024 तक अधोहस्ताक्षरी को उपलब्ध कराना सुनिश्चित करें, ताकि माननीय ओबर साईट कमेटी को आख्या उपलब्ध करायी जा सके।

संलग्न:- प्रारूप - 04

(भीमजी उपध्याय)


मुख्य विकास अधिकारी,
जनपद-जालौन।

पत्रांक / उक्त / 2023-24

दिनांक:-

प्रतिलिपि:- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 1- जिला पंचायत राज अधिकारी, जालौन को इस निर्देश के साथ कि समस्त गौ आश्रय स्थलों में समस्त ग्राम पंचायत सचिवों को आवश्यक पंजिकाएं उपलब्ध कराते हुए योजना प्रारम्भ से अबतक पूर्ण कराये जाने एवं रख-रखाव का दायित्व निर्वाहन करने हेतु तत्काल निर्देशित करना सुनिश्चित करें।
- 2- समस्त उप जिलाधिकारी, जनपद जालौन।
- 3- मुख्य पशु चिकित्साधिकारी / जिला विकास अधिकारी, जालौन।
- 4- अपर जिलाधिकारी (नमानि वर्ग), जालौन।
- 5- जिलाधिकारी महोदय जालौन के निर्देशों के क्रम में सादर अवलोकनार्थ प्रेषित।


मुख्य विकास अधिकारी,
जनपद-जालौन।

कार्यालय मुख्य विकास अधिकारी, जालौन ।

नृपवर्ष 2023-24

दिनांक 04 अगस्त 2023

कार्यालय आदेश

जनपद के भिन्न विकास खण्डों के अन्तर्गत संचालित अस्थाई/स्थाई/कान्हा गोशाला/नगर पालिका परिषद/नगर पंचायत द्वारा संचालित गौ आश्रय स्थल/जिला पंचायत द्वारा संचालित कांजी हाउसों में सरक्षित गौवशों के भरण-पोषण एवं उनकी अन्य समुचित देखभाल आदि के पर्यवेक्षण दायित्वों के निर्वहन हेतु न्याय पंचायतवार संलग्न सूची के अनुसार अधिकारियों की ड्यूटी उनके नाम के सम्मुख अंकित गौ-आश्रय स्थलों हेतु नामित किया जाता है।

अतः नामित नोडल अधिकारी आवंटित गौ-आश्रय स्थलों का स्थलीय पर्यवेक्षण फोटोग्राफ सहित एवं संलग्न चेकविन्दु के अनुसार निरीक्षण कर निरीक्षण आख्या तीन दिवस के अन्दर मुख्य पशु चिकित्सा अधिकारी को उपलब्ध कराना सुनिश्चित करेंगे।

निरीक्षण हेतु नोडल अधिकारियों को पृथक से निर्देशित किया जाता है कि गोशाला से संबंधित दिनांक 07.08.2023 को सांय 4.00 बजे विकास भवन के सभागार में बैठक आयोजित की जाती है, जिसमें गोशाला के निरीक्षण सम्बन्धी निर्देश दिये जायेंगे।

(भीमजी उपाध्याय)

मुख्य विकास अधिकारी

जनपद-जालौन

पृष्ठांकन संख्या- 1059 /दिनांक उक्त।

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

- 1-जिलाधिकारी महोदया, जालौन की सेवा में सूचनार्थ प्रेषित।
- 2-जिला विकास अधिकारी, जालौन।
- 3-जिला पंचायत राज अधिकारी, जालौन।
- 4-मुख्य पशु चिकित्सा अधिकारी, जालौन।
- 5-समस्त खण्ड विकास अधिकारी, जनपद जालौन।
- 6-नामित नोडल अधिकारी, जनपद जालौन को उपरोक्तानुसार अनुपालनार्थ।

मुख्य विकास अधिकारी

जनपद-जालौन

पत्रांक- 89

/21-एल0ओ0ए0

उरई:दिनांक:अगस्त 04 2023

:: कार्यालय आदेश ::

नगर क्षेत्र के अर्न्तगत संचालित गोश्त (मीट) की दुकानों का आकस्मिक निरीक्षण कर विक्रेताओं से शासन द्वारा निर्धारित मानकों का अनुपालन कराये जाने के सम्बन्ध में निम्नानुसार संयुक्त टीम गठित की जाती है :-

क्रम सं०	नगर क्षेत्र का नाम	संयुक्त जाँच हेतु गठित टीम के पदाधिकारी	
1-	उरई	अधिशाली अधिकारी, नगरपालिका परिषद, उरई	श्री आलोक कुमार, खाद्य सुरक्षा अधिकारी 9453071072
2-	जालौन	अधिशाली अधिकारी, नगरपालिका परिषद, जालौन	श्री कन्हैयालाल यादव, खाद्य सुरक्षा अधिकारी 9628398244
3-	कौंच	अधिशाली अधिकारी, नगरपालिका परिषद, कौंच	श्री कन्हैयालाल यादव, खाद्य सुरक्षा अधिकारी 9628398244
4-	कालपी	अधिशाली अधिकारी, नगरपालिका परिषद, कालपी	श्री अनिल शंखवार, खाद्य सुरक्षा अधिकारी 7983074143
5-	माधौगढ़	अधिशाली अधिकारी, नगर पंचायत, माधौगढ़	श्री सुनील कुमार, खाद्य सुरक्षा अधिकारी 7895541151

किसी भी नगर क्षेत्र में गोश्त (मीट) की दुकान के संचालन हेतु The Food Safety and Standards Act, 2006 के द्वारा निम्नलिखित मानक निर्धारित किये गये हैं :-

- 1- गोश्त (मीट) की दुकान किसी भी पूजा स्थल/धार्मिक स्थल से कम से कम 50 मीटर की दूरी पर स्थित होना चाहिये।
- 2- गोश्त (मीट) की दुकान पूजा स्थल/धार्मिक स्थल के मुख्य द्वार से 100 मीटर की दूरी पर स्थित होना चाहिये।
- 3- गोश्त (मीट) की दुकान का प्लेटफार्म/काउण्टर पक्का होना चाहिये, दुकान में टाइल्स/पत्थर लगे होना चाहिये, दुकान के दरवाजे काले शीशेयुक्त होना चाहिये, आस-पास किसी भी प्रकार की गन्दगी नहीं होना चाहिये।
- 4- गोश्त (मीट) की दुकान में गोश्त (मीट) काटने के औजार स्टेनलेस स्टील के होना चाहिये। उपरोक्तानुसार निकायवार गठित संयुक्त टीम के द्वारा उपरिलिखित मानकों को दृष्टिगत रखते हुये संयुक्त जाँच आख्या बिलम्बतम् 03 दिवस में प्रस्तुत की जायेगी।

(विशाल कुमार यादव)
अपर जिलाधिकारी (नमामि गंगे)
जालौन

प्रतिलिपि :-

- 1- जिलाधिकारी महोदया, जालौन की सेवा में सूचनार्थ सादर प्रेषित।
- 2- अपर जिलाधिकारी (वि/रा) महोदय, जालौन की सेवा में सूचनार्थ सादर प्रेषित।
- 3- अभिहित अधिकारी, खाद्य सुरक्षा एवं औषधि प्रशासन, जालौन को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
- 4- समस्त सम्बन्धित को अनुपालनार्थ।

04/08/23

अपर जिलाधिकारी (नमामि गंगे)


खाद्य सुरक्षा टीम ने मीट दुकानों का किया निरीक्षण

(आज समाचार सेवा)

उरई (जालौन) 5 अगस्त। जनपद में भुर्गा बकरा को दुकानों पर खाद्य सुरक्षा टीम ने औचक निरीक्षण किया है। कालपी और जालौन की दुकानों पर गंदगी मिलने पर दुकानदारों को नोटिस दिया गया। दुकान में साफ सफाई रखें और लाइसेंस बनवाने के बाद ही व्यवसाय करें।

जिलाधिकारी के आदेशानुसार जालौन और कालपी में भुर्गा और बकरा की दुकानों का नगरपालिका व नगरनिकाय व खाद्य सुरक्षा एवं औषधि प्रशासन की संयुक्त टीम ने निरीक्षण किया

है। सहायक आयुक्त खाद्य द्वितीय डा. जतिन कुमार सिंह ने जालौन में मलीम, अमोर खा, कल्लु, बाबूलाल, मुस्तकीम, शरीफ, जमुनादास, श्रीरू, राजू की दुकानों का निरीक्षण किया है। जबकि कालपी में शिवकुमार, रमजान, इरशाद, आजाद रजा, नन्हें आदि की दुकानों का निरीक्षण किया है। उन्होंने बताया कि दुकानों पर गंदगी थी इसलिए साफ



मीट की दुकान पर चेकिंग करती टीम।

हिरागत दी गई है। खाद्य कारोबारकर्ताओं को खाद्य सुरक्षा एवं मानक अधिनियम 2006 एवं विनिम. 2011 के तहत खाद्य लाइसेंस पंजीकरण करना बंधन जरूरी है। इसके बाद ही खाद्य व्यवसाय करेंगे। परिसर में साफ सफाई जरूर रखें। उन्होंने बताया कि अभियान निरंतर चलता रहेगा। किसी भी स्तर पर शिथिलता नहीं होने दी जाएगी। इस दौरान

हिन्दुस्त

पंजीकरण न होने पर 12 मीट विक्रेताओं को नोटिस

कार्रवाई

उरई, संवाददाता। बिना रजिस्ट्रेशन और साफ-सफाई के मांगों को ताक पर रख संचालित हो रही मोट मुर्गे की दुकानों पर बीते कई दिनों से अभियान चलाकर खाद्य सुरक्षा एवं औषधि प्रशासन विभाग तथा नगर पालिका एवं नगर पंचायत नोटिस जारी कर रहे हैं।

बुधवार को भी अभियान के तहत अपर जिलाधिकारी नमामि गंगे विशाल यादव के आदेशानुसार खाद्य सुरक्षा आयुक्त डॉ. जतिन कुमार सिंह के निर्देश पर जालौन नगर पालिका उरई व नगर पंचायत कोंच के अधिशापी अधिकारी व खाद्य सुरक्षा एवं औषधि प्रशासन जनपद जालौन की संयुक्त टीम ने जनपद उरई और कोंच तहसील में संचालित मछली, मुर्गा एवं बकरा मांस की दुकानों का आकस्मिक निरीक्षण

■ जालौन, उरई और कोंच की मोट की दुकानों में की गई कार्रवाई

■ दुकानों पर साफ-सफाई न मिलने पर सभी जगह की गई कार्रवाई

किया। नगर पालिका उरई में बजरिया स्थित ऐजाज अहमद, नौशाद, मोहम्मद मुकीम, कल्लू, मोहम्मद शाबिर, इरसाद अंसारी, ओबेस, इशराईल, रसीद अंसारी, शलीम आदि एवं नगर पालिका कोंच में शलीम, जफर, मुन्ना, कुमार मंगलम, अरबाज, सोनू खटिक, राम कुमार, फकीर, शलीम आदि की दुकानों पर छापा मारा। सभी दुकानदारों को खाद्य सुरक्षा एवं मानक अधिनियम के तहत खाद्य लाईसेंस पंजीकरण व परिसर में सफाई के लिए नोटिस जारी किया।

स्वादा सुरक्षा एवं औषधि प्रशासन
जनपद - जालौन, स्थान - उरई ।

amarujala.com

कानपुर | बृहस्पतिवार, 10 अगस्त 2023

2

खान्द विभाग की टीम ने की छापेमारी

संवाद न्यूज एजेंसी

लया
का
सभी
फेरी
का
। है,
नहीं
रगी,
का
सभी
फेरी
का
। है,
नहीं
रगी,
का
सभी
फेरी
का
। है,
नहीं
रगी,

उरई। एडीएम नमामि गंगे विशाल यादव के आदेशानुसार उरई और कोंच पालिका के ईओ एवं खाद्य सुरक्षा एवं औषधि प्रशासन विभाग की टीम ने संचालित मछली, मुर्गा एवं बकरा मांस की दुकानों का निरीक्षण किया गया।
टीम ने उरई के बजरिया स्थित ऐजाज अहमद, नवसाद, मोहम्मद

मुकीम, कल्लू, मोहम्मद शाविर, इरसाद अंसारी, ओवेस, इसराईल, रसीद अंसारी, सलीम व कोंच में सलीम, जफर, मुन्ना, कुमार मंगलम, अरबाज, सोनू खटिक, राम कुमार, फकीरे आदि दुकानों पर छापेमारी की।

सभी को लाइसेंस लेकर खाद्य व्यवसाय करने व परिसर में साफ-सफाई के लिए नोटिस जारी किया गया।

2
TsleeGpy

1583

प्रेषक,

सहायक आयुक्त (खाद्य)-II/
अभिहित अधिकारी,
खाद्य सुरक्षा एवं औषधि प्रशासन,
जनपद-जालौन।

Annexure-R/12
(Colly)

79

सेवा में,

अपर जिलाधिकारी (नमामि गंगे),
जालौन।

पत्रांक- 91 /एफ0एस0डी0ए0/विविध/2023-24

दिनांक: अगस्त 19, 2023

विषय :- मा0 एन0जी0टी0 में लम्बित वाद सं0-394/2022 श्री पुष्पेन्द्र कुमार बनाम खण्ड विकास अधिकारी, कदौरा एवं अन्य में पारित आदेश दिनांक 20-7-2023 के बिन्दु संख्या-11 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक सादर अवगत कराना है कि बिना वैध पंजीकरण प्राप्त मीट दुकानों के समय-समय पर किये गये निरीक्षणों के आधार पर पूर्व में खाद्य सुरक्षा अधिनियम-2006 की धारा-58 के तहत मा0 न्यायालय न्याय निर्णायक अधिकारी/अपर जिलाधिकारी (वि/रा), जनपद-जालौन में वाद दायर कर दण्डित किया गया है।

मा0 एन0जी0टी0 के आदेश दिनांक 27-5-2022 के तहत गठित संयुक्त समिति द्वारा जनपद में क्षेत्र/स्थलीय निरीक्षण के समय नगरपालिका परिषद, उरई में कुछ छोटे मीट शॉप बिना वैध लाईसेन्स के संचालित पाये गये थे। निरीक्षण हेतु संयुक्त समिति की रिपोर्ट के आधार पर खाद्य सुरक्षा एवं औषधि प्रशासन व नगर निकायों के द्वारा संयुक्त रूप से ऐसे सभी मीट शॉप की जाँच कर खाद्य सुरक्षा अधिनियम-2006 की धारा-58 के तहत मा0 न्यायालय न्याय निर्णायक अधिकारी/अपर जिलाधिकारी (वि/रा), जनपद-जालौन में वाद दायर कर दण्डित किया गया है जिनकी सूची संलग्न है।

मा0 एन0जी0टी0 के आदेश दिनांक 20-7-2023 में पारित बिन्दु संख्या-11 के अनुपालन में पुनः खाद्य सुरक्षा एवं औषधि प्रशासन व नगर निकायों के द्वारा संयुक्त रूप से जनपद में संचालित मीट शॉप का आकस्मिक निरीक्षण किया गया जिसमें बिना वैध पंजीकरण के संचालित दुकानों के स्वामियों के विरुद्ध नोटिस निर्गत किये गये हैं तथा इनके विरुद्ध वाद योजित किये जाने की प्रक्रिया प्रचलित है जिनकी सूची संलग्न है।

यहाँ यह भी अवगत कराना है कि जनपद जालौन में कोई वैध अथवा अवैध स्लाटर हाउस संचालित नहीं है।

आख्या महोदय की सेवा में सादर प्रेषित है।
संलग्नक: फोटोचित्र एवं सूचियाँ

सहायक आयुक्त (खाद्य)-II/
अभिहित अधिकारी,
खाद्य सुरक्षा एवं औषधि प्रशासन,
जनपद-जालौन।

1134

21-8-2023

805
21-8-23

8

VO
पुनः निरीक्षण
21/8/23

21/8/23

कार्यालय जिलाधिकारी, जालौन स्थान-उरई।

(खाद्य सुरक्षा एवं औषधि प्रशासन विभाग)

मुर्गा/भोट की बुकानों पर एफ.एस.एस. एक्ट 2006 की धारा 58 (बिना पंजीकरण) के तहत कृत कार्यवाही की रिपोर्ट

क्र. सं.	तहसील का नाम	खाद्य कारोबारकर्ता का नाम व पता	वाद दायर दिनांक	निर्णय तिथि	जुर्माना
1	उरई तहसील	साकिर अंसारी, पुत्र अय्युब अंसारी, नि० बजरिया, उरई।	10.08.2022	-	-
2		मुकीम अंसारी, पुत्र अय्युब अंसारी, नि० गणेशगंज बजरिया, उरई।	04.08.2022	22.03.2022	10000
3		बलवीर पुत्र भागीरथ, नि० बेरीवाले बाबा के पास, स्टेशन रोड उरई।	31.07.2021	20.10.2021	5000
4		रीतिक कुमार खटीक, पुत्र पूरन खटीक, नि० बेरीवाले बाबा के पास, स्टेशन रोड उरई, जालौन।	31.07.2021	20.10.2021	2000
5		स्वरूप सिंह पुत्र छोटेला, नि० झाँसी चुगी उरई, जालौन	15.10.2019	27.02.2020	5000
6		मनीष कुमार पुत्र नीरज कुमार, नि० झाँसी चुगी उरई, जालौन।	15.10.2019	27.02.2020	5000
7		मो० जफर, पुत्र मो० तारीख, नि० मोहल्ला बल्लभ नगर उरई, जालौन	26.08.2020	20.12.2020	5000
8		उम्मेद खान, पुत्र हवीव खान, नि० पुर बिनौरा, पो० एधा, था० कोटरा, जालौन।	24.08.2022	12.11.2022	5000
9		फारूख अहमद पुत्र रमजानी, नि० उरई ग्रामीण, जालौन	10.06.2020	22.12.2020	5000
10	जालौन तहसील	आमीन कुरेशी, पुत्र इकराम कुरेशी, नि० छत्रसाल रोड, जालौन।	01.08.2022	12.11.2022	5000
11		मनीष खटीक, पुत्र किशन खटीक, नि० कुठौन्द जनपद जालौन।	04.07.2023	-	-
12		प्रवेश खटीक, पुत्र सुरेन्द्र खटीक, नि० मु० खटीकन कुठौन्द, जालौन।	04.07.2023	-	-
13		करन खटीक, पुत्र अनिल कुमार, नि० कुठौन्द, जालौन।	04.07.2023	-	-

14		नईम पुत्र सलीम, नि० खटियाना जालौन तहसील।	01.08.2022	12.11.2022	5000
15		सुरेश चन्द्र खटीक, पुत्र रामेश्वर खटीक, नि गणेशगंज कालपी, जालौन।	16.08.2021	04.10.2021	10000
16		कामिल कुरैशी, पुत्र हामिद कुरैशी, नि० नकाशा कालपी, जालौन।	08.08.2021	20.10.2021	15000
17	कालपी तहसील	इरसाद पुत्र कल्लू, नि० नकाशा कालपी, जालौन	08.08.2021	20.10.2021	15000
18		मो० रईस पुत्र मो० फारुख, नि० जुलहैटी कालपी, जालौन	24.03.2021	27.06.2021	5000
19		रामलखन पुत्र भरत लाल, नि० इटौरा, जालौन।	10.06.2020	22.12.2020	5000
20		मो० शाहिद पुत्र निखार खाँ, नि० रेलवे फाटक कोंच, जालौन।	05.12.2019	26.06.2020	10000
21	कोंच तहसील	मो० अकरम पुत्र अब्दुल हमीद, नि० रेलवे फाटक कोंच, जालौन	05.12.2019	26.06.2020	10000
22		शकील, पुत्र परी खाँ, नि० रेलवे फाटक के पास कोंच, जालौन	05.12.2019	26.06.2020	10000
23		इरशाद पुत्र शलीम, नि० रेलवे फाटक के पास कोंच, जालौन	05.12.2019	26.06.2020	10000

Handwritten signature
19/12/22

ACF-II
F.S.D.A., Jabalpur

कार्यालय जिलाधिकारी, जालौन स्थान-उरई।
(खाद्य सुरक्षा एवं औषधि प्रशासन विभाग)

सेवा में,

अपर जिलाधिकारी (नमागि गणे)
जनपद-जालौन।

पत्रांक:- 8) एफ.एस.डी.ए./रि./2023-24

दिनांक:- अगस्त, 2023

विषय:- जनपद जालौन के नगर क्षेत्र एवं तहसील क्षेत्रों के अन्तर्गत संचालित गोश्त (मीट) की दुकानों के विरुद्ध कृत कार्यवाही की सूचना।


महोदय,


सादर अवगत कराना है कि आपके पत्र संख्या- 89/21-एल0ई0ए0 उरई, दिनांक- अगस्त 04, 2023 के क्रम में नगर व तहसील क्षेत्र के अन्तर्गत संचालित गोश्त (मीट) की दुकानों का आकस्मिक निरीक्षण कर विक्रेताओं से शासन द्वारा निर्धारित मानकों का अनुपालन कराये जाने हेतु निर्देशित किया गया था। उक्त आदेश के क्रम में खाद्य सुरक्षा अधिकारियों एवं अधिशासी अधिकारियों की संयुक्त टीम द्वारा जनपद-जालौन द्वारा निम्नलिखित कार्यवाही की गयी। जिनका विवरण इस प्रकार है-

क्र.स.	तहसील का नाम	खाद्य कारोबारकर्ता का नाम
1	नगर पालिका उरई	ऐजाज अहमद, नवसाद, मोहम्मद मुकीम, कल्लू, मोहम्मद शाबिर, इरसाद असार, ओबेस, इशराईल, रसीद असारी, शलीम
2	कोच तहसील	शलीम, जफर, मुन्ना, कुमार मंगलम, अरबाज, सोनू खटिक, राम कुमार, फकीरे, शलीम
3	माधोगढ़ तहसील	रितिक कुमार, अनिल कुमार, राजू, वृजेश खटीक इनाम अली
4	जालौन तहसील	सलीम, अमीर खाद, कल्लू, बाबूलाल, मुस्तकीम, शरीफ, जमुनादास, बीरू, राजू
5	कालपी तहसील	शिवकुमार, रमजान, इरशाद, आजाद रजा, नन्हें आदि

उपरोक्त समस्त खाद्य कारोबारकर्ताओं को खाद्य सुरक्षा एवं मानक अधिनियम 2006 एवं विनियम 2011 के तहत खाद्य लाईसेंस/पंजीकरण के उपरान्त ही खाद्य व्यवसाय करने व परिसर में साफ-सफाई हेतु नोटिस जारी की गयी।

सूचना सेवा में सादर प्रेषित।





सहायक आयुक्त (खारा)।।
आर्गेनाइज्ड अधिकारी
खारा सुरक्षा एवं औषधि प्रशासन,
जनपद-जालौन।




शेल्टर प्रबंधन- वृक्षारोपण

00:14 4G LTE 28%



शुद्ध वातावरण हेतु वृक्ष



शुद्ध वातावरण हेतु वृक्ष

महोदय
अन्तर्गत
पालिका
क्षेत्रमा
शुद्ध
वातावरण
हेतु

True Copy

Annexure - P/14
(Coll'y)

अधिशारी अभियन्ता, खण्ड कार्यालय

उ० प्र० जल निगम (ग्रामीण), जालौन।

Email Add.- eeoraldiv@gmail.com, Ph. (O) 05162-258025

पत्राक २३९-८

/ m-16 / 26

दिनांक- 18-8-2023

अधिशारी अधिकारी,
नगर पंचायत, माधोगढ़
जालौन।

विषय- जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।
सन्दर्भ - नगर पंचायत माधोगढ़ (जालौन) द्वारा संचालित अरथाई गौशाला शक्करमिल डिकोली माधोगढ़ पानी की गुणवत्ता की जांच के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके कार्यालय के पत्राक मीनो/न०प०मा०/2022-23 दिनांक 16.08.2023 के अनुपालन में आप द्वारा संचालित अरथाई गौशाला शक्करमिल डिकोली माधोगढ़ पानी की गुणवत्ता की जांच हेतु पानी के नमूनों की जांच कर जल परीक्षण रिपोर्ट सलग्न कर प्रेषित है।

संलग्नक-जल परीक्षण रिपोर्ट

(संजय कुमार)
सहायक अभियन्ता

प्र०सं० व दिनांक-यथापरि

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अधिशारी अभियन्ता, उ० प्र० जल निगम (ग्रामीण), जालौन।
2. सम्बन्धित जूनियर इंजीनियर।

सहायक अभियन्ता

अक्षिपाणी

86



WATER TESTING LABORATORY

Division Office, U.P. Jal Nigam(Rural), Jalaun(Orai)

Chemical analysis of water

Report No.- 134

Date 13/08/2023

Village/Town Nagay, Ancharayat, Madhoyarh, P.O. No. Block Z. Distt. Jalaun

Water Source Hand pump Location Ashtwa, Goustan, J.

Name & Designation of Sample Collector Sri. Balveer

Date of Analysis 13/08/2023

S.No.	Physical Examination	Unit	Test Result	Indian Standard as IS:10500	
				Desirable limit	Permissible limit
A					
1	Turbidity NTU	NTU	4.3	1	5
2	Colour	"	-	5	25
3	Odour	"	-	-	-
4	pH Value	"	7.7	7.0 to 8.5	<6.5 to >9.2
5	Total Dissolved Solids	ppm	810	500	2000
B	Chemical Analysis in	ppm			
6	Total Hardness as (CaCO ₃)	"	370	200	600
7	Calcium as (Ca)	"	-	75	200
8	Magnesium as (mg)	"	-	30	100
9	Chlorides as (Cl)	"	350	200	1000
10	Sulphates as SO ₄	"	-	200	400
11	Fluorides as (F)	"	1.7	1	1.5
12	Nitrates (NO ₃)	"	-	45	<45
13	Nitrate (NO ₃)	"	-	0.1	1
14	Iron as (Fe)	"	-	0.1	0.3
15	Residual Chlorine	"	0.90	0.2	1
16	Alkalinity as (CaCO ₃)	"	-	-	-
17	Phenolphtheline	"	-	200	600
18	Methyl Orange	"	-	0.01	0.05
19	Arsenic as (As)	"	-	-	-
20	Conductivity	"	-	0	0
21	Precence (By H ₂ S Strip)	"	0	0	0
22	E-Coil (MPN) 100ml	"	-	-	-

Test Result:- Satisfactory/ Unsatisfactory

Remarks:-

Manoj Kumar
Chemist

J.E.

A.E.



87

Uttar Pradesh Pollution Control Board
 Building No. 1, P. V. V. Khand, Goranagar, Lucknow-226010
 Phone: 0522-279627, 271067, 271068, 271069, 271070. Email: info@uppcb.in Website: www.uppcb.in

189726/UPPCB/Jhansi(UPPCBRO)/CTO/bat/JALAU/2023

Date: 23/08/2023

To,

M/s

TEMPORARAY GAUSHALA NAGAR PANCHAYAT MADHOGARH

TEMPORARY GAUSHALA, GATA NO-333, WARD NO-08, MAITHILISHARAN NAGAR, MADHOGARH, DISTRICT- JALAU, 285126

Application Id-
22197747

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Environment (Protection) & Control of Pollution) Act, 1981

CCA is hereby granted to TEMPORARAY GAUSHALA NAGAR PANCHAYAT MADHOGARH located at TEMPORARY GAUSHALA, GATA NO-333, WARD NO-08, MAITHILISHARAN NAGAR, MADHOGARH, DISTRICT- JALAU, N.285126, subject to the provisions of the Water Act, Air Act and the orders that may be made hereunder subject to following terms and conditions :-

1. This CCA TEMPORARAY GAUSHALA NAGAR PANCHAYAT MADHOGARH granted for the period from 29/07/2023 to 31/07/2027 and valid for manufacturing of following products

S No	Product	Quantity	Unit
1	GAUSHALA (Nos.)	130	Numbers/Day

2. Conditions under Water (Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLE) :-

Kind of Effluent	Quantity (KLE)	Treatment facility	Discharge point
------------------	----------------	--------------------	-----------------

(ii) Trade Effluent Treatment and Disposal :- The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Act, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(Signature)

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emission Quality Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

(iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated 13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.uptcp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. Unit Should comply with the provision of CPCB Guideline in time bound manner.
2. The Gaushala shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.08.23
11:07:26 +05:30

REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD, JHANSI


Copy to:

CEO-2, U.P. POLLUTION CONTROL BOARD, Lucknow

DEEPA
ARORA

Digitized by eGangotri
A5092
Date: 2018.11.17 10:40
18-12

REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD, JHANSI



मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का मन्देश



- स्वच्छता - देशमेका में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प ले - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्त्री, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों में थने दोले या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक डैम के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चर्चीत अर्बन्यवस्था (सहूलर इकोनामी) का सुनिश्चित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है। कस्ट/अपशिष्ट फकले के पूर्व सोच, ये किली का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने में रूके। इसके उपयुक्त निस्तारण हेतु इस प्राधिकृत ई-वेस्ट रीसाइकलर को दे। प्राधिकृत ई-रीसाइकलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र में 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषय पर्यावरणीय दुष्प्रभाव में बचा जा सकता है।
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा कर अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका श्राद्धीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता में समाज के वंचित वर्ग तक पहुंचाई जा सकती है। वहीं अनुपयोगी भोजन/खाद्य सामग्री को कम्पोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं। उपयोग में न होने पर बिजली उपकरणों को बंद करें। स्टार स्टेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।

Dee
Dee Arora

1595

अधिशाली अभियन्ता, खण्ड कार्यालय

91

उ० प्र० जल निगम (ग्रामीण), जालौन। Annexure - R/15

Email Add.- eeoraidiv@gmail.com, Ph. (O) 05162-258025 (Colly)

पत्रांक 2405 / m-16 / 28 दिनांक- 19-8-2023

सेवा में

मुख्य विकास अधिकारी
जनपद-जालौन।विषय- जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।

महोदय,

उपरोक्त विषयक WQMIS पोर्टल से प्राप्त विकासखण्ड माधौगढ़ के ग्राम अमखेडा, हरौली, अहेटा, ऊचा एव पडकूला में गौशालाओं के पानी के नमूनों की जल परीक्षण रिपोर्ट संलग्न कर आपके कार्यालय हेतु सादर प्रेषित है।

संलग्नक:-जल परीक्षण रिपोर्ट प्रमाण पत्र।

(ए०के० गुप्ता)
अधिशाली अभियन्ता

पू०सं० व दिनांक- यथोपरिप्रतिलिपि- निम्नलिखित को सूचनार्थ एव आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी महोदय, जालौन।
2. सम्बन्धित सहायक अभियन्ता / जूनियर इंजीनियर।

अधिशाली अभियन्ता

Water Quality Monitoring Report (WQMR) Form (Rev. 01/2021) (Use for all water types)

TEST REPORT

WQMR/2022/11/30/1596

User Information

Name	Ramesh Chandra Mishra	Mobile	988627451
Email	rameshchandra.mishra@gmail.com	Pin Code	
Full Address	Village: Haripur, P.O.: Haripur, Dist.: Haripur, State: Uttar Pradesh		

Sample description

Source of Sample	—	Village	Haripur
Block (Mandals)	Haripur	Block	Machhapati
District	Haripur	State	Uttar Pradesh
Address		Latitude	24.846141
Latitude		Longitude	83.846141

Date & time of sample collection

17/08/2022 | 11:30:00 AM

Date & time of sample received in lab

17/08/2022 | 11:30:00 AM

Date & time of sample analysed

17/08/2022 | 11:15:00 AM

Date & time of report generation

17/08/2022 | 11:15:00 AM

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl)	mg/l	250	1000	400.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.200
4	Nitrate (as NO3)	mg/l	45	No Relaxation	36.000
5	pH	—	6.5-8.5	No Relaxation	7.200
6	TDS	mg/l	500	2000	353.000
7	Total Alkalinity (as Calcium Carbonate)	mg/l	200	500	377.000
8	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
9	Total Hardness (As CaCO3)	mg/l	200	500	453.000
10	Turbidity	NTU	1	5	7.200

Note:

- 1) *Indicates parameters that are NABL accredited
- 2) This test results related to the sample tested above
- 3) The report shall not to be reproduced in any form without approval of authority
- 4) This is the end of the report

Handwritten signature: A. K. S. W. S. M.

Authorized signatory
Suman Chandra (Use for all water types)

Water Quality

Report for: [Faint text]

Project

Location

User Information

Name: [Faint text] Title: [Faint text]
 Full Address: [Faint text]

Sample description

Source of Sample: [Faint text] Usage: [Faint text]
 Date of Sample: [Faint text] Location: [Faint text]
 Address: [Faint text] Longitude: [Faint text]

Date & time of sample collection: [Faint text] Date & time of sample received in lab: [Faint text]
 Date & time of sample analysed: [Faint text] Date & time of report generation: [Faint text]

Test results

Sl. No.	Parameter	Unit	Observed Value	Standard Value	Remarks
1	Chloride (as Cl)	mg/l	250	1000	372.000
2	E. coli	CFU/100 ml	Does not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.100
4	pH	Ns	6.5-8.5	No Relaxation	7.000
5	TDS	mg/l	500	2000	251.000
6	Total coliform	CFU/100 ml	Does not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO ₃)	mg/l	200	600	469.000
8	Turbidity	NTU	1	5	2.000

Note:

- 1) Individual parameters that are not analysed.
- 2) The test results related to the test performed values.
- 3) The report shall not be regarded as a certificate of quality.
- 4) This is the end of the report.

[Handwritten Signature]
 H. E. (SRSM)

Authorized Signatory
 Senior Chemist (Test Lab In-charge)

Water Analysis Report
 Maharashtra

Plot No. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

User Information

Name:
 Email:
 Full address:

Sample description

Source of Sample:
 Gram Panchnayats:
 District:
 Address:
 Latitude:
 Longitude:

Date & time of sample collection:
 Date & time of sample received at lab:
 Date & time of sample analysed:
 Date & time of report generation:

Test results

Sl. No.	Parameter	Unit	Standard	Observed	Remarks
1	Chloride (as Cl)	mg/l	250	1000	367.000
2	E. coli	CFU/100 ml	Should not be detectable in any 100 ml sample	No Detection	0.000
3	Fluoride (as F)	mg/l	1.5	15	1.100
4	pH	NA	6.5-8.5	Ap Relaxation	7.200
5	TDS	mg/l	500	3900	896.000
6	Total coliform	CFU/ 100 ml	Should not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	900	424.000
8	Turbidity	NTU	1	5	1.000

- Note:
- 1) Indicated parameters that are not tabulated.
 - 2) The test results related to the sample tested.
 - 3) The report should not be reproduced or further used without the consent of authority.
 - 4) This is the end of the report.

Signature
 HE (SRSM)

Authorised signatory
 Sushil Chandra (Sr. Lab. Incharge)

95

Samajik Kalyan Evam Vigyan College, Gwalior, M.P. - 472002 (For Address only)

Test report

Sample No: U/254/17/15298

User Information

Name: *Shri. Hemant K. Singh*
 Mobile: *9826123456*
 Email: *hemantkumar@rediffmail.com*
 PIN Code: *472002*
 Full Address: *Village: Har Ghar Jal, P.O. Gwalior, Dist. Gwalior, M.P. - 472002*

Sample description

Source of Sample: *Phosphate Fertilizer, 200g, 2017, Gwalior*
 Gram Panchayat: *Kadaha*
 District: *Gwalior*
 Address: *Gwalior*
 Longitude: *77.1234*
 Village: *Kadaha*
 Block: *Mulbagh*
 State: *Uttar Pradesh*
 Remarks: *Water quality (hard water) test*

Date & time of sample collection: *14/02/2017 10:30 AM*
 Date & time of sample received in lab: *14/02/2017 11:00 AM*
 Date & time of sample analysed: *14/02/2017 12:00 PM*
 Date & time of report generation: *14/02/2017 12:30 PM*

Test results

Sr. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl)	mg/l	250	1000	267.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.200
4	pH	NA	8.5-8.8	No Relaxation	7.000
5	TDS	mg/l	500	2000	893.000
6	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO ₃)	mg/l	200	500	459.000
8	Turbidity	NTU	1	5	1.000

Note:

- 1) Indicates parameters that are NABL accredited.
- 2) The test results related to the sample tested only.
- 3) The report shall not to be reproduced in full without approval of authority.
- 4) This is the end of the report.

Signature
(SWSM)

TSueGpy

Author:
 Satish Chandra [Name]

Annexure - R/18
(6114)

अधिसासी अभियन्ता, खण्ड कार्यालय

उ० प्र० जल निगम (ग्रामीण), जालौन।

Email Add.- eeoraidiv@gmail.com, Ph. (O) 05162-258025

क्र. 3335

/ म-16 / 25

दिनांक- 18-8-2023

अधिसासी अधिकारी,
नगर पंचायत, रामपुरा
जालौन।

विषय- जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।

सन्दर्भ - नगर पंचायत रामपुरा स्थित कान्हा गौशाला के पानी के सैम्पल की जांच के सम्बन्ध में।

माहोदय,

उपरोक्त विषयक आपके कार्यालय के पत्रांक 80/न०५० रामपुरा/2023-24 दिनांक 17.08.2023 के अनुपालन में आप द्वारा संचालित कान्हा गौशाला-रामपुरा में संरक्षित गोबरों हेतु उपलब्ध पानी की गुणवत्ता की जांच हेतु पानी के नमूनों की जांच कर जल परीक्षण रिपोर्ट सलग्न कर प्रेषित है।

सलग्नक:-जल परीक्षण रिपोर्ट

(सजय कुमार)
सहायक अभियन्ता

पृ० सं० व दिनांक-यथोपरि

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अधिसासी अभियन्ता, उ० प्र० जल निगम (ग्रामीण), जालौन।
2. सम्बन्धित जूनियर इंजीनियर।

सहायक अभियन्ता



WATER TESTING LABORATORY

Division Office, U.P. Jal Nigam(Rural), Jalaun(Orai)

Chemical analysis of water

97

Report No.- 13 C

Date 19/08/2023

Village/Town... Nagar panchayat Rurpura

Code No. Block ... Distt. Jalaun

Water Source... Hand pump

Location... Kanhu Gaushtala

Name & Designation of Sample Collector... Sri. Kishan Samrao Yadav

Date of Analysis... 19/08/2023

S.No.	Physical Examination	Unit	Test Result	Indian Standard as IS:10500	
				Desirable limit	Permissible limit
1	Turbidity NTU	NTU	4.3	1	5
2	Colour	"	-	5	25
3	Odour	"	-		
4	pH Value	"	7.1	7.0 to 8.5	<6.5 to >9.2
5	Total Dissolved Solids	ppm	770	500	2000
B	Chemical Analysis in	ppm			
6	Total Hardness as (CaCO ₃)	"	370	200	600
7	Calcium as (Ca)	"	-	75	200
8	Magnesium as (mg)	"	-	30	100
9	Chlorides as (Cl)	"	320	200	1000
10	Sulphates as SO ₄	"	-	200	400
11	Fluorides as (F)	"	1.2	1	1.5
12	Nitrates (NO ₃)	"	-	45	<45
13	Nitrate (NO ₂)	"	-	0.1	1
14	Iron as (Fe)	"	-	0.1	0.3
15	Residual Chlorine	"	0	0.2	1
16	Alkalinity as (CaCO ₃)	"	-		
17	Phenolphtheline	"	-	200	600
18	Methyl Orange	"	-	0.01	0.05
19	Arsenic as (as)	"	-		
20	Conductivity	Micro mho	-	0	0
21	Precece (By H ₂ S Strip)	"	0	0	0
22	E-Coil (MPN) 100ml	"	-		

Test Result:- Satisfactory/ Unsatisfactory

Remarks:-

Mand Kumar
Chemist

J.E.
J.E.

A.E.
A.E.



Uttar Pradesh Pollution Control Board

Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

98

189352/UPPCB/Jhansi(UPPCBRO)/CTO/both/JALAUN/2023

Date: 23/08/2023

To,

M/s

NAGAR PANCHAYAT RAMPURA

GATA NO 892/4 WARD NO 2 SUBHASH NAGAR WEST
RAMPURA, JALAUN, 285127

Application Id-
22116637

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to NAGAR PANCHAYAT RAMPURA located at GATA NO 892/4 WARD NO 2 SUBHASH NAGAR WEST RAMPURA, JALAUN, 285127, subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA NAGAR PANCHAYAT RAMPURA granted for the period from 27/07/2023 to 31/07/2027 and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	GAUSHALA (Nos.)	250	Numbers/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the




मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का सन्देश



- स्वच्छता - देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- मंकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेंकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई-वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाने समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाङ्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।



अधिकासी अभियन्ता, खण्ड कार्यालय ^{Annexure-R/17} (Coll'y)

उ० प्र० जल निगम (ग्रामीण), जालीन।

Email Add. - eeoraidiv@gmail.com, Ph. (0) 05162-258025

पत्रांक 2406 / 17-16 / 29 दिनांक 17-8-2023

सेवा में

मुख्य विकास अधिकारी
जलपद-जालीन।

विषय-

जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।

महोदय

सम्बन्धित विषयक WQMS पोर्टल से प्राप्त विकासखण्ड अकोर के पाप इटवा जालीन, तादरी, ऐना, जनकपुरा एव चौरसी में गौशालाओं के पानी के नमूनों की जल परीक्षण रिपोर्ट संलग्न कर आपके कार्यालय हेतु सादर प्रेषित है।

संलग्नक-जल परीक्षण रिपोर्ट प्रमाण पत्र।

(ए०के० गुप्ता)
अधिकासी अभियन्ता

सूचना व दिनांक-उद्योगिक

प्रतिस्ति-निम्नलिखित को सूचनाार्थ एव आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी महोदय, जालीन।
2. सम्बन्धित सहायक अभियन्ता / जूनियर इंजीनियर।

अधिकासी अभियन्ता

Har Ghar Jal

Digitally signed by Har Ghar Jal, DN: cn=Har Ghar Jal, o=Har Ghar Jal, ou=Har Ghar Jal, email=har.ghar.jal@har.ghar.jal, c=IN

User Information

Name	Har Ghar Jal	Mobile	98961 0211
Email	har.ghar.jal@har.ghar.jal	Pin Code	
Full Address	Village: Har Ghar Jal, District: Panchajanya, State: Karnataka, India		

Sample description

Source of Sample	Water from tap	Sample	Water
Gram Panchayat	Har Ghar Jal	Block	Har Ghar Jal
DIST/CT	Karnataka	State	Karnataka
Address		Remarks	Water Quality (Sample)
Latitude		Longitude	

Date & time of sample collection	Date & time of sample received in lab	Date & time of sample analyzed	Date & time of report generation
14/06/2023 10:30 AM	14/06/2023 11:00 AM	14/06/2023 11:30 AM	14/06/2023 12:00 PM

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl)	mg/l	250	1000	755.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.00
4	pH	NA	6.5-8.5	No Relaxation	7.00
5	TDS	mg/l	500	2000	623.000
6	Total coliform	CFU/ 100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	362.000
8	Turbidity	NTU	1	5	1.000

- Notes:
- 1) Indicates parameters that are well accepted.
 - 2) The test results related to the sample tested above.
 - 3) The report shall not be representative for a period of 30 days only.
 - 4) This is the end of the report.

A. E. C. S. D. S. M.

Authorized signat
Suman Chandra (Test Lab In-charge)

9th Floor, New D.P.C. Degree College, Orai, Distt. M.P. - 205001 (For Address only)

Test report

Sample ID: 011501-751-15021

User Information

Name: Dharmendra Mishra Mobile: 795013201

Email: dharmendra.mishra@rediffmail.com Pin Code:

Full Address: Village: Kailashnagar, Distt: M.P., Pin Code: 205001, State: M.P., India

Sample description

Source of Sample: Private Well / Handpump / Public / Protected / Other: Village: District: State: Gram Panchayat: Block: District: Pin Code: District: State: Address: Pin Code: State: Longitude: Latitude:

Date & time of sample collection: Date & time of sample received in lab: Date & time of sample analysed: Date & time of report generation:

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Standard Value
1	Chloride (as Cl)	mg/l	250	1000	372.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Free residual Chlorine	mg/l	0.2	1	0.200
4	pH	NA	6.5-8.5	No Relaxation	6.900
5	TDS	mg/l	500	2000	584.000
6	Total coliform	CFU/ 100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO ₃)	mg/l	200	500	437.000
8	Turbidity	NTU	1	5	1.000

Note:

- 1) *Indicates parameters that are NABL accredited
- 2) This test results related to the sample tested above.
- 3) The report shall not to be reproduced in full without approval of authority.
- 4) This is the end of the report.

Sush Chandra
A.E. (SUSM)

Authorised sign
Sush Chandra (Test 103 Inct)

Dr. N. K. Sharma, Director, Central Pollution Control Board, New Delhi-110002 (For address only)

Lab report

Sample ID: 1608 Date: 21/04/2022

User Information

Name: **Har Ghar Jal** Mobile: **798030081**
 Email: **har.ghar.jal@delhi.gov.in** Pin Code:
 Tap Address: **WSP, Har Ghar Jal, Sector 10, Connaught Place, New Delhi, India (Please use Urdu Hindi)**

Sample description

Source of Sample: **Public Water Supply** Village: **Connaught**
 Gravity: **Overhead** District: **New Delhi**
 District: **ND** State: **Delhi**
 Address: **Connaught Place, New Delhi**
 Locality: **Connaught Place**

Date & time of sample collection: **16/04/2022 11:30 AM** Date & time of sample received in lab: **16/04/2022 11:30 AM**
 Date & time of sample analyzed: **17/04/2022 09:30 AM** Date & time of report generated: **17/04/2022 10:30 AM**

Test results

Sl. No.	Parameter	Unit	Observed Value	Standard Value	Remarks
1	Chloride (as Cl)	mg/l	250	1000	874.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No relaxation	0.000
3	Fluoride (as F)	mg/l	1	15	1.200
4	pH	Nk	6.5-8.5	No relaxation	7.500
5	TDS	mg/l	500	2000	1264.000
6	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	258.000
8	Turbidity	NTU	1	5	1.700

- Note:**
- 1) Indicates parameters that are NABL accredited
 - 2) This test results related to the sample tested above
 - 3) This report shall not to be reproduced in full without approval of authority
 - 4) This is the end of the report

Handwritten signature and stamp:
A/E (SQSM)

Authorized sign
 Vish Chandra, Test Lab In-charge

Water supply near G.P. Dargah College, Chhal Jaha, Pin- 295001 (For Address only)

Test report

Sample ID: UJ16H31419504

User Information

Name: Mobile:

Email: Pin Code:

Full Address:

Sample description

Source of Sample: Village:

Gram Panchayat: Block:

District: State:

Address: Pin Code:

Latitude: Longitude:

Date & time of sample collection: Date & time of sample received in lab: Date & time of sample analysed: 13/08/2013 12:41:04 PM Date & time of report generation: 01/09/2013 11:11:26 AM

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl ⁻)	mg/l	260	1000	445.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F ⁻)	mg/l	1	1.5	1.100
4	pH	NA	6.5-8.5	No Relaxation	7.400
5	TDS	mg/l	500	2000	956.000
6	Total coliform	CFU/ 100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (as CaCO ₃)	mg/l	260	600	435.000
8	Turbidity	NTU	1	5	2.300

- Note:
- 1) * indicates parameters that are NABL accredited.
 - 2) This test results related to the sample listed above.
 - 3) The report shall not to be reproduced in full without approval of authority.
 - 4) This is the end of the report.

Signature
A.E. (CSQSH)

Authorised signatory
Sushil Chandra (Test Lab Incharge)

TEST REPORT

106

Test Report Issued To

OFFICE OF THE EXECUTIVE ENGINEER, DIVISION OFFICE
U.P. JAL NIGAM (GRAMIN), ORAI, JALAUN, UTTAR PRADESH,
INDIA

Test Report No: K191004012/K191004012-1

Date of Issue: 23-Aug-2023



Sample Booking/Receipt Date: 18-Aug-2023

Date of Start of Testing: 18-Aug-2023

Date of Completion of Test: 23-Aug-2023

Customer Relationship Number: 54665

Sample Description :

ASTHAI GAUSHALA, VILL - AINDHA, VIKAS KHAND, DAKOR, DATED - 18.08.2023

Customer Reference No

LETTER NO. 2391/M-16/23, DATED - 18.08.2023

CIN: U73200UP2006PTC031472

Kind Attention : MR. Anchal Kumar Gupta (Executive Engineer)

E-Mail: anchal.kv26@gmail.com

Contact No: 7237830980

Sample Condition : NA

Sample Quantity (Approx) : NA

Sample Size (Approx) : NA

SAMPLE NOT DRAWN BY OUR LABORATORY. THE RESULTS RELATE ONLY TO THE ITEMS TESTED

Report Issued By

ULR-TC784519000057012F

Authenticity of report can be verified by mail at verification@spectrolab.in

This is a Digitally Signed Report and hence doesn't require Physical Signature.

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Ball Industrial Area, Near Panki Site-IV Kanpur-208020(India)

Phone: +91-9235503084/85 || Web: www.spectroresearchlabs.com || Email: knpr@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

Please refer to our Website <http://www.spectro.in/spectro-policies.html> for Terms & Condition

1611

107

ID-K191004012-1

Date of start of testing: 18.08.2023

Date of completion of testing: 23.08.2023

Sl. No.	Test Parameter	Observed Value	Test Method
1.	C.O.D, mg/l	19	IS:3025(P-58)-2006
2.	B.O.D (5 days) at 20°C, mg/l	5	IS:3025(P-44)-1993

*****End of report*****

[Signature]
Analyst Signature



Testro(TC-745)



- End of Test Report -

ULR-TC784519000057012F



Authorised Signatory

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Bali Industrial Area, Near Panki Site-IV, Kanpur-208020 (India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: knp@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

TEST REPORT

Test Report Issued To:

OFFICE OF THE EXECUTIVE ENGINEER, DIVISION OFFICE
U.P. JAL NIGAM (GRAMIN), ORAI, JALAIN, UTTAR PRADESH,
INDIA

Test Report No:

KT81004012/K191004012/1

Date of Issue:

21 Aug 2023



Sample Booking/Receipt Date:

18 Aug 2023

Date of Start of Testing:

18 Aug 2023

Date of Completion of Test:

24 Aug 2023

Customer Relationship Number

54562

Sample Description :

KANHA GAUSHALA, NAGAR PANCHAYAT, NADIGAON, DATED - 18.08.2023

Customer Reference No:

LETTER NO. 2391/M-1623, DATED - 18.08.2023

CIN: U73200UP2006PTC031472

Kind Attention :

Mr. Anchal Kumar Gupta (Executive Engineer)

E-Mail:

anchal25@gmail.com

Contact No:

7237830980

Sample Condition : NA

Sample Quantity (Approx):

NA

Sample Size (Approx):

NA

SAMPLE NOT DRAWN BY OUR LABORATORY. THE RESULTS RELATE ONLY TO THE ITEMS TESTED

Report Issued By

ULR-TC784519000057012F

Authenticity of report can be verified by mail at verification@spectrolab.in

This is a Digitally Signed Report and hence doesn't require Physical Signature.

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Ball Industrial Area, Near Panki Site-IV, Kanpur-208020 (India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: knpr@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

Please refer to our Website <http://www.spectro.in/spectro-policies.html> for Terms & Condition

109


ID - K191004012-1

Date of start of testing: 18.08.2023

Date of completion of testing: 23.08.2023

Sr. No.	Test Parameter	Observed Value	Test Method
1.	C.O.D, mg/l	18	IS:3025(P-58)-2006
2.	B.O.D (5 days) at 20°C, mg/l	4	IS:3025(P-44)-1993

*****End of report*****


Analyst Signature



- End of Test Report -

ULR-TC784519000057012F




Authorized Signatory

Spectro Research Lab Ventures (P) Ltd, G-3, Bojrang Ball Industrial Area, Near Panki Site-IV, Kanpur-208020 (India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: knp@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory


To receive

अधिशाली अभियन्ता, खण्ड कार्यालय ^{Annexure-R/18} (colly) 110

उ० प्र० जल निगम (ग्रामीण), जालौन।

Email Add.- eeoraidiv@gmail.com, Ph. (0) 05162-258025

पत्रांक 2413

/ m-16 / 36

दिनांक- 19-8-2023

सेवा में

मुख्य विकास अधिकारी
जनपद-जालौन।

विषय:-

जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।

महोदय,

उपरोक्त विषयक WQMIIS पोर्टल से प्राप्त विकासखण्ड नदीगांव के ग्राम गदरेना, जगनपुरा, जुगराजपुरा, कमसेरा एव सुलखना में गौशालाओं के पानी के नमूनों की जल परीक्षण रिपोर्ट संलग्न कर आपके कार्यालय हेतु सादर प्रेषित है।

संलग्नक-जल परीक्षण रिपोर्ट प्रमाण पत्र।


(ए०के० गुप्ता)
अधिशाली अभियन्ता

पु०सं० व दिनांक-यथोपरि

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी महोदय, जालौन।
2. सम्बन्धित सहायक अभियन्ता / जूनियर इंजीनियर।

अधिशाली अभियन्ता



Water Jeevan Mission (WJM) is a Government of India initiative to provide clean drinking water to all citizens. For more information, visit www.wjm.gov.in

Sample ID: WJM/2023/1615/100

User Information

Name: Shri. Rajendra Kumar Mobile: 989622801
 Email: rajendra.kumar@wjm.gov.in Pin Code: 431001
 Full Address: Water Treatment Plant, Ghatampur, Dist. Ghatampur, M.P.

Sample description

Source of Sample: Water Treatment Plant Weight: 100gms
 Gram Panchayat: Ghatampur Pin: 431001
 District: M.P. State: Uttar Pradesh
 Address: Ghatampur, Dist. Ghatampur
 Latitude: 24.5000 Longitude: 81.5000

Date & time of sample collection: 14/06/2023 12:15:00 Date & time of sample received in lab: 14/06/2023 14:30:00
 Date & time of sample analyzed: 17/06/2023 12:00:00 Date & time of report generation: 21/06/2023 11:20:00

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl)	mg/l	250	1000	560.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.300
4	pH	NA	6.5-8.5	No Relaxation	7.000
5	TDS	mg/l	500	2000	840.000
6	Total coliform	CFU/ 100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	560.000
8	Turbidity	NTU	1	5	4.000

- Note:
- 1) * indicates parameters shall be NA/RN as per standard.
 - 2) The test results related to the sample tested above.
 - 3) The report shall not be reproduced in full without the permission of WJM.
 - 4) This is the end of the report.

Shay
JE

Arshuloh
A-E (SRSH)

Authorized Signature
Water Chemist (Test Lab Incharge)

Water supply to the home

112

Water Agency Lower D.V.2 (Sriprasth College, Chik Ballari, Pin- 575205) (Test Address only)

TEST REPORT

Sample No: 2020/176/07/001

User Information

Name: Shrinivas Patil Work Residence
 Email: shrinivaspatil@gmail.com MR. Patil
 Full Address: Water Agency Lower D.V.2 (Sriprasth College, Chik Ballari, Pin- 575205)

Sample description

Source of Sample: Handpumped Borewell (Water) private Water Surface
 Gram Panchayat: Solapur District Maddur
 District: Davan State Uttar Pradesh
 Address: Pincode 505004
 Latitude: Longitude

Date & time of sample collection: 14/08/2019 10:45:00 PM Date & time of sample received in lab: 14/08/2019 12:00:00 PM Date & time of sample analysed: 14/08/2019 12:00:00 PM Date & time of report generation: 14/08/2019 12:15:00 PM

Test results

1	Chloride (as Cl)	mg/l	250	1000	275.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Bacteriation	0.000
3	Fluoride (as F)	mg/l	1	15	1.300
4	pH	NA	6.5-8.5	No Bacteriation	7.300
5	TDS	mg/l	500	2000	623.000
6	Total coliform	CFU/ 100 ml	Shall not be detectable in any 100 ml sample	No Bacteriation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	250.000
8	Turbidity	NTU	1	5	1.000

- Note:
- 1) *Indicates parameters that are NABL recognized
 - 2) The test results related to the sample tested only
 - 3) The report shall not be reproduced without written approval of the laboratory
 - 4) This is the end of the report

[Handwritten Signature]
[Handwritten Signature]
 A.E (SLSM)

Authorized signature
 Suresh Chandra (Test cell in charge)

Water Supply Corporation of India Ltd. (WSCIL) (The Watermark Logo)

Test Report

Report No: WSCIL/2024/001234

User Information

Name: Dr. Arun Kumar Singh Mobile: 98765 43210

Email: arun.kumar@wscil.gov.in Pin Code: 110001

Full Address: Water Supply Corporation, Connaught Place, New Delhi, India. (The Watermark Logo)

Sample description

Source of Sample: Public tap water supply Village: Connaught Place

Gram/Panchayat: Connaught Place Block: Connaught

District: Delhi State: Delhi

Address: Connaught Place Pincode: 110001

Latitude: 28.6139 Longitude: 76.8612

Date & time of sample collection: 14/08/2024 10:30 AM Date & time of sample received in lab: 14/08/2024 11:00 AM

Date & time of sample analysed: 14/08/2024 05:45 PM Date & time of report generation: 14/08/2024 06:15 PM

Test results

Sl. No.	Parameter	Unit	Observed Value	Standard Limit	Remarks
1	Chloride (as Cl)	mg/l	250	1000	457000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.100
4	pH	NA	6.5-8.5	No Relaxation	7.200
5	TDS	mg/l	500	2000	862000
6	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	300	600	295000
8	Turbidity	NTU	1	5	2.000

- Note:
- 1) *Indicates parameters that are HABL accredited.
 - 2) This test results related to the sample listed above.
 - 3) This report shall not be reprinted in full without the approval of authority.
 - 4) This is the end of the report.

Signature
Arjun Singh
 A.E. (SWSH)

Authorized signatory
 Satish Chandra (1981 Add No. 10/10)

Water supply Corporation of India Ltd. (WSCIL) - Providing all possible tap water supply to every home

114

Amn Nagar (New) V.C. Sangre College, Dist. Jalgaon, Pin- 382001 (for Address only)

TEST REPORT

Sample ID: 150820231453000000

User Information

Name: DR. Sanku, P. H. S. Mobile: 982001

Email: p.h.s. @vsnl.net Pin Code:

Full Address: Village: Har Ghar Jal, Gram: Panchayat, Taluka: Jalgaon, District: Jalgaon, State: GUJARAT

Sample description

Source of Sample: Professional Water Taster - Jalgaon District

Gram/Panchayat: Har Ghar Jal

District: Jalgaon

Address: Har Ghar Jal

Latitude: 22.850000

Longitude: 72.850000

Date & time of sample collection: 14.08.2023 10:00:00 AM

Date & time of sample received in lab: 15.08.2023 11:00:00 AM

Date & time of sample analysed: 14.08.2023 14:30:00 PM

Date & time of report generation: 14.08.2023 14:30:00 PM

Test results

Sl. No.	Parameter	Unit	Observed Value	Relaxation	Permissible Limit
1	Chloride (as Cl)	mg/l	250	1000	890.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	15	1500
4	pH	NA	6.5-8.5	No Relaxation	7.000
5	TDS	mg/l	500	2000	894.000
6	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	447.000
8	Turbidity	NTU	1	5	1.000

- Note:
- 1) Indicates parameters that are NABL accredited
 - 2) This test results related to the sample tested above
 - 3) The report shall not to be reproduced in full without approval of authority
 - 4) This is the end of the report

[Handwritten Signature]
[Handwritten Signature]
 SE

Authorised signatory
 Jalgaon, Chandra (T) (for household)

115

Jai Jeevan MISSION
Har Ghar Jal

Karn Nagar Area D.U.G. Degree College, One Station Piv. JESSUR (Post address only)

Test Report

Sample No: 01024101447000

User Information

Name: [Redacted] Mobile: 98261781
 Email: pathan@bharatnagar.gov.in Ph. Contact:
 Full Address: Village: Naravadi, Gram Panchayat: Naravadi, Block: Naravadi, District: Jalgaon, State: Gujarat

Sample description

Source of sample: Private well, location: Naravadi
 Gram Panchayat: Naravadi Village: Naravadi
 District: Jalgaon Block: Naravadi
 Address: State: Gujarat
 Longitude: Remarks: Naravadi guc tube

Date & time of sample collection: 11/08/2023 08:47:00 AM
 Date & time of sample received in lab: 11/08/2023 08:47:00 AM
 Date & time of sample analyzed: 11/08/2023 08:47:00 AM
 Date & time of report generation: 11/08/2023 08:47:00 AM

Test results

Sl. No.	Parameter Name	Unit	Observed Value	Relaxation	Permissible Value
1	Chloride (as Cl)	mg/l	250	1000	754.000
2	E. coli	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
3	Fluoride (as F)	mg/l	1	1.5	1.200
4	pH	NA	0.5-8.5	No Relaxation	6.900
5	TDS	mg/l	500	2000	575.000
6	Total coliform	CFU/100 ml	Shall not be detectable in any 100 ml sample	No Relaxation	0.000
7	Total Hardness (As CaCO3)	mg/l	200	600	456.000
8	Turbidity	NTU	1	5	1.000

- Note:
- 1) *Indicates parameters that are NABL accredited.
 - 2) This test results related to the sample tested above.
 - 3) The report shall not to be reproduced in lab without approval of authority.
 - 4) This is the end of the report.

[Signature] *Analyst A/E (SWSH)*

Authorised signatory
Sushil Chandra (Test lab. in-charge)



116

Uttar Pradesh Pollution Control Board
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

189732/UPPCB/Jhansi(UPPCBRO)/CTO/both/JALAUN/2023

Date: 22/08/2023

To,

M/s

NAGAR PANCHAYAT NADIGOW

NAGAR PANCHAYT NADIGAON JALAUN, JALAUN,

Application Id-
22198313

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to NAGAR PANCHAYAT NADIGOW located at NAGAR PANCHAYT NADIGAON JALAUN, JALAUN, subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA NAGAR PANCHAYAT NADIGOW granted for the period from 28/07/2023 to 31/07/2027 and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	GAUSHALA (Nos.)	482	Numbers/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
------------------	---------------	--------------------	-----------------

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.


(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.


 अधिशासी अधिकारी
 जल प्रदूषण नियंत्रण बोर्ड (जालौन)

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the

Competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. Unit Should comply with the provision of CPCB Guideline in time bound manner.
2. The Gaushala shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.08.23
11:04:04 +05'30'

REGIONAL OFFICER

U.P. POLLUTION CONTROL BOARD, JHANSI

Copy to:

CEO-2, U.P. POLLUTION CONTROL BOARD, LUCKNOW

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.08.23
11:04:27 +05'30'

REGIONAL OFFICER

U.P. POLLUTION CONTROL BOARD, JHANSI

अधिसायी अधिकारी
समय पत्रावली-नदीगंधी (जहासी)

True copy

1623

Annexure-R/19
(6114)

अधिशाली अभियन्ता, खण्ड कार्यालय

119

उ० प्र० जल निगम (ग्रामीण), जालौन।

Email Add.- eeoraidiv@gmail.com, Ph. (O) 05162-258025

पत्रांक

2433 / m-16 / 33

दिनांक- 22/08/2023

अधिशाली अधिकारी,
नगर पालिका परिषद,
कोंच।

विषय- जल परीक्षण रिपोर्ट प्रेषित करने के सम्बन्ध में।

सन्दर्भ - नगर पालिका परिषद कोंच स्थित कान्हा गौशाला की सैम्पल की जांच के सम्बन्ध में।
महोदय,

उपरोक्त विषयक आपके कार्यालय के पत्रांक शून्य दिनांक 18.08.2023 के अनुपालन में आप द्वारा नगर पालिका परिषद कोंच में स्थित कान्हा गौशाला वाटर के नमूनों की जांच कर जल परीक्षण रिपोर्ट संलग्न कर प्रेषित है।

संलग्नक:-जल परीक्षण रिपोर्ट

(ए०के० गुप्ता)
अधिशाली अभियन्ता

पु०सं० व दिनांक-यथोपरि

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. सम्बन्धित सहायक अभियन्ता/जूनियर इंजीनियर।

अधिशाली अभियन्ता

अधिशाली अधिकारी
नगर पालिका परिषद, कोंच
जलपद-जालौन

TEST REPORT

120

Test Report Issued To

OFFICE OF THE EXECUTIVE ENGINEER, DIVISION OFFICE
U.P. JAL NIGAM GRAMIN, ORAI, JALAUN, UTTAR PRADESH,
INDIA

Test Report No: K191004412/K191004412-1

Date of Issue: 23 Aug 2023



Sample Booking/Receipt Date: 18 Aug 2023

Date of Start of Testing: 18 Aug 2023

Date of Completion of Test: 23 Aug 2023

Customer Relationship Number 54561

Sample Description :

KANHA GAUSHALA, NAGAR PALIKA PARISHAD, KONCH, DATED - 18.08.2023

Customer Reference No.

LETTER NO. 2391/M-16/23, DATED - 18.08.2023

CIN: U73200UP2006PTC031472

Kind Attention : MR. Anchal Kumar Gupta (Executive Engineer)

E-Mail: spn1july25@gmail.com

Contact No: 7237830980

Sample Condition : NA

Sample Quantity (Approx): NA

Sample Size (Approx): NA

SAMPLE NOT DRAWN BY OUR LABORATORY. THE RESULTS RELATE ONLY TO THE ITEMS TESTED

Report Issued By

ULR-TC784519000057012F

Authenticity of report can be verified by mail at verification@spectrolab.in

This is a Digitally Signed Report and hence doesn't require Physical Signature.

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Ball Industrial Area, Near Panki, Site-IV, Kanpur-208020 (India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: knp@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

Please refer to our Website <http://www.spectro.in/spectro-policies.html> for Terms & Condition.

1625

124

ID-K191004012-1

Date of start of testing: 18.08.2023

Date of completion of testing: 23.08.2023

Sr No.	Test Parameter	Observed Value	Test Method
1.	C.O.D, mg/l	17	IS:3025(P-58)-2006
2.	B.O.D (5 days) at 20°C, mg/l	3	IS:3025(P-44)-1993

*****End of report*****

Smit
Analyst Signature



- End of Test Report -

ULR-TC784519000057012F



Authorised Signatory

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Ball Industrial Area, Near Panki Site-IV, Kanpur-208020 (India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: knp@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

TEST REPORT

Test Report Issued To:

OFFICE OF THE EXECUTIVE ENGINEER, DIVISION OFFICE
U.P. JAL NIGAM (GRAMIN), ORAI, JALAUN, UTTAR PRADESH,
INDIA.

Test Report No.:

K191004012/K191004012-1

Date of Issue:

23-AUG-2023



Sample Booking/Receipt Date:

18-Aug-2023

Date of Start of Testing:

18-Aug-2023

Date of Completion of Test:

22-Aug-2023

Customer Relationship Number

54563

Sample Description :

ASTHAI GAUSHALA, VILL - BHADARI, VIKAS KHAND, KONCH, DATED - 18.08.2023

Customer Reference No.

LETTER NO. 23014/16/23, DATED - 18.08.2023

CIN:U73200UP2006PTC031472

Kind Attention : MR. Anchal Kumar Gupta (Executive Engineer)

E-Mail: anchal/25@gmail.com

Contact No: 7237830980

Sample Condition - NA

Sample Quantity (Approx): NA

Sample Size (Approx): NA

SAMPLE NOT DRAWN BY OUR LABORATORY. THE RESULTS RELATE ONLY TO THE ITEMS TESTED

Report Issued By

ULR-TC784519000057012F

Authenticity of report can be verified by mail at verification@spectrolab.in

This is a Digitally Signed Report and hence doesn't require Physical Signature.

Spectro Research Lab Ventures (P) Ltd, G-3, Bajrang Ball Industrial Area, Near Panki Site (V, Kanpur-208020(India)

Phone: +91-9235503984/85 || Web: www.spectroresearchlabs.com || Email: kn@spectro.in

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory

Please refer to our Website <http://www.spectro.in/spectro-policies.html> for Terms & Condition

123

ID - K191004012-1

Date of start of testing: 18.08.2023

Date of completion of testing: 23.08.2023

Sr No.	Test Parameter	Observed Value	Test Method
1.	C.O.D, mg/l	16	IS:3025(P-58)-2006
2.	B.O.D (5 days) at 20°C, mg/l	4	IS:3025(P-44)-1993

*****End of report*****

[Signature]
 Analyst Signature



- End of Test Report -

ULR-TC784519000057012F



Testing/TC-7845

Authorised Signatory



WATER TESTING LABORATORY

Division Office, U.P. Jal Nigam (Rural), Jalaun (Orai)

Chemical analysis of water

Report No.- 139

Date- 18.10.23

Village/Town- N.P.P. Kanch Code No. X Block- Kanch Distt. Jalaun

Water Source- Ground water surface Location- Kancha, Gora, Kancha

Name & Designation of Sample Collector- Shri. Chatterjee

Date of Analysis- 19.10.23

S.No.	Physical Examination	Unit	Test Result	Indian Standard as IS:10500	
				Desirable limit	Permissible limit
1	Turbidity NTU	NTU	3.2	1	5
2	Colour	"	-	5	25
3	Odour	"	-		
4	pH Value	"	7.3	7.0 to 8.5	<6.5 to >9.2
5	Total Dissolved Solids	ppm	718	500	2000
B	Chemical Analysis in	ppm	-		
6	Total Hardness as (CaCO ₃)	"	340	200	600
7	Calcium as (Ca)	"	-	75	200
8	Magnesium as (mg)	"	-	30	100
9	Chlorides as (Cl)	"	320	200	1000
10	Sulphates as SO ₄	"	-	200	400
11	Fluorides as (F)	"	1.2	1	1.5
12	Nitrates (NO ₃)	"	-	45	<45
13	Nitrate (NO ₂)	"	-	0.1	1
14	Iron as (Fe)	"	-	0.1	0.3
15	Residual Chlorine	"	0	0.2	1
16	Alkalinity as (CaCO ₃)	"	-		
17	Phenolphtheline	"	-		
18	Methyl Orange	"	-	200	600
19	Arsenic as (as)	"	-	0.01	0.05
20	Conductivity	Micro mho	-		
21	Precence (By H ₂ S Strip)	"	-	0	0
22	E-Coil (MPN) 100ml	"	0	0	0

Test Result:- Satisfactory/ Unsatisfactory

Remarks:-

Manoj Kumar
Chemist

J.E.

A.E.

अधिसूची अधिकारी
नगर पालिका परिषद, कंच

Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

189373/UPPCB/Jhansi(UPPCBRO)/CTO/both/JALAUN/2023

Date: 23/08/2023

To,

M/s

NAGAR PALIKA PARISHAD KONCH

GATA NO 1490 MALVIYA NAGAR KONCH,JALAUN,285205

Application Id-
22121478

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to NAGAR PALIKA PARISHAD KONCH located at GATA NO 1490 MALVIYA NAGAR KONCH,JALAUN,285205. subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA NAGAR PALIKA PARISHAD KONCH granted for the period from 23/07/2023 to 31/07/2027 and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	GAUSHALA (Nos.)	275	Numbers/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
------------------	---------------	--------------------	-----------------

(ii)Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii)The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv)Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v)The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

अधिसासी अधिकारी
नगर पालिका परिषद, कोच
जलाउद-जालौज

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the

ent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. Unit Should comply with the provision of CPCB Guideline in time bound manner.
2. The Gaushala shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.08.23
10:53:55 +05'30'

REGIONAL OFFICER

U.P. POLLUTION CONTROL BOARD, JHANSI

Copy to:

CEO-2, U.P. POLLUTION CONTROL BOARD, LUCKNOW

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.08.23
10:54:07 +05'30'

REGIONAL OFFICER

U.P. POLLUTION CONTROL BOARD, JHANSI

दिशासी अधिकारी
पालिका परिषद, कोंच
जत्रपद-जालौन



मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का सन्देश



- स्वच्छता - देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हों एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है। वेस्ट/अपशिष्ट फेंकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रुकें। इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई-वेस्ट रीसाइकलर को दें। प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाङ्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है। वहीं अनुपयोगी भोजन/खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं। उपयोग में न होने पर बिजली उपकरणों को बंद करें। स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।

अधिशाली अधिकारी
नगर पालिका परिषद, कोच
जनपद-जालौन

20
Society

1633

129

Annexure-R/20
(Colly)


WATER TESTING LABORATORY

Division Office, U.P. Jal Nigam (Rural), Jala

Chemical analysis of water

Report No.- 131
 Village/Town... Kadambur... Circle No. Block... Kadambur
 Water Source... Kante... Gaushele... Location... Kante Gaushele
 Name & Designation of Sample Collector... Radhevalath... Chaturvedi
 Date of Analysis... 09/08/2023

S.No.	Physical Examination	Unit	Test Result	Indian St
				as IS:1 Desirable limit
A				
1	Turbidity NTU	NTU	4.2	1
2	Colour	"	-	5
3	Odour	"	-	
4	pH Value	"	7.2	7.0 to 8.5
5	Total Dissolved Solids	ppm	810	500
B	Chemical Analysis in	ppm	-	
6	Total Hardness as (CaCO ₃)	"	310	200
7	Calcium as (Ca)	"	-	75
8	Magnesium as (mg)	"	-	30
9	Chlorides as (Cl)	"	330	200
10	Sulphates as So ₄	"	-	200
11	Fluorides as (F)	"	1.3	1
12	Nitrates (NO ₃)	"	-	45
13	Nitrate (NO ₂)	"	-	0.1
14	Iron as (Fe)	"	-	0.1
15	Residual Chlorine	"	0.2	0.2
16	Alkalinity as (CaCO ₃)	"	-	
17	Phenolphtheline	"	-	
18	Methyl Orange	"	-	200
19	Arsenic as (as)	"	-	0.01
20	Conductivity	Micro mho		
21	Presence (By H ₂ S Strip)	"	-	0
22	E-Coil (MPN) 100ml	"	0	0



WATER TESTING LABORATORY
 Division Office, U.P. Jal Nigam (Rural), Jalaun (Orai)
 Chemical analysis of water

Report No. 133 Date 11/08/2023
 Village/Town Katra Code No. _____ Block Dakori Distt. Jalaun
 Water Source Temporary cattle shed Location Katra
 Name & Designation of Sample Collector Rohit Nath Chaturvedi
 Date of Analysis 10/08/2023

S. No.	Physical Examination	Unit	Test Result	Indian Standard as IS:10500	
				Desirable limit	Permissible limit
A					
1	Turbidity NTU	NTU	4.5	1	5
2	Colour	"	-	5	25
3	Odour	"	-	2.0 to 8.5	<6.5 to >9.2
4	T. Matter	"	7.2	500	2000
5	Total Dissolved Solids	ppm	930		
B	Chemical Analysis in	ppm			
6	Total Hardness as (CaCO ₃)	"	340	200	600
7	Calcium as (Ca)	"	-	75	200
8	Magnesium as (Mg)	"	-	30	100
9	Chlorides as (Cl)	"	310	200	1000
10	Sulphates as SO ₄	"	-	200	400
11	Fluorides as (F)	"	1.9	1	1.5
12	Nitrates (NO ₃)	"	-	45	<45
13	Nitrate (NO ₂)	"	-	0.1	1
14	Iron as (Fe)	"	-	0.3	0.3
15	Residual Chlorine	"	0.5	0.2	1
16	Alkalinity as (CaCO ₃)	"	-		
17	Phenolphthaleine	"	-		
18	Methyl Orange	"	-	200	600
19	Arsenic as (As)	"	-	0.01	0.05
20	Conductivity	Micro mho	-		
21	Presence (By H ₂ S Strip)	"	-	0	0
22	E-Coil (MPN) 100ml	"	0	0	0

Test Result:- Satisfactory/Unsatisfactory

Remarks:-

(Sd/-) MURUK
 Chemist

(Sd/-) IC

(Sd/-) A.R.

Free Copy

Kat



Uttar Pradesh Pollution Control Board
Building No. TC-125, Vishnu Khand, Gomti Nagar, Lucknow-226010

Annexure-R/21
(Colly)

189447/UPPCB/Jhansi(UPPCBRO)/C/O/both/JALAUN/2023

Date: 23/08/2023

To,

M/s

NAGAR PANCHAYAT UMARI

Gata No. 14 Ward No. 10 Mo. Kanjhua Umari, JALAUN, 285129

Application Id-
22132635

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to NAGAR PANCHAYAT UMARI located at Gata No. 14 Ward No. 10 Mo. Kanjhua Umari, JALAUN, 285129, subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions:-

1. This CCA NAGAR PANCHAYAT UMARI granted for the period from 27/07/2023 to 31/07/2027 and valid for manufacturing of following products:-

S. No	Product	Quantity	Unit
1	GAUSHALA (Nos.)	151	Numbers/Day

2. Conditions under Water (Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD)

Kind of Effluent	Quantity (KLD)	Treatment facility	Discharge point
------------------	----------------	--------------------	-----------------

(ii) Trade Effluent Treatment and Disposal:- The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
-------	-----------	----------

(iv) Sewage Treatment and Disposal:- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards

[Signature]

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act-1981 as amended :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emission Quantity Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) The unit will not use any type of restricted fuel.

(iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time - from 6:00 a.m. to 10:00 p.m., Night time - from 10:00 p.m. to 6:00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O. 1011/81-7-2021-09 (W)dt. 2016 dated 13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh, You are directed to develop Miyawaki Forest as per the SOP available at URL - <http://www.uepcn/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of minimum consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
-------	----------------------	--------------	----------	----------------	-----------------

Emission Quality Standards

S No.	Stack no	Parameters	Standards
-------	----------	------------	-----------

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) The unit will not use any type of restricted fuel.

(iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective area zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time - from 6.00 a.m. to 10.00 p.m., Night time - from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environmental (Protection) Rules, 1986

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021/09 (Writ)/2016 dated 13-10-2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL - <http://www.apeca.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the

competent authority and submit to the Board within 3 months time failing which CIO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the CPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/TP inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture/industry, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types, production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. Unit Should comply with the provision of CPCB guideline in time bound manner.
2. The Gaushala shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunal, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

DEEPA
ARORA

Digitally signed by DEEPA ARORA
Date: 2023.05.23 10:51:05 +05'30'

REGIONAL OFFICER

U.P. POLLUTION CONTROL BOARD, JHANSI

Copy to:

CEO-2, U.P. POLLUTION CONTROL BOARD, Lucknow

DEEPA
ARORA

Digitally signed by
DEEPA ARORA
Date: 2023.05.23
10:51:05 +05'30'

REGIONAL OFFICER
U.P. POLLUTION CONTROL BOARD, JHANSI



मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का संदेश



- स्वच्छता - देशभरा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान अनिवार्य कर
- प्लास्टिक के एकल उपयोग प्लास्टिक उत्पाद जैसे कागज, चम्मच, स्ट्रॉ, इंकरब्लड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने डोम या कटलरी को प्राथमिकता दी जाए।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक वेग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन डोम (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है।
- राष्ट्रीय अर्थव्यवस्था (मार्केट इकोनॉमी) का समर्थित कार्बोनिडेशन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त वृद्धि उत्पन्न कर सकता है। वेस्ट/अपरिशिष्ट प्रकृत के पूर्व सोचें, ये किसी का समाधान तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक/इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रोकें। इसके उपयुक्त निस्तारण हेतु इस प्राधिकृत ई-वेस्ट रीसाइकलर को दें। प्राधिकृत ई-रेसाइकलिंग इकाई में अनुपयोगी इलेक्ट्रिक/इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषय पर्यावरणीय दुष्प्रभाव से बचा जा सकता है।
- बाहर जाते समय - सोचें कि क्या आपके वास्तव में परिशुद्ध की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा साइकल ही दो चार मील के रूप में सवारीयत की सहायता करें अथवा सार्वजनिक परिवहन पर विचार करें।
- परेसू स्तर पर कम से कम टोम अपशिष्ट का उत्सर्जन करें और इनका प्राथमिकता दें।
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयोग अथवा निकटस्थ सक्रिय स्वयंसेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है। वहीं अनुपयोगी भोजन/खाद्य सामग्री को कम्पोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन शोल्ड की लक्ष्य होने से बचाया जा सकता है।
- इवान रखें - उपयुक्त लत और शाकर के उपयोग से पानी भी खपत को 30-40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 3 ट्रिलियन लीटर पानी बचाया जा सकता है।
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है।
- परम्परागत बल्ब के स्थान पर CFL का उपयोग विजली की खपत में प्रभावों कमी लाते हैं। उपयोग में न होने पर विजली उपकरणों को बंद करें। स्टार रेटिंग डिवाइस उपकरणों के उपयोग को प्राथमिकता दें।

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।

Touleky

[Signature]

बिन्दु संख्या-12

जनपद की गोशालाएं सी0पी0सी0बी0 एवं आई0सी0ए0आर0 की गाईड लाईन के अनुसार संचालित हो रहा है, कि नही प्रमाण पत्र उपलब्ध कराना सुनिश्चित करें।

क्र0सं0	अनुपालन संख्या	फोटो
1	अहोदय सादर अवगत कराना है कि नगर पंचायत कोटरा के अन्तर्गत संचालित अस्थाई गोवश आश्रय स्थल में दिनांक 28.07.2023 को उत्तर प्रदेश पोल्यूशन कन्ट्रोल बोर्ड में एन0ओ0सी0 के लिए आवेदन किया गया है और निर्धारित फीस भी जमा कर दी गयी है। तथा जनित Bio-medical Waste का निस्तारण SWM Rules-2016 o BMW Rules-2016 में निहित प्राविधानों के अनुसार किया जाता है। (गणु विके सब एन प्रमाण पत्र संलग्न है) गोशाला में पृथक से बायोमेडिकल वेस्ट यूनिट का निर्माण किया गया है, जोतर अथवा गामूच से किली भी तरह का प्रदूषण नहीं हो रहा है। एवं भूगर्भत जल शुद्ध एवं पीने योग्य है जो साठिब वेस्ट व वाटर वेस्ट से प्रभावित नहीं है। उक्त गोशाला को पेयजल की टैरिंटे रिपोर्ट संलग्न है।	संलग्न है।

अधिसासी अधिकारी
नगर पंचायत कोटरा
जनपद-जालौन

विन्दु संख्या-12

जनपद की गोशालाएं सी0पी0सी0बी0 एवं आई0सी0ए0आर0 की गाईड लाईन के अनुसार संचालित हो रहा है, कि नही प्रमाण पत्र उपलब्ध कराना सुनिश्चित करें।

क्र0सं0	अनुपालन संख्या	फोटो
1	महोदय सादर अवगत कराना है कि नगर पालिका परिषद कालपी के अन्तर्गत संचालित अस्थाई कान्हा गोशाला एवं बेसहारा पशु आश्रय स्थल में दिनांक 27.07.2023 को उत्तर प्रदेश पोल्यूशन कन्ट्रोल बोर्ड में एन0ओ0सी0 के लिए आवेदन किया गया है और निर्धारित फीस भी जमा कर दी गयी है। तथा जनित Bio-medical Waste का निस्तारण SWM Rules-2026 o BMW Rules-2016 में निहित प्राविधानों के अनुसार किया जाता है। (पशु चिकित्सक का प्रमाण पत्र संलग्न है) गोशाला में पृथक से बायोमेडिकल वेस्ट यूनिट का निर्माण किया गया है, बायोमेडिकल वेस्ट को पशु चिकित्सक की देखरेख में ब्लॉक अस्पताल परिसर में गहराई से दफनाया जाता है। गोबर अथवा गोमूत्र से किसी भी तरह का प्रदूषण नहीं हो रहा है। एवं भूमिगत जल शुद्ध एवं पीने योग्य है, जो सालिड वेस्ट व वाटर वेस्ट से प्रभावित नहीं है। उक्त गोशाला के पेयजल की टेस्टिंग रिपोर्ट संलग्न है।	संलग्न है।

अधिसारी अधिकारी
नगर पालिका परिषद कालपी
जनपद-जालौन

Select Enterprise/Unit for which Departments Permissions/NOCs/Licenses/Certificates/Incentive etc. are needed

138

UPSWP23126600203 - NAGAR PALIKA PARISHAD KALPI

Reset Choice

Select
Department
Name

Pollution Control Board

Select
Service
Name

Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Haza

View Applied Application

New Application

Reset

Sr.No.	Department	Form Name								
1.	Pollution Control Board	<table border="1"> <thead> <tr> <th>Sr.No.</th> <th>Service Name Application ID</th> <th>Form Status Status Change Date</th> <th>Current Remarks</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 23126600203030130001</td> <td>FEE PAID 27/07/2023</td> <td>TRANSACTION DONE SUCCESSFULLY application pending at industry side</td> </tr> </tbody> </table>	Sr.No.	Service Name Application ID	Form Status Status Change Date	Current Remarks	1.	Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 23126600203030130001	FEE PAID 27/07/2023	TRANSACTION DONE SUCCESSFULLY application pending at industry side
Sr.No.	Service Name Application ID	Form Status Status Change Date	Current Remarks							
1.	Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 23126600203030130001	FEE PAID 27/07/2023	TRANSACTION DONE SUCCESSFULLY application pending at industry side							

अधिसूची अधिकारी
नगर पालिका परिषद
कालपी (जालान)

Blue Gpy

बिन्दु संख्या-12

जनपद की गौशालाएं सी0पी0सी0बी0 एवं आई0सी0ए0आर0 की गाईड लाईन के अनुसार संचालित हो रहा है, कि नही प्रमाण पत्र उपलब्ध कराना सुनिश्चित करें।

क्र0सं0	अनुपालन संख्या	फोटो
1	महोदय सादर अवगत कराना है कि नगर पंचायत कदौरा के अन्तर्गत संचालित अस्थाई कान्हा गौशाला एवं देखरेख पशु आश्रय स्थल में दिनांक 27.07.2023 को उत्तर प्रदेश पोल्यूशन कन्ट्रोल बोर्ड में एन0ओ0सी0 के लिए आवेदन किया गया है और निर्धारित फीस भी जमा कर दी गयी है। साथ ही एन0ओ0सी0 का निस्तारण SWM Rules-2016 o BMW Rules-2016 में निहित प्रावधानों के अनुसार किया जाता है। (पशु चिकित्सक का प्रमाण पत्र संलग्न है) गौशाला में पृथक से बायोमेडिकल वेस्ट यूनिट का निर्माण किया गया है, बायोमेडिकल वेस्ट को पशु चिकित्सक की देखरेख में ब्लॉक अस्पताल परिसर में गहराई से दफनाया जाता है। गोबर अथवा गोमूत्र से किसी भी तरह का प्रदूषण नहीं हो रहा है। एवं भूमिगत जल शुद्ध एवं पीने योग्य है, जो सालिड वेस्ट व वाटर वेस्ट से प्रभावित नहीं है। उक्त गौशाला के पेयजल की टेस्टिंग रिपोर्ट संलग्न है।	संलग्न है।

अधिसासी अधिकारी
नगर पंचायत कदौरा
जनपद--जालौन

True copy

कार्यालय नगर पालिका परिषद, जालौन

Annexure - R/25

पत्रांक- 1111 / 1919 वि०/2023-24

दिनांक 26 जुलाई 2023

प्रमाण-पत्र

प्रमाणित किया जाता है कि नगर पालिका परिषद जालौन के अन्तर्गत संचालित कान्हा गौशाला में जारी ICAR/CPCB की Guideline का अनुपालन किया जा रहा है।

अध्यापक अधिकारी
नगरपालिका परिषद जालौन



8
Tseegpy

कार्यालय जिलाधिकारी जनपद जालौन।

पत्रांक 294 /ओ0एस0डी0/एन0जी0टी0/2023-24

दिनांक:- 06-02-2024

कार्यालय आदेश

मा0 राष्ट्रीय हरित अधिकरण में योजित ओ0ए0 सं0 394/2022 पुष्पेन्द्र कुमार बनाम खण्ड विकास अधिकारी कदौरा व अन्य में दाखिल होने वाले समस्त अभिलेखों को प्रतिहस्ताक्षरी दाखिल करने के लिए डा0 ध्यानचन्द्र भास्कर उप मुख्य पशु चिकित्सा अधिकारी माधौगढ़ को नामित किया जाता है तथा ससमय पर उपस्थित हो कर प्रति उत्तर दाखिल करना सुनिश्चित करें।

(राजेश कुमार पाण्डेय)
जिलाधिकारी जालौन



Service Proof 1647

berendra negi <berendranegi51@gmail.com>

Compliance of Order Dated 20.07.2023 in OA/394/2022 Cause Title Pushpender Kumar - Vs.- Block Development Officer, Kadaura & Ors, NDOH:- 13.02.2024

1 message

berendra negi <berendranegi51@gmail.com>
To: ranjan kumar rai <advranjan.raai@gmail.com>

Fri, Feb 9, 2024 at 4:12 PM

 Compliance_compressed.pdf

With Regards,

Berendra Singh Negi,
P.A. to:-
Mr. Shwetank Sailakwal
AOR, Supreme Court
Mob:- 9990803222
Email:- shwetanksailakwal@gmail.com

Office at:-
B-3, 3rd Floor,
Opp. Kashmiri Park,
Jangpura Ext.
N.D.-14
Mob No. 9870423671