



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
UTTAR PRADESH POLLUTION CONTROL BOARD

पत्रांक/संख्या-7108568/सी-5/142/0 A.M. 430/24

दिनांक 20-3-24  
पंजीकृत

To,

The Registrar General,  
Principal Bench,  
Hon'ble National Green Tribunal,  
Copernicus Marg, New Delhi-110001

**Sub: Submission of compliance report in compliance of order dated 18.01.2024 in the matter of O.A. no. 430/2023 Rajendra Singh Vs State of UP & Ors.**

Sir,

In compliance of the order dated 18.01.2024 passed by this Hon'ble National Green Tribunal in O.A. no. 430/2023 Rajendra Singh Vs State of UP & Ors, the compliance report is hereby attached with a request to put up before Hon'ble National Green Tribunal for kind perusal and consideration.

**Enclosure: As above.**

Your's Sincerely

(Dr. Ram Karan)  
Chief Environmental Officer,  
Circle-5

**Copy to:**

1. Shri Pradeep Mishra, Advocate for UPPCB.
2. Law Officer-I, UPPCB, Lucknow.
3. Regional Officer, UPPCB, Raebareli.

Chief Environmental Officer,  
Circle-5

टी.सी.-12 वी., विभूति खण्ड,  
गोमतीनगर, लखनऊ-226010  
ई-मेल-[info@uppcb.com](mailto:info@uppcb.com)  
वेबसाइट -[www.uppcb.com](http://www.uppcb.com)

TC-12-V, VibhutiKhand  
Gomti Nagar, Lucknow-226010  
e-mail: [info@uppcb.com](mailto:info@uppcb.com)  
Web site [www.uppcb.com](http://www.uppcb.com)





152 क्षेत्रीय कार्यालय

# उ०प्र० प्रदूषण नियंत्रण बोर्ड

सी-ब्लाक, इन्दिरा नगर, आवास विकास कालोनी  
रायबरेली-229001 (उ०प्र०)

पत्रांक- 829/011-430/2023/20.23.24

दिनांक- 04/03/24

सेवा में,

मुख्य पर्यावरण अधिकारी (वृत्त-5),  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
लखनऊ।

विषय-मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित वाद ओ०ए० संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ यू०पी० व अन्य में पारित आदेश दिनांक-18.01.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित वाद ओ०ए० संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ यू०पी० व अन्य में पारित आदेश दिनांक-18.01.2024 का सन्दर्भ ग्रहण करने का कष्ट करें। पारित आदेश के अनुपालन में जिलाधिकारी महोदया, सुल्तानपुर द्वारा गठित संयुक्त कमेटी द्वारा ईट भट्टे मैसर्स महालक्ष्मी ईट भट्टा, ग्राम-दरियापुर (लहुरेपुर), जगदीशपुर, पो०-वल्लीपुर, थाना व तह०-बल्दीराय, जनपद-सुल्तानपुर का संयुक्त निरीक्षण दिनांक-07.02.2024 को किया गया। संयुक्त कमेटी की जांच आख्या आपके स्तर से रजिस्ट्रार जनरल मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली को प्रेषित किए जाने हेतु संलग्न कर आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित की जा रही है।

संलग्नक-यथोपरि।

भवदीय

*(प्रदीप कुमार विश्वकर्मा)*  
क्षेत्रीय अधिकारी

04/03/24

प्रतिलिपि:-मुख्य विधि अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सादर सूचनार्थ प्रेषित।

*(प्रदीप कुमार विश्वकर्मा)*  
क्षेत्रीय अधिकारी

04/03/24

*(अनिल कुमार)*  
02/03/24

*11amail*  
*ND/ET*

*12/03/24*

मैसर्स महालक्ष्मी ईट भट्टा (प्रोपराईटर श्रीमती सुन्दरकली), ग्राम-दरियापुर (लहुरेपुर), जगदीशपुर, पो0-वल्लीपुर, थाना व तह0-बल्दीराय, जनपद-सुल्तानपुर के विरुद्ध मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित वाद ओ0ए0 संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ यू0पी0 व अन्य में दिनांक-18.01.2024 को पारित आदेश के सन्दर्भ में संयुक्त कमेटी की जाँच आख्या।

कृपया मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ उ0प्र0 व अन्य में मा0 अधिकरण द्वारा पारित आदेश दिनांक-18.01.2024 का सन्दर्भ ग्रहण करने का कष्ट करें। जो कि मैसर्स महालक्ष्मी ईट भट्टा, लहुरेपुर, वल्लीपुर, मैसर्स मां वैष्णों ब्रिक फील्ड, रामनगर, एवं मैसर्स आदर्श ईट उद्योग, रसूलपुर, जनपद-सुल्तानपुर से सम्बन्धित है। जिसके सुसंगत अंश निम्नवत हैं-

"..... 3. As per the said report second and third brick kiln have been closed down and only first brick kiln M/s Mahalaxmi Int Udyod, Luherpur Vallipur Village has the CTO valid upto 31.07.2025. At the time of inspection, the same was not found to be operational. Hence, the Joint Committee is directed to carry out the fresh inspection of M/s Mahalaxmi Int Udyod, Luherpur Vallipur Village in the first week of February, 2024 and file fresh report before the Registrar General of the Tribunal. If found necessary the matter will be listed for consideration before the bench.

4. The O.A. No. 430/2023 is accordingly disposed of."

माननीय अधिकरण द्वारा पारित आदेश के अनुसार प्रकरण में पूर्व पारित आदेश दिनांक-12.10.2023 के अनुपालन में उपरोक्त वर्णित तीन ईट भट्टों की संयुक्त जांच हेतु जिलाधिकारी महोदया, सुल्तानपुर द्वारा पत्र संख्या-651/मा0 रा0ह0अधिकरण/आदेश अनुपालन/23 दिनांक-16 दिसम्बर, 2023 के माध्यम से गठित संयुक्त समिति द्वारा मैसर्स महालक्ष्मी ईट भट्टा, ग्राम-दरियापुर (लहुरेपुर), पो0-वल्लीपुर, थाना व तह0-बल्दीराय, जनपद-सुल्तानपुर का पुनः निरीक्षण कर Fresh Report प्रेषित करने हेतु आदेश पारित किया गया है।

उपरोक्तानुसार गठित संयुक्त कमेटी द्वारा ईट भट्टे मैसर्स महालक्ष्मी ईट उद्योग, ग्राम-दरियापुर (लहुरेपुर), जगदीशपुर, पो0-वल्लीपुर, थाना व तह0-बल्दीराय, जनपद-सुल्तानपुर का पुनः संयुक्त निरीक्षण दिनांक-07.02.2024 को किया गया। निरीक्षण के समय ईट भट्टा प्रतिनिधि के रूप में श्री राहुल जायसवाल उपस्थित रहे। निरीक्षण के समय ईट भट्टा संचालन में नहीं पाया गया। ईट भट्टे पर पथाई एवं कच्ची ईट भराई का कार्य होता पाया गया। निरीक्षण आख्या निम्नवत है-

(i) सन्दर्भित ईट उद्योग सुल्तानपुर शहर से लगभग 25 किमी0 दूर हलियापुर-कुडवार मार्ग पर स्थित वल्लीपुर चौराहे से लगभग 3.0 किमी0 की दूरी पर स्थित ग्राम-लहुरेपुर, जगदीशपुर में स्थापित है। ईट भट्टे का अक्षांश, देशान्तर क्रमशः 26.416692, 81.928372 है।

(ii) अभिलेखों के अनुसार ईट भट्टे की स्थापना वर्ष 1998-99 में की गयी थी। ईट भट्टे की स्थापित क्षमता 22 पाया लगभग 25000 ईट/दिन उत्पादन की है। ईट भट्टे में गैसोय उत्सर्जकों के निरतारण हेतु भूतल से लगभग 115 फीट ऊँची चिमनी स्थापित पायी गयी। निरीक्षण के समय चिमनी से सम्बद्ध ट्रेन्च में कच्ची ईटें भरी हुई पायी गयी।


(iii) निरीक्षण के समय उपस्थित प्रतिनिधि द्वारा ईट भट्टे का वित्तीय वर्ष 2023-24 का जिला पंचायत का लाइसेन्स शुल्क तथा खनन विभाग का विनियमन शुल्क जमा होने सम्बन्धी साक्ष्य प्रस्तुत किए गए।





(iv) ईट भट्टे की चिमनी से चारों दिशाओं की स्थिति के अनुसार ईट भट्टा की चिमनी से पूरब दिशा में लगभग 1.0 किमी० की दूरी पर ग्राम-पूरे भोला तिवारी की आबादी लगभग 25-30 घर (लगभग 125-150 व्यक्ति), पश्चिम दिशा में लगभग 430 मीटर की दूरी पर ग्राम-रैनापुर की आबादी लगभग 20-25 घर (लगभग 100-125 व्यक्ति), उत्तर दिशा में लगभग 350 मीटर की दूरी पर ग्राम-जगदीशपुर की आबादी लगभग 40-45 घर (लगभग 200-225 व्यक्ति) तथा दक्षिण दिशा में लगभग 350 मीटर पर ग्राम-लहुरेपुर की आबादी लगभग 40-45 घर (लगभग 200-225 व्यक्ति) स्थित है।


(v) सन्दर्भित ईट भट्टे को क्षेत्रीय कार्यालय, उ०प्र० प्रदूषण नियन्त्रण बोर्ड, रायबरेली से संचालन हेतु नियमानुसार सहमति (जल/वायु) 31.07.2025 तक की अवधि हेतु निर्गत है। ईट भट्टा द्वारा निर्गत सहमति की शर्तों की अनुपालन आख्या के क्रम में चिमनी की अनुश्रवण आख्या दिनांक-05.05.2021 व दिनांक-05.06.2023 उपलब्ध करायी गयी है। जो मानकों के अनुरूप है। निरीक्षण के समय ईट भट्टा स्थल तत्समय प्रभावी जिला पंचायत की उपविधियों के अनुरूप पाया गया :

उपरोक्तानुसार अवगत कराना है कि ईट भट्टे की स्थापना निरीक्षण के समय उपस्थित ईट भट्टा प्रतिनिधि के अनुसार वर्ष 1998-99 में की गयी थी। तत्समय ईट भट्टा जिला पंचायत की उपविधियों के अनुसार स्थापित किया जाना प्राविधानित था। ईट भट्टे के संयुक्त निरीक्षण के समय ईट भट्टा स्थापना स्थल तत्समय प्रभावी जिला पंचायत की उपविधियों के अनुरूप पाया गया। वर्तमान में ईट भट्टे को संचालन हेतु राज्य प्रदूषण नियन्त्रण बोर्ड से सहमति (जल/वायु) 31.07.2025 तक की अवधि हेतु निर्गत है। निरीक्षण के समय ईट भट्टा फुकाई में नहीं पाया गया। ईट भट्टे पर केवल ईट पथाई एवं कच्ची ईट भराई का कार्य होता पाया गया।

  
(मनीष त्रिपाठी)  
वैज्ञा० सहा०  
उ०प्र० प्र० नि० बोर्ड  
रायबरेली

  
(प्रदीप कुमार विक्रम)  
क्षेत्रीय अधिकारी  
उ०प्र० प्र० नि० बोर्ड  
रायबरेली

  
(सिद्धार्थ शंकर पाण्डेय)  
जिला खान अधिकारी  
सुल्तानपुर

  
(हरिआन नारायण चन्द)  
अपर मुख्य अधिकारी  
जिला पंचायत,  
सुल्तानपुर

  
(दिदुषी सिंह)  
उप जिलाधिकारी  
तह०-बल्दीराय,  
सुल्तानपुर

Item No.19

Court No. 1

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI.**

(Through Physical Hearing with Hybrid V.C. Option)

Original Application No.430/2023

Rajendra Singh

Applicant

Versus

State of Uttar Pradesh

Respondent

Date of hearing: 18.01.2024

**CORAM: HON'BLE MR. JUSTICE PRAKASH SHRIVASTAVA, CHAIRPERSON  
HON'BLE MR. JUSTICE SUDHIR AGARWAL JUDICIAL MEMBER  
HON'BLE MR. JUSTICE ARUN KUMAR TYAGI JUDICIAL MEMBER  
HON'BLE DR. AFROZ AHMAD EXPERT MEMBER**

Applicant: None for the applicant.

Respondent: Mr. Arvind Kumar Advocate for UPPCB. (Through VC)

**Application is registered based on a letter petition received by E-mail****ORDER**

1. The original application, registered on the basis of the letter petition, raises the issue of operation of the three brick kilns namely M/s Mahalaxmi Int Udyod, Luherpur Vallipur Village, M/s Shivam Brickfield Ramnagar and M/s A.B.R Int Bhatta Rasulpur, District Sultanpur, Uttar Pradesh in violation of environmental norms, without CTE and CTO from the UPPCB.

2. On the direction of the Tribunal the Joint Committee was constituted on 01.08.2023 and report has been filed on 12.01.2024 disclosing as under:-

\*X

X

X

X

3. Above said Joint Committee has inspected the all 03 Brick Kilns on 30.12.2023, in which 01 Brick Kilns M/s Mahalaxmi Ent Bhatta, Village-Dariyapur (Luharepur), Post-Vallipur, District-Sultanpur was found not in operation and having valid CTO under Air/Water Act which is valid up to 31.07.2025. Other 02 Brick Kilns M/s Maa Vaishno Brick Field (Shri Shivam Jaisawal, Partner), Village Ramnagar, Post-Saraiya Mafi, District-Sultanpur and M/s Adarsh Ent Udyog (ABF), Village-Rasulpur, Post-Vallipur, District-Sultanpur were found closed in compliance of the closure order issued by UPPCB. A copy of the all Joint Committee Inspection Reports dated 04.01.2024 along with photograph are being attached as Annexure No.-2, 3 & 4 to this Response....."

3. As per the said report second and third brickkiln have been closed down and only first brick kiln M/s Mahalaxmi Int Udyod, Luherpur Vallipur Village has the CTO valid upto 31.07.2025. At the time of inspection, the same was not found to be operational. Hence, the Joint Committee is directed to carry out the fresh inspection of M/s Mahalaxmi Int Udyod, Luherpur Vallipur Village in the first week of February, 2024 and file fresh report before the Registrar General of the Tribunal. If found necessary the matter will be listed for consideration before the bench.

4. The O.A. No. 430/2023 is accordingly disposed of.

Prakash Shrivastava, CP

Sudhir Agarwal, JM

Arun Kumar Tyagi, JM

Dr. Afroz Ahmad, EM

January 18<sup>th</sup>, 2024  
AG

## कार्यालय जिलाधिकारी, सुल्तानपुर

पत्रांक 651 / मा0 रा0ए0अधिकरण / आदेश अनुपालन / 23

दिनांक/6 दिसम्बर, 23

विषय-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ उ0प्र0 व अन्य में मा0 अधिकरण द्वारा पारित आदेश दिनांक-12.10.2023 के अनुपालन के सम्बन्ध में।

1. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, रायबरेली।
2. अपर मुख्य अधिकारी, जिला पंचायत, सुल्तानपुर।
3. उप जिलाधिकारी, बल्दीराय, सुल्तानपुर।
4. जिला खान अधिकारी, सुल्तानपुर।

कृपया उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या-430/2023 राजेन्द्र सिंह बनाम स्टेट ऑफ उ0प्र0 व अन्य में मा0 अधिकरण द्वारा पारित आदेश दिनांक-12.10.2023 का सन्दर्भ ग्रहण करने का कष्ट करें। जो कि मैसर्स महालाक्ष्मी ब्रिक फील्ड, ग्राम-लहुरेपुर, मैसर्स शिवम ब्रिक फील्ड, ग्राम-रामनगर, एवं मैसर्स ए0बी0आर0 ईट भट्टा ग्राम-रसूलपुर, जनपद-सुल्तानपुर से सम्बन्धित है। जिसके सुसंगत अंश निम्नवत हैं-

"..... 2. In view of the averments in the application and observations in the report of the Joint Committee, we consider it appropriate to have response of (1) State of Uttar Pradesh through Chief Secretary, Government of Uttar Pradesh, (2) District Magistrate, Sultanpur, (3) UPPCB, (4) M/s Maha Laxmi Ent Bhat, proprietor (Smt Sunder Kali) Village Dariyapur (Luhrepur, Jagdishpur) Post office Vallipur, Police Station and Tehsil Baldirai, District Sultanpur, (5) M/s Ma Vaishno Brick Field partner (Shri Shivam Jaiswa), Village Ram Nagar, Saraiamafi, Police Station Dhanpatganj, Tehsil Baldirai, District Sultanpur and (6) M/s Adarsh Ent Udhyog proprietor (Smt Kaushalya Devi), Village Rusulpur, Post office Vallipur, Police Station and Tehsil Baldirai, District Sultanpur, who stand impleaded as respondents No. 1 to 6. The Registry is directed to prepare and attach memo of parties to the application.

3. The Registry is directed to issue notices to respondents No. 1 to 6 requiring them to file their reply/response within three months at judicial ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.

4. Notice be served on respondents no. 4 to 6 through the District Magistrate, Sultanpur and for this purpose notice issued to the Project Proponent be sent to the District Magistrate, Sultanpur by E-mail for getting service of the same effected on them and sending his report in this regard.

5. List for further consideration on 18.01.2024....."

उक्त के क्रम में अवगत हो कि प्रकरण में मा0 अधिकरण द्वारा पूर्व में पारित आदेश दिनांक-01.08.2023 के क्रम में पत्र दिनांक-10.08.2023 के माध्यम से समिति का गठन किया गया था। उक्त गठित समिति द्वारा वर्णित ईट भट्टों की संयुक्त जांच कर आख्या मा0 अधिकरण को दिनांक-10.10.2023 को प्रेषित की जा चुकी है। तत्क्रम में मा0 अधिकरण द्वारा वाद में पुनः दिनांक-12.10.2023 को पारित आदेश के क्रम में आपको निर्देशित किया जाता है कि वर्णित ईट भट्टों की जांच संयुक्त रूप करने एवं नियमानुसार आवश्यक कार्यवाही करते हुए अनुपालन आख्या अधोहस्ताक्षरी को 01 सप्ताह के अन्दर उपलब्ध कराना सुनिश्चित करें। जिससे की कृत कार्यवाही सम्बन्धी आख्या मा0 अधिकरण को ससमय प्रेषित की जा सके।

K-1  
(कृत्तिका ज्योत्स्ना)  
जिलाधिकारी,  
सुल्तानपुर।

9/11  
K-1

158  
**UTTAR PRADESH POLLUTION CONTROL BOARD**

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0512-2720828,2720831, Fax:0512-2720764, Email: info@uppch.com, Website: www.uppch.com

**CONSENT ORDER**

Dated : 26/09/2020

Ref. No. -  
100954/UPPCB/Raebareilly(UPPCBRO)/CTO/nlr/SULTANPUR/2020

To,  
Shri SUNDAR KALI  
M/s MAHA LAXMI ENT BHATTA  
VILL DARIYAPUR POST VALLIPUR SULTANPUR U.P,SULTANPUR,227812  
SULTANPUR

Sub: Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)  
to M/s. MAHA LAXMI ENT BHATTA

Reference Application No. 9251815

Dated : 26/09/2020

With reference to the application for consent for emission of air pollutants from the plant of M/s MAHA LAXMI ENT BHATTA. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .

2. This consent is valid for the period from 09/08/2020 to 31/07/2025 .
  3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Amit Mishra  
Regional officer

Enclosed : As above  
(condition of consent):

Copy to: Chief Environment Officer (5), UP, Pollution control board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow.

Amit Mishra  
Regional officer



Dated : 26/09/2020

**CONDITIONS OF CONSENT**

This consent is valid only for the approved production capacity of 25000 brick/day.

This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	Brick Stack	coal/agriculture residue 4.0 ton/day	1	Particulate Matter	115 Feet above ground level

(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard
1	1	Particulate Matter	as per CPCB norms

Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .

The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .

The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .

The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .

Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .

The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

**Specific Conditions:**

(On the basis of observations made in inspection report of M/s MAHA LAXMI ENT BHATTA, VILL. DARIYAPUR POST VALLIPUR SULTANPUR U.P. SULTANPUR recommended for grant of conditional consent (Air) with following special conditions:-

- 1- Brick kiln shall ensure adequate plantation and proper green belt around the premises.
- 2- Brick kiln shall obtain prior approval before making any modification in product/process/fuel/plant machinery. Failing which consent would be deemed rejected.
- 3- Brick kiln shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
- 4- Brick kiln should fully comply the conditions mention in environmental CLEARANCE.
- 5- Brick kiln shall not use hazardous waste like spent organic solvent, oily residue, pet coke, filter press cake, and other wastes like plastic, rubber, leather cutting etc.
- 6- Brick kiln shall provide permission to this office issued by Zila Panchayat and Mining Department within three month from date of issue of this consent to operate.
- 7- Brick kiln shall be operated in such a manner that ambient air quality should not be adversely affected.
- 8- The brick kiln should ensure full compliance of prescribed emission standards as notified by Ministry of Environment and forest, Government of India via serial no. 74 of Schedule-I in notification no. GSR 543(E) dated 22-07-2009 issued under Environment (Protection) Rules, 1986.
- 9- The brick kiln should comply the notification issued under the Environment (Protection) Act, 1986.
- 10- The brick kiln should installed lighting arrestor as per the PWD norms or any other standard design for brick kiln to avoid the damage to stack caused due to lighting attack.
- 11- Compliance report of this consent order must be sent to this office within two months.
- 12- Ash content should be used for low lying land filling in a scientific manner.
- 13- The brick kiln should regularly operate and maintain Air Pollution Control System (APCS) so that it meet stipulated emission standard.
- 14- Stack emission monitoring test should be carried out from Environment (Protection) Act, 1986 approved laboratory/NABL laboratory by the brick kiln and submit monitoring report to the Board within two months.
- 15- Proposal of Zig-zag technology should be submitted as earliest with time bound program.
- 16- The Brick Kiln should be paved with the bricks to minimize the fugitive dust emissions from the Brick Kiln operations.
- 17- The Brick kiln fine dust not to accumulate all around the Brick kilns.
- 18- This consent will be automatically rejected on receiving of any complaint against brick kiln. Please note that consent to operate will be revoked, in case of non compliance to any of the above mentioned conditions, Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions in One month in this office. Ensure to submit the regular compliance report otherwise the Consent to operate will be revoked.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Amit Mishra  
Regional officer

GSTIN:09AARFG53531

# Global Environmental Consultancy And Research Centre

2/390 A, Vibhav Khand, Gomti Nagar, Lucknow-226010  
An ISO 9001:2015, OHSAS 18001:2007, ISO 14001:2015 Certified Laboratory

Accredited by NABL

Mob: +91-9454278891, 7607377997, 8960040004, 8299682829 E-mail: info@gecrc@gmail.com

## TEST REPORT (Source Emission)

Reporting Date: 05.06.2023

Report No. GECRC/ST/23/06/05/001

Name & Address of Party		M/s. MAHALUXMI ENTHHATTA Vill- Dariyapur, Post-Wallipur Distt- Sultanpur (U.P.)	
Client Representative (Name & Designation)	-	Sample Description	Brick Kilns Stack (16500 Bricks per day)
Sample Collected by (Name & Designation)	Sampling Staff	Sample Number	GECRC/ST/23/05/30/001
Date of Sampling & Time	30.05.2023 & 13:30	Format No.	7.5 F-03
Sampling Location & Code	Brick Kilns	Party Ref. No.	-
Sampling Duration (Minutes)	40	Receipt Date	30.05.2023
Operating Schedule (Hrs./day)	As per requirement	Latitude	-
Scope of Monitoring	Environment Monitoring	Longitude	-
Purpose of Monitoring	Compliances Requirement	Stack attached to	Brick Kilns
Control measure if any	Gravity settling chamber	Diameter of Stack	1.4 mtr.
Meteorological Condition	Clear Sky	Make of Stack	BCC
Operating condition at the time of sampling	Clear	Height of Stack	38 mtr.
Instrument code	GECRC/EQP/05	(i) From the Source of emission	Brick Kilns
Instrument calibration status	Calibrated	(ii) From roof level	-
Ambient Temperature - Ta (°C)	39	(iii) From Ground Level	-
Temperature of Stack Gases - Ts (°C)	124.7	Type of fuel used	Coal
Velocity of Stack Gases (m/ sec.)	4.9	Flow rate of PM (LPM)	23
Volumetric Flow (NM <sub>3</sub> / Hr.)	22895.5	Flow rate of Gas (LPM)	02
Parameter Required	Particulate Matter (PM)	Sampling condition	Isokinetic
		Protocol used	IS: 11255 & CPCB Guidelines

### RESULTS

No.	Parameters	Test Method / Protocol	Unit	Results	Standards*
	Particulate Matter (PM)	IS: 11255 (Part-1)	mg/Nm <sup>3</sup>	567.2	750

\*Environment Protection Rules 2006 Schedule I, S. No. 71 Page No. 459 Boiler (Small)

Checked by: Neha

Authorized Signatory

Raj Kumar  
Name: Raj Kumar  
Designation: Technical Manager

\*\*\*End of the Report\*\*\*

Note:

- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- Any discrepancy in test result should be reported within 15 days.
- The above Results are related to the tested Sample Only.

Page | 1 |

TEST REPORT

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/S. MAHADEV ENTERPRISES  
 VILL. BHARIVAPUR POST. BHARIVAPUR  
 DIST. SULTANPUR (U.P.)

Date Of Sampling : 01/04/2019  
 Analysis Start Date : 01/05/2019  
 Analysis End Date : 05/05/2019  
 Duration Of Sampling : 04 MIN  
 Sample ID No : 1057 70  
 Sampling Done By : ETS STAFF  
 Sampling Method : ETS/STP STACK-01  
 Stack Attached To : BRICK KENS  
 Capacity Of Stack : 15000 BRICK PER DAY (TRENCH) (U.P.)  
 Quantity Of Fuel Used : 7.0 TPD  
 Type Of Fuel Used : COAL  
 Stack Height Above Ground : 38.0 MTR  
 Stack Dia At The Sampling Point : 1400.0 MM  
 Material Of Construction : RCC  
 Attached APCS : GRAVITY SETTLING CHAMBER  
 Normal Operating Schedule : AS PER REQUIREMENT  
 Ambient Temperature : 37.0 °C  
 Flue Gas Temperature : 120.0 °C  
 Velocity Of Flue Gases : 2.45 MTR/SEC

S. No	Test Parameter	Unit	Result	Specification limit (As per CPCB)	Test Method
1	Particulate Matters (PM)	mg/Nm <sup>3</sup>	400.0	750.0	IS 135 (Part 1)

\*\*\*\*\*End of Test Report\*\*\*\*\*

FORWARD TECH SERVICES

CHECKED BY

AUTHORIZED SIGNATORY

For use by ETS/STP BR 05 Issue No: 05.01/01/2019 And No: 01/04/2019

Note:

- The test report shall not be used as an evidence in the court of law without proper permits from the laboratory.
- The sample shall be preserved for 14 days from the date of sampling. Perishable sample shall be destroyed immediately after analysis of the report.
- The results indicate only refer to the tested samples and listed applicable parameters.
- Our liability is limited to the scope of the work.
- Our compliance will be established if there are clear data of test reports.