

BEFORE THE NATIONAL GREEN TRIBUNAL

SOUTHERN ZONE, CHENNAI

Original Application No. 238 of 2021

IN THE MATTER OF:

Chepuri Ramachandraiah Telegana

...Applicant(s)

-Vs-

The Prl.Secretary of Telegana,
Environment, Science & Technology,
Telagana & Ors

...Respondent(s)

REPORT OF THE 3RD RESPONDENT – District Collector(NALAGONDA)

| Sl. No. | Particulars | Page Nos. |
|---------|---|-----------|
| 1. | Report of the district collector , Nalagonda District (3 rd Respondent). | 1-2 |
| 2. | Annexure – I – THE Telagana Pollution Control Board(TGPCB) issued VIDE Order Dated 23.03.2023 Directions To Respondent Industry Levying Environmental Compensation(EC) As Per The Joint Committee Recommendations. | 3-15 |
| 3. | Annexure – II – The Respondent industry made payment towards Environmental Compensation (EC) of Rs. 59,80,000/- on 02.08.2024). | 16-17 |
| 4. | Annexure – III – the respondent industry paid the crop compensation Rs, 22,70,000/- | 18-19 |

Place: Chennai

Date: 07.08.2024



Mrs. H. Yasmeen Ali,
Counsel for the 3rd Respondent.

REPORT OF THE DISTRICT COLLECTOR, NALGONDA DISTRICT (R3)
DATED: 06-08-2024 IN OA No. 238 OF 2021 FILED BY SHRI CHEPURI
RAMACHANDRAIAH, R/O. VELIMINEDU (V), CHITYALA (M), NALGONDA
DISTRICT AGAINST M/s. HINDYS LAB PRIVATE LIMITED.

It is kindly submitted that Sri Chepuri Ramachandraiah, R/o. Veliminedu (V), Chityala (M), Nalgonda District has sent a representation to the Chairman, Hon'ble NGT, Principal Bench, New Delhi alleging air and water pollution from M/s Hindy's Lab Private Ltd., located at Sy.No.290 & 291 of Veliminedu (V), Chityal (M), Nalgonda District. The Hon'ble NGT registered the representation as Original Application (OA) No.238 of 2021

In this regard, following is submitted:

1. The Joint Committee constituted in compliance to the Hon'ble NGT order dated 18.11.2021 submitted its Report dt.13.05.2022 to Hon'ble National Green Tribunal, South Zone, Chennai. The committee recommended that the Respondent industry should pay the Environmental Compensation (EC) Rs.1,19,70,000/- to CPCB/TSPCB for non-compliances observed by the committee.
2. Accordingly, the Telangana Pollution Control Board (TGPCB) vide order No.NLG-205/TSPCB/TF/HO/2023-2144, Dt.23.03.2023 issued directions to Respondent industry levying Environmental Compensation (EC) as per the Joint Committee recommendations. The industry also directed to deposit an amount of Rs. 1,19,70,000/- (Rupees One Crore Nineteen Lakhs Seventy Thousand Only) towards Environmental Compensation (EC) within 15 days. **(Annexure – I).**
3. The Respondent industry made payment towards Environmental Compensation (EC) of Rs. 1,19,70,000/- to the Board. (i.e., Rs. 29,95,000/- on 23.12.2023, Rs. 29,95,000/- on 16.02.2024 and Rs. 59,80,000/- on 02.08.2024). **(Annexure – II).**

4. The Respondent industry also paid the Crop Compensation amount of Rs. 22,72,000/- through Cheque (dated:01.02.2024) in favour of "Chepuri Ramchandraiah" to the District Collector, Nalgonda District, as per recommendation of Joint Committee constituted by the Hon'ble NGT. **(Annexure – III)**

In view of the above, it is kindly submitted that the Respondent industry has paid the total Environmental Compensation amount which was levied by the Telangana Pollution Control Board (TGPCB), as per recommendation of Joint Committee constituted by the Hon'ble NGT. The Official Respondent will adhere to the any directions issued by the Hon'ble NGT.

Date: 06-08-2024.

Place: Nalgonda



**DISTRICT COLLECTOR,
NALGONDA DISTRICT**



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No. NLG-205/TSPCB/TF/HO/2023- 2144

Dt:23.03.2023

Sub : TSPCB - M/s. Hindys Lab Private Ltd., (Formerly M/s. Hychem Laboratories), Sy.No.290 & 291, Veliminedu (V), Chityal (M), Nalgonda District - Causing of damage to the environment due to operation of the industry - Levyng of Environmental Compensation and Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and Control of Pollution) Amendment Act, 1987 - **DIRECTIONS** - Orders Issued - Reg.

- Ref :**
1. Hon'ble NGT, Chennai O.A. No. 238 of 2021 filed by Sri Chepuri Ramachandraiah, R/o. Veliminedu (V), Chityala (M), Nalgonda District.
 2. Order No.NLG-205/TSPCB/UH-V/TF/2019-1258, Dt.18.11.2020.
 3. Hon'ble NGT, Principal Bench, New Delhi Order dated 01.12.2020 in O.A.No.181 of 2020.
 4. Hon'ble NGT, Principal Bench, New Delhi Order dated 18.11.2021 in O.A.No.181 of 2020.
 5. Hon'ble NGT, Southern Zone, Chennai Order dated 08.12.2021 in O.A.No.181 of 2020.
 6. Report of the Environmental Engineer, TSPCB, Regional office, Nalgonda dated 13.05.2022 in O.A. No.238 of 2021 filed in the Hon'ble National Green Tribunal, Chennai by Shri Chepuri Ramachandraiah, R/o. Veliminedu (V), Chityala(M), Nalgonda District.
 7. Report dt.13.05.2022 of the Joint Committee in O.A. No. 238 of 2021 (SZ) [Earlier OA No. 181 of 2020(PB)] in the matter of Chepuri Ramachandraiah, Vs State Of Telangana submitted to Hon'ble National Green Tribunal, South Zone, Chennai in Compliance to order dated 8th December, 2021.
 8. CFO order No.220523499495, dt.27.01.2022.
 9. Directions Order No.NLG-205/TSPCB/TF/HO/2022-1038 & 1039, Dt.30.09.2022.
 10. Letter No.22/NGT-Chennai/TSPCB/Legal/2021-110, Dt:07.12.2022.
 11. Letter No.48004/PCB/RO-NLG/TF/2022-966, Dt:13.12.2022.
 12. Board vide mail dated:13.12.2022 to Director, NEERI.
 13. Board vide mail dated:13.12.2022 to Director, NGRI.
 14. TSPCB report dt:13.12.2022 submitted in Hon'ble NGT in O.A. No.238 of 2021.
 15. Hon'ble NGT order dt.17.01.2023 in OA No.238 of 2021.
 16. Show Cause Notice No.48004/PCB/RO-NLG/TF/2023-1088, Dt.31.01.2023.
 17. Industry's reply dt.06.01.2023 received through e-mail on 09.02.2023.
 18. Inspection of the industry by the Board Officials on 10.02.2023.
 19. Hearing held 17.02.2023.
 20. Industry Letter dated:24.02.2023.

* * * * *

1. **WHEREAS**, your industry is located at Sy.No.290 & 291, Veliminedu (V), Chityal (M), Nalgonda District.
2. **WHEREAS**, vide reference 1st cited, Sri Chepuri Ramachandraiah, R/o. Veliminedu (V), Chityala (M), Nalgonda District has sent a representation to the Chairman, Hon'ble NGT, Principal Bench, New Delhi. The Hon'ble NGT registered the representation as Original Application (O.A) No.181 of 2020. The main prayer of the applicant is as follows:

"The Grievance in this petition of the applicant is against violation of environmental norms by M/s. Hindys Chemical Factory, causing air and water pollution adversely affecting the cattle and crops and public health in Velminedu Village, Chityala Mandal, Nalgonda District, Telangana".

3. **WHEREAS**, the Hon'ble NGT heard the matter and passed orders dated 01.12.2020 vide reference 3rd cited and directed that the State PCB and the District Magistrate, Nalgonda need to take appropriate action after ascertaining the facts and following due process of Law. The nodal agency for coordination will be the State PCB. The District Collector has deputed the Additional Collector & Additional District Magistrate, Nalgonda to complete the inspection and submit report.
4. **WHEREAS**, the Additional Collector & Additional District Magistrate, Nalgonda along with EE, TSPCB, Nalgonda and Tahsildar, Chityal Mandal conducted inspection of the unit and surrounding agricultural fields on 22.02.2020. The Committee had a meeting with the petitioner Sri. Chepuri Ramachandraiah to understand his grievances. The Committee has conducted the inspection of the unit and agricultural fields along with the petitioner and industry representatives. The Joint Report dated 03.06.2021 was submitted to the Hon'ble NGT, Principal Bench, New Delhi.
5. **WHEREAS**, the matter was taken for hearing before the Hon'ble NGT, New Delhi on 18.11.2021 and the Hon'ble NGT vide reference 4th cited, constituted a four member Joint Committee of MoEF&CC, CPCB, State PCB and the District Collector jointly. The Hon'ble NGT has directed Joint meeting of the Committee may be held within two weeks. The Joint Committee may undertake visit to the site and interact with the stakeholders and evaluate compliance status in all respects, including air water, soil, ground water, compliance of the consent and EC conditions and the quantum of compensation required to be recovered, in the light of the violations found. The project proponent may be given opportunity of being heard. The Committee may give its report within three months by email to the Southern Bench of this Tribunal. The CPCB & TSPCB are made as Nodal Agency for coordination and also for providing necessary logistics for this purpose.
6. **WHEREAS**, the matter was heard by the Hon'ble NGT, Southern Zone, Chennai on 08.12.2021 vide reference 5th cited, the interlocutory application [I.A. No. 187 of 2021 (SZ)] is allowed and the applicant in [I.A. No.187 of 2021 (SZ)] is impleaded as additional 4th Respondent. The Hon'ble NGT in the orders dated 08.12.2021 stated that In the meantime the official respondents are also directed to file their independent response regarding the allegations made in the letter petition before the next hearing date, so as to consider the further directions (if any) to be issued in this regard.
7. **WHEREAS**, accordingly, the Board Officials inspected M/s. Hindys Lab Private Ltd, Sy. No. 290 & 291, Veliminedu (V), Chityal (M), Nalgonda District on 03.02.2022 and submitted a status report in the matter vide reference 6th cited.
8. **WHEREAS**, further, vide reference 7th cited, the Joint Committee constituted in compliance to the Hon'ble NGT order dated 8th December, 2021 submitted its Report dt.13.05.2022 to Hon'ble National Green Tribunal, South Zone, Chennai. The gist of the report is as given below:

Non-compliance observed:

1. The unit has valid integrated consent under Water & Air Acts and Authorization under H&OW Rule 2016. However, 35 out of 44 conditions imposed were found complying and remaining 9 conditions were found partially / non compliance. The major non compliance observed are online monitoring systems installed in the ETP, non-installation of online TDS meter, non installation of online monitoring system in Boiler stack and inadequate control system provided in the process vents and solvent recovery system which is causing odour nuisance in the surrounding area.
2. As per the monitoring results of ETPs indicates that the ETP installed to treat Low TDS effluent was found not adequate, only 35 % efficiency was observed w.r.t COD reduction through conventional treatment. The RO efficiency (21.6%) also found very poor.
3. As per the analysis results of treatment system provided for treating High TDS, the efficiency of MEE was found very poor. The TDS concentration was increased from 2.7% to 9.0 % through MEE and it is inadequate to achieve the desirable limit of 25 % TDS concentration to recover the salt.
4. The flow meter installed as a part of online monitoring to ensure ZLD also found not proper and not ensuring the accountability of effluent generated, treated through RO, RO permeate & RO reject, Similarly in MEE section also flow meters installed are not ensuring the achievability of ZLD system.

5. The unit has not provided the online monitoring system to stack attached to 6 TPH & 8 TPH coal fired boiler. As per the Consent issued by TSPCB, the process vent is required to be monitored for HCl concentration, however no provision is made in the process vent for monitoring of HCl.
6. As per the Authorization issued by the TSPCB, Authorized quantity of Sludge and ATFD salt is 467.2 kg/day (170.52 MT/Annum). During the period from Jan'2021 to Dec'2021, the industry has Hazardous waste generation (ATFD salt) of 144.85 MT/Annum.
7. The solvent loss through condenser vent is reported in the range of 200 to 432 Ltrs/day, these vents are connected to scrubber. During scrubbing, scrubbed solvent may dispersed in the form of VOCs and causing odour nuisance in the surrounding area.
8. The committee observed paddy cultivation adjacent to applicant land, hence committee considered paddy crop for compensation, accordingly compensation towards crop loss is worked out is Rs 22,73,000.00.
9. The committee also calculated Environmental Compensation on account of non-compliances for Rs.1,19,70,000/-
10. Total compensation recoverable: Rs.14243000.00/-
11. The committee recommended that the unit shall pay compensation for Paddy Crop Rs. 2273000.4 to the applicant for causing loss of crop and EC of Rs.1,19,70,000/- to CPCB/TSPCB for non-compliances observed by the committee.

9. **WHEREAS**, vide reference 9th cited, the Board issued certain directions to the industry vide order dt.30.09.2022 in connection with Fire Accident occurred in the industry.
10. **WHEREAS**, the Board vide reference 10th cited, addressed letter dt.07.12.2022 to the Commissioner, Agriculture Department, Govt. of Telangana requesting to instruct the concerned for collection of Crop Compensation estimated by the Joint Committee.
11. **WHEREAS**, the District Agricultural Officer, Nalgonda vide Ir.dt.21.12.2022 requested the EE-RO-NLG to submit the matter for the perusal of District Collector, Nalgonda for collection of crop compensation from M/s. Hindys Lab Private Ltd.
12. **WHEREAS**, in the meanwhile, the Standing Counsel vide mail dt.18.01.2023, citing the contents of the hearing held on 17.01.2023 in OA No.238 of 2022, opined that a show cause notice has to be issued calling upon the violator to submit an explanation and also followed by personal hearing and the order levying the Environmental Compensation ought to contain the provisions of law under which the said direction is issued. It may implies same regarding levy of Crop Compensation. Hence, kindly requested to issue instructions to Regional Office, Nalgonda for further action on letter dt.21.12.2022 received from District Agricultural Officer, Nalgonda regarding levy of Crop Compensation.
13. **WHEREAS**, the Board vide reference 11th cited, directed the industry to deposit an amount of Rs. 1,19,70,000/- (Rupees One Crore Nineteen Lakhs and Seventy Thousand Only) towards Environmental Compensation within fifteen days time.
14. **WHEREAS**, the Board vide letter dt.13.12.2022 also directed the industry directed to take up the third party (preferable NEERI/ Indian Institute of Chemical Technology (IICT)) assessment as recorded in the section 8 of the Joint Committee report dt.13.05.2022 regarding adequacy to achieve ZLD system, VOC emissions and efficiency of solvent recovery system within fifteen days time and submit the report / findings to the Board for taking further necessary action.
15. **WHEREAS**, the Board vide mail dt. 13.12.2022 addressed to the Director, National Geophysical Research Institute (NGRI), Hyderabad requesting to submit the proposals along with financial estimates, time lines and conditions within 15 days to carryout detailed study on the Ground Water contamination in & around M/s. Hindys Lab Private Ltd., (Formerly M/s. Hychem Laboratories), Sy.No.290 & 291, Veliminedu (V), Chityal (M), Nalgonda District to address the Grievances of the Applicant and other farmers regarding ground water contamination.

16. **WHEREAS**, vide reference 14th cited, the Board filed a report dated 13.12.2022 in O.A. No.238 of 2021 before the Hon'ble National Green Tribunal, Chennai. The case came for hearing on 17.01.2023 and the Hon'ble NGT vide reference 15th cited directed the Board to quote the provision of law under which they either issue directions or levy compensation, whenever, such notices are issued to the industries. They are also directed to file a report as to how they are going to recover the said money.'
17. **WHEREAS**, vide reference 16th cited, the RO-Nalgonda has issued show-cause notice to the industry on 31.01.2023 informing the Board's proposal to levy Environmental Compensation of Rs.1,19,70,000/- for the non-compliance and the violations committed by the industry and directions are proposed to be Issued under section 33A of (Prevention and Control of Pollution) Act, 1974 for the levy of Environmental Compensation.
18. **WHEREAS**, the industry submitted their reply dt.06.01.2023 received through e-mail on 09.02.2023 to the above show-cause notice.
19. **WHEREAS**, the Board Officials inspected the industry on 10.02.2023. Sri B. Laxman, Manager EHS of the industry was present and accompanied the inspection. The details are as given below:

1. M/s. Hindys Lab Private Ltd., Sy.No. 289-292, Veliminedu (V), Chityal (M), Nalgonda District is a Bulk drug and Intermediate manufacturing industry.
2. During inspection, the industry was in operation.
3. The industry obtained CFO & HWA of the Board vide order dated 27.01.2022 with validity up to 31.07.2025.
4. The industry is having effluents treatment system consisting of Stripper (50 KLD), MEE - 3 effect (50 KLD), ATFD (7.5 KLD), Biological ETP - 50 KLD (consisting aeration tank) & RO plant - 50 KLD. During the inspection, cleaning work of MEE was under progress.
5. The industry has installed coal fired boilers of capacity 1X6 TPH, 1X8 TPH provided with separate Bag filter followed by Mechanical dust collector as APCE followed by common chimney of height 30 mtrs. The industry has installed DG sets of capacity 2 x 1000 KVA provided with acoustic enclosure.
6. The industry has 5 Nos of Two stage scrubbers with online pH meters for control of process emissions.
7. The industry has provided IP camera along with digital flow meters at HTDS effluents, LTDS effluents & RO permeate and connected to TSPCB server. The industry has provided IP camera at Main gate entrance area and connected to TSPCB server.
8. The industry has provided VOC analyzer and connected to TSPCB server.
9. The industry has provided separate energy meter for ZLD system, APCE system to Boiler and scrubbing system.
10. As per the records of the industry from period May' 2022 to Jan' 2023, the industry has manufactured 7 consented products with production quantity of 1043 Kgs/day as against the consented capacity of 2499.9 Kgs/day.
11. As per the records of the industry from period May'2022 to Jan' 2023, the water consumption is 111.08 KLD as against the consented capacity of 127.65 KLD.
12. As per the records of the industry from period May'2022 to Jan' 2023 the waste water generation is 37.14 KLD as against the consented capacity of 48.80 KLD.
 - Compliance with regard to Schedule -B conditions of CFO order No. 220523499495, dt.27.01.2022 is as given below:

| Sl. No. | Condition | Compliance |
|---------|--|--|
| 1 | Total Fresh Water Consumption shall not exceed 127.65 KLD. | As per the records of the industry from period May'2022 to Jan' 2023, the water consumption is 111.08 KLD as against the consented capacity of 127.65 KLD. |
| S.No. | Purpose | Quantity |
| 1. | Process | 18.45 |
| 2. | Washings | 2.5 |
| 3. | Scrubber | 1.5 |
| 4. | Boiler Feed | 2.5 |
| 5. | Cooling Tower | 65 |
| 6. | DM Plant Regeneration | 4 |
| 7. | Domestic | 5 |
| 8. | Gardening | 5 |
| | Total | 127.65 (Fresh- 81.65 MTD & Recycled 46 KLD) |

| 2 | <p>During the maintenance / breakdown of ZLD, the pre-treated effluent sent to CETP for a period of maximum 15 days in calendar year, duly meeting the following inlet standards:</p> <table border="1" data-bbox="391 197 874 622"> <thead> <tr> <th>Parameter</th> <th>Limiting Standards</th> </tr> </thead> <tbody> <tr><td>pH</td><td>5.5 - 9.0</td></tr> <tr><td>Temperature °C</td><td>45.0</td></tr> <tr><td>Total Dissolved Solids (Inorganic)</td><td>5,000 mg/l</td></tr> <tr><td>Oil and Grease</td><td>20 mg/l</td></tr> <tr><td>Phenolic Compounds (as C₆H₅OH)</td><td>5 mg/l</td></tr> <tr><td>Ammonical Nitrogen (as N)</td><td>50 mg/l</td></tr> <tr><td>Cyanide (as CN)</td><td>2 mg/l</td></tr> <tr><td>Chromium Hexavalent (as Cr⁶⁺)</td><td>2 mg/l</td></tr> <tr><td>Chromium (total) (as Cr)</td><td>2 mg/l</td></tr> <tr><td>Copper (as Cu)</td><td>3 mg/l</td></tr> <tr><td>Lead (as Pb)</td><td>1 mg/l</td></tr> <tr><td>Nickel (as Ni)</td><td>3 mg/l</td></tr> <tr><td>Zinc (as Zn)</td><td>15 mg/l</td></tr> <tr><td>Arsenic (as As)</td><td>0.2 mg/l</td></tr> <tr><td>Mercury (as Hg)</td><td>0.01 mg/l</td></tr> <tr><td>Cadmium (as Cd)</td><td>1 mg/l</td></tr> <tr><td>Selenium (as Se)</td><td>0.05 mg/l</td></tr> <tr><td>Fluoride (as F)</td><td>15 mg/l</td></tr> <tr><td>Boron (as B)</td><td>2 mg/l</td></tr> <tr><td>COD</td><td>15,000 mg/l</td></tr> </tbody> </table> | Parameter | Limiting Standards | pH | 5.5 - 9.0 | Temperature °C | 45.0 | Total Dissolved Solids (Inorganic) | 5,000 mg/l | Oil and Grease | 20 mg/l | Phenolic Compounds (as C ₆ H ₅ OH) | 5 mg/l | Ammonical Nitrogen (as N) | 50 mg/l | Cyanide (as CN) | 2 mg/l | Chromium Hexavalent (as Cr ⁶⁺) | 2 mg/l | Chromium (total) (as Cr) | 2 mg/l | Copper (as Cu) | 3 mg/l | Lead (as Pb) | 1 mg/l | Nickel (as Ni) | 3 mg/l | Zinc (as Zn) | 15 mg/l | Arsenic (as As) | 0.2 mg/l | Mercury (as Hg) | 0.01 mg/l | Cadmium (as Cd) | 1 mg/l | Selenium (as Se) | 0.05 mg/l | Fluoride (as F) | 15 mg/l | Boron (as B) | 2 mg/l | COD | 15,000 mg/l | Not sent |
|--|---|--|---|-----------|--------------------|----------------|---|--------------------------------------|------------------------|-------------------|---|--|--------|---------------------------|---|-----------------|--|--|------------------------|--------------------------|---|----------------|--------|-------------------|---|----------------|---------------------------|--------------|-----------------------|-----------------|---|-----------------|------------------------|-----------------|--------|------------------|-----------|-----------------|---------|--------------|--------|-----|-------------|----------|
| Parameter | Limiting Standards | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pH | 5.5 - 9.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Temperature °C | 45.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total Dissolved Solids (Inorganic) | 5,000 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oil and Grease | 20 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Phenolic Compounds (as C ₆ H ₅ OH) | 5 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ammonical Nitrogen (as N) | 50 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyanide (as CN) | 2 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chromium Hexavalent (as Cr ⁶⁺) | 2 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chromium (total) (as Cr) | 2 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Copper (as Cu) | 3 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lead (as Pb) | 1 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nickel (as Ni) | 3 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Zinc (as Zn) | 15 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Arsenic (as As) | 0.2 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mercury (as Hg) | 0.01 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cadmium (as Cd) | 1 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Selenium (as Se) | 0.05 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fluoride (as F) | 15 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Boron (as B) | 2 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COD | 15,000 mg/l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | <p>The emissions shall not contain constituents in excess of the prescribed limits mentioned below.</p> <table border="1" data-bbox="352 734 911 1227"> <thead> <tr> <th>Chimney No.</th> <th>Description of Chimney</th> <th>Parameter</th> <th>Emission standards</th> </tr> </thead> <tbody> <tr> <td rowspan="2">1</td> <td rowspan="2">Attached to coal fired Boiler of capacity 8 TPH</td> <td>SPM</td> <td>115 mg/Nm³</td> </tr> <tr> <td>SO₂ *</td> <td>600 mg/Nm³ At 6% dry O₂, for solid fuel and 3% dry O₂ for liquid fuel</td> </tr> <tr> <td></td> <td></td> <td>NO_x *</td> <td>300 mg/Nm³ At 6% dry O₂, for solid fuel and 3% dry O₂ for liquid fuel</td> </tr> <tr> <td rowspan="2">2</td> <td rowspan="2">Attached to coal fired Boiler of capacity 6 TPH (Stand by)</td> <td>SPM</td> <td>115 mg/Nm³</td> </tr> <tr> <td>SO₂ *</td> <td>600 mg/Nm³ At 6% dry O₂, for solid fuel and 3% dry O₂ for liquid fuel</td> </tr> <tr> <td></td> <td></td> <td>NO_x *</td> <td>300 mg/Nm³ At 6% dry O₂, for solid fuel and 3% dry O₂ for liquid fuel</td> </tr> <tr> <td>3</td> <td>Attached to Process Vents</td> <td>HCl</td> <td>35 mg/Nm³</td> </tr> <tr> <td>4</td> <td>Attached to DG Sets of capacity 1 x 1500 kVA & 1x1000 kVA</td> <td>SPM</td> <td>115 mg/Nm³</td> </tr> </tbody> </table> <p>*As per MOEF&CC Notification No.GSR 96(E), dt. 29.01.2018 published under the Environment (Protection) Rules, 1986</p> | Chimney No. | Description of Chimney | Parameter | Emission standards | 1 | Attached to coal fired Boiler of capacity 8 TPH | SPM | 115 mg/Nm ³ | SO ₂ * | 600 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | NO _x * | 300 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | 2 | Attached to coal fired Boiler of capacity 6 TPH (Stand by) | SPM | 115 mg/Nm ³ | SO ₂ * | 600 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | NO _x * | 300 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | 3 | Attached to Process Vents | HCl | 35 mg/Nm ³ | 4 | Attached to DG Sets of capacity 1 x 1500 kVA & 1x1000 kVA | SPM | 115 mg/Nm ³ | -- | | | | | | | | | | |
| Chimney No. | Description of Chimney | Parameter | Emission standards | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Attached to coal fired Boiler of capacity 8 TPH | SPM | 115 mg/Nm ³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | SO ₂ * | 600 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | NO _x * | 300 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Attached to coal fired Boiler of capacity 6 TPH (Stand by) | SPM | 115 mg/Nm ³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | SO ₂ * | 600 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | NO _x * | 300 mg/Nm ³ At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Attached to Process Vents | HCl | 35 mg/Nm ³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Attached to DG Sets of capacity 1 x 1500 kVA & 1x1000 kVA | SPM | 115 mg/Nm ³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | <p>The industry shall not manufacture any un-consented products and exceeding capacities without obtaining prior Consent for Establishment (CFE) and Consent for Operation (CFO) of the Board.</p> | <p>As per the records of the industry from period May' 2022 to Jan' 2023, the industry has manufactured 7 consented products with production quantity of 1043 Kgs/day as against the consented capacity of 2499.9 Kgs/day.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | <p>The industry shall comply with emission limits for DG sets upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 under the Environment (Protection) Amendment Rules, 2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Second Amendment Rules, 2004. In case of DG sets more than 800 KW should comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.</p> | -- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | <p>The industry shall comply with ambient air quality standards of PM10(Particulate Matter size less than 10µm) - 100 µg/ m³; PM2.5(Particulate Matter size less than 2.5 µm) - 60 µg/ m³; SO₂ - 80 µg/ m³; NO_x - 80 µg/m³, outside the factory premises at the periphery of the industry.</p> | <p>As per 3rd party monitoring reports (Global Enviro Labs), the values of AAQM are meeting the Board standards.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|----|--|--|
| | Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009 Noise Levels: Day time - (6 AM to 10 PM) - 75 dB (A) Night time-(10 PM to 6 AM)-70 dB (A). | |
| 7 | The industry has paid CFO fee of Rs.3,60,000/- for a period up to 31.03.2023. The industry shall pay balance consent fee annually as per rates notified in G.O.Ms.No.22. The payment of annual consent fee shall be made at the concerned RO for every financial year (i.e., April to March) within the stipulated time period i.e., 1st quarter of every financial year (April to June) is mandatory for the industry / project, failing which, the validity of the Consent Order automatically stands cancelled and operation industry / project without valid consent attracts penal action under the provision of Water Act, Air Act & Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016. | -- |
| 8 | The industry either paying annual fee or total fee for Consented period, shall pay the balance fee as per the revised rates as applicable from time to time. | -- |
| 9 | The industry shall obey the outcome order of the Hon'ble NGT Order, New Delhi in OA No, 181 of 2020. | Directed to comply |
| 10 | The industry CFO & HWA Order dt: 17.02.2021 valid upto 31.07.2025 stands cancelled. | Complied |
| 11 | The industry shall segregate effluents into LTDS & HTDS effluents separately. | Complied |
| 12 | The industry shall regularly operate the ZLD system to treat the effluent and 100% recycle of treated effluent. | The industry is having effluents treatment system consisting of Stripper (50 KLD), MEE - 3 effect (50 KLD), ATFD (7.5 KLD), Biological ETP - 50 KLD (consisting aeration tank & RO plant - 50 KLD. |
| 13 | The industry is permitted to send HTDS effluents to the MEE system of M/s. JETL, Jeedimetla for a period of maximum 15 days in a calendar year i.e. during maintenance, break down of Stripper, MEE & ATFD system and shall maintain records. | -- |
| 14 | The industry shall maintain digital flow meters with totalisers (RS-485 communication) for recording the quantity of HTDS effluents, LTDS effluent & RO permeate and also maintain daily records. They shall connect the flow totaliser data to TSPCB & CPCB servers as per CPCB protocol. | The industry has provided IP camera along with digital flow meters at HTDS effluents, LTDS effluents & RO permeate and connected to TSPCB server. |
| 15 | The industry shall maintain IP camera with PAN, 5x or above focal length with night vision capability at the entrance of the main gate with a backup data for a period of 6 months. | The industry has provided IP camera at Main gate entrance area and connected to TSPCB server |
| 16 | The industry shall maintain vent condensers for chemical / solvent storage tanks to control fugitive emissions. | The industry has provided nitrogen blanketing to bulk solvent storage tanks. |

| | | |
|----|---|---|
| 17 | The industry shall maintain separate water meters for recording water consumption for process, boiler feed, cooling and domestic purposes and also maintain daily records. | The industry has provided water meters at process, boiler feed and cooling tower. |
| 18 | The industry shall operate multi stage scrubber along with online pH monitoring system for control of process emissions. They shall maintain log book for operation of scrubber for monitoring active scrubbing media. | The industry has 5 Nos of Two stage scrubbers with online pH meters for control of process emissions. |
| 19 | The industry shall monitor VOCs in ambient air with online VOC analyzer & connect the data to TSPCB server. | The industry has provided VOC analyzer and connected to TSPCB server. |
| 20 | The industry shall maintain elevated platform with leachate/spillages collection pit to store drums containing chemicals & wastes to control spillages / discharges of chemicals / effluents on ground. | Complied |
| 21 | The industry shall maintain IP camera with PAN, TILT Zoom, 5x or above focal length, with night vision capability at effluent collection system (HTDS & LTDS) and RO permeate as per CPCB norms. They shall connect the data to CPCB & TSPCB server. | The industry has provided IP camera along with digital flow meters at HTDS effluents, LTDS effluents & RO permeate and connected to TSPCB server. |
| 22 | The industry shall install on line TDS meter for HTDS effluent generation and connect the same to TSPCB server within two months. They shall maintain the records for effluent generation, TDS values, salts generation on daily basis. | The industry has provided the TDS meter and connected to TSPCB server. |
| 23 | The industry shall develop greenbelt as per norms. | The industry has greenbelt in an area of about 4 acres. |
| 24 | The industry shall submit Bank Guarantee of Rs. 2 lakhs towards commitment to comply with Board conditions / directions at RO, Nalgonda. The Bank Guarantee amount will be forfeited, if the industry fails to comply with standards / conditions / directions of the Board. | The industry has submitted fresh BG of Rs.4 Lakhs dated 04.02.2022 with validity period upto 03.02.2023. |
| 25 | The evaporation losses in solvents shall be controlled by taking all preventive measures such as circulation of Chilled brine, transfer of solvents by using pumps instead of manual handling, closed centrifuges, providing primary & secondary condensers to all the reactor vents and all the solvent storage tanks and keeping solvent storage in ground storage tanks with closed pipeline to Reactors. The industry shall operate Solvent Recovery Plant within plant premises. Solvents shall be recovered to the maximum extent possible and shall be reused. The industry shall submit status of efficiency of Solvent Recovery Plant to the concerned Regional Officer. The industry shall not dispose spent solvents / mixed spent solvents to the traders/ recyclers. | The industry has provided nitrogen blanketing to bulk solvent storage tanks. |
| 26 | The industry shall provide adequate closed storage facilities above the ground with proper lining for storage of effluents before its treatment. | The industry has provided storage tanks of capacity 2X180 KL for storage of HTDS effluents and 3X25 KL for storage of LTDS effluents. |
| 27 | The industry shall not use effluents in cooling towers under any circumstances. | Earlier on 08.12.2022, the Board Officials collected |

| | | |
|----|--|---|
| | | samples from Cooling towers. The details are mentioned below. |
| 28 | The industry shall not discharge any effluents on land within or outside the plant premises. | During inspection, no discharges were observed. |
| 29 | The industry shall provide storm water drains to avoid mixing of effluent/spillages with run-off water during rains. | The industry has provided collection tank of capacity 100 KL for collecting first runoff off rain water. |
| 30 | The industry shall provide sufficient storage collection tank to ensure the collection of first run off rain water. The industry shall collect contaminated rain water and shall dispose the same to the CETP, after confirming to the influent standards of CETP duly maintaining separate records. | Complied |
| 31 | The industry shall provide arrangement to bypass the rain water collection tank of first run off rain water for subsequent water flow. | Complied |
| 32 | The industry shall provide hood with extraction system to the HTDS collection tanks connected to the scrubbers to control odour. | Not complied During inspection, odour was observed near collection tanks. |
| 33 | The industry shall take measures to prevent the seepages such as cement concrete flooring with proper collection system to collect contaminants / spillages in the relevant areas in the industry premises and avoid seepages outside the industry premises. | Complied |
| 34 | The industry shall maintain separate energy meters for recording energy consumption for air pollution control equipments and maintain record for daily energy consumption. | Complied |
| 35 | The industry shall provide Stack Monitoring facility as per Emission Regulation part-3 (ERP-3) norms for all the major stacks of the industry within a period of two months. | Complied |
| 36 | The industry shall ensure that the Port hole and ladder facility for the Stacks is safe to carry out Stack monitoring. In place of monkey ladder, spiral type/scaffold ladder shall be provided to ensure safety of monitoring personnel within a period of two months. | Complied |
| 37 | The industry shall implement the odour control measures at source of generation and from ETP and shall ensure to maintain the same effectively to control odour problems. | The industry has 5 Nos of Two stage scrubbers with online pH meters for control of process emissions. The industry has also having one single stage scrubber for MEE system. |
| 38 | The industry shall ensure that there shall not be any change in process technology and scope of working without prior approval from the Board. | Complied |
| 39 | The industry shall maintain records on source of starting raw material / Intermediates for each product-wise and the consolidated records shall be submitted to the concerned R.O., every month along with invoice copies of the starting raw materials outsourced. | Not Complied |
| 40 | The industry shall ensure safe storage of the Bi-products / low value products on an elevated platform with closed cover sheds & shall adopt suitable treatment. The industry shall also maintain daily records for By- | Directed to comply |

| | | |
|----|--|--------------------|
| | Products and its disposal. | |
| 41 | (a) The industry shall maintain the following records and the same shall be made available to the Board Officials during the inspection. Daily production details (Products & By-products) Quantity of Effluents generated & reused. Log Books for pollution control systems. Daily solid waste generated and disposed (b) The industry shall submit consolidated statement of the above on monthly basis to the Concerned Regional Office. | -- |
| 42 | The industry shall collect & store the Hazardous Solid waste in an elevated closed storage shed with impervious lining and Leachate collection system. | Complied |
| 43 | Under no circumstances the Hazardous Waste shall be burnt in the boiler. | Complied |
| 44 | The industry shall maintain concreted internal roads by cleaning regularly to avoid fugitive emissions due to vehicular movement. | Complied |
| 45 | As per G.O.Rt.No.286, the industry shall transport the industrial effluents and plying on the roads is allowed between 6 A.M. to 6 P.M. only. | Directed to comply |
| 46 | The industry shall comply with Task Force directions issued by the Board from time to time. | -- |
| 47 | The applicant shall submit Environment statement in Form V to the Regional office before 30th September of every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof. | Submitting |
| 48 | The conditions stipulated in this order are without any prejudice to rights and contentions of this Board in any Hon'ble court of Law. | -- |

Compliance of Task Force directions stipulated in the Order dated 30.09.2022.

| Water: | | |
|--------|--|---|
| S. No | Direction | Compliance |
| 1 | The Industry shall comply with CFO&HWA conditions issued by the Board scrupulously. | Submitted above |
| 2 | The industry shall not manufacture any new products / un-consented products without CFE & CFO of the Board. | As per the records of the industry from period May' 2022 to Jan' 2023, the industry has manufactured 7 consented products with production quantity of 1043 Kgs/day as against the consented capacity of 2499.9 Kgs/day. |
| 3 | The industry shall restrict the quantities of production, products, water consumptions including the recycled water, waste water generation & disposal, hazardous waste generation & disposal etc., within the permitted quantities as mentioned in the CFO&HWA order and shall maintain the records separately. | Complied |

| | | |
|----|---|--|
| 4 | The industry shall continue to segregate the effluents into HTDS and LTDS. The HTDS effluents shall be treated in stripper, MEE and ATFD. The MEE condensate & LTDS effluents shall be treated in Biological ETP followed RO system and treated effluents shall be reused in the plant. The RO rejects shall be sent to MEE for forced evaporation. | The industry is having effluents treatment system consisting of Stripper (50 KLD), MEE - 3 effect (50 KLD), ATFD (7.5 KLD), Biological ETP - 50 KLD (consisting aeration tank & RO plant - 50 KLD. |
| 5 | The HTDS effluents shall be treated in stripper, MEE and ATFD. The MEE condensate & LTDS effluents shall be treated in RO system and treated effluents shall be reused in the plant. The RO rejects shall be sent to MEE for forced evaporation. | |
| 6 | The industry shall continuously operate ZLD system so as to treat all the effluent and shall reuse all the treated effluent for plant needs and shall maintain the records. | Complied |
| 7 | The industry shall arrest Gland & seal leakages from motor pumps at HTDS & LTDS Effluent tanks, at MEE area and regularly maintain the same which may be the source of odour. | Complied |
| 8 | The industry shall not use any flexible pipelines within the premises for transfer of effluents / wastewater, All the effluent conveying pipe lines shall be fixed. There shall not be any discharge / spillages of effluent within or outside the premises. | Complied |
| 9 | The industry shall store drums containing raw material / in process goods / MLs / spent solvents / wastes etc., on the concrete platform under covered shed with dyke walls & proper leachate collection system and the industry shall not store drums openly on ground. | Complied |
| 10 | The Industry shall ensure that there shall not be any spillages / discharges of chemicals / effluents on ground. The drums containing chemicals & wastes shall be stored on elevated platform provided with leachate / spillages collection pit. In no case the drums shall be stored on open ground. | During inspection, no discharges were observed. |
| 11 | The industry shall collect & store the hazardous waste in an elevated closed shed with impervious lining and leachate collection system and shall dispose the Hazardous Waste regularly in accordance with the CFO&HW order and shall not store beyond 90 days. | Complied |
| 12 | The industry shall maintain good housekeeping within the plant premises. | Maintained |
| 13 | The industry shall revalidate the Bank Guarantee submitted to the Board from time to time before its expiry, till further orders of the Board. | Not complied. The industry has submitted fresh BG of Rs.4 Lakhs dated 04.02.2022 with validity period upto 03.02.2023. |

AIR:

| Sl. No | Direction | Compliance |
|--------|--|---|
| 1 | The industry shall provide dome with suction hood followed by scrubber to the High TDS effluent collection tanks to control the odour. | Not complied |
| 2 | The industry shall continuously operate multi stage scrubbers with online pH monitoring system to control process emissions from all production blocks and to prevent odour nuisance problems and maintain the log records separately for each scrubber duly showing the hours of operation, maintenance takenup, quantity of scrubber liquid used, maintain of pH levels etc. | The industry has 5 Nos of Two stage scrubbers with online pH meters for control of process emissions. |
| 3 | The industry shall provide / maintain the vent condensers for all the solvent storage / chemical storage tanks to control the fugitive emissions. | The industry has provided nitrogen blanketing to bulk solvent storage tanks. |
| 4 | The industry shall provide odour suppressant mist spray / sprinkle "PIION" liquid at ZLD facility area. | Not provided |
| 5 | The industry shall Solvents shall be recovered to the maximum extent possible and shall be reused. The Spent Solvents, which cannot be reused in the plant, shall be disposed to the End Users/ Authorized Cement manufacturing units for Co-processing / AFRF facilities of M/s. GEPIL Infrastructure Pvt. Ltd., Rakamcherla, Pudur (M), Rangareddy Dist (or) M/s. TSDF, Dundigal for pre-processing to be sent to Cement units for Co-processing / TSDF Dundigal for incineration. The industry shall not dispose Spent Solvents / Mixed Spent Solvents to the traders/ recyclers. | The industry has solvent recovery column of 3X20 KLD capacity for recovery and reuse of Spent/Mixed solvents. |
| 6 | The industry shall install sub cooler condensers system followed by activated charcoal bed so as to arrest the VOCs from the scrubber attached to ATFD within a month. | Not complied |
| 7 | The industry shall install the sub cooler condensers system followed by activated charcoal bed to the vents of scrubbing systems so as to arrest the VOCs within a month. | Not complied |
| 8 | The industry shall carryout Leak Detection and Repair Study (LDAR) to assess the solvent losses and based on the study, the industry shall take necessary steps to arrest the solvent losses and reduce VOCs in the premises. | The industry has conducted Leak Detection and Repair Study in the Month of December'2021. |

0. Earlier, the Board Officials collected following samples on 08.12.2023 to assess the performance of the ETP, MEE system and quality of water in cooling towers and submitted to ZL for analysis:

| Sample Code | Sampling location Description |
|--------------|-------------------------------|
| 2022 - 12175 | Raw Effluent of LTDS |
| 12176 | Aeration Tank |
| 12177 | RO Feed |
| 12178 | RO Permeate |

| | |
|-------|---|
| 12179 | RO Reject |
| 12180 | Raw Effluent of HTDS Aeration Tank |
| 12181 | MEE Feed |
| 12182 | MEE Condensate |
| 12183 | MEE Concentrate |
| 12184 | Cooling Tower attached to Solvent Recovery System |
| 12185 | Cooling Tower attached to Production block A. |
| 12186 | Cooling Tower attached to MEE. |

| Parameters | pH | TSS | TDS | COD | BOD | Oil & Grease |
|----------------------------|---------------|--------|--------|--------|--------|--------------|
| Method No*/ Sample Code | 4500-H*- B | 2540-D | 2540-C | 5220-B | 5210-B | 5520- B,D |
| 2022 - 12175 | 6.81 | 120 | 1520 | 3258 | -- | -- |
| 12176 | 7.82 | 82 | 1590 | 622 | -- | -- |
| 12177 | 7.59 | 73 | 1572 | 846 | -- | -- |
| 12178 | 6.93 | <5 | 82 | 31 | -- | -- |
| 12179 | 8.13 | 52 | 1100 | 649 | -- | -- |
| 12180 | 8.22 | 530 | 44800 | 57451 | -- | -- |
| 12181 | 8.24 | 520 | 38500 | 58632 | -- | -- |
| 12182 | 8.60 | 42 | 1006 | 5627 | -- | -- |
| 12183 | 8.07 | 2702 | 78040 | 28017 | -- | -- |
| 12184 | 7.75 | 32 | 670 | 177 | 18 | BDL |
| 12185 | 7.14 | 12 | 248 | 35 | 4 | BDL |
| 12186 | 7.89 | 43 | 902 | 161 | 15 | BDL |

Note: All result are expressed in mg/L, except pH.

*Standard methods for the examination of water & waste water APHA – 23rd edition.

21. **WHEREAS**, vide reference 19th cited, you were given an opportunity of hearing before the Task Force Committee meeting held on 17.02.2023. The industry representative attended the meeting. After detailed discussion, duly considering the directions of the Hon'ble NGT Order dated:17.01.2023. The Committee recommended to Levying of Environmental Compensation, Crop Compensation and issue certain directions to the industry for non-compliance of the consent conditions and Board directions.
22. **WHEREAS**, vide reference 20th cited, you have submitted a letter on the compliance status on non-compliance observed during the meeting.
23. **WHEREAS**, after careful consideration of the material facts of the case, **the Board is hereby issues the following directions to the industry:**
 1. The industry shall comply with the directions issued vide order dated:30.09.2022.
 2. The industry shall comply with all the CFO & HWA conditions.
 3. The industry shall provide hood with extraction system to the HTDS effluent storage tanks followed by scrubber to control the odour nuisance within one month.
 4. The industry shall maintain records on source of starting raw material / Intermediates for each product-wise and the consolidated records shall submit to the RO-Nalgonda., every month along with invoice copies of the starting raw materials outsourced.
 5. The industry shall provide odour suppressant mist spray / sprinkle "PIION" liquid at effluent treatment area to control VOCs within one month.
 6. The industry shall install the online monitoring system to stack connected to boilers.
 7. The industry shall provide provision of HCl monitoring including online monitoring in the process vent.

8. The industry shall carryout assessment study by NEERI / IICT on adequacy to achieve ZLD system, VOC emissions and efficiency of solvent recovery system in and around the industry as recommendation of the Joint Committee, constituted by Hon'ble NGT.
9. The industry shall carryout a detailed study on ground water contamination in and around the industry with National Geophysical Research Institution, Hyderabad as recommendation of the Joint Committee, constituted by Hon'ble NGT.
10. The industry shall revalidate the Bank Guarantee before its expiry till further orders from the Board.
24. **WHEREAS**, the Task Force Committee has recommended to levy the Environmental Compensation (EC) of Rs.1,19,70, 000/- as per the Joint Committee recommendations, you are hereby directed to deposit an amount of Rs.1,19,70,000/- (Rupees One Crore Ninteen Lakhs Seventy Thousand Only) towards Environmental Compensation within 15 days. The amount shall be deposited by way of D.D drawn in favour of "Member Secretary, T.S Pollution Control Board" payable at Hyderabad.
25. These directions are issued under Sec.33 (A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under Sec. 31 (A) of Air (Prevention and Control of Pollution) Amendment Act, 1987.
26. The above mentioned directives shall comply by the industry immediately, failing which legal action will be initiated against your industry under Section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under Section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987 directing closure of the industry in the interest of Public Health and Environment, without further notice.

Sd/-
MEMBER SECRETARY

To
M/s. Hindys Lab Private Ltd.,
(Formerly M/s. Hychem Laboratories),
Sy.No.290 & 291, Veliminedu (V),
Chityal (M), Nalgonda District.

Copy to:

1. The JCEE, Z.O, R.C. Puram for information and necessary action.
2. The Environmental Engineer, Regional Office, Nalgonda for information and necessary action.
3. Concerned file.

// T.C.F.B.O //

Prasanna
8
SENIOR ENVIRONMENTAL ENGINEER
(TF, UH-IV)

Hindys Lab Private Limited

Reg. Off. & Factory : Sy No: 290 & 291,

Veliminedu Village, Chityal (Mandal),

Nalgonda (Dist.) Telangana State, India-508114.

E-mail: info@hindyslab.com Phone : 9989749336

GSTIN : 36AABCH9256P1ZW

CIN : U24100TG2007PTC055636

To
The Member Secretary,
Telangana Pollution Control Board,
Paryavaran Bhavan, A-3 Industrial Estates,
Sanathnagar,
Hyderabad - 500018,

Date: 02/08/2024



Respected Sir,

Sub: Submission of balance payment of environmental compensation (50%) req.-Reg.

Ref: 1) NLG-85/TSPCB/TF/HO/2024-1790, Dated: 05.03.2024

2) NLG-205/TSPCB/TF/HO/2024-1791, Dated: 05.03.2024

3) Task Force technical committee meeting held on dated: 02.08.2024

With reference to the above-mentioned subject, we are herewith submitting balance payment of environmental compensation (50%) details as follows.

| S.No | BANK REF NO & DATE | TRANSACTION REF NO | AMOUNT IN RS. |
|------|--------------------------------------|------------------------|---------------|
| 01 | BT24080284130108 Date: 02/08/2024 | FDRLR52024080233367847 | 5,980,000.00 |

Further, we wish to inform you that, we have paid totally 100% of Environmental Compensation against Hon'ble NGT case O.A.No.238 of 2021.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully,

M/s. HINDYS LAB PRIVATE LIMITED

V.JAGADEESWAR

DEPUTY GENERAL MANAGER – CORP. EHS.

CC to: To the Environmental Engineer, TSPCB, Regional Office, Nalgonda Dist.

17



Payment Advice

Advice Sending Date : 02-08-2024

Transaction Ref No : FDRLR52024080233367847

| | | |
|---------------------------------|---|------------------------------------|
| Transaction Initiated By | : | HINDYS LAB PRIVATE LIMITED |
| Transaction Type | : | RTGS |
| Beneficiary Name | : | TELANGANA STATE POLLUTION BOARD |
| Beneficiary Bank IFSC | : | SBIN0021452 |
| Beneficiary's Account | : | 39271613872 |
| Payment Process Date | : | 02-08-2024 |
| Remittance Amount | : | INR 5,980,000.00 |
| Bank Ref No | : | BT24080284130108 |
| Customer reference: | : | Bills |

(This is a computer generated intimation letter which need not normally be signed)

Hindys lab

Hindys Lab Private Limited

Reg. Off. & Factory : Sy No: 290 & 291,

Velliminedu Village, Chityal (Mandal),

Nalgonda (Dist.) Telangana State, India-508114.

E-mail : Info@hindyslab.com Phone : 9989749336

GSTIN : 36AABCH9256P1ZW

CIN : U24100TG2007PTC055636

Date: 02-02-2024

To

The District Collector,
Nalgonda District.

Respected Sir,

Sub: Payment of Crop Compensation – Request – Reg.

- Ref: 1. Letter No. C2/7037/2022 Dated: 05/07/2023 received on 10/07/2023 for payment of crop Compensation Rs.22, 72,000/- (Rupees Twenty Two lakhs seventy two thousand only)
2. Report of the Joint Committee in OA NO. 238 of 2121(SZ) (earlier OA NO.181 of 2020 (PB) in the matter of Chepuri Ramachandraiah Vs State of Telangana submitted to Hon'ble NGT, South Zone, Chennai.
3. Environmental Engineer, TS Pollution Control Board, Regional Office, Nalgonda Lr.No.RCP-10/TSPCB/TF/BO/2023-2145 Dated: 23/03/2023.
4. Our letter submission dated 29/03/2023.
5. Environmental Engineer, TS Pollution Control Board, Regional Office, Nalgonda Lr.No.72001/PCB/RO-NLG/2021-1358 Dated: 19/05/2023.

With reference to the above mentioned subject, we bring to your kind notice that, we have submitted point wise objections and a detailed response before the Hon'ble National Green Tribunal, South Zone, and Chennai.

We wish to inform you that The Joint Committee was calculated Environmental Compensation estimated base on the pollution index method developed by CPCB policy guidelines norms and the board of TSPCB issued notices on 23rd March 2023 to pay Environmental Crop Compensation for Rs.22, 72,000/- (Rupees Twenty Two lakhs seventy two thousand only).

We are enclosing the Cheque in the Favour of Mr. "Shepuri Ramachandraiah" Rs.22, 72,000/- (Rupees Twenty Two lakhs seventy two thousand only), Cheque Number –"073852" 500002352: 000927"29. (20076-Sanath Nagar, Hyderabad, 72 c 47 A, Sanath Nagar Industrial estate Rangareddy Dist. 500018.)


Thanking you

Yours faithfully

For HINDYS LAB PRIVATE LIMITED

AUTHORIZED SIGNATORY

C.C. to E.E, TSPCB, Nalgonda



भारतीय स्टेट बैंक
State Bank Of India

(20076) - SANATHNAGAR, HYDERABAD
72 C 47 A, SANATHNAGAR INDUSTRIAL ESTATE
RANGA REDDY DIST 500018
Tel: 40-23701727 Fax: 23704164 IFS Code : SBIN0020076

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY
01 02 20 24
D D M M Y Y Y Y

PAY *SHEPURI* *RAMACHANDRAIAH* को/का उनके आदेश पर OR ORDER

रुपये RUPEES *Twenty Two Lakhs Seventy*

Two Thousand Only अदा करें ₹ 22,72,000=00

आ. सं. A/c No. 62391659072

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CURRENT A/C
PREFIX: 2109100012

HINDYS LAB PRIVATE LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈073852⑈ 500002352⑈ 000927⑈ 29