

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL SOUTHERN ZONE BENCH
AT CHENNAI**

OA No 114 OF 2023

IN THE MATTER OF:

BACHU NAGA VENKATESWARA RAO & ORS.

..... Applicant

Vs

STATE OF ANDHRA PRADESH AND OTHERS

..... Respondents

STATUS REPORT FILED BY APPCB 1st RESPONDENT

DATE- 03.08.2024



**M/s MADHURI DONTI REDDY
ADVOCATE**

STANDING COUNSEL FOR GOVERNMENT OF ANDHRA PRADESH

A.P. POLLUTION CONTROL BOARD

#26, S2, Royal Castle, Gill Nagar Extension, Choolaimedu, Chennai – 600 094.

Mobile: 98407 98460 / 63831 21322,

Email: reddymadhuri09@gmail.com

BEFORE THE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI

Original application No.114 of 2023(SZ)

Bachu Naga Venkateswara Rao & Ors

Applicant

Versus

State of Andhra Pradesh

Respondent

INDEX

Sl. No	Particulars	Page No.
1	Status report	1-2
2	Annexure-I (Analysis reports)	3-12
3	Annexure-II (Hon'ble NGT Order dt. 17.05.2024.)	13-14

Place: Eluru

Dt: 02.08.2024


Environmental Engineer, APPCB,

Regional Office, Eluru
ENVIRONMENTAL ENGINEER
ANDHRA PRADESH POLLUTION CONTROL BOARD
REGIONAL OFFICE, ELURU.

Further report of the A.P. Pollution Control Board in compliance with the Hon'ble NGT, Chennai order dt. 17.05.2024 in O.A. No. 114 of 2023 (SZ) filed by Mr. Bachu Naga Venkateswara Rao & Ors., Eluru, Andhra Pradesh.

The Original Application (O.A.) No.317 of 2022(PB) has been registered in the Hon'ble National Green Tribunal (NGT), New Delhi based on email sent by Mr. Bachu Naga Venkateswara Rao & Ors. Eluru, Andhra Pradesh in the matter of running Municipal Slaughter house at 10th Division, Madepalli Road, Eluru.

The Hon'ble NGT (PB) in its Order dt.10.05.2022 constituted a Joint Committee with the State PCB as the Nodal agency for coordination and compliance. The report dt.29.07.2022 of the joint committee was filed before the Hon'ble Tribunal, New Delhi. Subsequently, status reports dt. 31.10.2022 and 27.04.2022 were filed by the Andhra Pollution Control Board (APPCB).

The Hon'ble NGT (PB) heard the matter on 11.07.2023 and transferred the matter to Southern Zone Bench, Chennai. The Hon'ble NGT, Chennai in the order dt. 22.08.2023 renumbered the matter as OA .No.114 of 2023(SZ) and directed the authorities to file updated report. Accordingly, APPCB filed status report on 22.09.2023.


In this regard, It is to submit that the EE, RO: Eluru, APPCB collected ETP samples of Municipal Slaughter House Eluru periodically and analyzed at APPCB zonal laboratory Visakhapatnam.

The analysis results are as follows:

S.No	Parameter	ETP Samples		Sample collection Date	ETP Standards as per APPCB Consent	Outlet
		Inlet	Outlet			
1	pH	7.55	7.81	31.08.2023	5.5 - 9.0	
2	Total Suspended Solids (TSS)	280	29		100.0 mg /l	
3	Total Dissolved Solids (TDS)	2180	1872		2100 mg /l	
4	Chemical Oxygen Demand (COD)	536	88		250.0 mg /l	
5	Bio-Chemical Oxygen Demand (BOD)	215	21		100.0 mg /l	

Meeting the standards of all parameters.

S.No	Parameter	ETP Samples		Sample collection Date	ETP Standards as per APPCB Consent	Outlet
		Inlet	Outlet			
1	pH	6.65	7.44	15.09.2023	5.5 - 9.0	
2	Total Suspended Solids (TSS)	217	38		100.0 mg /l	
3	Total Dissolved Solids (TDS)	3313	2269		2100 mg /l	
4	Chemical Oxygen Demand (COD)	2540	206		250.0 mg /l	
5	Bio-Chemical Oxygen Demand (BOD)	1230	72		100.0 mg /l	


 ENVIRONMENTAL ENGINEER
 ANDHRA PRADESH POLLUTION CONTROL BOARD
 REGIONAL OFFICE, ELURU.

Meeting the standards except TDS parameter.

S.No	Parameter	ETP Samples		Sample collection Date	ETP Standards as per APPCB Consent	Outlet
		Inlet	Outlet			
1	pH	7.05	7.52	07.12.2023	5.5 - 9.0	
2	Total Suspended Solids (TSS)	2100	23		100.0 mg /l	
3	Total Dissolved Solids (TDS)	3840	2916		2100 mg /l	
4	Chemical Oxygen Demand (COD)	4960	84		250.0 mg /l	
5	Bio-Chemical Oxygen Demand (BOD)	1850	20		100.0 mg /l	

Meeting the standards except TDS parameter.

S.No	Parameter	ETP Samples		Sample collection Date	ETP Standards as per APPCB Consent	Outlet
		Inlet	Outlet			
1	pH	6.94	7.26	16.05.2024	5.5 - 9.0	
2	Total Suspended Solids (TSS)	410	128		100.0 mg /l	
3	Total Dissolved Solids (TDS)	1876	1464		2100 mg /l	
4	Chemical Oxygen Demand (COD)	1560	296		250.0 mg /l	
5	Bio-Chemical Oxygen Demand (BOD)	630	108		100.0 mg /l	

Meeting the standards except COD & BOD parameters.

Also collected groundwater samples within slaughterhouse premises. The ground water analysis reports are enclosed.

It is further submitted that the slaughterhouse is operating with valid consent with validity up to 31.03.2025 and paid Environmental Compensation of Rs.2,04,000/- as levied.

This report is submitted for kind consideration. The APPCB will abide by all such directions as the Hon'ble Tribunal may deem fit and appropriate.

Place : Eluru

Dt. 03.07.2024


 Environmental Engineer, APPCB
 Regional Office, Eluru.
 ENVIRONMENTAL ENGINEER
 ANDHRA PRADESH POLLUTION CONTROL BOARD
 REGIONAL OFFICE, ELURU.

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY :: VISAKHAPATNAM
39-33-20/4/1, Madhavadhara VUDA Colony,
Visakhapatnam - 530018. Ph : 0891 - 2719380/481



Report No: VSP202309045 & 046

Date: 07th day of September, 2023**ANALYSIS REPORT**

Sample No. : VSP202309045 & 046
Sample Location/Address : M/s Slaughter House by Eluru Municipality,
R.S.No.1767/3, 10th Division, Madepalli Road,
Eluru, West Godavari District.
Sample Source : 045: ETP Inlet
046: ETP Outlet
Sample collected on : 31.08.2023
Sample received on : 01.09.2023
Sample collected by : Environmental Engineer, Regional Office, Eluru
Report issued on : 07.09.2023

It is to certify that the aforementioned samples were analyzed from 01.09.2023 to 07.09.2023 and declared the analysis results are as follows:

S. No.	Parameter	Sample codes & Analysis Results		Test Method
		VSP2023 09045	VSP2023 09046	
1.	pH @ 25°C	7.55	7.81	APHA (24 th Edition, 2023) 4500-H+B: Page No. 473 to 478.
2.	Total Suspended solids (TSS)	280	29	APHA (24 th Edition, 2023) 2540- D: Page No. 146 & 147
3.	Total Dissolved Solids (TDS)	2180	1872	APHA (24 th Edition, 2023) 2540- C: Page No 145
4.	Chemical Oxygen Demand (COD)	536	88	APHA (24 th Edition, 2023) 5220- B: Page No. 544 & 545.
5.	Biochemical Oxygen Demand (BOD) 3 days @ 27°C	215	21	IS 3025 (Part 44): 1993 (Reaffirmed 2014)

Note: -1. All values are expressed in mg/L except pH
2. Results are related to sample as received and tested

Authorized Signatory

M. Ravi
STATE BOARD ANALYST
(M. RAVI)

Senior Environmental Scientist
Zonal Laboratory, Visakhapatnam.

"END OF THE REPORT"

Page 1 of 1

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
 ZONAL LABORATORY :: VISAKHAPATNAM
 39-33-20/4/1, Madhavadhara VUDA Colony,
 Visakhapatnam - 530018. Ph : 0891 - 2719380/481



Report No: VSP202309047

Date: 07th day of September, 2023**ANALYSIS REPORT**

Sample No. : VSP202309047
 Sample location/Address : M/s Slaughter House by Eluru Municipality,
 R.S.No.1767/3, 10th Division, Madepalli Road,
 Eluru, West Godavari District.
 Sample Source : 047: Bore well
 Sample collected on : 31.08.2023
 Sample received on : 01.09.2023
 Sample collected by : Environmental Engineer, Regional Office, Eluru
 Report issued on : 07.09.2023

It is to certify that the aforementioned samples were analyzed from 01.09.2023 to 07.09.2023 and declared the analysis results are as follows:

S. No.	Parameter	Sample code & Analysis Results	Test Method
		VSP2023 09047	
1.	pH	7.94	APHA (24th Edition, 2023) 4500- H+ B: Page No.473 to 478.
2.	Electrical Conductivity (as $\mu\text{S}/\text{cm}$)	2780	APHA (24th Edition, 2023) 2510- B: Page No.134 & 135.
3.	Total Dissolved Solids (TDS)	1860	APHA (24th Edition, 2023) 2540- C: Page No 145
4.	Total Alkalinity (as CaCO_3)	588	APHA (24th Edition, 2023) 2320- B: Page No. 112 to 114.
5.	Total Hardness (as CaCO_3)	380	APHA (24th Edition, 2023) 2340- C: Page No. 124 to 126.
6.	Chloride (as Cl)	440	APHA (24th Edition, 2023) 4500- Cl- B: Page No.340 & 341.
7.	Calcium Hardness(as CaCO_3)	196	APHA (24th Edition, 2023) 3500- Ca-B: Page No.254 & 255
8.	Magnesium Hardness(as CaCO_3)	184	APHA (24th Edition, 2023) 3500-Mg-B, Page No.274
9.	Nitrate (as NO_3)	87.8	APHA (24th Edition, 2023) 4500- NO_3 - B: Page No. 434 & 435
10.	Nitrite Nitrogen (as $\text{NO}_2\text{-N}$)	0.02	APHA (24th Edition, 2023) 4500- NO_2 - B: Page No. 449 to 451.
11.	Ammonical Nitrogen (as $\text{NH}_3\text{-N}$)	BDL	APHA (24th Edition, 2023) 4500- NH_3 - F: Page No. 429 to 430.



ANDHRA PRADESH POLLUTION CONTROL BOARD
 ZONAL LABORATORY :: VISAKHAPATNAM
 39-33-20/4/1, Madhavadhara VUDA Colony,
 Visakhapatnam - 530018. Ph : 0891 - 2719380/481



S. No.	Parameter	Sample code & Analysis Results	Test Method
		VSP2023 09047	
12.	Ortho Phosphate (as PO ₄ ³⁻)	0.01	APHA (24th Edition, 2023) 4500- P D: Page No. 485 & 486
13.	Sulphate (as SO ₄ ²⁻)	104.8	APHA (24th Edition, 2023) 4500- SO42- E: Page No. 505 & 506
14.	Fluoride (as F)	1.22	APHA (24th Edition, 2023) 4500-F- B&D: Page No. 397 to 401
15.	Chromium (as Cr)	<0.001	APHA (24th Edition, 2023) 3125 - B: Page No. 233 to 242.
16.	Manganese (as Mn)	<0.001	
17.	Iron (as Fe)	0.046	
18.	Nickel (as Ni)	<0.001	
19.	Copper (as Cu)	<0.001	
20.	Zinc (as Zn)	<0.001	
21.	Arsenic (as As)	<0.001	
22.	Cadmium (as Cd)	<0.001	
23.	Lead (as Pb)	<0.001	

- Note: -1. All values are expressed in mg/L except pH
 2. BDL: Below Detectable Limit
 3. Results are related to sample as received and tested

Authorized Signatory

M. Ravi
 STATE BOARD ANALYST
 (M. RAVI)

Senior Environmental Scientist,
 Zonal Laboratory, Visakhapatnam.

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY, VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers' Colony,
Gurunanak Road, Vijayawada-520008

M. SREE RANJANI, M.Sc.,
Senior Environmental Scientist

E-Mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

Water & Waste Water Test Report

Report No	2309E008	Report Date	23.09.2023
Sample code	Y23-09-E-120 & 121	Test Completion Date	23.09.2023
Sample Collected date	15.09.2023	Sample Received Date	16.09.2023
Sample Collected by	EE, RO – Eluru (NGT).		
Name & Address of the Customer	Environmental Engineer, RO – Eluru.		
Sample Reference	M/s. Slaughter House by Eluru Minicipality, R.S.No. 1767/3, 10 th Division, Madepalli Road, Eluru, Eluru District.		
Description of Sample	E-120 – ETP Inlet. E-121 – ETP Outlet.		

S.No	Parameter (s) / Name of Test	Test Method	Units	Result	
				E-120	E-121
1	pH	APHA (23rd Edition : 2017) 4500-H-B	----	6.65	7.44
2	Total Suspended Solids at 105°C	APHA (23rd Edition : 2017) 2540-D	mg/L	217	38
3	Total Dissolved Solids at 180°C	APHA (23rd Edition : 2017) 2540-C	mg/L	3313	2269
4	Chemical Oxygen Demand	APHA (23rd Edition : 2017) 5220-B	mg/L	2540	206
5	Bio-Chemical Oxygen Demand at 27°C	IS 3025 (Part 44): 1993	mg/L	1230	72

Note:

- ❖ The contents of the report shall not be reproduced either in full or in part without prior written consent of the issuing authority.
- ❖ The results relate only to the items tested.

End of Test Report

[Signature]
23/9/2023
SENIOR ENVIRONMENTAL SCIENTIST

[Signature]
P. B. Lakshmi

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY :: VISAKHAPATNAM
39-33-20/4/1, Madhavadhara VUDA Colony,
Visakhapatnam - 530018. Ph : 0891 - 2719380/481



Report No: VSP202312176 & 177

Date: 19th day of December, 2023**ANALYSIS REPORT**

Sample No. : VSP202312176 & 177
Sample Location/Address : M/s Slaughter House By Eluru Municipality,
R.S.No.1767/3, 10th Division,
Madepalli Road, Eluru,
Eluru District.
Sample Source : VSP202312176: ETP Inlet
VSP202312177: ETP Outlet
Sample collected on : 07.12.2023
Sample received on : 08.12.2023
Sample collected by : Environmental Engineer, Regional Office, Eluru
Report issued on : 19.12.2023

It is to certify that the aforementioned samples were analyzed from 08.12.2023 to 19.12.2023 and declare the analysis results as follows:

S. No.	Parameter	Sample codes & Analysis Results		Test Method
		176	177	
1.	pH @ 25°C	7.05	7.52	APHA (24 th Edition, 2023) 4500-H+B: Page No. 473 to 478.
2.	Total Suspended Solids (TSS)	2100	23	APHA (24 th Edition, 2023) 2540- D: Page No. 146 & 147
3.	Total Dissolved Solids (TDS)	3840	2916	APHA (24 th Edition, 2023) 2540- C: Page No 145
4.	Chemical Oxygen Demand (COD)	4960	84	APHA (24 th Edition, 2023) 5220- B: Page No. 544 & 545.
5.	Biochemical Oxygen Demand (BOD) 3 days @ 27°C	1850	20	IS 3025 (Part 44): 1993 (Reaffirmed 2014)

Note: -1. All values are expressed in mg/L except pH
2. Results are related to sample as received and tested

Day
Analyst

M. Ravi
330

Authorized Signatory
M. Ravi
STATE BOARD ANALYST
(M. RAVI)
Senior Environmental Scientist
Zonal Laboratory, Visakhapatnam.

"END OF THE REPORT"



Report No: VSP202312178

Date: 19th day of December, 2023ANALYSIS REPORT

Sample No. : VSP202312178
 Sample Location/Address : M/s Slaughter House By Eluru Municipality,
 R.S.No.1767/3, 10th Division, Madepalli Road, Eluru,
 Eluru District
 Sample Source : Bore well
 Sample collected on : 07.12.2023
 Sample received on : 08.12.2023
 Sample collected by : Environmental Engineer, Regional Office, Eluru
 Report issued on : 19.12.2023

It is to certify that the aforementioned samples were analyzed from 08.12.2023 to 19.12.2023 and declare the analysis results as follows:

S. No.	Parameter	Sample code & Analysis Result	Test Method
		178	
1.	pH	7.73	APHA (24th Edition, 2023) 4500- H+ B: Page No.473 to 478.
2.	Electrical Conductivity (as $\mu\text{S/cm}$)	3070	APHA (24th Edition, 2023) 2510- B: Page No.134 & 135.
3.	Total Dissolved Solids (TDS)	2088	APHA (24th Edition, 2023) 2540- C: Page No 145
4.	Total Organic Carbon (as TOC)	11.2	APHA (24th Edition, 2023) 5310-B Page No. 552
5.	Total Alkalinity (as CaCO_3)	440	APHA (24th Edition, 2023) 2320- B: Page No. 112 to 114.
6.	Total Hardness (as CaCO_3)	392	APHA (24th Edition, 2023) 2340- C: Page No. 124 to 126.
7.	Chloride (as Cl)	499.8	APHA (24th Edition, 2023) 4500- Cl- B: Page No.340 & 341.
8.	Calcium (as Ca)	48	APHA (24th Edition, 2023) 3500- Ca-B: Page No.254 & 255
9.	Magnesium (as Mg)	66.09	APHA (24th Edition, 2023) 3500-Mg-B, Page No.274
10.	Nitrate (as NO_3)	38.8	APHA (24th Edition, 2023) 4500- NO_3 - B: Page No. 434 & 435
11.	Nitrite Nitrogen (as $\text{NO}_2\text{-N}$)	BDL	APHA (24th Edition, 2023) 4500- NO_2 - B: Page No. 449 to 451.
12.	Ammonical Nitrogen (as $\text{NH}_3\text{-N}$)	BDL	APHA (24th Edition, 2023) 4500- NH_3 - F: Page No. 429 to 430.

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
 ZONAL LABORATORY :: VISAKHAPATNAM
 39-33-20/4/1, Madhavadhara VUDA Colony,
 Visakhapatnam - 530018. Ph : 0891 - 2719380/481



S. No.	Parameter	Sample code & Analysis Result	Test Method
		178	
13.	Ortho Phosphate (as PO ₄ ³⁻)	0.06	APHA (24th Edition, 2023) 4500- P D: Page No. 485 & 486
14.	Sulphate (as SO ₄ ²⁻)	166.1	APHA (24th Edition, 2023) 4500- SO42- E: Page No. 505 & 506
15.	Fluoride (as F)	0.72	APHA (24th Edition, 2023) 4500-F- B&D: Page No. 397 to 401
16.	Sodium (as Na)	388	APHA (24th Edition, 2023) 3500- Na B: Page No. 290 to 292
17.	Potassium (as K)	7.70	APHA (24th Edition, 2023) 3500- K B: Page No. 279 to 280

- Note:** -1. All values are expressed in mg/L except pH
 2. BDL: Below Detectable Limit
 3. Results are related to sample as received and tested

Authorized Signatory

STATE BOARD ANALYST
 (M. RAVI)

Senior Environmental Scientist,
 Zonal Laboratory, Visakhapatnam.

"END OF THE REPORT"

Page 2 of 2

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY :: VISAKHAPATNAM
39-33-20/4/1, Madhavadhara VUDA Colony,
Visakhapatnam - 530018. Ph : 0891 - 2719380/481



M. RAVI, M.Sc
SENIOR ENVIRONMENTAL SCIENTIST

e-mail:zovsplab-ses2@appcb.gov.in

Report No: VSP202405325 & 326

Date: 22nd day of May, 2024

ANALYSIS REPORT

Sample No. : VSP202405325 & 326
Sample Location/Address : M/s Slaughter House,
Eluru Municipality,
R.S.No.1767/3, 10th Division,
Madepalli Road, Eluru,
Eluru District.
Sample Source : VSP202405325: ETP Inlet
VSP202405326: ETP Outlet
Sample collected on : 16.05.2024
Sample received on : 17.05.2024
Sample collected by : Analyst (OS), Regional Office, Eluru
Report issued on : 22.05.2024

It is to certify that the aforementioned samples were analyzed from 17.05.2024 to 22.05.2024 and declare the analysis results as follows:

S. No.	Parameter	Sample codes & Analysis Results		Test Method
		325	326	
1.	pH @ 25°C	6.94	7.26	APHA (24 th Edition, 2023) 4500-H+B: Page No.473 to 478.
2.	Total Suspended Solids (TSS)	410	128	APHA (24 th Edition, 2023) 2540- D: Page No. 146 & 147
3.	Total Dissolved Solids (TDS)	1876	1464	APHA (24 th Edition, 2023) 2540- C: Page No 145
4.	Chemical Oxygen Demand (COD)	1560	296	APHA (24 th Edition, 2023) 5220- B: Page No.544 & 545.
5.	Biochemical Oxygen Demand (BOD) 3 days @ 27°C	630	108	IS 3025 (Part 44): 1993 (Reaffirmed 2014)

Note: -1. All values are expressed in mg/L except pH
2. Results are related to sample as received and tested

Analyt-Ses
18.5.2024
h
13/6

Authorized Signatory

M. Ravi

STATE BOARD ANALYST
(M. RAVI)

Senior Environmental Scientist
Zonal Laboratory, Visakhapatnam.



M. RAVI, M.Sc
 SENIOR ENVIRONMENTAL SCIENTIST

e-mail: zovsplab-ses2@appcb.gov.in

Report No: VSP202405327

Date: 22nd day of May, 2024

ANALYSIS REPORT

Sample No. : VSP202405327
 Sample Location/Address : M/s Slaughter House,
 Eluru Municipality,
 R.S.No.1767/3,10th Division,
 Madepalli Road, Eluru,
 Eluru District.
 Sample Source : VSP202405327: Bore well water in the slaughter house premises
 Sample collected on : 16.05.2024
 Sample received on : 17.05.2024
 Sample collected by : Analyst (OS), Regional Office, Eluru
 Report issued on : 22.05.2024

It is to certify that the aforementioned samples were analyzed from 17.05.2024 to 22.05.2024 and declare the analysis results as follows:

S. No.	Parameter	Sample code & Analysis Charges	Test Method
		327	
1.	pH @ 25°C	6.61	APHA (24 th Edition, 2023) 4500-H+B: Page No.473 to 478.
2.	Electrical Conductivity (as µS/cm)	2720	APHA (24 th Edition, 2023) 2510- B: Page No.134 & 135.
3.	Total Dissolved Solids (TDS)	1768	APHA (24 th Edition, 2023) 2540- C: Page No 145
4.	Total Alkalinity (as CaCO ₃)	628	APHA (24 th Edition, 2023) 2320- B: Page No. 112 to 114.
5.	Total Hardness (as CaCO ₃)	360	APHA (24 th Edition, 2023) 2340- C: Page No. 124 to 126.
6.	Chloride (as Cl)	439.1	APHA (24 th Edition, 2023) 4500- Cl- B: Page No.340 & 341
7.	Calcium (as Ca ⁺⁺)	72.0	APHA (24 th Edition, 2023) 3500- Ca-B: Page No.254 & 255
8.	Magnesium (as Mg ⁺⁺)	43.7	APHA (24 th Edition, 2023) 3500-Mg-B, Page No.274
9.	Nitrate (as NO ₃)	41.8	APHA (24 th Edition, 2023) 4500-NO ₃ -B: Page No. 434 & 435
10.	Nitrite Nitrogen (as NO ₂ -N)	0.02	APHA (24 th Edition, 2023) 4500-NO ₂ -B: Page No. 449 to 451

9180071/2024/LEGAL SEC-APPCB



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY :: VISAKHAPATNAM
39-33-20/4/1, Madhavadhara VUDA Colony,
Visakhapatnam - 530018. Ph : 0891 – 2719380/481



M. RAVI, M.Sc
SENIOR ENVIRONMENTAL SCIENTIST

e-mail:zovsplab-ses2@appcb.gov.in

S. No.	Parameter	Sample code & Analysis Charges	Test Method
		327	
11.	Ammonical Nitrogen (as NH ₃ -N)	0.04	APHA (24th Edition, 2023) 4500-NH ₃ -F: Page No. 429 to 430
12.	Phosphate (as P)	0.02	APHA (24th Edition, 2023) 4500- P D: Page No. 485 & 486
13.	Sulphate (as SO ₄)	74.6	APHA (24th Edition, 2023) 4500- SO ₄ 2-E: Page No. 505 & 506
14.	Fluoride (as F)	1.47	APHA (24th Edition, 2023) 4500-F-B&D: Page No.397 to 401
15.	Sodium (as Na ⁺)	424	APHA (24th Edition, 2023) 3500- Na B: Page No.290 to 292
16.	Potassium (as K ⁺)	3.27	APHA (24th Edition, 2023) 3500- K B: Page No. 279 to 280

Note: -1. All values are expressed in mg/L except pH
2. Results are related to sample as received and tested

Authorized Signatory

**STATE BOARD ANALYST
(M. RAVI)**

Senior Environmental Scientist
Zonal Laboratory, Visakhapatnam.

"END OF THE REPORT"

BEFORE THE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI

(Through Video Conference)

Original Application No. 114 of 2023 (SZ)

IN THE MATTER OF:

Bachu Naga Venkateswara Rao and Ors.

...Applicant(s)

Versus

State of Andhra Pradesh and Ors.

...Respondent(s)

Date of hearing: 17.05.2024.

CORAM:

HON'BLE Smt. JUSTICE PUSHPA SATHYANARAYANA, JUDICIAL MEMBER

HON'BLE Dr. SATYAGOPAL KORLAPATI, EXPERT MEMBER

For Applicant(s): None.

For Respondent(s): Mr. Ramesh Sanjay represented
Mrs. Madhuri Donti Reddy for R1, R2, R4 & R5.
Mrs. Jayalakshmi represented
Mr. D. S. Ekambaram for R3.

DPG
fama
↓
29/5/2024

ORDER

1. At the request of the learned counsel appearing for the State of Andhra Pradesh, post the matter on 22.07.2024 for final hearing.

Sd/-

Smt. Justice Pushpa Sathyanarayana, JM

Sd/-

Dr. Satyagopal Korlapati, EM

O.A. No. 114/2023 (SZ)
17th May, 2024. AD.

