

2014

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

O.A. No. 622 of 2024

IN THE MATTER OF:

Varun Gulati

...Applicant

Versus

State of Haryana & Ors.

...Respondents

INDEX

S no.	Particulars	Page No.
1.	Objections to the report of the joint committee on behalf of Respondent No. 73, M/s Shubhram Hospital Solutions Pvt. Ltd.	1 – 6
2.	Supporting Affidavit	7 – 8
3.	<u>ANNEXURE R-1:</u> A copy of the latest detailed and reasoned response to the HSPCB Show Cause Notice along with all the relevant annexures.	9 – 39
4.	Vakalatnama and Board Resolution	40 – 41
5.	Copy of Aadhar Card	42
6.	Proof of Service	43

2015

FILED THROUGH:

Sb

Archana Yadav

Shivani Chawla

[SIDDHARTH BATRA], [ARCHANA YADAV] [SHIVANI CHAWLA]

Chinmay Dubey

Rhythm Katyal

[CHINMAY DUBEY] & [RHYTHM KATYAL]

Advocates for Respondent No. 73- M/s Shubhram Hospital Solutions Pvt. Ltd.

8A, Sagar Apartments, 6-Tilak Marg,

New Delhi-110001.

Mob.: 9888884445

Date: 10.05.2025

E-mail: siddharth.batra@satramdass.com

Place: New Delhi

Phone: 011 4704 6111

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

O.A. No. 622 of 2024

IN THE MATTER OF:

Varun Gulati

...Applicant

Versus

State of Haryana & Ors.

...Respondents

**OBJECTIONS TO THE REPORT OF THE JOINT COMMITTEE ON
BEHALF OF RESPONDENT NO. 73, M/S SHUBHRAM HOSPITAL
SOLUTIONS PVT. LTD.**

MOST RESPECTFULLY SHOWETH:

1. That the present objections are being filed on behalf of M/s Shubhram Hospital Solutions Pvt. Ltd., Respondent No. 73, in compliance with the order dated 27.02.2025 passed by this Hon'ble Tribunal wherein the newly impleaded respondents were directed to file their objections to the Joint Committee Report dated 03.01.2025. As per the order dated 08.01.2025, the Answering Respondent has been impleaded as Respondent No. 73 along with other industries based on the Joint Committee Report.
2. That at the outset, it is submitted that the observations recorded in the Joint Committee Report do not fully reflect the compliance status of the answering respondent, and certain findings therein are based on

erroneous assumptions, miscalculations, and an outdated compliance assessment.

3. That the answering respondent has undertaken substantial investments in advanced environmental control measures to ensure strict adherence to all applicable environmental norms. The answering respondent denies any deliberate non-compliance and submits that the alleged deficiencies, if any, were either technical in nature or have already been rectified through corrective measures undertaken post-inspection.

4. **OBJECTIONS TO THE JOINT COMMITTEE REPORT**

- 4.1. That the Answering Respondent submits that an inspection was conducted on 13.08.2024, and certain observations were recorded regarding the operation of its Primary Effluent Treatment Plant (PETP). The Answering Respondent further submits that a Show Cause Notice (SCN) dated 15.01.2025 was issued by the Haryana State Pollution Control Board (HSPCB). The inspection report and the SCN allege non-compliance on certain grounds, including possible freshwater dilution, pH variation, and certain logbook maintenance issues
- 4.2. That it is submitted that all of the above issues were raised in the Show Cause Notice issued by HSPCB, to which the answering respondent submitted a detailed and reasoned response. The answering respondent duly clarified its position and provided documentary evidence of its compliance to HSPCB. Therefore, the continued reliance on these findings is unjustified and does not accurately reflect

the present compliance status of the unit. A copy of the latest detailed and reasoned response to the HSPCB Show Cause Notice along with all the relevant annexures is annexed herewith and marked as **ANNEXURE R-1**.

- 4.3. That the answering respondent categorically denies the allegation of dilution and submits that the effluent generated by the unit is routed to the CETP via a dedicated pipeline after necessary filtration. The inspection report does not establish any direct causal link between the answering respondent's PETP operations and the alleged pollution in Drain No. 6. The claim of dilution is based on assumption, and the observed reductions in COD/BOD indicate effective treatment, not dilution.
- 4.4. That Joint Committee Report alleges that there is non-compliance due to high reduction in pollution parameters which has been apprehended as dilution with fresh in PETP among various other allegations.
- 4.5. That it is submitted that the answering respondent maintains proper operational records for its treatment system, including effluent input/output data and water usage logs. The answering respondent has denied the allegation of dilution and clarified in its reply to the Show Cause Notice that the observed parameters are consistent with the washing processes undertaken. The inference of non-compliance drawn in the Joint Committee Report is not based on conclusive findings and fails to consider the actual configuration and safeguards in place at the unit.

- 4.6. That the answering respondent has consistently implemented stringent compliance measures to ensure that operations remain in accordance with the prescribed norms. The respondent maintains proper records of water and effluent data, ensuring that all logbooks related to freshwater consumption and effluent generation are updated regularly.
- 4.7. That to further validate compliance, the answering respondent has undertaken third-party independent testing to verify that its PETP meets all prescribed norms. The answering respondent has also engaged environmental consultants to enhance internal compliance mechanisms and ensure adherence to all environmental standards.
- 4.8. That the answering respondent holds a valid Consent to Operate (CTO) issued by HSPCB, which remains in force until 30.09.2025, demonstrating that the facility was found compliant at the time of renewal. The answering respondent has obtained and renewed a valid No Objection Certificate (NOC) from the Haryana Water Resource Authority (HWRA) for groundwater extraction, which is valid until 14.02.2025. The respondent has also been granted authorization for the generation, collection, storage, and transportation of hazardous waste under the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
- 4.9. That any adverse order based on the findings of the Joint Committee Report would have severe financial implications and cause significant operational disruptions to the answering respondent. The unit employs a large workforce, and any disruption in operations would

negatively impact the livelihoods of numerous employees and their families.

- 4.10. That in view of the above, the answering respondent prays that the findings in the Inspection Report be reconsidered, as they are based on mere assumptions rather than conclusive evidence of dilution. The answering respondent submits that corrective measures are already in place, ensuring ongoing compliance with all applicable environmental laws. Further, given that the CETP's inefficiencies contribute significantly to the overall compliance status, the answering respondent cannot be unfairly categorized as non-complying without a thorough and individualized assessment of its operational processes.
- 4.11. That in light of the foregoing submissions, the answering respondent categorically denies any allegations of non-compliance and submits that the findings of the Joint Committee Report and the subsequent classification of the answering respondent as non-complying are based on assumptions rather than conclusive evidence. The answering respondent has consistently adhered to prescribed environmental norms, holds valid statutory permissions, and has taken proactive measures to ensure compliance.
- 4.12. That in view of the discrepancies in the findings and the absence of a direct causal link between the answering respondent's operations and the alleged environmental violations, it is most respectfully prayed that the answering respondent be provided with an opportunity to

cooperate with the authorities and implement any further recommendations, if necessary.

- 4.13. That the answering respondent remains committed to environmental sustainability, regulatory compliance, and responsible industrial operations and prays for a just and fair assessment of its compliance status.
5. The answering respondent further reserves its right to file additional pleadings or affidavits, if necessary, in response to any subsequent developments in the present proceedings.

FILED THROUGH:



[SIDDHARTH BATRA], [ARCHNA YADAV] [SHIVANI CHAWLA]



[CHINMAY DUBEY] & [RHYTHM KATYAL]

Advocates for Respondent No. 73- M/s Shubhram Hospital Solutions Pvt. Ltd.
8A, Sagar Apartments, 6-Tilak Marg,
New Delhi-110001.
Mob.: 9888884445

Date: 10.05.2025
Place: New Delhi

E-mail: siddharth.batra@satramdass.com
Phone: 011 4704 6111

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

O.A. No. 622 of 2024

IN THE MATTER OF:

Varun Gulati

...Applicant

Versus

State of Haryana & Ors.

...Respondents

AFFIDAVIT

I, Sunil Kumar S/o Permanand, aged about 39 years R/o Village Asswarpur, P.O. Rai, Distt Sonipat, Haryana-131029, do hereby solemnly affirm and stat as under:

1. That I am the authorized signatory of Respondent No. 73, M/s Shubhram Hospital Solutions Pvt. Ltd., having its office at Plot No. 485-486, Barhi Industrial Area, Ganaur, Haryana-131101 in the aforesaid Original Application, I am aware of the facts and circumstances of the case in my official capacity as stated above and hence, entitled to swear this affidavit.



That the accompanying reply has been drafted by my counsel under my instructions, and I say that the statements and submissions made in the said reply are true and correct to best of my knowledge based upon the records and my belief. I pray that the said reply to be treated as part and parcel of this Affidavit and the same is not being reproduced for the sake of brevity.

3. I say that the documents / annexure produced along with the reply are true copies of its originals.

1321
24/11/20

For Shubhram Hospital Solutions Pvt. Ltd.

Authorised Signatory

DEPONENT

VERIFICATION:

Verified that the contents of the above affidavit are true and correct to the best of my knowledge, belief and nothing material information has been concealed therefrom. No part of it is false.

Verified at Sonipat on this 24th day of February, 2025.

For Shubhram Hospital Solutions Pvt. Ltd.

Authorised Signatory

DEPONENT





ATTESTED

NOTARY
Ganaur Distt. Sonapat



SHUBHRAM
To

2024 ANNEXURE R-1

9

04.02.2025

The Regional Officer
Haryana State Pollution Control Board (HSPCB)
Sector-15, Sonipat, Haryana

SUBJECT: REPLY TO SHOW CAUSE NOTICE NO. HSPCB/SR/2025/2647 DATED 02.01.2025

RE: HSPCB LETTER NO. HSPCB/SR/2025/2647 DATED 02-01-2025

Respected Sir,

1. This is in reference to the Show Cause Notice (SCN) issued under Section 33-A, 27, and 43/44 of the Water (Prevention and Control of Pollution) Act, 1974, and Section 21(4) of the Air (Prevention and Control of Pollution) Act, 1981. The Notice alleges non-compliance concerning freshwater consumption, water balance anomalies, and discrepancies in effluent discharge.

At the outset, we wish to affirm our commitment to full environmental compliance and adherence to all applicable laws and regulations. We hereby submit our detailed response for your kind consideration.



Shubhram Hospital Solutions Pvt. Ltd. (India)
Corporate Office Address: 426, 4th Floor, Tower-A,
Emaar Digital Greens, Sector-61, Golf Course Extension Road,
Gurgaon, Haryana 122011

Plant Address: 485-486, HSIIDC Industrial Area, Barhi
Textile Park, Phase II, Sonipat (Haryana) India-131101
Registered Office Address is: G-21 & G-22, Plot No. 3,
Ground Floor, Community Center, Aggarwal Plaza,
Prashant Vihar, Sec-14 Rohini, New Delhi- 110085.
CIN: U93000DL2014PTC268098



Telephone: +91-130-2345678
E-mail: info@shubhram.com
Web: www.shubhram.com

2. BACKGROUND OF THE COMPANY

M/s Shubhram Hospital Pvt. Ltd. is a reputed and responsible industrial unit engaged in Washing operations. We have always adhered to

sustainable practices and maintained **robust environmental management systems** in compliance with the norms prescribed by the HSPCB.

Our facility is equipped with a well-maintained Effluent Treatment Plant (ETP) and an evaporator for wastewater treatment. We operate with state-of-the-art water conservation measures, ensuring that freshwater consumption remains within prescribed limits.

3. RESPONSE TO SPECIFIC ALLEGATIONS

3.1. **Freshwater Consumption Lower than Standards**

Observation in SCN: Freshwater consumption is much lower than the standard (60-70 KL/MT) for specific quality, suggesting improper logbook maintenance.

Response:

As part of our sustainability initiatives, we have replaced 12 existing washing machines (operating at a 1:20 liquor ratio) with high-efficiency washing machines (operating at a 1:5 liquor ratio). Additionally, since all linen clothes are not subjected to conventional washing but instead undergo spray washing, tumbling, and drying, our approximate water consumption is significantly reduced to 5 KL/MT per KL. This transition has contributed to a substantial reduction in overall water consumption. The copy of the logbook and machine records are enclosed as **Annexure- 1**.

To further strengthen our compliance, we will implement a more rigorous monitoring mechanism to accurately record water

consumption and production data. Additionally, we will conduct training sessions for our team to enhance data monitoring efficiency.

The effluent analysis report provided by your team indicates certain deviations from the permissible limits. Since we exclusively use hydrogen peroxide and bleach for washing, along with tumble drying, which generates minimal COD, we take this observation seriously. Accordingly, we have initiated corrective actions, including:

- i. Strengthening the monitoring and testing of effluent discharge parameters through NABL-accredited laboratories. The copy of the test reports are annexed hereto as **Annexure-2**.
- ii. Organizing training programs for our operational staff to ensure strict compliance with ETP operating protocols. The photo of the trainings are annexed hereto a **Annexure-3**.

Furthermore, we have proactively installed an advanced Biological Effluent Treatment Plant in place of a PETP. Given that our operations involve only washing clothes, without the use of dyes, heavy stains, or color-intensive processes, our BOD/COD levels remain well within acceptable limits.

3.2. Water Balance Anomaly

Observation in SCN: The water balance is abnormal, with discrepancies in process water losses. The data indicates a 22.3% loss in process water.

Response:

- The water balance variations can be attributed to several operational factors, such as process water retention, evaporation losses, and water used in auxiliary functions like cooling.
- We have reviewed our water balance calculations, and the discrepancies noted in the SCN do not represent wasteful losses but operational realities in a washing unit.

3.3. Discrepancy in PETP Outlet vs. Inlet

Observation in SCN: The PETP outlet (248.88 KLD) is higher than the PETP inlet (222.52 KLD), indicating discrepancies in the effluent treatment process.

Response:

- The observed difference is primarily due to the RO reject water, which is included in the outlet figures.
- Our effluent treatment system accounts for all water inputs and outputs, with adjustments made for RO reject water, which is part of the standard process.
- The calibration of the water flow meter is synchronized with data monitoring. Additionally, training is being provided to the operations team to establish a robust monitoring mechanism for accurate water balance assessment.

The copy of the flow chart and ETP data is annexed hereto as Annexure-4 and Annexure-5.

4. TIMING OF THE NOTICE AND CURRENT COMPLIANCE STATUS

The inspection in question took place in July/August 2024, whereas the present notice was received only in January 2025. While we fully acknowledge the regulatory authority's right to issue such notices, it is essential to consider that compliance status evolves over time. Assuming but not admitting that there were any concerns at the time of inspection, our unit has since taken proactive steps to rectify any potential issues. Consequently, the findings of the inspection may no longer be reflective of the current operational reality.

Furthermore, our unit undergoes annual inspections by the Central Pollution Control Board (CPCB), in which we have consistently been found compliant with all environmental norms. These inspections reaffirm that our ETP functions efficiently, effluent discharge remains within permissible limits, and no dilution of effluent with freshwater occurs. The past records of these inspections further validate our adherence to pollution control measures and negate the allegations raised in the show cause notice.

Our CTO and the copy of the latest CTO is annexed hereto as Annexure-6.

5. FINANCIAL IMPACT ON LIVELIHOODS OF WORKERS

The closure of our unit would not only impact our company but also have far-reaching consequences on the livelihoods of numerous employees who depend on it. Our workforce comprises individuals from diverse socio-

economic backgrounds, many of whom are the sole breadwinners for their families. A closure would lead to job losses, financial distress, and disruption of livelihoods for these workers, affecting their ability to provide for their families and sustain their daily lives. Additionally, local suppliers, vendors, and small businesses that rely on our operations would also face economic hardship. We humbly request that such wider social and economic implications be considered while evaluating the SCN.

Without prejudice to the submissions made above, we wish to humbly submit that we have internally conducted our own investigation into the matter. As per the recommendation stated in the Show Cause Notice, the necessary corrective measures, if any, have now been implemented. Therefore, there exists no reason for the closure of our industry or the imposition of any environmental compensation.

In light of the above, we request the following:

- a. Withdrawal of the SCN as the allegations are based on erroneous assumptions and lack of procedural compliance.
- b. Consideration of our compliance measures, including water conservation and cleaner technology adoption.
- c. Provision of a re-inspection opportunity with independent third-party validation to ensure fairness.

We reiterate our commitment to environmental compliance and look forward to a fair and just resolution of the matter.

For Shubhram Hospital Solutions Pvt. Ltd.

Thanking you.

 Authorised Signatory

Annexure - I

June - 2024

RECYCLING WATER

Date	Recycling Water RO			Boiler Water			Process Water		
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total
01-06-24	349911	344066	155	54237	54769	32	62899	62948	49
02-06-24	349938	349938	172	54804	54804	35	62948	62992	44
03-06-24	349400	349400	162	54837	54837	33	62992	63048	56
04-06-24	349547	349547	147	54867	54901	30	63048	63098	50
05-06-24	349701	349701	154	54901	54935	34	63098	63143	45
06-06-24	349863	349863	162	54935	54969	34	63143	63186	43
07-06-24	350035	350035	172	54969	55003	36	63186	63244	38
08-06-24	350207	350207	170	55003	55037	34	63244	63299	55
09-06-24	350377	350377	147	55037	55064	32	63299	63353	54
10-06-24	350524	350524	153	55064	55099	30	63353	63397	44
11-06-24	350677	350677	174	55099	55139	40	63397	63445	48
12-06-24	350851	350851	168	55139	55172	33	63445	63494	49
13-06-24	351019	351019	91	55172	55206	34	63494	63552	58
14-06-24	351110	351110	186	55206	55246	40	63552	63612	10
15-06-24	351296	351296	152	55246	55292	26	63612	63620	51
16-06-24	351448	351448	151	55292	55299	27	63620	63723	51
17-06-24	351599	351599	164	55299	55328	29	63723	63780	57
18-06-24	351763	351763	151	55328	55363	35	63780	63822	47
19-06-24	351914	351914	179	55363	55395	32	63822	63882	57
20-06-24	352093	352093	143	55395	55429	34	63882	63920	38
21-06-24	352286	352286	148	55429	55460	31	63920	63967	42
22-06-24	352384	352384	157	55460	55494	34	63967	64011	44
23-06-24	352541	352541	170	55494	55525	31	64011	64069	58
24-06-24	352711	352711	131	55525	55559	34	64069	64105	36
25-06-24	352843	352843	154	55559	55593	34	64105	64151	46
26-06-24	352997	352997	112	55593	55620	27	64151	64173	22
27-06-24	353114	353114	97	55620	55652	32	64173	64191	18
28-06-24	353211	353211	125	55652	55696	44	64191	64222	31
29-06-24	353336	353336	810	55696	55738	42	64222	64234	52

JUNE-2024

Date	ETP Inlet			ETP Outlet			Forewell Water			HSIDC Water			Mainline Water		
	Initial Reading	Final Reading	Total												
01-06-24	73693	73951	258	65247	65783	536	71496	71519	23	9128	9194	66	457736	459990	2254
02-06-24	73951	74910	959	65783	65958	175	71579	71684	105	9194	9275	81	459990	460195	205
03-06-24	74210	74420	210	65958	66137	179	71684	71743	59	9275	9366	91	460195	460391	196
04-06-24	74420	74684	264	66137	66295	158	71743	71823	80	9366	9444	78	460391	460584	193
05-06-24	74684	74901	217	66295	66385	90	71823	71891	68	9444	9542	98	460584	460783	199
06-06-24	74901	75130	229	66385	66481	96	71891	71973	82	9542	9624	82	460783	461017	234
07-06-24	75130	75346	216	66481	66572	91	71973	72041	68	9624	9734	105	461017	461215	198
08-06-24	75346	75530	184	66572	66668	96	72041	72120	79	9734	9822	88	461215	461415	200
09-06-24	75530	75806	276	66668	66763	95	72120	72203	83	9822	9938	111	461415	461584	232
10-06-24	75806	76081	275	66763	66886	123	72203	72284	81	9938	1024	86	461584	461716	232
11-06-24	76081	76312	231	66886	66981	95	72284	72364	80	1024	1024	100	461716	461850	234
12-06-24	76312	76601	289	66981	67081	100	72364	72454	90	1024	1024	107	461850	461985	235
13-06-24	76601	76902	301	67081	67145	64	72454	72530	76	1024	1024	112	461985	462111	226
14-06-24	76902	77149	247	67145	67295	150	72530	72609	79	1024	1024	112	462111	462216	105
15-06-24	77149	77411	262	67295	67408	113	72609	72675	66	1024	1024	80	462216	462326	110
16-06-24	77411	77675	264	67408	67508	100	72675	72751	76	1024	1024	84	462326	462435	109
17-06-24	77675	77920	245	67508	67620	112	72751	72830	79	1024	1024	102	462435	462501	266
18-06-24	77920	78184	264	67620	67717	97	72830	72914	84	1024	1024	120	462501	462595	254
19-06-24	78184	78474	290	67717	67817	100	72914	73072	78	1024	1024	110	462595	462616	208
20-06-24	78474	78735	261	67817	67917	100	73072	73156	84	1024	1024	110	462616	462722	222
21-06-24	78735	78981	246	67917	68020	103	73156	73236	80	1024	1024	128	462722	462833	251
22-06-24	78981	79208	227	68020	68115	95	73236	73327	91	1024	1024	18	462833	462948	195
23-06-24	79208	79428	220	68115	68223	108	73327	73369	42	1024	1024	86	462948	463068	195
24-06-24	79428	79672	244	68223	68315	92	73369	73456	87	1024	1024	102	463068	463194	226
25-06-24	79672	79885	213	68315	68413	98	73456	73525	69	1024	1024	112	463194	463321	327
26-06-24	79885	80162	277	68413	68538	125	73525	73611	86	1024	1024	96	463321	463451	110
27-06-24	80162	80396	234	68538	68621	83	73611	73684	73	1024	1024	119	463451	463595	227
28-06-24	80396	80615	219	68621	68741	120	73684	73770	86	1024	1024	96	463595	463763	205
29-06-24	80615	80818	203	68741	68853	112	73770	73851	81	1024	1024	41	463763	463866	203

July - 2024

RECYCLING WATER

Date	Recycling Water RO			Boiler Water			Process Water		
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total
01-07-24	353546	353666	120	55738	55763	25	64274	64299	25
02-07-24	353666	353789	123	55763	55791	28	64299	64331	32
03-07-24	353789	353889	100	55791	55820	29	64331	64352	21
04-07-24	353889	354035	146	55820	55850	30	64352	64392	40
05-07-24	354035	354165	130	55850	55896	46	64392	64422	30
06-07-24	354165	354327	162	55896	55929	33	64422	64463	41
07-07-24	354327	354511	184	55929	55973	44	64463	64513	50
08-07-24	354511	354652	141	55973	56009	36	64513	64574	31
09-07-24	354652	354783	131	56009	56049	40	64574	64617	43
10-07-24	354783	354918	135	56049	56082	33	64617	64636	19
11-07-24	354918	355038	120	56082	56113	31	64636	64654	18
12-07-24	355038	355143	105	56113	56145	32	64654	64687	33
13-07-24	355143	355285	142	56145	56181	36	64687	64728	41
14-07-24	355285	355454	169	56181	56221	40	64728	64763	35
15-07-24	355454	355620	166	56221	56254	33	64763	64787	24
16-07-24	355620	355771	151	56254	56289	35	64787	64817	30
17-07-24	355771	355910	139	56289	56321	32	64817	64845	28
18-07-24	355910	356063	154	56321	56363	42	64845	64887	42
19-07-24	356063	356231	168	56363	56391	28	64887	64908	15
20-07-24	356231	356351	120	56391	56424	33	64908	64939	31
21-07-24	356351	356513	162	56424	56452	28	64939	64952	23
22-07-24	356513	356649	136	56452	56487	35	64952	65002	40
23-07-24	356649	356832	183	56487	56522	35	64962	65002	35
24-07-24	356832	357024	192	56522	56567	45	65002	65037	35
25-07-24	357024	357183	159	56567	56608	41	65037	65066	29
26-07-24	357183	357317	134	56608	56651	43	65066	65077	11
27-07-24	357317	357518	201	56651	56684	33	65077	65128	51
28-07-24	357518	357658	120	56684	56717	33	65128	65164	36
29-07-24	357658	357760	122	56717	56751	34	65164	65177	13
30-07-24	357760	357875	115	56751	56786	35	65177	65216	39
31-07-24	357875	358087	152	56786	56817	61	65216		

1103

1103

an

July - 2024

Date	ETP Inlet			ETP Outlet			Borwell Water			HSIDC Water			Mainline Water		
	Initial Reading	Final Reading	Total												
01-07-24	80818	81055	237	68947	69071	124	73851	73917	66	4856	4975	119	466366	466587	223
02-07-24	81317	81582	265	69179	69254	75	73979	74085	82	4945	5074	99	466537	466838	301
03-07-24	81581	81793	211	69254	69353	99	74085	74126	101	5188	5314	114	466838	467032	194
04-07-24	81293	82006	213	69353	69424	76	74126	74285	99	5314	5394	75	467032	467215	183
05-07-24	82006	82221	215	69424	69511	82	74285	74393	108	5394	5494	105	467215	467511	316
06-07-24	82221	82441	240	69511	69601	90	74393	74532	87	5494	5595	101	467511	467954	363
07-07-24	82441	82673	212	69601	69712	111	74532	74628	91	5595	5651	56	467954	468246	392
08-07-24	82673	82910	237	69712	69810	98	74628	74721	143	5651	5754	103	468246	468683	220
09-07-24	82910	83151	241	69810	69944	34	74721	74882	116	5754	5876	122	468683	469319	238
10-07-24	83151	83280	129	69944	70064	102	74882	74949	62	5876	5992	116	469319	469564	245
11-07-24	83280	83521	241	70064	70166	118	74949	75039	90	5992	6081	89	469564	469809	245
12-07-24	83521	83977	235	70166	70273	102	75039	75121	82	6081	6172	91	469809	470050	241
13-07-24	83977	84113	221	70273	70359	107	75121	75211	90	6172	6276	104	470050	470307	257
14-07-24	84113	84349	136	70359	70456	86	75211	75298	87	6276	6374	98	470307	470596	289
15-07-24	84349	84654	302	70456	70521	65	75298	75382	84	6374	6496	122	470596	470873	277
16-07-24	84654	84834	180	70521	70577	56	75382	75501	119	6496	6649	153	470873	471151	278
17-07-24	84834	85113	279	70577	70657	80	75501	75620	119	6649	6760	111	471151	471463	312
18-07-24	85113	85293	180	70657	70875	—	75620	75704	84	6760	6850	—	471463	47158	195
19-07-24	85293	85485	192	70875	70994	119	75704	75776	72	6850	6945	95	47158	471844	186
20-07-24	85485	85783	298	70994	71086	92	75776	75864	88	6945	7059	114	471844	472109	265
21-07-24	85783	85988	160	71086	71179	93	75864	75945	81	7059	7142	87	472109	472328	228
22-07-24	85988	86180	237	71179	71284	105	75945	76033	88	7142	7194	52	472328	472642	310
23-07-24	86180	86406	226	71284	71399	115	76033	76214	138	7194	7318	124	472642	472853	206
24-07-24	86406	86628	222	71399	71562	163	76214	76360	146	7318	7418	100	472853	473094	241
25-07-24	86628	86900	184	71562	71698	136	76360	76491	131	7418	7516	98	473094	473342	168
26-07-24	86900	87208	165	71698	71821	123	76491	76577	86	7516	7610	94	473342	473592	158
27-07-24	87208	87514	151	71821	71983	162	76577	76663	86	7610	7642	37	473592	473899	137
28-07-24	87514	87827	171	71983	72107	124	76663	76748	85	7642	7731	89	473899	474101	122
29-07-24	87827	88118	245	72107	72217	110	76748	76838	85	7731	7821	90	474101	474101	—

Aug - 2024

Date	Recycling Water RO			Boiler Water			Process Water		
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total
1-8-24	358027	358176	149	56817	56851	34	65216	65238	22
2-8-24	358176	358307	131	56851	56885	34	65235	65261	26
3-8-24	358307	358426	219	56885	56910	25	65261	65283	22
4-8-24	358426	358553	227	56910	56938	28	65283	65314	31
5-8-24	358553	358639	86	56938	56965	27	65314	65321	7
6-8-24	358639	358723	84	56965	56995	30	65321	65353	32
7-8-24	358723	358824	101	56995	57023	28	65353	65387	34
8-8-24	358824	358985	161	57023	57047	24	65387	65421	34
9-8-24	358985	359103	118	57047	57075	28	65421	65453	32
10-8-24	359103	359237	134	57075	57106	31	65453	65487	34
11-8-24	359237	359312	75	57106	57159	53	65487	65521	34
12-8-24	359312	359415	103	57159	57180	21	65521	65549	28
13-8-24	359415	359494	79	57180	57209	29	65549	65582	33
14-8-24	359494	359531	37	57209	57235	26	65582	65614	32
15-8-24	359531	359620	89	57235	57261	26	65614	65645	31
16-8-24	359620	359690	70	57261	57284	23	65645	65679	34
17-8-24	359690	359782	92	57284	57307	23	65679	65712	33
18-8-24	359782	359888	106	57307	57343	36	65712	65750	38
19-8-24	359888	359993	105	57343	57371	28	65750	65789	39
20-8-24	359993	360072	79	57371	57404	33	65789	65822	33
21-8-24	360072	360182	110	57404	57440	36	65822	65859	37
22-8-24	360182	360306	124	57440	57477	37	65859	65892	33
23-8-24	360306	360403	97	57477	57512	35	65892	65922	30
24-8-24	360403	360533	130	57512	57545	33	65922	65957	35
25-8-24	360533	360664	131	57545	57578	33	65957	65991	34
26-8-24	360664	360764	100	57578	57604	26	65991	66021	30
27-8-24	360764	360851	87	57604	57631	27	66021	66054	33
28-8-24	360851	360906	55	57631	57665	34	66054	66086	32
29-8-24	360906	361004	98	57665	57695	30	66086	66117	31
30-8-24	361004	361084	80	57695	57724	29	66117	66147	30
31-8-24	361084	361084	0	57724	57751	27	66147	66176	29

3243

934

32

Aug - 2024

Date	ETP Inlet			ETP Outlet			Borewell Water			HDD/Water			Mainline Water		
	Initial Reading	Final Reading	Total												
15-8-24	87663	87907	244	72107	72217	110	76833	76914	81	9007	9097	86	42111	42509	218
16-8-24	87907	88135	228	72217	72320	90	76914	77009	96	9097	9122	25	42509	42918	140
17-8-24	88135	88365	230	72320	72410	90	77009	77115	106	9122	9199	77	42918	43324	106
18-8-24	88365	88594	229	72410	72563	153	77115	77256	141	9199	9238	39	43324	43731	107
19-8-24	88594	88719	125	72563	72668	105	77256	77321	65	9238	9229	93	43731	44145	135
20-8-24	88719	88958	239	72668	72799	131	77321	77408	87	9229	9288	59	44145	44552	107
21-8-24	88958	89193	235	72799	72936	137	77408	77425	17	9288	9357	69	44552	44963	111
22-8-24	89193	89337	144	72936	73052	116	77425	77556	131	9357	9329	72	44963	45374	111
23-8-24	89337	89565	228	73052	73197	145	77556	77640	84	9329	9386	57	45374	45785	111
24-8-24	89565	89737	172	73197	73318	121	77640	77765	125	9386	9422	36	45785	46200	115
25-8-24	89737	89937	200	73318	73414	96	77765	77860	95	9422	9491	69	46200	46615	115
26-8-24	89937	90217	280	73414	73540	126	77860	77994	134	9491	9560	69	46615	47030	115
27-8-24	90217	90566	349	73540	73621	81	77994	78165	171	9560	9629	69	47030	47445	115
28-8-24	90566	90806	240	73621	73794	173	78165	78340	175	9629	9698	69	47445	47860	115
29-8-24	90806	91038	232	73794	73875	81	78340	78521	181	9698	9767	69	47860	48275	115
30-8-24	91038	91288	250	73875	73951	76	78521	78756	235	9767	9836	69	48275	48690	115
31-8-24	91288	91435	147	73951	74074	123	78756	78934	78	9836	9905	69	48690	49105	115
1-9-24	91435	91626	191	74074	74190	116	78934	79156	222	9905	9974	69	49105	49520	115
2-9-24	91626	91850	224	74190	74310	120	79156	79384	228	9974	10043	69	49520	49935	115
3-9-24	91850	92102	252	74310	74449	139	79384	79618	234	10043	10112	69	49935	50350	115
4-9-24	92102	92409	307	74449	74612	163	79618	79893	275	10112	10181	69	50350	50765	115
5-9-24	92409	92662	253	74612	74728	116	79893	80167	274	10181	10250	69	50765	51180	115
6-9-24	92662	92968	306	74728	74819	91	80167	80441	274	10250	10319	69	51180	51595	115
7-9-24	92968	93424	456	74819	75041	222	80441	80823	382	10319	10388	69	51595	52010	115
8-9-24	93424	93633	209	75041	75171	130	80823	81197	374	10388	10457	69	52010	52425	115
9-9-24	93633	93894	261	75171	75338	167	81197	81573	376	10457	10526	69	52425	52840	115
10-9-24	93894	94159	265	75338	75571	233	81573	81949	376	10526	10595	69	52840	53255	115
11-9-24	94159	94403	244	75571	75838	267	81949	82325	376	10595	10664	69	53255	53670	115
12-9-24	94403	94595	192	75838	75880	42	82325	82367	42	10664	10665	1	53670	53671	1

2412

21
2024

Date	ETP Inlet			ETP Outlet			Borwell Water			HSIIDC Water			Mainline Water		
	Initial Reading	Final Reading	Total												
01-10-24	100456	100769	311	78904	79014	95	81639	81639	75	12397	12191	94	483520	483730	210
02-10-24	100769	101070	303	79014	79206	97	81712	81799	73	12441	12576	85	483730	483935	205
03-10-24	101070	101370	300	79014	79418	120	81799	81884	85	12576	12650	74	483935	484145	210
04-10-24	101370	101675	305	79418	79532	118	81884	81957	73	12650	12708	58	484145	484315	220
05-10-24	101675	101975	310	79532	79657	119	81957	82046	80	12708	12812	104	484315	484586	221
06-10-24	101975	102290	315	79657	79763	122	82046	82112	66	12812	12912	100	484586	484804	223
07-10-24	102290	102591	301	79763	79862	99	82112	82180	68	12912	13027	115	484804	485024	215
08-10-24	102591	102900	309	79862	79966	104	82180	82253	73	13027	13062	35	485024	485224	200
09-10-24	102900	103212	312	79966	80082	116	82253	82313	60	13062	13084	22	485224	485426	202
10-10-24	103212	103509	297	80082	80201	119	82313	82399	86	13084	13185	101	485426	485634	203
11-10-24	103509	103827	318	80201	80298	97	82399	82465	66	13185	13212	27	485634	485804	207
12-10-24	103827	104130	303	80298	80409	109	82465	82524	70	13212	13212	-	485804	486045	204
13-10-24	104130	104444	314	80409	80528	121	82524	82594	51	13212	13307	95	486045	486245	204
14-10-24	104444	104763	319	80528	80616	88	82594	82663	70	13307	13382	75	486245	486445	200
15-10-24	104763	105088	325	80616	80712	96	82663	82731	68	13382	13432	50	486445	486650	205
16-10-24	105088	105400	312	80712	80813	101	82731	82806	73	13432	13432	-	486650	486859	204
17-10-24	105400	105715	315	80813	80932	119	82806	82871	70	13432	13521	89	486859	487071	210
18-10-24	105715	106022	307	80932	81057	125	82871	82936	65	13521	13615	94	487071	487281	209
19-10-24	106022	106336	314	81057	81148	91	82936	83062	62	13615	13719	104	487281	487490	209
20-10-24	106336	106644	308	81148	81290	122	83062	83124	62	13719	13807	88	487490	487701	210
21-10-24	106644	106959	315	81290	81396	126	83124	83233	83	13807	13908	101	487701	487911	210
22-10-24	106959	107272	313	81396	81573	117	83233	83325	52	13908	14013	105	487911	488121	211
23-10-24	107272	107582	310	81573	81685	122	83325	83400	73	14013	14109	94	488121	488330	209
24-10-24	107582	107898	316	81685	81741	111	83400	83479	79	14109	14200	83	488330	488541	211
25-10-24	107898	108208	310	81741	81848	102	83479	83534	55	14200	14282	88	488541	488758	219
26-10-24	108208	108519	311	81848	81953	105	83534	83587	53	14282	14379	97	488758	488972	219
27-10-24	108519	108835	316	81953	82074	121	83587	83614	72	14379	14468	89	488972	489192	220
28-10-24	108835	109145	310	82074	82192	123	83614	83729	72	14468	14567	99	489192	489408	211
29-10-24	109145	109461	316	82192	82297	105	83729	83844	85	14567	14668	101	489408	489628	220
30-10-24	109461	109777	316	82297	82397	100	83844	83929	85	14668	14693	65	489628	489853	221
31-10-24	109777	110149	372	82397	82497	100	83929	84029	100	14693	14693	0	489853	490094	221
			9691			3393			9165		8976				6554

October
2024

RECYCLING WATER

Date	Recycling Water RO		Total	Boiler Water		Total	Process Water	
	Initial Reading	Final Reading		Initial Reading	Final Reading		Initial Reading	Final Reading
01-10-24	363546	363625	155	58680	58713	2133		
02-10-24	365780	363780	171	58713	58740	2133		
03-10-24	365955	364155	200	58740	58766	21		
04-10-24	364155	364340	185	58766	58793	27		
05-10-24	364340	364532	192	58793	58823	30		
06-10-24	364532	364747	215	58823	58852	29		
07-10-24	364747	364942	195	58852	58883	31		
08-10-24	364942	365124	182	58883	58913	30		
09-10-24	365124	365310	186	58913	58947	34		
10-10-24	365310	365482	172	58947	58973	26		
11-10-24	365482	365671	184	58973	59006	33		
12-10-24	365671	365865	194	59006	59031	25		
13-10-24	365865	366075	210	59031	59060	29		
14-10-24	366075	366290	215	59060	59094	34		
15-10-24	366290	366510	220	59094	59122	28		
16-10-24	366510	366722	212	59122	59149	27		
17-10-24	366722	366933	211	59149	59184	35		
18-10-24	366933	367150	217	59184	59212	33		
19-10-24	367150	367370	220	59212	59245	33		
20-10-24	367370	367589	219	59245	59274	29		
21-10-24	367589	367814	225	59274	59302	28		
22-10-24	367814	368041	227	59302	59342	40		
23-10-24	368041	368270	229	59342	59366	24		
24-10-24	368270	368500	230	59366	59395	29		
25-10-24	368500	368732	232	59395	59431	36		
26-10-24	368732	368967	235	59431	59463	32		
27-10-24	368967	369204	237	59463	59490	27		
28-10-24	369204	369439	235	59490	59519	29		
29-10-24	369439	369676	237	59519	59556	37		
30-10-24	369676	370142	239	59556	59601	45		
31-10-24	369915		227	59601				
			1517			917		

Nov-24

Date	ETP Inlet		ETP Outlet		Bonwell Water		HISDC Water		Main Line Water					
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Initial Reading	Final Reading				
1-11-24	11080	11142	341	82297	82398	101	83729	83779	83842	14733	60	49074	49295	221
2-11-24	11142	111756	335	82398	82494	96	83842	83903	61	14733	64	49074	49057	222
3-11-24	111756	112085	329	82494	82609	115	83903	83955	52	14733	70	49057	49336	219
4-11-24	112085	112424	339	82609	82729	120	83955	84016	61	14733	58	49336	49073	217
5-11-24	112424	112769	345	82729	82847	118	84016	84077	61	14733	62	49073	49173	220
6-11-24	112769	113095	326	82847	82963	116	84077	84139	62	14733	71	49173	491396	222
7-11-24	113095	113449	354	82963	83082	119	84139	84220	81	15058	49	491396	49162	225
8-11-24	113449	113770	321	83082	83203	121	84220	84305	85	15159	52	49162	491840	221
9-11-24	113770	114109	338	83203	83328	125	84305	84392	87	15225	66	491840	492284	223
10-11-24	114109	114431	322	83328	83447	119	84392	84476	84	15289	71	492284	493106	222
11-11-24	114431	114757	326	83447	83569	122	84476	84552	76	15360	59	493106	492721	215
12-11-24	114757	115099	342	83569	83695	126	84552	84633	81	15402	63	492721	49242	221
13-11-24	115099	115444	345	83695	83812	117	84633	84719	86	15482	64	49242	493381	219
14-11-24	115444	115791	347	83812	83923	111	84719	84806	87	15546	58	493381	493598	217
15-11-24	115791	116690	299	83923	84032	109	84806	84893	87	15604	75	493598	49383	215
16-11-24	116690	116445	355	84032	84156	124	84893	84936	43	15653	54	49383	494035	222
17-11-24	116445	116765	320	84156	84284	128	84936	85010	74	15729	60	494035	494256	223
18-11-24	116765	117094	329	84284	84379	95	85010	85078	68	15783	63	494256	494481	225
19-11-24	117094	117431	337	84379	84478	99	85078	85123	45	15843	66	494481	494701	220
20-11-24	117431	117773	342	84478	84582	104	85123	85176	53	15906	59	494701	494920	219
21-11-24	117773	118125	352	84582	84701	119	85176	85216	40	15972	70	494920	495142	222
22-11-24	118125	118465	340	84701	84796	97	85216	85301	85	16101	54	495142	495359	212
23-11-24	118465	118867	342	84796	84902	104	85301	85396	95	16155	52	495359	495579	220
24-11-24	118867	119136	329	84902	84991	89	85396	85422	26	16207	53	495579	495800	221
25-11-24	119136	119483	347	84991	85096	107	85422	85476	54	16260	61	495800	496023	223
26-11-24	119483	119833	350	85096	85193	96	85476	85526	50	16321	67	496023	496244	221
27-11-24	119833	120177	344	85193	85293	97	85526	85576	50	16380	74	496244	496463	219
28-11-24	120177	120523	346	85293	85404	111	85576	85605	29	16462	80	496463	496683	219
29-11-24	120523	120883	360	85404	85506	102	85605	85650	45	16512	80	496683	496903	219
30-11-24	120883	121239	354	85506	85625	119	85650	85690	40	16562	80	496903	497123	219
			116157			3320			1941		1861			6389

M&L
2024

RECYCLING WATER

Date	Recycling Water RO			Total	Boiler Water			Total	Process Water			Total
	Initial Reading	Final Reading	Total		Initial Reading	Final Reading	Total		Initial Reading	Final Reading	Total	
1-11-24	370142	370362	220	59601	59621	20						
2-11-24	370362	370584	222	59621	59651	30						
03-11-24	370584	370809	225	59651	59673	22						
04-11-24	370809	371036	227	59673	59699	26						
05-11-24	371036	371265	229	59699	59723	24						
06-11-24	371265	371500	235	59723	59755	32						
07-11-24	371500	371733	233	59755	59780	25						
08-11-24	371733	371954	221	59780	59806	26						
09-11-24	371954	372177	223	59806	59835	29						
10-11-24	372177	372396	219	59835	59862	27						
11-11-24	372396	372633	237	59862	59894	32						
12-11-24	372633	372872	240	59894	59921	27						
13-11-24	372872	373112	240	59921	59951	30						
14-11-24	373112	373332	222	59951	59981	31						
15-11-24	373332	373554	221	59981	60012	31						
16-11-24	373554	373775	224	60012	60044	32						
17-11-24	373775	374004	229	60044	60068	24						
18-11-24	374004	374234	230	60068	60091	23						
19-11-24	374234	374471	237	60091	60113	22						
20-11-24	374471	374698	227	60113	60141	28						
21-11-24	374698	374924	231	60141	60174	33						
22-11-24	374924	375162	233	60174	60204	30						
23-11-24	375162	375382	220	60204	60236	32						
24-11-24	375382	375609	227	60236	60263	27						
25-11-24	375609	375843	234	60263	60288	25						
26-11-24	375843	376062	219	60288	60310	22						
27-11-24	376062	376301	239	60310	60350	40						
28-11-24	376301	376522	221	60350	60373	23						
29-11-24	376522	376747	225	60373	60400	27						
30-11-24	376747	376956	209	60400	60430	30						
			6814			829						

[Handwritten signature]

Date	ETP Inlet			ETP Outlet			Borewell Water			HSIIDC Water			Mainline Water		
	Initial Reading	Final Reading	Total												
1-12-2024	121237	121592	350	85625	85743	118	85670	85727	57	16542	16622	80	496463	496689	226
2-12-2024	121592	121922	330	85743	85852	109	85727	85799	52	16622	16650	28	496689	496913	224
3-12-24	121922	122264	342	85852	85964	112	85799	85837	58	16650	16755	105	496913	497185	222
4-12-24	122264	122585	321	85964	86084	120	85837	85893	56	16755	16837	82	497185	497360	225
5-12-24	122585	122911	326	86084	86195	111	85893	85946	53	16837	16919	79	497360	497549	219
6-12-24	122911	123252	341	86195	86321	126	85946	86015	69	16919	17026	107	497549	497807	228
7-12-24	123252	123581	329	86321	86438	117	86015	86069	54	17026	17117	91	497807	498032	225
8-12-24	123581	123916	335	86438	86557	119	86069	86126	57	17117	17180	63	498032	498252	220
9-12-24	123916	124258	342	86557	86678	121	86126	86193	67	17180	17253	73	498252	498473	221
10-12-24	124258	124618	352	86678	86804	126	86193	86245	52	17253	17334	81	498473	498700	227
11-12-24	124618	124950	340	86804	86926	122	86245	86304	39	17334	17419	85	498700	498924	224
12-12-24	124950	125287	337	86926	87047	121	86304	86326	42	17419	17451	32	498924	499147	223
13-12-24	125287	125620	333	87047	87166	119	86326	86397	71	17451	17558	107	499147	499365	218
14-12-24	125620	125965	345	87166	87279	113	86397	86440	43	17558	17654	73	499365	499587	222
15-12-24	125965	126316	351	87279	87406	127	86440	86494	59	17654	17710	79	499587	499803	216
16-12-24	126316	126665	349	87406	87514	108	86494	86561	67	17710	17758	48	499803	500024	221
17-12-24	126665	127017	352	87514	87618	104	86561	86612	51	17758	17853	95	500024	500242	218
18-12-24	127017	127341	324	87618	87747	129	86612	86668	56	17853	17978	125	500242	500466	224
19-12-24	127341	127581	240	87747	87879	132	86668	86737	69	17978	18039	61	500466	500689	223
20-12-24	127581	127914	333	87879	88019	140	86737	86799	42	18039	18125	86	500689	500905	216
21-12-24	127914	128255	341	88019	88140	121	86799	86827	46	18125	18203	78	500905	501130	225
22-12-24	128255	128599	344	88140	88259	119	86827	86900	73	18203	18279	74	501130	501354	224
23-12-24	128599	128935	336	88259	88371	112	86900	86953	57	18279	18332	55	501354	501581	227
24-12-24	128935	129280	345	88371	88494	125	86953	86997	44	18332	18407	75	501581	501804	223
25-12-24	129280	129631	351	88494	88621	127	86997	87081	84	18407	18507	100	501804	502023	219
26-12-24	129631	129983	352	88621	88722	101	87081	87139	58	18507	18605	98	502023	502246	225
27-12-24	129983	130341	352	88722	88807	85	87139	87214	75	18605	18693	98	502246	502471	223
28-12-24	130341	130670	329	88807	88903	96	87214	87273	59	18693	18780	87	502471	502697	226
29-12-24	130670	131012	342	88903	89002	99	87273	87343	70	18780	18843	73	502697	502925	228
30-12-24	131012	131363	351	89002	89093	91	87343	87393	50	18843	18888	45	502925	503149	224
31-12-24	131363	131710	347	89093	89194	101	87393	87453	60	18888	18918	30	503149	503375	226

10473

3569

1763

2376

6912

DEL
9024

RECYCLING WATER

Date	Recycling Water RO			Boiler Water			Process Water		Total
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	
01-12-24	376956	377183	227	60430	60417	32			
02-12-24	377183	377412	229	60462	60483	21			
03-12-24	377412	377634	222	60483	60506	23			
04-12-24	377634	377855	221	60506	60531	25			
05-12-24	377855	378078	223	60531	60551	20			
06-12-24	378078	378297	219	60551	60573	22			
07-12-24	378297	378522	220	60573	60596	23			
08-12-24	378522	378760	233	60596	60619	23			
09-12-24	378760	378992	232	60619	60644	25			
10-12-24	378992	379236	239	60644	60666	22			
11-12-24	379236	379469	233	60666	60689	23			
12-12-24	379469	379700	231	60689	60709	20			
13-12-24	379700	379932	232	60709	60732	23			
14-12-24	379932	380143	211	60732	60753	21			
15-12-24	380143	380352	209	60753	60772	19			
16-12-24	380352	380569	217	60772	60793	21			
17-12-24	380569	380788	219	60793	60809	16			
18-12-24	380788	381008	220	60809	60832	23			
19-12-24	381008	381231	223	60832	60853	21			
20-12-24	381231	381452	221	60853	60876	23			
21-12-24	381452	381665	213	60876	60898	22			
22-12-24	381665	381894	229	60898	60917	19			
23-12-24	381894	382125	231	60917	60944	27			
24-12-24	382125	382362	237	60944	60963	19			
25-12-24	382362	382592	230	60963	60981	23			
26-12-24	382592	382814	222	60981	61004	18			
27-12-24	382814	383034	220	61004	61026	22			
28-12-24	383034	383257	223	61026	61048	22			
29-12-24	383257	383488	231	61048	61072	24			
30-12-24	383488	383712	229	61072	61092	20			
31-12-24	383712	383952	235	61092	61113	21			
			6996			683			

JPR
2025

RECYCLING WATER

Date	Recycling Water RO			Boiler Water			Process Water		
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total
01-1-25	383952	384172	220	61113	61139	26	66976	66356	620
02-1-25	384172	384393	221	61039	61175	36	66356	66437	81
03-1-25	384393	384616	223	61175	61917	42	66437	66516	79
04-1-25	384616	384835	219	61917	61849	32	66516	66594	78
05-1-25	384835	385052	217	61849	61849	-	66594	66676	82
06-1-25	385052	385276	224	61849	61970	21	66676	66760	84
07-1-25	385276	385494	218	61970	61305	35	66760	66838	78
08-1-25	385494	385719	225	61305	61326	21	66838	66918	80
09-1-25	385719	385939	220	61326	61344	18	66918	67001	83
10-1-25	385939	386162	223	61344	61344	-	67001	67086	85
11-1-25	386162	386383	221	61344	61360	16	67086	67165	79
12-1-25	386383	386602	219	61360	61376	16	67165	67246	81
13-1-25	386602	386826	224	61376	61394	18	67246	67330	84
14-1-25	386826	387041	215	61394	61414	20	67330	67412	82
15-1-25	387041	387257	216	61414	61434	20	67412	67492	80
16-1-25	387257	387470	213	61434	61453	19	67492	67570	78
17-1-25	387470	387692	222	61453	61474	26	67570	67646	76
18-1-25	387692	387915	223	61474	61502	23	67646	67721	75
19-1-25	387915	388132	217	61502	61520	18	67721	67799	78
20-1-25	388132	388351	219	61520	61540	20	67799	67878	79
21-1-25	388351	388575	224	61540	61558	18	67878	67954	81
22-1-25	388575	388797	222	61558	61577	19	67954	68039	80
23-1-25	388797	389018	221	61577	61601	24	68039	68113	74
24-1-25	389018	389237	219	61601	61643	42	68113	68186	73
25-1-25	389237	389457	220	61643	61662	19	68186	68264	78
26-1-25	389457	389680	223	61662	61681	19	68264	68345	81
27-1-25	389680	389895	215	61681	61700	19	68345	68427	82
28-1-25	389895	390112	217	61700	61710	10	68427	68510	83
29-1-25	390112	390325	213	61710	61726	10	68510	68590	80
30-1-25	390325	390545	220	61720	61740	20	68590	68674	84
31-1-25	390545	390764	219	61740	61740	-	68674	68739	65
			6817			627			2463

29/11
2025

ETP WATER

Date	ETP Inlet Kl			ETP Outlet Kl			Borwell Water			HSSIDC Water			Mainline Production Water		
	Initial Reading	Final Reading	Total	Initial Reading	Final Reading	Total									
01-1-25	131710	132050	340	89194	89319	125	87454	87528	74	18918	18961	43	50375	50375	200
02-1-25	132905	132931	332	89319	89431	112	87528	87575	47	18961	19006	105	50375	50375	199
03-1-25	132931	133090	339	89431	89542	116	87575	87640	65	19006	19086	20	50375	50375	201
04-1-25	133090	133396	326	89542	89667	122	87640	87722	84	19086	19140	43	50375	50477	202
05-1-25	133396	133725	329	89667	89790	121	87722	87783	59	19140	19175	11	50477	50477	203
06-1-25	133725	134056	333	89790	89915	125	87783	87848	65	19175	19232	30	50477	50477	203
07-1-25	134056	134389	333	89915	90029	114	87848	87960	112	19232	19286	57	50477	50477	198
08-1-25	134389	134729	340	90029	90158	129	87960	88062	102	19286	19342	24	50477	50477	203
09-1-25	134729	135066	337	90158	90289	131	88062	88167	105	19342	19393	37	50477	50477	202
10-1-25	135066	135407	341	90289	90408	119	88167	88206	139	19393	19463	54	50477	50477	202
11-1-25	135407	135756	349	90408	90529	121	88206	88302	96	19463	19530	37	50477	50477	202
12-1-25	135756	136095	339	90529	90660	131	88302	88402	100	19530	19628	37	50477	50477	198
13-1-25	136095	136430	335	90660	90771	111	88402	88502	131	19628	19728	41	50477	50477	198
14-1-25	136430	136770	340	90771	90890	119	88502	88633	131	19728	19828	55	50477	50477	203
15-1-25	136770	137112	342	90890	91005	115	88633	88752	119	19828	19928	49	50477	50477	201
16-1-25	137112	137441	329	91005	91125	120	88752	88853	101	19928	20028	29	50477	50477	202
17-1-25	137441	137773	332	91125	91249	124	88853	88905	162	20028	20128	37	50477	50477	199
18-1-25	137773	138102	329	91249	91375	126	88905	89012	105	20128	20228	41	50477	50477	198
19-1-25	138102	138445	343	91375	91488	113	89012	89120	130	20228	20328	55	50477	50477	203
20-1-25	138445	138785	340	91488	91605	117	89120	89250	118	20328	20430	49	50477	50477	201
21-1-25	138785	139127	342	91605	91725	120	89250	89368	118	20430	20530	35	50477	50477	205
22-1-25	139127	139471	344	91725	91840	115	89368	89495	98	20530	20630	33	50477	50477	202
23-1-25	139471	139817	346	91840	91958	118	89495	89655	102	20630	20730	49	50477	50477	206
24-1-25	139817	140162	345	91958	92077	119	89655	89749	94	20730	20830	9	50477	50477	204
25-1-25	140162	140513	351	92077	92200	123	89749	89872	123	20830	20957	1	50477	50477	203
26-1-25	140513	140851	338	92200	92317	117	89872	89970	98	20957	21085	~	50477	50477	200
27-1-25	140851	141191	340	92317	92436	119	89970	90068	98	21085	21180	23	50477	50477	208
28-1-25	141191	141536	345	92436	92532	96	90068	90198	88	21180	21280	7	50477	50477	206
29-1-25	141536	141882	346	92532	92632	100	90198	90302	47	21280	21380	112	50477	50477	204
30-1-25	141882	142219	337	92632	92735	125	90302	90365	62	21380	21480	28	50477	50477	203
31-1-25	142219	142504	337	92735	92871	119	90365	90465	58	21480	21580	43	50477	50477	200
			10504			3677			8911		1096				6569

CHAPTER 1
DESCRIPTION OF THE PRODUCT R. 3.1 U I T G P36-50

Continuous batch washer

1.5 Datasheet

The system is designed and built to operate automatically, requiring operator intervention only to set the operating parameters, start the set cycle and load/unload the linen.

The machine can be used either manually (with commands given with hold to run controls during tune-up and/or adjustment), or automatically (the machine works according to the program selected on the control panel).

The machine is designed to operate in an environment characterized by:

- ✓ room temperature 10÷40°C
- ✓ ambient humidity (non-condensing) < 85%
- ✓ distance from other items 1 meter

Below you can find the main technical parameters of the machine P50-16U:

- ✓ Dry linen capacity per chamber 50 Kg
- ✓ Wash time 30 minutes
- ✓ Hourly throughput 1600kg/h with 30 minutes cycle
- ✓ Water consumption 9.9 litre/kg of dry linen
- ✓ Water pressure 2.5÷6 bar
- ✓ Water connection and coupling 19.0 litres DN65
- ✓ Steam consumption 0.4÷0.6 Kg/Kg of dry linen
- ✓ Steam pressure 4-6 bar
- ✓ Steam connection and coupling 1.05 kg DN 80
- ✓ Compressed air pressure 6 bar
- ✓ Compressed air consumption 700 litres/h
- ✓ Compressed air connection DN10
- ✓ Electrical power supply 400 Volt 3Ph+N @ 50Hz / 23 kW
- ✓ Electric consumption 15.2 kW/h
- ✓ Nominal current 63A
- ✓ Electric protection class IP65
- ✓ Net Weight 11400 kg
- ✓ Operational weight 17000 kg

Dimensions, weight and construction may be subject to change.

Please, observe the notes in the following page.

Ameyure-2
2045

30



Envirochem Testing & Consultancy LLC

(Formerly known as Envirochem Testing Laboratory & Research Centre)

(GOVT. APPROVED LAB)

(An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Lab)

Plot No. 165, 1st Floor, Sector-25, Part-II, HUDA, Panipat-132103, Hr.

M.: +91 90348 91129, 89501 75388, 96719 56782

Email : envirochemtestinglab@gmail.com

Web. : www.etlrc.com

TEST REPORT

Report No	ETL/ PNP/ 51960	Report Date	15.06.2024	Doc No.	ETL/QF/7.8/01
Issue to: M/s Shubhram Hospital Solution Plot No. 485 – 486, Phase – II, Barhi, Ganaur, Sonipat		Party's Ref No: Nil Work Order No: 37962 (A&B) Period of Testing: 12.06.2024 – 15.06.2024			
SAMPLE PARTICULARS					
1.	Type of sample	:	EFFLUENT WATER		
2.	Point of Sample Collection	:	ETP Inlet/Outlet		
3.	Date of sample collection/ received	:	12.06.2024		
4.	Purpose of analysis	:	Monitoring purpose		
5.	Sample collected/ supplied by	:	By Lab Representative		
6.	Sample Quantity	:	5 litre each		
7.	Method of Sampling	:	IS 3025 (P – 1) 1987		

TEST RESULTS

Sr. No.	Particulars	Inlet	Outlet	General Std. Limits For Discharge (Inland Surface Water)	Protocol used
1.	Appearance	White	Colourless	--	IS 3025 (P-4) 2021
2.	pH	9.56	6.79	5.5-9.0	IS 3025 (P-11) 1983
3.	COD, mg/L	498	45	250	IS 3025 (P-58) 2023
4.	BOD at 27°C for 3 Days, mg/L	172	15.6	30	IS 3025 (P-44) 2023
5.	Total Suspended Solids, mg/L	48	6	100	IS 3025 (P-17) 2022
6.	Total Dissolved Solids, mg/L	1000	550	-	IS 3025 (P-16) 2023
7.	Oil & Grease, mg/L	5.0	3.2	10	IS 3025 (P-39) 2021


Remarks: Parameter of Effluent water samples meet with General Standards Limits for discharge on inland surface water.

*****End Report*****

Neha Singh

Verified By
Neha Singh





HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



DOC No. HTH/QF/7.8

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Shubhram Hospital Solutions Private Ltd Plot No. 485- 486, Phase-II, HSIIDC Textile Park, Industrial Area, Barhi, Ganaur, Sonapat (HR)	Report No. : HTH/EP/241130032 ULR No. : TC781124100009554F Party's Ref No. : Nil Booking Date : 30/11/2024 Period of Testing : 30/11/2024 To 05/12/2024 Reporting Date : 05/12/2024
---	--

Sample Description	: Effluent Water Sample (ETP-Inlet)
Type of Industry	: Hospital
Sample type	: Effluent Water Sample (ETP-Inlet)
Date of sampling	: 30/11/2024
Date of receipt of sample	: 30/11/2024
Sample Location	: ETP-Inlet
Sample quantity	: 2 Ltr.
Purpose of analysis	: Monitoring
Sample collected/ supplied by	: By our Lab. Representative

TEST RESULTS

S.N.	Test Parameters	Unit	Result	Test Method
Discipline: Chemical, Group: Pollution & Environment				
1	Odour	--	Foul	IS 3025 (Part 5): 2018
2	pH	--	11.28	IS 3025 (Part 11): 2022
3	Conductivity	µmhos/cm	1340.0	IS 3025 (Part 14): 2013
4	Total Suspended Solids	mg/l	106.0	IS 3025 (Part 17): 2022
5	Total Dissolved Solids	mg/l	968.0	IS 3025 (Part 16): 2023
6	Biochemical Oxygen Demand (BOD) 3 Days at 27°C	mg/l	313.0	IS 3025 (Part 44): 2022
7	Chemical Oxygen Demand(COD)	mg/l	690.0	IS 3025 (Part 58): 2023
8	Oil & Grease	mg/l	11.8	IS 3025 (Part 39): 2021
9	Turbidity	NTU	90.0	IS 3025 (P-10): 2023

End of Report


Review by 05-12-24

Basudev Singh
Tech. Manager

Page No.: 1

The results contained in this test report pertain only to the sample tested not for a whole lot. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount or Sample not drawn by HTH unless otherwise specified.

2. The results contained in this test report pertain only to the sample tested not for a whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount or
 6. Sample not drawn by HTH unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanotesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:
 Shubhram Hospital Solutions Private Ltd
 Plot No. 485- 486, Phase-II, HSIIDC Textile Park, Industrial Area,
 Barhi, Ganaur, Sonapat (HR)

Report No. : HTH/EP/241130033
ULR No. : TC781124100009555F
Party's Ref No. : Nil
Booking Date : 30/11/2024
Period of Testing : 30/11/2024 To 05/12/2024
Reporting Date : 05/12/2024

Sample Description : Effluent Water Sample (ETP-Outlet)
Type of Industry : Hospital
Sample type : Effluent Water Sample (ETP-Outlet)
Date of sampling : 30/11/2024
Date of receipt of sample : 30/11/2024
Sample Location : ETP-Outlet
Sample quantity : 2 Ltr.
Purpose of analysis : Monitoring
Sample collected/ supplied by : By our Lab. Representative

TEST RESULTS

S.N.	Test Parameters	Unit	Result	Limit as per EP Act. 1986, Schedule-VI (Inland Surface Water)	Test Method
Discipline: Chemical, Group: Pollution & Environment					
1	Odour	--	Odourless	--	IS 3025 (Part 5): 2018
2	pH	--	8.30	5.5 - 9.0	IS 3025 (Part 11): 2022
3	Conductivity	µmhos/cm	1372.0	--	IS 3025 (Part 14): 2013
4	Total Suspended Solids	mg/l	47.0	100 Max.	IS 3025 (Part 17): 2022
5	Total Dissolved Solids	mg/l	1016.0	--	IS 3025 (Part 16): 2023
6	Biochemical Oxygen Demand (BOD) 3 Days at 27°C	mg/l	24.0	30 Max.	IS 3025 (Part 44): 2022
7	Chemical Oxygen Demand(COD)	mg/l	170.0	250 Max.	IS 3025 (Part 58): 2023
8	Oil & Grease	mg/l	2.9	10 Max.	IS 3025 (Part 39): 2021
9	Turbidity	NTU	35.0	--	IS 3025 (P-10): 2023




End of Report





Review by 05-12-24

Basudev Singh
 Tech. Manager


Page No.: 1


- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount or
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. Lab does not confirm about it and hence does not taken any responsibility whatsoever.





Annexure - 4





Month	Borewell	HSIIDC	RO Permit	Total of Process Water	Domestic	Boiler Water	Production Mainline Water	Process Water	ETP INLET	ETP TO CTP	RO Feed	RO Reject	Linen Wash KG	Water used Litter	Average
Oct-24	2165	2276	3258	7699	200	917	6582	6554	9691	3393	6517	3258	697692	6554000	9.4
Nov-24	1941	1869	3498	7308	683	240	6385	6389	10157	3328	6864	3328	639734	6389000	10.0
Dec-24	1783	2376	3498	7657	60	683	6914	6912	10473	3569	6996	3498	653724	6912000	10.6
Jan-25	2911	1096	3090	7097	200	627	6270	6264	10581	3677	6817	3727	646000	6264000	9.7

Annexure - 5

**HARYANA STATE POLLUTION CONTROL BOARD**Star Complex, Opp. General Hospital, Delhi Road,
Sonepat Ph. 0130-2236119(O) Email:-

hspcbrosr@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 19570823SONCTO39994533

Dated:16/08/2023

To.

M/s :SHUBHRAM HOSPITAL SOLUTIONS PVT LTD
PLOT NO 485 486 HSIIDC PH II BARHI DISTT SONIPAT

Subject: Grant of consent to operate to M/s SHUBHRAM HOSPITAL SOLUTIONS PVT LTD.

Please refer to your application no. 39994533 received on dated 2023-08-04 in regional office Sonipat. With reference to your above application for consent to operate, M/s SHUBHRAM HOSPITAL SOLUTIONS PVT LTD is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2023 - 30/09/2025
Industry Type	yarn/textile processing involving any effluent/emission - generating process bleaching, dyeing, printing and scouring
Category	RED
Investment(In Lakh)	1488.0
Total Land Area(Sq. meter)	8100.0
Total Builtup Area(Sq. meter)	6200.0
Quantity of effluent	
1. Trade	245.0 KL/Day
2. Domestic	5.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Into HSIIDC sewer leading to CETP
2. Trade	Into HSIIDC sewer after treatment leading to CETP
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. BOD	500 mg/l
2. COD	1400 mg/l
3. TSS	1500 mg/l
4. pH	6.0-9.0
5. O&G	10 mg/l
6. Amonical Nitrogen	50 mg/l

7. Sulphide	1 mg/l
8. Phenolic compound	1 mg/l
9. Total Chromium	2 mg/l
10. TDS	2100 mg/l
Number of stacks	1
Height of stack	
1. Common CHIMNEY ATTACHED TO BOILER 6 TONNES AND 8 TONNE	30 meters
Emission parameters	
1. SPM	80 mg/m ³
2. NOX	50 mg/m ³
3. SOX	50 mg/m ³
Product Details	
1. WASHING OF LINEN	45 Metric Tonnes/day
Capacity of boiler	
1. Steam boiler	6.0 Ton/hr
2. Steam boiler	8.0 Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Biomass	40 Ton/day
Raw Material Details	
CHEMICAL AND DETERGENTS	10 Kg/Day
LINEN	50 Metric Tonnes/Day

*Regional Officer, Sonipat
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.

5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

*Regional Officer, Sonipat
Haryana State Pollution Control Board.*

VAKALATNAMA

BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH, NEW DELHI

ORIGINAL APPLICATION NO. 622 OF 2024

IN RE:-

VARUN GULATI

...APPLICANT

VERSUS

STATE OF HARYANA & ORS.

...RESPONDENTS

KNOW ALL to whom these presents shall come that I/We, undersigned the above named do hereby appoint.

**SIDDHARTH BATRA (P/1083/2004), ARCHNA YADAV (D/1837/2020), SHIVANI CHAWLA (D/2233/2019),
CHINMAY DUBEY (D/8141/2021) & RHYTHM KATYAL (D/3528/2022);**

Advocates

Satram Dass B & Co., 8A, Sagar Apartment, 6 Tilak Marg, New Delhi-110001

Mob: 988888 4445, Email: siddharth.batra@satramdass.com

(hereinafter called the advocate/s) to be my/our Advocate in the above noted case and authorize him: -

To act, appear and plead in the above-noted case in this Court or in any other Court in which the same may be tried or heard and also in the Appellate Court including High Court subject to payment of fees separately for each court by me/us.


To sign file, verify and present pleadings, appeals, cross-objections or petitions for executions, review, revision, withdrawal, compromise or other petitions or affidavits or other documents as may be deemed necessary or proper for the prosecution of the said case in all its stages subject to payment of fees for each stage. To file and take back documents, to admit and/or deny the documents of opposite party. To withdraw or compromise the said case or submit to arbitration any differences or disputes that may arise touching or in any manner relating to the said case. To take execution proceedings. To deposit, draw and receive monthly cheques, cash and grant receipts thereof and to do all other acts and things which may be necessary to be done for the progress and in the course of the prosecution of the said case. To appoint and instruct any other Legal Practitioner authorizing him to exercise the power and authority hereby conferred upon the Advocate whenever he may think fit to do so and to sign the power of attorney on our behalf.

And I/We the undersigned do hereby agree to ratify and confirm all acts done by the Advocate or his substitute in the matter as my/our own acts, as if done by me/us to all intents and proposes. And I/We undertake that I/We or my /our duly authorised agent would appear in Court on all hearings and will inform the Advocate for appearance when the case is called. And I/We the undersigned do hereby agree not to hold the advocate or his substitute responsible for the result of the said case. The adjournment costs whenever ordered by the Court shall be of the Advocate which he shall receive and retain for himself. And I/We the undersigned do hereby agree that in the event of the whole or part of the fee agreed by me/us to be paid to the advocate remaining unpaid he shall be entitled to withdraw from the prosecution of the said case until the same is paid up. The fee settled is only for the above case and above Court. I/We hereby agree that once fee is paid, I/We will not be entitled for the refund of the same in any case whatsoever and if the case prolongs for more than 3 years the original fee shall be paid again by me/us.

IN WITNESS WHEREOF I/We do hereunto set my/our hand to these presents the contents of which have been understood by me/us on this 10th day of May, 2025

Accepted, identified and certified subjected to the terms of the fees.

For Shubhram Hospital Solutions Pvt Ltd.

 
[SIDDHARTH BATRA] [ARCHNA YADAV]

 
[SHIVANI CHAWLA] [CHINMAY DUBEY] & [RHYTHM KATYAL]
Advocates


Client
Authorised Signatory

Sunil Kumar



SHUBHRAM

CERTIFIED TRUE COPY OF THE RESOLUTION PASSED IN THE MEETING OF BOARD OF DIRECTORS OF SHUBHRAM HOSPITAL SOLUTIONS PRIVATE LIMITED HELD ON 17th FEBRUARY 2025 AT 11:00 AM AT BASEMENT-1, BUILDING NO 108, SECTOR-44, GURGAON-122003, HARYANA.

RESOLVED THAT Mr. Sunil Kumar, AM HR, Employee ID: 0055, be and is hereby authorized on behalf of Shubhram Hospital Solutions Private Limited to initiate, file, defend, represent, and conduct legal cases, proceedings, or claims in any court of law, tribunal, or any other judicial or quasi-judicial authority in connection with the business or matters of the Company.

RESOLVED FURTHER THAT Mr. Sunil Kumar, is authorized to sign, verify, and submit all necessary documents, affidavits, pleadings, applications, and undertakings, and to appoint advocates, solicitors, and other professionals as may be required for such proceedings.

RESOLVED FURTHER THAT all actions taken by Mr. Sunil Kumar, in connection with the above matters be and are hereby ratified and confirmed by the Company.

RESOLVED FURTHER THAT a certified true copy of this resolution be provided to all concerned authorities as and when required for their records and reference.

For Shubhram Hospital Solutions Private Limited
For Shubhram Hospital Solutions Pvt. Ltd.


Authorised Signatory
Shashank Mohan Dev Kaushik
Director
DIN 09115369

Date: 19th February 2025
Place: Gurgaon

✦
Shubhram Hospital Solutions Pvt. Ltd. (India)
Corporate Office Address: 426, 4th Floor, Tower-A,
Emaar Digital Greens, Sector-61, Golf Course Extension Road,
Gurgaon, Haryana 122011
Plant Address: 485-486, HSIIDC Industrial Area, Barhi
Textile Park, Phase II, Sonipat (Haryana) India-131101
Registered Office Address is: G-21 & G-22, Plot No. 3,
Ground Floor, Community Center, Aggarwal Plaza,
Prashant Vihar, Sec-14 Rohini, New Delhi- 110085.
CIN: U93000DL2014PTC268098

✦
Telephone: +91-130-2345678
E-mail: info@shubhram.com
Web: www.shubhram.com

<p>भारत सरकार Government of India</p> <p>सुनील कुमार Sunil Kumar</p> <p>जन्म तिथि/DOB: 05/04/1985 पुरुष/MALE.</p> <p>आधार नं. जारी: 26/03/2013</p>  <p>आधार पहचान का प्रमाण है, जाति/जाति या सम्बन्धित नहीं है। यह एक सशुद्ध सत्यापन (30-सेकण्ड) प्रमाणिकरण, या यथार्थता को अधिकतम सुरक्षापूर्ण तरीके से संचयन किया जाना चाहिए। Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).</p> <p>5866</p> <p>भारत आधार, मोरी पहचान</p>	<p>भारतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority of India</p> <p>पता: S/O: परमाणु, गोर नगर-131, असावपुर ०१, रत, हरियाणा - 131029</p> <p>Address: S/O: Paramanand, HOUSE number-431, Asawapur (733), PO: GOR, DIST: Sonapat, Haryana - 131029</p> <p>Details as on: 24/02/2025</p> <p>5866</p> <p>VID: 9105 5148 9975 1021</p> <p>1047 help@uidai.gov.in www.uidai.gov.in</p>
---	---

[Handwritten signature in blue ink]



Vijay Kumar <vijay.kumar@satramdass.com>

Advance service copies of short reply on behalf of Respondent No. 73 in O.A. No. 622/2024 titled as 'Varun Gulati v. State of Haryana & Ors.'

1 message

Vijay Kumar <vijay.kumar@satramdass.com>

Sat, May 10, 2025 at 1:21 PM

To: Mansi Chahal <mansichahal104@gmail.com>, Varun Gulati <jansewajanhit@gmail.com>

Cc: Archana Yadav <archana.yadav@satramdass.com>, Shivani Chawla <shivani.chawla@satramdass.com>, Chinmay Dubey <chinmay.dubey@satramdass.com>

Dear Sir,

PFA.

Advance service copies of short reply on behalf of Respondent No. 73 in O.A. No. 622/2024 titled as 'Varun Gulati v. State of Haryana & Ors.'

Kindly treat the same as Proof of service.

Regards

Vijay Kumar
Office Manager8A Sagar Apartment
6 Tilak Marg
New Delhi - 110001
Landline - +91-11-47046111
vijay.kumar@satramdass.com

Satram Dass B & Co. made the following annotations

"This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachments is prohibited. If you have received this communication in error, please notify us by reply e-mail and immediately and permanently delete this message and any attachments. Thank you."

**Paperbook -NGT REPLY- R73 Shubhram Hospitals_Redacted.pdf**
12965K