

**BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH,  
NEW DELHI**

**EXECUTION APPLICATION NO. 61 OF 2025**

**IN**

**ORIGINAL APPLICATION NO. 257 OF 2025**

**IN THE MATTER OF:**

ASHISH KASHYAP

.....APPLICANT.

**VERSUS**

STATE OF U.P. & ORS.

.....RESPONDENTS.

**INDEX**

S.No.	Particulars	Page No.-
1.	Reply Affidavit on behalf of District Magistrate Budaun in compliance of order dated 19.09.2025 passed by this Hon'ble Tribunal	
2.	<b><u>Annexure No. RA 1: -</u></b> A copy of Annexure-A/4	
3.	<b><u>Annexure No. RA 2: -</u></b> A true copy of the relevant extract of the Central Public Health and Environmental Engineering Organisation (CPHEEO)	
4.	<b><u>Annexure No. RA 3 (Collectively): -</u></b> True copies of the said communications dated 03.10.2025 and 25.09.2025	
5.	<b><u>Annexure No. RA 4: -</u></b>	

	A true copy of the reasoned order dated 13.12.2025	
6.	<b><u>Annexure No. RA 5 (Collectively): -</u></b> True copies of the postal receipts along with envelopes	
7.	<b><u>Annexure No. RA 6: -</u></b> A copy of the Letter dated 15.12.2025	

Dated- 18.12.2025

*Ankit Verma*

**THROUGH**

**(ANKIT VERMA)**

**STANDING COUNSEL STATE OF UP**

**A-15 FF, NIZAMUDDIN EAST, NEW DELHI- 110013**

**MOB:- 09990804440**

**Email-ankit.scngtup@gmail.com**

BEFORE THE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH,

NEW DELHI

EXECUTION APPLICATION NO. 61 OF 2025

IN

ORIGINAL APPLICATION NO. 257 OF 2025



IN THE MATTER OF:

ASHISH KASHYAP



VERSUS



.....APPLICANT



STATE OF U.P. & ORS.

.....RESPONDENTS.

**REPLY AFFIDAVIT ON BEHALF OF DISTRICT MAGISTRATE  
BUDAUN IN COMPLIANCE OF ORDER DATED 19.09.2025 PASSED BY  
THIS HON'BLE TRIBUNAL**

The Respondent No. 1 herein states as under: -

**MOST RESPECTFULLY SHOWETH:**

1. <sup>NOTARY</sup> Aravish Rai <sup>NOTARY</sup> aged about 36 <sup>NOTARY</sup> years, S/o <sup>NOTARY</sup> Suspendra Nath Rai, posted as District Magistrate, Budaun, the deponent, do hereby solemnly state and affirm as under: -

1. That I am the above-mentioned officer on behalf of the answering Respondent No.1 and is duly competent to file the present affidavit. That the Deponent is well conversant with the facts and the circumstance of the instant case and is competent to swear this affidavit.

2. That the Deponent has read and understood the contents of the present reply affidavit. The averments made in the Execution Application, which are not specifically admitted hereunder, must be considered to have been denied by the Deponent.



3. That the contents of the present reply affidavit have been drafted by my counsel on my instructions and the contents of the same are true to my knowledge and nothing material has been concealed there from.
4. That the deponent is posted as District Magistrate, Budaun since ..... and is swearing this reply affidavit in his official capacity as Respondent No.1.
5. That the instant Execution Application has been filed by the applicant seeking execution of order dated 26.05.2025 passed by this Hon'ble Tribunal in O.A. No.257 of 2025, titled as Ashish Kashyap & Ors. vs. State of Uttar Pradesh & Ors.
6. That this Hon'ble Tribunal vide it's order dated 19.09.2025 was pleased to issue the following directions:-

***".....3. Issue notice to the respondents. Applicant is directed to serve the respondents and file affidavit of service at least one week before the next date of hearing***

***4. List on 19.12.2025"***



- That the present reply affidavit is being filed in respectful compliance of the order dated 19.09.2025 passed by this Hon'ble Tribunal.

8. That the Original Application No 257 of 2025 was disposed of by this Hon'ble Tribunal vide its order dated 26.05.2025, by issuing the following directions: -

***"4. Having regard to the issue which has been raised by the applicant and the facts noted above, we are of the view that the representation submitted by the applicant to the Respondent No. 1 District Magistrate, Budaun is required to***

*be duly considered and the ground situation especially the effect of the STP on the nearby college is required to be ascertain.*

*5. Hence, we dispose of the OA directing the Respondent No. 1- District Magistrate, Budaun to duly consider the representation and take appropriate remedial measures, if required, as expeditiously as possible, preferably within a period of two months from the date of receipt of a copy of this order.”*

9. That in the Original Application No. 61/2025, titled *Ashish Kashyap & Others versus State of Uttar Pradesh & Others*, instituted by the applicant before this Hon'ble Tribunal, it has been specifically averred in the first paragraph at page no. 4 that the Executive Engineer, U.P. Jal Nigam (Urban), Shahjahanpur, arrayed therein as Respondent No. 5, has proposed the construction of a Sewage Treatment Plant (STP) having a capacity of 15 MLD on land situated at a distance of merely 208 meters from the college campus of the applicant.

10. That however, in the representation annexed as Annexure-A/4 to the aforesaid Original Application, the distance between the proposed STP and the college campus has been stated to be 400 meters. A copy of Annexure-A/4 is being annexed as **Annexure No. RA 1** to this affidavit.




It is further relevant to state that as per the norms prescribed by the Central Public Health and Environmental Engineering Organisation (CPHEEO), a minimum aerial/peripheral distance of 100 meters from the STP premises to the habitation has been stipulated. In this regard, Chapter No. 5, Clause No. 5.3.7.1 titled “**Buffer Zone around the STP**”, of the said Manual categorically provides as follow:-

***“Where odour control systems cannot be provided at STPs, a minimum aerial/peripheral distance of 100 meters is recommended between odour-generating units and residential areas.”***

A true copy of the relevant extract of the said Manual is being as **Annexure No. RA 2** to this affidavit.

12. That from the aforesaid facts and documents, it is abundantly clear that even as per the applicant's own pleadings and submissions made in the Original Application, the proposed STP of 15 MLD capacity is situated at a distance of 208/400 meters from the college campus, which is well beyond the minimum distance prescribed under the CPHEEO norms. Consequently, the prayers made by the applicant are self-defeating, misconceived, and devoid of any legal merit. More so, when the CPHEEO Manual itself mandates a distance of only 100 meters from residential areas in cases where no odour control system is provided, whereas in the present case, installation of an odour control system in the proposed STP has also been duly contemplated.



That in strict and letter-by-letter compliance of the order dated 26.05.2025 passed by this Hon'ble Tribunal in the aforementioned Original Application, the answering respondent issued communications bearing Letter No. 1713/21-B/2025 and Letter No. 400(2)(6)-12-04 (RA-2)/2025, dated 03.10.2025, pursuant to which letters dated 25.09.2025 were duly addressed to the Executive Engineer, U.P. Jal Nigam (Urban), Shahjahanpur. True copies of the said communications dated 03.10.2025 and 25.09.2025 are collectively being filed **Annexure No. RA 3** to this affidavit.

14. That it is further submitted that the Executive Engineer, U.P. Jal Nigam (Urban), Shahjahanpur, vide Letter No. 2663/D-4/16 dated 10.12.2025, submitted a detailed response, and after due and proper consideration of the representations made by the applicants, the same were decided on merits by passing a reasoned order bearing Letter No. 2014/21-B/2025 dated 13.12.2025. A true copy of the reasoned order dated 13.12.2025 is being annexed as **Annexure No. RA 4** to this affidavit.

15. That it is also pertinent to mention that a copy of the aforesaid order was duly served upon the applicants through registered post. True copies of the postal receipts along with envelopes are collectively being annexed as **Annexure No. RA 5** to this affidavit.

16. That in the aforesaid circumstances, the deponent has ensured complete and faithful compliance of the orders dated 19.09.2025 and 26.05.2025 passed by this Hon'ble Tribunal, and has further issued necessary directions to all concerned authorities by instructing the In-charge Officer, Local Bodies, Budaun, to ensure due compliance thereof. In furtherance of the same, the Additional District Magistrate (Administration)/In-charge Officer, Local Bodies, Budaun, vide Letter No. 2022/21-B/2025 dated 15.12.2025, has issued detailed directions to the Executive Engineer, U.P. Jal Nigam (Urban), Shahjahanpur, the Executive Officer, Nagar Palika Parishad, Budaun, and other concerned authorities. A copy of the Letter dated 15.12.2025 is being annexed as **Annexure No. RA 6** to this affidavit.



17. That since the orders dated 26.05.2025 and 19.09.2025 passed by this Hon'ble Tribunal, have already been complied with in letter and spirit by the answering

respondent, the execution application filed by the petitioners is wholly misconceived, not maintainable, and liable to be dismissed.

18. That without prejudice to the foregoing, it is pertinent to submit that the city of Budaun is situated along the banks of the Sot River, which is a seasonal river and ultimately merges into the Ramganga River. In furtherance of the objectives of the Government of India under the Swachh Bharat Mission (SBM) 2.0, all urban local bodies situated in proximity to rivers or tributaries of the River Ganga have been directed to undertake measures for prevention of water pollution in river, including the construction of Sewage Treatment Plants (STPs).

19. That in pursuance thereof, for the purpose of intercepting and treating sewage emanating from the major city drains of Budaun, namely Kabulpura-1, Kabulpura-2 and Lalpul, which are the principal sources of pollution of the Sot River, a project for construction of an STP along with Interception and Diversion (I&D) works has been duly proposed to ensure abatement of pollution and restoration of the river. For the said purpose, the Nagar Palika Parishad, Budaun, has provided land free of cost to the U.P. Jal Nigam (Urban) for establishment of the STP.



That the object and purpose of the said project is to discharge treated effluent into the Sot River strictly in accordance with the norms and standards prescribed under the Manual issued by the Central Public Health and Environmental Engineering Organisation (CPHEEO). It is further submitted that in order to mitigate and control any odour, installation of an appropriate odour control system has also been duly proposed in accordance with the prescribed standards.

21. That in this regard, vide order dated 13.12.2025, directions were issued to the In-charge Officer, Local Bodies, Budaun, to ensure issuance of necessary instructions to the Executive Engineer, U.P. Jal Nigam (Urban), Shahjahanpur, for installation of the odour control system. Pursuant thereto, the Additional District Magistrate (Administration)/In-charge Officer, Local Bodies, Budaun, vide Letter No. 2022/21-B/2025 dated 15.12.2025, has already issued requisite directions to all concerned authorities. In the aforesaid facts and circumstances, the proposed STP squarely falls within the category of essential public utility services. Its establishment is indispensable for prevention of water pollution and protection of the environment, and it does not, in any manner whatsoever, cause any adverse impact upon the general public or upon the students of Asim Siddiqui Degree College, as falsely and misconceivedly alleged by the Applicant.

22. That in light of the above mentioned facts and circumstances submitted above, the establishment and operation of the proposed STP shall not give rise to any health-related, air-related, water-related, or environmental hazards, nor shall it cause any adverse or deleterious impact of any nature whatsoever. The apprehensions sought to be projected by the applicant is wholly unfounded and misconceived, particularly in view of the fact that the U.P. Jal Nigam has been specifically directed to install an odour control system as part of the STP infrastructure.

23. That in the interest of justice, the present reply affidavit by the deponent may be taken on record by this Hon'ble Tribunal.



18.12.25  
DEPONENT

VERIFICATION

I, the deponent above named do hereby verify and state that the contents of the foregoing paragraphs of the above application are true to the best of my knowledge and belief, no part of it is false and nothing material has been concealed there from.

On this <sup>NOTARI</sup> 18<sup>th</sup> day of December, 2025.

  
18-12-25  
DEPONENT

  
18-12-25  
DM

Sworn and Verified  
  
NOOR JAHAN  
Advocate & Notary  
Civil Court, Lucknow  
Registration No. 10842/18



I know & identify the person/Executed  
who has signed  before me  
31/12/25

Annexure RA 1

43

Annexure A/4

To  
The District Magistrate,  
Badaun  
Uttar Pradesh

**Subject: Representation Regarding Health Hazards Due to the Proposed STP Plant Construction near Asim Siddiq PG College, Badaun, Uttar Pradesh**

Respected Sir,

I, Ashish Kashyap, a student of Asim Siddiq PG College, Badaun, Uttar Pradesh.

I would like to bring to your kind attention that the proposed STP plant is planned to be constructed just 400 metres away from our college. This close proximity raises serious concerns as the establishment and operation of the plant may lead to several health hazards. There is a significant risk of airborne and water-borne diseases, among other health issues. Such risks could adversely affect the health of the students and other community members, particularly the children studying in our college.

In light of these concerns, I humbly request you to consider the possibility of relocating the STP plant to a safer and more suitable area away from the college premises. This precautionary measure is essential to safeguard the health of the students and ensure that they are not exposed to harmful effects resulting from the plant's operation.



4/4  
Thank you for considering this matter. I remain hopeful that appropriate action will be taken to address these concerns for the well-being of all the students and the community at large.

Yours sincerely,

Ashish Kashyap  
Student,  
Asim Siddiq PG College  
Badaun, Uttar Pradesh

Copy to:-

1. Chief Minister, State of Uttar Pradesh
2. Member Secretary, UPPCB
3. Director, U.P. Ground Water Authority
4. U.P. Jal Nigam



**5.3.7.1 Buffer zone around the STP**

Adequate measures may be taken for de-odourization in the STP. The units in the STP which need deodorization system are screen chambers, grit chamber, primary clarifier, sludge thickening and dewatering units. However, the odor emissions are negligible for sludge treatment facilities of extended aeration systems due to in-situ aerobic digestion of sludge. Wherever the STPs are provided with de-odourization system, specific buffer zones are not required.

In case of STP's where de-odorization system cannot be provided, an aerial / peripheral distance of 100 m from the odour-producing units to the habitation is recommended. However, this distance can be reduced by conducting public consultation.

**5.3.8 Required Engineering Data**

The mandatory data shall include:

- a) Contour map and elevations connected to the nearest Survey of India permanent bench mark.
- b) Soil tests till it attains hard stratum and test bores at a grid of 500 m squares
- c) Rainfall of nearest observatory for at least 50 years
- d) Highest intensity of rainfall
- e) Earthquake records of the region
- f) Maximum flood level at the site and in the identified receiving water
- g) Wind rose.

**5.3.9 Design Period**

This shall be as in Table 2.1 of Chapter 2.

**5.3.10 Sewers and Conduits**

Generally, urban sewerage schemes involve large volumes of sewage. The sewers conveying it to the STPs can be pipes or in-situ constructed conduits passing through dense areas. These conduits shall be preferably non-corrosive materials such as CI or DI pipes.

They can also be RCC pipes with high alumina cement lining and adequate wall thickness to withstand the traffic loads in public roads. Pre-stressed concrete pipes are not recommended.

This is because if the steel is corroded by Hydrogen sulphide from the sewage, it will lose its thickness. This will affect the ability of the steel rods to withstand the pre-stressed tension and they may snap. Then the entire pipe will crack. These cannot be repaired easily at site.

The old brick-arch sewers are good against corrosion, but the challenges are procuring quality bricks, availability of dedicated skilled masons and difficulties of future repairs if needed.



## कार्यालय जिलाधिकारी, बदायूँ

1713 /21-बी0/2025

दिनांक : सितम्बर 25, 2025

विषय:-

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के नोटिस संख्या EA No. 61/2025 in O.A. No. 257/2025 आशीष कश्यप बनाम उ0प्र0 राज्य व अन्य, दिनांक 23-09-2025, में उत्तर/प्रतिक्रिया दाखिल किये जाने के सम्बन्ध में।

- 1- अधिशासी अधिकारी  
नगर पालिका परिषद  
बदायूँ।
- 2- अधिशासी अभियन्ता, उ0प्र0 जल निगम  
(नगरीय) निर्माण खण्ड शाहजहाँपुर

उपर्युक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के नोटिस संख्या EA No. 61/2025 in O.A. No. 257/2025 आशीष कश्यप बनाम उ0प्र0 राज्य व अन्य, दिनांक 23-09-2025 (छायाप्रति संलग्न) का सन्दर्भ ग्रहण करें, जिसके अन्तर्गत मा0 न्यायाधिकरण के समक्ष व्यक्तिगत रूप से अथवा अधिवक्ता के माध्यम से उपस्थित होकर आदेश दिनांक 19-09-2025 के अनुसार उत्तर/प्रतिक्रिया दाखिल किये जाने के निर्देश दिये गये हैं।

अतः मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के नोटिस संख्या EA No. 61/2025 in O.A. No. 257/2025 आशीष कश्यप बनाम उ0प्र0 राज्य व अन्य, दिनांक 23-09-2025 की छायाप्रति इस निर्देश के साथ संलग्न प्रेषित है कि नोटिस में दिये गये निर्देशानुसार अनुपालन सुनिश्चित करायें तथा कृत कार्यवाही से अधोहस्ताक्षरी को अवगत करायें। प्रकरण मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली से आच्छादित है। इसमें किसी भी प्रकार की शिथिलता न बरती जाये।

संलग्नक उपरोक्तानुसार

अपर जिलाधिकारी (प्र0) /  
प्रभारी अधिकारी स्था0 निकाय  
बदायूँ।

संख्या एवं दिनांक उपरोक्तानुसार

प्रतिलिपि:-जिलाधिकारी महोदय बदायूँ की सेवा में सादर अवलोकनार्थ प्रेषित।

अपर जिलाधिकारी (प्र0) /  
प्रभारी अधिकारी स्था0 निकाय  
बदायूँ।



म.10 उच्च न्यायालय प्रकरण/  
सत्काल कार्यवाही उपेक्षित/ लालमण्डल  
पंजीकृत

प्रेषक

597  
जिलाधिकारी,  
बदायूँ।

सेवा में,

अधिशारी अभियन्ता,  
जल निगम, नगरीय  
जनपद-शाहजहाँपुर।

संख्या- 400(L)(6)वारह-04(RA-2)/2025, दिनांक: 03/10/2025  
विषय:- ओरिजनल ऐपलीकेशन नं0-257/2025(आई0ए0नं0-396/2025) में श्री  
आशीष कश्यप व अन्य बनाम स्टेट ऑफ यू0पी0 व अन्य में प्रभावी पैरवी कर  
तत्काल अवगत कराने के सम्बन्ध में।

महोदय,

कृपया उपर्युक्त विषयक ओरिजनल ऐपलीकेशन नं0-257/2025  
(आई0ए0नं0-396/2025) दिनांक 19-09-2025 (प्रति संलग्न) का सन्दर्भ ग्रहण करें।  
जिसके अन्तर्गत मा0 नेशनल ग्रीन ट्रिब्यूनल प्रिंसीपल बेन्च, नई दिल्ली में योजित उक्त  
याचिका में ससमय प्रभावी पैरवी कराये जाने के निर्देश दिये गये हैं।

अतः उक्त ओरिजनल ऐपलीकेशन नं0-257/2025 (आई0ए0नं0-396/2025)  
दिनांक 19-09-2025 प्रति के साथ समस्त संलग्नकों सहित इस आशय से प्रेषित की जा  
रही कि उक्त प्रकरण में प्रभावी कार्यवाही कराये जाने हेतु प्रकरण से सम्बन्धित पूर्ण पत्रावली  
जिलाधिकारी महोदय बदायूँ के साक्ष तत्काल प्रस्तुत करना सुनिश्चित करें। उक्त प्रकरण में  
कोई विलम्ब न किया जाये। विलम्ब के लिए व्यक्तिगत उत्तरदायी आप होंगे।

AE/WWC  
क आदेशक कार्यालय

भवदीय,

अधिशारी अधिकारी

प्रभारी अधिकारी रिट/  
कृते जिलाधिकारी, बदायूँ।

संख्या एवं दिनांक उपर्युक्त नगर पालिका परिषद: बदायूँ  
प्रतिलिपि:-

- 1-जिलाधिकारी महोदय जनपद-शाहजहाँपुर की सेवा में सादर सूचनार्थ प्रेषित।
- 2-अधीक्षण अभियन्ता जलनिगम नगरीय, बरेली मण्डल बरेली को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
- 3-उप जिलाधिकारी सदर-बदायूँ को आवश्यक कार्यवाही हेतु प्रेषित।
- 4-अधिशारी अभियन्ता जल निगम ग्रामीण, जनपद-बदायूँ को इस निर्देश के साथ प्रेषित कि अधिशारी अभियन्ता जल निगम, जनपद-शाहजहाँपुर से सम्पर्क स्थापित कर उक्त प्रकरण में तत्काल प्रभावी पैरवी कराये जाने हेतु अवगत कराना सुनिश्चित करें।
- 5-अधिशारी अधिकारी नगर पालिका परिषद बदायूँ को आवश्यक कार्यवाही हेतु प्रेषित।

श्री प्रो.का. मनो जहांगीर  
श्री. कार्यवाही करे।

18/09/25  
8/10/25

वे.  
03/10/25  
प्रभारी अधिकारी रिट/  
कृते जिलाधिकारी, बदायूँ।



## कार्यालय जिलाधिकारी बदायूँ

Email- [pnibud@nic.in](mailto:pnibud@nic.in)  
 Contact - 9454417525  
 Res- 05832268301,  
 Office-05832 266406



संख्या 20/4 /21बी0/2025

दिनांक : दिसम्बर, 13, 2025

## आदेश


याची आशीष कश्यप व अन्य के द्वारा मा० राष्ट्रीय हरित अधिकरण के प्रधान न्यायाधीश के समक्ष मूल आवेदन सं०-257/2025 आशीष कश्यप व अन्य बनाम उ०प्र० राज्य व अन्य संस्थित की गयी थी व मा० अधिकरण के द्वारा आवेदक आशीष कश्यप व अन्य के द्वारा प्रस्तुत आवेदन पर सुनवाई किये जाने के उपरान्त दिनांक 26-05-2025 को आदेश पारित किया गया व उपरोक्त आदेश में यह उल्लेख किया गया है कि आवेदक द्वारा आशीष कश्यप व अन्य आसिम सिद्दीकी डिग्री कालेज का छात्र है व प्रतिवादी संख्या-4 उ०प्र० जलनिगम (नगरीय) शाहजहाँपुर द्वारा 15 एम०एल०डी० क्षमता सीवेज ट्रीटमेन्ट प्लांट यानि एस०टी०पी० का निर्माण हाउस परिसर से 208 मीटर की दूरी पर किया जा रहा है। मा० अधिकरण द्वारा अपने आदेश में यह भी उल्लेख किया गया कि यह आवेदक के विद्वान अधिवक्ता एस०टी०पी० के निर्माण में नियत विनियमन व मापदण्डों का उल्लंघन न कर पाये ताकि कालेज के छात्रों पर एस०टी०पी० का प्रतिकूल प्रभाव न पड़े। उपरोक्त आदेश में मा० अधिकरण द्वारा यह भी उल्लेख किया गया है कि आवेदक ने प्रतिवादी संख्या-01 जिला मजिस्ट्रेट बदायूँ को अभ्यावेदन प्रस्तुत किया है। लेकिन अभ्यावेदन पर कोई कार्यवाही नहीं की गयी है। इस कारण मा० अधिकरण द्वारा अधोहस्ताक्षरी को निर्देश देते हुए उपरोक्त अभ्यावेदन पर विचार कर यथाशीघ्र निस्तारण किये जाने का आदेश पारित किया गया है।

पत्रावली के अवलोकन से स्पष्ट है कि मा० अधिकरण के आदेश दिनांक 26-05-2025 के अनुक्रम में अधिशासी अधिकारी नगर पालिका परिषद बदायूँ के द्वारा पत्रांक 495/26-16/2025-26 दिनांक 25-07-2025 अधिशासी अभियन्ता निर्माण खण्ड उ०प्र० जलनिगम (नगरीय) शाहजहाँपुर को निर्गत कर सूचना प्रेषित की गयी थी व आदेश पत्र संख्या-205/सीओ/ 2025-26 दिनांक 26-11-2025 इस आशय से निर्गत कर मा० अधिकरण के आदेश के क्रम में आसिम सिद्दीकी डीजी कॉलेज से एस०टी०पी० प्लांट की दूरी व नक्शा सहित उपलब्ध कराये जाने हेतु त्रिसदस्यीय कमेटी का गठन कर अधिशासी अभियन्ता उ०प्र० जल निगम (नगरीय) शाहजहाँपुर को निरीक्षण के समय अपने अधीनस्थ को उपस्थित रहने हेतु निर्देशित किया गया। पत्रावली पर कमेटी द्वारा निरीक्षण आख्या मय नक्शा नजरी पत्रावली पर उपलब्ध है। कमेटी द्वारा 27-11-2025 को स्थलीय निरीक्षण कर आसिम सिद्दीकी डीजी कॉलेज से एस०टी०पी० प्लांट की दूरी की पैमाइश की गयी। जिसका स्थलीय नक्शा नजरी तैयार किया गया जिसके अनुसार एस०टी०पी० परिसर की बाउण्ड्री वॉल जिसको कि नक्शा नजरी से रंग पीले से दर्शाया गया है व रोड साइड पटरी जिसको भी रंग पीले से दर्शाया गया है, तक की दूरी 204.05 मीटर है तथा एस०टी०पी० आर० टैंक की पूर्वी दीवार जिसको कि हरे रंग से दर्शाया गया है, से आसिम सिद्दीकी डिग्री कॉलेज के परिसर की पश्चिमी बाउण्ड्री वॉल जिसको कि हरे रंग से



दर्शाया गया है, के मध्य की दूरी 236.46 मीटर है व एस0टी0पी0 परिसर की पूर्वी दीवार से जिसको कि रंग पीले से दर्शाया गया है। आसिम सिद्दीकी डिग्री कॉलेज परिसर की पश्चिमी बाउंड्री वाल जिसको कि रंग हरे से दर्शाया गया है, के मध्य दूरी 220.25 मीटर है तथा एस0बी0आर0 टैंक की पूर्वी दीवार जिसको कि रंग हरे से दर्शाया गया है, से आसिम सिद्दीकी डिग्री कॉलेज की बिल्डिंग की पश्चिमी दीवार जिसको रंग नारंगी से दर्शाया गया है, के मध्य की दूरी 262.66 मीटर पायी गयी। जबकि आवेदक के द्वारा अपनी शिकायत में एस0टी0पी0 का निर्माण कॉलेज परिसर से 208 मीटर की दूरी पर किये जाने का स्पष्ट उल्लेख किया गया है।

अधिशारी अभियंता निर्माण खण्ड उ0प्र0 जल निगम (नगरीय), शाहजहाँपुर द्वारा पत्रांक संख्या-2663/डी-4/16 दिनांक 10-12-2025 प्रस्तुत किया गया है, जिसमें यह उल्लेख किया है भारत सरकार द्वारा एस0बी0एम0 2.0 कार्यक्रम के अन्तर्गत नगरीय निकाय द्वारा किसी नदी या गंगा की सहायक नदी के निकट बसे हुए हैं, को जल प्रदूषण से बचाव करने के लिए सीवेज ट्रीटमेन्ट प्लांट निर्माण के निर्देश निर्गत किये गये हैं, ताकि रामगंगा, गंगा आदि नदियों को प्रदूषण रहित किया जा सके। चूँकि बदायूँ नगर सोत नदी के किनारे बसा हुआ है जो कि एक बरसाती नदी है एवं रामगंगा में सम्मिलित हो जाती है। इस कारण सोत नदी को जल प्रदूषण से मुक्त करने हेतु बदायूँ आई0एण्ड डी0 की परियोजना प्रस्तावित की गयी है जिसके कम में नगर पालिका परिषद द्वारा एस0टी0पी0 निर्माण हेतु निःशुल्क भूमि जल निगम को उपलब्ध करायी गयी व जल निगम द्वारा एस0टी0पी0 से शुद्धीकृत उल्लावाह को सेन्ट्रल पब्लिक हेल्थ एवं इन्वायरमेन्ट इंजीनियरिंग आर्गनाइजेशन के निर्गत मैनुअल नार्म्स के अन्तर्गत ही सोत नदी से प्रवाहित किया जायेगा व यह भी उल्लेख किया गया है कि सीवेज की बी0ओ0डी0, सी0ओ0डी0, एवं हानिकारक बैक्टीरिया जैसे ई-कोलीफार्म आदि को भारत सरकार द्वारा निर्गत मानकों के अनुरूप प्रदूषण के स्तर को कम किया जाता है व जो ज्वलनशील गैस उत्सर्जित होती है, को गैस कैलेस्टर में कलेक्ट कर जला दिया जाता है व एस0टी0पी0 से किसी प्रकार के बायो हार्जर्स सामग्री का उत्पादन नहीं होता व केन्द्रीय प्रदूषण नियन्त्रण बोर्ड द्वारा जारी गाइड लाइन के अनुसार कॉमन एस0टी0पी0 को नीली श्रेणी में आवश्यक पर्यावरणीय सेवाओं की सूची में आच्छादित किया गया है व एस0टी0पी0 में दुर्गन्ध निवारण प्रणाली को भी स्थापित किया जा रहा है, ताकि दुर्गन्ध पैदा होने वाली इकाईयों से आसिम सिद्दीकी डिग्री कॉलेज तक किसी प्रकार की दुर्गन्ध हवा के माध्यम से या अन्यत्र किसी भी जरिये से पहुँचने का प्रश्न उत्पन्न न हो व अपने जबाब में यह भी उल्लेख किया गया कि एस0टी0पी0 प्लान्ट का मुख्य उद्देश्य नमामि गंगे योजना से जुडा हुआ है ताकि जलाशय, नदी, नहर इत्यादि का जल किसी प्रकार से दूषित न हो। आवेदक द्वारा प्रस्तुत शिकायत में यह उल्लेख किया गया है कि प्रस्तावित एस0टी0पी0 प्लान्ट कॉलेज से 400 मीटर की दूरी पर बनाया जाना है जबकि अधिशारी अभियन्ता उ0प्र0 जल निगम के द्वारा जो जबाब प्रस्तुत किया गया है, में स्पष्ट रूप से उल्लेख किया गया है कि एस0टी0पी0 प्लान्ट को 400 मीटर की दूरी पर बनाये जाने का उल्लेख जो आवेदक द्वारा किया गया है वह गलत है बल्कि सेन्ट्रल पब्लिक हेल्थ एवं इन्वायरमेन्ट इंजीनियरिंग आर्गनाइजेशन द्वारा एस0टी0पी0 परिसर से हैबीटेशन तक 100 मीटर हवाई/परिधि दूरी का मानक अंकित किया गया है, के अनुसार भी प्रस्तावित एस0टी0पी0 प्लान्ट बनाये जाने से आवेदक या कॉलेज के छात्रों को कोई समस्या अथवा स्वास्थ्य सम्बन्धी अथवा वायुजनित एवं जन्मनित बीमारियों का कोई जोखिम उत्पन्न होने की सम्भावना नहीं है।



ऐसी स्थिति में आवेदक आशीष कश्यप छात्र आसिम सिद्दीकी डिग्री कॉलेज उ०प्र० द्वारा प्रस्तुत प्रार्थना पत्र को निस्तारित किया जाता है य अधिशासी अभियन्ता उ०प्र० जलनिगम निर्माण खण्ड (नगरीय) शाहजहाँपुर को निर्देशित किया जाता है कि वह एस०टी०पी० एवं आई०एन०डी० को निर्माण कार्य उ०प्र० राज्य प्रदूषण नियन्त्रण बोर्ड से सी०टी०ई० अनापत्ति प्रमाण-पत्र प्राप्त किया जाना सुनिश्चित करें। अधिशासी अभियन्ता उ०प्र० निर्माण खण्ड उ०प्र० जलनिगम (नगरीय) शाहजहाँपुर के अभिकथनानुसार सेन्ट्रल पब्लिक हेल्थ एवं इन्चार्जमेन्ट इंजीनियरिंग आर्गनाइजेशन के निर्गत मैनुअल नामर्स एवं मैनुअल के विन्दु सं० 5,3,7,1 के अन्तर्गत एस०टी०पी० के चारों ओर बफर जोन की सीमा में आवासीय गतिविधियों विद्यमान नहीं है तदपि अधिशासी अभियन्ता, निर्माण खण्ड उ०प्र० जलनिगम (नगरीय) शाहजहाँपुर, एस०टी०पी० प्लान्ट जो कि अति आवश्यक सेवाओं में आता है, को स्थापित किये जाने के साथ दुर्गन्ध निवारण प्रणाली की भी स्थापना किया जाना सुनिश्चित करें, तथा प्रभारी अधिकारी स्थानीय निकाय को निर्देशित किया जाता है कि एस०टी०पी० प्लान्ट के निर्माण कार्य को उल्लिखित मानकों के अनुसार सुनिश्चित कराये जाने हेतु संबंधित विभाग को दिशा निर्देशित करें। तदनुसार आशीष कश्यप छात्र आसिम सिद्दीकी डिग्री कॉलेज बदायूँ द्वारा प्रस्तुत प्रार्थना पत्र निस्तारित किया जाता है। पत्रावली दाखिल दफतर हो।

(अवनीश राय)  
जिलाधिकारी  
बदायूँ

संख्या एवं दिनांक उपरोक्तानुसार

प्रतिलिपि निम्नांकित को:-

- 1-मा० प्रधान न्यायाधीश, राष्ट्रीय हरित अधिकरण मुख्यपीठ नई दिल्ली।
- 2-अपर जिलाधिकारी (प्र०)/प्रभारी अधिकारी स्थानीय निकाय बदायूँ।
- 3-अधिशासी अभियन्ता निर्माण खण्ड उ०प्र० जल निगम (नगरीय) शाहजहाँपुर को अनुपालनार्थ प्रेषित।
- 4-अधिशासी अधिकारी नगर पालिका परिषद बदायूँ को अनुपालन सुनिश्चित कराये जाने हेतु प्रेषित।
- 5-श्री आशीष कश्यप छात्र आसिम सिद्दीकी डिग्री कॉलेज शेखपुर रोड बदायूँ निवासी ग्राम रौली जिला बदायूँ।
- 6-श्री फैज अली पुत्र रिसासत निवासी मकान न०-582 चौधरी सराय जिला बदायूँ।
- 7- श्री परमेन्द्र कुमार वर्मा पुत्र सुग्रीव प्रसाद वर्मा निकट ज्ञानदीप स्कूल अनुपम नगर बदायूँ रोड सुभाष नगर बरेली।

2  
-13.12.25  
जिलाधिकारी  
बदायूँ





BLEPL Customer ID-6600017115

सेवा में,

श्री केशव  
श्री प्रमोद

होम ग्राउंड



पत्रक -

कार्यालय जिलाधिकारी

जनपद-बदायूं

9/11/2018



2018  
13-12-2018

BLPL Customer ID-000017114

सेवा में,

श्री अशोक अग्रवाल

(व्यक्ति)

असम सिटी सिटी ऑफ असम

सेक्टर रोड अरुण

दिसपुर जिला असम



पिनकोड 781001



प्राप्त  
कार्यालय जिलाधिकारी

जिलाधिकारी कार्यालय



2

BLPL Customer ID-6000017115

सेवा मे,

श्री. प्रमोद कुमार शर्मा, श्री. सुभाष कुमार शर्मा

पत्ता: सवाई अड्डा



प्रेषक

कार्यालय जिलाधिकारी

मनपद-बदायूं

9/11/2010



भारतीय डाक



INDIA POST  
N. I. R. 69579163981  
20 (Actual) gms

MR. PRADE - 243001  
13603

भारतीय डाक



India Post

INDIA POST  
N. I. R. 69579163981  
20 (Actual) gms  
MR. PRADE - 243001  
13603

भारतीय डाक



INDIA POST  
N. I. R. 69579163981  
20 (Actual) gms  
MR. PRADE - 243001  
13603

भारतीय डाक



INDIA POST  
N. I. R. 69579163981  
20 (Actual) gms  
MR. PRADE - 243001  
13603



NOTARY  
INDIA  
Civil Court  
10/2/2019



Bolaban NO (243607) - Court No. 7  
 SP-D RUY91639815IN TOR: 608579163981  
 15-12-2025 14:37:05.20 (Actual) AM  
 To: ASHSIH, HLY  
 Bareilly NO, UTTAR PRADEH - 243001  
 From: DA OFFICE-243607  
 (Banco: 47.00)



(Faint, mostly illegible text, possibly a header or address block)



(Faint, mostly illegible text, possibly a header or address block)



(Faint, mostly illegible text, possibly a header or address block)





भारतीय डाक



Postage NO (243601) 698579163981  
SP-D RU791639815TN TVR: 698579163981  
15-12-2025 14:37:05.20 (Actual) AM,.  
TO: ASHSIK, BLY  
Bareilly RO, UTTAR PRADEH - 243001  
FROM: DM OFFICE-243601  
(Rate: 47.00)

भारतीय डाक



India Post

भारतीय डाक  
SP-D RU791639815TN TVR: 698579163981  
15-12-2025 14:37:05.20 (Actual) AM,.  
TO: ASHSIK, BLY  
Bareilly RO, UTTAR PRADEH - 243001  
FROM: DM OFFICE-243601  
(Rate: 47.00)



India Post

भारतीय डाक  
SP-D RU791639815TN TVR: 698579163981  
15-12-2025 14:37:05.20 (Actual) AM,.  
TO: ASHSIK, BLY  
Bareilly RO, UTTAR PRADEH - 243001  
FROM: DM OFFICE-243601  
(Rate: 47.00)



भारतीय डाक  
SP-D RU791639815TN TVR: 698579163981  
15-12-2025 14:37:05.20 (Actual) AM,.  
TO: ASHSIK, BLY  
Bareilly RO, UTTAR PRADEH - 243001  
FROM: DM OFFICE-243601  
(Rate: 47.00)



Annex - RA 6

## कार्यालय जिलाधिकारी बदायूँ।

संख्या 7022  
विषय-

/ 21-बी0 / 2025

दिनांक दिसम्बर, 15 2025

मा0 राष्ट्रीय हरित अधिकरण के प्रधान न्यायाधीश द्वारा पारित आदेश का अनुपालन कराये जाने के सम्बन्ध में दिशा-निर्देश।

- 1- अधिशासी अभियन्ता, निर्माण खण्ड, उ0प्र0 जल निगम (नगरीय), बदायूँ स्थित शाहजहाँपुर।
- 2- अधिशासी अधिकारी नगर पालिका परिषद बदायूँ।

कृपया श्री आशीष कश्यप व अन्य के द्वारा मा0 राष्ट्रीय हरित अधिकरण के प्रधान न्यायाधीश के समक्ष मूल आवेदन सं0-257/2025 आशीष कश्यप व अन्य बनाम उ0प्र0 राज्य व अन्य संस्थित की गयी थी व मा0 अधिकरण के द्वारा आवेदक आशीष कश्यप व अन्य के द्वारा प्रस्तुत आवेदन पर सुनवाई किये जाने के उपरान्त जिलाधिकारी महोदय द्वारा पारित आदेशानुसार निम्नवत् कार्य जनहित में कराया जाना सुनिश्चित करें:-

- 1- मा0 अधिकरण द्वारा पारित आदेशानुसार एस0टी0पी0 के निर्माण में नियत विनियमन व मापदण्डों का उल्लंघन न किया जाये।
- 2- निर्माण कराये जाने वाले स्थान का स्थलीय नक्शा नजरी तैयार किया जाये।
- 3- बदायूँ नगर सोत नदी के किनारे बसा हुआ है जो कि एक बरसाती नदी है एवं रामगंगा में सम्मिलित हो जाती है। इस कारण सोत नदी को जल प्रदूषण से मुक्त करने हेतु बदायूँ आई0एण्ड डी0 की परियोजना प्रस्तावित की गयी है। जल निगम द्वारा एस0टी0पी0 से शुद्धीकृत उत्प्रवाह को सेन्ट्रल पब्लिक हेल्थ एवं इन्चार्मेन्ट इंजीनियरिंग आर्गनाइजेशन के निर्गत मैनुअल नार्म्स के अन्तर्गत ही सोत नदी में प्रवाहित किया जाये।
- 4- सीवेज की बी0ओ0डी0, सी0ओ0डी0, एवं हानिकारक बैक्टीरिया जैसे ई-कोलीफार्म आदि को भारत सरकार द्वारा निर्गत मानकों के अनुरूप प्रदूषण स्तर को कम किया जाये।
- 5- एस0टी0पी0 प्लान्ट से ज्वलनशील गैस उत्सर्जित होती है, को गैस कैलेस्टर में कलेक्ट कर जला दिया जाये।
- 6- एस0टी0पी0 प्लान्ट का मुख्य उद्देश्य नमामि गंगे योजना से जुड़ा हुआ है ताकि जलाशय, नदी, नहर इत्यादि का जल किसी प्रकार से दूषित न हो।
- 7- एस0टी0पी0 प्लान्ट बनाये जाने पर सावधानियाँ बरती जाये जिससे आम जनमानस को कोई स्वास्थ्य, वायुजनित एवं जलजनित बीमारियों का कोई जोखिम उत्पन्न होने की सम्भावना न रहें।
- 8- एस0टी0पी0 एवं आई0एन0डी0 का निर्माण कार्य उ0प्र0 राज्य प्रदूषण नियन्त्रण बोर्ड से सी0टी0ई0 अनापत्ति प्रमाण-पत्र प्राप्त किया जाये।
- 9- एस0टी0पी0 का निर्माण सेन्ट्रल पब्लिक हेल्थ एवं इन्चार्मेन्ट इंजीनियरिंग आर्गनाइजेशन के निर्गत मैनुअल नार्म्स एवं मैनुअल के बिन्दु सं0 5,3,7,1 के अन्तर्गत एस0टी0पी0 के चारों ओर बफर जोन सीमा में दुर्गन्ध निवारण प्रणाली की भी स्थापना सुनिश्चित की जाये।



- 10- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में समयन्तार्गत प्रभावी पैरवी करना भी सुनिश्चित करें।  
उक्तवत् दिशा निर्देशों का कडाई से अक्षरशः अनुपालन करना सुनिश्चित करें।

(अरुण कुमार)  
अपर जिलाधिकारी (प्रशासन) /  
प्रभारी अधिकारी स्थानीय निकाय,  
बदायूँ

संख्या एवं दिनोंक उपरोक्तानुसार

प्रतिलिपि निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु :-

- 1- जिलाधिकारी महोदय की सेवा में सादर अवलोकनार्थ।
- 2- वरिष्ठ पुलिस अधीक्षक महोदय, बदायूँ।
- 3- मुख्य विकास अधिकारी, बदायूँ।
- 4- प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग, बदायूँ।
- 5- क्षेत्रीय प्रदूषण अधिकारी, बरेली।
- 6- मुख्य अग्निशमन अधिकारी, बदायूँ।
- 7- जिला विद्यालय निरीक्षक बदायूँ।

अपर जिलाधिकारी (प्रशासन) /  
प्रभारी अधिकारी स्थानीय निकाय,  
बदायूँ



