

IN THE HON'BLE NATIONAL GREEN TRIBUNAL PRINCIPAL BENCH, NEW DELHI

Original Application No.985/2019

In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh

WITH

Original Application No.986/2019

In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur

Nagar, Uttar Pradesh

With

Original Application No.528/2023

In re: news report published in Dainik Jagran dated 14.08.2023

“highlights a growing concern regarding industrial pollution in the Godhrauli village”

INDEX

S.N O	PARTICULARS	PAGE NO.
1.	STATUS REPORT ON BEHALF OF DISTRICT MAGISTRATE, KANPUR NAGAR. ALONGWITH SUPPORTING AFFIDAVIT.	1 - 9
2.	<u>ANNEXURE 1.</u> Copy of the Joint Committee Inspection Report and Lab Analysis Results dated 29.04.2024.	10 - 25
3.	<u>ANNEXURE 2.</u> Copy of the District Magistrate's Letter No. 365/ST-2024/SA-147/24 dated 27.05.2024, directing the Chief Medical Officer to conduct health surveys and camps.	26 - 27
4.	<u>ANNEXURE 3.</u> Copy of the In-charge Medical Officer's Report for Juhi Baburia (Rakhi Mandi) dated 10.07.2024.	28 - 31

5.	<u>ANNEXURE 4.</u> Copy of the In-charge Medical Officer's Report for Jajmau Industrial Area dated 12.07.2024.	32 - 34
----	--------------------------------------------------------------------------------------------------------------------------	---------

Through



PRIYANKA SWAMI
ADVOCATE

COUNSEL FOR STATE OF U.P.

F-13, JANGPURA, NEW DELHI 110014

E-mail: advpriyankaswami@gmail.com

DATE : 26.11.2024

**IN THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

Original Application No.985/2019

In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh

WITH

Original Application No.986/2019

In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur
Nagar, Uttar Pradesh

With

Original Application No.528/2023

In re: news report published in Dainik Jagran dated 14.08.2023

“highlights a growing concern regarding industrial pollution in the Godhrauli
village”

**STATUS REPORT ON BEHALF OF DISTRICT MAGISTRATE,
KANPUR NAGAR.**

MOST RESPECTFULLY SHOWETH

1. This compliance report is respectfully submitted in response to the Hon'ble National Green Tribunal's order dated 13.05.2024, which highlighted concerns regarding the composition and functioning of the Committee tasked with investigating chromium and mercury contamination in Kanpur Dehat and Kanpur Nagar. The Hon'ble Tribunal specifically observed that the earlier report was improperly filed by a committee instead of the District Magistrate, as directed. The Tribunal emphasized the need for adherence to procedural guidelines, particularly filing through counsel or personal appearance of the District Magistrate. Additionally, the Hon'ble Tribunal noted alarming chromium levels in the blood samples of residents in Rakhi Mandi and Rania, calling for a detailed health status update and remedial measures. The order states:

".....3. One report along with covering letter of the District Magistrate, Kanpur Dehat dated 02.05.2024 has been filed but the report filed along with covering letter is not by the District

Magistrate but by a Committee of Regional Officer, UPPCB, Kanpur Dehat and Deputy Commissioner, District Industries and Entrepreneurship Promotion Centre, Kanpur Dehat. As per the direction of the Tribunal, the report was required to be filed by the District Magistrate.

4. Learned Amicus Curiae appearing in the matter has also expressed surprise on such a report which states that during inspection no contaminated dump was found which could cause any groundwater contamination or create health hazard. In view of the material which is available on record, we find it difficult to accept such a report.

5. Learned Counsel appearing for the State of UP has submitted that the District Magistrate had directly filed that report without sharing it with her.

6. We are of the view that if a party is represented through an Advocate, then all the filing should be done through the Advocate and if the party himself chooses to file the material, then he/she should personally appear before the Tribunal and apprise the Tribunal/defend the case. Thus, in future if any such reports are directly filed by the District Magistrates without routing it through the Counsel, then they will be required to personally appear in the matter and assist the Tribunal.

7. Learned Amicus Curiae has referred to the submission filed on 09.05.2024 and has pointed out that the entire history of the contamination, especially chromium contamination in that area has been traced out. She has also referred to the chart on page no. 2292 indicating the level of chromium and mercury found in the blood of inhabitants of Rakhi Mandi and Rania, Kanpur. She has given an example of a female child aged about 13 years at sl. no. 34 in that

table on page no. 2293 wherein the chromium contents were found to be 58.250 ng/ml and has submitted that such high chromium content has created health hazards. She has also submitted that this is only a small sample, if the health survey of all the residents of the area is conducted the results will be found to be shocking. She has pointed the survey result of 44 persons of Rakhi Mandi and 40 of Rania, Kanpur in respect of chromium and mercury in the blood and has submitted that this report is with the State Government, therefore, the State is now required to disclose as to what health facilities or aid have been extended to these affected persons.

8. In the next report, the State will give status of affected persons in Rania, Kanpur Dehat and Rakhi Mandi, Kanpur Nagar and the health facilities/aid extended to them. We make it clear that if District Magistrate, Kanpur Dehat or any other District Magistrate wishes to directly file the report before the Tribunal, then he will personally appear before the Tribunal and appraise the Tribunal about the report. The next report will be filed by all the concerned District Magistrates in the form of their own affidavit. Let the same be filed within a period of six weeks by email at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

*9. List on **14.08.2024.**"*

2. That in pursuance of the Hon'ble Tribunal's earlier order dated 04.03.2024, a Joint Committee was constituted by the District Magistrate through reference no. 60/ST-2024/24 dated 18.04.2024, comprising representatives from the District Administration, Uttar Pradesh Pollution Control Board (UPPCB), and the District Industries Centre. The committee conducted extensive site inspections on 29.04.2024, covering six specific locations identified in the

Tribunal's orders. During these inspections, comprehensive surveys of soil and groundwater conditions were undertaken, and samples were collected for laboratory analysis. The results indicated no detectable presence of hazardous materials, including chromium, arsenic, lead, or copper, in the soil or groundwater samples. Furthermore, no contaminated waste dumps were found that could potentially cause environmental or health hazards. A detailed report on the committee's findings and the laboratory analysis results is annexed herewith as **Annexure I**.

3. That, in addition to the inspections, the District Magistrate issued directives to the Chief Medical Officer (CMO), Kanpur Nagar, through reference no. 365/ST-2024/SA-147/24 dated 27.05.2024, to organize comprehensive health surveys and outreach health camps across the identified areas. The purpose of these camps was to assess and document the health impact on the local populations residing near the suspected hazardous waste sites. The CMO, in coordination with Medical Superintendents and In-charge Medical Officers of the respective health centers, ensured the organization of multiple health camps in the affected areas between June and August 2024. A copy of the District Magistrate's directive to the CMO is annexed herewith as **Annexure II**.

4. That the health camps were conducted at Juhi Baburia (Rakhi Mandi), Ruma Treatment Storage and Disposal Facility, Panki Industrial Area, Jajmau Industrial Area, Nauraiya Kheda, and Tezab Mill Campus, covering a total of 1,705 individuals. The following table summarizes the findings from these camps:

2561

Sr. No.	Site	Date(s) of Health Camp	Total Patients Attended	Health Issues Reported
1	Juhi Baburia (Rakhi Mandi)	28-06-2024, 04-07-2024, 07-07-2024	375	Skin problems (68), Lung diseases (7), Liver diseases (24), Anemia (3), General illness (273)
2	Ruma Treatment Storage and Disposal Facility	03-08-2024	43	Skin problems (2), Gastro diseases (1), Liver diseases (1), Anemia (2), General illness (37)
3	Panki Industrial Area	31-07-2024	93	Skin problems (2), Gastro diseases (2), Liver diseases (2), Hypertension (5), General illness (76)
4	Jajmau Industrial Area	02-07-2024, 05-07-2024, 09-07-2024	992	Skin problems (530), Lung diseases (42), Liver diseases (120), Anemia (2), Urine/Kidney diseases (5), General illness (293)
5	Nauraiya Kheda	31-07-2024	92	Skin problems (35), Gastro diseases (7), Liver diseases (8), Respiratory diseases (10), Diabetes (8), Hypertension (3), General illness (20)

	Tezab Mill 6 Campus, Anwarganj	31-07- 2024	110	Skin problems (19), Gastro diseases (1), Respiratory diseases (2), Diabetes (4), Hypertension (3), General illness (81)
--	--------------------------------------	----------------	-----	-------------------------------------------------------------------------------------------------------------------------------

5. That at Juhi Baburia (Rakhi Mandi), three health camps were conducted, serving a total of 375 patients. Among these, 68 cases of skin problems, 7 cases of lung diseases, 24 cases of liver diseases, 3 cases of anemia, and 273 cases of general illnesses were recorded. The In-charge Medical Officer, N.P. D.T.C/U.P.H.C, Anwarganj, reported via letter dated 10.07.2024 that no serious diseases were found during the camps. From the list provided by the Hon'ble Tribunal, 44 individuals were reported to have chromium and mercury traces in their blood. Of these, only 16 individuals were found residing in the area at the time of the survey, and all were reported to be healthy. A copy of this report is annexed as **Annexure III**.
6. That at Jajmau Industrial Area, which recorded the highest attendance with 992 patients, significant cases of skin disorders (530), lung diseases (42), and liver diseases (120) were identified. Despite the prevalence of such conditions, no severe or life-threatening health issues directly attributable to contamination were observed. A report submitted by the In-charge Medical Officer, N.P.H.C, Jajmau, dated 12.07.2024, confirms these findings and is annexed as **Annexure IV**.
7. That similar observations were made at other sites, with health issues largely comprising general illnesses, skin problems, and minor conditions like gastro or respiratory diseases. The comprehensive efforts made by the District Administration to organize these camps and collect detailed health data

demonstrate a proactive approach toward ensuring public health and environmental safety.

8. That the District Magistrate continues to monitor the situation and remains committed to implementing long-term remedial measures to prevent any recurrence of environmental hazards and to provide continuous support to the affected populations. The findings of the surveys and the proactive steps taken reflect the sincere commitment of the District Administration to compliance with the Hon'ble Tribunal's directives.

Through



PRIYANKA SWAMI
ADVOCATE

COUNSEL FOR STATE OF U.P.

F-13, JANGPURA, NEW DELHI 110014

E-mail: advpriyankaswami@gmail.com

DATE : 26.11.2024

2564

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI

Original Application No.985/2019

In Re: Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh
WITH

Original Application No.986/2019

In Re: Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur
Nagar, Uttar Pradesh

With

Original Application No.528/2023


In re: news report published in Dainik Jagran dated 14.08.2023


“highlights a growing concern regarding industrial pollution in the Godhrauli
village”

AFFIDAVIT

I, Shri Rakesh Kumar Singh aged about 58 years s/o Sh. Bhulan Singh
is presently posted as District Magistrate Kanpur Nagar having an office at
D.M. Residence, 16/7 Civil Lines, Kanpur Nagar - 208001

1. That I am posted as stated above and well conversant with the facts of the present case and as such competent to swear this affidavit before this Tribunal.
2. That the accompanying status report has been drafted by our counsel upon my instructions.
3. That the contents of the accompanying Affidavit are true and correct and the knowledge has been derived from official records and nothing material has been concealed there from.





DEPONENT

VERIFICATION

Verified on solemn affirmation at Kanpur Nagar on this 26th day of November 2024, that the contents of the foregoing affidavit are true and correct to the best of my knowledge and no part of it is false and nothing material has been concealed therefrom.



DEPONENT



Sworn before me this day of 26/11/24
by Shri. Sarvesh Kumar Singh
Contents of this affidavit have been
read over and explained to his duly
identified friend Abhijit
A.K. Tiwari (Advocate)
Govt. Notary, Kanpur (U.P.)



2566

Annexure-I

CENTRAL LABORATORY

UTTAR PRADESH POLLUTION CONTROL BOARD

Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093044/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Rakhi mandi
- 2- Address: Rakhi Mandi
- 3- Distirt: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analysis Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.22	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1341.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	20.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	864.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	566.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	83.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	85.92	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	43.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	608.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Arti
Gupta(SA)]

Authorized by
VINAY
Digitally signed by
VINAY DUBEY
Date: 2024.05.13
17:18:47 +05'30'
Vinay Dubey (ASO)

RAM
KARAN
Chief Environmental Officer
Central Laboratory
Digitally signed
by RAM KARAN
Date: 2024.05.13
17:18:58 +05'30'



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093161/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Rooma Storage
- 2- Address: Rooma
- 3- Distret: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.12	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1570.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1082.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	620.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	62.72	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	112.58	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	280.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	455.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note: 1. The results in the Test Report relate only to the items tested; 2. The report shall not be reproduced-except in full, without the written permission of laboratory; 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
 [Jyoti Tiwari (SA), Dr Alka Singh
 (SA)]

Authorized by
 VINAY
 DUBEY
 Vinay Dubey (ASO)

RAM
 KARAN
 Chief Environmental Officer
 Central Laboratory

Digitally signed by
 RAM KARAN
 Date: 2024.05.13
 16:16:05 +05'30'

2568



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093352/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Panki Industrial Area
- 2- Address: Panki Industrial Area
- 3- Distirct: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	7.46	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	846.4	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	544.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	244.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	40.0	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	34.56	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	62.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	396.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Arti
Gupta(SA)]

Authorized by
VINAY
DUBEY
Vinay Dubey (ASO)
Digitally signed by
VINAY DUBEY
Date: 2024.05.13
17:20:25 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory
Digitally signed
by RAM KARAN
Date: 2024.05.13
17:20:45 +05'30'



2569
CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093345/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Jajmau Industrial Area
- 2- Address: Jajmau Industrial Area
- 3- Distirct: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.92	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1934.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	20.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1202.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	773.2	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	208.0	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	60.8	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	590.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	520.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note - 1 The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Rajesh
Agarwal (SA)]

Authorized by
VINAY Digitally signed by
VINAY DUBEY
DUBEY Date: 2024.05.13
16:23:44 +05'30'
Vinay Dubey (ASO)

RAM Digitally signed
by RAM KARAN
KARAN Date: 2024.05.13
16:23:54 +05'30'
Chief Environmental Officer
Central Laboratory



2570
CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093323/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: nauriyakheda
- 2- Address: nauriyakheda
- 3- Distret: Kanpur nagar
- 4- Sample Source: TubeWell
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analys Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.88	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	2957.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	18.0	5-10000 mg/l
Dissolved Solids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	1840.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	1140.4	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	193.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	157.8	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	550.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	810.0	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Dr Mamta Pandey(SA), Rajesh
Agarwal (SA)]

Authorized by
VINAY
 Digitally signed by
VINAY DUBEY
 Date: 2024.05.13
 16:19:22 +05'30'
Vinay Dubey (ASO)

RAM
KARAN
 Digitally signed
 by RAM KARAN
 Date: 2024.05.13
 16:19:31 +05'30'
Chief Environmental Officer
Central Laboratory



2571

CENTRAL LABORATORY UTTAR PRADESH POLLUTION CONTROL BOARD Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT: WATER LABORATORY(GROUND WATER)

Ref No: 26093175/CENTRAL/2024

Date:13/05/2024

- 1- Sample Location: Tejabmill Anwarganj
- 2- Address: anwarganj
- 3- Distirct: Kanpur nagar
- 4- Sample Source: Handpump
- 5- Type of sample : Ground Water
- 6- Sample Collected By : Saurabh Haris , JRF
- 7- Odour : None
- 8- Quantity and Packing : 2 ltr plastic jerican & 1 ltr plastic jerican
- 9- Date of Sample Collection : 29/04/2024
- 10- Analyis Indented by : RO Kanpur Nagar
- 11- Date of sample receipt in Lab : 30/04/2024

Parameter	Unit	Standards Source: IS 10500:2012(2nd Rev.) Required Acceptable Limit	Results	Detection Range
pH, APHA 24th Ed.4500-B: 2023	-	6.5-8.5	6.98	02-12
Colour, APHA 24th Ed. 2120B: 2023	Hazen	5.00	10	5-10000 Hazen
Conductivity, APHA 24th Ed. 2510B: 2023	µS/cm	NS	1418.0	0.1-10000 µS/cm
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	NS	16.0	5-10000 mg/l
Dissolved Soljids, APHA 24th Ed. 2540 C Total Dissolved Solids dried at 180 °C 2023	mg/l	500	896.0	5-10000 mg/l
Hardness, APHA 24th Ed. 2340 C EDTA Titrimetric Method 2023	mg/l	200	494.0	10-5000 mg/l
Calcium, APHA 24th Ed. 3500Ca-B: 2023	mg/l	75	99.2	10-1000 mg/l
Magnesium, APHA 24th Ed. 3500 Mg-B: 2023	mg/l	30	59.778	10-1000 mg/l
Chloride, APHA 24th Ed 4500-Cl- B: 2023	mg/l	250	318.0	3-500 mg/l
Alkalinity, APHA 24th Ed. 2320: 2023	mg/l	200	797.6	20-5000 mg/l
Total Chromium, APHA 24th Ed. 3111-B: 2023	mg/l	0.05	ND	0.05-1000 mg/l
Copper, APHA 24th Ed.3111-B: 2023: 2023	mg/l	0.05	ND	0.01-1000 mg/l
Lead, APHA 24th Ed.3111-B: 2023	mg/l	0.01	ND	0.09-1000 mg/l
*Arsenic, APHA 24th Ed. 3114-Hydride Generation AAS Method 2023	mg/l	0.01	ND	-

These standards are subject to revision

*Non-NABL Parameters.

Note : 1. The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark:* - NA

Analysed by
[Jyoti Tiwari (SA), Dr Alka Singh
(SA)]

Authorized by
VINAY
DUBHEY
Date: 2024.05.13
16:18:17 +05'30'
Vinay Dubey (ASO)

RAM
KARAN
Chief Environmental Officer
Central Laboratory
Digitally signed
by RAM KARAN
Date: 2024.05.13
16:18:26 +05'30'

2572



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26314603/Kanpur Nagar/2024

Date:22/05/2024

1. Name and Address of Industry : Rakhi mandi
2. Address of Industry : Rakhi mandi
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.3349	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1 The results in the Test Report relate only to the items tested. 2 The report shall not be reproduced-except in full, without the written permission of laboratory. 3 The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey (SA)]

Authorized by
VINAY Digitally signed by
DUBEY VINAY DUBEY
Date: 2024.05.22
15:41:07 +05'30'
Vinay Dubey (ASO)

RAM Digitally signed
by RAM KARAN
Date: 2024.05.22
15:41:25 +05'30'
KARAN
Chief Environmental Officer
, Central Laboratory



2573

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT : SOLID SAMPLE

Ref No: 26313229/Kanpur Nagar/2024

Date:21/05/2024

1. **Name and Address of Industry :** ROOMA POLLUTION CONTROL ASSOCIATION, CETP ROOMA
KANPUR,KANPUR NAGAR
2. **Address of Industry :** CETP ROOMA, KANPUR,KANPUR NAGAR
3. **District :** Kanpur nagar
4. **Sampling Point :** SOIL
5. **Type of Sample(Grab/Integrated) :** Grab
6. **Sample Collected By :** Saurabh Haris, JRF
7. **Quantity & Packing (PVC) :** 1 KG PVC PACKET
8. **Date of Sample Collection :** 29/04/2024
9. **Analysis Indented by :** RO Kanpur Nagar
10. **Sample receipt in Laboratory :** 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.1014	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311 Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1 The results in the Test Report relate only to the items tested 2 The report shall not be reproduced-except in full, without the written permission of Laboratory 3 The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by
VINAY
DUBEY
Digitally signed by
VINAY DUBEY
Date: 2024.05.21
17:29:21 +05'30'
Vinay Dubey (ASO)

RAM
KARAN
Digitally signed
by RAM KARAN
Date: 2024.05.21
17:29:31 +05'30'
Chief Environmental Officer
Central Laboratory



2574
CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
 Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26312096/Kanpur Nagar/2024

Date: 22/05/2024

1. Name and Address of Industry : Panki Industrial Area
2. Address of Industry : Saraimeeta
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.2791	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphens I carbazide Method)- APHA 24th Ed. 2024.

Note : 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
 [Dr Mamta Pandey(SA)]

Authorized by
 VINAY Digitally signed
 by VINAY DUBEY
 DUBEY Date: 2024.05.22
 15:39:24 +05:30
 Vinay Dubey (ASO)

RAM Digitally signed
 by RAM KARAN
 KARAN Date: 2024.05.22
 15:39:40 +05:30
 Chief Environmental Officer
 Central Laboratory

2575



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

REVISED TEST REPORT : SOLID SAMPLE

Ref No: 26313170/Kanpur Nagar/2024

Date: 22/05/2024

1. Name and Address of Industry : Jajmau industrial area
2. Address of Industry : Jajmau
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.2233	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1. The results in the Test Report relate only to the items tested 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Dr Mamta Pandey(SA)]

Authorized by
VINAY
DUBEY
Vinay Dubey (ASO)

Digitally signed
by VINAY DUBEY
Date: 2024.05.22
15:40:17 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed
by RAM KARAN
Date: 2024.05.22
15:40:33 +05'30'

2576



CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

TEST REPORT : SOLID SAMPLE

Ref No: 26314637/Kanpur Nagar/2024

Date:21/05/2024

1. Name and Address of Industry : Nauraiya Kheda
2. Address of Industry : Nauraiya kheda
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.1578	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	ND	..	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	..	0.01 to 1000 mg/l

Reference: (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2)3500-Cr B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024.

Note: 1. The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced-except in full, without the written permission of Laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Dr Mamta Pandey (SA)]

Authorized by
VINAY
DUBHEY
Vinay Dubey (ASO)

Digitally signed
by VINAY DUBEY
Date: 2024.05.21
17:29:52 +05'30'

RAM
KARAN
Chief Environmental Officer
Central Laboratory

Digitally signed by
RAM KARAN
Date: 2024.05.21
17:30:05 +05'30'



2577

CENTRAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL B
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow

TEST REPORT : SOLID SAMPLE

Ref No: 26312113/Kanpur Nagar/2024

Date:21/05/2024

1. Name and Address of Industry : Tejabmill,Anwarganj
2. Address of Industry : Anwarganj
3. District : Kanpur nagar
4. Sampling Point : SOIL
5. Type of Sample(Grab/Integrated) : Grab
6. Sample Collected By : Saurabh Haris, JRF
7. Quantity & Packing (PVC) : 1 KG PVC PACKET
8. Date of Sample Collection : 29/04/2024
9. Analysis Indented by : RO Kanpur Nagar
10. Sample receipt in Laboratory : 30/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
Lead (Pb), APHA 24 th Ed. 2024 3111-B: 2024	mg/l	0.0451	As per MoEF&CC/CPCB	0.01 to 1000 mg/l
Copper (Cu), APHA 24 th Ed. 3111-B: 2024	mg/l	0.0158	"	0.01 to 1000 mg/l
Total Chromium, APHA 24 th Ed. 3111B: 2024	mg/l	ND	"	0.01 to 1000 mg/l

Reference : (1)EPA Standard 1311: Toxicity Characteristic Leaching Procedure. (2)3500-Cr-B Colorimetric Method (Diphenyl carbazide Method)- APHA 24th Ed. 2024

Note : 1. The results in the Test Report relate only to the items tested 2 The report shall not be reproduced-except in full, without the written permission of laboratory 3 The test report pertains to the sample as received in Lab

Remark: NA

Analysed by-
[Jyoti Tiwari (SA)]

Authorized by

VINAY Digitally signed by
VINAY DUBEY
Date: 2024.05.21
17:26:55 +05'30'
DUBEY
Vinay Dubey (ASO)

RAM Digitally signed by
RAM KARAN
Date: 2024.05.21
17:27:07 +05'30'
KARAN
Chief Environmental Officer
Central Laboratory

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 985/2019 In Re: Water Pollution by Tanneris at Jajmau, Kanpur Uttar Pradesh WITH OA No. 986/2019 In Re : Water Pollution at Rania Kanpur Dehat & Rakhi Mandi Kanpur Uttar Pradesh With OA No. 528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godharauli village के अन्तर्गत पारित आदेश दिनांक 04.03.2024 द्वारा प्राप्त निर्देशों के अनुपालन में जनपद कानपुर नगर में हैजार्डस वेस्ट डम्प साइटों का चिन्हांकन कर निरीक्षण आख्या :-

उपर्युक्त विषयक माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 संख्या 985/2019 In Re: Water Pollution by Tanneris at Jajmau, Kanpur Uttar Pradesh WITH OA No. 986/2019 In Re : Water Pollution at Rania Kanpur Dehat & Rakhi Mandi Kanpur Uttar Pradesh With OA No. 528/2023 In re: news report published in Dainik Jagran dated 14.08.2023 "highlights a growing concern regarding industrial pollution in the Godharauli village के अन्तर्गत पारित आदेश दिनांक 04.03.2024 के अंश निम्नवत् हैं :-

"Learned Amicus has submitted that the survey should be conducted by the District Magistrate, Kanpur Nagar, Kanpur Dehat and Fatehpur to find out the other areas where all kinds of hazardous waste have been dumped and which are creating health hazard and contaminating the ground water. We are of the view that this exercise should be carried out by concerned three District Magistrates and the report should be submitted before the Tribunal at least one week before the next date of hearing."

उक्त आदेश दिनांक 04.03.2024 के अनुपालन में बोर्ड मुख्यालय के पत्रांक संख्या H08251/C-2/NGT-46/24, दिनांक 13.03.2024 द्वारा प्राप्त निर्देशों एवं कार्यालय जिला मजिस्ट्रेट, कानपुर नगर के आदेश संख्या 60/एसटी-2024/24, दिनांक 18.04.2024 के अनुपालन में जनपद कानपुर नगर में हैजार्डस वेस्ट डम्प साइटों का चिन्हांकन कर गठित कमेटी द्वारा दिनांक 29.04.2024 को निरीक्षण/सर्वेक्षण किया गया तथा जनपद कानपुर शहर के जूही बबूरिया (राखी मण्डी), रुमा ट्रीटमेन्ट स्टोरेज डिस्पोजल फैसेलिटी, पनकी औद्योगिक क्षेत्र, जाजमऊ औद्योगिक क्षेत्र, नौरैया खेड़ा, तेजाब मिल कैम्पस, अनवरगंज के स्थलों के गठित समिति के सदस्यों द्वारा निरीक्षण/सर्वेक्षण के समय भू-मृदा एवं भू-गर्भ जल के नमूने एकत्रण का कार्य किया गया है। कृत कार्यवाही की जीपीएस फोटोग्राफ निम्नवत् है:-



Jain

S


[Signature]

[Signature]

[Signature]

S. No.	Contaminated Site Name & Address	Photograph on Inspection time	Latitude & Longitude	Remark
1.	Juhi Baburaiya (Rakhi Mandi), Kanpur		Latitude-26.445555 Longitude- 80.324424	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.
2.	Rooma. Treatment Storage Disposal Facility, Kanpur		Latitude-26.354585 Longitude- 80.451718	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.




Jaiswal



A. K. Singh
3/9/2020



20/04/2024

<p>3.</p>	<p>Panki Industrial Area, Kanpur</p>		<p>Latitude-26.460122 Longitude- 80.226575</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>
<p>4.</p>	<p>Jajmau Industrial Area, Kanpur</p>		<p>Latitude-26.409029 Longitude-80.444322</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>
<p>5.</p>	<p>Nauriaya Kheda, Kanpur</p>		<p>Latitude-26.449242 Longitude- 80.266354</p>	<p>Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.</p>

Jain

[Handwritten signature]

[Handwritten signature]
Page 3 of 4

[Handwritten signature]

6.	Tejab Mill Campus. Anwarganj, Kanpur		Latitude-26.454613 Longitude- 80.326684	Hazardous dumping Activity is not being carried out at the site. Ground water and Soil samples collection work has been done and sample has been deposit in Central Laboratory, UPPCB, Lucknow for sample analysis on date 30.04.2024.
----	-----------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

निरीक्षण/सर्वेक्षण के समय एकत्रित भू-मृदा एवं भू-गर्भ जल के नमूनों की विश्लेषण आख्यायें अपेक्षित हैं। उक्त संयुक्त आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत हैं।

Jain
02.05.2024

(सौरभ हैरिस)
जे०आर०एफ०,
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
कानपुर नगर।

02.05.24

(फरेश कुमार)
सहा० पर्या० अभियन्ता
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
कानपुर नगर।

02.05.2024
(अविरल सिंह)
हाइड्रोलॉजिस्ट
भूगर्भ जल विभाग,
कानपुर नगर।

(सुधीर कुमार श्रीवास्तव)
उपायुक्त
जिला उद्योग एवं उद्यम प्रोत्साहन
केन्द्र,
कानपुर नगर।

अपर नगर मजिस्ट्रेट
(द्वितीय)
कानपुर नगर।

पत्रांक 365/एसटी-2024/स्था-147/24

दिनांक 27-5-2024

मुख्य चिकित्सा अधिकारी,
कानपुर नगर।

विषय-जनपद-कानपुर नगर के जूही सबरिया (राखी मण्डी), रूमा ट्रीटमेन्ट स्टोरेज डिस्पोजल फैसिलिटी, पनपनी औद्योगिक क्षेत्र, जाजगऊ औद्योगिक क्षेत्र, नोरेग्या खेडा, तेजान गित कैंगरा, अनवरगंज के स्थलों पर स्वास्थ्य सर्वेक्षण (Health Survey) कराये जाने के सम्बन्ध में।

उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा OA No. 985/2019 In Re : Water Pollution by Tanneries at Jajmau, Kanpur, Uttar Pradesh With OA No. 986/2019 In Re : Water Pollution at Rania, Kanpur Dehat & Rakhi Mandi, Kanpur Nagar, Uttar Pradesh में पारित आदेश दिनांक 04-03-2024 (सायापति सलग्न) के मुख्य अंश निम्नवत् हैं-

".....3. One report along with covering letter of the District Magistrate, Kanpur Dehat dated 02.05.2024 has been filed but the report filed along with covering letter is not by the District Magistrate but by a Committee of Regional Officer, UPPCB, Kanpur Dehat and Deputy Commissioner, District Industries and Entrepreneurship Promotion Centre, Kanpur Dehat. As per the direction of the Tribunal, the report was required to be filed by the District Magistrate.

4. Learned Amicus Curiae appearing in the matter has also expressed surprise on such a report which states that during inspection no contaminated dump was found which could cause any groundwater contamination or create health hazard. In view of the material which is available on record, we find it difficult to accept such a report.

5. Learned Counsel appearing for the State of UP has submitted that the District Magistrate had directly filed that report without sharing it with her.


6. We are of the view that if a party is represented through an Advocate, then all the filing should be done through the Advocate and if the party himself chooses to file the material, then he/she should personally appear before the Tribunal and apprise the Tribunal/defend the case. Thus, in future if any such reports are directly filed by the District Magistrates without routing it through the Counsel, then they will be required to personally appear in the matter and assist the Tribunal.

7. Learned Amicus Curiae has referred to the submission filed on 09.05.2024 and has pointed out that the entire history of the contamination, especially chromium contamination in that area has been traced out. She has also referred to the chart on page no. 2292 indicating the level of chromium and mercury found in the blood of inhabitants of Rakhi Mandi and Rania, Kanpur. She has given an example of a female child aged about 13 years at sl. no. 34 in that table on page no. 2293 wherein the chromium contents were found to be 58.250 ng/ml and has submitted that such high chromium content has created health hazards. She has also submitted that this is only a small sample, if the health survey of all the residents of the area is conducted the results will be found to be shocking. She has pointed the survey result of 44 persons of Rakhi Mandi and 40 of Rania, Kanpur in respect of chromium and mercury in the blood and has submitted that this report is with the State Government, therefore, the State is now required to disclose as to what health facilities or aid have been extended to these affected persons.

8. In the next report, the State will give status of affected persons in Rania, Kanpur Dehat and Rakhi Mandi, Kanpur Nagar and the health facilities/aid extended to them. We make it clear that if District Magistrate, Kanpur Dehat or any other District Magistrate wishes to directly file the report before the Tribunal, then he will personally appear before the Tribunal and appraise the Tribunal about the report. The next report will be filed by all the concerned District Magistrates in the form of their own affidavit. Let the same be filed within a period of six weeks by email at judicial-ncr@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.


9. List on 14.08.2024."

उक्त पारित आदेश दिनांक 04-03-2024 के अनुपालन में जनमद-कानपुर नगर के जूही वगूरिया (राखी मण्डी), रुमा ट्रीटमेंट स्टोरेज डिस्पोजल फैसिलिटी, पनकी औद्योगिक क्षेत्र, जाजमऊ औद्योगिक क्षेत्र, नौरैया खेडा, तेजाब मिल कैम्पस, अनवरगंज के स्थानिक निवासियों का स्वास्थ्य सर्वेक्षण (Health Survey) कराते हुए अनुपालन आख्या क्षेत्रीय अधिकारी, UOPO प्रदूषण बोर्ड, कानपुर नगर के माध्यम से अधोहस्ताक्षरी को प्रेषित किया जाना सुनिश्चित करें।


(राकेश कुमार-सिंह)
जिलाधिकारी,
कानपुर नगर।

प्रतिलिपि:—निम्नलिखित को सूचनाार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित—

1. मुख्य विकास अधिकारी, कानपुर नगर।
2. क्षेत्रीय अधिकारी, UOPO प्रदूषण नियंत्रण बोर्ड, कानपुर नगर।


जिलाधिकारी,
कानपुर नगर।

प्रेषक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र अनवरगंज,
कानपुर नगर

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

पत्रांक:- राखी मण्डी सर्वे/2024-25/

दिनांक:- 10.07.2024

विषय:- राखी मण्डी में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।

महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम० /2024-25/144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जूही बम्बुरिया (राखी मण्डी) में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 28.06.2024, 04.07.2024 एवं 07.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया।

इसके अतिरिक्त मा० एन०जी०टी० कोर्ट द्वारा उपलब्ध करायी गयी सूची में 44 व्यक्तियों के रक्त में क्रोमियम एवं मरकरी का अंश पाया गया था। ए०एन०एम० एवं आशा द्वारा राखी मण्डी का सर्वे किया गया जिसमें उपलब्ध करायी गयी सूची में 44 लोगों में से केवल 16 व्यक्ति ही वर्तमान में निवास करते पाये गये, जो कि पूर्णतः स्वस्थ है। (सूची संलग्न) उपरोक्त सूचना सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

संलग्नक:- उपरोक्तानुसार

भवदीय



प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र अनवरगंज
कानपुर नगर

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज।
कानपुर नगर

2585

हेल्थ सर्व रिपोर्ट राखी मंडी													
क्र० सं०	क्षेत्र की कुल जनसंख्या	भ्रमण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	रचार रोग से ग्रसित पाये गये मरीजों की संख्या	पेशाब/गुर्द रोग से ग्रसित पाये गये मरीजों की संख्या	पेट/लिवर से ग्रसित पाये गये मरीजों की संख्या	चर्मा रोग से ग्रसित पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर रोग से ग्रसित मरीजों की संख्या	अन्य गम्भीर बीमारियों से ग्रसित मरीजों की संख्या	कुल मरीजों की संख्या	उपचारित मरीजों की संख्या	अभियुक्ति
1	6200	1240	4106	7	0	24	68	3	0	273	375	375	हेल्थ सर्व में कोई भी गम्भीर रोग से ग्रसित मरीज नहीं पाया गया।

डा० सुभद्रा शर्मा
प्रभारी चिकित्सा अधिकारी
नगरीय प्राथमिक स्वास्थ्य केन्द्र
बाबा नेहरू कोषगंज, कानपुर नगर

Dr. Namrata Singh
Medical Officer
Upnc Raipurwa

Navarati

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अस्पताल
कानपुर नगर

हेल्थ कैम्प राखी मास्ती, कानपुर नगर

Sl. No.	DATE	PHC/UPHC Name	No. of Male Patients Registered	No. of Female Patients Registered	No. of Child Patients Registered	Total No. of Patients	No. of Patient (Liver)	No. of Patient (Respiratory)	No. of Patient (Gastro)	No. of Patient (Diabetes)	No. of Patient (Skin)	No. of Patient (TB Suspected)	No. of Patient (Anemia)	No. of Patient (Hypertension)	No. of Patient (Cancer)	No. of Patient (AMC)	No. of Patient (Malnutrition Child)	No. of Patient (Other Disease)	No. of Patient Referred	No. of Patient referred for Medical Treatment	No. of Patient referred for General Surgery	No. of Patient referred for Eye Surgery	No. of Patient referred for EXT Surgery	No. of Patient referred for Obs & Gynaec Surgery	No. of Patient referred for Other Surgery
1	22-05-24	UPHC ANWARGANJ	42	52	10	102	3	2	6	3	10	2	1	4	0	0	0	71	1	1	0	0	0	0	0
2	24-07-24	UPHC ANWARGANJ	96	78	19	193	0	4	5	5	37	7	0	6	0	0	0	129	10	10	0	0	0	0	0
3	07-07-24	UPHC ANWARGANJ	25	40	15	80	1	1	9	2	21	1	2	3	0	0	0	40	2	2	0	0	0	0	0
Total			161	170	44	375	4	7	20	10	68	10	3	13	0	0	0	240	13	13	0	0	0	0	0

श्री गुरुदेव शरण
 प्रभु की निरंतर आरक्षा
 महाराज प्रदत्त शक्ति और
 वश बरक का प्रदान, कानपुर नगर

Dr. Namrata Singh
 Medical Officer
 Uphc Raipurwa

Namrata

प्रभु की निरंतर आरक्षा
 श्री गुरुदेव शरण
 वश बरक का प्रदान

Namrata Singh

Health Survey Report (Analysis of Chromium and Mercury in Blood from Rakhi Mandi, Kanpur

2587
Nagar)

Sl No.	Name	Age	Sex	Father/Husband Name	Health Status	Remark
1	RAHISHA BANO	36	F	MOHD. ARSAD	No Disease Found	Healthy
2	MAHRU NISHA	38	F	SIRAJUDDIN		Migrated
3	MOHD. ARSAD	38	M	MOHD. ARAGER HUSSAIN		Migrated
4	KAMALA	60	F	LATE RAM JATAN		Death
5	MAIYADEEP	62	M	LATE BHURELAL		Migrated
6	POONA SAHU	38	F	DEV KUMAR		Migrated
7	ABDUL VAKIL	60	M	LATE SUBRATI		Death
8	GUDHIYA	27	F	RAM CHANDRA		Migrated
9	MUNNI DEVI	50	F	RAMENDRA KUMAR SINGH	No Disease Found	Healthy
10	RAJ PATI	62	F	MULA PATEL		Death
11	SHAKEELA BANO	70	F	ASGAR HUSSAIN		Death
12	PRAMILA	38	F	LATE RAM KUMAR	No Disease Found	Healthy
13	SHAIL KUMARI	60	F	LATE BUDUK	No Disease Found	Healthy
14	LALPATI	60	F	RAM SEVAK	No Disease Found	Healthy
15	RAMKANTI	58	F	HARISHCHANDRA	No Disease Found	Healthy
16	ANOOP KUMAR	44	M	JEETU LALA		Migrated
17	RAM RATI	50	F	PRATHVI PAL	No Disease Found	Healthy
18	SANTOSH KUMAR	49	M	KALLU PRASAD	No Disease Found	Healthy
19	NITU	37	F	AMAR NATH	No Disease Found	Healthy
20	SARVAN	70	M	MAIKU		Migrated
21	SONU	27	M	SATRUGHAN	No Disease Found	Healthy
22	RUKHSANA	26	F	SHAHANSHA		Migrated
23	PARVATI	50	F	BHAGWANDAS		Migrated
24	CHANDRA WATI	35	F	SHIV RAJAN		Migrated
25	AJAY	32	M	RAM KISHORE		Migrated
26	CHANDA DEVI	48	F	LATE DEEP KUMAR		Death
27	MISHRI LAL	65	M	MANU		Migrated
28	SUMENDRA GUPTA	62	F	SANTRAM	No Disease Found	Healthy
29	RAJ PATI	65	F	MANI RAM		Death
30	GEETANJALI	13	F	UMASHANKAR	No Disease Found	Healthy
31	ANJALI	15	F	UMASHANKAR		Migrated
32	ABDUL AJEEM	24	M	JAHD ALI		Migrated
33	RITU	28	F	RAJU		Migrated
34	RAGINI	13	F	MAHESH		Migrated
35	PRICE PATHAK	19	M	KANHAIYA LAL		Migrated
36	PAPPI	32	F	PAPPU		Migrated
37	NEELAM AWASTHI	45	F	PRAMOD KUMAR	No Disease Found	Healthy
38	SHANKAR	17	M	INDRA KUMAR SAHU		Death
39	KESHAR BAI	55	F	KAIYALI RAM	No Disease Found	Healthy
40	HEERA BAI	50	F	SANJAY		Migrated
41	HANUMAN	45	M	BHAGAUTI PRASAD	No Disease Found	Healthy
42	PAPPU	35	M	BAHADUR		Migrated
43	VIMLA	45	F	KALLU	No Disease Found	Healthy
44	ANIL	40	M	KAMTA PRASAD		Migrated

(Handwritten Signature)

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज
कानपुर नगर

प्रेषक

प्रभारी चिकित्सा अधिकारी,
न०प्रा०स्वा०केन्द्र जाजमऊ,
कानपुर नगर।

सेवा में

अपर मुख्य चिकित्सा अधिकारी महोदय,
एन०यू०एच०एम०, कानपुर नगर।

पत्रांक:- जाजमऊ सर्वे/2024-25/


दिनांक:- 12.07.2024

विषय:- जाजमऊ में स्वास्थ्य शिविर आयोजित करने एवं सर्वे के सम्बन्ध में।

महोदय

उपरोक्त विषयक, आपके पत्र संख्या मु०चि०अ०/एन०यू०एच०एम०/2024-25/144 दिनांक 25.06.2024 के क्रम में अवगत कराना है कि जाजमऊ में स्वास्थ्य सर्वेक्षण कराया गया एवं स्वास्थ्य शिविर का आयोजन दिनांक 02.07.2024, 05.07.2024 एवं 09.07.2024 को किया गया (सूची संलग्न)। स्वास्थ्य शिविर में कोई भी व्यक्ति गम्भीर रोग से ग्रसित नहीं पाया गया। संलग्नक:- उपरोक्तानुसार

भवदीय


प्रभारी चिकित्सा अधिकारी
न०प्रा०स्वा०केन्द्र जाजमऊ
कानपुर नगर
प्रभारी चिकित्सा अधिकारी
ए०ए०डी० हरजनन्दर नगर
कानपुर (नगर)

हेल्थ सर्वे रिपोर्ट जाजमऊ (12/1/24)

क्र० सं०	क्षेत्र की कुल जनसंख्या	भ्रमण किये गये घरों की संख्या	अच्छादित की गयी जनसंख्या	स्वास्थ्य से ग्रसित पाये गये मरीजों की संख्या	पेशाब / गुर्द रोग से ग्रसित पाये गये मरीजों की संख्या	पेट / लिवर से ग्रसित पाये गये मरीजों की संख्या	जर्म रोग से ग्रसित पाये गये मरीजों की संख्या	खून की कमी वाले मरीजों की संख्या	कैंसर रोग से ग्रसित मरीजों की संख्या	अन्य बीमारियों से ग्रसित मरीजों की संख्या	कुल मरीजों की संख्या	उपचारित मरीजों की संख्या	अभियुक्ति
1	8600	1720	6200	42	5	120	530	2	0	293	992	992	हेल्थ सर्वे में कोई भी गम्भीर रोग से ग्रसित मरीज नहीं पाया गया।

✓
1
Signature
उपस्थित चिकित्साधिकारी
जाजमऊ स्वास्थ्य केंद्र
जाजमऊ (जाजमऊ)

Health Survey Report (Analysis of Chromosomes and Mercury in Blood from Rakhi Mandi, Kanpur Nagar) **2590** CURRENT STATUS

No.	Name	Age	Sex	Father/Husband Name	Health Status	Remark
1	RAHISHA BANO	36	F	MOHD. ARSAD	No Disease Found	Healthy
2	MAHRU NISHA	38	F	SIRAJUDDIN		Migrated
3	MOHD. ARSAD	38	M	MOHD. ARAGER HUSSAIN		Migrated
4	KAMALA	60	F	LATE RAM JATAN		Death
5	MAIYADEEP	62	M	LATE BHURELAL		Migrated
6	POONA SAHU	38	F	DEV KUMAR		Migrated
7	ABDUL VAKIL	60	M	LATE SUBRATI		Death
8	GUDHIYA	27	F	RAM CHANDRA		Migrated
9	MUNNI DEVI	50	F	RAMENDRA KUMAR SINGH	No Disease Found	Healthy
10	RAJ PATI	62	F	MULA PATEL		Death
11	SHAKEELA BANO	70	F	ASGAR HUSSAIN		Death
12	PRAMILA	38	F	LATE RAM KUMAR	No Disease Found	Healthy
13	SHAIL KUMARI	60	F	LATE BUDUK	No Disease Found	Healthy
14	LALPATI	60	F	RAM SEVAK	No Disease Found	Healthy
15	RAMKANTI	58	F	HARISHCHANDRA	No Disease Found	Healthy
16	ANOOP KUMAR	44	M	JEETU LALA		Migrated
17	RAM RATI	50	F	PRATHVI PAL	No Disease Found	Healthy
18	SANTOSH KUMAR	49	M	KALLU PRASAD	No Disease Found	Healthy
19	NITU	37	F	AMAR NATH	No Disease Found	Healthy
20	SARVAN	70	M	MAIKU		Migrated
21	SONU	27	M	SATRUGHAN	No Disease Found	Healthy
22	RUKHSANA	26	F	SHAHANSHA		Migrated
23	PARVATI	50	F	BHAGWANDAS		Migrated
24	CHANDRA WATI	35	F	SHIV RAJAN		Migrated
25	AJAY	32	M	RAM KISHORE		Migrated
26	CHANDA DEVI	48	F	LATE DEEP KUMAR		Death
27	MISHRI LAL	65	M	MANU		Migrated
28	SUMENDRA GUPTA	62	F	SANTRAM	No Disease Found	Healthy
29	RAJ PATI	65	F	MANI RAM		Death
30	GEETANJALI	13	F	UMASHANKAR	No Disease Found	Healthy
31	ANJALI	15	F	UMASHANKAR		Migrated
32	ABDUL AJEEM	24	M	JAHD ALI		Migrated
33	RITU	28	F	RAJU		Migrated
34	RAGINI	13	F	MAHESH		Migrated
35	PRICE PATHAK	19	M	KANHAIYA LAL		Migrated
36	PAPPI	32	F	PAPPU		Migrated
37	NEELAM AWASTHI	45	F	PRAMOD KUMAR	No Disease Found	Healthy
38	SHANKAR	17	M	INDRA KUMAR SAHU		Death
39	FESHAR BAI	55	F	KAIYALI RAM	No Disease Found	Healthy
40	HEERA BAI	50	F	SANJAY		Migrated
41	HANUMAN	45	M	BHAGAUTI PRASAD	No Disease Found	Healthy
42	PAPPU	35	M	BAHADUR		Migrated
43	VIMLA	45	F	KALLU	No Disease Found	Healthy
44	ANIL	40	M	KAMTA PRASAD		Migrated

Handwritten signature

प्रभारी चिकित्सा अधिकारी
डी० टी० सी० अनवरगंज