

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**Original Application No. 273/2025**

**In the matter of:**

The Citizens Foundation

...Applicant

Versus

Central Pollution Control Committee & Ors.

...Respondents

**NDOH: 26.09.2025**

**INDEX**

S.L. No.	Particulars	Page No.
1.	Action taken report on behalf of the Delhi Pollution Control Committee with respect to order dated 30.05.2025.	1-3
2.	<b><u>Annexure -1</u></b> Copies of the inspection report carried out by DPCC.	4-39

Filed by

DPCC

Dated: 25<sup>th</sup> September, 2025

Place: Delhi

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**Original Application No. 273/2025**

**In the matter of:**

The Citizens Foundation

...Applicant

Versus

Central Pollution Control Board & Ors.

...Respondents

**STATUS REPORT ON BEHALF OF DELHI POLLUTION  
CONTROL COMMITTEE WITH RESPECT TO THE ORDER  
DATED 30.05.2025.**

I, Satender Kumar, Sr. Environmental Engineer, Delhi Pollution Control Committee, 3rd Floor, Block-I, IT Park, Shastri Park, Delhi- 110053, do hereby solemnly affirm and state as under:

1. That, I am working as Sr. Environmental Engineer, Delhi Pollution Control Committee and am conversant with the facts of the present case on the basis of record maintained by Delhi Pollution Control Committee in its ordinary course.
2. That, this matter was taken up by this Hon'ble Tribunal on 30.05.2025 and pleased to issue notice on the OA.
3. That, the applicant has made the following prayers in the present application as are under:



4. *Direct all Respondents to file a compliance affidavit detailing measures adopted to enforce the PWM Rules, particularly with respect to prohibited packaging.*

*Satender Kumar*

5. Direct CPCB and all State Pollution Control Boards, including DPCC and UPPCB, to conduct surprise inspections, engage third-party audits, and file status reports before this Hon'ble Tribunal.

4. That in compliance with order, as per the information available in DPCC.

Following is the current status of the units mentioned:

a. M/s Pan Bahar Products Pvt. Ltd., 20, Shivaji Marg, Najafgarh Road, New Delhi-110015.

- Unit found operational in the activity of Supari (Betelnut) and Pan Masala Grinding with valid DPCC Consent to operate in the Green category.
- A dust collector was found installed in the unit with an adequate system of channelization.
- 02 DG Sets of 500 KVA capacities were found kept in the unit, and both of the DG sets were installed with RECD from the Authorized Vendor of CPCB.
- The unit is involved only in mixing and packing of supari with lime, menthol, and katechu.
- Paper sachets/pouches are being used for the packaging of pan masala. No plastic material was found to be in use for packaging of pan masala in the unit.

b. M/s Vishnu & Company Trademarks Pvt. Ltd., R-649, New Rajender Nagar, New Delhi-110060.

- The premises is used for Residential/Office purpose for personal use as reported.
- No industrial/storage activity observed at the premises during inspection.

c. M/s Som Silver Supari Pvt. Ltd., Plot No. A-77-78, Naraina Industrial Area, Phase-I, New Delhi-110028.

- Industry is engaged in the activity of mfg. of pan masala.
- As per CIPET report dated 18.03.2024 no plastic is found in the packaging material used.



*[Handwritten Signature]*

d. M/s Som Silver Supari Pvt. Ltd., C-123, Naraina Industrial Area, New Delhi-110028.

- Industry is engaged in the activity of mfg. of pan masala.
- As per CIPET report dated 13.04.2022 no plastic is found in the packaging material used.

Copies of the inspection report carried out by DPCC are enclosed herewith collectively as Annexure-1(Colly).

5. That, CPCB in its direction dated 22.10.2021, did not mention the quantity of plastic produced by the unit & also not provided copy of the inspection report to DPCC.
6. In view of the above, the present status report may kindly be taken on record.

  
DEPONENT

### VERIFICATION

I, the above-named deponent, declare the contents of the present affidavit are true and correct to the best of my knowledge based upon the documents and records available in the office and nothing material has been concealed therefrom.

12.5 SEP 2025

Verified at New Delhi on this \_\_\_ day of September, 2025.

ATTESTED

  
NOTARY PUBLIC  
GOVT. OF NCT OF DELHI

12.5 SEP 2025

  
DEPONENT



	<b>DELHI POLLUTION CONTROL COMMITTEE</b> <b>DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)</b> <b>4<sup>th</sup> &amp; 5<sup>th</sup> FLOOR ISBT BUILDING KASHMERE GATE DELHI-6</b> visit us at : <a href="http://dpcc.delhigovt.nic.in">http://dpcc.delhigovt.nic.in</a>
---	---

Inspection Report

1. Name & Address of the Unit : M/s. Pan. Bahar Products Pvt. Ltd.  
20, Shivaji Marg, Najafgarh  
Road Industrial Area, New Delhi  
- 110015
2. Owner/ Partner's Name & Contact Details (Phone & E-mail) : Arun Kumar Mishra (9899324249)  
Amit Agrawal (8826696991)  
(7011631927)
3. Date of Inspection : 08/07/2025
4. Name & Designation of the Persons contacted at the industry : Parminder Singh (9811430131)
5. Kind of Industry : Supari (Betelnut) & Pan Masala Grinding
6. Product & Capacity : 1 to 1.5 ton / day (approx.) on demand basis  
(Betelnut)
7. Main Raw Materials : Supari, Katchu, lime, menthol, perfume compound
8. Water Polluting : Yes/No  No ETP Installed : Yes/No  No
9. Air Pollution : Yes/No  No ECS Installed : Yes/No  No
10. Details of Stack Height (Furnace/Boilers/Others) : (Above G.L.)..... (Above R.L.) 15m
11. Type of Fuel Used : Electricity
12. A. Source of Water Supply : DJB/NDMC/DSIIDC/Borewell/Tankers/Others  Tankers  Others
- B. Effluent Discharge : (a) Domestic/ Trade Effluent  Domestic  Trade  
(b) Unit connected to Conveyance System: Yes/No  No  
(c) Discharging into... Sewer
13. Status of Consent {If Any} : G.T.O. green valid till 27/07/2030
14. D.G. Set(s) {if Any} : No DG Capacity 500 KVA. Acoustic: Yes/No  No  
RECO found installed on both DG sets of 500KVA from Authorized vendor  
Stack Height..... (Above G.L.) 10m (Above RL)
15. Plot Area : 2807 sq. yard
16. Labour : 120 (approx.) on need basis
17. Machinery : Packaging Machine - 16  
Dust Collector - 01  
Conveyor - 20  
Mixing Machine - 15  
Air Compressor - 03

18.	Detail of Power Connection	:	TDPPL CA No. 60026602122 (in the name of "Company Pan Bahar Products Pvt Ltd")
19.	Whether Unit found in Operation	:	Yes/No
20.	Status of Registration under Plastic Waste Management Rules, 2016	:	.....NA.....
21.	Whether Generating Hazardous Waste	:	Yes/No ✓
22.	<u>Details about Hazardous Waste</u>	:	
(a)	Status of Authorization (if any)	:	.....
(b)	Display Board Provided	:	Yes/No
(c)	Whether Hazardous Waste is stored in Leak proof container	:	Yes/No
(d)	Whether container marked with specified label	:	Yes/No
(e)	Whether container stored kept in an isolated area	:	Yes/No
(f)	Whether Hazardous Waste is being stored on pucca floor & in covered area	:	Yes/No
(g)	Whether date on which storage began indicated on each container	:	Yes/No
(h)	Whether daily record of Hazardous Waste maintained in Form-3	:	Yes/No
(i)	Category of Hazardous Waste as per the Schedules I, II and III of these rules	:	
(j)	Authorized mode of disposal or recycling or utilization or co-processing etc.	:	
(k)	Quantity (Ton/Annum)	:	

(F)

NA


Remarks (if Any)

- ① Unit found operational in the activity of "Supari (Betelnut) and Pan Masala Grinding" with valid DPCC CTO in Green Category.
- ② Dust collector was found installed in the unit with adequate system of Channelization
- ③ 02 DG sets of 500 kVA capacities were found kept in the unit. Both the DG sets were intalled with RECD from Authorised vendor of CPCB.
- ④ Unit is involved only in mixing and packing of supari with lime, menthol and katedru.
- ⑤ Paper sachet/pouches are being used for packaging of pan masala.

8/7/25  
Raninder Singh  
98114 30131

*Nipun*  
08/07/2025  
Signatures, Name & Designation of inspecting officials. SEE DPCC  
Nipun Benival

*Jaewon.P*  
08/07/25  
TE, DPCC  
Jeevan



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)  
4<sup>th</sup> & 5<sup>th</sup> FLOOR ISBT BUILDING KASHMERE GATE DELHI-6  
visit us at : <http://dpcc.delhigovt.nic.in>

6

### Inspection Report

1. Name & Address of the Unit : M/s Owner/occupies  
R-649, New Rajender Nagar  
Delhi-110060
2. Owner/ Partner's Name & Contact Details(Phone & E-mail) : Sheela Lalwani [Property owner]
3. Date of Inspection : 11.07.2025
4. Name & Designation of the Persons contacted at the industry : Ms. Dhara J 9871107197
5. Kind of Industry : Residence / office
6. Product & Capacity : .....
7. Main Raw Materials : .....
8. Water Polluting : Yes/No ETP Installed : Yes/No
9. Air Pollution : Yes/No ECS Installed : Yes/No
10. Details of Stack Height (Furnace/Boilers/Others) : (Above G.L.)..... (Above R.L.).....
11. Type of Fuel Used : .....
12. A. Source of Water Supply : DJB/NDMC/DSIIDC/Borewell/Tankers/Others  
B. Effluent Discharge : (a) Domestic/ Trade Effluent  
(b) Unit connected to Conveyance System: Yes/No  
(c) Discharging into.....
13. Status of Consent {if Any} : .....
14. D.G. Set(s) {if Any} : No....Capacity.....KVA. Acoustic: Yes/No  
Stack Height.....(Above G.L.).....(Above RL)
15. Plot Area : .....
16. Labour : .....
17. Machinery : .....

7

18. Detail of Power Connection : .....
19. Whether Unit found in Operation : Yes/No
20. Status of Registration under Plastic Waste Management Rules, 2016 : .....
21. Whether Generating Hazardous Waste : Yes/No
22. Details about Hazardous Waste :
- (a) Status of Authorization (if any) : .....
- (b) Display Board Provided : Yes/No
- (c) Whether Hazardous Waste is stored in Leak proof container : Yes/No
- (d) Whether container marked with specified label : Yes/No
- (e) Whether container stored kept in an isolated area : Yes/No
- (f) Whether Hazardous Waste is being stored on pucca floor & in covered area : Yes/No
- (g) Whether date on which storage began indicated on each container : Yes/No
- (h) Whether daily record of Hazardous Waste maintained in Form-3 : Yes/No
- (i) Category of Hazardous Waste as per the Schedules I, II and III of these rules :
- (j) Authorized mode of disposal or recycling or utilization or co-processing etc. :
- (k) Quantity (Ton/Annum) :


## Remarks (if Any)

- ① Inspection conducted in view of Hon'ble NGT order dated 30.05.2025 at premises R-649, New Rajinder Nagar, Delhi
- ② The said premises is used for Residential/office purpose for personal use as reported.
- ③ No industrial/storage activity observed at the premises during the inspection.


  
11/7/25  
(DHURV KUMAR)

Signatures, Name & Designation of inspecting officials.

2

  
Harshit  
JETHI, CMC-7

  
11/7/25  
Harshit  
JETHI, CMC-7




650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315446°

Longitude  
77.1810149°

Local 07:17:17 PM  
GMT 01:47:17 PM

Altitude 246 meters  
Friday, 11.07.2025



GPS Map  
Camera Lite

650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315082°

Local 07:15:37 PM  
GMT 01:45:37 PM

Longitude  
77.1810546°

Altitude 246 meters  
Friday, 11.07.2025

10



650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315191°


Longitude  
77.1810372°

Local 07:15:22 PM  
GMT 01:45:22 PM

Altitude 246 meters  
Friday, 11.07.2025

11

1658551/2025/CMC 7 DPCC




650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315257°

Longitude  
77.1810563°

Local 07:14:51 PM  
GMT 01:44:51 PM

Altitude 246 meters  
Friday, 11.07.2025



650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315281°

Longitude  
77.1810253°

Local 07:14:46 PM  
GMT 01:44:46 PM

Altitude 246 meters  
Friday, 11.07.2025



GPS Map  
Camera Lite


650, Block R, Rajender Nagar Part 1, New Rajinder Nagar,  
New Delhi, Delhi, 110060, India

Latitude  
28.6315214°

Longitude  
77.1810293°

Local 07:14:21 PM  
GMT 01:44:21 PM

Altitude 246 meters  
Friday, 11.07.2025



DELHI POLLUTION CONTROL COMMITTEE  
DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)  
4<sup>th</sup> & 5<sup>th</sup> FLOOR ISBT BUILDING KASHMERE GATE DELHI-6  
visit us at : <http://dpcc.delhigovt.nic.in>

### Inspection Report

1. Name & Address of the Unit : M/s Som silver & Supari private limited  
A-77/78, Naraina Industrial  
area Phase-I, New Delhi-110028
2. Owner/ Partner's Name & Contact  
Details(Phone & E-mail) : Jitendra Singh 997186855463  
somsilver&supari Pvt Ltd@gmail.com
3. Date of Inspection : 30/07/2025
4. Time of inspection  
Start of Inspection :  
End of Inspection :
5. Name & Designation of the Persons  
contacted at the industry : Jitendra Singh {Director}
6. Kind of Industry :
7. Product & Capacity : As per consent / records
8. Main Raw Materials : As per CTO / records
9. Water Polluting : Yes/No  No ETP Installed : Yes/No {NA}
10. Air Pollution : Yes/No  No ECS Installed : Yes/No  Dust collector
11. Details of Stack Height  
(Furnace/Boilers/Others) : (Above G.L.)..... (Above R.L.).....
12. Type of Fuel Used : Electricity TPDDL CA No-60028218935  
CA No-60024576898
13. A. Source of Water Supply : DJB/NDMC/DSIIDC/Borewell/Tankers/Others  
KNo-7554371000  
B. Effluent Discharge : (a) Domestic/ Trade Effluent  
(b) Unit connected to Conveyance System: Yes/No  
(c) Discharging into.....
14. Status of Consent {If Any} : Yes CTE - Certificate no - G-44224  
& CTE certificate no - G-44226
15. D.G. Set(s) {if Any} Yes : No...Capacity.....KVA. Acoustic: Yes/No  
A-77/78 500 KVA  
A-78/79 500 KVA  
Stack Height.....(Above G.L.).....(Above RL)
16. Plot Area : 2400 sq. yard
17. Labour : 40
18. Machinery : 6X Packaging, 16X Cottle, 2X Mixer  
16X X3

15

- 19. Detail of Power Connection : TPDDL CANo - 60028218935 {A-773}  
CANo - 60024576898 {A-783}
- 20. Whether Unit found in Operation :  Yes/No
- 21. Status of Registration under Plastic Waste Management Rules, 2016 : .....
- 22. Whether Generating Hazardous Waste : Yes/ No
- 23. Details about Hazardous Waste :
  - (a) Status of Authorization (if any) : .....
  - (b) Display Board Provided : Yes/No
  - (c) Whether Hazardous Waste is stored in Leak proof container : Yes/No
  - (d) Whether container marked with specified label : Yes/No
  - (e) Whether container stored kept in an isolated area : Yes/No
  - (f) Whether Hazardous Waste is being stored on pucca floor & in covered area : Yes/No
  - (g) Whether date on which storage began indicated on each container : Yes/No
  - (h) Whether daily record of Hazardous Waste maintained in Form-3 : Yes/No
  - (i) Category of Hazardous Waste as per the Schedules I,II and III of these rules : .....
  - (j) Authorized mode of disposal or recycling or utilization or co-processing etc. : .....
  - (k) Quantity (Ton/Annum) : .....

Remarks (if Any)

During inspection it was observed that :-

- Industry is engaged in the manufacturing of Paan Mashala
- The process is as follows supari/beatelnut is crushed and dried then it is mixed with various flavour and fragrances and finally it is packed in pouches.
- As per CIPET report dated 18/03/2024 no plastic is found in packaging and as per analysis result paper, foil and non-VMCM adhesive is used.
- The product which is made in this unit is sold by market/trade name "Signature".

Signatures, Name & Designation of inspecting officials

*[Signature]*  
30/7/25  
Meenesh  
Bhadwariya  
(AEE, CMC-IV)

*[Signature]*  
30/7/25  
Sushchandra  
(JEE, CMC-IV)

*[Signature]*  
30/07/2025  
Ankit  
Nune  
(TE CMC-IV)

For SGM SILVER SUPARI PVT. LTD.

*[Signature]*  
30/07/25  
Director



**सिपेट : पेट्रोकेमिकल्स तकनीकी  
संस्थान ( आई.पी.टी. )**

( पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान )

रसायन एवं पेट्रो-रसायन विभाग  
रसायन एवं उर्वरक मंत्रालय, भारत सरकार  
प्लॉट : नं 830 फेज-4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445  
दूरभाष : (079) 40103900-902 फैक्स : (079) 40083905  
ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in  
वेबसाइट : www.cipet.gov.in  
मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032



**CIPET : INSTITUTE OF PETROCHEMICALS  
TECHNOLOGY (IPT)**

( Formerly Central Institute of Plastics Engineering & Technology )

Department of Chemicals & Petrochemicals  
Ministry of Chemicals & Fertilizers, Govt. of India  
Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382445  
Tele. : (079) 40103900-902, 925, Fax : (079) 40083905  
Email : cipetahmd@gmail.com, ahmedabad@cipet.gov.in  
Web : www.cipet.gov.in  
Head office - CIPET, Guindy, Chennai - 600 032

**प्लास्टिक परीक्षण केंद्र / PLASTIC TESTING CENTRE**

श्रृंखला: बी / Series : C

**परीक्षण रिपोर्ट / TEST REPORT**

क्र.सं / S.L. No.

**20857**

को जारी / Issued to : **Som Global Pan Masala Private Limited.**  
Plot No. A-78, Naraina Industrial Area,  
Phase - I,  
New Delhi - 110 028

रिपोर्ट सं / Test Report No : **5605**

दिनांक / Dated : **18.03.2024**

संदर्भ / Your Ref. No. :

दिनांक / Dated : **Letter  
26.02.2024**

As per part C

मानक के अनुसार टेस्ट रिपोर्ट

Test Report as per Standard :

**PART A**

**PARTICULARS OF SAMPLE SUBMITTED**

- |  |   |                                   |
|--|---|-----------------------------------|
| a) Name of Sample ( as stated by party ) | : | <b>Packing Material (Pouches)</b> |
| b) Grade / variety / type / size / class | : | NA                                |
| c) Declared value, if any                | : | NA                                |
| d) Code No.                              | : | Signature                         |
| e) Batch No. and Date of Manufacture     | : | NA                                |
| f) Quantity                              | : | 01 Nos                            |
| g) Mode of Packing                       | : | Packed in bag                     |
| h) Date of Receipt                       | : | 06.03.2024                        |
| i) Date of Starting                      | : | 07.03.2024                        |
| j) Date of Completion                    | : | 18.03.2024                        |
| k) Sealed or not                         | : | NA                                |
| l) Any other information                 | : | Name : Dilbagh                    |

**PART B**

**SUPPLEMENTARY INFORMATION**

- |   |   |                               |
|---|---|-------------------------------|
| a) Reference to sampling procedure  | : | Samples Supplied by the Party |
| b) Supporting documents for the measurement taken and result derived                  | : | As per Part C                 |
| c) Deviation from the test method as prescribed in relevant work Instructions, if any | : | Not Applicable                |

1 of 2

*[Handwritten Signature]*

सिपेट : पेट्रोकेमिकल्स तकनीकी  
संस्थान ( आई.पी.टी. )

( पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान )

रसायन एवं पेट्रो-रसायन विभाग  
रसायन एवं उर्वरक मंत्रालय, भारत सरकार  
प्लॉट : नं 830 फेज-4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445  
दूरभाष : (079) 40103900-902 फैक्स : (079)-40083905  
ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in  
वेबसाइट : www.cipet.gov.in  
मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032

प  
सिपेट CIPET



CIPET : INSTITUTE OF PETROCHEMICALS  
TECHNOLOGY (IPT)

( Formerly Central Institute of Plastics Engineering & Technology )

Department of Chemicals & Petrochemicals  
Ministry of Chemicals & Fertilizers, Govt. of India  
Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382445  
Tele : (079) 40103900-902, 925, Fax : (079) 40083905  
Email : cipetahmd@gmail.com, ahmedabad@cipet.gov.in  
Web : www.cipet.gov.in  
Head office : CIPET, Guindy, Chennai - 600 032

प्लास्टिक परीक्षण केंद्र / PLASTIC TESTING CENTRE

Packing Material (Pouches)

Test Report No.: 5605

Dated : 18.03.2024

PART C  
TEST RESULTS

Sr. No.	Test	Test Method	Unit	Results Obtained
1	Material Identification	ASTM E 1252 IDC by Braun	---	Paper + Foil + Non VMCH Adhesive

Note : i) Statement of Conformity & Decision Rule (if any) : NA

ii) Opinion & Interpretation : NA

PART D

REMARKS : Nil

NOTE

- 1 The results related only to the items tested
- 2 The report shall not be reproduced in full/part without written approval of the laboratory
- 3 This Test Report/Certificate is issued only for the samples submitted to CIPET.
- 4 The results stated above related only to the items tested.
- 5 The quality of the subsequent production lot has to be ensured by the purchaser.

Authorised Signatory

भरथ के. एल. / BHARATH K. L.

सहा. तक. अधिकारी / Asst. Technical Officer


Authorised Signatory

2 of 2

किर्ती डी. त्रिवेदी / Kirti D. Trivedi

सहा. अधिकारी / Technical Officer

702065/2025/CMC 4 DPCC



GPS Ma  
Camera Lite

A-78, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6364105°

Longitude  
77.1374679°


Local 03:12:35 PM  
GMT 09:42:35 AM

Altitude 223 meters  
Wednesday, 30.07.2025

19

105

702065/2025/CMC 4 DPCC



GPS Ma  
Camera Lite

A-78, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6363956°

Longitude  
77.1374966°

Local 03:13:54 PM  
GMT 09:43:54 AM

Altitude 223 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

A-78, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6363835°

Longitude  
77.1375076°

Local 03:12:06 PM  
GMT 09:42:06 AM

Altitude 223 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

A-78, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6365296°

Longitude  
77.1373274°

Local 03:12:23 PM  
GMT 09:42:23 AM

Altitude 223 meters  
Wednesday, 30.07.2025



702065/2025/CMC 4 DPCC



GPS Ma  
Camera Lite


A-77, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6365353°

Longitude  
77.1376262°

Local 02:48:54 PM  
GMT 09:18:54 AM

Altitude 223 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

A-78, Rd Naraina, Industrial Area Phase I, Naraina Industrial Area Phase 1  
Naraina, New Delhi, Delhi, 110015, India

Latitude  
28.6363835°

Longitude  
77.1375088°

Local 03:11:53 PM  
GMT 09:41:53 AM

Altitude 223 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

A78/1, Industrial Area Phase I, Block A, Sector 37, New Delhi, Delhi,  
110015, India

Latitude  
28.63672539°

Longitude  
77.137358°

Local 02:28:30 PM  
GMT 08:58:30 AM

Altitude 222 meters  
Wednesday, 30.07.2025

1702065/2025/GMC 4 DPCC



GPS Ma  
Camera Lite

A78/1, Industrial Area Phase I, Block A, Sector 37, New Delhi, Delhi, 110015, India

Latitude  
28.63672158°

Longitude  
77.13737447°

Local 02:28:21 PM  
GMT 08:58:21 AM

Altitude 222 meters  
Wednesday, 30.07.2025





**DELHI POLLUTION CONTROL COMMITTEE**  
 DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)  
 4<sup>th</sup> & 5<sup>th</sup> FLOOR ISBT BUILDING KASHMERE GATE DELHI-6  
 visit us at : <http://dpcc.delhigovt.nic.in>

### Inspection Report

1. Name & Address of the Unit : M/s. Som Silver Supari Private Limited, Plot No C-123, Maxima Industrial Area, Phase-I, New Delhi - 110028
2. Owner/ Partner's Name & Contact Details (Phone & E-mail) : Jitendra Singh { 9718685546 }  
somsilver-supari@delhi.com
3. Date of Inspection : 30/07/2025
4. Time of inspection  
Start of Inspection : 12:30 PM  
End of Inspection : .....
5. Name & Designation of the Persons contacted at the industry : Jitendra Singh { Director }
6. Kind of Industry : .....
7. Product & Capacity : As per consent / records
8. Main Raw Materials : As per CTO / records
9. Water Polluting : Yes/No  No ETP Installed : Yes/No { NA }
10. Air Pollution : Yes/No  No ECS Installed : Yes/No { Dust collector }
11. Details of Stack Height (Furnace/Boilers/Others) : (Above G.L.)..... (Above R.L.).....
12. Type of Fuel Used : Electricity TPDDL, CA-No { 60024062824 }
13. A. Source of Water Supply : DJB/NDMC/DSIIDC/Borewell/Tankers/Others  
KNo- 9771371000  
B. Effluent Discharge : (a) Domestic/ Trade Effluent  
(b) Unit connected to Conveyance System: Yes/No  
(c) Discharging into.....
14. Status of Consent {If Any} : Yes { DPCC/CMC 12024/11642427 }
15. D.G. Set(s) {if Any} : No. 2 Capacity 500 KVA. Acoustic: Yes/No  
Stack Height..... (Above G.L.)..... (Above RL)
16. Plot Area : 1200 sq. yard
17. Labour : 50
18. Machinery : 9x Packaging, 3x Cutter, 3x Mixer  
5x Drick

- 19. Detail of Power Connection : CA No - 60024062824
- 20. Whether Unit found in Operation :  Yes/No
- 21. Status of Registration under Plastic Waste Management Rules, 2016 : .....
- 22. Whether Generating Hazardous Waste : Yes/No
- 23. Details about Hazardous Waste :
  - (a) Status of Authorization (if any) : .....
  - (b) Display Board Provided : Yes/No
  - (c) Whether Hazardous Waste is stored in Leak proof container : Yes/No
  - (d) Whether container marked with specified label : Yes/No
  - (e) Whether container stored kept in an isolated area : Yes/No
  - (f) Whether Hazardous Waste is being stored on pucca floor & in covered area : Yes/No
  - (g) Whether date on which storage began indicated on each container : Yes/No
  - (h) Whether daily record of Hazardous Waste maintained in Form-3 : Yes/No
  - (i) Category of Hazardous Waste as per the Schedules I, II and III of these rules : .....
  - (j) Authorized mode of disposal or recycling or utilization or co-processing etc. : .....
  - (k) Quantity (Ton/Annum) : .....

Remarks (if Any)

During inspection it was observed that :-

- Industry is engaged in the manufacturing of ~~paan~~ Paan Masala
- The process is as follows supari/Beetelnut is crushed and dried then it is mixed with various fragrances and flavour and finally it is packed in pouches
- As per CIPET report dated 18/03/2024 no plastic is found in packaging and as per analysis result paper and non VMCH adhesive is used
- The product which is made in this unit is sold by market/trade name "Dilbagh"

Signatures, Name & Designation of Inspecting officials

For SOM SILVER SUPARI PVT. LTD.  
 30/07/25  
 Director

30/07/2025  
 Meenesh Bhadouriya  
 (AEE, CMC-IV, DPCC)

30/07/25  
 Sushant Kumar  
 (JEO, CMC-IV)

30/07/2025  
 Anshul Kumar  
 (T-E, CMC-IV)



सिपेट : इंस्टिट्यूट ऑफ पेट्रोकेमिकल्स  
टेक्नोलॉजी ( आई पी टी )

( पूर्व में सेंट्रल इंस्टिट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नोलॉजी )

रसायन एवं पेट्रो-रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

प्लॉट नं. 630, फेज 4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445.

दूरभाष : (079) 40103900-902, 925 फैक्स : (079)-40083905

ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032



CIPET सि पे ट  
probe - perform - practice - Plastics



CIPET : INSTITUTE OF PETROCHEMICALS  
TECHNOLOGY (IPT)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382 445.

Tele.: (079) 40103900-902, 925, Fax : (079) 40083905

E-mail: cipetahmd@gmail.com, ahmedabad@cipet.gov.in

Web. : www.cipet.gov.in

Head Office : CIPET, Guindy, Chennai - 600 032

PLASTICS TESTING CENTRE

Series : A

परीक्षण रिपोर्ट / TEST REPORT

S.L. No.

6315

Issued to :

**Som Global Pan Masala Private Limited.**  
C-123, Naraina Industrial Area,  
Phase - 1,  
New Delhi - 110 028

Test Report No :

239

Dated :

13.04.2022

Your Ref. No. :

Letter

Test Report as per Standard :

As per part C

Dated :

10.04.2022

ULR No : TC816422000000259P

PART A

PARTICULARS OF SAMPLE SUBMITTED

- |  |   |                            |
|--|---|----------------------------|
| a) Name of Sample ( as stated by party ) | : | Packing Material (Pouches) |
| b) Grade / variety / type / size / class | : | NA                         |
| c) Declared value, if any                | : | NA                         |
| d) Code No.                              | : | DB Royal                   |
| e) Batch No. and Date of Manufacture     | : | NA                         |
| f) Quantity                              | : | 01 Nos                     |
| g) Mode of Packing                       | : | Packed in bag              |
| h) Date of Receipt                       | : | 11.04.2022                 |
| i) Date of Starting                      | : | 12.04.2022                 |
| j) Date of Completion                    | : | 13.04.2022                 |
| k) Sealed or not                         | : | NA                         |
| l) Any other information                 | : | Dilbagh                    |

PART B

SUPPLEMENTARY INFORMATION

- |   |   |                               |
|---|---|-------------------------------|
| a) Reference to sampling procedure  | : | Samples Supplied by the Party |
| b) Supporting documents for the measurement taken and result derived                  | : | As per Part C                 |
| c) Deviation from the test method as prescribed in relevant work Instructions, if any | : | Not Applicable                |

1 of 2

*Signature*

**सिपेट : इंस्टिट्यूट ऑफ पेट्रोकेमिकल्स  
टेक्नोलॉजी ( आई पी टी )**

( पूर्व में सेंट्रल इंस्टिट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नालॉजी )

रसायन एवं पेट्रो-रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

प्लॉट नं. 630, फेज 4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445.

दूरभाष : (079) 40103900-902, 925 फैक्स : (079)-40083905

ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

वेबसाइट : www.cipet.gov.in


मुख्यालय : सिपेट, गिण्डी, चेन्नै - 600 032



**IP**

CIPET सि पेट

Centre - paripatti - practice - Purkitt



**CIPET : INSTITUTE OF PETROCHEMICALS  
TECHNOLOGY (IPT)**

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382 445.

Tele.: (079) 40103900-902, 925, Fax : (079) 40083905

E-mail: cipetahmd@gmail.com, ahmedabad@cipet.gov.in

Web. : www.cipet.gov.in

Head Office : CIPET, Guindy, Chennai - 600 032

**PLASTICS TESTING CENTRE**

Packing Material (Pouches)

Test Report No.: 239

Dated : 13.04.2022

**PART C  
TEST RESULTS**

Sr. No.	Test	Test Method	Unit	Results Obtained
1	Material Identification	ASTM E 1252 IDC by Braun	---	Paper + Foil + Non VMCH based Adhesive

Note : i) Statement of Conformity & Decision Rule (if any) : NA

ii) Opinion & Interpretation : NA

**PART D**

REMARKS : Nil

NOTE

- 1 The results related only to the items tested
- 2 The report shall not be reproduced in full/part without written approval of the laboratory
- 3 This Test Report/Certificate is issued only for the samples submitted to CIPET.
- 4 The results stated above related only to the items tested.
- 5 The quality of the subsequent production lot has to be ensured by the purchaser.

  
Authorised Signatory

**Bharath K. L.**


(Assistant Technical Officer)

  
Authorised Signatory  
2 of 2

**Kirti D. Trivedi**  
(Technical Officer)

Head Office : CIPET, Guindy, Chennai - 600 032

1702077/2025/CMC 4 DPCC



 **GPS Map**  
**Camera Lite**


Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
 Naraina, New Delhi, Delhi 110028, India

Longitude  
 77.13568251°

Altitude 224 meters  
 Wednesday, 30.07.2025

117

31



GPS Ma  
Camera Lite

C-138, Industrial Area Phase I, Block C, Block C Phase 1 Industrial Estate,  
Naraina, New Delhi, Delhi 110015, India

Latitude  
28.62900325°

Longitude  
77.13568785°

Local 01:16:47 PM  
GMT 07:46:47 AM

Altitude 224 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite


C-122, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
Naraina, New Delhi, Delhi 110015, India

Latitude  
28.62850449°

Longitude  
77.13546867°

Local 01:13:38 PM  
GMT 07:43:38 AM

Altitude 224 meters  
Wednesday, 30.07.2025



C-122, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
Naraina, New Delhi, Delhi 110015, India

Latitude  
28.62849567°


Longitude  
77.13552031°

Local 01:13:19 PM  
GMT 07:43:19 AM

Altitude 224 meters  
Wednesday, 30.07.2025

34

20



GPS Ma  
Camera Lite


C-123, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
Naraina, New Delhi, Delhi 110028, India

Latitude  
28.62843506°

Longitude  
77.13576386°

Local 01:11:05 PM  
GMT 07:41:05 AM

Altitude 224 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

C-126,1st Floor, Gate, 1st Floor, Phase, Industrial Area Phase I, Block C,  
Naraina Industrial Area Phase 1, Naraina, New Delhi, Delhi 110028, India

Latitude  
28.62839187°

Longitude  
77.13576839°

Local 01:10:46 PM  
GMT 07:40:46 AM

Altitude 224 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

C-126,1st Floor, Gate, 1st Floor, Phase, Industrial Area Phase I, Block C,  
Naraina Industrial Area Phase 1, Naraina, New Delhi, Delhi 110028, India

Latitude  
28.62839741°

Longitude  
77.13577743°


Local 01:10:37 PM  
GMT 07:40:37 AM

Altitude 224 meters  
Wednesday, 30.07.2025

123

37

1702077/2025/CMC 4 DPCC



C-123, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
Naraina, New Delhi, Delhi 110028, India

Latitude  
28.62843385°

Longitude  
77.13574193°

Local 01:10:15 PM  
GMT 07:40:15 AM

Altitude 224 meters  
Wednesday, 30.07.2025

1702077/2025-CEMCA DPCC



GPS Ma  
Camera Lite


C-138, Industrial Area Phase I, Block C, Block C Phase 1 Industrial Estate,  
Naraina, New Delhi, Delhi 110015, India

Latitude  
28.62906177°

Longitude  
77.13569854°

Local 01:07:21 PM  
GMT 07:37:21 AM

Altitude 224 meters  
Wednesday, 30.07.2025



GPS Ma  
Camera Lite

C123, Industrial Area Phase I, Block C, Naraina Industrial Area Phase 1,  
Naraina, New Delhi, Delhi 110028, India

Latitude  
28.62858385°

Longitude  
77.13572306°

Local 01:09:16 PM  
GMT 07:39:16 AM

Altitude 224 meters  
Wednesday, 30.07.2025