


 (10/11/23)
 (10/11/23)

Government of Rajasthan
 Local Self Government Department
 (Directorate of Local Bodies, Rajasthan, Jaipur)
 G-3, Rajmahal Residency, Near Civil lines, Railway Crossing, Jaipur


 10002 10003

Tel No.: +91 141 2222469

Fax No.: +91 141 2222403

website: www.lsg.urban.rajasthan.gov.in

No: F55()CE/DLB/NGT_606/2024/ 17852

Date: 15/02/2024

Director cum Special Secretary,
 Department of Environment & Climate Change,
 Jaipur

Subject: Regarding compliance with the Order dated 09.11.2023 & 13.12.2023 of Hon'ble NGT in Original Application No. 606/2018, In re: Compliance of Municipal Solid Waste Management Rules, 2016 and other Environmental issues.

Reference: Your letter No. F.12(3)ENV/2019/Pl.3-00539 dated 30.11.2023.

With reference to above cited subject & in compliance of the order dated 09.11.2023 & 13.12.2023 of Hon'ble NGT in Original Application No. 606/2018, the compliance report has been prepared & attached for kind perusal and further necessary action please.

Encl: - As above


 (Suresh Kumar Ola)
 Director & Joint Secretary

No: F55()CE/DLB/NGT_606/2024/ 17853-17858

Date: 15/02/2024

Copy to following for information

1. PS to Addl. Chief Secretary, Environment & CC Department, GoR
2. PS to Principal Secretary, LSG, GoR
3. PS to Director & Joint Secretary, DLB, GoR
4. PS to Member Secretary, RSPCB
5. PA to Chief Engineer, DLB
6. Guard File.


 (Mahendra Kumar Mathur)
 Chief Engineer

Summary of Liquid Waste and Solid Waste Management **in State**

Details of Liquid Waste in Rajasthan State

❖ Total no. of ULBs in State:	196
Estimated Sewage Generation in State (in MLD):	1649.95 MLD (Annexure-I (P-4 to P-9))
Total no. of Towns covered under Sewerage:	70 Towns
A. Details Regarding Existing STPs	
Existing no. of STPs and Treatment Capacity:	119 and 1334.68 MLD
Capacity Utilization of existing STPs (in MLD):	987.93 MLD (74%)
Gap in Treatment Capacity (in MLD): (Due to Design Year)	346.75 MLD (26%) (Annexure-II) (P-10)
B. Details of under construction STPs	
No. of STPs and Treatment Capacity (in MLD):	80 and 607.45 MLD
Construction completed and ready for commissioning:	9 Nos.
C. Details regarding FSTPs in Rajasthan State	
The remaining ULBs have not covered under Sewerage due to lack of adequate water supply level (135 lpcd) in these towns.	
No. of operational FSTP:	3 Nos. in 4 ULBs
No. of FSTPs proposed under CM Budget (2021-22 and 2022-23):	98 Nos. in 99 ULBs
No. of FSTPs proposed under RUIDP:	13 Nos. in 14 ULBs
D. Details of Reuse of Treated Waste Water in operational STPs	
No. of Operational STPs 119:	533.09 MLD (Annexure-III) (P-11 to P-17)
❖ Installation of OCEMS in Operational STPs	
OCEMS installed and connected to SPCB Server:	92 Nos. (Annexure-IV) (P-18 to P-21)

OCEMS Installation remaining: 28 (STPs are under up-gradation and under process to install)

❖ **Test reports regarding treated wastewater of STPs including Faecal Coliform Report.**

No. of Test Reports: 102 Nos. (Annexure-V) (P-22 to P-274)

Solid Waste Management Details

❖ Total Waste Generation: 6523 TPD (Approx.) (Annexure-VI) (P-275 to P-366)

❖ Total Waste Processing Capacity: 4122.2 TPD

• Through Centralized Processing Capacity: 2940.2 TPD

Centralized SWM Processing Capacity:

Material Recovery Facility (152 MRFs) Capacity: 1643.2 TPD

SWM Processing Plants (16 Processing Plants) Capacity: 1297 TPD

Trough De-centralized Processing Capacity: 1182 TPD

Decentralized SWM Processing Capacity:

Informal Recyclers: 652.3 TPD

Bulk Waste Generators: 288.8 TPD

Pit Composting: 240.9 TPD

❖ **GAP in MSW Processing:** 2400.8 TPD

❖ **Under Construction Centralized SWM Processing Capacity:**

18 Material Recovery Facility Capacity: 89.1 TPD

131 SWM Processing Plants Capacity: 4954 TPD

❖ **Under Planning Centralized SWM Processing Capacity:**

02 Bio-Methanation SWM Processing Plants under 500 TPD proposal:

Legacy Waste Remediation Details

❖ Total Legacy waste Quantity (176 Dumpsites): 88 Lac Cum (Annexure-VII) (P-367 to P-371)

1903

❖ Total Legacy waste Remediated (Qty):	29.75 Lac Cum
27 Dumpsites Remediated (Qty):	8.81 Lac Cum
24 Dumpsites (Cluster 1 to 4) (Qty):	20.37 Lac Cum out of 53.50 Lac Cum Legacy Waste remediated. (remediation work under progress)
18 Dumpsites (ULB level) (Qty):	0.56 Lac Cum out of 2.72 Lac Cum Legacy Waste remediated. (remediation work under progress)
116 Dumpsites (Cluster-5) Work Order issued (Qty):	22.98 Lac Cum, remediation work under progress.

1904

Annexure I

STP flow data for all ULBs of Rajasthan

S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)							Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water	
				Operational		Under Construction / Tendering		Total		Balance required (MLD)			Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
Towns where STPs taken up with full design capacity (No STP required)														
1	ABU ROAD	4.68		0	0	2	9.2	2	9.2	0.00	0.00		Agriculture & Ground Water Recharge	Water Body
2	AJMER	65.50		2	33	2	47	4	80	0.00	30.00	29.50		
3	BADI SADRI	1.53		1	1.5	0	0	1	1.5	0.03	1.50	0.20	Horticulture	Drain
4	BALOTRA	5.93		1	9	0	0	1	9	0.00	5.00	3.00	Agriculture	Water Body
5	BANSWARA	11.42		1	6.43	1	9.6	2	16.03	0.00	3.50	2.70	Agriculture	Under Upgradation
6	BHADRA	3.72		2	4.5	0	0	2	4.5	0.00	3.70	3.60	Agriculture	Drain
7	BHILWARA	49.20		2	40	1	10	3	50	0.00	30.90	21.86	Industrial	River
8	BHIWADI	13.60		5	13.5	2	36	7	49.5	0.00	9.69	1.00	Horticulture	Drain
9	BUNDI	12.68		1	8	1	6.5	2	14.5	0.00	8.00	2.00	Agriculture	Drain
10	CHIRAWA	3.82		2	5	0	0	2	5	0.00	3.80	3.30	Agriculture	Drain
11	CHITTORGRH	13.91		4	11	5	8	9	19	0.00	8.48	5.16	Industrial	Water Body
12	CHURU	12.49		3	10.5	1	3.5	4	14	0.00	10.00	1.50	Horticulture	Drain
13	DHAULPUR	14.26		2	13	1	10	3	23	0.00	11.55	1.60	Agriculture	NIL
14	DIDWANA	3.54		1	5	1	3	2	8	0.00	3.50	3.00	Agriculture	Water Body
15	DUNGARPUR	3.02		0	0	1	4	1	4	0.00	0.00			
16	FATEHNAGAR	0.95		1	1	0	0	1	1	0.00	0.90	0.50	Agriculture	No
17	FATEHPUR	6.85		1	7.5	1	4.3	2	11.8	0.00	6.00	4.30	Agriculture	Water Body
18	GANGAPUR CITY	5.63		3	9.5	2	5.5	5	15	0.00	5.60	5.00	Agriculture	Water Body
19	HANUMANGARH	10.36		2	12.5	1	13	3	25.5	0.00	9.40	5.80	Agriculture	Water Body
20	HINDAUN CITY	5.70		2	5.75	2	5.25	4	11	0.00	4.00	3.21	Agriculture and Horticulture	Canal
21	JAIPUR	375.01		19	512	4	104	23	616	0.00	374.00	153.80	Horticulture, River Front & Agricluture	River & Water Body
22	JAISALMER	7.85		1	10	0	0	1	10	0.00	6.00	2.40	Agriculture	-
23	JAITARAN	1.30		1	2	0	0	1	2	0.00	1.30	1.00	Agriculture	Barren Land
24	JALORE	5.82		1	10	0	0	1	10	0.00	4.50	2.10	Agriculture	Water Body
25	JHALAWAR	7.39		1	6	1	1.5	2	7.5	0.00	5.46	2.30	Agriculture	Discharge to Open Drain
26	JHUNJHUNU	13.94		2	15.5	1	3.7	3	19.2	0.00	11.00	0.00	-	Under Upgradation
27	JODHPUR	138.52		3	120	3	79	6	199	0.00	89.00	88.20	Agriculture	River
28	Keshoraipatan*	1.66		0	0	2	4	2	4	0.00	0.00			
29	KHETRI	1.09		0	0	1	3.15	1	3.15	0.00	0.00			
30	KISHANGARH	14.20		1	10	1	5	2	15	0.00	6.50	0.00	-	Water Body
31	KOTA	140.54		6	103	2	55	8	158	0.00	85.62	72.53	Agriculture & Water Body	River
32	KUCHAMAN CITY	3.12		0	0	1	7.6	1	7.6	0.00	0.00			
33	LADNU	3.35		0	0	2	7.9	2	7.9	0.00	0.00			
34	LAXMANGARH	3.92		3	5.5	0	0	3	5.5	0.00	2.90	2.90	Agriculture & Horticulture	Nill

1905

STP flow data for all ULBs of Rajasthan

S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)							Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water	
				Operational		Under Construction / Tendering		Total		Balance required (MLD)			Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
35	MAKRANA	5.28		1	6	1	7.7	2	13.7	0.00	5.20	4.00	Agriculture	-
36	MANDAWA	1.30		0	0	1	3.9	1	3.9	0.00	0.00			
37	MOUNT ABU	3.02		1	6	0	0	1	6	0.00	3.00	0.00		Water Body
38	NAGAU	9.74		1	8	2	4.5	3	12.5	0.00	5.25	3.50	Agriculture	Water Body
39	NATHDWARA	3.59		0	0	1	4.3	1	4.3	0.00	0.00			
40	NIMBAHERA	3.93		3	7.5	0	0	3	7.5	0.00	3.54	2.10	Agriculture & Industrial	Drain & Water Body
41	NOKHA	6.65		1	1	2	12	3	13	0.00	1.00	0.60	Agriculture	Water pond
42	Pipar city*	2.87		0	0	1	4.25	1	4.25	0.00	0.00			
43	PRATAPGARH	4.20		1	7	0	0	1	7	0.00	4.20	4.00	Agriculture/ Horticulture	Water Body
44	PUSHKAR	2.19		0	0	1	3.5	1	3.5	0.00	0.00			
45	RATANGARH	7.75		0	0	2	9.9	2	9.9	0.00	0.00			
46	Rawatbhata	3.31		0	0	1	4	1	4	0.00	0.00			
47	SAGWARA*	1.85		0	0	1	3.6	1	3.6	0.00	0.00			
48	SARDARSHAHAR	9.10		2	7	3	10.1	5	17.1	0.00	2.45	5.00	Agriculture	Water Body
49	SAWAI MADHOPUR	7.10		1	10	1	9	2	19	0.00	7.00	3.50	Agriculture	Drain
50	SHRI GANGANAGAR	27.80		1	10	3	30	4	40	0.00	8.00	8.00	Agriculture	Agriculture land
51	SIROHI	3.51		0	0	2	6.7	2	6.7	0.00				
52	SUJANGARH	7.09		2	7.5	3	4.5	5	12	0.00	4.00	0.85	Agriculture	Water Body
53	SUMERPUR	2.94		1	10	0	0	1	10	0.00	2.00	2.00	Agriculture	-
54	TONK	10.16		2	20	4	4.3	6	24.3	0.00	10.00	2.00	Agriculture	Water Body
55	UDAIPUR	49.52		4	60	0	0	4	60	0.00	49.28	11.98	Agriculture/ Horticulture	Water Body
TOTAL		1139.45	0.00	95.00	1150.68	71.00	567.95	166.00	1718.63	0.03	846.72	469.99		
Towns where more STPs required to fulfill the balance gap														
56	ALWAR	31.03		1	20	0	0	1	20	11.03	20.00	10.00	Agriculture and Fishing	Canal
57	BARAN	16.37		0	0	2	11	2	11	5.37	0.00			
58	BARMER	12.06		1	10	0	0	1	10	2.06	3.70	1.30	Agriculture	Drain
59	BEAWAR	18.02		4	11.5	1	5.6	5	17.1	0.92	6.75	3.10	Industrial and Horticulture	Water Body
60	BHARATPUR	33.35		2	13	1	9.4	3	22.4	10.95	11.00	3.86	Agriculture and Fishing	Canal
61	BIKANER	84.90		3	72	1	2	4	74	10.90	61.26	13.30	Agriculture/ Horticulture	Pond
62	JHALARAPATAN	4.06		1	3	0	0	1	3	1.06	2.50	2.00	Agriculture	Drain
63	KARALI	5.72		1	5	0	0	1	5	0.72	2.00	0.56	Agriculture, Horticulture	Water Body
64	KUSHALGARH	1.02		1	1	0	0	1	1	0.02	1.00	0.50	Agriculture	Water Body
65	NAWALGARH	7.75		2	4	0	0	2	4	3.75	2.70	1.90	Industrial	Drain
66	PALI	28.72		2	22.5	0	0	2	22.5	6.22	16.30	15.80	Agriculture, Fire Brigade & Industries	NA

STP flow data for all ULBs of Rajasthan														
S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)							Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water	
				Operational		Under Construction / Tendering		Total		Balance required (MLD)			Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
67	RAJASAMAND	8.12		1	5	0	0	1	5	3.12	3.00	3.48	Agriculture & Industrial	Agriculture
68	RAMGARH SHEKHAWATI	3.53		1	2	1	1	2	3	0.53	1.40	0.00	-	Drain
69	SIKAR	28.19		2	10	3	10.5	5	20.5	7.69	6.20	4.20	Agriculture	Water Body
70	SURATGARH	5.12		2	5	0	0	2	5	0.12	3.40	3.10	Agriculture	Water Body
TOTAL		287.95	0.00	24.00	184.00	9.00	39.50	33.00	223.50	64.45	141.21	63.10		
G. TOTAL		1427.40	0.00	119.00	1334.68	80.00	607.45	199.00	1942.13	64.49	987.93	533.09		
FSTPs with full coverage														
71	KHANDELA	1.31	11.99	10 KLD FSTP is constructed, it will treat fecal sludge from septic tanks/Kui pits of residential, commercial and institutional establishments and convert it into organic manure.										
72	LALSOT	2.77	15.47	20 KLD FSTP is constructed, it will treat fecal sludge from septic tanks/Kui pits of residential, commercial and institutional establishments and convert it into organic manure.										
73	PHULERA	1.21	10.44	20 KLD FSTP is constructed, it will treat fecal sludge from septic tanks/Kui pits of residential, commercial and institutional establishments and convert it into organic manure.										
74	SAMBHAR	1.09	8.46											
TOTAL		6.37	46.36											
These works are proposed in RUIDP Phase-IV														
75	BANDIKUI	1.60	20.89	16 KLD FSTP Construction is under Progress.										
76	BARI	4.72	28.44	23 KLD FSTP Construction is under Progress.										
77	BHAWANIMANDI	3.48	18.78	12 KLD FSTP Construction is under Progress.										
78	Bhinder	0.84	7.24	8 KLD FSTP Construction is under Progress.										
79	Kanor	0.60	5.25											
80	DAUSA	3.85	41.99											
81	DEEG	1.79	18.68	31 KLD FSTP Construction is under Progress.										
82	Gangapur (Bhil.)	0.98	7.73	15 KLD FSTP Construction is under Progress.										
83	JOBNER	0.64	4.58	5 KLD FSTP Construction is under Progress.										
84	NEEM KA THANA	3.58	16.42	4 KLD FSTP Construction is under Progress.										
85	PILIBANGA	2.67	16.10	12 KLD FSTP Construction is under Progress.										
86	SHAHPURA (BHILWARA)	1.91	12.48	14 KLD FSTP Construction is under Progress.										
87	SHAHPURA (JAIPUR)	1.43	13.40	12 KLD FSTP Construction is under Progress.										
88	TIJARA	1.68	11.01	12 KLD FSTP Construction is under Progress.										
TOTAL		29.76	222.99											
FSTPs Under CM Budget Announcement														
89	Aasind	1.17	7.14	10 KLD FSTP Construction is under Progress.										
90	Aklera	1.77	12.29	20 KLD FSTP Construction is under Progress.										
91	Amet	1.05	6.97	15 KLD FSTP Construction is under Progress.										
92	Anoopgarh	2.02	13.21	25 KLD FSTP Construction is under Progress.										
93	Anta	2.37	15.10	35 KLD FSTP Construction is under Progress.										
94	Baggar	0.90	5.48	10 KLD FSTP Construction is under Progress.										
95	Bali	0.97	8.06	15 KLD FSTP Construction is under Progress.										
96	Bayana	2.17	16.56	35 KLD FSTP Construction is under Progress.										
97	Begun	1.13	8.65	15 KLD FSTP Construction is under Progress.										
98	Behror	1.85	13.08	25 KLD FSTP Construction is under Progress.										
99	Bhinmal	4.61	21.14	35 KLD FSTP Construction is under Progress.										

STP flow data for all ULBs of Rajasthan														
S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)						Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water		
				Operational		Under Construction / Tendering		Total				Balance required (MLD)	Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
100	Bhusawar	1.07	8.47	15 KLD FSTP Construction is under Progress.										
101	Bidasar	2.43	15.68	25 KLD FSTP Construction is under Progress.										
102	Bilara	2.62	16.00	25 KLD FSTP Construction is under Progress.										
103	Bissau	1.93	9.71	20 KLD FSTP Construction is under Progress.										
104	Chaksu	2.22	14.96	25 KLD FSTP Construction is under Progress.										
105	Chhabra	3.34	15.31	25 KLD FSTP Construction is under Progress.										
106	Chhapar	1.79	8.20	15 KLD FSTP Construction is under Progress.										
107	Chhoti Sadri	1.31	7.52	15 KLD FSTP Construction is under Progress.										
108	Chomu	3.19	29.21	35 KLD FSTP Construction is under Progress.										
109	Degana	0.99	8.25	15 KLD FSTP Construction is under Progress.										
110	Deogarh	1.08	7.07	15 KLD FSTP Construction is under Progress.										
111	Deoli	1.06	9.35	15 KLD FSTP Construction is under Progress.										
112	Deshnok	1.45	7.84	15 KLD FSTP Construction is under Progress.										
113	Falna	1.57	11.05	20 KLD FSTP Construction is under Progress.										
114	Gulabpura	0.99	12.25	20 KLD FSTP Construction is under Progress.										
115	Itawa	1.15	11.76	20 KLD FSTP Construction is under Progress.										
116	Jahajpur	1.33	8.60	15 KLD FSTP Construction is under Progress.										
117	kaman	2.02	16.80	35 KLD FSTP Construction is under Progress.										
118	Kapasan	1.13	8.60	15 KLD FSTP Construction is under Progress.										
119	Kaprain	1.25	9.11	15 KLD FSTP Construction is under Progress.										
120	Karanpur	1.83	8.40	15 KLD FSTP Construction is under Progress.										
121	Kekri	3.46	18.66	35 KLD FSTP Construction is under Progress.										
122	Kesarisinghpur	0.92	5.62	10 KLD FSTP Construction is under Progress.										
123	Khairthal	2.20	17.37	35 KLD FSTP Construction is under Progress.										
124	Khatu Shyam Ji	1.43	5.44	10 KLD FSTP Construction is under Progress.										
125	Kherli	0.59	7.70	15 KLD FSTP Construction is under Progress.										
126	Kishangarh- Renwal	1.14	11.92	20 KLD FSTP Construction is under Progress.										
127	Kishangarhbas	0.53	5.43	10 KLD FSTP Construction is under Progress.										
128	Kotputli	1.97	22.06	35 KLD FSTP Construction is under Progress.										
129	Kuchera	1.59	10.42	20 KLD FSTP Construction is under Progress.										
130	Kumher	0.91	10.13	20 KLD FSTP Construction is under Progress.										
131	Lakheri	2.67	12.10	20 KLD FSTP Construction is under Progress.										
132	Indragarh	0.50	3.28	5 KLD FSTP Construction is under Progress.										
133	Losal	1.89	12.35	20 KLD FSTP Construction is under Progress.										
134	Mahwa	1.59	11.18	20 KLD FSTP Construction is under Progress.										
135	Malpura	1.65	11.99	20 KLD FSTP Construction is under Progress.										
136	Mandalgarh	0.75	4.91	10 KLD FSTP Construction is under Progress.										
137	Mangrol	1.78	10.88	20 KLD FSTP Construction is under Progress.										
138	Merta City	2.63	20.08	35 KLD FSTP Construction is under Progress.										
139	Mukundgarh	1.57	7.44	15 KLD FSTP Construction is under Progress.										
140	Mundwa	1.35	6.90	10 KLD FSTP Construction is under Progress.										
141	Nadbai	1.45	11.83	20 KLD FSTP Construction is under Progress.										
142	Nagar	1.05	11.43	20 KLD FSTP Construction is under Progress.										

STP flow data for all ULBs of Rajasthan														
S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)						Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water		
				Operational		Under Construction / Tendering		Total				Balance required (MLD)	Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
143	Nainwa	0.75	8.65	15 KLD FSTP Construction is under Progress.										
144	Nawa	1.30	9.91	15 KLD FSTP Construction is under Progress.										
145	Niwai	1.71	17.09	25 KLD FSTP Construction is under Progress.										
146	Nohar	3.37	22.09	35 KLD FSTP Construction is under Progress.										
147	Padampur	1.68	7.72	15 KLD FSTP Construction is under Progress.										
148	Parbatsar	0.92	6.56	10 KLD FSTP Construction is under Progress.										
149	Partapur Garhi	1.13	4.30	10 KLD FSTP Construction is under Progress.										
150	Phalodi	4.54	20.83	35 KLD FSTP Construction is under Progress.										
151	Pilani	0.88	12.54	35 KLD FSTP Construction is under Progress.										
152	Vidhy Vihar	1.33	6.55											
153	Pindwara	1.27	10.77	20 KLD FSTP Construction is under Progress.										
154	Pokaran	2.30	10.56	20 KLD FSTP Construction is under Progress.										
155	Rajakheda	2.40	14.68	25 KLD FSTP Construction is under Progress.										
156	Rajaldesar	2.57	11.79	20 KLD FSTP Construction is under Progress.										
157	Rajgarh - Alwar	0.96	11.63	20 KLD FSTP Construction is under Progress.										
158	Rajgarh - Churu	5.42	25.36	35 KLD FSTP Construction is under Progress.										
159	Ramganj-Mandi	4.26	19.51	35 KLD FSTP Construction is under Progress.										
160	Rani	0.90	5.88	10 KLD FSTP Construction is under Progress.										
161	Rawatsar	2.65	15.19	25 KLD FSTP Construction is under Progress.										
162	Reengus	2.44	11.43	20 KLD FSTP Construction is under Progress.										
163	Roopbas	0.57	6.54	10 KLD FSTP Construction is under Progress.										
164	Sadri	1.84	11.27	20 KLD FSTP Construction is under Progress.										
165	Salumber	0.99	6.50	10 KLD FSTP Construction is under Progress.										
166	Sanchore	3.29	15.09	25 KLD FSTP Construction is under Progress.										
167	Sangaria	3.14	15.49	25 KLD FSTP Construction is under Progress.										
168	Sangod	1.70	9.37	15 KLD FSTP Construction is under Progress.										
169	Sarwar	1.91	9.20	15 KLD FSTP Construction is under Progress.										
170	Shivganj	1.61	11.34	20 KLD FSTP Construction is under Progress.										
171	Sojat	2.79	18.24	35 KLD FSTP Construction is under Progress.										
172	Sri Dungargarh	4.83	23.04	35 KLD FSTP Construction is under Progress.										
173	Sri Madhopur	1.71	13.09	25 KLD FSTP Construction is under Progress.										
174	Sri Vijainagar	1.55	14.17	25 KLD FSTP Construction is under Progress.										
175	Surajgarh	1.16	9.14	15 KLD FSTP Construction is under Progress.										
176	Takhatgarh	0.74	6.83	15 KLD FSTP Construction is under Progress.										
177	Taranagar	2.59	14.46	25 KLD FSTP Construction is under Progress.										
178	Thanagaji	1.31	5.88	15 KLD FSTP Construction is under Progress.										
179	Todabhim	1.58	9.67	15 KLD FSTP Construction is under Progress.										
180	Todaraisingh	0.75	9.87	20 KLD FSTP Construction is under Progress.										
181	Udaipurwati	1.95	12.08	20 KLD FSTP Construction is under Progress.										
182	Vijaynagar	1.31	7.48	20 KLD FSTP Construction is under Progress.										
183	Viratnagar	1.13	9.09	15 KLD FSTP Construction is under Progress.										
184	Weir	1.07	8.05	15 KLD FSTP Construction is under Progress.										
Total		171.68	1109.85	2166 KLD										

1909

STP flow data for all ULBs of Rajasthan

S. NO.	TOWN	SEWAGE GENERATION (MLD)	SLUDGE GENERATION (KLD)	Capacity of STP (Available/Pipeline)						Flow reaching at STPs* (MLD)	Quantity of Treated Water Being Reused	Reuse of Treated Waste Water		
				Operational		Under Construction / Tendering		Total				Balance required (MLD)	Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (In water Body/ Other) (MLD)
				No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)	No. of STPs	Capacity (MLD)					
Towns with no Provision of STPs/FSTP till date														
185	BAGRU	0.87		0	0	0	0	0	0	0.00	0.00			
186	GAJSINGHPUR	0.88		0	0	0	0	0	0	0.00	0.00			
187	KAITHOON	1.63		0	0	0	0	0	0	0.00	0.00			
188	NASIRABAD	4.42		0	0	0	0	0	0	0.00	0.00			
189	PIRAWA	0.63		0	0	0	0	0	0	0.00	0.00			
190	RAISINGHNAGAR	1.86		0	0	0	0	0	0	0.00	0.00			
191	RATANNAGAR	1.17		0	0	0	0	0	0	0.00	0.00			
192	SADULSHAHAR	2.34		0	0	0	0	0	0	0.00	0.00			
193	UNIARA	0.93		0	0	0	0	0	0	0.00	0.00			
TOTAL		14.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
OVERALL TOTAL		1649.95	1379.21	119.00	1334.68	80.00	607.45	199.00	1942.13	64.49	987.93			

*3 towns have also been partly covered under FSSM. (55 KLD)

Compliance Report for Low Capacity Utilization in STPs

S. No.	Name of Town	Location	STP Capacity (MLD)	Capacity being utilized (MLD)	Supply of Water (LPCD)	Designed Year
1.	Nimbahera	Kasod Basti Nalah (Nimbahera)	1.00	0.35	66	2044
2.	Nimbahera	Nimbahera Near Dashhera Maidan	4.50	1.30		
3.	Pali	Near ESI Hospital	7.50	2.50	125	2040
4.	Barmer	Village Kundla	10.00	3.70	135	2036
5.	Sardar Shahar	Sardar Shahar	2.00	0.45	102	2036
6.	Jaipur	Paladi Meena	3.00	0.90	117	2036
7.	Jaipur	Jaisinghpura Highway	1.00	0.30	117	2036
8.	Jaipur	Dehlawas Unit II	62.5	24.50	117	2051
9.	Sumerpur	Sumerpur	10.00	2.00	80	2024

Reason:-

1. These STPs has been designed considering the achievement of water supply level at 135 LPCD with-in 2 years of operation. Since the water supply level in these towns has not been achieved at the desired level therefore these STPs are underutilization.
2. Design period of most of these STPs are 2036 to 2051 therefore full capacity utilization of these STPs are supposed to be achieved respectively by 2024 to 2051 currently these STPs will achieve their optimum level after the completion of the remaining house sewer connections.
3. Work of house sewer connection is in progress & shall be completed up to 2024-25. After the completion of HSCs work, utilization capacity shall be increased.

1911

Annexure-III**Details of Reuse of Treated Water of Operational STPs**

S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agriculture/ Horticultural/ Industrial (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
1	Ajmer	Anasagar (Ajmer)	13.00	SBR	12.00	11.5	Treated Water is being used to maintain the FTL of Anasagar Lake	Water Body (Anasagar Lake)
2	Ajmer	Khanpura (Ajmer)	20.00	ASP	18.00	18	Agriculture & Ground Water Recharge	-
3	Alwar	Bharatpur Road near Agyarah Dam (Alwar)	20.00	WSP	20.00	10	Agriculture and Fishing	Canal
4	Badi Sadri	Near Mangri road (Badi Sadari)	1.50	SBR	1.50	0.2	Horticulture	Drain
5	Balotra	Jerla (Balotra)	9.00	SBR	5.00	3	Agriculture	Others
6	Banswara	Ghamaniya (Banswara)	6.43	WSP	3.50	2.7	Agriculture	Under Upgradation
7	Barmer	Village Kundla (Barmer)	10.00	WSP	3.70	1.3	Agriculture	Drain
8	Beawar	Kundan Nagar (Beawar)	1.00	SBR	0.60	0.2	Horticulture	Bichadali Talab
9	Beawar	Near Bichral Tank (Beawar)	1.50	SBR	1.20	0.2	Horticulture	Bichadali Talab
10	Beawar	Near Narsingh Pura (Beawar)	4.00	SBR	2.50	0.5	Horticulture	Pond
11	Beawar	Near Vijay Nagar Private Bus Stand (Beawar)	5.00	SBR	2.45	2.2	Industrial and Horticulture	Drain
12	Bhadra	Mahipalon ka Mohalla (Bhadra)	1.00	SBR	1.00	0.9	Agriculture	-
13	Bhadra	Nathwana johad (Bhadra)	3.50	SBR	2.70	2.7	Agriculture	-
14	Bharatpur	Gopal Nangla (Rundhikiran) (Bharatpur)	8.00	SBR	6.00	2.76	Agriculture and Fishing	Canal
15	Bharatpur	Near existing STP at Ikran Village (Bharatpur)	5.00	SBR	5.00	1.1	Agriculture	Water Body

1912

16	Bhilwara	Kewada (Bhilwara) JSW	10.00	SBR	10.00	1.86	Industrial	Water Body
17	Bhilwara	Near Existing Jindal STP Kuwada	30.00	SBR	20.90	20	River	-
18	Bhiwadi	MundenaMev (Bhiwadi)	2.00	SBR	1.00	0	-	Drain
19	Bhiwadi	Nr. Existing STP (Bhiwadi)	3.00	SBR	1.91	0	-	Thada Nala
20	Bhiwadi	RHB (Bhiwadi)	1.50	SBR	1.70	0	-	Thada Nala
	Bhiwadi	Santhalka (Bhiwadi)	3.00	SBR	2.08	0	-	Back side of Shanthalka
22	Bhiwadi	Vasundhra Nagar (Bhiwadi)	4.00	SBR	3.00	1	Horticulture	Drain
23	Bikaner	Near Kali Mata Mandir Sujendarsar (Bikaner)	20.00	SBR	9.26	3.3	Horticulture	Other Purpose
24	Bikaner	Sareh Nathania (Bikaner)	12.00	SBR	12.00	2	Agriculture/ Horticulture	Pond
25	Bikaner	VallabHorticultu re (Bikaner)	40.00	SBR	40.00	8	Agriculture/ Horticulture	Pond
26	Bundi	Devpura (Bundi)	8.00	SBR	8.00	2	Agriculture	Drain
27	Chirawa	Near Madela Road (Chirawa)	3.00	SBR	1.80	1.8	Agriculture	
28	Chirawa	Pilani Road (Chirawa)	2.00	SBR	2.00	1.5	Agriculture	Drain
29	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	2.00	SBR	2.00	0.96	Industrial	Water Body
30	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	3.00	SBR	2.00	0.4	Industrial	Other Purpose
31	Chittorgarh	Near Mukhyamantri Jan Awas Yojna (Chittorgarh)	1.00	SBR	0.48	0	-	Water Body
32	Chittorgarh	Pratappura (Bhoikhera) (Chittorgarh)	5.00	UASB	4.00	3.8	Industrial	Water Body
33	Churu	B/W Cremation ground and Agarsen Nagar (Churu)	1.00	SBR	1.00	0.5	Horticulture	Drain

1913

34	Churu	TajusaTakiya (Churu)	2.50	SBR	2.50	1	Pond	Drain
35	Churu		7.00	WSP	6.50	0	Under Upgradation	Under Upgradation
36	Deedwana	Mela Maidan (Deedwana)	5.00	SBR	3.50	3	Agriculture	Water Body
37	Dhoulpur	Shekhupur (Dholpur)	3.00	SBR	1.75	1.6	Agriculture	No
38	Dhoulpur	Tagawali (Dholpur)	10.00	UASB	9.80	0	Under Upgradation	Under Upgradation
39	Fateh Nagar Sanwar	Changedi village (Fatehnagar Sanwar)	1.00	SBR	0.90	0.5	Agriculture	-
40	Fatehpur Shekhawati	Nari Bari Road (Fatehpur Shekhawati)	7.50	SBR	6.00	4.3	Agriculture	Water Body
41	Gangapur City	Aliganj Tiraha (Gangapur City)	1.50	SBR	1.00	0.95	Agriculture	Water Body
42	Gangapur City	Near Jaipur Highway (Gangapur City)	5.50	SBR	3.50	3.1	Agriculture	Water Body
43	Gangapur City	PHED campus (Gangapur City)	2.50	SBR	1.10	0.95	Agriculture	Water Body
44	Hanumangarh	Jodkiya Phatak (Hanumangarh)	7.50	WSP	5.10	2.3	Agriculture	Water Body
45	Hanumangarh	Near Railway bridge over Ghaggar river (Hanumangarh)	5.00	SBR	4.30	3.503	Agriculture	Water Body
46	Hindaun City	Jaccha ki bawri (Hindaun City)	0.75	SBR	0.50	0.41	Agriculture and Horticulture	Canal
47	Hindaun City	Raghav das Bagichi (Hindaun City)	5.00	SBR	3.50	2.8	Agriculture and Horticulture	Canal
48	Jaipur	Brahmpuri STP (Jaipur)	8.00	SBR	8.00	8	Horticulture	-
49	Jaipur	Central Park (Jaipur)	1.00	MBBR	0.70	0.7	Horticulture	-
50	Jaipur	Dehlawas unit I (Jaipur)	62.50	SBR	62.50	3	Horticulture	Dravyavati River
51	Jaipur	Dehlawas unit II (Jaipur)	62.50	SBR	24.50	0	-	Dravyavati River
52	Jaipur	Dehlawas Unit III (Jaipur)	90.00	SBR	63.00	0	-	Dravyavati River
53	Jaipur	Dravyawati River- Goner (Jaipur)	10.00	SBR	5.00	5	River front	-

1914

54	Jaipur	Dravyawati River- Mansarovar (Jaipur)	15.00	SBR	12.00	12	River front	-
55	Jaipur	Dravyawati River- PaniPech (Jaipur)	20.00	SBR	15.00	15	River front	-
56	Jaipur	Dravyawati River- Pratap Nagar (Jaipur)	25.00	SBR	13.00	13	River front	-
57	Jaipur	Dravyawati River- Taruchya Nagar (Jaipur)	100.00	SBR	70.00	70	River front	-
58	Jaipur	Gajdharpura (Jaipur)	30.00	ASP	25.00	10.4	Horticulture/ Agriculture	Water Body
59	Jaipur	Jaisinghpura Khore (Jaipur)	50.00	ASP	50.00	10	Agriculture	Kanota Dam
60	Jaipur	Jawahar Circle (Jaipur)	1.00	MBBR	0.50	0.5	Horticulture	-
61	Jaipur	Kiro Ki Dhani (Jaipur)	1.00	SBR	0.50	0.5	Horticulture	-
62	Jaipur	Paladi Meena (Jaipur)	3.00	SBR	0.90	0.9	Horticulture	-
63	Jaipur	Ralawta (Jaipur)	30.00	ASP	22.00	3.4	Horticulture/ Agriculture	Water Body
64	Jaipur	Ram Niwas Bagh (Jaipur)	1.00	MBBR	0.60	0.6	Horticulture	-
65	Jaipur	Jaisinghpura Highway (Jaipur)	1.00	SBR	0.30	0.3	Horticulture	-
66	Jaipur	Swarnjayanti Park (Jaipur)	1.00	MBBR	0.50	0.5	Horticulture	-
67	Jaisalmer	Kisanghat (Jaisalmer)	10.00	WSP	6.00	2.4	Agriculture	-
68	Jaitaran	Near Karolia village (Jaitaran)	2.00	SBR	1.30	1	Agriculture	Barren Land
69	Jalore	Jalore	10.00	WSP	4.50	2.1	Agriculture	Water Body
70	Jhalawar	Gagron Road (Jhalawar)	6.00	ASP	5.46	2.3	Agriculture	Discharge to Open Drain
71	Jhalrapatan	Girdharpura (Jhalrapatan)	3.00	ASP	2.50	2	Agriculture	Discharge to Open Drain
72	Jhunjhunu	Baggar Road Near Agrasen Circle (Jhunjhunu)	7.00	SBR	7.00	0	-	Pond

1915

73	Jhunjhunu	Baggar Road Near Agrasen Circle (Jhunjhunu)	8.50	UASB	4.00	0	Under Upgradation	Under Upgradation
74	Jodhpur	Nandari (Jodhpur)	20.00	WSP	19.00	19	Agriculture	-
75	Jodhpur	Salawas Unit I (Jodhpur)	50.00	ASP	35.00	35	Agriculture	Discharge to River (Jojari)
76	Jodhpur	Salawas Unit II (Jodhpur)	50.00	ASP	35.00	34.2	Agriculture	-
77	Karauli	Karauli	5.00	UASB	2.00	0.56	Agriculture, Horticulture	Water Body
78	Kishangarh	Nasirabad Highway (Kishangarh)	10.00	WSP	6.50	0	-	Water Body
79	Kota	Balita (Kota) (UIT)	30.00	SBR	30.00	29	Chambal River	Chambal River
80	Kota	Dhakarkhedi (Kota)	20.00	ASP	17.82	9.9	Chandrloi River	Chandrloi River
81	Kota	Kala Talab (Kota)	15.00	SBR	12.00	12	Chambal River	-
82	Kota	Sajidhera (Kishorepura ladpura) (Kota)	30.00	SBR	20.00	20	Chambal River	-
83	Kota	Balita Ladpura	6.00	SBR	4.00		-	Water Body
84	Kota	I L Township	2.00	SBR	1.80	1.63	Oxy Park, Kota	Water Body
85	Kushalgarh	Near Panchayat Samiti (Kushalgarh)	1.00	SBR	1.00	0.5	Agriculture	Water Body
86	Laxmangarh	Near Basin Road Banjara Basti (Laxmangarh)	1.00	SBR	0.80	0.8	Agriculture	-
87	Laxmangarh	Near Indira Awas colony (Laxmangarh)	1.50	SBR	0.60	0.6	Horticulture	-
88	Laxmangarh	TodhiKui (Laxmangarh)	3.00	SBR	1.50	1.5	Horticulture	-
89	Makrana	Near Kidwai Stadium (Makrana)	6.00	SBR	5.20	4	Agriculture	-
90	Mt. Abu	Hetam Ji Village (Mt. Abu)	6.00	ASP	3.00	0		Water Body
91	Nagaur	Balwa Road (Nagaur)	8.00	WSP	5.25	3.5	Agriculture	Water Body
92	Nawalgarh	Near Bus stand (Nawalgarh)	3.00	SBR	2.10	1.45	Industrial	Dumping Yard
93	Nawalgarh	Near Fire station (Nawalgarh)	1.00	SBR	0.60	0.45	Industrial	Drain

1916

94	Nimbahera	Kasod Basti Nalah (Nimbahera)	1.00	SBR	0.35	0.1	Agriculture	Drain
95	Nimbahera	Near Shamshan Ghat, Kartana (Nimbahera)	2.00	SBR	1.89	0.9	Industrial	Drain
96	Nimbahera	Nimbahera Near Dashhera Maidan (Nimbahera)	4.50	SBR	1.30	1.1	Mining & Horticulture	Water Body
97	Nokha	Ward No. 07 (Nokha)	1.00	SBR	1.00	0.6	Agriculture	Pond
98	Pali	Mandia Road, Near ESI Hospital (Pali)	7.50	ASP	2.50	2	Agriculture, Fire Brigade & Industries	Drain
99	Pali	Mandiya Industrial Area (Pali)	15.00	SBR	13.80	13.80	Industrial	-
100	Pratapgarh	Jain gosala Kila road	7.00	SBR	4.20	4	Agriculture/ Horticulture	Water Body
101	Rajsamand	Rajsamand (Village Pratap pura)	5.00	UASB	3.00	3	Agriculture & Industrial	Agriculture
102	Ramgarh Shekhawati	Shamshan ghat (Ramgarh Shekhawati)	2.00	SBR	1.40	0.48	Agriculture	Goshala Agriculture
103	Sardar Shahar	Sardar Shahar	2.00	WSP	0.45	0.45	Agriculture	Water Body
104	Sardar Shahar	Sardar Shahar	5.00	WSP	2.00	2	Agriculture	Water Body
105	Sawai Madhopur	Village Sorwal (Sawai Madhopur)	10.00	WSP	7.00	4.9	Agriculture	Drain
106	Sikar	Goshala land (Sikar)	2.00	SBR	1.20	1.1	Agriculture	Water Body
107	Sikar	Near Shiv Colony (Sikar)	8.00	SBR	5.00	4.25	Agriculture	Water Body
108	Sriganganagar	Suratgarh road (Sriganganagar)	10.00	SBR	8.00	8	Agriculture	Agriculture land
109	Sujargarh	Gopal Gaushala on Thardaa Village (Sujargarh)	5.50	SBR	3.00	0.7	Agriculture	Water Body
110	Sujargarh	Near Kalkanda (Sujargarh)	2.00	SBR	1.00	0.15	Agriculture	Water Body
111	Sumerpur	Sumerpur	10.00	WSP	2.00	2	Agriculture	-
112	Suratgarh	Adarsh Kalyan Bhumi near Anupgarh highway (Suratgarh)	2.50	SBR	1.80	1.6	Agriculture	Water Body
113	Suratgarh	Near subjail (Suratgarh)	2.50	SBR	1.60	1.5	Agriculture	Water Body

1917

113	Suratgarh	Near subjail (Suratgarh)	2.50	SBR	1.60	1.5	Agriculture	Water Body
114	Tonk	Tonk Dhaula Khera (Tonk)	4.00	SBR	2.00	1.1	Agriculture	Water Body (Banas river)
115	Tonk	Tonk Molai Pura (Tonk)	16.00	SBR	8.00	0.9	Agriculture	Water Body (Banas river)
116	Udaipur	Eklingpura (Udaipur)	20.00	MBBR	14.58	2.663	Agriculture/ Horticulture	Internal Horticulture
117	Udaipur	Eklingpura (Udaipur)	25.00	SBR	25.00	5.089	Agriculture/ Horticulture	Internal Horticulture
118	Udaipur	FCI godown (Udaipur)	10.00	SBR	5.50	2.137	Agriculture	Water Body
119	Udaipur	Kajrali house (Udaipur)	5.00	SBR	4.20	2.089	Agriculture/ Horticulture	Water Body
			1334.68		987.93	533.09		

1918

Annexure-IV

OCEMS Status in a State

S. No.	Name of Town	Location	STP Capacity (MLD)	Capacity being utilized (MLD)	Treatment Process
1	Ajmer	Khanpura	20.00	18.00	ASP
2	Ajmer	Aanasagar	13.00	12.00	SBR
3	Alwar	Bharatpur Road near Agyarah Dam	20.00	20.00	ASP
4	Badi Sadri	Near Mangri road	1.50	1.50	SBR
5	Barmer	Village Kundla	10.00	3.70	WSP
6	Beawar	Near Vijay Nagar Private Bus Stand	5.00	2.45	SBR
7	Beawar	near Narsingh pura	4.00	2.50	SBR
8	Beawar	Near Bichral Tank	1.50	1.20	SBR
9	Beawar	Kundan Nagar	1.00	0.60	SBR
10	Bhadra	mahipalo ka mohalla	1.00	1.00	SBR
11	Bhadra	Nathwana johad	3.50	2.70	SBR
12	Bharatpur	Gopal Nangla (Rundhikiran)	8.00	6.00	SBR
13	Bharatpur	Near existing STP at Ikran Village	5.00	5.00	SBR
14	Bhilwara	Kewada (J/sw)	10.00	10.00	SBR
15	Bhilwara	Near Existing Jindal STP Kuwada	30	20.9	SBR
16	Bhiwadi	RHB	1.50	1.70	SBR
17	Bhiwadi	Mundena Mev	2.00	1.00	SBR
18	Bhiwadi	Santhalka	3.00	2.08	SBR
19	Bhiwadi	Nr. Existing STP	3.00	1.91	SBR
20	Bhiwadi	Vasundhra Nagar (Bhiwadi)	4.00	3.00	SBR
21	Bikaner	Vallabgarden (Bikaner)	40.00	40.00	SBR
22	Bikaner	Sareh Nathania	12.00	12.00	SBR
23	Bikaner	Near Kali Mata Mandir Sujendarsar	20.00	9.26	SBR
24	Bundi	Devpura (Bundi)	8.00	8.00	SBR
25	Chittorgarh	Pratappura (Bhoikhera) (Chittorgarh)	5.00	4.00	UASB
26	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	3.00	2.00	SBR
27	Chittorgarh	Near Abhimanyu Park (Chittorgarh)	2.00	2.00	SBR

1919

28	Chittorgarh	Near Mukhyamantri Jan Awas Yojna (Chittorgarh)	1.00	0.48	SBR
29	Churu	B/W Cremation ground and Agarsen Nagar (Churu)	1.00	1.00	SBR
30	Churu	TajusaTakiya (Churu)	2.50	2.50	SBR
31	Deedwana	Mela Maidan (Deedwana)	5.00	3.50	SBR
32	Dhoulpur	Shekhupur (Dholpur)	3.00	1.75	SBR
33	Fateh Nagar Sanwar	Changedi village (Fatehnagar Sanwar)	1.00	0.90	SBR
34	Fateh Pur Shekhawati	Near Bari Road	7.50	6.00	SBR
35	Hanumangarh	Near Railway bridge over Ghaggar river (Hanumangarh)	5.00	4.30	SBR
36	Jaipur	Brahmpuri STP (Jaipur)	8.00	8.00	SBR
37	Jaipur	Paladi Meena (Jaipur)	3.00	0.90	SBR
38	Jaipur	Central Park (Jaipur)	1.00	0.70	MBBR
39	Jaipur	Ralawta (Jaipur)	30.00	22.00	ASP
40	Jaipur	Gajdharpura (Jaipur)	30.00	25.00	ASP
41	Jaipur	Ram Niwas Bagh (Jaipur)	1.00	0.60	MBBR
42	Jaipur	Jawahar Circle (Jaipur)	1.00	0.50	MBBR
43	Jaipur	Swarnjayanti Park (Jaipur)	1.00	0.50	MBBR
44	Jaipur	Jaisingpura Highway	1.00	0.30	SBR
45	Jaipur	Kiro Ki Dhani (Jaipur)	1.00	0.50	SBR
46	Jaipur	Dravyawati River- PaniPech (Jaipur)	20.00	15.00	SBR
47	Jaipur	Dravyawati River- Mansarovar (Jaipur)	15.00	12.00	SBR
48	Jaipur	Dravyawati River- Taruchya Nagar (Jaipur)	100.00	70.00	SBR
49	Jaipur	Dravyawati River- Pratap Nagar (Jaipur)	25.00	13.00	SBR
50	Jaipur	Dravyawati River- GONER(Jaipur)	10.00	5.00	SBR
51	Jaipur	Dehlawas unit II (Jaipur)	62.50	24.50	SBR
52	Jaipur	Jaisinghpura Khore (Jaipur)	50.00	50.00	ASP
53	Jaipur	Dehlawas unit I (Jaipur)	62.50	62.50	SBR
54	JAIPUR	Delhawas (khilari)	90	63	SBR
55	Jaisalmer	Kisanghat	10.00	6.00	WSP
56	Jaitaran	Near Karolia village (Jaitaran)	2.00	1.30	SBR
57	Jalore	Jalore	10.00	4.50	WSP
58	Jhalrapatan	Girdharpura (Jhalrapatan)	3.00	2.50	ASP

1920

59	Jhunjhunu	Near Agrasen Circle	7.00	7.00	SBR
60	Jodhpur	Salawas Unit I (Jodhpur)	50.00	35.00	ASP
61	Jodhpur	Salawas Unit II (Jodhpur)	50.00	35.00	ASP
62	Kishangarh	Nasirabad Highway (Kishangarh)	10.00	6.50	WSP
63	Kota	Sajidhera	30.00	20.00	SBR
64	Kota	Balita (Kota) (UIT)	30.00	30.00	SBR
65	Kota	Kala Talab (Kota)	15.00	12.00	SBR
66	Kushalgarh	Near Panchayat Samiti (Kushalgarh)	1.00	1.00	SBR
67	Laxmangarh	Indira Awas colony	1.50	0.80	SBR
68	Laxmangarh	Near Basin Road Banjara Basti	1.00	0.60	SBR
69	Laxmangarh	TodhiKui (Laxmangarh)	3.00	1.50	SBR
70	Makrana	Near Kidwai Stadium	6.00	5.20	SBR
71	Nimbahera	Near Shamshan Ghat, Kartana (Nimbahera)	2.00	1.89	SBR
72	Nimbahera	Kasod Basti Nalah (Nimbahera)	1.00	0.35	SBR
73	Nimbahera	Nimbahera Near Dashhera Maidan (Nimbahera)	4.50	1.30	SBR
74	Nokha	Ward No. 07 (Nokha)	1.00	1.00	SBR
75	Pali	Near ESI Hospital	7.50	2.50	ASP
76	Pali	Mandiya Industrial Area	15.00	13.80	SBR
77	Rajsamand	Rajsamand (Village Pratap pura)	5.00	3.00	UASB
78	Ramgarh Shekhawati	Shamshan ghat	2.00	1.40	SBR
79	Sawai Madhopur	Village Sorwal (Sawai Madhopur)	10.00	7.00	WSP
80	Sikar	Goshala land (Sikar)	2.00	1.20	SBR
81	Sikar	Near Shiv Colony (Sikar)	8.00	5.00	SBR
82	Sujangarh	Gopal Gaushala on Thardaa Village (Sujangarh)	5.50	3.00	SBR
83	Sujangarh	Near Kalkanda (Sujangarh)	2.00	1.00	SBR
84	Sumerpur	Sumerpur	10.00	2.00	WSP
85	Suratgarh	Near subjail (Suratgarh)	2.50	1.60	SBR
86	Suratgarh	Adarsh Kalyan Bhumi near Anupgarh highway (Suratgarh)	2.50	1.80	SBR
87	Tonk	Tonk Molai Pura (Tonk)	16.00	8.00	SBR
88	Tonk	Tonk Dhaula Khera (Tonk)	4.00	2.00	SBR
89	Udaipur	Eklingpura (Udaipur)	20.00	14.58	MBBR

1921

90	Udaipur	Eklingpura (Udaipur)	25.00	25.00	SBR
91	Udaipur	FCI godown (Udaipur)	10.00	5.50	SBR
92	Udaipur	Kajrali house (Udaipur)	5.00	4.20	SBR
			1165.00	864.95	

Detail of STP Test Report with Faecal Test

S. No.	Name of Town	Location	STP Capacity (MLD)	Treatment Process
1	Ajmer	Anasagar	13.00	ASP
2	Alwar	Bharatpur, Road near	20.00	ASP
3	Badi Sadri	Near Mangri road	1.50	SBR
4	Balotra	Jerla	9.00	SBR
5	Barmer	Village Kundla	10.00	WSP
6	Beawar	Kundan Nagar	1.00	SBR
7	Beawar	Near Bichral Tank	1.50	SBR
8	Beawar	near Narsingh pura	4.00	SBR
9	Beawar	Near Vijay, Nagar Private	5.00	SBR
10	Bhadra	mahipalo ka mohalla	1.00	SBR
11	Bhadra	Nathwana johad	3.50	SBR
12	Bharatpur	Gopal Nangla, (Rundhikiran)	8.00	SBR
13	Bharatpur	Near existing, STP at Ikran	5.00	SBR
14	Bhilwara	Kewada	10.00	SBR
15	Bhilwara	Near Existing Jindal STP Kuwada	30.00	SBR
16	Bhiwadi	Mundena Mev	2.00	SBR
17	Bhiwadi	Nr. Existing STP	3.00	SBR
18	Bhiwadi	RHB	1.50	SBR
19	Bhiwadi	Santhalka	3.00	SBR
20	Bhiwadi	Vasundhra Nagar	4.00	SBR
21	Bikaner	Near Kali Mata Mandir	20.00	SBR
22	Bikaner	Sareh Nathania	12.00	SBR
23	Bikaner	Vallabgarden, (Bikaner)	40.00	SBR
24	Bundi	Devpora, (Bundi)	8.00	SBR
25	Chittorgarh	Near Abhimanyu	3.00	SBR
26	Chittorgarh	Near Abhimanyu	2.00	SBR
27	Chittorgarh	Near Mukhyamantri	1.00	SBR
28	Chittorgarh	Pratappura, (Bhoikhhera)	5.00	UASB
29	Churu	B/W Cremation	1.00	SBR
30	Churu	TajusaTakiya, (Churu)	2.50	SBR
31	Deedwana	Mela Maidan, (Deedwana)	5.00	SBR
32	Fateh Nagar Sanwar	Changedi village	1.00	SBR
33	Fatehpur Shekhawati	Near Bari Road	7.50	SBR
34	Gangapur City	Aliganj Tiraha	1.50	SBR
35	Gangapur City	Near Jaipur Highway	5.50	SBR
36	Gangapur City	Near Jaipur Highway	2.50	SBR
37	Hanumangarh	Near Railway bridge over	5.00	SBR
38	Hindaun City	Jaccha ki bawri	0.75	SBR
39	Hindaun City	Raghav das Bagichi	5.00	SBR
40	Jaipur	Brahmpuri STP (Jaipur)	8.00	SBR
41	Jaipur	Central Park, (Jaipur)	1.00	MBBR
42	Jaipur	Dehlawas unit I (Jaipur)	62.50	SBR
43	Jaipur	Dehlawas unit-II (Jaipur)	62.50	ASP

1923

44	JAIPUR	Delhawas, (khilari)	90.00	SBR
45	Jaipur	Dravyawati River-	10.00	SBR
46	Jaipur	Dravyawati River-	100.00	SBR
47	Jaipur	Dravyawati River-	20.00	SBR
48	Jaipur	Dravyawati River-	15.00	SBR
49	Jaipur	Dravyawati River- Pratap	25.00	SBR
50	Jaipur	Gajdharpura, (Jaipur)	30.00	ASP
51	Jaipur	Jaisinghpura Khore (Jaipur)	50.00	ASP
52	Jaipur	Jawahar Circle (Jaipur)	1.00	MBBR
53	Jaipur	Kiro Ki Dhani (Muhana Mandi), (Jaipur)	1.00	SBR
54	Jaipur	Paladi Meena	3.00	SBR
55	Jaipur	Ralawta	30.00	ASP
56	Jaipur	Ram Niwas Bagh (Jaipur)	1.00	MBBR
57	Jaipur	Swarnjayanti Park (Jaipur)	1.00	MBBR
58	Jaisalmer	Kisanghat	10.00	WSP
59	Jaitaran	Near Karolia village	2.00	SBR
60	Jalore	Jalore	10.00	WSP
61	Jhalawar	Gagron Road (Jhalawar)	6.00	WSP
62	Jhalrapatan	Girdharpura (Jhalrapatan)	3.00	ASP
63	Jhunjhunu	Near Agrasen Circle	7.00	SBR
64	Jodhpur	Nandari (Jodhpur)	20.00	WSP
65	Jodhpur	Salawas Unit I (Jodhpur)	50.00	ASP
66	Jodhpur	Salawas Unit II (Jodhpur)	50.00	ASP
67	Karauli	Karauli	5.00	UASB
68	Kishangarh	Nasirabad Highway	10.00	WSP
69	Kota	Balita (Kota) (UIT)	30.00	SBR
70	Kota	Balita Ladpura	6.00	SBR
71	Kota	Dhakarkhedi	20.00	ASP
72	Kota	I L Township	2.00	SBR
73	Kota	Kala Talab (Kota)	15.00	SBR
74	Kota	Sajidhera	30.00	SBR
75	Kushalgarh	Near Panchayat	1.00	SBR
76	Laxmangarh	Indira Awas colony	1.50	SBR
77	Laxmangarh	Near Basin Road Banjara	1.00	SBR
78	Laxmangarh	TodhiKui (Laxmangarh)	3.00	SBR
79	Makrana	Near Kidwai Stadium	6.00	SBR
80	Nawalgarh	Near Bus stand (Nawalgarh)	3.00	SBR
81	Nawalgarh	Near Fire station	1.00	SBR
82	Nimbahera	Kasod Basti Nalah	1.00	SBR
83	Nimbahera	Near Shamshan	2.00	SBR
84	Nimbahera	Nimbahera Near Dashhera	4.50	SBR
85	Nokha	Ward No. 07 (Nokha)	1.00	SBR
86	Pali	Mandiya Industrial Area	15.00	SBR
87	Pali	Near ESI Hospital	7.50	ASP
88	Pratapgarh	Jain gosala Kila road	7.00	SBR
89	Sikar	Goshala land (Sikar)	2.00	SBR
90	Sikar	Near Shiv Colony (Sikar)	8.00	SBR
91	Sriganganagar	Suratgarh road (Sriganganagar)	10.00	SBR
92	Sujangarh	Gopal Gaushala on	5.50	SBR
93	Sujangarh	Near Kalkanda (Sujangarh)	2.00	SBR
94	Sumerpur	Sumerpur	10.00	WSP

1924

95	Suratgarh	Adarsh Kalyan Bhumi near	2.50	SBR
96	Suratgarh	Near subjail (Suratgarh)	2.50	SBR
97	Tonk	Tonk Dhaula Khera (Tonk)	4.00	SBR
98	Tonk	Tonk Molai Pura (Tonk)	16.00	SBR
99	Udaipur	Eklingpura (Udaipur)	20.00	MBBR
100	Udaipur	Eklingpura (Udaipur)	25.00	SBR
101	Udaipur	FCI godown (Udaipur)	10.00	SBR
102	Udaipur	Kajrali house (Udaipur)	5.00	SBR

1925



NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007



Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245

E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com



Recognized by Ministry of Environment, Forest and Climate Change, Government of India

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

ULR No.: TC733423000001947F				Date: 29/11/2023	
Sample ID: NES231123019					
TEST CERTIFICATE WASTE WATER QUALITY ANALYSIS					
Issued to		Office of Municipal Corporation			
Address		PR Marg, Ajmer, Rajasthan – IN			
Nature of Industry		Sewage Treatment Plant			
SAMPLE DETAILS					
Sample Source		STP Inlet Water			
Sampling Location		Near Central Island – Anasagar Lake			
Sample Description		Slightly Turbid Pale Yellow Color Tinted Liquid			
Sample Quantity		2.0 Litre			
Sample Condition		Sealed			
Sample Collected By		Mr. Mahaveer Singh (Lab Representative)			
Date & Time of Sample Collection		23/11/2023 at 2:00 pm			
Date & Time of Sample Receipt		23/11/2023 at 4:15 pm			
Period of Testing		23/11/2023 to 29/11/2023			
TEST RESULTS					
Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH (at temperature 25°C)	-	8.38	6.5 to 9.0	IS 3025 (P-11):1983, RA 2017
2.	Total Suspended Solids	mg/l	25.80	< 10	IS 3025 (P-17):1984, RA 2017
3.	Dissolved Oxygen	mg/l	4.20	--	IS 3025 (P-38):1989, RA 2019
3.	Biochemical Oxygen Demand (at 3 days on temperature 27°C)	mg/l	28.74	< 10	IS 3025 (P-44):1993, RA 2019
4.	Chemical Oxygen Demand	mg/l	128.00	< 50	IS 3025 (P-58):2006, RA 2017
5.	Oil & Grease	mg/l	36.76	< 10	IS 3025 (P-39):1991, RA 2019
6.	Fecal <i>Coliform</i>	MPN/100 ml	220	<500	IS 1622:1981 (RA 2019)
Note: B.D.L. – Below Detection Limit - This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without special permission in writing. - Total liability of this laboratory is limited to the invoice amount. - The results enlisted refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied. - Samples will be destroyed after 15 days from the date of issuing of analysis of report unless otherwise specified.					
 (Madhusudan Sharma) Authorized Signatory – Microbiology		 Seal		 (Lokendra Singh) Authorized Signatory – Chemical	
*** END OF REPORT ***					

Date	pH		DO (mg/l)		BOD (mg/l)		TSS (mg/l)		COD (mg/l)		MLSS (mg/l)		MLVSS (mg/l)		SVI (mg/l)		Signature of Chemist	Signature of Nagar Nigam
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Tank-1	Tank-2	Tank-1	Tank-2	Tank-1	Tank-2		
01-12-23	7.0	7.8	0.1	4.3	158	7.2	182	15	395	44							Saif	
02-12-23	7.3	8.0	0.0	4.0	162	7.5	176	13	404	44							Saif	
03-12-23	7.2	7.9	0.0	4.2	156	7.3	166	14	398	46							Saif	
04-12-23	6.9	7.5	0.0	4.0	158	7.4	178	13	392	43	3190	3310	2260	2350	70.10	69.39	Saif	
05-12-23	7.0	7.7	0.0	4.3	150	7.2	178	15	396	44							Saif	
06-12-23	7.3	7.9	0.1	4.1	153	7.3	169	13	390	42							Saif	
07-12-23	6.9	7.8	0.0	4.0	156	7.6	173	15	386	43							Saif	
08-12-23	7.2	8.0	0.0	4.2	150	7.2	170	14	390	45							Saif	
09-12-23	6.8	7.6	0.2	4.0	153	7.5	169	12	396	43							Saif	
10-12-23	7.5	8.0	0.0	4.2	162	7.6	181	13	394	42							Saif	
11-12-23	7.2	7.8	0.1	4.0	158	7.3	178	12	390	40	3080	3260	2200	2310	69.91	70.17	Saif	
12-12-23	6.9	7.6	0.0	4.3	162	7.5	181	15	386	43							Saif	
13-12-23	7.3	7.8	0.0	4.0	159	7.4	176	14	392	45							Saif	
14-12-23	7.1	7.9	0.2	4.2	143	7.2	180	13	390	42							Saif	
15-12-23	7.2	7.7	0.0	3.9	159	7.0	179	14	386	46							Saif	
16-12-23	7.0	7.8	0.0	4.2	162	7.3	168	12	390	43							Saif	
17-12-23	6.9	7.5	0.1	4.1	159	7.1	169	14	389	41							Saif	
18-12-23	7.4	7.6	0.2	4.3	153	7.3	176	13	390	43	3160	3180	2310	2370	70.09	71.32	Saif	
19-12-23	7.2	7.8	0.0	3.6	152	7.5	189	15	386	45							Saif	
20-12-23	7.3	7.5	0.0	3.9	160	7.3	182	14	382	46							Saif	
21-12-23	6.9	8.0	0.0	4.2	152	7.4	176	12	390	42							Saif	
22-12-23	7.3	8.1	0.0	4.0	150	7.1	172	13	396	44							Saif	
23-12-23	7.4	7.6	0.1	4.2	148	7.3	176	14	389	42							Saif	
24-12-23	6.8	7.9	0.0	4.0	151	7.1	178	12	386	43							Saif	
25-12-23	7.2	7.7	0.0	4.3	156	7.6	169	14	378	42	3080	3250	2210	2380	71.68	70.30	Saif	
26-12-23	7.0	7.8	0.1	4.2	148	7.3	160	12	382	40							Saif	
27-12-23	7.5	8.0	0.0	4.4	151	7.3	163	14	380	43							Saif	
28-12-23	7.2	7.6	0.0	4.2	158	7.5	168	12	382	45							Saif	
29-12-23	6.7	7.8	0.0	4.0	148	7.2	164	13	389	43							Saif	
30-12-23	7.1	7.6	0.1	3.9	158	7.6	178	15	394	45							Saif	
31-12-23	7.0	7.5	0.2	4.3			168	12	386	42							Saif	

13 MLD STP ANASAGAR 1927 AJMER

November-2023

P-27

Date	pH		DO (mg/l)		BOD (mg/l)		TSS (mg/l)		COD (mg/l)		MLSS - (mg/l):		MLVSS (mg/l):		SVI (mg/l)		Signature of Chemist	Signature of Nigam
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Tank-I	Tank-II	Tank-I	Tank-II	Tank-I	Tank-II		
01-11-2023	7.2	7.8	0.0	4.0	153	7.3	882	12	389	45							Singh	
02-11-2023	6.6	7.4	0.0	3.8	159	7.8	169	15	388	46							Singh	
03-11-2023	6.4	7.6	0.1	4.1	156	7.6	173	14	398	44							Singh	
04-11-2023	7.2	7.8	0.2	4.2	159	7.4	180	13	392	46							Singh	
05-11-2023	6.8	7.6	0.0	4.0	158	7.5	182	15	398	46							Singh	
06-11-2023	6.5	7.5	0.1	4.2	159	7.7	176	14	382	43	3190	3160	2210	2290	70.31	71.08	Singh	
07-11-2023	7.4	7.9	0.2	4.0	162	7.5	189	15	410	46							Singh	
08-11-2023	6.9	7.8	0.0	4.1	158	7.5	176	12	408	44							Singh	
09-11-2023	7.3	8.1	0.1	4.3	163	7.6	186	14	392	45							Singh	
10-11-2023	7.8	7.9	0.0	4.1	158	7.4	190	12	386	44							Singh	
11-11-2023	7.3	7.6	0.2	4.4	153	7.2	192	15	412	46							Singh	
12-11-2023	6.8	8.0	0.0	4.2	162	7.5	186	13	409	44							Singh	
13-11-2023	7.2	7.9	0.0	3.8	158	8.8	188	12	398	12	3230	3250	2310	2390	69.23	70.96	Singh	
14-11-2023	7.0	7.8	0.1	4.0	150	7.6	170	14	392	47							Singh	
15-11-2023	6.9	7.6	0.2	3.8	153	7.8	163	13	396	45							Singh	
16-11-2023	7.3	7.8	0.0	4.2	162	7.6	159	11	389	42							Singh	
17-11-2023	7.0	7.6	0.1	4.3	163	7.5	160	14	396	46							Singh	
18-11-2023	7.2	8.0	0.0	4.1	158	7.4	171	12	389	43							Singh	
19-11-2023	7.0	7.8	0.2	4.4	159	7.6	178	15	398	45							Singh	
20-11-2023	6.8	7.7	0.0	4.0	162	7.5	166	13	410	46	3210	3280	2390	2360	70.31	72.36	Singh	
21-11-2023	7.4	8.0	0.1	4.2	156	7.4	171	15	402	44							Singh	
22-11-2023	6.9	7.8	0.0	4.0	153	7.8	176	14	410	45							Singh	
23-11-2023	7.3	7.6	0.1	4.4	159	7.6	178	15	401	44							Singh	
24-11-2023	6.8	7.9	0.1	4.6	154	7.4	182	13	396	42							Singh	
25-11-2023	7.6	8.1	0.0	4.4	160	7.5	176	12	390	44							Singh	
26-11-2023	7.8	8.0	0.0	4.5	186	7.5	168	13	391	45							Singh	
27-11-2023	6.8	7.6	0.1	4.2	159	7.4	158	11	380	40	3280	3360	2280	2340	69.20	71.84	Singh	
28-11-2023	7.4	7.8	0.2	4.3	156	7.5	148	10	364	42							Singh	
29-11-2023	7.0	7.6	0.0	4.0	160	7.2	166	13	380	44							Singh	
30-11-2023	6.9	7.8	0.1	4.5	168	7.4	159	12	392	43							Singh	

STP 20 ML1928 Alwar



UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector-4A, Nagarpalika, Dhanuhera-123106, Distt Rewari (Haryana)
 E-mail : info@universalab.in, universalanalyticalab@gmail.com
 www.universalab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1518-0458

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH-772/01/24

Date: 20/01/2024

Issued to:
 Nagar Nigam Alwar
 20 MLD Sewage Treatment Plant
 Village (Agyara) Tehsil - Ramrara Distt-Alwar(Raj.)

Party's Ref No: Verbal
 Dated: 16/01/2024
 Lab Job Order No: 865/01/24
 Period of Testing: 16/01/2024 to 20/01/2024

TEST REPORT

A. SAMPLE PARTICULARS:

1. Name of the Unit	:	20 MLD
2. Type of the Sample	:	Sewage Water Sample
3. Date of Sample Receiving	:	16/01/2024
4. Point of Sample Collection	:	STP Outlet
5. Purpose of Analysis	:	Monitoring
6. Sample Collected/ Supplied by	:	By Customer

B. TEST RESULTS:

Sr. No.	Parameters	Results	Std. Limits	Test Method
1	Faecal Coliform, MPN/100 ml	230	<1000	IS-1622



Note: 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
 2. This report should not be used in any advertising media without our special permission in writing.
 3. Sample will be destroyed after retention time unless otherwise specified.
 4. The results are related to the test items only.

Page 1 of 1

STP 1.5 MLD Badi Sadri

P-29

LAB DATA RECORD

MONTH- December 2023

NAME OF WORK -O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
01/12	7.2	108	249	190	50	50	—	7.7	2149	1002	210	1.4	7.4	6	32	9	0.5	0.2	—	612	601	Ru	
02/12	7.4	111	280	170	60	30	—	7.2	2093	1001	200	1.1	7.7	9	29	5	0.6	0.2	—	628	620	Ru	
03/12	7.6	121	261	183	00	0.0	510	7.5	2460	1811	200	1.2	7.7	7	38	5	0.0	0.0	90	1419	1405	Ru	
04/12	7.2	135	261	160	50	20	—	7.7	2238	1239	230	1.1	7.5	5	40	7	0.5	0.2	—	540	525	Ru	
05/12	7.1	101	253	193	50	20	—	7.7	2311	1013	220	1.2	7.4	5	28	8	0.6	0.3	—	581	566	Ru	
06/12	7.0	160	220	192	70	5.0	—	7.1	2540	1480	210	1.4	7.2	9	42	5	0.5	0.2		1	1	Ru	
07/12	7.7	141	219	163	50	5.0	480	7.3	2321	1613	200	1.2	7.0	7	45	10	0.6	0.3	82	460	444	Ru	

1930

LAB DATA RECORD

MONTH-December 2023

NAME OF WORK - O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day		
08/12	7.8	134	277	191	5.0	5.0	—	7.7	2648	1490	200	1.2	8.3	13	40	9.6	0.5	0.2	—	528	525	Ru	
09/12	7.6	122	251	156	5.0	2.0	—	7.9	2218	1640	220	1.1	8.1	133	40.3	9.8	0.6	0.3	—	122	120	Ru	
10/12	7.2	110	240	160	0.0	0.0	—	7.5	2438	1811	230	0.9	8.0	125	40	9	0.0	0.0	—	148	130	Ru	
11/12	7.3	145	268	167	5.0	5.0	—	8.1	2416	1549	200	1.2	8.3	135	41.7	10	0.5	0.2	—	599	581	Ru	
12/12	7.6	159	271	164	0.0	0.0	510	7.9	2213	1101	210	1.2	8.3	13.6	41.9	10	0.0	0.0	87	194	192	Ru	
13/12	7.5	140	260	135	5.0	2.0	—	8.0	2011	1241	200	1.4	8.2	13	39	8	0.6	0.3	—	187	180	Ru	
14/12	7.7	149	220	178	7.0	5.0	—	8.2	2480	1390	220	1.3	8.1	12	85	9.5	0.5	0.5	—	1042	1021	Ru	

1931

LAB DATA RECORD

MONTH-December 2023

NAME OF WORK -O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day			
15/12	7.2	140	162	152	5.0	5.0	—	7.5	2611	1441	210	1.2	8.0	13.1	38	10	0.6	0.2	—	188	180	Ru		
16/12	7.2	151	249	170	5.0	5.0	480	7.6	2410	1638	200	1.2	8.4	12	40	8	0.5	0.2	80	731	726	Ru		
17/12	7.7	155	201	165	5.0	2.0	—	7.8	2338	1849	220	1.4	8.2	18.5	37.5	10.5	0.6	0.3	—	618	615	Ru		
18/12	7.5	160	270	130	7.0	5.0	—	7.7	2229	1642	200	1.3	8.0	12.9	35.6	10.1	0.5	0.5	—	150	140	Ru		
19/12	7.9	176	282	185	7.0	5.0	500	8.1	2648	1834	220	1.2	8.6	14	43.3	10.3	0.5	0.2	85	1005	1001	Ru		
20/12	8.1	190	267	174	5.0	2.0	—	8.4	2411	1113	200	0.9	8.6	14.1	43.1	10.3	0.7	0.5	—	223	220	Ru		
21/12	8.0	162	210	135	6.0	3.0	—	8.1	2019	1001	220	1.2	8.8	12.5	40.2	9.9	0.7	0.5	—	0	0	Ru		

1932

LAB DATA RECORD

MONTH-December 2023

NAME OF WORK -O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT	
22/12	8.0	140	201	170	0.0	0.0	-	8.1	2219	1386	200	1.4	8.3	10	32	9.9	0.0	0.0	-	176	160	Rn		
23/12	8.2	111	210	150	5.0	5.0	-	7.5	2460	1336	240	1.4	8.2	12	89	9.5	0.5	0.3	-	199	185	Rn		
24/12	8.1	189	254	160	6.0	3.0	470	8.2	2014	1001	200	1.2	8.5	133	42.2	10.2	0.5	0.2	80	248	242	Rn		
25/12	7.9	155	283	165	7.0	5.0	-	7.5	2212	1211	230	1.1	8.0	9.5	36.9	11.1	0.6	0.3	-	231	230	Rn		
26/12	7.7	162	251	171	7.0	4.0	-	7.8	2221	1440	200	1.3	8.0	10.1	35.1	9.5	0.5	0.2	-	1020	1010	Rn		
27/12	8.0	122	249	153	0.0	0.0	450	8.5	2467	1563	220	1.3	8.3	13.5	41.6	9.9	0.0	0.0	75	578	560	Rn		
28/12	7.5	170	220	140	5.0	5.0	-	8.2	2648	1849	230	1.4	8.1	12.1	40.1	9	0.7	0.5	-	189	175	Rn		

MONTH- December 2023

NAME OF WORK -O/M OF 1.5 MLD STP BADI SADRI, CHITTORGARH (RAJ.)

[illegible]

1934 STP 9 MLD at Balotra

ENPRO Enviro Tech and Engineers Pvt. Ltd.

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3,
Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA.

Lab Ph. : +91-95128 74754 E-mail : lab@enpro.co.in



TEST REPORT

Test Report No.: EP/WFPPL/1223/01 Issue Date: 16 / 12 / 2023

Customer's Name & Address: M/S Water Factory Pachpadra Pvt. Ltd. Sewage Treatment Plant, Jerla Road, Balotra-344022.			
Description of Sample	: STP Outlet	Quantity/No. of Sample	: 500 ml/1 No.
Sampling By	: Sample sent by party	Packing/Seal	: Packing
Sample Received Date	: 11 / 12 / 2023	Protocol (purpose)	: Water Sample Analysis
Date of Starting of Test	: 11 / 12 / 2023	Date of Completion	: 15 / 12 / 2023
Sampling Method	: -	Sample ID	: 1223/WW01

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULT	METHOD OF MEASUREMENT
1.	Total Fecal Coliform	MPN/100ml	220	EPA Method 1603


ANALYSED BY


CHECKED BY

Note: This report is subject to terms & conditions mentioned overleaf.

1935



R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/WM/21
Revision No.02

Report No.: RKC/2023-24/683

Date: 12.01.2024

TEST REPORT

Name & Address of Customer	"Kurla STP Plant" 10 MLD, Barmer (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/683
Date of Sample Received	06.01.2024
Period of Sample Testing	08.01.2024 – 12.01.2024
Location	Kurla STP Plant, Barmer
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
MICROBIOLOGICAL PARAMETERS :			
Faecal Coliform	MPN/100 ml	IS:1622-2009	139 MPN/100 ml

- Note:** - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
 2. The Samples will be stored up to 15 days.
 3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
 4. ND- Not detected, UO-Un objectionable, BDL - Below detection limit.

Lokenra Singh
 (Authorized Signatory)

STP 1 ML~~1936~~ Beawar

LAB DATA RECORD

MONTH- NOV 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
01/11	7.9	190	154		5.0	1.0	2570	7.7	1420	710	85	2.5	7.6	9.5	90		1.0	0.5	102.5	432	405		
02/11	7.8	210	185	96	7.5	1.5		7.7	1560	1010	110	2.5	7.5	8.0	40	9.5	1.5	0.4		520	555		
03/11	7.8	220	198		7.5	1.0		7.5	1510	760	100	3.5	7.4	10.0	40		1.0	0.3		612	542		
04/11	8.1	36	245		5.0	1.0	1072	7.8	1720	720	120	3.5	7.8	9.5	40		1.0	0.2	92.5	305	238		
05/11	8.0	180	160	54	5.0	1.5		7.7	1890	920	135	4.0	7.7	8.0	40	8.5	1.5	0.4		399	325		
06/11	7.8	162	180		7.5	2.0	770	7.6	1985	985	145	3.0	7.8	8.0	44		2.5	0.5	80.5	450	404		
07/11	7.7	158	204		7.5	1.0		7.6	2085	991	140	2.9	7.7	10	48		5.0	0.2		482	422		

1937

LAB DATA RECORD

MONTH-

Nov-2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS												SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW					
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT			
08/11	7.2	120	104		5.0	0.5	920	7.5	2190	1090	110	2.5	7.3	6.5	36		1.0	0.4	2.8	400	395					
09/11	7.1	160	95	78	7.1	0.5		7.5	2240	1310	130	2.5	7.2	8.0	22	9.0	1.5	0.5		425	422					
10/11	7.8	100	90		5.0	1.0		7.2	2360	1420	130	3.2	7.4	7.5	28		1.0	0.7		350	378					
11/11	7.7	140	120		1.0	1.0	670	7.7	2490	1190	120	2.1	7.3	9.0	36		0.5	0.4		510	507					
12/11	7.5	148	140		2.0	0.5		7.6	2315	1200	120	3.2	7.2	8.5	40		0.5	0.2		457	455					
13/11	7.6	22	180		5.0	1.0	1510	7.5	2445	1198	130	2.9	7.7	9.0	36		2.5	0.5	20	505	502					
14/11	7.5	136	204		5.0	0.5		7.4	2428	1104	120	3.0	7.6	9.0	40		2.5	0.2		483	482					

1938

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/11	7.7	138	248	92.5	5.0	1.0	1995	7.5	2405	1495	110	3.3	7.7	8.5	40	7.5	2.5	0.2	80	419	415		
16/11	7.6	124	296		2.5	0.5		7.5	2349	1429	110	3.2	7.6	8.0	36		2.5	0.2		409	408		
17/11	7.5	132	256		5.0	1.0	1820	7.4	2828	1509	120	3.0	7.6	8.5	36		2.5	0.5	60	437	436		
18/11	7.6	138	238		5.0	0.5		7.5	2495	1485	120	3.1	7.7	8.0	40		0.5	0.2		485	483		
19/11	7.5	130	256		2.5	1.0	1960	7.4	3398	1425	110	3.0	7.6	8.5	40	9.0	2.5	0.5	65	511	510		
20/11	7.7	124	258		7.5	1.5		7.6	2444	1475	110	3.2	7.8	9.0	44		2.5	0.5		523	522		
21/11	7.6	118	240		5.0	2.0	1420	7.5	2495	1475	100	3.9	7.7	8.5	40		2.5	0.5	60	605	603		

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW		
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
22/11/23	7.5	108	180		5.0	2.0		7.4	1685	990	100	3.3	7.6	9.2	36		2.5	1.0		509	508		
23/11/23	7.6	120	188		5.0	1.5		7.7	1727	995	100	3.5	7.7	9.0	40		2.5	0.5		570	550		
24/11/23	7.8	140	152		7.5	1.0		7.7	1890	1020	110	2.5	7.5	9.5	32		1.0	0.4		620	575		
25/11	7.9	160	142		5.0	2.0		7.8	2190	1140	145	2.0	7.4	10.0	40		1.5	0.5		580	569		
26/11	7.9	110	98		2.5	1.5		7.6	1940	925	120	2.0	7.3	8.0	40		1.0	0.4		591	583		
27/11	8.1	100	104		5.0	1.5		7.8	2260	995	120	2.0	7.5	6.5	32		1.5	1.5		750	760		
28/11	8.0	95	96		2.5	1.5		7.7	2310	1075	120	3.4	7.6	9.0	30		0.7	0.2		490	482		

MONTH-

Mosses

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

[illegible]

1941

LAB DATA RECORD

MONTH-

December

2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH		M ³ /Day	M ³ /Day	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml				
01/12/23	7.9	200	162		7.5	1.5		7.6	2045	990	145	2.5	7.3	75	40		1.0	0.5			487	485	Fe	
03/12/23	7.8	190	154		5.0			7.2	1940	1020	140	2.5	7.5	80	86		1.5	0.2			462	461	Fe	
03/12/23	8.2	120	985		1.5			7.6	2060	890	160	3.0	7.8	9.5	30		0.4	0.1			475	474	Fe	
04/12/23	8.1	160	1242		1.5			7.9	2190	1140	125	3.0	7.6	8.5	32		1.0	0.2			510	509	Fe	
05/12/23	7.9	160	1320		5.0			7.7	2210	1090	190	2.0	7.7	6.5	30		1.0	0.3			489	488	Fe	
06/12/23	8.1	15	108		5.0			7.9	2290	1220	210	2.0	7.8	4.0	32		1.5	0.4			587	588	Fe	
07/12/23	8.2	208	154		1.5			8.0	2340	1070	220	2.5	7.9	8.0	40		0.4	0.1			682	681	Fe	

1942

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ /Day	M ³ /Day		
08/12	7.2	236	280	90	5.8	5.0	788	7.1	2315	1200	180	2.9	7.4	7.0	36	9.0	0.5	0.2	109	586	585		
09/12	7.4	210	264		5.0	1.0		7.3	2480	1380	190	3.0	7.5	7.5	44		0.5	0.5		563	562		
10/12	7.5	195	265		2.5	0.5		7.7	2555	1045	160	3.3	7.6	8.0	36		0.5	0.3		300	299		
11/12	7.6	182	346		5.0	1.0		7.5	2260	990	160	3.2	7.6	8.5	40		1.5	0.2		302	298		
12/12	7.6	172	296		5.0	1.0		7.5	2210	1010	150	3.1	7.7	8.5	40	8.0	1.0	0.5		318	397		
13/12	7.5	138	256		7.5	1.0		7.4	2340	1040	150	3.0	7.6	8.0	36		2.5	0.2		358	356		
14/12	7.6	114	258		7.5	1.5		7.5	2280	998	140	2.9	7.7	8.0	40		5.0	0.2		401	404		

1943

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day			
15/12	7.9	150	108		7.5	1.5		7.8	2040	960	125	2.5	7.5	8.5	44		1.5	0.4		400	399	RL		
16/12	8.1	165	184		7.5	2.5		7.9	1920	820	120	3.0	7.8	9.5	90		1.0	0.4		475	443	RL		
17/12	8.0	142	154		5.0	1.5		7.7	1710	890	125	2.5	7.8	10.0	92		1.0	0.3		380	380	RL		
18/12	7.9	145	120.5		5.0	2.5		7.5	1590	1020	110	2.0	7.6	10.0	90	8.0	1.5	0.6		570	509	RL		
19/12	7.7	142	240		2.5	1.0		7.6	1640	1040	110	3.0	7.7	10.0	40		1.5	0.4		680	678	RL		
20/12	7.5	148	224		5.0	1.5		7.4	1550	995	100	2.2	7.6	9.5	44		2.5	0.5		495	493	RL		
21/12	7.6	155	256		2.5	1.0		7.5	1710	1020	110	2.8	7.8	9.0	48		0.5	0.5		497	496	RL		

1944

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day			
22/12	7.8	460	336		7.5	2.5		7.6	1920	810	128	2.5	7.6	9.5	44		2.5	1.0		431	430	FL		
23/12	7.8	310	285		5.0	1.0		7.7	2010	920	20	2.0	7.7	10.0	40		1.5	6.5		564	562	FL		
24/12	8.1	480	306		7.5	1.0		7.8	1540	760	110	2.5	8.0	8.5	40		1.0	6.4		861	852	FL		
25/12	8.0	200	152	96	5.0	1.0		7.9	1320	680	90	3.0	7.9	8.0	44	8.5	1.0	0.5		528	528	FL		
26/12	7.9	180	142		5.0	1.5		7.0	1020	740	85	3.5	7.8	8.0	38		1.0	0.5		314	313	FL		
27/12	7.8	196	238		2.5	2.0		7.8	1140	720	85	3.2	7.7	8.0	40		1.0	1.0		343	342	FL		
28/12	7.7	204	224		5.0	0.5		7.6	1090	695	85	3.1	7.8	8.5	40		2.5	6.2		313	312	FL		

MONTH-

December - 2023

NAME OF WORK -O/M OF SITE- 1 MLD STP KUNDAN NAGAR, BEAWAR (RAJ.)

[illegible]

LAB DATA RECORD

MONTH-

November - 2023






NAME OF WORK - O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS

SBR-PARAMETERS

TREATED WATER PARAMETERS

SIGNATURE

DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	SIGNATURE	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
01/11/23	7.6	188	320		7.1	1.0		7.5	2380	1345	160	3.2	7.7	9.0	32		5.0	0.2		795	789		
02/11	7.7	226	304		7.1	1.0		7.6	2445	1274	160	3.0	7.7	8.0	28		5.0	0.2		699	693		
03/11	7.9	240	205	38	5.0	1.0	560	7.7	2610	1820	180	3.5	7.5	9.5	38	68	5.0	0.1	60	702	698		
04/11	7.8	285	224		7.5	1.0		7.2	2780	1670	165	4.0	7.5	8.0	40		5.0	0.1		650	647		
05/11	7.8	260	210		7.5	1.5		7.6	2460	1360	145	4.0	7.6	9.5	44		1.5	0.2		645	642		
06/11	8.2	320	242	96	5.0	1.5	530	7.8	2550	1220	130	2.5	7.6	8.5	40	70	1.5	0.2	54	702	700		
07/11	7.5	210	248		7.5	2.0		7.7	2910	1670	145	3.0	7.5	8.5	48		5.0	0.5		690	688		

1947

LAB DATA RECORD

MONTH-

Nov 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
08/11/23	7.7	125	164		5.0	1.0		7.5	3190	1810	150	2.8	7.4	9.5	40		1.0	0.5		890	887		
09/11/23	7.9	196	180	72	7.5	1.0	480	7.8	2960	1570	140	3.0	7.6	9.0	36	7.5	1.5	0.5	58	910	901		
10/11	7.8	180	188		7.5	0.5		7.5	2610	1460	120	3.0	7.5	8.5	40		1.0	0.2		960	958		
11/11	7.9	320	204		5.0	2.0		7.7	2290	1410	110	3.1	7.8	8.0	44		1.0	0.2		990	986		
12/11	7.8	490	228		5.0	1.0	590	7.5	2410	1560	140	2.7	7.5	7.5	40		1.0	0.2	40	910	899		
13/11	7.5	380	256	100	2.5	0.5		7.4	2710	1690	160	3.0	7.5	8.5	38	8.5	0.5	0.2		857	856		
14/11	7.4	280	296		5.0	1.0		7.3	2690	1810	158	2.9	7.5	4.5	44		0.5	0.5		901	900		

1948

LAB DATA RECORD

MONTH-

Nov. 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/11	7.6	188	228		5.0	2.0	670	7.5	2285	1095	150	3.2	7.7	9.5	40		2.5	0.5	88	920	900		
16/11	7.8	200	185	56.7	1.5	1.0		7.5	2310	1120	130	2.5	7.4	7.5	36	6.5	1.0	0.2		780	740	TEL	
17/11	7.9	185	150		7.5	1.5		7.6	2190	920	100	2.0	7.5	8.0	32		1.5	0.1		605	582	TEL	
18/11	7.8	215	192		5.0	1.5	550	7.6	2085	890	95	2.5	7.3	8.5	30		1.0	0.8	75	620	618	TEL	
19/11	8.0	220	204		7.5	2.5		7.5	2170	1130	100	2.0	7.4	7.5	40		1.5	1.0		595	593	TEL	
20/11	7.9	270	236	104.5	1.5	1.0		7.4	2360	1260	115	2.5	7.2	9.0	42	8.5	0.0	0.1		600	595	TEL	
21/11	7.8	310	204		1.0	1.0	520	7.5	2090	1030	110	2.5	7.3	8.5	40		0.5	0.1	60	605	578	TEL	

1949

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
22/11	7.7	390	316		1.5	1.0	460	7.6	1920	970	95	2.5	7.4	80	38		0.9	0.2	62.0	602	585	REL	
23/11	7.5	180	160	56.7	7.5	1.0		7.7	2040	1435	110	2.2	7.5	85	40	6.8	1.5	0.5		605	582		
24/11	7.4	180	160		5.0	1.0		7.5	2080	1410	120	2.7	7.6	9.0	40		2.5	0.5		780	790		
25/11	7.5	210	204		5.0	0.5	510	7.4	2130	1320	140	2.9	7.6	8.0	44		2.5	0.2	28	920	900		
26/11	7.3	220	216	72.0	7.5	1.0		7.4	2400	1530	130	3.3	7.5	7.5	48	9.0	2.5	0.2		605	582		
27/11	7.6	280	244		5.0	0.5		7.3	2610	1410	150	3.3	7.7	8.0	40		1.5	0.2		600	597		
28/11	7.8	360	256		7.5	0.5	610	7.5	2790	1680	160	3.1	7.9	8.0	38		2.5	0.2	92	605	602		

MONTH-

November - 2023

NAME OF WORK - O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

[illegible]

1951

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
01/12/23	7.6	129	304	72	5.0	2.0	470	7.5	2828	1629	220	3.6	7.7	9.0	40	7.5	2.5	1.0	60	496	495		
02/12	7.4	220	316		5.0	1.0		7.6	2490	1360	200	3.2	7.5	9.5	44		2.5	0.5		563	563		
03/12	7.8	290	236		7.5	1.5		7.7	2400	1220	210	3.3	7.6	8.0	48		1.5	0.4		1081	1083		
04/12	7.4	240	256		5.0	1.0	540	7.6	2370	140	210	2.9	7.5	9.5	50		2.5	0.5	75	576	576		
05/12	7.8	220	286	65.5	10.0	2.0		7.7	2440	1120	200	3.5	7.7	9.5	48	9.0	5.0	6.8		1069	1061		
06/12	7.8	228	204		7.3	5.0		7.7	2380	1080	210	3.6	7.7	9.0	44		5.0	1.0		573	572		
07/12	7.7	186	180		10.0	2.0	550	7.6	2432	1286	210	3.3	7.8	9.0	26		5.0	2.0	80	670	669		

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
08/12/23	7.6	128	256		7.1	2.0	360	7.5	2370	1170	190	3.3	7.7	9.0	40		5.0	1.0	47	1267	1265		
09/12	7.5	132	304		7.1	2.0		7.4	2440	1100	190	3.3	7.6	8.0	36		5.0	0.5		622	620		
10/12	7.5	142	296	78	5.0	1.0		7.6	2380	1090	180	3.0	7.6	9.0	40	80	2.5	0.5		637	637		
11/12	7.7	138	256		7.5	1.0		7.6	2425	1165	190	3.1	7.8	8.5	36		5.0	0.5		695	693		
12/12	7.6	140	264		5.0	1.5	480	7.5	2448	1180	200	3.3	7.7	8.0	28		2.5	0.3	55	505	504		
13/12	7.7	416	316	96	50	1.0		7.5	2380	1620	210	3.8	7.6	9.1	48	7.5	1.0	0.5		545	544		
14/12	7.5	210	240		5.0	1.0		7.4	2210	1090	190	3.5	7.4	8.5	44		0.5	0.5		846	843		

1953

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/12	8.2	360	224	78	7.5	1.5	475	7.6	2670	1600	190	2.5	7.6	100	44	70	1.0	0.5	58	1064	1061		
16/12	7.7	410	240		5.0	1.0		7.5	2780	1620	210	2.0	7.6	95	48		1.0	0.5		390	387		
17/12	7.5	210	310		2.5	1.5		7.4	2710	1690	210	3.5	7.5	85	36		0.5	0.2		472	470		
18/12	7.4	256	296		10.0	0.5	387	7.2	2810	1810	220	3.2	7.4	80	40		0.5	0.2	65	890	888		
19/12	7.8	380	420		7.5	1.5		7.6	2590	1925	210	3.5	7.6	95	44		2.3	0.5		910	890		
20/12	7.9	410	478		10.0	2.5		7.6	2410	1820	200	3.0	7.4	90	40		5.0	0.5		960	955	FL	
21/12	7.9	510	620	132	10.0	2.0	495	7.7	2520	1760	180	3.5	7.6	90	44	90	1.5	0.2	70	1010	1009	FL	

1954

LAB DATA RECORD

MONTH- Dec - 2023.

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS									SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day		
22/12	8.2	590	665		9.0	5.0	440	7.8	2610	1620	250	1.5	7.9	10.5	40		7.5	2.5	40	605	604	Tel	
23/12	8.0	540	460		7.5	5.0		7.9	2290	1340	265	1.5	7.8	9.5	42		5.0	1.5		600	599	Tel	
24/12	7.8	610	94		10.0	7.5		7.2	2890	1560	245	2.5	7.7	8.0	40		5.0	2.0		605	604	Tel	
25/12	8.2	680	540		10.0	5.0	480	7.9	2390	1420	230	2.5	8.0	8.0	42		5.0	2.0	45	920	918	Tel	
26/12	8.0	720	642	72.5	7.5	5.0		7.8	2072	1260	210	2.5	7.6	8.5	40	7.5	2.5	1.5		780	778	Tel	
27/12	7.9	320	440		5.0	2.0		7.8	2610	1460	200	2.8	7.9	9.0	38		2.5	1.0		605	588	Tel	
28/12	8.8	449	360		5.0	1.0	505	7.7	2290	1410	190	3.0	7.8	9.5	40		2.5	0.5	55	602	585	Tel	

MONTH-

December - 2023

NAME OF WORK -O/M OF 1.5 MLD STP BICHADLI TALAB, BEAWAR (RAJ.)

[illegible]

STP 4 M1956 at Beawar

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)																								
RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT	
01/11	7.6	260	254		5.0	1.0		7.5	3590	2040	260	2.1	7.7	9.0	36		1.0	6.5		2152	2151			
02/11	7.9	400	310		5.0	1.5	1700	7.8	3140	2460	240	1.0	7.8	8.5	40		1.0	0.5	72.5	1692	1690			
03/11	8.0	120	362	92.5	2.5	1.0		7.9	3020	2010	250	2.8	8.1	9.0	44	9.8	1.0	0.2		2510	2508			
04/11	8.2	440	375		7.5	1.5		7.8	2810	1820	250	3.0	8.1	9.5	40		1.0	6.5		2081	2079			
05/11	7.9	320	264		5.0	1.0	1510	7.6	2740	1990	240	3.1	8.0	8.5	48		1.0	0.5	60.0	2135	2133			
06/11	7.6	240	212	65.0	7.5	1.5		7.4	2710	1620	250	3.0	7.7	9.0	40	9.5	1.5	0.2		2280	2277			
07/11	7.5	228	246		5.0	1.0		7.5	285	1595	250	3.0	7.6	9.5	36		1.5	0.5		2139	2138			

1957

LAB DATA RECORD

MONTH-

Nov. 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH		M ³ /Day	M ³ /Day	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml				
08/11	7.5	300	284		7.5	1.0		7.6	3240	1920	270	2.5	7.4	6.5	36		1.5	0.5			1965	1963		
09/11	7.6	360	340	1054	5.0	1.0	1365	7.5	3590	2040	295	1.0	7.2	9.0	40	2.0	1.0	0.1	25.0		2143	2141		
10/11	7.9	400	320		5.0	1.5		7.8	3140	2460	270	2.2	7.5	8.5	44		1.0	0.4			2367	2363		
11/11	8.0	400	325	540	2.5	1.0		7.9	3000	2010	260	2.9	7.8	8.0	40	9.5	1.0	0.2			2208	2204		
12/11	8.1	460	310		7.5	1.5	1400	7.8	2810	1620	240	3.2	7.6	7.5	48		2.5	0.5	65.0		2209	2206		
13/11	7.9	200	165		5.0	1.0		7.6	2740	1990	250	3.0	7.5	8.0	40		0.5	0.5			2076	2074		
14/11	7.6	290	420	112	7.5	1.5	1400	7.4	2710	1620	210	3.1	7.5	8.5	40	9.5	2.5	0.5	69.5		2004	1935		

1958

LAB DATA RECORD

MONTH-

Nov 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH			CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/11	7.9	210	192		7.5	1.0		7.7	2590	1380	120	2.5	7.5	7.0	40		1.5	0.1		2044	1932	Per	
16/11	8.1	180	154		5.0	1.5	1190	7.8	2610	1580	195	2.0	7.4	9.5	36		2.0	0.1	85	1993	1935	Per	
17/11	8.4	220	180	54.0	7.5	1.5		8.0	2420	1510	165	3.5	7.7	10.0	38	8.5	2.5	0.2		1994	1962	Per	
18/11	7.8	220	236		5.0	1.0		7.5	2190	1220	150	4.0	7.2	9.5	38.5		1.0	0.3		1991	1980	Per	
19/11	7.9	260	224		1.5	2.5	1410	7.4	2310	1080	160	2.5	7.2	9.5	40.5		0.8	0.4	75.0	1990	1973	Per	
20/11	7.8	510	280		1.0	1.5		7.4	2670	1870	175	2.0	7.1	8.0	44		0.5	0.5		2183	2154	Per	
21/11	7.9	320	220		5.0	1.0		7.7	2410	1490	160	2.5	7.4	9.5	40		1.0	0.2				Per	

1959

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day		
22/11	7.7	260	198	96	5.0	1.0		7.6	2680	1710	175	3.0	7.3	8.0	38	9.0	1.0	0.0		1993	1990	Am	
23/11	7.8	320	224		5.0	1.5		7.7	2710	1920	190	2.5	7.5	9.5	44		1.5	8.4		1878	1876	Fe	
24/11	8.2	380	304		7.5	2.5		7.9	2890	2010	200	2.5	7.8	10.0	38		1.0	0.1		1806	1805	Fe	
25/11	8.0	210	260		7.0	1.0		7.7	2940	2085	210	3.0	7.5	8.0	42		1.0	0.2		1619	1618	Fe	
26/11	7.8	440	380	78	7.5	1.5		7.4	2610	1890	165	2.5	7.2	6.0	92	8.0	2.5	0.1		1610	1609	Fe	
27/11	7.4	310	210		5.0	1.0		7.2	2220	1090	140	5.0	7.1	6.0	40		1.5	1.1		1598	1596	Fe	
28/11	7.8	380	236		1.0	1.0		7.5	2060	995	120	2.5	7.4	7.5	35		0.5	0.1		1618	1617	Fe	

MONTH- November - 1973

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

[illegible]

LAB DATA RECORD

MONTH-

December 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
31/12/23	7.9	540	332		5.0	1.5		7.9	2090	1095	135	2.5	7.7	85	44		1.0	0.5		1500	1499	Full	
02/12/23	7.8	340	324	42	1.5	1.0		7.6	2140	960	150	2.0	7.4	90	44	9.0	1.0	0.1		1803	1802	Full	
03/12/23	8.2	220	216		1.0	1.0		7.9	2460	1210	170	2.5	7.6	90	48		0.5	0.2		1792	1790	Full	
04/12/23	8.1	420	192		1.5	1.5		7.3	2060	980	110	3.0	7.5	95	40		0.9	0.1		2010	2008	Full	
05/12/23	7.9	460	354		1.5	1.0		7.5	2170	1010	130	3.0	7.4	100	40		1.0	0.4		2082	2079	Full	
06/12/23	7.8	320	324	76	1.0	1.0		7.6	1970	1070	120	2.5	7.5	85	42	4.5	0.4	0.2		575	515	Full	
07/12/23	7.7	410	362		5.0	1.0		7.4	1820	810	100	2.5	7.5	85	36		1.0	0.1		1985	1983	Full	

1962

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
08/12	7.8	310	216		7.5	1.5		7.5	2540	1320	205	2.8	7.6	7.0	38		1.5	0.5		1980	1978			
09/12	7.5	320	264	104	5.0	1.0		7.4	2280	1190	150	3.0	7.7	8.0	40	9.5	1.0	0.5		1689	1688			
10/12	7.9	460	256		5.0	1.5		7.7	2190	1090	170	3.1	7.9	7.5	36		1.0	0.4		1795	1794			
11/12	7.1	510	296		7.5	1.0		7.0	2310	1270	160	3.0	7.3	8.5	28		1.5	0.5		1886	1884			
12/12	7.9	420	312		5.0	1.0		7.6	2560	1310	170	2.9	7.5	9.0	32		1.0	0.4		1974	1973			
13/12	7.8	370	265	96	5.0	1.0		7.7	2340	1200	170	3.0	7.6	9.0	40	9.0	2.5	0.2		1933	1931			
14/12	7.9	370	280		7.5	1.0		7.8	2140	1020	182	3.0	7.7	8.0	44		1.0	0.2		2048	2047			

1963

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

NAME OF WORK -O/M OF 4 MLD STP NARSING PURA, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
15/12	7.2	300	264		7.5	1.0		7.6	3240	1920	270	2.5	7.4	6.5	36		1.5	0.5		1774	1773			
16/12	7.6	260	640	102	5.0	1.0		7.1	3590	2040	295	1.0	7.2	9.0	40	8.0	1.0	0.1		2021	2019			
17/12	7.9	400	320		5.0	1.5		7.8	3140	2460	270	3.0	7.5	8.5	44		1.0	0.4		1805	1804			
18/12	8.0	400	192		2.5	1.0		7.9	3020	2010	260	2.8	7.8	8.0	60		1.0	0.2		1970	1969			
19/12	8.1	440	310		7.5	1.5		7.8	2810	1820	240	2.6	7.6	9.5	48		2.5	0.5		1829	1827			
20/12	7.9	310	340	78	5.0	1.0		7.6	2740	1990	250	2.9	7.5	8.0	40	9.5	0.5	0.5		1826	1825			
21/12	7.0	320	314		7.5	1.5		7.0	2830	2010	260	2.5	7.5	8.5	42		0.5	1.0		1961	1959			

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEHAR (R.A.S.)																		SIGNATURE					
RAW SEWAGE PARAMETERS							SBR-PARAMETERS						TREATED WATER PARAMETERS										
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day		
22/12	7.9	240	260		7.5	1.5		7.8	2410	1250	220	2.5	7.6	8.5	40		1.0	0.5		1906	1905	TEL	
23/12	8.1	380	320		7.5	2.5		7.9	2190	1420	180	3.0	7.8	9.0	44		1.5	0.4		1925	1924	TEL	
24/12	8.0	260	192		5.0	2.5		8.0	2080	1310	160	2.5	7.9	9.0	44		1.0	0.5		2025	2023	TEL	
25/12	7.8	460	361	60	5.0	2.5		8.0	1960	960	120	2.5	7.6	9.5	40	2.5	1.0	0.5		2163	2163	TEL	
26/12	7.9	310	210		7.5	1.0		7.7	2410	1080	180	3.0	7.5	7.5	36		2.5	1.0		1924	1923	TEL	
27/12	7.7	240	240		7.5	1.5		7.5	2370	1140	180	3.0	7.7	9.0	40		1.0	1.0		1964	1963	TEL	
28/12	7.6	280	320		5.0	2.0		7.7	2480	1208	250	2.9	7.7	7.0	40		2.5	2.0		1945	1944	TEL	

MONTH-

December 2023

NAME OF WORK -O/M OF 4 MLD STP NARSINGH PURA, BEAWAR (RAJ.)

[illegible]

1967

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS

SBR-PARAMETERS

TREATED WATER PARAMETERS

SIGNATURE

DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	SIGNATURE	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/11	7.7	280	296		5.0	1.0		7.6	2587	1495	250	2.9	7.7	9.5	48		1.0	0.5		1517	1510		
16/11	7.9	310	29		7.5	1.0		7.7	2420	1370	230	2.5	7.5	8.0	44		1.0	0.4		1508	1550		
17/11	7.8	360	274		5.0	1.0	780	7.7	2610	1270	245	2.5	7.4	9.5	40		1.5	0.3	475	1504	1420		
18/11	7.7	410	324	1020	5.0	1.5		7.5	2780	1720	275	3.5	7.5	8.5	40	7.5	1.0	0.2		1230	1170		
19/11	7.8	490	312		7.5	1.0		7.6	292	1896	300	2.5	7.5	8.0	40		1.5	0.1		1450	1385		
20/11	8.1	320	204		5.0	1.5	1020	7.8	3060	2020	315	2.5	7.8	10.2	36		0.10	0.1	65	1413	1380		
21/11	8.0	390	30		1.5	2.5		7.6	2875	2120	290	2.5	7.4	7.5	30		0.1	0.1		1217	1200		

1968

P-68

LAB DATA RECORD

MONTH- Dec - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH		M ³ /Day	M ³ /Day	CHEMIST	CLIENT
		mg/lit.	mg/lit.	mg/lit.	mg/lit.	mg/lit.	mpn/100ml		mg/lit.	mg/lit.	mg/lit.	mg/lit.		mg/lit.	mg/lit.	mg/lit.	mg/lit.	mg/lit.	mpn/100ml		M ³ /Day	M ³ /Day		
01/12/23	7.8	320	215	72.5	7.5	1.0	1080	7.7	2710	1640	240	2.5	7.6	9.0	40	8.5	1.5	0.5	75		1330	1320	Fe	
02/12/23	8.1	480	362		5.0	1.5		7.9	2920	1910	260	3.0	7.7	9.5	48		1.5	0.8			1199	1107	Fe	
03/12/23	8.0	190	154	59.0	5.0	1.5		8.0	2840	1260	240	2.5	7.7	8.0	45	7.5	2.0	0.4			1276	1273	Fe	
04/12/23	7.9	210	164.5		7.5	1.5		8.0	2710	1670	240	2.5	7.9	8.5	43.5		2.5	1.0			1419	1416	Fe	
05/12/23	8.1	195	165	60.0	7.5	1.0	1175	7.8	2540	1720	210	3.0	7.9	8.5	40.0	8.0	2.0	0.5	70		1523	1520	Fe	
08/12/23	7.8	180	152.5		1.5	1.0		7.8	2290	1610	260	3.5	7.5	8.0	42.0		1.0	0.4			1426	1425	Fe	
07/12/23	7.9	265	195		1.5	1.0		7.8	2570	1950	260	2.5	7.6	9.5	48.0		1.0	0.2			1291	1289	Fe	

1969

LAB DATA RECORD

MONTH-

NOV 2023

NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS

SBR-PARAMETERS

TREATED WATER PARAMETERS

SIGNATURE

DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST		CLIENT	
		mg/lit	mg/lit	mg/lit	mg/lit	mg/lit	mpn/100ml		mg/lit	mg/lit	mg/lit	mg/lit		mg/lit	mg/lit	mg/lit	mg/lit	mg/lit	mpn/100ml	M ³ /Day	M ³ /Day				
22/11	7.9	390	224		7.5	2.5		7.7	3090	2145	320	2.5	7.5	8.5	44		1.5	1.0		1411	1409				
23/11	7.5	344	256	96	5.0	2.0	1150	7.6	3050	1907	310	2.8	7.7	9.0	40	9.0	1.0	0.5	65	1420	1418				
24/11	7.5	288	296		5.0	2.0		7.4	3140	2030	320	2.9	7.7	9.0	36		2.5	0.5		1213	1212				
25/11	7.6	336	280		7.5	1.0		7.5	3905	1987	230	3.3	7.8	8.0	40		2.5	1.0		1580	1577				
26/11	7.7	380	288		7.0	1.0		7.6	3845	1891	330	3.1	7.7	8.5	48		5.0	0.2		1830	1828				
27/11	7.5	366	264	28	7.5	1.0	1080	7.4	3715	1795	320	3.3	7.6	9.0	48	8.0	5.0	0.2	60	1710	1693				
28/11	7.8	380	272		5.0	1.6		7.6	3260	2260	300	2.0	7.3	9.5	48		2.5	0.1		1965	1939				

1970

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS								INLET FLOW	OUTLET FLOW	SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH			CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day		
15/12	7.6	260	192		1.5	1.0		7.3	2210	1220	210	2.8	7.4	7.5	36		0.5	0.2		1057	1056		
16/12	7.5	238	204		1.0	0.5		7.4	2315	1090	230	3.0	7.6	7.0	40		0.5	0.2		1331	1328		
17/12	7.9	290	190	78	1.0	0.5	1060	7.6	2420	920	250	2.4	7.3	8.5	40	8.5	0.5	0.2	50	1478	1475		
18/12	7.8	320	148		5.0	1.0		7.5	2510	1230	240	3.2	7.1	8.0	44		1.0	0.2		1286	1284		
19/12	7.8	310	185		2.5	1.0		7.8	2820	1610	250	3.1	7.4	9.5	40		0.5	0.2		1325	1323		
20/12	7.4	234	264		5.0	1.0	1095	7.5	2240	1028	260	3.0	7.6	9.5	40		2.5	0.5	52.5	2019	2017		
21/12	7.6	230	204		5.0	0.5		7.5	2410	1080	270	2.7	7.7	9.0	36		2.5	0.2		1995	1994		

1971

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day		
22/12	7.6	260	192		1.5	1.0		7.2	2210	1420	150	1.5	7.3	7.5	36		0.5	0.2		2025	2024		
23/12	7.5	238	204	78	1.0	0.5	1120	7.4	2315	1020	140	2.4	7.6	7.0	40	8.5	0.5	0.2	75	2043	2042		
24/12	7.5	236	180		2.5	1.0		7.4	2240	1028	150	2.4	7.6	8.0	44		1.0	0.5		1991	1989		
25/12	7.6	240	210		1.0	0.5		7.1	2360	1260	170	2.5	7.5	9.5	42		0.5	0.3		2085	2082		
26/12	7.8	260	224		2.5	0.5		7.4	2410	1190	190	2.8	7.5	8.5	48		0.5	0.3		2091	2090		
27/12	7.9	310	262		1.0	2.0	1145	7.5	2590	1370	210	3.1	7.6	10.9	48		0.5	0.2	70	2073	2071		
28/12	7.7	320	250	102	1.0	1.0		7.4	2780	1400	230	3.3	7.5	10.9	40	9.0	0.5	0.2		1986	1985		

1972

P-72

LAB DATA RECORD

MONTH-

December - 2023

NAME OF WORK - O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS												SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW					
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT			
08/12 23	7.8	320	224		7.3	1.0		7.6	249	156	230	2.5	7.6	9.0	485		1.5	0.4		1291	1290	Fej				
09/12	7.5	280	296		5.0	2.0	1095	7.6	3140	2030	260	2.8	7.7	9.0	40		1.0	0.5	45	1283	1281	AS				
10/12	7.6	836	280		5.0	2.0		7.4	3905	1989	250	2.7	7.8	8.5	36		2.0	1.0		1401	1400	AS				
11/12	7.7	380	288		7.5	1.0		7.5	3845	1891	250	3.0	7.7	8.5	40		5.0	0.2		1331	1332	AS				
12/12	7.5	168	288	96	7.5	1.0		7.6	2530	1210	220	2.9	7.6	8.0	48	9.0	2.5	0.2		1084	1083	AS				
13/12	7.5	100	328		7.5	1.0	1080	7.6	3620	1910	250	3.0	7.7	8.0	32		2.5	0.5	67.5	1260	1259	AS				
14/12	7.5	160	280		5.0	0.5		7.5	2540	1460	260	2.8	7.6	7.0	36		1.5	0.2		1250	1249	AS				

1973

LAB DATA RECORD

MONTH-

November - 2023




NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS

SBR-PARAMETERS

TREATED WATER PARAMETERS

SIGNATURE

DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	SIGNATURE	
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT
01/11/23	7.4	254	264		5.0	1.0		7.5	2240	1028	260	3.0	7.6	9.5	40		2.5	0.5		1733	1724		
02/11/23	7.6	230	204		5.0	0.5		7.5	2410	1080	270	2.7	7.7	9.0	32		2.5	0.2		1275	1270		
03/11/23	7.8	146	252		7.5	1.0	940	7.6	2610	1420	220	2.9	7.4	8.5	44		1.0	0.5	48	1883	1880		
04/11/23	7.4	190	240	78	5.0	1.5		7.4	2420	1190	190	3.1	7.5	8.0	38	7.5	1.0	0.7		1757	1750		
05/11	7.4	178	356		7.5	1.0		7.5	2360	1085	180	3.0	7.5	9.0	40		1.0	0.5		1556	1551		
06/11	7.6	228	264		5.0	0.5		7.5	2460	1320	200	3.0	7.6	7.0	36		0.5	0.3		1763	1758		
07/11	7.5	168	288		7.5	1.0	990	7.6	2530	1210	250	2.8	7.6	8.5	48		2.5	0.4	55	1820	1815		

1974

LAB DATA RECORD

MONTH-

November - 2023

NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW		
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT
08/11/23	7.8	360	254		1.5	1.0		7.5	2610	1310	260	2.5	7.6	9.5	40		0.5	0.1		1560	1557		
09/11	7.5	380	272	72	5.0	1.0		7.2	2390	1120	260	2.8	7.5	8.5	42	6.0	1.0	0.1		1876	1873		
10/11	7.8	420	312		1.0	0.5	990	7.4	2020	810	280	3.0	7.6	9.0	44		0.5	0.1	75	2069	2065		
11/11	7.7	420	352		1.0	1.0		7.5	2180	1170	280	3.0	7.7	8.5	40		0.5	0.2		1240	1238		
12/11	7.8	510	410		1.0	1.0		7.7	2370	1220	270	3.2	7.8	9.0	40		0.4	0.1		2845	2840		
13/11	7.5	570	425	78	1.0	1.0	975	7.3	2560	1460	270	3.2	7.6	10.0	48	7.5	0.5	0.1	62.5	2010	2007		
14/11	7.9	320	348		2.5	1.0		7.5	2620	1700	260	3.0	7.5	9.5	36		0.5	0.1		1620	1572		

MONTH-

November 2023

NAME OF WORK -O/M OF 5 MLD STP VIJAY NAGAR, BUS STAND, BEAWAR (RAJ.)

[illegible]

1976

STP-1 MLD at Bhadra

STP-1 Transport Nagar Bhadra - 1 MLD

STP-1 Transport Nagar Bhadra - 1 MLD										STP-1 Transport Nagar Bhadra - 1 MLD									
Date	Time	Boo	CoD	N	P	TSS	PH	°C	Turbidity	Date	Time	Boo	CoD	N	P	TSS	PH	°C	Turbidity
1/10/23	9:00	268	360	25.4	7	312.4	7.35	26	455	1/10/23	3:30	1.5	9.2	63.4	13.4	4	10.6	7.63	23
3/10/23	10:00	270	358	26.4	6	316.4	7.33	24	448	1/10/23	4:00	1.8	9.4	72.3	11.4	5	11.4	7.58	22
5/10/23	9:30	276	380	25.3	7	312.6	7.41	23	560	1/10/23	3:00	1.8	9.6	65.4	12.6	4	12.6	7.68	24
8/10/23	10:00	263	365	27.4	5	324.4	7.92	24	436	1/10/23	3:30	1.7	9.7	70.4	13.4	4	13.4	7.66	22
12/10/23	9:00	270	364	25.3	6	320.6	7.36	23	560	1/10/23	3:00	1.9	8.6	71.2	11.6	5	11.6	7.58	23
14/10/23	8:00	254	378	26.4	7	321.4	7.40	24	680	1/10/23	4:00	1.8	9.3	65.4	14.4	5	10.3	7.48	22
16/10/23	9:00	275	362	24.4	7	320.2	7.35	25	720	1/10/23	3:30	1.9	8.6	70.3	13.6	4	11.4	7.41	22
20/10/23	10:00	263	381	25.6	5	324.8	7.36	24	462	1/10/23	4:00	1.5	9.4	69.4	15.4	5	12.4	7.49	23
24/10/23	10:00	274	374	25.4	8	320.4	7.41	23	570	1/10/23	3:30	1.7	9.6	71.4	12.4	4	11.6	7.68	22
25/10/23	9:00	281	360	27.0	6	326.3	7.40	24	660	1/10/23	3:00	1.5	8.2	66.4	11.4	3	14.4	7.58	22
25/10/23	9:00	248	330	23.4	8	312.4	7.33	22	740	1/10/23	2:30	1.9	8.4	62.3	12.6	4	12.3	7.62	23
2/11/23	10:00	238	384	27.3	7	320.4	7.36	21	685	1/10/23	3:00	1.8	9.4	69.4	11.8	5	14.3	7.68	21
5/11/23	10:00	240	369	25.4	7	324.4	7.45	21	560	1/10/23	4:00	1.9	8.6	62.4	10.6	4	12.4	7.53	21
5/11/23	9:30	262	374	26.1	7	314.3	7.48	22	748	1/10/23	4:00	1.9	8.2	63.4	12.6	5	12.4	7.58	21
10/11/23	9:00	274	364	28.4	8	312.6	7.38	21	630	1/10/23	3:30	1.8	9.2	71.4	13.6	6	13.4	7.60	21
14/11/23	9:30	268	353	25.4	7	316.4	7.38	21	732	1/10/23	4:00	1.8	8.6	74.4	14.6	5	14.4	7.56	21
18/11/23	8:30	260	371	26.4	8	312.4	7.31	20	668	1/10/23	3:00	1.9	8.6	65.4	12.8	5	13.0	7.63	20
21/11/23	9:15	271	371	27.5	7	321.5	7.41	21	711	1/10/23	4:10	1.8	9.1	72.4	11.8	4	11.6	7.48	20
24/11/23	9:00	274	374	23.4	8	344.6	7.25	22	740	1/10/23	3:30	1.7	9.4	71.4	11.4	5	12.3	7.54	21
26/11/23	10:15	266	382	24.2	6	310.4	7.31	22	736	1/10/23	3:20	1.8	8.6	69.1	10.2	4	12.6	7.34	21
28/11/23	10:30	274	360	23.2	7	312.3	7.47	21	766	1/10/23	3:40	1.9	9.2	70.4	11.6	5	13.6	7.63	20
30/11/23	9:15	268	358	24.4	6	314.6	7.33	21	570	1/10/23	3:10	1.8	8.7	69.4	12.4	4	12.4	7.60	20
2/12/23	9:40	266	369	22.6	8	311.4	7.48	22	660	1/10/23	3:15	1.8	9.3	68.1	14.6	5	11.6	7.58	20
4/12/23	9:20	279	370	23.4	6	324.6	7.41	21	740	1/10/23	3:25	1.9	9.6	71.4	11.8	4	12.1	7.48	20
6/12/23	9:30	271	376	21.4	7	320.1	7.47	21	665	1/10/23	3:10	1.7	9.2	71.4	14.4	4	10.4	7.58	20
11/12/23	9:40	266	388	25.9	7	340.7	7.31	20	768	1/10/23	3:10	1.8	9.3	68.2	12.6	5	12.6	7.53	19
14/12/23	9:15	268	365	26.1	8	310.6	7.48	20	765	1/10/23	3:40	1.9	9.4	66.4	13.6	5	11.4	7.63	19
16/12/23	10:20	271	370	23.9	6	312.3	7.42	20	740	1/10/23	3:20	1.9	8.6	71.5	11.8	4	13.6	7.59	19
21/12/23	9:50	274	381	24.8	8	316.4	7.36	21	690	1/10/23	3:25	1.8	8.9	68.4	10.4	5	12.4	7.41	20
24/12/23	9:20	268	359	27.2	8	330.9	7.39	21	560	1/10/23	3:10	1.8	9.1	74.4	11.6	4	11.6	7.58	20
28/12/23	10:15	266	384	28.1	7	324.3	7.42	22	689	1/10/23	3:10	1.8	8.8	77.3	12.4	4	12.1	7.66	21
30/12/23	9:00	279	375	25.6	6	321.8	7.47	20	710	1/10/23	3:40	1.1	9.4	78.2	11.8	5	10.4	7.59	19
FREEMIND										FREEMIND									

आधेशायी अधिकारी
नगर पालिका भादरा

STP 3.5 MLD at Bhadra 1977

P-77

Inlet STP-2 Nathwana Jhod Bhadra 3.5 MLD

Date	Time	BOD mg/l	CoD mg/l	N mg/l	P mg/l	TSS mg/l	PH	Temp (°C)	Total Solids mg/l	MCD
1-10-2023	9:30	266	377	25.4	7	304	7.4	22	540	2.6
3-10-2023	9:45	274	384	26.4	8	304	7.31	21	660	2.3
4-10-2023	10:20	268	370	27.4	6	301	7.48	26	784	2.6
7-10-2023	9:10	263	368	26.4	8	316.2	7.15	24	644	2.6
11-10-2023	9:00	260	365	26.4	7	304.2	7.38	25	480	2.7
13-10-2023	9:40	274	358	27.8	6	321.4	7.40	23	520	2.6
15-10-2023	9:10	261	380	26.9	8	318.5	7.25	25	610	2.8
18-10-2023	10:20	290	377	26.5	9	340.5	7.30	26	423	2.5
21-10-2023	9:00	284	368	28.9	7	350.8	7.22	24	515	2.7
23-10-2023	9:20	271	358	24.4	6	311.4	7.30	23	670	2.3
24-10-2023	9:25	266	366	25.4	8	330.4	7.45	22	663	2.8
27-10-2023	9:10	263	364	25.4	7	340.4	7.35	21	714	2.3
30-10-2023	10:10	271	374	26.4	6	344.5	7.41	23	740	2.8
3-11-2023	9:40	274	362	25.4	8	302.4	7.31	22	741	2.7
7-11-2023	9:15	263	360	24.3	7	350.4	7.4	21	758	2.9
8-11-2023	9:00	274	374	23.4	6	344.6	7.25	22	740	2.3
12-11-2023	10:20	266	362	24.2	6	310.4	7.38	22	756	2.8
15-11-2023	10:30	274	360	23.2	7	312.3	7.47	21	766	2.3
18-11-2023	9:30	268	358	24.0	6	314.6	7.31	21	540	2.8
21-11-2023	9:10	266	363	22.6	8	314.4	7.48	22	660	2.8
23-11-2023	9:00	273	370	20.4	8	324.2	7.41	21	740	2.3
25-11-2023	9:40	270	361	26.4	7	323	7.44	22	570	2.8
28-11-2023	10:00	271	371	27.1	7	315.6	7.39	21	610	2.7
30-11-2023	10:15	263	364	26.9	6	308	7.29	21	680	3.1
3-12-2023	9:15	271	370	28.2	8	348	7.45	21	710	2.9
8-12-2023	9:20	248	381	24.4	8	344	7.58	21	590	3.0
14-12-2023	9:20	232	368	27.9	6	381	7.41	20	520	2.1
20-12-2023	10:10	244	375	26.8	7	38.8	7.63	20	455	2.8
24-12-2023	9:40	262	381	27.8	8	315.6	8.1	21	402	2.8
28-12-2023	9:20	278	371	26.2	7	340.9	7.20	22	610	2.1

FREEMIND

Outlet STP-2 Nathwana Jhod Bhadra 3.5 MLD

DO mg/l	Time	BOD mg/l	CoD mg/l	N mg/l	P mg/l	TSS mg/l	PH	°C	Total Solids mg/l	MCD	Signature
1.8	3:00	9.4	71.4	11.4	4	11.4	7.63	22	54	2.7	
1.3	2:00	8.6	68.2	12.3	5	12.4	7.58	23	66	2.8	
1.8	3:30	9.5	66.4	11.6	5	11.6	7.63	24	78	2.5	
1.8	3:00	9.4	71.4	12.4	6	12.1	7.66	23	64	2.5	
1.9	4:15	9.5	86.3	12.3	3	12.6	7.34	24	44	2.6	
1.8	3:40	8.7	88.1	14.4	5	11.2	7.48	23	51	2.5	
1.9	3:20	9.1	84.5	11.8	3	13.4	7.38	24	56	2.7	
1.7	4:35	8.8	81.7	16.9	4	11.1	7.28	25	42	2.4	
1.9	3:35	9.3	90.1	15.4	5	13.8	7.31	23	51	2.6	
1.8	3:00	9.4	68.4	14.4	4	10.4	7.58	21	67	2.6	
1.3	2:00	8.4	74.4	12.6	5	11.4	7.53	22	66	2.7	
1.8	3:00	9.6	77.3	13.4	6	12.4	7.63	23	71	2.8	
1.8	2:30	9.4	78.2	12.6	4	10.4	7.53	23	74	2.7	
1.3	3:00	8.3	74.1	11.8	5	11.4	7.47	22	74	2.6	
1.8	2:00	9.6	76.4	10.4	5	10.6	7.58	21	73	2.7	
1.8	3:00	9.2	70.4	11.6	4	11.4	7.66	21	74	2.8	
1.3	3:30	8.4	68.1	10.2	4	12.6	7.54	21	73	2.7	
1.8	2:00	8.8	70.4	11.6	5	13.6	7.63	20	76	2.8	
1.3	3:00	8.4	69.4	12.4	4	12.4	7.60	20	54	2.7	
1.3	2:00	9.1	68.1	14.6	5	11.6	7.53	21	66	2.7	
1.8	3:00	9.6	74.4	11.8	4	12.1	7.60	20	74	2.8	
1.9	3:40	9.2	69.3	13.8	4	11.8	7.48	21	45	2.7	
1.9	8:30	8.4	71.1	11.9	5	12.6	7.61	20	70	2.6	
1.8	3:50	9.6	76.4	12.1	4	11.9	7.55	20	69	3.0	
1.9	4:10	8.8	86.2	11.4	3	11.4	7.32	20	58	2.8	
1.8	3:20	8.3	81.4	13.7	4	10.8	7.24	20	61	2.9	
1.8	3:15	9.4	75.2	14.4	4	11.2	7.38	19	59	2.8	
1.9	3:20	8.9	74.3	12.6	5	11.9	7.54	19	79	2.7	
1.9	4:20	8.4	68.8	11.9	4	10.2	7.81	20	70	2.7	
1.8	3:40	9.1	71.2	12.6	5	11.4	7.51	21	66	2.8	

FREEMIND

अधिकाारी अधिकारी
नगर पालिका भाद्रा

STP 8 MLD at Bharatpur

Record of Influent and Effluent Quality																		
Month : DECEMBER-2023																		
DATE	EFFLUENT SEWAGE QUALITY								EFFLUENT SEWAGE QUALITY									
Parameter	PH	TSS	COD	BOD	ALKALINITY	TP	TN	DO	PH	TSS	COD	BOD	ALKALINITY	TP	TN	DO	FECAL COLIFORM	HC
UNIT	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MNP/100 ml	ppm
1-Dec-23	7.34	103.0	304.0	75.00	4.5	3.8	10.4	0.35	7.90	9.0	43.0	8.00	1.4	0.8	2.2	3.14	70	0.6
2-Dec-23	6.68	90.0	282.0	60.00	3.5	2.1	11.8	24.00	7.83	8.0	40.0	7.00	1.0	0.7	2.4	2.90	70	0.4
3-Dec-23	7.13	114.0	351.0	70.00	3.8	3.5	10.1	0.35	7.64	7.0	44.0	7.00	1.2	0.5	2.3	3.15	62	0.3
4-Dec-23	7.16	82.0	264.0	75.00	4.0	3.8	10.0	0.20	7.55	6.0	36.0	6.00	0.9	0.6	2.0	3.23	58	0.6
5-Dec-23	7.16	96.0	272.0	65.00	3.3	3.0	11.5	0.32	7.45	8.0	44.0	6.50	1.2	0.8	2.5	2.90	54	0.3
6-Dec-23	7.18	107.0	312.0	80.00	4.5	4.0	9.8	0.10	7.15	9.0	40.0	6.00	1.0	0.6	2.1	3.35	64	0.6
7-Dec-23	7.12	94.0	298.0	65.00	3.8	3.5	9.4	0.22	7.42	8.0	44.0	7.00	1.4	0.6	2.4	2.96	55	0.4
8-Dec-23	7.26	90.0	264.0	57.00	4.1	3.6	10.2	0.35	7.82	9.0	48.0	6.00	1.3	0.5	2.3	3.25	72	0.3
9-Dec-23	7.14	86.0	256.0	85.00	4.0	3.7	10.0	0.10	7.46	9.0	44.0	7.00	1.2	0.4	2.3	3.40	78	0.2
10-Dec-23	6.96	98.0	272.0	80.00	3.8	3.5	11.5	0.45	7.60	7.0	40.0	7.00	1.1	0.8	2.0	3.15	76	0.6
11-Dec-23	7.32	92.0	264.0	70.00	3.7	3.4	11.0	0.15	7.50	8.0	44.0	8.00	1.0	0.6	2.2	2.90	66	0.4
12-Dec-23	7.08	82.0	258.0	65.00	4.0	3.5	9.8	0.10	7.78	9.0	48.0	8.00	1.4	0.4	2.4	2.40	58	0.5
13-Dec-23	7.19	89.0	266.0	80.00	4.1	3.6	9.6	0.40	7.44	9.0	48.0	9.00	1.3	0.3	2.3	3.30	67	0.3
14-Dec-23	7.34	98.0	272.0	85.00	4.4	3.4	12.0	0.15	7.40	7.0	36.0	6.00	1.2	0.8	2.5	3.36	64	0.4
15-Dec-23	7.12	112.0	290.0	90.00	4.5	3.8	11.0	0.19	7.67	8.0	40.0	7.00	1.0	0.5	2.4	3.45	59	0.6
16-Dec-23	7.06	83.0	250.0	75.00	4.4	3.1	10.0	0.20	7.46	7.0	36.0	6.00	1.3	0.6	2.2	2.98	79	0.3
17-Dec-23	7.24	88.0	268.0	65.00	4.2	3.2	9.8	0.25	7.55	9.0	48.0	9.00	1.0	0.7	2.5	3.35	71	0.4
18-Dec-23	7.11	81.0	256.0	80.00	4.4	3.3	9.6	0.15	7.68	8.0	40.0	7.00	1.5	0.5	2.5	3.45	57	0.5
19-Dec-23	7.18	87.0	260.0	85.00	4.6	3.6	10.5	0.20	7.50	6.0	32.0	6.00	1.3	0.4	2.4	3.55	69	0.4
20-Dec-23	7.08	79.0	264.0	70.00	4.8	3.8	9.8	0.25	7.45	7.0	36.0	6.00	1.4	0.4	2.5	3.48	62	0.3
21-Dec-23	7.18	84.0	248.0	80.00	4.6	3.8	10.5	0.15	7.50	9.0	48.0	8.00	1.5	0.5	2.5	3.26	72	0.2
22-Dec-23	7.24	116.0	256.0	90.00	3.9	4.3	12.0	0.10	7.60	3.0	44.0	9.00	1.0	0.2	1.8	2.90	78	0.3
23-Dec-23	7.11	72.0	240.0	70.00	4.1	4.0	11.0	0.35	7.70	8.0	40.0	7.00	1.1	0.3	1.9	3.45	74	0.3
24-Dec-23	7.22	88.0	240.0	80.00	4.0	3.9	11.5	0.40	7.46	9.0	48.0	8.00	1.1	0.4	2.2	3.15	58	0.4
25-Dec-23	7.19	93.0	280.0	90.00	4.5	3.5	10.0	0.45	7.52	7.0	36.0	6.00	1.0	0.2	2.0	3.15	68	0.5
26-Dec-23	7.08	78.0	240.0	70.00	4.2	3.4	9.8	0.10	7.44	7.0	32.0	6.00	1.2	0.3	2.3	3.40	69	0.4
27-Dec-23	7.17	82.0	248.0	75.00	4.4	3.9	10.5	0.25	7.50	9.0	48.0	8.00	1.1	0.4	2.4	3.85	61	0.6
28-Dec-23	7.18	94.0	272.0	90.00	4.6	4.0	11.0	0.35	7.85	8.0	44.0	7.00	0.9	0.8	2.6	2.98	71	0.5
29-Dec-23	7.22	70.0	240.0	55.00	4.2	3.8	10.0	0.15	7.55	9.0	48.0	8.00	1.1	0.6	2.4	3.15	76	0.4
30-Dec-23	7.09	103.0	264.0	55.00	4.0	3.1	9.6	0.28	7.48	7.0	40.0	6.00	1.4	0.4	2.2	3.40	78	0.3
31-Dec-23	7.11	80.0	208.0		4.4	4.1	10.5	0.95	7.84	6.0	36.0		1.2	0.2	2.4	3.24	74	0.2

Lab
LAB Chemist

ओद्योगिकी अभियन्ता
नगर निगम, भारतपुर

STP 5 MLD at Bharatpur

 L. ARSEN & TOUBRO LTD.															
PROJECT 5 MLD STP Near Ikaran Village at Bharatpur City								Format No. :- BGII-SF/BTL/STP-1/5MLD							
CLIENT : RUDSICO								Report No. :- December'23							
JOB No. : 11170207															
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER							OUTLET							REMARKS
	pH	TSS	TN (as N)	BOD ₅	NH ₄ -N	TP	COD	pH	BOD ₅	COD	TSS	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	<5	6	650		<10	<50	<10	<10	<2	<100	
1-Dec	6.91	74	23.2	70	3.6	1.4	240	7.05	10	48	10	10	0.2	65	
2-Dec	6.94	78	22.6	65	3.8	1.3	256	7.20	10	44	7	8	0.5	60	
3-Dec	6.88	76	23.1	75	3.5	1.5	240	7.15	10	40	7	8	0.8	83	
4-Dec	6.98	72	29.0	70	3.3	1.6	248	7.05	10	36	9	7	0.6	60	
5-Dec	6.96	78	30.2	80	3.9	1.8	264	7.16	8	48	9	7	0.7	60	
6-Dec	6.85	72	30.5	75	3.2	1.5	240	7.21	10	44	9	10	0.4	75	
7-Dec	6.92	74	27.8	65	3.4	1.3	232	7.08	9	40	9	7	0.5	94	
8-Dec	6.94	80	22.1	85	3.8	1.4	248	7.19	9	44	9	7	0.6	56	
9-Dec	6.97	76	28.1	75	4.0	1.7	264	7.06	8	40	10	9	0.8	74	
10-Dec	7.02	80	20.9	80	4.0	1.4	248	7.20	9	48	7	9	0.3	94	
11-Dec	6.98	78	29.6	70	3.3	1.9	232	7.06	8	38	8	8	0.4	94	
12-Dec	6.96	82	30.3	75	3.6	1.4	248	7.21	9	40	10	9	0.6	91	
13-Dec	6.94	76	29.3	85	3.9	1.6	256	7.08	10	44	10	9	0.2	74	
14-Dec	6.89	72	29.1	80	3.9	1.2	240	7.09	7	48	10	10	0.5	85	
15-Dec	6.88	76	30.8	65	3.1	1.5	264	7.14	8	50	10	7	0.7	71	
16-Dec	6.97	78	23.8	75	3.1	1.3	240	7.15	8	44	7	7	0.9	58	
17-Dec	6.92	80	20.1	80	3.8	1.6	256	7.20	9	48	8	8	0.7	77	
18-Dec	6.94	72	27.7	85	3.6	1.9	248	7.05	10	44	9	9	0.4	86	
19-Dec	6.99	70	23.0	75	3.3	1.8	264	7.20	7	40	9	8	0.6	57	
20-Dec	6.91	74	20.6	70	4.0	1.7	248	7.21	9	48	9	8	0.8	64	
21-Dec	6.93	78	20.1	80	4.1	1.2	272	7.05	7	40	10	9	0.4	68	
22-Dec	6.92	80	20.5	75	4.0	1.5	256	7.08	8	36	10	7	0.5	74	
23-Dec	7.03	84	30.0	85	3.5	1.4	248	7.09	8	32	8	8	0.3	93	
24-Dec	6.86	78	30.9	65	3.9	1.7	264	7.08	10	40	9	8	0.8	78	
25-Dec	6.87	74	22.7	70	3.8	1.4	248	7.13	8	44	7	7	0.7	69	
26-Dec	6.93	80	21.2	75	3.3	1.3	240	7.15	7	44	8	10	0.4	91	
27-Dec	6.95	78	30.1	80	3.9	1.2	256	7.14	9	48	10	7	0.5	79	
28-Dec	6.92	82	28.9	85	4.1	1.6	232	7.16	8	44	7	8	0.7	63	
29-Dec	6.98	78	30.9	90	3.6	1.9	256	7.12	9	44	10	7	0.4	92	


 Anil Kumar
 जल निगम, भारतपुर

1980

PROJECT 5 MLD STP Near Ikaran Village at Bharatpur City		Format No. :- BGH-SP/BTE/STP-1/5MLD													
CLIENT : RUDSICO		Report No. :- December'23													
JOB No. : LE170207															
Date	INLET RAW WATER							DAILY LABORATORY ANALYSIS							REMARKS
	pH	TSS	TKN (as N)	BOD ₅	NH ₄ -N	TP	COD	pH	BOD ₅	COD	TSS	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	<5	6	650		<10	<50	<10	<10	<2	<100	
30-Dec	6.93	76	24.5	85	3.8	1.7	248	7.13	8	44	7	9	0.5	86	
31-Dec	6.98	74	26.7	90	3.2	1.5	264	7.06	9	40	10	10	0.6	69	

L&T Plant Incharge

Client

अभिजाधी अभियन्ता
नगर निगम, भरतपुर

STP 10 MLD 108 Bhilwara

Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (In water Bodies/ Other) (MLD)
10	Bhilwara	Kewada (Bhilwara) JSW	10.00	SBR	6250.00	8 to 8.4	≤ 10	≤ 30	≤ 50	absent	Yes	Continuous flow	186.28	Industrial	Nil	Nil

1982

TEST REPORT



Sample Number : VTL/VV/01

M/s Jindal Saw Limited
 Arj No. 6711, 9597/6711, Nr. Tiranga Hills Bhiwara
 311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

ULR No. : TC1122723006000357F

Report No. : VTL/VV/2310235001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 26/10/2023

Period of Analysis : 23/10/2023-26/10/2023

Receipt Date : 23/10/2023

Sampling Date : 22/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.00	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.58	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	4.48	mg/l	100
5	Nitrate Nitrogen (as NO ₃)	IS: 3025 (P-34): 1988, (Chromotropic Method) Sec.RA:2022	4.20	mg/l	--
6	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.00	mg/l	30
7	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	40.96	mg/l	250
8	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	143.76	mg/l	--
9	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA.: 2009	131.24	mg/l	--

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
 Lab Incharge
 Authorized Signatory



Term & conditions PTD

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

9 SC-40, 3rd Floor, Narayan Vihar 5, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

1983
TEST REPORT

Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Arii No. 8711, 9597/6711, Nr. Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

Report No. : VTL/WW/2310230001/B

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 26/10/2023

Period of Analysis : 23/10/2023-26/10/2023

Receipt Date : 23/10/2023

Sampling Date : 22/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1986, RA, 2019 Turbidity Method	39.51	mg/l	—
2	Silica (as SiO ₂)	IS: 3025 (P-35): 1986, RA 2019 (Molybdo silicate Method)	1.67	mg/l	—
3	Total Coliform	IS: 15185:2016	Absent	Present Absent/100 ml	—
4	E coli	IS: 15185:2016	Absent	Present Absent/100 ml	Shall not be detectable in any 100 ml sample

*BLO-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

 RK Yadav
 Lab Incharge
 Authorized Signatory

Page No. 1/1

Term & conditions PTD

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

9 SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

1984

TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Arji No. 6711,9597/6711, Nr.-Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

ULR No. : TC1122723000000356F

Report No. : VTL/WW/2310200001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 23/10/2023

Period of Analysis : 20/10/2023-23/10/2023

Receipt Date : 20/10/2023

TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Arji No. 6711,9597/6711, Nr.-Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

ULR No. : TC1122723000000356F

Report No. : VTL/WW/2310170001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 20/10/2023

Period of Analysis : 17/10/2023-20/10/2023

Receipt Date : 17/10/2023

Sampling Date : 16/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.30	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.68	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	5.32	mg/l	100
5	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	10.50	mg/l	30
6	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	40.96	mg/l	250
7	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	145.33	mg/l	--
8	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA.: 2009	134.67	mg/l	--

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



1985

TEST REPORT



Sample Number : VTLWW/01

M/s Jindal Saw Limited

Anji No. 6711.8597/6711, Nr. Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

Report No. : VTLWW/2310170001/B

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 20/10/2023

Period of Analysis : 17/10/2023-20/10/2023

Receipt Date : 17/10/2023

Sampling Date : 16/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1986, RA. 2019 Turbidity Method	43.98	mg/l	--
2	Silica (as SiO ₂)	IS: 3025 (P-35): 1986, RA 2019 (Molybdo silicate Method)	1.31	mg/l	--

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

 RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

Q 3C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

Q 9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com



1986

TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Ary No. 6711,9597/6711, Nr.-Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

ULR No. : TC1122723000000330F

Report No. : VTL/WW/2310130001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 16/10/2023

Period of Analysis : 13/10/2023-16/10/2023

Receipt Date : 13/10/2023

Sampling Date : 12/10/2023

Parameter Required : As per work order

S.No	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.7	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.42	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	5.06	mg/l	100
5	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.6	mg/l	30
6	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2008 RA: 2017	40.32	mg/l	250
7	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	145.13	mg/l	--
8	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA.: 2009	134.87	mg/l	--

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

9/ SC-40, 3rd Floor, Nityan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9929408297, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com



1987

TEST REPORT

Sample Number : VTL/WW/01

M/s Jindal Saw Limited

A/c No. 5711, 8087/5711, 1st - Tranga Hills Bhowara
311802 Raj

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : -

Report No. : VTL/WW/2315130601/08

Format No. : 7 & F-01

Party Reference No. : NIL

Report Date : 18/10/2023

Period of Analysis : 13/10/2023-18/10/2023

Receipt Date : 13/10/2023

Sampling Date : 12/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limit
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1986, RA: 2019 Turbidity Method	45.52	mg/l	-
2	Silica (as SiO ₂)	IS: 3025 (P-35): 1988, RA: 2019 (Molybdo silicate Method)	1.61	mg/l	-

*BLO-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

G-5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj, 302020

☎ +919086691, 9510205358, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

Page No. 1/1

Form & conditions P111

1988

TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Aji No. 8711, 9597/8711, Nr.-Tiranga Hills, Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

ULR No. : TC1122723000000329F

Report No. : VTL/WW/2310100001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 13/10/2023

Period of Analysis : 10/10/2023-13/10/2023

Receipt Date : 10/10/2023

Sampling Date : 09/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.9	mg/l	100
2	Oil & Grease	IS: 3025 (P-39): 2021	*BLO(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.34	mg/l	50
4	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	8.5	mg/l	30
5	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	38.56	mg/l	250

*BLO-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

 RK Yadav
 Lab Incharge
 Authorized Signatory


Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

Q 5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9929108691 ☎ 9810205358 ☎ 8005707098 ☎ 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

Page No. 1/1

1989

TEST REPORT



Sample Number : VTLWW/01

M/s Jindal Saw Limited

Arji No. 6711, 6597/6711, Nr.-Tiranga Hills, Dhiwana
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

ULR No. : TC1122723000000328F
 Report No. : VTLWW/2310070001/A
 Format No : 7 R F-01
 Party Reference No : NIL
 Report Date : 12/10/2023
 Period of Analysis : 07/10/2023-12/10/2023
 Receipt Date : 07/10/2023
 Sampling Date : 06/10/2023
 Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.80	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLO(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.33	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	5.05	mg/l	100
5	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-46): 1993, RA: 2019	9.6	mg/l	30
6	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	32.28	mg/l	250
7	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	145.13	mg/l	--
8	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA: 2009	134.87	mg/l	--

*BLO-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
 Lab Incharge
 Authorized Signatory



Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

P 5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

P 99279108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

1990

TEST REPORT



Sample Number : VTL/VAN/01

M/s Jindal Saw Limited

Plot No. 5711, 9587/0711, Nr. - Tunga Hills, Bhiwara
311802 Raj

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

Report No. : VTL/VAN/2310675001/B

Format No : Z R F-01

Party Reference No : NIL

Report Date : 12/10/2023

Period of Analysis : 07/10/2023-12/10/2023

Receipt Date : 07/10/2023

Sampling Date : 05/10/2023

Parameter Required : As per work order

S. No.	Test Parameters	Test Method	Result	Unit	Limits
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1988, RA: 2019 Turbidity Method	45.32	mg/l	--
2	Silica (as SiO ₂)	IS: 3025 (P-35): 1988, RA: 2019 (Molybdo silicate Method)	1.60	mg/l	--

*BLO-Before Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by


RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSA5:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

G. 5C-46, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9929105691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

1991

TEST REPORT



Sample Number : VTL/WW/01

M/s Jindal Saw Limited

Arj No. 6711.9597/6711, Nr.-Tranga Hills, Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : —

ULR No. : TC1122723000000327F

Report No. : VTL/WW/2310040001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 07/10/2023

Period of Analysis : 04/10/2023-07/10/2023

Receipt Date : 04/10/2023

Sampling Date : 03/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	0.02	mg/l	100
2	Oil & Grease	IS: 3025 (P-39): 2021	*BLQ (**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34): 1988, Sec.4 RA: 2022	1.24	mg/l	50
4	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.00	mg/l	30
5	Chemical oxygen Demand (COD)	IS: 3025 (P-58): 2008 RA: 2017	38.56	mg/l	250

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



Checked By


RK Yadav
Lab Incharge
Authorized Signatory


Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

© 5C-4Q, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9929106691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

1992

TEST REPORT



Sample Number : VTLWW01

M/s Jindal Steel Limited

Agi No. 8711, 9597/8711, Nr.-Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : -

ULR No. : TC1122723000000326F

Report No. : VTLWW2310030001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 08/10/2023

Period of Analysis : 03/10/2023-06/10/2023

Receipt Date : 03/10/2023

Sampling Date : 30/09/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.9	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.33	mg/l	50
4	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.90	mg/l	30
5	Chemical oxygen Demand (COD)	IS : 3025 (P-55) : 2006 RA: 2017	40.96	mg/l	250

*BLQ-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

 RK Yadav
 Lab Incharge
 Authorized Signatory


Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

G 5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

1993

TEST REPORT



Sample Number : VTL/VW/01

M/s Jindal Saw Limited

Aji No. 6711, 9597/6711, Nr.-Tiranga Hills, Bhilwara
311802 Raj

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : -

ULR No. : TC1122723000000325F

Report No. : VTL/VW/2309290001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 03/10/2023

Period of Analysis : 29/09/2023-03/10/2023

Receipt Date : 29/09/2023

Sampling Date : 28/09/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	pH	IS: 3025 (P-11): 2022	7.06	-	5.5 to 9.0
2	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.89	mg/l	100
3	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
4	Total Kjeldahl Nitrogen (as NH3)	IS: 3025 (P-34): 1988, RA: 2022 (Macro Kjeldahl Method)	5.05	mg/l	100
5	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	7.5	mg/l	30
6	Chemical oxygen Demand (COD)	IS: 3025 (P-58) : 2008 RA: 2017	32.62	mg/l	250
7	calcium Hardness	IS: 3025 (P-40) : 1991 RA: 2019	145.32	mg/l	-
8	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA: 2009	134.58	mg/l	-
9	Ammonical Nitrogen (as NH3-N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.09	mg/l	50
10	Nitrate Nitrogen (as NO3)	IS: 3025 (P-34): 1988, (Chromotropic Method) Sec.RA:2022	4.25	mg/l	-

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by

 RK Yadav
Lab Incharge
Authorized Signatory



Term & conditions P10

Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

G-5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9229138871, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

1994

TEST REPORT



Sample Number : VTL/VVW/01

M/s Jindal Saw Limited

Arji No. 6711, 8597/8711, Nr.-Tiranga Hills Bhiwara
311802 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : --

Report No. : VTL/VVW/230920001/B

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 03/10/2023

Period of Analysis : 29/09/2023-03/10/2023

Receipt Date : 29/09/2023

Sampling Date : 28/09/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Sulphate (as SO ₄)	IS: 3025 (P-24): 1988, RA: 2019 Turbidity Method	49.62	mg/l	--
2	Silica (as SiO ₂)	IS: 3025 (P-35): 1988, RA: 2019 (Molybdo silicate Method)	1.54	mg/l	--

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

☎ 9429108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com



1995

TEST REPORT



Sample Number : VTLWW/01

M/s Jindal Saw Limited

Arj No. 6711,9597/6711, Nr.-Tiranga Hills Bhikwara
311002 Raj.

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : -

ULR No. : TC1122723000000324F
Report No. : VTL/WW/2300260001/A
Format No : 7.8 F-01
Party Reference No : NIL
Report Date : 30/09/2023
Period of Analysis : 26/09/2023-30/09/2023
Receipt Date : 26/09/2023
Sampling Date : 25/09/2023
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	5.21	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLQ(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.39	mg/l	50
4	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	6.5	mg/l	30
5	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	38.58	mg/l	250

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Term & conditions PTD

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

Q-5C-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

Q 9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com



1996

TEST REPORT



Sample Number : VTL/VW/01

M/s Jindal Saw Limited

Arj No. 0711,9597/0711, Nr.-Tiranga Hills Bhilwara
311002 Raj

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet

Sample Collected By : VTL Team

Coordinates : -

ULR No. : TC112272300000035/P

Report No. : VTL/VW/2310230001/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 28/10/2023

Period of Analysis : 23/10/2023-26/10/2023

Recpt Date : 23/10/2023

Sampling Date : 22/10/2023

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	Total Suspended Solids (TSS)	IS: 3025 (P-17); 2022	5.00	mg/l	100
2	Oil & Grease	IS:3025 (P-39): 2021	*BLO(**LOQ-4.0)	mg/l	10
3	Ammonical Nitrogen (as NH ₃ -N)	IS: 3025 (P-34) : 1988, Sec.4 RA: 2022	1.68	mg/l	50
4	Total Kjeldahl Nitrogen (as NH ₃)	IS: 3025 (P-34): 1988, RA 2022 (Macro Kjeldahl Method)	4.48	mg/l	100
5	Nitrate Nitrogen (as NO ₃)	IS: 3025 (P-34): 1988, (Chromotropic Method) Sec.RA:2022	4.20	mg/l	--
6	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 1993, RA: 2019	9.00	mg/l	30
7	Chemical oxygen Demand (COD)	IS : 3025 (P-58) : 2006 RA: 2017	40.96	mg/l	250
8	calcium Hardness	IS: 3025 (P-40) : 1991 RA : 2019	143.76	mg/l	--
9	Magnesium Hardness	IS: 3025 (P-46) : 1994, RA : 2009	131.24	mg/l	--

*BLO-Below Limit OF Quantification, **LOQ- Limit Of Detection

End of Report



Checked by



RK Yadav
Lab Incharge
Authorized Signatory



Approved & Certified

EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Page No. 1/1

Vibrant Techno Lab Pvt. Ltd.

9 SC-40, 3rd Floor, Narayan Vihar 5, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

☎ 0141-2954638

✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

STP 30 ML D9a7 Bhilwara

30 MLD STP BHILWARA

[illegible][illegible]

2:00-4:00

[illegible]

1999

:blank

FORM - X

RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST

(See Rule - 24)

Final Report

Report No. : 6098

Report On : 20/12/2023

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 05/12/2023 from Mr Hitesh Kumar Upadhyay, SO, Bhilwara ,RSPCB Bhilwara a sample of Waste Water of M/S Sewage Treatment Plant, Kuwada Road , Plant - Sewage Treatment Plant [96585] ,Sewage Treatment Plant, Kuwada road , City- Bhilwara Tehsil- Bhilwara , District- Bhilwara Collected from Final outlet of STP Collected on 04/12/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 20/12/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Faecal Coliform (MPN Technique) /100 ml	70

The condition of the seals, fastening and container on receipt was as follows : Intact

Signed This On 20/12/2023

Manoj
BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Kota
SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota
Phone: 0744-2490873

2000

09-01-24

STP inspection report format

S. NO.	TOWN	Name and location of STP	Capacity (MLD)	Actual flow reaching at STPs (MLD)	Date & Time of Sample Collection	Testing Results				Whether data updated on "STP Monitoring" app developed by CPCE Yes / No	Fecal Coliforme (MPN)
						pH	BOD (mg/l)	COD (mg/l)	TSS (mg/l)		
1	Bhiwadi/STP-1	Santhalka STP	3.0 MLD	1.931	09-01-24	Inlet 6.62	Inlet 210	Inlet 468	Inlet 386	Yes	104
						Outlet 7.74	Outlet 07	Outlet 38	Outlet 08		
2	Bhiwadi/STP-2	RHB Aravali Vihar	1.5 MLD	1.358	09-01-24	Inlet 6.62	Inlet 190	Inlet 462	Inlet 482	Yes	110
						Outlet 7.76	Outlet 08	Outlet 34	Outlet 06		
4	Bhiwadi/STP-4	Mundawa Mev STP	2.0 MLD	0.617	09-01-24	Inlet 6.74	Inlet 230	Inlet 467	Inlet 472	Yes	95
						Outlet 7.58	Outlet 06	Outlet 42	Outlet 07		
5	Bhiwadi/STP-5	Near Existing STP	3.0 MLD	1.921	09-01-24	Inlet 6.61	Inlet 240	Inlet 484	Inlet 378	Yes	118
						Outlet 7.67	Outlet 07	Outlet 35	Outlet 06		

2001

09-01-24

STP inspection report format

S. NO.	TOWN	Name and location of STP	Capacity (MLD)	Actual flow reaching at STPs (MLD)	Date & Time of Sample Collection	Testing Results				Whether data updated on "STP Monitoring" app developed by CPSE Yes / No	Fecal Coliforme (MPN)
						pH	BOD (mg/l)	COD (mg/l)	TSS (mg/l)		
1	Bhiwadi/STP-1	Santhalka STP	3.0 MLD	1.931	09-01-24	Inlet	Inlet	Inlet	Inlet	Yes	104
						6.62	210	468	386		
2	Bhiwadi/STP-2	RHB Aravali Vihar	1.5 MLD	1.358	09-01-24	Outlet	Outlet	Outlet	Outlet	Yes	110
						7.74	07	38	08		
4	Bhiwadi/STP-4	Mundana Met STP	2.0 MLD	0.617	09-01-24	Inlet	Inlet	Inlet	Inlet	Yes	95
						6.74	230	467	472		
5	Bhiwadi/STP-5	Near Existing STP	3.0 MLD	1.921	09-01-24	Outlet	Outlet	Outlet	Outlet	Yes	118
						7.58	06	42	07		
						Inlet	Inlet	Inlet	Inlet		
						6.61	240	484	378		
						Outlet	Outlet	Outlet	Outlet		
						7.67	07	35	06		

STP 1.5 MLD 2002 Bhiwadi



ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RIICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09894666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report

Report No.: AEL/LTC/09012024/WW/01	Reporting Date: 16/01/2024
Issued to: M/S L & T construction 1.5 MLD STP, RHB, Bhiwadi-301019	Sample I'd : AEL/LTC/090124/WW/01 Date : 09.01.2024 Period of testing : 10.01.2024 to 16.01.2024

SAMPLE PARTICULARS:

Type of the Sample	Treated Sewage Water Sample
Date of Sample Receiving	09.01.2024
Point of Sample Collection	From STP Outlet
Sample Collected By	Customer
Purpose of Analysis	Monitoring

TEST RESULTS:

Sr. No.	Parameters	Unit	Results	Standards Limit as per CPCB	Test Protocol
1.	Faecal Coliform(MPN/100 ml)	--	110	1000	IS 1622-1981


Checked By


Authorized Signatory

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is Not to be reproduced wholly or in part and can not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.

2003

09-01-24

STP inspection report format

S. NO.	TOWN	Name and location of STP	Capacity (MLD)	Actual flow reaching at STPs (MLD)	Date & Time of Sample Collection	Testing Results				Whether data updated on "STP Monitoring" app developed by CPCB Yes / No	Fecal Coliforme (MPN)
						pH	BOD (mg/l)	COD (mg/l)	TSS (mg/l)		
1	Bhiwadi/STP-1	Santhakala STP	3.0 MLD	1.931	09-01-24	Inlet: 6.62	Inlet: 210	Inlet: 468	Inlet: 386	Yes	104
						Outlet: 7.74	Outlet: 07	Outlet: 38	Outlet: 08		
2	Bhiwadi/STP-2	RHB Aravali Vihar	1.5 MLD	1.358	09-01-24	Inlet: 6.62	Inlet: 190	Inlet: 462	Inlet: 482	Yes	110
						Outlet: 7.76	Outlet: 08	Outlet: 34	Outlet: 06		
4	Bhiwadi/STP-4	Mundana Met. STP	2.0 MLD	0.617	09-01-24	Inlet: 6.74	Inlet: 230	Inlet: 467	Inlet: 479	Yes	95
						Outlet: 7.58	Outlet: 06	Outlet: 42	Outlet: 07		
5	Bhiwadi/STP-5	Near Existing STP	3.0 MLD	1.921	09-01-24	Inlet: 6.61	Inlet: 240	Inlet: 484	Inlet: 378	Yes	118
						Outlet: 7.67	Outlet: 07	Outlet: 35	Outlet: 06		

STP 3 MLD at Santhakala, Bhiwadi

2004



ASIA ENVIRO LAB

(An ISO 9001:2015, 14001:2015, 45001:2018 & MOEF Approved Lab)

Job Description : Environmental Testing, ETP/STP Manufacturing, ETP/STP Plant Operation Pollution NOC Etc.

Lab - H1-837, Near Pollution Control Board, RICO Industrial Area, Bhiwadi, Distt. Alwar (Rajasthan)-301019

Ph. No. : 01493-294022, 09694666022, Email : asiaenvirolab@gmail.com, Website : www.asiaenvirolab.com

Test Report

Report No.: AEL/CHE/28112023/WW/01	Reporting Date: 04/12/2023

Issued to: M/S Chem Eco Engineering Flat No-206, 2 nd Floor, Shiv Kripa Enclave 1 Plot No-3/COM 1/27 Ambedkarpuram, Kanpur, Uttar Pradesh	Sample I'd : AEL/CHE/281123/WW/01 Date : 28.11.2023 Period of testing : 28.11.2023 to 04.12.2023

SAMPLE PARTICULARS:	
Type of the Sample	Untreated Sewage Water Sample
Date of Sample Receiving	28.11.2023
Point of Sample Collection	STP Inlet
Sample Collected By	Customer
Purpose of Analysis	Monitoring

TEST RESULTS:

Sr. No.	Parameters	Unit	Results	Test Protocol
1	Fecal Coliform(MPN/100 ml)	--	>1600	IS 1622-1981

S. Wad.
Checked By

[Signature]
Authorized Signatory

Note: 1. The result listed refer only to the tested samples and applicable parameters.
2. Sample will be destroyed one month from the date of issue of test certificate.
3. Any complaints about this report should be communicated within 7 days of issue of this report.
4. The report is Not to be reproduced wholly or in part and can Not be used as an evidence in the Court of law and should Not be used in any advertising Media without our special permission in writing.



Test Report

Report No.: AEL/CHE/28112023/WW/02	Reporting Date: 04/12/2023

Issued to: M/S Chem Eco Engineering Flat No-206, 2 nd Floor, Shiv Kripa Enclave 1 Plot No-3/COM 1/27 Ambedkarpuram, Kanpur, Uttar Pradesh	Sample I'd : AEL/CHE/281123/WW/02 Date : 28.11.2023 Period of testing : 28.11.2023 to 04.12.2023

SAMPLE PARTICULARS:	
Type of the Sample	Treated Sewage Water Sample
Date of Sample Receiving	28.11.2023
Point of Sample Collection	STP Outlet
Sample Collected By	Customer
Purpose of Analysis	Monitoring

TEST RESULTS:					
Sr. No.	Parameters	Unit	Results	Standards Limit as per CPCB	Test Protocol
1	Fecal Coliform(MPN/100 ml)	--	110	1000	IS 1622-1981

Subodh
Checked By

Subodh
Authorized Signatory

Note: 1. The result listed refer only to the tested samples and applicable parameters.

2. Sample will be destroyed one month from the date of issue of test certificate.

3. Any complaints about this report should be communicated within 7 days of issue of this report.

4. The report is not to be reproduced, wholly or in part and can not be used as an evidence in the Court of law and should not be used in any advertising media without our special permission in writing.

2006

STP 20 MLD at Bikaner

Providing, laying, jointing, testing and commissioning of sewer system and all ancillary works along with Design, construction, supply, installation, testing and commissioning (Civil, Mechanical, electrical, instrumentation & other necessary works) of SPS, one 20 MLD STP based on SBR Process and up gradation of existing STPs of 12 MLD and 20 MLD with provision for treated water reuse facility for next 10 years O&M.

STP 12 MLD at Bikaner

ENVIRO INFRA ENGINEERS PVT LTD

12 MLD STP- MUNICIPAL CORPORATION BIKANER

INTERNAL LABORATORY RECORD FOR THE MONTH OF- Dec-2023

DATE	PH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EIEPL SIGN	DEPTT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
01-12-23	6.92	7.14	362	09	262	44	168	09			7.4	2.9					
02-12-23	6.98	7.15	350	10	252	42	173	08			8.1	3.3	3x10 ⁶	95			
03-12-23	7.02	7.31	342	9	246	44	162	09			8.5	3.9					
04-12-23	7.04	7.19	346	8	276	42	192	09			7.9	2.4					
05-12-23	7.05	7.18	342	9	262	42	166	09			8.2	3.7					
06-12-23	7.02	7.22	392	09	282	44	196	10			7.7	2.9					
07-12-23	6.94	7.02	388	10	276	40	184	09			7.1	2.6	3x10 ⁶	87			
08-12-23	6.95	7.10	368	09	280	42	204	09			7.2	2.5					
09-12-23	6.97	7.12	356	09	264	44	176	09			7.4	2.7					
10-12-23	7.02	7.13	342	09	274	40	162	10			6.8	2.5					
11-12-23	7.12	7.16	392	10	266	42	170	10			6.9	2.1	4x10 ⁶	92			
12-12-23	6.90	7.06	384	10	244	40	182	10			7.2	2.0					
13-12-23	6.97	7.10	360	10	260	44	196	10			6.8	1.8					
14-12-23	7.12	7.22	322	09	288	46	208	09			7.7	1.9					
15-12-23	7.10	7.19	390	09	260	40	200	09			6.2	2.7					
16-12-23	6.91	7.09	324	08	246	40	164	10			6.1	2.4					
17-12-23	6.97	7.05	344	08	294	42	192	10			6.4	2.5	3x10 ⁶	84			
18-12-23	7.12	7.18	356	08	280	44	184	10			7.1	2.6					
19-12-23	7.13	7.22	356	08	262	42	186	9			6.8	2.7					
20-12-23	7.14	7.24	366	09	274	40	178	8			7.0	2.0					
21-12-23	6.87	7.21	410	8	282	44	208	10			8.4	3.4					
22-12-23	6.91	7.10	362	11	264	42	196	10			8.1	2.6					
23-12-23	7.0	7.18	350	9	244	46	184	9			7.2	2.5					
24-12-23	6.9	7.20	366	9	280	44	176	9			6.1	2.0					
25-12-23	7.02	7.13	342	09	274	40	204	8			7.7	2.6					
26-12-23	6.87	7.21	418	8	282	44	182	8			6.8	2.5					
27-12-23	7.02	7.13	342	09	274	40	164	09			7.2	2.0					
28-12-23	7.12	7.10	362	10	260	46	200	09			7.4	2.1					
29-12-23	6.9	7.21	356	10	244	44	182	10			7.7	2.5					
30-12-23	6.91	7.22	368	8	260	42	186	10			7.2	2.6					
31-12-23	7.02	7.10	392	8	280	44	178	10			7.8	2.9					

(Signature)
(JRW)

कॉन्स्ट्रक्शन
नगर निगम बीकानेर

2008

NAME OF PROJECT

NAME OF FIRM

NAME OF CLIENT

DG BOOK FOR

Providing, laying, jointing, testing and commissioning of sewer system and all ancillary works along with Design, construction, supply, installation, testing and commissioning (Civil, Mechanical, electrical, instrumentation & other necessary works) of SPS, one 20 MLD STP based on SBR Process and up gradation of existing STPs of 12 MLD and 20 MLD with provision for treated waste water reuse including 1 year defect liability and there after 10 years O&M.

ENVIRO INFRA ENGINEERS PVT LTD

12 MLD STP- MUNICIPAL CORPORATION BIKANER

INTERNAL LABORATORY RECORD FOR THE MONTH OF - Jan- 2024

DATE	PH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EIEPL SIGN	DEPTT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
1/1/2024	7.04	7.21	342	9	248	42	162	09									
2/1/2024	6.98	7.18	288	9	282	40	170	09			8.4	3.9	3x10 ⁶	87			
3/1/2024	6.97	7.13	356	8	274	44	204	08			7.9	3.4					
4/1/2024	7.02	7.20	368	10	276	42	182	10			7.7	2.5					
5/1/2024	6.90	7.21	342	10	246	46	196	10			7.1	2.1	3x10 ⁶	36			
6/1/2024	7.04	7.09	322	8	266	40	190	09			6.1	1.8					
7/1/2024	7.02	7.18	390	8	244	42	170	10			8.7	2.4					
8/1/2024	6.92	7.00	384	7	290	44	162	09			8.2	8.7					
9/1/2024	7.01	7.12	342	10	274	40					6.8	2.0	4x10 ⁶	92			
10/1/2024	6.91	7.10	350	9	294	46					8.4	3.4					
11/1/2024	6.98	7.18	368	8	262	42					7.8	2.6					
											7.4	2.9					

(Signature)
 (Date)

कॉन्सल्ट आभयन्ता
 नगर निगम बीकानेर

STP 40 MLD at Bikaner

Providing, laying, jointing, testing and commissioning of STP system including supply, installation, testing and commissioning (Civil, Mechanical, electrical, instrumentation & other necessary works) of STP, one 20 MLD STP based on SBR Process and up gradation of existing STPs of 12 MLD and 20 MLD with provision for treated waste water reuse including 1 year defect liability and there after 10 years O&M.

ENVIRO INFRA ENGINEERS PVT LTD

40 MLD STP- MUNICIPAL CORPORATION BIKANER

INTERNAL LABORATORY RECORD FOR THE MONTH OF - Dec.-2023

LOG BOOK FOR			WATER QUALITY LABORATORY RECORD FOR THE MONTH OF - Dec.-2023															
DATE	PH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EHEC SIGN	DEPTH SIGN	REMARKS	
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET				
01-12-2023	6.93	7.15	364	07	276	44	138	10			8.1	3.7						
02-12-2023	7.03	7.19	372	10	262	42	192	07			8.4	3.9	3x10 ⁷	76				
03-12-2023	7.00	7.14	382	07	256	40	185	10			8.1	3.9						
04-12-2023	6.95	7.10	356	08	268	38	194	07			8.5	3.2						
05-12-2023	6.90	7.03	382	09	284	40	206	10			7.8	3.0						
06-12-2023	6.96	7.06	362	08	268	40	188	07			7.7	3.2	3x10 ⁶	87				
07-12-2023	6.95	6.97	354	07	276	42	176	10			8.4	4.1						
08-12-2023	6.90	6.99	340	07	262	42	184	07			8.0	4.3	3x10 ⁷	76				
09-12-2023	6.96	7.07	358	07	278	44	180	07			8.5	4.4						
10-12-2023	7.00	7.17	364	10	272	44	190	07			8.1	4.3						
11-12-2023	6.95	7.04	372	10	274	42	202	10			8.2	4.7	4x10 ⁷	85				
12-12-2023	6.97	7.12	352	07	266	40	210	07			8.4	4.5						
13-12-2023	7.04	7.15	340	07	258	40	186	10			8.5	4.4						
14-12-2023	6.94	7.16	328	07	262	42	194	10			8.1	4.2						
15-12-2023	6.90	7.20	342	10	274	44	190	10			8.3	4.2	5x10 ⁷	93				
16-12-2023	6.97	7.22	358	07	252	40	182	10			7.7	4.0						
17-12-2023	6.86	7.24	344	10	264	42	190	07			7.9	4.3	3x10 ⁷	84				
18-12-2023	6.92	7.10	322	10	272	40	204	10			7.6	4.1						
19-12-2023	6.90	7.12	350	10	256	40	190	07			7.4	4.0						
20-12-2023	6.87	7.04	368	07	272	44	182	10			8.2	4.2	4x10 ⁶	92				
21-12-2023	6.91	7.07	354	10	254	42	172	10			9.1	5.7						
22-12-2023	6.92	7.13	340	07	240	40	186	07			8.5	4.8						
23-12-2023	6.98	7.12	360	10	262	44	192	10			9.1	5.3						
24-12-2023	7.03	7.16	374	07	276	42	182	07			9.4	5.7						
25-12-2023	6.94	7.04	394	10	268	44	190	10			8.5	5.1	4x10 ⁶	86				
26-12-2023	6.87	7.02	382	7	292	48	176	7			8.4	4.7						
27-12-2023	6.92	7.06	390	7	258	48	182	7			8.2	4.7						
28-12-2023	6.99	7.10	374	10	262	48	190	7			8.4	5.2						
29-12-2023	7.03	3.06	382	7	270	48	176	10			9.1	4.6						
30-12-2023	7.04	7.11	390	7	268	42	205	9			8.4	4.1						
31-12-2023	7.02	7.03	356	7	230	42	190	10										

Pahaly
(JEN)

कोनकट अभियन्ता
नगर निगम बीकानेर

2010

Providing, laying, jointing, testing and commissioning of sewer system and all ancillary works along with Design, construction, supply, installation, testing and commissioning (Civil, Mechanical, electrical, instrumentation & other necessary works) of SPS, one 20 MLD STP based on SBR Process and up gradation of existing STPs of 12 MLD and 20 MLD with provision for treated waste water reuse including 1 year defect liability and there after 10 years O&M.

NAME OF PROJECT: 40 MLD STP- MUNICIPAL CORPORATION BIKANER
 NAME OF FIRM: ENVIRO INFRA ENGINEERS PVT LTD
 NAME OF CLIENT: 40 MLD STP- MUNICIPAL CORPORATION BIKANER
 NO. BOOK FOR: INTERNAL LABORATORY RECORD FOR THE MONTH OF - JAN. 2024

DATE	PH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EXPL SIGN	DEPT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
01-01-2024	6.77	7.43	352	10	260	42	172	10			9.2	5.3	3x10 ⁶	95			
02-01-2024	6.90	7.06	350	9	252	42	204	7			8.3	5.1					
03-01-2024	6.95	7.13	373	9	244	40	216	8			8.3	4.7					
04-01-2024	6.90	7.40	368	10	258	42	188	10			8.7	4.8					
05-01-2024	6.8	7.4	340	9	264	40	205	9			8.9	3.9	3x10 ⁶	82			
06-01-2024	7.0	7.2	312	8	280	48	180	10			7.6	5.2					
07-01-2024	6.98	7.0	350	9	304	38	205	8			8.2	4.4					
08-01-2024	7.2	7.2	384	10	290	42	215	9			9.3	3.6	3x10 ⁶	94			
09-01-2024	7.1	7.4	314	11	305	40					8.5	4.2					
10-01-2024	6.9	7.2	300	9	292	34					9.6	4.6					

P. Choudhary
(JEN)

कांतेष्ठ अभियन्ता
नगर निगम बीकानेर

2011

December-2011

Raw sewage water

Unit

Date	pH	Temp	DO	BOD	COD	TSS	Total nitrogen	Total phosphorus	Total suspended
01/12/11	8.73	28.8°C	3.0%	32.85	158.84	83.77	4.34	2.61	476
02/12/11	6.84	28.1°C	3.0%	30.42	176.88	105.85	4.85	3.84	435
03/12/11	6.75	28.5°C	3.1%	35.83	185.46	108.75	4.70	3.50	487
04/12/11	6.42	28.9°C	3.1%	76.20	168.55	100.15	5.11	3.82	519
05/12/11	7.14	28.6°C	3.1%	82.32	160.15	105.20	5.34	3.75	525
06/12/11	7.28	28.8°C	3.1%	90.85	155.78	100.90	5.71	3.60	508
07/12/11	7.10	28.6°C	3.1%	70.69	170.79	110.75	5.40	3.88	578
08/12/11	6.55	28.7°C	3.1%	75.40	140.70	88.20	5.88	3.55	550
09/12/11	6.83	28.6°C	3.1%	73.74	155.60	95.85	5.10	3.65	518
10/12/11	6.68	28.7°C	3.1%	56.85	170.65	121.76	5.80	3.90	570
11/12/11	6.77	28.7°C	3.1%	36.80	183.78	125.30	5.72	3.45	545
12/12/11	6.38	28.5°C	3.1%	90.75	180.83	100.65	5.50	3.65	538
13/12/11	7.25	28.6°C	3.1%	80.60	175.32	118.20	5.23	3.80	475
14/12/11	7.12	28.4°C	3.1%	76.85	162.10	105.76	5.52	3.72	492
15/12/11	6.83	28.7°C	3.1%	82.32	170.65	110.30	5.78	4.10	530
16/12/11	6.53	28.4°C	3.1%	89.10	178.83	116.76	5.82	4.40	577
17/12/11	6.85	28.5°C	3.1%	30.15	140.35	105.35	6.16	5.10	612
18/12/11	6.25	28.3°C	3.1%	36.84	186.14	126.66	6.25	5.64	675
19/12/11	5.80	28.7°C	3.1%	79.50	172.22	116.48	6.77	5.82	644
20/12/11	5.12	28.1°C	3.0%	82.55	165.30	105.65	6.15	5.52	660
21/12/11	5.77	28.8°C	3.0%	36.83	186.80	126.84	7.26	6.11	720
22/12/11	5.82	27.6°C	3.0%	102.12	190.12	123.46	7.12	6.32	692
23/12/11	6.88	28.2°C	3.0%	63.83	170.15	114.76	7.04	5.80	586
24/12/11	6.42	28.3°C	3.0%	76.80	175.13	116.82	6.62	5.75	530
25/12/11	5.32	28.1°C	3.0%	73.72	110.84	108.72	6.48	6.10	595
26/12/11	6.28	28.1°C	3.0%	84.42	180.87	102.82	6.18	6.25	545
27/12/11	6.72	28.7°C	3.0%	30.30	162.40	104.80	5.77	6.38	520
28/12/11	6.55	28.2°C	3.0%	82.15	172.86	103.81	5.50	5.20	516
29/12/11	6.77	25.1°C	3.0%	82.23	180.80	111.72	5.82	5.35	486
30/12/11	5.84	28.1°C	3.0%	76.23	156.42	96.70	5.30	4.30	454

December-2011

Treated sewage water

Unit

Date	pH	Temp	DO	BOD	COD	TSS	Total nitrogen	Total phosphorus	Total suspended	Ammonia	Organic	Hardness
01/12/11	7.65	28.1°C	5.7%	33.16	10.78	3.56	0.81	166	Ammonia			
02/12/11	7.57	28.0°C	5.7%	30.10	2.38	2.50	0.71	172	Ammonia			
03/12/11	7.62	27.6°C	5.8%	35.41	10.15	3.75	0.65	187	Ammonia			
04/12/11	7.55	28.1°C	6.4%	30.15	12.48	3.88	0.54	205	Ammonia	1.5		
05/12/11	7.41	28.1°C	5.3%	30.80	10.78	3.70	0.50	180	Ammonia			
06/12/11	7.72	28.1°C	5.4%	35.70	13.85	3.60	0.53	175	Ammonia			
07/12/11	7.62	27.5°C	6.7%	32.55	12.10	3.85	0.75	202	Ammonia			
08/12/11	7.53	28.2°C	4.3%	26.80	9.84	3.82	0.85	208	Ammonia			
09/12/11	7.62	28.0°C	5.5%	30.38	10.12	3.90	0.49	177	Ammonia			
10/12/11	7.53	28.1°C	5.1%	33.70	11.76	3.75	0.80	185	Ammonia			
11/12/11	7.61	28.0°C	5.7%	35.60	12.25	3.54	0.73	168	Ammonia			
12/12/11	7.59	27.8°C	5.1%	38.45	10.70	3.18	0.55	188	Ammonia			
13/12/11	7.70	27.8°C	7.1%	32.43	10.35	3.35	0.77	152	Ammonia			
14/12/11	7.68	27.5°C	5.7%	30.10	9.12	3.72	0.63	196	Ammonia	0.5		
15/12/11	7.72	27.8°C	4.3%	33.57	9.70	3.95	0.85	208	Ammonia			
16/12/11	7.50	27.2°C	5.1%	35.45	12.30	3.80	0.72	217	Ammonia			
17/12/11	7.62	27.5°C	5.6%	24.50	10.50	4.20	0.65	222	Ammonia			
18/12/11	7.74	25.1°C	8.7%	37.28	12.60	4.65	0.73	203	Ammonia			
19/12/11	7.36	26.1°C	6.4%	35.52	11.20	4.72	0.72	202	Ammonia			
20/12/11	7.15	26.3°C	8.6%	38.50	11.57	5.11	0.80	215	Ammonia			
21/12/11	7.31	25.6°C	8.2%	37.03	15.25	5.87	0.96	228	Ammonia			
22/12/11	7.09	24.1°C	8.7%	35.34	16.66	5.52	0.89	232	Ammonia	1.5		
23/12/11	7.10	24.1°C	8.1%	74.52	11.30	5.17	0.58	208	Ammonia			
24/12/11	7.30	24.7°C	8.4%	30.03	12.21	4.72	0.94	183	Ammonia			
25/12/11	7.11	27.5°C	7.1%	31.57	11.76	4.54	0.81	162	Ammonia			
26/12/11	7.72	26.1°C	6.4%	30.38	10.70	4.66	0.88	175	Ammonia			
27/12/11	7.80	26.2°C	5.4%	38.22	11.16	4.30	0.80	164	Ammonia			
28/12/11	7.59	25.8°C	6.1%	33.41	12.23	4.15	0.76	158	Ammonia			
29/12/11	7.54	26.0°C	4.8%	30.40	10.30	4.02	0.76	139	Ammonia	1.5		
30/12/11	7.31	25.1°C	4.7%	30.40	9.83	4.38	0.52	170	Ammonia			

सहायक अभियन्ता
नगर परिषद, कुन्ती

2012

STP 3 MLD at Chittorgarh



OZONE TEST HOUSE

ISO 9001: 2015, 45001:2018 Certified Environmental, Chemical & Biological Testing Laboratory

Report No. 20231212004

Date- 18.12.2023

TEST REPORT (MICROBIOLOGY)

1. Name of Customer : Executive Engineer,
Nager Parishad, Chittorgarh
2. Purchase Order No. : -----
3. Condition of sample : Sealed / ok
4. Name of Sample : 3 MLD WWTP, Near Abhimanyu Park , Chittorgarh
5. Sampling done by : Sampling done by customer
6. Sample Received on : 12.12.2023
7. Period of Testing : 13.12.2023 to 18.12.2023
8. Environmental conditions : 25°C / 55% RH
9. Sampling method : Sampling done by customer

Test Result

S. No.	Parameters	Test Method Reference	Unit	Test Results
1.	Faecal Coliforms	IS 1622:1981	MPN/100 ml	79

Tested By


(Lalit Menariya)

OZONE TEST HOUSE
(Chemical & Microbiological Laboratory)
18, Meera Nagar, Dhikali Road,
Pratap Nagar, UDAIPUR (Raj.)

Authorized Signatory


(Dr. Dinesh Kumar Kumawat)

----- END OF THE REPORT -----

2013

STP 2 MLD at Chittorgarh



OZONE TEST HOUSE

ISO 9001: 2015, 45001:2018 Certified Environmental, Chemical & Biological Testing Laboratory

Report No. 20231212003

Date- 18.12.2023

TEST REPORT (MICROBIOLOGY)

1. Name of Customer : Executive Engineer,
Nager Parishad, Chittorgarh
2. Purchase Order No. : -----
3. Condition of sample : Sealed / ok
4. Name of Sample : 2 MLD STP, Near Abhimanyu Park , Chittorgarh
5. Sampling done by : Sampling done by customer
6. Sample Received on : 12.12.2023
7. Period of Testing : 13.12.2023 to 18.12.2023
8. Environmental conditions : 25°C / 55% RH
9. Sampling method : Sampling done by customer

Test Result

S. No.	Parameters	Test Method Reference	Unit	Test Results
1.	Faecal Coliforms	IS 1622:1981	MPN/100 ml	70

Tested By


(Lalit Menariya)

OZONE TEST HOUSE
(Chemical & Microbiological Laboratory)
18, Meera Nagar, Dhikali Road,
Pratap Nagar, UDAIPUR (Raj.)

Authorized Signatory


(Dr. Dinesh Kumar Kumawat)

----- END OF THE REPORT -----

2014

STP 1 MLD at Chittorgarh



OZONE TEST HOUSE

ISO 9001: 2015, 45001:2018 Certified Environmental, Chemical & Biological Testing Laboratory

Report No. 20231212002

Date- 18.12.2023

TEST REPORT (MICROBIOLOGY)

1. Name of Customer : Executive Engineer,
Nager Parishad, Chittorgarh
2. Purchase Order No. : -----
3. Condition of sample : Sealed / ok
4. Name of Sample : 1 MLD STP, C.M Aawas Yojna, Gandhi Nager ,Chittorgarh
5. Sampling done by : Sampling done by customer
6. Sample Received on : 12.12.2023
7. Period of Testing : 13.12.2023 to 18.12.2023
8. Environmental conditions : 25°C / 55% RH
9. Sampling method : Sampling done by customer

Test Result

S. No.	Parameters	Test Method Reference	Unit	Test Results
1.	Faecal Coliforms	IS 1622:1981	MPN/100 ml	63

Tested By


(Lalit Menariya)

OZONE TEST HOUSE
(Chemical & Microbiological Laboratory)
18, Meera Nagar, Dhikali Road,
Pratap Nagar, UDAIPUR (Raj.)

Authorized Signatory


(Dr. Dinesh Kumar Kumawat)

----- END OF THE REPORT -----

2015

STP 5 MLD at Chittorgarh



OZONE TEST HOUSE

ISO 9001: 2015, 45001:2018 Certified Environmental, Chemical & Biological Testing Laboratory

Report No. 20240114001

Date- 19.01.2024

TEST REPORT
(MICROBIOLOGY)

1. Name of Customer : Dynamic Elepower Pvt. Ltd.,
Bhilwara
2. Purchase Order No. : _____
3. Condition of sample : Sealed / ok
4. Name of Sample : 5 MLD STP , Bhoikhera, Chittorgarh
5. Sampling done by : Sampling done by customer
6. Sample Received on : 14.01.2024
7. Period of Testing : 14.01.2024 to 19.01.2024
8. Environmental conditions : 25°C / 55% RH
9. Sampling method : Sampling done by customer

Test Result

S. No.	Parameters	Test Method Reference	Unit	Test Results
1.	Faecal Coliforms	IS 1622:1981	MPN/100 ml	63

Tested By

(Nisha Dadheech)

OZONE TEST HOUSE
Chemical & Microbiological Laboratory)
11, Meera Nagar, Dhikali Road,
Meera Nagar, UDAIPUR (Raj.)

Authorized Signatory

(Dr. Dinesh Kumar Kumawat)

----- END OF THE REPORT -----



2016 OZONE TEST HOUSE

ISO 9001: 2015, 45001:2018 Certified Environmental, Chemical & Biological Testing Laboratory

Report No. 20231212001

Date- 18.12.2023

TEST REPORT (MICROBIOLOGY)

1. Name of Customer : Dynamic Elepower Pvt. Ltd.,
Bhilwara
2. Purchase Order No. : _____
3. Condition of sample : Sealed / ok
4. Name of Sample : 5 MLD STP , Bhoikhera, Chittorgarh
5. Sampling done by : Sampling done by customer
6. Sample Received on : 12.12.2023
7. Period of Testing : 13.12.2023 to 18.12.2023
8. Environmental conditions : 25°C / 55% RH
9. Sampling method : Sampling done by customer

Test Result

S. No.	Parameters	Test Method Reference	Unit	Test Results
1.	Faecal Coliforms	IS 1622:1981	MPN/100 ml	79

Tested By

Lalit
(Lalit Menariya)

OZONE TEST HOUSE
(Chemical & Microbiological Laboratory)
18, Meera Nagar, Dhikali Road,
Pratap Nagar, UDAIPUR (Raj.)

Authorized Signatory

Dr. Dinesh Kumar Kumawat
(Dr. Dinesh Kumar Kumawat)

----- END OF THE REPORT -----

STP 12MLD at Churu

MONTH: OCTOBER

YEAR: 2023

Parameter at Interchamber

classmate

Date

Page

Date	Temp ^o C	pH	BOD	CoD	TSS	Tor	TP	EC
01/10/23	-							
02/10/23	31 ^o C	7.78	126.00	280.00	286.00	27.00	1.58	260
03/10/23	31 ^o C	7.77	127.00	280.00	280.00	24.00	1.98	420
04/10/23	30 ^o C	7.73	106.00	338.00	296.00	23.00	1.80	360
05/10/23	32 ^o C	7.46	118.00	316.00	260.00	27.00	1.68	400
06/10/23	30 ^o C	7.52	108.00	306.00	272.00	26.00	1.56	360
07/10/23	33 ^o C	7.16	174.00	330.00	264.00	23.00	1.67	340
08/10/23	-							
09/10/23	30 ^o C	7.72	104.00	373.00	276.00	27.00	1.60	420
10/10/23	32 ^o C	7.30	178.00	336.00	286.00	28.00	1.76	500
11/10/23	30 ^o C	7.26	94.00	240.00	190.00	23.00	1.80	480
12/10/23	33 ^o C	7.36	96.00	276.00	260.00	26.00	1.60	460
13/10/23	30 ^o C	7.72	102.00	206.00	196.00	23.00	1.72	400
14/10/23	32 ^o C	7.29	114.00	312.00	330.00	26.00	1.62	360
15/10/23								
16/10/23	33 ^o C	7.46	106.00	306.00	206.00	23.00	1.64	420
17/10/23	32 ^o C	7.48	118.00	370.00	294.00	27.00	1.76	400
18/10/23	32 ^o C	7.17	116.00	248.00	312.00	23.00	1.67	380
19/10/23	34 ^o C	7.47	106.00	208.00	206.00	27.00	1.56	360
20/10/23	30 ^o C	7.69	120.00	370.00	280.00	23.00	1.72	490
21/10/23	31 ^o C	7.34	124.00	296.00	280.00	26.00	1.86	330
22/10/23								
23/10/23	29 ^o C	7.22	110.00	212.00	278.00	22.00	1.36	440
24/10/23	32 ^o C	7.69	108.00	240.00	304.00	27.00	1.64	390
25/10/23	32 ^o C	7.38	104.00	280.00	216.00	22.00	1.80	390
26/10/23	32 ^o C	7.60	120.00	296.00	272.00	23.00	1.32	360
27/10/23	30 ^o C	7.24	102.00	276.00	334.00	27.00	1.67	340
28/10/23	33 ^o C	7.30	104.00	308.00	216.00	26.00	1.66	370
29/10/23								
30/10/23	29 ^o C	7.37	116.00	324.00	288.00	29.00	1.76	2.90

Treated water parameters

classmate

Date

Page

Date	Temp ^o C	pH	BOD	CoD	TSS	Tor	TP	EC
01/10/23	-							
02/10/23	27 ^o C	7.38	18.00	44.00	6.00	3.00	0.61	80
03/10/23	31 ^o C	7.86	7.00	48.00	6.80	2.90	0.72	85
04/10/23	32 ^o C	7.86	0.00	40.00	7.26	3.00	0.82	70
05/10/23	32 ^o C	7.76	7.00	36.00	7.00	3.40	0.72	75
06/10/23	32 ^o C	7.66	6.00	40.00	6.00	3.00	0.66	70
07/10/23	34 ^o C	7.88	7.00	44.00	7.00	2.76	0.56	75
08/10/23								
09/10/23	32 ^o C	7.76	7.00	22.00	6.00	3.00	0.77	80
10/10/23	32 ^o C	7.86	6.00	36.00	9.00	2.72	0.77	85
11/10/23	30 ^o C	7.69	8.00	48.00	8.00	3.00	0.66	70
12/10/23	30 ^o C	7.88	9.00	44.00	8.06	2.50	0.80	70
13/10/23	34 ^o C	7.36	7.00	40.00	6.76	2.08	0.62	85
14/10/23	32 ^o C	7.29	6.00	32.00	7.00	3.06	0.74	80
15/10/23								
16/10/23	33 ^o C	7.73	8.00	46.00	6.00	2.78	0.72	75
17/10/23	33 ^o C	7.83	7.00	48.00	6.36	3.00	0.84	80
18/10/23	30 ^o C	7.90	9.00	32.00	7.00	2.00	0.96	85
19/10/23	29 ^o C	7.89	6.00	36.00	8.00	2.00	0.84	80
20/10/23	31 ^o C	7.66	6.00	40.00	9.00	2.76	0.72	80
21/10/23	32 ^o C	7.80	6.00	44.00	8.00	2.74	0.88	85
22/10/23								
23/10/23	30 ^o C	7.83	7.00	40.00	6.76	2.18	0.72	70
24/10/23	29 ^o C	7.60	7.00	36.00	6.00	2.96	0.70	75
25/10/23	33 ^o C	7.96	8.00	44.00	8.00	2.00	0.80	70
26/10/23	32 ^o C	7.40	9.00	48.00	7.00	2.74	0.61	80
27/10/23	33 ^o C	7.56	6.00	48.00	7.32	3.00	0.72	85
28/10/23	35 ^o C	7.93	8.00	40.00	6.00	2.86	0.68	70
29/10/23								
30/10/23	32 ^o C	7.76	7.00	44.00	7.00	3.00	0.72	80

Nov 11/23 - Nov 11/23

456789 2422

perimeter at winter chamber

classmate

2018

Date
Page

Treated water perimeter

classmate

Date
Page

Date	Temp: C	pH	DO	CO ₂	TSS	Tm	Tp	fc
01/11/23	24°C	7.43	114.00	318.00	276.00	25.00	1.48	390
02/11/23	26°C	7.23	108.00	340.00	280.00	22.00	1.64	280
03/11/23	29°C	7.29	118.00	280.00	294.00	27.00	1.52	440
04/11/23	24°C	7.39	112.00	294.00	316.00	22.00	1.32	360
05/11/23								
06/11/23	27°C	7.19	106.00	312.00	344.00	27.00	1.52	460
07/11/23	26°C	7.63	136.00	290.00	374.00	25.00	1.62	390
08/11/23	24°C	7.54	122.00	314.00	360.00	27.00	1.96	400
09/11/23	26°C	7.72	120.00	320.00	272.00	21.00	1.62	340
10/11/23	28°C	7.49	106.00	346.00	284.00	23.00	1.56	400
11/11/23	27°C	7.88	136.00	298.00	306.00	26.00	1.32	360
12/11/23								
13/11/23	24°C	7.27	108.00	308.00	336.00	23.00	1.56	320
14/11/23	25°C	7.23	112.00	340.00	266.00	25.00	1.34	420
15/11/23	27°C	7.73	108.00	324.00	287.00	27.00	1.62	240
16/11/23	25°C	7.34	112.00	340.00	246.00	27.00	1.52	290
17/11/23	27°C	7.67	136.00	307.00	296.00	23.00	1.34	310
18/11/23	29°C	7.14	106.00	316.00	256.00	27.00	1.52	360
19/11/23								
20/11/23	28°C	7.23	116.00	320.00	246.00	23.00	1.34	440
21/11/23	24°C	7.29	102.00	360.00	298.00	24.00	2.38	380
22/11/23	26°C	7.29	116.00	312.00	284.00	27.00	1.52	320
23/11/23	25°C	7.26	104.00	340.00	298.00	23.00	1.62	300
24/11/23	23°C	7.31	124.00	332.00	318.00	26.00	1.32	410
25/11/23	26°C	7.62	107.00	346.00	272.00	23.00	1.62	330
26/11/23								
27/11/23	25°C	7.39	104.00	346.00	292.00	24.00	1.58	440
28/11/23	22°C	7.38	124.00	298.00	302.00	24.00	2.06	360
29/11/23	22°C	7.29	102.00	308.00	298.00	24.00	2.82	420
30/11/23	26°C	7.43	112.00	316.00	306.00	23.00	1.62	380

Date	Temp: C	pH	DO	CO ₂	TSS	Tm	Tp	fc
01/11/23	28°C	7.84	8.00	44.00	8.00	3.00	0.64	85
02/11/23	27°C	7.73	7.00	40.00	6.00	2.70	0.76	70
03/11/23	30°C	7.76	7.00	48.00	6.00	3.00	0.74	75
04/11/23	25°C	7.92	7.00	36.00	7.00	2.86	0.82	70
05/11/23								
06/11/23	28°C	7.80	6.00	40.00	6.00	3.00	0.62	70
07/11/23	27°C	7.63	7.00	44.00	6.22	2.32	0.72	80
08/11/23	25°C	7.82	6.00	48.00	5.40	3.00	0.62	75
09/11/23	27°C	7.90	7.00	40.00	6.16	2.76	0.74	80
10/11/23	29°C	7.83	8.00	48.00	6.00	3.00	0.82	75
11/11/23	28°C	7.62	7.00	44.00	5.00	2.72	0.66	70
12/11/23								
13/11/23	30°C	7.73	8.00	36.00	6.36	3.00	0.82	80
14/11/23	26°C	7.73	7.00	40.00	7.06	2.76	0.72	70
15/11/23	28°C	7.93	6.00	32.00	4.72	3.00	0.62	85
16/11/23	27°C	7.79	8.00	36.00	5.72	2.86	0.82	80
17/11/23	28°C	7.83	7.00	40.00	6.00	3.00	0.74	85
18/11/23	30°C	7.90	8.00	44.00	7.36	2.72	0.64	80
19/11/23								
20/11/23	24°C	7.34	7.00	18.00	6.32	3.00	0.74	75
21/11/23	25°C	7.96	6.00	32.00	6.00	2.72	0.68	80
22/11/23	27°C	7.80	7.00	36.00	6.72	3.00	0.72	85
23/11/23	26°C	7.73	6.00	32.00	7.00	2.76	0.88	70
24/11/23	25°C	7.82	8.00	40.00	9.00	2.44	0.72	85
25/11/23	27°C	7.92	6.00	44.00	6.72	2.92	0.68	70
26/11/23								
27/11/23	26°C	7.84	6.00	36.00	5.16	3.00	0.62	80
28/11/23	28°C	7.47	8.00	40.00	7.22	2.92	0.82	70
29/11/23	25°C	7.33	7.00	44.00	6.00	3.00	0.72	80
30/11/23	27°C	7.69	6.00	36.00	6.72	2.76	0.86	75

MONTH :- DECEMBER
YEAR :- 2023

Parameters at interchrom

2019

P-119

Treated water parameters

Date	Temp °C	pH	CO ₂	BOD	TSS	Tm	Tp	fc
01-12-23	23°C	7.23	320.00	112.00	296.00	25.00	1.86	940
02-12-23	25°C	7.16	304.00	107.00	282.00	23.00	1.58	380
03-12-23	22°C	7.27	280.00	146.00	272.00	21.00	1.36	440
04-12-23	24°C	7.37	310.00	112.00	316.00	27.00	1.66	400
05-12-23	26°C	7.18	296.00	104.00	292.00	23.00	1.80	340
06-12-23	22°C	7.29	342.00	112.00	308.00	26.00	1.52	410
07-12-23	24°C	7.22	310.00	106.00	296.00	24.00	1.32	380
08-12-23	26°C	7.13	298.00	118.00	306.00	27.00	1.67	400
09-12-23	23°C	7.24	276.00	98.00	274.00	21.00	1.62	380
10-12-23								
11-12-23	21°C	7.13	286.00	112.00	262.00	24.00	1.52	420
12-12-23	22°C	7.29	342.00	106.00	312.00	22.00	1.62	280
13-12-23	22°C	7.49	292.00	112.00	252.00	26.00	1.64	420
14-12-23	25°C	7.19	324.00	116.00	284.00	27.00	1.42	320
15-12-23	23°C	7.24	312.00	102.00	292.00	23.00	1.54	360
16-12-23	25°C	7.43	292.00	116.00	288.00	25.00	1.42	320
17-12-23								
18-12-23	26°C	7.19	310.00	106.00	310.00	28.00	1.68	380
19-12-23	22°C	7.32	298.00	142.00	278.00	25.00	1.42	440
20-12-23	25°C	7.19	316.00	134.00	290.00	21.00	1.32	400
21-12-23	22°C	7.14	290.00	122.00	286.00	23.00	1.42	380
22-12-23	25°C	7.27	312.00	104.00	306.00	27.00	1.52	400
23-12-23	22°C	7.16	276.00	122.00	284.00	22.00	1.62	220
24-12-23								
25-12-23	23°C	7.27	292.00	112.00	298.00	24.00	1.52	320
26-12-23	25°C	7.29	314.00	102.00	308.00	25.00	1.36	420
27-12-23	22°C	7.28	296.00	122.00	296.00	21.00	1.44	380
28-12-23	26°C	7.16	286.00	136.00	292.00	24.00	1.80	340
29-12-23	24°C	7.19	314.00	148.00	306.00	26.00	1.66	400
30-12-23	25°C	7.37	318.00	102.00	316.00	21.00	1.86	420
31-12-23	23°C							

Date	Temp °C	pH	CO ₂	BOD	TSS	Tm	Tp	fc
01-12-23	23°C	7.69	48.00	8.00	4.26	3.12	0.82	75
02-12-23	26°C	7.67	44.00	6.00	6.14	2.92	0.68	70
03-12-23	24°C	7.87	40.00	7.00	5.06	3.00	0.70	75
04-12-23	25°C	7.78	40.00	6.00	6.17	2.92	0.84	80
05-12-23	22°C	7.82	44.00	7.00	7.46	3.00	0.66	70
06-12-23	24°C	7.89	36.00	6.00	5.12	3.12	0.72	80
07-12-23	25°C	7.66	40.00	6.00	6.12	3.00	0.82	70
08-12-23	27°C	7.82	36.00	8.00	7.08	2.72	0.66	80
09-12-23	25°C	7.68	44.00	7.00	6.34	3.08	0.72	70
10-12-23								
11-12-23	22°C	7.43	40.00	6.00	5.24	2.12	0.52	80
12-12-23	24°C	7.64	36.00	7.00	5.12	3.42	0.68	75
13-12-23	24°C	7.53	48.00	7.00	6.32	2.76	0.72	70
14-12-23	22°C	7.49	44.00	6.00	7.32	3.12	0.84	80
15-12-23	26°C	7.63	36.00	7.00	6.12	2.46	0.72	75
16-12-23	24°C	7.72	40.00	6.00	5.14	2.96	0.78	80
17-12-23								
18-12-23	27°C	7.86	44.00	6.00	6.12	3.00	0.84	70
19-12-23	24°C	7.97	40.00	7.00	6.82	2.92	0.72	75
20-12-23	26°C	7.39	36.00	6.00	7.00	3.12	0.84	80
21-12-23	24°C	7.42	40.00	7.00	5.34	3.00	0.82	70
22-12-23	27°C	7.87	36.00	6.00	7.00	2.92	0.84	75
23-12-23	24°C	7.44	44.00	7.00	6.42	3.00	0.66	80
24-12-23								
25-12-23	25°C	7.32	40.00	6.00	7.08	2.96	0.66	70
26-12-23	26°C	7.73	36.00	6.00	5.70	3.00	0.41	75
27-12-23	24°C	7.67	44.00	8.00	6.32	3.12	0.66	80
28-12-23	26°C	7.82	36.00	7.00	6.12	2.76	0.68	70
29-12-23	25°C	7.80	40.00	6.00	7.32	2.96	0.84	75
30-12-23	24°C	7.69	48.00	6.00	5.14	3.00	0.72	80
31-12-23								

2020

MONTH:- DECEMBER
YEAR:- 2023

Parammeter at winter-chem

STP 2.5 MLD at Churu

Date	Temp °C	pH	CaD	BaD	TSS	Tm	TP	FC
01-12-23	24°C	7.17	306.00	136.00	262.00	74.00	1.62	4.60
02-12-23	26°C	7.2	312.00	140.00	270.00	75.00	1.62	4.60
03-12-23	23°C	7.23	276.00	117.00	270.00	71.00	1.58	3.80
04-12-23	25°C	7.13	290.00	126.00	256.00	73.00	1.87	4.20
05-12-23	22°C	7.23	308.00	118.00	296.00	77.00	1.36	4.20
06-12-23	24°C	7.29	276.00	106.00	312.00	73.00	1.60	3.80
07-12-23	25°C	7.46	312.00	126.00	276.00	72.00	1.68	4.20
08-12-23	23°C	7.34	292.00	104.00	286.00	77.00	1.87	3.80
09-12-23	25°C	7.29	306.00	118.00	296.00	72.00	1.48	3.40
10-12-23								
11-12-23	24°C	7.24	296.00	108.00	288.00	77.00	1.60	3.60
12-12-23	27°C	7.16	272.00	116.00	278.00	74.00	1.64	4.20
13-12-23	21°C	7.17	206.00	100.00	262.00	78.00	1.38	3.40
14-12-23	24°C	7.36	290.00	116.00	270.00	75.00	1.74	4.20
15-12-23	22°C	7.46	276.00	112.00	276.00	73.00	1.62	3.40
16-12-23	24°C	7.59	312.00	104.00	286.00	71.00	1.82	4.60
17-12-23								
18-12-23	22°C	7.61	280.00	92.00	278.00	73.00	1.72	3.20
19-12-23	25°C	7.47	308.00	114.00	246.00	75.00	1.82	3.80
20-12-23	22°C	7.36	276.00	120.00	292.00	71.00	1.38	4.20
21-12-23	24°C	7.19	304.00	112.00	276.00	74.00	1.48	3.40
22-12-23	23°C	7.27	310.00	102.00	272.00	77.00	1.56	3.80
23-12-23	25°C	7.19	284.00	120.00	284.00	74.00	1.48	2.80
24-12-23								
25-12-23	24°C	7.07	302.00	106.00	256.00	77.00	1.82	3.20
26-12-23	23°C	7.16	262.00	120.00	272.00	75.00	1.72	3.80
27-12-23	26°C	7.46	290.00	96.00	296.00	71.00	1.46	3.80
28-12-23	22°C	7.15	202.00	117.00	286.00	72.00	1.80	4.10
29-12-23	25°C	7.37	326.00	106.00	338.00	74.00	1.67	2.60
30-12-23	23°C	7.28	296.00	130.00	298.00	74.00	1.46	4.20
31-12-23								

Treated water parameter

Date	Temp °C	pH	CaD	BaD	TSS	Tm	TP	FC
01-12-23	25°C	7.69	52.00	7.00	6.66	3.24	0.76	8.0
02-12-23	27°C	7.73	42.00	6.00	7.32	3.00	0.69	7.0
03-12-23	27°C	7.89	40.00	7.00	6.16	2.76	0.48	8.0
04-12-23	26°C	7.07	44.00	6.00	7.22	2.00	0.72	7.5
05-12-23	24°C	7.49	52.00	6.00	6.00	2.96	0.82	7.5
06-12-23	25°C	7.37	40.00	7.00	7.26	3.00	0.76	8.0
07-12-23	26°C	7.61	44.00	6.00	6.82	2.92	0.86	7.0
08-12-23	25°C	7.39	40.00	6.00	5.73	3.00	0.86	8.0
09-12-23	27°C	7.83	30.00	7.00	6.72	2.76	0.62	7.0
10-12-23								
11-12-23	25°C	7.97	40.00	6.00	7.15	3.00	0.78	8.0
12-12-23	24°C	7.69	26.00	7.00	6.42	2.96	0.82	7.5
13-12-23	23°C	7.84	36.00	6.00	6.36	3.12	0.76	7.0
14-12-23	25°C	7.69	40.00	7.00	6.92	2.92	0.92	8.0
15-12-23	24°C	7.49	44.00	6.00	6.42	3.12	0.68	7.5
16-12-23	25°C	7.73	40.00	7.00	5.72	3.08	0.72	8.0
17-12-23								
18-12-23	25°C	7.89	36.00	6.00	6.00	3.00	0.66	7.0
19-12-23	24°C	7.36	40.00	7.00	6.96	2.82	0.84	8.0
20-12-23	24°C	7.73	36.00	6.00	7.00	3.00	0.72	7.5
21-12-23	25°C	7.79	40.00	6.00	5.12	2.76	0.82	7.0
22-12-23	26°C	7.86	44.00	6.00	6.24	3.00	0.72	7.5
23-12-23	27°C	7.46	40.00	7.00	6.12	2.26	0.86	7.0
24-12-23								
25-12-23	25°C	7.97	36.00	6.00	7.00	3.00	0.64	7.5
26-12-23	24°C	7.69	40.00	7.00	6.46	2.92	0.72	8.0
27-12-23	23°C	7.66	40.00	6.00	6.32	3.00	0.76	7.0
28-12-23	27°C	7.78	40.00	7.00	7.02	2.48	0.86	7.5
29-12-23	25°C	7.63	48.00	7.00	5.47	2.82	0.68	8.0
30-12-23	22°C	7.73	52.00	6.00	6.48	2.84	0.86	7.0
31-12-23								

2021

MONTH: NOVEMBER
YEAR: 2020parameter at inter ^{point} _{point}

Date	Temp °C	pH	BOD	CO ₂	TSS	Tm	Tp	fc
1-11-2020	24°C	7.72	704.00	310.00	296.00	22.00	7.82	920
2-11-2020	24°C	7.36	116.00	346.00	287.00	27.00	7.70	490
3-11-2020	26°C	7.37	154.00	377.00	296.00	27.00	7.66	420
4-11-2020	23°C	7.71	186.00	334.00	307.00	22.00	7.67	960
5-11-2020	-	-	-	-	-	-	-	-
6-11-2020	24°C	7.46	128.00	340.00	240.00	24.00	7.38	330
7-11-2020	22°C	7.43	126.00	370.00	336.00	23.00	7.46	270
8-11-2020	24°C	7.56	108.00	300.00	370.00	25.00	7.22	300
9-11-2020	21°C	7.16	106.00	708.00	280.00	27.00	7.07	440
10-11-2020	22°C	7.11	124.00	270.00	286.00	28.00	7.02	400
11-11-2020	23°C	7.77	128.00	286.00	288.00	28.00	7.66	420
12-11-2020	24°C	-	-	-	-	-	-	-
13-11-2020	26°C	7.46	126.00	376.00	310.00	29.00	7.47	800
14-11-2020	25°C	7.77	138.00	360.00	328.00	29.00	7.76	420
15-11-2020	22°C	7.27	126.00	370.00	364.00	27.00	7.49	460
16-11-2020	27°C	7.50	126.00	298.00	398.00	29.00	7.59	380
17-11-2020	24°C	7.03	126.00	342.00	350.00	26.00	7.40	460
18-11-2020	22°C	7.23	116.00	308.00	326.00	27.00	7.64	400
19-11-2020	-	-	-	-	-	-	-	-
20-11-2020	25°C	7.52	106.00	310.00	330.00	25.00	7.82	920
21-11-2020	22°C	7.27	122.00	308.00	336.00	23.00	7.64	400
22-11-2020	22°C	7.38	124.00	296.00	332.00	27.00	7.57	960
23-11-2020	26°C	7.61	120.00	302.00	336.00	29.00	7.68	260
24-11-2020	25°C	7.34	120.00	204.00	306.00	22.00	7.57	460
25-11-2020	25°C	7.27	106.00	306.00	320.00	23.00	7.60	280
26-11-2020	24°C	7.25	120.00	320.00	280.00	25.00	7.62	460
27-11-2020	26°C	7.27	106.00	324.00	290.00	23.00	7.78	380
28-11-2020	25°C	7.22	122.00	258.00	346.00	21.00	7.48	440
29-11-2020	22°C	7.31	126.00	324.00	310.00	22.00	7.64	360
30-11-2020	23°C	7.77	126.00	296.00	320.00	23.00	7.66	320

Treated water from

Date	Temp °C	pH	BOD	CO ₂	TSS	Tm	Tp	fc
1-11-2020	26°C	7.72	8.00	44.00	6.22	2.00	0.72	80
2-11-2020	28°C	7.67	6.00	40.00	6.08	2.22	0.68	85
3-11-2020	26°C	7.82	9.00	46.00	6.00	2.08	0.82	80
4-11-2020	24°C	7.96	7.00	32.00	8.00	2.00	0.86	70
5-11-2020	-	-	-	-	-	-	-	-
6-11-2020	26°C	7.57	8.00	36.00	6.22	2.22	0.72	75
7-11-2020	24°C	7.63	9.00	40.00	7.22	2.00	0.78	70
8-11-2020	28°C	7.92	8.00	44.00	8.00	2.04	0.76	90
9-11-2020	23°C	7.62	7.00	48.00	6.00	2.16	0.70	90
10-11-2020	26°C	7.87	6.00	40.00	7.00	2.00	0.76	80
11-11-2020	28°C	7.63	8.00	36.00	6.00	2.22	0.48	75
12-11-2020	-	-	-	-	-	-	-	-
13-11-2020	22°C	7.46	7.00	40.00	8.00	2.00	0.56	73
14-11-2020	26°C	7.33	6.00	48.00	7.32	2.22	0.48	80
15-11-2020	26°C	7.69	6.00	44.00	6.00	2.20	0.52	83
16-11-2020	29°C	7.72	9.00	28.00	3.22	2.20	0.64	90
17-11-2020	26°C	7.68	8.00	40.00	6.00	2.00	0.62	70
18-11-2020	26°C	7.83	7.00	44.00	6.22	2.22	0.66	80
19-11-2020	-	-	-	-	-	-	-	-
20-11-2020	26°C	7.82	6.00	48.00	7.00	2.00	0.80	85
21-11-2020	24°C	7.66	7.00	44.00	6.22	2.80	0.70	80
22-11-2020	27°C	7.98	9.00	40.00	6.08	2.80	0.80	80
23-11-2020	29°C	7.67	8.00	48.00	7.00	3.00	0.62	73
24-11-2020	24°C	7.27	7.00	44.00	6.22	2.00	0.66	80
25-11-2020	29°C	7.36	6.00	40.00	6.00	3.00	0.46	70
26-11-2020	26°C	7.73	7.00	44.00	6.22	2.80	0.76	60
27-11-2020	24°C	7.84	6.00	46.00	6.22	3.16	0.52	70
28-11-2020	26°C	7.92	6.00	44.00	6.00	3.00	0.70	80
29-11-2020	23°C	7.60	6.00	40.00	6.22	3.00	0.74	75
30-11-2020	24°C	7.61	7.00	36.00	7.00	2.76	0.80	80

MONTH: OCTOMBER
YEAR: 2023

parameter at interchain bar

2022

Treated water parameter

P-122

Date	Temp °C	pH	BOD	COD	TSS	Tm	TP	Fe
1.10.2023	-							
2.10.2023	30°C	7.23	126.00	316.00	296.00	23.00	2.84	350
3.10.2023	29°C	7.22	117.00	320.00	276.00	25.00	2.36	390
4.10.2023	27°C	7.17	124.00	336.00	260.00	21.00	1.64	380
5.10.2023	28°C	7.23	116.00	348.00	256.00	23.00	1.72	400
6.10.2023	32°C	7.22	104.00	354.00	273.00	27.00	1.66	440
7.10.2023	32°C	7.56	118.00	304.00	298.00	26.00	1.96	480
8.10.2023								
9.10.2023	37°C	7.17	98.00	294.00	342.00	27.00	1.48	390
10.10.2023	27°C	7.33	134.00	314.00	308.00	26.00	2.54	300
11.10.2023	29°C	7.16	128.00	270.00	312.00	27.00	1.36	380
12.10.2023	30°C	7.27	120.00	284.00	360.00	24.00	1.72	390
13.10.2023	27°C	7.16	104.00	296.00	322.00	26.00	2.66	860
14.10.2023	29°C	7.29	108.00	226.00	314.00	21.00	1.32	460
15.10.2023	28°C	7.82	94.00	304.00	286.00	23.00	1.46	480
16.10.2023	26°C	7.32	176.00	326.00	312.00	28.00	1.26	400
17.10.2023	29°C	7.46	130.00	312.00	324.00	24.00	1.22	440
18.10.2023	28°C	7.62	114.00	280.00	310.00	24.00	2.66	420
19.10.2023	27°C	7.36	118.00	290.00	354.00	21.00	1.32	480
20.10.2023	24°C	7.32	130.00	284.00	312.00	23.00	1.60	460
21.10.2023	29°C	7.32	122.00	276.00	336.00	26.00	1.72	380
22.10.2023								
23.10.2023	30°C	7.32	96.00	244.00	294.00	23.00	1.64	340
24.10.2023	27°C	7.63	106.00	292.00	256.00	21.00	1.52	380
25.10.2023	30°C	7.28	112.00	260.00	276.00	25.00	2.60	380
26.10.2023	29°C	7.23	108.00	236.00	238.00	23.00	1.72	360
27.10.2023	27°C	7.30	136.00	314.00	246.00	27.00	1.62	400
28.10.2023	29°C	7.26	124.00	326.00	236.00	23.00	1.32	240
29.10.2023								
30.10.2023	32°C	7.26	116.00	232.00	290.00	28.00	1.82	340

Date	Temp °C	pH	BOD	COD	TSS	Tm	TP	Fe
1.10.2023								
2.10.2023	32°C	7.62	7.00	44	6.00	3.00	0.72	80
3.10.2023	30°C	7.42	8.00	48	8.00	3.12	0.66	70
4.10.2023	29°C	7.86	6.00	40	7.00	2.02	0.64	75
5.10.2023	29°C	7.96	7.00	32	6.32	2.72	0.52	80
6.10.2023	27°C	7.76	6.00	86	7.00	3.00	0.58	85
7.10.2023	35°C	7.52	8.00	40	6.62	2.72	0.70	90
8.10.2023	-							
9.10.2023	38°C	7.62	6.00	44	5.06	2.00	0.72	40
10.10.2023	28°C	7.82	8.00	48	6.00	2.72	0.66	75
11.10.2023	30°C	7.63	7.00	40	4.22	2.22	0.78	70
12.10.2023	29°C	7.74	8.00	32	6.00	2.24	0.76	80
13.10.2023	30°C	7.83	6.00	36	7.00	3.00	0.54	85
14.10.2023	32°C	7.77	7.00	44	8.00	3.16	0.52	80
15.10.2023	24°C	7.42	7.00	40	6.22	2.72	0.62	80
16.10.2023	30°C	7.93	6.00	44	7.06	3.00	0.70	85
17.10.2023	30°C	7.86	8.00	36	6.00	2.72	0.72	90
18.10.2023	29°C	7.92	7.00	32	5.00	3.72	0.62	95
19.10.2023	26°C	7.86	6.00	36	6.00	2.80	0.66	90
20.10.2023	30°C	7.63	8.00	40	7.00	3.00	0.64	70
21.10.2023	29°C	7.73	6.00	44	6.00	2.04	0.56	80
22.10.2023								
23.10.2023	27°C	7.83	7.00	48	6.00	2.72	0.52	80
24.10.2023	29°C	7.88	6.00	36	6.00	2.62	0.44	85
25.10.2023	32°C	7.81	8.00	40	7.32	8.00	0.36	90
26.10.2023	30°C	7.77	6.00	44	6.42	2.70	0.88	95
27.10.2023	28°C	7.62	7.00	40	7.00	8.00	0.42	70
28.10.2023	30°C	7.73	8.00	48	6.32	2.88	0.76	70
29.10.2023								
30.10.2023	32°C	7.62	6.00	44	6.00	3.00	0.62	75

2023

09843-1



Doc. No. ISSPL/QP/19/F-01



IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



TC-5843

CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,

Malviya Nagar, Jaipur, Rajasthan – 302017: India

Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

Report No.	ISSPL/WW/23-24/09843	Date	08/12/2023
1. Name & address of Customer#	Lahoty Builcon Limited B-157-158, Scheme - 10B, Gopalpura bypass, Jaipur - 302018 Rajasthan		
2. Reference No.#	Your TRF Dated: 05/12/2023 (Reg. No. 89157)		
3. Material Identification with details#	Waste Water; (STP Inlet - 5.0 MLD, Deedwana) Qty. 1 Ltr.		
4. Source / Location#	-		
5. Sampled By/Condition of Sample	Customer / OK		
6. Date of sample receipt	05/12/2023		
7. Date of Sample Registration	05/12/2023		
8. Date of sample Testing	05/12/2023 To 08/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	>1500	MPN/100ml

MPN= Most Probable Number.

End of the Report

Page No. 1/1

08/12/2023

Kirti Pradhan

Reviewed by

Dy. Manager-Biology Lab
Authorised Signatory



Doc. No. ISSPL/QP/13/F-01

2024

IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan – 302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT

Report No.	ISSPL/WW/23-24/09844	Date	08/12/2023
1. Name & address of Customer#	Lahoty Bulcon Limited B-157-158, Scheme - 10B, Gopalpura bypass, Jaipur - 302018 Rajasthan		
2. Reference No.#	Your TRF Dated: 05/12/2023 (Reg. No. 89156)		
3. Material Identification with details#	Waste Water: (STP Outlet - 5.0 MLD, Deedwana) Qty. 1 Ltr.		
4. Source / Location#	-		
5. Sampled By/Condition of Sample	Customer / OK		
6. Date of sample receipt	05/12/2023		
7. Date of Sample Registration	05/12/2023		
8. Date of sample Testing	05/12/2023 To 08/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	9	MPN/100ml

MPN= Most Probable Number.

End of the Report

Page No. 1/1

08/12/2023
 Kirti Pradhan
 Reviewed by

08/12/2023
 Rajendra Prasad
 Dy. Manager Biology Lab
 Authorised Signatory

STP 1 MLD at Fatah Nagar, Sanwar

LAB DATA RECORD																				MONTH- JANUARY- 2024				
NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)																								
RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ / Day	M ³ / Day	CHEMIST	CLIENT	
01-01-24	7.8	190	165	80	9	4.6		7.5	2060	1380	180	1.6	7.6	9	45	9	1.0	0.1		635	585			
02/24	7.8	80	296	95	10.5	4		7.4	2650	1320	175	1.4	7.2	8	42	8	1.0	0.2		685	615			
03/01/24	7.6	106	210	112	8.9	3.8	2200	7.2	2240	1440	185	1.2	7.5	8	46	7	0.5	0.1	88	715	685			
04/01/24	7.2	108	190	104	10.6	4.5		7.5	2210	1320	195	1.1	7.6	10	48	9	0.4	0.2		645	605			
05/01/24	7.4	116	210	75	7.6	6		7.6	2300	1520	210	1.4	7.2	6	40	7	0.3	0.3		705	645			
06/01/24	7.2	104	230	86	7.8	4		7.4	2410	1620	190	1.6	7.4	7	42	8	0.6	0.1		645	605			
07/01/24	7.4	120	260	102	7	3.6		7.6	2160	1420	195	1.2	7.8	6	46	7	0.5	0.2		615	590			

2026

LAB DATA RECORD

MONTH- JANUARY- 2024

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS					TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW			
		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mpn/100ml	M ³ /Day	M ³ /Day	CHEMIST	CLIENT	
08/01/24	7.9	106	240	85	7.5	3.5		7.2	2400	1550	225	1.4	7.4	5	54	9	0.2	0.1			725	685		
09/01/24	7.4	110	220	93	7.0	4		7.1	2250	1600	210	1.1	7.2	6	40	8	0.4	0.2			675	640		
10/01/24	7.2	160	260	102	7.2	6		7.4	2160	1460	205	1.2	7.8	7	42	7	0.6	0.1			645	605		
11/01/24	7.6	120	240	96	7	4		7.3	2240	1380	220	1.6	7.2	4	38	6	0.8	0.1			685	660		
12/01/24	7.2	106	220	110	6	3	1620	7.4	2160	1420	190	1.2	7.4	7	44	5	0.7	0.2	74		625	590		
13/01/24	7.9	110	190	96	7.2	3.6		7.2	2240	1560	220	1.4	7.6	5	52	9	0.4	0.1			605	580		
14/01/24	7.8	120	210	85	8	4.2		7.4	2190	1520	240	1.6	7.4	6	44	7	0.5	0.2			615	620		

2027

LAB DATA RECORD

MONTH- JANUARY- 2024

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/lit	mg/lit	mg/lit	mg/lit	mg/lit	mpn/100ml		mg/lit	mg/lit	mg/lit	mg/lit		mg/lit	mg/lit	mg/lit	mg/lit	mg/lit	mpn/100ml	M ³ / Day	M ³ / Day		
15/01/24	7.5	106	230	92	9	2		7.6	2400	1450	240	1.6	7.3	45	9	7	0.6	0.3		720	685	R	
16/01/24	7.2	96	220	86	8.5	3		7.4	2350	1750	220	1.2	7.6	42	8	6	0.5	0.2		685	655	R	
17/01/24	7.6	102	210	94	8	2	1240	7.2	2240	1380	210	1.1	7.4	38	7	5	0.6	0.1	72	660	620	R	
18/01/24	7.4	112	190	98	9	2.4		7.6	2140	1420	190	1.4	7.2	42	9	8	0.4	0.2		670	640	R	
19/01/24	7.2	102	210	92	10	3.5		7.4	2260	1460	220	1.2	7.6	9	38	7	0.6	0.1		665	605	R	
20/01/24	7.8	98	220	90	9	4		7.2	2190	1410	190	1.4	7.2	10	46	8	0.8	0.2		705	685	R	
21/01/24	7.4	96	220	94	10	5		7.4	2260	1420	220	1.2	7.4	9	46	7	0.6	0.1		680	640	R	

2028

LAB DATA RECORD

MONTH- JANUARY- 2024

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

RAW SEWAGE PARAMETERS								SBR-PARAMETERS				TREATED WATER PARAMETERS										SIGNATURE	
DATE	PH	TSS	COD	BOD	TN	TP	F/CH	PH	MLSS	MLVSS	SV30	DO	PH	TSS	COD	BOD	TN	TP	F/CH	INLET FLOW	OUTLET FLOW	CHEMIST	CLIENT
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml		mg/l	mg/l	mg/l	mg/l		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l/100ml	M ³ / Day	M ³ / Day	
22/01/24	7.6	110	230	96	9	2		7.2	2460	1650	220	1.2	7.8	9	45	7	0.9	0.9		705	685	R	
23/01/24	7.8	125	210	92	7	2.5		7.4	2260	1420	210	1.4	7.4	7	42	9	0.7	0.2		645	620	R	
24/01/24	7.2	105	240	94	8	3	2420	7.4	2140	1380	230	1.1	7.6	8	46	7	0.8	0.1	92	615	585	R	
25/01/24	7.4	96	190	88	9.2	3.5		7.9	2300	1450	215	1.5	7.5	6	41	8	0.7	0.2		645	610	R	
26/01/24	7.6	108	210	92	9.0	3.0		7.4	2450	1420	205	1.2	7.2	7	42	7	0.8	0.3		660	620	R	
27/01/24	7.5	102	205	98	9.2	4.0		7.7	2240	1380	210	1.4	7.6	6	38	6	0.9	0.1		620	580	R	
28/01/24	7.3	96	220	94	9.0	3.0		7.6	2260	1320	220	1.2	7.2	7	40	7	0.8	0.2		660	620	R	

MONTH- JANUARY -2024

NAME OF WORK -O/M OF 1 MLD STP FATAH NAGAR, SANWAD, UDAIPUR (RAJ.)

[illegible]

2030

09845-1



Doc. No. ISSPL/QP/13/F-01



(Promoted by Indian Register of Shipping)

Testing LaboratoryCEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,

Malviya Nagar, Jaipur, Rajasthan - 302017, India

Tel: 0141-4805672 | Email - lab@irclass.org | Website : www.isspllab.com

**TEST REPORT**

Report No.	ISSPL/WW/23-24/09845	Date	08/12/2023
1. Name & address of Customer#	Lahoty Bulcon Limited B-157-158, Scheme - 10B, Gopalpura bypass, Jaipur - 302018 Rajasthan		
2. Reference No.#	Your TRF Dated: 05/12/2023 (Reg. No. 89155)		
3. Material Identification with details#	Waste Water: (STP Inlet - 7.5 MLD, Fatehpur) Qty. 1 Ltr.		
4. Source / Location#	-		
5. Sampled By/Condition of Sample	Customer / OK		
6. Date of sample receipt	05/12/2023		
7. Date of Sample Registration	05/12/2023		
8. Date of sample Testing	05/12/2023 To 08/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	>1600	MPN/100ml

MPN= Most Probable Number.

****End of the Report****

Page No. 1/1

08/12/2023
Kirti Pradhan
Reviewed by

IRCLASS Systems And Solutions
Jaipur
Rajendra Prasad
Dy. Manager Biology Lab
Authorised Signatory



Doc. No. ISSPL/QP/13/F-01

2031

IRCLASS

SYSTEMS AND SOLUTIONS PRIVATE LIMITED

(Promoted by Indian Register of Shipping)

Testing Laboratory



CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area,
Malviya Nagar, Jaipur, Rajasthan - 302017: India
Tel: 0141-4805672 | Email - lab@irclass.org | Website : www.isspllab.com

TEST REPORT

Report No.	ISSPL/WW/23-24/09846	Date	08/12/2023
1. Name & address of Customer#	Lahoty Bulcon Limited B-157-158, Scheme - 10B, Gopalpura bypass, Jaipur - 302018 Rajasthan		
2. Reference No.#	Your TRF Dated: 05/12/2023 (Reg. No. 89154)		
3. Material Identification with details#	Waste Water: (STP Outlet - 7.5 MLD, Fatehpur) Qty. 1 Ltr.		
4. Source / Location#			
5. Sampled By/Condition of Sample	Customer / OK		
6. Date of sample receipt	05/12/2023		
7. Date of Sample Registration	05/12/2023		
8. Date of sample Testing	05/12/2023 To 08/12/2023		
9. Environmental Conditions	Room Temperature (°C) : NA Relative Humidity (%) : NA		

RESULTS

S.No.	Name of Test	Method of Test	Results	Units
Biological Testing				
Pollution & Environment				
1	Faecal coliform	IS 1622:1981	6	MPN/100ml

MPN= Most Probable Number.

End of the Report

Page No. 1/1

08/12/2023
Kirti Pradhan
Reviewed by

IRCLASS Systems And Solutions
Jaipur
08/12/2023
Rajendra Prasad
Dy. Manager - Biology Lab
Authorised Signatory

2032



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 1.5 MLD STP Near Aliganj Tiraha at Gangapur City

Format No. :- BGH-SP/GGC/STP-3/1.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Jan	6.45	245	34.1	160	6	366	6.93	9	47	9	3.5	7	1.3	77	
02-Jan	6.38	291	27.5	187	4	316	6.97	10	44	9	3.1	7	1.6	72	
03-Jan	6.46	297	32.2	191	4	363	6.99	9	46	7	3.7	8	1.6	60	
04-Jan	6.69	252	34.5	194	4	331	6.87	7	49	7	3.4	7	1.2	74	
05-Jan	6.40	295	24.2	180	5	380	6.89	7	43	8	3.7	10	1.3	64	
06-Jan	6.41	261	35.4	159	5	367	6.93	7	45	10	3.6	10	1.7	70	
07-Jan	6.71	287	32.1	188	5	336	6.87	7	43	8	3.4	10	1.5	64	
08-Jan	6.51	266	33.0	198	5	337	6.87	7	44	9	3.1	9	1.2	63	
09-Jan	6.50	291	29.0	163	6	351	6.99	7	47	9	3.5	9	1.4	69	
10-Jan	6.38	246	26.7	180	4	383	6.99	7	46	9	3.0	10	1.3	71	
11-Jan	6.64	240	29.4	178	5	332	6.97	7	47	8	3.4	10	1.4	76	
12-Jan	6.37	275	29.1	190	4	324	6.97	10	47	7	3.3	9	1.2	74	
13-Jan	6.26	244	28.6	189	6	321	6.94	7	45	7	3.7	8	1.4	75	
14-Jan	6.25	268	28.6	162	4	327	6.91	7	43	7	3.7	9	1.5	77	
15-Jan	6.69	295	29.1	162	6	373	6.90	9	48	10	3.7	9	1.5	74	
16-Jan	6.61	261	28.9	160	6	319	6.88	10	43	10	3.2	9	1.5	58	
17-Jan	6.61	243	26.9	192	6	321	6.90	8	44	10	3.5	7	1.6	70	
18-Jan	6.27	272	27.8	162	4	348	6.89	9	46	8	3.4	7	1.4	56	
19-Jan	6.47	287	35.9	186	5	396	6.94	10	48	8	3.1	7	1.6	58	
20-Jan	6.28	288	27.4	195	4	387	6.95	8	48	7	3.3	9	1.4	68	
21-Jan	6.40	289	26.5	157	6	378	6.86	9	47	10	3.4	9	1.5	79	
22-Jan	6.29	236	27.8	181	6	371	6.94	7	50	8	3.4	7	1.4	58	

2033



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 1.5 MLD STP Near Aliganj Tiraha at Gangapur City

Format No. :- BGH-SP/GGC/STP-3/1.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
23-Jan	6.71	276	33.6	170	4	321	6.88	9	48	8	3.2	7	1.3	55	
24-Jan	6.29	267	28.2	202	6	340	6.93	9	47	9	3.2	7	1.5	69	
25-Jan	6.63	260	29.1	174	4	329	6.89	7	44	9	3.1	10	1.6	62	
26-Jan	6.57	297	34.2	172	5	352	6.99	9	44	7	3.4	7	1.5	65	
27-Jan	6.58	244	36.1	193	6	395	6.89	7	44	9	3.2	9	1.7	68	
28-Jan	6.47	247	30.7	175	4	334	6.98	8	50	8	3.3	8	1.1	61	
29-Jan	6.70	260	34.9	156	6	348	6.90	9	48	7	3.2	7	1.3	72	
30-Jan	6.71	275	22.4	186	4	323	6.88	10	43	8	3.1	9	1.6	53	
31-Jan	6.70	275	29.8	200	6	345	6.92	7	48	10	3.4	7	1.6	79	

2034



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 5.5 MLD STP Near Jaipur Bypass Road at Gangapur City

Format No. :- BGH-SP/GGC/STP-4/5.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Jan	6.44	255	34.0	164	5	325	6.90	10	49	8	3.7	9	1.3	73	
02-Jan	6.30	250	24.7	159	6	330	6.92	9	47	7	3.1	7	1.6	67	
03-Jan	6.38	283	35.6	169	4	325	6.86	9	46	8	3.4	10	1.3	75	
04-Jan	6.53	290	29.1	192	4	349	6.92	10	46	7	3.6	8	1.3	70	
05-Jan	6.38	271	23.0	164	6	363	6.90	8	50	10	3.1	7	1.4	73	
06-Jan	6.68	250	28.0	176	5	323	6.99	10	50	10	3.1	9	1.3	67	
07-Jan	6.53	284	34.0	204	6	358	6.86	10	43	10	3.5	7	1.1	53	
08-Jan	6.41	282	29.1	163	4	380	6.87	10	47	7	3.3	8	1.3	55	
09-Jan	6.23	248	23.7	182	4	388	6.88	7	44	10	3.5	10	1.5	80	
10-Jan	6.27	253	31.0	195	6	357	6.91	8	48	9	3.6	7	1.6	79	
11-Jan	6.70	252	29.9	201	5	325	6.86	7	50	9	3.7	9	1.2	66	
12-Jan	6.59	238	25.5	155	4	378	6.95	9	49	8	3.2	7	1.4	75	
13-Jan	6.56	248	28.0	173	4	385	6.86	8	44	8	3.4	10	1.5	75	
14-Jan	6.21	240	27.5	194	5	363	6.89	10	47	7	3.7	7	1.5	64	
15-Jan	6.59	247	34.9	180	6	373	6.89	7	50	7	3.2	10	1.5	80	
16-Jan	6.57	239	32.8	189	6	372	6.99	8	48	7	3.1	8	1.6	53	
17-Jan	6.26	296	30.3	182	4	323	6.91	8	48	10	3.4	10	1.3	64	
18-Jan	6.31	286	28.0	199	5	318	6.93	9	50	7	3.7	8	1.2	62	
19-Jan	6.21	280	24.4	158	6	315	6.90	9	49	10	3.5	10	1.2	58	
20-Jan	6.73	246	30.6	195	4	386	6.86	7	43	9	3.3	9	1.5	69	
21-Jan	6.52	257	24.5	178	6	329	6.97	9	50	10	3.1	7	1.1	72	
22-Jan	6.49	244	21.4	198	4	321	6.97	9	48	8	3.5	7	1.6	73	

2035



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 5.5 MLD STP Near Jaipur Bypass Road at Gangapur City

Format No. :- BGH-SP/GGC/STP-4/5.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
23-Jan	6.71	291	32.7	190	6	382	6.93	9	47	7	3.6	10	1.3	75	
24-Jan	6.50	253	26.9	177	4	385	6.90	9	45	7	3.6	10	1.4	71	
25-Jan	6.60	273	32.7	172	6	358	6.92	9	44	8	3.2	10	1.6	57	
26-Jan	6.57	261	22.0	167	4	382	6.86	10	48	10	3.6	10	1.1	67	
27-Jan	6.73	236	22.8	163	6	379	6.92	7	48	10	3.2	7	1.5	73	
28-Jan	6.53	278	30.8	183	4	343	6.93	9	43	10	3.3	8	1.7	58	
29-Jan	6.32	276	29.0	199	5	346	6.92	7	44	10	3.1	7	1.3	60	
30-Jan	6.34	269	30.1	176	4	336	6.98	8	44	8	3.3	7	1.5	65	
31-Jan	6.56	239	31.6	197	5	325	6.89	10	44	9	3.7	7	1.3	61	

2036



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 2.5 MLD STP Near PHED Campus at Gangapur City

Format No. :- BGH-SP/GGC/STP-2/2.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Jan	6.48	249	28.4	158	4	343	6.96	7	48	7	3.3	8	1.1	79	
02-Jan	6.57	281	28.9	167	5	374	6.86	7	46	9	3.3	7	1.7	71	
03-Jan	6.21	259	30.3	175	5	328	6.98	10	50	10	3.7	9	1.5	68	
04-Jan	6.26	279	25.4	171	6	319	6.93	9	46	9	3.5	7	1.6	75	
05-Jan	6.25	266	33.3	203	5	360	6.90	10	48	8	3.1	10	1.4	71	
06-Jan	6.50	273	33.9	186	6	366	6.91	9	44	10	3.7	8	1.1	65	
07-Jan	6.67	249	34.9	180	5	334	6.86	7	43	7	3.6	7	1.5	74	
08-Jan	6.63	272	29.6	155	4	334	6.95	8	43	8	3.3	9	1.1	65	
09-Jan	6.22	246	36.4	194	4	387	6.92	8	48	9	3.3	9	1.5	69	
10-Jan	6.65	254	29.0	194	6	361	6.90	9	49	7	3.1	7	1.7	69	
11-Jan	6.56	289	34.7	182	4	394	6.96	9	49	10	3.4	10	1.6	62	
12-Jan	6.41	268	25.8	184	4	394	6.96	9	45	8	3.7	9	1.2	54	
13-Jan	6.69	255	29.7	189	6	319	6.95	8	49	8	3.6	9	1.2	55	
14-Jan	6.54	259	31.2	181	5	319	6.99	8	43	7	3.6	9	1.7	68	
15-Jan	6.48	271	31.9	203	4	373	6.88	8	47	8	3.4	10	1.2	61	
16-Jan	6.43	256	21.5	176	4	337	6.92	8	49	10	3.7	7	1.1	65	
17-Jan	6.33	271	32.9	174	5	329	6.93	7	47	7	3.2	8	1.1	55	
18-Jan	6.38	247	21.3	169	5	366	6.98	7	45	8	3.5	7	1.3	74	
19-Jan	6.63	252	34.7	189	6	393	6.95	9	49	7	3.4	9	1.4	60	
20-Jan	6.58	281	35.2	171	5	381	6.98	7	44	10	3.3	10	1.7	53	
21-Jan	6.71	263	28.1	200	6	371	6.90	8	48	9	3.0	10	1.1	56	
22-Jan	6.47	263	30.6	183	4	379	6.92	8	43	9	3.3	8	1.4	54	

2037



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 2.5 MLD STP Near PHED Campus at Gangapur City

Format No. :- BGH-SP/GGC/STP-2/2.5MLD

CLIENT : RUDSICO

Report No. :- January'24

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
23-Jan	6.49	241	33.1	183	4	346	6.93	7	48	7	3.1	10	1.5	58	
24-Jan	6.46	286	37.6	158	4	318	6.97	8	45	9	3.0	9	1.5	65	
25-Jan	6.43	261	28.1	184	5	371	6.99	9	46	9	3.3	8	1.1	68	
26-Jan	6.59	255	28.7	193	6	381	6.92	9	48	7	3.2	8	1.2	70	
27-Jan	6.37	259	32.0	166	5	333	6.91	7	43	8	3.7	10	1.2	80	
28-Jan	6.36	236	28.9	173	5	350	6.99	8	44	9	3.4	8	1.2	60	
29-Jan	6.69	260	31.7	170	6	319	6.88	8	43	7	3.4	9	1.6	53	
30-Jan	6.38	292	34.0	189	4	386	6.86	9	45	10	3.2	10	1.4	65	
31-Jan	6.41	282	35.0	179	4	372	6.89	10	46	9	3.2	9	1.3	79	

2039

WASTE AND STP [S.B.R. TECHNOLOGY] TERMINAL SEWAGE PUMPING STATIONS & HANUMAN NAGAR TREATMENT DAILY LAB ANALYSIS REPORT MONTH OF OCT-2023																								
DATE		INLET PARAMETER										OUTLET PARAMETER												
		S.B.R.-I										S.B.R.-II												
PARAMETER	FLOW	PH	TSS	COD	BOD	TP	TKN	DO	PH	MLSS	MLVSS	DO	PH	MLSS	MLVSS	DO	PH	TSS	COD	BOD	TP	TKN	FCAL	SIGN.
UNIT	M ³	-	MG/L	MG/L	MG/L	MG/L	MG/L	%	-	MG/L	MG/L	MG/L	-	MG/L	MG/L	MG/L	-	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	-
01-10-2023	14	7.44	272	424	156	7	10.8	1.48	7.53	2385	1870	2.78	7.58	2350	1820	2.82	7.81	8	38	7	0.6	5.8	72	R
02-10-2023	47	7.43	286	474	165	6	12.4	1.57	7.54	2260	1580	2.84	7.49	2390	1585	2.94	7.84	9	43	8	0.4	7.2	68	R
03-10-2023	54	7.52	338	443	128	6	12.2	1.63	7.62	2350	1805	3.02	7.54	2405	1665	2.89	7.78	9	44	9	0.5	6.8	74	R
04-10-2023	2912	7.38	276	478	171	5	11.8	1.49	7.48	2405	1895	2.67	7.52	2425	1675	2.72	7.82	8	47	9	0.4	5.4	71	R
05-10-2023	4182	7.41	304	486	188	7	12.2	1.38	7.46	2360	1650	2.56	7.48	2315	1570	2.68	7.74	9	46	9	0.6	7.4	82	R
06-10-2023	3749	7.44	284	448	172	6	9.6	1.42	7.52	2450	1890	2.49	7.51	2370	1610	2.14	7.81	8	43	8	0.5	2.5	78	R
07-10-2023	2579	7.51	294	467	194	4	10.2	1.34	7.54	2385	1655	2.52	7.58	2410	1635	3.05	7.88	9	44	9	0.6	5.2	66	R
08-10-2023	4399	7.42	262	488	167	6	12.4	1.43	7.49	2390	1560	2.66	7.48	2425	1675	2.62	7.74	8	46	9	0.4	6.4	72	R
09-10-2023	4285	7.39	274	440	154	5	11.5	1.34	7.51	2430	1660	2.79	7.62	2415	1665	2.93	7.82	8	39	7	0.6	2.2	85	R
10-10-2023	4195	7.41	280	496	168	6	10.9	1.42	7.58	2345	1630	2.82	7.54	2350	1620	2.74	7.88	9	44	8	0.4	8.2	22	R
11-10-2023	4427	7.52	272	427	163	7	9.8	1.38	7.62	2350	1605	2.68	7.58	2415	1670	2.63	7.78	9	42	8	0.6	5.2	71	R
12-10-2023	2941	7.49	254	434	157	6	11.2	1.54	7.54	2350	1550	2.72	7.52	2315	1590	2.67	7.92	8	41	9	0.5	6.4	72	R
13-10-2023	2535	7.46	208	480	182	6	12.4	1.63	7.58	2430	1690	2.67	7.54	2450	1750	2.82	7.84	8	46	9	0.5	6.8	74	R
14-10-2023	4591	7.43	272	456	166	4	12.2	1.72	7.49	2375	1640	2.56	7.48	2365	1630	2.64	7.78	9	39	8	0.6	5.9	65	R
15-10-2023	4271	7.38	244	424	165	5	11.9	1.57	7.42	2360	1650	3.04	7.51	2405	1685	2.98	7.89	8	42	9	0.4	6.2	73	R
16-10-2023	3643	7.47	256	458	178	6	10.6	1.39	7.54	2330	1605	2.92	7.54	2415	1665	2.71	7.92	9	44	9	0.5	5.4	76	R
17-10-2023	4429	7.51	261	392	184	6	9.8	1.42	7.56	2406	1660	2.67	7.62	2360	1625	2.54	7.88	8	38	8	0.4	5.8	24	R
18-10-2023	3262	7.46	284	412	171	5	11.4	1.47	7.49	2250	1550	2.72	7.54	2305	1560	2.82	7.78	9	43	8	0.6	7.2	73	R
19-10-2023	4237	7.50	308	476	164	4	10.2	1.51	7.54	2345	1635	2.12	7.51	2370	1610	2.65	7.84	9	46	9	0.5	4.8	79	R
20-10-2023	4588	7.49	272	460	158	7	11.2	1.38	7.52	2430	1690	2.94	7.54	2405	1685	2.79	7.89	8	44	9	0.6	5.4	68	R
21-10-2023	3899	7.46	288	494	162	6	12.2	1.42	7.49	2375	1640	2.68	7.48	2410	1680	2.71	7.74	9	47	9	0.4	7.2	17	R
22-10-2023	3921	7.48	294	482	154	5	10.8	1.53	7.54	2365	1630	2.72	7.51	2350	1625	2.67	7.82	8	42	8	0.6	5.8	83	R
23-10-2023	4609	7.42	262	476	167	7	11.5	1.46	7.58	2335	1540	2.84	7.54	2360	1565	2.92	7.84	8	44	9	0.5	6.4	87	R
24-10-2023	4223	7.37	278	448	174	6	12.2	1.57	7.49	2340	1585	2.61	7.52	2380	1660	2.71	7.92	9	39	8	0.6	7.2	78	R
25-10-2023	4164	7.48	254	467	189	6	12.4	1.44	7.54	2405	1830	2.73	7.62	2345	1615	2.82	7.89	9	43	9	0.7	7.4	74	R
26-10-2023	4444	7.44	266	440	163	4	10.8	1.38	7.48	2430	1690	3.05	7.51	2450	1750	2.98	7.78	8	41	8	0.5	4.5	77	R
27-10-2023	4424	7.51	284	412	158	6	11.4	1.62	7.56	2330	1605	2.89	7.54	2380	1660	2.72	7.82	8	38	7	0.4	6.2	81	R
28-10-2023	4601	7.42	262	422	172	6	12.4	1.43	7.49	2390	1560	2.66	7.48	2425	1675	2.62	7.74	9	42	8	0.6	7.1	84	R
29-10-2023	4977	7.47	280	486	177	7	9.6	1.54	7.52	2450	1690	2.82	7.54	2365	1630	2.71	7.92	9	46	9	0.6	4.2	78	R
30-10-2023	4546	7.52	277	427	184	5	10.2	1.49	7.56	2415	1640	2.94	7.58	2405	1685	3.02	7.89	8	41	9	0.4	5.4	70	R
31-10-2023	2500	7.49	223	412	152	6	11.5	1.72	2.52	2400	1700	2.89	2.52	2400	1700	2.92	7.80	8	39	7	0.5	6.7	74	R

DATE INLET PARAMETER PUMP STATIONS S.B.R.-I S.B.R.-II OUTLET PARAMETER																							
UNIT	FLOW	PH	TSS	CO _D	BOD	TP	TN	DO	PH	MILSS	MILSS	DO	PH	TSS	CO _D	BOD	TP	TN	DO	PH	MILSS	MILSS	
01-10-2023	14	7.44	272	434	156	7	10.8	1.48	7.52	2385	1270	2.78	7.58	2350	1220	2.82	7.81	8	38	7	0.6	5.8	72
02-10-2023	47	7.43	286	434	125	6	12.4	1.57	7.54	2260	1580	2.84	7.49	2390	1585	2.91	7.84	9	43	8	0.4	7.2	69
03-10-2023	54	7.52	279	448	128	6	12.2	1.83	7.62	2350	1605	3.02	7.54	2405	1665	2.89	7.78	9	44	9	0.5	6.8	74
04-10-2023	2918	7.38	296	476	171	5	11.2	1.49	7.48	2405	1295	2.87	7.52	2425	1675	2.72	7.82	8	47	9	0.4	5.4	71
05-10-2023	4182	7.41	304	486	168	7	12.2	1.36	7.46	2360	1650	2.58	7.49	2315	1570	2.68	7.74	9	46	9	0.6	7.4	83
06-10-2023	3749	7.44	284	448	172	6	9.6	1.43	7.52	2450	1890	2.49	7.51	2370	1610	2.94	7.81	8	43	8	0.5	6.5	72
07-10-2023	2574	7.51	294	467	194	4	10.2	1.34	7.54	2385	1655	2.52	7.52	2410	1635	3.05	7.88	9	44	9	0.6	5.2	66
08-10-2023	4399	7.42	282	488	167	6	12.4	1.43	7.49	2390	1560	2.66	7.48	2425	1675	2.62	7.74	8	46	9	0.4	6.4	73
09-10-2023	4385	7.34	274	440	154	5	11.5	1.34	7.56	2470	1660	2.79	7.62	2415	1665	2.93	7.82	8	39	7	0.6	6.2	85
10-10-2023	4195	7.41	280	496	168	6	10.9	1.42	7.58	2365	1630	2.82	7.54	2350	1620	2.74	7.88	9	44	8	0.4	9.2	82
11-10-2023	4427	7.52	272	427	163	7	9.8	1.38	7.62	2350	1605	2.68	7.52	2415	1670	2.63	7.78	9	42	8	0.6	5.2	71
12-10-2023	2941	7.49	254	434	157	6	11.2	1.54	7.54	2250	1550	2.72	7.52	2315	1590	2.67	7.92	8	41	9	0.5	6.4	72
13-10-2023	2535	7.46	208	480	182	6	12.4	1.63	7.58	2430	1690	2.87	7.54	2450	1750	2.82	7.84	8	46	9	0.5	6.0	71
14-10-2023	4591	7.43	272	456	166	4	12.2	1.72	7.49	2375	1690	2.56	7.48	2365	1630	2.44	7.78	9	39	8	0.6	5.9	65
15-10-2023	4271	7.38	294	424	165	5	11.9	1.57	7.42	2360	1650	3.04	7.51	2405	1685	2.98	7.89	8	43	9	0.4	6.2	73
16-10-2023	3143	7.47	256	458	178	6	10.6	1.34	7.54	2330	1605	2.92	7.51	2415	1665	2.71	7.92	9	44	9	0.5	5.4	71
17-10-2023	4489	7.51	261	392	184	6	9.8	1.42	7.52	2406	1660	2.67	7.62	2360	1635	2.54	7.88	8	38	8	0.4	5.8	84
18-10-2023	2868	7.46	284	412	171	5	11.4	1.47	7.49	2250	1550	2.67	7.54	2305	1560	2.82	7.78	9	43	8	0.6	7.2	73
19-10-2023	4237	7.50	308	476	164	4	10.2	1.51	7.54	2345	1635	3.12	7.51	2370	1610	2.65	7.84	9	46	9	0.5	4.8	79
20-10-2023	4588	7.49	272	460	158	7	11.2	1.38	7.52	2490	1890	2.94	7.54	2405	1685	2.79	7.89	8	44	9	0.6	5.4	69
21-10-2023	3899	7.46	288	499	162	6	12.2	1.42	7.49	2375	1640	2.68	7.48	2410	1680	2.71	7.74	9	47	9	0.4	7.2	67
22-10-2023	3921	7.48	294	482	159	5	10.8	1.53	7.54	2365	1630	2.72	7.51	2350	1625	2.67	7.82	8	42	8	0.6	5.8	83
23-10-2023	4609	7.42	262	476	167	7	11.5	1.46	7.58	2335	1540	2.84	7.54	2360	1565	2.92	7.84	8	44	9	0.5	6.4	82
24-10-2023	4223	7.37	278	448	174	6	12.2	1.57	7.49	2340	1585	2.69	7.52	2380	1660	2.71	7.92	9	39	8	0.6	7.2	78
25-10-2023	4164	7.48	254	467	189	6	12.4	1.44	7.54	2405	1630	2.73	7.62	2345	1615	2.82	7.89	9	43	9	0.7	7.4	74
26-10-2023	4444	7.44	266	440	163	4	10.8	1.38	7.48	2430	1690	3.05	7.51	2450	1750	2.98	7.78	8	41	8	0.5	4.5	77
27-10-2023	4424	7.51	284	412	158	6	11.4	1.62	7.56	2330	1605	2.89	7.54	2380	1660	2.72	7.82	8	38	7	0.4	6.2	81
28-10-2023	4606	7.42	262	428	172	6	12.4	1.43	7.49	2390	1560	2.66	7.48	2425	1675	2.62	7.74	9	42	8	0.6	7.1	84
29-10-2023	4977	7.47	280	496	177	7	9.6	1.54	7.52	2450	1690	2.82	7.54	2365	1630	2.71	7.92	9	46	9	0.6	4.2	78
30-10-2023	4546	7.52	277	427	184	5	10.2	1.49	7.56	2415	1640	2.94	7.58	2405	1685	3.02	7.89	8	41	9	0.4	5.4	70
31-10-2023	7500	7.49	282	412	157	6	11.5	1.27	7.52	2400	1600	2.89	7.48	2370	1610	2.92	7.84	8	39	2	0.5	6.7	74

2041



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 0.75 MLD STP Near Jaccha Ki Bawri at Hindaun City

Format No. :- BGH-SP/HAN/STP-2/0.75MLD

CLIENT : RUDSICO

Report No. :- December'23

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
01-Dec	6.93	71	25.6	60	1.73	248	7.12	10	32	8	3.1	7	0.9	62	
02-Dec	6.92	68	29.5	95	1.95	264	7.07	8	32	8	3.4	10	0.9	79	
03-Dec	6.97	68	31.3	60	1.72	232	7.05	7	32	9	3.4	10	0.9	58	
04-Dec	6.93	70	30.7	75	2.02	248	7.05	9	36	8	3.4	9	0.9	67	
05-Dec	6.96	76	29.3	80	1.71	248	7.10	10	44	9	3.6	7	0.9	67	
06-Dec	6.94	71	33.8	90	1.66	264	7.20	7	36	8	3.5	10	0.9	71	
07-Dec	6.97	73	28.9	60	1.82	256	7.17	10	44	7	3.1	7	0.8	62	
08-Dec	6.97	70	32.9	60	2.37	256	7.10	7	36	10	3.6	7	0.9	75	
09-Dec	6.98	76	28.5	70	2.33	240	7.15	7	40	8	3.1	8	0.7	72	
10-Dec	6.92	72	28.0	85	2.28	232	7.21	7	44	8	3.0	10	0.7	78	
11-Dec	6.98	75	26.9	90	2.36	256	7.08	9	36	8	3.5	8	0.7	77	
12-Dec	6.95	76	34.5	85	2.34	264	7.06	8	44	8	3.5	8	0.9	57	
13-Dec	6.96	72	32.4	70	2.25	264	7.07	8	36	10	3.7	7	0.7	54	
14-Dec	6.97	72	24.8	80	2.32	232	7.08	8	36	10	3.5	10	0.9	80	
15-Dec	6.92	75	24.0	90	2.23	264	7.20	8	36	9	3.4	7	0.8	54	
16-Dec	6.93	71	25.9	55	1.96	240	7.10	8	32	10	3.7	8	0.9	69	
17-Dec	6.94	77	34.5	85	2.21	248	7.09	9	40	7	3.7	10	0.9	62	
18-Dec	6.92	73	29.6	75	1.64	240	7.05	9	36	10	3.4	8	0.8	65	
19-Dec	6.98	72	29.4	90	1.92	264	7.21	9	40	8	3.3	8	0.9	64	
20-Dec	6.92	72	32.3	75	2.06	240	7.19	9	36	7	3.2	9	0.8	64	
21-Dec	6.95	73	31.5	85	2.27	256	7.12	9	32	10	3.6	10	0.9	73	
22-Dec	6.93	72	33.7	60	1.74	240	7.12	9	44	7	3.7	7	0.7	80	

2042

				 LARSEN & TOUBRO LTD. ECC DIVISION											
PROJECT 0.75 MLD STP Near Jaccha Ki Bawri at Hindaun City								Format No. :- BGH-SP/HAN/STP-2/0.75MLD							
CLIENT : RUDSICO								Report No. :- December'23							
JOB No. : LE170192															
DAILY LABORATORY ANALYSIS															
Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH4-N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
23-Dec	6.99	75	30.8	65	1.62	256	7.15	8	40	10	3.2	8	0.9	71	
24-Dec	6.99	72	24.2	75	1.81	248	7.09	10	32	9	3.2	10	0.9	56	
25-Dec	6.99	70	26.9	55	1.76	264	7.19	10	32	8	3.4	10	0.8	62	
26-Dec	6.92	77	29.5	70	1.69	240	7.21	8	40	7	3.1	10	0.8	76	
27-Dec	6.97	77	24.2	95	2.01	256	7.15	9	44	10	3.6	8	0.8	77	
28-Dec	6.92	69	30.6	65	2.28	232	7.14	7	40	9	3.4	9	0.9	73	
29-Dec	6.96	77	29.4	65	1.95	248	7.09	9	44	7	3.6	10	0.8	69	
30-Dec	6.95	72	24.5	55	1.52	232	7.15	9	36	8	3.7	7	0.9	65	
31-Dec	6.52	76	25.6	117	4	297	6.78	8	50	9	3.2	8	1.1	90	

STP 5 MLD at Hindaun City 2043

P-143

						LARSEN & TOUBRO LTD. ECC DIVISION										
PROJECT 5 MLD STP Near Banaya Road at Hindaun City							Format No. :- BGH-SP/HAN/STP-3/5MLD									
CLIENT : RUDSICO							Report No. :- December'23									
JOB No. : LE170192																
DAILY LABORATORY ANALYSIS																
Date	INLET RAW WATER						OUTLET									REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform		
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml		
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100		
01-Dec	7.06	71	34.59	95	2.2	264	7.12	9	40	7	3.43	10	0.88	66		
02-Dec	6.93	71	25.64	60	1.73	248	7.12	10	32	8	3.12	7	0.94	62		
03-Dec	6.92	68	29.47	95	1.95	264	7.07	8	32	8	3.37	10	0.85	79		
04-Dec	6.97	68	31.3	60	1.72	232	7.05	7	32	9	3.41	10	0.85	58		
05-Dec	6.93	70	30.67	75	2.02	248	7.05	9	36	8	3.41	9	0.92	67		
06-Dec	6.96	76	29.3	80	1.71	248	7.1	10	44	9	3.56	7	0.86	67		
07-Dec	6.94	71	33.75	90	1.66	264	7.2	7	36	8	3.45	10	0.94	71		
08-Dec	6.97	73	28.93	60	1.82	256	7.17	10	44	7	3.07	7	0.83	62		
09-Dec	6.97	70	32.86	60	2.37	256	7.1	7	36	10	3.58	7	0.94	75		
10-Dec	6.98	76	28.52	70	2.33	240	7.15	7	40	8	3.05	8	0.73	72		
11-Dec	6.92	72	28.02	85	2.28	232	7.21	7	44	8	3	10	0.72	78		
12-Dec	6.98	75	26.9	90	2.36	256	7.08	9	36	8	3.52	8	0.71	77		
13-Dec	6.95	76	34.47	85	2.34	264	7.06	8	44	8	3.48	8	0.92	57		
14-Dec	6.96	72	32.44	70	2.25	264	7.07	8	36	10	3.69	7	0.74	54		
15-Dec	6.97	72	24.83	80	2.32	232	7.08	8	36	10	3.47	10	0.94	80		

2044



LARSEN & TOUBRO LTD. ECC DIVISION

PROJECT 5 MLD STP Near Banaya Road at Hindaun City

Format No. :- BGH-SP/HAN/STP-3/5MLD

CLIENT : RUDSICO

Report No. :- December'23

JOB No. : LE170192

DAILY LABORATORY ANALYSIS

Date	INLET RAW WATER						OUTLET								REMARKS
	pH	TSS	TKN (as N)	BOD ₅	TP	COD	pH	BOD ₅	COD	TSS	NH ₄ -N	N Total	Total Phosphorus	Faecal Coliform	
	-	mg/L	mg/L	mg/L	mg/L	mg/L	-	mg/L	mg/L	mg/L	mg/L	mg/l	mg/L	MPN/100 ml	
Design Limit	6-9	650	55	300	6	650		<10	<50	<10	<5	<10	<2	<100	
16-Dec	6.92	75	23.98	90	2.23	264	7.2	8	36	9	3.41	7	0.75	54	
17-Dec	6.93	71	25.89	55	1.96	240	7.1	8	32	10	3.69	8	0.89	69	
18-Dec	6.94	77	34.49	85	2.21	248	7.09	9	40	7	3.65	10	0.94	62	
19-Dec	6.92	73	29.63	75	1.64	240	7.05	9	36	10	3.35	8	0.75	65	
20-Dec	6.98	72	29.39	90	1.92	264	7.21	9	40	8	3.25	8	0.94	64	
21-Dec	6.92	72	32.3	75	2.06	240	7.19	9	36	7	3.17	9	0.76	64	
22-Dec	6.95	73	31.48	85	2.27	256	7.12	9	32	10	3.6	10	0.93	73	
23-Dec	6.93	72	33.71	60	1.74	240	7.12	9	44	7	3.68	7	0.72	80	
24-Dec	6.99	75	30.75	65	1.62	256	7.15	8	40	10	3.18	8	0.92	71	
25-Dec	6.99	72	24.16	75	1.81	248	7.09	10	32	9	3.22	10	0.88	56	
26-Dec	6.99	70	26.92	55	1.76	264	7.19	10	32	8	3.4	10	0.79	62	
27-Dec	6.92	77	29.51	70	1.69	240	7.21	8	40	7	3.13	10	0.75	76	
28-Dec	6.97	77	24.23	95	2.01	256	7.15	9	44	10	3.6	8	0.75	77	
29-Dec	6.92	69	30.58	65	2.28	232	7.14	7	40	9	3.4	9	0.85	73	
30-Dec	6.96	77	29.35	65	1.95	248	7.09	9	44	7	3.61	10	0.81	69	
31-Dec	6.95	72	24.46	55	1.52	232	7.15	9	36	8	3.65	7	0.86	65	

2045

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
 (See Rule - 24)
Final Report

Report No. : **24097**

Report On : **02/02/2024**

I hereby certify that I **Dr. Narain Bhoot**, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 25/01/2024 from **Shri Om Prakash Shardul**, SSO, Jaipur, RSPCB Jaipur a sample of Waste Water of **M/S JAIPUR MUNICIPAL CORPORATION**, Plant - **STP PLANT [93338] ,8 MLD STP PLANT BRAHMAPURI STP CAMPUS AREA**, City- **JAIPUR** Tehsil- **Jaipur**, District- **JAIPUR** Collected from **Inlet of STP** Collected on **24/01/2024**. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on **02/02/2024** and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	39.9
2	pH	7.34
3	Total Suspended Solids mg/l	652
4	Chemical Oxygen Demand (COD) mg/l	792
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	302
6	Ammonical Nitrogen as N mg/l	28.8
7	Phosphate (Total) as P mg/l	4.2
8	Nitrate Nitrogen as N mg/l	3.6
9	Faecal Coliform (MPN Technique) /100 ml	470000
10	Total Kjeldahl Nitrogen (TKN) as N mg/l	35.6

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **02/02/2024**


BOARD ANALYST

Rajasthan State Pollution Control Board
 Head Office (Central Laboratory)
 4, Institutional Area, Jhalana Doongari,
 Jaipur-302 004
 Phone: 0141-5159648,5159607
 Fax: 0141-5159665

2046

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
 (See Rule - 24)
Final Report

Report No. : 24098

Report On : 02/02/2024

I hereby certify that I Dr. Narain Bhoot, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 25/01/2024 from Shri Om Prakash Shardul, SSO, Jaipur ,RSPCB Jaipur a sample of Waste Water of M/S JAIPUR MUNICIPAL CORPORATION , Plant - STP PLANT [93338] ,8 MLD STP PLANT BRAHMAPURI STP CAMPUS AREA , City- JAIPUR Tehsil- Jaipur , District- JAIPUR Collected from Final Outlet of STP after C.C.T Collected on 24/01/2024. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 02/02/2024 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	7.6
2	pH	7.56
3	Total Suspended Solids mg/l	9
4	Chemical Oxygen Demand (COD) mg/l	28.8
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	8.9
6	Ammonical Nitrogen as N mg/l	2.8
7	Phosphate (Total) as P mg/l	0.9
8	Nitrate Nitrogen as N mg/l	3.7
9	Faecal Coliform (MPN Technique) /100 ml	82
10	Total Kjeldahl Nitrogen (TKN) as N mg/l	3.6

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **02/02/2024**


BOARD ANALYST

Rajasthan State Pollution Control Board

Head Office (Central Laboratory)

4, Institutional Area, Jhalana Doongari,
Jaipur-302 004

Phone: 0141-5159648,5159607

Fax: 0141-5159665

STP 1 MLD at Central Park, Jaipur



TEAM TEST HOUSE (Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/TH

Office : E-65, Chitrangam Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222849,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. : 200000105

Date : 01-02-2024

Issued To : M/S J.D.A. X.E.N.P.H.E.I

Type of Unit : N/A

Type of sample / Discipline :	Jaipur, Jaipur (Rajasthan), Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA-01 MLD STP-Center Park	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative	Mr Hanuman Meena	Condition of Sample :	Fit for testing
Parameters	Observed Value	Testing Protocol	Limits as per Environment

RESULTS

1	Faecal coliform (MPN/100ml)	17	IS 1622 : 1981	1986 1000
Notes :-				
#	The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.			
#	This report is not to be reproduced wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.			

The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

bhan

Tanvi Chandra
Senior Analyst

SANDEEP YADAV
Authorized Signatory
(Report No: 200000105)

SA



TEAM 2048 HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitranganj Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414877379,
Website : www.teamtesthouse.com
Email : team.bheda@gmail.com

Laboratory : G1-584, RICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000106	Date :	01-02-2024
Issued To	M/S J.D.A. X.E.N.P.H.E.I Jaipur, Jaipur (Rajasthan),	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA 01 MLD STP Ramnivas Garden	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fil for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	36	IS 1622 : 1981	1000

Notes :

- # The results listed refer only to the tested sample (s) & parameter(s). Endorsement of products is neither intended nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan

SATYBHAN SHARMA

Senior Analyst

Sandeep

SANDEEP YADAV

Authorized Signatory

(Report No: 200000106)



TEAM 2049 HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitraujan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377230064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdlab@gmail.com

Laboratory : G1-584, RICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460212049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000107	Date :	01-02-2024
Issued To :	M/S J.D.A. X.E.N.P.H.E.I Jaipur, Jaipur (Rajasthan),	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA 01 MLD STP Jawahar Circle	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fil for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	44	IS 1622 : 1981	1000

Notes :

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither intended nor implied
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


SATYBHAN SHARMA
Senior Analyst


SANDEEP YADAV
Authorized Signatory
(Report No: 200000107)

STP 62.5 MLD at Dehlaas Unit-I, Jaipur

Khillari Infrastructure PVT. LTD.

Month of Dec 2023

Unit 1, 62.5 MLD, STP Dehlaas

Date	Inlet									Outlet								
	Flow	Temperature	PH	TSS	COD	BOD	TKN	TP	Fecal Coliform	Flow	Temperature	pH	BOD	COD	TSS	TKN	TP	Fecal Coliform
Permissible Limit	62.5 MLD	Degree C	7.2-7.9	600 mg/L	700 mg/L	350 mg/L	55 mg/L	5 mg/L		(MLD)	Degree C	5.5-9.0	< 10 mg/L	< 50 mg/L	< 20 mg/L	< 5 mg/L	< 1 mg/L	< 100 mg/L
01-Dec-23	53.39	28	7.2	318	724	310	68.2	1.7	100000	52.29	28	7	9	36	10	4.2	0.6	100
02-Dec-23	50.46	28	7.2	478	624	320	69.2	1.6	100000	52.58	28	7.2	9	24	9	4.2	0.6	100
03-Dec-23	46.54	28	7.4	420	640	280	70.2	1.8	100000	48.14	28	7.1	10	32	8	3.2	0.8	100
04-Dec-23	45.5	28	7.4	436	672	290	71.2	1.9	100000	45.16	28	7	9	40	10	3.1	0.6	100
05-Dec-23	33.04	28	7.2	318	640	310	70.1	1.7	100000	33.08	28	7.1	8	36	10	3.2	0.8	100
06-Dec-23	23.23	28	7.3	436	624	320	71.2	1.6	100000	25.1	28	7	9	32	10	3.1	0.6	100
07-Dec-23	34.7	28	7.2	448	692	320	71.2	1.8	100000	32.6	28	7.2	9	36	8	2.4	0.7	100
08-Dec-23	46.11	28	7.6	476	724	300	71.6	1.2	100000	46.01	28	7	10	24	9	3.1	0.7	100
09-Dec-23	49.5	28	7.2	436	664	320	69.2	1.9	100000	49.12	28	7	9	42	10	3.1	0.7	100
10-Dec-23	50.51	28	7.6	380	624	290	72.6	1.2	100000	49.75	28	7.2	9	24	9	3.2	0.6	100
11-Dec-23	48.57	28	7.3	340	724	290	69.7	1.8	100000	50.08	28	7	9	42	9	3.1	0.7	100
12-Dec-23	37.29	28	7.3	428	624	280	68.4	1.2	100000	39.67	28	7	8	24	9	3.1	0.6	100
13-Dec-23	21.19	28	7.4	318	624	310	71.2	1.2	100000	18.77	28	7.2	9	32	10	3.2	0.6	100
14-Dec-23	37.4	28	7.2	320	652	280	69.1	1.6	100000	35.54	28	7	9	44	10	3.2	0.7	100
15-Dec-23	39.77	28	7.4	310	624	290	71.1	1.8	100000	38.25	28	7.2	10	32	9	3.1	0.6	100
16-Dec-23	40.78	28	7.2	568	756	290	68.1	1.7	100000	40.15	28	7	9	44	10	3.2	0.7	100
17-Dec-23	62.15	28	7.6	340	724	290	72.1	1.8	100000	62.77	28	7.2	9	36	10	3.2	0.8	100
18-Dec-23	40.93	28	7.4	318	624	300	69.2	1.9	100000	45.26	28	7	9	44	10	4.2	0.6	100
19-Dec-23	30.89	28	7.3	410	724	280	71.2	1.7	100000	31.78	28	7	8	42	10	3.1	0.6	100
20-Dec-23	31.3	28	7.4	387	596	300	69.2	1.7	100000	31.11	28	7.1	9	36	10	3.1	0.5	100
21-Dec-23	32.17	28	7.4	301	678	310	69.2	1.8	100000	29.78	28	7.1	9	42	10	2.4	0.7	100
22-Dec-23	45.54	28	7.3	436	524	290	70.1	1.7	100000	45.07	28	7.2	8	38	10	3.2	0.5	100
23-Dec-23	43.82	28	7.3	301	524	290	69.1	1.8	100000	41.93	28	7.2	8	36	10	3.1	0.5	100
24-Dec-23	40.69	28	7.3	667	628	300	69.4	1.7	100000	37.66	28	7.1	9	32	9	4.2	0.7	100
25-Dec-23	48.99	28	7.3	467	628	310	71.2	1.7	100000	51.43	28	7.2	10	42	10	3.2	0.6	100
26-Dec-23	48.61	28	7.4	476	624	290	69.2	1.6	100000	47.63	28	7.2	8	44	10	2.4	0.6	100
27-Dec-23	35.61	28	7.2	387	596	290	68.2	1.8	100000	42.28	28	7.1	9	38	11	3.1	0.5	100
28-Dec-23	37.54	28	7.4	486	650	310	63.1	1.9	100000	34.82	27	7.1	8	36	12	3.3	0.5	100
29-Dec-23	27.68	28	7.2	410	624	310	73.1	1.8	100000	32.49	27	7.1	8	34	11	3.1	0.8	100
30-Dec-23	17	27	7.2	467	628	310	69.4	1.7	100000	11.33	27	7.2	8	36	9	3.4	0.6	100
31-Dec-23	56.83	27	7.10	486	624	290	72.10	1.80	100000	59.24	27	7.1	9	38	10	3.6	0.8	100
AVERAGE	40.57	27.94	7.32	411.90	646.06	299.03	69.94	1.68	100000.00	40.67	27.87	7.10	8.84	36.06	9.74	3.24	0.64	100.00

Manish
Process Engineer

Pidik Rajan
Chemist



STP 62.5 MLD at Dehlawas Unit-II, Jaipur

Khlari Infrastructure PVT. LTD.

Month of Dec-23

Unit 2, 62.5 MLD, STP Dehlawas

Date	Inlet									Outlet								
	Flow	Temperature	PH	TSS	COD	BOD	TKN	TP	Fecal Coliform	Flow	Temperature	pH	BOD	COD	TSS	TKN	TP	Fecal Coliform
Permissible Limit	62.5 MLD	Degree C	7.2-7.9	600 mg/L	700 mg/L	350 mg/L	55 mg/L	5 mg/L		(MLD)	Degree C	5.5-9.0	< 10 mg/L	< 50 mg/L	< 20 mg/L	< 5 mg/L	< 1 mg/L	< 100 mg/L
01-Dec-23	43.04	28	7	424	724	320	68.1	6.4	100000	44.17	28	7.2	9	36	15	4.2	0.1	100
02-Dec-23	37.12	28	7	436	736	290	72.1	7.4	100000	41.56	28	7.3	8	24	12	4.3	0.9	100
03-Dec-23	45.08	28	7.3	520	732	280	76.4	5.4	100000	45.17	28	7.2	10	36	14	4.1	0.8	100
04-Dec-23	41.6	28	7.3	320	652	300	74.2	7.4	100000	40.71	28	7.3	9	32	14	4.3	0.7	100
05-Dec-23	33.48	28	7.3	312	656	310	76.1	6.1	100000	34.03	28	7.2	8	34	12	4.2	0.6	100
06-Dec-23	38.08	28	7.3	314	636	320	72.1	4.2	100000	37.54	28	7.2	9	42	14	3.6	0.1	100
07-Dec-23	42.22	28	7.3	336	564	310	72.2	3.2	100000	42.02	28	7.4	9	40	12	3.4	0.8	100
08-Dec-23	35.52	28	7.4	236	556	290	76.2	4.2	100000	38.99	28	7.3	8	46	10	3.8	0.9	100
09-Dec-23	31.25	28	7.3	436	724	280	70.1	4.2	100000	29.33	28	7.2	7	36	12	3.5	0.8	100
10-Dec-23	32.93	28	7.3	424	672	300	69.2	4.1	100000	33.09	28	7.2	9	32	10	3.6	0.8	100
11-Dec-23	28.71	28	7.2	520	672	320	68.1	4.2	100000	31.57	28	7.1	8	36	10	3.8	0.7	100
12-Dec-23	9.96	28	7.1	464	624	280	68.2	4.3	100000	9.85	28	7.2	8	32	12	4.1	0.2	100
13-Dec-23	18.59	28	7.2	520	672	290	68.2	4.6	100000	18.95	28	7.2	9	34	10	3.8	0.9	100
14-Dec-23	6.79	28	7.2	548	668	290	68.1	4.3	100000	6.71	29	7.3	9	32	10	3.6	0.9	100
15-Dec-23	12.68	26	7.3	467	596	290	70.6	4.2	100000	12.87	26	7.2	10	34	12	3.2	0.9	100
16-Dec-23	6.25	26	7.3	568	756	290	71.1	4.1	100000	5.26	26	7.3	10	40	10	3.4	0.8	100
17-Dec-23	4.33	26	7.2	593	724	300	68.1	4.2	100000	5.08	26	7.4	10	42	10	3.4	0.7	100
18-Dec-23	0.06	26	7.5	318	624	280	72.1	3.2	100000	0.04	26	7.2	9	48	9	3.2	0.6	100
19-Dec-23	13.63	26	7.6	410	720	280	69.2	3.1	100000	10.87	26	7	10	46	10	3.4	0.1	100
20-Dec-23	11.14	26	7.5	387	590	290	71.2	4.2	100000	10.04	26	7.1	9	42	10	3.6	0.1	100
21-Dec-23	23.57	26	7.3	301	678	300	69.2	4.2	100000	20.42	26	7.1	8	42	12	3.2	0.2	100
22-Dec-23	9.51	26	7.5	436	598	310	69.2	4.1	100000	10.77	26	7	7	46	10	3.6	0.1	100
23-Dec-23	0.86	26	7.2	301	524	290	70.1	3.2	100000	0.94	26	7.1	8	40	12	3.4	0.4	100
24-Dec-23	3.48	26	7.4	467	628	300	69.1	4.2	100000	4.44	26	7	8	34	10	3.8	0.1	100
25-Dec-23	6.52	28	7.3	476	628	310	69.4	4.2	100000	0.004	28	7.1	10	32	9	4.2	0.2	100
26-Dec-23	23.33	28	7.3	387	624	290	69.2	4.1	100000	20	28	7.2	8	40	10	4.1	0.3	100
27-Dec-23	42.38	28	7.3	467	596	290	68.2	4.2	100000	46.55	28	7	9	40	9	3.8	0.4	100
28-Dec-23	33	28	7.3	486	650	310	63.1	3.2	100000	32.46	28	7.1	8	38	10	3.1	0.3	100
29-Dec-23	26.33	28	7.3	410	624	310	73.1	4.8	100000	24.92	28	7.1	8	36	11	3.6	0.8	100
30-Dec-23	35.23	27	7.2	467	628	310	69.4	1.7	100000	36.34	27	7.2	8	36	9	3.4	0.6	100
31-Dec-23	23.11	27	7.1	486	624	290	72.1	1.8	100000	22.18	27	7.1	9	38	10	3.6	0.9	100
AVERAGE	23.22	27.29	7.28	427.00	648.39	297.42	70.44	4.28	100000.00	23.12	27.32	15.55	8.68	37.61	10.97	3.69	0.54	100.00

Harshy
Process Engineer

P. L. K. Rana
Chemist



STP 90 MLD 2052 Khileri, Jaipur

P-152

Khileri Infrastructure PVT.LTD.

Month of Dec, 2023

Unit 3, 90 MLD, STP Dehlawas

Date	Inlet									Outlet								
	Flow	Tempreat ure	pH	TSS	COD	BOD	TKN	TP	Fecal Colifom	Flow	Tempreat ure	pH	TSS	COD	BOD	TKN	TP	Fecal Colifom
Permissible Limit	90 MLD	Degree C	7.2-7.9	600 mg/L	700 mg/L	350mg/L	55mg/L	5mg/L		(MLD)	Degree C	5.5-9.0	<20mg/L	<50mg/L	<10mg/L	<5mg/L	<1mg/L	<100mg/ L
01-Dec-23	29.42	28	7.2	472	724	280	72.6	1.7	100000	31.05	28	7.2	10	32	10	4.6	0.2	100
02-Dec-23	32.21	28	7.2	478	624	290	71.2	1.7	100000	31.62	28	7.2	8	40	9	4.7	0.2	100
03-Dec-23	28.92	28	7.2	420	640	300	69.2	1.9	100000	28.76	28	7.0	10	42	8	3.9	0.4	100
04-Dec-23	34.66	28	7.3	426	672	310	70.2	1.8	100000	35.13	28	6.9	10	44	9	2.5	0.2	100
05-Dec-23	48.27	28	7.4	472	624	290	70.2	1.9	100000	44.81	27	7.0	9	32	8	4.9	0.2	100
06-Dec-23	43.41	28	7.6	468	562	310	70.1	1.7	100000	43.48	27	7.2	10	36	9	3.7	0.6	100
07-Dec-23	34.87	27	7.2	560	624	290	70.1	1.0	100000	37.58	27	7.0	10	42	10	4.6	0.5	100
08-Dec-23	40.68	27	7.6	570	724	280	70.1	1.7	100000	36.44	27	7.1	10	48	9	4.8	0.2	100
09-Dec-23	44.64	27	7.2	540	668	290	72.6	1.8	100000	44.81	22	7.0	10	42	8	4.6	0.2	100
10-Dec-23	42.13	28	7.3	462	624	310	70.6	1.9	100000	42.73	23	7.2	9	42	9	3.2	0.1	100
11-Dec-23	47.07	28	7.3	340	624	320	71.6	1.7	100000	45.44	28	7.2	10	44	8	4.2	0.6	100
12-Dec-23	70.07	28	7.3	428	724	280	72.4	1.8	100000	63.90	28	7.1	10	48	8	4.6	0.2	100
13-Dec-23	74.69	28	7.3	318	624	310	71.2	1.2	100000	71.76	28	7.0	9	46	9	4.6	0.4	100
14-Dec-23	73.62	28	7.3	320	624	280	72.6	1.4	100000	74.31	28	7.2	8	42	10	2.5	0.6	100
15-Dec-23	49.24	28	7.3	467	596	290	70.2	1.6	100000	56.68	28	7.0	10	36	9	4.6	0.8	100
16-Dec-23	56.17	28	7.3	568	756	290	71.2	1.7	100000	53.74	28	7.1	9	42	9	4.8	0.6	100
17-Dec-23	58.90	28	7.3	393	724	290	70.1	1.6	100000	55.03	28	7.0	10	42	8	4.3	0.7	100
18-Dec-23	73.00	28	7.3	318	624	300	69.2	1.6	100000	69.59	28	7.1	9	44	9	4.3	0.1	100
19-Dec-23	72.16	28	7.3	410	720	280	70.1	1.6	100000	74.75	28	7.0	11	44	8	4.6	0.8	100
20-Dec-23	70.67	28	7.4	387	596	280	70.2	1.8	100000	71.46	28	7.1	13	46	8	3.4	0.9	100
21-Dec-23	76.06	25	7.4	301	678	310	71.1	1.9	100000	75.59	25	7.1	12	48	9	4.1	0.8	100
22-Dec-23	70.88	28	7.4	436	598	280	70.1	1.8	100000	74.13	28	7.1	10	48	9	4.3	0.2	100
23-Dec-23	80.17	28	7.3	301	524	310	69.2	1.9	100000	77.85	28	7.2	12	44	8	4.2	0.1	100
24-Dec-23	83.09	28	7.4	467	628	290	70.1	1.7	100000	82.91	28	7.1	10	46	10	4.1	0.1	100
25-Dec-23	67.99	28	7.3	387	596	310	70.1	1.6	100000	74.06	28	7.2	10	42	9	3.6	0.2	100
26-Dec-23	23.53	28	7.2	380	642	290	72.1	1.7	100000	25.96	28	7.2	9	42	9	4.4	0.2	100
27-Dec-23	47.19	28	7.3	476	624	290	71.1	1.6	100000	43.07	28	7.1	10	46	8	3.6	0.1	100
28-Dec-23	49.35	28	7.3	486	650	310	71.1	1.8	100000	49.41	28	7.1	10	42	9	3.8	0.2	100
29-Dec-23	69.99	28	7.3	410	624	310	71.3	1.8	100000	64.64	27	7.1	9	42	8	4.2	0.2	100
30-Dec-23	56.34	27	7	467	628	310	69.4	1.7	100000	64.23	27	7.2	8	38	9	3.8	0.6	100
31-Dec-23	40.58	27	7	486	624	290	72.1	1.8	100000	36.91	27	7.1	9	36	10	3.6	0.4	100
Average	54.52	27.74	7.31	432.71	642.39	295.81	70.76	1.69	100000.00	54.25	27.32	7.10	9.81	42.19	8.00	4.10	0.37	100.00

Handwritten Signature
Process Engineer

Chemist



STP 100, 25, 20, 15 & 10 MLD ²⁰⁵³ at Drawayawati, Jaipur

Drawayawati River Project Water Quality Weekly Analysis for the Month of <u>January-2024</u>						
RIICO 100 MLD STP						
Date	TN (Unit-ppm)		TP (Unit-ppm)		T Coliform (Unit-MPN/100ml)	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
3-1-2024	40.24	7.50	7.84	1.10	>2419.6	9.5
BAMBALA STP 25 MLD STP						
Date	TN (Unit-ppm)		TP (Unit-ppm)		T Coliform (Unit-MPN/100ml)	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
5-1-2024	34.35	8.0	6.80	0.90	>2419.6	8.8
BASSI STP 20 MLD STP						
Date	TN (Unit-ppm)		TP (Unit-ppm)		T Coliform (Unit-MPN/100ml)	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
3-1-2024	40.35	7.24	7.50	0.87	>2419.6	10.0
DEVRI STP 15 MLD STP						
Date	TN (Unit-ppm)		TP (Unit-ppm)		T Coliform (Unit-MPN/100ml)	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
5-1-2024	38.29	7.84	8.0	1.00	>2419.6	8.2
GONER STP 10 MLD STP						
Date	TN (Unit-ppm)		TP (Unit-ppm)		T Coliform (Unit-MPN/100ml)	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
3-1-2024	42.70	8.50	7.24	0.90	>2419.6	9.6
Analysed by Lab Chemist		TPL			JDA	
Singh						

2054

STP 50 MLD at Jaisinghpura, Jaipur

RAJASTHAN STATE POLLUTION CONTROL BOARD REPORT OF THE STATE BOARD ANALYST (See Rule - 24) Final Report

Report No. : 24100

Report On : 02/02/2024


I hereby certify that I Dr. Narain Bhoot, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 25/01/2024 from Shri Om Prakash Shardul, SSO, Jaipur, RSPCB Jaipur a sample of Waste Water of M/S Jaipur Municipal Corporation, 50 MLD STP, Plant - 50 MLD STP [24901], Jaisinghpura Khor, Tehsil- Amber, District- JAIPUR. Collected from Final Outlet of STP. Collected on 24/01/2024. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 02/02/2024 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	21.1
2	pH	7.55
3	Total Suspended Solids mg/l	62
4	Chemical Oxygen Demand (COD) mg/l	86.4
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	23.3
6	Ammonical Nitrogen as N mg/l	15.7
7	Phosphate (Total) as P mg/l	0.8
8	Nitrate Nitrogen as N mg/l	1.3
9	Faecal Coliform (MPN Technique) /100 ml	5400
10	Total Kjeldahl Nitrogen (TKN) as N mg/l	19.6

The condition of the seals, fastening and container on receipt was as follows : Intact

Signed This On 02/02/2024


BOARD ANALYST

Rajasthan State Pollution Control Board
Head Office (Central Laboratory)
4, Institutional Area, Jhalana Doongari,
Jaipur-302 004

Phone: 0141-5159648, 5159607

Fax: 0141-5159665

STP 1 MLD at Jawahar Circle, Jaipur



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitraujan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 9377230064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhed@gmail.com

Laboratory : G1-584, RICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9468212049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000107	Date :	01-02-2024
Issued To :	M/S J.D.A. X.E.M.P.H.E.I Jaipur, Jaipur (Rajasthan).	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA 01 MLD STP Jawahar Circle	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	44	IS 1622 : 1981	1000
Notes :				

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither intended nor implied
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan
SATYBHAN SHARMA
Senior Analyst

Sandeep
SANDEEP YADAV
Authorized Signatory
(Report No: 200000107)

STP 1 MLD at Muhana Mandi, Jaipur



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414477379,
Website : www.teamtesthouse.com
Email : team.bdbend@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000109	Date :	01-02-2024
Issued To :	M/S J.D.A. X.E.N.P.H.E.I Jaipur, Jaipur (Rajasthan),	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA 01 MLD STP Muhana Mandi	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fit for testing Limits as per Environment protection rules,

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	1986
1	Faecal coliform (MPN/100ml)	63	IS 1622 : 1981	1000
Notes :-				
1. The results listed refer only to the tested sample(s) & parameters(s). Endorsement of products is neither inferred nor implied.				
2. This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.				
3. The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.				

Satybhan
SATYBHAN SHARMA
Senior Analyst

Sandeep
SANDEEP YADAV
Authorized Signatory
(Report No: 200000109)

STP 3 MLD at Paldi Meena, Jaipur



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	24200000041	Date :	23-01-2024
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg ,, Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	11-01-2024
Point of Collection :	STP Inlet (3 MLD STP Plant of JDA ,Colony Paldi Meena Jaipur)	Date of Receipt :	11-01-2024
Date of Test/Analysis :	11-01-2024 to 23-01-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Suspended Solids [mg/l]	626.67	2540-D , APHA 24th Edition
2	Biochemical Oxygen Demand (BOD) [mg/l]	222.5	5210-B , APHA 24th Edition
3	Chemical Oxygen Demand (COD) [mg/l]	782.8	5220-C , APHA 24th Edition
4	pH	7.24	4500 H+B , APHA 24th Edition

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Sunil Kumar
Senior Analyst

Authorized Signatory
Rajesh Maheshwari
(Report No. 24200000041)



Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	TTH/JDA/Jan/03	Date :	27-01-2024
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg .. Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	11-01-2024
Point of Collection :	STP Inlet (3 MLD STP Plant of JDA ,Colony Paldi Meena Jaipur)	Date of Receipt :	11-01-2024
Date of Test/Analysis :	11-01-2024 to 23-01-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Faecal coliform [MPN/100ml]	195	IS 1622 : 1981

Notes :-

- # The results listed refer only to the tested sample(s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan
SATYBHAN SHARMA

Senior Analyst

Sandeep
SANDEEP YADAV

Authorized Signatory

(Report No: TTH/JDA/Jan/03)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	24200000042	Date :	23-01-2024
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg .. Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	11-01-2024
Point of Collection :	STP Outlet (3 MLD STP Plant of JDA ,Colony Paldi Meena Jaipur)	Date of Receipt :	11-01-2024
Date of Test/Analysis :	11-01-2024 to 23-01-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Suspended Solids [mg/l]	15	2540-D , APHA 24th Edition	100
2	Biochemical Oxygen Demand (BOD) [mg/l]	8.33	5210-B , APHA 24th Edition	30
3	Chemical Oxygen Demand (COD) [mg/l]	63.84	5220-C , APHA 24th Edition	250
4	pH	7.31	4500 H+B , APHA 24th Edition	5.5 - 9.0

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


Sunil Kumar
Senior Analyst


Rajesh Maheshwari
Authorized Signatory
(Report No: 24200000042)



Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT


Report No./ULR No. :	TTH/JDA/Jan/04	Date :	27-01-2024
Issued To :	M/S JAIPUR DEVELOPMENT AUTHORITY JLN Marg ,, Jaipur (Rajasthan),	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	11-01-2024
Point of Collection :	STP Outlet (3 MLD STP Plant of JDA ,Colony Paldi Meena Jaipur)	Date of Receipt :	11-01-2024
Date of Test/Analysis :	11-01-2024 to 23-01-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	2 ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	Mr Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	37	IS 1622 : 1981	1000

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.


SATYBHAYAN SHARMA

Senior Analyst


SANDEEP YADAV
Authorized Signatory
(Report No: TTH/JDA/Jan/04)

STP 30 MLD at Ralawata, Jaipur



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000120.	Date :	05-02-2024
Issued To :	M/S Jaipur Development Authority 30 MLD, STP, Ralawata, Jaipur (Rajasthan).	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	27-01-2024
Point of Collection :	STP Outlet (30 MLD, STP, Ralawata)	Date of Receipt :	27-01-2024
Date of Test/Analysis :	27-01-2024 to 05-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	M/s Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	120	IS 1622 : 1981	1000

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Balram
Balram Agarwal
Senior Analyst

Satybhan
SATYBHAN SHARMA
Authorized Signatory
(Report No: 200000120.)



TEAM 2062 HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000119.	Date :	05-02-2024
Issued To :	M/S Jaipur Development Authority 30 MLD, STP, Ralawata, Jaipur (Rajasthan).	Type of Unit :	STP Plant
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	27-01-2024
Point of Collection :	STP Inlet (30 MLD, STP, Ralawata)	Date of Receipt :	27-01-2024
Date of Test/Analysis :	27-01-2024 to 05-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Mahaveer singh Gurjar
Unit's representative :	M/s Ansu Engineering	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol
1	Faecal coliform [MPN/100ml]	1470	IS 1622 : 1981

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Balraj Singh
Balraj Singh
Senior Analyst

Satybhan
SATYBHAN SHARMA
Authorized Signatory
(Report No: 200000119.)

STP 1 MLD at Ramniwas Bag, Jaipur



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitrangan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414877379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000106	Date :	01-02-2024
Issued To	M/S J.D.A. X.E.N.P.H.E.I Jaipur, Jaipur (Rajasthan),	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Chemical	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection	JDA 01 MLD STP Ramniwas Garden	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	36	IS 1622 : 1981	1000

Notes :

- # The results listed refer only to the tested sample (s) & parameter (s). Endorsement of products is neither intended nor implied.
- ii This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.

The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

SATYBHAN SHARMA
Senior Analyst

SANDEEP YADAV
Authorized Signatory
(Report No: 200000106)

STP 1 MLD at Swarn Jayanti Park, Jaipur

ALEX TESTING LAB

(Road & Building Material Testing Laboratory)

4/237 Basement, Chitrakoot, Vaishali Nagar, Jaipur-302021

Mobile : 9887430165, 9314413770

Email.: alextestinglab@gmail.com



AN ISO 9001:2015 CERTIFIED CO.
MECHANICAL TESTING &
CALIBRATION

TEST REPORT

Govt. Approved Lab

Report No. ATL/IPR/23-24/23010390103024-2

Issued To: Executive Engineer-PHE-II
J.D.A., Jaipur,
Rajasthan

Date of Receiving : 03.01.2024

Date of Report : 09.01.2024

PROJECT STP OUTLET WATER-I IMLD (SWARN JAYANTI PARK).

AGENCY M/S. MUSKAN CONSTRUCTION.

Sample Particulars : Sample Category: STP Outlet Water. (Sample Source - 1 MLD Swarn Jayanti Park) was received.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Permissible Limit (As Per CPCB)	Method Used
1.	pH Value	--	7.60	6.5 - 8.5	IS: 3025 (Pt - 11):1983
2.	Total suspended solids	mg/l	9.9	15 Max.	IS 3025 (Part 17) : 1984
3.	COD	Mg/l	34.29	100 Max.	APHA 22nd Edition (Method No 52248) 2012
4.	BOD	Mg/l	8.68	10 Max.	APHA 22nd Edition (Method No 52108) 2012
5.	Oil & Grease	Mg/l	Not Detected	--	APHA 22nd Edition (N, Method No 52288) 2012

*****End of Result*****

JAIPUR

Authorized Signatory



1. The result listed refers only to tested sample(s) under test in as received condition and applicable parameter. 2. Surplus sample left after testing if in retrievable condition shall be returned/claimed within 30 days from the date of issue of report & destroyed afterwards. 3. Declaration Sample is not shown by us unless otherwise mentioned. The report is purely based on the sample submitted to the laboratory and is not valid for any legal purpose. 4. Total liability of our work is limited to monetary amount. Applicable GST extra.

TESTING SERVICES • NDT • CALIBRATION • SALES OF LAB EQUIPMENT

2065



TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015,

ISO 14001:2015,

ISO 45001:2018 (OH&S)

JDA/UDH

Office : E-65, Chitranjan Marg,
C-Scheme, Jaipur - 302001, Rajasthan
Phone : +91 6377210064, 9414077379,
Website : www.teamtesthouse.com
Email : team.bdhead@gmail.com

Laboratory : G1-584, RIICO Industrial Area,
Sitapura, Jaipur - 302022, Rajasthan
Phone : +91 9460222039, 9460222049,
Email : director@teamtesthouse.com,
Email : marketinglab@teamtesthouse.com

TEST REPORT

Report No./ULR No. :	200000110	Date :	01-02-2024
Issued To :	M/S J.D.A. X.E.N.P.H.E.I Jaipur, Jaipur (Rajasthan),	Type of Unit :	N/A
Type of sample / Discipline :	Liquid Effluents / Biological	Date of Sample Collection/Monitoring :	24-01-2024
Point of Collection :	JDA 01 MLD STP Swam Jayanti Nagar	Date of Receipt :	25-01-2024
Date of Test/Analysis :	25-01-2024 to 01-02-2024	Sampling Plan :	APHA 2017 : 1060
Quantity of Sample :	1 Ltr.	Sample Collected By :	Unit's Representative
Unit's representative :	Mr Hanuman Meena	Condition of Sample :	Fit for testing

RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Faecal coliform [MPN/100ml]	40	IS 1622 : 1981	1000

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

Satybhan
SATYBHAN SHARMA
Senior Analyst

Sandeep
SANDEEP YADAV
Authorized Signatory
(Report No: 200000110)

STP 10 ML 2006 Jaisalmer

PUBLIC HEALTH ENGINEERING DEPARTMENT LABORATORY, JAISALMER
REPORT OF THE BACTERIOLOGICAL EXAMINATION OF WATER

No. Lab/Tech. (Bact.) 2023-2024/704

Date 08/11/24

To,

The सहायक अभियन्ता
नगर परिषद जैसलमेरDistrict जैसलमेर

Tehsil

e-challan - GRN-0084241082
4/11/24Reference Sp-1 दिनांक 04/01/24

Sample No.	Date & Time of Collection	Date of Examination	Residual Chlorine mg./l	Particulars of Samples	Coli form Organism M.P.N. per 100ml
34	4/11/24 10.0 AM	4/11/24	-	Sewage Treatment plant	140

Remarks: 1 Satisfactory :-

2 Suspicious :-

3 Unsatisfactory :- Sample No-34

No. Lab/Tech./ (Bact.) 20 -20

CC : 1. The Chief Chemist, P.H.E.D., Raj. Jaipur

2. The SE. P.H.E.D. Circle, Jaisalmer

3. EE. P.H.E.D., City Dn/Dist. Dn/Dn

4. The C.M.H.O. Jaisalmer

Junior Chemist
P.H.E.D. Lab, JaisalmerJunior Chemist
P.H.E.D. Lab, Jaisalmer

P C Snehal Construction Pvt Ltd

Jaitaran 2 MLD Project

Monthly Report of Raw Sewerage & Treated Water Analysis

Month : DECEMBER Year : 2023

Date	Parameters at Inlet Chamber									Parameters at Outlet Chamber									
	In coming Flow volume (M3)	Temp	PH	DO	BOD	COD	TSS	N	P	Out going Flow volume (M3)	Temp	PH	DO	BOD	COD	TSS	N	P	Chlorine
1	287	21.1	7.81		136.2	502.3	341	20.4	5.2	276	23.5	7.1	3.4	7.9	41.2	8	3.81	0.92	0.8
2	282	22.4	7.74		140.2	386.1	390	20.5	4.72	279	26.1	7.8	4.1	7.8	40.4	8	2.42	1.02	0.4
3	271	20.2	7.61		121.3	419.1	340	23.4	3.75	274	23.1	7.04	4.1	7	39.4	8	3.61	0.94	0.4
4	258	21.3	7.72		126.1	411.2	345	21.4	6.8	275	24.1	7.8	4	7	44.5	7	4.6	0.98	0.8
5	295	24.1	7.43		126.1	411.1	360	19.2	4.1	279	26.2	7.9	3.9	8	44.3	9	3.41	1.01	0.4
6	290	21.4	7.81		134.1	421.2	341	22.2	5.1	279	24.1	7.12	4.1	7.9	39.4	8	2.76	1.06	0.8
7	226	23.1	7.76		140.2	380.1	366	22.3	4.91	276	27.6	7.8	3.5	8.1	45.2	8	4.16	0.93	0.8
8	338	21.4	7.63		124.4	425.1	340	18.2	6.86	280	24.1	7.4	3.8	8	40.3	7	3.78	0.98	0.4
9	284	24.1	7.84		129.4	393.1	361	18.5	4.41	276	26.2	7.11	3.6	8.1	39.4	8	3.71	1.03	0.4
10	311	23.6	7.91		141.3	403.1	386	17.2	3.96	497	26.3	7.15	3.8	7.9	38.2	9	3.41	0.84	0.8
11	384	23.2	7.91		143.2	408.4	397	22.6	4.93	389	26.4	7.8	3.9	8	39.6	9	3.74	0.85	0.8
12	448	21.4	7.53		140.4	422.1	380	21.4	4.93	643	24.2	7.7	3.6	7.8	43.4	8	4.18	1.04	0.4
13	559	21.2	7.91		143.4	431.3	367	19.4	3.83	622	25.6	7.8	4	7	44.2	7	4.11	0.94	0.4
14	665	23.5	7.77		126.5	389.2	378	21.1	3.81	545	26.3	7.9	4	7.8	44.1	9	3.11	0.91	0.8
15	635	20.2	7.83		124.3	391.1	402	19.4	2.71	431	24.6	7.3	3.5	8	41.5	9	3.72	1.05	0.8
16	526	21.2	7.72		118.1	426.4	350	22.6	4.72	542	26.1	7.9	4.1	8.1	41.7	8	2.76	0.86	0.4
17	295	24.1	7.71		120.3	394.1	363	19.6	3.51	458	27.3	7.6	3.8	8	45.1	8	2.53	1.04	0.4
18	533	22.4	7.83		139	43.2	319	21.2	4.21	418	26.1	7.5	3.4	7.6	38.6	9	3.44	0.89	0.4
19	428	24.6	7.53		136.5	452	283	18.1	4.41	423	27.5	7.3	3.8	8	40.3	9	3.81	1.02	0.4
20	558	21.2	7.64		138.1	452.1	319	18.5	3.73	611	24.5	7.8	3.9	7	43.4	8	4.18	1.05	0.8
21	696	22.1	7.84		133.2	419	341	23.1	5.2	642	25.7	7.9	3.8	7.8	39.4	7	3.76	0.91	0.8
22	415	24.1	7.79		146.2	412.3	328	20.5	3.63	419	26.4	7.6	3.7	7	43.3	8	4.12	1.02	0.8
23	418	21.3	7.81		145.4	370.3	360	18.6	2.43	550	24.2	7.11	4	7.9	40.1	7	4.11	0.95	0.4
24	477	20.4	7.91		121.1	398.4	396	27.2	2.53	453	23.1	7.15	3.5	7.8	39.6	9	3.17	1.05	0.4
25	400	20.4	7.81		117.2	423.1	395	19.1	2.71	403	24.1	7.9	4.1	7.8	38.7	7	3.19	1.03	0.8
26	495	23.1	7.62		134.1	402.3	406	23.1	3.41	427	26.3	7.15	4	8	45.2	8	2.71	0.94	0.8
27	372	24.3	7.92		140.2	438.1	380	19.4	4.86	404	22.4	7.12	4	8.1	46.6	7	2.76	1.01	0.8
28	363	24.1	7.88		146.2	463.6	320	18.5	4.1	416	25.4	7.2	3.9	7.8	44.4	8	2.71	0.93	0.4
29	685	23.4	7.82		133.2	511.4	383	18.6	5.83	578	25.7	7.12	4	7.9	39.2	7	2.36	1.04	0.8
30	367	24.1	7.28		122.4	512.4	380	21.4	4.94	416	25.7	7.12	3.6	8	39.4	8	2.36	1.03	0.8
31	439	21.5	7.79		118.5	404.4	350	20.4	5.26	598	26.4	7.8	4	7.7	34.4	8	3.72	0.95	0.4
13000										13379									

Plant Incharge

Pamraj

Jaitaran Lab Incharge

[Signature]


Jaitaran Nagar District

[Signature]
जनियारी अधिकारी
नगर पालिका जैतारन

2068


2MLD STP AT JAITARAN, RAJASTHAN
03 January 2024 12:58:44

INCOMING VOLUME 12 / 2023



13000 m3 TOTAL

OUTGOING VOLUME 12 / 2023



13379 m3 TOTAL

अभिषेक जी
म. पालिका



AN ISO / IEC 17025:2005

2069

Certificate of Testing / Analysis

GURU KRIPA TESTING HOUSE

NABL Accredited Laboratory

(Estd. : Since 1996)



TC - 9748

ISO 9001:2015 CERTIFIED TESTING LAB.

Auth. Sam. Collection Cen. : 36, New Vidhya Nagar, Opp. Archi Peace park, Hiran Magri, Sector - 3, UDAIPUR (Raj.)

Lab/Off. H.O. : AMC 110/10, Civil Lines. AJMER - 305001 (Raj.)

Tel. : 0145-2626150, Mobile : 9414003374 e-mail : ravilalmathur@gmail.com

Doc No.-QR/33

Rev. No.-01

Ref. No./GKTH/Water/2023 - 24 / 66379(N)

TEST REPORT

Date of Issue: 05/01/2024

1. Name & Address of Customer	M/s PC Snehil Construction Pvt. Ltd.
2. SRF /Letter Reference	-
3. Name of Work	2 MLD Sewage Treatment Plant Nagar Palika karoliya road Jaitaran, District - Beawar, Rajasthan
4. Material Identification	STP Water (5 Lit. in Loose Plastic bottle)
5. Sample Supplied by	Contractor
6. Source / Location	Outlet Water
7. Date of Sample Receipt	31/12/2023
8. Date of Sample Tested	31/12/2023 to 05/01/2024
9. Results of the Test/Analysis	As Per the Specification of IS: 2490/1981 (Pt-1) tolerance limit for industrial effluents discharged into inland surface water Sp. of BIS.

PHYSICO- CHEMICAL ANALYSIS

S. No.	Name of the test Required	Method of Test	Test Results Found (Avg. of 3 Trials)	Std. Requirements
1.	Faecal Coliform	IS: 1622 :1981	98.4 MPN / 100 ml	100 - 230 MPN / 100 ml

For Guru Kripa Testing House



Page 1 of 1

Note: 1. Once original test report certificated issued (Generate) will neither change nor take back at any cost & condition after testing the sample as instructed by the party.
 2. The opinion is with respect to the test(s) carried out and mentioned above.
 3. The results listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
 4. The report shall not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without written approval of the Guru Kripa Testing House, Ajmer. 5. The samples will be stored up to one month from the date of issue of test certificate unless otherwise specified.




Scanned with OKEN Scanner



2070


2MLD STP AT JAITARAN, RAJASTHAN
02 December 2023 11:58:10

INCOMING VOLUME 11 / 2023



8162 m3 TOTAL

OUTGOING VOLUME 11 / 2023



8187 m3 TOTAL

अभिषेक अधिकारी
बिगड पालिका जैतारण

2071

P C Snehal Construction Pvt Ltd

Jaitaran 2 MLD Project

Monthly Report of Raw Sewerage & Treated Water Analysis

Month : NOVEMBER Year : 2023

Date	Parameters at Inlet Chamber									Parameters at Outlet Chamber									
	In coming Flow volume (M3)	Temp	PH	DO	BOD	COD	TSS	N	P	Out going Flow volume (M3)	Temp	PH	DO	BOD	COD	TSS	N	P	Chlorine
1	261	24.1	7.62		138.2	368.3	353	22.4	5.96	272	22.4	7.96	3.8	8.2	44.6	8	3.86	0.92	0.8
2	238	24.1	7.74		122.4	502.4	343	18.6	6.86	277	25.7	7.86	3.9	7.8	39.2	8	3.72	0.96	0.8
3	241	23.3	7.28		140.3	512.4	349	22.6	4.96	271	26.4	7.98	3.6	7.8	49.2	9	2.36	0.98	0.4
4	304	24.2	7.19		122.2	380	399	18.6	5.92	275	26.6	7.63	3.9	8	43.2	8	2.36	1.02	0.4
5	292	24.3	7.12		140.4	403.2	460	19.4	4.76	276	26.7	7.84	4	7.8	44.4	7	2.76	1.02	0.4
6	306	23.4	7.26		128.2	459	260	19.3	4.96	275	25.3	7.83	3.8	8.1	41.4	8	2.76	0.92	0.8
7	202	22.3	7.18		133.2	463.6	349	22.4	4.92	275	26.6	7.86	3.9	7.9	38.2	8	3.78	0.93	0.4
8	282	21.3	7.2		138.1	369.2	383	23.1	4.76	274	26.2	7.83	4	8	44.6	8	2.76	1.02	0.4
9	252	23.4	7.15		146.2	442.1	315	18.4	5.2	274	25.6	7.73	3.8	7.9	39.2	9	3.73	0.98	0.8
10	298	25.3	7.12		125	438.1	320	19.4	3.72	275	27.1	7.82	3.6	7.8	44.2	8	2.76	1.01	0.4
11	271	22.6	7.24		144.3	511.4	419	19.1	4.86	271	25.3	7.87	4	8.1	39.4	7	2.63	0.88	0.8
12	265	25.3	7.3		136.1	424	380	18.5	5.94	270	27.1	7.84	4.1	8	39	7	3.76	1.04	0.4
13	268	24.2	7.16		119.4	461	368	22.2	5.78	270	27.4	7.74	3.9	7.8	41.2	8	2.36	0.91	0.4
14	307	20.1	7.4		128.1	481.3	276	18.6	4.94	273	26.4	7.81	3.6	7.8	39.3	7	2.39	1.02	0.8
15	295	21.4	7.18		117.2	425	341	21.4	5.83	308	26.1	7.76	3.8	8	40.1	8	2.71	1.02	0.4
16	283	22.1	7.8		124.2	376.1	324	18.1	4.1	276	25.4	7.93	3.6	7.8	41.2	8	4.17	1.06	0.4
17	265	22.4	7.24		134.2	431.1	234	20.3	4.21	227	25.6	7.31	3.9	7.4	42.1	8	2.71	1.04	0.8
18	232	20.6	7.2		114.1	369.2	340	20.1	3.96	269	23.2	7.8	4	8	44.1	9	2.74	1.03	0.8
19	248	21.3	7.63		138.1	452.2	290	21.2	4.96	276	25.1	7.89	3.7	7.8	38.6	6	2.36	0.91	0.4
20	301	22.1	7.3		124.4	370	350	18.2	3.71	274	25.4	7.83	3.9	7.8	41.3	8	4.18	1.04	0.4
21	304	18.4	7.21		123.1	458.3	363	21.4	5.96	276	20.1	7.7	3.9	7	49.3	9	2.76	0.94	0.8
22	251	22.3	7.4		136	461.1	264	18.6	5.7	270	26.1	7.63	4	8	43.4	8	3.81	1.05	0.8
23	280	23.1	7.3		139.1	430.3	370	20.4	4.7	270	26.4	7.8	3.8	7.8	40.3	8	3.72	1.02	0.4
24	266	21.2	7.69		118.1	368.4	349	22.4	4.93	276	24.7	7.84	3.6	7.9	39.4	8	3.76	0.92	0.4
25	261	20.2	7.4		131.2	463.1	319	18.4	5.76	274	26.3	7.81	3.9	7.9	43.6	7	2.91	0.86	0.8
26	304	24.6	7.19		132.1	442.2	252	19.1	3.96	275	27.2	7.74	4.1	8	42.4	8	2.71	0.97	0.4
27	265	23.1	7.3		140.3	450.1	246	21.2	4.91	275	26.2	7.87	4	7.9	39.1	8	2.81	1.04	0.4
28	300	24.5	7.53		139	463.1	350	21.2	4.96	273	26.2	7.86	4	7.2	44.2	6	2.39	0.92	0.4
29	263	18.2	7.3		122.4	369.1	343	19.6	4.36	274	22.4	7.78	3.9	7.8	38.4	8	3.76	1.01	0.8
30	240	23.1	7.2		140.2	436.1	338	19.2	4.94	255	25.4	7.71	3.9	8	41.2	8	2.39	0.86	0.4
8145										8176									

Pooni
Plant Incharge

[Signature]
Lab Incharge

[Signature]
Jaitaran Nagar Palika
आधिकाारी अधिकारी
नगर पालिका जैतारन

STP 10 MLD at Jalor

QCI-NABET Accredited Environment Consultant
MoEF&CC Accredited Laboratory (EPA-1986)

GPCB Approved Schedule-II Environmental Auditor
NABL Accredited Laboratory - ISO/IEC 17025:2017
ISO 45001:2018 Certified



Issue Date	11/01/2024
Report No.	SGEL/REP/2024/01/102

TEST REPORT


SEWAGE SAMPLE ANALYSIS REPORT

Name of Client / Industry	SG ENTERPRISES		
Address	Bishangar road, Chungi Naka, Jalore		
Site Location	STP Nagar parishad Jalore (10 MLD, WSP Technology)		
Sampling Date	06/01/2024	Sampling Point	STP Outlet
Sample Receipt Date	07/01/2024	Sample Description	Sewage sample
Sample Analyzed and Completion Date	08/01/2024 to 11/01/2024	Mode of Sampling	Grab
Quantity/No. of Samples	1 L in Sterile Bottle /1 No.	Sample Collected By	SGEL Team
Packing/Seal	Packed/Sealed	Protocol/ Purpose	As per Work Order
Sample ID	SGEL/2024/01/102		

RESULT TABLE

Sr. No.	Parameters	Unit	Results	Permissible Limit as per MOEF & CC Notification, 13 th October 2017	Test Method
1	Fecal Coliform (FC)	MPN/100 ml	80	<100 MPN/100 ml	APHA 23 rd Edition, 2017, Part-9000, Section: 9221E


ANALYZED BY
Kiran Baldaniya


CHECKED BY
Vivek Mistry


AUTHORISED SIGNATORY
Rizwana Mesania



Lab : 209, SNS Platina, Nr. Reliance Market, Opp. Shrenik Residency, Vesu, Surat-395 007
Branch Office Bharuch: Plot No. D/2/CH/286 & 287, Dahej SEZ II, Tal-Vagra, Dist Bharuch, 392130
Head Off.: Shree Green Consultants, 505, SNS Platina Vesu, Surat
Call : +91 9712916775, 95109 71843
Email : info@shreegreen.com/shreegreenconsultants@gmail.com, **Web :** www.shreegreen.com

2073

STP 6 MLD at Jhalawar



REGIONAL OFFICE

Tele: 0744 -2490873

क्षेत्रीय कार्यालय

RAJASTHAN STATE POLLUTION CONTROL BOARD

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल

Plot No. 2A, Road No. 6, Indraprastha Industrial Area, Kota (Rajasthan)

RPTB/ROK/Lab. Gen.-45/ 2749-2751

Date:- 22/12/2023

The Regional Officer,
Rajasthan State Pollution Control Board,
Room No.345-347, Mini Secretariat,
Jhalawar-326001.


Subject: - Analysis Report of water/ waste water samples.

Sir,

Please find enclosed report of following sample for necessary action.


SAMPLE NO.	PARTICULARS
6121	M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagon Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.
6122	M/s 3 MLD Sewage Treatment plant, Girdharpura, Tehsil – Jhalrapatan, Distt.- Jhalawar

Yours Sincerely


Lab Incharge

Copy to the following for information and necessary action please.

1. M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagon Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.
2. M/s 3 MLD Sewage Treatment plant, Girdharpura, Tehsil – Jhalrapatan, Distt.- Jhalawar


Lab Incharge

2074

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
 (See Rule - 24)
Final Report

Report No. : 6121

Report On : 22/12/2023

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 14/12/2023 from Rahul Sharma, JEE, Jhalawar ,RSPCB Jhalawar a sample of Waste Water of M/S Municipal council, Jhalawar , Plant - Sewage Treatment Plant 6MLD Gagrion Road Jhalawar [106006] ,Faisalpura, Khasra no 84, Tehsil-Jhalrapatan, Dist-Jhalawar , City- Jhalawar Tehsil- Jhalrapatan , District- Jhalawar Collected from Outlet of STP Collected on 14/12/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 22/12/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	9
2	pH	7.93
3	Total Suspended Solids mg/l	49
4	Chemical Oxygen Demand (COD) mg/l	67.9
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	13.3
6	Phosphate (Total) as P mg/l	2.27
7	Faecal Coliform (MPN Technique) /100 ml	140

The condition of the seals, fastening and container on receipt was as follows : **Intact**
 Signed This On 22/12/2023

BOARD ANALYST

Rajasthan State Pollution Control Board
 Regional Office Kota

SPL-2A, Road no. 6, Indrapasth Ind. Area,
 Kota

Phone: 0744-2490873

STP 3 MLD at Jhalrapatan



REGIONAL OFFICE

Tele: 0744-2490873

क्षेत्रीय कार्यालय

RAJASTHAN STATE POLLUTION CONTROL BOARD

राजस्थान राज्य प्रदूषण नियंत्रण मण्डल

Plot No. 2A, Road No. 6, Indraprastha Industrial Area, Kota (Rajasthan)

RPCB/ROK/Lab/Gen.-45/ 2946

Date:- 19/01/2024

The Regional Officer,
Rajasthan State Pollution Control Board,
Room No.345-347, Mini Secretariat,
Jhalawar-326001.

Subject: - Analysis Report of water/ waste water samples.

Sir,

Please find enclosed report of following sample for necessary action.

SAMPLE NO.	PARTICULARS
6147	M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagron Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.
6148	M/s 3 MLD Sewage Treatment plant, Girdharpura, Tehsil - Jhalrapatan, Distt.- Jhalawar

Yours Sincerely

Lab Incharge

Copy to the following for information and necessary action please.

1. M/s Municipal council, Jhalawar, Sewage Treatment Plant 6MLD Gagron Road Jhalawar, Faisalpura, Khasra no 84, Tehsil- Jhalrapatan, Dist-Jhalawar.
2. M/s 3 MLD Sewage Treatment plant, Girdharpura, Tehsil - Jhalrapatan, Distt.- Jhalawar

Lab Incharge

2076

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 24)
Final Report

Report No. : **6148**

Report On : **16/01/2024**

I hereby certify that I **Dr Manoj Kumar Meena**, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the **05/01/2024** from **Rahul Sharma, JEE, Jhalawar ,RSPCB Jhalawar** a sample of Waste Water of **M/S Jhalawar , Plant - 3 MLD WSP [109591] ,3MLD WSP Girdharpura, jhalrapatan, DIST-JHALAWAR RAJ , City-JHALAWAR Tehsil- Jhalrapatan , District- Jhalawar** Collected from **Final outlet of STP** Collected on **04/01/2024**. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on **16/01/2024** and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	N total mg/L	15.12
2	pH	7.37
3	Total Suspended Solids mg/l	23
4	Chemical Oxygen Demand (COD) mg/l	64.8
5	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	11.5
6	Phosphate (Total) as P mg/l	2.19
7	Faecal Coliform (MPN Technique) /100 ml	130

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **16/01/2024**

BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Kota
SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota
Phone: 0744-2490873

STP 7 MLD Jhunjhunu



Office of the Junior Chemist
PUBLIC HEALTH ENGINEERING DEPTT. LABORATORY
Jhunjhunu (Raj.)

No: Lab/Bact./2023-24/ 666

Date: 16-1-24

Assistant Engineer
PHED City Sub Division
Jhunjhunu

District- Jhunjhunu
Tehsil: Jhunjhunu

Reference: Your letter no. 4228 dated 11-01-2024 Sample Taker-Satya Pal L&T
Bacteriological Report

Sample No.	Date & Time of Collection	Date of Examination	Residual Chlorine mg/l	Source	Particulars of Samples	Coliform MPN/100 ml
1653	11-1-24/09.25AM	11-01-24 to 13-01-24	-	Tap	Puja Kumari, DMA-29, Ward No.13, Sarswati Colony, Jhunjhunu	Nil
1654	11-1-24/09.53AM	11-01-24 to 13-01-24	-	Tap	Rustam, DMA-36, Ward No.19, Islam Nagar, Jhunjhunu	Nil
1655	11-1-24/10.21AM	11-01-24 to 13-01-24	-	Tap	Vashid Ali, DMA-35, Ward No.18, Millat Nagar, Jhunjhunu	Nil
1656	11-1-24/10.49AM	11-01-24 to 13-01-24	-	Tap	Kamal, DMA-21, Ward No.24, Near Kamal Hights, Jhunjhunu	Nil
1657	11-1-24/11.09AM	11-01-24 to 13-01-24	-	Tap	Roshani Devi, DMA-24, Ward No.22, Surya Vihar, Jhunjhunu	Nil
1658	11-1-24/11.41AM	11-01-24 to 13-01-24	-	Tap	Jai Ram, DMA-18, Ward No.52, Motisingh Ki Dhani, Jhunjhunu	Nil
1659	11-1-24/12.05PM	11-01-24 to 13-01-24	-	Tap	Vijendra Singh, DMA-3, Ward No.53, Near Ganesh Mandir, Jhunjhunu	Nil
1660	11-1-24/12.29PM	11-01-24 to 13-01-24	-	Tap	Sabbudin, DMA-20, Ward No.49, Ilahoyon Ki Masjid, Jhunjhunu	Nil
1661	11-1-24/12.55PM	11-01-24 to 13-01-24	-	Tap	Adv.Subhash Chandra Sharma, DMA-6, Ward No.47, Pansari Mohalla, Jhunjhunu	Nil
1662	11-1-24/02.03PM	11-01-24 to 13-01-24	-	Tank	City Pump House, Jhunjhunu	Nil
1663	11-1-24/01.21PM	11-01-24 to 13-01-24	-	STP	Bagar Road, Jhunjhunu	43

SK Sharma

Junior Chemist

PHED Laboratory Jhunjhunu

Date:

No: Lab/Bact./2023-24/

Copy to information and necessary action-

- 1.The Superintending Engineer PHED Circle Jhunjhunu
- 2.The Executive Rengineer City Div Jhunjhunu

Junior Chemist

PHED Laboratory Jhunjhunu



STP 20 MLD at Jodhpur

NANDARI 20 MLD Sewage Treatment Plant

Date		Raw Sewage				Aerobic Pond								Facultative Pond				Operator
Date		Inlet				Inlet				Outlet				Outlet				Operator
Date		BOD mg/l	COD mg/l	TSS mg/l	pH	BOD	COD	TSS	pH	BOD	COD	TSS	pH	BOD mg/l	COD mg/l	TSS mg/l	pH	Operator
1-11-23		125	375	165	7.38									26	130	75	7.36	PL
2-11-23		120	380	160	7.40									28	135	80	7.35	PL
3-11-23		130	405	175	7.36									30	125	85	7.32	PL
4-11-23		135	415	180	7.38									28	140	95	7.36	PL
5-11-23		145	390	175	7.42									26	145	85	7.40	PL
6-11-23		145	395	180	7.39									26	135	80	7.36	PL
7-11-23		140	380	160	7.40									28	130	85	7.35	PL
8-11-23		135	385	165	7.38									28	135	80	7.36	PL
9-11-23		135	390	180	7.36									30	140	75	7.32	PL
10-11-23		140	385	180	7.37									28	145	80	7.35	PL
11-11-23																		
12-11-23																		
13-11-23																		
14-11-23																		
15-11-23		130	380	205	7.38									26	135	85	7.37	PL
16-11-23		140	390	185	7.38									26	140	90	7.36	PL

11-11-23 to 14-11-23: Dipawadi

2080

NANDARI 20 MLD Sewage Treatment Plant

Date		Raw Sewage				Anaerobic Pond								Facultative Pond				Operator
		Inlet				Inlet				Outlet				Outlet				
Date		BOD mg/l	COD mg/l	TSS mg/l	pH	BOD	COD	TSS	pH	BOD	COD	TSS	pH	BOD mg/l	COD mg/l	TSS mg/l	pH	
1-12-23		135	265	160	7.42									26	135	80	7.40	FL
2-12-23		140	315	165	7.43									28	140	85	7.40	FL
3-12-23		145	380	175	7.44									30	145	90	7.41	FL
4-12-23		130	385	180	7.50									28	135	95	7.46	FL
5-12-23		135	390	175	7.46									30	130	85	7.42	FL
6-12-23		140	405	195	7.35									28	135	80	7.30	FL
7-12-23		135	415	170	7.38									26	140	85	7.35	FL
8-12-23		130	395	175	7.42									30	135	95	7.40	FL
9-12-23		135	380	190	7.43									26	130	90	7.48	FL
10-12-23		140	370	165	7.42									28	130	95	7.43	FL
11-12-23		145	385	175	7.39									30	125	85	7.36	FL
12-12-23		130	390	180	7.36									30	130	90	7.34	FL
13-12-23		135	405	175	7.42									28	125	85	7.38	FL
14-12-23		130	410	170	7.40									26	130	90	7.36	FL
15-12-23		135	415	180	7.36									28	135	95	7.39	FL
16-12-23		140	395	165	7.38									30	120	90	7.36	FL



2082

R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/AM/21
Revision No 02

Report No.: RKC/2023-24/685

Date: 12.01.2024

TEST REPORT

Name & Address of Customer	M/s Sewage Treatment Plant 20 MLD, Nandari, Village Nandari, District Jodhpur (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/WW/685
Date of Sample Received	08.01.2024
Period of Sample Testing	08.01.2024 – 12.01.2024
Location	Outlet - 20 MLD, Nandari
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	RESULT
MICROBIOLOGICAL PARAMETERS :			
Faecal Coliform	MPN/100 ml	IS:1622-2009	142MPN/100 ml

- Note:** - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
2. The Samples will be stored up to 15 days.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
4. ND- Not detected, UO-Un objectionable, BDL - Below detection limit.

Lokendra Singh
 (Authorized Signatory)

2083

STP 50 MLD at Salawas Unit-I, Jodhpur



R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com



NABL
TC-5788

Document No. RKC/FM/21
Revision No. 02

Report No.: RKC/2023-24/751

Date: 29.01.2024

TEST REPORT

Name & Address of Customer	M/s Vishvaraj Environment Pvt. Ltd. Office No. 116A, 11 th Floor, Maker Chambers VI-220 - Nariman Point, Mumbai, MH – 400 021
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/W/751
Date of Sample Received	24.01.2024
Period of Sample Testing	24.01.2024 – 29.01.2024
Location	50 MLD, STP, Phase – I, Salawas, Jodhpur
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	DESIRABLE LIMIT IS 10500 : 2012	PERMISSIBLE LIMIT IS 10500 : 2012	RESULT
CHEMICAL PARAMETERS					
Nitrate, NO ₃ ⁻	mg/l	IS:3025 (Part-34)	45	No Relaxation	52
MICROBIOLOGICAL PARAMETERS :					
Faecal Coliform	MPN/100 ml	IS:1622-2009	-	-	142 MPN/100 ml

Note: - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
2. The Samples will be stored up to 15 days.
3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.

Lokenara Singh
 (Authorized Signatory)
 29/1/24

STP 50 MLD at Salawas Unit-II, Jodhpur



R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/FM/21
Revision No. 02

Report No.: RKC/2023-24/654

Date: 19.12.2023

TEST REPORT

Name & Address of Customer	M/s Geo Miller & Co. Pvt. Ltd. 50 MLD, STP, Phase II, Salawas, Jodhpur (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/W/654
Date of Sample Received	15.12.2023
Period of Sample Testing	15.12.2023 – 19.12.2023
Location	50 MLD, STP, Phase – II , Salawas, Jodhpur
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.0°C ± (2°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	DESIRABLE LIMIT IS 10500 : 2012	PERMISSIBLE LIMIT IS 10500 : 2012	RESULT
MICROBIOLOGICAL PARAMETERS :					
Faecal Coliform	MPN/100 ml	IS:1622-2009	-	-	138 MPN/100 ml

Note: - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.

2. The Samples will be stored up to 15 days.

3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.

4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.


Lokendra Singh
(Authorized Signatory)



2085

R. K. CONSULTANTS (CHEMICAL ANALYSIS DIVISION)

17E/777, C.H.B, Jodhpur (Raj.)

Telefax. 0291- 2706098 E-mail – rkconsultantsjodhpur@gmail.com

Document No. RKC/FM/21
Revision No.02

Report No.: RKC/2023-24/684

Date: 12.01.2024

TEST REPORT

Name & Address of Customer	M/s Geo Miller & Co. Pvt. Ltd. 50 MLD, STP, Phase II, Salawas, Jodhpur (Raj).
Reference No.	-
Water Sample Source	Waste Water
Sample Collected By	Party
Water Sample Code	RKC/W/684
Date of Sample Received	06.01.2024
Period of Sample Testing	08.01.2024 – 12.01.2024
Location	50 MLD, STP, Phase – II, Salawas, Jodhpur
Condition of Water Sample	Acceptable
Environmental Conditions :	
a. Room Temp., °C :	25.00°C ± (20°C)
b. Relative Humidity, % :	51%

PARAMETERS	UNIT	TEST METHOD	DESIRABLE LIMIT IS 10500 : 2012	PERMISSIBLE LIMIT IS 10500 : 2012	RESULT
MICROBIOLOGICAL PARAMETERS :					
Faecal Coliform	MPN/100 ml	IS:1622-2009	-	-	133 MPN/100 ml

- Note:** - 1. The results listed refer only to the tested sample (s) & Parameter (s). Endorsement of products is neither inferred nor implied.
 2. The Samples will be stored up to 15 days.
 3. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law.
 4. ND- Not detected, UO-Un objectionable, BDL – Below detection limit.

Lokendra Singh
 (Authorized Signatory)

2086



STP 5 MLD at Karauli

ENVIRONMENT POLLUTION ANALYSIS LAB

ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018 & NABL ACCREDITED LAB
Laboratory : 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi Mod Bhiwadi, Alwar (Raj.)-301019 Mob. + 91 9759427231

TEST CERTIFICATE

Sample Number: EPAL/WW/23/12/15/012 Report No.: EPAL/23/12/15012
Name & address of Project : M/s Envirad Project Pvt. Ltd. Format No.: FRM 062
Avadh puri Road,6, Lakhanpur, Kanpur Party Reference No.: NIL
Uttar Pradesh- 208024 Reporting Date: 20/12/2023
Sample Description : Treated Effluent Water Sample Period of Analysis: 15/12/2023 to 20/12/2023
Sampling & Analysis Protocol: IS:3025, APHA 23rd Ed. Date of Receiving : 15/12/2023

WASTE WATER ANALYSIS TEST REPORT

General Information:-

1. Sampling Location : STP Outlet ((Behind of 132 KV karauli, Raj)
2. Capacity : 5 MLD
3. Date of Monitoring : 14/12/2023
4. Sample Quantity : 2.0 Ltr.
5. Sample Preservation : Refrigerated
6. Scope of Monitoring : Regulatory Requirement
7. Control Measure if Any : No
8. Sample collected by : Lab Representative
9. Parameter Required : As per work order
10. Environmental Condition : Sunny

TEST RESULTS

S.No.	Parameters	Unit	Results	General Std. Limits for Discharge			Protocol Used
				In-Land Surface Water	Public Sewers	Land for Irrigation	
1.	pH	--	7.42	5.5-9.0	5.5-9.0	5.5-9.0	IS-3025 (P-11)
2.	COD	mg/l	55.44	250	--	--	APHA 23 rd Ed.
3.	BOD (at 27°C for 3 days)	mg/l	30.2	30	350.0	100.0	IS-3025 (P-44)
4.	Total Suspended Solids	mg/l	28.00	100	600	200	IS-3025 (P-17)
5.	Oil & Grease	mg/l	4.4	10	20.0	10.0	IS-3025 (P-39)
6.	Faecal Coliform	MPN/100ml	8	--	--	--	IS 1622 :1981

Note: - Limits as per E (P) A 1986 Schedule VI.

*** End of Report***



Approved By
Brijesh Kumar



Note: 01. The results are valid only to the tested samples and applicable parameters.
02. Sample will be destroyed one month from the date of issue of test certificate.
03. Any complaints about this report should be communicated within 7 days of issue of this report.
04. The report is not to be reproduced- wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Service Facilities: Environment Testing, Factory Act Service, Calibration Service & Pollution Noc, Competent Person, Haryana, Rajasthan, Punjab, U.P., M.P., H.P. & Delhi
9873674030, 7665363821, E-mail : environmentpollutionlab@gmail.com, info@pollutionanalysislab.com

2087



ENVIRONMENT POLLUTION ANALYSIS LAB

ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018 & NABL ACCREDITED LAB
Laboratory : 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi Mod Bhiwadi, Alwar (Raj.)-301019 Mob. + 91 9759427231

TEST CERTIFICATE

Sample Number: EPAL/WW/24/01/16/001 Report No.: EPAL/24/01/16001
Name & address of Project : M/s Envirad Project Pvt. Ltd. Format No.: FRM 062
Avadh puri Road,6, Lakhanpur, Kanpur Party Reference No.: NIL
Uttar Pradesh- 208024 Reporting Date: 20/01/2024
Sample Description : Treated Effluent Water Sample Period of Analysis: 16/01/2024 to 20/01/2024
Sampling & Analysis Protocol: IS:3025, APHA 23rd Ed. Date of Receiving : 16/01/2024

WASTE WATER ANALYSIS TEST REPORT

General Information:-

1. Sampling Location : STP Outlet ((Behind of 132 KV karauli, Raj)
2. Capacity : 5 MLD
3. Date of Monitoring : 15/01/2024
4. Sample Quantity : 2.0 Ltr.
5. Sample Preservation : Refrigerated
6. Scope of Monitoring : Regulatory Requirement
7. Control Measure if Any : No
8. Sample collected by : Lab Representative
9. Parameter Required : As per work order
10. Environmental Condition : Sunny

TEST RESULTS

S.No.	Parameters	Unit	Results	General Std. Limits for Discharge			Protocol Used
				In-Land Surface Water	Public Sewers	Land for Irrigation	
1.	pH	--	7.42	5.5-9.0	5.5-9.0	5.5-9.0	IS-3025 (P-11)
2.	COD	mg/l	63.36	250	--	--	APHA 23 rd Ed.
3.	BOD (at 27°C for 3 days)	mg/l	31.8	30	350.0	100.0	IS-3025 (P-44)
4.	Total Suspended Solids	mg/l	32.00	100	600	200	IS-3025 (P-17)
5.	Oil & Grease	mg/l	4.8	10	20.0	10.0	IS-3025 (P-39)
6.	Faecal Coliform	MPN/100ml	12	--	--	--	IS 1622 :1981

Note: - Limits as per E (P) A 1986 Schedule VI.

*** End of Report***



Note: 01. The results are valid only to the tested samples and applicable parameters.
02. Sample will be destroyed one month from the date of issue of test certificate.
03. Any complaints about this report should be communicated within 7 days of issue of this report.
04. The report is not to be reproduced- wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Service Facilities: Environment Testing, Factory Act Service, Calibration Service & Pollution Noc, Competent Person, Haryana, Rajasthan, Punjab, U.P., M.P., H.P. & Delhi
9873674030, 7665363821, E-mail : environmentpollutionlab@gmail.com, info@pollutionanalysislab.com

2088

11/14/23, 1:15 PM

about:blank

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
(See Rule - 24)
Final Report

Report No. : **6058**Report On : **10/11/2023**

I hereby certify that I Dr Manoj Kumar Meena, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 03/11/2023 from Dr. Vikas Singh, SO, Kishangarh ,RSPCB Kishangarh a sample of Waste Water of M/S Municipal Corporation (Old Name Urban Improvement Trust) , Plant - , , Tehsil- Ajmer , District- Ajmer Collected from Outlet of STP (without Chlorination) Collected on 02/11/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 10/11/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Faecal Coliform (MPN Technique) /100 ml	240

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **10/11/2023**

BOARD ANALYST

Rajasthan State Pollution Control Board
Regional Office Kota

SPL-2A, Road no. 6, Indrapasth Ind. Area,
Kota

Phone: 0744-2490873

STP 30 MLD at Balita, Kota

STP 30 MLD at Balita, Kota

NAME OF PROJECT	Design and Construction of STP Near Balita, pump station and laying of Rising Main under Chambal River Front Project, Kota																
NAME OF FIRM	ENVIRO INFRA ENGINEERS LTD																
NAME OF CLIENT	30 MLD STP- UIT KOTA																
LOG BOOK FOR	INTERNAL LABORATORY RECORD FOR THE MONTH OF- January- 2024																
DATE	pH		TSS		COD		BOD		TKN		NH4-N		FECAL COLIFORM		EIPL SIGN	DEPT SIGN	REMARKS
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
01-01-2024	7.65	7.58	180	5	348	36	60	5	18.04	3.7	9	0.76	410	89	TH		
02-01-2024	7.18	7.68	150	10	308	28	110	5	27.37	3.3	12	1.5	364	85	TH		
03-01-2024	7.28	7.68	196	7	384	24	35	2	36.71	4.9	8	1.4	324	82	TH		
04-01-2024	7.42	7.63	246	16	344	24	130	10	20.53	4.9	10	0.78	332	83	TH		
05-01-2024	7.35	7.56	233	16	364	32	80	8	47.90	6.8	10	1.2	320	82	TH		
06-01-2024	7.23	7.54	193	5	296	24	60	6	21.15	7.4	9	1.1	310	88	TH		
07-01-2024	7.38	7.45	236	6	348	24	90	4	27.37	8.7	9	0.97	380	85	TH		
08-01-2024	7.19	7.52	286	6	370	48	85	7	47.28	8.7	9	1.78	340	32	TH		
09-01-2024	7.20	7.48	206	7	288	40	80	8	22.04	8.7	9	1.1	332	80	TH		
10-01-2024	7.22	7.74	250	7	300	44	120	7	35.46	3.7	9	0.84	321	85	TH		
11-01-2024	7.29	7.38	233	7	348	28	70	7	32.97	5.6	12	0.98	340	80	TH		
12-01-2024	7.28	7.58	180	5	348	36	70	4	18.04	3.7	10	0.85	380	85	TH		
13-01-2024	7.24	7.56	293	16	364	28	65	4	37.35	6.8	12	0.97	340	32	TH		
14-01-2024	7.18	7.43	206	4	340	32	70	6	17.42	5.6	11	1.1	342	84	TH		
15-01-2024	7.28	7.48	250	16	280	24	95	2	37.33	4.3	10	0.98	325	86	TH		
16-01-2024	7.22	7.74	250	7	300	44	70	2	35.46	4.7	14	0.96	320	80	TH		
17-01-2024	7.19	7.65	200	16	344	32	70	6	28.62	4.3	11	0.98	320	95	TH		
18-01-2024	7.25	7.56	230	18	324	32	80	8	18.66	6.8	10	1.5	410	95	TH		
19-01-2024	7.29	7.65	260	16	348	32			26.13	2.4	10	0.98	340	80	TH		
20-01-2024	7.18	7.60	200	8	332	20			27.37	3.1	12	0.86	310	83	TH		
21-01-2024	7.10	7.76	225	5	348	18			22.47	6.1	9	0.80	325	92	TH		
22-01-2024	7.20	7.56	260	15	340	20			18.04	3.7	9	0.98	410	95	TH		
23-01-2024	7.38	7.65	260	16	332	28			20.50	8.7	10	0.95	370	85	TH		
										</							

2090

NAME PACKAGE		PACKAGE NO. : NRCP/REMAINING WORK LD/ LNA INFRAPROJECTS PVT. LTD. (L.V) EMLD STP BALITA																	
NAME OF FIRM																			
NAME OF CLINT																			
LOG BOOK FOR		INTERNAL LABORATORY RECORD FOR THE MONTH OF																	
DATE	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		Signature VERIFICATION
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
01/01/24	18.5	18.9	7.16	7.22	75.0	16.50	98.0	47.0	65.0	6.9	13.0	1.15	1.09	0.90	198	76	2.978	2.9710	✓
02/1/24	18.3	18.6	7.11	7.20	69.0	15.30	103.0	41.0	72.0	8.3	11.70	1.10	1.12	0.57	199	75	3.1052	3.1005	✓
03/1/24	19.0	19.2	7.17	7.23	81.0	16.71	109.0	39.0	69.0	7.9	18.0	1.23	1.12	0.65	207	86	3.2130	3.2181	✓
04/1/24	18.78	18.9	7.22	7.31	82.05	14.39	97.0	31.0	75.0	6.8	12.0	1.05	1.85	0.29	211	92	3.1011	3.2180	✓
05/1/24	17.6	17.7	7.0	7.01	89.02	7.8	95.0	31.4	61.0	6.7	10.72	1.13	1.72	0.37	209	81	3.0375	3.0005	✓
06/1/24	17.2	17.5	7.22	7.24	87.1	12.51	88.0	37.0	58.0	7.6	9.04	1.17	1.95	0.72	34	79	2.428	3.4010	✓
07/1/24	17.0	17.1	7.32	7.34	88.2	15.85	97.00	41.25	57.0	6.3	8.03	1.15	1.07	0.79	202	82	3.5220	3.5053	✓
08/1/24	17.4	17.5	7.21	7.24	101	13.0	112.0	24.0	66.0	6.2	11.3	3.77	1.63	0.77	126	52	3.6220	3.259	✓
09/1/24	17.4	17.7	7.20	7.23	93	8.0	104	32.0	58.0	6.0	5.44	1.89	1.02	0.13	190	39	3.4890	3.4320	✓
10/1/24	16.5	16.7	7.18	7.20	86.0	7.0	98.0	24.0	55.0	5.8	3.62	1.80	0.98	0.11	140	31	3.742	3.7260	✓
11/1/24	17.2	17.5	7.20	7.23	89.0	11.0	94.0	28.0	57.0	6.2	3.68	1.82	0.92	0.13	130	43	3.863	3.8490	✓
12/1/24	18.2	18.5	7.36	7.38	82.0	10.0	88.9	28.6	36.0	6.5	7.54	1.30	1.06	0.16	110	34	3.7746	3.7712	✓
13/1/24	18.8	19.0	7.29	7.31	74.0	9.0	80.0	30.0	42.0	7.4	3.70	1.90	1.02	0.13	130	31	3.8450	3.8312	✓
14/1/24	20.3	20.5	7.24	7.26	74.0	13.0	83.0	27.4	47.0	6.7	2.30	1.50	1.21	0.11	110	23	3.6950	3.657	✓
15/1/24	20.1	20.2	7.19	7.21	72.0	11.0	78.3	27.5	45.0	6.3	2.13	1.34	1.36	0.17	91	26	3.7846	3.7858	✓
16/1/24	20.3	20.6	7.18	7.20	68.0	9.0	75.7	26.2	41.0	6.1	2.07	1.30	1.31	0.19	110	31	3.4312	3.4306	✓
17/1/24	20.4	20.6	7.20	7.22	64.0	12.0	76.8	24.2	43.6	6.3	2.11	1.36	1.19	0.21	130	37	3.7742	3.7640	✓

PACKAGE NO. : NRCP/REMAINING WORK LB/

2091

RAPROJECTS PVT. LTD. (I.V)

6MLD STP BALITA

NAME PACKAGE

NAME OF FIRM

NAME OF CLINT

LOG BOOK FOR

INTERNAL LABORATORY RECORD FOR THE MONTH OF

DATE	TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFRM		FLOW MLD		MLSS AERATION
	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
18/01/24	18.9	19.2	7.24	7.27	67.0	8.0	72.2	21.3	47.2	6.4	2.17	1.14	1.38	0.13	70	27	3.816	3.812	Sanitary
19/01/24	19.6	19.8	7.20	7.22	66.0	10.0	82.3	22.4	51.6	6.1	2.79	1.06	1.56	0.17	91	23	3.857	3.822	Sanitary
20/01/24	17.8	19.1	7.18	7.20	69.0	11.0	80.4	20.6	49.8	6.2	2.61	1.07	1.68	0.19	92	29	3.708	3.702	Sanitary
21/01/24	17.6	17.9	7.16	7.19	64.0	8.0	79.3	25.8	52.4	6.5	2.59	1.16	1.72	0.18	98	30	3.842	3.814	Sanitary
22/01/24	19.2	19.4	7.27	7.29	62.0	9.0	76.2	23.6	50.6	6.4	2.19	1.03	1.39	0.17	110	31	3.124	3.121	Aw
23/01/24	17.2	17.4	7.19	7.22	58.0	12.0	74.8	21.9	46.3	6.7	2.16	1.01	1.31	0.17	94	27	3.832	3.143	Aw
24/01/24	18.0	19.2	7.16	7.18	54.0	8.0	78.4	20.4	43.2	6.1	2.46	1.03	1.27	0.19	92	23	3.183	3.1810	Aw
25/01/24	17.7	17.9	7.23	7.25	59.0	13.0	84.6	22.3	41.8	6.6	1.68	0.58	1.16	0.21	98	27	3.426	3.4218	Aw
26/01/24	17.9	18.0	7.11	7.16	53.4	9.0	76.8	21.4	40.1	6.8	1.32	0.63	1.26	0.24	94	31	3.678	3.6761	Aw
27/01/24	19.5	19.8	7.21	7.23	51.2	8.0	78.2	22.6	43.2	6.2	1.26	0.64	1.38	0.19	98	23	3.746	3.7402	Aw
28/01/24	20.4	20.7	7.30	7.34	49.6	7.0	81.6	21.1	42.6	6.0	1.38	0.56	1.42	0.18	98	27	3.642	3.6401	Aw
29/01/24	20.8	21.2	7.14	7.18	43.2	9.0	84.2	20.2	46.3	6.0	1.68	0.62	1.52	0.18	92	23	3.787	3.7760	Aw
30/01/24	21.6	21.8	7.21	7.23	52.6	11.0	86.8	21.9	39.2	6.4	1.86	0.32	1.09	0.16	94	31	3.654	3.662	Aw
31/01/24	22.3	22.5	7.24	7.27	48.2	8.0	82.4	22.6	31.6	6.8	1.36	0.19	1.64	0.14	92	27	3.618	3.6160	Aw

STP 20 MLD at Kota

P-192

20 MLD STP DHAKADKHEDI-KOTA																
DATE ↓	RAW SEWAGE PARAMETERS ANALYSIS								CCT OUTLET PARAMETERS ANALYSIS							
	PH	TEMP	BOD	COD	TSS	FECAL COLI	CHLORINE		PH	TEMP	BOD	COD	TSS	FECAL COLI	CHLORINE	
	6.5-8.5	°C	mg/l	mg/l	mg/l	MPN/100 M	mg/l		6.5-8.5	°C	mg/l	mg/l	mg/l	MPN/100 M	mg/l	
			≤ 300	≤ 600	≤ 600						10	50	10			
01-11-2023	7.2	30.0	23	126	110		N/C		7.5	28	8	23	15			0.5
02-11-2023	7.3	30.0	20	123	112		N/C		7.6	28	7	21	16			0.5
03-11-2023	7.4	30.0	23	119	110		N/C		7.7	30	8	22	13			0.5
04-11-2023	7.2	27.0	21	118	114		N/C		7.6	26	7	24	12			0.5
05-11-2023	7.2	26.0	20	118	114		N/C		7.5	27	6	20	13			0.5
06-11-2023	7.2	26.0	20	115	117		N/C		7.6	26	7	18	14			0.5
07-11-2023	7.2	26.0	18	116	118	9x10 ³	N/C		7.7	26	6	18	15	70		0.5
08-11-2023	7.1	27.0	15	118	116		N/C		7.6	28	8	19	13			0.5
09-11-2023	7.1	27.0	12	119	115		N/C		7.6	26	7	18	15			0.5
10-11-2023	7.1	27.0	15	118	110		N/C		7.5	27	6	19	13			0.5
11-11-2023	7.2	30.0	16	119	117		N/C		7.5	26	7	18	15			0.5
12-11-2023																
13-11-2023	7.2	28.0	13	122	115	1.2x10 ⁴	N/C		7.6	26	7	18	11	70		0.5
14-11-2023																
15-11-2023																
16-11-2023	7.2	30.0	23	128	115				7.5	28	7	21	18			0.5
17-11-2023	7.2	0.0	15	110	115		N/C		7.6	0	6	21	17			0.5
18-11-2023	7.3	0.0	17	120	105	1.3x10 ³	N/C		7.6	0	8	22	18	90		0.5
19-11-2023	7.2	0.0	20	123	112		N/C		7.6	0	7	21	16			0.5
20-11-2023	7.1	0.0	23	126	110		N/C		7.5	0	8	23	15			0.5
21-11-2023	7.3	29.0	15	115	105		N/C		7.6	0	7	23	18			0.5
22-11-2023	7.3	30.0	0	28	19				7.5	0	0	11	15			0.5
23-11-2023	7.1	30.0	15	118	110		N/C		7.5	27	6	19	13			0.5
24-11-2023	7.1	26.0	21	115	112		N/C		7.5	27	6	25	13			0.5
25-11-2023	7.2	30.0	23	126	110		N/C		7.5	28	8	23	15			0.5
26-11-2023	7.2	27.0	21	118	114		N/C		7.6	26	7	24	12			0.5
27-11-2023	7.1	27.0	15	118	116	8x10 ³	N/C		7.5	28	8	19	13	70		0.5
28-11-2023	7.2	30.0	23	126	110		N/C		7.7	28	8	23	15			0.5
29-11-2023	7.3	28.0	16	113	110				7.5	27	6	20	15			0.5
30-11-2023	7.1	30.0	15	118	110		N/C		7.5	27	6	19	13			0.5
TOTAL	136.5	429	318	2180	2030				141.4	351	125	389	280			9.5

अधिकारी अभियन्ता
नगर निगम कोटा उत्तर

2095

15 MLD STP KALA TALAB CHANDRESAL-KOTA

15 MLD STP KALA TALAB CHANDRESAL-KOTA																				
RAW SEWAGE PARAMETERS ANALYSIS										CCT OUTLET PARAMETERS ANALYSIS										
	PH	TEMP.	BOD	COD	TSS	TP	TKN	FECAL COLL.	CHLORINE		PH	TEMP.	BOD	COD	TSS	TP	TKN	FECAL COLL.	CHLORINE	
	UNIT	°C	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ml	mg/l			°C	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100 ML	mg/l	
	RANGE AS PER TENDER	6.5-8.5		≤ 300	≤ 600	≤ 600	≤ 10	≤ 55			6.5-8.5		10	50	10	1	10			
DATE ↓	INCOMING FLOW(M ³ /H)									OUTGOING FLOW(M ³ /H)										
01/12/2023	5190	7.45	27.1	108	244	110	6.7	34.4	N/C	4695	7.6	27.6	7	28	6	0.8	6.4		0.5	
02/12/2023	5261	7.48	25.7	105	228	104	6.1	31.2	N/C	5505	7.63	26.2	5	30	6	0.9	6.4		0.4	
03/12/2023	6679	7.38	26.1	108	236	108	6.3	33.2	N/C	5936	7.62	26.4	7.5	32	7	1.0	6.8		0.4	
04/12/2023	5725	7.39	26.2	102	240	112	6.5	34.6	N/C	6123	7.54	26.5	6	24	5	0.9	6.8		0.5	
05/12/2023	5725	7.37	26.3	106	220	102	5.8	32.7	1.8×10 ³	N/C	6074	7.66	26.6	7	28	6	0.8	6.4	90	0.6
06/12/2023	5625	7.42	26.6	102	232	103	5.6	31.4	N/C	5688	7.74	26.9	7	24	5	0.8	5.9		0.5	
07/12/2023	4501	7.41	26.3	100	236	99	5.9	34.6	N/C	4944	7.67	26.7	6	20	4	0.9	6.3		0.4	
08/12/2023	5484	7.36	26.5	102	224	102	5.3	32.2	N/C	4941	7.62	26.5	5	24	6	0.8	5.6		0.5	
09/12/2023	5536	7.41	26.1	111	236	110	6.3	33.8	N/C	5626	7.69	26.4	5	32	7	0.9	6.4		0.4	
10/12/2023	4991	7.48	26.3	105	228	104	5.9	31.6	N/C	3884	7.73	28.1	5	24	6	0.8	5.4		0.5	
11/12/2023	5272	7.52	26.4	90	224	108	6.2	32.4	N/C	5642	7.77	29.3	6	28	6	0.9	5.6		0.4	
12/12/2023	3702	7.30	26.01	90	196	92	4.8	28.4	1.7×10 ³	N/C	5878	7.86	26.6	6	28	7	0.9	5.8	85	0.5
13/12/2023	4972	7.31	25.8	90	196	92	4.8	28.4	N/C	4572	7.52	30.2	6	28	7	0.9	5.8		0.5	
14/12/2023	5171	7.36	25.9	93	204	98	5.2	29.2	N/C	5295	7.56	30.3	6	24	5	0.8	6.1		0.5	
15/12/2023	4271	7.34	30.1	87	200	96	5.4	28.6	N/C	4618	7.52	30.5	5.0	20	4	0.7	5.2		0.4	
16/12/2023	5044	7.30	29.4	93	208	98	5.6	28.6	N/C	5138	7.42	30.1	6	24	5	0.9	5.4		0.5	
17/12/2023	5631	7.26	29.9	90	204	94	5.8	28.2	N/C	5776	7.45	30.4	7.5	28	7	0.9	6.2		0.5	
18/12/2023	6113	7.37	30.1	84	196	92	5.4	27.6	N/C	5845	7.54	30.5	4.5	20	4	0.8	5.8		0.5	
19/12/2023	4992	7.42	29.3	93	208	96	5.2	28.2	2.1×10 ³	N/C	5797	7.58	29.8	5	24	6	0.9	6.2	80	0.4
20/12/2023	5693	7.33	29.4	96	212	98	5.6	28.4	N/C	4985	7.55	29.6	7	28	7	0.8	6.4		0.5	
21/12/2023	5770	7.36	29.8	90	204	94	5.4	28.8	N/C	5901	7.46	30.2	7.5	30	7	1.0	6.2		0.5	
22/12/2023	5252	7.46	29.9	87	198	92	5.2	27.8	N/C	5772	7.59	30.4	7	24	6	0.8	5.8		0.4	
23/12/2023	5437	7.32	30.1	93	212	96	5.8	28.2	N/C	4034	7.46	30.5	28	28	5	0.9	6.2		0.5	
24/12/2023	4123	7.42	29.8	90	204	94	5.4	27.6	N/C	3836	7.58	30.3	4.5	20	4	0.7	5.6		0.4	
25/12/2023	1970	7.33	29.9	96	208	98	5.2	27.8	N/C	7642	7.54	30.4	5	24	6	0.8	5.8		0.5	
26/12/2023	6835	7.36	29.8	93	200	92	4.8	27.6	2.4×10 ³	N/C	5901	7.54	30.2	7.5	28	5	0.9	5.8	95	0.5
27/12/2023	5590	7.42	30.1	90	204	92	5.0	27.2	N/C	5826	7.59	30.5	5	20	4	0.7	5.4		0.5	
28/12/2023	6254	7.39	30.2	96	212	102	5.6	28.6	N/C	6610	7.56	30.4	4.5	24	6	0.9	5.8		0.4	
29/12/2023	6223	7.42	29.8	93	208	98	5.2	28.2	N/C	5376	7.61	30.3	7.5	28	7	1.0	5.8		0.5	
30/12/2023	1599	7.46	30.0	96	216	102	5.8	28.6	N/C	6017	7.64	30.4	5	24	6	0.8	6.2		0.4	
31/12/2023	5880	7.42	30.1	90	204	94	5.0	27.6	N/C	5557	7.58	30.4	5	20	4	0.7	5.4		0.4	
TOTAL	170400									169434										
SIGNATURE & NAME	CHEMIST				SITE INCHARGE				CLIENT'S				VISITOR'S							



2096



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 01/11/2023

TIME: 10-07

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.35	7.71
TEMPERAURE	C	27.5	27.9
BOD	mg/l	108	7.5
COD	mg/l	236	32
TSS	mg/l	108	6.0
TP	mg/l	6.2	1.0
TKN	mg/l	31.2	6.4
FICAL CALIFORM	mpn/100ml	1.2×10^3	80
CLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2097



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 02/11/2023

TIME: 10:07 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.35	7.64
TEMPERAURE	C	27.6	27.9
BOD	mg/l	105	5.0
COD	mg/l	240	20
TSS	mg/l	112	4.0
TP	mg/l	6.4	0.7
TKN	mg/l	32.8	6.7
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.4

Note: Bod Result will be observed after 3 days

Lab Technician: 

Visitor:

2098



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 03/11/2023

TIME: 10:15 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.41	7.69
TEMPERAURE	C	27.4	27.8
BOD	mg/l	96	6.0
COD	mg/l	224	24
TSS	mg/l	102	5.0
TP	mg/l	5.8	0.8
TKN	mg/l	30.6	5.2
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *Ranj*

Visitor:

2099



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 04/11/2023

TIME: 10-10Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.44	7.67
TEMPERAURE	C	27.2	27.6
BOD	mg/l	102	7.0
COD	mg/l	228	28
TSS	mg/l	104	6.0
TP	mg/l	6.1	0.9
TKN	mg/l	30.8	5.6
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	NLC	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: Ram

Visitor:

2100



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 05/11/2023

TIME: 10:06 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.52	7.64
TEMPERAURE	C	27.3	27.5
BOD	mg/l	105	7.5
COD	mg/l	240	32
TSS	mg/l	110	7.0
TP	mg/l	6.3	1.0
TKN	mg/l	32.6	6.2
FICAL CALIFORM	mpn/100ml		
CLORENE	PPM	N/C	0.4

Note: Bod Result will be observed after 3 days

Lab Technician: *Ravi*

Visitor:

2101



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 06/11/2023

TIME: 10.05 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.46	7.58
TEMPERATURE	C	27.4	27.8
BOD	mg/l	102	6.0
COD	mg/l	232	24
TSS	mg/l	106	5.0
TP	mg/l	6.4	0.8
TKN	mg/l	31.4	6.0
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2102



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 07/11/2023

TIME: 10:10 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.56	7.68
TEMPERAURE	C	27.3	27.6
BOD	mg/l	105	5.0
COD	mg/l	236	20
TSS	mg/l	104	4.0
TP	mg/l	6.2	0.7
TKN	mg/l	32.6	5.6
FICAL CALIFORM	mpn/100ml	2×10^3	80
CLORINE	PPM	N/C	0.4

Note: Bod Result will be oberved after 3 days

Lab Technician: Ravi

Visitor:

2103



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 08/11/2023

TIME: 10:10 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.39	7.62
TEMPERAURE	C	27.6	27.9
BOD	mg/l	99	7.0
COD	mg/l	228	24
TSS	mg/l	102	6.0
TP	mg/l	6.1	0.8
TKN	mg/l	30.8	5.9
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *Rajesh*

Visitor:

2104



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 09/11/2023

TIME: 10-15Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.41	7.58
TEMPERAURE	C	28.1	28.4
BOD	mg/l	105	7.5
COD	mg/l	232	28
TSS	mg/l	104	7.0
TP	mg/l	6.4	0.9
TKN	mg/l	31.6	6.1
FICAL CALIFORM	mpn/100ml		
CLOLINE	PPM	N/C	0.4

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2105



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

1 ÈÈ REPORT 15 MLD STP KALATALAB

DATE: 10/11/2023

TIME: 10:05 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.37	7.66
TEMPERAURE	C	28.3	28.7
BOD	mg/l	96	5.0
COD	mg/l	224	24
TSS	mg/l	98	5.0
TP	mg/l	5.2	0.7
TKN	mg/l	30.2	6.0
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2106



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 11/11/2023

TIME: 10.08 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.41	7.68
TEMPERAURE	C	27.8	28.1
BOD	mg/l	108	4.5
COD	mg/l	236	20
TSS	mg/l	106	4.0
TP	mg/l	6.1	0.8
TKN	mg/l	32.4	5.4
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *(Signature)*

Visitor:

2107



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 12/11/2023

TIME: 10-15 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.24	7.52
TEMPERAURE	C	27.4	27.8
BOD	mg/l	105	7.5
COD	mg/l	228	28
TSS	mg/l	105	6.0
TP	mg/l	6.2	0.8
TKN	mg/l	31.2	5.7
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	NIC	0.4

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2108



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

I E E REPORT 15 MLD STP KALATALAB

DATE: 13/11/2023

TIME: 10.03 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.32	7.61
TEMPERAURE	C	27.6	27.9
BOD	mg/l	96	6.0
COD	mg/l	216	24
TSS	mg/l	98	5.0
TP	mg/l	5.4	0.7
TKN	mg/l	29.4	6.1
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *Ram*

Visitor:

2109



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

1 E E REPORT 15 MLD STP KALATALAB

DATE: 14/11/2023

TIME: 10:10 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.36	7.51
TEMPERAURE	C	28.1	28.3
BOD	mg/l	99	5.0
COD	mg/l	220	20
TSS	mg/l	100	4.0
TP	mg/l	5.6	0.7
TKN	mg/l	30.2	5.9
FICAL CALIFORM	mpn/100ml	2.4×10^3	80
CLORENE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: Rajul

Visitor:

2110



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 15/11/2023

TIME: 10:05 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.33	7.62
TEMPERATURE	C	27.8	28.0
BOD	mg/l	105	7.0
COD	mg/l	232	28
TSS	mg/l	108	6.0
TP	mg/l	6.1	1.0
TKN	mg/l	31.8	6.3
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2111



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 16/11/2023

TIME: 10-15 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.42	7.58
TEMPERAURE	C	27.8	28.1
BOD	mg/l	102	6.0
COD	mg/l	228	24
TSS	mg/l	102	5.0
TP	mg/l	5.9	0.8
TKN	mg/l	30.9	6.2
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	plc	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2112



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

I E E REPORT 15 MLD STP KALATALAB

DATE: 17/11/2023

TIME: 10-10 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.46	7.71
TEMPERAURE	C	27.4	27.7
BOD	mg/l	111	7.0
COD	mg/l	236	28.0
TSS	mg/l	106	6.0
TP	mg/l	6.1	0.9
TKN	mg/l	31.8	6.4
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: 

Visitor:

2113



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 18/11/2023

TIME: 10.05 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.29	7.56
TEMPERAURE	C	27.6	28.0
BOD	mg/l	102	7.5
COD	mg/l	224	32
TSS	mg/l	104	7.0
TP	mg/l	5.9	0.9
TKN	mg/l	29.8	6.6
FICAL CALIFORM	mpn/100ml		
CLORENE	PPM	N/C	0.4

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2114



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

1 E& REPORT 15 MLD STP KALATALAB

DATE: 19/11/2023

TIME: 10:12 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.35	7.52
TEMPERAURE	C	27.4	27.7
BOD	mg/l	105	6.0
COD	mg/l	232	24
TSS	mg/l	106	5.0
TP	mg/l	6.2	0.8
TKN	mg/l	31.4	6.4
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/A	0.5

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2115



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 20/11/2023

TIME: 10-04 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.31	7.57
TEMPERAURE	C	27.4	27.6
BOD	mg/l	96	5.0
COD	mg/l	220	28
TSS	mg/l	98	6.0
TP	mg/l	6.3	0.8
TKN	mg/l	31.4	6.6
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/A	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *(Signature)*

Visitor:

2116



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 21/11/2023

TIME: 10.05 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.36	7.59
TEMPERAURE	C	27.3	27.7
BOD	mg/l	99	5.0
COD	mg/l	228	24
TSS	mg/l	102	5.0
TP	mg/l	6.4	0.7
TKN	mg/l	32.6	6.2
FICAL CALIFORM	mpn/100ml	1.8×10^3	90
CLOLINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *Ram*

Visitor:

2117



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

1 E E REPORT 15 MLD STP KALATALAB

DATE: 22/11/2023

TIME: 10.10 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.42	7.69
TEMPERAURE	C	27.5	27.8
BOD	mg/l	108	4.5
COD	mg/l	236	20
TSS	mg/l	108	4.0
TP	mg/l	6.2	0.8
TKN	mg/l	32.5	5.6
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	NIC	0.9

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2118



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 23/11/2023

TIME: 10:08 am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.34	7.54
TEMPERAURE	C	27.4	27.7
BOD	mg/l	105	7.5
COD	mg/l	228	28
TSS	mg/l	104	6.0
TP	mg/l	6.4	0.9
TKN	mg/l	33.2	5.9
FICAL CALIFORM	mpn/100ml		
CLORENE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2119



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT			
I E E REPORT 15 MLD STP KALATALAB			
DATE: 24/11/2023			
TIME: 10:15 AM			
PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.39	7.54
TEMPERAURE	C	27.3	27.6
BOD	mg/l	96	6.0
COD	mg/l	216	24
TSS	mg/l	98	5.0
TP	mg/l	5.4	0.7
TKN	mg/l	29.4	6.1
FICAL CALIFORM	mpn/100ml		
CLOLINE	PPM	N/C	0.5
Note: Bod Result will be observed after 3 days Lab Technician: <i>Rajesh</i> Visitor:			

2120



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 25/11/2023

TIME: 10:05 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.36	7.50
TEMPERAURE	C	27.5	27.9
BOD	mg/l	99	5.0
COD	mg/l	220	20
TSS	mg/l	100	4.0
TP	mg/l	5.6	0.7
TKN	mg/l	30.2	5.9
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *A. Saini*

Visitor:

2121



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 26/11/2023

TIME: 10:10 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.41	7.63
TEMPERAURE	C	27.5	27.7
BOD	mg/l	10.5	7.0
COD	mg/l	232	28
TSS	mg/l	108	60
TP	mg/l	6.1	1.0
TKN	mg/l	31.8	6.3
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *[Signature]*

Visitor:

2122



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

1 E E REPORT 15 MLD STP KALATALAB

DATE: 27/11/2023

TIME: 10:03 Am

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.46	7.63
TEMPERAURE	C	27.4	27.8
BOD	mg/l	96	6.0
COD	mg/l	224	24
TSS	mg/l	102	5.0
TP	mg/l	5.9	0.9
TKN	mg/l	30.8	5.4
FICAL CALIFORM	mpn/100ml		
CLORINE	PPM	N/C	0.4

Note: Bod Result will be observed after 3 days

Lab Technician: *Deep*

Visitor:

**Rajasthan Urban Infrastructure
Development Project****Chandrasal STP 15 MLD****RUIDP STP PLANT****IEE REPORT 15 MLD STP KALATALAB**

DATE: 28/11/2023

TIME: 10:07 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.36	7.66
TEMPERATURE	C	27.2	27.6
BOD	mg/l	10	
COD	mg/l	228	28
TSS	mg/l	104	6.0
TP	mg/l	6.3	1.0
TKN	mg/l	31.3	5.8
FICAL CALIFORM	mpn/100ml	1.6×10^3	80
CLORINE	PPM	N/C	0-5

Note: Bod Result will be observed after 3 daysLab Technician: Waseef

Visitor:

2124



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 29/11/2023

TIME: 10:00 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.56	7.72
TEMPERAURE	C	27.2	27.6
BOD	mg/l	105	7.5
COD	mg/l	240	32
TSS	mg/l	110	7.0
TP	mg/l	6.3	0.9
TKN	mg/l	33.1	6.4
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician:

Visitor:

2125



Rajasthan Urban Infrastructure Development Project



Chandrasal STP 15 MLD

RUIDP STP PLANT

IEE REPORT 15 MLD STP KALATALAB

DATE: 30/11/2023

TIME: 10:10 AM

PARAMETERS	UNIT	INLET	CCT OUTLET
PH		7.42	7.57
TEMPERAURE	C	27.3	27.6
BOD	mg/l		
COD	mg/l	232	24
TSS	mg/l	106	5.0
TP	mg/l	6.5	0.9
TKN	mg/l	32.2	6.2
FICAL CALIFORM	mpn/100ml		
COLORINE	PPM	N/C	0.5

Note: Bod Result will be observed after 3 days

Lab Technician: *Amey*

Visitor:

2126

STP 30 MLD at Sajidehra, Kota

STP 50 MLD at Sajidnagar, Kota

UNITED STP UNIT, SAJIDNAGAR, KOTA

INTERNAL LABORATORY RECORD FOR THE MONTH OF:

NAME OF UNIT LOG BOOK FOR	TEMP		PH		TSS		COD		BOD		TKN		IP		FECAL COLIFORM		FLOW MLD		MLSS AERATION	
	DATE	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET			
21/12/2023	22.8	23.2	7.21	7.24	159	17	186	36.2	124	7.2	14.8	3.46	2.46	0.25	312	56.2	20.185	20.196	3299	Smelly
21/12/2023	22.6	22.8	7.36	7.40	142	15	175	32.6	117	8.3	18.3	5.49	1.92	0.23	347	59.7	20.113	20.115	3236	Smelly
3/12/2023	21.4	21.7	7.29	7.32	143	13	191	38.8	106	8.7	13.2	4.36	2.83	0.25	354	50.3	20.619	20.612	3238	Smelly
4/12/2023	21.2	21.5	7.23	7.27	157	16	200	33.3	123	7.4	13.3	1.90	2.65	0.22	390	67.8	22.361	22.190	3292	Smelly
5/12/2023	21.8	22.2	7.17	7.21	142	11	193	38.6	127	7.2	11.8	1.76	2.92	0.24	388	68.2	21.114	21.120	3290	Smelly
6/12/2023	21.6	21.9	7.21	7.25	150	16	211	37.8	121	7.2	9.52	2.04	2.76	0.19	593	50.3	20.402	20.438	2274	Smelly
7/12/2023	22.0	22.3	7.26	7.29	147	18	200	45.0	109	7.3	5.71	3.21	2.49	0.23	294	54.7	20.862	20.810	3204	Smelly
8/12/2023	22.6	22.8	7.29	7.31	144	12	218	37.8	109	8.5	13.3	1.90	2.96	0.25	233	23.0	20.113	20.110	3232	Smelly
9/12/2023	23.0	23.5	7.27	7.27	142	17	170	36	102	8.1	15.0	3.77	2.14	0.21	390	98	20.210	20.216	3006	Smelly
10/12/2023	22.7	22.9	7.31	7.34	146	14	161	37.2	107	7.5	13.0	2.98	2.27	0.24	368	92	20.631	20.616	2429	Smelly
11/12/2023	22.3	22.7	7.24	7.28	136	15	164	30.9	113	6.8	18.13	5.44	2.03	0.26	201	58	20.725	20.731	2103	Smelly
12/12/2023	22.7	22.9	7.18	7.21	140	13	158	32.6	103	7.4	14.3	3.46	3.11	0.25	272	62	20.716	20.716	2094	Smelly
13/12/2023	21.8	22.2	7.15	7.17	132	18	154	30.2	101	8.1	11.6	2.89	2.94	0.20	294	63	20.671	20.666	1939	Smelly
14/12/2023	22.1	22.4	7.10	7.16	126	11	138	33.2	105	7.6	12.9	2.90	3.72	0.18	306	67	20.708	20.706	1696	Smelly
15/12/2023	21.4	21.7	7.15	7.17	109	16	135	32.4	101	8.2	13.7	2.60	3.63	0.28	311	64	20.980	20.910	1670	Smelly
16/12/2023	21.6	21.9	7.18	7.20	106	19	133	32.8	94	6.9	11.6	3.48	3.36	0.22	319	68	20.918	20.913	1790	Smelly
17/12/2023	21.9	22.3	7.14	7.20	128	14	147	31.2	113	7.2	13.2	2.56	3.52	0.25	321	70	20.463	20.466	1796	Smelly
18/12/2023	22.1	22.3	7.10	7.13	121	17	152	40.2	108	8.6	14.2	3.46	3.92	0.27	319	69	20.340	20.310	1752	Smelly
19/12/2023	21.1	21.4	7.18	7.20	124	13	168	43.2	110	8.3	10.2	3.92	3.62	0.23	346	63	20.301	20.302	1764	Smelly

NAME ON PACKAGE		NRCP/REMAINING WORK RBS/01																		
NAME OF FIRM		LNA INFRA PROJECTS PVT. LTD. (I.V)																		
NAME OF CLIENT		30MLD STP-UIT, SAIDEHDA KOTA																		
G BOOK FOR		INTERNAL LABORATORY RECORD FOR THE MONTH OF																		
DATE		TEMP		PH		TSS		COD		BOD		TKN		(P)		FECAL COLIFORM		FLOW MLD		MISS ABRICATION
		INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
25/12/23		20.8	20.1	7.16	7.20	156	18	174	39.2	121	8.6	12.6	3.10	4.32	0.18	362	60	20.73	20.73	1694
27/12/23		20.5	20.7	7.21	7.23	149	14	170	36.2	138	8.0	146	3.02	5.62	0.21	386	62	20.83	20.83	1798
29/12/23		20.2	20.9	7.21	7.21	164	17	186	34.2	133	8.8	154	3.82	3.46	0.19	394	67	20.93	20.93	1715
31/12/23		19.4	18.7	7.21	7.25	131	15	181	37.4	126	8.2	132	3.62	7.16	0.18	368	62	20.162	20.162	1632
01/12/23		18.3	19.1	7.16	7.18	146	19	174	39.2	131	8.9	11.6	2.49	3.45	0.21	374	60	20.41	20.41	1706
25/12/23		19.0	18.4	7.32	7.35	149	11	168	11.6	128	7.6	12.8	2.92	3.62	0.24	378	64	20.36	20.36	1744
26/12/23		19.6	19.8	7.36	7.38	133	15	176	39.6	106	7.3	13.2	2.62	3.72	0.18	364	70	20.74	20.74	1734
27/12/23		20.0	20.2	7.28	7.31	128	17	189	36.2	102	8.4	11.6	2.19	4.62	0.21	342	67	20.12	20.12	1732
28/12/23		19.2	19.5	7.29	7.32	134	11	180	34.2	109	8.6	11.8	3.46	3.92	0.21	356	72	20.37	20.37	1659
29/12/23		19.5	19.8	7.30	7.33	119	13	171	35.7	98	8.0	14.2	2.32	2.62	0.23	372	69	20.34	20.34	1664
30/12/23		20.1	20.3	7.34	7.37	121	18	172	37.2	103	7.7	5.6	3.46	2.54	0.21	347	64	20.38	20.38	1706
31/12/23		20.2	20.4	7.25	7.25	122	14	170	37.4	107	7.6	3.2	2.36	2.61	0.24	355	69	20.39	20.39	1672
शुक्ला (सी. पी. शुक्ला) अधिसापि अभियन्ता नगर विकास ब्यास, कोटा																				

(सी. पी. शुक्ला)
 अधीक्षक अभियन्ता
 नगर विकास ब्यास, कोटा

2128

STP 1 MLD at Kushalgarh

MUNICIPAL BOARD KUSHALGARH

NAME: Sewerage pumping station Kushalgarh

Name of contractor: DRA-BIPL (JV)

Record of influent and Effluent Quality

Month: December Year 2023

Date	Influent Sewage Quality										Effluent Sewage Quality										
	a	b	c	d	e	f	g	h	i	k	a	b	c	d	e	f	g	h	i	j	k
12-01-23		306	192	7.8	4		7.5		1			42	9		2		0.5		0.5		
12-02-23		314	182	7.6	3.5		5		1.5	990		34	8		1.5		2.5		0.2		90
12-03-23		292	204	7.7	2.5		5		1.5			38	12		1.5		1.5		0.5		
12-04-23	80	318	188	7.6	2.6		7.5		1		8	42	10		1.5		1.5		0.2		
12-05-23		294	190	7.8	3		7.5		1			34	10		1		0.5		0.2		
12-06-23		304	206	7.6	4		5		1.5			38	9		1		1		0.5		
12-07-23		310	210	7.8	2.5		5		1.5			40	12		1		2.5		1		
12-08-23		312	204	7.8	5		5		1	820		42	12		2.5		1		0.5		85
12-09-23	95	288	192	7.7	2.5		1.5		0.5		9	34	8		2		1.5		0.5		
12-10-23		304	218	7.6	2		1.5		1.5			36	10		2		1.5		1		
12-11-23		308	210	7.8	5		5.5		1			40	14		2.5		1		0.5		
12-12-23		292	214	8	2.5		5		1.5			40	9		2.6		0.5		0.2		
13/12/2023		302	210	7.6	5		1.5		0.5			42	10		2.5		0.8		0.4		
14/12/2023	85	314	198	7.8	1.5		7.5		1.5		8.4	36	8		2.5		0.5		0.5		
15/12/2023		310	188	7.9	2		7.5		2.5	1190		34	12		2		1		1		75
16/12/2023		322	180	7.6	1		5		1.5			44	10		5		1.5		0.5		
17/12/2023		304	198	8	2.5		7.5		1			40	9		2.5		1		0.5		
18/12/2023		292	198	7.8	2		5		1			38	10		2.5		2		1		
19/12/2023	90	302	212	7.9	1		7.5		1.5		9	34	9		2		1		0.2		
20/12/2023		312	204	8	2.5		5		1	1280		40	8		2		1.5		0.5		80
21/12/2023		306	206	7.5	3		7.5		1			44	9		2.5		1	0.5			
22/12/2023		288	198	7.8	1.5		5		2.5			42	10		2		1.5	0.5			
23/12/2023		292	182	7.6	1.3		2.5		1.5			34	8		2		2	0.2			
24/12/2023		315	204	7.8	2		5		2.5			12	38		2		1.5	0.5			
25/12/2023		320	212	7.9	1.4		5		1	660		10	40		2		1	0.3			80
26/12/2023	92	312	208	8.1	1.6		7.5		1.5		8.5	9	44		2		1.5	0.1			
27/12/2023		320	214	7.8	1.3		7.5		2.5			8	38		2		1.5	0.3			
28/12/2023		305	195	7.9	2		5		1.5			12	40		1.5		1	0.2			
29/12/2023		292	212	7.8	1.5		0.5		1.5			12	38		1.5		0.5	0.2			
30/12/2023		304	198	7.6	1.2		2.5		2	920		8	42		3		2.5	1			85
31/12/2023	90	318	188	7.8	1.3		1		1		9	9	40		1.5		1	0.5			

a- BOD e- DISSOLVED OXYGEN i- TOTAL PHOSPHATE
 b- COD f-ALKALINITY j-RESIDUAL CHLORINE
 c- SUSPENDED SOLID/MLSS g- TOTAL NITROGEN k-Total Fecal ColiformMPN-100ml
 d-Ph h-sulphate



Ma. K. K. K.
 Seid Enchery

STP 1, 1.5 & 3 MLD at Laxmangarh

Parameters of operational STPs																
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	Designed Outflow Parameters					Waste water Test Report Attached (Yes/No) 01 October'23 to 31 October'23	Reuse of Treated Water				
						pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform mg/l		Qunatity of Treated water available for Reuse (MLD)	Qunatity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water (in water Bodies/ Other) (MLD)
1	Laxmangarh	Near Indira Awas colony (Laxmangarh)	1.50	SSR	0.80	7.51	8	7	48	30	YES	0.8	0.8	HORTICULTURE	NILL	NILL
2	Laxmangarh	Near Basir Road Banjara Basti (Laxmangarh)	1.00	SSR	0.50	7.01	8	8	44	50	YES	0.5	0.5	AGRICULTURE	NILL	NILL
3	Laxmangarh	Todhikui (Laxmangarh)	3.00	SSR	1.50	7.32	9	9	55	55	YES	1.5	1.5	HORTICULTURE	NILL	NILL


 अधिशाषी अधिकारी
 नगर पालिका, लक्ष्मणगढ़ (सीकर)

2130 STP 3 MLD at Nawalgarh



TC-7331
NABL ACCREDITED LAB

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar, Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (STP Bus Depot, Nawalgarh)	Sample Code	2311561
Report No.	OTH/RN-20237108	Report Issue date	06/12/2023
ULR No.	TC7331230000007108F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max. As per MOEF
1.	pH	7.26	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	8.24	IS : 3025 (P-17)	mg/l.	50
3.	Chemical Oxygen Demand	40.16	IS : 3025 (P-58)	mg/l.	250
4.	Biochemical Oxygen Demand	9.10	IS : 3025 (P-44)	mg/l.	30
5.	Phosphate as P	0.25	IS : 3025 (P-31)	mg/l.	1.0

Note: - 1. BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested.

3. The information about the sample provided by customer.

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

OMEGA TEST HOUSE

OTH/QC/RF/25 P-231

2131

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	3 MLD STP Plant Outlet Water (STP Bus Depot, Nawalgarh)	Sample Code	2311561-A
Report No.	OTH/RN-20237108-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.6	°C	Thermometer
2.	Total Nitrogen	1.62	mg/l.	APHA (24th edition) 4500 NH3 C: 2023
MICROBIOLOGICAL ANALYSIS				
3.	Total Faecal Coliform	63	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number.

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

2132

STP 1 MLD at Nawalgarh



TC-7331
NABL ACCREDITED LAB

OTH/QC/RF/25

OMEGA TEST HOUSE

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar, Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	1 MLD STP Plant Outlet Water (STP Fire Station, Nawalgarh)	Sample Code	2311562
Report No.	OTH/RN-20237109	Report Issue date	06/12/2023
ULR No.	TC7331230000007109F	Page No.	01 OF 02
Reference to Sampling	NA	Sample Collected By	Customer

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Test Method	Units	Limits Max. As per MOEF
1.	pH	7.20	IS : 3025 (P-11)	NA	5.5 to 9.0
2.	Total Suspended Solids	7.96	IS : 3025 (P-17)	mg/l.	50
3.	Chemical Oxygen Demand	35.12	IS : 3025 (P-58)	mg/l.	250
4.	Biochemical Oxygen Demand	8.05	IS : 3025 (P-44)	mg/l.	30
5.	Phosphate as P	0.23	IS : 3025 (P-31)	mg/l.	1.0

Note: - 1.BDL- Below Detection Limit, NA- Not Applicable

2. The results relate only to items tested,

3. The information about the sample provided by customer.

END OF REPORT



NOTE:

(1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.

(2.) Total liability of our concern is limited to the invoiced amount.

(3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

OMEGA TEST HOUSE

OTH/QC/RF/233

2133

Lab : J-889, Sitapura Industrial Area, Jaipur (Raj.)-302 022

Head Office : 2/60, Malviya Nagar , Jaipur (Raj.)-302 017

Contact : 09414074020, 09829051363, 0141-2521969, Email: omegatesthouse@gmail.com

TEST REPORT

Sample Name	1 MLD STP Plant Outlet Water (STP Fire Station, Nawalgarh)	Sample Code	2311562-A
Report No.	OTH/RN-20237109-A	Report Issue date	06/12/2023
Sample Collected By	Customer	Page No.	02 OF 02
Reference to Sampling	NA		

Customer Name & Address:		Sample Receiving Date:	28/11/2023
P C Snehal Construction Private Limited, G.F Pravesh Appt., 10 Mahadev Nagar Society, Lane-5, Nr. Sardar Patel Statue, Stadium Road, Naranpura, Ahmedabad, Gujarat-380014		Date of Testing	29/11/2023
		Date of Completion	06/12/2023
		Sample Qty. & Condition	1 Ltr. & Ok
Environmental Conditions Under which test performed	Room Temperature	Registration No.	RAJ.1713/012971

CHEMICAL ANALYSIS

S. No.	Parameters	Results	Unit	Test Method
1.	Temperature	22.5	°C	Thermometer
2.	Total Nitrogen	1.40	mg/l.	APHA (24th edition) 4500 NH3 C: 2023
MICROBIOLOGICAL ANALYSIS				
3.	Total Faecal Coliform	43	MPN/100 ml	IS 1622:1981

MPN- Most Probable Number

END OF REPORT



NOTE:

- (1.) The result listed refer only to the tested sample and applicable parameters. Endorsement of products is neither inferred nor implied.
- (2.) Total liability of our concern is limited to the invoiced amount.
- (3.) The report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	1 MLD STP WATER		
Report No.	JLWT231127023	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	27/11/2023	Exp. Date	NA
Started of Analysis	27/11/2023	Sample Condition	OK
End of Analysis	02/12/2023	Sample Qty.	1 ltr.
Report Release Date	04/12/2023	Ref. No.	1076 Dt: 27.11.23
Sample Submitted By	KASOD NIMBAHERA		
Test Report Issued to	DRA- BIPL KASOD NIMBAHERA		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Description : Light yellow colour liquid with suspended particles.

Sl. No.	Parameters	Unit	Found	Specifications	Method of Test
Microbiological Examination					
1	Faecal Coliform	MPN/100 ml	94	Not Specified	IS 1622 : 1981

END OF REPORT

Review by 04/12/23
Divya Singh
Sr. Microbiologist



04/12/23
Authorised Signatory
Vinit Maheshwari
Technical Manager- Microbiology

Page No.1 of 1

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1", Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	2 MLD STP WATER	Batch No.	NA
Report No.	JLWT231127021	Mfg. Date	NA
Sample Code	NA	Exp. Date	NA
Date of Received	27/11/2023	Sample Condition	OK
Started of Analysis	27/11/2023	Sample Qty.	1 ltr.
End of Analysis	02/12/2023	Ref. No.	1076 Dt: 27.11.23
Report Release Date	04/12/2023		
Sample Submitted By	KARTHANA NIMBAHERA		
Test Report issued to	DRA- BIPL KARTHANA NIMBAHERA		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Description Light yellow colour liquid with suspended particles.

Sl. No.	Parameters	Unit	Found	Specifications	Method of Test
Microbiological Examination					
1	Faecal Coliform	MPN/100 ml	79	Not Specified	IS 1622 : 1981

END OF REPORT

Review by *Divya Singh*
Divya Singh
Sr. Microbiologist



04/12/23
Authorised Signatory
Vinit Maheshwari
Technical Manager - Microbiology

Page No.1 of 1

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (in case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	4.5 MLD STP WATER		
Report No.	JLWT231127020	Batch No.	NA
Sample Code	NA	Mfg. Date	NA
Date of Received	27/11/2023	Exp. Date	NA
Started of Analysis	27/11/2023	Sample Condition	OK
End of Analysis	02/12/2023	Sample Qty.	1 ltr.
Report Release Date	04/12/2023	Ref. No.	1076 Dt: 27.11.23
Sample Submitted By	AMBA NAGAR NIMBAHERA		
Test Report Issued to	DRA-BIPL AMBA NAGAR NIMBAHERA		
Environment Condition	Temperature (°C) - As per Standard. Relative Humidity (%) - As per Standard		

TEST RESULTS

Description Light yellow colour liquid with suspended particles.

Sl. No.	Parameters	Unit	Found	Specifications	Method of Test
Microbiological Examination					
1	Faecal Coliform	MPN/100 ml	84	Not Specified	IS 1622 : 1981

END OF REPORT

Review by *Divya Singh* 04/12/23
Divya Singh
Sr. Microbiologist



Vinit Maheshwari 04/12/23
Authorised Signatory
Vinit Maheshwari
Technical Manager - Microbiology

Page No.1 of 1

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing.
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (in case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

STP 1 MI2037 Nokha

Test Report

Name of Firm: Mohit kumar contractor, churu, rajasthan

Name of plant: 1 mld stp plant, ward 07, nagar palika nokha

Lab analysis Result of Month J.A.N., 2024

S.N	Date	pH	TSS (mg/l)	BoD(mg/l@27 Degree)	COD(mg/l)	Fecal coliform/100 ml	Remark
1	01/01/2024	7.70	24	9	42	-	
2	02/01/2024	7.70	26	9	42	-	
3	03/01/2024	7.80	28	10	43	-	
4	04/01/2024	7.82	30	9	41	-	
5	05/01/2024	7.55	24	10	38	-	
6	06/01/2024	7.50	20	10	40	99	
7	07/01/2024	7.80	21	9	40	-	
8	08/01/2024	7.70	20	9	39	-	
9	09/01/2024	7.80	23	8	40	-	
10	10/01/2024	7.78	24	10	41	-	
11	11/01/2024	7.72	22	9	42	-	
12	12/01/2024	7.70	23	9	44	-	
13	13/01/2024	7.60	24	10	40	-	
14	14/01/2024	7.70	20	9	40	102	
15	15/01/2024	7.76	21	8	40	-	
16	16/01/2024	7.76	24	9	42	-	
17	17/01/2024	7.70	28	9	43	-	
18	18/01/2024	7.78	30	10	41	-	
19	19/01/2024	7.80	24	9	42	-	
20	20/01/2024	7.82	19	8	40	-	
21	21/01/2024	7.80	22	9	41	98	
22	22/01/2024	7.78	21	10	42	-	
23	23/01/2024	7.80	20	8	40	-	
24	24/01/2024	7.79	22	9	38	-	
25	25/01/2024	7.80	19	9	40	-	
26	26/01/2024	7.82	21	9	41	-	
27	27/01/2024	7.81	22	10	40	-	
28	28/01/2024	7.82	21	8	38	98	
29	29/01/2024	7.78	19	9	39	-	
30	30/01/2024	7.70	22	9	40	-	
31	31/01/2024	7.60	21	9	39	-	

Sign and seal

MOHIT KUMAR CONTRACTOR

PROPRIETOR

कनिष्ठ अभियंता
नगरपालिका, नोखासहायक अभियंता
नगर पालिका, नोखा

2138

FORM - X
RAJASTHAN STATE POLLUTION CONTROL BOARD
REPORT OF THE STATE BOARD ANALYST
 (See Rule - 24)
Final Report

Report No. : 634

Report On : 20/01/2024

I hereby certify that I Ms Garima Mishra, State Board Analyst duly appointed under sub Section(3) of Section 53 of the Water (Prevention & Control of Pollution) Act, 1974 received on the 12/01/2024 from VEENU SINGHAL, JSO, Bikaner, RSPCB Bikaner a sample of Waste Water of M/S Municipal Board, Nokha, Plant - Municipal Board Nokha Sewage Treatment Plant 1 MLD [109177], Ward No 7, City- Madiya Tehsil- Nokha, District- Bikaner Collected from Final Outlet of CSTP Collected on 12/01/2024. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 20/01/2024 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	pH	7.82
2	Total Suspended Solids mg/l	19
3	Chemical Oxygen Demand (COD) mg/l	40
4	Bio-Chemical Oxygen Demand (BOD) (3days at 27° C) mg/l	8
5	Oil & Grease mg/l	2

The condition of the seals, fastening and container on receipt was as follows : **Intact**
 Signed This On 20/01/2024

BOARD ANALYST

Rajasthan State Pollution Control Board
 Regional Office Bikaner
 33, Phase-II, Bichwal Industrial Area,
 Bikaner
 Phone: 0151-2250006

MOHIT KUMAR
 PROPRIETOR



STP 15 MLD at Pali



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items

05147

27.01.2024



18.01.2024

TEST REPORT

Report No. MGE/TR/WTR/04722	Issued Date : 29.11.2023
Name & Address of Party:	Letter Date : 24.11.2023 18.01.2024
M/s L & T Construction	Source of Sample : Se. 18.1.2024 ater 27.01.2024
No. 61/62 Paras Nagar, Near Tagore Nagar Tagore	Quantity of sample : One bottle each sample
Nagar, Road Pali	Date of sample received : 24.11.2023
	Period of testing : Start-24.11.2023, Final-29.11.2023
	Sample Description : Raw Sewerage & Treated water
Location :- Water Sample Collected from 15 MLD STP Under RUIDP, Pali.	

TEST RESULTS

Requirements Tests	Test Method	Standards as per NGT Principal Bench New Delhi	Units	Results Obtained	
				Raw Sewerage	CCT Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.6 282.5	7.34 8.5 7.68
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	819.6 282.5	47.2 8.7
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	516.7 282.5	6.58 4.23
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	413.5 282.5	4.23 039
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	6.4 282.3	039 22.4
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	282.3	22.4
g) Fecal coliform (MPN/1000)	IS 1622	Desirable 1000 Permissible 10000	mg/lit	280.5	20.5

REMARK: B.O.D. Results Observed after 3 Days.

MONI'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted in as received condition.
 2. All matters related to Jodhpur Jurisdiction only.
 3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
 4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

2140



MONT'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel. 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items



TEST REPORT

Report No. MGE/TR/WTR/04786	Issued Date : 03.01.2024
Name & Address of Party:	Letter Date : 03.01.2024
M/s L & T Construction	Source of Sample : Sewerage Water
No. 61-62 Paras Nagar, Near Tagore Nagar Tagore	Quantity of sample : One bottle each sample
Nagar, Road Pali	Date of sample received : 03.01.2024
	Period of testing : Start - 03.01.2024 Finish - 08.01.2024
	Sample Description : Raw Sewerage & Treated water
Location :- Water Sample Collected from 15 MLD STP Under RUIDP, Pali.	

TEST RESULTS

Requirements Tests	Test Method	Standards as per NGT Principal Bench New Delhi	Units	Results Obtained	
				Raw Sewerage	CCT Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.29	7.49
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	280.6	8.8
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	785.4	6.2
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	531.5	6.7
e) T. K. N.	IS 3025 (Part-34)	---	mg/lit	37.5	4.3
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	6.1	0.48
g) Fecal coliform (MPN/1000)	IS 1622	Desirable 1000 Permissible 10000	mg/lit	287.5	20.5

REMARK: B.O.D. Results Observed after 3 Days.

MONT'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted in as received condition.
 2. All matters related to Jodhpur Jurisdiction only.
 3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
 4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

2141



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items



TEST REPORT

Report No. MGE/TR/WTR/04722	Issued Date : 29.11.2023
Name & Address of Party:	Letter Date : 24.11.2023
M/s L & T Construction	Source of Sample : Sewerage Water
No. 61/62 Paras Nagar, Near Tagore Nagar Tagore	Quantity of sample : One bottle each sample
Nagar, Road Pali	Date of sample received : 24.11.2023
	Period of testing : Start-24.11.2023, Final-29.11.2023
	Sample Description : Raw Sewerage & Treated water
Location :- Water Sample Collected from 15 MLD STP Under RUIDP, Pali.	

TEST RESULTS

Requirements Tests	Test Method	Standards as per NGT Principal Bench New Delhi	Units	Results Obtained	
				Raw Sewerage	CCT Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.21	7.68
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	282.3	8.7
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	820.5	48.5
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	515.5	6.9
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	40.5	4.1
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	6.7	0.45
g) Fecal coliform (MPN/1000)	IS 1622	Desirable 1000 Permissible 10000	mg/lit	280.5	20.5

REMARK: B.O.D. Results Observed after 3 Days.

For MONI'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted in as received condition.
 2. All matters related to Jodhpur Jurisdiction only.
 3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
 4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

2142

Sr. No.	Date	Location	Sample	LAB ANALYSIS REPORT, 15 MLD STP - PALI														
				RAW SEWAGE ANALYSIS														
				pH			BOD			COD			TSS			TP		
				Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender
1	01/01/2024	PTU CHAMBER	SEWAGE	7.21	-	6.0-8.0	110	mg/L	300	326.6	mg/L	650	63	mg/L	600	2.4	mg/L	6
2	02/01/2024	PTU CHAMBER	SEWAGE	7.28	-	6.0-8.0	100	mg/L	300	295.4	mg/L	650	76	mg/L	600	2.3	mg/L	6
3	03/01/2024	PTU CHAMBER	SEWAGE	6.31	-	6.0-8.0	82	mg/L	300	366.8	mg/L	650	68	mg/L	600	2.2	mg/L	6
4	04/01/2024	PTU CHAMBER	SEWAGE	7.15	-	6.0-8.0	107	mg/L	300	340.6	mg/L	650	73	mg/L	600	2.1	mg/L	6
5	05/01/2024	PTU CHAMBER	SEWAGE	6.79	-	6.0-8.0	131	mg/L	300	390.8	mg/L	650	81	mg/L	600	2.9	mg/L	6
6	06/01/2024	PTU CHAMBER	SEWAGE	6.99	-	6.0-8.0	128	mg/L	300	399.9	mg/L	650	103	mg/L	600	3.9	mg/L	6
7	07/01/2024	PTU CHAMBER	SEWAGE	6.75	-	6.0-8.0	79	mg/L	300	401.6	mg/L	650	113	mg/L	600	2.8	mg/L	6
8	08/01/2024	PTU CHAMBER	SEWAGE	6.82	-	6.0-8.0	99	mg/L	300	389.3	mg/L	650	100	mg/L	600	3.9	mg/L	6
9	09/01/2024	PTU CHAMBER	SEWAGE	6.34	-	6.0-8.0	120	mg/L	300	489	mg/L	650	131	mg/L	600	3.3	mg/L	6
10	10/01/2024	PTU CHAMBER	SEWAGE	6.68	-	6.0-8.0	121	mg/L	300	349.7	mg/L	650	110	mg/L	600	2.4	mg/L	6
11	11/01/2024	PTU CHAMBER	SEWAGE	6.6	-	6.0-8.0	222	mg/L	300	289.4	mg/L	650	128	mg/L	600	2.7	mg/L	6
12	12/01/2024	PTU CHAMBER	SEWAGE	6.78	-	6.0-8.0	116	mg/L	300	480.6	mg/L	650	120	mg/L	600	2	mg/L	6
13	13/01/2024	PTU CHAMBER	SEWAGE	6.49	-	6.0-8.0	98	mg/L	300	490.6	mg/L	650	203	mg/L	600	2.9	mg/L	6
14	14/01/2024	PTU CHAMBER	SEWAGE	7.12	-	6.0-8.0	122	mg/L	300	340.8	mg/L	650	139	mg/L	600	2.1	mg/L	6
15	15/01/2024	PTU CHAMBER	SEWAGE	6.34	-	6.0-8.0	102	mg/L	300	490.8	mg/L	650	170	mg/L	600	2.3	mg/L	6
16	16/01/2024	PTU CHAMBER	SEWAGE	6.65	-	6.0-8.0	97	mg/L	300	450.8	mg/L	650	169	mg/L	600	2.6	mg/L	6
17	17/01/2024	PTU CHAMBER	SEWAGE	7.33	-	6.0-8.0	129	mg/L	300	471.8	mg/L	650	188	mg/L	600	3.2	mg/L	6
18	18/01/2024	PTU CHAMBER	SEWAGE	6.39	-	6.0-8.0	120	mg/L	300	389	mg/L	650	119	mg/L	600	2.2	mg/L	6
19	19/01/2024	PTU CHAMBER	SEWAGE	6.34	-	6.0-8.0	109	mg/L	300	388.6	mg/L	650	160	mg/L	600	3.6	mg/L	6
20	20/01/2024	PTU CHAMBER	SEWAGE	6.77	-	6.0-8.0	122	mg/L	300	460.7	mg/L	650	130	mg/L	600	3.2	mg/L	6
21	21/01/2024	PTU CHAMBER	SEWAGE	6.36	-	6.0-8.0	134	mg/L	300	344.6	mg/L	650	129	mg/L	600	2.4	mg/L	6
22	22/01/2024	PTU CHAMBER	SEWAGE	6.84	-	6.0-8.0	118	mg/L	300	460.8	mg/L	650	99	mg/L	600	2.2	mg/L	6
23	23/01/2024	PTU CHAMBER	SEWAGE	6.66	-	6.0-8.0	109	mg/L	300	392.8	mg/L	650	102	mg/L	600	2.4	mg/L	6
24	24/01/2024	PTU CHAMBER	SEWAGE	6.33	-	6.0-8.0	129	mg/L	300	464.9	mg/L	650	89	mg/L	600	1.8	mg/L	6
25	25/01/2024	PTU CHAMBER	SEWAGE	6.42	-	6.0-8.0	118	mg/L	300	391.9	mg/L	650	90	mg/L	600	1.7	mg/L	6
26	26/01/2024	PTU CHAMBER	SEWAGE	6.79	-	6.0-8.0	157	mg/L	300	412.7	mg/L	650	88	mg/L	600	2.8	mg/L	6
27	27/01/2024	PTU CHAMBER	SEWAGE	6.88	-	6.0-8.0	136	mg/L	300	398.9	mg/L	650	122	mg/L	600	2.7	mg/L	6
28	28/01/2024	PTU CHAMBER	SEWAGE	7.45	-	6.0-8.0	169	mg/L	300	340	mg/L	650	95	mg/L	600	2.6	mg/L	6
29	29/01/2024	PTU CHAMBER	SEWAGE	7.8	-	6.0-8.0	99	mg/L	300	345.7	mg/L	650	79	mg/L	600	2.4	mg/L	6
30	30/01/2024	PTU CHAMBER	SEWAGE	6.66	-	6.0-8.0	122	mg/L	300	346.8	mg/L	650	180	mg/L	600	2.3	mg/L	6
31	31/01/2024	PTU CHAMBER	SEWAGE	6.38	-	6.0-8.0	79	mg/L	300	320.8	mg/L	650	12	mg/L	600	2.6	mg/L	6

2143

LAB ANALYSIS REPORT, 15 MLD STP - PALI																		
CCT OUTFALL ANALYSIS																		
Sr. No.	Date	Location	Sample	pH			BOD			COD			TSS			TP		
				Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender	Actual	Unit	As per Tender
1	01/01/2024	CCT OUTLET	TREATED WATER	7.25	-	6.5 - 7.5	6	mg/L	≤10	63.2	mg/L	≤100	3	mg/L	≤10	0.4	mg/L	≤1
2	02/01/2024	CCT OUTLET	TREATED WATER	7.29	-	6.5 - 7.5	9	mg/L	≤10	75.3	mg/L	≤100	2	mg/L	≤10	0.5	mg/L	≤1
3	03/01/2024	CCT OUTLET	TREATED WATER	6.39	-	6.5 - 7.5	7	mg/L	≤10	61	mg/L	≤100	2	mg/L	≤10	0.3	mg/L	≤1
4	04/01/2024	CCT OUTLET	TREATED WATER	7.49	-	6.5 - 7.5	7	mg/L	≤10	67.8	mg/L	≤100	3	mg/L	≤10	0.4	mg/L	≤1
5	05/01/2024	CCT OUTLET	TREATED WATER	7.12	-	6.5 - 7.5	6	mg/L	≤10	66.8	mg/L	≤100	4	mg/L	≤10	0.5	mg/L	≤1
6	06/01/2024	CCT OUTLET	TREATED WATER	7.33	-	6.5 - 7.5	6	mg/L	≤10	68.4	mg/L	≤100	1	mg/L	≤10	0.4	mg/L	≤1
7	07/01/2024	CCT OUTLET	TREATED WATER	6.79	-	6.5 - 7.5	5	mg/L	≤10	54.5	mg/L	≤100	3	mg/L	≤10	0.6	mg/L	≤1
8	08/01/2024	CCT OUTLET	TREATED WATER	6.89	-	6.5 - 7.5	7	mg/L	≤10	50.7	mg/L	≤100	1	mg/L	≤10	0.7	mg/L	≤1
9	09/01/2024	CCT OUTLET	TREATED WATER	6.87	-	6.5 - 7.5	8	mg/L	≤10	60.4	mg/L	≤100	2	mg/L	≤10	0.2	mg/L	≤1
10	10/01/2024	CCT OUTLET	TREATED WATER	6.96	-	6.5 - 7.5	6	mg/L	≤10	41.5	mg/L	≤100	2	mg/L	≤10	0.8	mg/L	≤1
11	11/01/2024	CCT OUTLET	TREATED WATER	6.76	-	6.5 - 7.5	5	mg/L	≤10	56.25	mg/L	≤100	3	mg/L	≤10	0.7	mg/L	≤1
12	12/01/2024	CCT OUTLET	TREATED WATER	7.38	-	6.5-7.5	7	mg/L	≤10	67.2	mg/L	≤100	1	mg/L	≤10	0.5	mg/L	≤1
13	13/01/2024	CCT OUTLET	TREATED WATER	7.49	-	6.5-7.5	8	mg/L	≤10	64.7	mg/L	≤100	2	mg/L	≤10	0.6	mg/L	≤1
14	14/01/2024	CCT OUTLET	TREATED WATER	7.42	-	6.5-7.5	6	mg/L	≤10	59.2	mg/L	≤100	4	mg/L	≤10	0.8	mg/L	≤1
15	15/01/2024	CCT OUTLET	TREATED WATER	6.94	-	6.5-7.5	9	mg/L	≤10	39.8	mg/L	≤100	3	mg/L	≤10	0.6	mg/L	≤1
16	16/01/2024	CCT OUTLET	TREATED WATER	6.95	-	6.5-7.5	8	mg/L	≤10	45.6	mg/L	≤100	1	mg/L	≤10	0.8	mg/L	≤1
17	17/01/2024	CCT OUTLET	TREATED WATER	7.39	-	6.5-7.5	7	mg/L	≤10	63.8	mg/L	≤100	2	mg/L	≤10	0.7	mg/L	≤1
18	18/01/2024	CCT OUTLET	TREATED WATER	6.99	-	6.5-7.5	6	mg/L	≤10	56.6	mg/L	≤100	3	mg/L	≤10	0.5	mg/L	≤1
19	19/01/2024	CCT OUTLET	TREATED WATER	6.84	-	6.5-7.5	5	mg/L	≤10	55	mg/L	≤100	4	mg/L	≤10	0.4	mg/L	≤1
20	20/01/2024	CCT OUTLET	TREATED WATER	7.43	-	6.5-7.5	4	mg/L	≤10	31.7	mg/L	≤100	2	mg/L	≤10	0.3	mg/L	≤1
21	21/01/2024	CCT OUTLET	TREATED WATER	6.88	-	6.5-7.5	5	mg/L	≤10	31.9	mg/L	≤100	5	mg/L	≤10	0.6	mg/L	≤1
22	22/01/2024	CCT OUTLET	TREATED WATER	6.89	-	6.5-7.5	7	mg/L	≤10	33.8	mg/L	≤100	1	mg/L	≤10	0.6	mg/L	≤1
23	23/01/2024	CCT OUTLET	TREATED WATER	6.89	-	6.5-7.5	8	mg/L	≤10	50.2	mg/L	≤100	4	mg/L	≤10	0.7	mg/L	≤1
24	24/01/2024	CCT OUTLET	TREATED WATER	6.88	-	6.5-7.5	7	mg/L	≤10	32.7	mg/L	≤100	2	mg/L	≤10	0.3	mg/L	≤1
25	25/01/2024	CCT OUTLET	TREATED WATER	6.49	-	6.5-7.5	5	mg/L	≤10	35	mg/L	≤100	5	mg/L	≤10	0.8	mg/L	≤1
26	26/01/2024	CCT OUTLET	TREATED WATER	7.12	-	6.5-7.5	4	mg/L	≤10	44.8	mg/L	≤100	2	mg/L	≤10	0.3	mg/L	≤1
27	27/01/2024	CCT OUTLET	TREATED WATER	6.55	-	6.5-7.5	6	mg/L	≤10	41.5	mg/L	≤100	5	mg/L	≤10	0.6	mg/L	≤1
28	28/01/2024	CCT OUTLET	TREATED WATER	7.4	-	6.5-7.5	7	mg/L	≤10	25.6	mg/L	≤100	2	mg/L	≤10	0.8	mg/L	≤1
29	29/01/2024	CCT OUTLET	TREATED WATER	7.1	-	6.5-7.5	5	mg/L	≤10	35.9	mg/L	≤100	3	mg/L	≤10	0.5	mg/L	≤1
30	30/01/2024	CCT OUTLET	TREATED WATER	6.69	-	6.5-7.5	6	mg/L	≤10	39.2	mg/L	≤100	2	mg/L	≤10	0.4	mg/L	≤1
31	31/01/2024	CCT OUTLET	TREATED WATER	6.39	-	6.5-7.5	4	mg/L	≤10	47.4	mg/L	≤100	4	mg/L	≤10	0.2	mg/L	≤1

2144



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel. 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items

TEST REPORT



Page 1 of 1

Report No. MGE/TR/WTR/01505	Issued Date : 01.02.2024
Name & Address of Party:	Letter Date : 27.01.2024
MUNICIPAL COUNCIL PALI	Source of Sample : Sewerage Water
Near ESI Hospital Pali.	Quantity of sample : One bottle
	Sample Description : Raw Sewerage & Treated water
	Date of sample received : 27.01.2024
	Period of testing : Start-27.01.2024, Final-01.02.2024
	Environment Condition:
Location: - 7.5 MLD Near ESI Hospital Pali.	Temperature 25 ± 5°C & Relative Humidity : 45 ± 15 %

TEST RESULTS

Requirements Tests	Test Method	Standards as per GSR 801 (E) EPA 1993	Units	Results Obtained	
				Raw Sewerage	Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.94 at 20.5 °C	7.30 at 20.5 °C
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/L	280.5	7.1
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/L	848.5	36.8
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/L	575.2	7.5
e) T. K. N.	IS 3025 (Part-34)	-----	mg/L	45.4	3.4
f) PO ₄	IS 3025 (Part-31)	Not Exceed 1.0	mg/L	8.2	0.35
g) Fecal coliform	IS 1622	Destrable 1000 Permissible 10000	mg/L	294.8	14.7

Remark: B.O.D. Results Observed after 3 Days.

OF MONI'S GROSAM ENGG. LAB.

For MONI'S GROSAM ENGG. LAB.

S.N. VYAS
MANAGER TECHNICAL SERVICESS.D. BISSA
C.E.O.

Note: 1. Results refer only to the sample submitted by Client and as received condition.
 2. All matters related to Jodhpur Jurisdiction only.
 3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
 4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

"End of Report"

2145



MONT'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel. 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items



TEST REPORT

Report No. MGE/TR/WTR/05284	Issued Date : 25.12.2023
Name & Address of Party:	Letter Date : 20.12.2023
MUNICIPAL COUNCIL PALI Near ESI Hospital Pali	Source of Sample : Sewerage Water
	Quantity of sample : One bottle
	Date of sample received : 20.12.2023
	Period of testing : Start-20.12.2023, Final-25.12.2023
	Sample Description : Raw Sewerage & Treated water
Location: - 7.5 MLD Near ESI Hospital Pali	

TEST RESULTS

Requirements Tests	Test Method	Standards as per GSR 801 (E) EPA 1993	Units	Results Obtained	
				Raw Sewerage	Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.88	7.27
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	280.5	7.4
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	853.2	35.5
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	575.5	7.5
e) T. K. N.	IS 3025 (Part-34)	-----	mg/lit	47.2	2.7
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	7.8	0.28
g) Fecal coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	275.5	12.5

REMARK: B.O.D. Results Observed after 3 Days.

For MONT'S GROSAM ENGG. LAB.

AUTHORISED SIGNATORY

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted by Client and as received condition.
 2. All matters related to Jodhpur Jurisdiction only.
 3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
 4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.



MONI'S GROSAM ENGINEERING LAB

B-39, INDUSTRIAL ESTATE, NEW POWER HOUSE ROAD, JODHPUR - 342 003 (Raj.)

Tel.: 0291 - 2433910, Mobile : 94141 28695, 94144 77835

E-mail : monis_lab54@yahoo.com • Website : www.monislab.com



Testing Facilities Available in House :

Aggregate, Bitumen, Cement, Water, Soil, Steel, Cube, Bricks, NDT, Tiles, Flush Door, Admixture & All Engineering Items

TEST REPORT

Report No. MGE/TR/WTR/04741	Issued Date : 30.11.2023
Name & Address of Party:	Letter Date : 25.11.2023
MUNICIPAL COUNCIL PALI Near ESI Hospital Pali	Source of Sample : Sewerage Water
	Quantity of sample : One bottle
	Date of sample received : 25.11.2023
	Period of testing : Start-25.11.2023, Final-30.11.2023
	Sample Description : Raw Sewerage & Treated water
Location: - 7.5 MLD Near ESI Hospital Pali	

TEST RESULTS

Requirements Tests	Test Method	Standards as per GSR 801 (E) EPA 1993	Units	Results Obtained	
				Raw Sewerage	Outlet
a) pH Value	IS 3025 (Part-11)	5.5-9.0	---	8.92	7.31
b) Biochemical Oxygen Demand	IS 3025 (Part-44)	Not Exceed 30	mg/lit	285.3	7.2
c) Chemical Oxygen Demand	IS 3025 (Part-58)	Not Exceed 150	mg/lit	845.2	38.5
d) Total Suspended Solids	IS 3025 (Part-17)	Not Exceed 50	mg/lit	580.5	7.2
e) T. K. N,	IS 3025 (Part-34)	-----	mg/lit	44.6	3.1
f) PO_4	IS 3025 (Part-31)	Not Exceed 1.0	mg/lit	8.2	0.32
g) Fecal coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	290.5	14.3

REMARK: B.O.D. Results Observed after 3 Days.

For
ANALYST

QUALITY MANAGER

Note: 1. Results refer only to the sample submitted by Client and as received condition.
2. All matters related to Jodhpur Jurisdiction only.
3. Samples will be destroyed after 10/30 days from the date of issue of report unless otherwise specified.
4. Test report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

STP Plant Pali (7.5 ML) 2147 RAJ-306401

Laboratory Report

Date IN/LET

OUTLET

FOR UNDER CONSTRUCTION

date	PH	TDS	COD	TSS	BOD	PH	TDS	COD	TSS	BOD
1/2024	7.2	1000	380.6	140	130	7.5	900	84.1	10.6	8.0
1/2024	7.4	980	382.2	142	136	7.6	910	80.2	11.2	10.1
1/2024	7.3	1040	380.8	146	137	7.5	940	81.6	11.8	10.0
1/2024	7.2	1080	372.8	130	128	7.6	920	80.2	12.1	11.6
1/2024	7.1	1020	370	136	130	7.5	980	82.1	10.2	7.6
1/2024	7.3	1000	374	132	128	7.6	960	80.0	10.3	8.0
1/2024	7.1	1090	380	136	134	7.6	980	84.1	14.2	10.8
1/2024	7.3	1020	386	140	136	7.8	920	80.1	13.1	11.2
1/2024	7.4	1000	388	142	137	7.6	910	82.4	14.8	11.8
1/2024	7.2	1080	380	140	136	7.8	920	80.1	12.6	10.2
1/2024	7.4	1000	348	140	138	7.6	940	84.1	14.0	12.9
1/2024	7.5	1040	342	141	140	7.5	910	80.3	16.1	11.8
1/2024	7.4	1020	340	136	134	7.6	940	84.2	15.2	10.2
1/2024	7.3	1000	342	138	132	7.5	910	82.1	14.6	10.0
1/2024	7.2	1050	340	132	128	7.6	900	84.6	14.2	12.4
1/2024	7.4	1000	346	138	134	7.8	920	80.2	13.4	11.2
1/2024	7.2	1020	348	124	130	7.5	900	80.1	14.1	10.2
1/2024	7.4	1080	344	128	124	7.6	940	80.0	14.1	10.4
1/2024	7.2	1020	342	136	128	7.6	940	88.0	12.1	10.0
1/2024	7.0	1000	336	134	120	7.5	900	80.1	10.1	8.0
1/2024	7.2	1020	338	130	128	7.6	920	84.1	14.1	10.2
1/2024	7.1	1040	340	132	130	7.5	940	80.6	14.6	11.6
1/2024	7.3	1000	342	140	123	7.7	900	82.0	12.0	11.0
1/2024	7.2	1000	340	136	134	7.8	940	80.1	14.0	11.2
1/2024	7.4	1040	340	134	130	7.9	920	80.6	12.1	10.0
1/2024	7.5	1020	350	130	126	7.8	940	80.8	12.1	10.6
1/2024	7.4	1040	344	136	130	7.7	950	78.1	13.6	10.0
1/2024	7.0	1050	342	138	134	7.6	980	76.2	14.8	11.0
1/2024	7.1	1030	338	135	125	7.6	960	76.8	13.4	10.2
1/2024	7.3	1000	345	140	125	7.5	940	76.6	12.6	10.6
1/2024	7.5	1020	340	135	130	7.8	960	76.3	13.0	11.0
31800 10981.4 4217 4062 28890 25104.05 324.8										

Lab Technician

Management

STP 2 MLD at Sikar

P-248

2 MLD SIKAR INLET PARAMETER

DATE	P-H	BOD	COD	TSS	TKN	TP					
LIMIT	6.0-9.0	1300	1650	1650	155	26					
UNIT	—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L					
01/12/23	6.52	210	410	220	34.2	5					
02/12/23	6.47	220	420	210	34.4	6					
03/12/23	6.51	200	400	200	33.8	5					
04/12/23	6.54	220	420	220	34.3	6					
05/12/23	6.57	230	430	220	34.5	5					
06/12/23	6.68	210	420	210	34.1	5					
07/12/23	6.67	200	400	200	34.1	5					
08/12/23	6.65	210	410	210	34.3	6					
09/12/23	6.69	220	420	210	34.6	6					
10/12/23	6.61	220	420	200	34.7	5					
11/12/23	6.67	210	420	210	34.8	6					
12/12/23	7.53	200	400	210	33.4	5					
13/12/23	7.59	230	430	230	34.9	5					
14/12/23	7.41	200	410	200	34.2	6					
15/12/23	7.47	210	420	220	34.3	5					
16/12/23	6.62	200	410	200	34.4	5					
17/12/23	6.68	210	400	210	33.4	6					
18/12/23	6.68	220	430	230	34.7	5					
19/12/23	6.73	210	410	200	33.8	5					
20/12/23	6.58	200	400	200	34.2	6					
21/12/23	7.39	210	420	210	34.3	5					
22/12/23	6.93	220	430	220	34.5	6					
23/12/23	6.77	210	420	210	34.2	5					
24/12/23	7.84	200	400	200	33.8	6					
25/12/23	6.63	210	410	210	34.2	5					
26/12/23	6.69	220	430	230	34.5	6					
27/12/23	6.58	200	400	220	34.4	5					
28/12/23	6.66	210	410	200	34.2	5					
29/12/23	6.42	220	420	210	34.1	6					
30/12/23	6.47	200	410	210	34.9	5					
31/12/23	6.46	230	430	220	34.4	5					

PAGE

Outlet PARAMETER

P-H	BOD	COD	TSS	NH ₄ -N	TKN	TP	Coliform	
6.0-9.0	110	150	110	15	110	12	10000	
—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	10000	
7.39	4	31	3	3.2	5	1.8	33	
7.67	5	34	5	3.4	6	1.4	35	
7.58	4	32	5	3.1	6	1.5	34	
7.56	6	35	6	3.5	7	1.6	35	
7.58	4	32	4	3.3	5	1.5	33	
7.62	5	35	5	3.5	6	1.6	34	
7.61	6	33	4	3.5	5	1.5	34	
7.59	4	35	5	3.4	5	1.5	35	
7.57	4	34	4	3.4	5	1.4	34	
7.53	4	33	4	3.5	4	1.5	34	
7.66	4	34	5	3.5	5	1.5	35	
7.41	5	35	5	3.4	5	1.5	35	
7.44	5	34	4	3.3	4	1.4	34	
7.37	4	32	4	3.3	5	1.3	34	
7.32	5	35	5	3.4	5	1.5	35	
7.35	4	34	5	3.5	6	1.6	35	
6.67	4	32	4	3.4	5	1.6	32	
6.69	6	36	6	3.5	6	1.5	36	
7.72	5	35	5	3.4	5	1.5	35	
7.74	4	34	5	3.5	6	1.6	34	
7.68	5	35	5	3.5	5	1.5	36	
6.61	5	34	5	3.4	4	1.5	35	
7.34	4	34	5	3.4	5	1.4	35	
7.61	4	33	4	3.4	4	1.5	33	
7.67	5	34	5	3.5	4	1.4	34	
7.72	4	33	4	3.4	5	1.5	34	
7.52	4	33	4	3.3	4	1.4	33	
7.56	5	34	5	3.4	5	1.5	34	
7.51	5	35	5	3.5	6	1.6	35	
7.57	6	36	6	3.5	5	1.5	36	
7.51	6	35	5	3.6	6	1.5	36	

classmate

STP 8 MLD at Sikar

8MLD STP SIKAR INLET PARAMETER

DATE	P-H	BOD	COD	TSS	TKN	TP
LIMIT	6.0-9.0	1300	1650	1650	155	26
UNIT	—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L
01/12/23	6.61	230	430	230	35.2	6
02/12/23	6.55	220	420	210	34.7	6
03/12/23	6.51	240	440	240	35.4	6
04/12/23	6.49	210	410	200	34.2	5
05/12/23	6.51	210	420	220	34.6	6
06/12/23	6.54	280	430	230	34.9	6
07/12/23	6.51	220	420	210	34.5	5
08/12/23	6.47	200	400	200	33.8	5
09/12/23	6.41	210	410	210	34.2	6
10/12/23	6.48	220	420	220	34.6	6
11/12/23	6.49	200	400	200	33.8	5
12/12/23	6.51	280	430	230	34.4	6
13/12/23	7.38	220	420	210	34.1	5
14/12/23	7.41	220	420	220	33.9	5
15/12/23	7.49	200	400	210	33.7	5
16/12/23	6.67	230	430	220	34.6	6
17/12/23	6.59	230	440	240	34.8	6
18/12/23	6.66	200	410	200	34.6	6
19/12/23	6.57	220	420	210	34.5	5
20/12/23	6.68	210	420	220	34.6	6
21/12/23	6.62	220	430	240	34.8	6
22/12/23	6.49	240	440	250	35.1	6
23/12/23	6.81	210	420	210	34.7	5
24/12/23	6.87	220	430	280	34.9	5
25/12/23	6.81	230	430	220	35.2	6
26/12/23	6.85	220	420	210	34.8	5
27/12/23	6.38	230	430	230	35.1	6
28/12/23	6.32	210	400	220	34.8	6
29/12/23	6.66	240	430	220	35.1	5
30/12/23	6.61	210	400	200	33.9	6
31/12/23	6.59	220	410	210	34.1	6

Outlet PARAMETER

P-H	BOD	COD	TSS	NH ₄ -N	TKN	TP	fecal coliform
6.0-9.0	110	150	110	15	110	12	mon/100
—	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	Mg/L	
6.81	6	35	5	3.5	5	1.5	35
7.45	7	37	6	3.6	6	1.6	37
7.88	6	36	6	3.5	6	1.6	35
7.35	4	34	5	3.4	6	1.5	35
7.41	6	36	6	3.5	6	1.6	36
7.47	7	37	7	3.6	6	1.6	36
7.35	5	35	5	3.5	5	1.6	36
7.46	5	35	6	3.5	6	1.5	35
7.45	6	36	6	3.6	6	1.6	36
7.41	7	37	6	3.7	7	1.7	36
7.57	6	36	6	3.6	6	1.6	37
7.45	7	37	7	3.6	7	1.7	37
7.61	5	35	6	3.5	6	1.5	35
7.59	6	35	5	3.6	5	1.6	36
6.52	6	36	7	3.6	6	1.6	35
6.57	7	38	7	3.7	6	1.5	38
7.72	6	35	5	3.6	5	1.6	35
7.61	7	40	8	3.8	7	1.7	39
7.77	6	36	7	3.7	6	1.6	36
7.74	5	35	5	3.6	5	1.5	35
7.36	6	37	6	3.7	7	1.7	36
7.00	7	38	7	3.7	7	1.6	37
7.49	6	36	5	3.6	6	1.5	36
7.52	7	37	6	3.7	6	1.6	36
7.56	5	36	5	3.5	7	1.7	37
7.44	6	37	7	3.6	6	1.6	36
7.91	6	36	6	3.5	5	1.5	35
7.58	5	36	5	3.6	6	1.6	36
7.79	7	37	6	3.7	6	1.6	36
7.72	6	36	6	3.6	5	1.5	35
7.63	5	35	5	3.5	6	1.6	35



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516075, 9811736063



ISO 45001

TEST REPORT

TEST REPORT NO.: ETS/1536-1/12/2023

DATE OF REPORT: 16.12.2023

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S. S.N ENVIRO TECH PVT.LTD
EXECUTIVE ENGINEER URBEEN DEVELOPMENT
TRUST SRIGANGANAGAR (RAJASTHAN)

Date of Sampling : 12.12.2023

Analysis Start Date : 13.12.2023

Analysis End Date : 16.12.2023

Sample ID No : 1536-1

Sampling Done By : ETS STAFF

Sampling Description : S.T.P(10 M.L.DSTP SURATGARH PADAMPUR ROAD SRIGANGANAGAR)

Sampling Location : S.T.P OUTLET

Sampling Method : ETS/STP/WATER-02

Sample Quantity : 2.0 Ltr.

Packing Condition : SEALED

Packed In : P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
1	pH	...	7.4	5.5 - 9.0	5.5 - 9.0	APHA 4500-H+
2	Total Suspended Solids.(TSS)	mg/L	5.0	100	600	APHA 2540-D
3	Oil & Grease, (O & G)	mg/L	1.2	10	20	APHA 5520-D
4	Biological Oxygen Demand(BOD ₅ 27°C)	mg/L	6.5	30	350	IS: 3025 (Part-44)
5	Chemical Oxygen Demand.(COD)	mg/L	28.0	250	Not Specified	APHA 5220-B
6	Total Phosphorus (P)	mg/L	0.5	Not Specified	Not Specified	APHA 4500.(P)-D
7	Total Kjeldahl Nitrogen (NH ₃)	mg/L	0.3	100	Not Specified	APHA 4500.(N org)-B



CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES


HUMRAJ
AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



2151 ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001

TEST REPORT

TEST REPORT NO.: ETS/1536-1/12/2023

DATE OF REPORT: 16.12.2023

WASTE WATER SAMPLE ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
8	Total Coliform count	MPN/100mL	68.0	Shall Not Be Detectable		IS15186
9	Faceal Coliform	MPN/100mL	84.0	Shall Not Be Detectable		IS15185

*****End of Test Report*****



CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



2152 ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/1732-1/01/2024

DATE OF REPORT: 27.01.2024

WASTE WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/S, S.N ENVIRO TECH PVT.LTD
EXECUTIVE ENGINEER URBEEN DEVELOPMENT
TRUST SRIGANGANAGAR (RAJASTHAN)

Date of Sampling : 23.01.2024

Analysis Start Date : 24.01.2024

Analysis End Date : 27.01.2024

Sample ID No : 1732-1

Sampling Done By : ETS STAFF

Sampling Description : S.T.P.(10 M.L.DSTP SURATGARH PADAMPUR ROAD SRIGANGANAGAR)

Sampling Location : S.T.P OUTLET

Sampling Method : ETS/STP/WATER-02

Sample Quantity : 2.0 Ltr.

Packing Condition : SEALED

Packed In : P.V.C. CANE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
1	pH	...	7.8	5.5 - 9.0	5.5 - 9.0	APHA 4500-H+
2	Total Suspended Solids,(TSS)	mg/L	3.0	100	600	APHA 2540-D
3	Oil & Grease, (O & G)	mg/L	1.6	10	20	APHA 5520-D
4	Biological Oxygen Demand(BOD ₃₃ 27°C)	mg/L	7.1	30	350	IS: 3025 (Part-44)
5	Chemical Oxygen Demand,(COD)	mg/L	25.0	250	Not Specified	APHA 5220-B
6	Total Phosphorus (P)	mg/L	0.4	Not Specified	Not Specified	APHA 4500:(P)-D
7	Total Kjeidahl Nitrogen (NH ₃)	mg/L	0.2	100	Not Specified	APHA 4500:(N org)-B



For ENVIRO-TECH SERVICES

HUMRAJ
AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

- Note:-
1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
 2. The results indicated only refer to the tested samples and listed applicable parameters.
 3. No complaint will be entertained if received after 7 days of issue of test report.
 4. Our liability is limited to invoice value only.
 5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
 6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

2153



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001

TEST REPORT

TEST REPORT NO.: ETS/1732-1/01/2024

DATE OF REPORT: 27.01.2024

WASTE WATER SAMPLE ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)		Test Method
				Inland Surface Water	Public Sewers	
8	Total Coliform count	MPN/100mL	65.0	Shall Not Be Detectable		IS15186
9	Faceal Coliform	MPN/100mL	89.0	Shall Not Be Detectable		IS15185

*****End of Test Report*****



CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES


MD HUMRAJ
AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-10, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

STP 5.5 MLD at Sujangarh



NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007

Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245

E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com

Recognized by Ministry of Environment, Forest and Climate Change, Government of India
ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

Reference No.: NES-ENV-240105001

Date: 09/01/2024

TEST CERTIFICATE WASTE WATER QUALITY ANALYSIS

Issued to	Client	Commissioner, Nagar Parishad, Sujangarh
	Contractor	M/s. YFC – ZTI (JV)
Address		Thrada Road, Sai Baba Mandir Ke Pass, Gopala Gausala, Sujangarh, Rajasthan – IN
Nature of Industry		5.5 MLD Sewage Treatment Plant

SAMPLE DETAILS


Location	STP Treated Water (3.5 MLD STP)
Sample Description	Slightly Turbid Colorless Liquid
Sample Quantity	2.0 Litre
Sample Condition	Sealed
Sample Collected By	Contractor's Representative
Date of Sample Receipt	05/01/2024
Period of Testing	05/01/2024 to 09/01/2024

TEST RESULTS

Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH (at temperature 25°C)	-	8.12	6.5 to 9.0	IS 3025 (P-11):1983, RA 2017
2.	Total Suspended Solids	mg/l	7.60	< 10	IS 3025 (P-17):1984, RA 2017
3.	Biochemical Oxygen Demand (at 3 days on temperature 27°C)	mg/l	8.65	< 10	IS 3025 (P-44):1993, RA 2019
4.	Chemical Oxygen Demand	mg/l	29.76	< 50	IS 3025 (P-58):2006, RA 2017
5.	Oil & Grease	mg/l	3.50	< 10	IS 3025 (P-39):1991, RA 2019
6.	Total Nitrogen (as N)	mg/l	1.90	< 10	IS 3025 (P-34):2021
7.	Total Phosphate (as P)	mg/l	0.50	< 2	IS 3025 (P-31):2022
8.	Fecal Coliform	MPN/100 ml	67	<100	IS 1622:1981, RA 2019

Note: B.D.L. – Below Detection Limit

- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without special permission in writing.
- Total liability of this laboratory is limited to the invoice amount.
- The results enlisted refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied.
- Samples will be destroyed after 15 days from the date of issuing of analysis of report unless otherwise specified.


(Saurabh Sharma)
Review By




(Jag Mohan Sharma)
Authorized Signatory

*** END OF REPORT ***

STP 2 MLD at Sujangarh





NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007

Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245

E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com

Recognized by Ministry of Environment, Forest and Climate Change, Government of India
ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

Reference No.: NES-ENV-240105002			Date: 09/01/2024		
TEST CERTIFICATE					
WASTE WATER QUALITY ANALYSIS					
Issued to	Client	Commissioner, Nagar Parishad, Sujangarh			
	Contractor	M/s. YFC - ZTI (JV)			
Address		Guleria Hotel, Gonera Road, Sujangarh, Rajasthan - IN			
Nature of Industry		2.0 MLD Sewage Treatment Plant			
SAMPLE DETAILS					
Location		STP Treated Water (2.0 MLD STP)			
Sample Description		Slightly Turbid Colorless Liquid			
Sample Quantity		2.0 Litre			
Sample Condition		Sealed			
Sample Collected By		Contractor's Representative			
Date of Sample Receipt		05/01/2024			
Period of Testing		05/01/2024 to 09/01/2024			
TEST RESULTS					
Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH (at temperature 25°C)	-	8.20	6.5 to 9.0	IS 3025 (P-11):1983, RA 2017
2.	Total Suspended Solids	mg/l	9.20	< 10	IS 3025 (P-17):1984, RA 2017
3.	Biochemical Oxygen Demand (at 3 days on temperature 27°C)	mg/l	7.52	< 10	IS 3025 (P-44):1993, RA 2019
4.	Chemical Oxygen Demand	mg/l	26.80	< 50	IS 3025 (P-58):2006, RA 2017
5.	Oil & Grease	mg/l	2.40	< 10	IS 3025 (P-39):1991, RA 2019
6.	Total Nitrogen (as N)	mg/l	1.50	< 10	IS 3025 (P-34):2021
7.	Total Phosphate (as P)	mg/l	0.68	< 2	IS 3025 (P-31):2022
8.	Fecal Coliform	MPN/100 ml	46	<100	IS 1622:1981, RA 2019
Note: B.D.L. - Below Detection Limit - This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without special permission in writing. - Total liability of this laboratory is limited to the invoice amount. - The results enlisted refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied. - Samples will be destroyed after 15 days from the date of issuing of analysis of report unless otherwise specified.					
 (Saurabh Sharma) Review By					
		 (Jag Mohan Sharma) Authorized Signatory			
*** END OF REPORT ***					

STP 10 MLD Sumerpur

SHRI JASNATH (SJTCL) TESTING AND CALIBRATION LABORATORY

ISO 9001: 2015 AND ISO 14001: 2015 CERTIFIED LABORATORY

MSME AND GOVERNMENT REGISTERED LABORATORY

Address : Plot No 88, Jasnath House, Mansa Nagar, Sirsi Road, Jaipur-302012

Telephone No.: 0141-4924070 Mob.: 09680510242, 08529910242, 06377053507

E-MAIL:- jasnathlabjpr@gmail.com, testing@jasnathlab.com, calibration@jasnathlab.com | website:- www.jasnathlab.com



(A House of Construction Material Testing & Calibration)

TESTING SERVICES - CEMENT (OPC/PPC/PSC), FLYASH, AGGREGATE (COARSE / FINE), BRICKS (CLAY / FLYASH), AAC BLOCK, SOLID & HOLLOW BLOCKS, PAVEMENT BLOCKS, SOIL (CLAY / SANDY), CURING COMPOUND, ADMIXTURE, TMT BAR / COUPLER / HT-STRAND, STAINLESS STEEL / MS CHANNEL, ALUMINUM SECTION, BUILDING STONE, ROCK, LIME POWDER, FLUSH DORS / TIMBER / WOOD, BITUMEN, BITUMEN EMULSION, DBM/SC/SDM/CM, WMM, VBM, GSB, BENTONITE, CONCRETE TILES, CERAMIC TILES, WATER (DRINKING AND CONSTRUCTION), HARDENED CONCRETE (Cube / Core / Beam), GEOTECH INVESTIGATION, NDT TESTING AND LOAD TEST.

TEST REPORT – WATER

Amendment No. and Date: - 00

Record No: - F-02(7.5)

Name and Address of Customer	Report No.	JASNATH/30/01/2024-18
The Executive Officer, Nagar Palika, Sumerpur	Date of Received	30.01.2024
	Date of Testing	30.01.2024 to 03.02.2024
	Date of Issue	03.02.2024
	Test Performed At	Permanent Lab.
SRF / Letter Ref. No.	Sr. No. 8983 Dated 30.01.2024	
Name of Work	The Sewerage Treatment Plant Run by The municipality, Sewerage Water Plant 10 MLD	
Description of sample	Raw sewerage and Treatment Water	

Sr. No.	NAME OF THE TEST	TEST METHOD	Standards As per GSR 801 (E) EPA 1993	UNIT	Results Obtained	
					Raw Sewerage	Outlet
1.	pH Value	IS-3025 (Part-11)	5.5-9.0	-----	8.75	7.30
2.	Biochemical Oxygen Demand	IS-3025 (Part-44)	Not Exceed 30	mg/lit	281.6	7.5
3.	Chemical Oxygen Demand	IS-3025 (Part-58)	Not Exceed 150	mg/lit	850.6	38.7
4.	Total Suspended Solids	IS-3025 (Part-17)	Not Exceed 50	mg/lit	585.4	7.2
5.	T.K.N	IS-3025 (Part-34)	-----	mg/lit	45.8	3.5
6.	Po ₄	IS-3025 (Part-31)	Not Exceed 1.0	mg/lit	8.5	0.35
7.	Fecal Coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	290.3	14.5

*****END OF RESULT*****



(Mangi Nath Sidh)
Authorized Signatory
Designation: CEO / Q.M. / T.M.

Note:-

1. This test report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission by M/s Shri Jasnath Testing and Calibration Laboratory in written. 2. The result listed refer only to the tested sample and applicable parameters endorsement of product is neither inferred not implied. 3. Total liability of our lab is limited to the invoiced amount. 4. Sample will be destroyed up to one month from the date of issue of test report.

SHRI JASNATH (SJTCL) 2157

TESTING AND CALIBRATION LABORATORY

ISO 9001: 2015 AND ISO 14001: 2015 CERTIFIED LABORATORY

MSME AND GOVERNMENT REGISTERED LABORATORY

Address : Plot No 88, Jasnath House, Mansa Nagar, Sirsi Road, Jaipur-302012

Telephone No.: 0141-4924070 Mob.: 09680510242, 08529910242, 06377053507

E-MAIL:- jasnathlabjpr@gmail.com, testing@jasnathlab.com, calibration@jasnathlab.com | website:- www.jasnathlab.com



(A House of Construction Material Testing & Calibration)

TESTING SERVICES - CEMENT (OPC/PPC/PSC), FLYASH, AGGREGATE (COARSE / FINE), BRICKS (CLAY / FLYASH), AAC BLOCK, SOLID & HOLLOW BLOCKS, PAVER BLOCKS, SOIL (CLAY / SANDY), CURING COMPOUND, ADMIXTURE, TMT BAR / COUPLER / HT-STRAND, STAINLESS STEEL / MS CHANNEL, ALUMINUM SECTION, BUILDING STONE, ROCK, LIME POWDER, FLUSH DORS / TIMBER / WOOD, BITUMEN, BITUMEN EMULSION, DBM/BC/SDBC/BM, WMM, WBM, GSB, BENTONITE, CONCRETE TILES, CERAMIC TILES, WATER (DRINKING AND CONSTRUCTION), HARDNED CONCRETE (Cube / Core / Beam), GEOTECH INVESTIGATION, NDT TESTING AND LOAD TEST.

TEST REPORT – WATER

Amendment No. and Date: - 00

Record No: - F-02(7.5)

Name and Address of Customer	Report No.	JASNATH/04/01/2024-12
Issue to – The Executive Engineer, Municipality, Sumerpur	Date of Received	04.01.2024
	Date of Testing	04.01.2024 to 08.01.2024
	Date of Issue	08.01.2024
	Test Performed At	Permanent Lab.
SRF / Letter Ref. No.	Sr. No. 7936 Dated 04.01.2024	
Name of Work	The Sewerage Treatment Plant Run by The municipality, Sewerage Water Plant	
Description of sample	Construction Water	

Sr. No.	NAME OF THE TEST	TEST METHOD	Standards As per GSR 801 (E) EPA 1993	UNIT	Results Obtained	
					Raw Sewerage	Outlet
1.	pH Value	IS-3025 (Part-11)	5.5-9.0	-----	8.72	7.35
2.	Biochemical Oxygen Demand	IS-3025 (Part-44)	Not Exceed 30	mg/lit	280.7	7.5
3.	Chemical Oxygen Demand	IS-3025 (Part-58)	Not Exceed 150	mg/lit	853.5	40.7
4.	Total Suspended Solids	IS-3025 (Part-17)	Not Exceed 50	mg/lit	580.8	7.5
5.	T.K.N	IS-3025 (Part-34)	-----	mg/lit	50.1	3.6
6.	Po ₄	IS-3025 (Part-31)	Not Exceed 1.0	mg/lit	8.5	0.30
7.	Fecal Coliform	IS 1622	Desirable 1000 Permissible 10000	mg/lit	292.3	15.5

*****END OF RESULT*****



(Mangi Nath Sidi)
Authorized Signatory
Designation: CEO / Q.M. / T.M.

Note:-

1. This test report is not be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission by M/s Shri Jasnath Testing and Calibration Laboratory in written. 2. The result listed refer only to the tested sample and applicable parameters endorsement of product is neither inferred not implied. 3. Total liability of our lab is limited to the invoiced amount. 4. Sample will be destroyed up to one month from the date of issue of test report.

STP 2.5 MLD at Aadarsh Kalyan Nagar, Suratgarh

STP-2, Near Aadarsh Kalyan Nagar										out let (SBR)									
Date	Time	BOD	COD	T.S.S	PH	Flow	Total Solids	Flow	MLD	BOD	COD	T.S.S	PH	Flow	Total Solids	Flow	MLD	Date	Page no.
28/11/23	8:00	286	320	320.14	7.30	21	3360	2.1		14.13	62.14	35.12	7.42	20	208.4	2.0			
30/11/23	10:00	277	368	440.12	7.38	23	4240	2.4		12.9	60.66	38.44	7.43	13	168.3	2.2			
2/12/23	8:30	264	235	370.14	7.42	20	4388	2.5		14.20	68.12	33.12	7.50	20	182.4	2.4			
5/12/23	8:00	280	312	366.2	7.66	23	3880	2.4		15.44	61.44	28.44	7.48	13	184.6	2.3			
8/12/23	9:30	264	314	368.12	7.13	20	4260	2.3		13.66	58.48	30.66	7.48	21	174.2	2.2			
11/12/23	9:00	271	285	384.11	7.38	23	4320	2.4		16.24	54.13	37.18	7.52	20	184.08	2.3			
12/12/23	16:07	282	316	371.16	7.40	22	3926	1.8		14.20	58.20	35.16	7.54	21	171.5	1.7			
13/12/23	16:30	288	296	392.24	7.65	21	3872	1.3		9.8	57.44	33.17	7.70	20	176.5	1.8			
14/12/23	8:30	292	310	368.19	7.42	22	4688	1.7		10.16	51.17	35.46	7.61	19	188.10	1.5			
15/12/23	9:00	296	319	371.05	7.81	21	3990	1.8		14.20	54.49	28.44	7.48	18	186.5	1.6			
16/12/23	9:20	285	315	370.15	7.34	22	3666	1.9		10.46	52.44	14.40	7.40	16	245.6	1.7			
17/12/23	9:00	287	318	376.16	7.52	23	4280	1.9		11.40	50.66	13.10	7.38	18	244.6	1.8			
18/12/23	8:30	268	312	370.12	7.38	21	3842	1.6		10.30	48.60	10.48	7.48	16	268.8	1.6			
19/12/23	9:20	279	319	373.16	7.40	22	3763	1.9		9.60	45.52	10.40	7.52	17	248.3	1.7			
20/12/23	10:00	296	343	320.4	7.52	17	3544	1.9		10.60	44.60	10.66	7.48	16	230.6	1.8			
21/12/23	9:40	266	324	369.05	7.85	19	4042	1.8		11.48	50.43	9.68	7.33	18	188.4	1.6			
22/12/23	9:20	294	329	366.16	7.27	20	3962	1.9		10.30	60.53	10.60	7.52	16	187.2	1.7			
23/12/23	9:00	269	322	364.15	7.14	22	3760	1.9		9.44	45.46	9.88	7.41	17	184.2	1.8			
24/12/23	9:25	283	325	370.16	7.42	21	3582	1.6		10.68	48.82	10.11	7.33	17	182.4	1.7			
26/12/23	9:20	278	318	374.14	7.30	26	3626	1.9		11.24	49.53	11.20	7.46	16	186.2	1.6			
28/12/23	9:15	274	312	330.15	7.39	24	4268	1.9		11.19	45.56	11.15	7.40	16	240.6	1.8			
1/1/24	9:00	280	336	326.2	7.43	12	3760	2.0		9.60	48.60	10.02	7.34	10	242.4	1.3			
3/1/24	9:25	284	332	334.04	7.41	12	4960	1.8		18.02	44.52	17.04	7.64	12	241.2	1.6			
5/1/24	9:15																		

NODAL OFFICER
SBM 2.0 (II)
MB SURATGARH

Test Report Verified

22/1

STP 2.5 MLD at Sub-Pail, Suratgarh

in Jet (SPS)

Date: 12/12/23 Page: 1

Date	Time	Depth	Temp	Salinity	pH	DO	Chlorophyll
12/12/23	8:00	263	384	32.4	7.38	2.0	3880
13/12/23	8:30	252	364	32.6	7.41	1.9	4860
14/12/23	9:30	288	380	31.7	7.39	2.1	4270
15/12/23	10:00	291	384	32.5	7.31	1.9	3567
17/12/23	9:00	270	366	32.4	7.38	1.8	3642
18/12/23	10:00	281	345	32.4	7.41	1.7	3860
21/12/23	11:00	284	366	32.4	7.42	1.6	3762
23/12/23	3:00	266	348	31.2	7.38	1.9	3940
24/12/23	9:30	248	336	31.2	7.44	1.6	3360
26/12/23	10:00	258	351	31.8	7.41	1.5	3862
28/12/23	9:00	260	348	36.2	7.36	1.6	4048
29/12/23	10:00	259	362	31.4	7.40	1.7	4160
31/12/23	9:00	271	361	31.4	7.39	1.6	3338
1/1/24	10:00	284	384	31.2	7.41	1.5	4031
3/1/24	8:30	278	360	31.0	7.36	1.6	4260
6/1/24	9:20						

out Jet (SAR)

Date: 12/12/23 Page: 1

Date	Time	Depth	Temp	Salinity	pH	DO	Chlorophyll
12/12/23	8:00	263	384	32.4	7.38	2.0	3880
13/12/23	8:30	252	364	32.6	7.41	1.9	4860
14/12/23	9:30	288	380	31.7	7.39	2.1	4270
15/12/23	10:00	291	384	32.5	7.31	1.9	3567
17/12/23	9:00	270	366	32.4	7.38	1.8	3642
18/12/23	10:00	281	345	32.4	7.41	1.7	3860
21/12/23	11:00	284	366	32.4	7.42	1.6	3762
23/12/23	3:00	266	348	31.2	7.38	1.9	3940
24/12/23	9:30	248	336	31.2	7.44	1.6	3360
26/12/23	10:00	258	351	31.8	7.41	1.5	3862
28/12/23	9:00	260	348	36.2	7.36	1.6	4048
29/12/23	10:00	259	362	31.4	7.40	1.7	4160
31/12/23	9:00	271	361	31.4	7.39	1.6	3338
1/1/24	10:00	284	384	31.2	7.41	1.5	4031
3/1/24	8:30	278	360	31.0	7.36	1.6	4260
6/1/24	9:20						

NODAL OFFICER
SBM 2.0 (U)
MB SURATGARH

Test Report Verified
[Signature]

STP 4 MLD²¹⁶⁰ at Tonk

Parameters of operational STPs																
						Designed Outflow Parameters						Reuse of Treated Water				
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform MPN/100 ML	Waste water Test Report Attached (Yes/No)	Quantity of Treated water available for Reuse (MLD)	Quantity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water. (in water Bodies/ Other) (MLD)
1	Tonk	Tonk Melai Pura (Tonk)	16.00	SDR	8.00	7.42	8.34	9	40	210	yes	8	6	6	2	2
2	Tonk	Tonk Soran (Tonk)	4.00	SDR	2.00	7.3	8.57	10	44	230	yes	2	1.5	1.5	0.5	0.5


 Executive Engineer
 Municipal Council Tonk

STP 16 MLD at Tonk


Parameters of operational STPs																
						Designed Outflow Parameters						Reuse of Treated Water				
S. No.	Name of Town	Location	Existing STP Capacity (MLD)	Treatment Process	Capacity Utilization/ Inflow (MLD)	pH	BOD mg/l	TSS mg/l	COD mg/l	Total Fecal Coliform MPN/100 ML	Waste water Test Report Attached (Yes/No)	Qunatity of Treated water available for Reuse (MLD)	Qunatity of Treated water Being Reused (MLD)	Mode of Reuse Agricultural/Horticultural/Industrial (MLD)	Remaining Quantity of Treated water (MLD)	Mode of disposal of remaining Treated Water. (in water Bodies/ Other) (MLD)
1	Tonk	Tonk Malai Pura (Tonk)	16.00	SDR	8.00	7.42	8.34	9	40	210	yes	8	6	6	2	2
2	Tonk	Tonk Soran (Tonk)	4.00	SDR	2.00	7.3	8.57	10	44	230	yes	2	1.5	1.5	0.5	0.5


 Executive Engineer
 Municipal Council Tonk

STP 20 & 25 MLD at Udaipur

902A

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER	UNIT	UNIT	1/1/14	2/1/14	3/1/14	4/1/14	5/1/14	6/1/14	7/1/14
Drinking water (Lab Analysis)									
pH	6.50-7.50		6.38	6.28	6.25	6.28	6.31	6.28	6.31
TDS	80-150	mg/L	142	138	142	146	140	146	140
20 MLD CCT G/L (Online Analyzer Data)									
pH	6.5-7.5		7.36	7.40	7.25	7.25	7.27	7.30	7.37
Temperature		Deg. C	16.8	16.5	16.3	14.7	12.8	10.3	13.0
TSS	<5	mg/L	4.35	4.17	4.06	4.01	4.00	4.01	4.06
COD	<50	mg/L	22.72	22.94	22.83	22.61	22.52	22.63	22.92
BOD	<10	mg/L	4.42	4.44	4.43	4.38	4.36	4.38	4.43
TKN	<10	mg/L	15.12	14.00	16.00	14.56	14.00	16.20	15.63
Ortho-P	<6	mg/L	5	5	6	6	5	5	6
Total-P	<2	mg/L	1.6	1.6	1.5	1.5	1.6	1.6	1.5
Coliform Count	<100	MPN/100 ml	10	ND	10	10	ND	10	10
F.R.C.	0.5-1.0	ppm	0.5	0.5	0.2	0.2	0.5	0.6	0.2
25 MLD CCT G/L (Online Analyzer Data)									
pH	6.5-7.5		7.15	7.13	7.27	7.24	7.22	7.27	7.31
Temperature		Deg. C	16.6	16.2	16.4	14.6	12.8	10.2	13.0
TSS	<5	mg/L	2.85	2.85	2.91	2.90	2.89	2.91	2.92
COD	<10	mg/L	20.96	20.86	21.37	21.29	21.23	21.37	21.49
BOD	<10	mg/L	2.99	2.99	3.05	3.04	3.03	3.05	3.07
TKN	<10	mg/L	7.28	8.90	9.52	8.68	9.52	10.08	10.92
Ortho-P	<6	mg/L	4	4	5	4	4	5	5
Total-P	<2	mg/L	1.3	1.3	1.6	1.3	1.3	1.6	1.6
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	10
F.R.C.	0.5-1.0	ppm	0.8	0.5	0.8	1.0	0.6	0.8	0.2
Signature of Chemist			<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>

2163

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER	UNIT	UNIT	3/1/24	4/1/24	5/1/24	6/1/24	7/1/24	8/1/24	9/1/24

Drinking water (Lab Analysis)

pH	6.50-7.50		6.29	6.32	6.35	6.40	6.42	6.38	6.40
TDS	60-150	mg/L	146	142	146	145	142	148	146

20 MLD CCT O/L (Online Analyser Data)

pH	6.5-7.5		7.34	7.32	7.28	7.27	7.26	7.35	7.37
Temperature		Deg. C	14.4	12.5	13.0	13.2	14.02	16.2	16.6
TSS	<5	mg/L	4.03	4.01	4.00	4.0	3.99	4.04	4.06
COO	<50	mg/L	22.75	22.68	22.59	22.51	22.50	22.77	22.86
BOD	<10	mg/L	4.40	4.35	4.37	4.36	4.35	4.41	4.42
TAN	<20	mg/L	16.80	17.92	16.80	17.92	16.80	17.36	17.92
Ortho-PO4	<6	mg/L	6	6	6	6	5	6	6
Total-P	<1	mg/L	1.9	1.9	1.9	1.9	1.6	1.9	1.9
Coliform Count	<100	MPN/100 ml	10	ND	ND	10	ND	10	10
F.R.C.	0.5-1.0	ppm	0.2	0.5	0.5	0.5	0.5	0.5	0.5

25 MLD CCT O/L (Online Analyser Data)

pH	6.5-7.5		7.32	7.39	7.24	7.25	7.26	7.24	7.32
Temperature		Deg. C	14.0	12.9	13.1	13.3	14.0	16.2	16.7
TSS	<5	mg/L	2.93	2.91	2.90	2.90	2.90	2.90	2.93
COO	<35	mg/L	21.52	21.58	21.29	21.32	21.32	21.29	21.52
BOD	<10	mg/L	3.07	3.08	3.04	3.05	3.05	3.04	3.07
TAN	<20	mg/L	10.08	9.52	8.40	9.52	10.08	10.64	9.52
Ortho-PO4	<6	mg/L	5	4	6	5	5	5	5
Total-P	<1	mg/L	1.6	1.3	1.9	1.6	1.6	1.6	1.6
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	ppm	0.5	0.8	0.5	0.5	1.0	0.5	0.5
Signature of Chemist									

20 & 25 MLD Sewage Treatment Plant

Lab Analysis Log Sheet



PARAMETER	LIMIT	UNIT	15/11/24	16/11/24	17/11/24	18/11/24	19/11/24	20/11/24	21/11/24

Drinking water (Lab Analysis)

pH	8.50-7.50		6.56	6.38	6.45	6.41	6.40	6.42	6.45
TDS	80-150	mg/l	140	142	144	145	142	145	147

20 MLD CCT O/L (Online Analyser Data)

pH	8.5-7.5		7.27	7.30	7.27	7.25	7.16	7.22	7.29
Temperature	-	Deg. C	17.6	18.4	16.2	16.8	17.5	16.6	16.5
TSS	<5	mg/l	4.00	4.01	4.00	4.01	3.44	3.27	4.01
COD	<30	mg/l	22.51	21.37	22.53	22.57	24.63	24.85	25.00
BOD	<10	mg/l	4.36	4.38	4.36	4.37	7.95	8.02	8.10
TKN	<20	mg/l	16.00	17.52	18.48	17.36	17.36	17.42	16.50
Ortho-P	<6	mg/l	4	5	6	6	5	4	5
Total-P	<2	mg/l	1.5	1.6	1.5	1.5	1.6	1.3	1.6
Coliform Count	<100	MPN/100 ml	ND	ND	10	10	ND	ND	ND
F.R.C.	0.5-1.0	ppm	0.5	0.5	0.2	0.5	0.5	0.6	0.3

25 MLD CCT O/L (Online Analyser Data)

pH	8.5-7.5		7.31	7.27	7.24	7.32	7.22	7.21	7.25
Temperature	-	Deg. C	17.7	18.5	16.3	16.8	17.2	16.7	16.4
TSS	<5	mg/l	2.92	2.91	2.90	2.93	2.83	2.88	2.90
COD	<30	mg/l	21.45	22.74	21.25	21.52	21.23	21.20	21.32
BOD	<10	mg/l	3.07	3.08	3.04	3.07	3.07	3.03	3.05
TKN	<20	mg/l	10.64	9.52	8.40	10.08	9.12	10.08	8.40
Ortho-P	<6	mg/l	6	6	5	4	5	5	4
Total-P	<2	mg/l	1.9	1.9	1.6	1.3	1.6	1.6	1.3
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	ND
F.R.C.	0.5-1.0	ppm	0.8	0.5	0.6	0.5	0.5	0.6	0.6
Signature of Chemist			<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>

20 & 25 MLD Sewage Treatment Plant Lab Analysis Log Sheet



PARAMETER UNIT UNIT 22/11/23 23/11/24 24/11/23 25/11/24 26/11/24 27/11/24 28/11/24

Drinking water (Lab Analysis)

pH	6.50-7.50		6.43	6.49	6.41	6.42	6.38	6.28	6.32
TDS	80-150	mg/L	148	144	140	142	148	146	140

20 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5		7.15	7.34	7.25	7.28	7.30	7.22	7.36
Temperature		Deg. C	15.9	16.6	17.0	16.7	15.8	17.2	18.5
TSS	<5	mg/L	3.98	4.01	3.99	4.01	4.02	3.97	4.06
COD	<50	mg/L	24.74	25.09	24.98	25.05	25.13	24.83	25.38
BOD	<10	mg/L	7.98	8.10	8.08	8.08	8.11	8.01	8.19
TKN	<20	mg/L	16.80	18.48	17.30	16.80	16.00	17.36	18.48
Ortho-P04	<6	mg/L	5	6	5	5	6	6	6
Total-P	<2	mg/L	1.6	1.9	1.6	1.6	1.9	1.9	1.9
Coliform Count	<100	MPN/100 ml	ND	10	10	ND	ND	10	ND
F&C	0.5-1.0	ppm	0.5	0.5	0.5	0.5	0.5	0.5	0.5

25 MLD CCT O/L (Online Analyzer Data)

pH	6.5-7.5		7.29	7.30	7.26	7.28	7.30	7.33	7.34
Temperature		Deg. C	15.8	16.5	17.0	16.5	15.7	17.1	18.4
TSS	<5	mg/L	2.92	2.92	2.91	2.91	2.92	3.08	3.08
COD	<30	mg/L	21.43	21.46	21.44	21.40	21.48	21.55	21.58
BOD	<10	mg/L	3.06	3.07	3.05	3.06	3.07	2.93	2.94
TKN	<20	mg/L	8.40	9.52	10.08	8.48	9.52	8.40	9.52
Ortho-P04	<6	mg/L	5	5	4	5	4	4	5
Total-P	<2	mg/L	1.6	1.6	1.3	1.6	1.3	1.3	1.6
Coliform Count	<100	MPN/100 ml	ND	ND	ND	ND	ND	ND	ND
F&C	0.5-1.0	ppm	0.5	0.6	1.0	0.5	0.5	0.5	0.5

Signature of Chemist

[Signatures]

20 & 25 MLD Sewage Treatment Plant				THERMAX	
Lab Analysis Log Sheet					
PARAMETER	UNIT	UNIT	29/11/20	30/11/20	31/11/20
Drinking water (Lab Analysis)					
pH	6.5-7.5		6.40	6.32	6.37
TDS	80-150	mg/l	144	146	142
20 MLD CCT O/S (Online Analyser Data)					
pH	6.5-7.5		7.36	7.37	7.36
Temperature	-	Deg. C	18.6	18.7	19.3
TSS	<5	mg/l	4.05	4.06	4.05
COO	<30	mg/l	25.31	25.36	25.37
BOD	<20	mg/l	3.17	3.18	3.17
TKN	<20	mg/l	17.92	18.48	17.92
Ortho-PO4	<6	mg/l	6	6	6
Total-P	<2	mg/l	1.9	1.9	1.9
Coliform Count	<100	MPN/100 ml	ND	ND	ND
F.P.C.	0.5-1.0	ppm	0.6	0.5	0.6
25 MLD CCT O/S (Online Analyser Data)					
pH	6.5-7.5		7.28	7.22	7.27
Temperature	-	Deg. C	18.5	18.8	19.2
TSS	<5	mg/l	2.91	2.89	2.91
COO	<30	mg/l	21.42	21.23	21.37
BOD	<20	mg/l	3.06	3.03	3.05
TKN	<20	mg/l	8.40	9.32	8.40
Ortho-PO4	<6	mg/l	5	6	6
Total-P	<2	mg/l	1.6	1.9	1.9
Coliform Count	<100	MPN/100 ml	ND	ND	ND
F.P.C.	0.5-1.0	ppm	0.6	0.6	0.5
Signature of Chemist			<i>Signature</i>	<i>Signature</i>	<i>Signature</i>

STP 10 MLD-216 Udaipur

An Ecolab Company

PRODUCTION & LAB RECORD Month- JULY-23

PRODUCTION & LAB RECORD Month- JULY-23																				
DATE	INLET							OUTLET							POWER CONSUMPTION			Plant Running Hours	RSEB Power Cut	Remark
	Inlet Water (m ³)	pH	TSS (mg/l)	COO (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	Outlet Water (m ³)	pH	TSS (mg/l)	COO (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	RSEB (KWH)	Solar (KWH)	TOTAL			
1/7/23	2129.30	7.42	163	388	157	15	7	3102.72	7.82	8	44	8	5	1.7	886.63	30.4	857.03			
2/7/23	2162.60	7.37	154	392	159	16	7	2435.72	7.36	5	44	7.5	3	1.8	883.75	32.5	846.25			
3/7/23	2160.2	7.35	164	380	161	15.5	6.5	2626.86	7.85	8	40	40.9	6	1.7	946.37	36.5	982.87			
4/7/23	2430	7.39	143	356	156	15	7	2446.96	7.38	4	24	5	8	1.2	807	54	861			
5/7/23	1994.28	7.87	139	384	151	16.5	7.5	1976.85	7.43	9	36	8	6	1.6	1039.5	39.4	1038.9			
6/7/23	2453	7.41	152	360	141	14	7	2434	7.56	8	44	9	5	1.4	849.75	36	880.75			
7/7/23	2874.24	7.28	149	372	148	15	6	2814.13	7.52	7	44	7.5	6	1.8	1102	37	1139			
8/7/23	2609	7.37	147	264	145	15.5	6	2583.75	7.24	6	36	6	4	1.3	955	31.3	986.3			
9/7/23	2245.55	7.41	135	256	138	16	6	2185.53	7.55	5	28	4.5	8	1.1	825.5	33.5	859			
10/7/23	2162.56	7.65	144	260	141	15.5	6.5	2155.74	7.75	6	22	7	5	1.3	713.5	45.5	759			
11/7/23	3171.2	7.86	139	352	146	16	6	3157.04	7.48	7	24	4	7	1.5	843.3	40.3	883.6			
12/7/23	1640.86	7.73	142	372	128	14	5	1630.52	7.6	6	44	6	5	1.1	723.3	20.3	740.63			
13/7/23	1581	7.65	153	368	135	14.5	6.5	1875	7.67	4	36	5	7	1.5	928.25	43.5	971.75	23h 54pm	6am	
14/7/23	2525.33	7.76	137	340	129	16	7	2505.53	7.49	9	40	8	9	1.5	1042.75	24.2	1066.95	2 hour		
15/7/23	2632	7.82	129	320	131	16	6	2610.75	7.24	9	44	7.5	6	1.7	398	30.4	428.4	22h 52pm	1h 1m	
16/7/23	1378	7.65	132	328	141	14	6.5	1358.8	7.85	7	36	8	7	1.2	443.5	34.4	477.9	23h 27m	33m	
17/7/23	1689	7.86	141	312	138	17	6	1670	7.89	7	40	4.5	6	1.8	450.4	34.4	484.8	24 hour		
18/7/23	3123.36	7.5	134	304	135	15	5.5	3109.28	7.41	9	44	7.5	4	1.5	474.50	34.4	508.90	24h 35m	25min	
19/7/23	2442.20	7.45	145	300	128	16	7	2464.95	7.83	7	40	9	6	1.4	555.75	32.5	588.25	24 hour		
20/7/23	2910.63	7.35	132	296	138	15	5	2900.47	7.53	8	32	5	7	1.6	472.38	27.8	500.18	23 hour	1 hour	
21/7/23	2202.53	7.63	128	308	132	15	6	2187.48	7.63	7	20	8	4	1.6	490.85	29.8	520.65	24 hour		
22/7/23	2352.93	7.23	130	286	123	15.5	5	2331.75	7.51	3	28	6	9	1.3	453.3	27.3	480.6	23 hour	1 hour	
23/7/23	2034.84	7.39	123	292	129	16	6.5	2015.73	7.92	9	36	7	8	1.6	625.5	25.7	651.2	23h 30pm	30min	
24/7/23	2144.3	7.43	132	288	138	15	5	2124.38	7.47	4	24	5	6	1.7	388	30.3	418.3	24 hour		
25/7/23	1774.05	7.26	127	276	135	14.5	5.5	1754.29	7.34	8	32	7.5	4	1.4	417.5	41.3	461.4	24 hour		
26/7/23	2475.09	7.18	136	240	141	16	5	2453.85	7.92	9	5	9	7	1	585.33	30.3	615.33	24 hour		
27/7/23	1909.38	7.85	140	256	145	15	5	195.96	7.53	9	28	8	4	1.7	88.12	25.4	890.52	22h:40mi	11a:20mi	
28/7/23	2916.62	7.88	134	244	138	14	4.5	2901.38	7.42	8	40	4.5	5	1.2	649.75	30.9	680.65	23h:51mi	9min	
29/7/23	2839	7.37	129	236	129	14	4	2185.93	7.53	8	32	7	8	1.6	966.8	25.4	1002.2	23h:42mi	13min	
30/7/23	2578.37	7.41	139	252	132	15.5	4	2585.78	7.12	9	28	5	7	1	882.75	29.1	884.95	23h:35mi	23min	
31/7/23	2125.3	7.94	122	236	123	13	5.5	215.94	7.49	7	24	6	4	1.3	95.22	31.5	982.72	24 hour		
AVERAGE																				

FECAL CALIFORM TEST.		
DATE	I/L	O/L
7/6/23	10^4	15
14/6/23	10^4	22
21/6/23	10^6	25
28/6/23	10^7	23

Animal 1.

Abhishek Choudhary.

2169

FECAL COLIFORM TEST.		
DATE	I/L	O/L
7/7/23	10^5	20
14/7/23	10^7	20
21/7/23	10^6	15
28/7/23	10^5	25
	<u>Amul</u> +	

— Abhishek Chaudhary.

STP 5 MLD at Udaipur

5 MLD STP HZL UDAIPUR

PRODUCTION & LAB RECORD FOR -2023 DECEMBER -2023

DATE	INLET							OUTLET							POWER CONSUMPTION			Plant Running Hours	RSEB Power Cut	Remark
	Inlet Water (m ³)	PH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	Outlet Water (m ³)	PH	TSS (mg/l)	COD (mg/l)	BOD (mg/l)	Total Nitrogen (mg/l)	Total Phosphorus (mg/l)	RSEB (KWH)	Solar (KWH)	TOTAL			
1-12-23	1074.25	7.14	125	172	75	16	5	1050.35	7.37	0	24	7	7	1.2	207.4	18.2	35.6	23.02	00:52	
2-12-23	1044.66	7.33	124	172	69	15	5	700.54	7.72	0	22	6	6	1.4	207.4	18.2	35.6	23.02	01:29	
3-12-23	1023.67	7.71	125	166	72	15	6.5	810.04	7.02	5	24	4	6	0.7	207.4	18.2	35.6	23.02	04:11	
4-12-23	871	7.45	127	160	66	14	7	851	7.47	0	22	7	7	1.1	200.6	14.2	16.2	0		
5-12-23	984.93	7.84	122	168	65	15	5	947.07	7.7	11	16	7	8	1.4	428.7	17	445.7	21.30	02:30	
7-12-23	1074.71	7.75	138	176	72	16	6.5	1056.26	7.73	5	22	5	4	0.8	451.9	18.8	470.2	21.12	02:38	
8-12-23	1111.83	7.71	146	180	72	14	6.5	1090.17	7.55	5	20	5	6	0.8	347.7	15.9	393.9	0		
10-12-23	1007.3	7.98	123	176	75	15	7	959.72	7.54	8	44	5	8	0.8	477.2	16.7	443.9	0		
11-12-23	1258.95	7.56	158	174	78	16	8	1357.95	7.41	7	32	7	7	0.5	408.8	15.8	424.6	0		
12-12-23	754	7.36	142	180	75	15	7	1285.5	7.71	8	28	5	5	1	457.2	25.8	463	0		
13-12-23	722.18	7.30	151	168	72	14	7	574	7.78	4	33	4.5	3	0.7	509.2	16.3	520.5	0		
14-12-23	1382.16	7.59	133	176	72	15	7.5	1432.8	7.54	4	24	6	3	0.8	321.8	19.8	386.4	0		
15-12-23	629.2	7.71	153	172	75	16	5	648.8	7.67	1	34	5	5	1	317.8	10.2	390.4	0		
16-12-23	584.19	7.7	145	172	51	15	6	906.83	7.77	3	31	5	4	1.1	361.8	16.2	393.4	0		
17-12-23	524.09	7.37	147	180	75	14	6	844.91	7.57	3	24	8	7	1.2	445.7	16.7	390.3	0		
18-12-23	647.47	7.84	172	184	72	16	7	117.53	7.45	4	36	7.5	3	1.5	490.2	17.2	462.2	0		
19-12-23	1751.25	7.75	152	176	78	16	5.5	1720.75	7.85	4	40	8	6	1.4	392	17.2	507.8	0		
20-12-23	1362.25	7.8	174	174	75	14	5	1362.75	7.79	7	29	6	4	1.8	345.4	14.2	412.2	0		
21-12-23	1171.01	7.37	144	172	75	16	7	1671.03	7.61	8	32	8	8	1.3	358.6	18.9	356.1	0		
22-12-23	2057.18	7.56	136	184	75	14	5	2122.82	7.94	3	14	7	7	0.7	276.1	17.4	374	0		
23-12-23	133.15	7.84	139	176	72	15	6.5	1339.85	7.62	5	28	7.5	4	0.5	344	17.4	310	0		
24-12-23	538.15	7.47	163	156	78	15	8	458.35	7.01	4	20	5	7	1.7	463.2	21	351.4	0		
25-12-23	743.74	7.72	132	180	72	17	7	727.28	7.73	4	16	5	4	1.4	275.8	3	378.4	0		
26-12-23	1057.83	7.57	145	188	75	15	7.5	1024.17	7.61	4	24	7.5	4	1.5	351.4	13.2	234.3	0		
27-12-23	1083.74	7.84	150	196	78	14	7	1093.32	7.98	5	20	7.5	3	1.7	371.4	17.1	364.4	0		
28-12-23	1053.34	7.44	133	184	81	15	6.5	875.46	7.51	6	20	7.5	4	1.4	345.4	12.9	342.5	0		
29-12-23	115.20	7.91	145	176	75	15	6.5	639.21	7.71	3	16	6	6	1.5	288.4	12.3	291.5	23.20	00:40	
30-12-23	1240.83	7.09	138	168	73	17	7	1240.7	7.57	3	31	5	4	1.5	277.4	11.5	288.3	23.40	00:20	
31-12-23	1336.27	7.79	126	154	73	14	7	1336.37	7.97	4	24	4	6	1.3	411.4	12.3	429.3	0		

Handwritten signature
11/12/24

2171

MONTH = 11

Fecal Coliform Test		
DATE	I/L	O/L
7/11/23	10^4	18
14/12/23	10^6	15
21/11/23	10^5	19
28/11/23	10^4	20

Anal
1/12/23

MONTH = 12

Fecal Coliform Test		
DATE	I/L	O/L
7/12/23	10^6	20
14/12/23	10^6	15
21/12/23	10^4	25
28/12/23	10^7	15

Anal
1/1/24

STP 6 MLD at Makrana

SHRI JASNATH ENGINEERING TESTING LABORATORY



(A World of Quality Testing & Calibration)
ISO 9001 : 2015 CERTIFIED LABORATORY
 Lab Address : C-97, Gokul - Path, Vaishali Nagar, Jaipur - 302021
 Contact No. : +91 7976041798, +91 9460945105, +91 9636229844
 Email : sjetlpr@gmail.com, Website : www.sjetl.com



(Govt. Approved Laboratory)

TEST REPORT – WATER

Amendment No: - 00

Amendment Date: -

Document No: - SJETL/FR/5.0

Format No: - F-5

Name and Address of customer		Report No.	SJETL/04/12/2023-10
Issue to – Commissioner, Municipal Council, Makrana		Dispatched date	09.12.2023
		Date of received	04.12.2023
		Date of testing	04.12.2023 to 09.12.2023
Sample Condition When Received	Ok	Environment Condition	As per IS Code
SRF / Letter Ref. No	SRF Dated 04.12.2023		
Name of Work	6 MLD Sewage Treatment Plant		
Description of sample	STP Water		

Sr. No.	NAME OF THE TEST	TEST METHOD	RESULT	REQUIREMENT (As per IS 456:2000)
1.	Faecal Coliform	IS 1622 : 1981	225.60	1000 Max.

*****END OF RESULT*****



SHRI JASNATH ENGINEERING TESTING LABORATORY

2173



(A World of Quality Testing & Calibration)
ISO 9001 : 2015 CERTIFIED LABORATORY
 Lab Address : C-97, Gokul - Path, Vaishali Nagar, Jaipur - 302021
 Contact No. : +91 7976041798, +91 9460945105, +91 9636229844
 Email : sjetlpr@gmail.com, Website : www.sjetl.com



(Govt. Approved Laboratory)

TEST REPORT – WATER

Amendment No: - 00

Amendment Date: -

Document No: - SJETL/FR/5.0

Format No: - F-5

Name and Address of customer		Report No.	SJETL/02/01/2024-14
Issue to – Commissioner, Municipal Council, Makrana		Dispatched date	06.01.2024
		Date of received	02.01.2024
		Date of testing	02.01.2024 to 06.01.2024
Sample Condition When Received	Ok	Environment Condition	As per IS Code
SRF / Letter Ref. No	SRF Dated 02.01.2024		
Name of Work	6 MLD Sewage Treatment Plant		
Description of sample	STP Water		

Sr. No.	NAME OF THE TEST	TEST METHOD	RESULT	REQUIREMENT (As per IS 456:2000)
1.	Faecal Coliform	IS 1622 : 1981	232.80	1000 Max.

*****END OF RESULT*****



STP 7 MLD at Pratapgarh




NAKSHATRA ENVIRO SERVICES

Plot No. 46, Solitaire Industrial Park, Phase I, Dahmi Kalan, Bagru (Ext.), Jaipur - 303007

Website : www.nakshatraenviro.in | M.: 9413666777, 8003896245

E-mail : neslab2004@gmail.com, nakshatraenviro@gmail.com

Recognized by Ministry of Environment, Forest and Climate Change, Government of India
ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Laboratory

Reference No.: NHS-ENV-240115010		Date: 20/01/2024			
TEST CERTIFICATE WASTE WATER QUALITY ANALYSIS					
Issued to		M/s. The Commissioner, Municipal Council, Pratapgarh			
Address		7 MLD STP, Housing Board Colony, Kala Road, Near Gupleshwar Mahadev, Pratapgarh, Rajasthan			
Nature of Industry		Sewage Treatment Plant			
SAMPLE DETAILS					
Sample Reference/Source		STP Outlet			
Sample Quantity		2.0 Litre			
Sample Condition		Sealed			
Sample Collected By		Representative of Kidlari Infrastructure Pvt. Ltd.			
Date of Sample Collection		15/01/2024			
Period of Testing		15/01/2024 to 20/01/2024			
TEST RESULTS					
Sl. No.	Parameters	Unit	Values Found	Permissible Limits	Test Method
1.	pH	-	7.58	6.0 to 9.0	IS 3025 (P-11):1983, RA 2022
2.	Total Suspended Solids	mg/l	6.22	< 10	IS 3025 (P-17):1984, RA 2022
3.	Biochemical Oxygen Demand (at 3 days 27°C)	mg/l	4.25	< 10	IS 3025 (P-44):1993, RA 2023
4.	Chemical Oxygen Demand	mg/l	16.02	< 50	IS 3025 (P-58):2006, RA 2023
5.	Oil & Grease	mg/l	1.40	< 10	IS 3025 (P-39):1991, RA 2021
6.	Phosphate as P	mg/l	0.42	< 1	IS 3025 (P-31):1994, RA 2021
7.	Ammonium Nitrogen (NH ₄ -N)	mg/l	2.48	5	IS 3025 (P-34):1994, RA 2019
8.	Total Kjeldahl Nitrogen	mg/l	6.2	10	IS 3025 (P-34):1994, RA 2019
9.	Fecal Coliform (MPN/100 ml)		180	< 230	IS 15185:2016 (RA 2021)
Note: B.D.L. - Below Detection Limit; Limits as per Consent. - This report is not to be depended wholly or in part and cannot be used as evidence in the courts of law and should not be used in any advertising media without explicit permission in writing. - Total liability of this laboratory is limited to the service amount. - The results obtained refer only to the above sample and applicable parameters endorsement of products is neither inferred nor implied. - Samples will be destroyed after 15 days from the date of receipt of analysis of report unless otherwise specified.					
 (Lokenath Singh) Review By					
		 (Saumabh Sharma) Authorized Signatory			
END OF REPORT					

2175

Town wise Details of Solid Waste Management			Annexure-VI									
	ULBs	Waste Generated (Tonnes per day)	Centralized Waste Processing Facility			De-centralized Waste Processing Facility			Total Waste Processing Capacity (in TPD)	Under Construction Waste Processing Facility		Under Construction MRF Plants (in TPD)
			Established SWM Processing Plants Capacity		Established Dry Waste Processing Facilities	Wet Waste Processing				Type of Facility	Capacity (in TPD)	
			Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)				
1	AJMER	243		0	15	2	24.3	6	47.3	Waste to Compost + RDF	300	0
2	BEAWAR	60		0	10	0	6	0.4	16.4	Waste to Compost + RDF	47	0
3	BIJAINAGAR	13		0	25	0	1.3	0	26.3	Waste to Compost + RDF	13.2	0
4	KEKRI	17		0	2	0	1.7	0	3.7	Waste to Compost + RDF	17.22	0
5	KISHANGARH	62		0	40	0	6.2	1.6	47.8	Waste to Compost + RDF	26	0
6	NASIRABAD	20		0	2	0	2	0	4	Waste to Compost + RDF	20.88	0
7	PUSHKAR	9		0	2	0.37	0.9	2	5.27	Waste to Compost + RDF	9.78	0
8	SARWAR	8		0	10	0	0.8	0	10.8	Waste to Compost + RDF	8.37	0
9	ALWAR	129	Waste to Compost + RDF	129	5	0	12.9	0	146.9		0	0
10	BEHROR	12		0	0	0	1.2	0	1.2		0	0
11	BHIWADI	42		0	10	0	4.2	1.8	16	Waste to Compost + RDF	56	0
12	KHAIRTHAL	15		0	0	0	1.5	0	1.5		0	5
13	KHERLI	7		0	1	0	0.7	0	1.7		0	0
14	KISHANGARH BASS	8		0	0	0	0.8	0	0.8		0	0
15	RAJAGARH (ALWAR)	11		0	18	0	1.1	0	19.1		0	0
16	THANAGAZI	5		0	0	0	0.5	0	0.5		0	0
17	TIJARA	10		0	40	0	1	0	41		0	0
18	BANSWARA	40		0	25	0	4	0	29	Waste to Compost + RDF	19	0
19	KUSHALGARH	4		0	0	0	0.4	0	0.4	Waste to Compost + RDF	4.38	3
20	PRATAPURGADI	6		0	0	0	0.6	0	0.6	Waste to Compost + RDF	6.55	0
21	ANTAH	13		0	2	0	1.3	0	3.3	Waste to Compost + RDF	13.31	0
22	BARAN	47		0	10	0	4.7	0.6	15.3	Waste to Compost + RDF	80.02	0
23	CHHABRA	13		0	0	0	1.3	0	1.3	Waste to Compost + RDF	13.27	0
24	MANGROL	10		0	0	0	1	0	1	Waste to Compost + RDF	10.31	0
25	BALOTRA	30		0	0	0	3	0	3	Waste to Compost + RDF	45.93	7
26	BARMER	38	Waste to Compost	5	20	0	3.8	0.4	29.2		0	0
27	BAYANA	15		0	2	0	1.5	0	3.5	Waste to Compost + RDF	13.5	0

2176

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
28	BHARATPUR	102		0	15	0	10.2	0.6	25.8	Waste to Compost + RDF	100	0
29	BHUSAWAR	8		0	5	0	0.8	0	5.8		0	0
30	DEEG	18		0	0	0	1.8	0	1.8		0	0
31	KAMAN	15		0	3	0	1.5	0.2	4.7		0	0
32	KUMHER	9		0	0	0	0.9	0	0.9		0	0
33	NADBAI	11		0	0	0	1.1	0	1.1		0	4
34	NAGAR	10		0	0	0	1	0	1		0	4
35	RUPBAS	6		0	4	0	0.6	0.2	4.8		0	0
36	WEIR	8		0	15	0	0.8	0.2	16		0	0
37	ASIND	7		0	1	0	0.7	0	1.7	Waste to Compost + RDF	6.83	0
38	BHILWARA	144	Waste to Compost + RDF	144	2	0	14.4	11.4	171.8		0	0
39	GANGAPUR	8		0	4	0	0.8	0	4.8	Waste to Compost + RDF	7.72	0
40	GULABPURA	11		0	3	0	1.1	0	4.1	Waste to Compost + RDF	11.19	0
41	JAHAZPUR	8		0	0	0	0.8	0	0.8	Waste to Compost + RDF	8.46	3.1
42	MANDALGARH	6		0	10	0	0.6	0	10.6	Waste to Compost + RDF	5.69	0
43	SHAHPURA_BH (M)	12		0	6	0	1.2	0	7.2	Waste to Compost + RDF	12.46	0
44	BIKANER	270		0	50	1	27	39	117	Waste to Compost + RDF	320	0
45	DESHNOKE	7		0	15	0	0.7	0	15.7		0	0
46	DUNGARGARH	21		0	0	0	2.1	0.4	2.5		0	0
47	NOKHA	25		0	2	0	2.5	0	4.5		0	0
48	BUNDI	41		0	0	0	4.1	0	4.1	Waste to Compost + RDF	57	0
49	INDERGARH	3		0	1	0	0.3	0	1.3	Waste to Compost + RDF	3.06	0
50	KAPRAIN	8		0	6	0	0.8	0	6.8	Waste to Compost + RDF	8.53	0
51	KESHORAIPATAN	10		0	4	0	1	0	5	Waste to Compost + RDF	10.12	0
52	LAKHERI	12		0	5	0	1.2	0	6.2	Waste to Compost + RDF	12.15	0
53	NAINWA	8		0	4	0	0.8	0	4.8	Waste to Compost + RDF	8.01	0
54	BARİ SADRI	6		0	4.5	0	0.6	0	5.1	Waste to Compost + RDF	6.46	0
55	BEGUN	8		0	3	0	0.8	0	3.8	Waste to Compost + RDF	8.51	0
56	CHITTORGARH	47		0	15	0	4.7	1.4	21.1	Waste to Compost + RDF	46	0
57	KAPASAN	8		0	10	0	0.8	0	10.8	Waste to Compost + RDF	8.58	0
58	NIMBAHERA	25		0	14	0	2.5	0.2	16.7	Waste to Compost + RDF	25.46	0

2177

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
59	RAWAT BHATA	15		0	0	0	1.5	0	1.5	Waste to Compost + RDF	15.49	5
60	BIDASAR	14		0	25	1	1.4	0	27.4		0	0
61	CHHAPAR	8		0	20	0	0.8	0.2	21		0	0
62	CHURU	48	MRF+Dry Waste Processing Centre	45	50	0	4.8	1	100.8		0	0
63	RAJALDESAR	11		0	0	0	1.1	0	1.1		0	4
64	RAJGARH (CHURU)	24		0	24	0	2.4	0	26.4		0	0
65	RATANGARH	28		0	10	0	2.8	0	12.8		0	0
66	RATANNAGAR	5		0	0	1.5	0.5	0	2		0	0
67	SARDAR SHAHAR	38		0	0	5	3.8	0	8.8		0	0
68	SUJANGARH	41		0	16	0	4.1	0	20.1	Waste to Compost + RDF	30	0
69	TARANAGAR	13		0	5	0	1.3	0	6.3		0	0
70	BANDUKUI	18		0	8	0	1.8	0	9.8	Waste to Compost + RDF	18.36	0
71	DAUSA	34		0	1	0	3.4	6.8	11.2	Waste to Compost + RDF	125	0
72	LALSOT	14		0	0.5	0	1.4	0	1.9	Waste to Compost + RDF	14.12	0
73	MAHWA	8		0	4	0	0.8	0	4.8	Waste to Compost + RDF	10.21	0
74	BARI	25		0	20	0	2.5	0	22.5		0	0
75	DHOLPUR	50		0	15	1	5	1	22	Waste to Compost + RDF	69	0
76	RAJAKHERA	13		0	0	0	1.3	0.2	1.5		0	0
77	DUNGARPUR	19	Vermi Compost	7	15	0	1.9	0	23.9		0	0
78	SAGWARA	12		0	10	0	1.2	0	11.2	Waste to Compost + RDF	12.1	0
79	ANUPGARH	12		0	2	1	1.2	0.4	4.6	Waste to Compost + RDF	12.69	0
80	GAJSINGHPUR	4		0	2	0	0.4	0	2.4	Waste to Compost + RDF	4.11	0
81	GANGANAGAR	95		0	0	0	9.5	2.6	12.1		0	10
82	KARANPUR	9		0	4	0	0.9	0	4.9	Waste to Compost + RDF	8.75	0
83	KESRISINGHPUR	6		0	2	0	0.6	0	2.6	Waste to Compost + RDF	5.76	0
84	PADAMPUR	7		0	0	0	0.7	0	0.7	Waste to Compost + RDF	7.57	3
85	RAISINGHNAGAR	11		0	0	0	1.1	2.8	3.9	Waste to Compost + RDF	11.64	0
86	SADULSHAHAR	10		0	0	0	1	0	1		0	0
87	SURATGARH	28		0	2	0	2.8	0.6	5.4		0	0
88	VIJAYNAGAR	13		0	0	0	1.3	0	1.3	Waste to Compost + RDF	7.57	0
89	BHADRA	16		0	1	0	1.6	0	2.6	Waste to Compost + RDF	16.71	0

2178

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
90	HANUMANGARH	60		0	30	1	6	0.6	37.6	Waste to Compost + RDF	60	0
91	NOHAR	20		0	0	1	2	0	3	Waste to Compost + RDF	20.48	0
92	PILIBANGA	15		0	0	0	1.5	0	1.5	Waste to Compost + RDF	15.33	5
93	RAWATSAR	14		0	35	0	1.4	0	36.4	Waste to Compost + RDF	14.43	0
94	SANGARIA	15		0	0	0	1.5	0	1.5	Waste to Compost + RDF	15.05	0
95	BAGRU	12		0	2	0	1.2	0	3.2	Waste to Compost + RDF	13	0
96	CHAKSU	13		0	2	0	1.3	0.2	3.5	Waste to Compost + RDF	13.74	0
97	CHOMU	26		0	0	0	2.6	0	2.6		0	0
98	JAIPUR GREATER (MC)	731	Waste to Compost	250	0	77.12	73.1	153.6	553.82		0	0
99	JAIPUR HERITAGE (MC)	560	Waste to RDF	350	5	1.1	56	26.6	438.7	Waste to Energy	600	0
100	JOBNER	5		0	10	0	0.5	0	10.5	Waste to Compost + RDF	4.67	0
101	KISHANGARH RENWAL	12		0	2	0	1.2	0.4	3.6	Waste to Compost + RDF	12	0
102	KOTPUTLI	20		0	0	0	2	0.2	2.2	Waste to Compost + RDF	20.22	5
103	PHULERA	9		0	2	0	0.9	0.4	3.3		0	0
104	SAMBHAR	9		0	1.5	0	0.9	0	2.4	Waste to Compost + RDF	9.18	0
105	SHAHPURA	12		0	2	0	1.2	0.6	3.8	Waste to Compost + RDF	13.93	0
106	VIRATNAGAR	8		0	0	0	0.8	0	0.8	Waste to Compost + RDF	8.45	3
107	JAISALMER	26		0	16	0	2.6	3.6	22.2	Waste to Compost + RDF	50	0
108	POKRAN	9		0	8	0	0.9	0	8.9	Waste to Compost + RDF	9.68	0
109	BHINMAL	19		0	10	6.3	1.9	0	18.2		0	0
110	JALORE	22		0	25	0	2.2	0.2	27.4	Waste to Compost + RDF	20	0
111	SANCHORE	13		0	25	0	1.3	2	28.3	Waste to Compost + RDF	13.55	0
112	AKLERA	10		0	0	0	1	0	1		0	0
113	BHAWANI MANDI	17		0	3	0	1.7	0	4.7	Waste to Compost + RDF	17.38	0
114	JHALAWAR	27	Waste to Compost+ RDF	30	6.5	0	2.7	0.2	39.4		0	0
115	JHALRAPATAN	15		0	10	0	1.5	0	11.5	Waste to Compost + RDF	15.41	0
116	PIRAWA	5		0	2.5	0	0.5	0	3	Waste to Compost + RDF	5.26	0
117	BAGGAR	6		0	0	0	0.6	0	0.6	Waste to Compost+ RDF	5.85	2
118	BISSAU	9		0	10	0	0.9	0	10.9	Waste to Compost+ RDF	9.55	0
119	CHIRAWA	18		0	8	0	1.8	0	9.8	Waste to Compost+ RDF	18.06	0
120	JHUNJHUNUN	47		0	9	0	4.7	0	13.7	Waste to Compost+ RDF	65	0

2179

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
121	KHETRI	7		0	2	0	0.7	0	2.7	Waste to Compost+ RDF	8	0
122	MANDAWA	9		0	10	0	0.9	0	10.9	Waste to Compost+ RDF	9.59	0
123	MUKANDGARH	7		0	1	0	0.7	0	1.7	Waste to Compost+ RDF	7.59	0
124	NAWALGARH	26		0	9	0	2.6	0	11.6	Waste to Compost+ RDF	21	0
125	PILANI	12		0	2	0	1.2	0	3.2	Waste to Compost+ RDF	12.22	0
126	SURAJGARH	9		0	0	0	0.9	0	0.9	Waste to Compost+ RDF	8.9	3
127	UDAIPURWATI	12		0	4	0	1.2	0	5.2		0	0
128	VIDYAVIHAR	6		0	0	0	0.6	0	0.6	Waste to Compost+ RDF	6.43	0
129	BILARA	16		0	11	0	1.6	0	12.6	Waste to Compost+ RDF	16.27	0
130	JODHPUR NORTH (MC)	211		0	80	0	21.1	0	101.1		0	0
131	JODHPUR SOUTH (MC)	203		0	70	78.3	20.3	2	170.6	Waste to Energy	400	0
132	PHALODI	20		0	25	0	2	0	27	Waste to Compost+ RDF	20.51	0
133	PIPAR CITY	15		0	6	0	1.5	0	7.5	Waste to Compost+ RDF	15.13	0
134	HINDAUN	42		0	10	0	4.2	0	14.2	Waste to Compost+ RDF	37	0
135	KARAULI	33		0	0	0	3.3	0	3.3	Waste to Compost+ RDF	56.26	8
136	TODABHIM	9		0	3	0	0.9	0.2	4.1	Waste to Compost+ RDF	9.44	0
137	ITAWA	11		0	3.5	0	1.1	0	4.6	Waste to Compost+ RDF	11.24	0
138	KAITHOON	10		0	5	0	1	0	6	Waste to Compost+ RDF	9.97	0
139	KOTA NORTH (MC)	281		0	0	4	28.1	0	32.1	Waste to Compost+ RDF	400	0
140	KOTA SOUTH (MC)	177		0	0	40	17.7	6.2	63.9	Waste to Compost+ RDF	400	0
141	RAMGANJ MANDI	17		0	15	0.25	1.7	0	16.95	Waste to Compost+ RDF	16.99	0
142	SANGOD	9		0	1	0	0.9	0	1.9	Waste to Compost+ RDF	8.98	0
143	DEGANA	2		0	5	0	0.2	0	5.2		0	0
144	DIDWANA	21		0	0.5	0	2.1	0	2.6		0	0
145	KUCHAMAN CITY	25		0	10	0	2.5	0	12.5		0	0
146	KUCHERA	9		0	1	0	0.9	0	1.9		0	0
147	LADNUN	26		0	5	0	2.6	0.2	7.8		0	0
148	MAKRANA	37		0	30	0	3.7	0.6	34.3		0	0
149	MERTA CITY	18		0	3	0	1.8	0	4.8		0	0
150	MUNDWA	7		0	2	0	0.7	0	2.7		0	0
151	NAGAUER	42		0	10	0	4.2	0.4	14.6	Waste to Compost+ RDF	51	0

2180

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
152	NAWA	9		0	2	0	0.9	0	2.9		0	0
153	PARWATSAR	6		0	2	0	0.6	0	2.6		0	0
154	BALI	8		0	4	0	0.8	0	4.8	Waste to Compost+ RDF	8.17	0
155	FALNA	10		0	2	0	1	0	3	Waste to Compost+ RDF	10.21	0
156	JAITARAN	9		0	16	0	0.9	0	16.9	Waste to Compost+ RDF	9.3	0
157	PALI	92	Waste to Compost+ RDF	100	40	0	9.2	0.2	149.4		0	0
158	RANI	6		0	3	0	0.6	0	3.6	Waste to Compost+ RDF	5.7	0
159	SADRI	11		0	4	0	1.1	0	5.1	Waste to Compost+ RDF	11.26	0
160	SOJATCITY	17		0	0	0	1.7	0	1.7		0	0
161	SUMERPUR	15		0	20	0	1.5	0	21.5		0	0
162	TAKHATGARH	7		0	20	0	0.7	0	20.7		0	0
163	CHHOTI SADRI	7		0	4.5	0	0.7	0	5.2	Waste to Compost+ RDF	7.55	0
164	PRATAPGARH	17	Vermi Compost	6	10	0	1.7	0	17.7		0	0
165	AMET	7		0	5	0	0.7	0	5.7	Waste to Compost+ RDF	7.12	0
166	DEOGARH	7		0	4	0	0.7	0	4.7	Waste to Compost+ RDF	7.24	0
167	NATHDWARA	17		0	15	0	1.7	3	19.7	Waste to Compost+ RDF	19	0
168	RAJSAMAND	27	Waste to Compost+ RDF	44	2.4	0	2.7	0	49.1		0	0
169	GANGAPURCITY	48		0	10	0	4.8	0	14.8	Waste to Compost+ RDF	65	0
170	SAWAI MADHOPUR	48		0	15	0.1	4.8	1.2	21.1	Waste to Compost+ RDF	46	0
171	FATEHPUR	37		0	35	0	3.7	0.2	38.9	Waste to Compost+ RDF	57.08	0
172	KHANDELA	9		0	10	0	0.9	0.2	11.1	Waste to Compost+ RDF	9.5	0
173	KHATUSHYAM JI	5		0	0	10	0.5	0	10.5	Waste to Compost+ RDF	5	0
174	LACHHMANGARH	21		0	5	0	2.1	0	7.1	Waste to Compost+ RDF	21.94	0
175	LOSAL	11		0	9	0	1.1	0	10.1	Waste to Compost+ RDF	11.72	0
176	NEEM KA THANA	14		0	1	0	1.4	0.2	2.6	Waste to Compost+ RDF	14.89	0
177	RAMGARH (SHEKHAWATI)	13		0	0	0	1.3	0	1.3	Waste to Compost+ RDF	13.57	5
178	REENGUS	10		0	4	0	1	0	5	Waste to Compost+ RDF	10	0
179	SIKAR	98	Waste to Compost	15	0	0.38	9.8	0.2	25.38	Waste to Compost+MRF (Dry waste treatment facility)	50	10
180	SRI MADHOPUR	13		0	5.3	0	1.3	0	6.6	Waste to Compost+ RDF	12.89	0
181	ABU ROAD	21		0	15	3	2.1	0	20.1	Waste to Compost+ RDF	22.85	0
182	MOUNT ABU	9		0	5	2.5	0.9	0	8.4		0	0

2181

		(Tonnes per day)	Type of Facility	Capacity (in TPD)	MRF Plants Capacity (in TPD)	Decentralized Processing Facility i.e. Composting/ Pit composting (in TPD)	Waste Processing through Informal Recyclers (in TPD)	BWG + Horticulture waste Processing (in TPD)	Capacity (in TPD)	Type of Facility	Capacity (in TPD)	MRF Plants (in TPD)
183	PINDWARA	10		0	21	0	1	0	22	Waste to Compost+ RDF	10.6	0
184	SHEOGANJ	11		0	20	0	1.1	0	21.1	Waste to Compost+ RDF	40	0
185	SIROHI	16		0	7	0	1.6	0	8.6	Waste to Compost+ RDF	13	0
186	DEOLI	9		0	2	0	0.9	0	2.9		0	0
187	MALPURA	14		0	2.5	0	1.4	0	3.9	Waste to Compost+ RDF	14.81	0
188	NIWAI	15		0	15	0	1.5	0	16.5		0	0
189	TODARASINGH	9		0	15	0	0.9	0	15.9	Waste to Compost+ RDF	9.68	0
190	TONK	66		0	30	0	6.6	0.4	37		0	0
191	UNIARA	5		0	2	0	0.5	0	2.5	Waste to Compost+ RDF	5.16	0
192	BHINDER	7		0	5	0	0.7	0	5.7	Waste to Compost+ RDF	7.35	0
193	FATEHNAGAR	9		0	10	0	0.9	0	10.9	Waste to Compost+ RDF	9.38	0
194	KANOR	5		0	5	3	0.5	0	8.5	Waste to Compost+ RDF	5.44	0
195	SALUMBAR	7		0	5	0	0.7	0	5.7	Waste to Compost+ RDF	6.75	0
196	UDAIPUR	180	Waste to Compost, Bio Methenation Plant, MRF Cum RDF, MRF Facility + Dry waste processing Centre	172	10	0	18	3	203		0	0
Total		6,523		1,297	1,643	240.9	652	289	4,122		4,865	89
									1182	63%	Total	4,954

DETAILS OF OPERATIONAL PROCESSING PLANTS			
Sr. No.	City/Town	Processing Technology	Plant Capacity (TPD)
1	Jaipur	WtE (RDF)	350
2	Jaipur	Compost	250
3	Pratapgarh	Vermi Compost	6
4	Dungarpur	Vermi Compost	7
5	Pali	Compost+RDF	100
6	Bhilwara	Compost+RDF	144
7	Udaipur	MRF cum RDF	30
8	Udaipur	Compost	60
9	Udaipur	Biomethanation plant	22
10	Sikar	Compost	15
11	Jhalawar	Compost+RDF	30
12	Alwar	Compost + RDF	129
13	Udaipur	MRF Facility + Dry waste processing Centre	60
14	Barmer	Waste to Compost	5
15	Churu	MRF+Dry waste processing center	45
16	Rajsamand	Compost +RDF	44
Total			1297 TPD

OPERATIONAL MATERIAL RECOVERY FACILITIES (MRF) PLANTS			
Sr. No.	Division	ULB Name	Capacity (in TPD)
1	Ajmer	Ajmer	15
2		Beawar	10
3		Bijainagar	25
4		Kekri	2
5		Nasirabad	2
6		Kishangarh	40
7		Pushkar	2
8		Sarwar	10
9		Asind	1
10		Bhilwara	2
11		Gangapur	4
12		Gulabpura	3
13		Mandalgarh	10
14		Shahpura_Bh	6
15		Degana	5
16		Didwana	0.5
17		Kuchaman City	10
18		Kuchera	1
19		Ladnu	5
20		Merta City	3
21		Mundwa	2
22		Nawa	2
23		Parbatsar	2
24		Makrana	30
25		Nagaur	10
26		Deoli	2
27		Malpura	2.5
28		Niwai	15
29		Todaraisingh	15
30		Tonk	30
31		Uniara	2
32	Bharatpur	Bayana	2
33		Bharatpur	15
34		Bhusawar	5
35		Kaman	3
36		Rupbas	4
37		Weir	15
38		Bari	20
39		Dhaulpur	15

2184

40		Hindaun	10
41		Todabhim	3
42		Gangapur City	10
43		Sawai Madhopur	15
44	Bikaner	Bikaner	50
45		Deshnoke	15
46		Nokha	2
47		Bidasar	25
48		Chhapar	20
49		Churu	50
50		Rajgarh_Ch	24
51		Ratangarh	10
52		Sujargarh	16
53		Taranagar	5
54		Anupgarh	2
55		Gajsinghpur	2
56		Karanpur	4
57		Kesrisinghpur	2
58		Suratgarh	2
59		Bhadra	1
60		Hanumangarh	30
61		Rawatsar	35
62	Jaipur	Alwar	5
63		Bhiwadi	10
64		Kherli	1
65		Rajgarh_Al	18
66		Tijara	40
67		Bandikui	8
68		Dausa	1
69		Lalsot	0.5
70		Mahwa	4
71		Bagru	2
72		Chaksu	2
73		Jaipur Heritage	5
74		Jobner	10
75		Kishangarh Renwal	2
76		Phulera	2
77		Sambhar	1.5
78		Shahpura_J	2
79		Bissau	10
80		Chirawa	8
81		Khetri	2
82		Mandawa	10

2185

83		Mukandgarh	1
84		Nawalgarh	9
85		Jhunjhunun	9
86		Pilani	2
87		Udaipurwati	4
88		Fatehpur	35
89		Khandela	10
90		Lachhmangarh	5
91		Losal	9
92		Neem-Ka-Thana	1
93		Reengus	4
94		Sri Madhopur	5.3
95	Jodhpur	Barmer	20
96		Jaisalmer	16
97		Pokaran	8
98		Bhinmal	10
99		Jalor	25
100		Sanchoe	25
101		Bilara	11
102		Jodhpur North	80
103		Jodhpur South	70
104		Phalodi	25
105		Pipar City	6
106		Bali	4
107		Falna	2
108		Jaitaran	16
109		Rani	3
110		Sadri	4
111		Pali	40
112		Sumerpur	20
113		Takhatgarh	20
114		Abu Road	15
115		Mount Abu	5
116		Pindwara	21
117		Sheoganj	20
118		Sirohi	7
119	Kota	Antah	2
120		Indragarh	1
121		Kaprain	6
122		Keshoraipatan	4
123		Lakheri	5
124		Nainwa	4
125		Bhawani Mandi	3

2186

126		Jhalrapatan	10
127		Jhalawar	6.5
128		Pirawa	2.5
129		Itawa	3.5
130		Kaithoon	5
131		Baran	10
132		Ramganj Mandi	15
133		Sangod	1
134		Banswara	25
135		Bari Sadri	4.5
136		Begun	3
137		Chittaurgarh	15
138		Kapasan	10
139		Nimbahera	14
140		Dungarpur	15
141		Sagwara	10
142		Chhoti Sadri	4.5
143	Udaipur	Pratapgarh	10
144		Amet	5
145		Deogarh	4
146		Nathdwara	15
147		Rajsamand	2.4
148		Bhinder	5
149		Fatehnagar	10
150		Kanor	5
151		Salumbar	5
152		Udaipur	10
TOTAL			1643.2

2187

Bulk Waste Generators Details			
S. No.	Division	Total No. of BWG Generators	Quantity of Waste (in TPD)
1	Ajmer	115	23
2	Bharatpur	19	3.8
3	Bikaner	238	47.6
4	Kota	35	7
5	Jaipur	957	191.4
6	Jodhpur	42	8.4
7	Udaipur	38	7.6
Total		1444	288.8

2188

List of Bulk Waste Generators - Ajmer Division					
S.No.	ULB Name	Name	Address	Type	Contact Details
1	Ajmer	Hotel Grand Xenia	Ward No.1	Hotel	9214310557
2	Ajmer	Mittal Hospital	Ward No.2	Hospital	9314390005
3	Ajmer	Hans Paradise Foy sagar road	Ward No.3	Marrige Garden	9829070217
4	Ajmer	Abhinandan Garden	Ward No.3	Marrige Garden	8696969191
5	Ajmer	Bhadu Lal Gadiya	Ward No.3	Marrige Garden	9829049288
6	Ajmer	Laxmi Palace	Ward No.3	Marrige Garden	9929728335
7	Ajmer	Nandini Palace	Ward No.3	Marrige Garden	7742400999
8	Ajmer	Hotel Marwada Estate	Ward No.6	Marrige Garden	9001123333
9	Ajmer	Radhe Rani Garden	Ward No.11	Marrige Garden	9799555111
10	Ajmer	Hotel Metro Inn	Ward No.15	Hotel	9829129013
11	Ajmer	M.S. Green Garden	Ward No.24	Marrige Garden	9001334443
12	Ajmer	Royale Resort	Ward No.26	Hotel	9829099117
13	Ajmer	Manuhar Garden	Ward No.28	Marrige Garden	9460546949
14	Ajmer	St. Mary's Convent School	Ward No.33	School	1452627909
15	Ajmer	Meenakshi Vatika	Ward No.36	Marrige Garden	9460790575
16	Ajmer	Laxmi Garden Dhola Bhata	Ward No.37	Marrige Garden	9828062769
17	Ajmer	Vinayak Garden	Ward No.37	Marrige Garden	8502003837
18	Ajmer	Bharat Vatika	Ward No.37	Marrige Garden	9001206099
19	Ajmer	Utsav Vatika	Ward No.38	Marrige Garden	9460242061
20	Ajmer	Anand Palace	Ward No.39	Marrige Garden	9460480043
21	Ajmer	Riddhi Siddhi	Ward No.41	Marrige Garden	9413692151
22	Ajmer	Narayan Nikunj	Ward No.50	Marrige Garden	9414004144
23	Ajmer	Hotel Cross Lane	Ward No.51	Hotel	9001444190
24	Ajmer	Hotel Kanak Sagar	Ward No.52	Marrige Garden	9829073427
25	Ajmer	Hotel Lake Vinora	Ward No.56	marrige Garden	9414003545
26	Ajmer	Radhe Shree Garden Vaishali Nagar	Ward No.56	marrige Garden	9414566890
27	Ajmer	Hotel Maan Singh	Ward No.56	Hotel	9001206081
28	Ajmer	Bhagat Singh Udhyan	Ward No.57	Garden	9001292293
29	Ajmer	City Pride Udhyan	Ward No.60	marrige Garden	7728085362
30	Ajmer	Hotel Royal Milange	Ward No.52	Hotel	9828323156
31	Beawar	Buffalo Meat Association	Abdul Majjid, Association President	Meat Mandi	9928947018
32	Beawar	sabji Mandi	Mahesh Sharma, Mandi Secretary	Sabji Mandi	9667426661, 01462224893
33	Bhilwara	Hotel Amit Palace	Near Bio Scope	Hotel	9828458880
34	Bhilwara	Hotel Harsh Palace	Gandhi Nagar	Hotel	9610412290
35	Bhilwara	Hotel Ranbanka	Near Bajaj Showroom	Hotel	9828212344
36	Bhilwara	Hotel Radhiyanesh	Gandhi Nagar	Hotel	9950355003
37	Bhilwara	Hotel Aastha	Behind Kamla Vihaar	Hotel	9829045662
38	Bhilwara	Krishi Upaj Mandi	Nehru Road	Mandi	9482220168
39	Bhilwara	Hotel Flora	Dadi Dham Road	Hotel	1482250832
40	Bhilwara	Hotel Rishabh	Near RailwaY Station	Hotel	1482239833

2189

41	Bhilwara	Hotel Radiance	Chittor Road	Hotel	9950355003
42	Bhilwara	Hotel Land Mark	Near Circuti House	Hotel	9414112790
43	Bhilwara	Hotel Amar Palace	Near Jaleshwar Complex	Hotel	9549095000
44	Bhilwara	Hotel Kanchi Resort	Gandhi Nagar	Hotel	9610412290
45	Bhilwara	Didim Resort	Near Harni Mahadev	Restauran t	9413346877
46	Bhilwara	Hotel Royal Ambesh	Near Circuit House	Hotel	9928105555
47	Bhilwara	Hotel Arjod	Rajendra Marg	Hotel	9610198939
48	Bhilwara	Hotel Preet Palace	Near Bus Stop	Hotel	9414371927
49	Bhilwara	Hotel Raghav	Near Mahesh School	Hotel	9414114424
50	Bhilwara	Hotel Crown Palace	Near Bus Stop	Hotel	9351379494
51	Bhilwara	Hotel Pink Palace	Bhopal Ganj	Hotel	7024947905
52	Bhilwara	Sh. Satya Narayan, Prakash Pandya Rama Hotel	Near Bus Stop	Hotel	9413149002
53	Bhilwara	Hotel Mid town	Near Milan Takies	Hotel	9414922599
54	Bhilwara	Hotel Dilamuje	Subhash Market	Hotel	1482220307
55	Bhilwara	Hotel Suruchi	Infront of Suchana Kendra	Hotel	9462553100
56	Bhilwara	Hotel Nand Palace	Indira Market	Hotel	9571946609
57	Bhilwara	Hotel Banjara	Indra Market	Hotel	9214559623
58	Bhilwara	Hotel Vijay	Bazar No. 2	Hotel	9928000409
59	Bhilwara	Agrasen Manglik Bhawan	Azad Nagar	Marrige Garden	1482250260
60	Bhilwara	Royal Ambesh Hotel	Near Circuit House	Hotel	9928105555
61	Bhilwara	Hotel Land Mark	Near Circuit House	Hotel	9414112790
62	Bhilwara	Rishi vatika	Kumbha Circle	Marrige Garden	9414372639
63	Bhilwara	Maheshwari Bhawan	Ram Dham Road	Marrige Garden	9413768363
64	Bhilwara	Jain Swetamber terapanthi	Ward No. 23	Marrige Garden	1482224430
65	Bhilwara	Yash Swadhyay Bhawan	Shivaji Nagar	Marrige Garden	9352710451
66	Bhilwara	Maharshi Gautam Sewa Sansthan	Shastri Nagar	Marrige Garden	9829149620
67	Bhilwara	Hotel Flora Park	Kawa Kheda	Hotel	1482250832
68	Bhilwara	Om Vatika	Jamna Nagar	Marrige Garden	9001218040
69	Bhilwara	Maheshwari Sabha Bhawan	Harni Mahadev Road	Marrige Garden	9829047936
70	Bhilwara	Bairwa Samaj Panchayti Nohra	Kawa Kheda	Marrige Garden	9829394869
71	Bhilwara	Nathmal Somani Restaurent	Bazar No. 2	Restaurant	9460995330
72	Bhilwara	Ashoka Hotel	Sabun Marg	Hotel	9152827339
73	Bhilwara	Maheshwari Samaj Trust	Charbhja Bagichi	Marrige Garden	1482222632
74	Bhilwara	Hotel Nandini	Harni Mahadev Road	Hotel	9352132008
75	Bhilwara	Baheti Vatika	Manikya Nagar	Marrige Garden	9413676947
76	Bhilwara	Sgena Resort	Sanganer Road	Restauran t	9829047211
77	Bhilwara	Dev Marriage Garden	Sanganer Road	Marrige Garden	9782048919
78	Bhilwara	Utsav Vatika	Sanganer Road	Marrige Garden	9887800544
79	Bhilwara	Yash Vihar Vatika	Kota Road	Marrige Garden	9413633303
80	Bhilwara	Sukhlal Samaj Nohra	Ward No. 39	Marrige Garden	9950188180

2190

81	Bhilwara	Ridhi Sidhi Vatika	Near Siddhi Vinayak Hospital	Marrige Garden	9950405026
82	Bhilwara	Teliyo ka Nohra	Bagta Baba Road	Marrige Garden	9928092163
83	Bhilwara	Kothari Farm House	Sanganer Road	Marrige Garden	9829047936
84	Bhilwara	Shree Ji Resort	Near Nexa SHowroom	Restauran t	9116893850
85	Bhilwara	Kshatriya Samaj Nohra	Vijay Singh Pathik Nagar	Marrige Garden	9414148482
86	Bhilwara	Parik Samudaik Bhawan	Subhash Nagar	Marrige Garden	9929645761
87	Bhilwara	Gautam Samaj Sewa Sansthan	Subhash Nagar	Marrige Garden	9829248310
88	Bhilwara	Madhuban Vatika	Subhash Nagar	Marrige Garden	8949474847
89	Bhilwara	Uniqe Hotel	Rama Vihaar	Hotel	8209617001
90	Kisangarh	Hotel Crystal Park	Near Bhagat Pan Link Road	Hotel/ Marriage Garden	7727864802
91	Kisangarh	Hotel NK Halimax	AJmer Road	Hotel/ Marriage Garden	9414011611
92	Kisangarh	Hotel KumKUm	R. K. Link Road	Hotel/ Marriage Garden	9460708086
93	Kisangarh	Hotel Luv Kush	R. K. Link Road	Hotel/ Marriage Garden	9929927662
94	Kisangarh	Paharia restraunt	Old railway station	Hotel	
95	Kisangarh	Rathi Hospital	Rathi hospital, industrial area road	Hospital	
96	Kisangarh	Criystal park	Aadinath jain mandir	Garden	
97	Kisangarh	Hotel Royal Heritage	Jaipur Ajmer Highway	Hotel/ Marriage Garden	9983178222
98	Ladnu	Jain Vishwa Bharti, Ladnu	Ladnu	Hostel	97725 61866
99	Makrana	CBM Hospital	Mangalana Road	Hospital	9414335563
100	Makrana	Government hospital	Makrana	Hospital	9680795132
101	Makrana	Lagan Shah Hospital	Near Jusri Road	Hospital	9983747656
102	Nagaur	Krishi Upaj Mandi	Krishi upaj Mandi Nagaur	Mandi	-
103	Nagaur	Jawahar Lal Nehru Hospital	Bikaner Road Nagaur	Hospital	1582242985
104	Pushkar	Jat Vishram Sthali	Ward No. 3, Brahma Mandir ke peeche, Pushkar	Marriage Garden	9079668772
105	Pushkar	Aacharay dharamshala	Pushkar	Dharamshala	8104860654
106	Pushkar	Jaat dharamshala	Pushkar	Hotel	8104860654
107	Pushkar	Gurjar Bhawan	Ward No. 3, Brahma Mandir ke peeche, Pushkar	Marriage Garden	7737356178
108	Pushkar	Gayatrii Ved Vidhapeeth	Ward No. 5, Santoshi Mata Ki Dhani, Pushkar	College	9829491463
109	Pushkar	Hotel Pushkar Palace	Ward No. 6, Jaipur Ghat, Pushkar	Hotel	9799066192
110	Pushkar	Maheshwari Sewa Sadan	Ward No. 12, VIP Road, Puhkar	Marriage Garden	9828247741
111	Pushkar	Prem Prakash Ashram	Ward No. 15, Heloj Road, Pushkar	Marriage Garden	9982380375

2191

112	Pushkar	Hotel Master Paradise	Ward No. 16, Panchkund Road, Pushkar	Hotel	9414006130
113	Pushkar	Hotel Jagat Palace	Ward No. 17, Near Ram Dham Road, Pushkar	Hotel	9799066192
114	Tonk	Kalpana Marriage Garden	Deendayal Gupta, Deoli road	Marriage Garden	8209887600
115	Tonk	Radhe Radhe Marriage Garden	Atma ram Sahu, Deoli Road	Marriage Garden	9413284514

2192

List of Bulk Waste Generators - Bharatpur Division					
S. No.	ULB name	Name	Address	Type	Contact Details
1	Bharatpur	Railway Station, Bhartpur	Railway Station, Bhartpur	Railway Station	05644-238274
2	Bharatpur	Krishi Upaj Mandi	Krishi Upaj Mandi Kumher Gate, Bhartpur	Mandi	05644-238664
3	Bharatpur	R.B.M Government Hospital	Bhartpur Sarkular Road	Hospital	05644-223660
4	Dhaulpur	Nai Sabji Mandi	Roadways Bus Stand Ke Samne Ward No. 06	Mandi	9289691090
5	Dhaulpur	Royal Dhaba	Mahindra Agency Ke Pass G.T Road Dholpur	Hotel	9461071786
6	Dhaulpur	Aashirwad Hotel	Sichai Bhivag Ke Samne Bari Road Dholpur	Hotel	9530404445
7	Sawaimadhopur	Vanyamahar by regenta	Sawaimadhopur	Railway Station Hotels, Hospital	7462220868
8	Sawaimadhopur	Govt. Hospital	Railway station, Govt hospital Sawai Madhopur		-
9	Sawaimadhopur	Rangita Hotel	Railway station Road		-
10	Sawaimadhopur	Vivanta by Taj	Sawaimadhopur		07462225155
11	Sawaimadhopur	General Hospital.	Sawaimadhopur		746224138
12	Sawaimadhopur	Railway station	Sawaimadhopur		900101756
13	Kaman	Sabji Mandi	Main Bazar	Sabji Mandi	-
14	Rupbas	sabji Mandi or market area	Mhaddev chowk, Rupbas	Sabji Mandi	-
15	Weir	Main Market and sabji mandi	Main Market weir	Sabji Mandi	9521525084
16	Dhaulpur	Ashirwad Hotel	AHR hotel and restaurant	Hotel	-
17	Dhaulpur	Kirshi Upaj Mandi	Near chopda Mandir	Hotel	-
18	Rajakhera	Mahalaxmi Hotel	Near ABJ school on agra dholpur road rajakhera	Hotel	9691898968
19	Todhabhim	CHC Hospital	Ward No 24	Hospital	7976956762

List of Bulk Waste Generators - Bikaner Division					
S. No.	ULBs Name	Name of Place	Address	Type	Contact Details
1	Anoopgarh	Anand Marriage Palace	Ward 25 Anupgarh	Marriage Place	9414092914
2	Anoopgarh	Sabji Mandi	Ward No. 8 Anupgarh	Vegetable Market	9672524443
3	Bikaner	Vihar Hotel	Samta Nagar	Hotel	9414604362
4	Bikaner	Narendra bhawan	Gandhi colony	Others	1512252500
5	Bikaner	Chotu Motu Misthan	Railway station road	Hotel	1512527700
6	Bikaner	Vyaso ki bagechi	Vyaso ki bagechi / Back side pushkarna Stdiyam, ward 18	Others	9829299070
7	Bikaner	Oja satsang bhwan	Oja satsang bhwan / binani college Road, ward 7	Others	7425823511
8	Bikaner	Kiraduo ki bagechi	kiraduo ki bagechi/ Out side Nathusar get, ward 7	Others	9214414140
9	Bikaner	Rango ki bagechi	Rango ki bagechi/ Near vyayamshala, Nathushar get, ward 7	Others	7425823511
10	Bikaner	Mateshavary bhwan	Mateshavary bhwan/ Achariyo ki gati, ward 8	Others	7014719446
11	Bikaner	Madan bhwan	Madan bhwan/ Achariyo ka Chock, ward 17	Others	9460177279 3
12	Bikaner	Bhaheti bhwan	Bhaheti bhwan/ Nathusar get, ward 7	Others	9414142029
13	Bikaner	Gawra devi gest house	Gawra devi gest house/ Achariyo ki gati, bajarng collony, ward 18	Others	9462122815
14	Bikaner	Govind palace	Govind palace/ hrolai Road, ward 18	Others	8769978888
15	Bikaner	Pshname garbadi bhwan	Pshname garbadi bhawan, ward 18	Others	9928945551
16	Bikaner	Jitendra tosani wal	Jitendra tosani wal/ kotget, ward 12	Others	9460789866
17	Bikaner	Lal Kothi Hotel	Lal Kothi Hotel, Near Goyal Amporiyam, ward 54	Hotels	9152542137
18	Bikaner	Paradise marriage Garden	Paradise marriage Garden, Sarvoday Basti, ward 56	Others	9351551857
19	Bikaner	Bag Bikana	Bag Bikana, Odo ka Bass, ward 56	Others	9660090386
20	Bikaner	Sangam Juice	Sangam Juice, KEM Road, ward 52	Restaurants	8890818128
21	Bikaner	Agarwal Namkeen Bhandar	Agarwal Namkeen Bhandar, KEM Road, ward 52	Others	1512529441
22	Bikaner	Maheshvary Bhwan	Maheshvary Bhwan/ vishkarma gate, ward 8	Others	9460414035
23	Bikaner	Mundra bhwan	Mundra bhwan/ Near B.K. School, ward 8	Others	7792956567
24	Bikaner	Narsing Bhwan	Narsing Bhwan/ Near B.K. School, ward 8	Others	9024928477
25	Bikaner	Hotel City Palace	Hotel City Palace, KEM Road,	Hotels	1512526320

2194

			ward 52		
26	Bikaner	Hotel Sidhi vinayak	Hotel Sidhi vinayak, KEM Road, Behind Bothra Complex, ward 52	Hotels	9799900555
27	Bikaner	Jiman Restorant	Jiman Restorant, KEM Road, ward 52	Restaurants	7412816930
28	Bikaner	Shubham gardan	Shubham gardan/ sadulganj, ward 52	Others	9799381111
29	Bikaner	Manish Palace	Manish Palace/ Sadulganj, Milan Road, ward 38	Others	9152827339
30	Bikaner	Dhola-maru Hotal	Dhola-maru Hotal/ Sadulganj, ward 7	Hotels	9460169061
31	Bikaner	Kanhya chhatravas	Kanhya chhatravas/ tilk Nagar, ward 7	Hostel Mess	9413389438
32	Bikaner	Samudayk bhwan	Samudayk bhwan/ Sofiya School ke samne, ward 7	Others	7339883438
33	Bikaner	Karni Bhwan Palace Hotal	Karni Bhwan Palace Hotal/ karni Nagar, ward 7	Hotels	9667933331
34	Bikaner	Narendra bhwan hotal	Narendra bhwan hotal/ gandhi collony, ward 7	Hotels	1512252500
35	Bikaner	Ambedkar samudayk bhwan	Ambedkar samudayk bhwan/ near dindyal sarkil, ward 7	Others	9413367641
36	Bikaner	Hotel sagar palace	Hotal Sagar palace/ ganganagar road, sarkari bus stand, ward 7	Hotels	1512201675
37	Bikaner	Hotel basant bihar	Hotal basant bihar/ samta nagar, ganganagar road, ward 45	Hotels	9414604362
38	Bikaner	Rajkumar& sans	Rajkumar& sans, ward 45	Others	9024545211
39	Bikaner	Mangalm hotal & Rajasthan sex k. agensi	Mangalm hotal & ganganagar road, ward 45	Hotels	9460779854
40	Bikaner	Sagun marrige palace	Sagun marrige palace/ samta nagar, ward 45	Others	9829452107
41	Bikaner	Hotal niroj	Hotal niroj/ ganganagar road, ward 45	Hotels	9460526526
42	Bikaner	Hotal akshay	Hotal akshay/ ganganagar road, ward 45	Hotels	9413388838
43	Bikaner	Hota krishan	Hota krishan/ bus stand ke samne, ganganagar road, ward 45	Hotels	8385935472
44	Bikaner	O.D. motar, PU. LT, maruti sujuki	O.D. motar, PU. LT, maruti sujuki, ward 45	Others	9414141741
45	Bikaner	Nokha egro serviceg prov. Limt.	Nokha egro serviceg prov. Lmt., ward 45	Others	8696930160
46	Bikaner	Global hostpital& Research center	Global hostpital& Research center / samta nagar, ward 45	Hospitals	1512250388
47	Bikaner	Agarval egro agency	Agarval egro agency/ ganganagar road, kishan bhwan ke samne, ward 45	Others	9414137962
48	Bikaner	M.N. hostpital	M.N. hostpital/ Om bna mandir ke samne, ward 50	Hospitals	9414139209
49	Bikaner	Dejras hotal	Dejras hotal/ harasar hotal Road,	Hotels	9828067400

2195

			ward 50		
50	Bikaner	Harasar hotal	Harasar hotal, ward 50	Hotels	9829790004
51	Bikaner	Rajporuhit Sbha bhwan	Rajporuhit Sabha bhwan/ hanuman hath, ward 50	Others	9414138848
52	Bikaner	Bhojnalaya	Bhojnalaya/ Station Road, ward 33	Dhabas	8890897662
53	Bikaner	Jasvant Hotal	Jasvant Hotal/ Station Road, ward 33	Hotels	1512548848
54	Bikaner	Duvarika bhojnalaya	Duvarika bhojnalaya/ Station Road, ward 33	Dhabas	7231924013
55	Bikaner	Hotal / Bothra com.	Hotal / Bothra complex, Sunil rajiv gandhi marg, ward 51	Hotels	1512544502
56	Bikaner	Jay hind Bhojnalaya	Jay hind Bhojnalaya/ mirnva, ward 51	Dhabas	7014952690
57	Bikaner	Gahlot bhojnalaya	Gahlot bhojnalaya/ mirnva, ward 51	Dhabas	9261010107
58	Bikaner	Metro hotal	Metro hotal /mirnva, ward 51	Hotels	1512540999
59	Bikaner	Santi tavar/ mirnva	Santi tavar/ mirnva, ward 51	Others	8875482585
60	Bikaner	Rajsthani dhabha	Rajsthani dhabha/ Masala Chock Junagad ke samne, ward 52	Dhabas	7014863595
61	Bikaner	Bikaner Namkeen Bhandar	Bikaner Namkeen Bhandar, KEM Road, ward 52	Others	8239747242
62	Bikaner	Hotel Bhairav Vilas,	Hotel Bhairav Vilas, Behind Mahila Mandal, ward 52	Hotels	9928312283
63	Bikaner	Bha Food	Bha Food/ khadi mandir, ward 51	Restaurants	9414264921
64	Bikaner	Bikana Hotal	Bikana Hotal/ Khadi Mandir, ward 51	Hotels	9413279802
65	Bikaner	Pandye hotal	Pandye hotal/ Khadi Mandir, ward 51	Hotels	9785570299
66	Bikaner	Hari bhwan	Hari bhwan / Bharu ji gali l, ward 52	Hotels	9214830311
67	Bikaner	Jain Market	Jain Market Bharu ji gali, ward 52	Others	9460691651
68	Bikaner	Mahendra Bhawan	Mahendra Bhawan, ward 59	Others	9782533208
69	Bikaner	JBR Family Restorant	JBR Family Restorant, ward 60	Restaurants	9414002026
70	Bikaner	Yash Hotel & Restorant,	Yash Hotel & Restorant,11/12 Dispensri Road, ward 60	Hotels	9251952281
71	Bikaner	Punjabi Tadka,	Punjabi Tadka, 11/15 Dispensri Road, ward 60	Hotels	8522850477
72	Bikaner	Krishna Garden	Krishna Garden Purani Ginani, ward 49	Others	9782867855
73	Bikaner	Ramdev Bhawan	Ramdev Bhawan, ward 47	Others	7665722257
74	Bikaner	Shiv Shakti Bhawan	Shiv Shakti Bhawan, ward 47	Others	1512203156
75	Bikaner	Yadav Bhawan,	Yadav Bhawan, Near Red Quarter, ward 48	Others	7665760000
76	Bikaner	Shri karni Bhojnalay or Tifin Center,	Shri karni Bhojnalay or Tifin Center, 11/11 Dispensri Road, ward 60	Dhabas	9813174708

2196

77	Bikaner	Samudayik Bhawan,	Samudayik Bhawan, Sec.No.08 Near Roshni Ghar, ward 60	Others	8562029662
78	Bikaner	Ramji Marriage Palace	Ramji Marriage Palace, Pugal Road, ward 60	Others	9413380009
79	Bikaner	Suraj Palace	Suraj Palace, ward 59	Others	9462017549
80	Bikaner	Vinayak Hotel	Vinayak Hotel, ward 52	Hotels	7737192552
81	Bikaner	Mohta Bhawan	Mohta Bhawan, ward 52	Others	9351200106
82	Bikaner	Karnal Din Dayal Bhargav Bhawan	Karnal Din Dayal Bhargav Bhawan, ward 52	Others	9214078421
83	Bikaner	Bhujiya karkhan	Bhujiya karkhan/ alakh sagar Road, ward 51	Others	9214078421
84	Bikaner	Jabheshavar bhojnalaya	Jabheshavar bhojnalaya, ward 51	Dhabas	9214403117
85	Bikaner	Vishanu Bhojanalaya	Vishanu Bhojanalaya, ward 51	Dhabas	8278673878
86	Bikaner	Hotel Om Haveli	Hotel Om Haveli, New Gajner Road, ward 49	Hotels	9214017875
87	Bikaner	Vishnoi Hotal	Vishnoi Hotal, ward 51	Hotels	9610096096
88	Bikaner	Maharaja ganga mahel Hotal	Maharaja ganga mahel Hotal, ward 51	Hotels	1512521074
89	Bikaner	Rajvilasha Hotal	Rajvilasha Hotal, ward 51	Hotels	1512525901
90	Bikaner	Royal Gardan	Royal Gardan, ward 51	Hotels	9829787437
91	Bikaner	panchayti bhwan	panchayti bhwan/ rathkhana, ward 51	Others	8766547570
92	Bikaner	Madhav Sweets & Fast Food	Madhav Sweets & Fast Food, New Gajner Road, ward 49	Others	7665228442
93	Bikaner	Hotel Kishan Palace	Hotel Kishan Palace, New Gajner Road, ward 49	Hotels	9824512610
94	Bikaner	Hotel Gangoura & Restorant	Hotel Gangoura & Restorant, New Gajner Road, ward 49	Hotels	9772961975
95	Bikaner	Sampat palace	Sampat palace, ward 25	Others	9435596494
96	Bikaner	Mohani palace	Mohani palace, ward 25	Others	9435596494
97	Bikaner	Manisha palace	Manisha palace, ward 25	Others	8209958291
98	Bikaner	Hansha gest house	Hansha gest house, ward 25	Others	9214107312
99	Bikaner	Daga palace	Daga palace, ward 25	Others	1512270455
100	Bikaner	Aashivard bhwan	Aashivard bhwan, ward 25	Others	8191900123
101	Bikaner	Hotel Meghsar Castle	Hotel Meghsar Castle, New Gajner Road, ward 49	Hotels	9928249016
102	Bikaner	Samudayak bhwan	Samudayak bhwan/ sujandesar, ward 19	Others	7339883438
103	Bikaner	Kirshan bhwan	Kirshan bhwan/ sujandesar, ward 19	Others	1512200796
104	Bikaner	Chandra Guest House,	Chandra Guest House, Police Line, ward 49	Others	1512200796
105	Bikaner	Ramdev palace	Ramdev palace / sujandesar, ward 19	Others	7339883438
106	Bikaner	Samsurta palace	Samsurta palace sujandesar, ward 19	Others	9413311922
107	Bikaner	Sethiya bhwan	Sethiya bhwan, ward 21	Others	8890009711
108	Bikaner	Sjajn nivas	Sjajn nivas, ward 21	Others	9313493540

2197

109	Bikaner	Jain shvetambri terapanthi sabha	Jain shvetambri terapanthi sabha, ward 21	Others	9828121845
110	Bikaner	Kailash Vaishnav Bhojnalay	Kailash Vaishnav Bhojnalay, Station Road, ward 58	Dhabas	
111	Bikaner	Mahesh Hotel Or Restorant	Mahesh Hotel Or Restorant, Station Road, ward 58	Hotels	7976538219
112	Bikaner	Bhati Vaishnav Bhojnalay	Bhati Vaishnav Bhojnalay, Station Road, ward 58	Dhabas	8504979269
113	Bikaner	Osaval panchyati bhwan	Osaval panchyati bhwan/ gangashaher, ward 24	Others	9079757643
114	Bikaner	Maheshavri bhwan	Maheshavri bhwan/ gangashaher, ward 24	Others	9309045676
115	Bikaner	Sunil Restorant,	Sunil Restorant, Station Road, ward 58	Restaurants	9413659111
116	Bikaner	Nath Ji Restorant,	Nath Ji Restorant, Station Road, ward 58	Restaurants	9829115637
117	Bikaner	New Rama Bhawan,	New Rama Bhawan, Rampura Gali No.02, Kanasar Road, ward 58	Others	1512201919
118	Bikaner	Girdhar palace	Girdhar palace/ ram rajya chock bhinashahar, ward 23	Others	9351661372
119	Bikaner	Krishn bhwan	Krishn bhwan/ chmpalal bethiya haveli road, ward 23	Others	9602169696
120	Bikaner	Navkar bhwan	Navkar bhwan/ sadhu marg, ward 23	Others	
121	Bikaner	Manak gest house	Manak gest house / nokha road, ward 23	Others	8209958291
122	Bikaner	Gungun Palace,	Gungun Palace, Rampura Gali No.02, ward 58	Others	9828121881
123	Bikaner	Osawal panchayti bhwan	Osawal panchayti bhwan / bhinashahar, ward 23	Others	9079757643
124	Bikaner	Radhika Palace,	Radhika Palace, Rampura Gali No.02, ward 58	Others	8078637612
125	Bikaner	Agarval bhawna	Agarval bhawna, ward 26	Others	9352427915
126	Bikaner	Mahatma bhwan	Mahatma bhwan, ward 26	Others	7062138328
127	Bikaner	Mali smaj bhwan	Mali smaj bhwan, ward 26	Others	9982788263
128	Bikaner	Mahadev bhwan	Mahadev bhwan, ward 26	Others	7062138328
129	Bikaner	Ram Pratap Bhawan,	Ram Pratap Bhawan, Rampura Gali No.02, ward 58	Others	9928654288
130	Bikaner	Dudi Sadan,	Dudi Sadan, Station Road, ward 58	Others	9460652929
131	Bikaner	Bhuk Lagi	Bhuk Lagi, Mukta Prasad, ward 58	Restaurants	9983161189
132	Bikaner	P.N. palace	P.N. palace, ward 20	Others	9414506540
133	Bikaner	gangor palace	Gangor palace, ward 20	Others	8949050688
134	Bikaner	Nahta Bhawan	Nahta Bhawan, ward 20	Others	9414218060
135	Bikaner	Govind Bhawan	Govind Bhawan, ward 20	Others	
136	Bikaner	Kheteshwar Bhawan	Kheteshwar Bhawan, ward 20	Others	8147627905
137	Bikaner	HB Bhawan	HB Bhawan, ward 59	Others	9782435292
138	Bikaner	Chandni Bar, Hotel	Chandni Bar, Hotel & restorant,	Hotels	1512523102

2198

		& restorant	Gajner Road, Ward No.55		
139	Bikaner	Pt. Dindayal Upadhyay Samudayik Bhawan	Pt. Dindayal Upadhyay Samudayik Bhawan, Raj Awas Mandal, Mukta Prasad, ward 59	Others	1512523102
140	Bikaner	Govind Bhawan	Govind Bhawan Sector No.05 Mukta Prasad, ward 27	Others	8890719644
141	Bikaner	Jaar Samaj Bhawan	Jaar Samaj Bhawan, Lal Gufa Road, ward 27	Others	9414425826
142	Bikaner	Bhati Bhawan	Bhati Bhawan, Mohta Saray, ward 27	Others	9413011952
143	Bikaner	Rangrejan Samaj Samudayik Bhawan	Rangrejan Samaj Samudayik Bhawan, Mohta Saray, ward 27	Others	9829230054
144	Bikaner	Mali Samaj Mahadev Mandir, Bagechi Trust	Mali Samaj Mahadev Mandir, Bagechi Trust, ward 27	Others	9214571742
145	Bikaner	MR Palace	MR Palace, In Front of Bhadani Talai, ward 27	Others	9413011952
146	Bikaner	Pushtikar Purohit, Bhadani Panchayati trust,	Pushtikar Purohit, Bhadani Panchayati trust, In Front of Bhadani Talai, ward 27	Others	9588841226
147	Bikaner	Veer Jambheshwar Mahadev Mandir Trust,	Veer Jambheshwar Mahadev Mandir Trust, ward 27 vidhya Sagar Acharya bagechi, Near Bikaji Tekri	Others	9588841226
148	Bikaner	Hotel Lal Ji	Hotel Lal Ji, Station Road, ward 33	Hotels	9351203777
149	Bikaner	Ambar Hotel	Ambar Hotel, Station Road, ward 33	Hotels	8619090130
150	Bikaner	Heera Lal Hotel, Restorant and Bar	Heera Lal Hotel, Restorant and Bar, Station Road, ward 33	Hotels	1512205551
151	Bikaner	Vrandawan Hotel,	Vrandawan Hotel, Gangasehar Road, ward 33	Hotels	7611849209
152	Bikaner	Choti Motu Joshi Mishthan Bhawan & Hotel	Choti Motu Joshi Mishthan Bhawan & Hotel, ward 33	Hotels	1512527700
153	Bikaner	Agarwal Bhujija Bhandar	Agarwal Bhujija Bhandar, Near Sankhla Fatak, ward 33	Others	6375966330
154	Bikaner	Bikaner Bhujija Bhandar	Bikaner Bhujija Bhandar, Near Sankhla Fatak, ward 33	Others	9413311780
155	Bikaner	Ganesh Hotel,	Ganesh Hotel, Station Road, ward 33	Hotels	9782439954
156	Bikaner	Krishna Hotel,	Krishna Hotel, Station Road, ward 33	Hotels	9468568558
157	Bikaner	Krishna Hotel & Bar	Krishna Hotel & Bar Station Road, ward 33	Hotels	7976051751
158	Bikaner	Tyagi vatika, Samudayik Bhawan	Tyagi vatika, Samudayik Bhawan, Biscuit wali Gali, ward 33	Others	9929535000
159	Bikaner	Shanti Nivas Hotel & Barat Ghar	Shanti Nivas Hotel & Barat Ghar, ward 33	Hotels	1512542320
160	Bikaner	Shree Heeralal Meera	Shree Heeralal Meera Devi	Others	

2199

		Devi Bhawan,	Bhawan, Gali No.04, Naiyo ka Mohala, Bangla Nagar,ward 01		
161	Bikaner	Ramdev Bhawan	Ramdev Bhawan Gali No. 12, Mukta Prasad,ward 01	Others	9460780048
162	Bikaner	Baba Ramdev Bhawan,i	Baba Ramdev Bhawan,Near Gangour School, Chungi Chowki,ward 01	Others	
163	Bikaner	Jetha Devi Trust, Deshwali kumhar Bhawan	Jetha Devi Trust, Deshwali kumhar Bhawan,Bhadu Bazar, Bangla Nagar,ward 01	Others	
164	Bikaner	Kali Mandir Bhawan,	Kali Mandir Bhawan,Samudayik Bhawan,ward 01	Others	9950864812
165	Bikaner	Samudayik Bhawan,	Samudayik Bhawan, Gali No.02 Bangla Nagar,ward 01	Others	7339883438
166	Bikaner	Makhan Bhog Palace	Makhan Bhog Palace, Pugal Road, Bangla Nagar,ward 01	Others	9785584958
167	Bikaner	Jaat Dharmshala	Jaat Dharmshala,Near Bhaya Maharaj Hotel ,Bangla Nagar,ward 01	Others	
168	Bikaner	Ramdev Mandir Bhawan	Ramdev Mandir Bhawan, Behind Dudi Petrol Pump, Bangla Nagar,ward 01	Others	9414324888
169	Bikaner	Abha Palace	Abha Palace, New Gajner Road, Sarvoday Basti,ward 01	Others	9314793085
170	Bikaner	Ashirwad Bhawan	Ashirwad Bhawan Near Laxmi Unn Meal, Sarvoday Basti,ward 01	Others	9352122119
171	Bikaner	Angur Palace,	Angur Palace, Mukta Prasad Road, Sarvoday Basti,ward 01	Others	9716432136
172	Bikaner	Morpankh Bhawan	Morpankh Bhawan, Mukta Prasad Road,ward 01	Others	9352836180
173	Bikaner	Hasnen Trust,	Hasnen Trust,Near Girdhar das Mundhra School, Sarvoday Basti,ward 01	Others	9661295786
174	Bikaner	Laxmi Heritaze	Laxmi Heritaze, Near Kothari Hospital,ward 04	Others	9414324848
175	Bikaner	Maheshwari Sadan,	Maheshwari Sadan, OutsideJassusar Gate,ward 04	Others	1512205917
176	Bikaner	Rankawat Bhawan	Rankawat Bhawan, Near Bikana Hospital,Outside Jassusar gate	Others	9799846607
177	Bikaner	Roopchand & Mohanlal Restorant,	Roopchand & Mohanlal Restorant, Outside Jassusar gate,ward 04	Hotels	1512205633
178	Bikaner	Meghwansh Bhawan	Meghwansh Bhawan, Ambedkar Chowk, Pabubari,ward 10	Others	
179	Bikaner	Nayak Samaj Bhawan	Nayak Samaj Bhawan, Nayako ka Mohalla,ward 10	Others	9414137262
180	Bikaner	Siyaram Gufa Bhawan,	Siyaram Gufa Bhawan, Nayko ka Mohalla,ward 10	Others	

2200

181	Bikaner	Baba Ramdev Bhawan	Baba Ramdev Bhawan, Loharo ka mohalla, ward 10	Others	
182	Bikaner	Mangilal Bhawan	Mangilal Bhawan, Near Sh. Rameshwar Dudi House, ward 10	Others	8385008300
183	Bikaner	Taj New Hotel	Taj New Hotel, Kashaiyo ki Bari, ward 11	Hotels	9152827339
184	Bikaner	Taj Old Hotel	Taj Old Hotel, Shubhas Marg, ward 11	Hotels	9152827339
185	Bikaner	Raja Hotel	Raja Hotel, Shubhas Marg, ward 11	Hotels	7737135935
186	Bikaner	Simran Hotel	Simran Hotel, Shubhas Marg, ward 11	Hotels	9152122178
187	Bikaner	M.R. Hotel	M.R. Hotel, Shubhas Marg, ward 11	Hotels	1512201686
188	Bikaner	Baag E Shaan Hotel,	Baag E Shaan Hotel, Shubhas Marg, ward 11	Hotels	7737139500
189	Bikaner	H.M.R. Hotel,	H.M.R. Hotel, Shubhas Marg, ward 11	Hotels	9314293440
190	Bikaner	Ibrahim Kadri Hotel	Ibrahim Kadri Hotel, Shubhas Marg, ward 11	Hotels	9251808792
191	Bikaner	Samudayik Bhawan	Samudayik Bhawan, Badi Jassolai, ward 53	Others	9057586747
192	Bikaner	Sutharan Panchayat Samudayik Bhawan,	Sutharan Panchayat Samudayik Bhawan, Near Ramdev Temple, ward 53	Others	8823991295
193	Bikaner	Kherpur Bhawan	Kherpur Bhawan, Kamla colony, ward 53	Others	9414318714
194	Bikaner	PMV Palace, Near Ayurved Aousdhalay,	PMV Palace, Near Ayurved Aousdhalay, Kamla Colony, ward 53	Others	9799565958
195	Bikaner	Vidhya Bhawan	Vidhya Bhawan, Acharyo Ki Samsan ke Pass, ward 54	Others	9251808792
196	Bikaner	Heera Panna Bhawan	Heera Panna Bhawan, Ranisar Bas, Near Daru Godam, ward 54	Others	9057586747
197	Bikaner	Shree Sai Palace,	Shree Sai Palace, Nagar Nigam Bhandar, ward 54	Hotels	1512222322
198	Chhapar	Hulaschand	Ram shankar Gosala Chhapar	Others	9887966836
199	Churu	Hotel Natraj	Near Laal Ghantaghar	Hotel	9414315685
200	Churu	Rajhans Hotel	Near Railway Station	Hotel	9351390281
201	Churu	Rathore Lodge	Railway Station Road	Hotel	9460300333
202	Churu	Shakti Palace	Churu Jaipur Road	Hotel	9982000001
203	Churu	Hotel Suncity Palace	Near Lohia College	Hotel	01562-255601
204	Hanumangarh	Rajvi Palace	Town Junction Road Hanumangarh Town	Hotel	9414094889
205	Hanumangarh	Royal Paradise	Town Junction Road Hanumangarh Town	Hotel	9414092485
206	Raisinghnagar	Vagetable Market	Ward No. 24	Vegetables and Fruit Market	9414088670

2201

207	Raisinghnagar	Shri Balaji Hospital	Near PHED	Others	9079094235
208	Raisinghnagar	Dr. Raju Singla	New Light Cinema Ke Samne	Others	9587384459
209	Raisinghnagar	Dr. Makkar Hospital	E Block	Others	9414578884
210	Raisinghnagar	Dr. Mishra Hospital	E Block	Others	9414501367
211	Raisinghnagar	Celebration	Near Bus Stand	Hotels	8890044116
212	Raisinghnagar	Kalra Nursing Home	Bus Stand Road	Others	1507221515
213	Raisinghnagar	I P Hotel	Near Bank Of India	Hotels	8290418222
214	Raisinghnagar	Aggarwal Nursing Home	Panchyat Sameti Road	Others	9414223154
215	Raisinghnagar	Modern Health Care	Panchyat Sameti Road	Others	9414092100
216	Raisinghnagar	Sharma Nursing Home	Panchyat Sameti Road	Others	1507220408
217	Raisinghnagar	Bhambhu Hospitals	Panchyat Sameti Road	Others	9413377636
218	Raisinghnagar	Govt. Hospital	Opp. Mini Secretariat	Others	9667057999
219	Raisinghnagar	Black Panther	Near New Light Cinema	Hotels	9667454536
220	Shriganganagar	Govt. Hospital	Suratgarh Rd, Naiya Wali, 4 A, Rajasthan 335001	Hospitals	9413778312
221	Shriganganagar	Roadways Bus Stand	Bus Station Rd, P Block, Sri Ganganagar, Rajasthan 335001	Others	9549653234
222	Shriganganagar	Govt. Balluram Godara college	Bhagat Singh Chowk, Sri Ganganagar, Rajasthan 335001	Others	9413932580
223	Shriganganagar	Hotel Pagoda Inn	22, Ravindra Path, B Block, Sri Ganganagar, Rajasthan 335001	Hotels	8560042364
224	Shriganganagar	Hotel Prime Residency	5, Hotel Prime Presidency, Sukhadiya Cir, N Block, Sri Ganganagar, Rajasthan 335001	Hotels	9549099456
225	Shriganganagar	Sadhuwali Cantt	Abhohar Road Sri Ganganagar	Others	01542492813
226	Shriganganagar	Krishi Upaj Mandi(Fruit & Veg)	Near sukhadia circle Sri Ganganagar, Rajasthan 335001	Vegetables and Fruit Market	1542472526
227	Shriganganagar	CGR mall	Hanumangarh Rd, Near Chahal Chowk, Chahal Chowk, Jawahar Nagar, Sri Ganganagar, Rajasthan 335001	Others	8875230003
228	Shriganganagar	Bihani Group of Institutions	Gagan Path, Sri Ganganagar, Rajasthan 335001	Others	1542466775
229	Shriganganagar	Hotel Desert Gold	M-4, Moti Vihar Nr, Sukharia Circle, Meera Marg, Moti Vihar, Tilak Nagar, Sri Ganganagar, Rajasthan 335001	Hotels	1542462300
230	Shriganganagar	Railway Station	Jawahar Market Rd, Old Dhan Mandi, Sri Ganganagar, Rajasthan 335001	Others	1542442422

2202

231	Shriganganagar	Govt. Ambedkar College	Hindumalkot Road, Model Town, Water Works Colony, Sri Ganganagar, Rajasthan 335001	Others	0154244 0056
232	Shriganganagar	Ras corner	Ras corner Gol bazar Market Sir Gangangar	Eating Places	094615 65553
233	Suratgarh	Ashiyana Hotel	Ward no. 38 Suratgarh	Hotel	1509222697
234	Suratgarh	Harsh Hotel	New Moter Market Suratgarh	Hotel	9654500001
235	Suratgarh	Pachireya Hotel	NH-62 Indra Chowk Suratgarh	Hotel	9928618999
236	Dungargar	Jyotiba Fulle Sabji Mandi	Near Bus Stand, Bigga Bass)	Vegetables	-
237	Dungargar	New Sabji Mandi	Near Govt Hospital, Momasar Bass	Fruit Market	-
238	Hanumangarh	Rajvi palace	Town junction road	Resort	-

List of Bulk Waste Generators - Jaipur Division					
S. No.	ULB name	Name	Address	Type	Contact Details
1	Jaipur Municipal Corporation	LMB	Johri Bazar	Hotel	9784718629
2	Jaipur Municipal Corporation	Karma Haveli Brahmpuri, Jaipur	Brahmpuri, Jaipur	Hotel	9829052451
3	Jaipur Municipal Corporation	Pondrik Garden	Tal Katora Colony	Garden	9352555826
4	Jaipur Municipal Corporation	Hotel Royal Sheraton	Near Hawa Mahal, Chandi Ki Taksal, Old Amer Road, Kanwar Nagar, Jaipur, Rajasthan 302002	Hotel	9352895751
5	Jaipur Municipal Corporation	Jai Niwas Garden	B-91, Rajamal Ka Talab Rd, Gangori Bazaar, J.D.A. Market, Kanwar Nagar, Jaipur, Rajasthan 302002	Garden	9352555826
6	Jaipur Municipal Corporation	Bhartiya Vidhya Bhawan Vidhya Aashram shchool's	Bhaskar Puliya	Schools	9829500991
7	Jaipur Municipal Corporation	Bhagwan Mahaveer Cancer Hospitals	JLN Marg	Hospitals	9610065120
8	Jaipur Municipal Corporation	Hotel Rambagh	Rambagh Circle	Hotels	9251088848
9	Jaipur Municipal Corporation	Hotel Narayan Niwas Kanota Bag	Narayan Singh Circle	Hotels	9414820679
10	Jaipur Municipal Corporation	Hotel Lord Plaza	Tonk Road	Hotels	7665029777
11	Jaipur Municipal Corporation	ST. Saint Xavier Schools	Bhagwan Das Road, C-Scheme, Jaipur - 302001	Schools	0141-2372336
12	Jaipur Municipal Corporation	Santha bagh	Trimurti Circle JLN Marg, Jaipur	Hotels	9414054257
13	Jaipur Municipal Corporation	RBI colony	Bajaj Nagar, Jaipur	RWA	9828084859
14	Jaipur Municipal Corporation	Hotel Ramada	Raja Park, Jaipur	Hotels	8955292253
15	Jaipur Municipal Corporation	Hotel Dodas	Raja Park, Jaipur	Hotels	9414007581
16	Jaipur Municipal Corporation	Pink Square Mall	Govind Marg, Raja Park, Jaipur	mall	8955244666
17	Jaipur Municipal Corporation	Seediling Public School	Jawahar Nagar, Jaipur	Schools	9314088084
18	Jaipur Municipal Corporation	Hotel Vesta Mourya Palace	C-Scheme, Jaipur	Hotels	9251469541
19	Jaipur Municipal Corporation	Hotel Grand Uniara	JLN Marg, Jaipur	Hotels	7240443866
20	Jaipur Municipal Corporation	SDMH Hospital	Bhawani Singh Marg Ram Bag Circle, Jaipur	Hospitals	1413524444
21	Jaipur Municipal Corporation	Gyanji Cateress	Ashok nagar,C-Scheme, Jaipur	reshturent	9928036043
22	Jaipur Municipal	Birla Ouditarium	Staure Circle, Jaipur	other	9460548365

2204

	Corporation				
23	Jaipur Municipal Corporation	Saint Soldier School	Bhagwan Das Road, Jaipur	Schools	8890498301
24	Jaipur Municipal Corporation	Hotal Diggi Palace	Diggi House , Shivaji Marg, Sawai Ram Singh Rd, C Scheme, Jaipur, Rajasthan 302004	Hotels	1412373091
25	Jaipur Municipal Corporation	Hotel Red Fox	Bajaj Nagar JLN marg, Jaipur	Hotels	9694924538
26	Jaipur Municipal Corporation	S.J.Public school	Janta Colony, Jaipur	Schools	141261395
27	Jaipur Municipal Corporation	Hotel Fern Residency	A-13, Govind Marg, Jaipur	Hotel	9971695346
28	Jaipur Municipal Corporation	Mahaveer Public School	Mehaveer Marg,C-scheme Jaipur	Schools	9351406794
29	Jaipur Municipal Corporation	St. Angela Sophia Sen. Sec.School	Ghat Gate, Jaipur	Schools	1412601698
30	Jaipur Municipal Corporation	Hotel Bliss	Panchwati Sacircle 289/ Lane no.06 Raja Park, Jaipur	Hotels	2249449831
31	Jaipur Municipal Corporation	MGD Girls Public School	Swami Ram Singh Road Sangram Colony Ashok Nagar	Schools	1412374086
32	Jaipur Municipal Corporation	St.Edmunds School	Secotr 5, Jewahar nagar,Jaipur	Schools	9928091091 9928909999
33	Jaipur Municipal Corporation	Ashok Club	Bhagwan Das Rd, Opposite Secretariat, Rambagh, Jaipur, Rajasthan 302005	Club	1412385090
34	Jaipur Municipal Corporation	A.G Colony	Bajaj Nagar, NH - 8 Jaipur, Jaipur, Jaipur District, Rajasthan,	Apartment	-
35	Jaipur Municipal Corporation	Maheshwari Public School	Jawhar nagar, Sector 4, Jaipur	Schools	9680363304
36	Jaipur Municipal Corporation	Trimurti Apartment	M.G.H. 1 Model Tower Malviya Nagar, Jaipur	Apartment	0141-2750256
37	Jaipur Municipal Corporation	Shri Hospital	4-4 Vishnupuri Jagatpura Jaipur	Hospital	0141-2752880
38	Jaipur Municipal Corporation	J.T.M. Model	B 2 Model Town,Jaipur	Apartment	8890081024
39	Jaipur Municipal Corporation	OK Plus Spaces	Malviya Nagar, Jaipur	Commercial Building	8890288999
40	Jaipur Municipal Corporation	Alien Mall	Malviya Nagar, Jaipur	Mall	7728896859
41	Jaipur Municipal Corporation	Agrawal Hospital	S.P. 3 Malviya Industries Area Apex Circle Malviya Nagar jaipur	Hospital	9460889939
42	Jaipur Municipal Corporation	Apex Hospital	Malviya Nagar, Jaipur	Hospital	9460889939
43	Jaipur Municipal Corporation	C 2 Plaza	Near Apex Circle, Jaipur	Resort	-
44	Jaipur Municipal Corporation	Kanha Restaurent	Tonk Road Gopalpura,Jaipur	Restaurent	9785401325
45	Jaipur Municipal	Bombay Misthan	1212 Jai Jawan Colony, Tonk Road,	Restaurent	9829055442

2205

	Corporation	Bhandar	Durgapura, Jaipur		
46	Jaipur Municipal Corporation	Kesar Restaurent	K. 44 Income Tax Colony S.L. Marg, Jaipur	Restaurent	9829099033
47	Jaipur Municipal Corporation	Fort Restaurent	P-20,S.L. Marg, Jaipur	Restaurent	9928813399
48	Jaipur Municipal Corporation	Bajaj Nagar Vyapar Mandal	Bajaj Nagar, Jaipur	Vyapar Mandal	7891888333
49	Jaipur Municipal Corporation	Pinliya Marrige Garden	A-47,Bajaj Nagar, Jaipur	Marrige Garden	9514055389
50	Jaipur Municipal Corporation	Marrige Paradise	Jai Jawan colony, J.L.N. Marg, Jaipur	Marrige Garden	9785000036
51	Jaipur Municipal Corporation	Ganpati Paradise	Jai Jawan colony, J.L.N. Marg, Jaipur	Marrige Garden	9352621199
52	Jaipur Municipal Corporation	Jaipur Place Garden	H 10,S.L. Marg, Jaipur	Marrige Garden	9314621033
53	Jaipur Municipal Corporation	Jaipuria Hospital	Milap Nagar,Jaipur	Hospital	9829010320
54	Jaipur Municipal Corporation	Hotel Charu	Raja Park, Jaipur	Hotel	9829000053
55	Jaipur Municipal Corporation	Hotel King Corner	555,Gali No. 6,Raja Park,Jaipur	Hotel	9660203001
56	Jaipur Municipal Corporation	Hiltop Plaza	Goal MarketRoad No. 2 Jawahar Nagar,Jaipur	Plaza	9829247485
57	Jaipur Municipal Corporation	Umang Community Hall	Burmiese Colony,Z-5-A, Jaipur	Communit y Hall	9314060096
58	Jaipur Municipal Corporation	Vaibhav Apartment	Sethi Colony, Jaipur	Apartment	9983835546
59	Jaipur Municipal Corporation	Unnati Paradise	Sethi Colony, Jaipur	Apartment	8696913682
60	Jaipur Municipal Corporation	Lakshdeep Apartment	Plot No. 25-26 Sethi Colony, Jaipur	Apartment	9829053375
61	Jaipur Municipal Corporation	Metrical Mall	Sector No. 4 SBI Bank,Jaipur	Mall	9829010540
62	Jaipur Municipal Corporation	Shibham Apartment	Sector No. 3 Jawahar Nagar,Jaipur	Apartment	9829054194
63	Jaipur Municipal Corporation	Janupyogi kendra	Sector No. 4 Jawahar Nagar, Jaipur	Janupyogi kendra	9314909277
64	Jaipur Municipal Corporation	Bhuppe House	Sector No. Jawahar Nagar,Jaipur	Apartment	7877774377
65	Jaipur Municipal Corporation	Hotel Divine	149 Bag Singh ka Divine Chauraha Adarsh Nagar, Jaipur	Hotel	7023590003
66	Jaipur Municipal Corporation	SDC Green Park Apartment	Janta Colony,SS School k Pas,Jaipur	Apartment	7014226459
67	Jaipur Municipal Corporation	Samudaik Kendra	Janta Colony, Jaipur	Samudaik Kendra	9351543729
68	Jaipur Municipal Corporation	Moti Aashirwad	A 29, Janta Colony Circle k Pas, Jaipur	Apartment	-
69	Jaipur Municipal Corporation	Tadka Lali Restaurent	20 Dukan Aadarsh Nagar,Jaipur	Restaurent	9829872007
70	Jaipur Municipal	Mohan Dhaba	20 Dukan Aadarsh Nagar,Jaipur	Restaurent	8107721213

2206

	Corporation				
71	Jaipur Municipal Corporation	Bhagat Singh Park	Goving Marg, Ramana Hotel k Samne ,Jaipur	Garden	9414991984
72	Jaipur Municipal Corporation	Jaipur Jungle	Govind Marg,Jaipur	Restaurent	9828590509
73	Jaipur Municipal Corporation	Jaipur Darbar	Govind Marg,Near Baidk Kanya School, Jaipur	Hotel	8949663148
74	Jaipur Municipal Corporation	Balaji Bhojnalya	MD Road Sanganer Gate, Jaipur	Restaurent	9829021598
75	Jaipur Municipal Corporation	Balaji Mishthan Bhandar	MD Road Sanganer Gate, Jaipur	Restaurent	0141-2614757
76	Jaipur Municipal Corporation	Gum Shakahari Dhaba	MD Road Sanganer Gate, Jaipur	Restaurent	9950831591
77	Jaipur Municipal Corporation	Hotel Chandra Mahal	MD Road Sanganer Gate, Jaipur	Hotel	9412619351
78	Jaipur Municipal Corporation	Hotel Firoz	MD Road Masjid K Pas, Jaipur	Hotal	0141-2602952
79	Jaipur Municipal Corporation	Nafisa Hotel	MD Road Masjid K Samne,Jaipur	Hotel	9772454875
80	Jaipur Municipal Corporation	Musafir khana	MD Road, Jaipur	Guest House	9414061254
81	Jaipur Municipal Corporation	T.C. Hospital	MD Road, Jaipur	Hospital	-
82	Jaipur Municipal Corporation	Dr. kamal Jain	MD Road, Jaipur	Hospital	-
83	Jaipur Municipal Corporation	Bombay Mishthan Bhandar	Sanganer Gate, Jaipur	Restaurent	-
84	Jaipur Municipal Corporation	Ratan Puri Chaat Bhandar Veg Hotel	Lodha ka mohalla,sanganer gate,Jaipur	Restaurent	-
85	Jaipur Municipal Corporation	Hotel Broadway	Transport Nagar, Choraha Haveli Shahar , Jaipur	Hotel	-
86	Jaipur Municipal Corporation	Hotel Jypore	Transport Nagar, Choraha Haveli Shahar , Jaipur	Hotel	-
87	Jaipur Municipal Corporation	Hotel Mark In	Transport Nagar Jaipur	Hotel	-
88	Jaipur Municipal Corporation	Jagdish Bhojnayalya	Sanganer Gate, Jaipur	Restaurent	-
89	Jaipur Municipal Corporation	Pink City Harritage Restorant	Parwat Colony,amer road,Jaipur	Restaurent	-
90	Jaipur Municipal Corporation	Hotel Ashok Palace	Govind Vatika Panchmukhi Hanumaan mandir ke pas	Hotel	-
91	Jaipur Municipal Corporation	Hotel Vijay palace	Ghat gate bazar ramganj jaipur	Hotel	-
92	Jaipur Municipal Corporation	Shimla Hotel	Chokdi ramchandra ji, Jaipur	Hotel	-
93	Jaipur Municipal Corporation	Hotel Sun City	Chokdi Gangapole Rval ji ka bag Jaipur	Hotel	-
94	Jaipur Municipal Corporation	Haiwas Garden	Agra Road,Paldi Meena, Jaipur	Garden	-
95	Jaipur Municipal	K.K. Paradise	Agra RoadJ Amdoli Prem Nagar,	Garden	-

2207

	Corporation		Jaipur		
96	Jaipur Municipal Corporation	Golden Marriage Garden	Jamdoli, behind Apollo Hospital, Jaipur	Garden	-
97	Jaipur Municipal Corporation	Rajmahal Garden	Model Town Agra road, Jaipur	Garden	-
98	Jaipur Municipal Corporation	Star Marriage Garden	Shikariyo ki Mori, Ramganj choupad, Jaipur	Garden	-
99	Jaipur Municipal Corporation	Prem Marriage Garden	Chokdi gangapole raval ji ka bag, Jaipur	Garden	-
100	Jaipur Municipal Corporation	Park Reagis	Amer Road, Jaipur	Hotels	7340034450
101	Jaipur Municipal Corporation	Lebua Lodge	Amer Road, Jaipur	Hotels	8003190552
102	Jaipur Municipal Corporation	Hotel Trident	Jal Mahal Amer Road, Jaipur	Hotels	9694090110
103	Jaipur Municipal Corporation	Hotel Raj Palace	Jorawar Singh Gate Amer road, Jaipur	Hotels	-
104	Jaipur Municipal Corporation	Hotel Indana Palace	Amer Road, Jaipur	Hotels	9116107011
105	Jaipur Municipal Corporation	K.K.Royal Days	Amer Road, Jaipur	Hotels	-
106	Jaipur Municipal Corporation	Hotel Regenta Central	Opposite Jal Mahal Amber Road	Hotel	8003990885
107	Jaipur Municipal Corporation	Amer City Heritage Hotel	B-2 Gupta Garden Amer Road Jaipur	Hotel	9352559444
108	Jaipur Municipal Corporation	Umaid Residency	SR 62,63,64 Riico Kukas, Jaipur	Hotel	-
109	Jaipur Municipal Corporation	Umaid Haveli Hotels Resort	Old Campus Road Riico Kukas, Jaipur	Hotel	-
110	Jaipur Municipal Corporation	M/s Shri Ram Palace	08, Jorawar Singh Gate Kay Pas, Amer Road, Jaipur	Hotel	9314402002
111	Jaipur Municipal Corporation	M/s Holiday Inn	Plot No.01 Golimar Garden Scheme Amer Road Nagar Nigam colony, Jaipur	Hotel	7340034450
112	Jaipur Municipal Corporation	Roma Palace	Dushera Koti, Govind Nagar East, Amer Road Jaipur	Hotel	9928999491
113	Jaipur Municipal Corporation	Amer City Heritage Hotel	Gupta Garden, Near Brahmpuri Police Station, Amer Road Jaipur	Hotel	9782173415
114	Jaipur Municipal Corporation	T.T. food Product Palace	Amer Road, Jaipur	Hotel	9414784586
115	Jaipur Municipal Corporation	R.R. Palace	Near Jorawar Singh Gate, Jaipur	Hotel	-
116	Jaipur Municipal Corporation	Nehru Sewa Sadan Palace	Amer Road, Jaipur	Community Hall	9761309797
117	Jaipur Municipal Corporation	Vijay Villa	Dushera Koti, Govind Nagar East, Amer Road, Jaipur	Marriage Garden	9414049318
118	Jaipur Municipal Corporation	Krishna Marriage Garden	Jaipur	Marriage Garden	-
119	Jaipur Municipal Corporation	Ajim Marriage Garden	Karbala Ground, Hajrat Ali Nagar, Ramgarh Mode Jaipur	Marriage Garden	-

2208

120	Jaipur Municipal Corporation	Keshar Palace	Amer Road Jalmahal, Jaipur	Hotel	9309404006
121	Jaipur Municipal Corporation	Jai Palace	Amer Road Jalmahal, Jaipur	Hotel	9784137771
122	Jaipur Municipal Corporation	Pink City Restaurant	kalay hanuman Gi Road, Kagdiwara, Rajivpuri, Jaipur	Hotel	0141-2671475
123	Jaipur Municipal Corporation	Pink City Restaurant	Amer Road , Jaipur	Hotel	7014541310
124	Jaipur Municipal Corporation	M.M Khan Hotel	Ramgarh Mod, Amer Road, Jaipur	Hotel	7820955537
125	Jaipur Municipal Corporation	Namaste Rajasthan Restaurant	Ploat No. 1, Govind Puri (West), Near Ramgarh Mod, Amer Road, Jaipur, Rajasthan 302002	Hotel	9828467122
126	Jaipur Municipal Corporation	Rainbow Restaurant	37-B,Pratap Nagar, Rainbow Restaurant, 72, Near Post Office, Ramgarh Mod, Amer Rd, Jagdish Colony, Chhipiwara, Parasrampuri, Jaipur, Rajasthan 302002	Hotel	141 267 2237,800360408 5
127	Jaipur Municipal Corporation	New Thali Restaurant	219/2, New Ramgarh Mod, Near Jal Mahal, Amer Rd, Jagdish Colony, Chhipiwara, Parasrampuri, Jaipur, Rajasthan 302002	Hotel	9401433854
128	Jaipur Municipal Corporation	Jaipur Darbar - The Rooftop Lounge	11, 1, Govind Marg, near Anand Puri, Anand Puri, Bees Dukan, Raja Park, Jaipur, Rajasthan 302004	Hotel	89496 63148
129	Jaipur Municipal Corporation	Trident Hotel Jaipur	Amber Fort Road, Jal Mahal, Jaipur, Rajasthan 302002	Hotel	9694090112,014 1 267 0101
130	Jaipur Municipal Corporation	Pushp Garden	Bas Badanpura Road	Marriage Garden	9950953380
131	Jaipur Municipal Corporation	Anand Garden	10B, Gangopal Rd, Deewan Colony, Suraj Colony, Shankar Nagar, Jaipur, Rajasthan 302002	Marriage Garden	9982360320
132	Jaipur Municipal Corporation	Nand Vatika	29, Nh-11c, Ghanshyam Colony, Shankar Nagar, Jaipur, Rajasthan 302002	Marriage Garden	9887231265
133	Jaipur Municipal Corporation	Patti Garden	Opposite Bibi Fatima Colony, Jaipur	Marriage Garden	9079869174
134	Jaipur Municipal Corporation	Prime Hotel	S1,2,3 Krishna Colony, Near Beniwal Kanta, New Ramgarh Road, Jaipur, Rajasthan 302002	Hotel	8860186030
135	Jaipur Municipal Corporation	Hotel Royal View	Ramgarhmode, Bibi Fatima Colony, R- 18, Jaipur, Rajasthan 302002	Hotel	9829062404,099 116 46656
136	Jaipur Municipal Corporation	The Haritage Hotel	4-5, Manpur Sadva, Jaipur	Hotel	9636404015
137	Jaipur Municipal Corporation	Manbag Palace Marriage Garden	Manbag, Delhi Road, Jaipur	Marriage Garden	9782291813
138	Jaipur Municipal Corporation	New Anand Marriage Garden	Near Shanichar mandir, Jaisinghpura Khor, Jaipur	Marriage Garden	9928700214
139	Jaipur Municipal	K.K. Paradise	Klan ki Scheme, Nayala Road,	Marriage	9829541686

2209

	Corporation	Marriage Garden	Jaipur	Garden	
140	Jaipur Municipal Corporation	Girdhari Marriage Garden	Lachhu baba ki bagachi, Jaisinghpur Khor, Jaipur	Marriage Garden	9667187700
141	Jaipur Municipal Corporation	Radhika Marriage Garden	Near Chavand mata, Jaisinghpura Khor, Jaipur	Marriage Garden	7014585203
142	Jaipur Municipal Corporation	Patel Marriage Garden	Nayla Road, Bada Gaila, Jaisinghpura Khor, Jaipur	Marriage Garden	9784637008
143	Jaipur Municipal Corporation	Raja Marriage Garden	Super Bazar, Jaipur	Marriage Garden	9829473426
144	Jaipur Municipal Corporation	Heva Heaven Resort	Jaisinghpura Khor, Jaipur	Marriage Garden	9829984932
145	Jaipur Municipal Corporation	Hotel Park Inn	BaniPark, Jaipur	Hotel	-
146	Jaipur Municipal Corporation	Hotel Paradise	Sikar Road, Jaipur	Hotel	0141-6700700
147	Jaipur Municipal Corporation	Hotel Lemon Tree	Bani Park, Jaipur	Hotel	-
148	Jaipur Municipal Corporation	Hotel Park Ocean	Metal Colony, Jaipur	Hotel	9783077755
149	Jaipur Municipal Corporation	Hotel Libra	Sikar Road, Jaipur	Hotel	9929647952
150	Jaipur Municipal Corporation	Sumaditya	Sikar Road, Jaipur	Hotel	9829005453
151	Jaipur Municipal Corporation	Hotel Chandrgupta	Sindhi Camp outgate, Jaipur	Hotel	1412206301
152	Jaipur Municipal Corporation	Royal Paradise Marriage garden	New Loha Mandi, Sikar Road, Jaipur	Marriage Garden	9928925125
153	Jaipur Municipal Corporation	Housing Board	Housing board Sabj Mandi, Jaipur	Housing Board	9414046293
154	Jaipur Municipal Corporation	Bajrang Dhaba	Ramanagar Shopping Centre, Jaipur	Hotel	-
155	Jaipur Municipal Corporation	Annpurna Dhaba	Ramanagar Shopping Centre, Jaipur	Hotel	-
156	Jaipur Municipal Corporation	EC de Shopping Mall	Near Kawantiya Circle Jan Mandir, Jaipur	Shopping Centre	9929026002
157	Jaipur Municipal Corporation	Hotel Hemestal Park	Shivmarg-222 B, Jaipur	Hotel	9887403069
158	Jaipur Municipal Corporation	Khandaka Marriage Garden	Jhakesvar Marg Bani Park, Jaipur	Marriage Garden	9414078563
159	Jaipur Municipal Corporation	Kamal Appartment	Ram Mandir Road, Near Jaipur Metal, Jaipur	Apartment	9829011152
160	Jaipur Municipal Corporation	Jai Ambe Pavitra Bhojanlay	Sindhi Camp outgate, Jaipur	Hotel	93146660468
161	Jaipur Municipal Corporation	Khadelwal Pavitra Bhojalaya	Sindhi Camp outgate, Jaipur	Hotel	9351626999
162	Jaipur Municipal Corporation	Taxi Kichen In	Sindhi Camp outgate, Jaipur	Hotel	9001738991
163	Jaipur Municipal Corporation	Deep Dhaba And Take Away	Sindhi Camp outgate, Jaipur	Hotel	9351629999
164	Jaipur Municipal	Thali Hotel vala	Sindhi Camp outgate, Jaipur	Hotel	9001738991

2210

	Corporation				
165	Jaipur Municipal Corporation	Shri Kanha Sweets and Kates	14 no Pulia stand seekar road, Jaipur	Hotel	9928595152
166	Jaipur Municipal Corporation	Serawat Juice Centre	14 No Circle Sekar Road, Jaipur	Juice Centre	8302444442
167	Jaipur Municipal Corporation	Saini Pavitra Bhijnalya	Jodala Mode Sikar Road, Jaipur	Hotel	9461543863
168	Jaipur Municipal Corporation	Dev kamal Hotel	Near Anokha Gaun Sikar road, Jaipur	Hotel	9783147429
169	Jaipur Municipal Corporation	Shiv Dhaba	Jodala Power house, Jaipur	Hotel	9549985797
170	Jaipur Municipal Corporation	Tanvar Restaurants	Near harmada In Front of Govt Hostel, Jaipur	Hotel	9928549427
171	Jaipur Municipal Corporation	Saini Restaurants	Near Harmada Thana, Jaipur	Hotel	9928549427
172	Jaipur Municipal Corporation	Shri Ram Dhaba	Rilence Market no 12 VKI Area Sikar Road, Jaipur	Hotel	9460150583
173	Jaipur Municipal Corporation	Hotel Shri Ram Palace	S 18 RICO Complex near delhi Pulia, Jaipur	-	-
174	Jaipur Municipal Corporation	Baba Hotel Restaurants	Road no 14 Sikar Road, VKI area, Jaipur	Hotel	9021100000
175	Jaipur Municipal Corporation	Hans Peacock garden	Road No 12 sikar road , Jaipur	-	-
176	Jaipur Municipal Corporation	Hotel Park Inn	BaniPark, Jaipur	Hotel	-
177	Jaipur Municipal Corporation	Hotel Paradise	Sikar Road, Jaipur	Hotel	-
178	Jaipur Municipal Corporation	Hotel lemon Tree	Bani Park, Jaipur	Hotel	-
179	Jaipur Municipal Corporation	Hotel Park Ocean	Metal Colony, Jaipur	Hotel	-
180	Jaipur Municipal Corporation	Hotel Libra	Sikar Road, Jaipur	Hotel	-
181	Jaipur Municipal Corporation	Sumaditya	Sikar Road, Jaipur	Hotel	-
182	Jaipur Municipal Corporation	Hotel Chandrgupta	Sindhi Camp outgate, Jaipur	Hotel	-
183	Jaipur Municipal Corporation	Royal Paradise Marriage garden	New Loha Mandi, Sikar Road, Jaipur	Marriage Garden	-
184	Jaipur Municipal Corporation	Ohm Shiv Sweet	Ohm Shiv Plaza Jawala mata mandir charan damu nadi benad Road, Jaipur	Restaurant	9829265934
185	Jaipur Municipal Corporation	Apno Gaun Hotel	Sikar Road VKI area, Jaipur	Hotel	9413343477
186	Jaipur Municipal Corporation	Rameshwar Garden	14 No Sikar road, Jaipur	Garden	9314509884
187	Jaipur Municipal Corporation	Balaji Pavira Bhojanalya	new Loha Mandi, Sikar Road, Jaipur	Restaurant	9929471826
188	Jaipur Municipal Corporation	B R Paradise Marriage Garden	NEw loha mandi road petrol pump ke pass macheda, Jaipur	Marriage Garden	9950122000

2211

189	Jaipur Municipal Corporation	Sharma Tandoori Dhaba	road no 12 reilience market ke samne	Restaurants	9602343399
190	Jaipur Municipal Corporation	Ashok Dhaba	Road No. 12 Sikar Road, Jaipur	Restaurants	9509812470
191	Jaipur Municipal Corporation	Shiv Shakti Mishthan Bhandar	Road No 14 ke saamne Sikar road, Jaipur	Restaurants	9351562889
192	Jaipur Municipal Corporation	Savariya Sweets and Juice Centre	17 new loha mandi corner ajmer bypass, 14 No Jaipur	Restaurants	9928519845 8302359083
193	Jaipur Municipal Corporation	Shri Laxmi Mishtan Bhandhar	Road No 14 ke saamne Sikar road	Restaurants	8058861289
194	Jaipur Municipal Corporation	Krishna Sweets	Road no 12 ke samne Punjab National Bank ke pass sikar road	Restaurants	9414254116 9166218873
195	Jaipur Municipal Corporation	Maharaj Mishthan Bhandhar	New Loha Mandi road no 14, viskarma Jaipur	Restaurants	9314634103
196	Jaipur Municipal Corporation	Rani Bagh Marriage Garden	Seetavali Pathak Benad ROad Rajendra Nagar	Marriage Garden	9828159551
197	Jaipur Municipal Corporation	Rang Mahal Marriage Garden	Balaji College vali road sitavali Phathak, Beand Road,Jaipur	Marriage Garden	9950695551
198	Jaipur Municipal Corporation	Jai Vilash Resort & Garden	Balaji College vali road sitavali Phathak, Beand Road,Jaipur	Marriage Garden	9314933158
199	Jaipur Municipal Corporation	Shyam Restaurants	Road no 16,Jaipur	Restaurants	7610027036
200	Jaipur Municipal Corporation	Choudhary Restaurants	Road no 9,Jaipur	Restaurants	9784203281
201	Jaipur Municipal Corporation	Mithan Lal Restaurants	Road no 12,Jaipur	Restaurants	9784541315
202	Jaipur Municipal Corporation	Alishan Bakers	Road No 17,Jaipur	Bakers	735731983
203	Jaipur Municipal Corporation	Kamlesh Misthan Bhandhar	Road No 17,Jaipur	misthan Bhandhar	9694033550
204	Jaipur Municipal Corporation	Shyam Bhandhar	Road 17,Jaipur	Restaurants	7610027036
205	Jaipur Municipal Corporation	Rajawet Restaurants & Juice centre	Road No 17,Jaipur	Restaurants	7230993591
206	Jaipur Municipal Corporation	Gurjar Hotel	12 No ke pass,Jaipur	hotel	9314606238
207	Jaipur Municipal Corporation	Yadav Restaurants	9 No road ke pass,Jaipur	Restaurants	9950511581
208	Jaipur Municipal Corporation	Commercial Market	1 No road,Jaipur	Commercial Market	9829061667
209	Jaipur Municipal Corporation	Sabji Mandi	Police Thane ke peeche Kedia Road Murlipura,Jaipur	Sabji Mandi	9664153381
210	Jaipur Municipal Corporation	Brijesh Sweets	A 455,456, Murlipura Scheme Jaipur	Sweet Shop	9829050310
211	Jaipur Municipal Corporation	Shankar Dhaba	A 160, Shiv Nagar Murlipura,Jaipur	Restaurants	7976712646
212	Jaipur Municipal Corporation	Choudhary Dhaba	Road No 1 Sikar road Jaipur,Jaipur	Restaurants	9636000111
213	Jaipur Municipal Corporation	Taj Hotel	Road No 2, sikar road,Jaipur	Hotel	9829114786

2212

214	Jaipur Municipal Corporation	Kani Ram Sweets & Restaurants	Road No 2, dena bank ke samne, sikar road, Jaipur	Restaurants	9829013153
215	Jaipur Municipal Corporation	Star Vali Housing welfare society	Plot no 2 to 7, jamnapuri murlipura,, Jaipur	Housing society	9928666725
216	Jaipur Municipal Corporation	Apecha Group Housing	Road No 2, murlipura, Jaipur	Housing society	8832032105
217	Jaipur Municipal Corporation	Rajat Paradise	Rajat Vihar, Dadi Ka Phatak,, Jaipur	Marriage Garden	7062721000
218	Jaipur Municipal Corporation	Narayan Vatika	Mataji Mandir Ke pass Dev Nagar, Jaipur	Marriage Garden	9784016060
219	Jaipur Municipal Corporation	Krishna Marriage Garden	Shiv Durga Mandir ke Pass Vijay Nagar	Marriage Garden	9829546060
220	Jaipur Municipal Corporation	Gulab Paradise	Dev Nagar	Marriage Garden	9667626599
221	Jaipur Municipal Corporation	The Hotel Royal Haweli	Kedia Circle Murlipura	Hotel	9928715077
222	Jaipur Municipal Corporation	Hotel Jaipur INA	Kedia Circle Murlipura	Hotel	9694680228
223	Jaipur Municipal Corporation	Sekhawatai Saini Pavitra Bhojalya	Dadi Ka Phatak	Restaurants	722087594
224	Jaipur Municipal Corporation	Kahdekwal Pavitra Bhojalya	Dadi Ka Phatak	Restaurants	9523202070
225	Jaipur Municipal Corporation	Sharma Dhaba	Kedia Circle Murlipura	Restaurants	8504089980
226	Jaipur Municipal Corporation	Mahadev Hospital	Plot No 22, Nadi Ka phatak kainad road murlipura	Hospital	9928039569
227	Jaipur Municipal Corporation	Anjani marriage garden	Narayan vihar, nangal jesa bohra	Marriage Garden	7014642325
228	Jaipur Municipal Corporation	Krishna paradise	Krishna colony nangal road	Marriage Garden	7610080000
229	Jaipur Municipal Corporation	Welcome balaji marriage paradise	Rameshwar dham colony	Marriage Garden	9549206349
230	Jaipur Municipal Corporation	Yagdutt Paradise	Niwaru road	Marriage Garden	992953008
231	Jaipur Municipal Corporation	Dhirawat Paradise	Green park E nangal	Marriage Garden	9929485381
232	Jaipur Municipal Corporation	Kalyan Marriage Paradise	Benad road nadi ka phatak	Marriage Garden	97846572055
233	Jaipur Municipal Corporation	Ashok Marriage Garden	Bajrang colony nangal jesa bohra	Marriage Garden	9828086624
234	Jaipur Municipal Corporation	Meena Paradise	Green park E nangal jesa bohra	Marriage Garden	9351972280
235	Jaipur Municipal Corporation	Yadav Dudh Dahi misthan bhandar anand vihar	Narayan nagar anand vihar benad road	Sweet Shop	9666057616
236	Jaipur Municipal Corporation	Katariya sweets misthan bhandar	Sita bihar benad road	Sweet Shop	9950106496
237	Jaipur Municipal Corporation	Bal bhog sweets caters	Green park colony benad road	Sweet Shop	9680188450
238	Jaipur Municipal	Dawat sweets caters	Shiv nagar benad road	Sweet	7568089821

2213

	Corporation			Shop	
239	Jaipur Municipal Corporation	Sajoria sweets misthan bhandar	Shiv nagar benad road	Sweet Shop	9928099932
240	Jaipur Municipal Corporation	Jodhpur misthan bhandar	Narayan nagar sita vihar benaad road	Sweet Shop	9829965635
241	Jaipur Municipal Corporation	Jodhpur sweets	Laxmi nagar tiraha newaru road, jotwara	Sweet Shop	9799383470
242	Jaipur Municipal Corporation	Guddu biryani dhaba	Sainik marg kalawad road, jhotwara	Restaurant	9782978295
243	Jaipur Municipal Corporation	Islami Chicken Center	Sainik marg, jhotwara	Restaurant	7732807876
244	Jaipur Municipal Corporation	Yadav Restaurant	Dadi ka phatak	Restaurant	8058652539
245	Jaipur Municipal Corporation	Yadav Pavitra bhojnalay	Shalimar chauraha	Restaurant	8824998355
246	Jaipur Municipal Corporation	Govind Bhojnalay	Anand chauraha	Restaurant	9829390105
247	Jaipur Municipal Corporation	Radha Govind vivah sthal	By pass,Jaipur	marriage garden	9252999699
248	Jaipur Municipal Corporation	Utsav Marriage Garden	Narayan nagar vistar benad road	marriage garden	9667626599
249	Jaipur Municipal Corporation	Rudraksh Apartment	Road no-1, opposite to murlipura police station, theme colony	Apartment	8852032105
250	Jaipur Municipal Corporation	U.D.B Skyway harikripa builder pvt limited 4 d campus	harikripa builder pvt limited 4 d campus road no-1	Apartment	8107320623
251	Jaipur Municipal Corporation	Hotel Desert raka	Plot no-152 pashuram nagar daher ke balaji sikar road	Hotel	7412041857
252	Jaipur Municipal Corporation	Hotel Nandraj	Plot-2 ratan nagar sikar road	hotel	9929504999
253	Jaipur Municipal Corporation	Hotel kanaji sweets	Plot-32 bandhu nagar sikar road	hotel	9829886670 0141-2235579
254	Jaipur Municipal Corporation	Aruma hotel sikar road	Plot-10,11, sikar road near alka cinema	Hotel	9784303934
255	Jaipur Municipal Corporation	Nilgiri hotel	Plot-1,2,3 sikar road	Hotel	9829150895
256	Jaipur Municipal Corporation	Manuhar hotel	Plot-20 prawasinagar	Hotel	9001064000
257	Jaipur Municipal Corporation	Syamwar garden	Road no-7, plot no-352,355	marriage garden	98296442747
258	Jaipur Municipal Corporation	Ankur marriage garden	Ankur marriage garden behind alka cinema sikar road	marriage garden	9982030650
259	Jaipur Municipal Corporation	Alka marriage garden	Behind alka cinema sikar road	Marriage garden	9414408610 9314504901
260	Jaipur Municipal Corporation	Um marriage garden	Plot-5,6,7,8,9 sikar road near allka cinema	Marriage garden	7597624577
261	Jaipur Municipal Corporation	Goyal marriage garden	Murlipura scheme opposite to sabzi mandi	Marriage garden	9785959597
262	Jaipur Municipal Corporation	Rattan marriage garden	Road no-1	Marriage garden	8233346103

2214

263	Jaipur Municipal Corporation	Govindam shekhwati dhaba	Shop no-10,11 murlipura opposite to beed school sikar road	Restaurant	9314151092
264	Jaipur Municipal Corporation	Shyam dhaba patrika bhojnalay	Dadi badi market near alka cinema	Restaurant	8502011682
265	Jaipur Municipal Corporation	Green chilled fast food	Near alka cinema sikar road sant bandhu colony	Restaurant	9352643520
266	Jaipur Municipal Corporation	Sharma pavitra bhojnalay	Near alka cinema sikar road sant bandhu market	Restaurant	9251066693
267	Jaipur Municipal Corporation	Shree shyam restaurant	Near alka cinema sikar road sant bandhu market	Restaurant	9928047736
268	Jaipur Municipal Corporation	Nek char bagh	Plot-4 girdhar colony sikar road	Restaurant	9829886670
269	Jaipur Municipal Corporation	Balaji dhaba	Girdhar colony opposite to manipal hospital sikar road	Restaurant	9782180084
270	Jaipur Municipal Corporation	Minku restaurant shiv nagar murlipura thana road	Shiv nagar murlipura police station road	Restaurant	9414257958
271	Jaipur Municipal Corporation	Kaser Kudh	Sector 7 Vidhyadhar Nagar		9928084458
272	Jaipur Municipal Corporation	Gotam Garden	Sector 7 Vidhyadhar Nagar	Garden	9928084458
273	Jaipur Municipal Corporation	Annapurna Sweets Caterers	G-1 Ganeshm Plaja Sinestar Ke Samne Vidhyadhar Nagar Central Spain Jaipur	sweets caterers	9314899942
274	Jaipur Municipal Corporation	Tipsi Restaurant	Ganpati Paradise, Central Spine, Vidyadhar Nagar	Restaurant	9314872191
275	Jaipur Municipal Corporation	Alankar Plaza	Alankar Plaza Central Spine Vidhyadhar Nagar	Plaza	9571200444
276	Jaipur Municipal Corporation	Visprig Pam Hotal	Sun And Moon Complex Sector-4 Vidhyadhar Nagar	Hotal	-
277	Jaipur Municipal Corporation	Smadity Hotal	Sikar Road Bhawani Niketan Ke Samne	Hotal	9829005453
278	Jaipur Municipal Corporation	Libra Hotal	Sikar Road Bhawani Niketan Ke Samne	Hotal	9929647952
279	Jaipur Municipal Corporation	Park Oshiyan	Sikar Road Bhawani Niketan Ke Samne	-	9783077755
280	Jaipur Municipal Corporation	Hotal Paradise	Sikar Road Bhawani Niketan Ke Samne	Hotal	0141-6700700
281	Jaipur Municipal Corporation	Madhv Park Lic Flate	Sector-2 Vidhyadhar Nagar	Park	-
282	Jaipur Municipal Corporation	Durga Park	Sector-2 Vidhyadhar Nagar	park	-
283	Jaipur Municipal Corporation	Marriage Garden Prem Kunj	Sector-2 Vidhyadhar Nagar	Marriage Garden	-
284	Jaipur Municipal Corporation	Utsav Garden	Sector-2 Vidhyadhar Nagar	Garden	-
285	Jaipur Municipal Corporation	Toran Vivah Sthal	Main Sikar Road		-
286	Jaipur Municipal Corporation	Sabji Mandi Foji Kchchi	Ambabari	Sabji Mandi	-

2215

287	Jaipur Municipal Corporation	Chomu Puliya Sabji Mandi	Chomu Puliya Circle	Sabji Mandi	-
288	Jaipur Municipal Corporation	Samudayik Kendra Ambabari	Adarsh Vidya Mandir Ke Samne Ambabari	-	-
289	Jaipur Municipal Corporation	Samudayik Kendra J.D.A.	Sector-3 Vidhyadhar Nagar Ganesh Park Ke Samane	-	-
290	Jaipur Municipal Corporation	Sharma Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	9119299021
291	Jaipur Municipal Corporation	Hanuman Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	9829503820
292	Jaipur Municipal Corporation	Saty Pavitra Bhojnalaya	Jhotwara Puliya Ke Paas	Restaurant	8824533467
293	Jaipur Municipal Corporation	Titan Mall	Jhotwara Puliya Ke Paas Kalawad Road	Mall	9783955999
294	Jaipur Municipal Corporation	Chetram Mall	Ambabari Petrol Pump Ke Pass Kalwar Road	Mall	-
295	Jaipur Municipal Corporation	Gangasugar Meal	Durga Colony Dahar Ka Balaji Station Ke Paas Jhotwara	Meal	-
296	Jaipur Municipal Corporation	Saini Sabji Bhandar	Saini Sabji Bhandar Kalawad Road Jhotwara	Mall	9636454559
297	Jaipur Municipal Corporation	Sabji Bhandar Mall	Sabji Bhandar Mall Kalawad Road Jhotwara	-	9413148796
298	Jaipur Municipal Corporation	Saini Fal Sabji Bhandar	Saini Fal Sabji Bhandar Kalawad Road Jhotwara	-	-
299	Jaipur Municipal Corporation	Panjabi Tadka Dhaba	Panjabi Tadka Dhaba Kalawad Road Jhotwara	-	-
300	Jaipur Municipal Corporation	Hanuman Vatika Vivah Sthal	Hanuman Vatika Vivah Sthal Kalawad Road Jhotwara	Marriage Garden	-
301	Jaipur Municipal Corporation	Kanchan Deep Vivah Sthal	Kanchan Deep Vivah Sthal Kata Choraha Jhotwara	Marriage Garden	-
302	Jaipur Municipal Corporation	Sarovar Udhan	Sarovar Udhan Railway Station Ke Paas Tara Nagar Jhotwara	-	-
303	Jaipur Municipal Corporation	Karni Udhan	Karni Udhan Khirni Fatak Road Taranagar Ganesh Mandir Jhotwara	-	-
304	Jaipur Municipal Corporation	Agarwal Sweets	Agarwal Sweets Kalawad Road Bank Ke Paas Jhotwara	-	-
305	Jaipur Municipal Corporation	Shriram Vatika Vivah Sathal	Shri Ram Vatika Vivah Sathal Boring Choraha Kalawad Road Jhotwara	Marriage Garden	-
306	Jaipur Municipal Corporation	Narayan Restaurant Juice Centre	Kanta Choraha Kalwad Road Jhotwara	Restaurant Juice Centre	9314441378
307	Jaipur Municipal Corporation	Manpasand Dhaba And Pavitra Bhojnalaya	Pandit Ji Ka Choraha Main Kalvad Road	Restaurant	7976126591
308	Jaipur Municipal Corporation	Shankar Mishthan Bhandar	Pandit Ji Ka Choraha Main Kalawad Road	Mishthan Bhandhar	9784250846
309	Jaipur Municipal Corporation	Bhawani Jodhpur Bhandar	Pandit Ji Ka Choraha Main Kalawad Road	Mishthan Bhandhar	9784440670
310	Jaipur Municipal	Jodhapur Mishthan	Josh Marg Kalawar Road	Mishthan	9983657637

2216

	Corporation	Bhandhar		Bhandhar	
311	Jaipur Municipal Corporation	Jaipur Spaish Hotal	Joshi Marg Kalawar Road	Hotal	9587119911
312	Jaipur Municipal Corporation	Shri Shyam Vilas Bhojnalay	Joshi Marg Jhotwara	Restaurant	9782786127
313	Jaipur Municipal Corporation	Chodhary Pavit Bhojnalay	Kata Chora Jhotwara	Restaurant	9571112321
314	Jaipur Municipal Corporation	All Tak Abye	Uday Nagar Jhotwara	-	9314546541
315	Jaipur Municipal Corporation	B.B.Q.	Uday Nagar Jhotwara	-	9079333327
316	Jaipur Municipal Corporation	Mohamamd Dildar Hotal	Uday Nagar Jhotwara	Hotal	7073782948
317	Jaipur Municipal Corporation	Samir Islamiya Dhaba	Sanjay Nagar Tiraha	Restaurant	9950656074
318	Jaipur Municipal Corporation	Davat E Isaq Restaurant	Sanjay Nagar Tiraha	Restaurant	9887650610
319	Jaipur Municipal Corporation	Alnurani Cikan Hotal	Sanjay Nagar Tiraha	Hotal	9829827048
320	Jaipur Municipal Corporation	Aal Slam Hotal	Sanjay Nagar Tiraha	-	9799158169
321	Jaipur Municipal Corporation	Shiv Hanuman Mandir	Kata Choraha Niwaru Road Jhotwara	Mandir	-
322	Jaipur Municipal Corporation	Raj Laxmi Gardan	Bypaas 31 No Bus Stand	-	9314503959
323	Jaipur Municipal Corporation	Partap Paradise	Bypaas 31 No Bus Stand	Paradise	9829438510
324	Jaipur Municipal Corporation	Divyani Paradise	80 Fut Road Barjmandal Colony Jhotwara	Paradise	9887552417
325	Jaipur Municipal Corporation	Shanti Gardan	80 Fut Road Barjmandal Colony Jhotwara	-	9829262483
326	Jaipur Municipal Corporation	Jagrti Gardan	100 Fut Road Jhotwara	-	9829260712
327	Jaipur Municipal Corporation	Partap Vilash Marriage Garden	Sirshi Road Janak Marg Ke Pass	Marriage Garden	9214395201
328	Jaipur Municipal Corporation	Suryvanshi Marriage Garden	Sirshi Road	Marriage Garden	9829452866
329	Jaipur Municipal Corporation	Ranbanka Marriage Garden	Vishvamitr Marge Hanuman Vistar Jaipur	Marriage Garden	9829452866
330	Jaipur Municipal Corporation	Avadh Garden	Tara Nagar Mitar Nagar 200 Feet Bypaas Jaipur		9214099644
331	Jaipur Municipal Corporation	Pream Deep Vivah Sthal	Tara Nagar Mitar Nagar 200 Feet Bypaas Jaipur	Marriage Garden	9414061190
332	Jaipur Municipal Corporation	Siangar Marriage Garden	Tara Nagar-C Khirmi Fatak Ke Pass Jaipur	Marriage Garden	9414322932
333	Jaipur Municipal Corporation	Madhu Milan Marriage Garden	Tara Nagar-C Khirmi Fatak Jaipur	Marriage Garden	8741930740
334	Jaipur Municipal Corporation	Nilambar(Nilam) Marriage Garden	Railway Line Janak Marg Jaipur	Marriage Garden	9414320505
335	Jaipur Municipal	Jan Upyogi Bhavan	R.P.A. Road Nagar Nigam Zone Ke	-	-

2217

	Corporation	Sanstha R.P.A. Road	Pass		
336	Jaipur Municipal Corporation	Akhil Bhartiya Khandelwal Mhasbha Bhawan	R.P.A. Road Shastri Nagar	-	-
337	Jaipur Municipal Corporation	Utasav Garden	R.P.A. Road Shastri Nagar	-	-
338	Jaipur Municipal Corporation	Swarnkar Seva Sadan Trust	R.P.A. Road Sarvankar Colony	-	-
339	Jaipur Municipal Corporation	Ma Krishnam Jan Upayoge Bhavan Krishna Garden	R.P.A. Road Sanjay Colony	-	-
340	Jaipur Municipal Corporation	J.D.A. Samudayik Kendra	Subhashnagar Shopping Centre	-	-
341	Jaipur Municipal Corporation	Remani Kevine Center	Moliya Ki Chbil Rc Centre	-	-
342	Jaipur Municipal Corporation	Khandelwal Vivha Sthal	Subhashcolony Shastri Nagar	-	-
343	Jaipur Municipal Corporation	Khandaka House	Jhothwara Road Pital Factory	-	-
344	Jaipur Municipal Corporation	Shettri Aayurved Antsavi Vikash Anusandhan Sanstha & Hospital	Icic Bank Ke Aage Jhothwara Road Jaipur	Hospital	0141-2281812
345	Jaipur Municipal Corporation	T.B. Hospital	Subhashnagar Shopping Centre Jaipur	Hospital	0141-2281000
346	Jaipur Municipal Corporation	Jain Hospital	Lic Office Tb Santoriya Road	Hospital	-
347	Jaipur Municipal Corporation	Krishna Karpa Apartment I	Subhashcolony Petrol PumpKe Pass	Apartment	-
348	Jaipur Municipal Corporation	Krishna Karpa Apartment –Ii	Subhashcolony Petrol PumpKe Pass	Apartment	-
349	Jaipur Municipal Corporation	Krishna Karpa Apartment –Iii	Subhashcolony Petrol PumpKe Pass	Apartment	-
350	Jaipur Municipal Corporation	Krishna Karpa Apartment Iv	Subhashcolony Petrol PumpKe Pass	Apartment	-
351	Jaipur Municipal Corporation	Mayur Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
352	Jaipur Municipal Corporation	Anukpma Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
353	Jaipur Municipal Corporation	Sumagal Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
354	Jaipur Municipal Corporation	Abhinandan Apartment	Kanwatia Hospital Ke Paas Shastri Nagar	Apartment	-
355	Jaipur Municipal Corporation	Goviand Karpa Apartment	Licence Park Ke Samne Shastri Nagar	Apartment	-
356	Jaipur Municipal Corporation	Guman Apartment-1	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
357	Jaipur Municipal	Guman Apartment-2	Subhashnagar Petrol PumpKe Pass	Apartment	-

2218

	Corporation		Shastri Nagar Jaipur		
358	Jaipur Municipal Corporation	Guman Apartment-3	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
359	Jaipur Municipal Corporation	Love-Kuse Apartment	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
360	Jaipur Municipal Corporation	Sun-Moon Apartment	Subhashnagar Petrol PumpKe Pass Shastri Nagar Jaipur	Apartment	-
361	Jaipur Municipal Corporation	Apollo Apartment	Licence Park Road Shastri Nagar Jaipur	Apartment	-
362	Jaipur Municipal Corporation	S.N.G. Group Apartment	Pital Factory Jhothward Road	Apartment	-
363	Jaipur Municipal Corporation	Pardrse 9 Apartment	Goyal Hospital Ke Pass Shastri Nagar	Apartment	-
364	Jaipur Municipal Corporation	Bhava Apartment	Licence Park Wala Road Shastri Nagar	Apartment	-
365	Jaipur Municipal Corporation	Raja Veer Apartment	Dr. Virender Ke Pass Shastri Nagar	Apartment	-
366	Jaipur Municipal Corporation	Okara Apartment	Dr. Virender Ke Pass Shastri Nagar	Apartment	-
367	Jaipur Municipal Corporation	Srvankar Udan	Sarvkar Colony R.P.A. Parmukh Road Pani Pach Nehru Nagar	Park	-
368	Jaipur Municipal Corporation	Madav Kanan Udan	Gate 1 Gokhale Marg Sroliya Ji Wala Road Nehru Nagar Pani Pach Jaipur	Park	-
369	Jaipur Municipal Corporation	D. Park	Gate 1 Se Aage Ramdev Ji Ke Mandir Ke Pass Nehru Nagar Pani Pach Jaipur	Park	-
370	Jaipur Municipal Corporation	Shiv Park	Vidhyadhar Zone NNJ Office Ke Samne Shastri Nagar	Park	-
371	Jaipur Municipal Corporation	Rashtriy Pati Udan	Udan Mochiyo KiChabhil Shastri Nagar	Park	-
372	Jaipur Municipal Corporation	Kailash Park Udan	Shubhash Nagar Shopping Centre	Park	-
373	Jaipur Municipal Corporation	Subhashpark Udan	Shubhash Colony Shastri Nagar	Park	-
374	Jaipur Municipal Corporation	Parshuram Park Udan	Shubhash Colony Shastri Nagar	Park	-
375	Jaipur Municipal Corporation	Royal Sweets Restaurant	Kawatiya Circle RPA Colony Power House Ke Pass	Restaurant	-
376	Jaipur Municipal Corporation	Tipsi Restaurant	Agarwal Caterers Ke Pass Shastri Nagar	Restaurant	-
377	Jaipur Municipal Corporation	Agarwal Caterers	Science Park Ke Samne Shastri Nagar	Caterers	-
378	Jaipur Municipal Corporation	Fake Bank	TB Sentoriya Road Jaipur	Bank	-
379	Jaipur Municipal Corporation	Khana Restaurant	TB Sentoriya Road Subhash Nagar Shopping Centre	Mandir	9785401315
380	Jaipur Municipal Corporation	Sendhs Works Restaurant	TB Sentoriya Road Subhash Nagar Shopping Centre	Restaurant	9414512936
381	Jaipur Municipal	Sabji Mandi	Private Bus Stand Ke Pass Spice	Market	-

2219

	Corporation		Cinema Ke Samne Jhothward Road Jaipur		
382	Jaipur Municipal Corporation	Dud Mandi	Spice Cinema Ke Samne Jhothward Road Jaipur	Market	-
383	Jaipur Municipal Corporation	20 Dukan	20dukan Gate 2 Nehru Nagar Pani PachShastri Nagar Jaipur	Market	9785075127
384	Jaipur Municipal Corporation	9 Dukan	9 Dukan Mukay Pani Pach Jhothward Road Jaipur	Market	7791012313
385	Jaipur Municipal Corporation	Panir Market	Subhashnagar Shopping Centre Allahabad Bank Ke Pass T.B. Sentoriya Road Jaipur	Market	-
386	Jaipur Municipal Corporation	Shri Chmtkaresvar Mandir	Icic Bank Ke Samne Jhothward Road Jaipur	Mandir	-
387	Jaipur Municipal Corporation	Royal Hotel Plaza	Subhashnagar Shopping Centre Jaipur 16	Plaza	0141-4915700
388	Jaipur Municipal Corporation	Anokhi Place Hotel	Subhashnagar Shopping Centre Jaipur 16 Shastri Nagar	Hotel	7737245097
389	Jaipur Municipal Corporation	Marudar In Hotel	A-87 Subhashnagar Shopping Centre Jaipur	Hotel	9314115116
390	Jaipur Municipal Corporation	Rose Place Hotel	T.B. Sentoliya Subhashnagar Shopping Centre Jaipur	Hotel	0141-4910822
391	Jaipur Municipal Corporation	Gugat Hotel	J1,J2 Subhashnagar Shopping Centre Jaipur	Hotel	0141-4011110
392	Jaipur Municipal Corporation	Goyal Place Hotel	Krishan Karpa Complex Subhashnagar Shopping Centre Jaipur	Hotel	0141-4034444
393	Jaipur Municipal Corporation	Tha Livan Hotel	Plot No 17,18 Subhashnagar Science ParkJaipur	Hotel	0141-4006616
394	Jaipur Municipal Corporation	Souvenir Peppermint Hotel	6 Subhashnagar Science ParkJaipur	Hotel	0141-5193000
395	Jaipur Municipal Corporation	Sarang Place Hotel	A-40 Subhashnagar Pital FactoryJhothwara Road Jaipur	Hotel	0141-2281188
396	Jaipur Municipal Corporation	Ragav Place Hotel	B-8 T.B. Hospital Subhashnagar Shopping Centre	Hotel	8890695803
397	Jaipur Municipal Corporation	Surmi Place Hotel	B-13 Subhashnagar Shopping Centre Shastri Nagar Jaipur	Hotel	0141-2281051
398	Jaipur Municipal Corporation	Silver Plaza Hotel	66,67 Subhashnagar Science ParkShastri Nagar Jaipur	Hotel	9672807773
399	Jaipur Municipal Corporation	Ganga Marriage Garden	Main Niwaru Road Jhotwara	Marriage Garden	9928803206
400	Jaipur Municipal Corporation	Ganesh Marriage Garden	Bharat Mata Chowk, Ganesh Nagar, Niwaru Road	Marriage Garden	9314555598
401	Jaipur Municipal Corporation	Moon Paradise	Ganesh Naga 8, Bharat Mata Chowk, Niwaru Road	Marriage Garden	9214060800
402	Jaipur Municipal Corporation	Prabhat Paradise	Ashok Nagar, Harnathpura	Marriage Garden	9261616464
403	Jaipur Municipal Corporation	R S Paradise	Govindpura Main, Kalwar Road	Marriage Garden	9829000000
404	Jaipur Municipal Corporation	Sanga Marriage Garden	In front of Ravan Gate, Kalwar Road	Marriage Garden	9828100047

2220

405	Jaipur Municipal Corporation	Hem Vatika Marriage Garden	Main Kalwar Road, Near Reliance Petrol Pump	Marriage Garden	9950697885
406	Jaipur Municipal Corporation	R B Paradise	Shekhawat Marg, Harnathpura	Marriage Garden	6375632928
407	Jaipur Municipal Corporation	Govindam Paradise	In front of Ganesh Nagar 8, Bharat Mata Chor Niwaru Road	Marriage Garden	8209541090
408	Jaipur Municipal Corporation	Parinaya Marriage Garden	Near Shekhawat Marg, Kalwar Road	Marriage Garden	9828542272
409	Jaipur Municipal Corporation	Sultan House Marriage Garden	200Ft Baipass, Near K G N Bagh, Jhotwara	Marriage Garden	9314503959
410	Jaipur Municipal Corporation	Rajtilak Marriage Garden	Govindpura Sirsi- Link Road Govindpura	Marriage Garden	9314512971
411	Jaipur Municipal Corporation	Prabhu Vilas Marriage Garden	Govindpura, Kalwar Road	Marriage Garden	9414066161
412	Jaipur Municipal Corporation	Love Kush Paradise	Main Kalwar Road, Govindpura	Marriage Garden	9414052451
413	Jaipur Municipal Corporation	Anand Bagh Marriage Garden	Main Kalwar Road, Govindpura	Marriage Garden	9782002027
414	Jaipur Municipal Corporation	Shree Bhomiya Paradise	Main Kalwar Road, Govindpura	Marriage Garden	9529247246
415	Jaipur Municipal Corporation	S G Paradise	Jai Dadi Nagar, Kalwar Road	Marriage Garden	9829303897
416	Jaipur Municipal Corporation	Shree Govind Paradise	Jai Dadi Nagar, Kalwar Road	Marriage Garden	9782220600
417	Jaipur Municipal Corporation	Hotel Royal Inn	9 Dukaan, Kardhani Kalwar Road	Hotel	8949317717
418	Jaipur Municipal Corporation	Hotel Prabhu Vilas	Govindpura Stand, Kalwar Road	Hotel	9950342592
419	Jaipur Municipal Corporation	Janni Nursing Home	D63, Kardhani Kalwar Road	Hospital	8441012663
420	Jaipur Municipal Corporation	Rishabh Hospital	Kardhani Kalwar Road	Hospital	9829137794
421	Jaipur Municipal Corporation	Param Brahm Hospital	Kardhani Kalwar Road	Hospital	0141-2405283
422	Jaipur Municipal Corporation	Mansa Hospital	Uttam Nagar KARDhani	Hospital	7023686868
423	Jaipur Municipal Corporation	Mangalam Anchal (Residential)	Ravan Gate, Kalwar Road	Residential	9829601528
424	Jaipur Municipal Corporation	Kardhani Prime (Residential)	Ganesham Vihar, Govindpura	Residential	9871311115
425	Jaipur Municipal Corporation	New Kanha Restaurant	Govindpura Stand Jaipur	Restaurant	9352599965
426	Jaipur Municipal Corporation	Desi Thath Restaurant	Near Mangalam City, Kalwar Road	Restaurant	9829310094
427	Jaipur Municipal Corporation	Shree KrishnamSweets and Restaurant	Vaidh Ji Ka Chauraha, Niwaru Road	Restaurant	9983965169
428	Jaipur Municipal Corporation	Roadwood Apartment	Opposite Dhaka Nagar, Near Kanakpura Railway Station	Residential	9875088883
429	Jaipur Municipal	Rangoli Marriage	Alankar Road, Sirsi Road,	Marriage	9829948365

2221

	Corporation	Garden	Panchawala	Garden	
430	Jaipur Municipal Corporation	Shyam Bagh Marriage Garden	Sirsi Road	Marriage Garden	9461123456
431	Jaipur Municipal Corporation	Vrindavan Marriage Garden	Hatoj Road, Sirsi Road	Marriage Garden	9414059280
432	Jaipur Municipal Corporation	Jodhpur Mishthan Bhandar	5 No. Gali, Panchawala	Restaurant	7742209937
433	Jaipur Municipal Corporation	Shree Govindam Marriage Garden	Sirsi Road	Marriage Garden	9251601320
434	Jaipur Municipal Corporation	Royal Green Apartment	Sirsi Mod, Sirsi Road	Residentia l	9587707007
435	Jaipur Municipal Corporation	Madhuvan Resort Marriage Garden	Janakpuri, Sirsi Road	Marriage Garden	9829016197
436	Jaipur Municipal Corporation	Ashok Vatika Marriage Garden	Kanakpura Road, Gokulpura	Marriage Garden	9982294123
437	Jaipur Municipal Corporation	LR Marriage Garden	Sirsi Road, Meenawala	Marriage Garden	9929982931
438	Jaipur Municipal Corporation	Rukmani Marriage Garden	Panchawala Bajri Mandi Road	Marriage Garden	9856195514
439	Jaipur Municipal Corporation	Raj Shree Marriage Garden	Sirsi Road	Marriage Garden	9829012779
440	Jaipur Municipal Corporation	Baba Shyam Paradise	Karni Palace Road	Marriage Garden	9414066227
441	Jaipur Municipal Corporation	Radha Krishan Garden	Karni Palace Road, Maa Karni Nagar E	Marriage Garden	9829031826
442	Jaipur Municipal Corporation	Chopra Garden, Shree Krishna Garden	Karni Palace Road	Marriage Garden	9818982562
443	Jaipur Municipal Corporation	Kalyan Kunj	Maharana Pratap Road, Rangoli Garden	Marriage Garden	9351543480
444	Jaipur Municipal Corporation	Savaliya Bagh Marriage Garden	Maharana Pratap Road, Rangoli Garden	Marriage Garden	9314962169
445	Jaipur Municipal Corporation	Karni Palace	Karni Palace Road	Marriage Garden	9314878787
446	Jaipur Municipal Corporation	Jaipur Bagh Marriage Garden	Gandhi Path, Lalarpura Road	Marriage Garden	9785913492
447	Jaipur Municipal Corporation	Shyam Paradise Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9214324151
448	Jaipur Municipal Corporation	Murli Wala Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9887476764
449	Jaipur Municipal Corporation	Rani Bagh Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura	Marriage Garden	9829968255
450	Jaipur Municipal Corporation	Shehnai Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura Road	Marriage Garden	992814060
451	Jaipur Municipal Corporation	Shagun Villa Marriage Garden	Gandhi Path West, Vaishali Nagar, Lalarpura Road	Marriage Garden	9413345428
452	Jaipur Municipal Corporation	Rangoli Apartment	Rangoli Garden Road	Apartment	9828117867
453	Jaipur Municipal Corporation	Avadhपुरी Residency	Avadhपुरी Lalarpura	Apartment	9024560002

2222

454	Jaipur Municipal Corporation	DM Heights	Gandhi Path, Lalarpura Road	Apartment	8290820820
455	Jaipur Municipal Corporation	Platinum Heights	Gandhi Path, Lalarpura Road	Apartment	8003184115
456	Jaipur Municipal Corporation	Virat Elegence	Gandhi Path, Lalarpura Road	Apartment	9610433900
457	Jaipur Municipal Corporation	Aman Poly Clinic	Dhabas Road	Clinic	9414262729
458	Jaipur Municipal Corporation	Manas Hospital	Dhabas Road	Hospital	9950899906
459	Jaipur Municipal Corporation	Shivaji Park	Shanti Nagar, Behind Shyam Nagar PS	Park	9571048027
460	Jaipur Municipal Corporation	Rose Garden	Rani Sati Nagar, Parshavnath Colony	Park	9799755761
461	Jaipur Municipal Corporation	Padmavati Park	Nirman Nagar	Park	
462	Jaipur Municipal Corporation	Roma Nursing Home	24,25 Nirman Nagar DCM	Clinic	9414052347
463	Jaipur Municipal Corporation	Ram Eye Hospital	16, Uday Nagar A, Near Mansarovar Metro Station, Gopalpura Road, Nirman Nagar	Hospital	9829014904
464	Jaipur Municipal Corporation	Kshitij Hospital	Uday Nagar, Near Gas Godam, Nirman Nagar	Hospital	9414954040
465	Jaipur Municipal Corporation	Jayas Marriage Garden	1261,62,63,65 Kings Road, Rani Sati Nagar, Nirman Nagar	Marriage Garden	9829063489
466	Jaipur Municipal Corporation	Gulab Villa Marriage Garden	Gopalpura Baipass, Badarvaas Jaipur	Marriage Garden	9829018289
467	Jaipur Municipal Corporation	Shree Mahavir Paradise	Gopalpura Baipass, Badarvaas Jaipur	Marriage Garden	9166306308
468	Jaipur Municipal Corporation	Evergreen Palace	A15, Krishi Vihar, Rathi Nagar, Gopalpura Baipass	Marriage Garden	9694841125
469	Jaipur Municipal Corporation	Vishnu Marriage Garden	Yadav Farm, Nirman Nagar E, Heerapura, Ajmer Road	Marriage Garden	9414878797
470	Jaipur Municipal Corporation	Shanti Marriage Garden	DCM Ajmer Road	Marriage Garden	9414059356
471	Jaipur Municipal Corporation	Apple Inn Hotel	36, Ajmer Road, Nirman Nagar DCM	Hotel	8824406503
472	Jaipur Municipal Corporation	Hotel RNP Palace	37/38 Near Vaishali Nagar DCM, Main Ajmer Road	Hotel	8505035500
473	Jaipur Municipal Corporation	Restauranr RJ14	P2, Ajmer Garden, DCM, Ajmer Road Highway	Restaurant	978520027
474	Jaipur Municipal Corporation	Hotel NH8	Parshavnath Colony, DCM Main Ajmer Road	Hotel	7230898880 0141-4919246
475	Jaipur Municipal Corporation	Chhabra Restaurant	592A, Jannpath Kings Road, Nirman Nagar	Restaurant	9351782626
476	Jaipur Municipal Corporation	Mini India restaurant	108 Ajmera Garden, Kings Road	Restaurant	9829610002
477	Jaipur Municipal Corporation	Shivgyan Heights	DCM Ajmer Road	Apartment	977233353
478	Jaipur Municipal	Shivgyan Enclave	Gautam Marg, Nirman Nagar	Apartment	787738767

2223

	Corporation				
479	Jaipur Municipal Corporation	Kanha Restaurant	A3, A6, Queens Road, Vaishali Nagar	Restaurant	9057802111
480	Jaipur Municipal Corporation	Utsav Marriage Garden	Gandhi Path, Vaishali Nagar	Marriage Garden	9829050966
481	Jaipur Municipal Corporation	Sarovar Portika	Queens Road, Bhan Nagar, Vidyut Nagar	Hotel	1412821000
482	Jaipur Municipal Corporation	Element Mall	Ajmer Road, DCM	Mall	7024650947
483	Jaipur Municipal Corporation	Hotel Aqua	B104, Vaishali Marg, Vaishali Nagar, Near National Handloom	Hotel	7791811614
484	Jaipur Municipal Corporation	Mahal Rajwada Resort	Near Vaishali Thana, Vaishali Nagar, Jaipur	Resort	9828519487
485	Jaipur Municipal Corporation	Hotel Raj Palace	B213, Vaishali Marg, Opp. Brightlands School, Vaishali Nagar	Hotel	8619055893
486	Jaipur Municipal Corporation	Maheshwari Restaurant	532A Nemi Sagar Colony, Vaishali Nagar	Restaurant	9928067070
487	Jaipur Municipal Corporation	Handi Restaurant	361 Nemi Sagar Colony, Vaishali Nagar	Restaurant	9829034940
488	Jaipur Municipal Corporation	Hotel Country Inn	Queens Road, Vaishali Nagar	Hotel	8890967445
489	Jaipur Municipal Corporation	Sanos Restaurant	Nemisagar, Queens Road	Restaurant	9649097000
490	Jaipur Municipal Corporation	Decked Up	Main Queens Road, Opp. Jharkhand	Restaurant	9680238897
491	Jaipur Municipal Corporation	Royal Lalit	101, Rathore Nagar, Amrapali Marg, Vaishali Nagar	Hotel	9116048701
492	Jaipur Municipal Corporation	Shree Thaal Restaurant	Rathore Nagar, Queens Road, Jaipur	Restaurant	9680764000
493	Jaipur Municipal Corporation	Chopra Restaurant	D228, Vaishali Nagar	Restaurant	9549504040
494	Jaipur Municipal Corporation	Burger King	S38,39,40 JDA Central Market, Vaishali Nagar	Restaurant	9870471200
495	Jaipur Municipal Corporation	Mini Punjab Restaurant	Behind MTS Tower, Vaishali Nagar	Restaurant	7690678180
496	Jaipur Municipal Corporation	NBC Hasanpura	Jaipur Municipal Corporation	Commercial	-
497	Jaipur Municipal Corporation	Hotel Om Tower	Jaipur Municipal Corporation	Hotel	-
498	Jaipur Municipal Corporation	Rajputana Sheraton	Jaipur Municipal Corporation	Hotel	-
499	Jaipur Municipal Corporation	Hotel Park Prime	Jaipur Municipal Corporation	Hotel	-
500	Jaipur Municipal Corporation	Fortune MGF Mall	Jaipur Municipal Corporation	Mall	-
501	Jaipur Municipal Corporation	Country Inn (Radisson) Green	Jaipur Municipal Corporation	Hotel	-
502	Jaipur Municipal Corporation	Hotel Holiday Inn	Jaipur Municipal Corporation	Hotel	-
503	Jaipur Municipal Corporation	MGF Mall	Jaipur Municipal Corporation	Mall	-

2224

	Corporation				
504	Jaipur Municipal Corporation	Hotel Rawat	Jaipur Municipal Corporation	Hotel	-
505	Jaipur Municipal Corporation	Spice Court	Jaipur Municipal Corporation	Restaurant	-
506	Jaipur Municipal Corporation	Hotel Jai Mahal Palace	Jaipur Municipal Corporation	Hotel	-
507	Jaipur Municipal Corporation	Hotel IBIS	Jaipur Municipal Corporation	Hotel	-
508	Jaipur Municipal Corporation	Hotel Hilton	Jaipur Municipal Corporation	Hotel	-
509	Jaipur Municipal Corporation	Hotel Soviner Prime	Jaipur Municipal Corporation	Hotel	-
510	Jaipur Municipal Corporation	Hotel Las Vegas	Jaipur Municipal Corporation	Hotel	-
511	Jaipur Municipal Corporation	Hotel Ginger	Jaipur Municipal Corporation	Hotel	-
512	Jaipur Municipal Corporation	Hotel ManSingh	Sansarchand Road	Hotel	-
513	Jaipur Municipal Corporation	Hotel Neelam	Sansarchand Road	Hotel	-
514	Jaipur Municipal Corporation	Hotel Mantha	Sansarchand Road	Hotel	-
515	Jaipur Municipal Corporation	Hotel Siddhi Vinayak	Sansarchand Road	Hotel	-
516	Jaipur Municipal Corporation	Hotel Haveli Ulcer	Sansarchand Road	Hotel	-
517	Jaipur Municipal Corporation	Karim Hotel	Jalupura	Hotel	-
518	Jaipur Municipal Corporation	Guddu Hotel	Topkhane ka Rasta	Hotel	-
519	Jaipur Municipal Corporation	Hotel Arya	Behind Amber Tower	Hotel	-
520	Jaipur Municipal Corporation	Hotel Adarsh	Near Hajri	Hotel	-
521	Jaipur Municipal Corporation	Sikar Hotel	Near quater of Ameen Kagji (MLA) Sir, Jalupura	Hotel	-
522	Jaipur Municipal Corporation	Chandani Hotel	Near quater of Ameen Kagji (MLA) Sir, Jalupura	Hotel	-
523	Jaipur Municipal Corporation	Hotel Vijay Niwas	Behind Amber Tower	Hotel	-
524	Jaipur Municipal Corporation	Aroma Hotel	Gopinath Marg	Hotel	-
525	Jaipur Municipal Corporation	Jaisingh Hotel	Gopinath Marg	Hotel	-
526	Jaipur Municipal Corporation	Golden Hotel	In gali of Sati Mata	Hotel	-
527	Jaipur Municipal Corporation	Welcome Hotel	Jayanti Bazaar	Hotel	-
528	Jaipur Municipal	Ratnavali Hotel	New Colony, Jaipur	Hotel	-

	Corporation				
529	Jaipur Municipal Corporation	Holist Hotel	New Colony	Hotel	-
530	Jaipur Municipal Corporation	Hotel Country Inn	Kaisar Nagar, Muhana Mandi Road, Sanganer, Jaipur	Hotel	-
531	Jaipur Municipal Corporation	Advance Hospital	Priyanka Colony, Sirohi ki Talai, Tuti Pulia ke Pass, Muhana Mod, Sanganer, Jaipur	Hospital	9414415667
532	Jaipur Municipal Corporation	Agrawal Hospital	Station Road, Malpura Gate ke Pass, Sanganer, Jaipur	Hospital	9829092960
533	Jaipur Municipal Corporation	Jindal Hospital	Kaisar Nagar, Kaisar Chauraha ke Pass, Sanganer, Jaipur	Hospital	9460741288
534	Jaipur Municipal Corporation	Sri Adinath Hospital	Kaisar Nagar, Muhana Mandi Road, Sanganer, Jaipur	Hospital	9829057300
535	Jaipur Municipal Corporation	Sanganer Tower	Idgah Masjid ke Pass, Diggi Malpura Road, Sanganer, Jaipur	Commercial Building	9413321469
536	Jaipur Municipal Corporation	Diamond Plaza	Station Road, Kohinoor Cinema ke Samne, Malpura Gate, Sanganer, Jaipur	Commercial Building	9414922650
537	Jaipur Municipal Corporation	Rampura Vyapar Mandal	Rampura Road, Sanganer	Community Hall	9950752807
538	Jaipur Municipal Corporation	Nursingh Paradise	Krishna Vihar, Dhani Kumawatan, Diggi Malpura Road, Sanganer, Jaipur	Marriage Garden	9928382233
539	Jaipur Municipal Corporation	Sri Kishan Paradise	Diggi Malpura Road, Madrampura, Sanganer	Marriage Garden	9460554577
540	Jaipur Municipal Corporation	Vrindavan Marriage Garden	Saipura Mod, Madrampura, Sanganer, Jaipur	Marriage Garden	9784648000
541	Jaipur Municipal Corporation	Jaipur Vilas Resort Marriage Garden	Sanganer Railway Station ke Samne, Rampura Road, Sanganer, Jaipur	Marriage Garden	9829065602
542	Jaipur Municipal Corporation	Harivan Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
543	Jaipur Municipal Corporation	Siyaram Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
544	Jaipur Municipal Corporation	Neelmahal Marriage Garden	Kaisar Chauraha ke Pass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9829097275
545	Jaipur Municipal Corporation	Sushil Paradise	Kaisar Chauraha ke Paass, Rampura Road, Sanganer, Jaipur	Marriage Garden	9414892121
546	Jaipur Municipal Corporation	Bohra Paradise	Madrampura Bai Pass, Sanganer, Jaipur	Marriage Garden	9829072387
547	Jaipur Municipal Corporation	R.C. Dukya Green Marriage Garden	Madrampura Petrol Pump ke Pass, Diggi Road, Sanganer, Jaipur	Marriage Garden	9829157962
548	Jaipur Municipal Corporation	Anukampa Platina	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	9829063078
549	Jaipur Municipal Corporation	Dhanuka Sunshine Prime	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	8003999690
550	Jaipur Municipal Corporation	Sidar Luxiria	Kanha ki Dhani, Muhana Mandi, Sanganer, Jaipur	Residential Building	9828521041

2226

551	Jaipur Municipal Corporation	Mangalam Ananda Residency	Rampura Road, Railway Phatak ke Samane, Sanganer, Jaipur	Residential Building	9001292040
552	Jaipur Municipal Corporation	Boni Height	Muhana Mandi Gate No. 3 ke Pass, Sanganer, Jaipur	Residential Building	9588248175
553	Jaipur Municipal Corporation	Kohinoor Shakambhari Residency	Railway Phatak ke Samne, Rampura Road, Sanganer, Jaipur	Residential Building	&
554	Jaipur Municipal Corporation	Manohar Palace Marriage Garden	Jain Nasia Road, Sanganer, Jaipur	Marriage Garden	9252036053
555	Jaipur Municipal Corporation	Laxmi Vila Marriage Garden	Saipura Main Road, Sanganer	Marriage Garden	9636448181
556	Jaipur Municipal Corporation	Sanwariya Palace Marriage Garden	35 Sector ke Pass, Govindpura Road	Marriage Garden	9314933847
557	Jaipur Municipal Corporation	Pooja Marriage Garden	Gordhan Nagar Toll Tax	Marriage Garden	8307660031
558	Jaipur Municipal Corporation	Hotel Crown Plaza	Tonk Road	Hotel	958788903&0141717 6666
559	Jaipur Municipal Corporation	Mahatma Gandhi Hospital	RIICO Industrial Area, Sitapura, Jaipur	Hospital	9660110077
560	Jaipur Municipal Corporation	Shahnai Garden	Sector 3, Pratap Nagar, Sanganer, Jaipur	Marriage Garden	8209241721
561	Jaipur Municipal Corporation	Krishna Garden	Sector 3, Pratap Nagar, Sanganer, Jaipur	Marriage Garden	9314470853
562	Jaipur Municipal Corporation	Badi Dhani Pavitra Bhojnalaya	Sector 3, Pratap Nagar, Sanganer, Jaipur	Restaurant	9414717861
563	Jaipur Municipal Corporation	Diana Baar	Sanganer Pulia ke Pass, Sanganer	Hotel	9893915264
564	Jaipur Municipal Corporation	My Baby Hospital	61/226, Sector 6, Bank of Maharashtra ke Pass	Hospital	9460553950
565	Jaipur Municipal Corporation	Shiv Shakti Boys Hostel and P.G.	Sector 6, Pratap Nagar, Sanganer	Hostel	9829805639
566	Jaipur Municipal Corporation	Prince P.G. Boys Hostel	Sanganer Pulia ke Picche	Hostel	9460957628
567	Jaipur Municipal Corporation	Harishankar Veg. Restaurant	Airport Circle, Sanganer, Tonk Road, Jaipur	Restaurant	9413556272
568	Jaipur Municipal Corporation	Shri Shyam Guest House	Main Tonk Road, Sanganer, Jaipur	Guest House	8559883480
569	Jaipur Municipal Corporation	Hotel Khushi	Gogiya Petrol Pump, Sanganer, Jaipur	Hotel	9829058601
570	Jaipur Municipal Corporation	Chandji Garden	Shyopur Road, Sanganer, Jaipur	Marriage Garden	9828015520
571	Jaipur Municipal Corporation	Shri Ram Marriage Garden	Bairwa Colony, Sanganer, Jaipur	Marriage Garden	6367606087
572	Jaipur Municipal Corporation	Kanhaiyalal Halwai Restaurant and Hotel	RIICO Pulia ke Pass	Hotel	9351313231
573	Jaipur Municipal Corporation	SDC Euro Apartment Exotica	RIICO Pulia ke Pass, Kushal Nagar	Residential Building	9672995646
574	Jaipur Municipal Corporation	Tirupati Plate	Kohinoor Garden, Sanganer, Shyam Vihar 56 to 64	Residential Building	9829949160

575	Jaipur Municipal Corporation	Yash Hotel	2,3 Ramdwara Colony, New Sanganer, Sanganer	Hotel	8094444471
576	Jaipur Municipal Corporation	Rajkiya Chikitsalaya, Sanganer	Main Sanganer	Hospital	&
577	Jaipur Municipal Corporation	Sabji Mandi Sanganer	Radhavallabh Marg, Post Office ke Pass	Sabzi Mandi	&
578	Jaipur Municipal Corporation	Jaipur Center	B 2 Baipaass Chauraha, Tonk Road, Jaipur	Commercial Building	9549355007
579	Jaipur Municipal Corporation	Akeshia Apartment	Shri Khatushyam Builders, Jagatpura	Residential Building	9783424295
580	Jaipur Municipal Corporation	Balaji Tower Third, E.H.C.C. Hospital ke Picche, Jawahar Circle	Balaji Tower Garden City Maintainance and Residency Welfare Society	Commercial Building	9414023007
581	Jaipur Municipal Corporation	Heritage Haweli A Stay Home	80 A, Shankar Vihar, Gaitor Road, Jagatpura	Hotel	9568204697
582	Jaipur Municipal Corporation	Central Lawn E.P	Jawahar Circle, Jaipur	Hotel	9799128000
583	Jaipur Municipal Corporation	East Lawn E.P	Jawahar Circle, Jaipur	Hotel	9799128000
584	Jaipur Municipal Corporation	Mugal Garden E.P	Jawahar Circle, Jaipur	Hotel	9799128000
585	Jaipur Municipal Corporation	Rose Garden E.P	Jawahar Circle, Jaipur	Hptel	9799128000
586	Jaipur Municipal Corporation	Banquet Hall E.P	Jawahar Circle, Jaipur	Hotel	9799128000
587	Jaipur Municipal Corporation	Dream Home Vikas Samiti Colony	Tonk Road, Kundan Nagar, Sanganer, Jaipur	Residential Building	9829147558
588	Jaipur Municipal Corporation	Apni Dhani Restaurent	Opposite Chandra Toyota, Printers Colony, Tonk Road	Restaurent	9660011231
589	Jaipur Municipal Corporation	Cheel Gadi Restaurent and Hotel	&	Hotel	9829047602
590	Jaipur Municipal Corporation	Royal Oil Company (Flat)	Royal Twins, Aabkari Thana Road, Budhsingh Pura, Sanganer	Residential Building	8440044027
591	Jaipur Municipal Corporation	Indian Oil Company (Flat)	Aabkari Thana Road, Budhsingh Pura, Sanganer	Residential Building	414243652
592	Jaipur Municipal Corporation	Subodh Mahila P.G. College and School, B.Ed College	Aabkari Thana Road, Budhsingh Pura, Sanganer	College	-
593	Jaipur Municipal Corporation	The Pizza Unlimited	Aabkari Thana Road, Budhsingh Pura, Sanganer	Restaurent	9828018887
594	Jaipur Municipal Corporation	Ganga Garden (Vivah Sthal)	Sitabari Farm, Tonk Road, Sanganer	Marriage Garden	9369794841
595	Jaipur Municipal Corporation	Jamuna Garden (Vivah Sthal)	Sitabari Farm, Near Airport, Tonk Road, Jaipur	Marriage Garden	9414360527
596	Jaipur Municipal Corporation	The Theme (Hotel)	Sitabari, Main Tonk Road, Sanganer, Jaipur	Hotel	7665005531

597	Jaipur Municipal Corporation	Anokhi Veg. Restaurent	Sitabari, Main Tonk Road, Sanganer, Jaipur	Restaurent	9829374252
598	Jaipur Municipal Corporation	Dhanna's Veg. Restaurent	Sitabari, Main Tonk Road, Sanganer, Jaipur	Restaurent	9252333435
599	Jaipur Municipal Corporation	Dungari House Marriage Garden		Marriage Garden	
600	Jaipur Municipal Corporation	Godawari Apartment	28 Sector, Pratap Nagar	Residentia l Building	
601	Jaipur Municipal Corporation	Pratap Apartment	28 Sector, Pratap Nagar	Residentia l Building	
602	Jaipur Municipal Corporation	K.S. Paradise	Opposite N.R.I Club, Sector 22, Haldighati Marg, Pratap Nagar	Marriage Garden	9414054437
603	Jaipur Municipal Corporation	Laxmi Paradise	Block 264, Sector 26, Pratap Nagar	Marriage Garden	9314656910
604	Jaipur Municipal Corporation	Mahima Paradise	200 Feet Airport Road, Teelawala, Pratap Nagar	Marriage Garden	9414054437
605	Jaipur Municipal Corporation	G.S. Paradise	200 Feet Airport Road, Teelawala, Pratap Nagar	Marriage Garden	9314513514
606	Jaipur Municipal Corporation	Mehta Garden	Sector 22, Bagado ki Dhani, Nagariawala, Pratap Nagar, Sanganer	Marriage Garden	8302313059
607	Jaipur Municipal Corporation	Virasat Palace	Teelawala, Jagatpura	Marriage Garden	7222006167
608	Jaipur Municipal Corporation	Kasturi Baag	Kasturi Baag, Ravindra Nagar A, Saint Marry School ke Samne	Marriage Garden	9785225558
609	Jaipur Municipal Corporation	Tulsi Garden	11 Number Dispensary ke Samne, Bhairav Circle, Kumbha Marg	Marriage Garden	9413786522
610	Jaipur Municipal Corporation	Saraswati Apartment	Sector 18, Pratap Nagar	Residentia l Building	
611	Jaipur Municipal Corporation	Sarayu Apartment	261, Sector 26, Pratap Nagar	Residentia l Building	
612	Jaipur Municipal Corporation	Banas Apartment	262, Sector 26, Pratap Nagar	Residentia l Building	
613	Jaipur Municipal Corporation	Mewar Apartment	Sector 15, Pratap Nagar	Residentia l Building	
614	Jaipur Municipal Corporation	Jhelum Apartment	Sector 28, Pratap Nagar	Residentia l Building	
615	Jaipur Municipal Corporation	Chinab Apartment	Sector 28, Pratap Nagar	Residentia l Building	
616	Jaipur Municipal Corporation	Triveni Garden	Triveni Garden Vivah Sthal, Mahal Road, 7 Number Bus Stand, Jagatpura	Marriage Garden	9829271867
617	Jaipur Municipal Corporation	Hotel Mahadev Palace	179, Mahadev Nagar, Ramnagaria Road, Jagatpura	Hotel	9828120647
618	Jaipur Municipal Corporation	Black Pearl Scopy and Restaurent	57, Shopping Center, Ramnagaria, Jagatpura	Restaurent	8952909808
619	Jaipur Municipal Corporation	Maheshwari Chikitsalaya	A 166, Ramnagaria, Jagatpura	Hospital	9610490090
620	Jaipur Municipal Corporation	Bhavya Green	Ramnagaria Road, SKIT	Residentia l Building	8696876554

621	Jaipur Municipal Corporation	Royals Platinum	151, Ramnagar, Jagatpura	Residential Building	9314444297
622	Jaipur Municipal Corporation	Dhanaria Hotel	247, Jagan Vihar, Mahal Road	Hotel	8946992053
623	Jaipur Municipal Corporation	City of Golden Domes	Brij Vihar Colony, Pracheen Shiv Mandir ke Pass, Jagatpura	Residential Building	9636923642
624	Jaipur Municipal Corporation	Ashadeep Grani Prevenue	Goner Road, Jagatpura	Residential Building	9782700663
625	Jaipur Municipal Corporation	Jeevan Rekha Hospital	Akshay Patra ke Samne, Jagatpura	Hospital	8561020098
626	Jaipur Municipal Corporation	Balaji Mejestic Heights	25, Central Spine, Jagatpura	Residential Building	8470937196
627	Jaipur Municipal Corporation	O.K Shiv Plus Vinus	Akshay Patra ke Samne, Jagatpura	Residential Building	9636577610
628	Jaipur Municipal Corporation	Mahima Penorma	V.I.T Road, Ramnagar, Jagatpura	Residential Building	9887116660
629	Jaipur Municipal Corporation	Vishwas Ashiyana	Vishvvidyalaya Nagar	Residential Building	7239893102
630	Jaipur Municipal Corporation	Anukampa	Vigyan Nagar, N.R.I Chauraha, Jagatpura	Residential Building	9887484269
631	Jaipur Municipal Corporation	S.D.C. Residency	S.K.I.T Road, Jagatpura	Residential Building	9887714882
632	Jaipur Municipal Corporation	Riddhi Siddhi	S.K.I.T College ke Picche, Ramnagar, Jagatpura	Hotel	9549858839
633	Jaipur Municipal Corporation	Rajwada Palace	Shakuntalam Colony, N.R.I Chauraha	Marriage Garden	9982176819
634	Jaipur Municipal Corporation	S.K.I.T	Ramnagar, Jaipur	College	4145160400
635	Jaipur Municipal Corporation	Suresh Gyan Vihar University	Jagatpura, Jaipur	College	907803368
636	Jaipur Municipal Corporation	Anjani Bhojnalaya	Sector 4, Indira Gandhi Nagar, Jaipur	Hotel	7427807805
637	Jaipur Municipal Corporation	Sunday Bazaar	Sector 3, Indira Gandhi Nagar, Jaipur	Commercial Area	
638	Jaipur Municipal Corporation	Surya Mangal Paradise	Sector 3, Indira Gandhi Nagar, Jaipur	Marriage Garden	9314753009
639	Jaipur Municipal Corporation	Maharaja Paradise Marriage Garden	Sector 3, Indira Gandhi Nagar, Jaipur	Marriage Garden	9530454145
640	Jaipur Municipal Corporation	Shri Govind Pavitra Bhojnalaya	Kundanpura	Restaurant	9649555558
641	Jaipur Municipal Corporation	Balaji Paradise Garden	Goner Road, B.P.L Godam ke Pass	Marriage Garden	9799325588
642	Jaipur Municipal Corporation	Sabji ki Badi Dukan	B.P.L Godam, Luniawas Road	Hotel	9928777660
643	Jaipur Municipal Corporation	Neelkanth Apartment	Block B, Sector 5, Indira Gandhi Nagar	Residential Building	-
644	Jaipur Municipal Corporation	Vindhyachal Apartment	Sector 7, Indira Gandhi Nagar, Jaipur	Residential Building	-
645	Jaipur Municipal Corporation	Kanchanjanga Apartment	Sector 7, Indira Gandhi Nagar, Jagatpura	Residential Building	-

2230

646	Jaipur Municipal Corporation	Guru Shikhar Apartment	Sector 7, Indira Gandhi Nagar, Jagatpura	Residential Building	-
647	Jaipur Municipal Corporation	Aravali Apartment	Sector 9, Indira Gandhi Nagar, Jagatpura	Residential Building	-
648	Jaipur Municipal Corporation	Marriage Garden (Angira Garden)	R.K Sweets ke Pass, Luniawas Road	Marriage Garden	9166150307
649	Jaipur Municipal Corporation	Shri Mahal Dhaba	Kundanpura	Restaurent	9828573030
650	Jaipur Municipal Corporation	Riddhi Siddhi Marriage Garden	Sector 3, Indira Gandhi Nagar	Marriage Garden	9602248218
651	Jaipur Municipal Corporation	Neelgiri Apartment	Sector 10, Indira Gandhi Nagar, J.D.A	Residential Building	-
652	Jaipur Municipal Corporation	Dhavalgiri Apartment	Sector 10, Indira Gandhi Nagar, J.D.A	Residential Building	
653	Jaipur Municipal Corporation	Shivalik Apartment	Sector 4, Indira Gandhi Nagar	Residential Building	9351467841
654	Jaipur Municipal Corporation	Chandra Mahal Garden	Khania Bandha, Goner Road, Jaipur	Marriage Garden	9414048222
655	Jaipur Municipal Corporation	Dayal Hospital	Khania Bandha, Goner Road, Jaipur	Hospital	9829031341
656	Jaipur Municipal Corporation	Kumar Govindam Garden	Near Agra Road, Khania Bandha	Marriage Garden	9928802999
657	Jaipur Municipal Corporation	Panihari Restaurent, Goner Road, Jaipur	Goner Road, Jaipur	Restaurent	9829110931
658	Jaipur Municipal Corporation	Rajshri Garden	Goner Road, Jaipur	Marriage Garden	9414075810
659	Jaipur Municipal Corporation	P.S. Paradise	Goner Road, Jaipur	Marriage Garden	9610112660
660	Jaipur Municipal Corporation	Kanak Vrindavan Garden	Goner Road, Jaipur, Ganesh Enclave Colony	Marriage Garden	7014292286
661	Jaipur Municipal Corporation	The Oberoi Hotel	Goner Road, Jaipur	Hotel	9982201195
662	Jaipur Municipal Corporation	Raj Paradise	Prem Nagar Road, Goner Road, Jaipur	Marriage Garden	8094739242
663	Jaipur Municipal Corporation	D.H. Hospital	Luniawas, Paldi Meena Road, Jaipur	Hospital	9829482205
664	Jaipur Municipal Corporation	Neelkanth Paradise	Near Agara Road, Jaipur	Marriage Garden	9829205706
665	Jaipur Municipal Corporation	Veer Durgadas Park		Marriage Garden	9351518390
666	Jaipur Municipal Corporation	G.V.DSoni Café	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	
667	Jaipur Municipal Corporation	Vendij Seep and Bite	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	
668	Jaipur Municipal Corporation	Chabra Take Away	D Block Shopping Center, Gyan Vihar School ke Samne	Restaurent	9351353337
669	Jaipur Municipal Corporation	Ritz Residency Hotel	Girdhar Marg	Hotel	
670	Jaipur Municipal Corporation	Hotel Brij Haweli	Girdhar Marg	Hotel	

2231

671	Jaipur Municipal Corporation	Bhaya Ji Restaurent	Girdhar Marg	Restaurent	
672	Jaipur Municipal Corporation	House of Taste	Girdhar Marg	Restaurent	
673	Jaipur Municipal Corporation	Hotel Ethnic Restaurent	Girdhar Marg	Hotel	
674	Jaipur Municipal Corporation	Tadka Veg. Restaurent	Girdhar Marg	Restaurent	
675	Jaipur Municipal Corporation	Gheeya Hospital	Girdhar Marg	Hospital	
676	Jaipur Municipal Corporation	Tadka Dhaba	Girdhar Marg	Restaurent	
677	Jaipur Municipal Corporation	Hotel Royal Empire	Girdhar Marg	Hotel	
678	Jaipur Municipal Corporation	Tea kila	Girdhar Marg	Restaurent	
679	Jaipur Municipal Corporation	Silver Oak	Bron Tower ke Pass	Restaurent	
680	Jaipur Municipal Corporation	Bhaya Ji Restaurent	Girdhary Marg	Restaurent	
681	Jaipur Municipal Corporation	Vijyavargiya Sabha Bhawan	Sector 6, Hospital ke Pass	Community Hall	
682	Jaipur Municipal Corporation	Merriott Hotel	Ashram Road ke Samne, Tonk Road, Jaipur	Hotel	141456777
683	Jaipur Municipal Corporation	Hotel Clark Amer	J.L.N Marg, Malviya Nagar	Hotel	1412550616
684	Jaipur Municipal Corporation	Hotel Reddison Blue	Tonk Road, Jaipur	Hotel	1416698888
685	Jaipur Municipal Corporation	World Trade Park Mall	J.L.N Marg, Malviya Nagar, Jaipur	Commercial Building	1412728044
686	Jaipur Municipal Corporation	Hotel Crown Plaza	Girdhar Marg, Malviya Nagar	Hotel	9314880928
687	Jaipur Municipal Corporation	Gaurav Tower	Malviya Nagar, Jaipur	Commercial Building	1412720444
688	Jaipur Municipal Corporation	Tadka Dhaba	Girdhar Marg, Malviya Nagar	Restaurent	9983871313
689	Jaipur Municipal Corporation	Sethi Tikka Kari	Sector 10, Railway Line ke Samne	Restaurent	
690	Jaipur Municipal Corporation	Samudayik Kendra	Sector 5, Malviya Nagar	Community Hall	2720150
691	Jaipur Municipal Corporation	Mahaveer Park, Ramjipura	Sector 7, Ramjipura	Marriage Garden	9314426845
692	Jaipur Municipal Corporation	Reliance Fresh	Girdhar Marg	Commercial Building	
693	Jaipur Municipal Corporation	Fortis Hospital		Hospital	
694	Jaipur Municipal	Hotel Raj Palace	New Sanganer Road	Hotel	702033147

2232

	Corporation				
695	Jaipur Municipal Corporation	Hotel Pareek	Janpath Road, Shyam Nagar	Hotel	0141-4004111
696	Jaipur Municipal Corporation	Dana Pani Restaurant	Janpath Road, Shyam Nagar	Hotel	0141-40005111
697	Jaipur Municipal Corporation	Maa Vaishno Restaurant	Main Chuaraha, Gurjar ki Thadi	Hotel	9116643414
698	Jaipur Municipal Corporation	Manuhar Hotel	Main Chuaraha, Gurjar ki Thadi	Hotel	9166610265
699	Jaipur Municipal Corporation	Sominar Hotel	Near Ganga-Jamuna Petrol Pump	Hotel	9610332106
700	Jaipur Municipal Corporation	Jodhpur Sweet Home	Kamla Nehru Pulia	Hotel	9660110080
701	Jaipur Municipal Corporation	Lajawab Hotel and Restaurant	Ajmer Road, Bhakrota	Hotel	9610222228
702	Jaipur Municipal Corporation	Sujata Farm Royal Palace	Railway Line Rampura Road	Hotel	98282851055
703	Jaipur Municipal Corporation	Hotel New Haveli	Manyawas Road	Hotel	9829017061
704	Jaipur Municipal Corporation	Mansarovar Palace Hotel	Aravali Marg New Sanganer Road	Hotel	9928475117
705	Jaipur Municipal Corporation	Sidheshwaari Bhojnalay	Shop No.1, Patel Marg	Hotel	9549416662
706	Jaipur Municipal Corporation	Roll Express	Shop No:-18, Sector-7, Patel Nagar	Hotel	9460888114
707	Jaipur Municipal Corporation	Punjabi Grill	90/13, Madhyam Marg	Hotel	9953593200
708	Jaipur Municipal Corporation	Shree Salasar Namkeen Bhandar	122/152	Hotel	9772341902
709	Jaipur Municipal Corporation	Hari Shankar Hotel	Vijay Path Chouraha	Hotel	8561966907
710	Jaipur Municipal Corporation	Kalyan Dhaba	Vijay Path, Sector-9	Hotel	8432481483
711	Jaipur Municipal Corporation	Amar Misthan Bhandar	Sector-9, Madhyam Marg,	Hotel	9828050744
712	Jaipur Municipal Corporation	The Arbar Guest House	103/56	Hotel	889999019
713	Jaipur Municipal Corporation	The Kulcha Factory	Shop No-11, Sector-10, Shopping centre, Patel Marg	Hotel	9874111111
714	Jaipur Municipal Corporation	Jodhpur Sweet Bhandar	214/463, Agarwal Farm	Hotel	0141-2784176
715	Jaipur Municipal Corporation	Jodhpur Misthan Bhandar	124/460, Agarwal Farm	Hotel	9649494422
716	Jaipur Municipal Corporation	Krishna Guest House	124/286, Agarwal Farm	Hotel	8858389544
717	Jaipur Municipal Corporation	Rajdhani Restaurant	124/276, Thadi Market	Hotel	9828168797
718	Jaipur Municipal Corporation	Shree Annapurna Bhojnalay	1221, Thadi Market	Hotel	9414512678
719	Jaipur Municipal	Hotel Park Classic	Riddhi-Siddhi Chauraha, Gopalpura	Hotel	9928111221

2233

	Corporation		By- pass road		
720	Jaipur Municipal Corporation	Hotel Safari and Restaurant	Riddhi-Siddhi Chauraha, Opposite to Career Point	Hotel	8290112345
721	Jaipur Municipal Corporation	Hotel Grand Safari	80 feet road, Gopalpura By-pass road	Hotel	8290112345
722	Jaipur Municipal Corporation	Hotel Royal Orchid	Durgapura Tonk Road	Hotel	8003299902
723	Jaipur Municipal Corporation	Hotel Four Point Sheraton	Vasundhara Colony, Tonk road, Big Bazaar	Hotel	887502608
724	Jaipur Municipal Corporation	Kota Kachori	Plot no-A 1, Vasundhara Colony	Hotel	9667758788
725	Jaipur Municipal Corporation	Sewatan Hospital	Ajmer road, Jaipur	Hospital	0141-2220240
726	Jaipur Municipal Corporation	Sanjeevni Hospital	New Sanganer Road	Hospital	0141-4067000
727	Jaipur Municipal Corporation	Hotel Raj Palace	Janpath Road, Shyamnagar	Hotel	702033147
728	Jaipur Municipal Corporation	Hotel Parak	Janpath Road, Shyamnagar	Hotel	0141-4004111
729	Jaipur Municipal Corporation	Dana Paani Restaurant	Janpath Road, Shyamnagar	Hotel	0141-40005111
730	Jaipur Municipal Corporation	Paras Vegas Appartment	Shyamnagar near sharad Hospital	Apartment	9829127845
731	Jaipur Municipal Corporation	Maa Vaishno Restaurant	Main Chauraha, Gurjar ki thadi	Restaurants	9116643414
732	Jaipur Municipal Corporation	Manuhar Hotel	Main Chauraha, Gurjar ki thadi	Hotel	9166610265
733	Jaipur Municipal Corporation	Souvenir Hotel	Near Ganga-Jamuna Petrol pump	Hotel	9610332106
734	Jaipur Municipal Corporation	King Paradise	Padmavati colony, King Paradise	marriage garden	9314512914
735	Jaipur Municipal Corporation	Ryan School	Padmavati colony	school	8058580511
736	Jaipur Municipal Corporation	Neo clinic	Mishra Marg	Clinic	8387045733
737	Jaipur Municipal Corporation	Rajendra Marriage Kunj Garden	Metro pilar no.74,75 opposite to devinagar	Garden	9414041758
738	Jaipur Municipal Corporation	Krishna Heart hospital	T.Mishra Marg	Hospital	9829078024
739	Jaipur Municipal Corporation	Havens garden	T.n mishra marg	Garden	9887366806
740	Jaipur Municipal Corporation	Sunny Mart	New atish Market	commercial building	8239733078
741	Jaipur Municipal Corporation	Sunny trade center	New atish Market	commercial building	992933001
742	Jaipur Municipal Corporation	Harshit Marriage garden	Prem Nagar-2	marriage garden	9414821100
743	Jaipur Municipal Corporation	Baba enclave 158 flat	Kanak vihar, kamla Nehru	Apartment	9571590096
744	Jaipur Municipal	Vardhman	Kanak vihar, kamla Nehru	apartment	9460360434

2234

	Corporation	Residency			
745	Jaipur Municipal Corporation	Ekling Residency	Kanak vihar, kamla Nehru	apartment	9001179742
746	Jaipur Municipal Corporation	Jodhpur sweet hom	Kamla Nehru puliya	sweet shop	9660110080
747	Jaipur Municipal Corporation	Shree Magalam Garden	Ganpatpura road JDA colony	marriage garden	9829008005
748	Jaipur Municipal Corporation	Dungri house garden	Kanak vihar, kamla Nehru road, ajmer road, Jaipur	marriage garden	8233200000
749	Jaipur Municipal Corporation	A.B.C Paradise	120 Kanak vihar, kamla Nehru	marriage garden	9799998352
750	Jaipur Municipal Corporation	Arihant residency 156- 116	Kanak vihar, kamla Nehru	apartmen mt	6375813027
751	Jaipur Municipal Corporation	Mato shri 91 residency	Kanak vihar, kamla Nehru	apartmen mt	7727866988
752	Jaipur Municipal Corporation	Shri Ratnam heights society 115	Kanak vihar, kamla Nehru	apartmen mt	9928618993
753	Jaipur Municipal Corporation	Arihant Enclave 92-93	Kanak vihar, kamla Nehru	apartmen mt	9828163932
754	Jaipur Municipal Corporation	Ekling Enclave 89-90	Kanak vihar, kamla Nehru	apartmen mt	9828121987
755	Jaipur Municipal Corporation	Balaji Marriage Garden	Sirsi Road, Bhakrota	marriage garden	9414406494
756	Jaipur Municipal Corporation	Sangam paradise	Mukundra Road,Bhakrota	marriage garden	9829284991
757	Jaipur Municipal Corporation	Radhika Marriage garden	Mukundra Road,Bhakrota	marriage garden	9799995886
758	Jaipur Municipal Corporation	Sumrai Garden	Ajmer Road, Bhakrota	marriage garden	9829068806
759	Jaipur Municipal Corporation	Lajawab Hotel and Restaurant	Ajmer road, Bhakrota	hotel	961022228
760	Jaipur Municipal Corporation	Gokul Vatika Marriage garden	Kanal vihar, kamla Nehru, bhakrota	marriage garden	9694581285
761	Jaipur Municipal Corporation	Golden view garden	New sanganer road	marriage garden	9314512914
762	Jaipur Municipal Corporation	The Vivan venue garden	New sanganer road	marriage garden	9314512914
763	Jaipur Municipal Corporation	The Association Palace Garden	Brahmin ki thadi, new sanganer road	marriage garden	9829065602
764	Jaipur Municipal Corporation	Radha Govind marriage garden	New sanganer road	marriage garden	9414336222
765	Jaipur Municipal Corporation	S.S Paradise	Iskcon road	marriage garden	9772188488
766	Jaipur Municipal Corporation	Shriyansh Paradise	Opposite to S.F.S	marriage garden	7727041217
767	Jaipur Municipal Corporation	Gulab Vatika	Opposite to S.F.S, new sanganer road	marriage garden	9667285281
768	Jaipur Municipal Corporation	Pradhan Vatika	Opposite to S.F.S, new sanganer road	marriage garden	9829062042
769	Jaipur Municipal	Sumer paradise	Radh-radhe chauraha, sumer nagar	marriage	9829062154

2235

	Corporation			garden	
770	Jaipur Municipal Corporation	Shree shyam palace garden	New sangaer road	marriage garden	8432478157
771	Jaipur Municipal Corporation	Shin Kripa garden	Swarn path new sanganer road	marriage garden	9414069781
772	Jaipur Municipal Corporation	Ganeshay garden	Maharani garden road, manyawas	marriage garden	9950327999
773	Jaipur Municipal Corporation	Raj Kamal Palace	Manyawas road	marriage garden	9828993342
774	Jaipur Municipal Corporation	Chopra Farm Palace	Chopra farm house	marriage garden	9829068355
775	Jaipur Municipal Corporation	Chopra Royal Palace	Chopra farm house	marriage garden	9314646271
776	Jaipur Municipal Corporation	Chopra kanaram marriage garden	Patrakar colony	marriage garden	9782882244
777	Jaipur Municipal Corporation	Anand mahal	Patrakar road	marriage garden	9549443387
778	Jaipur Municipal Corporation	Raj marriage garden	Patrakar road	marriage garden	8766626055
779	Jaipur Municipal Corporation	Osian Marriage garden	Iskcon road, brahmin ki thadi	marriage garden	9829065602
780	Jaipur Municipal Corporation	Shankar walaj paradise	Iskcon road	marriage garden	9829166574
781	Jaipur Municipal Corporation	Ganesh bagh	Iskcon road	marriage garden	9983301100
782	Jaipur Municipal Corporation	Shri shravan paradise	Iskcon road	marriage garden	9782093098
783	Jaipur Municipal Corporation	Pooja Paradise	Iskcon road	marriage garden	94114051126
784	Jaipur Municipal Corporation	Barasana palace	Iskcon road	marriage garden	9509485472
785	Jaipur Municipal Corporation	Raja paradise	Kharbas khejdo ka bas	marriage garden	9829062154
786	Jaipur Municipal Corporation	Radha Krishna marriage garden	khejdo ka bas	marriage garden	8003010999
787	Jaipur Municipal Corporation	Kiran paradise	khejdo ka bas	marriage garden	9782732614
788	Jaipur Municipal Corporation	Shiv shakti marriage garden	khejdo ka bas	marriage garden	9351461016
789	Jaipur Municipal Corporation	Lakshyadeep marriage garden	khejdo ka bas	marriage garden	9983699943
790	Jaipur Municipal Corporation	Sanskar paradise	Engineers colony	marriage garden	9829051612
791	Jaipur Municipal Corporation	Radhika paradise	Iskcon road	marriage garden	9829435410
792	Jaipur Municipal Corporation	Mangalam palace	Iskcon road near Icici bank	marriage garden	8742069450
793	Jaipur Municipal Corporation	Shri Balaji paradise	Iskcon road	marriage garden	9352124413
794	Jaipur Municipal	Simran paradise	Rampura road	marriage	9314417074

2236

	Corporation			garden	
795	Jaipur Municipal Corporation	Sujata farm royal palace	Railway line rampura road	marriage garden	9828285105
796	Jaipur Municipal Corporation	Shri kalyan paradise	Railway line rampura road	marriage garden	99928328581
797	Jaipur Municipal Corporation	Sundar paradise	Kalyanpura Sanganer	marriage garden	9929611871
798	Jaipur Municipal Corporation	Shravan chaudhary paradise	Sachivalay vihar, new Sanganer road	marriage garden	9782732614
799	Jaipur Municipal Corporation	Gulab vatika	Opposite to S.F.S, new Sanganer road	marriage garden	9667285281
800	Jaipur Municipal Corporation	Pradhan vatika	Opposite to S.F.S, new Sanganer road	marriage garden	9829062042
801	Jaipur Municipal Corporation	Shri jee palace	Brahmin ki thadi, iskcon road	marriage garden	9571888078
802	Jaipur Municipal Corporation	Ganesh paradise	Ganesh nagar, iskcon road	marriage garden	9983301100
803	Jaipur Municipal Corporation	Vinayak marriage garden	Iskcon road	marriage garden	9983305088
804	Jaipur Municipal Corporation	Krishna garden	Sundar nagar	marriage garden	9928998899
805	Jaipur Municipal Corporation	Rajratan marriage garden	New Sanganer road	marriage garden	9314980877
806	Jaipur Municipal Corporation	Dadudayal residency	Patel marg	apartment	9414044993
807	Jaipur Municipal Corporation	Dadu dayal marriage garden	patel marg	marriage garden	9414044993
808	Jaipur Municipal Corporation	Moti sarovar marriage garden	Opposite to dhanvantri hospital	marriage garden	9982137902
809	Jaipur Municipal Corporation	Maharani garden	New Sanganer road	marriage garden	8058365796
810	Jaipur Municipal Corporation	Jaina paradise	Mangyawas road	marriage garden	9829727007
811	Jaipur Municipal Corporation	Johri marriage garden	Mangyawas road	marriage garden	9829727007
812	Jaipur Municipal Corporation	Sangam paradise	Mangyawas road	marriage garden	8963072879
813	Jaipur Municipal Corporation	Hotel new haveli	Mangyawas road	marriage garden	9829017061
814	Jaipur Municipal Corporation	Ganga marriage garden	New Sanganer road	marriage garden	9414069781
815	Jaipur Municipal Corporation	New shyam paradise	Manyawas new Sanganer road	marriage garden	9784012359
816	Jaipur Municipal Corporation	Janak paradise	Mangyawas road	marriage garden	9413800359
817	Jaipur Municipal Corporation	A.R. paradise	Engineer colony	marriage garden	8503876956
818	Jaipur Municipal Corporation	Siyaram paradise	New Sanganer road	marriage garden	9314347711
819	Jaipur Municipal	Babul paradise	New Sanganer road	marriage	9799272254

	Corporation			garden	
820	Jaipur Municipal Corporation	Harsh deep marriage garden	New Sanganer road	marraige garden	9314969110
821	Jaipur Municipal Corporation	Loyance paradise	S.F.S new Sanganer road	marraige garden	9829065602
822	Jaipur Municipal Corporation	Komal paradise	New Sanganer road	marraige garden	9664307276
823	Jaipur Municipal Corporation	Swarg marriage garden	New Sanganer road	marriage garden	9412069781
824	Jaipur Municipal Corporation	Baba paradise	Golyawas	marraige garden	9828024667
825	Jaipur Municipal Corporation	Raj arriage garden	Patrakar colony, new Sanganer road	marriage garden	9829051612
826	Jaipur Municipal Corporation	Guddu Marriage garden	Mangawas road	marriage garden	9829541425
827	Jaipur Municipal Corporation	Shiv sarovar marriage garden	Mangyawas road	marriage garden	9251117771
828	Jaipur Municipal Corporation	Udb Bade Awasiya parisar	Patrakar colony	appartmen t	
829	Jaipur Municipal Corporation	My Village Marriage garden	Patrakar dholai	marriage garden	8875757666
830	Jaipur Municipal Corporation	Radherani marriage garden	New Sanganer road	marriage garden	9314514340
831	Jaipur Municipal Corporation	Ramvilla marriage garden	Opposite to Aravalli marg	marriage garden	9828285105
832	Jaipur Municipal Corporation	Shravan palace marriage garden	Ricco kata, near chauraha	marriage garden	9782732614
833	Jaipur Municipal Corporation	shipra house marriage garden	Shipra path vijay path tiraha	marriage garden	9413346046
834	Jaipur Municipal Corporation	Ankur banquet hall	New Sanganer road, S.F.S near sector- 6	marriage garden	9829059625
835	Jaipur Municipal Corporation	Madhur milan marriage garden	New Sanganer road, S.F.S near sector- 6	marriage garden	9887950348
836	Jaipur Municipal Corporation	Ramkrishna apartment	Shipra path near B@ bypass chauraha	apartment	9887076639
837	Jaipur Municipal Corporation	Dwarka apartment	Vikrama divya marg, Agarwal farm, mansarovar	apartment	9828185311
838	Jaipur Municipal Corporation	Mansarovar heights	Shipra path, sector-111	apartment	9828185311
839	Jaipur Municipal Corporation	115 college (I.C.G)	S.F.S Agarwal farm, mansarovar	college	0141-2400160
840	Jaipur Municipal Corporation	S.F.S community center	S.F.S Agarwal farm, mansarovar	communit y centre	9214696556
841	Jaipur Municipal Corporation	S.F.s sabzi mandi	S.F.S chauraha B2 bypass	sbjii mandi	9602402351
842	Jaipur Municipal Corporation	Stone park	B2 bypass chauraha	park	
843	Jaipur Municipal Corporation	Woodland park	B2 bypass chauraha near veterinarian hospital	park	
844	Jaipur Municipal	Tarani hospital	122/218,219 near vijay chauraha	hospital	9314626599

	Corporation	Agarwal farm			
845	Jaipur Municipal Corporation	Saket hospital research center	Meera marg, sector-9	hospital	9983169997
846	Jaipur Municipal Corporation	Okay plus	Madhyam marg plot-Asector-7	commercial building	9414936412
847	Jaipur Municipal Corporation	Mansarovar plaza	Madhyam marg	commercial building	9001292722
848	Jaipur Municipal Corporation	Mansarovar palace hotel	Aravali marg, new Sanganer road	hotel	9928475117
849	Jaipur Municipal Corporation	Tagore hospital research center	Sector-7 shipra road tagore lawn	hospital	9602661828
850	Jaipur Municipal Corporation	Sidheshwari bhojnalay	Shop no-1, patel marg	Restaurants	9549416662
851	Jaipur Municipal Corporation	Ladies street	Patel marg 80/99	beauty parlour	8930409919
852	Jaipur Municipal Corporation	Prakash eye hospital center	Patel marg 80/57	hospital	9813124162
853	Jaipur Municipal Corporation	Roll express	Shop no-18, sector-7, patel nagar	restaurant	9460888114
854	Jaipur Municipal Corporation	Punjabi grill	90/13 madhyam marg	restaurant	9953593200
855	Jaipur Municipal Corporation	Shri salasar namkeen bhandar	122/152	sweet shop	9772341902
856	Jaipur Municipal Corporation	Hari Shankar hotel	Vijay path chauraha	hotel	8561966907
857	Jaipur Municipal Corporation	Kalyan dhaba	Vijay path sector-9	Restaurants	8432481483
858	Jaipur Municipal Corporation	Amar misthan bhandar	Madhyam marg sector-9	sweet shop	9828050744
859	Jaipur Municipal Corporation	The arbar guest house	103/56	guest house	889999019
860	Jaipur Municipal Corporation	The kulcha factory	Shop no-11 sector-10, shopping center, patel marg	Restaurants	9874111111
861	Jaipur Municipal Corporation	Jodhpur sweets bhandar	Agarwal farm 214/463	sweet shop	0141-2784176
862	Jaipur Municipal Corporation	Jodhpur misthan bhandar	Agarwal farm 124/460	sweet shop	9649494422
863	Jaipur Municipal Corporation	Krishna guest house	Agarwal farm 124/286	guest house	8858389544
864	Jaipur Municipal Corporation	Rajdhani restaurant	Thadi market 124/276	restaurant	9828168797
865	Jaipur Municipal Corporation	Shri Annapurna bhojnalay	Thadi market 1221	restaurant	9414512678
866	Jaipur Municipal Corporation	Govind sabziwala	Vijay path chauraha 122/51	sbji centre	9079274802
867	Jaipur Municipal Corporation	Community center	Aravali marg 91/97	community centre	9829282880
868	Jaipur Municipal Corporation	Community center	Sector-9, Gokhale marg	community centre	9414073181
869	Jaipur Municipal	Chawla garden	Sms colony Gokhale marg	marriage	9351555434

2239

	Corporation			garden	
870	Jaipur Municipal Corporation	Ashok vatika garden	Gokhale marg, shipra path	marriage garden	9414779911
871	Jaipur Municipal Corporation	R.K. lawn	Gokhala marg, shipra path	marriage garden	8233297297
872	Jaipur Municipal Corporation	H.C.G hospital	Shipra path road mansarovar	hospital	9116646923
873	Jaipur Municipal Corporation	Metro mas hospital	Shipra path road mansarovar	hospital	8003995462
874	Jaipur Municipal Corporation	Dhanvantri hospital	New Sanganer road mansarovar	hospital	9588211187
875	Jaipur Municipal Corporation	Apex hospital	Rajat path, mansarovar	hospital	9799297949
876	Jaipur Municipal Corporation	Pearl green acres	Shri gopal nagar, gopapura bypass somani hospital	apartment	9829013110
877	Jaipur Municipal Corporation	Vijay kunj marriage garden	Ganesh marg 60 feet road Mahesh nagar	marriage garden	9928788831
878	Jaipur Municipal Corporation	Hotel park classic	Ridhhi- siddhi gopalpura bypass road	hotel	9928788831
879	Jaipur Municipal Corporation	Haryana marriage garden	Roopnagar-I Mahesh nagar phatak	marriage garden	9828364958
880	Jaipur Municipal Corporation	Shivram paradise	Ridhi-siddhi chauraha 10-b scheme	marriage garden	9001003003
881	Jaipur Municipal Corporation	Hotel safari and restaurant	Ridhi-sidhi chauraha opposite to career point	Restaurants	8290112345
882	Jaipur Municipal Corporation	Hotel grand safari	80 feet road Ridhi-sidhi chauraha gopalpura bypass road	hotel	8290112345
883	Jaipur Municipal Corporation	Ramnivas palace near dalda factory pulia ke paas tonk road Jaipur	Dalda factory puliya ke paas tonk road Jaipur	marriage garden	9782866442
884	Jaipur Municipal Corporation	Rukmani birla hospital	Gopalpura bypaas Jaipur	hospital	9982224016
885	Jaipur Municipal Corporation	Hotel royal orchid	Durgapura tonk road	hotel	8003299902
886	Jaipur Municipal Corporation	Anukampa residency shanti nagar, durgapura Jaipur	Shanti nagar, durgapura Jaipur	apartment	0141-2378659
887	Jaipur Municipal Corporation	Midas heights flat	Gayatri nagar A, maharani farm dalda factory puliya ke paas durgapura Jaipur	apartment	9828660111
888	Jaipur Municipal Corporation	Hotel four point by sheraton	Vasundhara colony tonk road big bazar	hotel	887502608
889	Jaipur Municipal Corporation	Mohan vatika marriage garden	Mahaveer nagar-1	marriage garden	9828024667
890	Jaipur Municipal Corporation	Unique sandhi apartment	Mahaveer nagar-2	apartment	9829051047
891	Jaipur Municipal Corporation	Bhandari hospital	Vasundhara colony	hospital	9829051047

2240

892	Jaipur Municipal Corporation	Big bazar	Vasundhara colony tonk road	Bazar	9610423241
893	Jaipur Municipal Corporation	Sabzi mandi	Vishnupuri behind hazari point of ward-44,Jaipur	vegetable market	8058630996
894	Jaipur Municipal Corporation	Kota kachori	Plot no. A 1 vasudhara colony,Jaipur	restaurant	9667758788
895	Jaipur Municipal Corporation	JMC	Tonk Road, Jaipur	Office	
896	Jaipur Municipal Corporation	JDA	JLN Road	Office	
897	Jaipur Municipal Corporation	DLB	C Scheme	Office	
898	Jaipur Municipal Corporation	Hotel Yash	Khatipura Mod	Hotel	
899	Jaipur Municipal Corporation	Sodhani Sweets	Tonk Road, Jaipur	sweet shop	
900	Jaipur Municipal Corporation	Sunshine City	Bhiwadi	Resort	Sanitary Inspector - 7878875190
901	Jaipur Municipal Corporation	Kajariya Greens	Bhiwadi	Resort	
902	Jaipur Municipal Corporation	Ashiyana Bgecha	Bhiwadi	Resort	
903	Jaipur Municipal Corporation	Ashiyana Sper Bazar	Bhiwadi	Market	
904	Jaipur Municipal Corporation	Aashadeep	Bhiwadi	Multi Story Building	
905	Jaipur Municipal Corporation	Baba Mohan Das Enclave	Bhiwadi	Multi Story Building	
906	Jaipur Municipal Corporation	Savlon Garden	Bhiwadi	Resort	
907	Jaipur Municipal Corporation	Krish Vatika	Bhiwadi	Resort	
908	Jaipur Municipal Corporation	Kaveri Appartment	Bhiwadi	Multi Story Building	
909	Jaipur Municipal Corporation	Yasodhara Marriage lawn .	Dausa	Hotel &Resort	Sanitary Inspector- 9784891229
910	Jaipur Municipal Corporation	Rawat Hotel	Dausa	Hotel &Resort	
911	Jaipur Municipal Corporation	Madhuwan Hotel	Dausa	Hotel &Resort	
912	Jaipur Municipal Corporation	Kings paradise	Dausa	Hotel &Resort	
913	Jaipur Municipal Corporation	vivah Palace	Dausa	Hotel &Resort	
914	Jaipur Municipal Corporation	Satynarayan Marriage Lawn	Dausa	Hotel &Resort	
915	Jaipur Municipal	Bhawna Marriage	Dausa	Hotel	

	Corporation	lawn		&Resort
916	Jaipur Municipal Corporation	Poonam Marriage lawn	Dausa	Hotel &Resort
917	Jaipur Municipal Corporation	Saidi Marriage lawn	Dausa	Hotel &Resort
918	Jaipur Municipal Corporation	Vrnadawan Marriage lawn	Dausa	Hotel &Resort
919	Jaipur Municipal Corporation	Sailja Marriage lawn	Dausa	Hotel &Resort
920	Jaipur Municipal Corporation	Vijayavargeey Marriage lawn	Dausa	Hotel &Resort
921	Jaipur Municipal Corporation	Ratnprabha Marriage lawn	Dausa	Hotel &Resort
922	Jaipur Municipal Corporation	Prakash Kiran Marriage lawn	Dausa	Hotel &Resort
923	Jaipur Municipal Corporation	Laxmi villash marriage lawn	Dausa	Hotel &Resort
924	Jaipur Municipal Corporation	Ashoka Marriage	Dausa	Hotel &Resort
925	Jaipur Municipal Corporation	Sant Sundardash Marriage lawn	Dausa	Hotel &Resort
926	Jaipur Municipal Corporation	Guptnath Suraj palace	Dausa	Hotel &Resort
927	Jaipur Municipal Corporation	Shyam Sarover Hotel	Dausa	Hotel &Resort
928	Jaipur Municipal Corporation	Krishna Marriage lawn	Dausa	Hotel &Resort
929	Jaipur Municipal Corporation	Kanha Marriage Garden	Dausa	Hotel &Resort
930	Jaipur Municipal Corporation	Ramkaran Joshi Hospital	Dausa	Hospital
931	Jaipur Municipal Corporation	Krishi Upaj Mandi	Dausa	Mandi
932	Jaipur Municipal Corporation	Somnath Choraha Sbji Mandi	Dausa	Mandi
933	Jaipur Municipal Corporation	Gandhi Tiraha Sbji Mandi	Dausa	Hotel &Resort
934	Jaipur Municipal Corporation	Pinki Hotel	Dausa	Hotel &Resort
935	Jaipur Municipal Corporation	Shri Ram Hotel	Dausa	Hotel &Resort
936	Jaipur Municipal Corporation	Ashirwad Hotel	Dausa	Hotel &Resort
937	Jaipur Municipal Corporation	Tiwari Hotel	Dausa	Hotel &Resort
938	Jaipur Municipal Corporation	J k Hotel	Dausa	Hotel &Resort
939	Jaipur Municipal Corporation	Arawali Hotel	Dausa	Hotel &Resort
940	Jaipur Municipal	Jodhani Hotel	Dausa	Hotel

2242

	Corporation			&Resort	
941	Jaipur Municipal Corporation	Aman Hotel	Dausa	Hotel &Resort	
942	Jaipur Municipal Corporation	Dowtha Restorant	Dausa	Hotel &Resort	
943	Jaipur Municipal Corporation	Sbji Mandi	Near Tehsil, Chaksu	Market	9414100017
944	Jaipur Municipal Corporation	Hotel Marriot	Malviya Nagar	Hotel	9950944444
945	Jaipur Municipal Corporation	Hotel Rockland	Frontier colony Adarsh Nagar, Jaipur Heritage	Hotel, bar & restorant	9829235988
946	Jaipur Municipal Corporation	Sabji Mandi	Chopad Bazar, Kishangarh Renwal	Market	9950849607
947	Jaipur Municipal Corporation	CHC RENWAL	Kishangarh Renwal	Other	9829012345
948	Jaipur Municipal Corporation	Krishi mandi upaj	NH-48, Bansur road, Kotputli	Dhan mandi	9784444990
949	Jaipur Municipal Corporation	Sabji Mandi phulera	Gandi Chowk, Phulera		7737829422
950	Jaipur Municipal Corporation	Government CHC hospital	Jobner road, Phulera		7737829422
951	Jaipur Municipal Corporation	Marriage Gardens	Main Shahpura city		9588230850
952	Jaipur Municipal Corporation	Shahpura Anaj Mandi & sabji mandi	Shahpura, Jaipur		
953	Jaipur Municipal Corporation	CHC Shahpura	Shahpura, Jaipur		
954	Jaipur Municipal Corporation	Amar hospital	Near Chhatriya bus stop, Fatehpur Jaipur		-
955	Jaipur Municipal Corporation	CHC Hospital Khandela	Near SDM Office, khandela		9782691477
956	Jaipur Municipal Corporation	Sabji Mandi	Neem Ka Thana		9461563866
957	Jaipur Municipal Corporation	Chokdi ki Dharamsala	Near Samrat Cinema, Sikar		-

List of Bulk Waste Generators - Jodhpur Division

2243

S. No.	ULB Name	Name	Address	Contact Details
1	Jodhpur	Lake View	Kailana road, kabir nagar	9829229102
2	Jodhpur	Fun World	Fun World Water Park and Restaurant	9829088638
3	Jodhpur	Zone by the Park	Jawahar Tower" 29 (2-A), Light Industrial Area,	291-3385000
4	Jodhpur	CAZRI	near ITI college	291-2786584
5	Jodhpur	Hotel Taj Hari	Taj Hari Mahal, 5th, Residency Rd	291-2439700
6	Jodhpur	AFRI	Krishi Upaz Mandi New Pali Road	291-2722549
7	Jodhpur	Chandra Inn	Panch batti road, Ganeshpura	0291-2670583
8	Jodhpur	Ummaid Palace	Circuit House Rd, Cantt Area,	0291-2510101
9	Jodhpur	Hotel Indana Palace	Opposite Military Officer Quarters, Pabupura,	0291-7184888
10	Jodhpur	Blasamand Lake Palace	Mandore road	0291-2572321
11	Jaisalmer	Hotel Mahadev	Gandhi Colony	9828075000
12	Jaisalmer	Sabgi Mandi	Jaisalmer	9602270236
13	Jaisalmer	Hotel Devika Niwas	Gandhi Colony	8670478454
14	Jaisalmer	Hotel Club Mahindra	Jaisalmer	8290588883
15	Jaisalmer	Hotel Ravalcourt	Pokaran Road	9414469175
16	Jaisalmer	Desert Tulip hotel	Jaisalmer	8107155782
17	Jaisalmer	Hotel Dolamaaru	Gandhi Colony	8003337552
18	Jaisalmer	Hotel Firstgate	Kila Parking	9462554462
19	Jaisalmer	Hotel Golden	Jaisalmer	9414149464
20	Jaisalmer	Hotel Emperial	Chandraveer Singh Colony	9414391057
21	Jaisalmer	Hotel Priya	Chandraveer Singh Colony	9950159360
22	Jaisalmer	Hotel Himmatgarh	Ramgarh Road	9782432694
23	Jaisalmer	Hotel Marriot Resert and Spa	Someroad	8889034749
24	Jaisalmer	Hotel Goarband Palace	Someroad	9928015306
25	Jaisalmer	Hotel Rangmahal	Someroad	9414149125, 9667222777
26	Jaisalmer	Hotel Haritage in	Someroad	02992- 250901
27	Jaisalmer	Hotel Moomal tourist Bungalow	Someroad	9833780927
28	Jaisalmer	Jain Bhavan / Jain Dharmshala	Ramesh Talkies	9460373142
29	Barmer	Narayan palace	Jaisalmer road	-
30	Barmer	Yaduraj hotel	Near janta cafe jaisalmer	-

2244

			road	
31	Jalore	Krishi Upaj Mandi Jalore	Aahorw Road Jalore	9460518135
32	Sanchoe	Eye care Hospital	old power house	-
33	Sanchoe	Panchakrma Hospital	govt.bus stand	-
34	Sanchoe	Saraswati Hospital	Barmer road	-
35	Sanchoe	umed hotel	viveka Aanad circle	-
36	Sanchoe	Amer Place	maheshwari colony	-
37	Sanchoe	Amer International Hotel	ramesh colony	-
38	Sanchoe	Adarsh Residence	ramesh colony	-
39	Sanchoe	Manmohan Hospital	Radhampura road	-
40	Sanchoe	SBI bank	Jalore road	-
41	Sanchoe	Axis Bank	shree ji market	-
42	Pali	Savitri Phoole Sabji Mandi	Near Ramlila Maidan	9079320332

2245

List of Bulk Waste Generator - Kota Division					
S. No.	ULB Name	Name	Address	Type	Contact Details
1	Baran	Sabji Mandi	kotwali thane ke pass	vegetable market	9468822805
2	Baran	Sabji Mandi	Dol talab mangrol road baran	vegetable market	9468822805
3	Baran	krishi upaj mandi	ROB ke pass kota road	agriculture market	9468822805
4	Jhalawar	S.R.G. hospital	N.H. 12 hospital road Jhalawar	Hospital	9680898250
5	Kota	Hotel maheshvari nayapura	Nayapura	Hotel	9829740442
6	Kota	Hotel Shaurav	Station	Hotels	8302314227
7	Kota	Amar Punjabi Dhaba	Station Road	Hotels	9950481234
8	Kota	Hotel Virangana	Station Road	Hotels	9983070098
9	Kota	Bismillah Hotel	Station Road	Hotels	9950926000
10	Kota	Annapurana Hotel	Station Road	Hotels	9413151799
11	Kota	Punjabi Chicken Place	Station Road	Hotels	9509654242
12	Kota	Hotel Navrang	Nayapura	Hotels	9414177922
13	Kota	Hotel Phool Plaza	Nayapura	Hotels	9828135700
14	Kota	Hotel Maheshwari	Nayapura	Hotels	9829740442
15	Kota	Laxmi Mess	Naya Kheda	Hotels	8232923632
16	Kota	Allen Coaching Lal Baag Ke Pass Mess	Ganeshpura	Hotels	-
17	Kota	Madhu Shree Hotel	Ganeshpura	Hotels	7442428888
18	Kota	American Hostel	Rajiv Gandhi Nagar	Hotels	7442434002
19	Kota	Opera Hospital	ndara Vihar	Hospitals	7442420101
20	Kota	Amar Punjabi Dhaba	Keshavpura	Hotels	7442464141
21	Kota	Mahindra Company Canteen	Chopra Farm	Hotels	-
22	Kota	City Mall	Nehru Nagar	Commercial	9983036655
23	Kota	Best Price	Nehru Nagar	Commercial	7445150700
24	Kota	Bohra Tower Classes	Nehru Nagar	Commercial	7442791000
25	Kota	Calibar mess	Nehru Nagar	Hotels	9828082743
26	Kota	Cinema Hall City Mall	Nehru Nagar	Commercial	9983036655
27	Kota	Chapati mess	Nehru Nagar	Hotels	9784675213
28	Kota	Sudha Hospital	Chopra Marg	Hospitals	9928027601
29	Kota	Kinkeer Hospital	Dadwada	Hospitals	9829647666
30	Kota	Mewar Hospital	Hussain Nagar	Hospitals	7442420114
31	Kota	Prince Mess	Imam Bada	Hotels	7442422489
32	Kota	Punjabi Food Mess	Chopra Farm	Hotels	9351788208
33	Kota	JK Lawn Hospital	Nayapura	Hospitals	9351350786
34	Kota	Sudha Hospital	Talwandi	Hospitals	9928027601
35	Kota	Banda dharmapura goshala	banda dharmapura	Goshala	8441808595

List of Bulk Waste Generators - Udaipur Division				
S. No.	ULB Name	Name	Address	Contact Details
1	Udaipur	Hotel Lekend	Near Mahakal Temple, Fateh sagar	0294-2431401
2	Udaipur	The Lalit	Near Fatehsagar, Udaipur	0294-3017777
3	Udaipur	Shri Niwas Palace	City palace, Udaipur	0294-2528016
4	Udaipur	Fatheprakash Palace	City palace, Udaipur	0294-2628800
5	Udaipur	Lake Palace	Pichola Lake, Udaipur	0294-3017777
6	Udaipur	The Oberoi Udaivilas	Haridas ji ki Mangri, Udaipur	0294-2433300
7	Udaipur	Hotel Trident EIH Associated	Haridas ji ki Mangri, Udaipur	0294-2432200
8	Udaipur	Hotel Leela Venture	Pichola Lake, Udaipur	0294-6701234
9	Udaipur	Savina Sabji	Savina Circle, Udaipur	-
10	Udaipur	Jag Mandir	Pichola Lake, Udaipur	0294-2424186
11	Udaipur	Shikarbadi	Goverdhan Vilas, Udaipur	0294-2583201
12	Udaipur	Gulab Baag	Near Surajpol, Udaipur	-
13	Udaipur	Gardens Of Hiran Mangri Sec	-	-
14	Udaipur	Gardens Of Hiran Mangri Sec	-	-
15	Udaipur	Mahakaleshwar Temple	Rani Road, Fatehsagar, Udaipur	8209817159
16	Nimbahera	Sabji Mandi	Subhash Chock, Nimbahera	-
17	Nathdwara	Miraaj Mall	Nathuwaas, Nathdwara	8875004131
18	Nathdwara	Shree Vilas Hotel	Bus Stand	2953234800
19	Nathdwara	New Cottage	Rasala Chowk	2953233485
20	Nathdwara	Damodar Dham	Rasala Chowk	5953233833
21	Nathdwara	Purohit Hotel	Sindhi Colony	2953234613
22	Nathdwara	Prayaag Hotel	Bus Stand	-
23	Nathdwara	Lad Parishad	Sukhadiya Nagar	2953230734
24	Nathdwara	Shree Priya (Crimson Park)	Sukhadiya Nagar	8875019501
25	Nathdwara	Swagat Hotel	Tehsil Road	2953233225
26	Nathdwara	Metro Hotel	Tehsil Road	8239933355
27	Nathdwara	Bombay Cottage	Sindhi Colony	2953232466
28	Nathdwara	Ramdarsan Hotel	Sindhi Colony	-
29	Nathdwara	Maharaja Hotel	Rampura	9772065540
30	Nathdwara	Navdeep Resort	Nathuwaas	2953234860
31	Nathdwara	Maharaja In	Sindhi Colony	9772065540
32	Chhitorgarh	Hotel Vinayak	Collectorate Circle	9413716487
33	Chhitorgarh	Hotel Padmani	Near Sainik School	1472241711
34	Chhitorgarh	Pratap Hotel	Head Post Office	9461141153
35	Chhitorgarh	Natraj Hotel	Bus Stand	9314233117
36	Chhitorgarh	Meera Hotel	Nimbahera Road	9829848888
37	Chhitorgarh	Hotel Shree Ram	Abhimanyu Park	9413900398
38	Chhitorgarh	Hotel Ram Rakhi	Petrol Pump Chanderiya Road	9929393037

2247

Decentralized Processing plants			
S. No.	Division	No. of Pit Composting	Quantity of Pit Composting Processed (in TPD)
1	Ajmer	2	2.37
2	Bharatpur	3	1.1
3	Bikaner	8	11.5
4	Kota	6	44.25
5	Jaipur	228	88.6
6	Jodhpur	13	90.1
7	Udaipur	1	3
Total		261	240.92

Details of Decentralized Processing plants						
S.No.	Division	ULB Name	Park Name	Adress	Plant Name	Capacity (TPD)
1	Ajmer	Ajmer	Anasagar Lake, Regional college	Anasagar Lake, Regional college	Compost Plant	2
2	Ajmer	Pushakar (M)	Jagat Palace	Maheshvari seva sadan	Pit Compost	0.37
3	Bharatpur	Dhaulpur	Gandhi park	Near rani palace	Pit Compost	0.5
4	Bharatpur	Dhaulpur	Leela vihar park	Leela vihar colony	Pit Compost	0.5
5	Bharatpur	Sawai madhopur	Mahaveer Park	Near collectory & Ambedkar circle	Pit Compost	0.1
6	Jaipur	Jaipur Heritage (MC)	Khel Parisar Park Bani Park	Sawai Madhosingh circle tulshi marg ,sen colony, Bani park	Compost Pit	0.1
7	Jaipur	Jaipur Heritage (MC)	Shyam Vatika park shyam nagar	Kishan nagar , Shyam Nagar jaipur	Compost Pit	0.1
8	Jaipur	Jaipur Heritage (MC)	Krishana Vatika park shyam nagar	Saket nagar , Shyam Nagar jaipur	Compost Pit	0.1
9	Jaipur	Jaipur Heritage (MC)	Agrasen park Jawahar nagar	Near RP memorial hospital ,sector-5 jawahar nagar	Compost Pit	0.1
10	Jaipur	Jaipur Heritage (MC)	Jamdoli Park	Plot No. 112 keshav nagar jamdoli jaipur	Compost Pit	0.1
11	Jaipur	Jaipur Heritage (MC)	Pondrik Garden	Kanwar Nagar Tal Katora Colony	Compost Pit	0.1
12	Jaipur	Jaipur Heritage (MC)	Rastiya pati maidan park shastri nagar	shop No. 99 L Block, Shastri nagar	Compost Pit	0.1
13	Jaipur	Jaipur Heritage (MC)	D. Circle Park	D circle , kanti Nagar Sindhi Camp	Compost Pit	0.1
14	Jaipur	Jaipur Heritage (MC)	Rajbhawan Park Civil Line	D-5 Madrampur , Civil line jaipur	Compost Pit	0.1
15	Jaipur	Jaipur Heritage (MC)	Subhash Park Shyam Nagar	Tarun Path G-Block Laxman colony Shyam Nagar	Compost Pit	0.1
16	Jaipur	Jaipur Heritage (MC)	Kawar Udhyan Park Bani park	Sanganer , Sindhi colony bani Park	Compost Pit	0.1
17	Jaipur	Jaipur Greator (MC)	Agrasen park	Sector 7 Vidhyadhar Nagar	Compost Pit	0.9
18	Jaipur	Jaipur Greator (MC)	Bhartandu Udhyan	Ambabadi	Compost Pit	0.3

2249

19	Jaipur	Jaipur Greator (MC)	Ganesh Park	Sector 7 Vidhyadhar Nagar	Compost Pit	1.5
20	Jaipur	Jaipur Greator (MC)	Sarvodya Park	Pratap Nagar	Compost Pit	0.1
21	Jaipur	Jaipur Greator (MC)	Jain Mandir	A-Block Murlipura	Compost Pit	0.3
22	Jaipur	Jaipur Greator (MC)	Swami vivekand Park	Niwaru Road, Jhotwada	Compost Pit	0.1
23	Jaipur	Jaipur Greator (MC)	21 South Colony Ka Park	Niwaru Road, Jhotwada	Compost Pit	0.3
24	Jaipur	Jaipur Greator (MC)	Baal Vihar Colony Ka Park	200 Feet Puliya k Pass	Compost Pit	0.3
25	Jaipur	Jaipur Greator (MC)	Shri Shyam Green Park	Kalwad Road Jhotwada	Compost Pit	0.3
26	Jaipur	Jaipur Greator (MC)	Children Park	Sirsi Road	Compost Pit	0.4
27	Jaipur	Jaipur Greator (MC)	Girnar Park	Khatipura	Compost Pit	0.3
28	Jaipur	Jaipur Greator (MC)	Utsav Park	Shastri Nagar	Compost Pit	0.4
29	Jaipur	Jaipur Greator (MC)	Chitrakut Park	Vaishali Nagar	Compost Pit	0.4
30	Jaipur	Jaipur Greator (MC)	Vaishali Nagar Chitrakut Nagar Park	Vaishali Nagar	Compost Pit	0.9
31	Jaipur	Jaipur Greator (MC)	Karni Nagar Park	Vaishali Nagar	Compost Pit	0.4
32	Jaipur	Jaipur Greator (MC)	Girnar Colony Park	Vaishali Nagar	Compost Pit	1.1
33	Jaipur	Jaipur Greator (MC)	Khandelwal Collagar k Pass Park	Hanuman Nagar	Compost Pit	0.9
34	Jaipur	Jaipur Greator (MC)	Jagdamba Nagar Park	Vaishali Nagar	Compost Pit	0.5
35	Jaipur	Jaipur Greator (MC)	Laxmi Mandir Cinema K Pass Park	Lalkothi Yojana	Compost Pit	0.1
36	Jaipur	Jaipur Greator (MC)	parshuram park	Jhotwada	Compost Pit	0.5
37	Jaipur	Jaipur Greator (MC)	Bhomiya Park	Jhotwada	Compost Pit	0.1
38	Jaipur	Jaipur Greator (MC)	Brajmandal Park	Jhotwada	Compost Pit	0.1
39	Jaipur	Jaipur Greator (MC)	Nemi Nagar Ka Pratham Park	Vaishali Nagar	Compost Pit	0.4
40	Jaipur	Jaipur Greator (MC)	Shiv Park Vit Vihar	Vaishali Nagar	Compost Pit	0.3

2250

41	Jaipur	Jaipur Greator (MC)	RadhaKrishna Udhyan Bal Nagar	Kartarpura	Compost Pit	0.4
42	Jaipur	Jaipur Greator (MC)	BapuJi Marg Park	Shekar Marg	Compost Pit	0.1
43	Jaipur	Jaipur Greator (MC)	Mahatama Gandhi Park	Mahatma Gandhi Ajmer Road	Compost Pit	1.1
44	Jaipur	Jaipur Greator (MC)	Doctors Colony Park	Vaishali Nagar	Compost Pit	0.4
45	Jaipur	Jaipur Greator (MC)	Shubhash Park	Malviya Nagar	Compost Pit	0.4
46	Jaipur	Jaipur Greator (MC)	Soons Sundardas Park	Malviya Nagar	Compost Pit	0.1
47	Jaipur	Jaipur Greator (MC)	Shiv Park	Malviya Nagar	Compost Pit	0.3
48	Jaipur	Jaipur Greator (MC)	Ramdas Park	Park No. 8 Malviya Nagar	Compost Pit	1.3
49	Jaipur	Jaipur Greator (MC)	Jyotiba Fuleraav Park	Malviya Nagar	Compost Pit	0.4
50	Jaipur	Jaipur Greator (MC)	New Light Colony Park	Malviya Nagar	Compost Pit	0.4
51	Jaipur	Jaipur Greator (MC)	Moti Park	Bapu Nagar	Compost Pit	0.4
52	Jaipur	Jaipur Greator (MC)	Premanand Park	Rajapark	Compost Pit	0.1
53	Jaipur	Jaipur Greator (MC)	Tilak Park	Tilak Nagar	Compost Pit	1.9
54	Jaipur	Jaipur Greator (MC)	Haj House Park	Sanganer	Compost Pit	0.3
55	Jaipur	Jaipur Greator (MC)	Ajay Park	Pratap Nagar	Compost Pit	1.1
56	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Pratap Nagar	Compost Pit	0.1
57	Jaipur	Jaipur Greator (MC)	Maharshi Udhyan	Pratap Nagar	Compost Pit	0.1
58	Jaipur	Jaipur Greator (MC)	Keshav Udhyan	Pratap Nagar	Compost Pit	0.3
59	Jaipur	Jaipur Greator (MC)	Shiv Park	Sanganer	Compost Pit	0.1
60	Jaipur	Jaipur Greator (MC)	Vivek Vihar Park	Jagatpura	Compost Pit	0.1
61	Jaipur	Jaipur Greator (MC)	Shivram Colony Park	Jagatpura	Compost Pit	0.1
62	Jaipur	Jaipur Greator (MC)	ChandraShekar Azad Park	Malviya Nagar	Compost Pit	0.3
63	Jaipur	Jaipur Greator (MC)	Bal Gangadhar tilak Park	Malviya Nagar	Compost Pit	0.1
64	Jaipur	Jaipur Greator (MC)	Lala Lajpatraye Park	Malviya Nagar	Compost Pit	0.1

2251

65	Jaipur	Jaipur Greator (MC)	Jigyasa School Park	Malviya Nagar	Compost Pit	0.1
66	Jaipur	Jaipur Greator (MC)	Rajguru Baludhyan	Malviya Nagar	Compost Pit	0.3
67	Jaipur	Jaipur Greator (MC)	Kali Mata Park	Malviya Nagar	Compost Pit	0.3
68	Jaipur	Jaipur Greator (MC)	Pandit Dindayal Upadhya P ark	Malviya Nagar	Compost Pit	0.1
69	Jaipur	Jaipur Greator (MC)	Park in front of Sector 12/ 154	Malviya Nagar	Compost Pit	0.1
70	Jaipur	Jaipur Greator (MC)	Park in front of Sector 5/175	Malviya Nagar	Compost Pit	0.1
71	Jaipur	Jaipur Greator (MC)	Park in front of Sector 9/916 Shalimar Park	Malviya Nagar	Compost Pit	0.1
72	Jaipur	Jaipur Greator (MC)	Park in front of Sector 13/144	Malviya Nagar	Compost Pit	0.1
73	Jaipur	Jaipur Greator (MC)	Krishna Nagar Ka Park	Gopalpura Bypass	Compost Pit	0.6
74	Jaipur	Jaipur Greator (MC)	Triveni Nagar Park	Gopalpura Bypass	Compost Pit	0.3
75	Jaipur	Jaipur Greator (MC)	Sonabadi Ka Park	Gopalpura Bypass	Compost Pit	0.1
76	Jaipur	Jaipur Greator (MC)	Gangotri Nagar Pratham Park	Gopalpura Bypass	Compost Pit	0.1
77	Jaipur	Jaipur Greator (MC)	Dagachi park	Trivani nagar	Compost Pit	0.3
78	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Durgapura	Compost Pit	0.3
79	Jaipur	Jaipur Greator (MC)	Ram Mandir K Piche Park	Gopalpura Bypass	Compost Pit	0.1
80	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Tonk Road	Compost Pit	0.1
81	Jaipur	Jaipur Greator (MC)	Maghav Udhyan	Barkat Nagar	Compost Pit	0.1
82	Jaipur	Jaipur Greator (MC)	Dev Nagar Park	Tonk Road	Compost Pit	0.3
83	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost Pit	0.3
84	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
85	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Bypass	Compost Pit	0.4
86	Jaipur	Jaipur Greator (MC)	Surya nagar Second Park	Gopalpura Bypass	Compost Pit	0.4
87	Jaipur	Jaipur Greator (MC)	Gurukul Park	S.F.S. Mansarovar	Compost	0.3

2252

					Pit	
88	Jaipur	Jaipur Greator (MC)	Park in front of Sector 3/12	S.F.S. Mansarovar	Compost Pit	0.4
89	Jaipur	Jaipur Greator (MC)	Krishna Park Sector 6/181	S.F.S. Mansarovar	Compost Pit	0.6
90	Jaipur	Jaipur Greator (MC)	Dandiya Park Sector 113	Mansarovar	Compost Pit	0.3
91	Jaipur	Jaipur Greator (MC)	Someshwar Mahadev Park Sector 119/411	Mansarovar	Compost Pit	0.1
92	Jaipur	Jaipur Greator (MC)	Park in front of Sector 117/311	Mansarovar	Compost Pit	0.3
93	Jaipur	Jaipur Greator (MC)	Sarveshawar Park Sector 118/88	Mansarovar	Compost Pit	0.1
94	Jaipur	Jaipur Greator (MC)	Bharat Park Sector 111/317	Mansarovar	Compost Pit	0.3
95	Jaipur	Jaipur Greator (MC)	Hanuman Park Sector 111/258	Mansarovar	Compost Pit	0.1
96	Jaipur	Jaipur Greator (MC)	Shyam Park Sector 113	Mansarovar	Compost Pit	0.1
97	Jaipur	Jaipur Greator (MC)	Radhagovind Park Sector 119/95	Thadi Market Mansarovar	Compost Pit	0.3
98	Jaipur	Jaipur Greator (MC)	Shubhash Park Sector 80/56	Mansarovar	Compost Pit	0.3
99	Jaipur	Jaipur Greator (MC)	Dhavleshwar Park	Mansarovar	Compost Pit	0.5
100	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Mansarovar	Compost Pit	0.4
101	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Udhyan Sector 123/141	Mansarovar	Compost Pit	0.1
102	Jaipur	Jaipur Greator (MC)	Vijay Udhyan Sector 121/145	Mansarovar	Compost Pit	0.1
103	Jaipur	Jaipur Greator (MC)	Gurunanak Park Sector 122/182	Mansarovar	Compost Pit	0.4
104	Jaipur	Jaipur Greator (MC)	Veer Chatarsal Park Sector 122/167	Mansarovar	Compost Pit	0.1
105	Jaipur	Jaipur Greator (MC)	Captain Kalpana Chawala Park Sector 71/240	Mansarovar	Compost Pit	0.4
106	Jaipur	Jaipur Greator (MC)	Tagor Park Sector 77	Mansarovar	Compost Pit	0.3

2253

107	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Aashis Vihar Jagat Pura	Compost Pit	0.1
108	Jaipur	Jaipur Greator (MC)	Shiv Park	Hari Nagar Jaipur	Compost Pit	0.1
109	Jaipur	Jaipur Greator (MC)	Karni Park	Officers Campaus, Sirasi Road, Jaipur	Compost Pit	0.1
110	Jaipur	Jaipur Greator (MC)	Shri Laxman Park	Bhumiya Nagar, Sunar Colony, Jhotwara, Jaipur	Compost Pit	0.3
111	Jaipur	Jaipur Greator (MC)	Maharan Pratap Udhyan	Vrandhvan Colony, Ajmer Railway Line	Compost Pit	0.3
112	Jaipur	Jaipur Greator (MC)	Godhrara Colony Park	Sector 3, Vidhyadhar Nagar	Compost Pit	0.1
113	Jaipur	Jaipur Greator (MC)	Parshuram Park	Vidhyadhar	Compost Pit	0.1
114	Jaipur	Jaipur Greator (MC)	Shiv Park	Parikh Path, Sikar Road	Compost Pit	0.1
115	Jaipur	Jaipur Greator (MC)	Jagrati Udhyan	Karni Colony, Path No. 07, Sikar Road	Compost Pit	0.1
116	Jaipur	Jaipur Greator (MC)	Soni Ka Bhag	Shree Radha Krishan Mandir Bandhu Nagar, MurliPura	Compost Pit	0.1
117	Jaipur	Jaipur Greator (MC)	Vishva Mitra Nagar Park	Panch Hnuman Mandir Ke Pas	Compost Pit	0.1
118	Jaipur	Jaipur Greator (MC)	Alka Puri Colony Park	Rose Public School Ke Samne	Compost Pit	0.1
119	Jaipur	Jaipur Greator (MC)	Parshuram Park	Pratap Nagar Visatar	Compost Pit	0.2
120	Jaipur	Jaipur Greator (MC)	Tikona Park	Pratap Nagar Visatar	Compost Pit	0.1
121	Jaipur	Jaipur Greator (MC)	Jorawar Park	Nadi Ke Fatak ke pas	Compost Pit	0.1
122	Jaipur	Jaipur Greator (MC)	Srngar Smshan Park	Srngarpura	Compost Pit	0.3
123	Jaipur	Jaipur Greator (MC)	Shamshan Park	Mangyawas	Compost Pit	0.7
124	Jaipur	Jaipur Greator (MC)	Shamshan Park	Bhakhrotha	Compost Pit	0.5
125	Jaipur	Jaipur Greator (MC)	Bharat Mata Park	Sec.47, Mansrovar	Compost Pit	1.6
126	Jaipur	Jaipur Greator (MC)	Shiv Kamleshwar	Park Sector 42/46, Mansrovar	Compost Pit	1.4
127	Jaipur	Jaipur Greator (MC)	Master Aadityakendra Park	Sector 20/60 Ke Samne Mansrovar	Compost Pit	0.5

2254

128	Jaipur	Jaipur Greator (MC)	Himalya Vatika	Sector 20/153 Ke Samne Mansrovar	Compost Pit	0.5
129	Jaipur	Jaipur Greator (MC)	Pandit Dindyal Park	Sector 20/47 Ke Samne Mansrovar	Compost Pit	0.3
130	Jaipur	Jaipur Greator (MC)	Vijayaraje Sindhiya Park	Sector 13/04 Ke Samne Mansrovar	Compost Pit	1.3
131	Jaipur	Jaipur Greator (MC)	Guru Govind Singh Park	Sector 11/41 Ke Samne Mansrovar	Compost Pit	0.4
132	Jaipur	Jaipur Greator (MC)	Veer Swarkar Nagar Park	Sector 11/26 Ke Samne Mansrovar	Compost Pit	0.5
133	Jaipur	Jaipur Greator (MC)	Harihant Park	Sector 11/72 Ke Samne Mansrovar	Compost Pit	0.4
134	Jaipur	Jaipur Greator (MC)	Bhishansingh Sekhwat Park	Sector 10 Ke Samne Mansrovar	Compost Pit	0.3
135	Jaipur	Jaipur Greator (MC)	Panchpanshewar Park	Sector 55/129 Ke Samne Mansrovar	Compost Pit	0.5
136	Jaipur	Jaipur Greator (MC)	Ramanandcharya Park	Sector 34, Mansrovar	Compost Pit	0.3
137	Jaipur	Jaipur Greator (MC)	Vande Matram Park	Sector 37-38, Mansrovar	Compost Pit	0.4
138	Jaipur	Jaipur Greator (MC)	Marshi Arvind Park	Sector 34/133 Ke Samne Mansrovar	Compost Pit	1.6
139	Jaipur	Jaipur Greator (MC)	Mangal Vihar Shamshan Park	GopalPura Baipas	Compost Pit	0.4
140	Jaipur	Jaipur Greator (MC)	Abhimanyu Park	Sector 69, Mansrovar	Compost Pit	0.9
141	Jaipur	Jaipur Greator (MC)	Dr. Shyamaprasad Mukharji Udhyan	Sector 67, Mansrovar	Compost Pit	0.9
142	Jaipur	Jaipur Greator (MC)	Golvarakar Udhyan	Sector 52, Mansrovar	Compost Pit	0.7
143	Jaipur	Jaipur Greator (MC)	Ashok Vatika Udhyan	Sector 92, Mansrovar	Compost Pit	0.4
144	Jaipur	Jaipur Greator (MC)	Radha Govind Park	Sector 77/48 Ke Samne Mansrovar	Compost Pit	0.3
145	Jaipur	Jaipur Greator (MC)	Tegore Park	Sector 77, Mansrovar	Compost Pit	0.3
146	Jaipur	Jaipur Greator (MC)	Roj Garden	Sector 77, Mansrovar	Compost Pit	0.9
147	Jaipur	Jaipur Greator (MC)	Darkadish Purohit Udhyan	Sector 119,B-2-B Baipas Mansrovar	Compost Pit	1.9
148	Jaipur	Jaipur Greator (MC)	Shiv Park	Barkat Nagar	Compost Pit	0.15
149	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost Pit	0.35

2255

150	Jaipur	Jaipur Greator (MC)	Joshi colony Park	Barkat Nagar	Compost Pit	0.15
151	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Bypass	Compost Pit	0.45
152	Jaipur	Jaipur Greator (MC)	Stone Park	B 2 bypass S S F Mansrovar	Compost Pit	1.95
153	Jaipur	Jaipur Greator (MC)	Krishna Park	Sector 6/181 S S F Mansrovar	Compost Pit	0.65
154	Jaipur	Jaipur Greator (MC)	Sector 117/311 Park	thadi Market Mansrovar	Compost Pit	0.35
155	Jaipur	Jaipur Greator (MC)	Mahatma Gandhi Park	116/59 Mansrovar	Compost Pit	0.15
156	Jaipur	Jaipur Greator (MC)	Madhav Park	sector 80/183 Mansrovar	Compost Pit	0.45
157	Jaipur	Jaipur Greator (MC)	Subhash Park	80/56 Mansrovar	Compost Pit	0.35
158	Jaipur	Jaipur Greator (MC)	Shivam Park	81/77 Mansrovar	Compost Pit	0.35
159	Jaipur	Jaipur Greator (MC)	Sector 82/72 ke Samne Park	Sector 82/72 Mansrovar	Compost Pit	0.35
160	Jaipur	Jaipur Greator (MC)	Meerabai Park	Sector 101/147 Mansrovar	Compost Pit	0.5
161	Jaipur	Jaipur Greator (MC)	Manuraaj	Sector 84/239 Mansrovar	Compost Pit	0.15
162	Jaipur	Jaipur Greator (MC)	Sardar Patel Park	Sector 101 Mansrovar	Compost Pit	0.45
163	Jaipur	Jaipur Greator (MC)	Sector 102/46 Park	Sector 102/46 Mansrovar	Compost Pit	0.35
164	Jaipur	Jaipur Greator (MC)	Sector 103/86 Park	Sector 103/86 Mansrovar	Compost Pit	0.35
165	Jaipur	Jaipur Greator (MC)	Jhulelal Park	Sector 104 Mansrovar	Compost Pit	0.5
166	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Park	Sector 123/141 Mansrovar	Compost Pit	0.15
167	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Sector 120/42 Mansrovar	Compost Pit	0.35
168	Jaipur	Jaipur Greator (MC)	Ambe Park	Sector 124/23 Mansrovar	Compost Pit	0.15
169	Jaipur	Jaipur Greator (MC)	Rose Garden	Sector 77 Mansrovar	Compost Pit	1.92
170	Jaipur	Jaipur Greator (MC)	Khel Maidan	Sector 124 Mansrovar	Compost Pit	0.45
171	Jaipur	Jaipur Greator (MC)	Parvati Udhyan Sector 64	Pratap Nagar	Compost Pit	0.1
172	Jaipur	Jaipur Greator (MC)	Mahadevra Park	Sanganer	Compost	0.1

2256

					Pit	
173	Jaipur	Jaipur Greator (MC)	Park in front of Sector 112/208	Pratap Nagar	Compost Pit	0.3
174	Jaipur	Jaipur Greator (MC)	Park in front of Sector 223/65	Pratap Nagar	Compost Pit	0.3
175	Jaipur	Jaipur Greator (MC)	Park in front of Sector 113/57	Pratap Nagar	Compost Pit	0.3
176	Jaipur	Jaipur Greator (MC)	Tapeshwar Mahadev Mandir Park	Pratap Nagar	Compost Pit	0.4
177	Jaipur	Jaipur Greator (MC)	Maleshwar Mahadev Mandir Park	Pratap Nagar	Compost Pit	0.3
178	Jaipur	Jaipur Greator (MC)	Vinayak Vihar Park	Jagatpura	Compost Pit	0.4
179	Jaipur	Jaipur Greator (MC)	Bhagwan Jhulelal Udhyan	Malviya Nagar	Compost Pit	0.1
180	Jaipur	Jaipur Greator (MC)	Trivani Nagar Nursari Park	Gopalpura Bypass	Compost Pit	0.9
181	Jaipur	Jaipur Greator (MC)	Surya Nagar Ka Park	Gopalpura Bypass	Compost Pit	0.9
182	Jaipur	Jaipur Greator (MC)	Vishvkarma Nagar Ka Park	Maharani Farm	Compost Pit	0.3
183	Jaipur	Jaipur Greator (MC)	Vasundra Colony Park	Gopalpura Bypass	Compost Pit	0.1
184	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
185	Jaipur	Jaipur Greator (MC)	Sanskar Park Sector 119/297	Mansarovar	Compost Pit	0.3
186	Jaipur	Jaipur Greator (MC)	Shivnath Udhyan Sector 118/213	Mansarovar	Compost Pit	0.1
187	Jaipur	Jaipur Greator (MC)	Ambe Park Sector 124/23	Mansarovar	Compost Pit	0.1
188	Jaipur	Jaipur Greator (MC)	Paramhansh Udhyan Sector 71/154	Mansarovar	Compost Pit	0.1
189	Jaipur	Jaipur Greator (MC)	Ranilaxmi Bai Park	jagatpura	Compost Pit	0.1
190	Jaipur	Jaipur Greator (MC)	Sardar Patel Marg	jagatpura	Compost Pit	0.1
191	Jaipur	Jaipur Greator (MC)	Rani Colony ka Park	Niwaru Road Jhotwada	Compost Pit	0.1
192	Jaipur	Jaipur Greator (MC)	Godara Colony Ka Park	Jhotwada	Compost Pit	0.1
193	Jaipur	Jaipur Greator (MC)	Central Spine Park	Vidhyadhar Nagar	Compost	0.1

2257

					Pit	
194	Jaipur	Jaipur Greator (MC)	Radhakrishna Park	Vidhyadhar nagar	Compost Pit	0.2
195	Jaipur	Jaipur Greator (MC)	Shivaji Park	Shiv Nagar Murlipura	Compost Pit	0.1
196	Jaipur	Jaipur Greator (MC)	Shyam Park	Pratap Nagar	Compost Pit	0.1
197	Jaipur	Jaipur Greator (MC)	Patel Ngar Ka Park	New Sanganer	Compost Pit	0.4
198	Jaipur	Jaipur Greator (MC)	Samudayik Kandra Udhyan	Mansarovar	Compost Pit	0.1
199	Jaipur	Jaipur Greator (MC)	Pandit Dindayal Updhya Park Sector 20/47	Mansarovar	Compost Pit	0.3
200	Jaipur	Jaipur Greator (MC)	Park in front of Sector 14/182	Mansarovar	Compost Pit	0.1
201		Jaipur Greator (MC)	Park in front of Sector 14/08	Mansarovar	Compost Pit	0.1
202	Jaipur	Jaipur Greator (MC)	Tapeshwar Mahadev Mandir Park Sector 105/39	Pratap Nagar	Compost Pit	0.4
203	Jaipur	Jaipur Greator (MC)	Jwalamata Park	Vidhyadhar Nagar	Compost Pit	0.4
204	Jaipur	Jaipur Greator (MC)	Maharana Pratap park	vidhyadhar nagar	Compost Pit	0.4
205	Jaipur	Jaipur Greator (MC)	Sahid BhagatSingh Park	Vidhyadhar Nagar	Compost Pit	0.1
206	Jaipur	Jaipur Greator (MC)	Yoag Park	Vidhyadhar Nagar	Compost Pit	0.2
207	Jaipur	Jaipur Greator (MC)	Keshav Park Sector 6	Vidhyadhar Nagar	Compost Pit	1.6
208	Jaipur	Jaipur Greator (MC)	Durga Park	Ambabadi	Compost Pit	0.4
209	Jaipur	Jaipur Greator (MC)	Shri Aasaram Bapu Park	Ambabadi	Compost Pit	0.3
210	Jaipur	Jaipur Greator (MC)	Shri Ram Park	Durgapura	Compost Pit	0.3
211	Jaipur	Jaipur Greator (MC)	Ram Mandir K Piche Park	Gopalpura Bypass	Compost Pit	0.1
212	Jaipur	Jaipur Greator (MC)	Mahaveer Park	Tonk Road	Compost Pit	0.1
213	Jaipur	Jaipur Greator (MC)	Maghav Udhyan	Barkat Nagar	Compost Pit	0.1
214	Jaipur	Jaipur Greator (MC)	Dev Nagar Park	Tonk Road	Compost Pit	0.3
215	Jaipur	Jaipur Greator (MC)	Ahinsha Park	Barkat Nagar	Compost	0.3

2258

					Pit	
216	Jaipur	Jaipur Greator (MC)	Joshi Colony Park	Barkat Nagar	Compost Pit	0.1
217	Jaipur	Jaipur Greator (MC)	Patel Nagar Park	Gopalpura Bypass	Compost Pit	0.4
218	Jaipur	Jaipur Greator (MC)	Surya nagar Second Park	Gopalpura Bypass	Compost Pit	0.4
219	Jaipur	Jaipur Greator (MC)	Gurukul Park	S.F.S. Mansarovar	Compost Pit	0.3
220	Jaipur	Jaipur Greator (MC)	Park in front of Sector 3/12	S.F.S. Mansarovar	Compost Pit	0.4
221	Jaipur	Jaipur Greator (MC)	Krishna Park Sector 6/181	S.F.S. Mansarovar	Compost Pit	0.6
222	Jaipur	Jaipur Greator (MC)	Dandiya Park Sector 113	Mansarovar	Compost Pit	0.3
223	Jaipur	Jaipur Greator (MC)	Someshwar Mahadev Park Sector 119/411	Mansarovar	Compost Pit	0.1
224	Jaipur	Jaipur Greator (MC)	Rani Laxmibai Udhyan Sector 123/141	Mansarovar	Compost Pit	0.1
225	Jaipur	Khatushyam Ji (M)		Near bye PWD office	Compost Pit	10
226	Jaipur	Sikar(M CL)	Kalyan bhawan	Nagar Parishad, Devipura, Sikar, Rajasthan 332001	Compost Pit	0.06
227	Jaipur	Sikar(M CL)	Nehru Park	Mohalla narwan, Salasar - Sikar Rd, Roshanganj Mohalla, Sikar, Rajasthan 332001	Compost Pit	0.08
228	Jaipur	Sikar(M CL)	Maru Park	Chandpol, Chandpol, Sikar - 332001	Compost Pit	0.08
229	Jaipur	Sikar(M CL)	Shastri Nagar Park	Atal Park Road, Shastri Nagar, Giridih - 815301	Compost Pit	0.06
230	Jaipur	Sikar(M CL)	Ambedkar circle park	Devipura, Sikar - 332001	Compost Pit	0.04
231	Jaipur	Sikar(M CL)	Housing board	Devipura, Sikar, Rajasthan 332001	Compost Pit	0.02
232	Jaipur	Sikar(M CL)	Parshuram Park	Tilak Nagar, Devipura, Sikar - 332001 (Near Ramlila Maidan)	Compost Pit	0.02

2259

233	Jaipur	Sikar(M CL)	Tatya Tope Park	Jaat bazar	Compost Pit	0.02
234	Jodhpur	Bhinmal(M)	Nehru Park	Magh Colony bhinmal	Compost Pit	6.3
235	Jodhpur	Abu Road (M)		Manpur	Compost Pit	3
236	Jodhpur	Mount Abu (M)		Mount Abu	Compost Pit	2.5
237	Jodhpur	Jodhpur North & South (MC)	Umed Udhyan	Jodhpur - 342001	Compost Pit	7.2
238	Jodhpur	Jodhpur North & South (MC)	Nehru Park	Sardarpura, Jhodhpur	Compost Pit	6.3
239	Jodhpur	Jodhpur North & South (MC)	Salwas Park	Jodhpur	Compost Pit	12.6
240	Jodhpur	Jodhpur North & South (MC)	Police Line Park	Police Line Park, Jodhpur	Compost Pit	13.5
241	Jodhpur	Jodhpur North & South (MC)	Adabya Chetana	Near Umed Club	Compost Pit	7.2
242	Jodhpur	Jodhpur North & South (MC)	Nandari Goshala	Nandri Gaushala, Jodhpur Nagar Nigam, Nandri Jodhpur City	Compost Pit	9
243	Jodhpur	Jodhpur North & South (MC)	Dog House	Jodhpur	Compost Pit	7.2
244	Jodhpur	Jodhpur North & South (MC)	Old W-26	Ward office	Compost Pit	3.6
245	Jodhpur	Jodhpur North & South (MC)	Ashok Udhyan	Pal Link Road	Compost Pit	9
246	Jodhpur	Jodhpur North & South (MC)	Near Bansi Brige	Near Bansi Brige	Compost Pit	2.7
247	Kota	Kota North	Mahaveer Park	civil Lines Nayapura	Compost Pit	1
248	Kota	Kota North	Lakhi Burj	nayapura Rpad	Compost Pit	1
249	Kota	Kota North	KST Garden	JDB ke samne	Compost Pit	2
250	Kota	kota South	Chambal Garden	Chambal Gaden kishorepura	Compost Pit	20
251	Kota	kota South	Fire Station	R.K.puram	Compost Pit	20
252	Kota	Ramganj Mandi	In front of SDM Office	In front of SDM Office	Compost Pit	0.25
253	Bikaner	Nohar	Ahaveer park	Word No.26	Compost Pit	1

2260

254	Bikaner	Bikaner	Vallabh garden	Vallabh garden near 40 MLD STP plant	Compost Pit	1
255	Bikaner	Sadulsahar	Kalyank bhumi park	ward 4	Compost Pit	2
256	Bikaner	Sadulsahar	Shiva Vatika Park	ward no 15	Compost Pit	3
257	Bikaner	Anupgarh	Ashra sthal	ward no.3	Compost Pit	1
258	Bikaner	Hanumangarh	District park	abhohar bye pass	Compost Pit	1
259	Bikaner	Bidasar	Ramkrishna Gou shala	ward no 24	Compost Pit	1
260	Bikaner	Ratannagar	Ward No.8 Park	Ward No.8 Park	Compost Pit	1.5
261	Udaipur	Kanor	Gulab Baag	Near Surajpol, Udaipur	Compost Pit	3
Total						240.92

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (in TPD)	Name of Firm
1	Hanumangarh	Compost+RDF	60	M/s Allied Energy Systems Pvt. Ltd. New Delhi
2	Jhunjhunu+Baggar+Udaipurwati	Compost+RDF	65	M/s Allied Energy Systems Pvt. Ltd. New Delhi
3	Jaipur	Waste to Energy	600	M/s JITF Urban Infrastructure Ltd. New Delhi.
4	Jodhpur	Waste to Energy	400	M/s JITF Urban Infrastructure Ltd. New Delhi.
5	Sikar	Compost+MRF+ dry waste processing center	50	By ULB
6	Sheoganj+ Sumerpur+ Takhatgarh	Compost+RDF	40	M/s Durga Impex Udaipur
7	Bharatpur	Compost+RDF	100	M/s Rollz Material Handling System Pvt. Ltd. New Delhi
8	Jaisalmer	Compost+RDF	50	M/s Shree Balaji Caretaker
9	Ajmer	Compost+RDF	300	M/s NACOF
10	Dausa	Compost+RDF	125	Lakshya Total Solutions
11	Banswara	Compost+RDF	19	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
12	Beawer	Compost+RDF	47	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
13	Bhiwadi	Compost+RDF	56	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
14	Bikaner	Compost+RDF	320	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
15	Bundi	Compost+RDF	57	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
16	Chittaurgarh	Compost+RDF	46	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
17	Dholpur	Compost+RDF	69	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
18	Gangapur City	Compost+RDF	65	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
19	Hindaun	Compost+RDF	37	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
20	Jalore	Compost+RDF	20	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
21	Khatushyam Ji	Compost+RDF	5	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
22	Kishangarh	Compost+RDF	26	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
23	Kota (South)	Compost+RDF	400	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
24	Kota (North)	Compost+RDF	400	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
25	Nagaur	Compost+RDF	51	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (in TPD)	Name of Firm
26	Reengus	Compost+RDF	10	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
27	Sawai Madhopur	Compost+RDF	46	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
28	Sirohi	Compost+RDF	13	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
29	Sujargarh	Compost+RDF	30	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
30	Khetri	Compost+RDF	8	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
31	Nawalgarh	Compost+RDF	21	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
32	Bayana	Compost+RDF	13.5	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
33	Bagru	Compost+RDF	13	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
34	Khandela	Compost+RDF	9.5	M/S Shri MohanGarh Construction Company and RKB reuse Pvt. Ltd. (JV)
35	Raisinghnagar	Compost+RDF	11.64	M/s Escostan Infra Pvt Ltd
36	Kesrisinghpur	Compost+RDF	5.76	
37	Anupgarh	Compost+RDF	12.69	
38	Karanpur	Compost+RDF	8.75	
39	Padampur	Compost+RDF	7.57	
40	Vijaynagar	Compost+RDF	7.57	
41	Gajsinghpur	Compost+RDF	4.11	
42	Rawatsar	Compost+RDF	14.43	
43	Bhadra	Compost+RDF	16.71	
44	Nohar	Compost+RDF	20.48	
45	Pilibanga	Compost+RDF	15.33	
46	Sangaria	Compost+RDF	15.05	
47	Neem-Ka-Thana	Compost+RDF	14.89	M/s Escostan Infra Pvt Ltd
48	Sri Madhopur	Compost+RDF	12.89	
49	Lachhmangarh	Compost+RDF	21.94	
50	Ramgarh	Compost+RDF	13.57	
51	Losal	Compost+RDF	11.72	
52	Fatehpur	Compost+RDF	57.08	
53	Pilani	Compost+RDF	12.22	

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (in TPD)	Name of Firm
54	Vidyavihar	Compost+RDF	6.43	
55	Baggar	Compost+RDF	5.85	
56	Mukandgarh	Compost+RDF	7.59	
57	Chirawa	Compost+RDF	18.6	
58	Mandawa	Compost+RDF	9.59	
59	Surajgarh	Compost+RDF	8.9	
60	Bissau	Compost+RDF	9.55	
61	Sarwar	Compost+RDF	8.37	M/s Rekart Inovations Pvt. Ltd.
62	Bijainagar (M)	Compost+RDF	13.2	
63	Kekri	Compost+RDF	17.22	
64	Nasirabad	Compost+RDF	20.88	
65	Pushkar	Compost+RDF	9.78	
66	Gulabpura	Compost+RDF	11.19	
67	Shahpura_BH (M)	Compost+RDF	12.46	
68	Jahazpur	Compost+RDF	8.46	
69	Asind	Compost+RDF	6.83	
70	Mandalgarh	Compost+RDF	5.69	
71	Gangapur	Compost+RDF	7.72	
72	Uniara	Compost+RDF	5.16	M/s Rekart Inovations Pvt. Ltd.
73	Malpura	Compost+RDF	14.81	
74	Todaraisingh	Compost+RDF	9.68	
75	Todabhim	Compost+RDF	9.44	
76	Karauli	Compost+RDF	56.26	
77	Sambhar	Compost+RDF	9.18	M/S Center for Development Communication Trust
78	Kishangarh Renwal	Compost+RDF	12	
79	Jobner	Compost+RDF	4.67	
80	Chaksu	Compost+RDF	13.74	
81	Shahpura_J (M)	Compost+RDF	13.93	
82	Kotputli	Compost+RDF	20.22	

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (in TPD)	Name of Firm
83	Viratnagar	Compost+RDF	8.45	M/s Rekart Inovations Pvt. Ltd.
84	Lalsot	Compost+RDF	14.12	
85	Bandikui	Compost+RDF	18.36	
86	Mahwa	Compost+RDF	10.21	
87	Bali	Compost+RDF	8.17	
88	Jaitaran	Compost+RDF	9.3	
89	Falna	Compost+RDF	10.21	
90	Sadri	Compost+RDF	11.26	
91	Rani	Compost+RDF	5.7	
92	Pindwara (M)	Compost+RDF	10.06	
93	Abu Road (M)	Compost+RDF	22.85	
94	Sanchoe	Compost+RDF	13.51	
95	Bilara	Compost+RDF	16.27	M/s Rekart Inovations Pvt. Ltd.
96	Phalodi	Compost+RDF	20.51	
97	Pipar City	Compost+RDF	15.13	
98	Balotra	Compost+RDF	45.93	
99	Pokran	Compost+RDF	9.68	
100	Chhoti Sadri	Compost+RDF	7.55	M/s Rekart Inovations Pvt. Ltd.
101	Sagwara	Compost+RDF	12.1	
102	Partapur Garhi (M0	Compost+RDF	6.55	
103	Kushalgarh	Compost+RDF	4.38	
104	Nathdwara	Compost+RDF	19	
105	Deogarh	Compost+RDF	7.24	
106	Amet	Compost+RDF	7.12	M/s Rekart Inovations Pvt. Ltd.
107	Fatehnagar	Compost+RDF	9.38	
108	Kanor	Compost+RDF	5.44	
109	Salumber	Compost+RDF	6.75	
110	Bhinder	Compost+RDF	7.35	
111	Kapasan	Compost+RDF	8.58	

2265

Details of Under Construction (Work in Progress) Processing Plants				
S. No.	City/Town	Processing Technology	Plant Capacity (in TPD)	Name of Firm
112	Nimbahera	Compost+RDF	25.46	M/s Rekart Inovations Pvt. Ltd.
113	Begun	Compost+RDF	8.51	
114	Rawatbhata	Compost+RDF	15.49	
115	Bari sadri	Compost+RDF	6.46	
116	Bhawani Mandi	Compost+RDF	17.38	
117	Jhalarapatan		15.41	
118	Pirawa		5.26	
119	Mangrol		10.31	
120	Chhabra		13.27	
121	Antah		13.31	
122	Baran		80.02	
123	Nainwa	Compost+RDF	8.01	M/s Rekart Inovations Pvt. Ltd.
124	Kaprain	Compost+RDF	8.53	
125	Keshoraipatan	Compost+RDF	10.12	
126	Lakheri	Compost+RDF	12.15	
127	Indergarh	Compost+RDF	3.06	
128	Sangod	Compost+RDF	8.98	
129	Kaithoon	Compost+RDF	9.97	
130	Itawa	Compost+RDF	11.24	
131	Ramganj Mandi	Compost+RDF	16.99	
	Total		4864.89 TPD	

2266

Under Construction MRFs		
S. No.	ULB Name	Capacity (TPD)
1	KHAIRTHAL	5
2	KUSHALGARH	3
3	BALOTRA	7
4	NADBAI	4
5	NAGAR	4
6	JAHAZPUR	3.1
7	RAWAT BHATA	5
8	RAJALDESAR	4
9	GANGANAGAR	10
10	PADAMPUR	3
11	PILIBANGA	5
12	KOTPUTLI	5
13	VIRATNAGAR	3
14	BAGGAR	2
15	SURAJGARH	3
16	KARAULI	8
17	RAMGARH (SHEKHAWATI)	5
18	SIKAR	10
Total		89

Annexure-VII

Legacy Waste Remediation Details								
S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.01.2024	Firm Name	Work Order Issued on	Completion Date	
A	List of ULBs where Bio-remediation is competed							
	1	AJMER	MALPURA (M)	11199.6	11199.6	ULB Level	-	Completed
	2	BHARATPUR	BARI (M)	9739.3	9739.3	ULB Level	-	Completed
	3	BHARATPUR	BHARATPUR (M CL) PHASE-I	33386.75	33386.75	ULB Level	-	Completed
	4	BHARATPUR	DHAULPUR (M) PHASE-I	1665	1665	ULB Level	-	Completed
	5	BHARATPUR	RAJAKHERA (M)	1912.51	1912.51	ULB Level	-	Completed
	6	JAIPUR	BANDIKUI (M) PHASE-I	11838.52	11838.52	ULB Level	-	Completed
	7	JAIPUR	JOBNER (M)	8200.15	8200.15	ULB Level	-	Completed
	8	JAIPUR	LACHHMANGARH (M)	3769.41	3769.41	ULB Level	-	Completed
	9	JODHPUR	PHALODI (M)	12191.06	12191.06	ULB Level	-	Completed
	10	KOTA	BARAN (M) PHASE-I	1128.63	1128.63	ULB Level	-	Completed
	11	KOTA	CHHABRA (M)	12197.55	12197.55	ULB Level	-	Completed
	12	KOTA	MANGROL (M)	1448.65	1448.65	ULB Level	-	Completed
	13	KOTA	KAPRAIN (M)	5517	5517	ULB Level	-	Completed
	14	KOTA	AKLERA (M)	4200	4200	ULB Level	-	Completed
	15	KOTA	ITAWA	633.25	633.25	ULB Level	-	Completed
	16	KOTA	KOTA (NORTH) PHASE-I	357763	357763	ULB Level	-	Completed
	17	KOTA	SANGOD (M)	1071.59	1071.59	ULB Level	-	Completed
	18	UDAIPUR	BANSWARA (M)	82282.8	82282.8	ULB Level	-	Completed
	19	UDAIPUR	NIMBAHERA (M)	3127	3127	ULB Level	-	Completed
	20	UDAIPUR	DUNGARPUR (M)	1900.62	1900.62	ULB Level	-	Completed
	21	UDAIPUR	RAJSAMAND (M)	19536.57	19536.57	ULB Level	-	Completed
	22	UDAIPUR	UDAIPUR (M CL) PHASE-I	99291.14	99291.14	ULB Level	-	Completed
	23	JAIPUR	FATEHPUR (M)	10800	10800	ULB Level	-	Completed
	24	KOTA	NAINWA (M)	1128.63	1128.63	ULB Level	-	Completed
	25	UDAIPUR	CHITTAURGARH (M) PHASE-I	9712.51	9712.51	ULB Level	-	Completed
	26	UDAIPUR	NATHDWARA (M)	14051.63	14051.63	ULB Level	-	Completed
	27	UDAIPUR	UDAIPUR (M CL) PHASE-II	161513.9	161513.9	ULB Level	-	Completed
Total			881206.77	881206.77				
B	List of ULBs where Bio-remediation is under Process (Cluster-1 to 4)							
	1	AJMER	BEAWAR (M CL)	75000	75000	Aakanksha Enterprises	02.01.2023	02.07.2024
	2	AJMER	KISHANGARH (M CL)	214502	214502	Aakanksha Enterprises	02.01.2023	02.07.2024
	3	AJMER	BHILWARA (M CL)	138972	90000	Aakanksha Enterprises	02.01.2023	02.07.2024
	4	AJMER	NAGAU (M)	12135	12135	Aakanksha Enterprises	02.01.2023	02.07.2024
	5	BHARATPUR	BHARATPUR (M CL)	120312	0	Aakanksha Enterprises	02.01.2023	02.07.2024
	6	BHARATPUR	DHAULPUR (M)	6000	0	Aakanksha Enterprises	02.01.2023	02.07.2024
	7	BHARATPUR	HINDAUN (M)	21600	0	Aakanksha Enterprises	02.01.2023	02.07.2024
	8	BHARATPUR	GANGAPUR CITY (M)	71000	55000	Aakanksha Enterprises	02.01.2023	02.07.2024
	9	BHARATPUR	SAWAI MADHOPUR (M)	63000	0	Aakanksha Enterprises	02.01.2023	02.07.2024
	10	BIKANER	BIKANER	781951	270852	D. H. Patel	05.01.2023	05.07.2024
	11	BIKANER	CHURU (M CL)	76346	0	D. H. Patel	05.01.2023	05.07.2024
	12	BIKANER	SUJANGARH (M)	38598	0	D. H. Patel	05.01.2023	05.07.2024
	13	BIKANER	GANGANAGAR (M CL)	102258	0	D. H. Patel	05.01.2023	05.07.2024

2268

	Legacy Waste Remediation Details							
	S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.01.2024	Firm Name	Work Order Issued on	Completion Date
	14	BIKANER	HANUMANGARH (M CL)	77865	0	D. H. Patel	05.01.2023	05.07.2024
	15	JAIPUR	ALWAR (M CL)	105732	9000	Saurastra Enviro Projects	05.01.2023	05.07.2024
	16	JAIPUR	JAIPUR GREATER (MC)	1401271	420000	Saurastra Enviro Projects	05.01.2023	05.07.2024
	17	JAIPUR	JAIPUR HERITAGE (MC)	801731	360000	Saurastra Enviro Projects	05.01.2023	05.07.2024
	18	JAIPUR	JHUNJHUNUN (M CL)	108265	0	D. H. Patel	05.01.2023	05.07.2024
	19	JAIPUR	SIKAR (M CL)	222331	14000	Saurastra Enviro Projects	05.01.2023	05.07.2024
	20	JODHPUR	JODHPUR SOUTH (MC)	470280	270000	Aakanksha Enterprises	02.01.2023	02.07.2024
	21	KOTA	BARAN (M)	23406	23406	Aakanksha Enterprises	02.01.2023	02.07.2024
	22	KOTA	BUNDI (M)	25253	15000	Aakanksha Enterprises	02.01.2023	02.07.2024
	23	UDAIPUR	CHITTAURGARH (M)	35000	19000	Aakanksha Enterprises	02.01.2023	02.07.2024
	24	UDAIPUR	UDAIPUR (M CL)	357805	190000	Aakanksha Enterprises	02.01.2023	02.07.2024
	Total				5350613	2037895		
C	List of ULBs where Bio-remidiation under progress at ULB Level							
	1	AJMER	AJMER	105026	50000	ULB Level		31.12.2024
	2	AJMER	KEKRI (M)	6624.05	0	ULB Level		31.12.2024
	3	AJMER	NAGAU (M)	3367.25	0	ULB Level		31.12.2024
	4	BIKANER	RATANNAGAR (M)	2437.94	0	ULB Level		31.12.2024
	5	JAIPUR	CHAKSU (M)	18358.98	0	ULB Level		31.12.2024
	6	JAIPUR	KOTPUTLI (M)	9000	0	ULB Level		31.12.2024
	7	JAIPUR	NAWALGARH (M)	13770.31	0	ULB Level		31.12.2024
	8	JAIPUR	SRI MADHOPUR (M)	6529.42	0	ULB Level		31.12.2024
	9	JODHPUR	BALOTRA (M)	14738.11	6328.4	ULB Level		31.12.2024
	10	JODHPUR	BARMER (M)	48511	0	ULB Level		31.12.2024
	11	JODHPUR	PIPAR CITY (M)	3160.55	0	ULB Level		31.12.2024
	12	KOTA	ANTAH (M)	1599.73	0	ULB Level		31.12.2024
	13	KOTA	KESHORAIPATAN (M)	1327	0	ULB Level		31.12.2024
	14	KOTA	JHALAWAR (M)	12197.5	0	ULB Level		31.12.2024
	15	KOTA	KAITHOON (M)	1092.99	0	ULB Level		31.12.2024
	16	KOTA	RAMGANJ MANDI (M)	17884	0	ULB Level		31.12.2024
	17	UDAIPUR	KUSHALGARH (M)	4763.82	0	ULB Level		31.12.2024
	18	UDAIPUR	PARTAPUR GARHI (M)	2026.06	0	ULB Level		31.12.2024
Total				272414.71	56328.4			
D	List of ULBs where Work Oredrer has been awarded for Bio-remidiation (Cluster-5)							
	1	UDAIPUR	AMET (M)	7503	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	2	BIKANER	ANUPGARH (M)	13649	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	3	AJMER	ASIND (M)	10735	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	4	JAIPUR	BAGGAR (M)	4869	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	5	JAIPUR	BAGRU (M)	15899	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	6	JODHPUR	BALI (M)	2999	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	7	UDAIPUR	BARI SADRI (M)	6428	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	8	BHARATPUR	BAYANA (M)	6752	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	9	UDAIPUR	BEGUN (M)	9764	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	10	JAIPUR	BEHROR (M)	40223	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
	11	BIKANER	BHADRA (M)	26020	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

2269

Legacy Waste Remediation Details							
S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.01.2024	Firm Name	Work Order Issued on	Completion Date
12	KOTA	BHAWANI MANDI (M)	2918	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
13	UDAIPUR	BHINDER (M)	21084	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
14	JODHPUR	BHINMAL (M)	20335	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
15	BHARATPUR	BHUSAWAR (M)	28688	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
16	BIKANER	BIDASAR (M)	67893	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
17	AJMER	BIJAINAGAR (M)	3531	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
18	JODHPUR	BILARA (M)	22614	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
19	JAIPUR	BISSAU (M)	32682	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
20	BIKANER	CHHAPAR (M)	9056	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
21	UDAIPUR	CHHOTI SADRI (M)	4846	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
22	JAIPUR	CHIRAWA (M)	81118	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
23	JAIPUR	DAUSA (M)	110991	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
24	BHARATPUR	DEEG (M)	7134	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
25	AJMER	DEGANA	5435	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
26	UDAIPUR	DEOGARH (M)	9611	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
27	AJMER	DEOLI (M)	20601	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
28	BIKANER	DESHNOKE (M)	6603	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
29	AJMER	DIDWANA (M)	2859	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
30	BIKANER	DUNGARGARH (M)	66303	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
31	JODHPUR	FALNA (M)	1059	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
32	UDAIPUR	FATEHNAGAR (M)	3488	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
33	BIKANER	GAJSINGHPUR (M)	16116	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
34	AJMER	GANGAPUR (M)	25839	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
35	AJMER	GULABPURA (M)	5176	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
36	KOTA	INDRAGARH (M)	3140	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
37	AJMER	JAHAPUR (M)	12882	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
38	JODHPUR	JALSALMER (M)	199938	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
39	JODHPUR	JAITARAN (M)	4109	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
40	JODHPUR	JALOR (M)	21565	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
41	UDAIPUR	KAPASAN (M)	2058	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
42	BIKANER	KARANPUR (M)	8900	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
43	BHARATPUR	KARALI (M)	37647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
44	BIKANER	KESRISINGHPUR (M)	2826	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
45	JAIPUR	KHAIRTHAL (M)	18534	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
46	JAIPUR	KHANDELA (M)	10153	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
47	JAIPUR	KHATUSHYAMJI (M)	35512	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
48	JAIPUR	KHERLI (M)	10623	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
49	JAIPUR	KHETRI (M)	10319	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
50	JAIPUR	KISHANGARH RENWAL (M)	6477	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
51	JAIPUR	KISHANGARHBAS MB	3984	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
52	AJMER	KUCHAMAN CITY (M)	66580	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
53	AJMER	KUCHERA (M)	5235	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
54	BHARATPUR	KUMHER (M)	1765	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
55	AJMER	LADNU (M)	1765	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
56	KOTA	LAKHERI (M)	141	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

2270

Legacy Waste Remediation Details							
S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.01.2024	Firm Name	Work Order Issued on	Completion Date
57	JAIPUR	LALSOT (M)	11802	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
58	JAIPUR	LOSAL (M)	38114	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
59	JAIPUR	MAHWA	18368	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
60	AJMER	MAKRANA (M)	76471	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
61	AJMER	MANDALGARH (M)	12490	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
62	JAIPUR	MANDAWA (M)	43721	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
63	AJMER	MERTA CITY (M)	3529	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
64	JAIPUR	MUKANDGARH (M)	27824	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
65	AJMER	MUNDWA (M)	2894	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
66	BHARATPUR	NAGAR (M)	137	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
67	AJMER	NAWA (M)	2824	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
68	JAIPUR	NEEM-KA-THANA (M)	28646	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
69	AJMER	NIWAI (M)	22755	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
70	BIKANER	NOHAR (M)	32857	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
71	BIKANER	NOKHA (M)	19711	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
72	BIKANER	PADAMPUR (M)	10661	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
73	JODHPUR	PALI (M CL)	7647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
74	JAIPUR	PHULERA (M)	9224	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
75	JAIPUR	PILANI (M)	15951	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
76	BIKANER	PILIBANGA (M)	12860	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
77	KOTA	PIRAWA (M)	2905	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
78	JODHPUR	POKARAN (M)	23905	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
79	UDAIPUR	PRATAPGARH (M)	25245	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
80	AJMER	PUSHKAR (M)	60000	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
81	BIKANER	RAISINGHNAGAR (M)	6779	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
82	BIKANER	RAJALDESAR (M)	12740	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
83	JAIPUR	RAJGARH_AL (M)	11719	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
84	BIKANER	RAJGARH_CH (M)	29862	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
85	JODHPUR	RANI (M)	10671	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
86	BIKANER	RATANGARH (M)	22583	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
87	UDAIPUR	RAWATBHATA (M)	28899	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
88	BIKANER	RAWATSAR (M)	24902	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
89	JAIPUR	REENGUS (M)	57362	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
90	BHARATPUR	RUPBAS	2676	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
91	BIKANER	SADULSHAHAR (M)	15572	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
92	UDAIPUR	SAGWARA (M)	13624	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
93	UDAIPUR	SALUMBAR (M)	1871	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
94	JAIPUR	SAMBHAR (M)	4220	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
95	JODHPUR	SANCHORE (M)	7053	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
96	BIKANER	SANGARIA (M)	31947	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
97	BIKANER	SARDARSHAHAR (M)	18683	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
98	AJMER	SARWAR (M)	1454	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
99	AJMER	SHAHPURA_BH (M)	6856	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
100	JAIPUR	SHAHPURA_J (M)	17013	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
101	JODHPUR	SIROHI (M)	51280	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025

2271

Legacy Waste Remediation Details							
S. No.	Division	ULB Name	Legacy Waste Quantity (Cum)	Waste Remediated (Cum) as on 31.01.2024	Firm Name	Work Order Issued on	Completion Date
102	JODHPUR	SOJAT (M)	17647	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
103	JODHPUR	SUMERPUR (M)	1382	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
104	JAIPUR	SURAJGARH (M)	44908	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
105	BIKANER	SURATGARH (M)	21402	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
106	JODHPUR	TAKHATGARH (M)	12481	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
107	BIKANER	TARANAGAR (M)	7861	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
108	JAIPUR	THANAGAZI (M)	2832	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
109	JAIPUR	TIJARA (M)	8006	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
110	BHARATPUR	TODABHIM (M)	1324	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
111	AJMER	TODARAISINGH (M)	15068	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
112	AJMER	TONK (M CL)	55094	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
113	AJMER	UNIARA (M)	2675	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
114	BIKANER	VIJAINAGAR (M)	10448	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
115	JAIPUR	VIRATNAGAR (M)	21061	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
116	BHARATPUR	WEIR (M)	3296	0	MKG Computer Pvt. Ltd.	22.09.2023	22.03.2025
Total			2298766	0			
Grand Total			8803000.5	2975430.17			

Item No.08

Court No. 2

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 606/2018

Compliance of Municipal Solid Waste Management Rules, 2016 and other environmental issues.

Date of hearing: 13.12.2023

**CORAM: HON’BLE MR. JUSTICE ARUN KUMAR TYAGI, JUDICIAL MEMBER
HON’BLE DR. A. SENTHIL VEL, EXPERT MEMBER
HON’BLE DR. AFROZ AHMAD, EXPERT MEMBER**

Respondent: Mr. Hridesh Kumar Sharma, Director & Special Secretary, State of Rajasthan (Through VC)

ORDER

1. Compliance report dated 06.12.2023 has been filed by Sh. Hridesh Kumar Sharma, Director & Special Secretary, State of Rajasthan vide email dated 12.12.2023.
2. Further Status Report giving information as on 31.01.2024 be filed by State of Rajasthan on or before 15.02.2024.
3. List the matter for further consideration on 27.02.2024.

Arun Kumar Tyagi, JM

Dr. A. Senthil Vel, EM

Dr. Afroz Ahmad, EM

December 13, 2023
JG