

## BEFORE NATIONAL GREEN TRIBUNAL

## PRINCIPAL BENCH, NEW DELHI

Original Application No. 47/2024

IN THE MATTER OFGen. Secretary Industrial Focal  
Point Welfare Association

Versus

Applicant(s)

State of Punjab &amp; Ors

Respondent(s)

INDEX

Sr. No.	Particulars	Pg No.
1.	Status Report on behalf of PPCB in compliance of order dated 26.11.2024.	1-3
2.	ANNEXURE-A- List of 49 industrial units with its status.	4-6
3.	ANNEXURE-B- Letter issued to PWSSB, Ludhiana dated 10.12.2024	7-8
4.	ANNEXURE-C-Water Analysis report dated 29.11.2024 and 03.12.2024.	8-9

## FILED BY



Advocate Richa Kapoor

Counsel for Respondent (PPCB)

Lawyer's Block-I, Ch. No.- 407,

Delhi High Court-110003.

Date: 13.12.2024

Place: New Delhi

**BEFORE THE NATIONAL GREEN TRIBUNAL, PRINCIPAL BENCH, NEW DELHI**

Original Application No. 47 of 2024

In the matter of

Gen Secretary  
Industrial Focal Point Welfare Association

.....Applicant

V/s

State of Punjab

.....Respondent

Current Status Report of Punjab Pollution Control Board through Er. Kamal Singla, Environmental Engineer, Punjab Pollution Control Board, Regional Office, Sri Fatehgarh Sahib, in compliance of order dated 26.11.2024.

**Respectfully Showeth:**

1. That the above-mentioned case relating to the grievance of the applicant with regard to the overflowing of sewage from the sewerage line, which was laid in Industrial Focal Point, Khanna, District Ludhiana, State of Punjab in the year 2016 is pending for adjudication before the Hon'ble Tribunal. The Punjab Pollution Control Board was impleaded as respondent in the case vide order dated 10.07.2024 and the Board is filing status reports in compliance to the orders of the Hon'ble Tribunal from time to time.
2. That after consideration of the matter, the Hon'ble Tribunal was pleased to direct the Punjab Pollution Control Board vide order dated 26.11.2024 to file current status report as well as action taken report in the case.

3. That briefly submitted 49 industrial units are situated in the Focal Point, Khanna and out of the said 49 units, 46 industrial units have obtained the consent to operate of the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 as per their requirement. Out of the remaining 3 industrial units, 2 units have been permanently closed and 1 unit has been closed on temporary basis. No industrial unit is discharging its industrial wastewater into the sewer line except domestic waste. All the industrial units are complying with the environmental norms. A list of the 49 industrial units with name, address, scale of industrial unit, category, type of industrial activity, validity of consent to operate under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 is enclosed as **Annexure-A**.
4. That the area in question i.e. Focal Point, Khanna was visited by the officer of the Board on 04.12.2024 and it was observed that the stagnation earlier caused by overflowing of the sewer system has been removed. As per the statements given by the officers of Municipal Council, Khanna and the Punjab Water Supply & Sewerage Board, 100% of the work of desilting of sewer line and cleaning of intermediate pumping station (IPS) has been completed and project has been commissioned. It is pertinent to mention here that the Municipal Council, Khanna through Punjab Water Supply and Sewerage Board (PWSSB) has additionally installed a new electric motor of 10 HP at the Intermediate Pumping Station to ensure the efficient transfer of sewage water to the main pumping station to effectively eliminate the risk of stagnation of water. In this regard, the Executive Engineer, Punjab Water Supply and

Sewerage Board, Division Ludhiana in a letter bearing no.5686 dated 02.12.2024 addressed to the Executive Officer, Municipal Council, Khanna has informed that the work allotted has been physically completed 100% at the site. The said information has also been provided to Regional Office of PPCB, Fatehgarh Sahib by way of separate letter by the Executive Engineer, PWSSB, Ludhiana issued vide no.5813 dated 10.12.2024. The same is enclosed herewith as **Annexure-B**.

5. That it is further pertinent to mention here that the Punjab Pollution Control Board is monitoring the STP Khanna of 29 MLD capacity on regular basis and the samples of effluent collected for the month of November 2024 on 18.11.2024 were sent for analysis to the laboratory of the Board at Patiala. As per the water analysis report issued on 29.11.2024 by the Water Laboratory of the Punjab Pollution Control Board, Patiala, the analysis results were found within the prescribed standards. A copy of the water analysis report issued vide letter endorsement no. 30082-84 dated 03.12.2024 by the laboratory of the Punjab Pollution Control Board is enclosed as **Annexure-C**.
6. That the current status report on behalf of the Punjab Pollution Control Board is hereby submitted in compliance to the orders dated 26.11.2024 for kind consideration of the Hon'ble Tribunal.

**Submitted by:**

20

**(Er. Kamal Singla)**  
**Environmental Engineer,**  
**Punjab Pollution Control Board,**  
**Regional Office, Fatehgarh Sahib**

**Date:** 13.12.2024

**Time:** New Delhi

Sr. No.	Name of the Industry	Address of the industry	Scale	Category	Industry type	Date of visit	Validity of Water Consent	Validity of Air Consent	Remarks
1	Vikas Industries Corporation	B-9, Focal Point, Khanna	S	O	Cattle Feed	05.08.2024	30/09/2024	30/09/2024	There is no generation of waste water.
2	Usha Udyog	B-1, Focal Point, Khanna, Distt. Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2025	30/09/2025	There is no generation of waste water.
3	Shree Triveni Industries	B-10, Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2027	30/09/2027	There is no generation of waste water.
4	Shree Ram Industries	B-16, Focal Point, Khanna, Distt Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2025	30/09/2025	There is no generation of waste water.
5	Satluj Industries	C-3-4, Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	20.07.2024	30/09/2025	30/09/2025	There is no generation of waste water.
6	Satish Agrovet Pvt. Ltd.	B-8, FP, Khanna, Ludhiana	S	O	Cattle Feed & Soap Detergent	05.08.2024	30/09/2028	30/09/2028	There is no generation of waste water.
7	Saraswati Industries	D-11, Focal Point, Khanna	S	O	Cattle Feed	03.08.2024	30/09/2028	30/09/2028	There is no generation of waste water.
8	Sanjiv Oil & Fats (Formerly Sanjiv Agro Pvt Ltd)	C-15 & C-61, Focal Point, Khanna	S	O	Solvex Plant	03.08.2024	30/09/2027	30/09/2027	The industry has provided re-circulation system to re-circulate the entire treated trade effluent treated through ETP
9	Sanjiv industries	D-27/28, focal point, Khanna, Ludhiana	S	O	Cattle Feed	03.08.2024	30/09/2032	30/09/2032	There is no generation of waste water.
10	Sanjay Solvex Pvt Ltd.	B-3, B-4, B-5, B-6 & B-7, Focal Point, Khanna, Ludhiana	M	O	Solvex Plant	20.07.2024	30/09/2028	30/09/2028	The industry has provided re-circulation system to re-circulate the entire treated trade effluent treated through ETP

11	Saffron Rubber	D-64, Focal Point, Khanna	S	O	Misc	20.07.2024	30/09/2027	30/09/2027	There is no generation of waste water.
12	S.G. mechanical works	D-123, focal point, Khanna, Ludhiana	S	G	Mechanical Machines Manufacturing	03.08.2024	26/07/2026	26/07/2026	There is no generation of waste water.
13	Raj Mohan Industries Unit 2	(lessee Of Naresh Traders), Near Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2029	30/09/2029	There is no generation of waste water.
14	Sohna Agro Industries	C-48, Focal Point, Khanna, Ludhiana	S	O	Steel Rolling Mill	05.08.2024	30/09/2023	30/09/2023	There is no generation of waste water.
15	R.P Machines	D-3, Focal Point, Khanna, Ludhiana.	S	O	Cupola Furnace( foundry unit)	20.07.2024	31/12/2028	31/12/2028	There is no generation of waste water.
16	Orien Engineering Works	B-13, Focal Point, Khanna, Ludhiana	S	G	Fabrication	05.08.2024	30/09/2026	30/09/2026	There is no generation of waste water.
17	Modern soap & oil mills	C-9, focal point, Khanna, Ludhiana	S	O	Cattle Feed	20.07.2024	30/09/2032	30/09/2032	There is no generation of waste water.
18	Markfed Vanaspati & Allied Industries	Focal Point, Khanna, Ludhiana	L	R	Vanaspati	05.08.2024	31/03/2026	31/03/2026	The industry has installed an ETP for the treatment of industrial wastewater and the same is being disposed off onto land for plantation.
19	Mangla industry	C-22, focal point, Khanna, Ludhiana	S	O	Cattle feed	05.08.2024	30/09/2026	30/09/2026	There is no generation of waste water.

20	M/s Goyal Steels	D-90-91, Focal Point, Khanna, Ludhiana	S	O	Cupola Furnace	03.08.2024	30/09/2028	30/09/2028	There is no generation of waste water.
21	M.K. & Sons	D-29, Focal Point, Khanna, Ludhiana	S	G	Mechanical Tools Dies And Punches	20.07.2024	30/09/2027	30/09/2027	There is no generation of waste water.
22	Kiran feed corporation	D-112, Focal Point, near godrej agrovet ltd., Khanna, Ludhiana	S	O	Cattle Feed	03.08.2024	30/09/2026	30/09/2026	There is no generation of waste water.
23	Kay Bee Industries (India)	D-44, Focal Point, Khanna	S	R	Electroplating	20.07.2024	30/06/2028	30/06/2028	The industry has made an agreement with M/s JBR Technology, Ludhiana for lifting of trade effluent generated from its operation.
24	Jeet Rai & Sons	D-17, Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	20.07.2024	25/07/2034	25/07/2034	There is no generation of waste water.
25	Jeet Rai & Sons	D-12,13,125,126, Focal Point, Khanna	S	O	Cattle Feed	20.07.2024	30/09/2027	30/09/2027	There is no generation of waste water.
26	Jasbir Industries	D-4, Focal Point, Khanna, Ludhiana	S	R	Electroplating	05.08.2024	30/06/2027	30/06/2027	The industry has made an agreement with M/s JBR Technology, Ludhiana for lifting of trade effluent generated from its operation.
27	Jain Hans Paper & Mill Board Industries	C-52 & 53, Focal Point, Khanna, Ludhiana	S	G	Mill Board	05.08.2024	31/12/2024	NA	The industry has closed its operations.
28	Hari Om Agro Industries	Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2025	30/09/2025	There is no generation of waste water.
29	Hans Industries	C-57, Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	03.08.2024	30/09/2021	30/09/2021	There is no generation of waste water.
30	Gupta Steel Udyog Previously Charoen Pokhphand Food Pvt Ltd	Focal Point, Khanna, Ludhiana	S	O	Cattle Feed	05.08.2024	30/09/2025	30/09/2025	There is no generation of waste water.

Punjab Water Supply and Sewerage Division, Ludhiana

To,

Environmental Engineer,  
Punjab Pollution Control Board,  
Regional Office, Fatehgarh Sahib  
Email: (ecrofgs@gmail.com)

No. 5813

dt. 10/12/2024

**Subject:** Desilting/Cleaning of existing sewer lines and 250mm i/d DIK9 Rising main in various streets by mechanized system using Super Sucker Drilling machine including, disposal of silt up to 5 Km and Dismantling of road. Providing Laying, jointing, cutting and testing of 200mm o/d UPVC pipe and all other works Contingent there too at Focal Point Khanna Town, Ludhiana.

**Ref** This office Letter no. 5636 dated 02.12.2024 .

Regarding the above cited subject this office has been informed to you vide this letter under reference as reported Sub Divisional Engineer Punjab water supply and sewerage Sub Division 2 Khanna that the above said work which the KH CO OP I. and C society Bhagwanpura, Tehsil Malout District Sri Muktsar Sahib has been given this allotment was made through this office letter no. 2531 dt. 20.06.2024. The above said work is physically 100 % completed.

This is for your information & necessary action.

Executive Engineer  
Punjab W/S and Sew. Division  
Ludhiana

Endst No. 5814-15

Dated 10/12/2024

A copy of above said is forwarded to following for information and further necessary action please:-

1. Executive Officer, Municipal Council, Khanna [mckhanna1@gmail.com](mailto:mckhanna1@gmail.com)
2. Sub Divisional Engineer, Punjab Water Supply & Sewerage Sub Division No. 02, Khanna.

Executive Engineer  
Punjab W/S and Sew. Division  
Ludhiana



## PUNJAB POLLUTION CONTROL BOARD CENTRAL LABORATORY



NAHL Accredited & ISO 45001: 2018 (OH&S) certified Laboratory  
WATER LAB, HEAD OFFICE, VATAVARAN BHAWAN, PATIALA, PUNJAB  
Email: wlab2016@gmail.com; Website: www.ppcb.state.nic.in

Test Report Code	: E-1467-1468
Report Issue Date	: 29.11.2024
Report Sent to (Name & Address)	: STP 29 MLD, M.C Khanna
Date of Sample Receipt	: 19.11.2024
Sample Registration No.	: E-1467-1468
Sample Description	: Effluent Sample
Type of Sample	: Grab
Analysis Duration	: 19.11.2024 to 29.11.2024
Sampling Location	: Inlet of STP(E-1467), Outlet of STPE-1468)
Date of Sample Collection	: 18.11.2024
Name of Sample Collecting Officer	: Er. Sanyapreet Singh, AEE & Er Amritpal Kaur, SDO (PWSSB)
Sampling Protocol	: IS 17614 (Part-10): 2021
Sample Quantity	: 6.0 L
Sample Packing	: Plastic Bottle

### TEST REPORT

#### Test Results

(Water Quality Analysis)

Sr. No.	Test Parameters	Units	Results		Prescribed Standard Limit
			Inlet of STP	Outlet of STP	
1	Faecal Coliform MPN/100ml	-	1,20,000	BDL	<1000
2	Lead(Pb)	mg/l	-	BDL	-
3	Copper(Cu)	mg/l	-	BDL	-
4	Arsenic(As)	mg/l	-	BDL	-
5	Cobalt(Co)	mg/l	-	BDL	-
6	Molybdenum(Mo)	mg/l	-	BDL	-
7	Cadmium(Cd)	mg/l	-	BDL	-
8	Selenium(Se)	mg/l	-	BDL	-
9	Vanadium(V)	mg/l	-	BDL	-
10	Aluminium(Al)	mg/l	-	BDL	-
11	Tin(Sn)	mg/l	-	BDL	-
12	Manganese(Mn)	mg/l	-	BDL	-
13	Boron(B)	mg/l	-	BDL	-

Remarks: The prescribed standards are as per notification no 189 dt 28.3.19. However, if any stringent/other standards have been imposed by the Board, the same shall prevail.

Note: BDL means Below Method Detection Limit.

\*\*--End of Report--\*\*

Encls. No: 30082-84

Dt. 03/12/24

A copy of the above is forwarded to the:-

1. The Chief Environmental Engineer (Water), Punjab Pollution Control Board, Ludhiana.
2. The Senior Environment Engineer, Punjab Pollution Control Board, Zonal Office-II, Patiala.
3. The Environment Engineer, Punjab Pollution Control Board, Regional Office, Pathegarh Sahib.

Name, Designation & Signature of Analyst

*[Signature]*

Name & Designation of Authorized Signatory

*[Signature]*  
Avtar Singh  
Scientific Officer  
(Seal & Signature)



## PUNJAB POLLUTION CONTROL BOARD CENTRAL LABORATORY



NABL Accredited & ISI 43001: 2018 (OHA S) certified Laboratory  
WATER LAB, HEAD OFFICE, VATAPURAN BULWAN, PATIALA, PUNJAB  
Email: [poll@punjabpcb.com](mailto:poll@punjabpcb.com), Website: [www.ppcb.online.org](http://www.ppcb.online.org)

### TEST REPORT

Test Report Code	: E-1467-1468
Report Issue Date	: 29.11.2024
Report Sent to (Name & Address)	: STP 29 MLD, M.C Khanna
Date of Sample Receipt	: 19.11.2024
Sample Registration No.	: E-1467-1468
Sample Description	: Effluent Sample
Type of Sample	: Grab
Analysis Duration	: 19.11.2024 to 29.11.2024
Sampling Location	: Inlet of STP(E-1467), Outlet of STP(E-1468)
Date of Sample Collection	: 18.11.2024
Name of Sample Collecting Officer	: Er. Sanatpreet Singh, AEE & Er. Amritpal Kaur, SDO (PWSSB)
Sampling Protocol	: IS 17614 (Part-10): 2021
Sample Quantity	: 6.0 L
Sample Packing	: Plastic Bottle

### Test Results (Water Quality Analysis)

Sr. No.	Test Parameters	Units	Results		Prescribed Standard Limit	Test Method
			Inlet of STP	Outlet of STP		
1	pH Value	-	7.3	7.9	6.5-9.0	IS 3025 Part-11
2	Total Suspended Solids (TSS)	mg/l	281	<5	100	IS 3025 Part-17
3	Bio-Chemical Oxygen Demand (BOD)	mg/l	131	<5	30	IS 3025 Part-14
4	Nickel(Ni)	mg/l	-	<0.1	-	Apha-24 <sup>th</sup> Ed. 3111-B
5	Zinc(Zn)	mg/l	-	<0.1	-	Apha-24 <sup>th</sup> Ed. 3111-B
6	Chromium(Cr)	mg/l	-	<0.1	-	Apha-24 <sup>th</sup> Ed. 3111-B
7	Iron(Fe)	mg/l	-	<0.1	-	Apha-24 <sup>th</sup> Ed. 3111-B

Remarks: The prescribed standards are as per notification no 198 dt 28.3.19. However, if any stringent/other standards have been imposed by the Board, the same shall prevail.

\*\*\*End of Report\*\*\*

Name, Designation & Signature of Analyst

Name & Designation of Authorized Signatory

Avtar Singh  
Scientific Officer  
(Seal & Signature)