



क्षेत्रीय कार्यालय
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
बिजनौर

पत्रांक : - 202 /N-58/General-2024

दिनांक-10/05/2024

Through E-Filing (E-mail: judicial-ngt@gov.in)

To,

The Registrar,
Principal Bench,
Hon'ble National Green Tribunal,
Copernicus Marg, New Delhi.

Sub: Response/Status report on behalf of Uttar Pradesh Pollution Control Board in compliance to Order passed on 05.03.2024 by Hon'ble National Green Tribunal, Delhi in OA No.-219/2024 Syed Ashhar Tauseef Vs. Kamal Faruqui.

Respected Sir,

In compliance of the direction passed by Hon'ble National Green Tribunal dated 05-03-2024 in the matter mentioned above, the response/status report is hereby attached with the request to put up before Hon'ble National Green Tribunal for kind perusal.

Enclosure : Response / Status report.

Your Sincerely,


(Vijay)

Regional Officer

Copy To:

1. Shri Pradeep Mishra, Advocate for U.P. Pollution Control Board.
2. CEO-7, U.P. Pollution Control Board, Lucknow.
3. Chief Law Officer, U.P. Pollution Control Board, Lucknow.


Regional Officer

Reply/Response of UPPCB in compliance of order dated 05.03.2024 passed by Hon'ble National Green Tribunal, New Delhi in Original Application no. 219/2024 Syed Ashhar Tauseef Vs. Kamal Faruqui

Dr. Syed Ashar Tausif, resident of Mohalla-Gashtian, Police Station-Amroha Nagar, District-Amroha, through his complaint letter dated 17.02.2024 has filed complaint against four schools (1) Mesco Public School Nizampur Garbi, Dhanaura Road, Amroha (2) Rashida Begum Muslim College Nizampur. Garbi, Dhanaura Road, Amroha (3) Mesco Institute of Pharmacy, Nizampur Garbi, Dhanaura Road, Amroha (4) Mesco Institute of Nursing and Paramedical Sciences, Nizampur Garbi, Dhanaura Road, Amroha. The educational institutions in question were inspected on 02.05.2024. The report is as below: -

1-Mesco Public School, Nizampur Garbi, Dhanaura Road, Amroha:-

At the time of inspection, Mrs. Pooja Battal, Principal of the educational institution was present as a representative.

- i. The Principal informed that 680 students are presently studying in their educational institution, from class nursery to class 12th, the educational institution is recognized by CBSE, Delhi.
- ii. There is no hostel facility for the residence of students in the educational institution.
- iii. In the educational institution, water is used only for domestic purposes, which is disposed of through septic tank.
- iv. In the educational institution, a DG set of 62 KVA capacity has been installed for alternative power supply. The DG set is kept in a separate closed room.

2-Rashida Begum Muslim College, Nizampur Garbi, Dhanaura Road, Amroha:-

At the time of inspection, Dr. Dharmendra Singh, Principal was present as the representative of the educational institution.

- i. The Principal informed that 100 students are presently studying in their educational institution B.Ed. students are enrolled in the educational institution. The educational institution is recognized by M.J.P. Rohilkhand University, Bareilly.
- ii. There is no hostel facility for the residence of students in the educational institution.
- iii. In the educational institution, water is used only for domestic purposes, which is disposed of through septic tank.
- iv. In the educational institution, a DG set of 31 KVA capacity has been installed for alternative power supply. The DG set is kept in a separate closed room.



3-Mesco Institute of Pharmacy, Nizampur Garbi, Dhanaura Road, Amroha:-

At the time of inspection, Syed Azim Haider, Principal was present as a representative of the educational institution.

- i. The Principal informed that presently 203 students are studying in their educational institution students of B.Pharma and D.Pharma are enrolled in the educational institution, the educational institution is recognized by Abdul Kalam Technical University, Lucknow and Board of Technical Education, Uttar Pradesh.
- ii. There is no hostel facility for the residence of students in the educational institution.
- iii. In the educational institution, water is used only for domestic purposes, which is disposed of through septic tank.
- iv. Alternative power supply in the educational institution is utilized from DG set installed in Rashida Begum Muslim College, Nizampur Garbi, Dhanaura Road, Amroha.


At the time of inspection, Mesco Institute of Nursing and Paramedical Sciences Nizampur Garbi, Dhanaura Road, Amroha was not found established at the site.

During the inspection/survey, no pond was observed in the premises of the educational institutions mentioned above.

Inspection report of Regional Office, UPPCB, Bijnor is here annexed as **Annexure No. 1.**

In the complaint, the complainant Dr. Syed Ashar Tausif, resident of Mohalla-Gashtian, Police Station-Amroha Nagar, District-Amroha has mentioned about educational institutions have got the land of Gate No. 403, 404, in their name and have got the recognition/affiliation etc. for setting up of the educational institution on this land where as this land is recorded as pond and the nature of pond (water body) cannot be changed. Which pertains to Revenue Department, Amroha.

The above report is submitted before Hon'ble NGT for your kind perusal.


REGIONAL OFFICER
U.P. Pollution Control Board
BIJNOR

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओरिजनल एप्लीकेशन नं०-219/2024 Syed Ashhar Tauseef Vs. Kamal Faruqui में पारित आदेश दिनांक-05.03.2024 के अनुपालन में प्रश्नगत शैक्षिक संस्थानों की निरीक्षण आख्या।

डा० सैय्यद अशहर तौसीफ निवासी मौहल्ला-गशितयान, थाना-अमरोहा नगर, जनपद-अमरोहा द्वारा अपने शिकायती पत्र दिनांक-17.02.2024 द्वारा चार विद्यालयों (1) मेस्को पब्लिक स्कूल निजामपुर गर्बी, धनौरा रोड, अमरोहा (2) राशिदा बेगम मुस्लिम महाविद्यालय निजामपुर गर्बी, धनौरा रोड, अमरोहा (3) मेस्को इंस्टीट्यूट आफ फार्मेसी, निजामपुर गर्बी, धनौरा रोड, अमरोहा (4) मेस्को इंस्टीट्यूट आफ नर्सिंग एंड पैरामेडिकल साइंसेज, निजामपुर गर्बी, धनौरा रोड, अमरोहा के विरुद्ध शिकायत की गयी है। प्रश्नगत शैक्षिक संस्थानों का निरीक्षण दिनांक-02.05.2024 को किया गया। आख्या निम्नवत् है:-

1-मेस्को पब्लिक स्कूल, निजामपुर गर्बी, धनौरा रोड, अमरोहा :-

निरीक्षण के समय उक्त शैक्षिक संस्थान में प्रतिनिधि के रूप में श्रीमती पूजा बट्टल, प्रधानाचार्या उपस्थित थीं।

- 1-उपस्थित प्रधानाचार्या द्वारा अवगत कराया गया कि उनके शैक्षिक संस्थान में 680 छात्र वर्तमान में अध्ययनरत हैं तथा उक्त शैक्षिक संस्थान में कक्षा नर्सरी से 12वीं कक्षा तक के छात्रों द्वारा पठन-पाठन का कार्य किया जाता है, उक्त शैक्षिक संस्थान को सी०बी०एस०ई०, दिल्ली से मान्यता प्राप्त है।
- 2-उक्त शैक्षिक संस्थान में बच्चों के निवास हेतु छात्रावास की सुविधा नहीं है।
- 3-उक्त शैक्षिक संस्थान में जल का प्रयोग मात्र घरेलू प्रयोजन हेतु किया जाता है, जिसका निस्तारण सैप्टिक टैंक के माध्यम से किया जाता है।
- 4-उक्त शैक्षिक संस्थान में वैकल्पिक विद्युत आपूर्ति हेतु 62 के०वी०ए० क्षमता के डी०जी०सेट की स्थापना की गयी है, उक्त डी०जी०सेट को पृथक से बन्द कमरे में रखा गया है।

2-राशिदा बेगम मुस्लिम महाविद्यालय, निजामपुर गर्बी, धनौरा रोड, अमरोहा :-

निरीक्षण के समय उक्त शैक्षिक संस्थान में प्रतिनिधि के रूप में डा० धर्मन्द्र सिंह, प्रधानाचार्य उपस्थित थे।

- 1-उपस्थित प्रधानाचार्य द्वारा अवगत कराया गया कि उनके शैक्षिक संस्थान में 100 छात्र वर्तमान में अध्ययनरत हैं तथा उक्त शैक्षिक संस्थान में बी०एड० के छात्रों के पठन-पाठन का कार्य किया जाता है, उक्त शैक्षिक संस्थान को एम०जे०पी० रुहेलखण्ड विश्वविद्यालय, बरेली से मान्यता प्राप्त है।
- 2-उक्त शैक्षिक संस्थान में बच्चों के निवास हेतु छात्रावास की सुविधा नहीं है।
- 3-उक्त शैक्षिक संस्थान में जल का प्रयोग मात्र घरेलू प्रयोजन हेतु किया जाता है, जिसका निस्तारण सैप्टिक टैंक के माध्यम से किया जाता है।
- 4-उक्त शैक्षिक संस्थान में वैकल्पिक विद्युत आपूर्ति हेतु 31 के०वी०ए० क्षमता के डी०जी०सेट की स्थापना की गयी है, उक्त डी०जी०सेट को पृथक से बन्द कमरे में रखा गया है।

3-मेस्को इंस्टीट्यूट आफ फार्मेसी, निजामपुर गर्बी, धनौरा रोड, अमरोहा :-

निरीक्षण के समय उक्त शैक्षिक संस्थान में प्रतिनिधि के रूप में सैय्यद अजीम हैदर, प्रधानाचार्य उपस्थित थे।

- 1-उपस्थित प्रधानाचार्य द्वारा अवगत कराया गया कि उनके शैक्षिक संस्थान में 203 छात्र वर्तमान में अध्ययनरत हैं तथा उक्त शैक्षिक संस्थान में बी० फॉर्मा एवं डी० फॉर्मा के छात्रों के पठन-पाठन का कार्य किया जाता है, उक्त शैक्षिक संस्थान को अब्दुल कलाम टेक्नीकल यूनिवर्सिटी, लखनऊ एवं बोर्ड ऑफ टेक्नीकल एज्युकेशन, उ०प्र० से मान्यता प्राप्त है।
- 2-उक्त शैक्षिक संस्थान में बच्चों के निवास हेतु छात्रावास की सुविधा नहीं है।
- 3-उक्त शैक्षिक संस्थान में जल का प्रयोग मात्र घरेलू प्रयोजन हेतु किया जाता है, जिसका निस्तारण सैप्टिक टैंक के माध्यम से किया जाता है।
- 4-उक्त शैक्षिक संस्थान में वैकल्पिक विद्युत आपूर्ति राशिदा बेगम मुस्लिम महाविद्यालय, निजामपुर गर्बी, धनौरा रोड, अमरोहा में स्थापित डी०जी०सेट से की जाती है।

कमश:....2...

[Handwritten Signature]
SA

[Handwritten Signature]
AEE

(2)


निरीक्षण के समय उक्त स्थल पर मेस्को इंस्टीट्यूट आफ नर्सिंग एंड पैरामेडिकल साइंसेज निजामपुर गर्बी, धनौरा रोड, अमरोहा स्थापित नहीं पाया गया।


निरीक्षण/सर्वेक्षण के दौरान उपरोक्त वर्णित शैक्षिक संस्थानों के परिसर में तालाब दृष्टिगोचर नहीं हुआ।

शिकायतकर्ता डा0 सैय्यद अशहर तौसीफ निवासी मौहल्ला-गशितयान, थाना-अमरोहा नगर, जनपद-अमरोहा द्वारा अपनी शिकायत में गाटा संख्या-403, 404 पर तालाब होने का उल्लेख किया गया है, जो कि राजस्व विभाग, अमरोहा से सम्बन्धित है।

उपरोक्त निरीक्षण/सर्वेक्षण आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु प्रेषित है।


03/05/24
(एस0के0त्रिपाठी)
वैज्ञानिक सहायक


03-05-24
(माहिर हुसैन)
सहायक पर्यावरण अभियन्ता


03/05/24
(विजय)
क्षेत्रीय अधिकारी

माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओरिजनल एप्लीकेशन नं०-219/2024 Syed Ashhar Tauseef Vs. Kamal Faruqui में पारित आदेश दिनांक-05.03.2024 के अनुपालन में प्रश्नगत शैक्षिक संस्थानों के दिनांक-02.05.2024 को निरीक्षण के समय खींचे गये फोटोग्राफ्स।



माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओरिजनल एप्लीकेशन नं०-219/2024 Syed Ashhar Tauseef Vs. Kamal Faruqui में पारित आदेश दिनांक-05.03.2024 के अनुपालन में प्रश्नगत शैक्षिक संस्थानों के दिनांक-02.05.2024 को निरीक्षण के समय खींचे गये फोटोग्राफ्स।

