



774 क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स- 0120-4259329

सन्दर्भ संख्या :

175 /NGT-59/23

दिनांक : 18/5/23

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi E-mail- judicial-ngt@gov.in

Email

Sub: Status report in compliance of order passed by Hon'ble NGT, New Delhi in the matter of O. A. no.649/2022 (Narendra Pratap Singh V/S CPCB).

Sir,

In compliance to the order passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 649 of 2022 Narendra Pratap Singh Versus Central Pollution Control Board & Anr., Status report on behalf of UPPCB is being annexed herewith and forwarded to you with the request that the same may be placed before the Hon'ble Tribunal.

Enclosure- As above

Yours Sincerely


18/5/2023


(Radhey Shyam)
Regional Officer

Copy to:

1. CEO-1, U.P. Pollution Control Board, Lucknow for information and necessary action please.
2. Shri Pradeep Misra, Adocate on Record, Hon'ble Surpeme Court/NGT, New Delhi for Persual and necessary action please.
3. Law Officer-1, U.P. Pollution Control Board, Lucknow for information and necessary action please,



Regional Officer



775
BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH,
NEW DELHI

Original Application No. 649/2022

Narender Pratap Singh ...Applicant

Versus

Central Pollution Control Board & Anr. ...Respondents

In Re: Status report in compliance of order passed by Hon'ble NGT, New Delhi in O. A. NO.649/2022

A. Action taken by UPPCB (Nodal Agency)

- I. In compliance of Hon'ble NGT order dated 27.04.2023, the amount of environmental compensation of Rs. 7,03,125/- is being transferred through cheque no. 660575, dated 17.05.2023 sent by UPPCB vide letter dated 17.05.2023 to the Divisional Forest Officer, Gautam Buddha Nagar, copy of same is annexed as **Annexure-1**.
- II. In reference to the payment done by UPPCB on dated 02.05.2023 against invoice dated 26.04.2023 sent by IITR to obtain analysis report of 08 soil samples based on TCLP/ STLC/ TTLC, analysis report is received from IITR, Lucknow vide e-mail dated 11.05.2023, copy of same is annexed as **Annexure-2**.

III. As per analysis report, quantity of various parameters in samples are shown as below:

CSIR-IITR Code	Parameters							
	Iron (mg/l)	Nickel (mg/l)	Copper (mg/l)	Lead (mg/l)	Chromium (mg/l)	Arsenic (mg/l)	Cadmium (mg/l)	Asbestos (No. of fibre/gm)
TS-4132 (I)	17.045	0.066	0.112	0.019	1.057	0.024	0.001	600
TS-4132 (II)	16.308	0.342	0.042	0.014	1.205	0.328	0.001	600
TS-4132 (III)	5.104	0.104	0.098	0.001	0.252	0.060	BDL	600
TS-4132 (IV)	7.004	0.174	0.057	0.003	0.767	0.159	0.001	600
TS-4132 (V)	24.170	0.547	0.491	0.005	0.471	0.136	0.003	ND
TS-4132 (VI)	4.952	0.134	0.037	BDL	0.070	0.200	0.001	400
TS-4132 (VII)	0.726	0.031	0.016	BDL	0.051	0.055	BDL	400
TS-4132 (VIII)	24.523	0.476	0.342	0.012	0.639	0.110	0.005	1000
Standard	Not defined	20.0 mg/l	25.0 mg/l	5.0 mg/l	5.0 mg/l	5.0 mg/l	1.0 mg/l	10000 mg/Kg
Test method defined	Not defined	STLC	STLC	TCLP	TCLP	TCLP	TCLP	TTLC

CSIR-IITR Code	Description of work
TS-4132 (I)	ETP sludge in M/s U.P. Asbestos Ltd, Dadri, Greater Noida
TS-4132 (II)	Asbestos broken sheet/ residues in premises M/s U.P. Asbestos Ltd, Dadri, Greater Noida
TS-4132 (III)	Soil sample Ground 1 vill. – Bishada, Gr. Noida
TS-4132 (IV)	Soil sample near gaushala, vill. – Bishada, Gr. Noida

Am *K*

TS-4132 (V)	Soil sample near safe express Pvt Ltd warehouse, vill. – Bishada, Gr. Noida
TS-4132 (VI)	Soil sample near Maharana restaurant, vill. – Bishada, Gr. Noida
TS-4132 (VII)	Soil sample near Maharana restaurant, vill. – Bishada, Gr. Noida
TS-4132 (VIII)	Soil sample near Raghav welding works, vill. – Bishada, Gr. Noida

- IV. In view of above report, this is to clarify that analysis of quantity of all heavy metals are based on leachable concentration limits [Toxicity Characteristic Leaching Procedure (TCLP)] only, but it is pertinent to mention that analysis of copper and nickel are not based on Soluble Threshold Limit Concentration (STLC) method as defined in Class A and quantity of asbestos is not given in mg/Kg as defined in Class B of Schedule II of Hazardous & Other Waste (Management and Transboundary Movement) Rules, 2016.
- V. As per analysis report, heavy metals (Lead, chromium, arsenic and cadmium) are within prescribed threshold limit in all 08 samples.

Above status report is being submitted for kind perusal and necessary action please.


 (ANSHUL SHARMA)
 AEE


 (D. K. GUPTA)
 EE

REGIONAL OFFICER


 18/5/23



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड UTTAR PRADESH POLLUTION CONTROL BOARD

Annexure - 1

संदर्भ सं०
Ref. No. 493760 / सी-1/जब/एन.जी.टी./2023

दिनांक
Date: 17/05/2023

सेवा में,
प्रभागीय वनाधिकारी,
गौतमबुद्धनगर वन प्रभाग,
ई-1, सै0-1, नोएडा।

Regd.

विषय:- मा0 एन0जी0टी0 में योजित ओ0ए0 संख्या-649/2022 नरेन्द्र प्रताप सिंह बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड व अन्य में पारित आदेश दिनांक 27.04.2023 के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक अपने पत्र संख्या-6682/एस-3/गौतमबुद्धनगर, दिनांक 08.05.2023 का सन्दर्भ ग्रहण करने का कष्ट करें, जो कि मा0 एन0जी0टी0 में योजित ओ0ए0 संख्या-649/2022 नरेन्द्र प्रताप सिंह बनाम केन्द्रीय प्रदूषण नियंत्रण बोर्ड व अन्य में पारित आदेश दिनांक 27.04.2023 के बिन्दु संख्या-5 के सम्बन्ध में है, जिसके सुसंगत अंश निम्नवत् है:-

.....5. "In the present case environmental compensation of Rs. 7,03,125/- was imposed vide order dated 19.01.2023 which was deposited by the project proponent. The amount of environmental compensation realized from the project proponent is also ordered to be transferred to the Divisional Forest Officer, Gautam Buddha Nagar and the amount of environmental compensation be also utilized for carrying out plantation for protection and improvement of environment in the area."

उक्त के अनुपालन में मैसर्स यू0पी0 एस्बेस्टस लि0, ग्राम बिसाहड़ा, दादरी, गौतमबुद्धनगर द्वारा पर्यावरणीय क्षतिपूर्ति के रूप में बोर्ड में जमा की गयी धनराशि रू0 7,03,125/- का चेक संख्या-660575, दिनांक 17.05.2023 (इण्डियन ओवरसीज बैंक, डालीगंज, लखनऊ), प्रभागीय वनाधिकारी, गौतमबुद्धनगर के पक्ष में देय चेक मूल रूप में संलग्न कर आवश्यक कार्यवाही हेतु प्रेषित किया जा रहा है।

संलग्नक-उपरोक्तानुसार (चेक संख्या-660575, दिनांक 17.05.2023 रू0 7,03,125/- मूल रूप में)।

भवदीय,

मुख्य पर्यावरण अधिकारी(प्रशा0)

प्रतिलिपि:- क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

मुख्य पर्यावरण अधिकारी(प्रशा0)

टी.सी- 12 वी, विभूति खण्ड, गोमती नगर लखनऊ -226010
दूरभाष : 0522-2720828, 2720831
फैक्स : 0522-2720764, 2720876
ई-मेल : info@uppcb.in
वेब साइट : www.uppcb.com

T.C.-12 V, Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone : 2720828, 2720831
Fax : 0522-2720764, 2720676
e-mail : info@uppcb.in
Web Site : www.uppcb.com

इण्डियन ओवरसीज बैंक
Indian Overseas Bank

Dallganj Lucknow Branch (0248)
Nirman Ambica Arcade, IT College Crossing,
Lucknow - 226007
IFS CODE : IOBA0000248 DAL

VALID FOR 3 MONTH ONLY FROM THE DATE OF INSTRUMENT
17052023
D D M M Y Y Y Y

PAY Divisional Forest Officer, Gautam Buddha Nagar. या धारक को OR BEARER

रुपये RUPEES Seven lakh three thousand one hundred twenty five only

अदा करें ₹ 70312500

खा. सं. / A/c No. 02480100000156



U.P. POLLUTION CONTROL BOARD

7FND06

Rajendra Singh
Accounts Incharge
U.P.P.C.B.

Rajendra Singh
CEO (Adm.)
U.P.P.C.B. (I.a.)

Please sign above

"Payable at par at all branches of IOB In India"

⑈660575⑈ 226020005⑈



डॉ. के. सी. खुल्बे
मुख्य वैज्ञानिक एवं प्रमुख, आरपीबीडी

CSIR-IITR/RPBD/21/2023

दिनांक: 11-05-2023

सेवा में-

क्षेत्रीय कार्यालय,
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा
ए-1, प्रथम तल, कमर्शियल कॉम्प्लेक्स, बीटा-2,
ग्रेटर नोएडा, गौतमबुद्धनगर- 201308

विषय : विश्लेषण रिपोर्ट का प्रेषण-

महोदय,

आपके द्वारा भेजे गए Soil Sample के नमूने की विश्लेषण रिपोर्ट इस पत्र के साथ संलग्न है-

Report no:	TS-4132 (I-VIII)
Report Signed by:	Dr. D.K. Patel
Your reference no. letter:	1770 / NGT-59/22 Dated: 18.03.2023
Sample collected by:	Sponsor
Sample and plan procedure:	Soil Sample
Date of sampling:	17.03.2023
Environment condition during sample:	Normal
Sample condition:	Unsealed
Source of sampling:	Regional Officer, U.P. Pollution Control Board, Greater Noida

नमूनों हेतु आपके संदर्भ को हमारे आंतरिक आईआईटीआर कोड सं. से मिलान कर लिया गया है -

S. No	CSIR-IITR Code:-	Description of work
1.	TS-4132 (I)	ETP (Effluent Treatment Plant) Sludge in M/S U.P. Asbestos Ltd. Dadri, Greater Noida
2.	TS-4132 (II)	Asbestos broken sheet/residues in premise M/S U.P. Asbestos Ltd. Dadri, Greater Noida
3.	TS-4132 (III)	Soil sample Ground 1 Vill-Bisahda Gr. Noida
4.	TS-4132 (IV)	Soil sample, near gaushala, vill- Bishada Gr. Noida
5.	TS-4132 (V)	Soil sample near Safe express pvt. ltd. warehouse vill- bisahda Gr. Noida
6.	TS-4132 (VI)	Soil sample near Maharana restaurant, vill- bishada, Gr. Noida
7.	TS-4132 (VII)	Soil sample near Maharana restaurant, vill- bishada, Gr. Noida
8.	TS-4132 (VIII)	Soil sample near Raghav welding works vill- bishada, Gr. Noida

धन्यवाद ।

भवदीय,

(Handwritten Signature)
11/5/23
(प्रमुख, आरपीबीडी)

संलग्नक: उपर्युक्त रिपोर्ट-

विषविज्ञान भवन, 31, महात्मा गाँधी मार्ग
पोस्ट बाक्य नं० 80, लखनऊ-226001, उ.प्र., भारत
VISHVIGLYAN BHAWAN, 31, MAHATMA GANDHI MARG
POST BOX NO 80, LUCKNOW-226001, U.P., INDIA

Phone: +91-522-2627586, 2614118, 2628228 Fax: +91-522-2628227, 2611547
director@iitrindia.org www.iitrindia.org



एनएबीएल द्वारा रासायनिक एवं
जैविक परीक्षण हेतु प्रत्यायित
Accredited by NABL for chemical
and biological testing

विषाक्तता परीक्षण: जीएसपी अनुसंधान सुविधा
Toxicity Testing: GLP Test Facility



सीएसआईआर - भारतीय विषविज्ञान अनुसंधान संस्थान
 CSIR- INDIAN INSTITUTE OF TOXICOLOGY RESEARCH
 विषविज्ञान भवन, 31, महात्मा गांधी मार्ग लखनऊ - 226001, उत्तर प्रदेश, भारत
 VISHVIGYAN BHAWAN, 31, MAHATMA GANDHI MARG, LUCKNOW - 226001 U.P., INDIA
 Phone: +91-522-2217497 Fax: +91-522-2628227 Email: director@iitrindia.org, www.iitrindia.org



Date: 10.05.2023

ANALYSIS REPORT

1. Sample Registry No. : TS-4132 (I, II, III, IV, V, VI, VII, VIII)
2. Nature of Sample : Sludge and soil samples
3. Sealed/Unsealed : Unsealed
4. Number of samples : 8
5. Date of Collection : 17.03.2023
6. Date of Analysis : 05.05.2023
7. Parameters to be analysed : pH, Moisture, Asbestos quantification,
Heavy metals (Iron, Nickel, Copper, Lead,
Chromium, Arsenic, Cadmium)
8. Method of analysis : As per EPA Method 1311 TCLP, accept Asbestos
9. Sample collected by : Sponsor
10. Results :

CSIR-IITR Code	Parameters									
	pH	Moisture %	Asbestos No of fibre/g	Iron mg/L	Nickel mg/L	Copper mg/L	Lead mg/L	Chromium mg/L	Arsenic mg/L	Cadmium mg/L
TS-4132 (I)	12.2	7.7	600	17.045	0.066	0.112	0.019	1.057	0.024	0.001
TS-4132 (II)	8.9	0.0	600	16.308	0.342	0.042	0.014	1.205	0.328	0.001
TS-4132 (III)	9.1	0.0	600	5.104	0.104	0.098	0.001	0.252	0.060	BDL
TS-4132 (VI)	8.2	0.0	600	7.004	0.174	0.057	0.003	0.767	0.159	0.001
TS-4132 (V)	8.6	0.0	ND	24.170	0.547	0.491	0.005	0.471	0.136	0.003
TS-4132 (VI)	8.5	6.5	400	4.952	0.134	0.037	BDL	0.070	0.200	0.001
TS-4132 (VII)	8.7	0.0	400	0.726	0.031	0.016	BDL	0.051	0.055	BDL
TS-4132 (VIII)	7.5	0.0	1000	24.523	0.476	0.342	0.012	0.639	0.110	0.005

BDL: Below detection limit, ND: Not detected
 Detection Limit: Fe:0.0005 mg/L, Ni:0.0005 mg/L, Cu:0.0005 mg/L, Pb:0.0005 mg/L, Cr:0.0005 mg/L, As:0.0005 mg/L, Cd:0.0005 mg/L
 Instrument used ICP-MS for Fe, Ni, Cu, Pb, Cr, As and Cd metal analysis.

CSIR-IITR Code	Description of work
TS-4132 (I)	ETP sludge in M/S U.P. Asbestos Ltd. Dadri, Greater Noida
TS-4132 (II)	Asbestos broken sheet/ residues in premise M/S U.P. Asbestos Ltd. Dadri, Greater Noida
TS-4132 (III)	Soil sample Ground I Vill-Bishada Gr. Noida
TS-4132 (VI)	Soil sample near Gaushala, Vill- Bishada Gr. Noida
TS-4132 (V)	Soil sample near Safe express Pvt.Ltd. warehouse Vill- Bishada Gr. Noida
TS-4132 (VI)	Soil sample near Maharana restaurant Vill- Bishada Gr. Noida
TS-4132 (VII)	Soil sample near Maharana restaurant Vill- Bishada Gr. Noida
TS-4132 (VIII)	Soil sample near Raghav welding works Vill- Bishada Gr. Noida

Signature
 10/5/2023



सीएसआईआर - भारतीय विषविज्ञान अनुसंधान संस्थान
CSIR- INDIAN INSTITUTE OF TOXICOLOGY RESEARCH
विषविज्ञान भवन, 31, महात्मा गांधी मार्ग लखनऊ - 226001, उत्तर प्रदेश, भारत
VISHVIGYAN BHAWAN, 31, MAHATMA GANDHI MARG, LUCKNOW - 226001 U.P., INDIA
Phone: +91-522-2217497 Fax: +91-522-2628227 Email: director@iitrindia.org, www.iitrindia.org



Note:

1. The report pertains to the sample tested only.
2. This report shall not be used or produced in fragments.
3. This report shall not be used for any other purpose than declared by the sponsor.
4. IITR is not a regulatory and certifying agency hence no part of this report should be used for legal purposes under any circumstances.

D. K. Patel
19/5/2023

(Dr. D. K. Patel)
Sr. Principal Scientist
Analytical Chemistry Division