

# **Action Taken Report**

**In the matter of  
Original Application No. 211 of 2020**

**Deepak Sharma  
Vs.  
State of Uttarakhand & Ors.**

**In compliance of order dated 25.09.2020 of the Hon'ble N.G.T.  
Principal Bench,  
New Delhi**



**Uttarakhand Pollution Control Board  
"Gaura Devi Paryavarn Bhawan"  
46-B, I.T. Park, Sahastradhara Road,  
Dehradun (Uttarakhand)**

**Action Taken Report  
In the matter of  
Original Application No. 211 of 2020**

**Deepak Sharma**

(Applicant)

**Vs**

**State of Uttarakhand & Ors.**

(Respondent)

In compliance of the order passed by the Hon'ble National Green Tribunal, Principal Bench, New Delhi on dated 25.09.2020, The joint committee conducted inspected the site on dated 15.12.2020, in the presence of Shri. Rajeev Gupta, representative of Petrol pump. The inspection report is enclosed as **Annexure-01**.

The findings of the Joint Inspection Report is as follows:

1. The siting Criteria for the petrol pump new retail outlet as per Central Pollution Control Board, New Delhi letter no B-13011/01/2019-20/AQM/0809 Dated 07.01.2020 are following: -

“In case of siting criteria for petrol pumps new retail outlet shall not be located within radius of 50 meters (from fill point/dispensing units/vent pipe whichever is nearest) from School, Hospitals (10 beds and above) and residential area designated as per local laws. In case of constraints in providing 50 meters distance, the retail outlet shall implement additional safety measures as prescribed by PESO. In no case the distance between new retail outlet from school, hospitals (10 beds and above) and residential area designated as per local laws shall be less than 30 metres. No high-tension lines shall pass over retail outlet”.

2. The Proposed site is situated at khasra no-41/1 mi, Vill- Gagjeetpur, Khankahl, District-Haridwar. In the east of the proposed site (approx. 10-15 meter away) is residence of Mr Rajeev Gupta (husband of the proposed petrol pump owner) and western site is office of Sh.Rajeev Gupta and other commercial activities. Southern

site is national Highway-334A. There is no any school and hospital around 50 meters of the proposed site.

3. High tension line (11000 KVA) is about 5 meters away from the proposed site. The Executive Engineer of Uttarakhand Power Corporation, Haridwar has inform that all the wires and cables are being undergrounded.
4. The Indian Oil Corporation Ltd has issued "No Objection Certificate" to the petrol pump.
5. The District Magistrate Office Haridwar has also issued "No Objection Certificate" to petrol pump after approval from all concerning departments vide letter no 3400/sastra sahayak-2019(NOC) Dated 21.12.2019. The NOC was issued before issuance of guideline by Central Pollution Control Board, Delhi.
6. The matter was also before the Hon'ble High Court of Uttarakhand in the matter of Writ Petition No 141 of 2020, Pradeep Kumar Vs State of Uttarakhand and Others, which has been dismissed.
7. The Mela Adhikari, Kumbh Haridwar has also issued letter regarding early issuance of NOC for Petrol Pump, Gas Agency and CNG etc.

The observation of joint committee is that the commercial activities are operational around the proposed site and the all No Objection Certificate and Licence has been issued to proposed petrol pump before issuance of guidelines by Central Pollution Control Board, Delhi. The committee in its report has elaborated that "it is appropriate to establish the petrol pump to the proposed site in view of Kumbh Mela".

.....

---

---

मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन सं0-211/2020 दीपक शर्मा बनाम उत्तराखण्ड शासन व अन्य में दिनांक 25.09.2020 को पारित आदेश के अनुपालन में निरीक्षण आख्या

उपरोक्त विषयक बोर्ड मुख्यालय, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, देहरादून द्वारा मा0 एन0जी0टी0 के उपरोक्त आदेश के अनुपालन में बोर्ड के पत्र सं0-यू0के0पी0सी0बी0/एच0ओ0/4939-997 दिनांक 01.12.2020 द्वारा एक समिति का गठन किया गया। समिति के सदस्य निम्नानुसार हैं :-

1. श्री गोपाल सिंह चौहान, उप जिलाधिकारी, हरिद्वार।
2. श्री एस0पी0 सिंह, पर्यावरण अभियन्ता, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, देहरादून।
3. श्री एस0एस0 राणा, समन्वयक, एस0ई0आई0ए0ए0, देहरादून।

उपरोक्त गठित समिति द्वारा श्री दीपक शर्मा के द्वारा की गयी शिकायत के कम में मै0 इण्डियन आयल कॉर्पोरेशन लि0, ग्राम-जगजीतपुर, कनखल, जिला-हरिद्वार में प्रस्तावित पेट्रोल पम्प का स्थलीय निरीक्षण पेट्रोल पम्प स्वामी के प्रतिनिधि, श्री राजीव गुप्ता की उपस्थिति में दिनांक 15.12.2020 को किया गया। निरीक्षण आख्यानुसार :-

1. केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा अपने पत्र संख्या-B-13011/01/2019-20/AQM/0809 दिनांक 07.01.2020 के अनुसार Siting Criteria निम्नानुसार है :-

"In case of siting criteria for petrol pumps new Retail Outlets shall not be located within a radial distance of 50 meters (from fill point/dispensing units/vent pipe whichever is nearest) from schools, hospitals (10 beds and above) and residential areas designated as per local laws. In case of constraints in providing 50 meters distance, the retail outlet shall implement additional safety measures as prescribed by PESO. In no case the distance between new retail outlet from schools, hospitals (10 beds and above) and residential area designated as per local laws shall be less than 30 meters. No high tension line shall pass over retail outlet".

2. स्थल (पेट्रोल पम्प) के खसरा सं0-41/1मि0 में इण्डियन आयल कोर्पोरेशन लि0 के पेट्रोल पम्प के उत्तर में केन्द्र बिन्दु सं लगभग 10-15 मीटर दूरी पर प्रस्तावित पेट्रोल पम्प स्वामी के पति श्री राजीव गुप्ता का आवासीय परिसर है तथा पश्चिम दिशा में श्री राजीव गुप्ता (पेट्रोल पम्प स्वामी के पति) कार्यालय तथा अन्य व्यवसायिक गतिविधियां स्थापित हैं। दक्षिण दिशा में NH-334A रोड है। प्रस्तावित पेट्रोल पम्प के समान्तर व्यवसायिक गतिविधियां संचालित हैं। प्रस्तावित पेट्रोल पम्प के 50मी0 की परिधि में स्कूल व हास्पिटल स्थापित नहीं है।
3. प्रस्तावित पेट्रोल पम्प के सामने दक्षिण दिशा में लगभग 5मीटर दूरी पर हाईटैन्शन लाईन (11000के0वी0ए0) स्थापित है। अधिशासी अभियन्ता, विद्युत परियोजना खण्ड, हरिद्वार के पत्रांक-3103 दिनांक 20.11.2020 के अनुसार कुम्भ मेला को दृष्टिगत रखते हुये सभी पोल पर उपगामी लगे तारों को भूमिगत किये जाने की कार्यवाही गतिमान है। (संलग्नक-1)।
4. मै0 इण्डियन आयल कोर्पोरेशन लि0 के पत्रांक-M/2019/IN000847/UTK/000014/1505/00014 दिनांक 07.06.2019 को उक्त प्रस्तावित पेट्रोल पम्प को अनापत्ति प्रमाण पत्र निर्गत किया गया है। (संलग्नक-2)।

eshaan

25.


H. Rawly

5. कार्यालय जिलाधिकारी, हरिद्वार के पत्रांक-3400/शस्त्र सहायक-2019(एन0ओ0सी0) दिनांक 21.12.2019 के अनुसार उक्त पेट्रोल पम्प को सभी विभागों से अनापत्ति प्रमाण पत्र प्राप्त होने के उपरान्त अनापत्ति प्रमाण पत्र निर्गत किया गया है। जोकि केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली की जारी गार्डिलाईन्स दिनांक 07.01.2020 से पूर्व में निर्गत किया गया है। (संलग्नक-3)।
6. उक्त प्रस्तावित पेट्रोल पम्प के विरुद्ध मा0 उच्च न्यायालय, नैनीताल में भी रिट पिटिशन संख्या-141/2020 पारित आदेश में दिनांक 09.10.2020 को मा0 उच्च न्यायालय द्वारा निरस्त किया गया है। (संलग्नक-4)।
7. मेलाधिकारी, कुम्भ मेला, 2021 के पत्रांक-5207/जि0पू0अ0/2021/2019 दिनांक 18.02.2020 के अनुसार अवगत कराया गया है कि, कुम्भ मेला, 2021 में अधिक से अधिक तीर्थ यात्रियों के आने की सम्भावना है। जिससे अधिकांश यात्री अपने-अपने वाहनों से कुम्भ मेला क्षेत्र में आयेंगे। यात्रियों की सुविधा के दृष्टिगत कुम्भ मेला क्षेत्र में पेट्रोल आउटलेट की स्थापना की जानी आवश्यक है। जिस कारण यात्रियों को वाहनों में ईंधन भरवाने में सुविधा है। मेलाधिकारी कुम्भ, 2021 के द्वारा भी अपने पत्रानुसार अनापत्ति प्रमाण पत्र जारी किया गया है। (संलग्नक-5)।


उक्त प्रस्तावित स्थल खसरा संख्या-41/1मि0 ग्राम-जगजीतपुर मु0, निकट-सिंहद्वार नगर निगम सीमा हरिद्वार के अन्तर्गत आच्छादित है तथा स्थल के चारों ओर व्यवसायिक गतिविधियां आदि संचालित है तथा सी0पी0सी0बी0 की गार्डिलाईन्स जारी होने से पूर्व समस्त अनापत्ति प्रमाण पत्र निर्गत किये गये हैं। अतः कुम्भ मेला, 2021 को दृष्टिगत रखते हुये उक्त प्रस्तावित पेट्रोल पम्प को स्थापित होना सही पाया गया।

निरीक्षण आख्या अग्रिम आवश्यक कार्यावाही हेतु अवलोकनार्थ हेतु प्रस्तुत है।

\*\*\*\*\*

  
(एस0एस0 राणा)  
समन्वयक, एस0ई0आई0ए0ए0, देहरादून

  
(एस0पी0 सिंह)  
पर्यावरण अभियन्ता,  
यू0के0पी0सी0बी0, देहरादून

  
(गोपाल सिंह चौहान)  
उप जिलाधिकारी, हरिद्वार

संलग्नक - 1

Office Of The Executive Engineer  
(Project) Electricity Project Division  
Uttarakhand Power Corporation Ltd.  
33/11KV, S/S Mayapur,  
Haridwar- 249401  
Mob. No. 7351824000  
E- Mail -epdhdr.upcl@gmail.com



कार्यालय अधिशासी अभियन्ता  
(परियोजना) विद्युत परियोजना खण्ड,  
उत्तराखण्ड पावर कारपोरेशन लि०  
33/11के०वी० सबस्टेशन मायापुर,  
हरिद्वार -249401  
मोबाईल नं० - 7351824000

पत्रांक :- /वि०प०ख०हरि०/ दिनांक:- 20/11/2020

मैसर्स विन्दया टेलीलिंक्स लिमिटेड,  
प्लॉट नं० - 496/497 लक्सर रोड,  
जगजीतपुर, हरिद्वार।

विषय:- सिंहद्वार कनखल से देशरक्षक तिराहे तक सड़क के किनारे लगे हुए विद्युत तार व पोल के भूमिगत होने के सम्बन्ध में।

उपरोक्त विषयक ऋचा गुप्ता पत्नी श्री शरद कुमार गुप्ता, सिंहद्वार कनखल, हरिद्वार द्वारा दिनांक 03.11.2020 को एक पत्र (संलग्न) इस कार्यालय को प्राप्त हुआ है जिसमें उनके द्वारा अवगत कराया गया है कि सिंहद्वार से देशरक्षक तिराहे तक विद्युत विभाग के पोल पर लगे तार सड़क पर दोनों ओर चले आते हैं। कुम्भ मेले की तैयारी के अन्तर्गत हरिद्वार शहर के सभी पोल पर उपरगामी लगे तारों को हटाया जाने है।

उक्त के सम्बन्ध में आपको निर्देशित किया जाता है कि सिंहद्वार से देशरक्षक तिराहे तक लगे विद्युत पोल पर उपरगामी लाईनों को दिनांक 30.11.2020 तक हटाना सुनिश्चित करें।

संलग्नक:- उपरोक्तानुसार।

(पवन सिंह)  
अधिशासी अभियन्ता  
विद्युत परियोजना खण्ड, हरिद्वार

पत्रांक:- 2103 / तददिनांक 20/11/2020  
प्रतिलिपि:- ऋचा गुप्ता पत्नी श्री शरद कुमार गुप्ता, सिंहद्वार कनखल, हरिद्वार को सूचनार्थ प्रेषित।

(पवन सिंह)  
अधिशासी अभियन्ता  
विद्युत परियोजना खण्ड, हरिद्वार

Indian Oil  
A Maharatna  
Company

मार्केटिंग डिविजन  
Marketing Division

इंडियन ऑयल कॉर्पोरेशन लिमिटेड

देहरादून डिविजनल ऑफिस : 25, निम्बूवाला,  
गढ़ी कैंट, देहरादून -248003 (उत्तराखण्ड)

Indian Oil Corporation Limited

Dehradun Divisional Office: 25, Nimbuwala,

Garhi Cantt, Dehradun, Uttarakhand-248003

Tel : 0135-2750108, 2750110 Fax : 0135-2750111

Ref: M/2019/IN000847/UTK/000014/1505/00014

Page: 1 of 4

Date: 07.06.2019

To,  
Ms. RICHA GUPTA  
W/O. SHARAD KUMAR GUPTA  
PUSHPAK VILLA, OPP. GURUKUL, KANGARI  
PHARMACY,  
SINGHDWAR, DIST.HARIDWAR.

Ms. MANJU GUPTA  
W/O. RAJEEV KUMAR GUPTA,  
PUSHPAK VILLA, OPP. GURUKUL, KANGARI  
PHARMACY,  
SINGHDWAR, DIST.HARIDWAR.

Dear Sir/Madam,

Sub - Proposed MS/HSD B Site Retail Outlet Dealership at Location: B/W.SNGHDWAR TO DESHRAKASHAK TIRAHA ON  
NH-334 A(HARDWAR-LAKSAR RD),District:HARIDWAR State:Uttarakhand Category:OPEN

We refer to our advertisement dated 25.11.2018 and your application form No. 15455686267938 for the award of MS/HSD Retail  
Outlet dealership at the above location and the subsequent Draw of Lots held at DEHRADUN on 04.02.2019.

Please be informed that by this Letter of Intent, we propose to offer you a Retail Outlet dealership of Indian Oil Corporation Ltd. at  
the above location on the following terms & conditions:-

1. You have offered a suitable piece of land admeasuring 400 Sq. Meter approx.; 20 Meter (frontage) X 20 Meter (depth) at  
KHASHRA NO.41/1 MIN., Village JAGJEETPUR MUSTEHKAM ; Taluka:HARIDWAR, District:HARIDWAR. Owned by  
you as indicated by you in the application for the development of the subject Retail Outlet. You have to make available this  
land within 2 months from the date of this letter failing which this offer is liable to be withdrawn.
2. For making the land available as required above, you will ensure that the land arranged by you is either registered in your name  
or it should be leased to you for a minimum period of 19 years & 11 months.
3. As and when advised by the Corporation, the site offered by you would be duly developed up to the road level by cutting/filling  
(as applicable), with good earth/murum, layer-wise compacted as per standard engineering practices. You shall also construct  
necessary retaining wall and compound wall of 1.5 meters height, designed as per site conditions as per approval of  
Corporation as committed under Clause 12 (e) of affidavit submitted by you along with application. Kindly note that in case  
the site as offered by you for putting up the Retail Outlet is not developed as per the advice of the Corporation, this Letter Of  
Intent will be withdrawn without any further notice
4. You will provide at the retail outlet infrastructural facilities like Permanent Sales Building (Including Public Toilet/Electric  
Room/Office Room/Store/Lube display,Paved RCC Driveway,Acceleration/Deceleration Lane as per MORTH Norms,Buffer  
Strip/Approaches as per norms,Canopy & RVI as per Corporation requirements,Yard Lighting,Water  
Connection/Borewell,Compressor with Electronic Air Gauge as mentioned in the Brochure and after obtaining necessary  
clearances/approvals / licenses as applicable in each case. Indian Oil Corporation Ltd. will provide storage tanks and pumps  
and other facilities considered necessary at the Retail Outlets.
5. In addition, you will also provide the following basic facilities at your cost at the Retail Outlet premises:-

- a. Clean drinking water.
- b. Free Air.
- c. Clean toilet.
- d. Telephone.
- e. First aid kit with valid medicines.
- f. Adequate illumination.
- g. PUC facilities, wherever it is mandatory.

पंजीकरण कार्यालय, मुंबई - 400051 (भारत)  
Reg. Office: G-9, All Yavar Jung Marg, Bandra (East) Mumbai-400051 (India)

6. For the facilities that may be provided by the Corporation as aforesaid, we will recover from you license fee as may be decided by the Corporation and applicable to you from time to time. At present, the license fee recoverable is Rs 233 45/- KL for MS and Rs 194.54/- KL for HSD including applicable taxes.
7. The corporation will not be held liable for any loss or damage on account of delay that may be caused in providing you the facilities mentioned above, whatever may be the cause of the failure or delay.
8. You will ensure all financial and other arrangements for operating the retail outlet dealership. In case you are unable to arrange funds required for development of desired infrastructure and facilities at the Outlet allotted and the working capital for operation of the outlet as mentioned in the Advertisement for the location, this LOI can be withdrawn and you will have no claim/damages whatsoever against the Oil Company.
9. You shall not induct any partner(s) in case of individual (s) nor make any changes in the constitution of the partners as existing at the time of application without approval of the company, except your spouse as per terms and conditions of Indian Oil Corporation Ltd., and shall give an undertaking to this effect.
10. It will always be a basic condition for the award of MS / HSD retail outlet dealership that you shall be paying attention towards day to day working of the dealership by personally managing the affairs of the dealership you will give us a written undertaking to this effect and shall not assign or part with the same to any other person (s).  
You will not be eligible for taking up any employment. If you are already employed you will have to resign from the employment and produce the letter of acceptance of resignation by the employer before the issuance of Letter of Appointment by Indian Oil Corporation Ltd..
11. You will deposit with us a Demand Draft for 450000.00 drawn on any scheduled bank in favour of Indian Oil Corporation Ltd. payable at DEHRADUN towards Security Deposit (after setting off Initial Security Deposit amount) at the time of issuance of appointment letter after compliance of all the requirements of LOI.  
Kindly note that the Security deposit will not carry any interest and is refundable at the time of expiry of agreement between you and the Corporation. However, if such expiry of agreement is consequent to proven adulteration/malpractice at the dealership, this amount will be forfeited. Moreover, this Corporation reserves its right to adjust this amount towards any dues to it.
12. You will also remit Rs 15.0 Lakhs towards Non-refundable Fixed fee by way of a Demand Draft for Rs Rs 15.0 Lakhs drawn on any scheduled bank in favour of Indian Oil Corporation Ltd. payable at DEHRADUN Within 15 days of receipt of NOC.
13. You will be notified by the corporation, in writing, after the facilities mentioned above are made available and are ready for commissioning the dealership. Immediately on receipt of the above notice from the Corporation, you shall obtain each and every license necessary for operating your dealership as may be required under any Central / State Govt. / Municipal or local authorities for the time being in force.
14. If we find that the progress made by you towards the above is not to our satisfaction, this offer is liable to be withdrawn.
15. Please note that you are required to fulfill the conditions with regard to inducting Spouse as Co-owner in the dealership before issuance of Letter of Appointment.



16. This letter of intent will stand automatically withdrawn and cancelled on the happening of any of the following events:-

- a. In case you or any of your family members (as defined under disqualification criteria of dealer selection guidelines) receive anytime or have received a letter of intent for any other "A" site RO dealership or LPG distributorship from our company or any other oil marketing company either in your individual capacity or in partnership with any other individual(s). In case you or any of your family member gets inducted as partner or proprietor in "A" site RO dealership or LPG distributorship of our company or any other oil marketing company.
- b. If it is found that you have suppressed and / or misrepresented any material facts in your application.
- c. In case you are found to be convicted for any criminal / economic offence involving moral turpitude.
- d. In the event of death if you are an individual/partner.

17. In case you are not able to provide the land / develop facilities within the specified time or fail to fulfill the terms & conditions of LOI, then LOI can be withdrawn. In such situations Initial Security Deposit (ISD) would be forfeited.

The LOI would also be withdrawn and selection cancelled, if you are unable to submit the Non-refundable fixed fee within the stipulated time. In such situations Initial Security Deposit (ISD) would be forfeited.

18. You will not sell/lease/mortgage the said land to any third party without the permission of Indian Oil Corporation Ltd. in writing, so long as the Dealership Agreement is valid and Indian Oil Corporation Ltd.'s facilities continue at the site.

19. In case of termination of / resignation from the dealership, within 3 months of disassociation from Indian Oil Corporation Ltd., you will execute a lease or will sub lease the land together with structures thereon to the company if the company so desires, for a period not exceeding 30 years at normal yearly rental (excluding Municipal Taxes) which shall not be more than 10 % of the then prevailing market value of the land and the structures standing thereon.

20. This letter is merely a letter of intent and is not to be construed as a 'firm offer' of dealership to you. The dealership will be allotted to you on your complying with the terms and conditions spelt out herein above by issuance of appointment letter along with signing of our standard dealership agreement between you and us.

21 Note : You have one time option to offer alternate land meeting all specifications in the advertised location/stretch within 90 days of this LOI provided you have not availed such opportunity of providing alternate land after FVC (Field Verification of Credentials).

Should you require any further details / guidelines, please get in touch with our office at the address mentioned below:

IOC Dehradun: Divisional Office  
25, Nimbuwala, Garhi Cantt,  
Dehradun


Remarks :

Please acknowledge receipt of this letter.

Thanking you,

Yours faithfully

For Indian Oil Corporation Ltd.

  
Manoj Kumar Jayant 7.6.19  
Chief Divisional Retail Sales Manager



Indian Oil  
A Maharatna  
Company

मार्केटिंग डिविजन  
Marketing Division

इंडियन ऑयल कॉर्पोरेशन लिमिटेड

देहरादून डिविजनल ऑफिस : 25, निम्बूवाला,  
गढ़ी कैंन्ट, देहरादून -248003 (उत्तराखण्ड)

Indian Oil Corporation Limited

Dehradun Divisional Office: 25, Nimbuwala,  
Garhi Cantt, Dehradun, Uttarakhand-248003

Tel : 0135-2750108, 2750110 Fax: 0135-2750111

Ref: DDN DO/NRO/156  
DTD:-10.07.2019

To

The District Magistrate,  
Haridwar,  
Uttarakhand.

**SUB:- No Objection Certificate for Development of New Petroleum Class A/B Retail Outlet Khasra No. 41/1MIN Village- Jagjeetpur Mustehkam Tehsil- Haridwar Dist- Haridwar, (Uttarakhand).**

Sir,

It is proposed to develop a New Petroleum Class A/B Retail Outlet at the subject location.


The installation of new Petrol/Diesel Retail Outlet at the subject location will greatly help the public by providing fuels closer to them. Enclosed please find the 06 (Six) copies of the layout drawing for the same.

You are requested to issue "No Objection Certificate" in favour of M/s. Indian Oil Corporation Ltd. (MD) to enable us to develop the said Retail Outlet. The NOC may kindly be forwarded to this office along with two copies of layout drawings duly signed and stamped.

In case of any clarification Shri. Kuldeep Kumar, Mgr(RS) Haridwar SA on 9412268448 /LOI Holder Smt. Richa Gupta & Smt. Manju Gupta on 9412074117 or undersigned on 9412045808 may kindly be contacted.

Thanking You,

Yours faithfully,  
For/Indian Oil Corporation Ltd. (MD)

  
Ch. Divisional Retail Sales Manager

कार्यालय, जिला मजिस्ट्रेट, हरिद्वार।  
पत्रांक: 3400 / शस्त्र सहायक-2019 (एनओसी)

दिनांक 21/12/2019

मुख्य क्षेत्रीय प्रबन्धक,  
इण्डियन आयल कारपोरेशन लि०,  
देहरादून।

कृपया अपने कार्यालय के इण्डियन आयल कारपोरेशन लि० देहरादून के पत्र संख्या-  
डीडीएनडीओ/एनआरओ/156 दिनांक 10.07.2019 का संदर्भ ग्रहण करें जो ग्राम जगजीतपुर मुस्तकम  
तहसील व जिला हरिद्वार के ख०न० 41/1मि में कम्पनी के नये रिटेल आउटलेट की स्थापना हेतु  
अनापत्ति निर्गत किये जाने के सम्बन्ध में है।

इस सम्बन्ध में उप जिलाधिकारी हरिद्वार की जांच आख्या दिनांक 23.09.2019, जिला  
पूर्ति अधिकारी, हरिद्वार की आख्या दिनांक 20.08.2019, अधिशासी अभियन्ता, उत्तराखण्ड पावर  
कारपोरेशन हरिद्वार की आख्या दिनांक 21.08.2019, अधिशासी अभियन्ता, राष्ट्रीय मार्ग खण्ड लो०नि०वि०  
देहरादून की आख्या दिनांक 28.11.2019, सचिव हरिद्वार रूडकी विकास प्राधिकरण ने अपनी आख्या  
दिनांक 22.08.2019 वरिष्ठ पुलिस अधीक्षक, हरिद्वार ने अपनी आख्या-बीट/सत्यापन/एनओसी/ 2019  
दिनांक 16.09.2019 के द्वारा विभागीय नियम/शर्तों के पालन किये जाने के आधार पर अनापत्ति  
आख्यायें प्रस्तुत की है।

अतः पत्रावली पर प्राप्त उल्लिखित अनापत्ति आख्यायों के आधार पर ग्राम जगजीतपुर  
मुस्तकम तहसील व जिला हरिद्वार के ख०न० 41/1मि में कम्पनी के नये आउटलेट की स्थापना हेतु  
सम्बन्धित विभागों के दिशा निर्देशों का पालन करने तथा प्रस्तावित स्थल पर अनुमोदित मानचित्र के  
अनुसार की गयी अग्नि निरोधक व्यवस्थाओं का भौतिक निरीक्षण मुख्य अग्नि शमन अधिकारी हरिद्वार से  
कराये जाने के बाद तथा निरीक्षण मुख्य अग्नि शमन अधिकारी हरिद्वार से कराये जाने के बाद तथा  
अन्तिम रूप से पेट्रोलियम रूल्स-2002 के निर्देशों का पालन किये जाने दशा में अनापत्ति निर्गत की  
जाती है। विभागीय शर्तों/प्रतिबन्धों के उल्लंघन होने व गलत तथ्य पाये जाने की दशा में यह अनुमति  
स्वतः ही निरस्त मानी जायेगी।  
संलग्नक: कम्पनी द्वारा अनुमोदित मानचित्र।



(दीपेन्द्र कुमार चौधरी)  
जिला मजिस्ट्रेट,  
हरिद्वार

प्रतिलिपि निम्नलिखित को इस आशय से प्रेषित किया जा रहा है कि उप विभाग द्वारा जिन प्रतिबन्धों/शर्तों  
के अधीन अनापत्ति निर्गत किये जाने की संस्तुति/आख्या प्रस्तुत की गयी है, उनका पूर्ण रूपसे  
अनुपालन कराना सुनिश्चित करे। प्रतिबन्धों/शर्तों का उल्लंघन होने की दशा में सम्बन्धित के विरुद्ध  
नियमानुसार कार्यवाही प्रस्तावित करने का कष्ट करें।

1. वरिष्ठ पुलिस अधीक्षक, हरिद्वार।
2. उप जिला मजिस्ट्रेट, रूडकी।
3. अधिशासी अभियन्ता, रा०मा०ख० लो०नि०वि०, देहरादून/यू०पी०सी०एल० रूडकी।
4. सचिव, हरिद्वार-रूडकी विकास प्राधिकरण हरिद्वार।
5. जिला पूर्ति अधिकारी, हरिद्वार को इस निर्देश के साथ कि पेट्रोल पम्प स्थापित होने के  
उपसन्त तत्काल निरीक्षण कर आख्या इस कार्यालय को उपलब्ध कराना सुनिश्चित  
करें।
6. मुख्य अग्नि शमन अधिकारी हरिद्वार को उपरोक्तानुसार आवश्यक कार्यवाही हेतु।

जिला मजिस्ट्रेट,  
हरिद्वार

**IN THE HIGH COURT OF UTTARAKHAND AT NAINITAL**

**Writ Petition (PIL) No. 141 of 2020**

Pradeep Kumar

...Petitioner

Vs.

State of Uttarakhand and others

...Respondents

Petitioner's counsel is absent.

**09<sup>th</sup> October, 2020**

**Coram: Hon'ble Ravi Malimath, A.C.J.  
Hon'ble Ramesh Chandra Khulbe, J.**

**Ravi Malimath, A.C.J. (Oral)**

Petitioner's counsel is absent. He was also absent on the previous date on 14.08.2020. It is apparent that he is not interested to prosecute this matter.

2. Hence, the Writ Petition is dismissed.
3. All pending applications also stand rejected.

**(Ramesh Chandra Khulbe, J.)**  
09.10.2020

**(Ravi Malimath)**  
A.C.J.  
09.10.2020

R.P.



प्रेषक,

मेलाधिकारी,  
कुम्भ मेला-2021,  
हरिद्वार।

सेवा में,

- 1- जिलाधिकारी,  
हरिद्वार/देहरादून/पौड़ी/टिहरी।
- 2- वरिष्ठ पुलिस अधीक्षक,  
हरिद्वार/देहरादून/पौड़ी/टिहरी।
- 3- सचिव,  
विकास प्राधिकरण,  
हरिद्वार/देहरादून।
- 4- मुख्य अभियन्ता-क्षेत्रीय अधिकारी,  
सड़क परिवहन राजमार्ग मंत्रालय,  
46/1, कैनाल रोड,  
जाखन, देहरादून।
- 5- स्टेट लेवल कार्डिनेटर,  
एलपीजी/तेल, देहरादून।
- 6- जिला पूर्ति अधिकारी,  
हरिद्वार/देहरादून/पौड़ी/टिहरी।
- 7- अधिशासी अभियन्ता,  
प्रान्तीय खंड लोक निर्माण विभाग,  
हरिद्वार/देहरादून/पौड़ी/टिहरी(कुम्भ क्षेत्र)
- 8- मुख्य अग्नि शमन अधिकारी,  
हरिद्वार/देहरादून/पौड़ी/टिहरी।
- 9- अधिशासी अभियन्ता, उत्तराखंड पावर कारपोरेशन,  
हरिद्वार/देहरादून/पौड़ी/टिहरी(कुम्भ क्षेत्र)।

पत्रांक: 5207 / जि0पू0अ0-कु0मे0-2021/2019

दिनांक: 18/9/2020

विषय: कुम्भ मेला 2021 में पेट्रोल/डीजल/सीएनजी/गैस इत्यादि की व्यवस्था के संबंध में।

महोदय,

कृपया उपरोक्त विषयक के संबंध में जैसा कि आप अवगत ही है कि वर्ष 2021 में जनपद हरिद्वार में कुम्भ मेले का आयोजन किया जाना है, जिसमें लगभग 16 करोड़ तीर्थ यात्रियों के आने की संभावना है, जिसमें अधिकांश तीर्थ यात्री अपने-अपने वाहनों से कुम्भ मेला क्षेत्र में आएंगे। यद्यपि कुम्भ मेला क्षेत्र में पेट्रोल/डीजल रिटेल आउटलेट एवं गैस एजेन्सियां स्थापित है तथापि कुम्भ मेले के दौरान तीर्थ यात्रियों को ओर अधिक सुविधा हेतु कुम्भ मेला क्षेत्रान्तर्गत नये पेट्रोल पंप एवं सीएनजी पेट्रोल पंप स्थापित किये जाने प्रस्तावित है, जिनमें विभिन्न विभागों से अनापत्ति प्रमाण पत्र एवं लाइसेंस जारी करने की प्रक्रिया होती है।

अतः कुम्भ मेला-2021 में आने वाले तीर्थ यात्रियों की सुविधा के दृष्टिगत कुम्भ मेला क्षेत्र में गैस एजेन्सियों, पेट्रोल/डीजल आउटलेट एवं सीएनजी पेट्रोल पंपों की स्थापना के संबंध में अनापत्ति प्रमाण पत्र एवं लाइसेंस जारी करने की प्रक्रिया पर त्वरित कार्यवाही करते हुए प्राथमिकता के आधार पर शीघ्रातिशीघ्र पूर्ण करा लिया जाए ताकि कुम्भ मेला-2021 प्रारम्भ होने पर मेला क्षेत्र में अधिकाधिक ईंधन की उपलब्धता सुनिश्चित होने के साथ ही यात्रियों को वाहनों में ईंधन भरवाने में ओर अधिक सुविधा प्राप्त हो सकेगी।

भवदीय,

मेलाधिकारी,  
कुम्भ मेला-2021,  
हरिद्वार।

प्रतिलिपि: निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

- 1- सचिव, खाद्य नागरिक आपूर्ति एवं उपभोक्ता मामले विभाग, उत्तराखंड देहरादून।
- 2- आयुक्त, गढ़वाल मंडल पौड़ी, कैम्प कार्यालय देहरादून।

मेलाधिकारी,  
कुम्भ मेला-2021,  
हरिद्वार।

प्रेषक,

अपर मेलाधिकारी,  
हरिद्वार।

सेवा में,

मुख्य अभियन्ता-क्षेत्रीय अधिकारी,  
सड़क परिवहन राजमार्ग मंत्रालय,  
46/1, कैनाल रोड,  
जाखन, देहरादून।

पत्रांक: 1470/मेला0अ0/2020

दिनांक: 02/03 2020

विषय:- कुम्भ मेला-2021 में नई आउटलेट के अनापत्ति प्रमाण पत्र निर्गत किये जाने के संबंध में।  
महोदय,

कृपया उपरोक्त विषयक के संबंध में प्रार्थिनी श्रीमति ऋचा गुप्ता पत्नि शरद कुमार गुप्ता एवं श्रीमति मंजू गुप्ता पत्नि श्री राजीव कुमार गुप्ता निवासीगण सिंहद्वार, कनखल, हरिद्वार के प्रार्थना पत्र दिनांक 15-02-2020 का संदर्भ लेने का कष्ट करें, जिसके द्वारा अवगत कराया गया है कि इंडियन ऑयल कार्पोरेशन देहरादून ने कनखल, हरिद्वार में खसरा नं० 41/1 मि० स्थित ग्राम जगजीतपुर (ज्वालापुर-कनखल रोड़) में पेट्रोल-डीजल की आउटलेट स्थापित करने के लिये आवंटित किया गया है। उल्लेखनीय है कि जनपद हरिद्वार में वर्ष 2021 में कुम्भ मेला का आयोजन किया जाना है जिसमें लगभग 16 करोड़ तीर्थयात्रियों के आने की संभावना है जिसमें से अधिकांश तीर्थयात्री अपने-अपने वाहनों से आयेंगे और पेट्रोल डीजल का उपयोग करेंगे। साथ ही अवगत कराया है कि उपरोक्त साईट बहुत प्राईम लोकेशन पर स्थित है और इस रिटेल आउटलेट को स्थापित किये जाने के लिये मुख्य अभियन्ता, क्षेत्रीय अधिकारी, सड़क परिवहन राजमार्ग मंत्रालय से अनापत्ति प्रमाण पत्र प्राप्त नहीं हुआ है।

यहां यह भी अवगत कराना है कि कुम्भ मेला- 2021 के भव्य आयोजन हेतु कुम्भ में मेला क्षेत्र में विकास कार्य प्रगति पर है, जिन्हे शीघ्रातिशीघ्र पूर्ण किया जाना है जिसके दृष्टिगत मेलाधिकारी, कुम्भ मेला-2021 हरिद्वार के कार्यालय पत्र 5207 दिनांक 18-02-2020 में निर्देश दिये गये है कि कुम्भ मेला-2021 में आने वाले तीर्थ यात्रियों की सुविधा के दृष्टिगत कुम्भ मेला क्षेत्र में गैस एजेन्सियों, पेट्रोल/डीजल आउटलेट एवं सी०एन०जी० पेट्रोल पंपों की स्थापना के संबंध में अनापत्ति प्रमाण पत्र एवं लाईसेन्स जारी करने की प्रक्रिया पर त्वरित कार्यवाही करते हुये प्राथमिकता के आधार पर शीघ्रातिशीघ्र पूर्ण करा लिया जाये ताकि कुम्भ मेला-2021 प्रारम्भ होने पर मेला क्षेत्र अधिकाधिक ईंधन की उपलब्धता सुनिश्चित होने के साथ ही यात्रियों को वाहनों में ईंधन भरवाने और अधिक सुविधा प्राप्त हो सकेंगी।

उल्लेखनीय है कि उक्त संदर्भित प्रस्तावित रिटेल आउटलेट कुम्भ मेला क्षेत्र में स्थित है जो हरिद्वार नगर के मध्य महत्वपूर्ण स्थल पर स्थापित होना है जिसके शीघ्र प्रारम्भ हो जाने से कुम्भ मेला यात्रियों को सहज से डीजल/पेट्रोल उपलब्ध कराने में सुविधा होगी। अतः प्रार्थिनी का पत्र संलग्न कर आपको इस आशय से प्रेषित है कि उक्त प्रस्तावित स्थल हेतु अनापत्ति प्रमाण पत्र निर्गत करने संबंधी कार्यवाही प्राथमिकता के आधार पर शीघ्रातिशीघ्र करने का कष्ट करें, ताकि कुम्भ मेला-2021 प्रारम्भ होने से पूर्व मेला क्षेत्र में अधिकाधिक ईंधन की उपलब्धता सुनिश्चित होने के साथ ही यात्रियों के वाहनों में ईंधन भरवाने में और अधिक सुविधा प्राप्त हो सकें।

संलग्न- उपरोक्तानुसार।

भवदीय,  
अपर मेलाधिकारी,  
अपर मेलाधिकारी  
कुम्भ मेला  
हरिद्वार